

Table 2-1.
Percent Distribution of Veterans by Period of Service

Estimated Population	
Not Applicable	101,062
Responding on Item	25,094,974
Prior to World War I	0.0 (N/A)
During World War I	0.0 (N/A)
Between World Wars I and II	0.9 (0.1)
During World War II	20.5 (0.3)
Between World War II and the Korean Conflict	6.7 (0.2)
During the Korean Conflict	16.9 (0.3)
Between the Korean Conflict and the Vietnam Era	25.6 (0.3)
During the Vietnam Era	36.1 (0.3)
Post-Vietnam Era (May 8, 1975-Sept. 7, 1980)	17.3 (0.3)
Post-Vietnam Era (Sept. 8, 1980-Aug. 1, 1990)	20.1 (0.3)
Gulf War	13.9 (0.3)

NOTE: Veteran may report more than one period of service. "Not Applicable" value represents respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 2-2.
Percent Distribution of Veterans by Period of Service and Gender

	Total	Males	Females
Estimated Population			
Not Applicable	101,062	82,671	18,391
Responding on Item	25,094,974	23,629,762	1,465,212
During World War II	20.5 (0.3)	21.0 (0.3)	12.0 (1.2)
Between World War II and the Korean Conflict	6.7 (0.2)	7.0 (0.2)	2.4 (0.5)
During the Korean Conflict	16.9 (0.3)	17.7 (0.3)	5.0 (0.7)
Between the Korean Conflict and the Vietnam Era	25.6 (0.3)	26.7 (0.4)	8.0 (1.0)
During the Vietnam Era	36.1 (0.3)	37.3 (0.3)	16.2 (1.6)
Post-Vietnam Era	27.9 (0.3)	26.3 (0.3)	53.8 (2.0)
Gulf War	13.9 (0.3)	12.4 (0.2)	37.0 (1.7)

NOTE: Veteran may report more than one period of service. "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty.

Table 2-3.
Percent Distribution of Veterans by Period of Service and Ethnicity

	Total	Spanish, Hispanic, or Latino	Not Spanish, Hispanic, or Latino
Estimated Population			
Not Applicable	101,062	10,429	90,633
Responding on Item	25,094,974	1,111,761	23,899,600
During World War II	20.5 (0.3)	10.2 (1.0)	21.0 (0.3)
Between World War II and the Korean Conflict	6.7 (0.2)	3.1 (0.7)	6.9 (0.2)
During the Korean Conflict	16.9 (0.3)	10.6 (1.1)	17.2 (0.3)
Between the Korean Conflict and the Vietnam Era	25.6 (0.3)	17.9 (1.2)	26.0 (0.3)
During the Vietnam Era	36.1 (0.3)	34.9 (1.7)	36.1 (0.3)
Post-Vietnam Era	27.9 (0.3)	35.9 (1.9)	27.5 (0.3)
Gulf War	13.9 (0.3)	25.9 (1.6)	13.3 (0.2)

NOTE: Veteran may report more than one period of service. "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate a category of ethnicity.

Table 2-4.
Percent Distribution of Veterans by Period of Service and Race

	Total All Races	Total One Race	White	Black or African American
Estimated Population				
Not Applicable	101,062	93,909	81,905	10,605
Responding on Item	25,094,974	23,763,217	21,288,992	2,206,028
During World War II	20.5 (0.3)	21.1 (0.3)	22.4 (0.3)	10.1 (0.8)
Between World War II and the Korean Conflict	6.7 (0.2)	6.8 (0.2)	7.1 (0.2)	4.6 (0.5)
During the Korean Conflict	16.9 (0.3)	17.2 (0.3)	17.7 (0.3)	13.3 (0.8)
Between the Korean Conflict and the Vietnam Era	25.6 (0.3)	26.0 (0.4)	26.8 (0.3)	18.8 (1.2)
During the Vietnam Era	36.1 (0.3)	35.8 (0.3)	35.9 (0.3)	34.8 (1.3)
Post-Vietnam Era	27.9 (0.3)	27.3 (0.3)	25.2 (0.3)	45.8 (1.2)
Gulf War	13.9 (0.3)	13.3 (0.2)	11.9 (0.2)	26.4 (1.2)

NOTE: Veteran may report more than one period of service. "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty.

Table 2-4. (continued)
Percent Distribution of Veterans by Period of Service and Race

	Minority Veterans (Other than Black or African American)		
	American Indian or Alaska Native	Asian	Native Hawaiian or Other Pacific Islander
Estimated Population			
Not Applicable	1,399	0	0
Responding on Item	158,452	73,202	36,541
During World War II	8.1 (2.0)	20.4 (4.4)	4.9* (3.1)
Between World War II and the Korean Conflict	5.7* (2.2)	9.8* (3.7)	4.0* (2.9)
During the Korean Conflict	11.5 (2.5)	13.5* (4.3)	18.0* (11.7)
Between the Korean Conflict and the Vietnam Era	18.9 (3.0)	24.1 (5.4)	27.0* (11.4)
During the Vietnam Era	34.6 (4.2)	36.3 (6.4)	56.1* (11.9)
Post-Vietnam Era	50.5 (3.9)	32.5 (5.3)	56.2* (11.7)
Gulf War	19.6 (4.0)	32.0 (5.8)	16.6* (5.7)

NOTE: Veteran may report more than one period of service. "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. * Low precision and/or sample size for the denominator between 30 and 59

Table 2-4. (continued)
Percent Distribution of Veterans by Period of Service and Race

	Two or More Races		Race Unknown
	Total Two or More Races	American Indian or Alaska Native/White	
Estimated Population			
Not Applicable	4,613	172	2,540
Responding on Item	552,927	360,583	778,830
During World War II	11.1 (1.4)	12.0 (1.6)	9.7 (1.2)
Between World War II and the Korean Conflict	5.7 (0.9)	7.2 (1.3)	3.5 (0.7)
During the Korean Conflict	13.6 (1.4)	16.5 (1.7)	9.5 (1.2)
Between the Korean Conflict and the Vietnam Era	21.2 (1.5)	25.9 (1.9)	17.9 (1.8)
During the Vietnam Era	44.2 (2.2)	45.0 (2.9)	38.2 (2.1)
Post-Vietnam Era	39.1 (2.2)	34.1 (2.7)	37.7 (2.7)
Gulf War	19.2 (2.1)	14.9 (1.7)	27.0 (2.3)

NOTE: Veteran may report more than one period of service. "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. Only one sub-category of "Total Two or More Races" is shown because all other categories were too small to report.

Table 2-5.
Percent Distribution of Veterans by Place of Service and Period of Service

	Total	During World War II	Between World War II and Korea	During the Korean Conflict	Between the Korean Conflict and Vietnam	During the Vietnam Era	Post-Vietnam Era	Gulf War
Estimated Population								
Responding on Item	25,094,974	5,149,093	1,680,553	4,245,559	6,426,507	9,057,157	7,004,953	3,483,562
Canal Zone	2.1 (0.1)	0.1* (0.1)	0.3* (0.2)	0.3* (0.1)	1.1 (0.2)	2.1 (0.2)	7.7 (0.5)	7.7 (0.7)
China, Burma, and India	2.1 (0.1)	7.2 (0.5)	9.5 (0.8)	6.2 (0.5)	3.0 (0.3)	1.0 (0.1)	0.4 (0.1)	(0.0) (N/A)
Cuba	1.1 (0.1)	5.5 (0.4)	8.8 (0.9)	2.7 (0.3)	1.1 (0.2)	0.5 (0.1)	0.1* (0.0)	0.0 (N/A)
Europe and Mediterranean Sea	11.8 (0.3)	31.3 (0.8)	24.2 (1.2)	7.6 (0.5)	4.1 (0.3)	5.6 (0.3)	16.0 (0.6)	38.7 (1.1)
Indian Ocean	0.9 (0.1)	4.2 (0.5)	3.9 (0.7)	1.2 (0.2)	0.6 (0.1)	0.2 (0.1)	(0.0) (N/A)	0.0 (N/A)
Japan or Okinawa	16.8 (0.3)	26.0 (0.8)	42.7 (1.6)	32.7 (0.9)	22.8 (0.7)	24.8 (0.6)	11.4 (0.5)	5.6 (0.5)
Korea	7.3 (0.2)	9.9 (0.6)	36.1 (1.6)	38.2 (1.0)	13.2 (0.5)	4.2 (0.2)	1.4 (0.2)	0.1* (0.1)
Laos or Cambodia	4.0 (0.1)	0.6 (0.1)	2.8 (0.5)	2.3 (0.2)	5.4 (0.3)	11.0 (0.4)	4.3 (0.3)	1.8 (0.3)
Midway or Other N. Pacific Island	3.6 (0.2)	17.5 (0.8)	14.6 (1.4)	4.3 (0.5)	2.1 (0.3)	1.0 (0.1)	0.1* (0.0)	0.0 (N/A)
North Africa	2.0 (0.1)	9.6 (0.6)	10.0 (0.8)	3.2 (0.3)	1.6 (0.2)	0.8 (0.1)	0.1* (0.1)	0.0 (N/A)

NOTE: Veteran may report more than one period and/or place of service. "Responding on Item" values exclude respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 2-5. (continued)**Percent Distribution of Veterans by Place of Service and Period of Service**

	Total	During World War II	Between World War II and Korea	During the Korean Conflict	Between the Korean Conflict and Vietnam	During the Vietnam Era	Post-Vietnam Era	Gulf War
Estimated Population								
Responding on Item	25,094,974	5,149,093	1,680,553	4,245,559	6,426,507	9,057,157	7,004,953	3,483,562
Guam or Philippines	12.8 (0.3)	28.0 (0.7)	23.7 (1.4)	10.5 (0.6)	14.3 (0.6)	21.0 (0.6)	10.6 (0.4)	5.1 (0.5)
South China Sea	8.5 (0.3)	10.2 (0.5)	13.1 (1.0)	6.4 (0.4)	11.1 (0.6)	18.6 (0.6)	8.1 (0.4)	3.9 (0.4)
South Pacific (including Australia)	3.8 (0.1)	18.6 (0.6)	12.5 (1.1)	3.9 (0.4)	1.9 (0.2)	0.8 (0.1)	0.1* (0.1)	0.0 (N/A)
Thailand	4.7 (0.2)	0.8 (0.1)	4.4 (0.5)	4.0 (0.4)	7.9 (0.4)	12.9 (0.4)	7.9 (0.4)	3.7 (0.4)
Vietnam	14.9 (0.2)	2.0 (0.2)	10.4 (0.9)	9.1 (0.5)	18.0 (0.5)	41.4 (0.7)	13.2 (0.4)	4.6 (0.4)
Persian Gulf Area	5.0 (0.2)	2.1 (0.3)	3.0 (0.5)	1.0 (0.2)	0.8 (0.1)	2.2 (0.2)	12.9 (0.6)	33.1 (1.3)
Hawaii	5.3 (0.2)	25.8 (0.6)	21.2 (1.4)	6.5 (0.5)	3.0 (0.3)	1.4 (0.2)	0.3 (0.1)	0.0 (N/A)
Alaska	1.3 (0.1)	6.1 (0.5)	9.0 (0.8)	2.9 (0.3)	1.5 (0.2)	0.8 (0.1)	0.1* (0.0)	0.0 (N/A)
Elsewhere Outside Continental U.S.	38.0 (0.4)	24.8 (0.8)	36.2 (1.5)	45.3 (1.2)	38.2 (0.8)	48.9 (0.7)	54.3 (0.8)	46.4 (1.3)
Only in Continental U.S. (48 states)	28.4 (0.4)	20.7 (0.8)	16.9 (1.2)	22.9 (0.9)	28.5 (0.8)	22.8 (0.5)	27.9 (0.9)	30.1 (1.2)

NOTE: Veteran may report more than one period and/or place of service. "Responding on Item" values exclude respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 2-6.***Percent Distribution of Veterans by Combat, War Zone, or Exposure to Dead, Dying, or Wounded and Period of Service***

	Total	During World War II	Between World War II and Korea	During the Korean Conflict	Between the Korean Conflict and Vietnam	During the Vietnam Era	Post-Vietnam Era	Gulf War
Estimated Population								
Responding on Item	25,094,974	5,149,093	1,680,553	4,245,559	6,426,507	9,057,157	7,004,953	3,483,562
<i>Served in Combat or War Zone</i>								
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Yes	38.9 (0.5)	60.3 (0.9)	52.8 (1.5)	42.4 (1.0)	31.9 (0.8)	48.1 (0.8)	31.5 (0.9)	38.1 (1.3)
No	60.0 (0.5)	38.8 (0.9)	46.5 (1.5)	56.8 (1.0)	67.1 (0.8)	51.1 (0.8)	67.3 (1.0)	60.7 (1.3)
Unknown	1.0 (0.1)	1.0 (0.2)	0.7* (0.3)	0.7 (0.1)	1.1 (0.2)	0.8 (0.1)	1.2 (0.2)	1.2 (0.3)
<i>Exposed to Dead, Dying, or Wounded People</i>								
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Yes	36.4 (0.4)	49.7 (1.0)	42.9 (1.6)	34.8 (0.9)	30.0 (0.8)	45.9 (0.7)	32.2 (0.8)	31.7 (1.1)
No	62.8 (0.4)	49.2 (1.0)	56.3 (1.6)	64.6 (0.9)	69.4 (0.8)	53.4 (0.7)	67.0 (0.9)	67.6 (1.1)
Unknown	0.7 (0.1)	1.1 (0.2)	0.8 (0.2)	0.7 (0.1)	0.7 (0.1)	0.6 (0.1)	0.7 (0.2)	0.7* (0.2)

NOTE: Veteran may report more than one period of service. "Responding on Item" values exclude respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 2-7.
Percent Distribution of Veterans by Age and Period of Service

	Total	During World War II	Between World War II and Korea	During the Korean Conflict	Between the Korean Conflict and Vietnam	During the Vietnam Era	Post-Vietnam Era	Gulf War
Estimated Population								
Responding on Item	25,094,974	5,149,093	1,680,553	4,245,559	6,426,507	9,057,157	7,004,953	3,483,562
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Less than 25 years	1.0 (0.1)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	7.2 (0.8)
25-29 years	2.7 (0.2)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	1.1 (0.2)	19.5 (1.0)
30-34 years	5.3 (0.2)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	14.8 (0.6)	30.6 (1.2)
35-39 years	5.3 (0.2)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	18.2 (0.5)	13.0 (0.8)
40-44 years	6.7 (0.2)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	1.4 (0.2)	23.5 (0.8)	11.4 (0.8)
45-49 years	8.1 (0.2)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	17.7 (0.4)	20.9 (0.7)	8.5 (0.5)
50-54 years	13.4 (0.2)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	1.1 (0.2)	36.4 (0.7)	8.9 (0.5)	5.5 (0.5)
55-59 years	11.1 (0.3)	0.0 (N/A)	0.0 (N/A)	0.1* (0.1)	21.6 (0.7)	27.3 (0.7)	4.8 (0.3)	2.2 (0.3)
60-64 years	8.6 (0.2)	0.1* (0.1)	0.1* (0.1)	3.1 (0.3)	32.4 (0.7)	8.2 (0.4)	3.7 (0.3)	0.6* (0.2)
65-69 years	10.1 (0.3)	0.1* (0.1)	8.9 (0.9)	45.1 (1.0)	31.3 (0.8)	4.2 (0.3)	2.2 (0.2)	0.5 (0.1)

NOTE: Veteran may report more than one period of service. "Responding on Item" values exclude respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 2-7. (continued)
Percent Distribution of Veterans by Age and Period of Service

	Total	During World War II	Between World War II and Korea	During the Korean Conflict	Between the Korean Conflict and Vietnam	During the Vietnam Era	Post-Vietnam Era	Gulf War
Estimated Population								
Responding on Item	25,094,974	5,149,093	1,680,553	4,245,559	6,426,507	9,057,157	7,004,953	3,483,562
70-74 years	10.8 (0.2)	21.0 (0.7)	60.3 (1.7)	41.6 (1.0)	8.7 (0.5)	2.8 (0.2)	0.9 (0.1)	0.1* (0.1)
75-79 years	9.6 (0.2)	45.7 (0.9)	18.8 (1.2)	6.2 (0.4)	2.5 (0.3)	1.0 (0.2)	0.3 (0.1)	0.1* (0.1)
80 years or older	6.8 (0.2)	32.8 (0.9)	11.6 (1.1)	3.2 (0.4)	1.7 (0.2)	0.5 (0.1)	0.1* (0.1)	0.0 (N/A)
Unknown	0.6 (0.1)	0.3* (0.1)	0.3* (0.1)	0.6 (0.2)	0.6 (0.1)	0.6 (0.1)	0.6 (0.1)	0.9 (0.2)

NOTE: Veteran may report more than one period of service. "Responding on Item" values exclude respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 2-8.***Percent Distribution of Veterans by Combat, War Zone, or Exposure to Dead/Dying Wounded and Gender***

	Total	Males	Females
Estimated Population			
Not Applicable	101,062	82,671	18,391
Responding on Item	25,094,974	23,629,762	1,465,212
<i>Served in Combat or War Zone</i>			
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Yes	38.9 (0.5)	40.6 (0.5)	12.0 (1.2)
No	60.0 (0.5)	58.3 (0.5)	87.8 (1.2)
Unknown	1.0 (0.1)	1.1 (0.1)	0.2* (0.1)
<i>Exposed to Dead, Dying, or Wounded People</i>			
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Yes	36.4 (0.4)	37.2 (0.4)	24.3 (1.4)
No	62.8 (0.4)	62.1 (0.4)	75.2 (1.4)
Unknown	0.7 (0.1)	0.8 (0.1)	0.4* (0.2)

NOTE: "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 2-9.***Percent Distribution of Veterans by Combat, War Zone, or Exposure to Dead/Dying Wounded and Ethnicity***

	Total	Spanish, Hispanic, or Latino	Not Spanish, Hispanic, or Latino
Estimated Population			
Not Applicable	101,062	10,429	90,633
Responding on Item	25,094,974	1,111,761	23,899,600
<i>Served in Combat or War Zone</i>			
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Yes	38.9 (0.5)	35.9 (1.8)	39.0 (0.5)
No	60.0 (0.5)	63.8 (1.8)	59.9 (0.5)
Unknown	1.0 (0.1)	0.2* (0.2)	1.0 (0.1)
<i>Exposed to Dead, Dying, or Wounded People</i>			
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Yes	36.4 (0.4)	34.8 (1.7)	36.5 (0.4)
No	62.8 (0.4)	64.2 (1.8)	62.8 (0.4)
Unknown	0.7 (0.1)	1.0* (0.4)	0.7 (0.1)

NOTE: "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate a category of ethnicity. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 2-10.**Percent Distribution of Veterans by Combat, War Zone, or Exposure to Dead/Dying Wounded and Race**

	Total All Races	Total One Race	White	Black or African American
Estimated Population				
Not Applicable	101,062	93,909	81,905	10,605
Responding on Item	25,094,974	23,763,217	21,288,992	2,206,028
<i>Served in Combat or War Zone</i>				
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Yes	39.0 (0.5)	39.0 (0.5)	39.0 (0.5)	38.0 (1.3)
No	60.0 (0.5)	60.0 (0.5)	60.0 (0.5)	61.0 (1.3)
Unknown	1.0 (0.1)	1.0 (0.1)	1.0 (0.1)	1.0* (0.2)
<i>Exposed to Dead, Dying, or Wounded People</i>				
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Yes	36.0 (0.4)	36.0 (0.4)	37.0 (0.5)	32.0 (1.0)
No	63.0 (0.4)	63.0 (0.4)	63.0 (0.5)	68.0 (1.0)
Unknown	1.0 (0.1)	1.0 (0.1)	1.0 (0.1)	1.0* (0.2)

NOTE: "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 2-10. (continued)***Percent Distribution of Veterans by Combat, War Zone, or Exposure to Dead/Dying Wounded and Race***

	Minority Veterans (Other than Black or African American)		
	American Indian or Alaska Native	Asian	Native Hawaiian or Other Pacific Islander
Estimated Population			
Not Applicable	1,399	0	0
Responding on Item	158,452	73,202	36,541
<i>Served in Combat or War Zone</i>			
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Yes	37.7 (4.7)	32.7 (6.1)	25.1* (8.8)
No	59.9 (4.7)	67.1 (6.1)	72.7* (9.6)
Unknown	2.4* (1.2)	0.2* (0.2)	2.3* (2.1)
<i>Exposed to Dead, Dying, or Wounded People</i>			
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Yes	37.6 (3.8)	26.3 (4.8)	39.8* (11.3)
No	60.3 (3.8)	73.7 (4.8)	58.3* (11.7)
Unknown	2.1* (1.1)	0.0 (N/A)	1.9* (2.0)

NOTE: "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 2-10. (continued)
Percent Distribution of Veterans by Combat, War Zone, or Exposure to Dead/Dying Wounded and Race

	Two or More Races		Race Unknown
	Total Two or More Races	American Indian or Alaska Native/White	
Estimated Population			
Not Applicable	4,613	172	2,540
Responding on Item	552,927	360,583	778,830
<i>Served in Combat or War Zone</i>			
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Yes	41.5 (2.6)	40.0 (2.5)	38.7 (2.4)
No	57.0 (2.5)	57.9 (2.3)	60.0 (2.4)
Unknown	1.5* (0.6)	2.2* (0.8)	1.3* (0.5)
<i>Exposed to Dead, Dying, or Wounded People</i>			
Total	100.0 (N/A)	100.0 (N/A)	100.0 (N/A)
Yes	50.0 (2.1)	49.7 (2.0)	35.9 (2.5)
No	48.7 (2.2)	48.4 (2.2)	63.5 (2.4)
Unknown	1.3* (0.4)	1.8* (0.6)	0.7* (0.3)

NOTE: Only one sub-category of "Total Two or More Races" is shown because all other categories were too small to report. "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 2-11.
Percent Distribution of Veterans by Branch of Service, Gender, and Age

	Males						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	82,671	19,505	18,687	15,697	10,292	13,358	1,394
Responding on Item	23,629,762	1,894,620	2,566,651	5,102,248	4,837,251	5,157,021	3,938,680
Army	50.8 (0.5)	43.1 (1.6)	42.2 (1.6)	48.9 (1.0)	48.6 (1.1)	54.3 (0.9)	60.8 (1.1)
Navy	24.5 (0.4)	24.2 (1.4)	24.9 (1.6)	23.4 (0.9)	24.5 (0.8)	23.8 (0.8)	26.4 (0.9)
Air Force	19.1 (0.3)	13.1 (1.3)	21.8 (1.1)	17.1 (0.8)	20.5 (0.8)	19.3 (0.8)	20.7 (0.9)
Marine Corps	10.0 (0.3)	19.9 (1.3)	12.1 (1.2)	12.3 (0.6)	9.0 (0.5)	7.3 (0.4)	5.9 (0.5)
Coast Guard	1.4 (0.1)	1.5 (0.4)	1.7 (0.4)	1.4 (0.2)	1.1 (0.2)	1.2 (0.2)	2.1 (0.3)

NOTE: Veteran may report more than one Branch of Service. "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age.

Table 2-11. (continued)
Percent Distribution of Veterans by Branch of Service, Gender, and Age

	Males						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	82,671	19,505	18,687	15,697	10,292	13,358	1,394
Responding on Item	23,629,762	1,894,620	2,566,651	5,102,248	4,837,251	5,157,021	3,938,680
WAAC	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)
WAC	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)
WAVES	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)
NNC	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)
AFNC	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)
WASPS	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)
SPARS	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)
NOAA	0.2 (0.0)	0.1* (0.1)	0.2* (0.1)	0.2* (0.1)	0.3* (0.1)	0.2* (0.1)	0.2* (0.1)
USMM	0.8 (0.1)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	1.2 (0.2)	3.1 (0.3)

NOTE: Veteran may report more than one Branch of Service. "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; NR: Sample size for the denominator less than 30 * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 2-11. (continued)
Percent Distribution of Veterans by Branch of Service, Gender, and Age

	Females						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	18,391	4,813	7,888	5,690	0	0	0
Responding on Item	1,465,212	369,634	437,071	291,500	98,436	86,040	176,060
Army	41.0 (1.7)	43.5 (3.3)	43.9 (3.9)	43.5 (4.0)	39.5 (6.8)	26.0 (6.4)	34.2 (5.0)
Navy	23.7 (1.5)	27.3 (3.3)	19.1 (3.0)	16.0 (2.8)	25.0 (7.5)	28.3 (6.5)	36.3 (5.8)
Air Force	27.5 (1.9)	24.6 (3.3)	30.9 (3.4)	33.3 (4.5)	26.3 (5.1)	34.4 (6.8)	11.9* (3.8)
Marine Corps	7.7 (1.1)	5.7 (1.6)	8.2 (2.0)	6.9* (2.1)	9.9* (4.1)	5.6* (2.9)	12.3* (4.0)
Coast Guard	0.9* (0.3)	0.9* (0.8)	0.6* (0.5)	1.0* (0.7)	0.0 (N/A)	0.0 (N/A)	2.6* (1.6)

NOTE: Veteran may report more than one Branch of Service. "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; NR: Sample size for the denominator less than 30 * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 2-11. (continued)
Percent Distribution of Veterans by Branch of Service, Gender, and Age

	Females						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	18,391	4,813	7,888	5,690	0	0	0
Responding on Item	1,465,212	369,634	437,071	291,500	98,436	86,040	176,060
WAAC	1.8 (0.5)	0.1* (0.1)	0.9* (0.7)	1.6* (0.9)	4.5* (3.1)	1.0* (0.7)	6.9* (2.6)
WAC	10.8 (1.2)	0.1* (0.1)	3.4* (1.3)	23.2 (3.6)	27.3 (5.7)	20.7* (6.3)	17.4 (4.1)
WAVES	6.7 (1.1)	0.0 (N/A)	0.8* (0.7)	5.2* (2.1)	16.2* (5.5)	14.6* (6.4)	29.1 (5.2)
NNC	1.5 (0.4)	0.3* (0.2)	1.1* (0.7)	0.2* (0.2)	3.0* (3.1)	3.5* (2.8)	5.8* (2.5)
AFNC	2.8 (0.8)	0.1* (0.2)	1.5* (0.9)	5.5* (3.5)	6.9* (3.6)	1.2* (0.5)	5.6* (2.8)
WASPS	0.2* (0.2)	0.0 (N/A)	0.0 (N/A)	0.2* (0.2)	0.5* (0.5)	0.2* (0.2)	1.1* (1.2)
SPARS	0.3* (0.2)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	2.6* (1.6)
NOAA	0.4* (0.2)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	2.8* (2.4)	2.5* (2.1)	0.9* (0.9)
USMM	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)	0.0 (N/A)

NOTE: Veteran may report more than one Branch of Service. "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; NR: Sample size for the denominator less than 30 * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 2-12.
Percent Distribution of Veterans by Branch of Service, Ethnicity, and Age

	Spanish, Hispanic, or Latino						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	10,429	5,273	4,481	0	675	0	0
Responding on Item	1,111,761	196,914	198,848	281,544	180,821	155,411	94,148
Army	54.3 (1.9)	32.5 (5.3)	49.5 (5.6)	55.5 (4.2)	59.7 (6.1)	68.5 (5.1)	73.2 (5.7)
Navy	17.9 (1.5)	25.2 (3.9)	15.1 (4.2)	18.1 (3.3)	17.7 (4.3)	12.5 (3.7)	14.5 (4.1)
Air Force	16.2 (1.9)	14.7 (4.0)	19.7 (3.6)	16.3 (3.4)	13.3 (3.5)	14.7 (3.7)	20.5 (5.6)
Marine Corps	15.2 (1.3)	28.0 (4.9)	21.0 (4.9)	12.5 (2.9)	12.6 (3.3)	8.7* (3.0)	0.3* (0.3)
Coast Guard	0.6* (0.3)	0.7* (0.7)	2.2* (1.5)	0.1* (0.1)	0.0 (N/A)	0.2* (0.2)	0.5* (0.5)

NOTE: Veteran may report more than one Branch of Service. "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 2-12. (continued)
Percent Distribution of Veterans by Branch of Service, Ethnicity, and Age

	Not Spanish, Hispanic, or Latino						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	90,633	19,045	22,094	21,387	9,617	13,358	1,394
Responding on Item	23,899,600	2,064,373	2,799,712	5,096,374	4,732,230	5,072,666	4,005,802
Army	50.0 (0.5)	44.1 (1.7)	42.0 (1.7)	48.3 (0.9)	48.1 (1.1)	53.4 (1.0)	59.3 (1.0)
Navy	24.7 (0.5)	24.7 (1.3)	24.6 (1.6)	23.2 (0.9)	24.8 (0.8)	24.3 (0.7)	27.2 (0.9)
Air Force	19.7 (0.4)	15.0 (1.3)	23.4 (1.2)	18.1 (0.9)	20.8 (0.8)	19.7 (0.9)	20.4 (0.9)
Marine Corps	9.6 (0.3)	16.6 (1.1)	10.9 (1.0)	11.9 (0.6)	8.9 (0.5)	7.2 (0.4)	6.3 (0.6)
Coast Guard	1.5 (0.1)	1.5 (0.4)	1.5 (0.3)	1.4 (0.2)	1.1 (0.2)	1.2 (0.2)	2.1 (0.3)

NOTE: Veteran may report more than one Branch of Service. "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age.

Table 2-13.
Percent Distribution of Veterans by Branch of Service, Race, and Age

	Total One Race						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	93,909	19,045	24,867	21,215	10,292	13,358	1,394
Responding on Item	23,763,217	2,043,204	2,783,236	5,035,206	4,691,617	5,063,783	4,019,227
Army	50.3 (0.6)	43.5 (1.8)	42.6 (1.6)	48.4 (1.0)	48.2 (1.1)	53.8 (0.9)	59.7 (1.0)
Navy	24.6 (0.5)	25.1 (1.4)	24.4 (1.5)	23.2 (0.9)	24.8 (0.8)	23.8 (0.7)	26.9 (0.9)
Air Force	19.6 (0.4)	15.1 (1.3)	23.2 (1.2)	18.1 (1.0)	20.7 (0.8)	19.4 (0.9)	20.3 (0.9)
Marine Corps	9.6 (0.3)	16.3 (1.1)	10.9 (1.0)	11.9 (0.7)	9.0 (0.5)	7.3 (0.4)	6.2 (0.6)
Coast Guard	1.4 (0.1)	1.6 (0.4)	1.5 (0.3)	1.3 (0.2)	1.0 (0.2)	1.2 (0.2)	2.1 (0.3)

NOTE: Veteran may report more than one Branch of Service. "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age.

Table 2-13. (continued)
Percent Distribution of Veterans by Branch of Service, Race, and Age

	White						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	81,905	16,680	18,155	19,148	10292	13358	534
Responding on Item	21,288,992	1,688,919	2,204,184	4,424,229	4,340,536	4,685,996	3,833,765
Army	49.2 (0.6)	41.7 (2.0)	38.6 (1.7)	47.4 (1.0)	47.6 (1.3)	52.5 (1.0)	58.7 (1.1)
Navy	25.7 (0.5)	26.1 (1.5)	26.7 (1.7)	24.7 (1.0)	25.2 (0.9)	24.8 (0.8)	27.5 (1.0)
Air Force	19.9 (0.4)	15.8 (1.4)	25.0 (1.4)	17.9 (1.0)	20.8 (0.8)	19.3 (0.9)	20.6 (0.9)
Marine Corps	9.5 (0.3)	15.8 (1.2)	10.6 (1.1)	11.6 (0.7)	9.0 (0.6)	7.6 (0.4)	6.4 (0.6)
Coast Guard	1.5 (0.1)	1.9 (0.5)	1.8 (0.4)	1.4 (0.2)	1.1 (0.2)	1.2 (0.2)	2.1 (0.3)

NOTE: Veteran may report more than one Branch of Service. "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age.

Table 2-13. (continued)
Percent Distribution of Veterans by Branch of Service, Race, and Age

	Black or African American						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	10,605	2366	6711	668	0	0	860
Responding on Item	2,206,028	316,540	519,266	548,885	302,760	342,836	162,441
Army	60.3 (1.8)	52.4 (4.1)	58.8 (4.2)	55.3 (3.1)	58.5 (3.8)	71.7 (3.2)	78.3 (4.5)
Navy	14.3 (1.2)	19.1 (3.4)	14.8 (2.6)	11.7 (2.1)	16.1 (2.9)	11.4 (2.7)	14.4 (3.4)
Air Force	17.5 (1.1)	12.4 (3.0)	16.5 (2.6)	19.6 (2.3)	19.0 (3.2)	19.5 (2.7)	15.4* (4.8)
Marine Corps	10.9 (1.0)	19.5 (3.1)	11.4 (2.7)	14.8 (1.8)	9.0 (2.3)	2.8* (1.1)	1.4* (1.0)
Coast Guard	0.6* (0.3)	0.0 (N/A)	0.3* (0.3)	0.9* (0.6)	0.0 (N/A)	0.9* (0.9)	2.3* (2.4)

NOTE: Veteran may report more than one Branch of Service. "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 2-13. (continued)
Percent Distribution of Veterans by Branch of Service, Race, and Age

	American Indian or Alaska Native						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	1399	0	0	1399	0	0	0
Responding on Item	158,452	21,672	43,906	37,637	25,879	16,066	12,054
Army	52.2 (3.6)	NR (NR)	53.0* (9.2)	52.9 (10.6)	27.1* (7.6)	NR (NR)	NR (NR)
Navy	24.3 (4.0)	NR (NR)	23.5* (8.0)	16.8* (7.1)	45.4* (13.5)	NR (NR)	NR (NR)
Air Force	15.4 (2.9)	NR (NR)	16.3* (6.3)	14.9* (6.5)	19.3* (10.6)	NR (NR)	NR (NR)
Marine Corps	12.0 (3.4)	NR (NR)	15.4* (7.8)	16.9* (6.3)	10.6* (6.9)	NR (NR)	NR (NR)
Coast Guard	0.8* (0.8)	NR (NR)	0.0* (N/A)	0.0 (N/A)	4.6* (4.8)	NR (NR)	NR (NR)

NOTE: Veteran may report more than one Branch of Service. "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; NR: Sample size for the denominator less than 30; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 2-13. (continued)
Percent Distribution of Veterans by Branch of Service, Race, and Age

	Asian						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	0	0	0	0	0	0	0
Responding on Item	73,202	14,311	8,781	9,794	17,815	11,566	9,893
Army	53.3 (6.5)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)
Navy	23.9 (4.5)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)
Air Force	17.7* (5.7)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)
Marine Corps	6.4* (2.7)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)
Coast Guard	1.9* (1.0)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)

NOTE: Veteran may report more than one Branch of Service. "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; NR: Sample size for the denominator less than 30

Table 2-13. (continued)
Percent Distribution of Veterans by Branch of Service, Race, and Age

	Native Hawaiian or Other Pacific Islander						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	0	0	0	0	0	0	0
Responding on Item	36,541	1,763	7,098	14,661	4,627	7,319	1,074
Army	42.0* (10.8)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)
Navy	9.9* (5.0)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)
Air Force	28.6* (11.7)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)
Marine Corps	19.5* (9.9)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)
Coast Guard	0.0* (N/A)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)	NR (NR)

NOTE: Veteran may report more than one Branch of Service. "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; NR: Sample size for the denominator less than 30; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 2-13. (continued)
Percent Distribution of Veterans by Branch of Service, Race, and Age

	Total Two or More Races						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	4613	2733	1708	172	0	0	0
Responding on Item	552,927	76,062	88,004	157,091	108,727	84,493	37,654
Army	50.9 (2.6)	48.1 (7.9)	42.0 (6.0)	56.2 (5.2)	51.8 (5.4)	52.8 (5.1)	47.9 (10.4)
Navy	22.0 (1.8)	18.2* (6.0)	23.5 (5.7)	16.6 (3.8)	22.3 (3.5)	29.5 (3.3)	31.8 (8.4)
Air Force	21.3 (2.3)	15.4* (5.5)	20.8 (5.3)	17.9 (3.7)	24.0 (4.5)	25.7 (4.8)	30.6* (9.6)
Marine Corps	12.0 (1.9)	25.7* (8.0)	15.5 (4.2)	12.7 (3.5)	4.8* (1.8)	6.8* (2.9)	5.7* (2.7)
Coast Guard	1.4* (0.5)	0.0 (N/A)	0.5* (0.5)	1.3* (1.0)	3.0* (1.7)	0.0 (N/A)	4.8* (3.7)

NOTE: Veteran may report more than one Branch of Service. "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 2-13. (continued)
Percent Distribution of Veterans by Branch of Service, Race, and Age

	American Indian or Alaska Native/White						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	172	0	0	172	0	0	0
Responding on Item	360,583	35,271	58,036	87,163	85,549	71,406	22,264
Army	53.0 (2.7)	57.7* (8.9)	51.4 (6.6)	51.3 (6.7)	55.2 (5.3)	49.9 (6.0)	57.5* (11.6)
Navy	21.9 (2.0)	8.8* (5.7)	19.1* (6.2)	17.1 (4.2)	24.9 (4.0)	29.6 (4.2)	33.5* (7.4)
Air Force	20.1 (2.5)	19.1* (8.7)	11.0* (4.4)	21.5 (5.1)	17.8 (3.7)	28.3 (5.4)	21.9* (7.1)
Marine Corps	11.6 (2.1)	19.8* (7.8)	19.6 (5.7)	12.7* (5.0)	5.7* (2.3)	8.0* (3.4)	8.0* (4.5)
Coast Guard	1.9* (0.7)	0.0* (N/A)	0.0 (N/A)	2.3* (1.8)	3.8* (2.2)	0.0 (N/A)	6.9* (6.1)

NOTE: Veteran may report more than one Branch of Service. Only one sub-category of "Total Two or More Races" is shown because all other categories were too small to report. "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%

Table 2-13. (continued)
Percent Distribution of Veterans by Branch of Service, Race, and Age

	Race Unknown						
	Total	Less Than 35 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75 Years or Older
Estimated Population							
Not Applicable	2540	2540	0	0	0	0	0
Responding on Item	778,830	144,988	132,483	201,450	135,343	94,784	57,858
Army	47.7 (2.5)	35.2 (6.3)	39.0 (6.1)	49.1 (5.6)	54.2 (6.4)	57.1 (6.6)	67.5 (7.9)
Navy	21.2 (1.9)	22.6 (4.3)	18.0 (3.9)	22.4 (4.1)	16.9* (5.3)	23.8 (5.5)	20.8* (6.8)
Air Force	16.7 (1.7)	13.0* (4.3)	22.7 (3.7)	15.4 (3.8)	15.8 (3.7)	18.9* (6.0)	13.9* (5.2)
Marine Corps	17.1 (1.8)	30.8 (6.2)	21.7 (5.8)	14.3 (3.2)	14.5 (3.8)	10.0* (4.2)	3.3* (2.4)
Coast Guard	1.3* (0.6)	0.0 (N/A)	3.7* (2.6)	1.2* (0.8)	0.4* (0.4)	2.3* (1.7)	0.0 (N/A)

NOTE: Veteran may report more than one Branch of Service. "Not Applicable" values represent respondents who received a medical discharge from the National Guard or Military Reserves and were never called to active duty. The total "Responding on Item" is larger than the sum of the groups because some veterans did not indicate their age. * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100% * Low precision and/or sample size for the denominator between 30 and 59; N/A: Standard Errors not available when estimate is equal to 0% or 100%