

Table 3C: FY01 Patients w/ Schizophrenia, Utilization, by VISN

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Schizophrenia	98739	5109	2830	6107	6385	2983	4167	6705	9526	3636	4783	4924
Hospital Based Utilization												
Pts. with some Hosp. Based Utilization, %	28.8%	26.6%	25.6%	29.7%	27.2%	36.1%	35.1%	30.8%	22.5%	33.0%	32.5%	30.3%
Hospital based utilization: Overall												
(psych & non-psych- for those with some hosp.util.)												
Inpatient stays, mean	1.88	1.90	1.94	1.94	1.83	2.08	2.01	1.79	1.81	1.86	1.92	1.75
SD	1.51	1.61	1.72	1.52	1.35	1.68	1.59	1.41	1.49	1.45	1.47	1.38
Average LOS, mean	21.07	31.88	18.15	32.98	23.00	25.90	24.83	24.14	9.23	24.67	16.62	40.13
SD	49.42	74.20	42.01	65.21	54.48	60.22	58.60	59.49	12.32	59.54	25.13	84.53
Cumu. DOS, mean	33.51	46.67	30.62	52.50	34.25	43.40	40.15	35.39	16.45	38.98	28.94	52.96
SD	60.66	85.53	59.18	80.50	61.49	76.31	69.96	67.03	23.67	75.47	37.83	91.86
Cumu. DOS, %												
1 to 7	32.0%	32.1%	34.1%	22.4%	28.0%	31.9%	28.0%	30.4%	43.1%	34.5%	26.6%	28.0%
8 to 14	20.4%	18.4%	18.8%	17.7%	20.6%	20.3%	19.6%	22.9%	21.9%	21.0%	20.8%	20.1%
15 to 44	29.8%	27.7%	32.1%	30.3%	33.1%	24.9%	31.7%	28.9%	27.6%	26.1%	34.0%	27.6%
45 to 89	9.7%	9.3%	8.7%	13.3%	10.9%	9.6%	9.7%	9.7%	5.9%	7.9%	12.5%	8.4%
90 to 179	4.5%	4.8%	3.2%	8.8%	3.9%	6.8%	5.7%	3.9%	1.2%	4.6%	4.7%	5.8%
180 to 359	2.1%	3.6%	1.2%	5.2%	1.6%	4.0%	3.1%	1.6%	0.3%	2.8%	1.4%	5.8%
360+	1.5%	4.1%	1.9%	2.3%	1.9%	2.5%	2.1%	2.6%	0.0%	3.2%	0.0%	4.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. pts. with a 100+ day Hosp. stay, %	5.1%	9.2%	4.0%	10.1%	4.9%	9.2%	6.6%	5.6%	0.4%	6.9%	3.2%	12.4%
Cumul. DOS, pts. with a 100+ day hosp. stay, mean	250.15	287.65	278.83	252.34	260.80	248.25	263.48	273.40	228.11	280.82	175.10	268.36
SD	97.64	91.23	99.84	95.79	107.28	91.94	93.17	99.69	86.16	95.35	52.41	96.96
Hosp. pts. who had a 150+ day hosp. stay, %	3.3%	7.1%	2.9%	6.6%	3.1%	5.9%	5.0%	3.9%	0.2%	5.4%	1.6%	9.5%
Cumul. DOS, pts. with a 150+ day hosp. stay, mean	302.91	322.80	329.14	304.38	328.56	293.75	299.19	320.86	256.75	319.62	205.64	304.74
SD	73.34	64.99	55.61	66.75	61.93	78.53	70.30	73.22	66.37	64.22	42.46	76.26
Cumu. DOS at Other VISNs	1.21	0.31	0.93	0.56	0.73	0.95	0.74	0.89	0.55	0.71	0.53	0.41
SD	9.09	3.05	5.46	4.52	4.94	6.09	4.78	5.57	5.51	4.70	3.31	3.52
Cumu. DOS at Other Stations	2.74	2.60	0.93	3.54	2.87	3.63	2.76	2.50	0.87	1.13	2.26	2.46
SD	11.76	10.78	5.46	11.67	8.91	13.06	9.76	9.34	6.12	6.07	8.26	10.04

Table 3C: FY01 Patients w/ Schizophrenia, Utilization, by VISN

Patients w/ Schizophrenia	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Hospital Based Utilization												
Pts. with some Hosp. Based Utilization, %	28.8%	31.1%	25.1%	25.7%	30.4%	30.7%	31.0%	28.2%	27.2%	27.9%	23.6%	26.3%
Hospital based utilization: Overall												
(psych & non-psych- for those with some hosp.util.)												
Inpatient stays, mean	1.88	1.97	1.96	1.74	1.94	1.79	2.00	1.89	1.84	1.84	1.89	1.81
SD	1.51	1.75	1.64	1.26	1.68	1.30	1.79	1.41	1.34	1.45	1.46	1.48
Average LOS, mean	21.07	24.68	9.53	10.57	14.60	15.44	26.89	8.94	18.44	9.92	14.43	16.85
SD	49.42	56.26	18.86	10.17	24.98	23.47	62.12	8.74	39.55	13.67	24.00	24.41
Cumu. DOS, mean	33.51	37.30	17.21	18.69	28.43	26.26	40.98	16.68	31.10	18.19	27.15	28.59
SD	60.66	64.24	28.46	22.76	48.47	35.24	71.19	19.01	55.47	26.31	45.55	41.63
Cumu. DOS, %												
1 to 7	32.0%	28.7%	43.2%	37.6%	33.6%	31.2%	27.5%	37.7%	33.0%	40.1%	36.6%	33.8%
8 to 14	20.4%	19.8%	21.3%	23.4%	21.0%	19.7%	19.2%	24.7%	20.7%	22.8%	19.3%	17.7%
15 to 44	29.8%	31.1%	27.4%	28.9%	30.0%	32.2%	30.7%	29.2%	29.6%	29.4%	29.0%	30.4%
45 to 89	9.7%	10.1%	7.0%	8.2%	8.5%	12.1%	11.9%	7.3%	8.7%	4.6%	8.7%	11.3%
90 to 179	4.5%	6.5%	0.6%	1.8%	4.5%	3.9%	5.3%	1.3%	4.8%	2.6%	4.3%	5.4%
180 to 359	2.1%	1.7%	0.4%	0.0%	1.9%	0.9%	3.0%	0.0%	2.2%	0.4%	1.8%	1.4%
360+	1.5%	2.1%	0.2%	0.0%	0.4%	0.0%	2.4%	0.0%	1.0%	0.0%	0.3%	0.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. pts. with a 100+ day Hosp. stay, %	5.1%	7.8%	0.8%	0.5%	3.5%	2.0%	7.8%	0.0%	4.8%	0.9%	2.6%	3.4%
Cumul. DOS, pts. with a 100+ day hosp. stay, mean	250.15	216.58	252.25	143.00	221.78	184.40	248.08	0.00	238.36	172.11	236.81	186.46
SD	97.64	104.28	103.01	19.80	86.91	71.03	101.35	0.00	89.20	38.58	74.44	64.81
Hosp. pts. who had a 150+ day hosp. stay, %	3.3%	4.0%	0.8%	0.0%	1.7%	0.7%	5.2%	0.0%	2.7%	0.3%	1.3%	1.1%
Cumul. DOS, pts. with a 150+ day hosp. stay, mean	302.91	298.53	252.25	0.00	286.45	250.24	305.39	0.00	292.56	217.67	281.15	235.18
SD	73.34	82.44	103.01	0.00	62.94	65.79	69.78	0.00	73.43	25.74	72.71	66.87
Cumu. DOS at Other VISNs	1.21	0.51	0.93	1.75	12.65	0.59	1.00	0.96	1.21	0.68	0.86	0.75
SD	9.09	3.73	5.88	8.96	35.57	4.10	6.00	5.15	9.93	4.14	5.47	4.62
Cumu. DOS at Other Stations	2.74	3.63	1.98	1.75	12.47	1.53	2.26	2.07	4.32	1.99	2.84	1.61
SD	11.76	12.40	6.92	8.96	35.10	6.95	9.90	7.37	16.11	7.05	9.75	6.71

Table 3C: FY01 Patients w/ Schizophrenia, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Schizophrenia	98739	5109	2830	6107	6385	2983	4167	6705	9526	3636	4783	4924
<u>Hospital based utilization: Non-Psych</u>												
(non-psych- for those with some hosp.based util.)												
Pts. with non-psych hospital stays, %	12.3%	10.7%	11.8%	12.4%	11.6%	14.5%	13.2%	13.0%	11.8%	14.4%	15.2%	11.4%
Inpatient stays, mean	0.69	0.65	0.78	0.72	0.70	0.67	0.58	0.66	0.87	0.70	0.76	0.61
SD	1.11	1.10	1.30	1.16	1.10	1.15	0.96	1.10	1.20	1.10	1.18	1.10
Average LOS, mean	11.07	11.17	7.46	12.28	10.05	14.48	13.44	12.92	9.09	14.75	14.89	17.86
SD	25.33	26.76	14.09	20.58	22.89	39.40	28.32	30.58	15.17	34.96	27.39	52.21
Cumu. Days of Stay, mean	7.17	6.77	5.56	9.18	6.44	8.66	7.13	7.71	7.98	9.59	9.80	8.91
SD	22.75	21.66	13.91	28.15	18.78	32.20	23.84	24.73	19.70	32.11	24.50	36.09
Cumu. Days of Stay, %												
0	57.2%	59.8%	53.8%	58.1%	57.2%	59.8%	62.5%	57.9%	47.3%	56.3%	53.2%	62.2%
1 to 7	22.9%	21.1%	25.5%	19.4%	23.0%	21.9%	19.0%	22.0%	27.3%	23.1%	22.3%	20.0%
8 to 14	7.6%	7.2%	8.7%	7.4%	8.0%	6.6%	6.8%	7.0%	9.7%	7.8%	7.8%	6.3%
15 to 44	8.9%	8.5%	10.3%	10.2%	8.6%	6.9%	7.7%	9.3%	12.1%	7.5%	10.7%	7.6%
45 to 89	2.2%	2.1%	1.4%	2.9%	2.1%	2.9%	2.4%	2.4%	2.9%	2.8%	3.5%	1.5%
90 to 179	0.9%	1.2%	0.1%	1.5%	0.9%	1.3%	1.2%	1.1%	0.5%	1.5%	2.1%	1.5%
180 to 359	0.3%	0.1%	0.1%	0.3%	0.1%	0.3%	0.3%	0.2%	0.2%	0.9%	0.3%	0.8%
360+	0.1%	0.1%	0.0%	0.2%	0.1%	0.4%	0.1%	0.2%	0.0%	0.1%	0.0%	0.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.8%	0.6%	0.1%	0.9%	0.7%	1.4%	1.2%	1.0%	0.3%	1.7%	1.4%	1.8%
Cumul. DOS, pts. with a 100+ day hosp. stay, mean	191.99	190.88	220.00	220.88	153.50	227.80	168.44	189.62	223.00	205.70	151.57	232.52
SD	86.32	99.46	0.00	94.80	82.33	108.17	78.95	93.92	74.48	82.91	41.37	110.47
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.4%	0.3%	0.1%	0.6%	0.2%	0.8%	0.5%	0.5%	0.2%	0.9%	0.5%	1.1%
Cumul. DOS, pts. with a 150+ day hosp. stay, mean	258.13	254.75	220.00	271.45	276.00	296.22	232.75	253.18	255.25	265.36	195.14	305.81
SD	76.90	109.55	0.00	79.41	82.66	84.61	80.22	90.19	66.34	63.96	37.79	83.19
Other VISN cumu. DOS, mean	0.22	0.02	0.17	0.08	0.13	0.23	0.09	0.14	0.06	0.18	0.05	0.15
SD	2.80	0.51	2.17	1.33	1.91	2.90	1.17	1.99	0.88	2.90	0.60	2.86
Other station cumu. DOS, mean	0.65	0.79	0.17	1.08	0.52	0.52	0.53	0.73	0.19	0.22	0.65	0.83
SD	4.59	4.60	2.17	5.65	2.85	4.32	4.26	5.08	2.03	3.02	4.58	5.38

Table 3C: FY01 Patients w/ Schizophrenia, Utilization, by VISN (continued)

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Schizophrenia	98739	3976	2094	1478	3893	7780	3754	2829	2165	3404	4396	5815
<u>Hospital based utilization: Non-Psych</u>												
(non-psych- for those with some hosp.based util.)												
Pts. with non-psych hospital stays, %	12.3%	12.3%	12.1%	13.5%	13.2%	11.9%	11.9%	13.2%	12.4%	12.5%	10.8%	10.3%
Inpatient stays, mean	0.69	0.67	0.81	0.76	0.68	0.61	0.64	0.72	0.71	0.72	0.68	0.61
SD	1.11	1.15	1.16	0.95	1.04	1.03	1.19	1.05	1.03	1.18	0.99	1.04
Average LOS, mean	11.07	10.01	6.63	7.93	8.38	11.03	10.78	5.88	9.82	7.63	10.27	8.25
SD	25.33	24.57	20.00	9.22	13.60	20.01	20.47	7.88	16.02	18.31	21.40	14.00
Cumu. Days of Stay, mean	7.17	6.41	5.17	6.36	5.89	6.43	6.05	4.12	6.57	5.05	7.26	5.16
SD	22.75	21.08	16.12	13.51	15.95	18.25	17.53	8.67	16.91	15.29	24.00	16.27
Cumu. Days of Stay, %												
0	57.2%	60.4%	51.9%	47.4%	56.5%	61.3%	61.5%	53.3%	54.3%	55.1%	54.2%	60.8%
1 to 7	22.9%	21.5%	27.8%	30.0%	24.0%	20.1%	19.2%	29.2%	24.0%	28.5%	26.2%	24.2%
8 to 14	7.6%	7.1%	9.1%	9.5%	8.1%	6.6%	7.1%	9.4%	8.5%	8.5%	7.2%	6.2%
15 to 44	8.9%	7.7%	10.3%	10.5%	9.3%	8.4%	9.5%	7.3%	10.7%	6.3%	9.6%	6.3%
45 to 89	2.2%	2.5%	0.8%	2.1%	1.5%	2.6%	1.9%	0.9%	1.5%	0.8%	1.6%	1.6%
90 to 179	0.9%	0.6%	0.0%	0.5%	0.4%	0.8%	0.5%	0.0%	0.9%	0.5%	0.6%	0.8%
180 to 359	0.3%	0.2%	0.2%	0.0%	0.2%	0.1%	0.3%	0.0%	0.2%	0.2%	0.6%	0.1%
360+	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.8%	0.5%	0.2%	0.0%	0.5%	0.6%	0.7%	0.0%	0.7%	0.3%	0.9%	0.5%
Cumul. DOS, pts. with a 100+ day hosp. stay, mean	191.99	215.17	314.00	0.00	159.83	153.86	159.13	0.00	150.75	189.00	221.89	161.14
SD	86.32	105.66	0.00	0.00	44.06	64.75	53.73	0.00	46.36	50.74	61.50	44.08
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.4%	0.2%	0.2%	0.0%	0.2%	0.2%	0.3%	0.0%	0.3%	0.2%	0.5%	0.1%
Cumul. DOS, pts. with a 150+ day hosp. stay, mean	258.13	306.00	314.00	0.00	211.50	223.00	200.75	0.00	186.00	216.50	246.60	218.00
SD	76.90	53.03	0.00	0.00	28.99	63.51	44.82	0.00	32.53	24.75	58.93	0.00
Other VISN cumu. DOS, mean	0.22	0.08	0.24	0.43	2.36	0.08	0.17	0.12	0.48	0.11	0.13	0.21
SD	2.80	1.05	2.37	4.00	8.31	1.01	1.95	1.14	8.66	1.37	1.70	2.68
Other station cumu. DOS, mean	0.65	0.95	0.83	0.43	2.39	0.25	0.51	0.49	1.09	0.52	0.63	0.44
SD	4.59	6.23	3.90	4.00	8.31	1.94	4.63	3.21	9.43	2.99	5.21	3.58

Table 3C: FY01 Patients w/ Schizophrenia, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Schizophrenia	98739	5109	2830	6107	6385	2983	4167	6705	9526	3636	4783	4924
<u>Hospital based utilization: Psych.</u>												
(psych- for those with some hosp.based util.)												
Pts. with psych hospital stays, %	19.4%	18.3%	16.6%	20.4%	18.5%	25.2%	25.7%	21.1%	12.3%	22.2%	22.1%	21.7%
Inpatient stays, mean	1.19	1.24	1.16	1.22	1.14	1.41	1.42	1.12	0.94	1.17	1.15	1.14
SD	1.42	1.54	1.49	1.38	1.26	1.65	1.61	1.25	1.37	1.34	1.26	1.23
Average LOS, mean	26.61	42.31	25.50	44.00	30.03	31.06	29.79	30.02	9.30	29.66	17.81	49.27
SD	57.66	86.84	52.78	76.90	63.64	66.97	66.17	68.52	8.86	68.71	25.53	92.90
Cumu. Days of Stay, mean	26.34	39.91	25.06	43.34	27.82	34.74	33.02	27.68	8.47	29.39	19.14	44.05
SD	58.28	85.12	59.28	78.41	60.20	72.27	67.50	64.21	16.56	71.40	32.52	87.90
Cumu. Days of Stay, %												
0	32.5%	31.2%	35.0%	31.3%	31.8%	30.2%	26.9%	31.2%	45.2%	32.7%	31.9%	28.4%
1 to 7	16.6%	17.0%	17.1%	9.6%	12.9%	17.5%	16.6%	15.5%	21.5%	19.5%	14.0%	15.6%
8 to 14	15.0%	13.8%	12.8%	12.4%	15.4%	15.6%	15.0%	18.0%	14.7%	16.0%	17.2%	15.0%
15 to 44	22.1%	19.7%	22.8%	22.1%	25.6%	19.2%	24.6%	22.1%	15.4%	18.9%	25.5%	20.7%
45 to 89	7.2%	7.2%	6.5%	10.6%	8.4%	6.4%	8.0%	7.0%	2.6%	5.3%	8.0%	7.0%
90 to 179	3.5%	3.8%	2.8%	7.3%	2.7%	5.5%	4.2%	2.6%	0.6%	2.8%	2.5%	4.4%
180 to 359	1.8%	3.5%	1.1%	4.6%	1.5%	3.7%	2.7%	1.3%	0.0%	1.8%	0.9%	4.9%
360+	1.4%	3.9%	1.9%	2.0%	1.8%	1.9%	2.0%	2.4%	0.0%	3.0%	0.0%	4.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	4.4%	8.7%	3.9%	9.3%	4.3%	7.8%	5.4%	4.7%	0.1%	5.3%	1.9%	10.7%
Cumul. DOS, pts. with a 100+ day hosp. stay, mean	254.85	289.70	280.14	249.74	270.99	248.94	275.49	283.20	237.00	301.75	183.17	269.91
SD	97.91	90.67	100.94	95.36	102.59	89.26	89.13	96.67	168.29	89.29	58.72	95.51
Hosp. Pts. with a 150+ day psych hosp.stay, %	2.9%	3.7%	0.6%	0.0%	1.5%	0.5%	4.9%	0.0%	2.6%	0.1%	0.8%	1.0%
Cumul. DOS, pts. with a 150+ day hosp. stay, mean	304.90	323.57	333.65	302.50	322.58	291.16	302.95	328.14	0.00	328.85	206.11	302.23
SD	73.13	63.94	51.26	67.79	67.22	77.22	69.00	67.27	0.00	61.84	44.43	77.23
Other VISN cumu. DOS, mean	0.99	0.29	0.76	0.48	0.60	0.72	0.65	0.76	0.49	0.53	0.48	0.26
SD	8.54	3.01	5.02	4.18	4.44	5.37	4.60	5.17	5.43	3.63	3.08	2.06
Other station cumu. DOS, mean	2.11	1.82	0.76	2.46	2.35	3.11	2.23	1.77	0.68	0.91	1.61	1.63
SD	10.79	9.80	5.02	10.14	8.42	11.90	8.70	7.75	5.74	5.22	6.43	8.41

Table 3C: FY01 Patients w/ Schizophrenia, Utilization, by VISN (continued)

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Schizophrenia	98739	3976	2094	1478	3893	7780	3754	2829	2165	3404	4396	5815
<u>Hospital based utilization: Psych.</u>												
(psych- for those with some hosp.based util.)												
	19.4%	21.9%	15.8%	15.2%	20.5%	21.5%	22.2%	18.2%	18.0%	18.4%	15.2%	18.3%
Inpatient stays, mean	1.19	1.31	1.15	0.98	1.25	1.19	1.36	1.17	1.12	1.12	1.20	1.20
SD	1.42	1.68	1.53	1.25	1.60	1.27	1.67	1.35	1.27	1.31	1.47	1.42
Average LOS, mean	26.61	32.27	11.34	12.64	18.41	17.67	34.09	10.85	24.33	11.73	17.90	21.16
SD	57.66	65.31	16.25	10.78	30.04	24.86	72.21	8.76	48.67	12.90	29.46	27.42
Cumu. Days of Stay, mean	26.34	30.89	12.05	12.33	22.54	19.84	34.93	12.56	24.56	13.14	19.89	23.43
SD	58.28	62.39	25.17	21.29	47.51	32.94	71.10	18.92	53.21	22.75	40.24	40.30
Cumu. Days of Stay, %												
0	32.5%	29.6%	37.3%	40.8%	32.7%	29.9%	28.4%	35.7%	33.8%	34.1%	35.6%	30.4%
1 to 7	16.6%	15.0%	25.3%	18.2%	17.2%	17.5%	15.7%	18.3%	16.5%	20.5%	17.5%	17.1%
8 to 14	15.0%	14.2%	12.5%	15.3%	15.6%	15.0%	13.6%	17.4%	15.3%	16.3%	14.0%	12.6%
15 to 44	22.1%	24.5%	18.3%	19.5%	22.3%	24.9%	23.5%	21.8%	20.2%	23.5%	20.9%	24.5%
45 to 89	7.2%	7.3%	5.7%	5.0%	6.4%	9.0%	8.9%	5.6%	7.7%	3.8%	7.1%	9.6%
90 to 179	3.5%	6.3%	0.6%	1.3%	3.7%	2.9%	4.7%	1.3%	3.7%	1.6%	3.4%	4.6%
180 to 359	1.8%	1.2%	0.2%	0.0%	1.7%	0.7%	2.8%	0.0%	1.9%	0.2%	1.3%	1.1%
360+	1.4%	1.9%	0.2%	0.0%	0.4%	0.0%	2.4%	0.0%	0.9%	0.0%	0.2%	0.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	4.4%	7.4%	0.6%	0.5%	3.0%	1.4%	7.2%	0.0%	4.3%	0.6%	1.7%	3.0%
Cumul. DOS, pts. with a 100+ day hosp. stay, mean	254.85	211.12	231.67	143.00	230.83	188.30	251.99	0.00	236.00	154.50	232.39	184.20
SD	97.91	104.87	115.65	19.80	89.91	76.50	102.30	0.00	90.22	21.84	78.42	67.51
Hosp. Pts. with a 150+ day psych hosp.stay, %	2.9%	3.7%	0.6%	0.0%	1.5%	0.5%	4.9%	0.0%	2.6%	0.1%	0.8%	1.0%
Cumul. DOS, pts. with a 150+ day hosp. stay, mean	304.90	293.74	231.67	0.00	294.50	261.58	309.39	0.00	287.27	188.00	279.25	235.75
SD	73.13	86.71	115.65	0.00	60.61	65.97	68.46	0.00	72.62	0.00	85.22	68.38
Other VISN cumu. DOS, mean	0.99	0.43	0.69	1.32	10.43	0.51	0.83	0.84	0.73	0.57	0.73	0.54
SD	8.54	3.57	4.53	8.04	34.69	3.90	5.66	4.91	4.93	3.84	5.17	3.61
Other station cumu. DOS, mean	2.11	2.68	1.15	1.32	10.64	1.28	1.75	1.58	3.23	1.47	2.22	1.17
SD	10.79	10.88	5.06	8.04	34.69	6.54	8.43	6.61	13.25	6.23	8.33	5.57

Table 3C: FY01 Patients w/ Schizophrenia, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Schizophrenia	98739	5109	2830	6107	6385	2983	4167	6705	9526	3636	4783	4924
Other 24 hour institutional care												
Pts. with some other 24 hour institutional care, %	8.1%	7.0%	11.6%	10.9%	10.8%	9.4%	7.8%	4.4%	3.2%	6.1%	16.7%	6.8%
<u>Residential Rehabilitation</u>												
(reported for those with some res rehab care)												
Pts. with some residential rehab. care, %	1.4%	1.2%	4.1%	1.6%	1.3%	0.9%	1.2%	0.1%	1.0%	0.9%	3.4%	1.8%
Number stays, mean	1.12	1.10	1.22	1.06	1.08	1.04	1.04	1.17	1.07	1.06	1.17	1.28
SD	0.35	0.30	0.49	0.24	0.28	0.19	0.20	0.41	0.25	0.24	0.41	0.56
Average LOS, mean	46.63	162.26	26.15	94.15	76.51	26.02	23.41	24.67	43.39	11.14	37.45	49.08
SD	65.90	159.30	15.88	96.00	98.23	18.53	14.97	12.93	27.49	5.96	33.21	62.30
Cumu. DOS, mean	50.55	165.05	30.59	97.97	79.88	27.59	23.67	27.00	44.73	11.79	43.40	61.85
SD	68.30	157.26	18.62	96.84	100.98	21.54	14.72	11.83	27.28	6.54	38.86	75.70
Cumu. Days of Stay, %												
1 to 7	11.3%	5.1%	7.8%	9.5%	8.4%	22.2%	20.8%	0.0%	12.0%	27.3%	5.6%	10.1%
8 to 14	11.4%	8.5%	12.9%	9.5%	7.2%	7.4%	10.4%	16.7%	6.5%	48.5%	15.4%	11.2%
15 to 44	47.2%	22.0%	63.8%	22.1%	41.0%	51.9%	62.5%	83.3%	28.3%	24.2%	45.7%	42.7%
45 to 89	17.2%	22.0%	14.7%	17.9%	16.9%	18.5%	6.3%	0.0%	44.6%	0.0%	22.8%	11.2%
90 to 179	7.6%	3.4%	0.9%	24.2%	14.5%	0.0%	0.0%	0.0%	8.7%	0.0%	9.3%	15.7%
180 to 359	3.3%	3.4%	0.0%	16.8%	7.2%	0.0%	0.0%	0.0%	0.0%	0.0%	1.2%	7.9%
360+	1.9%	35.6%	0.0%	0.0%	4.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	9.9%	42.4%	0.0%	34.7%	22.9%	0.0%	0.0%	0.0%	2.2%	0.0%	6.8%	18.0%
Cumul. DOS, pts. w/ a 100+ day Res Rehab. stay, mean	221.19	337.64	0.00	204.64	238.21	0.00	0.00	0.00	102.50	0.00	153.55	198.56
SD	96.74	72.04	0.00	88.08	96.97	0.00	0.00	0.00	2.12	0.00	27.05	76.01
Res Rehab pts. with 150+ day Res Rehab stay, %	6.2%	39.0%	0.0%	18.9%	16.9%	0.0%	0.0%	0.0%	0.0%	0.0%	2.5%	11.2%
Cumul. DOS, pts. with a 150+ day Res Rehab stay, mean	273.44	355.96	0.00	262.56	277.14	0.00	0.00	0.00	0.00	0.00	170.75	235.80
SD	83.38	35.27	0.00	76.85	82.53	0.00	0.00	0.00	0.00	0.00	18.25	70.88
Other VISN cumu. DOS, mean	2.79	0.00	0.07	0.24	0.89	0.81	0.06	27.00	0.71	3.58	0.36	0.61
SD	18.11	0.00	0.74	1.46	4.44	3.28	0.43	11.83	3.81	7.62	3.28	4.11
Other station cumu. DOS, mean	4.65	4.83	0.07	2.22	2.60	5.15	2.85	27.00	1.42	4.00	0.60	4.99
SD	19.94	14.78	0.74	9.26	6.81	10.65	9.29	11.83	7.80	7.80	4.52	19.95

Table 3C: FY01 Patients w/ Schizophrenia, Utilization, by VISN (continued)

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Schizophrenia	98739	3976	2094	1478	3893	7780	3754	2829	2165	3404	4396	5815
Other 24 hour institutional care												
Pts. with some other 24 hour institutional care, %	8.1%	14.5%	13.8%	14.3%	6.7%	4.0%	10.4%	5.2%	5.5%	10.7%	6.0%	8.5%
<u>Residential Rehabilitation</u> (reported for those with some res rehab care)												
Pts. with some residential rehab. care, %	1.4%	4.7%	1.6%	0.1%	0.9%	0.7%	1.8%	1.0%	1.2%	1.3%	1.0%	0.1%
Number stays, mean	1.12	1.10	1.06	2.00	1.26	1.07	1.09	1.07	1.07	1.02	1.07	1.00
SD	0.35	0.34	0.24	1.41	0.51	0.26	0.28	0.26	0.27	0.15	0.25	0.00
Average LOS, mean	46.63	30.39	44.14	20.67	87.77	21.50	24.36	57.19	41.06	22.92	24.37	11.13
SD	65.90	26.34	36.81	17.44	69.58	16.44	44.11	55.78	28.26	13.48	15.87	9.20
Cumu. DOS, mean	50.55	32.71	47.39	29.00	104.89	23.30	26.30	60.10	44.26	23.07	25.98	11.13
SD	68.30	27.76	40.34	5.66	77.79	18.42	45.04	56.27	30.89	13.33	17.42	9.20
Cumu. Days of Stay, %												
1 to 7	11.3%	10.7%	6.1%	0.0%	5.7%	15.8%	15.9%	17.2%	14.8%	13.6%	17.4%	37.5%
8 to 14	11.4%	10.2%	6.1%	0.0%	2.9%	17.5%	13.0%	3.4%	3.7%	6.8%	10.9%	37.5%
15 to 44	47.2%	64.2%	45.5%	100.0%	17.1%	59.6%	63.8%	27.6%	37.0%	70.5%	58.7%	25.0%
45 to 89	17.2%	12.3%	33.3%	0.0%	25.7%	5.3%	4.3%	20.7%	37.0%	9.1%	13.0%	0.0%
90 to 179	7.6%	2.1%	9.1%	0.0%	25.7%	1.8%	1.4%	24.1%	7.4%	0.0%	0.0%	0.0%
180 to 359	3.3%	0.5%	0.0%	0.0%	22.9%	0.0%	1.4%	6.9%	0.0%	0.0%	0.0%	0.0%
360+	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	9.9%	1.6%	6.1%	0.0%	34.3%	1.8%	2.9%	24.1%	3.7%	0.0%	0.0%	0.0%
Cumul. DOS, pts. with a 100+ day C.C. stay, mean	221.19	174.33	157.50	0.00	192.00	116.00	254.00	139.14	108.00	0.00	0.00	0.00
SD	96.74	86.84	19.09	0.00	48.77	0.00	128.69	45.19	0.00	0.00	0.00	0.00
Res Rehab pts. with 150+ day Res Rehab stay, %	6.2%	0.5%	3.0%	0.0%	25.7%	0.0%	2.9%	6.9%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, pts. with a 150+ day C.C. stay, mean	273.44	274.00	171.00	0.00	197.33	0.00	254.00	203.00	0.00	0.00	0.00	0.00
SD	83.38	0.00	0.00	0.00	33.35	0.00	128.69	21.21	0.00	0.00	0.00	0.00
Other VISN cumu. DOS, mean	2.79	0.55	2.33	0.00	80.29	1.91	0.00	0.00	0.63	0.00	0.00	7.13
SD	18.11	5.96	7.76	0.00	75.92	10.15	0.00	0.00	3.27	0.00	0.00	9.93
Other station cumu. DOS, mean	4.65	3.76	2.33	0.00	80.97	2.11	0.54	1.48	4.96	4.39	2.07	7.38
SD	19.94	11.73	7.76	0.00	75.28	10.22	3.14	5.53	15.64	9.35	6.99	9.75

Table 3C: FY01 Patients w/ Schizophrenia, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Schizophrenia	98739	5109	2830	6107	6385	2983	4167	6705	9526	3636	4783	4924
<u>Domiciliary and Vocational</u>												
(reported for those with some dom/voc care)												
pts. with some dom/voc care, %	2.7%	1.0%	2.9%	4.3%	3.7%	5.6%	2.6%	1.9%	0.2%	1.9%	7.0%	0.1%
Number stays, mean	1.15	1.14	1.27	1.19	1.12	1.18	1.20	1.11	1.14	1.20	1.14	1.00
SD	0.41	0.41	0.50	0.46	0.36	0.44	0.42	0.36	0.36	0.50	0.37	0.00
Average LOS, mean	92.16	153.34	68.55	52.47	33.79	144.56	30.04	76.29	91.40	149.40	48.57	17.75
SD	108.50	140.56	47.88	48.41	37.83	134.32	25.86	84.08	87.79	130.61	73.48	10.05
Cumu. DOS, mean	100.35	167.71	82.70	62.02	38.08	159.57	35.50	80.73	101.05	161.89	52.60	17.75
SD	112.16	143.98	55.39	58.12	44.29	138.17	30.95	84.88	95.47	130.48	74.46	10.05
Cumu. Days of Stay, %												
1 to 7	8.8%	6.1%	6.2%	10.6%	10.2%	6.0%	12.1%	7.8%	4.8%	5.7%	11.1%	0.0%
8 to 14	6.2%	4.1%	1.2%	6.1%	10.6%	2.4%	6.5%	7.8%	4.8%	2.9%	11.4%	50.0%
15 to 44	31.4%	18.4%	23.5%	36.5%	58.3%	16.9%	59.8%	28.9%	19.0%	12.9%	47.1%	50.0%
45 to 89	19.2%	16.3%	32.1%	22.4%	11.5%	23.5%	15.9%	25.8%	33.3%	20.0%	17.7%	0.0%
90 to 179	15.3%	14.3%	28.4%	19.0%	6.8%	13.3%	4.7%	18.8%	23.8%	18.6%	8.1%	0.0%
180 to 359	9.3%	18.4%	8.6%	5.3%	2.6%	16.3%	0.9%	8.6%	14.3%	20.0%	0.3%	0.0%
360+	9.8%	22.4%	0.0%	0.0%	0.0%	21.7%	0.0%	2.3%	0.0%	20.0%	4.2%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. pts. with 100+ day Dom. stay, %	30.0%	53.1%	29.6%	18.6%	7.2%	47.0%	3.7%	22.7%	28.6%	57.1%	10.5%	0.0%
Cumul. DOS, pts. with a 100+ day Dom. stay, mean	244.96	284.35	153.83	161.02	170.00	287.14	142.25	206.62	223.50	251.13	231.06	0.00
SD	100.69	95.47	34.12	48.10	46.52	94.51	41.77	88.93	92.19	102.54	112.90	0.00
Dom. pts. with 150+ day Dom. stay, %	21.3%	40.8%	11.1%	8.0%	2.6%	36.7%	0.9%	15.6%	19.0%	41.4%	6.3%	0.0%
Cumul. DOS, pts. with a 150+ day Dom. stay, mean	291.60	325.35	189.89	201.90	210.00	326.13	194.00	245.30	266.00	298.76	300.81	0.00
SD	80.33	59.46	16.34	42.55	24.44	60.24	0.00	80.85	83.13	76.71	92.94	0.00
Other VISN cumu. DOS, mean	3.73	0.84	5.41	2.56	1.93	2.19	2.05	2.07	2.86	4.26	0.47	17.75
SD	21.72	3.54	11.78	13.22	11.20	10.69	11.11	9.07	8.86	12.39	3.83	10.05
Other station cumu. DOS, mean	6.26	4.27	5.41	9.00	8.82	7.82	2.32	3.77	2.86	4.33	1.62	17.75
SD	24.17	19.18	11.78	19.09	16.33	25.14	11.33	12.70	8.86	12.38	6.99	10.05

Table 3C: FY01 Patients w/ Schizophrenia, Utilization, by VISN (continued)

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Schizophrenia	98739	3976	2094	1478	3893	7780	3754	2829	2165	3404	4396	5815
<u>Domiciliary and Vocational</u>												
(reported for those with some dom/voc care)												
Pts. with some dom/voc care, %	2.7%	3.7%	4.5%	6.2%	1.6%	1.1%	6.3%	1.2%	0.1%	6.0%	0.5%	3.8%
Number stays, mean	1.15	1.14	1.16	1.30	1.44	1.08	1.11	1.06	1.00	1.14	1.00	1.03
SD	0.41	0.48	0.42	0.71	0.64	0.27	0.35	0.24	0.00	0.37	0.00	0.16
Average LOS, mean	92.16	140.39	126.54	28.38	78.23	60.87	153.28	94.37	28.33	181.29	53.61	97.05
SD	108.50	139.21	130.77	28.18	67.75	69.81	138.46	103.88	24.70	135.18	66.68	83.62
Cumu. DOS, mean	100.35	148.30	134.14	33.64	121.10	65.37	160.68	97.46	28.33	195.03	53.61	98.47
SD	112.16	139.60	130.54	29.69	116.73	73.25	137.33	103.76	24.70	136.70	66.68	84.08
Cumu. Days of Stay, %												
1 to 7	8.8%	10.1%	5.3%	11.0%	11.3%	11.2%	7.6%	14.3%	33.3%	2.0%	26.1%	8.1%
8 to 14	6.2%	2.0%	2.1%	12.1%	6.5%	10.1%	3.4%	8.6%	0.0%	2.0%	8.7%	5.4%
15 to 44	31.4%	22.8%	25.5%	54.9%	19.4%	39.3%	16.0%	14.3%	33.3%	14.1%	21.7%	19.8%
45 to 89	19.2%	14.1%	24.5%	16.5%	11.3%	14.6%	18.5%	22.9%	33.3%	17.1%	21.7%	23.4%
90 to 179	15.3%	18.1%	11.7%	5.5%	27.4%	18.0%	14.3%	25.7%	0.0%	16.6%	17.4%	26.1%
180 to 359	9.3%	9.4%	11.7%	0.0%	11.3%	5.6%	16.8%	5.7%	0.0%	19.0%	4.3%	16.2%
360+	9.8%	23.5%	19.1%	0.0%	12.9%	1.1%	23.5%	8.6%	0.0%	29.3%	0.0%	0.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. pts. with 100+ day Dom. stay, %	30.0%	44.3%	36.2%	4.4%	35.5%	22.5%	49.6%	31.4%	0.0%	62.0%	21.7%	38.3%
Cumul. DOS, pts. with a 100+ day Dom. stay, mean	244.96	281.89	283.32	133.00	243.27	179.25	278.60	220.18	0.00	283.95	152.20	186.40
SD	100.69	101.70	99.91	31.93	103.20	74.65	96.60	101.62	0.00	93.74	78.16	67.17
Dom. pts. with 150+ day Dom. stay, %	21.3%	35.6%	29.8%	1.1%	25.8%	11.2%	40.3%	22.9%	0.0%	52.7%	4.3%	24.3%
Cumul. DOS, pts. with a 150+ day Dom. stay, mean	291.60	321.11	316.32	174.00	287.44	230.70	311.46	256.25	0.00	310.03	289.00	220.41
SD	80.33	70.22	75.18	0.00	82.98	75.11	73.08	95.67	0.00	74.27	0.00	59.98
Other VISN cumu. DOS, mean	3.73	1.69	1.29	0.09	91.44	1.80	0.21	2.26	28.33	1.11	10.70	0.05
SD	21.72	11.82	6.82	0.84	95.30	6.34	2.69	8.85	24.70	7.70	24.99	0.55
Other station cumu. DOS, mean	6.26	5.93	2.48	0.09	91.47	2.20	1.08	2.57	28.33	3.41	11.39	1.05
SD	24.17	16.97	8.35	0.84	95.26	7.10	8.23	8.96	24.70	17.19	24.90	8.24

Table 3C: FY01 Patients w/ Schizophrenia, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Schizophrenia	98739	5109	2830	6107	6385	2983	4167	6705	9526	3636	4783	4924
<u>Nursing Home Care</u>												
(reported for those with some nursing home care)												
Pts. with some nursing home care, %	4.4%	5.0%	5.9%	5.5%	6.0%	3.3%	4.2%	2.4%	2.1%	3.5%	7.6%	4.9%
Number stays, mean	1.20	1.19	1.35	1.16	1.14	1.10	1.18	1.14	1.24	1.37	1.17	1.14
SD	0.53	0.49	0.71	0.43	0.40	0.30	0.41	0.39	0.53	0.65	0.44	0.34
Average LOS, mean	131.74	172.72	92.11	183.11	138.33	135.21	147.48	151.97	104.65	89.03	105.14	137.51
SD	130.33	145.80	114.80	141.99	133.86	141.65	137.20	135.39	112.70	103.72	117.84	133.18
Cumu. DOS, mean	145.06	186.95	111.36	198.65	147.48	139.78	159.31	162.88	118.83	119.38	115.17	144.98
SD	134.71	146.83	127.55	143.00	136.39	141.26	138.76	137.24	118.88	133.63	121.15	133.69
Cumu. Days of Stay, %												
1 to 7	6.0%	7.4%	8.9%	2.7%	7.4%	8.1%	1.7%	4.9%	6.6%	10.1%	9.4%	8.3%
8 to 14	8.5%	6.2%	11.3%	6.8%	8.9%	9.1%	9.0%	9.3%	14.7%	10.9%	5.8%	12.4%
15 to 44	21.7%	17.1%	31.0%	11.9%	19.2%	20.2%	25.4%	16.7%	16.8%	28.7%	24.6%	17.8%
45 to 89	14.3%	8.6%	13.7%	13.7%	13.2%	21.2%	11.9%	13.6%	17.3%	11.6%	20.7%	8.7%
90 to 179	14.4%	11.3%	10.7%	13.1%	15.3%	7.1%	13.0%	14.2%	18.8%	13.2%	15.5%	14.5%
180 to 359	16.4%	17.9%	12.5%	18.8%	17.9%	11.1%	16.4%	18.5%	15.7%	8.5%	11.6%	19.4%
360+	18.7%	31.5%	11.9%	33.0%	18.2%	23.2%	22.6%	22.8%	10.2%	17.1%	12.4%	19.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH pts. with 100+ day NH stay, %	45.5%	58.0%	32.1%	60.7%	48.7%	40.4%	49.7%	51.2%	38.6%	36.4%	35.4%	49.6%
Cumul. DOS, pts. with a 100+ day NH stay, mean	272.47	296.89	278.07	298.48	265.96	293.28	280.27	277.54	244.43	273.38	252.80	258.71
SD	94.52	87.32	90.18	87.06	99.74	93.13	93.17	93.31	94.84	102.01	102.22	96.98
NH pts. with 150+ day NH stay, %	37.5%	51.4%	28.0%	54.8%	37.1%	36.4%	41.2%	42.6%	28.9%	27.1%	25.1%	41.7%
Cumul. DOS, pts. with a 150+ day NH stay, mean	302.27	316.33	297.04	317.42	311.05	313.03	308.66	304.48	282.30	319.51	301.95	283.34
SD	74.79	70.67	80.14	68.32	65.69	75.14	73.90	75.80	77.42	71.91	76.03	84.51
Other VISN cumu. DOS, mean	6.50	0.02	0.00	0.40	0.00	0.00	0.24	0.48	0.48	1.78	0.00	0.26
SD	39.69	0.31	0.00	4.71	0.00	0.00	3.23	4.27	4.80	10.92	0.00	3.99
Other station cumu. DOS, mean	7.37	0.17	0.00	2.20	1.21	0.00	1.42	1.33	1.48	1.78	1.43	0.92
SD	40.18	2.06	0.00	13.78	10.54	0.00	11.74	7.50	11.13	10.92	8.36	7.91

Table 3C: FY01 Patients w/ Schizophrenia, Utilization, by VISN (continued)

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Schizophrenia	98739	3976	2094	1478	3893	7780	3754	2829	2165	3404	4396	5815
<u>Nursing Home Care</u>												
(reported for those with some nursing home care)												
Pts. with some nursing home care, %	2.7%	3.7%	4.5%	6.2%	1.6%	1.1%	6.3%	1.2%	0.1%	6.0%	0.5%	3.8%
Number stays, mean	1.20	1.15	1.17	1.14	1.34	1.24	1.16	1.28	1.09	1.16	1.47	1.22
SD	0.53	0.39	0.43	0.53	0.62	0.57	0.39	0.52	0.29	0.48	1.16	0.53
Average LOS, mean	131.74	167.73	131.91	179.72	90.65	123.23	111.20	64.78	175.37	93.06	101.94	118.26
SD	130.33	133.04	147.77	143.34	84.69	128.74	108.47	91.69	129.42	111.55	114.40	113.34
Cumu. DOS, mean	145.06	180.95	137.87	187.23	122.06	135.12	123.60	74.82	183.76	99.74	121.54	134.87
SD	134.71	135.12	147.13	141.19	121.98	129.68	114.64	96.34	131.35	114.94	124.09	121.64
Cumu. Days of Stay, %												
1 to 7	6.0%	2.2%	6.0%	4.5%	4.5%	3.5%	4.9%	3.4%	2.2%	8.3%	11.2%	3.7%
8 to 14	8.5%	2.5%	13.7%	5.3%	10.2%	10.5%	5.7%	16.1%	4.5%	10.8%	7.6%	5.9%
15 to 44	21.7%	22.5%	28.6%	13.5%	27.8%	23.4%	22.0%	36.8%	14.6%	29.2%	22.8%	23.8%
45 to 89	14.3%	9.5%	11.3%	12.8%	13.6%	12.3%	22.0%	20.7%	13.5%	19.2%	16.2%	17.8%
90 to 179	14.4%	14.9%	7.7%	18.0%	14.2%	21.1%	19.5%	11.5%	20.2%	12.5%	13.7%	15.6%
180 to 359	16.4%	24.0%	8.3%	16.5%	19.3%	12.3%	17.9%	5.7%	20.2%	9.2%	20.8%	20.4%
360+	18.7%	24.4%	24.4%	29.3%	10.2%	17.0%	8.1%	5.7%	24.7%	10.8%	7.6%	12.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH pts. with 100+ day NH stay, %	45.5%	60.4%	38.1%	57.9%	38.1%	40.9%	40.7%	16.1%	64.0%	28.3%	38.1%	43.1%
Cumul. DOS, pts. with a 100+ day NH stay, mean	272.47	273.33	310.88	289.51	257.18	265.80	236.66	268.29	263.30	256.32	258.69	253.62
SD	94.52	90.76	83.80	92.70	87.93	99.41	94.73	93.92	93.97	99.64	90.03	89.33
NH pts. with 150+ day NH stay, %	37.5%	50.5%	35.7%	48.1%	30.7%	32.7%	28.5%	13.8%	55.1%	23.3%	28.9%	36.1%
Cumul. DOS, pts. with a 150+ day NH stay, mean	302.27	301.09	323.35	320.58	284.96	299.45	284.37	286.00	284.84	285.96	291.72	275.41
SD	74.79	70.65	70.33	67.18	72.49	80.27	70.51	89.31	83.08	83.29	70.44	80.14
Other VISN cumu. DOS, mean	6.50	0.00	0.17	0.34	81.51	0.26	2.44	0.84	140.89	0.11	0.00	0.11
SD	39.69	0.00	2.16	3.90	108.32	3.07	19.24	7.83	146.93	1.19	0.00	1.83
Other station cumu. DOS, mean	7.37	2.17	0.70	0.34	81.51	1.18	4.09	1.49	138.04	2.09	1.26	0.48
SD	40.18	13.35	4.48	3.90	108.32	7.97	22.51	8.53	146.16	12.04	9.93	3.74

Table 3C: FY01 Patients w/ Schizophrenia, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Schizophrenia	98739	5109	2830	6107	6385	2983	4167	6705	9526	3636	4783	4924
<u>Outpatient utilization</u>												
(reported for those with some outpatient care)												
Pts. with some outpatient care, %	98.3%	97.1%	98.2%	97.0%	97.9%	97.8%	97.8%	98.7%	99.6%	98.0%	98.5%	96.7%
annual visit days, mean	28.52	42.70	40.54	33.30	23.68	37.84	20.62	26.64	21.67	20.92	32.76	25.22
SD	40.34	57.81	51.23	46.38	33.65	50.28	30.03	36.87	25.57	32.99	39.93	38.03
Outpatient visit days, %												
1-12	42.3%	33.9%	32.5%	37.2%	46.0%	35.4%	50.4%	43.0%	42.9%	50.8%	32.7%	50.9%
13-24	25.6%	22.4%	23.9%	24.7%	27.3%	22.8%	26.4%	26.2%	30.8%	27.7%	26.6%	22.7%
25-36	11.9%	12.5%	12.6%	13.1%	11.7%	12.9%	10.8%	11.7%	12.5%	10.4%	14.5%	9.1%
37-48	5.9%	6.9%	6.8%	6.7%	4.6%	7.0%	4.8%	6.3%	5.3%	3.9%	7.7%	4.7%
49+	14.4%	24.3%	24.3%	18.2%	10.5%	22.0%	7.7%	12.8%	8.5%	7.3%	18.5%	12.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	69.4%	70.2%	78.7%	61.6%	64.8%	68.1%	64.6%	67.4%	75.1%	65.7%	69.7%	71.4%
Mean PC visit days, among those with some PC	3.58	3.47	3.57	2.89	3.54	3.92	3.62	3.73	4.13	2.96	3.83	3.18
SD	3.23	3.28	4.19	2.20	2.96	3.77	3.48	3.38	3.13	2.62	3.46	2.61
Average number clinic stops per visit day, mean	1.46	1.38	1.40	1.39	1.43	1.51	1.50	1.52	1.44	1.51	1.42	1.46
SD	0.49	0.39	0.40	0.44	0.41	0.43	0.48	0.48	0.40	0.49	0.38	0.47
annual clinic stops (psych & non-psych), mean	43.50	62.90	61.36	48.80	34.29	59.13	31.39	43.35	32.33	32.04	48.90	39.29
SD	70.66	97.86	91.59	77.53	50.87	86.34	50.51	73.10	44.46	55.84	64.33	68.39
annual non-psych. clinic stops, mean	19.82	23.68	22.22	21.13	16.77	27.19	16.85	19.76	19.47	17.25	16.89	18.80
SD	30.46	38.17	31.18	30.73	25.41	40.79	25.37	27.95	21.97	28.46	19.38	33.50
annual psych. clinic stops (groupings below), mean	23.67	39.22	39.13	27.67	17.51	31.93	14.54	23.59	12.86	14.79	32.01	20.49
SD	54.01	79.48	76.93	60.38	37.11	61.78	35.98	53.58	31.89	43.17	55.38	49.96
1. general psych. clinic stops, mean	9.49	13.56	8.56	8.09	8.70	9.73	6.97	10.56	6.76	7.00	12.85	6.63
SD	17.78	24.98	12.12	10.07	11.72	16.55	9.93	15.30	11.51	10.18	18.30	12.06
2. psych. case management clinic stops, mean	2.25	6.49	5.77	2.33	1.83	2.15	1.08	2.44	0.69	1.38	3.66	2.77
SD	16.06	35.70	22.99	10.80	10.39	13.24	5.55	16.87	7.44	10.47	17.09	14.98
3. psych. day treatment clinic stops, mean	5.65	8.94	18.25	5.82	2.29	7.02	3.00	4.51	2.45	4.37	4.93	7.79
SD	31.13	35.99	58.71	32.72	17.25	26.06	25.13	32.75	17.78	30.19	26.14	39.66

Table 3C: FY01 Patients w/ Schizophrenia, Utilization, by VISN (continued)

Patients w/ Schizophrenia	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Outpatient utilization	98739	3976	2094	1478	3893	7780	3754	2829	2165	3404	4396	5815
(reported for those with some outpatient care)												
Pts. with some outpatient care, %	98.3%	97.8%	97.6%	96.3%	98.8%	99.4%	98.3%	99.6%	98.5%	99.1%	99.1%	99.1%
annual visit days, mean	28.52	32.77	27.71	32.82	27.83	21.43	30.59	22.90	28.79	33.02	30.30	32.83
SD	40.34	46.28	37.11	48.14	45.62	30.66	44.53	24.72	33.32	39.27	40.84	46.52
Outpatient visit days, %												
1-12	42.3%	41.8%	45.6%	38.9%	47.1%	50.2%	41.6%	40.9%	39.2%	38.2%	39.0%	39.8%
13-24	25.6%	22.7%	20.5%	25.4%	26.5%	26.5%	26.3%	28.1%	23.4%	21.3%	23.9%	24.6%
25-36	11.9%	11.2%	11.4%	12.9%	10.0%	10.1%	11.8%	13.7%	12.1%	11.6%	13.8%	12.1%
37-48	5.9%	5.7%	6.2%	5.8%	4.5%	4.5%	5.0%	7.1%	8.3%	7.6%	6.7%	6.5%
49+	14.4%	18.6%	16.2%	17.0%	11.9%	8.7%	15.4%	10.2%	16.9%	21.4%	16.6%	17.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Pts. with some OP primary care , %	69.4%	68.6%	51.6%	81.4%	71.8%	69.9%	77.6%	69.9%	74.7%	68.4%	74.5%	65.2%
OP visit days with primary care clinic stops, mean	3.58	3.84	3.02	3.40	3.06	2.97	4.08	3.65	3.49	3.51	4.10	4.02
SD	3.23	3.71	2.81	2.97	2.61	2.25	3.64	3.13	3.16	2.90	4.48	3.49
Average number clinic stops per visit day, mean	1.46	1.55	1.75	1.62	1.44	1.48	1.59	1.49	1.39	1.40	1.37	1.44
SD	0.49	0.54	0.69	0.54	0.46	0.45	0.64	0.48	0.39	0.39	0.49	0.48
annual clinic stops (psych & non-psych), mean	43.50	55.07	52.60	59.72	42.78	32.21	47.45	36.50	40.94	47.37	41.52	49.72
SD	70.66	89.71	82.91	115.91	80.61	51.45	71.49	56.49	51.58	60.12	59.90	86.20
annual non-psych. clinic stops, mean	19.82	20.40	20.71	24.77	19.87	16.71	28.86	17.62	16.87	18.61	17.77	22.07
SD	30.46	27.12	37.03	50.70	37.33	23.08	47.35	19.78	19.26	25.95	24.84	38.38
annual psych. clinic stops (groupings below), mean	23.67	34.67	31.89	34.95	22.90	15.51	18.60	18.88	24.07	28.76	23.75	27.65
SD	54.01	74.90	64.21	86.43	58.43	36.62	41.58	48.73	42.39	49.93	49.91	59.88
1. general psych. clinic stops, mean	9.49	11.72	15.75	12.50	12.67	6.46	8.33	11.95	10.03	9.65	11.94	9.68
SD	17.78	22.40	30.91	22.55	35.93	9.85	19.39	21.18	20.61	16.00	20.51	18.28
2. psych. case management clinic stops, mean	2.25	6.43	1.65	1.42	0.05	1.07	1.81	0.45	5.60	4.13	0.45	0.22
SD	16.06	39.14	9.62	10.21	0.94	7.91	11.89	3.08	19.25	20.17	5.71	2.91
3. psych. day treatment clinic stops, mean	5.65	6.66	6.59	10.82	4.34	4.16	3.51	3.18	3.77	7.34	4.89	11.06
SD	31.13	32.73	30.62	43.66	28.48	26.48	20.58	36.95	14.70	27.77	22.10	46.35

Table 3C: FY01 Patients w/ Schizophrenia, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Schizophrenia	98739	5109	2830	6107	6385	2983	4167	6705	9526	3636	4783	4924
4. substance abuse clinic stops, mean	3.09	3.19	2.69	4.63	3.10	7.09	1.48	2.11	2.10	1.39	6.67	1.84
SD	18.95	14.90	13.81	18.88	14.04	12.21	32.05	23.87	27.89	6.24	8.08	10.59
5. psych. vocational clinic stops, mean	2.26	5.62	2.82	5.24	0.92	4.35	1.47	2.94	0.44	0.37	2.88	0.98
SD	18.84	29.15	20.77	28.91	8.94	26.81	15.11	20.80	7.51	6.25	19.72	11.79
6. PTSD clinic stops, mean	0.47	0.55	0.47	0.93	0.30	0.89	0.24	0.83	0.11	0.09	0.37	0.24
SD	4.73	4.61	4.58	6.64	2.49	6.47	2.70	7.10	1.43	1.39	5.47	2.60
7. psych. homeless clinic stops, mean	0.45	0.87	0.42	0.61	0.37	0.71	0.29	0.19	0.21	0.19	0.64	0.25
SD	3.34	6.53	3.15	4.68	2.05	3.35	2.53	1.39	2.11	1.39	3.75	1.60
Other VISN OP visit days, mean	0.33	0.22	0.45	0.37	0.27	0.40	0.29	0.30	0.21	0.38	0.36	0.23
SD	2.29	1.82	2.68	3.01	2.08	2.39	2.01	2.05	1.70	2.39	2.72	1.50
Other station OP visit days, mean	1.40	1.15	0.45	1.21	1.09	1.03	0.79	1.02	0.41	0.52	1.18	0.93
SD	8.12	4.60	2.68	5.20	3.73	5.01	3.02	3.93	2.24	2.88	4.91	3.23

Table 3C: FY01 Patients w/ Schizophrenia, Utilization, by VISN (continued)

Patients w/ Schizophrenia	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
	98739	3976	2094	1478	3893	7780	3754	2829	2165	3404	4396	5815
4. substance abuse clinic stops, mean	3.09	5.45	2.97	2.93	2.30	1.99	2.46	1.24	2.33	4.37	4.55	2.77
	SD	18.95	4.67	30.74	10.79	58.94	21.49	15.57	18.25	14.46	10.51	6.51
5. psych. vocational clinic stops, mean	2.26	3.38	3.73	6.66	3.08	0.83	1.89	1.31	1.51	1.71	0.80	2.37
	SD	18.84	23.86	24.29	49.79	22.49	10.42	16.60	11.21	14.20	12.72	9.10
6. PTSD clinic stops, mean	0.47	0.40	0.79	0.50	0.39	0.44	0.27	0.43	0.40	0.70	0.53	0.71
	SD	4.73	4.11	7.93	7.82	3.97	4.80	2.65	3.23	3.68	4.90	5.11
7. psych. homeless clinic stops, mean	0.45	0.62	0.40	0.11	0.08	0.54	0.33	0.31	0.40	0.85	0.58	0.83
	SD	3.34	4.49	4.35	1.27	0.74	3.88	2.14	2.08	3.29	4.28	3.55
Other VISN OP visit days, mean	0.33	0.39	0.37	0.35	0.30	0.30	0.43	0.45	0.36	0.45	0.34	0.36
	SD	2.29	3.20	2.34	2.12	2.46	1.84	2.42	2.56	2.17	2.86	2.20
Other station OP visit days, mean	1.40	1.70	1.01	0.35	11.74	0.60	0.74	0.83	4.54	0.99	1.01	0.81
	SD	8.12	6.04	3.84	2.12	32.81	2.60	3.32	3.34	14.93	4.18	3.80