

Table 3D: FY02 Patients w/ Bipolar Disorder, Utilization, by VISN

Patients w/ Bipolar Disorder	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
	70345	4301	2388	2658	3763	1690	2810	3455	6013	2931	3179	2909
Hospital Based Utilization												
Patients with some Hosp. Based Utilization, %	27.1%	26.9%	22.9%	25.8%	24.2%	32.3%	31.1%	24.7%	23.6%	32.7%	29.0%	26.8%
Hospital based utilization: Overall												
(psych & non-psych- for those with some hosp.util.)												
Inpatient stays, mean	1.83	2.01	1.69	1.85	1.75	2.18	1.86	1.61	1.87	1.81	1.85	1.72
SD	1.47	1.69	1.32	1.28	1.29	1.91	1.44	1.07	1.58	1.50	1.42	1.29
Average LOS, mean	10.93	14.32	8.78	12.36	10.49	11.34	11.51	10.85	7.43	11.33	11.18	12.38
SD	21.35	28.98	16.18	24.38	14.52	24.82	25.57	25.87	10.74	25.79	19.92	23.12
Cumu. DOS, mean	19.07	26.32	14.36	21.96	17.42	23.26	19.95	16.40	14.21	19.87	19.76	20.47
SD	32.17	45.26	22.17	33.27	21.74	39.90	34.41	30.53	20.87	39.55	32.07	36.07
Cumu. DOS, %												
1 to 7	42.5%	37.3%	46.7%	35.3%	38.7%	42.3%	39.1%	46.0%	51.7%	46.9%	44.0%	40.9%
8 to 14	22.3%	21.3%	24.3%	23.2%	23.5%	20.0%	22.9%	25.8%	20.5%	21.7%	19.4%	20.7%
15 to 44	26.1%	27.3%	23.7%	29.2%	29.3%	25.8%	29.0%	21.2%	21.8%	21.8%	26.5%	29.7%
45 to 89	5.9%	8.2%	3.8%	8.9%	7.2%	6.0%	6.4%	4.5%	4.6%	5.6%	5.9%	5.3%
90 to 179	2.3%	4.1%	1.1%	2.6%	0.9%	4.6%	1.7%	2.1%	1.3%	2.5%	3.3%	2.3%
180 to 359	0.7%	1.5%	0.4%	0.6%	0.4%	0.9%	0.6%	0.1%	0.1%	1.1%	1.0%	0.8%
360+	0.1%	0.3%	0.0%	0.3%	0.0%	0.4%	0.3%	0.4%	0.0%	0.2%	0.0%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. patients with a 100+ day hosp.stay, %	1.8%	3.9%	0.5%	1.5%	0.6%	2.7%	1.9%	1.8%	0.8%	2.1%	2.8%	2.3%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	192.53	203.36	220.67	210.80	168.60	192.33	211.47	175.53	155.27	238.25	165.92	201.22
SD	76.09	85.44	67.47	86.86	41.37	79.51	89.04	99.57	28.50	87.97	52.47	89.30
Hosp. patients who had a 150+ day hosp. stay, %	0.9%	1.6%	0.4%	0.4%	0.3%	1.6%	1.0%	0.6%	0.2%	1.0%	0.8%	1.4%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	241.87	273.37	233.00	307.33	185.67	208.56	268.33	284.20	180.00	297.70	215.14	243.82
SD	71.70	64.53	90.51	98.15	21.94	65.91	88.39	110.23	32.91	58.64	44.42	89.32
Cumu. DOS at Other VISNs	0.74	0.31	1.22	0.65	0.57	1.06	0.43	0.67	0.38	0.89	0.83	0.54
SD	4.26	1.95	5.85	3.56	3.34	4.84	2.75	3.36	2.58	5.40	3.98	3.45
Cumu. DOS at Other Stations	2.11	3.48	1.22	2.86	2.54	2.97	1.97	2.28	0.91	1.54	2.41	1.92
SD	7.68	13.55	5.85	8.37	6.81	8.91	7.70	7.40	3.73	6.74	6.67	6.27

Table 3D: FY02 Patients w/ Bipolar Disorder, Utilization, by VISN

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
Patients w/ Bipolar Disorder	70345	3326	3270	4389	3082	3183	2615	3620	2907	4638	3218
Hospital Based Utilization											
Patients with some Hosp. Based Utilization, %	27.1%	33.7%	31.9%	28.7%	30.3%	25.8%	26.7%	28.4%	23.1%	21.9%	26.2%
<u>Hospital based utilization: Overall</u>											
(psych & non-psych- for those with some hosp.util.)											
Inpatient stays, mean	1.83	1.91	1.82	1.80	1.89	1.84	1.78	1.72	1.93	1.69	1.88
SD	1.47	1.64	1.44	1.34	1.58	1.42	1.30	1.21	2.15	1.31	1.42
Average LOS, mean	10.93	17.50	10.94	11.40	12.20	7.27	9.65	9.46	9.35	9.74	8.35
SD	21.35	40.24	15.18	16.60	25.30	7.55	10.33	16.60	12.11	14.18	11.65
Cumu. DOS, mean	19.07	27.41	19.02	20.07	21.87	13.36	17.77	15.79	18.19	16.44	14.75
SD	32.17	49.13	27.92	30.58	38.82	15.24	23.57	26.07	27.39	25.70	19.62
Cumu. DOS, %											
1 to 7	42.5%	36.9%	36.6%	43.7%	40.2%	48.4%	40.8%	41.7%	43.3%	45.0%	45.5%
8 to 14	22.3%	24.0%	26.8%	18.0%	20.7%	20.4%	21.3%	27.5%	22.6%	22.7%	22.9%
15 to 44	26.1%	24.8%	27.7%	26.7%	28.5%	26.0%	29.8%	25.5%	25.0%	25.3%	25.9%
45 to 89	5.9%	6.8%	5.6%	8.5%	6.5%	4.9%	6.0%	3.6%	6.0%	4.8%	4.4%
90 to 179	2.3%	4.8%	2.5%	2.5%	2.7%	0.2%	2.0%	1.2%	2.7%	1.8%	1.2%
180 to 359	0.7%	2.3%	0.8%	0.6%	1.1%	0.0%	0.1%	0.5%	0.4%	0.4%	0.1%
360+	0.1%	0.4%	0.0%	0.0%	0.3%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. patients with a 100+ day hosp. stay, %	1.8%	6.1%	1.2%	1.8%	2.6%	0.1%	0.3%	1.1%	0.9%	1.1%	0.6%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	192.53	192.57	185.38	163.57	209.13	147.00	205.00	204.27	163.83	187.45	154.40
SD	76.09	66.64	62.35	69.91	86.74	0.00	73.54	77.31	55.58	65.01	33.50
Hosp. patients who had a 150+ day hosp. stay, %	0.9%	4.0%	0.4%	0.6%	1.4%	0.0%	0.0%	0.8%	0.3%	0.6%	0.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	241.87	219.58	230.75	249.57	263.46	0.00	0.00	233.38	230.50	233.67	185.50
SD	71.70	64.21	54.06	70.93	73.90	0.00	0.00	69.99	19.09	50.32	10.61
Cumu. DOS at Other VISNs	0.74	0.52	0.73	0.89	1.31	0.72	0.64	0.89	0.82	0.53	1.60
SD	4.26	3.11	4.38	5.33	6.71	3.09	3.32	4.35	4.11	3.00	7.65
Cumu. DOS at Other Stations	2.11	3.18	0.95	1.85	2.52	1.66	2.66	2.04	2.63	1.27	2.31
SD	7.68	9.34	4.82	7.46	9.53	5.26	7.84	6.16	8.55	4.92	8.66

Table 3D: FY02 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Bipolar Disorder	70345	4301	2388	2658	3763	1690	2810	3455	6013	2931	3179	2909
<u>Hospital based utilization: Non-Psych</u>												
(non-psych- for those with some hosp.based util.)												
Pts. with non-psych hospital stays, %	12.3%	10.8%	10.9%	11.6%	11.3%	12.7%	10.2%	12.0%	12.1%	14.0%	15.0%	10.4%
Inpatient stays, mean	0.70	0.57	0.68	0.73	0.75	0.71	0.49	0.71	0.83	0.65	0.80	0.62
SD	1.08	0.90	1.00	1.12	1.10	1.35	0.90	1.03	1.18	1.02	1.12	1.08
Average LOS, mean	9.29	14.65	7.44	8.07	5.91	12.91	11.11	11.38	7.48	11.51	14.02	6.72
SD	23.13	28.30	19.57	12.91	7.40	33.84	23.57	32.47	13.96	31.01	30.73	17.39
Cumu. Days of Stay, mean	6.08	7.09	4.93	6.10	4.23	8.43	5.06	7.15	6.45	7.28	9.47	4.47
SD	20.32	20.94	16.24	15.19	8.71	28.90	20.17	25.27	17.01	27.06	26.21	21.18
Cumu. Days of Stay, %												
0	54.8%	59.9%	52.4%	55.0%	53.1%	60.6%	67.0%	51.3%	48.6%	57.3%	48.3%	61.1%
1 to 7	28.2%	23.6%	31.0%	25.9%	29.9%	23.4%	19.6%	31.4%	31.5%	27.1%	29.7%	26.3%
8 to 14	7.5%	6.6%	8.0%	8.0%	9.1%	4.2%	5.7%	7.5%	8.8%	6.2%	7.9%	6.3%
15 to 44	6.8%	5.2%	6.9%	8.2%	6.7%	7.0%	5.6%	6.2%	8.4%	5.4%	8.7%	5.1%
45 to 89	1.5%	2.4%	1.1%	2.2%	1.1%	2.7%	0.8%	1.6%	1.9%	2.6%	2.8%	0.5%
90 to 179	0.9%	2.3%	0.4%	0.7%	0.0%	1.3%	1.1%	1.6%	0.8%	0.9%	2.2%	0.3%
180 to 359	0.2%	0.0%	0.2%	0.0%	0.0%	0.5%	0.0%	0.0%	0.1%	0.4%	0.4%	0.3%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%	0.2%	0.0%	0.1%	0.0%	0.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.9%	1.7%	0.4%	0.3%	0.0%	1.3%	1.0%	1.6%	0.6%	1.1%	2.3%	0.5%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	168.85	126.70	203.50	138.00	0.00	188.00	163.56	160.93	151.00	206.09	149.86	259.25
SD	68.93	13.22	132.23	5.66	0.00	84.85	77.76	88.06	29.80	97.64	43.00	116.77
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.4%	0.1%	0.2%	0.0%	0.0%	0.7%	0.3%	0.5%	0.2%	0.5%	0.8%	0.4%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	231.74	166.00	297.00	0.00	0.00	216.25	235.33	260.25	180.00	292.40	194.71	309.00
SD	69.23	0.00	0.00	0.00	0.00	98.10	111.59	121.04	32.91	79.22	46.73	74.84
Other VISN cumu. DOS, mean	0.17	0.06	0.43	0.14	0.22	0.12	0.14	0.15	0.10	0.26	0.16	0.13
SD	1.83	0.65	4.51	1.41	2.30	1.41	1.85	1.31	0.84	3.10	1.66	1.43
Other station cumu. DOS, mean	0.54	0.67	0.43	0.70	0.83	0.85	0.58	0.74	0.36	0.36	0.70	0.57
SD	3.48	3.91	4.51	3.47	3.80	5.69	5.55	4.15	2.29	3.23	3.57	2.83

Table 3D: FY02 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
Patients w/ Bipolar Disorder	70345	3326	3270	4389	3082	3183	2615	3620	2907	4638	3218
<u>Hospital based utilization: Non-Psych</u>											
(non-psych- for those with some hosp. based util.)											
Pts. with non-psych hospital stays, %	12.3%	16.0%	12.5%	12.7%	13.1%	13.9%	13.6%	12.9%	11.1%	9.7%	12.0%
Inpatient stays, mean	0.70	0.76	0.62	0.72	0.66	0.86	0.78	0.71	0.72	0.63	0.70
SD	1.08	1.13	1.07	1.20	1.03	1.19	1.07	1.07	1.08	0.91	0.98
Average LOS, mean	9.29	15.95	6.08	9.77	10.54	4.99	6.33	7.35	6.12	6.49	8.44
SD	23.13	43.00	13.48	19.55	26.98	7.70	7.50	20.87	9.26	13.53	19.06
Cumu. Days of Stay, mean	6.08	10.10	3.70	6.72	6.35	4.27	4.91	5.11	4.78	4.10	5.25
SD	20.32	35.92	11.71	20.62	21.20	8.89	9.77	19.40	12.67	11.74	14.93
Cumu. Days of Stay, %											
0	54.8%	52.5%	60.7%	55.7%	56.8%	46.4%	49.1%	54.6%	52.1%	55.9%	54.2%
1 to 7	28.2%	29.3%	26.7%	26.3%	24.9%	37.2%	31.3%	29.7%	31.5%	29.1%	28.0%
8 to 14	7.5%	7.5%	6.9%	7.3%	7.5%	8.2%	8.4%	8.2%	8.0%	7.2%	8.8%
15 to 44	6.8%	6.0%	4.3%	7.1%	8.3%	7.4%	10.3%	5.7%	6.8%	6.8%	7.1%
45 to 89	1.5%	1.3%	0.8%	2.1%	1.3%	0.7%	0.7%	1.1%	1.2%	1.0%	1.1%
90 to 179	0.9%	1.4%	0.5%	1.4%	1.0%	0.1%	0.1%	0.5%	0.3%	0.0%	0.7%
180 to 359	0.2%	1.8%	0.1%	0.2%	0.3%	0.0%	0.0%	0.1%	0.0%	0.1%	0.1%
360+	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay,%	0.9%	2.9%	0.3%	1.2%	1.1%	0.1%	0.0%	0.5%	0.3%	0.1%	0.6%
Cumul. DOS, pts with a 100+ day hosp. stay,											
mean	168.85	197.30	143.67	143.73	172.00	126.00	0.00	224.00	142.00	245.00	143.80
SD	68.93	62.48	40.50	54.95	66.18	0.00	0.00	105.71	5.66	0.00	39.86
Hosp. Pts. with a 150+ day non-psych hosp.stay,											
%	0.4%	2.1%	0.1%	0.3%	0.5%	0.0%	0.0%	0.3%	0.0%	0.1%	0.2%
Cumul. DOS, pts with a 150+ day hosp. stay,											
mean	231.74	229.17	190.00	211.50	217.40	0.00	0.00	282.33	0.00	245.00	184.50
SD	69.23	45.97	0.00	70.44	65.48	0.00	0.00	97.77	0.00	0.00	9.19
Other VISN cumu. DOS, mean	0.17	0.04	0.15	0.21	0.17	0.24	0.13	0.30	0.11	0.10	0.29
SD	1.83	0.57	1.27	2.49	1.90	1.72	1.25	2.30	1.05	0.81	1.81
Other station cumu. DOS, mean	0.54	0.56	0.21	0.66	0.26	0.39	0.66	0.57	0.54	0.38	0.65
SD	3.48	3.55	1.57	5.01	2.03	2.03	2.97	2.66	2.55	2.63	2.68

Table 3D: FY02 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Bipolar Disorder	70345	4301	2388	2658	3763	1690	2810	3455	6013	2931	3179	2909
<u>Hospital based utilization: Psychiatric</u>												
(psych- for those with some hosp.based util.)												
Pts. with psych hospital stays, %	18.4%	20.4%	15.3%	17.2%	15.5%	24.7%	24.6%	15.4%	14.1%	22.6%	18.7%	19.0%
Inpatient stays, mean	1.13	1.44	1.01	1.12	1.01	1.47	1.37	0.90	1.04	1.16	1.04	1.10
SD	1.35	1.62	1.08	1.22	1.14	1.62	1.40	0.96	1.48	1.44	1.20	1.12
Average LOS, mean	12.08	14.87	9.25	14.72	13.79	10.72	12.09	10.19	7.25	11.01	10.18	15.32
SD	21.00	31.89	11.49	28.00	17.50	19.32	27.27	17.96	6.38	20.91	13.98	25.49
Cumu. Days of Stay, mean	12.99	19.23	9.43	15.86	13.19	14.82	14.89	9.25	7.76	12.59	10.29	16.00
SD	26.46	41.19	15.83	31.75	21.68	27.78	28.98	19.50	14.66	30.79	17.75	30.72
Cumu. Days of Stay, %												
0	32.3%	24.4%	33.2%	33.5%	35.9%	23.4%	20.8%	37.7%	40.3%	30.9%	35.5%	28.9%
1 to 7	25.1%	25.9%	28.3%	18.1%	18.3%	32.4%	29.0%	25.4%	30.2%	30.5%	27.3%	22.6%
8 to 14	17.1%	17.6%	18.6%	18.7%	16.3%	17.2%	19.1%	19.1%	13.6%	16.9%	14.6%	16.8%
15 to 44	19.8%	23.4%	17.0%	21.1%	22.9%	20.1%	25.5%	14.5%	13.3%	16.5%	18.5%	24.5%
45 to 89	4.0%	5.4%	2.0%	6.1%	5.4%	3.5%	4.2%	2.5%	2.0%	3.3%	2.8%	4.4%
90 to 179	1.3%	1.5%	0.9%	1.6%	0.9%	2.7%	0.7%	0.5%	0.6%	0.9%	1.2%	2.1%
180 to 359	0.4%	1.6%	0.0%	0.6%	0.4%	0.5%	0.3%	0.1%	0.0%	0.7%	0.0%	0.6%
360+	0.1%	0.3%	0.0%	0.3%	0.0%	0.0%	0.2%	0.1%	0.0%	0.1%	0.0%	0.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.9%	2.2%	0.2%	1.2%	0.6%	1.6%	0.9%	0.1%	0.1%	0.9%	0.7%	1.8%
Cumul. DOS, pts with a 100+ day hosp. stay, mean	204.72	251.84	169.00	227.75	168.00	167.11	248.38	364.00	171.00	273.67	135.00	182.64
SD	78.03	71.88	0.00	88.48	41.07	49.18	95.00	0.00	5.66	66.91	14.49	72.69
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.5%	1.6%	0.2%	0.4%	0.3%	0.9%	0.7%	0.1%	0.0%	0.5%	0.0%	1.0%
Cumul. DOS, pts with a 150+ day hosp. stay, mean	243.90	270.72	169.00	307.33	185.67	197.40	281.83	364.00	0.00	303.00	0.00	215.88
SD	74.60	62.71	0.00	98.15	21.94	43.28	85.17	0.00	0.00	37.30	0.00	79.55
Other VISN cumu. DOS, mean	0.57	0.25	0.79	0.51	0.35	0.95	0.29	0.51	0.28	0.63	0.67	0.41
SD	3.69	1.75	3.78	3.29	2.20	4.62	1.81	3.02	2.40	3.88	3.50	3.14
Other station cumu. DOS, mean	1.57	2.81	0.79	2.16	1.71	2.12	1.39	1.54	0.55	1.19	1.70	1.35
SD	6.65	12.78	3.78	7.70	5.69	6.41	5.36	5.57	2.93	5.48	5.32	5.68

Table 3D: FY02 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
Patients w/ Bipolar Disorder	70345	3326	3270	4389	3082	3183	2615	3620	2907	4638	3218
<u>Hospital based utilization: Psychiatric</u>											
(psych- for those with some hosp. based util.)											
Pts. with psych hospital stays, %	18.4%	22.8%	23.3%	19.6%	21.1%	15.7%	16.4%	18.8%	15.4%	14.6%	18.1%
Inpatient stays, mean	1.13	1.15	1.20	1.08	1.23	0.99	1.01	1.00	1.21	1.06	1.18
SD	1.35	1.47	1.29	1.11	1.45	1.21	1.20	1.09	2.11	1.29	1.37
Average LOS, mean	12.08	18.08	13.13	12.61	13.39	9.54	12.44	10.49	11.72	11.78	8.55
SD	21.00	38.33	15.98	19.20	24.10	8.67	12.07	11.32	16.55	14.83	8.36
Cumu. Days of Stay, mean	12.99	17.32	15.32	13.34	15.52	9.09	12.86	10.69	13.40	12.34	9.50
SD	26.46	36.93	26.75	25.35	33.36	13.57	22.73	19.55	25.70	24.33	14.45
Cumu. Days of Stay, %											
0	32.3%	32.3%	26.9%	31.7%	30.2%	39.2%	38.5%	33.9%	33.2%	33.7%	31.0%
1 to 7	25.1%	19.9%	21.4%	28.4%	23.3%	22.9%	18.6%	23.0%	24.0%	25.3%	31.0%
8 to 14	17.1%	19.5%	21.8%	12.6%	17.9%	15.2%	15.9%	20.6%	17.6%	16.3%	15.7%
15 to 44	19.8%	19.3%	22.6%	19.9%	21.0%	19.6%	20.5%	19.3%	18.9%	19.4%	19.5%
45 to 89	4.0%	5.1%	4.8%	5.8%	5.3%	3.0%	5.2%	2.1%	4.0%	3.2%	2.4%
90 to 179	1.3%	3.1%	1.8%	1.1%	1.5%	0.1%	1.3%	0.6%	1.9%	1.8%	0.5%
180 to 359	0.4%	0.5%	0.7%	0.4%	0.5%	0.0%	0.1%	0.4%	0.4%	0.3%	0.0%
360+	0.1%	0.3%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.9%	3.1%	1.0%	0.6%	1.5%	0.0%	0.3%	0.6%	0.6%	1.0%	0.0%
Cumul. DOS, pts with a 100+ day hosp. stay, mean	204.72	184.60	197.10	193.50	221.21	0.00	201.50	187.83	169.75	179.50	0.00
SD	78.03	71.29	63.81	89.19	98.67	0.00	78.49	47.98	69.79	66.13	0.00
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.5%	2.0%	0.3%	0.2%	0.9%	0.0%	0.0%	0.5%	0.3%	0.5%	0.0%
Cumul. DOS, pts with a 150+ day hosp. stay, mean	243.90	206.82	241.67	295.00	290.38	0.00	0.00	204.00	229.50	227.00	0.00
SD	74.60	78.27	60.58	51.74	70.48	0.00	0.00	30.28	17.68	62.00	0.00
Other VISN cumu. DOS, mean	0.57	0.48	0.58	0.69	1.13	0.48	0.51	0.59	0.71	0.43	1.31
SD	3.69	3.02	3.94	4.56	6.20	2.60	3.06	3.34	3.76	2.78	7.11
Other station cumu. DOS, mean	1.57	2.62	0.74	1.19	2.26	1.27	2.01	1.47	2.09	0.88	1.66
SD	6.65	7.90	4.30	5.46	9.16	4.79	7.40	5.44	8.05	4.01	7.83

Table 3D: FY02 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Bipolar Disorder	70345	4301	2388	2658	3763	1690	2810	3455	6013	2931	3179	2909
Other 24 hour institutional care												
Patients with some other 24 hour institutional care, %	8.1%	6.0%	14.5%	10.5%	11.7%	11.5%	6.5%	4.9%	4.3%	6.1%	14.1%	5.5%
<u>Residential Rehabilitation</u> (reported for those with some res rehab care)												
Patients with some residential rehab. care, %	2.5%	2.1%	6.0%	3.0%	1.9%	4.1%	1.9%	0.2%	2.2%	1.4%	4.7%	3.2%
Number stays, mean	1.11	1.08	1.28	1.14	1.04	1.17	1.02	1.00	1.05	1.08	1.11	1.12
SD	0.35	0.27	0.63	0.38	0.20	0.42	0.14	0.00	0.22	0.27	0.39	0.32
Average LOS, mean	33.89	36.04	27.53	31.60	36.79	34.08	29.42	32.75	52.44	13.99	13.68	39.99
SD	34.90	43.29	20.19	43.10	53.37	27.19	15.73	37.09	35.15	7.56	13.70	44.18
Cumu. DOS, mean	36.74	38.85	33.80	34.48	37.66	38.80	29.74	32.75	54.00	14.75	15.03	46.65
SD	37.38	44.86	27.21	43.81	53.47	31.24	15.65	37.09	35.55	7.72	14.93	56.01
Cumu. Days of Stay, %												
1 to 7	13.1%	12.1%	11.2%	18.8%	18.6%	15.7%	5.7%	37.5%	4.5%	15.0%	34.7%	14.0%
8 to 14	13.1%	16.5%	16.1%	13.8%	7.1%	10.0%	1.9%	12.5%	9.0%	65.0%	24.7%	10.8%
15 to 44	49.5%	38.5%	47.6%	48.8%	52.9%	41.4%	86.8%	25.0%	35.8%	20.0%	35.3%	52.7%
45 to 89	15.9%	26.4%	22.4%	5.0%	12.9%	24.3%	3.8%	12.5%	24.6%	0.0%	4.7%	5.4%
90 to 179	7.3%	5.5%	2.1%	13.8%	2.9%	8.6%	1.9%	12.5%	26.1%	0.0%	0.7%	14.0%
180 to 359	1.1%	0.0%	0.7%	0.0%	5.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.2%
360+	0.1%	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.9%	4.4%	1.4%	12.5%	8.6%	5.7%	1.9%	12.5%	9.0%	0.0%	0.7%	10.8%
Cumul. DOS, pts w/ 100+ day ResRehab stay, mean	154.84	192.00	162.50	139.50	194.50	120.75	101.00	100.00	113.58	0.00	110.00	178.70
SD	54.00	116.47	30.41	20.86	50.84	13.30	0.00	0.00	13.79	0.00	0.00	64.48
Res Rehab patients w/ 150+ day Res Rehab stay, %	2.0%	2.2%	0.0%	6.3%	5.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	4.3%
Cumul. DOS, pts w/ 150+ day ResRehab stay, mean	200.97	258.00	0.00	155.60	226.25	0.00	0.00	0.00	0.00	0.00	0.00	237.00
SD	55.95	149.91	0.00	4.51	16.58	0.00	0.00	0.00	0.00	0.00	0.00	69.36
Other VISN cumu. DOS, mean	1.21	0.11	0.99	0.00	1.04	1.54	2.19	30.63	0.25	4.25	0.60	0.56
SD	7.27	0.86	4.47	0.00	4.83	5.45	13.99	38.74	2.68	10.52	4.43	3.64
Other station cumu. DOS, mean	4.12	5.05	0.99	6.46	4.14	6.26	6.17	30.63	0.66	4.25	1.41	1.40
SD	12.07	12.47	4.47	16.83	8.13	14.45	16.39	38.74	3.63	10.52	4.85	4.70

Table 3D: FY02 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
Patients w/ Bipolar Disorder	70345	3326	3270	4389	3082	3183	2615	3620	2907	4638	3218
Other 24 hour institutional care											
Patients with some other 24 hour institutional care, %	8.1%	17.0%	7.5%	4.0%	11.6%	4.4%	4.1%	10.2%	4.5%	4.4%	15.9%
<u>Residential Rehabilitation</u>											
(reported for those with some res rehab care)											
Patients with some residential rehab. care, %	2.5%	8.3%	1.3%	0.5%	3.7%	0.8%	2.6%	3.0%	0.8%	0.1%	3.9%
Number stays, mean	1.11	1.13	1.00	1.04	1.05	1.15	1.07	1.04	1.18	1.00	1.13
SD	0.35	0.37	0.00	0.20	0.23	0.53	0.26	0.19	0.50	0.30	0.33
Average LOS, mean	33.89	34.62	95.93	15.60	26.57	42.70	36.76	20.91	45.08	12.80	41.25
SD	34.90	23.82	79.66	12.67	30.36	45.55	24.39	9.44	29.64	13.68	29.22
Cumu. DOS, mean	36.74	38.55	95.93	16.21	27.83	48.93	38.28	21.48	51.68	12.80	44.37
SD	37.38	28.00	79.66	12.96	31.34	53.37	24.38	9.77	33.04	13.68	30.48
Cumu. Days of Stay, %											
1 to 7	13.1%	5.8%	4.7%	37.5%	9.7%	14.8%	10.3%	8.3%	9.1%	60.0%	12.7%
8 to 14	13.1%	9.7%	11.6%	16.7%	12.4%	14.8%	7.4%	11.1%	9.1%	20.0%	4.8%
15 to 44	49.5%	61.4%	20.9%	45.8%	64.6%	33.3%	52.9%	77.8%	22.7%	20.0%	40.5%
45 to 89	15.9%	18.4%	14.0%	0.0%	8.8%	18.5%	27.9%	2.8%	45.5%	0.0%	31.7%
90 to 179	7.3%	3.6%	37.2%	0.0%	2.7%	11.1%	1.5%	0.0%	13.6%	0.0%	10.3%
180 to 359	1.1%	1.1%	9.3%	0.0%	1.8%	7.4%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	2.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.9%	1.8%	46.5%	0.0%	1.8%	18.5%	1.5%	0.0%	0.0%	0.0%	1.6%
Cumul. DOS, pts with a 100+ day C.C. stay, mean	154.84	173.00	167.70	0.00	208.00	146.60	141.00	0.00	0.00	0.00	104.00
SD	54.00	56.95	55.51	0.00	2.83	36.94	0.00	0.00	0.00	0.00	0.00
Res Rehab pts w/ 150+ day Res Rehab stay, %	2.0%	1.1%	30.2%	0.0%	1.8%	7.4%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, pts with a 150+ day C.C. stay, mean	200.97	213.33	189.00	0.00	208.00	187.00	0.00	0.00	0.00	0.00	0.00
SD	55.95	18.56	58.13	0.00	2.83	4.24	0.00	0.00	0.00	0.00	0.00
Other VISN cumu. DOS, mean	1.21	0.00	1.26	1.54	0.52	1.00	0.81	0.98	4.41	11.60	4.67
SD	7.27	0.00	4.60	6.02	3.02	3.91	4.30	4.89	16.15	14.66	15.93
Other station cumu. DOS, mean	4.12	6.79	1.26	5.54	1.47	1.56	6.51	3.20	13.00	11.60	6.01
SD	12.07	14.79	4.60	11.74	7.85	4.63	14.61	8.25	23.53	14.66	16.98

Table 3D: FY02 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)

Patients w/ Bipolar Disorder	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
	70345	4301	2388	2658	3763	1690	2810	3455	6013	2931	3179	2909
<u>Domiciliary and Vocational</u>												
(reported for those with some dom/voc care)												
Patients with some dom/voc care, %	4.4%	2.2%	8.4%	7.4%	7.6%	6.9%	2.8%	3.7%	0.7%	3.9%	8.7%	0.1%
Number stays, mean	1.15	1.07	1.32	1.23	1.16	1.15	1.03	1.16	1.13	1.09	1.16	1.00
SD	0.41	0.33	0.59	0.51	0.41	0.40	0.16	0.39	0.40	0.31	0.45	0.00
Average LOS, mean	75.99	82.44	102.76	67.06	43.48	74.80	42.44	42.44	91.31	133.95	42.08	23.00
SD	79.41	64.58	62.55	62.95	45.44	74.49	52.40	47.60	83.77	115.10	42.68	31.11
Cumu. DOS, mean	84.22	88.53	126.08	79.30	51.61	82.25	43.95	46.67	99.96	141.69	48.25	23.00
SD	83.97	71.17	71.31	72.81	54.68	77.29	53.91	50.26	87.12	117.21	48.65	31.11
Cumu. Days of Stay, %												
1 to 7	7.8%	6.3%	2.5%	8.7%	13.0%	6.0%	18.8%	13.2%	6.7%	6.1%	7.9%	50.0%
8 to 14	6.2%	9.4%	2.0%	4.1%	10.9%	6.9%	7.5%	6.2%	8.9%	2.6%	6.5%	0.0%
15 to 44	30.9%	17.7%	12.5%	26.0%	42.5%	27.6%	41.3%	47.3%	20.0%	16.7%	52.2%	0.0%
45 to 89	19.4%	25.0%	15.5%	24.0%	9.5%	24.1%	22.5%	17.1%	20.0%	16.7%	17.6%	50.0%
90 to 179	23.4%	30.2%	42.0%	28.1%	21.8%	25.9%	7.5%	14.7%	20.0%	28.9%	13.3%	0.0%
180 to 359	9.7%	10.4%	25.0%	7.7%	2.5%	8.6%	1.3%	1.6%	22.2%	20.2%	2.2%	0.0%
360+	2.6%	1.0%	0.5%	1.5%	0.0%	0.9%	1.3%	0.0%	2.2%	8.8%	0.4%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	29.5%	37.5%	59.0%	27.6%	18.2%	25.0%	8.8%	14.0%	40.0%	50.9%	10.4%	0.0%
Cumul. DOS, pts with a 100+ day Dom. stay, mean	188.19	162.97	171.86	171.02	147.94	183.10	171.29	146.00	190.06	231.91	152.97	0.00
SD	79.34	56.24	48.16	70.46	30.55	84.58	94.30	59.09	63.66	95.59	56.26	0.00
Dom. patients with 150+ day Dom. stay, %	16.0%	16.7%	35.5%	10.7%	7.0%	10.3%	2.5%	3.1%	28.9%	35.1%	2.9%	0.0%
Cumul. DOS, pts with a 150+ day Dom. stay, mean	238.20	208.38	198.21	229.10	177.75	260.83	294.00	227.25	211.00	279.38	205.75	0.00
SD	74.09	55.48	40.55	72.12	21.68	73.77	98.99	89.86	59.01	75.77	67.09	0.00
Other VISN cumu. DOS, mean	1.72	2.39	5.03	1.74	1.23	4.22	1.00	1.12	2.36	2.56	1.58	23.00
SD	8.47	9.25	14.04	8.48	5.45	11.67	5.05	6.92	5.81	10.60	11.31	31.11
Other station cumu. DOS, mean	3.94	6.29	5.03	8.65	6.60	6.32	2.46	1.42	2.36	3.06	2.66	23.00
SD	13.11	16.52	14.04	20.69	15.15	15.40	7.00	7.23	5.81	10.98	12.54	31.11

Table 3D: FY02 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
Patients w/ Bipolar Disorder	70345	3326	3270	4389	3082	3183	2615	3620	2907	4638	3218
<u>Domiciliary and Vocational</u>											
(reported for those with some dom/voc care)											
Patients with some dom/voc care, %	4.4%	7.0%	5.2%	2.3%	8.2%	1.7%	0.5%	6.0%	1.2%	3.0%	9.7%
Number stays, mean	1.15	1.09	1.09	1.12	1.15	1.05	1.00	1.12	1.06	1.04	1.23
SD	0.41	0.31	0.31	0.35	0.38	0.23	0.00	0.33	0.24	0.19	0.50
Average LOS, mean	75.99	87.38	85.77	59.84	110.81	90.40	10.67	109.62	52.10	109.19	49.99
SD	79.41	86.47	78.26	62.30	106.87	81.30	10.76	110.08	62.74	91.81	42.57
Cumu. DOS, mean	84.22	92.14	90.32	65.45	122.94	93.45	10.67	118.16	54.15	111.09	59.32
SD	83.97	88.00	78.80	66.22	110.72	82.02	10.76	113.57	62.91	91.68	52.45
Cumu. Days of Stay, %											
1 to 7	7.8%	4.7%	7.0%	10.7%	4.0%	5.5%	50.0%	4.2%	8.8%	6.4%	9.0%
8 to 14	6.2%	6.5%	4.7%	4.9%	5.6%	5.5%	25.0%	4.2%	17.6%	6.4%	6.4%
15 to 44	30.9%	29.3%	27.5%	41.7%	19.4%	21.8%	25.0%	30.1%	35.3%	16.4%	35.9%
45 to 89	19.4%	21.1%	18.1%	17.5%	23.0%	18.2%	0.0%	17.6%	20.6%	21.4%	25.0%
90 to 179	23.4%	24.6%	29.2%	19.4%	23.4%	38.2%	0.0%	19.4%	8.8%	25.7%	20.8%
180 to 359	9.7%	10.3%	11.7%	4.9%	14.7%	7.3%	0.0%	14.8%	8.8%	22.1%	2.9%
360+	2.6%	3.4%	1.8%	1.0%	9.9%	3.6%	0.0%	9.7%	0.0%	1.4%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	29.5%	33.2%	38.0%	20.4%	39.3%	36.4%	0.0%	38.9%	14.7%	47.9%	15.1%
Cumul. DOS, pts with a 100+ day Dom. stay, mean	188.19	191.57	170.83	173.33	234.36	170.10	0.00	237.26	187.00	189.27	148.15
SD	79.34	84.10	66.29	65.60	94.30	85.72	0.00	93.48	57.98	70.42	59.26
Dom. patients with 150+ day Dom. stay, %	16.0%	20.3%	20.5%	7.8%	27.8%	10.9%	0.0%	27.3%	8.8%	30.0%	4.8%
Cumul. DOS, pts with a 150+ day Dom. stay, mean	238.20	236.57	213.40	233.50	272.91	283.83	0.00	280.24	224.00	226.40	216.80
SD	74.09	78.68	63.78	71.07	80.42	73.08	0.00	77.20	39.61	62.98	59.30
Other VISN cumu. DOS, mean	1.72	0.58	0.70	2.23	0.56	2.89	10.67	1.09	5.47	0.40	1.14
SD	8.47	3.62	4.31	8.77	4.91	7.50	10.76	9.51	14.30	4.73	7.04
Other station cumu. DOS, mean	3.94	5.72	0.70	3.26	2.17	5.07	10.67	3.59	7.24	0.87	2.15
SD	13.11	16.78	4.31	9.69	10.69	16.85	10.76	13.46	15.39	6.18	8.76

Table 3D: FY02 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Bipolar Disorder	70345	4301	2388	2658	3763	1690	2810	3455	6013	2931	3179	2909
<u>Nursing Home Care</u>												
(reported for those with some nursing home care)												
Patients with some nursing home care, %	2.0%	1.9%	2.1%	1.8%	2.7%	1.4%	2.0%	1.1%	1.5%	1.1%	2.9%	2.3%
Number stays, mean	1.22	1.18	1.24	1.16	1.24	1.46	1.07	1.24	1.16	1.06	1.22	1.15
SD	0.52	0.45	0.48	0.47	0.53	0.66	0.26	0.54	0.40	0.35	0.51	0.40
Average LOS, mean	90.97	122.38	89.18	132.10	111.84	68.74	160.98	116.43	75.74	74.26	72.52	94.94
SD	109.03	146.06	117.40	131.91	121.19	86.66	138.02	123.27	92.46	84.15	86.00	118.67
Cumu. DOS, mean	103.11	133.31	98.61	141.39	124.59	95.83	172.73	133.45	84.70	78.72	81.86	100.74
SD	116.13	151.06	118.89	135.02	124.21	96.51	145.20	133.20	98.10	87.69	89.25	118.31
Cumu. Days of Stay, %												
1 to 7	9.3%	16.9%	14.3%	2.0%	6.8%	4.2%	7.3%	5.3%	8.8%	3.1%	6.5%	7.6%
8 to 14	10.7%	8.4%	6.1%	18.4%	9.7%	8.3%	10.9%	7.9%	17.6%	6.3%	7.6%	15.2%
15 to 44	27.4%	24.1%	30.6%	18.4%	19.4%	25.0%	14.5%	23.7%	29.7%	46.9%	28.3%	28.8%
45 to 89	17.9%	14.5%	16.3%	14.3%	18.4%	25.0%	10.9%	15.8%	12.1%	18.8%	30.4%	13.6%
90 to 179	13.5%	4.8%	16.3%	14.3%	17.5%	20.8%	12.7%	15.8%	15.4%	9.4%	16.3%	16.7%
180 to 359	12.0%	8.4%	4.1%	16.3%	17.5%	12.5%	21.8%	15.8%	12.1%	12.5%	6.5%	6.1%
360+	9.3%	22.9%	12.2%	16.3%	10.7%	4.2%	21.8%	15.8%	4.4%	3.1%	4.3%	12.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	30.4%	33.7%	22.4%	46.9%	37.9%	25.0%	54.5%	42.1%	24.2%	25.0%	20.7%	31.8%
Cumul. DOS, pts with a 100+ day NH stay, mean	255.53	336.18	287.45	261.65	261.72	228.50	291.53	263.94	232.23	210.00	225.21	246.38
SD	94.95	59.71	108.66	102.54	93.70	95.12	81.08	105.78	88.86	80.46	95.07	106.51
NH patients with 150+ day NH stay, %	23.1%	32.5%	16.3%	36.7%	28.2%	16.7%	52.7%	28.9%	17.6%	18.8%	12.0%	22.7%
Cumul. DOS, pts with a 150+ day NH stay, mean	291.40	344.15	348.50	299.06	304.76	280.00	296.55	317.82	272.00	239.67	288.73	291.20
SD	77.33	43.07	35.16	82.03	63.11	66.41	77.63	74.23	69.20	69.55	73.48	91.19
Other VISN cumu. DOS, mean	0.24	0.19	0.00	0.45	0.00	2.00	0.00	0.74	0.93	0.56	0.00	0.00
SD	3.07	1.76	0.00	2.28	0.00	9.80	0.00	3.11	8.60	3.18	0.00	0.00
Other station cumu. DOS, mean	0.84	1.88	0.00	0.76	1.45	2.00	0.00	0.74	1.01	0.56	1.77	0.48
SD	5.59	9.34	0.00	3.09	8.83	9.80	0.00	3.11	8.62	3.18	7.09	3.94

Table 3D: FY02 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)

Patients w/ Bipolar Disorder <u>Nursing Home Care</u> (reported for those with some nursing home care)	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
	70345	3326	3270	4389	3082	3183	2615	3620	2907	4638	3218
Patients with some nursing home care, %	2.0%	4.1%	1.5%	1.2%	2.4%	1.9%	1.1%	1.7%	2.8%	1.4%	3.9%
Number stays, mean	1.22	1.13	1.20	1.26	1.14	1.45	1.31	1.26	1.53	1.20	1.12
SD	0.52	0.35	0.45	0.62	0.38	0.87	0.54	0.51	0.88	0.51	0.35
Average LOS, mean	90.97	131.46	61.45	90.02	100.21	49.60	83.79	38.56	69.89	80.35	59.83
SD	109.03	124.90	76.72	110.88	102.06	60.90	94.28	59.94	77.94	90.67	88.17
Cumu. DOS, mean	103.11	142.44	68.32	101.52	110.18	71.25	106.83	44.66	107.32	94.20	63.39
SD	116.13	131.49	78.09	117.13	108.58	89.06	117.13	61.51	116.80	101.83	88.05
Cumu. Days of Stay, %											
1 to 7	9.3%	5.2%	6.0%	5.6%	8.2%	8.3%	3.4%	9.7%	12.3%	7.8%	23.2%
8 to 14	10.7%	8.1%	6.0%	9.3%	5.5%	16.7%	10.3%	21.0%	12.3%	10.9%	8.0%
15 to 44	27.4%	26.7%	46.0%	31.5%	21.9%	31.7%	34.5%	43.5%	17.3%	25.0%	28.8%
45 to 89	17.9%	9.6%	16.0%	22.2%	23.3%	25.0%	10.3%	16.1%	21.0%	25.0%	19.2%
90 to 179	13.5%	12.6%	20.0%	11.1%	17.8%	5.0%	20.7%	6.5%	13.6%	12.5%	12.0%
180 to 359	12.0%	20.7%	2.0%	11.1%	19.2%	11.7%	10.3%	1.6%	18.5%	14.1%	4.0%
360+	9.3%	17.0%	4.0%	9.3%	4.1%	1.7%	10.3%	1.6%	4.9%	4.7%	4.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	30.4%	48.1%	22.0%	29.6%	37.0%	15.0%	34.5%	8.1%	34.6%	26.6%	15.2%
Cumul. DOS, pts with a 100+ day NH stay, mean	255.53	260.55	179.00	259.31	229.44	251.00	244.40	216.20	244.04	240.94	238.63
SD	94.95	90.88	97.32	97.22	89.31	86.76	96.73	99.12	93.48	84.19	101.08
NH patients with 150+ day NH stay, %	23.1%	40.7%	10.0%	24.1%	26.0%	10.0%	20.7%	4.8%	23.5%	18.8%	12.0%
Cumul. DOS, pts with a 150+ day NH stay, mean	291.40	282.62	253.00	280.77	261.37	282.83	309.00	269.67	284.63	265.67	270.33
SD	77.33	79.68	103.46	89.60	81.99	86.05	62.65	94.50	79.87	80.20	89.55
Other VISN cumu. DOS, mean	0.24	0.00	0.16	0.00	0.08	0.35	1.38	0.39	0.00	0.31	0.00
SD	3.07	0.00	1.13	0.00	0.70	2.71	7.43	3.05	0.00	2.50	0.00
Other station cumu. DOS, mean	0.84	0.68	0.16	1.11	0.23	0.35	1.38	1.53	0.12	1.17	0.34
SD	5.59	4.10	1.13	4.82	1.46	2.71	7.43	8.25	1.00	5.70	2.82

Table 3D: FY02 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)

Patients w/ Bipolar Disorder	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
	70345	4301	2388	2658	3763	1690	2810	3455	6013	2931	3179	2909
<u>Outpatient utilization</u>												
(reported for those with some outpatient care)												
Patients with some outpatient care, %	99.6%	99.5%	99.6%	99.4%	99.5%	99.8%	99.3%	99.7%	99.8%	99.9%	99.7%	99.3%
annual visit days, mean	24.61	32.34	33.01	31.92	21.44	30.20	18.25	21.26	21.40	16.61	27.11	19.59
SD	30.99	39.37	35.88	41.00	29.46	36.68	22.62	27.27	22.85	17.02	32.94	25.85
Outpatient visit days, %												
1-12	42.7%	34.1%	29.6%	38.6%	47.9%	37.1%	51.2%	46.1%	42.0%	51.9%	37.2%	52.4%
13-24	26.7%	24.5%	27.7%	23.6%	27.5%	25.5%	27.5%	27.9%	30.7%	28.5%	26.7%	25.5%
25-36	12.4%	14.5%	14.2%	12.4%	10.6%	12.1%	11.4%	12.4%	12.9%	10.2%	13.8%	10.2%
37-48	6.4%	8.3%	8.2%	7.2%	5.3%	7.2%	4.4%	5.7%	6.4%	5.0%	7.9%	4.4%
49+	11.8%	18.6%	20.3%	18.2%	8.7%	18.0%	5.5%	7.9%	8.1%	4.4%	14.5%	7.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	77.0%	78.6%	84.5%	73.7%	74.2%	74.7%	74.6%	77.5%	84.5%	75.0%	76.5%	77.6%
Mean PC visit days, among those with some PC	3.54	3.66	3.54	3.01	3.30	3.98	3.59	3.34	3.93	3.07	3.84	3.05
SD	3.02	3.50	2.76	2.50	2.54	3.70	2.76	2.95	3.02	2.20	3.05	2.34
Average number clinic stops per visit day, mean	1.51	1.41	1.41	1.47	1.47	1.49	1.52	1.56	1.49	1.60	1.48	1.52
SD	0.46	0.38	0.34	0.44	0.42	0.41	0.42	0.51	0.44	0.52	0.45	0.46
annual clinic stops (psych & non-psych), mean	38.32	47.33	49.64	49.03	31.57	46.00	27.94	34.00	32.76	26.19	42.66	30.62
SD	54.62	61.77	61.59	71.59	43.33	60.02	37.09	47.53	39.79	28.10	56.71	43.69
annual non-psych. clinic stops, mean	19.86	21.52	22.92	22.20	17.19	23.00	17.14	18.92	21.12	17.81	17.71	16.21
SD	23.51	26.14	27.29	25.64	20.66	27.36	20.32	22.41	22.12	18.46	18.50	19.16

Table 3D: FY02 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)

Patients w/ Bipolar Disorder	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
	70345	3326	3270	4389	3082	3183	2615	3620	2907	4638	3218
<u>Outpatient utilization</u>											
(reported for those with some outpatient care)											
Patients with some outpatient care, %	99.6%	98.7%	99.6%	99.8%	99.5%	99.9%	99.8%	99.7%	99.4%	99.7%	99.7%
annual visit days, mean	24.61	35.32	23.78	20.55	24.11	21.29	23.29	24.73	24.55	24.22	28.00
SD	30.99	46.42	32.11	26.37	30.47	21.10	23.61	26.73	28.57	30.78	35.82
Outpatient visit days, %											
1-12	42.7%	36.2%	46.4%	50.0%	44.0%	41.1%	39.1%	38.5%	40.2%	44.3%	43.2%
13-24	26.7%	23.9%	27.1%	25.6%	26.0%	29.5%	27.8%	27.8%	27.2%	25.0%	23.1%
25-36	12.4%	11.7%	9.6%	10.9%	13.2%	14.8%	15.0%	13.9%	13.3%	12.0%	11.8%
37-48	6.4%	7.0%	5.3%	5.0%	6.0%	6.6%	7.3%	7.9%	7.1%	6.5%	6.3%
49+	11.8%	21.3%	11.5%	8.5%	10.8%	8.0%	10.7%	11.9%	12.3%	12.2%	15.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Pts. with some OP primary care , %	77.0%	78.9%	76.1%	77.4%	82.2%	77.2%	78.8%	70.2%	78.7%	73.3%	69.0%
OP visit days with primary care clinic stops, mean	3.54	3.57	3.04	3.12	3.99	3.59	3.52	3.54	4.04	4.06	3.22
SD	3.02	3.01	2.63	2.34	3.72	2.64	3.20	3.07	3.59	3.82	2.64
Average number clinic stops per visit day, mean	1.51	1.66	1.56	1.53	1.56	1.50	1.42	1.43	1.33	1.43	1.81
SD	0.46	0.57	0.52	0.45	0.50	0.42	0.40	0.37	0.34	0.40	0.65
annual clinic stops (psych & non-psych), mean	38.32	62.59	39.51	31.38	36.93	32.14	33.72	36.00	34.03	35.75	55.61
SD	54.62	95.94	59.91	42.67	46.97	34.20	40.40	42.13	44.53	52.08	84.26
annual non-psych. clinic stops, mean	19.86	26.13	18.63	17.64	23.01	19.69	18.74	19.06	18.12	19.41	22.29
SD	23.51	29.30	24.72	19.16	28.58	20.66	20.38	22.81	21.06	25.32	28.34

Table 3D: FY02 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)

Patients w/ Bipolar Disorder	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
	70345	4301	2388	2658	3763	1690	2810	3455	6013	2931	3179	2909
annual psych. clinic stops (groupings below), mean	18.46	25.81	26.72	26.83	14.38	23.00	10.81	15.09	11.64	8.38	24.95	14.40
SD	41.73	47.68	44.32	57.96	33.01	44.48	24.84	33.83	26.70	17.49	48.46	33.31
1. general psych. clinic stops, mean	7.81	9.40	10.98	7.61	6.57	8.75	6.16	7.21	6.05	4.97	9.61	6.15
SD	12.93	13.02	12.97	10.61	8.74	17.41	8.56	9.24	9.28	6.53	13.52	12.68
2. psych. case management clinic stops, mean	0.62	1.52	0.93	0.88	0.27	0.27	0.31	0.23	0.32	0.11	0.81	1.10
SD	8.19	15.34	8.98	7.59	3.69	3.27	3.79	4.30	4.58	2.62	7.27	12.16
3. psych. day treatment clinic stops, mean	1.85	3.33	3.56	2.93	0.63	1.89	0.91	0.35	0.99	0.36	2.05	2.19
SD	16.93	17.14	22.36	19.59	6.73	10.87	11.20	6.12	10.21	7.43	16.41	16.68
4. substance abuse clinic stops, mean	4.62	5.51	5.95	6.94	3.92	8.17	1.67	2.65	2.83	2.11	9.04	3.40
SD	21.38	21.69	16.47	27.11	23.35	31.62	8.81	14.02	17.13	10.90	31.29	14.31
5. psych. vocational clinic stops, mean	1.97	3.97	2.45	5.80	1.85	2.29	1.10	2.82	0.68	0.33	1.49	0.70
SD	15.43	21.63	14.60	28.37	13.39	13.93	11.83	20.46	7.76	3.50	11.59	7.84
6. PTSD clinic stops, mean	0.89	1.31	1.86	1.26	0.73	0.88	0.35	1.41	0.22	0.24	1.20	0.45
SD	6.30	7.11	10.98	7.57	5.61	5.32	2.68	8.33	2.03	1.93	8.40	4.09
7. psych. homeless clinic stops, mean	0.62	0.75	0.60	1.35	0.41	0.74	0.25	0.38	0.35	0.25	0.73	0.36
SD	4.15	5.42	3.84	8.10	2.44	3.32	1.95	2.78	2.40	1.54	4.04	2.33
Other VISN OP visit days, mean	0.50	0.27	0.80	0.55	0.40	0.91	0.43	0.45	0.36	0.53	0.57	0.35
SD	2.89	1.95	4.26	3.35	2.22	4.45	2.37	2.90	2.19	2.82	3.39	2.20
Other station OP visit days, mean	1.21	2.09	0.80	1.58	1.42	1.71	1.03	1.15	0.73	0.73	1.38	1.23
SD	4.66	6.91	4.26	6.55	4.44	6.05	3.23	4.10	3.15	3.17	4.97	3.69

Table 3D: FY02 Patients w/ Bipolar Disorder, Utilization, by VISN (continued)

Patients w/ Bipolar Disorder	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
	70345	3326	3270	4389	3082	3183	2615	3620	2907	4638	3218
annual psych. clinic stops (groupings below), mean	18.46	36.46	20.87	13.74	13.92	12.44	14.97	16.95	15.91	16.34	33.32
SD	41.73	79.40	45.82	30.95	30.38	22.25	28.60	29.41	33.33	38.00	67.84
1. general psych. clinic stops, mean	7.81	11.07	9.56	5.11	6.05	7.86	7.84	7.12	8.55	7.13	13.37
SD	12.93	19.49	17.87	7.05	10.09	10.82	13.84	8.93	12.77	12.21	24.14
2. psych. case management clinic stops, mean	0.62	3.17	0.39	0.32	0.36	0.11	0.55	0.52	0.09	0.14	0.76
SD	8.19	23.18	6.80	4.02	5.22	1.35	5.45	5.53	1.90	2.38	5.84
3. psych. day treatment clinic stops, mean	1.85	5.08	0.95	1.11	0.65	0.02	1.10	1.12	2.08	2.25	6.27
SD	16.93	39.10	11.53	12.35	8.76	0.45	3.86	11.47	12.80	23.47	31.91
4. substance abuse clinic stops, mean	4.62	11.14	4.81	3.96	3.38	2.23	3.51	5.29	3.46	3.13	7.55
SD	21.38	44.57	17.27	16.96	12.84	9.61	19.05	19.62	20.66	15.90	26.88
5. psych. vocational clinic stops, mean	1.97	4.07	4.07	1.28	2.26	1.05	0.52	0.92	0.37	1.52	2.98
SD	15.43	24.34	23.06	11.05	17.39	10.91	7.94	8.12	4.53	12.30	20.80
6. PTSD clinic stops, mean	0.89	0.92	0.94	0.65	0.51	0.69	0.78	1.25	0.66	1.24	1.64
SD	6.30	6.46	6.00	5.80	3.59	3.95	4.37	5.56	4.48	8.05	10.79
7. psych. homeless clinic stops, mean	0.62	0.98	0.14	1.21	0.66	0.37	0.57	0.71	0.66	0.89	0.63
SD	4.15	8.07	1.09	6.14	3.71	1.93	2.98	3.72	4.86	2.86	4.47
Other VISN OP visit days, mean	0.50	0.41	0.55	0.53	0.56	0.56	0.55	0.67	0.52	0.38	0.67
SD	2.89	2.66	3.35	2.93	2.79	2.62	2.58	3.62	2.60	2.11	3.89
Other station OP visit days, mean	1.21	2.39	0.66	1.00	0.91	0.98	1.13	1.23	1.21	0.82	1.62
SD	4.66	7.92	3.67	3.85	3.85	3.56	3.81	4.47	4.22	3.08	5.85