

**Table 3A: FY02 Patient w/ Psychosis, Utilization, by Diagnosis Grouping**

Entire Population	All	Schizophrenia	Bipolar	Other
	205620	95875	70345	39400
<b><u>Hospital Based Utilization</u></b>				
Pts. with some Hospital Based Utilization, %	28.7%	27.8%	27.1%	34.0%
<b><u>Hospital based utilization: Overall</u></b>				
(psych & non-psych- for those with some hosp.util.)				
Inpatient stays, mean	1.85	1.88	1.83	1.83
SD	1.47	1.50	1.47	1.41
Average LOS, mean	14.14	18.46	10.93	10.13
SD	32.80	43.40	21.35	16.95
Cumu. DOS, mean	23.71	30.12	19.07	17.58
SD	43.32	54.72	32.17	26.52
Cumu. DOS, %				
1 to 7	38.1%	33.6%	42.5%	40.9%
8 to 14	22.0%	20.9%	22.3%	23.5%
15 to 44	27.9%	29.4%	26.1%	27.7%
45 to 89	7.5%	9.5%	5.9%	6.0%
90 to 179	2.8%	3.8%	2.3%	1.5%
180 to 359	1.1%	1.6%	0.7%	0.5%
360+	0.6%	1.2%	0.1%	0.1%
Total	100.0%	100.0%	100.0%	100.0%
Hosp. pts. with a 100+ day Hosp. stay, %	2.6%	4.1%	1.8%	1.0%
Cumul. DOS, pts. with a 100+ day hosp. stay, mean	231.73	249.27	192.53	192.53
SD	93.22	93.22	95.40	76.09
Hosp. pts. with a 150+ day hosp. stay, %	1.7%	2.8%	0.9%	0.5%
Cumul. DOS, pts. with a 150+ day hosp. stay, mean	280.54	293.24	241.87	238.54
SD	78.80	77.34	71.70	65.30
Cumu. DOS at Other VISNs	0.64	0.70	0.74	0.39
SD	4.42	5.06	4.26	3.04
Cumu. DOS at Other Stations	1.93	2.13	2.11	1.26
SD	7.67	8.45	7.68	5.76

**Table 3A: FY02 Patient w/ Psychosis, Utilization, by Diagnosis Grouping (continued)**

Entire Population	All	Schizophrenia	Bipolar	Other
	205620	95875	70345	39400
<u>Hospital based utilization: Non-Psych</u> ( non-psych- for those with some hosp.based util.)				
Pts. with non-psych hospital stays, %	14.3%	12.0%	12.3%	23.5%
Inpatient stays, mean	0.82	0.69	0.70	1.23
SD	1.18	1.11	1.08	1.36
Average LOS, mean	9.29	9.90	9.29	8.54
SD	19.98	21.59	23.13	13.72
Cumu. Days of Stay, mean	7.29	6.74	6.08	10.10
SD	20.71	21.52	20.32	19.31
Cumu. Days of Stay, %				
0	50.4%	56.9%	54.8%	31.0%
1 to 7	27.4%	23.9%	28.2%	33.3%
8 to 14	9.3%	7.8%	7.5%	15.0%
15 to 44	9.7%	8.3%	6.8%	16.8%
45 to 89	2.1%	2.0%	1.5%	3.1%
90 to 179	0.8%	0.8%	0.9%	0.7%
180 to 359	0.2%	0.3%	0.2%	0.2%
360+	0.0%	0.1%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.7%	0.7%	0.9%	0.4%
Non-psy DOS, pts w/ 100+ day non-psych hosp stay, mean	182.22	195.92	168.85	180.13
SD	74.85	80.06	68.93	68.90
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.3%	0.4%	0.4%	0.2%
Non-psy DOS, pts w/ 150+ day non-psych hosp stay, mean	238.85	243.57	231.74	239.22
SD	69.35	72.21	69.23	58.40
Other VISN cumu. DOS, mean	0.16	0.14	0.17	0.18
SD	2.08	2.26	1.83	2.06
Other station cumu. DOS, mean	0.55	0.55	0.54	0.55
SD	3.76	4.07	3.48	3.50

**Table 3A: FY02 Patient w/ Psychosis, Utilization, by Diagnosis Grouping (continued)**

Entire Population	All	Schizophrenia	Bipolar	Other
	205620	95875	70345	39400
<b>Hospital based utilization: Psychiatric</b> ( psych- for those with some hosp.based util.)				
Pts. with psych hospital stays, %	17.5%	18.6%	18.4%	13.3%
Inpatient stays, mean	1.04	1.18	1.13	0.61
SD	1.35	1.42	1.35	1.08
Average LOS, mean	17.79	23.32	12.08	13.01
SD	39.36	51.07	21.00	21.60
Cumu. Days of Stay, mean	16.43	23.39	12.99	7.49
SD	39.98	52.25	26.46	20.89
Cumu. Days of Stay, %				
0	39.0%	32.9%	32.3%	60.8%
1 to 7	19.2%	17.4%	25.1%	14.4%
8 to 14	14.7%	15.2%	17.1%	10.3%
15 to 44	18.8%	22.0%	19.8%	11.1%
45 to 89	5.1%	7.3%	4.0%	2.5%
90 to 179	1.9%	2.8%	1.3%	0.7%
180 to 359	0.8%	1.3%	0.4%	0.3%
360+	0.5%	1.1%	0.1%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	2.0%	3.4%	0.9%	0.6%
Psych DOS, pts w/ 100+ day psych hosp stay, mean	243.69	255.38	204.72	195.13
SD	94.79	96.12	78.03	73.04
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.3%	2.4%	0.5%	0.3%
Psych DOS, pts w/ 150+ day psych hosp stay, mean	287.89	298.15	243.90	235.70
SD	78.82	76.40	74.60	69.26
Other VISN cumu. DOS, mean	0.48	0.56	0.57	0.21
SD	3.80	4.45	3.69	2.19
Other station cumu. DOS, mean	1.38	1.58	1.57	0.71
SD	6.60	7.38	6.65	4.53

**Table 3A: FY02 Patient w/ Psychosis, Utilization, by Diagnosis Grouping (continued)**

Entire Population	All	Schizophrenia	Bipolar	Other
	205620	95875	70345	39400
<b>Other 24 hour institutional care</b>				
Pts. with some other 24 hour institutional care, %	8.4%	7.7%	8.1%	10.5%
<b><u>Residential Rehabilitation</u></b>				
(reported for those with some res rehab care)				
Pts. with some residential rehab. care, %	1.7%	1.4%	2.5%	0.9%
Number stays, mean	1.11	1.11	1.11	1.13
SD	0.36	0.34	0.35	0.43
Average LOS, mean	36.89	42.65	33.89	30.69
SD	46.34	61.05	34.90	27.50
Cumu. DOS, mean	40.01	46.16	36.74	33.68
SD	48.61	63.21	37.38	30.47
Cumu. Days of Stay, %				
1 to 7	13.4%	14.5%	13.1%	11.5%
8 to 14	12.6%	12.1%	13.1%	12.3%
15 to 44	48.4%	45.2%	49.5%	54.5%
45 to 89	15.6%	15.2%	15.9%	15.0%
90 to 179	7.8%	8.9%	7.3%	6.4%
180 to 359	1.4%	2.2%	1.1%	0.3%
360+	0.8%	1.9%	0.1%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.2%	8.9%	4.9%	2.7%
Cumul. DOS, pts. with a 100+ day R.R. stay, mean	184.29	208.85	154.84	150.20
SD	85.52	98.40	54.00	49.99
Res Rehab pts. with 150+ day Res Rehab stay, %	3.1%	5.3%	2.0%	0.5%
Cumul. DOS, pts. with a 150+ day R.R. stay, mean	243.29	265.22	200.97	227.50
SD	84.45	89.20	55.95	70.00
Other VISN cumu. DOS, mean	1.02	0.70	1.21	1.24
SD	6.49	4.80	7.27	7.68
Other station cumu. DOS, mean	3.63	2.78	4.12	4.29
SD	11.34	10.14	12.07	11.63

**Table 3A: FY02 Patient w/ Psychosis, Utilization, by Diagnosis Grouping (continued)**

Entire Population	All	Schizophrenia	Bipolar	Other
	205620	95875	70345	39400
<b><u>Domiciliary and Vocational</u></b>				
(reported for those with some dom/voc care)				
Pts. with some dom/voc care, %	3.0%	2.4%	4.4%	2.0%
Number stays, mean	1.13	1.11	1.15	1.12
SD	0.38	0.34	0.41	0.35
Average LOS, mean	84.74	99.50	75.99	76.44
SD	94.23	112.78	79.41	83.10
Cumu. DOS, mean	91.89	105.58	84.22	82.41
SD	97.05	114.35	83.97	85.46
Cumu. Days of Stay, %				
1 to 7	7.6%	7.7%	7.8%	6.7%
8 to 14	6.6%	7.2%	6.2%	6.3%
15 to 44	30.2%	28.5%	30.9%	32.7%
45 to 89	19.7%	19.4%	19.4%	21.7%
90 to 179	20.7%	17.0%	23.4%	21.1%
180 to 359	9.3%	9.3%	9.7%	7.8%
360+	5.8%	10.9%	2.6%	3.7%
Total	100.0%	100.0%	100.0%	100.0%
Dom. pts. with 100+ day Dom. stay, %	30.6%	32.9%	29.5%	27.9%
Cumul. DOS, pts. with a 100+ day Dom. stay, mean	209.91	241.68	188.19	191.55
SD	93.44	101.75	79.34	87.37
Dom. pts. with 150+ day Dom. stay, %	18.4%	23.0%	16.0%	14.2%
Cumul. DOS, pts. with a 150+ day Dom. stay, mean	264.12	290.90	238.20	253.70
SD	81.95	81.12	74.09	80.29
Other VISN cumu. DOS, mean	1.59	1.41	1.72	1.63
SD	8.33	7.88	8.47	9.00
Other station cumu. DOS, mean	3.82	3.61	3.94	3.95
SD	13.34	13.59	13.11	13.48

**Table 3A: FY02 Patient w/ Psychosis, Utilization, by Diagnosis Grouping (continued)**

Entire Population	All	Schizophrenia	Bipolar	Other
	205620	95875	70345	39400
<b>Nursing Home Care</b>				
(reported for those with some nursing home care)				
Pts. with some nursing home care, %	4.2%	4.3%	2.0%	7.9%
Number stays, mean	1.24	1.19	1.22	1.31
SD	0.59	0.53	0.52	0.70
Average LOS, mean	102.50	141.80	90.97	55.76
SD	119.37	136.28	109.03	72.99
Cumu. DOS, mean	113.85	153.64	103.11	66.11
SD	123.65	138.74	116.13	80.37
Cumu. Days of Stay, %				
1 to 7	8.5%	6.9%	9.3%	10.3%
8 to 14	11.0%	7.8%	10.7%	15.4%
15 to 44	26.3%	19.6%	27.4%	34.6%
45 to 89	15.4%	13.7%	17.9%	16.6%
90 to 179	14.0%	14.8%	13.5%	13.2%
180 to 359	12.2%	15.3%	12.0%	8.2%
360+	12.5%	21.9%	9.3%	1.7%
Total	100.0%	100.0%	100.0%	100.0%
NH pts. with 100+ day NH stay, %	34.6%	48.1%	30.4%	18.6%
Cumul. DOS, pts. with a 100+ day NH stay, mean	261.37	278.26	255.53	207.74
SD	96.42	94.88	94.95	81.63
NH pts. with 150+ day NH stay, %	26.8%	39.5%	23.1%	11.7%
Cumul. DOS, pts. with a 150+ day NH stay, mean	297.80	309.59	291.40	250.77
SD	75.75	72.40	77.33	69.99
Other VISN cumu. DOS, mean	0.28	0.36	0.24	0.18
SD	3.93	4.81	3.07	2.82
Other station cumu. DOS, mean	0.89	1.04	0.84	0.71
SD	7.27	8.44	5.59	6.18

**Table 3A: FY02 Patient w/ Psychosis, Utilization, by Diagnosis Grouping (continued)**

Entire Population	All	Schizophrenia	Bipolar	Other
	205620	95875	70345	39400
<b><u>Outpatient utilization</u></b>				
(reported for those with some outpatient care)				
Pts. with some outpatient care, %	99.1%	98.4%	99.6%	99.6%
annual visit days, mean	25.52	28.33	24.61	20.41
SD	34.88	40.03	30.99	26.42
Outpatient visit days, %				
1-12	43.7%	42.5%	42.7%	48.1%
13-24	26.2%	25.5%	26.7%	27.0%
25-36	12.0%	11.9%	12.4%	11.7%
37-48	5.9%	5.7%	6.4%	5.4%
49+	12.2%	14.4%	11.8%	7.6%
Total	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	75.2%	71.0%	77.0%	82.3%
Mean PC visit days, among those with some PC	3.53	3.43	3.54	3.72
SD	3.02	2.98	3.02	3.07
Average number clinic stops per visit day, mean	1.49	1.45	1.51	1.57
SD	0.48	0.46	0.46	0.55
annual clinic stops (psych & non-psych), mean	39.09	42.58	38.32	32.04
SD	60.15	68.86	54.62	44.37
annual non-psych. clinic stops, mean	20.15	19.31	19.86	22.70
SD	26.41	28.42	23.51	26.14
annual psych. clinic stops (specific groupings below), mean	18.93	23.27	18.46	9.34
SD	46.26	53.40	41.73	31.67
1. general psych. clinic stops, mean	7.63	9.13	7.81	3.71
SD	14.33	16.62	12.93	9.02
2. psych. case management clinic stops, mean	1.44	2.59	0.62	0.16
SD	12.18	16.16	8.19	3.91
3. psych. day treatment clinic stops, mean	3.33	5.48	1.85	0.81
SD	23.81	31.01	16.93	9.89
4. substance abuse clinic stops, mean	3.52	2.97	4.62	2.86
SD	20.18	19.07	21.38	20.51

**Table 3A: FY02 Patient w/ Psychosis, Utilization, by Diagnosis Grouping (continued)**

Entire Population	All	Schizophrenia	Bipolar	Other
	205620	95875	70345	39400
5. psych. vocational clinic stops, mean	1.86	2.20	1.97	0.83
SD	16.07	18.36	15.43	10.15
6. PTSD clinic stops, mean	0.62	0.42	0.89	0.61
SD	5.25	4.31	6.30	5.22
7. psych. homeless clinic stops, mean	0.48	0.44	0.62	0.32
SD	3.56	3.30	4.15	2.93
Other VISN OP visit days, mean	0.38	0.31	0.50	0.31
SD	2.47	2.30	2.89	2.03
Other station OP visit days, mean	0.95	0.83	1.21	0.76
SD	4.01	3.76	4.66	3.25

