

Table 3C: FY02 Patients w/ Schizophrenia, Utilization, by VISN

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Schizophrenia	95875	4941	2746	5773	6143	2903	4097	6280	9495	3480	4524	4841
Hospital Based Utilization												
Pts. with some Hosp. Based Utilization, %	27.8%	26.9%	25.3%	27.7%	25.9%	34.0%	33.9%	29.8%	23.0%	32.8%	30.2%	28.1%
<u>Hospital based utilization: Overall</u>												
(psych & non-psych- for those with some hosp.util.)												
Inpatient stays, mean	1.88	1.93	2.02	1.86	1.76	2.23	2.00	1.81	1.77	1.89	1.89	1.78
SD	1.50	1.61	2.10	1.47	1.26	1.76	1.69	1.34	1.36	1.42	1.40	1.40
Average LOS, mean	18.46	29.15	14.78	24.99	22.38	17.46	23.55	18.68	8.98	26.71	13.76	32.14
SD	43.40	66.52	34.67	56.47	53.68	34.41	56.40	43.19	10.88	66.89	20.85	72.15
Cumu. DOS, mean	30.12	45.80	27.35	39.33	33.55	34.05	37.12	29.74	15.75	38.48	24.26	45.35
SD	54.72	82.72	53.92	68.76	61.55	51.60	66.59	55.79	21.27	73.30	33.14	81.54
Cumu. DOS, %												
1 to 7	33.6%	29.5%	35.9%	27.4%	31.4%	32.0%	29.4%	32.5%	43.2%	33.9%	31.3%	29.7%
8 to 14	20.9%	20.4%	21.7%	19.3%	18.9%	18.4%	21.0%	21.7%	24.5%	19.3%	22.9%	19.6%
15 to 44	29.4%	28.1%	29.2%	31.9%	31.8%	27.7%	30.9%	31.7%	25.2%	28.1%	30.6%	28.6%
45 to 89	9.5%	9.8%	7.5%	11.6%	10.7%	12.3%	9.1%	8.2%	5.6%	9.2%	11.0%	10.3%
90 to 179	3.8%	5.0%	3.3%	4.9%	3.8%	6.7%	5.1%	3.1%	1.3%	4.4%	3.4%	5.1%
180 to 359	1.6%	3.8%	1.1%	2.4%	1.6%	2.4%	2.5%	1.4%	0.1%	2.4%	0.7%	2.7%
360+	1.2%	3.4%	1.3%	2.4%	1.9%	0.4%	1.9%	1.4%	0.0%	2.8%	0.1%	3.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. pts. with a 100+ day Hosp. stay, %	4.1%	9.0%	3.3%	6.1%	4.5%	5.7%	6.5%	4.3%	0.5%	6.9%	2.1%	8.5%
Cumul. DOS, pts. with a 100+ day hosp. stay, mean	249.27	279.75	265.52	269.86	277.62	192.64	255.41	253.33	169.10	277.05	175.36	283.01
SD	95.40	92.91	114.09	97.11	95.17	75.46	89.54	99.07	76.35	92.21	61.43	92.87
Hosp. pts. who had a 150+ day hosp. stay, %	2.8%	6.8%	2.0%	4.4%	3.5%	2.3%	5.0%	3.0%	0.1%	5.2%	1.0%	6.8%
Cumul. DOS, pts. with a 150+ day hosp. stay, mean	293.24	318.99	339.21	313.24	316.29	255.13	285.81	300.59	243.67	316.27	214.64	317.18
SD	77.34	61.96	54.37	69.20	68.56	75.97	77.51	79.19	106.14	65.97	65.22	69.87
Cumu. DOS at Other VISNs	0.70	0.33	1.14	0.50	0.83	0.88	0.71	0.84	0.39	0.59	0.50	0.54
SD	5.06	2.82	7.24	3.24	7.16	5.41	6.44	4.98	3.14	3.36	3.65	4.39
Cumu. DOS at Other Stations	2.13	2.50	1.14	3.23	3.25	2.96	2.55	2.39	0.74	1.16	2.14	2.31
SD	8.45	8.53	7.24	10.67	11.25	10.31	10.69	7.52	4.16	5.29	7.24	8.37

Table 3C: FY02 Patients w/ Schizophrenia, Utilization, by VISN

Patients w/ Schizophrenia	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
	95875	3865	3845	7595	3611	2805	2031	3398	4179	5803	3520
Hospital Based Utilization											
Pts. with some Hosp. Based Utilization, %	27.8%	28.7%	30.3%	29.9%	30.6%	25.8%	27.1%	27.0%	22.2%	24.9%	25.6%
Hospital based utilization: Overall											
(psych & non-psych- for those with some hosp.util.)											
Inpatient stays, mean	1.88	2.02	1.95	1.86	1.95	1.91	1.89	1.81	1.97	1.76	1.70
SD	1.50	1.84	1.50	1.44	1.65	1.54	1.41	1.46	1.58	1.43	1.20
Average LOS, mean	18.46	19.71	15.24	15.06	24.75	8.78	15.93	10.23	12.48	16.28	9.49
SD	43.40	48.00	29.60	23.47	58.30	8.76	26.82	13.47	16.35	25.33	9.95
Cumu. DOS, mean	30.12	30.85	26.31	26.96	38.73	17.12	29.98	18.57	25.41	27.10	15.91
SD	54.72	56.73	40.81	38.77	69.11	26.30	45.81	28.47	38.89	40.38	20.56
Cumu. DOS, %											
1 to 7	33.6%	33.6%	31.5%	32.2%	30.6%	39.6%	32.3%	38.6%	35.7%	35.8%	44.1%
8 to 14	20.9%	21.3%	22.2%	19.8%	19.8%	26.2%	17.6%	25.0%	21.0%	18.6%	19.8%
15 to 44	29.4%	30.1%	31.3%	30.3%	28.8%	26.5%	31.4%	28.1%	28.0%	27.4%	29.9%
45 to 89	9.5%	7.1%	9.5%	12.6%	10.9%	6.1%	12.7%	5.6%	9.6%	12.1%	5.2%
90 to 179	3.8%	4.8%	3.6%	3.9%	4.7%	1.0%	3.8%	2.4%	4.3%	4.5%	0.8%
180 to 359	1.6%	1.8%	1.7%	1.1%	2.9%	0.4%	1.8%	0.2%	1.3%	1.5%	0.1%
360+	1.2%	1.3%	0.2%	0.1%	2.3%	0.1%	0.4%	0.1%	0.0%	0.1%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. pts. with a 100+ day Hosp. stay, %	4.1%	5.4%	3.1%	2.1%	6.6%	0.6%	3.1%	1.2%	2.0%	2.9%	0.3%
Cumul. DOS, pts. with a 100+ day hosp. stay, mean	249.27	230.00	194.19	207.77	261.52	253.00	222.94	187.00	208.00	183.90	205.00
SD	95.40	90.66	76.74	76.95	91.69	90.73	77.22	83.00	72.03	70.15	88.50
Hosp. pts. who had a 150+ day hosp. stay, %	2.8%	4.2%	1.9%	1.1%	5.4%	0.1%	1.8%	0.5%	0.9%	1.2%	0.2%
Cumul. DOS, pts. with a 150+ day hosp. stay, mean	293.24	250.94	237.36	246.60	285.80	365.00	264.70	251.20	233.75	229.06	237.00
SD	77.34	86.92	67.37	73.17	79.35	0.00	70.85	81.03	45.66	66.79	97.58
Cumu. DOS at Other VISNs	0.70	0.38	0.57	0.75	1.11	0.85	1.11	0.66	1.02	0.95	0.71
SD	5.06	2.75	3.80	5.83	6.52	5.13	6.68	3.67	5.95	6.13	5.98
Cumu. DOS at Other Stations	2.13	2.54	0.72	1.75	2.01	2.01	4.47	2.02	2.96	1.97	1.30
SD	8.45	7.98	4.34	7.88	9.03	7.52	13.94	7.51	9.42	8.78	6.98

Table 3C: FY02 Patients w/ Schizophrenia, Utilization, by VISN (continued)

Patients w/ Schizophrenia	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
	95875	4941	2746	5773	6143	2903	4097	6280	9495	3480	4524	4841
<u>Hospital based utilization: Non-Psych</u> (non-psych- for those with some hosp.based util.)												
Pts. with non-psych hospital stays, %	12.0%	11.9%	12.4%	13.2%	11.2%	14.8%	11.6%	13.2%	13.0%	14.1%	13.4%	10.6%
Inpatient stays, mean	0.69	0.68	0.76	0.81	0.69	0.77	0.52	0.70	0.90	0.75	0.75	0.62
SD	1.11	1.05	1.05	1.23	1.06	1.22	0.97	1.09	1.16	1.23	1.17	1.12
Average LOS, mean	9.90	12.22	6.76	10.98	7.85	10.73	13.72	11.31	8.40	14.49	12.28	9.03
SD	21.59	28.03	8.09	22.18	16.12	23.34	30.47	21.05	11.89	34.24	27.55	20.78
Cumu. Days of Stay, mean	6.74	7.67	5.19	8.64	5.63	8.07	6.66	7.30	7.85	9.53	8.22	5.46
SD	21.52	23.73	11.40	22.75	19.43	26.33	25.22	21.52	18.01	29.94	24.84	18.16
Cumu. Days of Stay, %												
0	56.9%	55.8%	51.1%	52.2%	56.8%	56.6%	65.8%	55.8%	43.5%	57.2%	55.6%	62.4%
1 to 7	23.9%	23.3%	29.2%	22.3%	26.8%	23.8%	18.5%	24.8%	30.2%	21.7%	21.7%	20.0%
8 to 14	7.8%	9.9%	9.3%	9.0%	7.1%	7.4%	5.6%	6.7%	11.2%	5.9%	9.1%	7.9%
15 to 44	8.3%	6.9%	9.1%	12.3%	7.2%	8.3%	6.8%	8.8%	11.4%	9.8%	9.1%	7.6%
45 to 89	2.0%	2.3%	0.9%	3.0%	1.4%	2.1%	1.9%	2.6%	2.8%	3.5%	3.0%	1.5%
90 to 179	0.8%	1.4%	0.4%	0.9%	0.5%	1.4%	0.8%	1.1%	0.6%	1.2%	1.1%	0.4%
180 to 359	0.3%	0.4%	0.0%	0.3%	0.3%	0.2%	0.6%	0.1%	0.1%	0.6%	0.4%	0.2%
360+	0.1%	0.0%	0.0%	0.1%	0.1%	0.2%	0.1%	0.1%	0.0%	0.1%	0.1%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.7%	1.0%	0.3%	0.7%	0.5%	1.3%	1.0%	0.9%	0.3%	1.5%	1.1%	0.4%
Cumul. DOS, pts. with a 100+ day hosp. stay, mean	195.92	173.08	118.00	192.00	218.38	178.54	213.43	168.63	188.14	202.29	189.27	223.80
SD	80.06	71.08	9.90	82.14	87.09	87.66	70.72	80.10	85.52	86.02	77.31	84.48
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.4%	0.3%	0.0%	0.4%	0.3%	0.6%	0.9%	0.4%	0.1%	0.8%	0.7%	0.3%
Cumul. DOS, pts. with a 150+ day hosp. stay, mean	243.57	268.75	0.00	235.29	271.60	241.50	225.58	208.88	243.67	267.33	229.22	245.25
SD	72.21	36.31	0.00	71.25	59.42	96.83	68.75	97.02	106.14	65.80	76.50	80.31
Other VISN cumu. DOS, mean	0.14	0.04	0.29	0.09	0.30	0.24	0.06	0.11	0.11	0.19	0.08	0.15
SD	2.26	0.55	4.60	1.68	5.00	2.50	0.75	1.98	1.65	1.67	1.00	2.46
Other station cumu. DOS, mean	0.55	0.86	0.29	1.41	0.79	0.51	0.44	0.60	0.28	0.22	0.82	0.70
SD	4.07	4.67	4.60	7.58	5.95	3.74	3.51	3.62	2.71	1.83	4.86	4.36

Table 3C: FY02 Patients w/ Schizophrenia, Utilization, by VISN (continued)

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
Patients w/ Schizophrenia	95875	3865	3845	7595	3611	2805	2031	3398	4179	5803	3520
<u>Hospital based utilization: Non-Psych</u>											
(non-psych- for those with some hosp.based util.)											
Pts. with non-psych hospital stays, %	12.0%	12.8%	12.1%	11.4%	12.5%	12.1%	12.2%	11.2%	9.0%	9.2%	10.7%
Inpatient stays, mean	0.69	0.73	0.64	0.59	0.65	0.79	0.70	0.67	0.66	0.57	0.62
SD	1.11	1.12	1.04	0.99	1.09	1.18	1.07	1.13	1.12	1.09	0.98
Average LOS, mean	9.90	11.27	8.17	9.56	12.49	6.47	10.32	6.98	7.31	8.82	6.10
SD	21.59	30.53	17.83	17.83	33.42	9.19	19.03	15.24	11.31	15.99	6.62
Cumu. Days of Stay, mean	6.74	7.68	5.24	5.84	7.66	5.91	7.37	4.72	5.65	5.25	3.84
SD	21.52	26.39	18.49	19.35	27.83	21.83	20.79	15.96	19.71	17.53	8.46
Cumu. Days of Stay, %											
0	56.9%	55.5%	60.0%	61.9%	59.2%	53.2%	55.2%	58.7%	59.3%	63.1%	58.1%
1 to 7	23.9%	25.8%	23.5%	20.8%	22.4%	28.3%	23.8%	26.2%	24.3%	21.0%	26.7%
8 to 14	7.8%	7.6%	7.5%	7.2%	7.1%	9.3%	7.6%	6.5%	7.9%	6.4%	7.8%
15 to 44	8.3%	7.4%	7.1%	7.2%	7.3%	7.6%	10.3%	7.6%	6.3%	6.7%	6.8%
45 to 89	2.0%	1.9%	1.0%	2.0%	2.3%	1.0%	1.8%	0.3%	1.3%	1.9%	0.7%
90 to 179	0.8%	1.3%	0.6%	0.7%	0.9%	0.3%	0.9%	0.5%	0.5%	0.6%	0.0%
180 to 359	0.3%	0.5%	0.2%	0.0%	0.5%	0.3%	0.4%	0.1%	0.4%	0.3%	0.0%
360+	0.1%	0.0%	0.1%	0.1%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.7%	1.2%	0.4%	0.3%	1.0%	0.6%	0.9%	0.4%	0.4%	0.3%	0.0%
Cumul. DOS, pts. with a 100+ day hosp. stay, mean	195.92	195.00	201.00	215.71	232.09	253.00	168.00	179.25	200.75	205.60	0.00
SD	80.06	74.86	96.32	114.22	93.00	90.73	40.85	80.08	68.54	57.16	0.00
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.4%	0.8%	0.3%	0.1%	0.8%	0.1%	0.4%	0.2%	0.3%	0.3%	0.0%
Cumul. DOS, pts. with a 150+ day hosp. stay, mean	243.57	228.44	248.00	332.67	259.44	365.00	212.00	235.50	234.33	226.00	0.00
SD	72.21	64.59	101.36	55.14	78.61	0.00	8.49	79.90	16.74	39.77	0.00
Other VISN cumu. DOS, mean	0.14	0.04	0.10	0.09	0.22	0.08	0.38	0.17	0.17	0.11	0.11
SD	2.26	0.61	1.85	1.28	2.69	1.24	5.45	1.73	1.82	1.28	1.31
Other station cumu. DOS, mean	0.55	0.57	0.11	0.35	0.33	0.47	0.99	0.44	0.57	0.31	0.46
SD	4.07	3.06	1.87	2.70	3.10	3.51	6.95	2.84	3.07	2.48	3.43

Table 3C: FY02 Patients w/ Schizophrenia, Utilization, by VISN (continued)

Patients w/ Schizophrenia	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
	95875	4941	2746	5773	6143	2903	4097	6280	9495	3480	4524	4841
<u>Hospital based utilization: Psych.</u>												
(psych- for those with some hosp.based util.)												
Pts. with psych hospital stays, %	18.6%	18.1%	16.5%	17.2%	16.9%	24.0%	26.1%	19.9%	12.1%	22.2%	20.3%	20.4%
Inpatient stays, mean	1.18	1.25	1.26	1.06	1.07	1.46	1.48	1.11	0.87	1.14	1.14	1.15
SD	1.42	1.56	1.94	1.29	1.22	1.64	1.67	1.24	1.25	1.28	1.29	1.26
Average LOS, mean	23.32	40.23	20.70	34.72	31.15	20.47	27.15	23.10	9.37	33.16	14.87	41.69
SD	51.07	80.65	45.08	69.25	64.93	37.78	62.70	51.32	9.42	77.90	18.09	82.01
Cumu. Days of Stay, mean	23.39	38.13	22.16	30.76	27.92	25.98	30.46	22.45	7.90	28.95	16.04	39.89
SD	52.25	80.70	53.19	67.61	60.56	47.77	63.60	53.43	14.98	69.95	25.42	81.54
Cumu. Days of Stay, %												
0	32.9%	32.7%	34.9%	37.9%	34.8%	29.6%	23.0%	33.2%	47.4%	32.3%	32.8%	27.6%
1 to 7	17.4%	13.4%	17.2%	11.1%	11.6%	18.2%	18.6%	16.5%	20.9%	19.4%	17.5%	17.1%
8 to 14	15.2%	13.3%	15.2%	13.3%	12.9%	14.7%	18.2%	16.9%	15.0%	16.1%	17.2%	13.7%
15 to 44	22.0%	23.1%	21.6%	21.4%	25.1%	20.5%	25.0%	23.6%	13.5%	19.4%	22.8%	22.4%
45 to 89	7.3%	7.4%	5.9%	7.9%	9.3%	9.7%	7.4%	5.6%	2.5%	5.5%	7.5%	8.4%
90 to 179	2.8%	3.4%	3.0%	4.1%	3.0%	5.0%	4.0%	1.8%	0.6%	2.9%	1.9%	4.6%
180 to 359	1.3%	3.6%	1.3%	2.1%	1.3%	2.1%	1.8%	1.3%	0.0%	1.7%	0.4%	2.3%
360+	1.1%	3.2%	0.9%	2.1%	1.8%	0.2%	1.9%	1.2%	0.0%	2.7%	0.0%	3.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	8.1%	3.0%	5.5%	4.0%	4.4%	5.5%	3.4%	0.1%	5.4%	1.0%	8.2%
Cumul. DOS, pts. with a 100+ day hosp. stay, mean	255.38	284.63	274.86	273.16	283.60	194.49	258.46	270.16	124.67	294.00	152.31	282.23
SD	96.12	88.39	108.56	96.34	96.24	73.49	94.04	94.20	7.64	88.01	27.06	95.34
Hosp. Pts. with a 150+ day psych hosp.stay, %	2.4%	6.5%	2.0%	4.1%	3.1%	1.7%	4.2%	2.6%	0%	4.5%	.4%	6.5%
Cumul. DOS, pts. with a 150+ day hosp. stay, mean	298.15	314.81	334.57	316.46	320.32	258.41	293.43	311.96	0.00	323.41	178.60	318.97
SD	76.40	63.47	54.46	66.31	68.87	72.28	78.88	67.83	0.00	64.29	16.56	70.16
Other VISN cumu. DOS, mean	0.56	0.29	0.85	0.40	0.53	0.64	0.65	0.73	0.28	0.40	0.42	0.39
SD	4.45	2.76	5.62	2.78	5.13	4.18	6.38	4.53	2.64	2.74	3.48	3.65
Other station cumu. DOS, mean	1.58	1.64	0.85	1.82	2.47	2.45	2.11	1.79	0.46	0.94	1.32	1.61
SD	7.38	6.99	5.62	7.59	9.68	9.32	10.16	6.59	3.17	4.85	5.51	7.25

Table 3C: FY02 Patients w/ Schizophrenia, Utilization, by VISN (continued)

Patients w/ Schizophrenia	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
	95875	3865	3845	7595	3611	2805	2031	3398	4179	5803	3520
<u>Hospital based utilization: Psych.</u>											
(psych- for those with some hosp.based util.)											
Inpatient stays, mean	18.6%	19.0%	21.8%	21.2%	21.2%	16.3%	18.0%	18.5%	15.4%	17.6%	17.0%
SD	1.18	1.29	1.32	1.27	1.30	1.11	1.19	1.14	1.31	1.18	1.08
Average LOS, mean	23.32	24.26	18.48	17.67	30.32	10.21	19.71	12.18	15.34	19.89	11.39
SD	51.07	55.22	33.43	25.33	65.05	8.07	29.63	13.12	18.19	27.96	11.16
Cumu. Days of Stay, mean	23.39	23.17	21.07	21.11	31.06	11.21	22.61	13.84	19.75	21.84	12.07
SD	52.25	52.92	38.24	35.63	66.22	17.76	42.43	25.18	33.35	38.10	20.69
Cumu. Days of Stay, %											
0	32.9%	33.7%	28.2%	29.0%	30.7%	37.0%	33.8%	31.6%	30.4%	29.2%	33.7%
1 to 7	17.4%	16.5%	18.0%	18.1%	15.6%	19.6%	15.2%	20.3%	19.0%	20.5%	24.8%
8 to 14	15.2%	15.5%	16.6%	14.2%	14.3%	19.2%	12.3%	20.5%	15.2%	13.4%	14.2%
15 to 44	22.0%	23.4%	24.7%	24.2%	23.1%	18.8%	24.5%	20.6%	22.9%	22.0%	22.2%
45 to 89	7.3%	5.2%	8.0%	10.6%	8.7%	4.6%	10.0%	5.1%	8.2%	10.0%	4.2%
90 to 179	2.8%	3.2%	3.0%	3.0%	3.3%	0.7%	2.7%	1.6%	3.7%	3.7%	0.8%
180 to 359	1.3%	1.2%	1.4%	0.9%	2.4%	0.1%	1.1%	0.1%	0.6%	1.1%	0.1%
360+	1.1%	1.3%	0.1%	0.0%	2.1%	0.0%	0.4%	0.1%	0.0%	0.1%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	4.2%	2.7%	1.8%	5.6%	0.0%	2.2%	0.8%	1.6%	2.6%	0.3%
Cumul. DOS, pts. with a 100+ day hosp. stay, mean	255.38	237.81	191.84	201.13	265.29	0.00	240.75	184.57	182.07	178.54	205.00
SD	96.12	93.40	75.85	72.03	93.39	0.00	82.17	93.98	51.47	67.81	88.50
Hosp. Pts. with a 150+ day psych hosp.stay, %	2.4%	3.4%	1.6%	1.0%	4.6%	0.0%	1.5%	0.3%	0.5%	1.0%	0.2%
Cumul. DOS, pts. with a 150+ day hosp. stay, mean	298.15	254.42	235.05	234.59	290.43	0.00	275.63	261.33	224.40	223.57	237.00
SD	76.40	91.81	64.72	68.13	79.37	0.00	75.54	98.08	53.37	67.26	97.58
Other VISN cumu. DOS, mean	0.56	0.33	0.48	0.66	0.89	0.77	0.73	0.48	0.85	0.84	0.60
SD	4.45	2.56	3.29	5.55	5.58	4.79	3.87	3.15	5.49	6.01	5.85
Other station cumu. DOS, mean	1.58	1.97	0.61	1.40	1.68	1.54	3.48	1.58	2.39	1.65	0.85
SD	7.38	7.22	3.84	7.34	8.24	6.45	12.30	6.88	8.90	8.45	6.14

Table 3C: FY02 Patients w/ Schizophrenia, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Schizophrenia	95875	4941	2746	5773	6143	2903	4097	6280	9495	3480	4524	4841
Other 24 hour institutional care												
Pts. with some other 24 hour institutional care, %	7.7%	7.7%	9.7%	11.0%	10.5%	11.4%	6.8%	4.6%	3.3%	6.5%	15.2%	6.0%
<u>Residential Rehabilitation</u>												
(reported for those with some res rehab care)												
Pts. with some residential rehab. care, %	1.4%	1.5%	2.7%	2.1%	1.6%	1.9%	0.9%	0.0%	0.9%	0.7%	5.7%	1.3%
Number stays, mean	1.11	1.01	1.09	1.09	1.04	1.17	1.08	1.00	1.08	1.00	1.11	1.27
SD	0.34	0.12	0.29	0.29	0.20	0.38	0.27	0.00	0.28	0.00	0.32	0.51
Average LOS, mean	42.65	134.71	32.36	50.51	61.70	41.29	23.61	4.00	53.58	13.96	22.86	57.43
SD	61.05	146.71	31.36	61.47	85.99	47.33	11.42	0.00	34.94	14.91	24.55	73.95
Cumu. DOS, mean	46.16	135.00	33.99	53.29	62.75	46.37	24.63	4.00	57.22	13.96	25.53	71.45
SD	63.21	146.50	31.62	62.22	85.91	49.32	11.00	0.00	36.52	14.91	28.27	84.30
Cumu. Days of Stay, %												
1 to 7	14.5%	6.7%	9.5%	14.3%	9.1%	14.8%	10.5%	100.0%	9.6%	39.1%	24.6%	7.8%
8 to 14	12.1%	9.3%	14.9%	10.1%	13.1%	18.5%	7.9%	0.0%	6.0%	34.8%	18.8%	10.9%
15 to 44	45.2%	30.7%	51.4%	37.8%	48.5%	31.5%	76.3%	0.0%	24.1%	21.7%	43.1%	35.9%
45 to 89	15.2%	16.0%	20.3%	16.0%	7.1%	14.8%	5.3%	0.0%	26.5%	4.3%	8.1%	18.8%
90 to 179	8.9%	8.0%	2.7%	19.3%	10.1%	16.7%	0.0%	0.0%	33.7%	0.0%	5.0%	17.2%
180 to 359	2.2%	5.3%	1.4%	0.8%	9.1%	3.7%	0.0%	0.0%	0.0%	0.0%	0.4%	6.3%
360+	1.9%	24.0%	0.0%	1.7%	3.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	8.9%	37.3%	4.1%	16.8%	20.2%	13.0%	0.0%	0.0%	6.0%	0.0%	2.3%	20.3%
Cumul. DOS, pts. w/ a 100+ day Res Rehab. stay, mean	208.85	306.89	160.33	159.85	208.90	147.29	0.00	0.00	110.20	0.00	142.83	208.31
SD	98.40	96.16	36.02	74.07	89.64	36.76	0.00	0.00	12.60	0.00	29.50	91.93
Res Rehab pts. with 150+ day Res Rehab stay, %	5.3%	30.7%	2.7%	9.2%	14.1%	5.6%	0.0%	0.0%	0.0%	0.0%	0.4%	10.9%
Cumul. DOS, pts w/ 150+ day Res Rehab stay, mean	265.22	347.00	178.00	197.27	246.50	184.00	0.00	0.00	0.00	0.00	193.00	255.14
SD	89.20	43.70	26.87	83.10	81.10	21.00	0.00	0.00	0.00	0.00	0.00	86.35
Other VISN cumu. DOS, mean	0.70	0.09	0.99	0.06	0.40	1.13	0.34	4.00	0.45	6.70	0.17	0.95
SD	4.80	0.81	4.24	0.64	1.95	5.01	1.68	0.00	2.36	16.51	1.76	7.63
Other station cumu. DOS, mean	2.78	2.85	0.99	3.55	2.85	6.61	3.26	4.00	1.39	6.70	0.81	2.42
SD	10.14	10.73	4.24	15.80	6.62	17.84	8.45	0.00	6.14	16.51	3.52	9.28

Table 3C: FY02 Patients w/ Schizophrenia, Utilization, by VISN (continued)

Patients w/ Schizophrenia	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
	95875	3865	3845	7595	3611	2805	2031	3398	4179	5803	3520
Other 24 hour institutional care											
Pts. with some other 24 hour institutional care, %	7.7%	14.6%	5.1%	3.7%	9.8%	4.8%	4.4%	8.8%	4.4%	7.8%	13.6%
<u>Residential Rehabilitation</u>											
(reported for those with some res rehab care)											
Pts. with some residential rehab. care, %	1.4%	4.4%	0.6%	0.4%	1.4%	0.3%	1.7%	1.5%	0.1%	0.0%	1.4%
Number stays, mean	1.11	1.20	1.13	1.06	1.02	1.22	1.06	1.10	1.33	1.00	1.12
SD	0.34	0.48	0.45	0.24	0.14	0.67	0.24	0.30	0.58	0.00	0.39
Average LOS, mean	42.65	31.11	89.35	20.55	20.02	20.33	47.04	23.38	32.33	30.00	33.95
SD	61.05	21.04	81.63	11.41	16.49	22.79	24.88	28.11	29.87	0.00	21.97
Cumu. DOS, mean	46.16	37.05	95.33	21.94	20.24	35.00	49.56	25.90	35.33	30.00	39.08
SD	63.21	32.45	82.86	14.32	16.44	62.95	27.79	29.59	26.63	0.00	32.09
Cumu. Days of Stay, %											
1 to 7	14.5%	8.8%	8.3%	18.2%	16.3%	44.4%	5.9%	20.0%	0.0%	0.0%	12.2%
8 to 14	12.1%	5.3%	4.2%	12.1%	12.2%	0.0%	5.9%	14.0%	0.0%	0.0%	10.2%
15 to 44	45.2%	60.8%	25.0%	63.6%	65.3%	33.3%	41.2%	58.0%	66.7%	100.0%	42.9%
45 to 89	15.2%	21.1%	25.0%	6.1%	6.1%	11.1%	44.1%	6.0%	33.3%	0.0%	28.6%
90 to 179	8.9%	3.5%	20.8%	0.0%	0.0%	0.0%	2.9%	0.0%	0.0%	0.0%	6.1%
180 to 359	2.2%	0.6%	16.7%	0.0%	0.0%	11.1%	0.0%	2.0%	0.0%	0.0%	0.0%
360+	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	8.9%	1.8%	37.5%	0.0%	0.0%	11.1%	0.0%	2.0%	0.0%	0.0%	2.0%
Cumul. DOS, pts. with a 100+ day C.C. stay, mean	208.85	193.33	187.11	0.00	0.00	198.00	0.00	203.00	0.00	0.00	174.00
SD	98.40	140.40	59.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Res Rehab pts w/ 150+ day Res Rehab stay, %	5.3%	0.6%	25.0%	0.0%	0.0%	0.0%	0.0%	2.0%	0.0%	0.0%	0.0%
Cumul. DOS, pts w/ 150+ day C.C. stay, mean	265.22	355.00	208.83	0.00	0.00	0.00	0.00	203.00	0.00	0.00	0.00
SD	89.20	0.00	57.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other VISN cumu. DOS, mean	0.70	0.18	2.50	3.21	0.02	0.00	0.00	1.04	6.00	30.00	2.47
SD	4.80	2.09	8.48	8.72	0.14	0.00	0.00	5.16	10.39	0.00	12.26
Other station cumu. DOS, mean	2.78	3.84	3.38	4.64	0.47	2.44	2.97	4.64	6.00	30.00	4.61
SD	10.14	11.72	9.25	10.77	3.14	6.97	9.84	11.33	10.39	0.00	14.56

Table 3C: FY02 Patients w/ Schizophrenia, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Schizophrenia	95875	4941	2746	5773	6143	2903	4097	6280	9495	3480	4524	4841
<u>Domiciliary and Vocational</u>												
(reported for those with some dom/voc care)												
pts. with some dom/voc care, %	2.4%	1.0%	2.2%	3.1%	3.5%	5.9%	2.4%	1.8%	0.2%	2.1%	4.0%	0.0%
Number stays, mean	1.11	1.23	1.25	1.17	1.09	1.11	1.14	1.08	1.12	1.11	1.09	1.00
SD	0.34	0.42	0.47	0.45	0.30	0.31	0.38	0.27	0.33	0.31	0.30	0.00
Average LOS, mean	99.50	164.06	65.50	75.23	32.67	142.79	32.98	55.90	84.65	143.66	49.09	31.00
SD	112.78	133.54	53.59	68.41	33.49	131.21	25.01	62.06	84.22	127.17	80.69	9.90
Cumu. DOS, mean	105.58	187.88	79.30	83.06	36.10	150.17	37.43	59.06	88.94	151.88	51.28	31.00
SD	114.35	138.34	68.72	70.71	38.25	130.91	29.44	63.28	84.76	126.57	80.73	9.90
Cumu. Days of Stay, %												
1 to 7	7.7%	4.2%	13.1%	5.6%	10.6%	7.0%	11.0%	4.3%	0.0%	6.8%	12.0%	0.0%
8 to 14	7.2%	4.2%	6.6%	4.5%	13.0%	2.9%	15.0%	8.7%	17.6%	2.7%	14.2%	0.0%
15 to 44	28.5%	12.5%	16.4%	31.8%	56.5%	15.2%	38.0%	42.6%	29.4%	17.6%	46.4%	100.0%
45 to 89	19.4%	14.6%	29.5%	20.7%	7.9%	18.1%	31.0%	25.2%	11.8%	17.6%	18.0%	0.0%
90 to 179	17.0%	18.8%	24.6%	25.1%	10.6%	26.9%	5.0%	13.9%	23.5%	17.6%	3.3%	0.0%
180 to 359	9.3%	20.8%	9.8%	11.2%	1.4%	7.6%	0.0%	3.5%	17.6%	18.9%	1.1%	0.0%
360+	10.9%	25.0%	0.0%	1.1%	0.0%	22.2%	0.0%	1.7%	0.0%	18.9%	4.9%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. pts. with 100+ day Dom. stay, %	32.9%	62.5%	29.5%	32.4%	6.5%	50.3%	1.0%	13.9%	41.2%	52.7%	8.2%	0.0%
Cumul. DOS, pts. with a 100+ day Dom. stay, mean	241.68	275.83	164.61	167.53	144.57	250.47	120.00	177.50	173.29	249.26	293.33	0.00
SD	101.75	95.63	59.77	57.10	32.15	112.13	0.00	83.86	66.04	96.99	103.04	0.00
Dom. pts. with 150+ day Dom. stay, %	23.0%	50.0%	13.1%	15.6%	2.3%	32.7%	0.0%	7.0%	17.6%	39.2%	7.1%	0.0%
Cumul. DOS, pts. with a 150+ day Dom. stay, mean	290.90	310.92	215.88	209.29	181.60	318.29	0.00	237.00	234.67	289.38	318.54	0.00
SD	81.12	68.81	52.09	51.75	14.62	74.98	0.00	82.50	51.64	78.44	84.80	0.00
Other VISN cumu. DOS, mean	1.41	3.10	5.02	1.38	1.82	1.78	1.14	1.30	9.35	2.65	0.00	31.00
SD	7.88	9.37	12.72	6.48	10.34	7.49	6.84	8.62	13.09	14.58	0.00	9.90
Other station cumu. DOS, mean	3.61	4.92	5.02	7.67	7.91	5.86	1.99	2.64	9.35	2.78	0.52	31.00
SD	13.59	14.26	12.72	21.17	16.09	19.09	8.22	10.44	13.09	14.59	3.61	9.90

Table 3C: FY02 Patients w/ Schizophrenia, Utilization, by VISN (continued)

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
Patients w/ Schizophrenia	95875	3865	3845	7595	3611	2805	2031	3398	4179	5803	3520
<u>Domiciliary and Vocational</u>											
(reported for those with some dom/voc care)											
Pts. with some dom/voc care, %	2.4%	3.4%	1.6%	1.1%	6.0%	1.4%	0.3%	4.6%	0.4%	3.6%	4.8%
Number stays, mean	1.11	1.05	1.03	1.05	1.15	1.05	1.17	1.08	1.00	1.10	1.18
SD	0.34	0.26	0.18	0.21	0.37	0.22	0.41	0.27	0.00	0.29	0.45
Average LOS, mean	99.50	140.89	126.98	79.79	164.65	139.66	15.83	180.85	71.17	93.76	80.30
SD	112.78	144.58	114.48	85.26	137.14	122.26	16.06	146.21	67.84	77.57	107.15
Cumu. DOS, mean	105.58	143.11	130.58	81.46	175.38	142.50	17.17	187.63	71.17	99.74	86.39
SD	114.35	143.84	116.79	84.89	135.93	121.24	15.60	146.41	67.84	79.63	108.19
Cumu. Days of Stay, %											
1 to 7	7.7%	10.0%	4.8%	7.1%	4.7%	0.0%	16.7%	4.5%	11.1%	7.7%	10.7%
8 to 14	7.2%	8.5%	6.5%	2.4%	2.3%	5.0%	33.3%	4.5%	5.6%	4.3%	9.5%
15 to 44	28.5%	21.5%	19.4%	35.7%	12.6%	12.5%	33.3%	17.8%	27.8%	17.2%	33.9%
45 to 89	19.4%	14.6%	17.7%	23.8%	20.5%	32.5%	16.7%	13.4%	16.7%	26.3%	19.0%
90 to 179	17.0%	11.5%	24.2%	20.2%	19.1%	25.0%	0.0%	13.4%	33.3%	26.8%	12.5%
180 to 359	9.3%	9.2%	14.5%	8.3%	16.3%	7.5%	0.0%	14.0%	5.6%	17.7%	4.8%
360+	10.9%	24.6%	12.9%	2.4%	24.7%	17.5%	0.0%	32.5%	0.0%	0.0%	9.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. pts. with 100+ day Dom. stay, %	32.9%	43.1%	48.4%	27.4%	54.0%	42.5%	0.0%	59.2%	22.2%	38.8%	23.2%
Cumul. DOS, pts. with a 100+ day Dom. stay, mean	241.68	286.73	226.63	189.96	281.78	254.41	0.00	292.14	169.25	182.65	253.18
SD	101.75	102.32	96.03	92.48	93.47	106.30	0.00	94.16	69.29	59.80	108.29
Dom. pts. with 150+ day Dom. stay, %	23.0%	35.4%	35.5%	13.1%	45.6%	30.0%	0.0%	49.0%	11.1%	23.4%	16.7%
Cumul. DOS, pts. with a 150+ day Dom. stay, mean	290.90	322.28	262.55	263.27	309.29	307.00	0.00	324.65	218.00	216.33	304.89
SD	81.12	73.79	87.24	84.81	73.20	78.47	0.00	66.68	66.47	52.71	81.05
Other VISN cumu. DOS, mean	1.41	0.17	4.34	0.55	0.58	3.23	17.17	0.55	3.61	0.27	1.14
SD	7.88	1.84	17.83	4.28	3.60	13.15	15.60	4.14	9.33	3.28	7.31
Other station cumu. DOS, mean	3.61	6.73	4.34	0.93	2.07	3.50	17.17	1.44	3.61	0.30	1.41
SD	13.59	21.78	17.83	5.49	11.05	13.19	15.60	7.94	9.33	3.30	7.59

Table 3C: FY02 Patients w/ Schizophrenia, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
	95875	4941	2746	5773	6143	2903	4097	6280	9495	3480	4524	4841
Patients w/ Schizophrenia												
<u>Nursing Home Care</u>												
(reported for those with some nursing home care)												
Pts. with some nursing home care, %	4.3%	5.5%	5.5%	6.4%	5.7%	4.2%	3.5%	2.8%	2.3%	3.9%	7.1%	4.6%
Number stays, mean	1.19	1.24	1.25	1.15	1.13	1.20	1.19	1.10	1.20	1.31	1.16	1.16
SD	0.53	0.57	0.61	0.44	0.42	0.53	0.48	0.30	0.44	0.69	0.45	0.45
Average LOS, mean	141.80	160.08	101.28	211.46	151.34	132.50	158.04	160.71	84.18	107.00	117.28	195.11
SD	136.28	146.72	124.59	136.43	141.66	133.67	140.70	137.66	99.14	126.65	118.52	152.51
Cumu. DOS, mean	153.64	176.62	116.49	228.05	159.27	143.48	167.27	169.34	95.12	117.39	126.90	207.11
SD	138.74	149.36	132.70	135.84	141.69	134.43	139.54	140.62	106.88	128.75	120.79	151.39
Cumu. Days of Stay, %												
1 to 7	6.9%	11.5%	10.5%	2.7%	9.4%	11.5%	7.0%	6.8%	7.3%	5.2%	4.4%	5.4%
8 to 14	7.8%	5.9%	14.5%	3.5%	7.4%	9.0%	7.0%	6.8%	13.7%	8.9%	9.0%	8.9%
15 to 44	19.6%	14.8%	23.7%	6.0%	14.8%	16.4%	17.6%	19.3%	26.9%	37.8%	21.5%	14.3%
45 to 89	13.7%	10.4%	13.2%	11.4%	14.5%	13.9%	11.3%	10.8%	16.4%	13.3%	19.0%	7.1%
90 to 179	14.8%	13.0%	11.2%	18.2%	15.9%	12.3%	14.8%	13.1%	17.8%	8.1%	18.7%	9.4%
180 to 359	15.3%	14.1%	11.8%	19.0%	12.8%	18.9%	18.3%	18.8%	11.4%	12.6%	15.3%	17.0%
360+	21.9%	30.4%	15.1%	39.1%	25.3%	18.0%	23.9%	24.4%	6.4%	14.1%	12.1%	37.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH pts. with 100+ day NH stay, %	48.1%	54.8%	33.6%	71.5%	51.4%	46.7%	54.2%	54.0%	32.0%	34.8%	40.8%	62.1%
Cumul. DOS, pts. with a 100+ day NH stay, mean	278.26	296.48	284.22	297.61	276.42	266.54	277.23	282.39	223.69	274.32	247.54	314.59
SD	94.88	90.41	92.16	91.16	99.46	93.30	92.80	89.61	99.40	93.96	97.20	76.86
NH pts. with 150+ day NH stay, %	39.5%	47.4%	26.3%	60.6%	41.2%	37.7%	45.1%	48.3%	19.6%	30.4%	29.9%	56.3%
Cumul. DOS, pts. with a 150+ day NH stay, mean	309.59	319.77	321.25	326.17	312.46	299.52	304.22	300.88	287.35	296.98	290.93	331.37
SD	72.40	71.13	62.25	64.52	73.82	70.72	75.13	75.24	73.08	77.45	75.05	57.36
Other VISN cumu. DOS, mean	0.36	0.45	0.00	0.02	0.34	0.92	0.04	0.44	0.78	1.15	0.08	0.67
SD	4.81	5.25	0.00	0.37	3.41	7.66	0.35	5.80	8.86	10.53	1.45	6.02
Other station cumu. DOS, mean	1.04	0.89	0.00	1.63	1.21	0.92	0.86	0.74	1.04	1.25	1.25	1.47
SD	8.44	7.31	0.00	12.69	7.53	7.66	6.12	6.65	9.25	10.56	8.59	8.37

Table 3C: FY02 Patients w/ Schizophrenia, Utilization, by VISN (continued)

	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
Patients w/ Schizophrenia	95875	3865	3845	7595	3611	2805	2031	3398	4179	5803	3520
<u>Nursing Home Care</u>											
(reported for those with some nursing home care)											
Pts. with some nursing home care, %	2.4%	3.4%	1.6%	1.1%	6.0%	1.4%	0.3%	4.6%	0.4%	3.6%	4.8%
Number stays, mean	1.19	1.08	1.21	1.22	1.10	1.23	1.36	1.18	1.60	1.15	1.15
SD	0.53	0.30	0.55	0.48	0.33	0.52	0.48	0.50	1.22	0.41	0.47
Average LOS, mean	141.80	175.18	115.89	129.64	134.21	76.58	131.96	92.59	92.24	107.90	157.40
SD	136.28	147.22	130.48	126.85	125.75	99.91	112.38	108.68	99.86	115.19	143.41
Cumu. DOS, mean	153.64	180.44	123.25	141.11	141.03	88.87	181.46	99.90	118.69	118.36	167.75
SD	138.74	146.97	130.76	128.93	127.36	110.50	145.30	108.90	112.72	120.28	144.53
Cumu. Days of Stay, %											
1 to 7	6.9%	7.7%	5.9%	6.6%	6.1%	10.3%	8.0%	9.1%	6.7%	4.9%	6.0%
8 to 14	7.8%	5.7%	11.0%	6.0%	9.6%	13.8%	4.0%	11.1%	4.9%	7.3%	6.7%
15 to 44	19.6%	20.7%	27.1%	22.9%	16.5%	27.6%	10.0%	27.3%	23.3%	28.5%	17.0%
45 to 89	13.7%	8.4%	16.1%	11.4%	16.5%	19.5%	20.0%	13.1%	17.2%	17.5%	15.6%
90 to 179	14.8%	8.0%	13.6%	19.3%	18.3%	12.6%	12.0%	17.2%	22.1%	15.9%	14.5%
180 to 359	15.3%	18.4%	10.2%	16.3%	19.1%	8.0%	16.0%	15.2%	19.6%	13.8%	12.4%
360+	21.9%	31.1%	16.1%	17.5%	13.9%	8.0%	30.0%	7.1%	6.1%	12.2%	27.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH pts. with 100+ day NH stay, %	48.1%	56.5%	36.4%	48.2%	47.8%	23.0%	56.0%	31.3%	36.2%	36.2%	51.1%
Cumul. DOS, pts. with a 100+ day NH stay, mean	278.26	295.60	273.79	251.04	251.67	261.60	291.50	236.65	244.20	255.85	290.29
SD	94.88	84.93	97.53	100.33	96.45	103.06	95.27	89.34	88.11	94.35	96.27
NH pts. with 150+ day NH stay, %	39.5%	52.2%	29.7%	35.5%	35.7%	17.2%	46.0%	26.3%	25.2%	28.5%	41.8%
Cumul. DOS, pts. with a 150+ day NH stay, mean	309.59	308.85	306.83	293.88	293.95	301.87	326.91	255.81	281.20	290.20	323.22
SD	72.40	74.07	75.30	79.76	72.12	82.46	60.67	82.88	72.99	74.95	68.56
Other VISN cumu. DOS, mean	0.36	0.06	0.46	0.43	0.30	0.29	0.24	0.75	0.78	0.19	0.31
SD	4.81	0.98	3.59	3.22	3.26	2.68	1.70	4.97	9.95	2.09	4.00
Other station cumu. DOS, mean	1.04	0.77	0.46	1.10	0.84	0.99	0.32	1.53	0.95	0.83	1.12
SD	8.44	9.95	3.59	7.73	6.08	7.04	1.78	8.48	10.17	7.10	8.43

Table 3C: FY02 Patients w/ Schizophrenia, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Schizophrenia	95875	4941	2746	5773	6143	2903	4097	6280	9495	3480	4524	4841
<u>Outpatient utilization</u>												
(reported for those with some outpatient care)												
Pts. with some outpatient care, %	98.4%	97.4%	98.4%	96.6%	97.9%	98.4%	97.8%	98.8%	99.6%	98.3%	98.7%	97.2%
annual visit days, mean	28.33	41.90	40.88	35.19	23.07	38.67	20.22	27.52	21.81	20.37	32.44	24.31
SD	40.03	54.38	52.48	48.88	32.94	54.27	29.85	37.76	26.34	30.21	38.99	36.77
Outpatient visit days, %												
1-12	42.5%	33.7%	31.6%	36.4%	46.4%	35.7%	52.7%	42.6%	42.5%	49.8%	33.6%	51.3%
13-24	25.5%	22.4%	25.4%	24.3%	27.5%	22.2%	25.3%	25.3%	31.0%	27.9%	25.3%	23.1%
25-36	11.9%	12.1%	12.9%	13.2%	11.3%	14.2%	10.2%	12.0%	12.7%	11.6%	14.4%	9.0%
37-48	5.7%	7.1%	6.8%	6.3%	5.1%	6.8%	4.6%	5.9%	5.4%	4.1%	7.7%	4.5%
49+	14.4%	24.8%	23.4%	19.8%	9.8%	21.1%	7.3%	14.2%	8.3%	6.5%	19.0%	12.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	71.0%	71.8%	80.9%	68.6%	67.1%	66.0%	66.4%	70.7%	76.2%	67.6%	73.3%	72.3%
Mean PC visit days, among those with some PC	3.43	3.66	3.17	2.82	3.26	3.95	3.51	3.32	4.00	2.94	3.81	3.07
SD	2.98	3.81	2.33	2.09	2.64	3.62	3.00	2.90	2.97	2.57	3.34	2.45
Average number clinic stops per visit day, mean	1.45	1.37	1.38	1.41	1.43	1.48	1.44	1.54	1.43	1.54	1.38	1.43
SD	0.48	0.39	0.39	0.46	0.41	0.44	0.41	0.50	0.42	0.50	0.37	0.44
annual clinic stops (psych & non-psych), mean	42.58	60.41	60.25	51.16	33.47	58.68	30.07	44.83	33.21	31.04	46.70	37.35
SD	68.86	86.69	88.85	79.36	50.40	88.24	49.75	74.44	50.95	49.26	61.94	65.35
annual non-psych. clinic stops, mean	19.31	24.04	23.03	20.89	16.00	26.58	15.72	20.94	19.62	17.79	16.56	16.44
SD	28.42	37.17	34.01	29.62	21.91	40.10	23.88	29.66	21.95	27.35	18.21	26.48

Table 3C: FY02 Patients w/ Schizophrenia, Utilization, by VISN (continued)

Patients w/ Schizophrenia	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
	95875	3865	3845	7595	3611	2805	2031	3398	4179	5803	3520
<u>Outpatient utilization</u>											
(reported for those with some outpatient care)											
Pts. with some outpatient care, %	98.4%	97.3%	99.1%	99.3%	98.6%	99.6%	98.8%	99.4%	99.1%	99.2%	97.4%
annual visit days, mean	28.33	34.52	27.25	21.14	29.76	22.90	28.67	32.38	28.26	31.20	30.09
SD	40.03	48.47	43.42	30.35	40.87	25.97	32.92	40.66	38.33	44.80	42.14
Outpatient visit days, %											
1-12	42.5%	40.3%	47.3%	50.8%	41.8%	42.3%	39.7%	38.7%	40.6%	41.6%	42.2%
13-24	25.5%	23.0%	25.4%	26.2%	25.3%	27.9%	23.1%	23.4%	24.8%	24.4%	22.8%
25-36	11.9%	11.4%	11.0%	10.2%	11.6%	12.5%	13.0%	11.4%	12.6%	12.0%	11.6%
37-48	5.7%	5.9%	4.7%	4.0%	6.2%	6.4%	7.3%	5.7%	7.3%	5.5%	6.5%
49+	14.4%	19.5%	11.6%	8.8%	15.1%	10.9%	17.0%	20.8%	14.7%	16.5%	16.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Pts. with some OP primary care , %	71.0%	72.9%	71.7%	71.6%	78.4%	67.1%	75.0%	65.6%	76.1%	66.9%	62.4%
OP visit days with primary care clinic stops, mean	3.43	3.58	3.02	2.88	4.02	3.32	3.25	3.32	3.97	3.73	3.05
SD	2.98	3.28	2.70	2.19	3.82	2.44	2.96	2.93	3.57	3.29	2.77
Average number clinic stops per visit day, mean	1.45	1.55	1.44	1.46	1.46	1.47	1.35	1.38	1.39	1.41	1.62
SD	0.48	0.54	0.45	0.44	0.48	0.45	0.35	0.35	0.55	0.46	0.60
annual clinic stops (psych & non-psych), mean	42.58	58.11	41.99	31.23	42.64	34.74	40.17	45.42	39.11	46.70	52.74
SD	68.86	100.17	77.98	49.41	60.42	46.03	52.87	59.08	58.81	80.90	88.41
annual non-psych. clinic stops, mean	19.31	21.98	20.29	15.79	24.20	17.38	17.45	16.91	17.38	20.14	21.07
SD	28.42	29.00	37.18	20.84	33.10	21.45	22.12	21.64	24.62	33.17	39.62

Table 3C: FY02 Patients w/ Schizophrenia, Utilization, by VISN (continued)

Patients w/ Schizophrenia	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
	95875	4941	2746	5773	6143	2903	4097	6280	9495	3480	4524	4841
annual psych. clinic stops (groupings below), mean	23.27	36.37	37.22	30.28	17.47	32.10	14.35	23.89	13.58	13.24	30.14	20.91
SD	53.40	67.50	71.36	64.70	39.15	65.74	37.38	53.84	37.89	36.93	54.01	51.89
1. general psych. clinic stops, mean	9.13	14.13	8.28	8.32	8.46	8.24	6.68	9.86	6.62	6.64	12.08	7.44
SD	16.62	26.00	10.48	10.65	10.84	11.66	9.04	14.09	11.22	9.57	17.10	22.09
2. psych. case management clinic stops, mean	2.59	4.90	7.04	3.52	1.85	4.08	1.47	2.45	1.02	0.43	4.27	3.08
SD	16.16	27.25	26.63	14.15	9.98	19.48	6.98	14.60	9.32	5.97	17.80	16.19
3. psych. day treatment clinic stops, mean	5.48	7.65	15.50	6.97	2.46	5.36	3.10	4.73	3.01	4.50	4.97	7.32
SD	31.01	29.31	49.37	36.12	18.49	19.64	25.98	34.27	25.00	29.68	27.06	37.13
SD	19.07	14.09	16.81	17.16	12.76	13.93	24.15	22.06	35.50	5.93	9.17	13.55
4. substance abuse clinic stops, mean	2.97	3.30	1.69	4.70	2.67	8.06	1.25	2.38	2.21	1.10	5.26	1.63
5. psych. vocational clinic stops, mean	2.20	5.33	3.58	5.06	1.34	4.96	1.31	3.22	0.40	0.26	2.61	0.92
SD	18.36	26.55	24.19	28.97	13.80	27.54	14.17	21.80	6.73	4.37	20.70	11.23
6. PTSD clinic stops, mean	0.42	0.47	0.39	0.88	0.36	0.67	0.19	0.91	0.11	0.10	0.38	0.20
SD	4.31	4.14	4.26	6.89	2.90	5.51	1.74	7.32	1.48	1.99	3.81	2.43
7. psych. homeless clinic stops, mean	0.44	0.56	0.45	0.79	0.34	0.72	0.29	0.32	0.15	0.20	0.56	0.26
SD	3.30	4.26	3.43	5.98	1.95	3.40	2.34	2.14	1.44	1.73	3.99	2.06
Other VISN OP visit days, mean	0.31	0.27	0.47	0.30	0.25	0.45	0.29	0.31	0.23	0.41	0.29	0.20
SD	2.30	2.20	2.92	2.03	1.97	2.76	1.89	2.21	2.30	2.57	2.34	1.40
Other station OP visit days, mean	0.83	1.31	0.47	1.01	1.07	1.12	0.77	1.03	0.40	0.56	0.88	0.83
SD	3.76	5.19	2.92	4.43	3.94	5.16	2.98	3.90	2.67	2.87	3.88	2.80

Table 3C: FY02 Patients w/ Schizophrenia, Utilization, by VISN (continued)

Patients w/ Schizophrenia	all VISNs	VISN 12	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22	VISN 23
	95875	3865	3845	7595	3611	2805	2031	3398	4179	5803	3520
annual psych. clinic stops (groupings below), mean	23.27	36.13	21.71	15.44	18.43	17.36	22.72	28.51	21.73	26.56	31.68
SD	53.40	84.30	54.22	37.36	41.82	34.96	40.73	49.51	48.87	61.03	65.07
1. general psych. clinic stops, mean	9.13	11.69	9.98	5.86	7.98	12.81	9.28	9.24	11.60	9.32	13.48
SD	16.62	20.99	21.38	8.03	18.70	26.27	18.16	14.39	20.32	17.48	22.42
2. psych. case management clinic stops, mean	2.59	6.69	1.87	1.58	2.21	0.57	6.85	4.08	0.67	0.46	2.02
SD	16.16	38.51	14.55	11.09	13.68	3.71	22.00	19.07	6.82	5.19	10.60
3. psych. day treatment clinic stops, mean	5.48	7.29	3.92	4.25	3.29	0.69	2.64	8.42	4.64	10.35	7.70
SD	31.01	43.12	25.89	28.45	20.98	8.20	10.37	29.59	21.98	47.74	36.24
SD	19.07	5.24	51.59	25.75	#REF!	11.10	13.30	8.05	11.29	9.74	30.09
4. substance abuse clinic stops, mean	2.97	5.20	2.60	1.90	2.10	1.75	2.17	4.24	3.42	2.65	4.33
5. psych. vocational clinic stops, mean	2.20	3.97	2.87	0.84	2.12	0.96	1.00	1.55	0.67	2.21	3.17
SD	18.36	27.35	21.87	9.90	17.81	9.87	11.80	12.17	9.50	18.52	23.99
6. PTSD clinic stops, mean	0.42	0.51	0.33	0.36	0.23	0.29	0.29	0.35	0.33	0.77	0.49
SD	4.31	4.62	3.25	4.33	2.29	2.81	1.70	3.20	3.26	6.68	5.43
7. psych. homeless clinic stops, mean	0.44	0.73	0.11	0.58	0.48	0.26	0.47	0.62	0.38	0.75	0.39
SD	3.30	5.46	0.98	4.02	2.87	1.55	3.13	3.36	3.25	3.48	3.19
Other VISN OP visit days, mean	0.31	0.21	0.26	0.29	0.51	0.36	0.43	0.38	0.33	0.35	0.39
SD	2.30	1.72	2.09	2.02	3.57	1.98	2.55	2.48	2.18	2.17	3.32
Other station OP visit days, mean	0.83	1.51	0.31	0.64	0.84	0.71	0.91	0.78	0.96	0.85	0.79
SD	3.76	5.27	2.29	2.88	4.60	3.18	3.61	3.34	3.64	4.06	4.24