Table 1F: FY03 Psychosis Patients, Demographics, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
All Patients	217760	10971	1249	557	1308	3196	481	836	1245	2099
Psychosis Diagnosis Group, %										
Schizophrenia	43.3%	44.6%	39.8%	30.0%	47.9%	47.0%	35.3%	55.6%	38.5%	46.9%
Bipolar Disorder	34.0%	38.9%	36.1%	37.3%	42.1%	37.4%	44.1%	36.1%	45.9%	36.8%
Other Psychoses	22.7%	16.5%	24.1%	32.7%	9.9%	15.6%	20.6%	8.3%	15.6%	16.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age, %										
<35	4.9%	4.1%	4.9%	4.5%	4.0%	4.0%	2.1%	3.2%	3.9%	4.6%
>=35 and <50	29.3%	27.5%	25.9%	24.1%	30.3%	25.7%	29.3%	27.0%	27.6%	30.1%
>=50 and <65	38.1%	40.1%	40.6%	37.9%	36.5%	37.8%	39.5%	45.8%	43.7%	41.6%
>=65 and <80	19.7%	20.9%	20.7%	23.7%	22.8%	24.8%	22.7%	18.5%	17.8%	15.4%
>=80	8.2%	7.5%	7.9%	9.9%	6.4%	7.6%	6.4%	5.4%	7.0%	8.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	56.89	57.31	57.33	58.74	56.99	58.36	57.66	56.31	56.68	56.20
SD	*14.35*	*13.96*	*14.28*	*14.83*	*14.08*	*14.18*	*13.49*	*12.64*	*13.46*	*13.88*
Gender										
Male, %	92.7%	94.0%	93.3%	93.5%	95.0%	94.5%	91.9%	94.1%	95.1%	93.0%
Female, %	7.3%	6.0%	6.7%	6.5%	5.0%	5.5%	8.1%	5.9%	4.9%	7.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %										
Hispanic white	4.8%	1.5%	0.3%	0.2%	0.9%	1.5%	0.2%	2.8%	1.0%	3.3%
Hispanic black	0.4%	0.4%	0.0%	0.0%	0.1%	0.3%	0.0%	0.5%	1.8%	0.3%
American Indian	0.3%	0.2%	0.3%	0.0%	0.1%	0.3%	0.0%	0.0%	0.2%	0.0%
Black	18.6%	6.9%	0.5%	0.2%	3.5%	8.5%	0.2%	7.1%	6.0%	14.4%
Asian	0.5%	0.2%	0.1%	0.0%	0.2%	0.4%	0.0%	0.1%	0.1%	0.0%
White	54.9%	73.9%	85.4%	74.9%	81.9%	75.6%	88.4%	79.7%	57.3%	63.5%
Race unknown	20.5%	16.9%	13.4%	24.8%	13.4%	13.4%	11.2%	9.9%	33.7%	18.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status										
Never married	28.5%	34.2%	25.3%	22.7%	42.0%	37.3%	24.4%	40.5%	29.7%	35.6%
Married	35.3%	30.8%	40.7%	41.3%	24.9%	28.6%	39.0%	22.6%	32.4%	29.8%
Divorced/Separated	30.8%	29.5%	28.6%	29.4%	28.1%	28.5%	30.3%	33.1%	32.0%	29.5%
Widowed	5.4%	5.4%	5.4%	6.7%	5.0%	5.5%	6.3%	3.8%	5.8%	5.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
All Patients	217760	10971	1249	557	1308	3196	481	836	1245	2099
Registry Pts. History of VA Utilization										
Years since first use in prior five years, mean	4.33	4.46	4.44	4.39	4.36	4.53	4.43	4.57	4.54	4.35
SD	*1.24*	*1.14*	*1.14*	*1.14*	*1.27*	*1.08*	*1.14*	*1.03*	*1.04*	*1.21*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.9%	25.4%	17.4%	21.6%	36.5%	29.0%	17.5%	30.2%	22.6%	20.4%
SD	*29.7%*	*30.2%*	*23.5%*	*25.5%*	*35.6%*	*32.4%*	*24.4%*	*33.6%*	*26.3%*	*26.5%*
Years with OP use / Years since first use, %	96.7%	96.7%	97.6%	97.8%	93.7%	96.4%	97.6%	95.5%	97.9%	97.7%
SD	*11.4%*	*12.2%*	*10.0%*	*8.3%*	*17.6%*	*13.7%*	*9.3%*	*13.7%*	*8.3%*	*8.7%*
Psychosis Diagnoses in Prior Fiscal Year										
Had Psychosis Diagnosis in FY01, %	65.3%	67.4%	64.5%	60.9%	72.9%	66.7%	65.3%	75.8%	68.7%	64.8%
Among Patients With Psychoses in FY01										
Psychosis Category: Schizophrenia, %	54.1%	53.9%	49.3%	41.9%	58.2%	54.2%	45.5%	66.1%	45.4%	57.9%
Psychosis Category: Bipolar Disorder, %	33.9%	37.8%	38.7%	41.9%	37.0%	35.9%	48.1%	31.4%	47.7%	34.4%
Psychosis Category: Other Psychosis, %	12.0%	8.2%	12.0%	16.2%	4.8%	9.9%	6.4%	2.5%	6.9%	7.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %										
Dementia	6.2%	5.7%	5.8%	7.4%	5.7%	6.6%	6.0%	3.2%	4.8%	5.4%
Post Traumatic Stress Disorder	15.4%	23.8%	17.9%	15.1%	20.3%	33.1%	23.3%	19.0%	20.4%	21.9%
Depression	34.8%	39.1%	36.9%	33.0%	36.1%	42.8%	35.8%	32.9%	32.1%	45.8%
Other Anxiety Disorder	12.0%	18.1%	12.2%	14.9%	17.7%	24.2%	19.5%	12.8%	19.1%	14.7%
Substance Abuse or Dependence	23.3%	28.3%	19.2%	18.7%	34.4%	29.9%	15.4%	26.0%	31.6%	32.1%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
All Patients	217760	10971	1249	557	1308	3196	481	836	1245	2099
Medical Comorbidities, %										
No medical comorbidities	15.2%	18.0%	19.1%	15.4%	21.2%	18.0%	16.0%	21.3%	13.2%	17.9%
Anemia	8.2%	8.2%	6.1%	8.6%	6.3%	9.5%	8.7%	9.4%	8.0%	8.1%
Arthritis	36.2%	32.3%	33.1%	37.3%	27.4%	30.9%	40.3%	27.4%	36.2%	33.6%
Cancer	7.9%	8.4%	7.7%	9.7%	6.4%	10.5%	7.5%	7.1%	8.8%	7.1%
Cerebrovascular Disease	6.7%	5.0%	5.4%	7.7%	2.9%	5.8%	5.6%	2.2%	4.7%	5.1%
Chronic Neurologic Disorder	15.1%	13.1%	12.4%	18.5%	11.4%	14.2%	13.3%	12.1%	13.3%	11.8%
Chronic Obstructive Pulmonary Disease	16.7%	16.8%	16.1%	17.6%	15.7%	17.4%	17.7%	17.2%	18.9%	15.2%
Chronic Viral Infection	8.4%	8.7%	2.9%	5.4%	12.2%	11.5%	7.5%	6.5%	7.8%	8.6%
Coronary Artery Disease	19.5%	19.5%	18.5%	26.2%	18.3%	21.2%	19.5%	12.4%	18.6%	20.1%
Diabetes	20.0%	18.4%	19.3%	22.8%	16.2%	18.8%	18.1%	15.7%	19.8%	17.6%
Digestive System Disease	43.5%	41.3%	38.2%	37.9%	41.1%	43.2%	47.8%	38.3%	44.2%	39.1%
Hypertension	43.2%	37.9%	38.4%	37.2%	30.1%	40.1%	38.5%	30.0%	39.5%	41.4%
Injury and Poisoning	17.9%	18.3%	14.9%	22.6%	19.9%	19.2%	22.9%	13.2%	18.4%	17.6%
Liver Disease	3.6%	3.4%	2.2%	5.6%	2.5%	3.7%	3.5%	3.6%	4.0%	3.1%
Other Endocrine	8.6%	7.1%	7.0%	7.0%	5.9%	6.9%	7.3%	7.1%	9.3%	7.0%
Peripheral Vascular Disease	4.1%	4.8%	6.0%	7.2%	2.4%	5.3%	4.6%	4.5%	3.0%	5.3%
GAF scores										
Lowest inpatient GAF score, mean	37.72	32.50	27.86	42.36	30.73	33.49	37.61	30.91	33.84	33.52
SD	*14.39*	*11.45*	*6.69*	*13.31*	*11.21*	*12.15*	*13.22*	*11.16*	*10.78*	*8.94*
Mean outpatient GAF score	50.52	48.14	42.49	56.14	45.25	50.99	57.59	40.14	52.67	45.80
SD	*11.04*	*11.04*	*8.12*	*10.28*	*10.51*	*11.20*	*8.41*	*8.52*	*8.68*	*10.30*
At least 1 IP GAF, among pts with MH bedsections, %	38.4%	56.7%	54.5%	30.7%	74.8%	68.8%	43.9%	46.6%	44.7%	35.4%
At least 1 OP GAF, among pts with MH clinic stops, %	80.0%	88.2%	95.9%	89.3%	94.6%	83.2%	92.3%	92.2%	91.2%	83.5%
Mortality rates										
died in FY02, %	3.1%	2.9%	2.9%	2.9%	3.2%	2.8%	3.7%	3.2%	3.4%	2.0%
Age-and-gender-adjusted Standardized Mortality Ratio	1.32	1.23	1.23	1.05	1.41	1.13	1.62	1.65	1.53	0.93

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 1, Continued

	All VISNs	VISN 1	402.00 Togus	405.00 White River	518.00 Bedford	523.00 Boston VAMC	608.00 Manchester	631.00 Northampton	650.00 Providence	689.00 West Haven
All Patients	217760	10971	1249	557	1308	3196	481	836	1245	2099
Service Connection (SC)										
Non-SC	51.0%	48.2%	42.0%	51.3%	53.6%	45.8%	44.9%	45.2%	45.9%	54.5%
SC 0 - 29%	8.7%	7.6%	8.0%	9.2%	7.6%	7.4%	10.0%	6.5%	8.3%	6.9%
SC 30 - 69%	10.8%	10.1%	8.2%	11.0%	7.5%	11.9%	10.2%	9.2%	11.6%	9.3%
SC 70 - 99%	7.3%	9.0%	13.9%	8.8%	6.0%	10.2%	7.1%	8.4%	10.4%	6.3%
SC 100%	22.1%	25.0%	27.9%	19.7%	25.3%	24.6%	27.9%	30.7%	23.9%	23.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %										
Complex*	17.3%	21.3%	14.7%	6.6%	39.8%	22.8%	10.8%	30.4%	13.4%	18.9%
Basic vested, Cat A*	76.6%	71.7%	78.0%	84.0%	52.5%	71.6%	80.5%	64.1%	82.5%	71.3%
Basic Non-vested, Cat A*	1.0%	1.0%	1.0%	0.5%	0.9%	1.1%	1.0%	1.2%	0.2%	1.3%
Basic, Cats C and N	5.1%	6.0%	6.4%	8.8%	6.8%	4.4%	7.7%	4.3%	3.9%	8.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded										
Patient eligibility category, %										
Cat A (SC or low income)	94.6%	93.6%	93.5%	91.0%	92.8%	95.2%	91.7%	95.5%	95.7%	90.9%
Cat C (NSC and higher income)	4.7%	5.5%	6.2%	7.9%	5.9%	3.8%	7.1%	3.9%	4.3%	7.6%
Non-Veteran	0.6%	0.9%	0.2%	1.1%	1.3%	1.0%	1.2%	0.6%	0.0%	1.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %										
BASIC 1. Non-reliant Care	0.1%	0.1%	0.1%	0.0%	0.2%	0.2%	0.0%	0.2%	0.0%	0.3%
2. Basic Medical	16.7%	12.0%	20.5%	17.4%	7.4%	11.0%	20.6%	7.2%	13.9%	8.9%
3. Mental Health	36.3%	36.4%	40.7%	39.1%	30.5%	33.2%	34.3%	37.7%	41.7%	38.4%
4. Heart / Lung / GI	7.7%	6.3%	9.1%	11.3%	2.4%	6.5%	10.4%	2.0%	8.1%	5.1%
5. Oncology / Infectious Disease	3.9%	3.6%	2.0%	2.9%	4.1%	4.7%	3.5%	2.4%	3.9%	3.3%
6. Multiple Medical	18.0%	20.2%	13.0%	22.6%	15.8%	21.7%	20.4%	20.1%	19.0%	25.2%
COMPLEX 7. Specialized Care	2.6%	3.4%	3.4%	1.1%	2.1%	2.0%	2.3%	4.5%	3.7%	6.8%
8. Support Care	2.8%	2.6%	2.2%	1.3%	3.2%	3.3%	2.9%	1.9%	2.5%	2.1%
9. Chronic Mental	9.6%	13.1%	7.3%	4.1%	29.4%	15.3%	2.5%	20.8%	6.6%	8.8%
10. Critically Ill	2.2%	2.2%	1.8%	0.2%	5.1%	2.3%	3.1%	3.1%	0.6%	1.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
All Patients	217760	10971	1249	557	1308	3196	481	836	1245	2099
Homelessness										
Homelessness indicated in FY02, %	11.5%	12.9%	2.5%	9.9%	21.3%	14.9%	3.5%	14.8%	7.9%	16.0%
Residence in Metropolitan Area										
Residing in a Metropolitan Statistical Area, %	79.7%	82.8%	30.0%	11.5%	97.7%	98.2%	69.2%	81.5%	94.9%	96.9%
Distance										
Mile from Closest VA Medical Center, mean	32.17	20.06	46.51	40.71	13.87	12.61	19.91	16.26	13.26	19.67
SD	*68.58*	*22.57*	*44.61*	*24.88*	*10.54*	*11.18*	*14.94*	*10.28*	*12.76*	*14.00*
Distance from closest VA Medical Center, %										
0 to 15 miles	49.0%	51.9%	17.2%	13.2%	63.4%	71.5%	41.6%	39.0%	69.9%	42.6%
15 to 30 miles	16.3%	25.7%	24.8%	22.9%	25.9%	19.3%	28.1%	54.8%	20.5%	27.4%
30 to 45 miles	10.3%	14.5%	17.6%	28.6%	10.2%	7.6%	25.6%	5.3%	5.1%	29.0%
45 to 60 miles	8.1%	4.6%	23.7%	12.4%	0.5%	1.3%	3.3%	0.8%	4.5%	0.8%
60 plus miles	16.2%	3.3%	16.8%	22.9%	0.2%	0.3%	1.5%	0.1%	0.1%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.73	7.45	16.40	15.14	3.78	5.11	9.17	5.04	7.05	6.74
SD	*13.09*	*7.74*	*12.61*	*10.58*	*3.56*	*5.13*	*6.35*	*5.21*	*4.96*	*4.76*
Distance to closest VA Service Site, %										
0 to 15 miles	77.0%	87.2%	47.4%	48.5%	99.4%	94.6%	85.4%	95.8%	94.5%	94.8%
15 to 30 miles	14.9%	10.8%	39.1%	42.7%	0.6%	5.4%	13.7%	4.1%	5.5%	5.2%
30 to 45 miles	5.7%	1.8%	11.2%	8.8%	0.0%	0.1%	0.8%	0.1%	0.0%	0.0%
45 plus miles	2.4%	0.3%	2.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3F: FY03 Psychosis Patients, Utilization, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
All Patients	217760	10971	1249	557	1308	3196	481	836	1245	2099
Hospital Based Utilization										
Patients with some Hospital Based Utilization, %	27.2%	27.2%	17.6%	29.4%	32.4%	30.4%	18.7%	34.2%	27.8%	23.1%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)										
Inpatient stays, mean	1.83	1.86	1.59	2.09	1.93	2.06	1.38	1.79	1.77	1.62
SD	*1.43*	*1.40*	*0.99*	*1.60*	*1.45*	*1.63*	*0.80*	*1.33*	*1.28*	*1.03*
Average LOS, mean	13.07	22.48	12.25	7.82	29.38	25.19	7.83	60.26	8.50	11.02
SD	*30.84*	*57.81*	*16.60*	*9.42*	*77.22*	*64.29*	*8.38*	*96.12*	*8.25*	*11.09*
Cumulative DOS, mean	21.85	34.63	19.12	15.05	43.91	38.74	10.30	86.12	16.10	19.31
SD	*40.46*	*69.27*	*24.31*	*17.85*	*88.49*	*74.69*	*10.81*	*114.41*	*21.05*	*25.37*
Cumulative DOS, %										
1 to 7	39.9%	36.4%	43.6%	39.6%	37.0%	31.7%	56.7%	24.5%	44.2%	39.0%
8 to 14	21.8%	21.3%	19.5%	24.4%	21.2%	23.3%	22.2%	11.9%	22.0%	22.1%
15 to 44	27.7%	26.0%	25.0%	31.7%	23.6%	27.2%	18.9%	20.3%	27.2%	28.2%
45 to 89	6.9%	7.6%	9.5%	3.0%	6.4%	7.7%	2.2%	15.4%	4.6%	7.6%
90 to 179	2.3%	3.8%	2.3%	1.2%	4.2%	3.9%	0.0%	11.2%	1.7%	2.7%
180 to 359	0.9%	2.3%	0.0%	0.0%	1.9%	3.3%	0.0%	9.1%	0.3%	0.4%
360+	0.6%	2.5%	0.0%	0.0%	5.7%	2.9%	0.0%	7.7%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	2.1%	6.0%	1.4%	0.6%	8.7%	7.5%	0.0%	22.0%	0.6%	0.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	237.76	273.56	131.67	104.00	305.19	272.12	0.00	271.51	158.50	163.00
SD	*95.14*	*96.95*	*14.22*	*0.00*	*90.08*	*92.19*	*0.00*	*99.34*	*31.82*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	1.3%	4.2%	0.0%	0.0%	6.8%	5.7%	0.0%	14.3%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	290.80	324.42	0.00	0.00	346.21	313.18	0.00	324.10	0.00	0.00
SD	*77.65*	*60.79*	*0.00*	*0.00*	*44.45*	*63.44*	*0.00*	*64.20*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.59	0.39	0.43	0.05	0.45	0.54	1.09	0.30	0.03	0.34
SD	*4.28*	*3.14*	*3.09*	*0.70*	*2.94*	*3.89*	*5.49*	*2.54*	*0.46*	*2.93*
Cumulative DOS at Other Stations	1.83	3.02	1.56	1.24	6.37	1.84	9.20	3.52	3.44	1.97
SD	*7.27*	*9.65*	*6.82*	*6.12*	*13.03*	*7.00*	*11.13*	*10.91*	*10.29*	*10.16*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
All Patients	217760	10971	1249	557	1308	3196	481	836	1245	2099
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)										
Pts. with non-psych hospital stays, %	14.0%	12.7%	15.5%	18.5%	9.9%	14.3%	10.4%	8.5%	12.9%	11.0%
Inpatient stays, mean	0.85	0.75	1.34	1.27	0.44	0.80	0.73	0.44	0.75	0.65
SD	*1.20*	*1.10*	*0.95*	*1.63*	*0.84*	*1.15*	*0.83*	*1.07*	*1.11*	*0.87*
Average LOS, mean	7.54	10.09	13.60	6.16	5.91	9.34	6.85	35.15	6.51	8.20
SD	*13.36*	*22.37*	*17.82*	*5.49*	*6.38*	*18.37*	*9.29*	*72.89*	*8.03*	*12.09*
Cumulative Days of Stay, mean	6.52	7.27	17.69	7.04	2.60	7.22	4.90	12.52	5.19	5.64
SD	*17.31*	*21.87*	*24.35*	*9.90*	*6.60*	*19.14*	*9.67*	*49.33*	*12.91*	*14.70*
Cumulative Days of Stay, %										
0	48.5%	53.3%	12.3%	37.2%	69.3%	53.1%	44.4%	75.2%	53.5%	52.6%
1 to 7	29.2%	25.0%	35.5%	31.7%	19.8%	23.0%	37.8%	11.9%	28.0%	29.9%
8 to 14	9.8%	9.1%	18.2%	12.8%	4.7%	10.8%	10.0%	3.5%	8.1%	7.8%
15 to 44	10.2%	9.3%	22.7%	17.1%	5.4%	10.3%	5.6%	2.4%	8.4%	7.4%
45 to 89	1.8%	2.1%	9.1%	1.2%	0.7%	1.6%	2.2%	2.4%	1.7%	1.4%
90 to 179	0.4%	0.9%	2.3%	0.0%	0.0%	1.0%	0.0%	2.4%	0.3%	0.8%
180 to 359	0.1%	0.2%	0.0%	0.0%	0.0%	0.1%	0.0%	2.1%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.7%	1.4%	0.0%	0.0%	0.5%	0.0%	3.5%	0.3%	0.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	206.57	199.85	131.67	0.00	0.00	168.80	0.00	245.10	144.00	163.00
SD	*85.33*	*86.29*	*14.22*	*0.00*	*0.00*	*82.77*	*0.00*	*88.16*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.3%	0.0%	0.0%	0.0%	0.1%	0.0%	2.4%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	268.22	292.75	0.00	0.00	0.00	309.00	0.00	290.43	0.00	0.00
SD	*74.94*	*54.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*58.97*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.14*	*0.12*	0.22	0.00	0.02	0.20	0.63	0.03	0.01	0.04
SD	1.82	*1.90*	*2.37*	*0.00*	*0.37*	*2.70*	*4.81*	*0.40*	*0.15*	*0.62*
Other station cumulative DOS, mean	0.51	0.89	1.16	0.32	2.50	0.43	3.80	0.91	0.59	0.14
SD	*3.43*	*4.42*	*6.07*	*1.95*	*6.48*	*3.22*	*9.49*	*4.63*	*3.68*	*1.10*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
All Patients	217760	10971	1249	557	1308	3196	481	836	1245	2099
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)										
Pts. with psych hospital stays, %	15.8%	17.3%	3.5%	13.5%	27.3%	19.5%	8.5%	29.8%	17.4%	14.0%
Inpatient stays, mean	0.98	1.11	0.25	0.82	1.49	1.27	0.64	1.35	1.03	0.97
SD	*1.28*	*1.35*	*0.61*	*1.26*	*1.34*	*1.61*	*0.92*	*1.05*	*1.23*	*1.12*
Average LOS, mean	17.54	30.35	5.58	10.19	35.09	34.99	9.03	63.68	10.44	13.07
SD	*38.98*	*70.41*	*4.49*	*12.60*	*84.21*	*79.28*	*6.96*	*97.68*	*10.62*	*9.93*
Cumulative Days of Stay, mean	15.33	27.36	1.43	8.01	41.31	31.52	5.40	73.59	10.92	13.68
SD	*38.37*	*67.41*	*4.70*	*17.73*	*88.63*	*74.61*	*8.68*	*106.93*	*17.35*	*23.51*
Cumulative Days of Stay, %										
0	41.8%	36.4%	80.0%	54.3%	15.8%	36.1%	54.4%	12.9%	37.3%	39.4%
1 to 7	18.6%	19.7%	14.1%	14.6%	30.2%	17.9%	20.0%	19.2%	23.7%	15.7%
8 to 14	14.1%	13.7%	4.1%	15.2%	18.2%	13.3%	13.3%	10.5%	14.7%	15.5%
15 to 44	17.8%	17.8%	1.4%	13.4%	18.6%	18.7%	12.2%	19.9%	19.9%	22.5%
45 to 89	4.7%	5.0%	0.5%	1.2%	5.7%	5.3%	0.0%	12.9%	2.9%	4.9%
90 to 179	1.7%	3.0%	0.0%	1.2%	4.0%	2.9%	0.0%	10.1%	1.4%	1.6%
180 to 359	0.8%	2.1%	0.0%	0.0%	2.4%	3.1%	0.0%	7.3%	0.0%	0.4%
360+	0.5%	2.3%	0.0%	0.0%	5.2%	2.8%	0.0%	7.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	1.8%	5.4%	0.0%	0.6%	8.7%	7.0%	0.0%	19.2%	0.3%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	239.50	276.07	0.00	104.00	303.08	277.91	0.00	261.65	116.00	0.00
SD	*96.26*	*96.51*	*0.00*	*0.00*	*91.88*	*90.07*	*0.00*	*101.68*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.2%	3.9%	0.0%	0.0%	6.8%	5.5%	0.0%	11.9%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	291.18	323.74	0.00	0.00	345.03	312.28	0.00	323.76	0.00	0.00
SD	*78.31*	*61.22*	*0.00*	*0.00*	*44.28*	*64.46*	*0.00*	*64.99*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.45	0.28	0.21	0.05	0.42	0.34	0.46	0.27	0.02	0.30
SD	*3.83*	*2.50*	*1.96*	*0.70*	*2.92*	*2.80*	*2.74*	*2.51*	*0.43*	*2.87*
Other station cumulative DOS, mean	1.32	2.12	0.40	0.91	3.87	1.40	5.40	2.61	2.85	1.82
SD	*6.36*	*8.48*	*3.15*	*5.85*	*11.08*	*6.15*	*8.68*	*9.61*	*9.59*	*10.12*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
All Patients	217760	10971	1249	557	1308	3196	481	836	1245	2099
Other 24 hour institutional care										
Patients with some other 24 hour institutional care, %	8.5%	7.8%	0.04	0.01	0.20	0.10	0.06	0.10	0.05	0.03
Residential Rehab (rep. for those w/ res rehab care)										
Patients with some residential rehab. care, %	1.8%	2.1%	0.0%	0.4%	6.8%	3.5%	0.2%	0.6%	0.4%	0.5%
Number stays, mean	*1.12*	*1.13*	0.00	1.00	1.19	1.11	1.00	1.00	1.00	1.00
SD	0.38	*0.39*	*0.00*	*0.00*	*0.47*	*0.34*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	34.01	25.09	0.00	17.00	23.68	26.78	8.00	8.20	8.40	37.55
SD	*38.25*	*16.20*	*0.00*	*5.66*	*14.31*	*13.17*	*0.00*	*4.49*	*5.22*	*39.81*
Cumulative DOS, mean	37.28	28.26	0.00	17.00	28.61	29.23	8.00	8.20	8.40	37.55
SD	*40.79*	*19.67*	*0.00*	*5.66*	*20.97*	*15.36*	*0.00*	*4.49*	*5.22*	*39.81*
Cumulative Days of Stay, %										
1 to 7	12.3%	10.7%	0.0%	0.0%	10.1%	7.1%	0.0%	40.0%	40.0%	27.3%
8 to 14	12.7%	16.0%	0.0%	50.0%	16.9%	11.6%	100.0%	60.0%	40.0%	9.1%
15 to 44	50.7%	56.9%	0.0%	50.0%	55.1%	66.1%	0.0%	0.0%	20.0%	27.3%
45 to 89	15.8%	15.1%	0.0%	0.0%	16.9%	15.2%	0.0%	0.0%	0.0%	18.2%
90 to 179	7.0%	1.3%	0.0%	0.0%	1.1%	0.0%	0.0%	0.0%	0.0%	18.2%
180 to 359	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.3%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	9.1%
mean	175.66	122.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	122.00
SD	*75.56*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
mean	237.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*73.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.12	0.32	0.00	0.00	0.42	0.03	0.00	1.00	0.00	2.36
SD	*6.40*	*2.45*	*0.00*	*0.00*	*3.18*	*0.28*	*0.00*	*2.24*	*0.00*	*6.04*
Other station cumulative DOS, mean	3.58	6.64	0.00	17.00	10.22	3.46	8.00	8.20	8.40	6.45
SD	*10.93*	*14.54*	*0.00*	*5.66*	*19.87*	*8.42*	*0.00*	*4.49*	*5.22*	*14.12*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
All Patients	217760	10971	1249	557	1308	3196	481	836	1245	2099
Domiciliary and Vocational										
(reported for those with some dom/voc care)										
Patients with some dom/voc care, %	2.8%	1.7%	0.2%	0.2%	6.0%	3.0%	0.0%	0.2%	0.4%	0.0%
Number stays, mean	1.13	1.30	1.00	1.00	1.36	1.28	0.00	1.00	1.20	1.00
SD	*0.38*	*0.62*	*0.00*	*0.00*	*0.51*	*0.72*	*0.00*	*0.00*	*0.45*	*0.00*
Average LOS, mean	85.20	94.51	23.00	24.00	79.73	114.19	0.00	16.00	35.80	3.00
SD	*90.51*	*79.58*	*12.73*	*0.00*	*50.31*	*95.00*	*0.00*	*21.21*	*21.60*	*0.00*
Cumulative DOS, mean	92.74	123.18	23.00	24.00	112.03	142.60	0.00	16.00	47.20	3.00
SD	*94.18*	*104.02*	*12.73*	*0.00*	*84.34*	*116.55*	*0.00*	*21.21*	*41.48*	*0.00*
Cumulative Days of Stay, %										
1 to 7	6.9%	3.8%	0.0%	0.0%	3.8%	2.1%	0.0%	50.0%	0.0%	100.0%
8 to 14	6.1%	7.0%	50.0%	0.0%	6.4%	6.2%	0.0%	0.0%	20.0%	0.0%
15 to 44	29.6%	15.6%	50.0%	100.0%	12.8%	14.4%	0.0%	50.0%	40.0%	0.0%
45 to 89	19.5%	19.4%	0.0%	0.0%	24.4%	16.5%	0.0%	0.0%	20.0%	0.0%
90 to 179	22.9%	31.7%	0.0%	0.0%	33.3%	33.0%	0.0%	0.0%	20.0%	0.0%
180 to 359	10.1%	17.7%	0.0%	0.0%	19.2%	18.6%	0.0%	0.0%	0.0%	0.0%
360+	5.0%	4.8%	0.0%	0.0%	0.0%	9.3%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	31.6%	46.2%	0.0%	0.0%	42.3%	54.6%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	203.50	204.81	0.00	0.00	181.97	219.04	0.00	0.00	0.00	0.00
SD	*90.08*	*94.67*	*0.00*	*0.00*	*75.24*	*103.10*	*0.00*	*0.00*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	18.0%	18.3%	0.0%	0.0%	11.5%	25.8%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	259.61	299.62	0.00	0.00	274.00	308.84	0.00	0.00	0.00	0.00
SD	*79.66*	*69.43*	*0.00*	*0.00*	*62.80*	*70.57*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.54	0.69	0.00	0.00	0.59	0.86	0.00	0.00	0.00	0.00
SD	*8.76*	*4.45*	*0.00*	*0.00*	*3.49*	*5.32*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.75	12.24	23.00	24.00	11.40	10.79	0.00	16.00	47.20	3.00
SD	*14.14*	*33.64*	*12.73*	*0.00*	*32.22*	*34.63*	*0.00*	*21.21*	*41.48*	*0.00*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
All Patients	217760	10971	1249	557	1308	3196	481	836	1245	2099
Nursing Home Care										
(reported for those with some nursing home care)										
Patients with some nursing home care, %	4.5%	4.7%	3.4%	0.4%	10.2%	4.4%	6.0%	9.0%	3.9%	2.3%
Number stays, mean	1.24	1.23	1.14	1.00	1.13	1.28	1.31	1.31	1.12	1.42
SD	*0.60*	*0.54*	*0.42*	*0.00*	*0.40*	*0.59*	*0.54*	*0.61*	*0.39*	*0.77*
Average LOS, mean	99.56	121.42	116.54	24.50	226.36	103.81	59.35	92.71	45.29	48.21
SD	*118.68*	*136.48*	*130.26*	*26.16*	*146.41*	*127.01*	*63.83*	*125.10*	*46.77*	*69.72*
Cumulative DOS, mean	111.19	131.23	121.36	24.50	232.72	119.54	71.21	105.57	49.88	54.50
SD	*123.23*	*138.07*	*128.12*	*26.16*	*143.15*	*133.59*	*67.00*	*132.59*	*54.76*	*71.14*
Cumulative Days of Stay, %										
1 to 7	9.0%	11.6%	7.1%	50.0%	4.5%	12.1%	3.4%	26.7%	8.2%	16.7%
8 to 14	10.6%	7.7%	7.1%	0.0%	3.7%	7.1%	13.8%	9.3%	4.1%	18.8%
15 to 44	27.5%	26.4%	31.0%	50.0%	11.2%	27.9%	31.0%	17.3%	63.3%	33.3%
45 to 89	15.4%	11.9%	14.3%	0.0%	5.2%	13.6%	24.1%	16.0%	10.2%	12.5%
90 to 179	13.8%	11.0%	11.9%	0.0%	12.7%	12.1%	20.7%	4.0%	10.2%	8.3%
180 to 359	11.4%	12.1%	14.3%	0.0%	16.4%	11.4%	6.9%	13.3%	4.1%	10.4%
360+	12.4%	19.3%	14.3%	0.0%	46.3%	15.7%	0.0%	13.3%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	33.0%	38.0%	33.3%	0.0%	69.4%	34.3%	20.7%	30.7%	12.2%	14.6%
Cumul. DOS, patients with a 100+ day NH stay, mean	263.62	290.20	280.07	0.00	315.92	283.73	183.33	288.52	177.33	207.00
SD	*97.17*	*89.76*	*96.60*	*0.00*	*78.79*	*95.39*	*49.03*	*83.45*	*58.23*	*55.52*
NH patients with 150+ day NH stay, %	25.7%	33.3%	28.6%	0.0%	66.4%	27.1%	13.8%	28.0%	8.2%	10.4%
Cumul. DOS, patients with a 150+ day NH stay, mean	299.88	312.04	309.08	0.00	325.06	319.55	203.75	304.29	207.75	233.00
SD	*76.08*	*71.17*	*67.83*	*0.00*	*67.24*	*68.29*	*48.16*	*68.06*	*43.32*	*33.96*
Other VISN cumulative DOS, mean	0.41	0.48	1.02	0.00	0.00	0.61	0.00	1.44	0.00	0.27
SD	*5.60*	*5.41*	*6.64*	*0.00*	*0.00*	*4.30*	*0.00*	*11.90*	*0.00*	*1.88*
Other station cumulative DOS, mean	1.17	1.67	1.02	24.50	0.84	1.84	0.00	4.09	0.00	2.02
SD	*8.68*	*10.24*	*6.64*	*26.16*	*5.46*	*7.12*	*0.00*	*20.94*	*0.00*	*11.80*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
All Patients	217760	10971	1249	557	1308	3196	481	836	1245	2099
Outpatient utilization										
(reported for those with some outpatient care)										
Patients with some outpatient care, %	99.1%	98.5%	99.1%	99.8%	96.6%	97.7%	100.0%	96.7%	100.0%	99.8%
annual visit days, mean	24.61	35.83	22.09	19.15	58.57	32.99	19.26	34.32	25.98	35.50
SD	*33.05*	*44.15*	*28.93*	*18.56*	*76.55*	*40.36*	*16.11*	*43.78*	*33.29*	*39.26*
Outpatient visit days, %										
1-12	44.2%	32.0%	48.2%	48.6%	35.1%	35.0%	44.9%	34.8%	38.9%	30.6%
13-24	26.4%	26.1%	25.3%	24.8%	14.6%	23.7%	26.6%	24.5%	27.4%	24.5%
25-36	11.9%	13.9%	10.6%	13.5%	8.9%	13.3%	13.5%	14.4%	15.5%	13.0%
37-48	5.9%	7.7%	5.7%	6.1%	6.7%	9.0%	9.8%	6.7%	6.8%	8.0%
49+	11.5%	20.3%	10.2%	7.0%	34.7%	19.1%	5.2%	19.7%	11.4%	24.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	79.4%	78.8%	81.2%	85.6%	68.3%	78.8%	84.6%	80.9%	87.6%	74.7%
Mean PC visit days, among those with some PC	3.84	3.99	3.51	4.30	3.08	4.12	4.75	3.85	5.01	3.64
SD	3.72	4.13	3.26	5.64	2.55	4.59	4.52	3.66	5.09	3.03
Average number clinic stops per visit day, mean	1.49	1.38	1.39	1.47	1.39	1.36	1.37	1.25	1.41	1.43
SD	*0.47*	*0.39*	*0.40*	*0.39*	*0.43*	*0.36*	*0.36*	*0.25*	*0.45*	*0.40*
annual clinic stops (psych & non-psych), mean	37.56	47.23	31.89	28.54	81.69	46.66	27.46	43.12	36.72	53.66
SD	*56.64*	*65.76*	*48.89*	*28.96*	*106.67*	*63.26*	*25.64*	*54.30*	*47.91*	*63.68*
annual non-psych. clinic stops, mean	20.14	22.27	18.45	19.07	25.35	23.24	20.69	21.86	19.44	24.27
SD	*25.25*	*29.91*	*24.90*	*20.23*	*44.87*	*31.65*	*20.53*	*30.28*	*19.44*	*27.05*
annual psych.clinic stops (groupings below), mean	17.42	24.96	13.44	9.47	56.34	23.42	6.77	21.26	17.28	29.39
SD	*43.44*	*49.90*	*33.02*	*16.16*	*83.10*	*46.14*	*10.97*	*38.37*	*39.41*	*49.05*
1. general psych. clinic stops, mean	7.22	10.15	6.37	7.72	14.98	11.09	6.06	9.55	6.51	12.05
SD	*13.49*	*18.48*	*10.45*	*12.23*	*26.77*	*20.69*	*9.45*	*11.85*	*9.94*	*20.34*
2. psych. case management clinic stops, mean	1.44	2.32	2.19	0.00	11.14	0.97	0.00	0.00	0.00	2.51
SD	*12.10*	*18.05*	*12.41*	*0.04*	*42.82*	*7.41*	*0.00*	*0.00*	*0.03*	*18.58*
3. psych. day treatment clinic stops, mean	2.80	3.21	2.25	0.03	11.94	2.05	0.02	1.81	0.36	4.06
SD	*21.66*	*18.07*	*15.46*	*0.50*	*38.14*	*14.25*	*0.32*	*5.78*	*2.35*	*16.97*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
All Patients	217760	10971	1249	557	1308	3196	481	836	1245	2099
4. substance abuse clinic stops, mean	1.12	5.49	0.69	0.56	4.67	4.73	0.18	1.92	2.75	7.78
SD	*7.56*	*24.98*	*5.13*	*4.72*	*13.93*	*22.83*	*2.82*	*7.95*	*11.76*	*26.95*
5. psych. vocational clinic stops, mean	0.18	2.59	1.80	0.35	13.54	3.28	0.05	7.59	4.02	2.03
SD	*3.25*	*19.53*	*16.93*	*3.30*	*41.16*	*19.99*	*1.10*	*30.51*	*23.77*	*11.68*
6. PTSD clinic stops, mean	0.56	0.77	0.35	0.65	0.23	0.95	0.11	0.12	1.59	1.03
SD	*4.85*	*5.24*	*3.33*	*3.26*	*2.40*	*5.57*	*1.93*	*0.91*	*8.59*	*6.05*
7. psych. homeless clinic stops, mean	0.41	0.57	0.02	0.14	0.80	0.45	0.03	0.26	2.02	0.41
SD	*3.32*	*6.19*	*0.31*	*0.69*	*5.12*	*2.96*	*0.20*	*1.53*	*16.38*	*2.59*
Other VISN OP visit days, mean	0.36	0.26	0.20	0.25	0.28	0.27	0.26	0.49	0.09	0.28
SD	2.35	1.92	1.35	1.27	2.05	2.05	1.63	2.91	0.64	2.15
Other station OP visit days, mean	0.91	1.57	0.45	0.65	4.33	1.64	1.68	2.54	1.03	0.65
SD	3.87	5.70	1.97	2.88	9.68	6.13	3.95	6.85	3.72	3.68

Table 4F: FY03 Psychosis Patients, Pharmacy Utilization, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
All Patients	217760	10971	1249	557	1308	3196	481	836	1245	2099
Among all patients in the registry										
Pts. with any outpatient prescriptions, %	95.5%	93.5%	95.9%	96.1%	88.1%	93.4%	93.6%	92.3%	97.1%	93.3%
Patients with any oral antipsychotic fills, %*	59.2%	57.9%	62.0%	50.8%	60.1%	55.6%	57.6%	65.3%	55.9%	57.6%
Among pts. receiving any antipsychotic medication:										
Received only conventional antipsychotics, %	12.3%	10.4%	11.4%	13.4%	11.6%	9.6%	11.6%	7.1%	5.6%	13.2%
Received some atypical antipsychotics, %	87.7%	89.6%	88.6%	86.6%	88.4%	90.4%	88.4%	92.9%	94.4%	86.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %										
Aripiprazole	1.2%	1.2%	0.6%	0.4%	3.1%	0.7%	3.6%	0.4%	1.0%	1.1%
Clozapine	1.8%	3.9%	3.6%	2.5%	6.0%	3.3%	1.4%	5.3%	3.0%	4.3%
Olanzapine	35.8%	36.8%	38.3%	33.2%	28.2%	35.4%	36.1%	42.5%	41.2%	39.5%
Quetiapine	26.2%	32.4%	30.6%	29.7%	44.8%	40.1%	33.6%	26.6%	31.3%	17.8%
Risperidone	36.7%	34.0%	30.8%	33.9%	32.7%	34.0%	32.5%	37.2%	38.9%	33.2%
Ziprasidone	5.2%	5.1%	4.3%	7.8%	4.3%	4.8%	4.3%	4.8%	5.7%	5.9%
Concurrent use of 2 or more antipsychotics, % ***	11.3%	16.5%	5.4%	20.3%	16.6%	24.0%	18.5%	13.4%	13.2%	14.1%
Patients receiving only one kind** of antipsychotic, %	73.8%	70.4%	80.7%	68.6%	70.7%	63.2%	67.0%	74.4%	74.9%	70.5%
Among pts receiving just one antipsychotic										
Antipsychotic fills, mean	7.06	8.04	4.36	8.31	4.55	8.57	8.43	6.70	6.69	7.71
SD	*5.06*	*5.60*	*3.38*	*4.93*	*3.65*	*5.65*	*5.53*	*4.45*	*5.94*	*5.11*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5F: FY03 Psychosis Patients, Cost, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
All Patients	217760	10971	1249	557	1308	3196	481	836	1245	2099
Total Costs (in thousands $$)	$3,237,460	$205,334	$15,059	$6,357	$36,812	$68,873	$5,366	$21,387	$15,368	$36,121
%		100.0%	7.3%	3.1%	17.9%	33.5%	2.6%	10.4%	7.5%	17.6%
Psych vs. Non-Psych Costs										
Psych	30.3%	36.9%	15.9%	26.0%	34.6%	36.9%	14.1%	60.1%	31.1%	42.4%
Non-Psych	69.7%	63.1%	84.1%	74.0%	65.4%	63.1%	85.9%	39.9%	68.9%	57.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use										
Per Patient	$18,395	$22,878	$11,632	$15,664	$24,381	$25,790	$9,901	$41,241	$14,866	$20,562
Per Day of Stay	$842	$661	$608	$1,041	$555	$666	$961	$479	$923	$1,065
Mean Outpatient Costs, Pts with some Outpatient use										
Per Patient	$6,757	$8,604	$6,289	$6,272	$10,478	$9,104	$5,833	$7,255	$7,128	$10,751
Per Visit Day	$275	$240	$285	$327	$179	$276	$303	$211	$274	$303
Mean Patient Costs, By Cost Center										
1 Med	$1,582	$1,464	$613	$1,987	$1,186	$2,045	$730	$732	$1,496	$1,562
2 Surg	$536	$584	$678	$773	$322	$748	$349	$356	$478	$599
3 Psych	$2,886	$4,183	$758	$1,853	$6,395	$5,059	$774	$13,021	$2,157	$2,590
4 Psych Res Rehab Treatment Program	$218	$236	$0	$12	$646	$475	$1	$166	$9	$35
5 Non-VA	$205	$292	$454	$328	$338	$252	$627	$213	$166	$246
6 LTC Domiciliary	$327	$249	$0	$6	$100	$805	$0	$5	$14	$0
7 LTC Intermediate Care	$167	$405	$1,498	$19	$206	$563	$151	$14	$178	$92
8 LTC Nursing Home	$1,785	$1,954	$1,665	$39	$7,680	$1,708	$1,529	$2,806	$0	$361
9 Contract Nursing Home	$467	$871	$158	$136	$1,145	$999	$1,162	$1,259	$718	$993
10 OPC Med/Surg	$1,071	$1,285	$562	$1,109	$886	$1,793	$1,155	$690	$1,133	$1,593
11 OPC Psych	$1,624	$2,730	$1,153	$1,120	$3,339	$2,885	$797	$2,347	$1,678	$4,701
12 OPC Home Based Treatment	$751	$970	$922	$546	$2,100	$791	$709	$544	$799	$1,009
13 OPC Support	$1,322	$1,433	$960	$1,111	$1,756	$1,540	$1,158	$1,045	$1,007	$1,908
14 OPC Fee	$148	$148	$250	$167	$62	$153	$83	$99	$191	$140
15 OPC Pharmacy	$1,778	$1,912	$2,386	$2,208	$1,983	$1,735	$1,931	$2,286	$2,321	$1,380
TOTAL	$14,867	$18,716	$12,057	$11,413	$28,144	$21,550	$11,156	$25,583	$12,344	$17,208
Mean % Patient Costs at Other Stations	3.9%	5.3%	2.5%	2.8%	13.0%	4.0%	11.6%	7.1%	6.1%	2.0%
SD	*12.8%*	14.6%	10.8%	9.6%	21.9%	12.0%	21.0%	15.7%	15.6%	9.2%
Mean % Patient Costs at Other VISNs	1.5%	1.0%	1.0%	0.9%	0.8%	0.8%	1.5%	1.6%	0.6%	1.1%
SD	*8.0%*	6.4%	6.4%	5.5%	5.8%	5.8%	8.8%	8.2%	5.3%	6.8%

Table 1G: FY03 Schizophrenic Patients, Demographics, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Schizophrenic Patients	94395	4893	497	167	627	1503	170	465	479	985
Age, %										
<35	3.9%	3.2%	3.8%	6.6%	2.7%	3.2%	1.2%	1.7%	2.7%	4.1%
>=35 and <50	32.5%	28.9%	30.6%	28.1%	27.9%	25.3%	35.3%	26.0%	31.1%	33.7%
>=50 and <65	44.6%	44.3%	44.3%	49.7%	40.4%	40.2%	47.1%	49.2%	50.9%	46.2%
>=65 and <80	15.7%	19.4%	16.5%	15.6%	23.8%	26.0%	14.1%	19.1%	13.4%	12.4%
>=80	3.3%	4.2%	4.8%	0.0%	5.3%	5.3%	2.4%	3.9%	1.9%	3.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	54.59	56.08	55.37	53.24	57.32	58.03	54.13	56.75	54.39	54.00
SD	*11.97*	*12.47*	*12.52*	*11.46*	*13.21*	*13.19*	*10.84*	*11.71*	*10.84*	*11.73*
Gender										
Male, %	94.6%	95.4%	93.8%	95.8%	96.8%	96.3%	94.7%	96.1%	95.4%	93.8%
Female, %	5.4%	4.6%	6.2%	4.2%	3.2%	3.7%	5.3%	3.9%	4.6%	6.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %										
Hispanic white	6.9%	2.0%	0.0%	0.0%	1.4%	1.6%	0.6%	3.2%	1.3%	4.3%
Hispanic black	0.6%	0.4%	0.0%	0.0%	0.0%	0.3%	0.0%	0.6%	2.5%	0.2%
American Indian	0.3%	0.2%	0.4%	0.0%	0.2%	0.5%	0.0%	0.0%	0.2%	0.0%
Black	26.5%	9.4%	0.6%	0.0%	4.3%	9.2%	0.0%	7.7%	10.4%	20.7%
Asian	0.8%	0.3%	0.0%	0.0%	0.3%	0.6%	0.0%	0.2%	0.0%	0.1%
White	52.4%	77.9%	90.7%	85.0%	88.4%	80.3%	92.4%	83.2%	61.4%	63.0%
Race unknown	12.5%	9.8%	8.2%	15.0%	5.4%	7.5%	7.1%	4.9%	24.2%	11.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status										
Never married	42.4%	50.6%	41.3%	43.1%	59.6%	51.6%	41.8%	53.9%	47.0%	50.9%
Married	24.6%	19.4%	23.0%	22.2%	14.9%	19.8%	27.6%	14.9%	20.7%	19.2%
Divorced/Separated	29.5%	26.6%	32.9%	31.7%	23.1%	23.7%	28.2%	28.1%	28.8%	27.0%
Widowed	3.5%	3.5%	2.8%	3.0%	2.4%	4.8%	2.4%	3.0%	3.5%	2.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Schizophrenic Patients	94395	4893	497	167	627	1503	170	465	479	985
Registry Pts. History of VA Utilization										
Years since first use in prior five years, mean	4.6	4.7	4.7	4.6	4.73	4.73	4.74	4.81	4.69	4.59
SD	*1.0*	*0.9*	*0.8*	*0.9*	*0.86*	*0.85*	*0.78*	*0.72*	*0.90*	*1.01*
Yrs with 24-hour institutional use / yrs since 1st use, %	27.3%	26.7%	17.6%	21.0%	39.6%	29.1%	14.3%	32.8%	23.4%	21.1%
SD	*30.9%*	*31.4%*	*23.8%*	*25.4%*	*37.3%*	*32.8%*	*23.5%*	*35.1%*	*26.6%*	*26.8%*
Years with OP use / Years since first use, %	96.7%	96.2%	97.5%	97.2%	91.8%	95.9%	97.9%	94.9%	98.4%	98.0%
SD	*12.4%*	*14.1%*	*10.6%*	*9.7%*	*21.3%*	*16.0%*	*8.7%*	*15.6%*	*7.0%*	*8.1%*
Psychosis Diagnoses in Prior Fiscal Year										
Had Psychosis Diagnosis in FY01, %	82.2%	82.7%	84.9%	86.2%	87.9%	79.5%	83.5%	89.2%	84.8%	78.5%
Among Patients With Psychoses in FY01										
Psychosis Category: Schizophrenia, %	94.8%	93.6%	89.8%	93.8%	96.0%	90.9%	95.8%	97.6%	93.1%	95.7%
Psychosis Category: Bipolar Disorder, %	2.6%	3.9%	5.0%	2.1%	3.1%	5.6%	3.5%	1.9%	4.9%	2.2%
Psychosis Category: Other Psychosis, %	2.5%	2.5%	5.2%	4.2%	0.9%	3.5%	0.7%	0.5%	2.0%	2.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %										
Dementia	2.3%	1.9%	1.4%	1.8%	1.4%	2.8%	1.2%	1.7%	1.9%	1.4%
Post Traumatic Stress Disorder	11.9%	19.9%	11.7%	10.2%	12.0%	32.0%	24.7%	9.0%	14.6%	19.1%
Depression	25.7%	30.4%	20.7%	26.9%	25.0%	36.7%	27.6%	22.2%	24.0%	37.1%
Other Anxiety Disorder	8.7%	15.2%	8.7%	13.2%	9.9%	25.1%	15.9%	8.0%	11.7%	12.0%
Substance Abuse or Dependence	22.3%	24.7%	16.5%	22.2%	24.2%	25.4%	10.0%	18.3%	33.4%	29.7%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Schizophrenic Patients	94395	4893	497	167	627	1503	170	465	479	985
Medical Comorbidities, %										
No medical comorbidities	18.7%	21.5%	25.4%	19.8%	23.4%	21.0%	20.0%	24.9%	15.7%	20.9%
Anemia	7.1%	7.8%	5.0%	4.8%	6.2%	9.6%	2.4%	10.1%	7.5%	7.7%
Arthritis	29.7%	25.8%	24.9%	27.5%	21.5%	25.3%	34.1%	19.6%	35.1%	26.5%
Cancer	6.1%	7.5%	5.8%	5.4%	7.5%	9.5%	4.7%	7.3%	7.5%	6.2%
Cerebrovascular Disease	3.8%	2.9%	2.6%	1.8%	1.9%	4.1%	2.4%	1.3%	3.3%	2.7%
Chronic Neurologic Disorder	12.4%	10.9%	10.5%	13.2%	10.4%	12.3%	9.4%	12.0%	11.3%	8.4%
Chronic Obstructive Pulmonary Disease	16.5%	17.2%	16.5%	16.2%	17.9%	18.2%	17.6%	18.7%	18.2%	14.3%
Chronic Viral Infection	8.7%	8.4%	2.2%	6.0%	9.1%	9.5%	6.5%	6.2%	11.1%	9.7%
Coronary Artery Disease	14.6%	15.9%	10.5%	18.6%	15.8%	19.4%	15.3%	9.5%	15.7%	15.9%
Diabetes	20.3%	19.3%	19.5%	18.6%	16.7%	20.5%	20.0%	17.2%	21.5%	18.8%
Digestive System Disease	44.1%	42.3%	36.6%	37.1%	42.1%	45.5%	46.5%	36.3%	47.2%	40.9%
Hypertension	40.7%	34.7%	30.4%	26.3%	28.5%	38.9%	35.9%	28.6%	35.7%	37.9%
Injury and Poisoning	15.5%	15.8%	12.5%	24.6%	17.4%	17.2%	20.6%	10.8%	15.9%	14.1%
Liver Disease	3.2%	2.9%	2.2%	6.6%	1.4%	3.3%	2.4%	2.8%	3.3%	2.9%
Other Endocrine	6.9%	6.4%	4.6%	6.0%	6.5%	6.0%	5.9%	6.7%	8.4%	7.0%
Peripheral Vascular Disease	2.9%	3.8%	4.6%	1.8%	2.2%	4.3%	2.4%	4.9%	1.9%	4.7%
GAF scores										
Lowest inpatient GAF score, mean	36.19	30.19	28.29	40.22	27.52	31.78	29.50	27.98	32.53	31.92
SD	*14.35*	*10.04*	*6.86*	*13.10*	*8.29*	*10.68*	*17.14*	*11.77*	*10.03*	*7.20*
Mean outpatient GAF score	48.84	45.97	39.48	52.14	41.46	49.74	58.17	38.45	51.37	44.41
SD	*10.59*	*10.99*	*6.49*	*8.51*	*9.75*	*11.61*	*8.47*	*8.48*	*8.51*	*9.61*
At least 1 IP GAF, among pts with MH bedsections, %	38.5%	60.6%	47.1%	29.0%	76.2%	71.2%	36.4%	54.8%	55.6%	40.7%
At least 1 OP GAF, among pts with MH clinic stops, %	80.5%	89.2%	96.5%	89.3%	94.5%	83.8%	95.9%	92.7%	93.3%	86.1%
Mortality rates										
died in FY02, %	2.7%	3.0%	3.2%	0.6%	4.6%	3.2%	1.2%	4.7%	3.5%	1.3%
Age-and-gender-adjusted Standardized Mortality Ratio	1.68	1.59	1.82	0.48	2.07	1.37	0.85	2.48	2.36	0.88

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 1, Continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Schizophrenic Patients	94395	4893	497	167	627	1503	170	465	479	985
Service Connection (SC)										
Non-SC	40.8%	39.1%	37.8%	35.9%	43.2%	37.3%	30.0%	35.9%	38.4%	44.1%
SC 0 - 29%	6.8%	5.7%	7.2%	6.0%	4.9%	5.9%	6.5%	5.2%	6.5%	4.8%
SC 30 - 69%	8.8%	7.9%	5.0%	9.0%	5.1%	9.8%	10.6%	7.1%	9.2%	7.2%
SC 70 - 99%	6.6%	7.4%	8.9%	8.4%	5.4%	9.4%	5.9%	5.6%	7.1%	5.9%
SC 100%	37.0%	39.9%	41.0%	40.7%	41.3%	37.7%	47.1%	46.2%	38.8%	38.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %										
Complex*	22.5%	28.3%	21.9%	12.0%	49.8%	28.6%	10.0%	39.6%	18.0%	23.2%
Basic vested, Cat A*	74.7%	67.9%	75.3%	83.8%	47.8%	67.7%	84.1%	57.0%	81.0%	70.5%
Basic Non-vested, Cat A*	1.2%	1.3%	1.4%	1.2%	0.6%	1.2%	2.4%	1.5%	0.4%	2.0%
Basic, Cats C and N	1.7%	2.5%	1.4%	3.0%	1.8%	2.5%	3.5%	1.9%	0.6%	4.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded										
Patient eligibility category, %										
Cat A (SC or low income)	98.2%	97.3%	98.6%	97.0%	98.1%	97.3%	96.5%	97.8%	99.2%	95.4%
Cat C (NSC and higher income)	1.4%	1.8%	1.4%	3.0%	1.6%	1.9%	1.8%	1.7%	0.8%	2.3%
Non-Veteran	0.5%	0.9%	0.0%	0.0%	0.3%	0.9%	1.8%	0.4%	0.0%	2.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %										
BASIC 1. Non-reliant Care	0.2%	0.2%	0.1%	0.0%	0.2%	0.2%	0.0%	0.0%	0.0%	0.4%
2. Basic Medical	13.3%	10.3%	18.1%	13.8%	5.4%	9.9%	17.1%	8.8%	13.2%	7.7%
3. Mental Health	38.5%	35.8%	35.9%	49.7%	26.6%	31.7%	40.0%	35.3%	40.9%	37.8%
4. Heart / Lung / GI	5.8%	4.7%	9.6%	6.0%	1.3%	5.5%	10.0%	1.5%	7.3%	4.4%
5. Oncology / Infectious Disease	3.6%	3.5%	3.3%	3.0%	2.6%	4.2%	4.1%	1.5%	5.2%	4.1%
6. Multiple Medical	16.1%	17.3%	16.9%	15.6%	14.2%	19.9%	18.8%	13.3%	15.4%	22.4%
COMPLEX 7. Specialized Care	1.9%	2.8%	2.6%	1.8%	1.4%	1.3%	1.8%	1.7%	5.4%	5.0%
8. Support Care	2.3%	2.7%	3.1%	0.6%	2.6%	3.3%	3.5%	2.6%	2.3%	3.0%
9. Chronic Mental	15.7%	20.3%	8.8%	9.6%	39.4%	21.3%	4.1%	31.2%	9.6%	14.1%
10. Critically Ill	2.6%	2.5%	1.8%	0.0%	6.4%	2.7%	0.6%	4.1%	0.6%	1.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Schizophrenic Patients	94395	4893	497	167	627	1503	170	465	479	985
Homelessness										
Homelessness indicated in FY02, %	12.0%	12.2%	2.8%	19.2%	14.8%	12.8%	2.4%	11.2%	9.6%	16.8%
Residence in Metropolitan Area										
Residing in a Metropolitan Statistical Area, %	81.5%	84.9%	28.9%	17.0%	98.2%	98.8%	67.1%	77.8%	94.2%	96.7%
Distance										
Mile from Closest VA Medical Center, mean	28.72	18.57	41.70	44.10	13.63	12.05	20.60	16.71	12.02	19.47
SD	*55.48*	*20.81*	*42.92*	*24.85*	*10.83*	*11.46*	*16.70*	*9.50*	*11.53*	*14.42*
Distance from closest VA Medical Center, %										
0 to 15 miles	52.9%	53.9%	20.8%	9.7%	64.9%	73.0%	43.5%	34.2%	72.7%	43.7%
15 to 30 miles	15.5%	26.2%	28.7%	18.8%	23.1%	19.0%	23.5%	61.1%	20.9%	25.6%
30 to 45 miles	9.7%	13.9%	16.4%	30.3%	11.6%	6.8%	26.5%	4.3%	3.8%	29.5%
45 to 60 miles	7.4%	3.5%	21.2%	14.5%	0.2%	0.9%	3.5%	0.4%	2.7%	0.9%
60 plus miles	14.4%	2.5%	12.9%	26.7%	0.2%	0.3%	2.9%	0.0%	0.0%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	9.84	6.78	15.80	15.30	3.25	4.79	9.02	5.08	6.84	6.46
SD	*11.95*	*7.27*	*12.07*	*10.74*	*3.41*	*4.86*	*6.55*	*5.58*	*4.99*	*4.84*
Distance to closest VA Service Site, %										
0 to 15 miles	79.4%	89.1%	48.1%	47.3%	99.7%	95.4%	83.5%	95.3%	95.4%	95.5%
15 to 30 miles	13.6%	9.4%	41.2%	43.6%	0.3%	4.6%	15.9%	4.5%	4.6%	4.4%
30 to 45 miles	5.1%	1.3%	8.9%	9.1%	0.0%	0.0%	0.6%	0.2%	0.0%	0.1%
45 plus miles	1.9%	0.2%	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Schizophrenic Patients	94395	4893	497	167	627	1503	170	465	479	985
Hospital Based Utilization										
Patients with some Hospital Based Utilization, %	27.0%	26.1%	16.9%	25.7%	32.1%	28.4%	11.2%	34.4%	25.9%	22.1%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)										
Inpatient stays, mean	1.85	1.87	1.57	2.19	1.98	2.05	1.42	1.73	1.70	1.69
SD	*1.45*	*1.45*	*1.07*	*1.69*	*1.66*	*1.65*	*0.96*	*1.26*	*1.19*	*1.15*
Average LOS, mean	17.65	34.45	17.65	9.56	49.35	35.50	8.05	81.71	8.84	12.21
SD	*42.51*	*78.15*	*23.75*	*15.57*	*104.84*	*81.78*	*7.92*	*111.82*	*8.45*	*11.81*
Cumulative DOS, mean	28.76	50.89	25.30	19.91	68.46	52.48	10.58	116.28	16.65	22.56
SD	*53.29*	*91.27*	*30.54*	*29.24*	*114.36*	*93.87*	*9.97*	*130.24*	*22.31*	*29.12*
Cumulative DOS, %										
1 to 7	35.1%	32.0%	35.7%	41.9%	29.9%	28.8%	52.6%	20.0%	45.2%	36.2%
8 to 14	20.7%	19.8%	19.0%	25.6%	16.9%	22.7%	26.3%	8.1%	23.4%	22.0%
15 to 44	29.0%	24.2%	27.4%	20.9%	25.4%	24.6%	21.1%	16.9%	24.2%	27.5%
45 to 89	9.0%	9.4%	13.1%	7.0%	8.0%	9.4%	0.0%	14.4%	4.8%	9.6%
90 to 179	3.4%	5.7%	4.8%	4.7%	6.5%	4.4%	0.0%	15.0%	2.4%	3.7%
180 to 359	1.5%	3.8%	0.0%	0.0%	2.5%	4.7%	0.0%	13.1%	0.0%	0.9%
360+	1.2%	5.1%	0.0%	0.0%	10.9%	5.4%	0.0%	12.5%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	3.8%	10.7%	3.6%	2.3%	15.9%	11.2%	0.0%	31.9%	0.8%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	249.93	285.97	131.67	104.00	312.09	293.06	0.00	278.49	136.00	0.00
SD	*96.37*	*94.74*	*14.22*	*0.00*	*87.65*	*84.35*	*0.00*	*98.44*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	2.5%	7.7%	0.0%	0.0%	12.4%	9.1%	0.0%	21.3%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.78	333.02	0.00	0.00	354.64	324.18	0.00	327.26	0.00	0.00
SD	*75.28*	*54.48*	*0.00*	*0.00*	*29.49*	*56.91*	*0.00*	*62.32*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.65	0.43	0.55	0.00	0.48	0.52	0.79	0.13	0.00	0.66
SD	*4.66*	*3.38*	*3.24*	*0.00*	*3.55*	*4.00*	*2.99*	*1.00*	*0.00*	*4.31*
Cumulative DOS at Other Stations	2.06	3.33	1.38	3.21	6.40	1.76	9.32	4.03	3.90	3.01
SD	*8.11*	*11.23*	*5.96*	*11.04*	*14.07*	*7.61*	*9.79*	*12.31*	*12.93*	*13.23*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Schizophrenic Patients	94395	4893	497	167	627	1503	170	465	479	985
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)										
Pts. with non-psych hospital stays, %	11.8%	11.4%	14.5%	9.6%	9.7%	13.9%	4.7%	8.8%	10.9%	10.1%
Inpatient stays, mean	0.71	0.70	1.27	0.74	0.49	0.83	0.63	0.45	0.64	0.61
SD	*1.11*	*1.02*	*0.84*	*1.40*	*0.98*	*1.11*	*1.01*	*0.97*	*0.93*	*0.83*
Average LOS, mean	8.26	11.73	19.26	3.73	6.83	9.64	3.25	38.45	6.21	7.50
SD	*16.10*	*27.10*	*25.23*	*2.12*	*7.89*	*23.51*	*1.65*	*68.78*	*7.11*	*11.35*
Cumulative Days of Stay, mean	6.10	7.99	23.02	3.23	3.33	7.62	2.53	15.71	4.51	4.97
SD	*19.61*	*26.21*	*31.19*	*8.69*	*8.38*	*22.00*	*5.94*	*54.84*	*12.06*	*13.08*
Cumulative Days of Stay, %										
0	56.2%	56.3%	14.3%	62.8%	69.7%	51.1%	57.9%	74.4%	58.1%	54.6%
1 to 7	24.8%	23.7%	29.8%	25.6%	16.4%	25.8%	36.8%	11.3%	26.6%	29.8%
8 to 14	8.1%	7.9%	16.7%	7.0%	5.0%	10.1%	0.0%	3.1%	8.1%	7.3%
15 to 44	8.5%	8.2%	22.6%	2.3%	7.5%	10.5%	5.3%	2.5%	4.8%	6.4%
45 to 89	1.7%	2.3%	11.9%	2.3%	1.5%	1.4%	0.0%	2.5%	2.4%	0.9%
90 to 179	0.5%	1.3%	4.8%	0.0%	0.0%	0.9%	0.0%	3.8%	0.0%	0.9%
180 to 359	0.2%	0.4%	0.0%	0.0%	0.0%	0.2%	0.0%	2.5%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.4%	1.0%	3.6%	0.0%	0.0%	0.5%	0.0%	5.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	225.13	205.23	131.67	0.00	0.00	221.50	0.00	228.75	0.00	0.00
SD	*88.92*	*88.13*	*14.22*	*0.00*	*0.00*	*123.74*	*0.00*	*89.68*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.5%	0.0%	0.0%	0.0%	0.2%	0.0%	3.1%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	285.12	286.83	0.00	0.00	0.00	309.00	0.00	282.40	0.00	0.00
SD	*70.56*	*58.93*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*64.76*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.10*	*0.08*	0.02	0.00	0.00	0.17	0.11	0.04	0.00	0.08
SD	*1.58*	*1.47*	*0.22*	*0.00*	*0.00*	*2.44*	*0.46*	*0.47*	*0.00*	*0.88*
Other station cumulative DOS, mean	0.47	0.92	0.55	0.42	3.15	0.44	1.26	0.71	0.98	0.14
SD	*3.45*	*4.48*	*3.19*	*1.97*	*8.19*	*3.06*	*3.19*	*3.47*	*5.44*	*0.96*

Table3G: FY03 Schizophrenic Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Schizophrenic Patients	94395	4893	497	167	627	1503	170	465	479	985
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)										
Pts. with psych hospital stays, %	17.7%	17.4%	3.4%	18.6%	26.8%	17.8%	6.5%	29.0%	16.9%	14.2%
Inpatient stays, mean	1.14	1.17	0.30	1.44	1.49	1.22	0.79	1.28	1.06	1.08
SD	*1.37*	*1.42*	*0.80*	*1.62*	*1.45*	*1.65*	*0.98*	*1.08*	*1.23*	*1.23*
Average LOS, mean	23.15	47.13	7.48	11.85	59.37	53.06	11.55	90.90	11.35	15.06
SD	*51.08*	*92.76*	*5.40*	*17.93*	*113.19*	*100.86*	*8.89*	*115.77*	*13.54*	*11.25*
Cumulative Days of Stay, mean	22.66	42.90	2.27	16.67	65.13	44.87	8.05	100.56	12.14	17.59
SD	*51.43*	*89.57*	*6.94*	*29.75*	*114.94*	*94.00*	*10.35*	*124.78*	*18.81*	*28.64*
Cumulative Days of Stay, %										
0	34.4%	33.4%	79.8%	27.9%	16.4%	37.5%	42.1%	15.6%	34.7%	35.8%
1 to 7	17.5%	16.1%	11.9%	25.6%	22.9%	12.4%	15.8%	13.1%	23.4%	15.1%
8 to 14	14.7%	12.9%	3.6%	23.3%	14.9%	12.9%	26.3%	6.3%	16.1%	14.7%
15 to 44	21.2%	18.0%	3.6%	14.0%	19.9%	17.6%	15.8%	16.3%	21.0%	23.4%
45 to 89	6.9%	6.8%	1.2%	4.7%	6.5%	6.8%	0.0%	13.1%	3.2%	7.8%
90 to 179	2.8%	4.5%	0.0%	4.7%	6.0%	3.5%	0.0%	13.1%	1.6%	2.3%
180 to 359	1.4%	3.4%	0.0%	0.0%	3.5%	4.2%	0.0%	10.6%	0.0%	0.9%
360+	1.1%	4.8%	0.0%	0.0%	10.0%	5.2%	0.0%	11.9%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	9.8%	0.0%	2.3%	15.9%	10.8%	0.0%	28.1%	0.8%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	250.18	286.85	0.00	104.00	309.75	293.70	0.00	271.42	116.00	0.00
SD	*97.20*	*94.92*	*0.00*	*0.00*	*89.99*	*85.03*	*0.00*	*100.95*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	2.2%	7.2%	0.0%	0.0%	12.4%	8.9%	0.0%	18.1%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.10	333.41	0.00	0.00	353.40	323.18	0.00	329.59	0.00	0.00
SD	*76.47*	*54.11*	*0.00*	*0.00*	*29.47*	*58.58*	*0.00*	*61.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.55	0.35	0.52	0.00	0.48	0.36	0.68	0.09	0.00	0.58
SD	4.34	3.05	3.15	0.00	3.55	3.19	2.98	0.88	0.00	4.23
Other station cumulative DOS, mean	1.59	2.41	0.83	2.79	3.25	1.32	8.05	3.31	2.92	2.88
SD	7.30	10.09	4.95	10.98	11.10	6.72	10.35	11.24	11.84	13.20

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Schizophrenic Patients	94395	4893	497	167	627	1503	170	465	479	985
Other 24 hour institutional care										
Patients with some other 24 hour institutional care, %	8.0%	7.6%	3.4%	0.0%	18.2%	9.2%	2.4%	11.2%	4.8%	2.4%
Residential Rehab (rep. for those w/ res rehab care)										
Patients with some residential rehab. care, %	1.6%	1.1%	0.0%	0.0%	3.3%	1.7%	0.0%	0.2%	0.8%	0.4%
Number stays, mean	*1.12*	*1.07*	0.00	0.00	1.10	1.08	0.00	1.00	1.00	1.00
SD	*0.37*	*0.26*	*0.00*	*0.00*	*0.30*	*0.28*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	36.26	25.26	0.00	0.00	20.74	27.56	0.00	12.00	9.25	54.00
SD	*45.44*	*19.66*	*0.00*	*0.00*	*12.68*	*13.98*	*0.00*	*0.00*	*5.62*	*51.05*
Cumulative DOS, mean	39.67	26.58	0.00	0.00	22.05	29.36	0.00	12.00	9.25	54.00
SD	*48.06*	*20.02*	*0.00*	*0.00*	*12.61*	*15.14*	*0.00*	*0.00*	*5.62*	*51.05*
Cumulative Days of Stay, %										
1 to 7	14.0%	10.9%	0.0%	0.0%	9.5%	8.0%	0.0%	0.0%	25.0%	25.0%
8 to 14	14.7%	20.0%	0.0%	0.0%	23.8%	12.0%	0.0%	100.0%	50.0%	0.0%
15 to 44	46.4%	58.2%	0.0%	0.0%	66.7%	64.0%	0.0%	0.0%	25.0%	25.0%
45 to 89	13.8%	9.1%	0.0%	0.0%	0.0%	16.0%	0.0%	0.0%	0.0%	25.0%
90 to 179	8.9%	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	25.0%
180 to 359	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.2%	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	25.0%
mean	180.59	122.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	122.00
SD	*80.43*	*0.00*	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Res Rehab patients with 150+ day Res Rehab stay, %	2.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
mean	246.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*77.24*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.84	0.24	0.00	0.00	0.38	0.00	0.00	0.00	0.00	1.25
SD	*5.37*	*1.26*	*0.00*	*0.00*	*1.75*	*0.00*	*0.00*	*0.00*	*0.00*	*2.50*
Other station cumulative DOS, mean	3.24	6.16	0.00	0.00	10.10	2.92	0.00	12.00	9.25	1.25
SD	*10.31*	*11.69*	*0.00*	*0.00*	*16.51*	*6.65*	*0.00*	*0.00*	*5.62*	*2.50*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Schizophrenic Patients	94395	4893	497	167	627	1503	170	465	479	985
Domiciliary and Vocational										
(reported for those with some dom/voc care)										
Patients with some dom/voc care, %	2.3%	1.0%	0.0%	0.0%	1.6%	2.5%	0.0%	0.0%	0.4%	0.1%
Number stays, mean	1.12	1.38	0.00	0.00	1.60	1.35	0.00	0.00	1.00	1.00
SD	*0.37*	*0.73*	*0.00*	*0.00*	*0.70*	*0.75*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	94.48	133.92	0.00	0.00	59.60	163.35	0.00	0.00	26.50	3.00
SD	*108.97*	*117.00*	*0.00*	*0.00*	*33.62*	*121.63*	*0.00*	*0.00*	*21.92*	*0.00*
Cumulative DOS, mean	100.96	173.46	0.00	0.00	98.80	206.19	0.00	0.00	26.50	3.00
SD	*111.44*	*134.03*	*0.00*	*0.00*	*67.02*	*136.60*	*0.00*	*0.00*	*21.92*	*0.00*
Cumulative Days of Stay, %										
1 to 7	7.9%	6.0%	0.0%	0.0%	0.0%	5.4%	0.0%	0.0%	0.0%	100.0%
8 to 14	6.7%	8.0%	0.0%	0.0%	20.0%	2.7%	0.0%	0.0%	50.0%	0.0%
15 to 44	31.5%	10.0%	0.0%	0.0%	0.0%	10.8%	0.0%	0.0%	50.0%	0.0%
45 to 89	17.3%	14.0%	0.0%	0.0%	30.0%	10.8%	0.0%	0.0%	0.0%	0.0%
90 to 179	17.7%	18.0%	0.0%	0.0%	40.0%	13.5%	0.0%	0.0%	0.0%	0.0%
180 to 359	9.4%	28.0%	0.0%	0.0%	10.0%	35.1%	0.0%	0.0%	0.0%	0.0%
360+	9.5%	16.0%	0.0%	0.0%	0.0%	21.6%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	100.0%	100.0%	0.0%	0.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.0%	54.0%	0.0%	0.0%	30.0%	64.9%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	234.98	272.00	0.00	0.00	154.67	286.67	0.00	0.00	0.00	0.00
SD	*102.95*	*96.60*	*0.00*	*0.00*	*59.03*	*90.69*	*0.00*	*0.00*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	20.9%	38.0%	0.0%	0.0%	0.0%	51.4%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	291.61	315.37	0.00	0.00	0.00	315.37	0.00	0.00	0.00	0.00
SD	*80.75*	*69.12*	*0.00*	*0.00*	*0.00*	*69.12*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.18	0.32	0.00	0.00	1.20	0.11	0.00	0.00	0.00	0.00
SD	*7.65*	*1.78*	*0.00*	*0.00*	*3.79*	*0.66*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.16	8.90	0.00	0.00	5.30	9.08	0.00	0.00	26.50	3.00
SD	*12.59*	*28.85*	*0.00*	*0.00*	*13.10*	*32.48*	*0.00*	*0.00*	*21.92*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Schizophrenic Patients	94395	4893	497	167	627	1503	170	465	479	985
Nursing Home Care										
(reported for those with some nursing home care)										
Patients with some nursing home care, %	4.7%	5.7%	3.4%	0.0%	14.4%	5.5%	2.4%	11.0%	3.5%	1.9%
Number stays, mean	1.20	1.17	1.00	0.00	1.03	1.23	1.25	1.35	1.18	1.16
SD	*0.56*	*0.46*	*0.00*	*0.00*	*0.18*	*0.55*	*0.50*	*0.63*	*0.53*	*0.37*
Average LOS, mean	143.54	166.26	178.12	0.00	265.39	138.02	47.13	110.71	62.98	74.50
SD	*137.46*	*148.43*	*149.16*	*0.00*	*137.37*	*136.40*	*29.46*	*131.11*	*67.97*	*94.41*
Cumulative DOS, mean	156.00	176.60	178.12	0.00	269.11	156.24	69.25	127.76	65.71	77.79
SD	*139.76*	*149.28*	*149.16*	*0.00*	*136.28*	*141.35*	*72.57*	*139.85*	*66.76*	*93.80*
Cumulative Days of Stay, %										
1 to 7	6.8%	10.4%	5.9%	0.0%	5.6%	7.3%	0.0%	19.6%	17.6%	21.1%
8 to 14	6.5%	5.7%	5.9%	0.0%	1.1%	4.9%	0.0%	13.7%	0.0%	15.8%
15 to 44	20.5%	17.1%	23.5%	0.0%	8.9%	20.7%	50.0%	11.8%	41.2%	21.1%
45 to 89	14.1%	10.7%	11.8%	0.0%	2.2%	13.4%	25.0%	15.7%	17.6%	15.8%
90 to 179	15.1%	10.4%	0.0%	0.0%	8.9%	15.9%	25.0%	5.9%	17.6%	5.3%
180 to 359	14.7%	15.4%	29.4%	0.0%	13.3%	14.6%	0.0%	17.6%	5.9%	21.1%
360+	22.5%	30.4%	23.5%	0.0%	60.0%	23.2%	0.0%	15.7%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	48.0%	53.6%	52.9%	0.0%	80.0%	48.8%	25.0%	39.2%	23.5%	21.1%
Cumul. DOS, patients with a 100+ day NH stay, mean	282.12	301.17	306.33	0.00	327.76	281.35	177.00	285.90	172.75	244.75
SD	*94.85*	*85.83*	*68.26*	*0.00*	*74.76*	*96.12*	*0.00*	*83.35*	*35.31*	*24.85*
NH patients with 150+ day NH stay, %	39.8%	47.9%	52.9%	0.0%	75.6%	37.8%	25.0%	35.3%	17.6%	21.1%
Cumul. DOS, patients with a 150+ day NH stay, mean	312.43	320.73	306.33	0.00	340.41	318.74	177.00	304.00	188.00	244.75
SD	*72.26*	*66.70*	*68.26*	*0.00*	*54.68*	*70.46*	*0.00*	*65.28*	*21.79*	*24.85*
Other VISN cumulative DOS, mean	0.44	0.62	0.00	0.00	0.00	0.79	0.00	2.12	0.00	0.00
SD	*5.99*	*6.76*	*0.00*	*0.00*	*0.00*	*5.18*	*0.00*	*14.43*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.19	1.72	0.00	0.00	0.08	1.02	0.00	6.02	0.00	4.42
SD	*9.07*	*12.28*	*0.00*	*0.00*	*0.74*	*5.56*	*0.00*	*25.25*	*0.00*	*18.55*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Schizophrenic Patients	94395	4893	497	167	627	1503	170	465	479	985
Outpatient utilization										
(reported for those with some outpatient care)										
Patients with some outpatient care, %	98.3%	97.2%	98.4%	99.4%	93.5%	96.0%	100.0%	95.1%	100.0%	99.7%
annual visit days, mean	27.64	38.67	26.10	19.08	74.70	36.05	17.91	35.76	28.54	40.45
SD	*38.39*	*52.00*	*36.37*	*17.58*	*91.80*	*42.71*	*15.39*	*47.48*	*36.35*	*43.96*
Outpatient visit days, %										
1-12	42.6%	35.1%	48.3%	47.0%	31.4%	32.9%	47.6%	36.7%	36.3%	28.5%
13-24	25.7%	21.8%	21.3%	23.5%	13.8%	22.1%	27.6%	24.7%	24.8%	22.4%
25-36	11.8%	12.4%	10.0%	15.1%	8.0%	13.2%	12.4%	12.2%	18.2%	12.1%
37-48	5.9%	8.3%	6.5%	9.0%	5.8%	10.5%	7.6%	6.1%	8.4%	8.2%
49+	14.0%	22.3%	13.9%	5.4%	41.0%	21.3%	4.7%	20.4%	12.3%	28.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	74.5%	75.4%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean PC visit days, among those with some PC	3.73	3.92	3.33	4.70	3.21	3.98	4.86	3.71	5.02	3.64
SD	3.83	3.99	3.21	5.55	2.73	4.06	5.19	3.57	5.45	3.09
Average number clinic stops per visit day, mean	1.45	1.35	1.37	1.39	1.38	1.33	1.31	1.23	1.39	1.40
SD	*0.45*	*0.38*	*0.42*	*0.36*	*0.46*	*0.36*	*0.30*	*0.25*	*0.40*	*0.38*
annual clinic stops (psych & non-psych), mean	41.32	53.85	38.00	26.98	100.29	50.42	24.96	44.37	39.22	60.02
SD	*65.29*	*75.43*	*60.35*	*26.06*	*124.95*	*68.59*	*23.76*	*57.90*	*48.02*	*69.47*
annual non-psych. clinic stops, mean	19.07	22.81	18.64	16.82	31.50	22.28	17.36	23.21	19.47	23.91
SD	*26.86*	*33.98*	*27.24*	*18.13*	*58.08*	*31.96*	*18.18*	*35.42*	*18.94*	*28.17*
annual psych. clinic stops (specific groupings below), mean	22.25	31.03	19.36	10.16	68.79	28.14	7.60	21.15	19.75	36.11
SD	*50.83*	*56.97*	*43.68*	*14.61*	*93.42*	*51.57*	*12.21*	*38.55*	*39.99*	*54.16*
1. general psych. clinic stops, mean	9.04	13.77	6.41	8.60	20.53	15.26	6.86	10.38	8.52	17.38
SD	*15.89*	*23.97*	*9.44*	*11.17*	*34.16*	*26.95*	*10.64*	*13.18*	*11.88*	*26.25*
2. psych. case management clinic stops, mean	2.76	3.75	4.50	0.01	14.14	1.93	0.00	0.00	0.00	4.64
SD	*16.59*	*22.49*	*17.14*	*0.08*	*48.61*	*10.50*	*0.00*	*0.00*	*0.05*	*25.43*
3. psych. day treatment clinic stops, mean	4.94	4.99	4.27	0.00	19.43	3.00	0.01	1.99	0.46	4.94
SD	*29.07*	*23.96*	*21.86*	*0.00*	*50.98*	*18.12*	*0.08*	*6.04*	*2.56*	*18.41*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Schizophrenic Patients	94395	4893	497	167	627	1503	170	465	479	985
4. substance abuse clinic stops, mean	2.71	3.19	0.33	0.45	2.39	3.31	0.01	1.27	2.86	6.94
SD	*17.49*	*15.63*	*2.83*	*3.86*	*9.75*	*15.85*	*0.11*	*6.54*	*10.59*	*25.58*
5. psych. vocational clinic stops, mean	2.11	4.86	3.97	0.43	12.89	3.67	0.00	7.34	6.04	2.17
SD	*18.38*	*24.91*	*24.39*	*3.44*	*39.92*	*21.12*	*0.00*	*31.59*	*30.41*	*12.04*
6. PTSD clinic stops, mean	0.37	0.45	0.13	0.27	0.16	0.80	0.25	0.04	0.42	0.54
SD	*3.86*	*3.92*	*1.76*	*1.57*	*2.20*	*5.51*	*3.22*	*0.72*	*3.07*	*4.25*
7. psych. homeless clinic stops, mean	0.39	0.42	0.02	0.32	0.31	0.45	0.01	0.12	1.41	0.40
SD	*2.98*	*4.66*	*0.19*	*1.12*	*2.34*	*3.40*	*0.11*	*0.66*	*12.69*	*2.33*
Other VISN OP visit days, mean	0.30	0.17	0.11	0.23	0.24	0.15	0.28	0.28	0.05	0.18
SD	*2.12*	*1.44*	*0.77*	*1.31*	*1.89*	*1.24*	*1.84*	*1.98*	*0.46*	*1.62*
Other station OP visit days, mean	0.82	1.30	0.25	0.68	3.62	1.21	1.24	1.95	1.09	0.50
SD	*3.70*	*5.23*	*0.95*	*2.75*	*8.25*	*5.55*	*3.50*	*6.20*	*3.92*	*3.63*

Table 4G: FY03 Schizophrenic Patients, Pharmacy Utilization, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Schizophrenic Patients	94395	4893	497	167	627	1503	170	465	479	985
Among all patients in the registry										
Pts. with any outpatient prescriptions, %	94.9%	91.5%	94.4%	94.6%	83.6%	91.6%	92.9%	89.4%	96.9%	92.3%
Patients with any oral antipsychotic fills, %*	78.7%	73.2%	81.3%	81.4%	70.3%	67.9%	72.9%	75.3%	78.5%	74.4%
Among pts. receiving any antipsychotic medication:										
Received only conventional antipsychotics, %	15.4%	13.7%	15.6%	18.4%	17.0%	11.8%	22.6%	9.4%	5.9%	17.2%
Received some atypical antipsychotics, %	84.6%	86.3%	84.4%	81.6%	83.0%	88.2%	77.4%	90.6%	94.1%	82.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %										
Aripiprazole	1.5%	1.6%	1.2%	0.7%	4.1%	1.1%	3.2%	0.3%	1.9%	1.5%
Clozapine	3.1%	6.7%	6.9%	5.1%	9.8%	5.5%	3.2%	8.3%	5.6%	7.1%
Olanzapine	35.7%	36.0%	39.9%	30.1%	27.7%	35.3%	31.5%	41.4%	45.5%	34.2%
Quetiapine	21.7%	24.9%	24.8%	23.5%	32.7%	32.1%	25.8%	21.4%	21.5%	13.8%
Risperidone	36.8%	36.5%	28.7%	36.0%	37.4%	38.9%	37.1%	39.4%	42.6%	32.2%
Ziprasidone	5.9%	6.3%	5.4%	10.3%	5.7%	6.2%	3.2%	5.1%	5.6%	8.0%
Patients receiving only one kind** of antipsychotic, %	70.8%	65.9%	60.1%	64.7%	57.4%	60.9%	71.0%	72.3%	67.0%	76.8%
Concurrent use of 2 or more antipsychotics, % ***	15.6%	22.8%	30.7%	23.5%	31.7%	24.9%	20.2%	17.1%	20.7%	14.2%
Among pts receiving just one antipsychotic										
Antipsychotic fills, mean	8.10	9.45	9.60	5.40	9.97	9.89	7.53	7.69	9.35	10.45
SD	*5.37*	*6.04*	*5.21*	*4.11*	*5.84*	*5.75*	*4.69*	*6.76*	*5.40*	*6.64*
Antipsychotic Medication Possession Ratio, mean	0.83	0.87	0.87	0.94	0.96	0.84	0.81	0.93	0.86	0.83
SD	*0.33*	*0.32*	*0.30*	*0.40*	*0.31*	*0.32*	*0.34*	*0.34*	*0.33*	*0.31*
Antipsychotic Med Possession Ratio <= 0.80, %	37.1%	30.6%	29.4%	32.1%	22.5%	32.9%	39.0%	23.9%	29.6%	34.1%
Antipsychotic Med Possession Ratio <= 0.50, %	18.0%	14.6%	12.8%	10.7%	6.2%	16.9%	18.3%	11.9%	16.7%	17.0%

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5G: FY03 Schizophrenic Patients, Cost, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Schizophrenic Patients	94395	4893	497	167	627	1503	170	465	479	985
Total Costs (in thousands $$)	$1,637,013	$112,598	$6,742	$1,862	$22,653	$39,013	$1,443	$15,684	$6,360	$18,841
Station % of VISN		100.0%	6.0%	1.7%	20.1%	34.6%	1.3%	13.9%	5.6%	16.7%
Psych vs. Non-Psych Costs										
Psych	34.5%	40.4%	15.5%	38.9%	31.9%	40.6%	19.7%	62.5%	30.5%	45.6%
Non-Psych	65.5%	59.6%	84.5%	61.1%	68.1%	59.4%	80.3%	37.5%	69.5%	54.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use										
Per Patient	$21,945	$30,450	$10,589	$16,854	$32,490	$33,626	$7,881	$57,873	$14,870	$23,386
Per Day of Stay	$763	$598	$419	$847	$475	$641	$745	$498	$893	$1,037
Mean Outpatient Costs, Pts with some Outpatient use										
Per Patient	$7,323	$9,616	$6,918	$6,559	$11,881	$10,234	$5,694	$7,474	$8,051	$11,622
Per Visit Day	$265	$249	$265	$344	$159	$284	$318	$209	$282	$287
Mean Patient Costs, By Cost Center										
1 Med	$1,399	$1,307	$488	$735	$1,495	$1,922	$243	$840	$1,172	$1,230
2 Surg	$470	$530	$440	$362	$501	$599	$21	$200	$477	$787
3 Psych	$4,062	$6,104	$862	$3,243	$8,419	$7,032	$617	$18,874	$2,201	$3,159
4 Psych Res Rehab Treatment Program	$217	$111	$0	$0	$193	$230	$0	$67	$16	$40
5 Non-VA	$230	$328	$375	$157	$487	$316	$460	$335	$221	$274
6 LTC Domiciliary	$302	$332	$0	$0	$9	$1,075	$0	$0	$12	$0
7 LTC Intermediate Care	$166	$428	$2,037	$49	$324	$512	$6	$6	$177	$14
8 LTC Nursing Home	$2,633	$3,070	$2,435	$0	$11,989	$2,730	$125	$4,115	$0	$263
9 Contract Nursing Home	$664	$1,453	$122	$82	$1,609	$1,716	$1,322	$2,189	$951	$1,775
10 OPC Med/Surg	$930	$1,168	$471	$951	$751	$1,658	$910	$559	$927	$1,522
11 OPC Psych	$1,916	$3,188	$1,241	$1,094	$3,115	$3,510	$1,058	$2,205	$1,845	$5,563
12 OPC Home Based Treatment	$933	$1,202	$1,343	$615	$3,003	$1,004	$597	$504	$1,082	$877
13 OPC Support	$1,243	$1,395	$774	$836	$1,727	$1,520	$917	$1,025	$906	$1,898
14 OPC Fee	$130	$170	$261	$270	$101	$113	$78	$114	$329	$202
15 OPC Pharmacy	$2,047	$2,226	$2,717	$2,753	$2,407	$2,021	$2,135	$2,697	$2,961	$1,524
TOTAL	$17,342	$23,012	$13,565	$11,148	$36,130	$25,957	$8,488	$33,730	$13,277	$19,128
Mean % Patient Costs at Other Stations	3.6%	4.2%	1.5%	4.0%	10.5%	3.1%	7.5%	5.0%	5.5%	1.8%
SD	*12.4%*	*13.2%*	*8.5%*	*11.3%*	*20.3%*	*11.1%*	*17.2%*	*13.1%*	*14.5%*	*9.3%*
Mean % Patient Costs at Other VISNs	1.3%	0.7%	0.6%	0.5%	0.7%	0.6%	1.2%	0.9%	0.4%	1.0%
SD	*7.5%*	*5.6%*	*5.3%*	*2.8%*	*6.1%*	*5.1%*	*7.1%*	*5.7%*	*3.9%*	*6.9%*

Table 1H: FY03 Bipolar Patients, Demographics, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Bipolar Patients	73964	4263	451	208	551	1194	212	302	572	773
Age, %										
<35	7.9%	5.9%	7.8%	4.8%	5.6%	6.0%	2.8%	6.0%	5.8%	6.2%
>=35 and <50	36.3%	32.3%	28.2%	33.2%	36.7%	32.6%	34.0%	29.5%	30.8%	32.7%
>=50 and <65	40.3%	43.1%	46.6%	44.7%	36.3%	42.5%	42.5%	45.7%	47.0%	42.8%
>=65 and <80	13.3%	15.6%	14.6%	15.9%	17.6%	16.1%	18.4%	15.9%	13.5%	14.9%
>=80	2.2%	3.0%	2.9%	1.4%	3.8%	2.8%	2.4%	3.0%	3.0%	3.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	52.26	53.99	53.73	53.64	54.10	54.09	55.13	53.71	53.71	54.01
SD	*12.50*	*12.64*	*13.00*	*11.60*	*13.43*	*12.69*	*12.48*	*12.03*	*12.05*	*12.78*
Gender										
Male, %	88.2%	91.8%	91.6%	91.3%	92.7%	91.9%	87.3%	91.1%	94.1%	90.9%
Female, %	11.8%	8.2%	8.4%	8.7%	7.3%	8.1%	12.7%	8.9%	5.9%	9.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %										
Hispanic white	2.8%	1.1%	0.4%	0.5%	0.4%	1.3%	0.0%	2.0%	0.9%	2.1%
Hispanic black	0.3%	0.3%	0.0%	0.0%	0.2%	0.2%	0.0%	0.3%	1.2%	0.4%
American indian	0.3%	0.1%	0.2%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%	0.1%
Black	10.4%	4.5%	0.2%	0.5%	3.1%	6.6%	0.5%	5.3%	3.8%	7.2%
Asian	0.2%	0.1%	0.2%	0.0%	0.0%	0.3%	0.0%	0.0%	0.2%	0.0%
White	62.5%	74.3%	85.6%	74.0%	79.5%	75.1%	87.7%	78.8%	57.7%	69.7%
Race unknown	23.5%	19.5%	13.3%	25.0%	16.9%	16.5%	11.8%	13.6%	36.0%	20.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status										
Never married	21.0%	23.2%	16.1%	16.5%	26.8%	26.3%	17.1%	25.6%	20.6%	24.1%
Married	37.7%	36.6%	49.8%	44.7%	30.3%	33.8%	44.1%	30.6%	35.3%	36.7%
Divorced/Separated	37.9%	36.5%	30.0%	35.9%	36.5%	37.3%	35.5%	40.5%	40.0%	34.9%
Widowed	3.4%	3.8%	4.0%	2.9%	6.4%	2.5%	3.3%	3.3%	4.0%	4.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Bipolar Patients	73964	4263	451	208	551	1194	212	302	572	773
Registry Pts. History of VA Utilization										
Years since first use in prior five years, mean	4.19	4.34	4.44	4.39	4.13	4.40	4.30	4.36	4.51	4.21
SD	*1.31*	*1.21*	*1.13*	*1.14*	*1.41*	*1.18*	*1.23*	*1.18*	*1.04*	*1.29*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.1%	25.3%	16.8%	20.5%	35.3%	30.5%	16.9%	27.3%	23.0%	20.1%
SD	*29.2%*	*30.1%*	*23.4%*	*25.0%*	*34.0%*	*33.1%*	*23.7%*	*31.6%*	*27.2%*	*26.9%*
Years with OP use / Years since first use, %	96.7%	97.0%	98.1%	97.2%	95.8%	96.4%	96.8%	96.5%	97.9%	97.6%
SD	*10.5%*	*10.2%*	*8.3%*	*8.9%*	*12.3%*	*11.7%*	*10.5%*	*10.0%*	*8.3%*	*8.6%*
Psychosis Diagnoses in Prior Fiscal Year										
Had Psychosis Diagnosis in FY01, %	65.0%	65.3%	67.0%	68.8%	64.8%	62.4%	70.3%	66.2%	69.2%	63.5%
Among Patients With Psychoses in FY01										
Psychosis Category: Schizophrenia, %	3.8%	4.7%	2.3%	2.1%	5.3%	6.0%	2.0%	5.0%	2.0%	7.1%
Psychosis Category: Bipolar Disorder, %	94.8%	94.1%	95.7%	97.2%	93.8%	92.6%	98.0%	94.5%	97.2%	91.0%
Psychosis Category: Other Psychosis, %	1.4%	1.2%	2.0%	0.7%	0.8%	1.3%	0.0%	0.5%	0.8%	1.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %										
Dementia	7.9%	1.7%	3.3%	4.3%	3.1%	3.1%	3.8%	1.7%	2.3%	1.8%
Post Traumatic Stress Disorder	17.4%	20.1%	23.7%	22.1%	31.2%	40.2%	27.4%	34.4%	27.1%	26.9%
Depression	38.9%	44.0%	50.1%	32.7%	48.6%	52.8%	43.4%	48.0%	37.6%	57.7%
Other Anxiety Disorder	9.0%	14.4%	18.2%	17.3%	27.2%	25.5%	23.1%	19.5%	25.2%	18.6%
Substance Abuse or Dependence	27.3%	32.8%	23.5%	25.0%	48.1%	41.3%	19.8%	38.1%	35.8%	36.7%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Bipolar Patients	73964	4263	451	208	551	1194	212	302	572	773
Medical Comorbidities, %										
No medical comorbidities	14.9%	16.0%	16.2%	18.3%	18.3%	16.8%	12.7%	17.5%	12.1%	17.3%
Anemia	10.0%	7.9%	4.9%	6.3%	6.4%	7.0%	8.5%	7.9%	5.6%	6.0%
Arthritis	34.5%	34.9%	40.4%	41.3%	35.4%	36.8%	48.1%	38.7%	40.0%	39.5%
Cancer	8.4%	6.9%	6.7%	7.2%	4.4%	8.0%	4.2%	6.6%	7.2%	5.8%
Cerebrovascular Disease	8.4%	3.9%	4.0%	4.3%	2.4%	2.8%	2.8%	1.7%	2.8%	4.0%
Chronic Neurologic Disorder	14.8%	13.0%	12.2%	15.9%	12.5%	15.2%	13.2%	10.6%	13.1%	14.4%
Chronic Obstructive Pulmonary Disease	13.4%	15.4%	13.7%	15.9%	14.3%	16.7%	17.0%	13.9%	20.1%	15.9%
Chronic Viral Infection	11.8%	12.2%	3.5%	6.7%	17.4%	16.2%	9.0%	7.0%	6.5%	7.8%
Coronary Artery Disease	22.5%	17.9%	19.1%	17.8%	19.1%	19.1%	17.0%	14.9%	16.1%	17.5%
Diabetes	22.3%	19.4%	20.2%	23.1%	14.7%	16.9%	16.0%	10.9%	17.5%	13.7%
Digestive System Disease	43.5%	43.4%	39.5%	33.7%	42.6%	41.0%	48.6%	40.4%	43.2%	37.3%
Hypertension	47.0%	37.1%	40.8%	34.6%	30.3%	36.5%	39.6%	27.8%	38.6%	39.3%
Injury and Poisoning	20.0%	18.2%	17.1%	19.2%	22.7%	20.8%	22.2%	15.9%	20.6%	20.4%
Liver Disease	3.5%	3.4%	2.0%	4.8%	4.0%	4.3%	4.2%	4.0%	4.0%	3.2%
Other Endocrine	7.6%	8.3%	10.6%	5.3%	6.0%	7.3%	8.5%	7.0%	10.0%	7.9%
Peripheral Vascular Disease	4.7%	3.9%	4.9%	4.8%	2.2%	4.3%	3.3%	2.6%	2.3%	4.1%
GAF scores										
Lowest inpatient GAF score, mean	39.59	34.57	27.79	46.89	33.72	34.42	38.41	36.50	36.19	35.75
SD	*14.06*	*11.83*	*5.91*	*11.81*	*12.57*	*12.46*	*13.32*	*7.52*	*10.67*	*9.03*
Mean outpatient GAF score	53.41	50.90	45.45	59.77	49.03	53.11	57.95	42.42	54.30	48.67
SD	*10.75*	*10.40*	*8.17*	*10.29*	*9.69*	*10.20*	*7.50*	*8.15*	*8.26*	*10.34*
At least 1 IP GAF, among pts with MH bedsections, %	*39.1%*	*55.5%*	*58.8%*	*33.3%*	*74.9%*	*69.2%*	*48.1%*	*35.6%*	*38.3%*	*32.5%*
At least 1 OP GAF, among pts with MH clinic stops, %	81.5%	88.9%	96.4%	93.1%	96.6%	84.9%	93.7%	93.1%	91.8%	79.5%
Mortality rates										
died in FY02, %	1.5%	1.4%	1.6%	2.4%	1.3%	1.1%	0.5%	0.7%	2.3%	1.3%
Age-and-gender-adjusted Standardized Mortality Ratio	1.07	1.05	1.05	1.60	0.76	0.70	0.28	0.45	1.52	0.82

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Bipolar Patients	73964	4263	451	208	551	1194	212	302	572	773
Service Connection (SC)										
Non-SC	55.9%	53.6%	36.6%	50.5%	61.9%	53.2%	50.5%	55.0%	49.5%	62.5%
SC 0 - 29%	10.0%	8.6%	8.6%	10.1%	9.8%	7.9%	9.9%	7.3%	8.4%	8.5%
SC 30 - 69%	13.4%	12.3%	11.8%	13.9%	9.6%	14.3%	11.8%	10.6%	13.5%	11.1%
SC 70 - 99%	8.9%	11.3%	20.4%	11.5%	7.4%	11.6%	9.4%	13.9%	12.6%	6.9%
SC 100%	11.8%	14.2%	22.6%	13.9%	11.3%	13.0%	18.4%	13.2%	16.1%	11.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %										
Complex*	12.2%	15.3%	7.8%	5.3%	32.7%	18.2%	8.0%	19.9%	9.3%	10.2%
Basic vested, Cat A*	80.3%	76.3%	85.6%	84.6%	56.6%	75.1%	82.1%	72.8%	85.7%	77.4%
Basic Non-vested, Cat A*	0.9%	0.6%	0.7%	0.0%	0.5%	1.2%	0.0%	0.7%	0.0%	0.6%
Basic, Cats C and N	6.6%	7.8%	6.0%	10.1%	10.2%	5.5%	9.9%	6.6%	5.1%	11.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded										
Patient eligibility category, %										
Cat A (SC or low income)	93.2%	91.9%	94.0%	89.9%	89.8%	94.0%	89.2%	93.0%	94.8%	87.8%
Cat C (NSC and higher income)	5.9%	7.1%	5.5%	8.7%	8.0%	4.9%	9.4%	6.3%	5.2%	11.6%
Non-Veteran	0.9%	0.9%	0.4%	1.4%	2.2%	1.2%	1.4%	0.7%	0.0%	0.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %										
BASIC 1. Non-reliant Care	0.1%	0.1%	0.0%	0.0%	0.2%	0.2%	0.0%	0.3%	0.0%	0.3%
2. Basic Medical	15.2%	10.3%	18.8%	11.5%	6.4%	8.4%	20.3%	3.3%	12.6%	9.1%
3. Mental Health	40.5%	39.8%	44.6%	42.3%	34.3%	35.5%	34.9%	42.4%	46.0%	42.4%
4. Heart / Lung / GI	6.9%	6.1%	10.0%	9.6%	2.9%	5.9%	9.4%	1.0%	7.0%	5.7%
5. Oncology / Infectious Disease	4.3%	3.9%	1.8%	2.9%	6.2%	5.6%	2.8%	3.6%	2.6%	2.7%
6. Multiple Medical	20.7%	24.5%	17.1%	28.4%	17.4%	26.2%	24.5%	29.5%	22.6%	29.6%
COMPLEX 7. Specialized Care	2.2%	3.0%	1.8%	0.5%	1.8%	2.8%	1.4%	9.6%	3.0%	3.1%
8. Support Care	2.1%	1.9%	0.7%	1.9%	4.2%	2.5%	1.9%	1.0%	1.2%	0.9%
9. Chronic Mental	6.8%	9.3%	3.8%	2.9%	23.8%	12.1%	2.4%	7.9%	4.7%	5.4%
10. Critically Ill	1.1%	1.1%	1.6%	0.0%	2.9%	0.8%	2.4%	1.3%	0.3%	0.8%
Total	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Bipolar Patients	73964	4263	451	208	551	1194	212	302	572	773
Homelessness										
Homelessness indicated in FY02, %	13.8%	16.2%	2.7%	7.7%	30.5%	20.8%	3.8%	20.2%	8.7%	16.3%
Residence in Metropolitan Area										
Residing in a Metropolitan Statistical Area, %	79.3%	83.9%	33.7%	9.1%	97.1%	97.8%	72.2%	85.3%	95.8%	96.5%
Distance										
Mile from Closest VA Medical Center, mean	34.15	20.59	51.85	40.23	13.98	13.35	20.07	15.68	13.83	20.00
SD	*73.16*	*23.40*	*47.69*	*25.02*	*10.24*	*11.05*	*14.61*	*11.68*	*13.38*	*13.79*
Distance from closest VA Medical Center, %										
0 to 15 miles	46.2%	51.6%	14.6%	13.0%	62.5%	69.5%	39.2%	45.7%	69.6%	40.5%
15 to 30 miles	17.2%	25.5%	22.6%	26.0%	27.8%	19.6%	30.7%	45.3%	18.9%	30.5%
30 to 45 miles	10.6%	14.2%	15.7%	27.4%	8.7%	8.7%	25.0%	7.0%	5.9%	27.8%
45 to 60 miles	8.5%	5.1%	25.3%	10.6%	0.7%	2.1%	4.2%	1.7%	5.4%	0.9%
60 plus miles	17.4%	3.6%	21.7%	23.1%	0.2%	0.1%	0.9%	0.3%	0.2%	0.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.09	7.64	16.61	15.57	4.21	5.37	9.67	4.98	7.22	7.00
SD	*13.59*	*7.75*	*13.31*	*10.63*	*3.65*	*5.33*	*6.28*	*4.92*	*4.95*	*4.68*
Distance to closest VA Service Site, %										
0 to 15 miles	76.3%	87.1%	48.1%	48.6%	99.1%	93.6%	85.4%	95.7%	94.1%	93.8%
15 to 30 miles	15.4%	10.8%	37.7%	42.8%	0.9%	6.3%	13.2%	4.3%	5.9%	6.2%
30 to 45 miles	5.7%	1.7%	11.1%	8.7%	0.0%	0.1%	1.4%	0.0%	0.0%	0.0%
45 plus miles	2.7%	0.3%	3.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3H: FY03 Bipolar Patients, Utilization, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Bipolar Patients	73964	4263	451	208	551	1194	212	302	572	773
Hospital Based Utilization										
Patients with some Hospital Based Utilization, %	25.4%	28.2%	18.2%	25.0%	35.9%	32.2%	20.8%	33.8%	28.0%	23.4%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)										
Inpatient stays, mean	1.80	1.84	1.46	1.83	1.90	2.10	1.39	1.86	1.82	1.52
SD	*1.41*	*1.32*	*0.79*	*1.15*	*1.27*	*1.55*	*0.87*	*1.48*	*1.28*	*0.89*
Average LOS, mean	9.79	13.88	8.61	6.70	9.76	18.80	7.21	29.86	7.77	10.41
SD	*17.76*	*34.48*	*8.50*	*5.73*	*15.21*	*51.67*	*6.82*	*51.23*	*6.99*	*11.27*
Cumulative DOS, mean	17.09	23.28	13.68	11.40	20.53	30.24	9.64	46.02	15.44	16.66
SD	*27.94*	*45.73*	*18.32*	*9.24*	*41.58*	*60.03*	*9.27*	*70.14*	*20.92*	*20.51*
Cumulative DOS, %										
1 to 7	44.7%	41.4%	53.7%	48.1%	46.0%	34.8%	59.1%	30.4%	46.3%	40.3%
8 to 14	21.9%	22.2%	19.5%	19.2%	25.3%	24.7%	18.2%	15.7%	20.0%	22.1%
15 to 44	25.9%	26.2%	22.0%	32.7%	19.2%	27.3%	22.7%	27.5%	28.8%	29.8%
45 to 89	5.3%	5.6%	3.7%	0.0%	5.6%	5.7%	0.0%	14.7%	3.1%	6.1%
90 to 179	1.5%	2.5%	1.2%	0.0%	2.0%	3.4%	0.0%	6.9%	1.3%	1.7%
180 to 359	0.5%	1.5%	0.0%	0.0%	1.5%	2.9%	0.0%	2.9%	0.6%	0.0%
360+	0.1%	0.7%	0.0%	0.0%	0.5%	1.3%	0.0%	2.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	1.0%	3.1%	0.0%	0.0%	2.0%	5.5%	0.0%	9.8%	0.6%	0.6%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	203.75	234.97	0.00	0.00	235.25	247.48	0.00	221.20	181.00	163.00
SD	*79.71*	*93.17*	*0.00*	*0.00*	*99.04*	*95.15*	*0.00*	*99.29*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.6%	1.9%	0.0%	0.0%	1.5%	3.9%	0.0%	4.9%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	251.69	290.52	0.00	0.00	270.00	293.40	0.00	294.20	0.00	0.00
SD	*73.28*	*71.85*	*0.00*	*0.00*	*86.42*	*68.75*	*0.00*	*88.03*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.67	0.28	0.02	0.17	0.37	0.35	0.68	0.61	0.06	0.07
SD	*4.53*	*2.13*	*0.22*	*1.25*	*2.17*	*2.34*	*3.42*	*4.05*	*0.65*	*0.58*
Cumulative DOS at Other Stations	1.97	2.87	0.60	0.54	5.97	2.00	8.73	2.75	3.58	1.02
SD	*7.12*	*8.05*	*1.88*	*1.93*	*12.30*	*6.49*	*9.53*	*8.42*	*8.61*	*4.39*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Bipolar Patients	73964	4263	451	208	551	1194	212	302	572	773
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)										
Pts. with non-psych hospital stays, %	11.7%	11.0%	16.4%	14.9%	10.3%	10.9%	8.5%	5.3%	12.4%	9.3%
Inpatient stays, mean	0.72	0.56	1.23	0.94	0.36	0.53	0.50	0.29	0.66	0.49
SD	*1.10*	*0.89*	*0.81*	*1.04*	*0.68*	*0.92*	*0.73*	*1.12*	*0.90*	*0.72*
Average LOS, mean	6.20	7.78	9.64	5.94	4.23	7.35	5.54	22.38	5.84	9.45
SD	*10.70*	*16.07*	*9.83*	*6.04*	*4.07*	*11.93*	*7.33*	*66.92*	*7.03*	*15.41*
Cumulative Days of Stay, mean	4.64	4.32	12.63	5.12	1.49	3.89	2.57	4.24	4.41	4.75
SD	*13.49*	*14.00*	*17.93*	*7.06*	*3.57*	*11.20*	*5.64*	*27.68*	*13.08*	*15.44*
Cumulative Days of Stay, %										
0	54.1%	61.0%	9.8%	40.4%	71.2%	66.2%	59.1%	84.3%	55.6%	60.2%
1 to 7	30.1%	24.4%	46.3%	40.4%	23.7%	18.4%	29.5%	8.8%	29.4%	26.5%
8 to 14	7.4%	7.1%	18.3%	5.8%	3.5%	8.8%	9.1%	2.0%	6.3%	5.5%
15 to 44	7.0%	6.3%	20.7%	13.5%	1.5%	5.2%	2.3%	2.9%	8.1%	6.6%
45 to 89	1.1%	0.7%	3.7%	0.0%	0.0%	0.8%	0.0%	1.0%	0.0%	0.6%
90 to 179	0.3%	0.4%	1.2%	0.0%	0.0%	0.5%	0.0%	0.0%	0.6%	0.6%
180 to 359	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	1.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.2%	0.3%	0.0%	0.0%	0.0%	0.3%	0.0%	1.0%	0.6%	0.6%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	187.03	170.75	0.00	0.00	0.00	104.00	0.00	272.00	144.00	163.00
SD	*73.96*	*71.84*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	1.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.06	272.00	0.00	0.00	0.00	0.00	0.00	272.00	0.00	0.00
SD	*75.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.15*	*0.02*	0.00	0.00	0.02	0.05	0.05	0.00	0.01	0.00
SD	2.03	*0.34*	*0.00*	*0.00*	*0.21*	*0.57*	*0.30*	*0.00*	*0.16*	*0.00*
Other station cumulative DOS, mean	0.50	0.51	0.41	0.21	1.45	0.20	1.66	0.73	0.24	0.13
SD	*3.25*	*2.47*	*1.57*	*1.07*	*3.57*	*1.61*	*5.18*	*3.94*	*1.28*	*1.18*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Bipolar Patients	73964	4263	451	208	551	1194	212	302	572	773
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)										
Pts. with psych hospital stays, %	16.8%	20.5%	3.8%	13.0%	31.0%	25.0%	12.7%	33.4%	18.7%	15.9%
Inpatient stays, mean	1.08	1.28	0.23	0.88	1.54	1.57	0.89	1.57	1.16	1.03
SD	*1.27*	*1.34*	*0.48*	*1.26*	*1.25*	*1.59*	*0.99*	*0.99*	*1.34*	*1.03*
Average LOS, mean	12.15	16.66	4.74	8.26	11.73	22.21	8.36	29.84	9.17	11.00
SD	*21.36*	*39.93*	*3.78*	*6.17*	*20.72*	*58.02*	*6.27*	*49.95*	*7.43*	*7.90*
Cumulative Days of Stay, mean	12.44	18.96	1.05	6.29	19.04	26.36	7.07	41.78	11.03	11.91
SD	*25.57*	*44.38*	*2.64*	*8.69*	*41.25*	*60.39*	*9.38*	*62.88*	*16.63*	*16.34*
Cumulative Days of Stay, %										
0	34.1%	27.6%	79.3%	48.1%	13.6%	22.3%	38.6%	1.0%	33.1%	32.0%
1 to 7	24.8%	27.3%	14.6%	15.4%	38.9%	27.8%	31.8%	30.4%	27.5%	19.9%
8 to 14	16.7%	16.3%	6.1%	21.2%	20.7%	16.1%	11.4%	16.7%	13.8%	18.2%
15 to 44	19.0%	20.3%	0.0%	15.4%	17.2%	22.1%	18.2%	28.4%	21.3%	25.4%
45 to 89	3.7%	4.3%	0.0%	0.0%	5.6%	4.7%	0.0%	11.8%	3.1%	3.3%
90 to 179	1.2%	2.2%	0.0%	0.0%	2.0%	2.9%	0.0%	7.8%	1.3%	1.1%
180 to 359	0.4%	1.4%	0.0%	0.0%	1.5%	2.9%	0.0%	2.9%	0.0%	0.0%
360+	0.1%	0.6%	0.0%	0.0%	0.5%	1.3%	0.0%	1.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.8%	2.7%	0.0%	0.0%	2.0%	5.2%	0.0%	8.8%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	201.69	238.12	0.00	0.00	364.00	152.00	0.00	341.00	0.00	0.00
SD	*78.85*	*92.87*	*0.00*	*0.00*	*98.12*	*92.36*	*0.00*	*93.07*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.5%	1.8%	0.0%	0.0%	1.5%	3.9%	0.0%	3.9%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	248.87	287.14	0.00	0.00	269.00	293.40	0.00	277.25	0.00	0.00
SD	*70.96*	*71.71*	*0.00*	*0.00*	*85.43*	*68.75*	*0.00*	*91.74*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.52	0.25	0.02	0.17	0.35	0.30	0.64	0.61	0.05	0.07
SD	*4.00*	2.08	0.22	1.25	2.16	2.23	3.42	4.05	0.63	0.58
Other station cumulative DOS, mean	1.48	2.35	0.18	0.33	4.52	1.80	7.07	2.02	3.34	0.89
SD	*6.29*	7.56	1.10	1.65	11.33	6.33	9.38	7.63	8.61	4.26

Table 3H: FY03 Bipolar Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Bipolar Patients	73964	4263	451	208	551	1194	212	302	572	773
Other 24 hour institutional care										
Patients with some other 24 hour institutional care, %	8.1%	7.6%	2.0%	1.0%	22.7%	11.4%	3.8%	5.3%	2.3%	1.8%
Residential Rehabilitation										
Patients with some residential rehab. care, %	2.6%	3.7%	0.0%	1.0%	11.4%	7.0%	0.5%	1.3%	0.2%	0.6%
Number stays, mean	*1.12*	*1.15*	0.00	1.00	1.22	1.12	1.00	1.00	1.00	1.00
SD	0.38	*0.42*	*0.00*	*0.00*	*0.52*	*0.36*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	33.17	25.56	0.00	17.00	24.92	27.02	8.00	7.25	5.00	35.20
SD	*32.92*	*15.01*	*0.00*	*5.66*	*14.79*	*12.97*	*0.00*	*4.57*	*0.00*	*36.31*
Cumulative DOS, mean	36.42	29.53	0.00	17.00	31.29	29.78	8.00	7.25	5.00	35.20
SD	*35.54*	*19.80*	*0.00*	*5.66*	*23.13*	*15.50*	*0.00*	*4.57*	*0.00*	*36.31*
Cumulative Days of Stay, %										
1 to 7	10.4%	10.1%	0.0%	0.0%	9.5%	7.2%	0.0%	50.0%	100.0%	20.0%
8 to 14	11.3%	13.2%	0.0%	50.0%	14.3%	8.4%	100.0%	50.0%	0.0%	20.0%
15 to 44	53.1%	57.2%	0.0%	50.0%	50.8%	68.7%	0.0%	0.0%	0.0%	20.0%
45 to 89	18.3%	18.2%	0.0%	0.0%	23.8%	15.7%	0.0%	0.0%	0.0%	20.0%
90 to 179	5.8%	1.3%	0.0%	0.0%	1.6%	0.0%	0.0%	0.0%	0.0%	20.0%
180 to 359	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
mean	167.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*69.53*	*0.00*	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
mean	224.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*70.59*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.28	0.23	0.00	0.00	0.46	0.04	0.00	1.25	0.00	0.00
SD	*6.79*	*2.34*	*0.00*	*0.00*	*3.65*	*0.33*	*0.00*	*2.50*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.71	7.13	0.00	17.00	11.08	3.80	8.00	7.25	5.00	9.00
SD	*10.96*	*15.78*	*0.00*	*5.66*	*21.53*	*9.08*	*0.00*	*4.57*	*0.00*	*20.12*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Bipolar Patients	73964	4263	451	208	551	1194	212	302	572	773
Domiciliary and Vocational										
Patients with some dom/voc care, %	4.2%	3.0%	0.2%	0.5%	12.0%	4.5%	0.0%	0.3%	0.5%	0.0%
Number stays, mean	1.14	1.28	1.00	1.00	1.30	1.26	0.00	1.00	1.33	0.00
SD	*0.38*	*0.59*	*0.00*	*0.00*	*0.46*	*0.73*	*0.00*	*0.00*	*0.58*	*0.00*
Average LOS, mean	80.47	80.52	14.00	24.00	82.05	84.55	0.00	1.00	42.00	0.00
SD	*77.50*	*55.13*	*0.00*	*0.00*	*52.46*	*58.36*	*0.00*	*0.00*	*23.43*	*0.00*
Cumulative DOS, mean	88.84	105.49	14.00	24.00	111.12	106.22	0.00	1.00	61.00	0.00
SD	*82.55*	*84.97*	*0.00*	*0.00*	*86.48*	*84.40*	*0.00*	*0.00*	*49.87*	*0.00*
Cumulative Days of Stay, %										
1 to 7	6.1%	3.2%	0.0%	0.0%	4.5%	0.0%	0.0%	100.0%	0.0%	0.0%
8 to 14	5.6%	7.1%	100.0%	0.0%	4.5%	9.3%	0.0%	0.0%	0.0%	0.0%
15 to 44	28.2%	15.9%	0.0%	100.0%	15.2%	14.8%	0.0%	0.0%	33.3%	0.0%
45 to 89	21.0%	22.2%	0.0%	0.0%	24.2%	20.4%	0.0%	0.0%	33.3%	0.0%
90 to 179	26.2%	37.3%	0.0%	0.0%	33.3%	44.4%	0.0%	0.0%	33.3%	0.0%
180 to 359	10.5%	13.5%	0.0%	0.0%	18.2%	9.3%	0.0%	0.0%	0.0%	0.0%
360+	2.4%	0.8%	0.0%	0.0%	0.0%	1.9%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	0.0%
Dom. patients with 100+ day Dom. stay, %	32.1%	43.7%	0.0%	0.0%	43.9%	48.1%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	184.30	176.51	0.00	0.00	183.14	169.12	0.00	0.00	0.00	0.00
SD	*76.03*	*77.70*	*0.00*	*0.00*	*77.83*	*78.40*	*0.00*	*0.00*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.5%	11.9%	0.0%	0.0%	13.6%	11.1%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	236.94	279.67	0.00	0.00	274.00	288.17	0.00	0.00	0.00	0.00
SD	*71.03*	*66.77*	*0.00*	*0.00*	*62.80*	*77.65*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.76	0.90	0.00	0.00	0.52	1.46	0.00	0.00	0.00	0.00
SD	*9.43*	*5.29*	*0.00*	*0.00*	*3.51*	*7.08*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	4.27	14.04	14.00	24.00	12.67	13.17	0.00	1.00	61.00	0.00
SD	*15.65*	*36.41*	*0.00*	*0.00*	*34.56*	*37.88*	*0.00*	*0.00*	*49.87*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Bipolar Patients	73964	4263	451	208	551	1194	212	302	572	773
Nursing Home Care										
Patients with some nursing home care, %	2.1%	2.2%	1.8%	0.5%	4.9%	1.9%	3.3%	3.6%	1.6%	1.2%
Number stays, mean	1.22	1.22	1.13	1.00	1.15	1.26	1.29	1.36	1.00	1.44
SD	*0.55*	*0.49*	*0.35*	*0.00*	*0.36*	*0.45*	*0.49*	*0.81*	*0.00*	*0.73*
Average LOS, mean	86.89	103.68	122.56	6.00	180.63	84.48	69.00	81.15	33.78	40.39
SD	*110.58*	*127.66*	*150.64*	*0.00*	*136.23*	*131.39*	*63.67*	*141.68*	*10.64*	*35.24*
Cumulative DOS, mean	98.25	109.98	128.50	6.00	186.78	93.83	79.14	86.55	33.78	44.78
SD	*116.77*	*125.92*	*148.18*	*0.00*	*130.97*	*131.96*	*59.98*	*139.72*	*10.64*	*31.53*
Cumulative Days of Stay, %										
1 to 7	10.5%	9.5%	12.5%	100.0%	0.0%	13.0%	0.0%	36.4%	0.0%	0.0%
8 to 14	10.7%	5.3%	0.0%	0.0%	3.7%	13.0%	0.0%	0.0%	0.0%	11.1%
15 to 44	30.2%	32.6%	37.5%	0.0%	11.1%	30.4%	28.6%	27.3%	88.9%	55.6%
45 to 89	16.4%	18.9%	12.5%	0.0%	14.8%	21.7%	42.9%	18.2%	11.1%	22.2%
90 to 179	12.3%	8.4%	12.5%	0.0%	18.5%	0.0%	14.3%	0.0%	0.0%	11.1%
180 to 359	10.2%	10.5%	0.0%	0.0%	25.9%	8.7%	14.3%	0.0%	0.0%	0.0%
360+	9.8%	14.7%	25.0%	0.0%	25.9%	13.0%	0.0%	18.2%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	27.9%	27.4%	25.0%	0.0%	55.6%	21.7%	14.3%	18.2%	0.0%	11.1%
Cumul. DOS, patients with a 100+ day NH stay, mean	261.88	297.08	364.00	0.00	287.33	329.80	199.00	364.00	0.00	110.00
SD	*97.21*	*84.53*	*0.00*	*0.00*	*80.57*	*67.88*	*0.00*	*0.00*	*0.00*	*0.00*
NH patients with 150+ day NH stay, %	22.1%	26.3%	25.0%	0.0%	55.6%	21.7%	14.3%	18.2%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	296.07	304.56	364.00	0.00	287.33	329.80	199.00	364.00	0.00	0.00
SD	*76.98*	*76.98*	*0.00*	*0.00*	*80.57*	*67.88*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*5.60*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.51	1.35	0.00	6.00	1.78	3.22	0.00	0.00	0.00	0.00
SD	*9.89*	*6.63*	*0.00*	*0.00*	*9.24*	*8.87*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Bipolar Patients	73964	4263	451	208	551	1194	212	302	572	773
Outpatient utilization										
(reported for those with some outpatient care)										
Patients with some outpatient care, %	99.6%	99.5%	99.3%	100.0%	99.5%	99.1%	100.0%	99.0%	100.0%	99.9%
annual visit days, mean	24.20	31.23	21.98	19.85	47.61	32.79	21.55	33.90	26.45	30.81
SD	30.37	*39.05*	*25.37*	*19.85*	*57.28*	*40.72*	*17.12*	*41.04*	*32.87*	*34.40*
Outpatient visit days, %										
1-12	43.1%	36.7%	43.5%	48.6%	35.9%	34.4%	42.0%	30.8%	38.6%	32.9%
13-24	26.8%	24.7%	28.3%	23.6%	14.4%	24.9%	23.6%	25.8%	27.6%	27.6%
25-36	12.4%	12.7%	11.8%	13.5%	9.1%	13.1%	13.7%	17.1%	13.6%	12.3%
37-48	6.4%	7.8%	6.5%	5.3%	7.8%	7.7%	14.6%	7.4%	7.0%	8.4%
49+	11.4%	18.1%	9.8%	9.1%	32.7%	19.9%	6.1%	19.1%	13.1%	18.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	80.8%	80.6%	86.6%	84.6%	68.1%	79.4%	89.6%	85.3%	88.1%	76.8%
Mean PC visit days, among those with some PC	3.83	3.93	3.60	3.63	2.95	4.14	4.57	3.74	4.88	3.57
SD	3.42	4.09	3.37	5.07	2.37	5.03	3.76	3.01	4.80	2.86
Average number clinic stops per visit day, mean	1.50	1.40	1.42	1.50	1.43	1.36	1.39	1.27	1.40	1.44
SD	*0.45*	*0.37*	*0.39*	*0.41*	*0.43*	*0.31*	*0.33*	*0.26*	*0.45*	*0.38*
annual clinic stops (psych & non-psych, mean	37.58	45.51	31.66	29.68	71.66	47.06	30.62	42.97	37.95	47.57
SD	*53.68*	*61.08*	*45.45*	*31.68*	*88.14*	*63.49*	*28.04*	*51.93*	*50.57*	*58.57*
annual non-psychiatric clinic stops, mean	19.81	21.10	18.83	17.32	19.47	24.20	22.50	18.97	19.07	21.77
SD	*22.87*	*25.73*	*26.05*	*19.72*	*24.76*	*32.41*	*21.70*	*21.58*	*17.85*	*22.89*
annual psych clinic stops (groupings below), mean	17.77	24.42	12.83	12.36	52.20	22.86	8.12	23.99	18.88	25.80
SD	*40.95*	*47.32*	*26.48*	*17.80*	*75.28*	*44.53*	*11.54*	*40.91*	*42.53*	*44.42*
1. general psych clinic stops, mean	7.61	8.50	8.18	10.17	10.92	8.32	7.20	9.44	5.94	8.65
SD	*12.69*	*11.98*	*12.00*	*13.63*	*15.05*	*11.75*	*9.75*	*10.45*	*9.03*	*12.03*
2. psych case management clinic stops, mean	0.65	1.63	0.90	0.00	10.17	0.21	0.00	0.00	0.00	0.88
SD	*8.45*	*15.91*	*8.87*	*0.00*	*40.63*	*2.88*	*0.00*	*0.00*	*0.00*	*10.10*
3. psych day treatment clinic stops, mean	1.57	2.32	1.52	0.06	6.48	1.63	0.03	1.74	0.37	3.80
SD	*15.80*	*12.69*	*11.44*	*0.77*	*21.21*	*11.41*	*0.48*	*5.79*	*2.54*	*15.85*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Bipolar Patients	73964	4263	451	208	551	1194	212	302	572	773
4. substance abuse clinic stops, mean	4.64	5.43	1.21	0.68	7.72	7.42	0.41	2.96	3.19	8.51
SD	*21.97*	*22.11*	*6.52*	*5.01*	*17.68*	*30.48*	*4.24*	*9.95*	*13.02*	*28.17*
5. psych vocational clinic stops, mean	1.91	4.57	0.64	0.17	16.17	3.41	0.12	9.08	3.26	2.03
SD	*15.13*	*23.84*	*24.39*	*3.44*	*39.92*	*21.12*	*0.00*	*31.59*	*30.41*	*12.04*
6. PTSD clinic stops, mean	0.80	1.22	0.13	0.27	0.16	0.80	0.25	0.04	0.42	0.54
SD	*5.71*	*6.69*	*1.76*	*1.57*	*2.20*	*5.51*	*3.22*	*0.72*	*3.07*	*4.25*
7. psych homeless clinic stops, mean	0.54	0.91	0.02	0.32	0.31	0.45	0.01	0.12	1.41	0.40
SD	*3.97*	*8.52*	*0.19*	*1.12*	*2.34*	*3.40*	*0.11*	*0.66*	*12.69*	*2.33*
Other VISN OP visit days, mean	*0.48*	*0.33*	*0.25*	*0.35*	*0.32*	*0.35*	*0.23*	*0.72*	*0.13*	*0.40*
SD	*2.80*	*2.29*	*1.87*	*0.91*	*1.67*	*2.80*	*1.48*	*3.25*	*0.32*	*1.98*
Other station OP visit days, mean	*1.14*	*2.11*	*0.55*	*0.78*	*5.62*	*2.39*	*1.94*	*3.21*	*1.16*	*0.81*
SD	*4.45*	*6.75*	*2.00*	*3.66*	*11.70*	*7.35*	*4.05*	*7.55*	*3.89*	*3.66*

Table 4H: FY03 Bipolar Patients, Pharmacy Utilization, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Bipolar Patients	73964	4263	451	208	551	1194	212	302	572	773
Pts. with any outpatient prescriptions, %	*96.9%*	*96.3%*	*96.9%*	*97.6%*	*93.8%*	*96.2%*	*97.6%*	*97.0%*	*98.3%*	*95.6%*
Patients with any oral antipsychotic fills, %*	46.0%	48.7%	53.0%	41.3%	52.5%	49.2%	55.2%	53.6%	42.0%	46.3%
Among pts. receiving any antipsychotic medication:										
Received only conventional antipsychotics, %	7.6%	5.3%	6.3%	10.5%	4.2%	5.1%	2.6%	2.5%	4.6%	7.3%
Received some atypical antipsychotics, %	92.4%	94.7%	93.7%	89.5%	95.8%	94.9%	97.4%	97.5%	95.4%	92.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %										
Aripiprazole	0.9%	0.7%	0.0%	0.0%	1.7%	0.2%	5.1%	0.6%	0.0%	0.3%
Clozapine	0.2%	0.3%	0.0%	0.0%	1.4%	0.3%	0.0%	0.0%	0.0%	0.0%
Olanzapine	40.7%	40.8%	38.1%	40.7%	29.4%	38.8%	41.9%	47.5%	38.3%	53.1%
Quetiapine	34.1%	44.9%	36.8%	39.5%	62.3%	55.9%	38.5%	38.3%	46.3%	23.5%
Risperidone	31.0%	26.9%	33.1%	24.4%	23.9%	21.6%	30.8%	30.2%	29.2%	30.4%
Ziprasidone	4.7%	3.6%	3.3%	1.2%	2.8%	3.2%	6.0%	3.1%	7.5%	2.2%
Patients receiving only one kind** of antipsychotic, %	77.4%	75.6%	77.0%	75.6%	70.9%	74.1%	72.6%	79.6%	74.6%	80.4%
Concurrent use of 2 or more antipsychotics, % ***	5.5%	8.8%	7.5%	10.5%	15.2%	10.2%	9.4%	6.8%	7.1%	3.6%
Among pts. receiving just one antipsychotic:										
Antipsychotic fills, mean	6.09	6.71	7.88	4.68	7.44	6.90	6.39	4.98	6.29	6.75
SD	*4.43*	*4.66*	*4.43*	*3.50*	*5.13*	*4.89*	*4.41*	*3.72*	*4.13*	*4.74*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5H: FY03 Bipolar Patients, Cost, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Bipolar Patients	73964	4263	451	208	551	1194	212	302	572	773
Total Costs (in thousands $$)	$907,650	$62,174	$4,637	$2,049	$11,567	$19,883	$2,112	$4,447	$6,544	$10,934
%		100.0%	7.5%	3.3%	18.6%	32.0%	3.4%	7.2%	10.5%	17.6%
Psych vs. Non-Psych Costs										
Psych	33.4%	39.9%	21.4%	29.2%	43.4%	39.9%	19.3%	55.9%	35.5%	46.1%
Non-Psych	66.6%	60.1%	78.6%	70.8%	56.6%	60.1%	80.7%	44.1%	64.5%	53.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use										
Per Patient	$15,075	$15,682	$8,461	$11,674	$16,405	$17,418	$8,566	$18,486	$14,457	$16,851
Per Day of Stay	$882	$674	$618	$1,024	$799	$576	$889	$402	$936	$1,011
Mean Outpatient Costs, Pts with some Outpatient use										
Per Patient	$6,520	$7,984	$6,423	$6,303	$9,679	$8,196	$6,199	$7,191	$6,816	$9,476
Per Visit Day	$269	$256	$292	$318	$203	$250	$288	$212	$258	$308
Mean Patient Costs, By Cost Center										
1 Med	$1,060	$942	$334	$1,536	$731	$1,077	$484	$418	$1,269	$1,168
2 Surg	$459	$423	$392	$103	$107	$580	$166	$406	$563	$483
3 Psych	$2,315	$3,064	$813	$1,279	$5,057	$3,960	$1,128	$5,420	$2,213	$2,294
4 Psych Res Rehab Treatment Program	$298	$460	$0	$33	$1,246	$960	$3	$288	$6	$37
5 Non-VA	$176	$247	$400	$265	$246	$221	$531	$54	$123	$283
6 LTC Domiciliary	$455	$239	$0	$17	$227	$737	$0	$0	$20	$0
7 LTC Intermediate Care	$96	$269	$976	$0	$99	$324	$206	$28	$145	$171
8 LTC Nursing Home	$778	$843	$942	$15	$3,253	$629	$762	$993	$0	$210
9 Contract Nursing Home	$142	$153	$47	$298	$400	$45	$486	$0	$287	$35
10 OPC Med/Surg	$1,111	$1,271	$585	$979	$989	$1,733	$1,303	$827	$1,136	$1,504
11 OPC Psych	$1,781	$2,756	$1,391	$1,593	$4,060	$2,685	$797	$2,816	$1,853	$4,226
12 OPC Home Based Treatment	$532	$670	$635	$466	$1,327	$538	$667	$544	$583	$597
13 OPC Support	$1,309	$1,415	$1,174	$1,044	$1,515	$1,528	$1,356	$1,088	$1,062	$1,813
14 OPC Fee	$115	$87	$260	$138	$24	$73	$77	$28	$102	$53
15 OPC Pharmacy	$1,645	$1,746	$2,335	$2,083	$1,711	$1,564	$1,998	$1,817	$2,080	$1,272
TOTAL	$12,272	$14,585	$10,282	$9,851	$20,992	$16,652	$9,965	$14,726	$11,440	$14,145
Mean % Patient Costs at Other Stations	4.8%	6.7%	3.0%	2.7%	15.5%	5.2%	14.3%	9.1%	7.1%	2.4%
SD	*13.9%*	*15.9%*	*10.8%*	*9.5%*	*22.5%*	*13.2%*	*22.9%*	*17.3%*	*17.3%*	*9.4%*
Mean % Patient Costs at Other VISNs	2.0%	1.1%	1.2%	1.6%	0.8%	1.0%	1.6%	2.2%	0.8%	1.0%
SD	*9.0%*	*6.6%*	*6.5%*	*8.0%*	*5.3%*	*6.0%*	*9.6%*	*9.6%*	*6.0%*	*5.9%*

Table 1I: FY03 Other Psychosis Patients, Demographics, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Other Psychosis Patients	49401	1815	301	182	130	499	99	69	194	341
Age, %										
<35	2.2%	2.1%	2.3%	2.2%	3.1%	1.8%	2.0%	1.4%	1.5%	2.6%
>=35 and <50	12.5%	12.3%	15.0%	9.9%	14.6%	10.6%	9.1%	23.2%	9.3%	13.5%
>=50 and <65	22.1%	21.4%	25.6%	19.2%	19.2%	19.4%	20.2%	23.2%	16.0%	25.5%
>=65 and <80	36.7%	37.3%	36.5%	40.1%	40.0%	42.1%	46.5%	26.1%	41.8%	25.5%
>=80	26.5%	26.8%	20.6%	28.6%	23.1%	26.1%	22.2%	26.1%	31.4%	32.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	68.22	68.42	65.97	69.61	67.59	69.61	69.13	64.76	71.08	67.55
SD	*15.13*	*15.17*	*15.32*	*15.00*	*15.61*	*14.41*	*13.61*	*16.81*	*14.12*	*16.27*
Gender										
Male, %	96.0%	95.4%	95.0%	94.0%	95.4%	95.2%	97.0%	94.2%	97.4%	95.6%
Female, %	4.0%	4.6%	5.0%	6.0%	4.6%	4.8%	3.0%	5.8%	2.6%	4.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %										
Hispanic white	3.9%	1.4%	0.7%	0.0%	0.8%	1.6%	0.0%	2.9%	0.5%	3.2%
Hispanic black	0.3%	0.4%	0.0%	0.0%	0.0%	0.8%	0.0%	0.0%	1.5%	0.3%
American indian	0.2%	0.1%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Black	15.5%	6.1%	0.7%	0.0%	1.5%	11.0%	0.0%	10.1%	1.5%	12.3%
Asian	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
White	48.2%	62.1%	76.4%	66.5%	60.8%	62.7%	82.8%	59.4%	46.4%	50.4%
Race unknown	31.5%	29.9%	21.9%	33.5%	36.9%	23.8%	17.2%	27.5%	50.0%	33.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status										
Never married	13.4%	16.5%	12.8%	11.0%	21.5%	20.5%	10.2%	15.9%	13.9%	18.3%
Married	52.0%	48.2%	56.4%	54.9%	50.0%	42.6%	48.0%	39.1%	53.1%	44.0%
Divorced/Separated	22.5%	21.2%	19.1%	19.8%	16.9%	21.7%	22.4%	33.3%	16.5%	24.5%
Widowed	12.0%	14.1%	11.7%	14.3%	11.5%	15.2%	19.4%	11.6%	16.5%	13.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Other Psychosis Patients	49401	1815	301	182	130	499	99	69	194	341
Registry Pts. History of VA Utilization										
Years since first use in prior five years, mean	3.96	4.07	3.94	4.16	3.56	4.24	4.16	3.88	4.24	3.99
SD	*1.44*	*1.38*	*1.40*	*1.29*	*1.66*	*1.31*	*1.32*	*1.49*	*1.25*	*1.42*
Yrs with 24-hour institutional use / yrs since 1st use, %	24.1%	21.6%	18.0%	23.7%	21.2%	24.8%	24.7%	23.6%	19.1%	18.9%
SD	*27.8%*	*25.9%*	*23.3%*	*26.3%*	*26.3%*	*28.4%*	*26.1%*	*29.1%*	*22.3%*	*24.2%*
Years with OP use / Years since first use, %	96.9%	97.4%	96.7%	99.1%	96.3%	97.9%	98.8%	95.9%	96.6%	97.0%
SD	*10.4%*	*9.7%*	*11.3%*	*5.2%*	*10.4%*	*8.8%*	*7.3%*	*11.7%*	*11.0%*	*10.6%*
Psychosis Diagnoses in Prior Fiscal Year										
Had Psychosis Diagnosis in FY01, %	33.8%	31.0%	27.2%	28.6%	35.4%	38.5%	23.2%	27.5%	27.3%	28.2%
Among Patients With Psychoses in FY01										
Psychosis Category: Schizophrenia, %	9.4%	12.1%	13.4%	7.7%	15.2%	12.5%	17.4%	21.1%	3.8%	12.5%
Psychosis Category: Bipolar Disorder, %	3.8%	3.6%	2.4%	0.0%	2.2%	4.2%	0.0%	10.5%	5.7%	4.2%
Psychosis Category: Other Psychosis, %	86.9%	84.4%	84.1%	92.3%	82.6%	83.3%	82.6%	68.4%	90.6%	83.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %										
Dementia	20.6%	23.0%	16.9%	15.9%	37.7%	26.5%	19.2%	20.3%	19.6%	25.2%
Post Traumatic Stress Disorder	13.4%	17.2%	19.3%	11.5%	13.8%	19.6%	12.1%	18.8%	14.9%	18.5%
Depression	37.7%	39.4%	43.9%	39.0%	36.2%	37.1%	33.3%	39.1%	36.1%	44.0%
Other Anxiety Disorder	12.0%	15.2%	9.0%	13.7%	15.4%	18.0%	18.2%	15.9%	19.6%	13.5%
Substance Abuse or Dependence	15.7%	18.6%	17.3%	8.2%	25.4%	16.2%	15.2%	24.6%	14.4%	28.4%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Other Psychosis Patients	49401	1815	301	182	130	499	99	69	194	341
Medical Comorbidities, %										
No medical comorbidities	8.3%	12.2%	13.0%	8.2%	22.3%	11.6%	16.2%	13.0%	10.3%	10.6%
Anemia	14.2%	13.6%	9.6%	14.8%	6.9%	15.2%	20.2%	11.6%	16.0%	13.8%
Arthritis	39.1%	34.5%	35.5%	41.8%	21.5%	33.7%	34.3%	30.4%	27.8%	40.8%
Cancer	14.0%	15.2%	12.3%	16.5%	10.0%	19.2%	19.2%	7.2%	17.0%	12.3%
Cerebrovascular Disease	16.4%	14.9%	12.0%	17.0%	10.0%	18.4%	17.2%	10.1%	13.4%	14.4%
Chronic Neurologic Disorder	20.8%	17.7%	15.9%	26.4%	11.5%	17.4%	20.2%	18.8%	18.6%	15.8%
Chronic Obstructive Pulmonary Disease	17.9%	17.2%	18.9%	20.9%	10.8%	16.6%	19.2%	21.7%	17.0%	15.8%
Chronic Viral Infection	5.9%	5.1%	3.0%	3.3%	4.6%	6.0%	6.1%	5.8%	3.6%	7.3%
Coronary Artery Disease	33.0%	33.3%	30.9%	42.9%	26.9%	31.5%	32.3%	21.7%	33.5%	37.8%
Diabetes	23.4%	20.9%	17.6%	26.4%	20.0%	18.4%	19.2%	26.1%	22.7%	23.2%
Digestive System Disease	42.9%	40.1%	38.9%	43.4%	30.0%	41.9%	48.5%	42.0%	39.7%	38.1%
Hypertension	54.9%	50.0%	47.8%	50.0%	36.9%	51.9%	40.4%	49.3%	51.5%	56.3%
Injury and Poisoning	19.4%	20.6%	15.6%	24.7%	20.0%	21.6%	28.3%	17.4%	18.0%	21.4%
Liver Disease	3.8%	3.8%	2.7%	5.5%	1.5%	3.4%	4.0%	7.2%	5.7%	3.5%
Other Endocrine	9.5%	7.2%	5.6%	9.9%	2.3%	8.4%	7.1%	10.1%	9.8%	5.0%
Peripheral Vascular Disease	7.8%	10.0%	10.0%	14.8%	4.6%	10.4%	11.1%	10.1%	7.7%	9.7%
GAF scores										
Mean inpatient GAF score	37.71	34.76	26.83	39.29	31.83	37.45	40.29	35.71	30.45	34.00
SD	*14.78*	*14.21*	*8.28*	*15.66*	*13.76*	*16.12*	*10.59*	*6.82*	*13.31*	*16.29*
Mean outpatient GAF score	48.43	46.78	43.27	54.77	45.14	48.42	54.29	40.37	50.11	43.03
SD	*11.56*	*11.35*	*9.00*	*10.26*	*11.60*	*11.67*	*10.90*	*7.70*	*9.84*	*11.01*
At least 1 IP GAF, among pts with MH bedsections, %	36.3%	44.1%	60.0%	29.4%	61.1%	55.4%	33.3%	46.2%	37.9%	22.6%
At least 1 OP GAF, among pts with MH clinic stops, %	74.8%	82.3%	93.5%	81.5%	83.1%	74.8%	78.6%	81.8%	80.8%	85.9%
Mortality rates										
died in FY02, %	6.2%	5.9%	4.3%	5.5%	4.6%	6.0%	15.2%	4.3%	6.2%	5.3%
Age-and-gender-adjusted Standardized Mortality Ratio	1.21	1.14	0.95	1.00	0.93	1.12	2.87	0.98	1.03	1.03

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston VAMC*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Other Psychosis Patients	27075	1111	139	160	78	381	37	26	125	165
Service Connection (SC)										
Non-SC	63.3%	59.8%	56.8%	66.5%	68.5%	54.1%	58.6%	65.2%	54.1%	66.6%
SC 0 - 29%	10.4%	10.7%	8.3%	11.0%	10.8%	11.2%	16.2%	11.6%	12.4%	9.4%
SC 30 - 69%	10.8%	10.9%	8.3%	9.3%	10.0%	12.4%	6.1%	17.4%	11.9%	11.4%
SC 70 - 99%	6.4%	8.2%	12.3%	6.0%	3.1%	9.2%	4.0%	2.9%	11.9%	6.2%
SC 100%	9.1%	10.4%	14.3%	7.1%	7.7%	13.0%	15.2%	2.9%	9.8%	6.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %										
Complex*	15.0%	16.5%	13.0%	3.3%	21.7%	16.6%	18.2%	14.5%	14.4%	25.8%
Basic vested, Cat A*	74.8%	71.1%	71.1%	83.5%	57.4%	75.2%	70.7%	73.9%	76.8%	60.1%
Basic Non-vested, Cat A*	0.8%	0.9%	0.7%	0.5%	3.9%	0.6%	1.0%	1.4%	0.0%	0.9%
Basic, Cats C and N	9.4%	11.5%	15.3%	12.6%	17.1%	7.6%	10.1%	10.1%	8.8%	13.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded										
Patient eligibility category, %										
Cat A (SC or low income)	90.1%	87.6%	84.4%	86.8%	79.8%	92.0%	88.9%	89.9%	90.2%	85.0%
Cat C (NSC and higher income)	9.4%	11.5%	15.3%	11.5%	17.8%	7.2%	11.1%	8.7%	9.8%	13.8%
Non-Veteran	0.6%	0.9%	0.3%	1.6%	2.3%	0.8%	0.0%	1.4%	0.0%	1.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %										
BASIC 1. Non-reliant Care	0.1%	0.1%	0.3%	0.0%	0.0%	0.0%	0.0%	1.4%	0.0%	0.0%
2. Basic Medical	25.3%	20.7%	27.6%	27.5%	21.7%	20.2%	27.3%	13.0%	19.6%	11.7%
3. Mental Health	25.6%	30.0%	27.6%	25.8%	32.6%	32.1%	23.2%	33.3%	30.9%	31.4%
4. Heart / Lung / GI	12.5%	11.0%	14.0%	18.1%	5.4%	10.6%	13.1%	10.1%	13.4%	5.6%
5. Oncology / Infectious Disease	3.8%	3.4%	3.7%	2.7%	2.3%	4.2%	4.0%	2.9%	4.1%	2.3%
6. Multiple Medical	17.6%	18.1%	14.0%	22.5%	16.3%	16.2%	14.1%	24.6%	17.5%	23.2%
COMPLEX 7. Specialized Care	4.7%	6.2%	4.3%	1.1%	6.2%	2.2%	5.1%	1.4%	1.5%	20.5%
8. Support Care	4.8%	3.9%	5.3%	1.1%	2.3%	5.0%	4.0%	1.4%	6.7%	2.1%
9. Chronic Mental	2.2%	2.9%	1.0%	0.5%	4.7%	5.0%	0.0%	7.2%	4.6%	1.2%
10. Critically Ill	3.3%	3.5%	2.3%	0.5%	8.5%	4.4%	9.1%	4.3%	1.5%	2.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston VAMC*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Other Psychosis Patients	27075	1111	139	160	78	381	37	26	125	165
Homelessness										
Homelessness indicated in FY02, %	7.1%	7.1%	1.7%	3.8%	13.8%	7.4%	5.1%	15.9%	1.0%	12.9%
Residence in Metropolitan Area										
Residing in a Metropolitan Statistical Area, %	76.7%	74.6%	26.2%	9.3%	97.7%	97.4%	66.7%	89.9%	94.3%	97.9%
Distance										
Mile from Closest VA Medical Center, mean	35.80	22.84	46.40	38.17	14.59	12.51	18.37	15.81	14.66	19.49
SD	*82.41*	*24.73*	*41.68*	*24.53*	*10.44*	*10.55*	*12.24*	*8.70*	*13.59*	*13.25*
Distance from closest VA Medical Center, %										
0 to 15 miles	45.8%	47.2%	15.0%	16.5%	59.2%	71.7%	43.4%	42.0%	63.9%	44.3%
15 to 30 miles	16.6%	24.5%	21.6%	23.1%	30.8%	19.6%	30.3%	53.6%	24.2%	25.2%
30 to 45 miles	10.9%	17.2%	22.6%	28.6%	9.2%	7.6%	25.3%	4.3%	5.7%	30.2%
45 to 60 miles	8.8%	6.4%	25.2%	12.6%	0.8%	0.4%	1.0%	0.0%	6.2%	0.3%
60 plus miles	17.9%	4.7%	15.6%	19.2%	0.0%	0.6%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.89	8.82	17.09	14.49	4.49	5.43	8.36	5.09	7.09	6.97
SD	*14.24*	*8.65*	*12.39*	*10.39*	*3.54*	*5.39*	*6.10*	*3.75*	*4.90*	*4.69*
Distance to closest VA Service Site, %										
0 to 15 miles	73.5%	81.9%	45.2%	49.5%	99.2%	94.2%	88.9%	100.0%	93.3%	95.0%
15 to 30 miles	16.6%	14.2%	37.5%	41.8%	0.8%	5.4%	11.1%	0.0%	6.7%	5.0%
30 to 45 miles	7.0%	3.5%	15.3%	8.8%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%
45 plus miles	3.0%	0.3%	2.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Other Psychosis Patients	49401	1815	301	182	130	499	99	69	194	341
Hospital Based Utilization										
Patients with some Hospital Based Utilization, %	30.2%	28.0%	17.9%	37.9%	19.2%	32.3%	27.3%	34.8%	32.0%	43.5%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)										
Inpatient stays, mean	1.82	1.87	1.80	2.22	1.72	2.01	1.33	1.88	1.81	1.63
SD	*1.40*	*1.46*	*1.11*	*1.81*	*0.89*	*1.75*	*0.55*	*1.15*	*1.46*	*0.99*
Average LOS, mean	9.37	12.79	9.40	7.58	24.27	13.10	8.69	46.45	9.71	9.31
SD	*15.01*	*29.59*	*8.32*	*5.94*	*71.17*	*19.00*	*10.89*	*95.05*	*10.50*	*8.20*
Cumulative DOS, mean	16.06	20.70	17.76	14.77	31.76	22.62	11.19	55.46	16.73	16.66
SD	*22.72*	*34.54*	*18.94*	*12.11*	*71.45*	*28.91*	*13.68*	*94.32*	*18.99*	*23.68*
Cumulative DOS, %										
1 to 7	42.1%	36.0%	40.7%	31.9%	24.0%	31.7%	55.6%	29.2%	37.1%	43.0%
8 to 14	23.4%	23.0%	20.4%	27.5%	24.0%	21.7%	25.9%	20.8%	24.2%	22.1%
15 to 44	27.8%	30.1%	25.9%	37.7%	44.0%	34.2%	11.1%	12.5%	29.0%	26.7%
45 to 89	5.2%	7.9%	13.0%	2.9%	0.0%	8.1%	7.4%	25.0%	8.1%	5.8%
90 to 179	1.2%	2.2%	0.0%	0.0%	4.0%	3.7%	0.0%	4.2%	1.6%	2.3%
180 to 359	0.2%	0.6%	0.0%	0.0%	0.0%	0.6%	0.0%	8.3%	0.0%	0.0%
360+	0.0%	0.2%	0.0%	0.0%	4.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	0.7%	1.4%	0.0%	0.0%	4.0%	2.5%	0.0%	8.3%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	185.56	236.43	0.00	0.00	364.00	150.25	0.00	345.00	0.00	0.00
SD	*75.86*	*110.15*	*0.00*	*0.00*	*0.00*	*32.69*	*0.00*	*5.66*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.3%	0.8%	0.0%	0.0%	4.0%	0.6%	0.0%	8.3%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	241.58	308.75	0.00	0.00	364.00	181.00	0.00	345.00	0.00	0.00
SD	*74.51*	*85.70*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*5.66*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.37	0.59	0.85	0.00	0.80	1.02	1.96	0.13	0.03	0.12
SD	*3.13*	*4.29*	*4.75*	*0.00*	*2.90*	*5.98*	*8.74*	*0.61*	*0.25*	*0.64*
Cumulative DOS at Other Stations	1.24	2.58	3.31	0.54	9.20	1.65	9.89	3.46	2.18	1.30
SD	*5.73*	*8.83*	*11.24*	*2.86*	*9.59*	*6.50*	*14.37*	*10.57*	*8.20*	*9.77*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Other Psychosis Patients	49401	1815	301	182	130	499	99	69	194	341
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)										
Pts. with non-psych hospital stays, %	21.7%	20.2%	15.6%	30.8%	9.2%	23.4%	24.2%	20.3%	19.6%	17.3%
Inpatient stays, mean	1.27	1.32	1.61	1.84	0.60	1.35	1.19	1.04	1.21	1.08
SD	*1.36*	*1.46*	*1.23*	*1.94*	*0.71*	*1.51*	*0.68*	*1.30*	*1.67*	*1.12*
Average LOS, mean	7.86	10.54	11.14	6.98	9.17	11.02	9.04	40.09	8.16	7.86
SD	*11.97*	*21.11*	*10.37*	*5.68*	*4.81*	*12.91*	*11.50*	*92.85*	*10.58*	*8.11*
Cumulative Days of Stay, mean	9.61	12.44	17.06	10.86	5.52	14.14	10.37	26.50	8.55	9.17
SD	*16.99*	*24.02*	*18.71*	*11.13*	*7.33*	*23.69*	*14.09*	*73.60*	*13.80*	*16.55*
Cumulative Days of Stay, %										
0	28.2%	27.8%	13.0%	18.8%	52.0%	27.3%	11.1%	41.7%	38.7%	31.4%
1 to 7	35.5%	29.9%	27.8%	29.0%	16.0%	26.7%	51.9%	29.2%	27.4%	37.2%
8 to 14	15.8%	16.7%	20.4%	21.7%	12.0%	17.4%	18.5%	12.5%	12.9%	14.0%
15 to 44	17.1%	19.1%	25.9%	29.0%	20.0%	21.7%	11.1%	0.0%	16.1%	11.6%
45 to 89	2.8%	5.1%	13.0%	1.4%	0.0%	4.3%	7.4%	8.3%	4.8%	4.7%
90 to 179	0.5%	1.2%	0.0%	0.0%	0.0%	2.5%	0.0%	4.2%	0.0%	1.2%
180 to 359	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	4.2%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.6%	0.0%	0.0%	0.0%	1.2%	0.0%	4.2%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	178.07	215.33	0.00	0.00	0.00	148.50	0.00	349.00	0.00	0.00
SD	*75.21*	*118.98*	*0.00*	*0.00*	*0.00*	*38.89*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	4.2%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	240.47	349.00	0.00	0.00	0.00	0.00	0.00	349.00	0.00	0.00
SD	*75.05*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.18*	*0.43*	0.85	0.00	0.28	0.65	1.96	0.13	0.03	0.05
SD	1.94	*3.91*	*4.75*	*0.00*	*1.40*	*5.24*	*8.74*	*0.61*	*0.25*	*0.43*
Other station cumulative DOS, mean	0.60	1.71	3.26	0.35	5.52	0.97	9.07	3.00	0.71	0.17
SD	*3.61*	*7.00*	*11.25*	*2.42*	*7.33*	*5.59*	*14.69*	*10.46*	*3.44*	*1.26*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Other Psychosis Patients	49401	1815	301	182	130	499	99	69	194	341
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)										
Pts. with psych hospital stays, %	10.8%	9.8%	3.3%	9.3%	13.8%	11.2%	3.0%	18.8%	14.9%	9.1%
Inpatient stays, mean	0.55	0.55	0.19	0.38	1.12	0.66	0.15	0.83	0.60	0.55
SD	*1.03*	*0.99*	*0.39*	*0.75*	*1.05*	*1.32*	*0.46*	*0.87*	*0.73*	*0.89*
Average LOS, mean	12.47	17.24	3.80	10.23	30.33	17.11	5.83	43.96	12.57	12.33
SD	*19.53*	*40.12*	*2.70*	*7.61*	*83.76*	*26.94*	*2.75*	*91.41*	*11.18*	*9.30*
Cumulative Days of Stay, mean	6.45	8.26	0.70	3.91	26.24	8.48	0.81	28.96	8.18	7.49
SD	*17.76*	*28.01*	*1.86*	*9.15*	*72.87*	*21.46*	*2.48*	*71.15*	*16.03*	*20.07*
Cumulative Days of Stay, %										
0	64.2%	65.2%	81.5%	75.4%	28.0%	65.2%	88.9%	45.8%	53.2%	64.0%
1 to 7	12.7%	10.4%	16.7%	7.2%	20.0%	8.7%	3.7%	12.5%	14.5%	8.1%
8 to 14	9.6%	9.3%	1.9%	5.8%	24.0%	7.5%	7.4%	12.5%	14.5%	11.6%
15 to 44	10.7%	11.4%	0.0%	11.6%	20.0%	13.7%	0.0%	8.3%	14.5%	14.0%
45 to 89	2.1%	2.2%	0.0%	0.0%	0.0%	3.1%	0.0%	16.7%	1.6%	1.2%
90 to 179	0.5%	1.0%	0.0%	0.0%	4.0%	1.2%	0.0%	0.0%	1.6%	1.2%
180 to 359	0.1%	0.4%	0.0%	0.0%	0.0%	0.6%	0.0%	4.2%	0.0%	0.0%
360+	0.0%	0.2%	0.0%	0.0%	4.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.4%	0.8%	0.0%	0.0%	4.0%	1.2%	0.0%	4.2%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	182.44	252.25	104.00	309.75	293.70	0.00	271.42	116.00	0.00	#REF!
SD	*78.98*	*118.53*	*0.00*	*0.00*	*0.00*	*41.01*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.2%	0.6%	0.0%	0.0%	4.0%	0.6%	0.0%	4.2%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.42	295.33	0.00	0.00	364.00	181.00	0.00	341.00	0.00	0.00
SD	*77.61*	*99.68*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.19	0.15	0.00	0.00	0.52	0.37	0.00	0.00	0.00	0.07
SD	*2.40*	1.78	0.00	0.00	2.60	2.97	0.00	0.00	0.00	0.48
Other station cumulative DOS, mean	0.64	0.86	0.06	0.19	3.68	0.68	0.81	0.46	1.47	1.13
SD	*4.34*	5.46	0.41	1.57	8.78	3.50	2.48	2.25	6.43	9.71

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Other Psychosis Patients	49401	1815	301	182	130	499	99	69	194	341
Other 24 hour institutional care										
Patients with some other 24 hour institutional care, %	10.1%	8.9%	6.0%	0.5%	17.7%	8.4%	18.2%	20.3%	11.9%	6.5%
Residential Rehabilitation										
Patients with some residential rehab. care, %	1.0%	0.6%	0.0%	0.0%	3.8%	0.8%	0.0%	0.0%	0.0%	0.6%
Number stays, mean	1.13	1.09	0.00	0.00	1.20	1.00	0.00	0.00	0.00	1.00
SD	0.45	*0.30*	*0.00*	*0.00*	*0.45*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	30.41	17.36	0.00	0.00	20.40	17.00	0.00	0.00	0.00	10.50
SD	*33.22*	*12.61*	*0.00*	*0.00*	*15.14*	*10.83*	*0.00*	*0.00*	*0.00*	*13.44*
Cumulative DOS, mean	33.30	18.27	0.00	0.00	22.40	17.00	0.00	0.00	0.00	10.50
SD	*35.32*	*12.39*	*0.00*	*0.00*	*14.05*	*10.83*	*0.00*	*0.00*	*0.00*	*13.44*
Cumulative Days of Stay, %										
1 to 7	15.1%	18.2%	0.0%	0.0%	20.0%	0.0%	0.0%	0.0%	0.0%	50.0%
8 to 14	12.1%	36.4%	0.0%	0.0%	20.0%	75.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	54.3%	45.5%	0.0%	0.0%	60.0%	25.0%	0.0%	0.0%	0.0%	50.0%
45 to 89	11.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	5.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	100.0%	100.0%	0.0%	0.0%	0.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
mean	181.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*69.09*	*0.00*	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
mean	235.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*52.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.38	1.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.50
SD	*7.57*	*6.01*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*13.44*
Other station cumulative DOS, mean	4.16	1.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.50
SD	*12.59*	*6.01*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*13.44*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Other Psychosis Patients	49401	1815	301	182	130	499	99	69	194	341
Domiciliary and Vocational										
Patients with some dom/voc care, %	1.7%	0.6%	0.3%	0.0%	1.5%	1.2%	0.0%	1.4%	0.0%	0.0%
Number stays, mean	1.13	1.20	1.00	0.00	2.00	1.00	0.00	1.00	0.00	0.00
SD	*0.36*	*0.42*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	79.24	73.80	32.00	0.00	104.00	77.83	0.00	31.00	0.00	0.00
SD	*81.39*	*39.81*	*0.00*	*0.00*	*15.56*	*41.28*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS, mean	86.42	94.60	32.00	0.00	208.00	77.83	0.00	31.00	0.00	0.00
SD	*85.00*	*70.60*	*0.00*	*0.00*	*31.11*	*41.28*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative Days of Stay, %										
1 to 7	7.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
8 to 14	6.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	29.8%	40.0%	100.0%	0.0%	0.0%	33.3%	0.0%	100.0%	0.0%	0.0%
45 to 89	19.6%	10.0%	0.0%	0.0%	0.0%	16.7%	0.0%	0.0%	0.0%	0.0%
90 to 179	23.7%	30.0%	0.0%	0.0%	0.0%	50.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	10.4%	20.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	0.0%	100.0%	0.0%	0.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	40.0%	0.0%	0.0%	50.0%	50.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	193.84	140.50	0.00	0.00	230.00	110.67	0.00	0.00	0.00	0.00
SD	*79.91*	*59.81*	*0.00*	*0.00*	*0.00*	*5.13*	*0.00*	*0.00*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	240.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*71.71*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*8.79*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.31	6.30	32.00	0.00	0.00	0.00	0.00	31.00	0.00	0.00
SD	*11.83*	*13.28*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Other Psychosis Patients	49401	1815	301	182	130	499	99	69	194	341
Nursing Home Care										
Patients with some nursing home care, %	7.7%	7.9%	5.6%	0.5%	13.1%	7.0%	18.2%	18.8%	11.9%	5.9%
Number stays, mean	1.29	1.37	1.29	1.00	1.65	1.40	1.33	1.08	1.13	1.65
SD	*0.65*	*0.69*	*0.59*	*0.00*	*0.79*	*0.74*	*0.59*	*0.28*	*0.34*	*0.99*
Average LOS, mean	54.03	45.94	52.14	43.00	92.32	36.37	58.31	31.88	36.72	26.76
SD	*70.27*	*62.42*	*53.34*	*0.00*	*108.91*	*51.95*	*71.07*	*51.52*	*31.61*	*43.07*
Cumulative DOS, mean	64.81	57.03	61.24	43.00	113.00	50.43	68.56	34.62	44.48	36.75
SD	*79.26*	*72.68*	*54.04*	*0.00*	*113.67*	*74.05*	*71.83*	*52.66*	*54.11*	*53.35*
Cumulative Days of Stay, %										
1 to 7	10.9%	15.3%	5.9%	0.0%	5.9%	22.9%	5.6%	46.2%	4.3%	20.0%
8 to 14	15.2%	13.2%	11.8%	0.0%	17.6%	8.6%	22.2%	0.0%	8.7%	25.0%
15 to 44	34.5%	40.3%	35.3%	100.0%	23.5%	42.9%	27.8%	30.8%	69.6%	35.0%
45 to 89	16.5%	9.7%	17.6%	0.0%	5.9%	8.6%	16.7%	15.4%	4.3%	5.0%
90 to 179	13.0%	13.9%	23.5%	0.0%	23.5%	11.4%	22.2%	0.0%	8.7%	10.0%
180 to 359	8.1%	6.9%	5.9%	0.0%	17.6%	5.7%	5.6%	7.7%	4.3%	5.0%
360+	1.8%	0.7%	0.0%	0.0%	5.9%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	17.8%	14.6%	17.6%	0.0%	35.3%	8.6%	22.2%	7.7%	8.7%	10.0%
Cumul. DOS, patients with a 100+ day NH stay, mean	207.27	203.38	145.33	0.00	245.33	238.67	181.00	190.00	186.50	180.00
SD	*81.27*	*79.17*	*68.13*	*0.00*	*78.92*	*126.36*	*62.49*	*0.00*	*113.84*	*8.49*
NH patients with 150+ day NH stay, %	11.0%	9.7%	5.9%	0.0%	35.3%	5.7%	11.1%	7.7%	4.3%	5.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	250.81	242.21	224.00	0.00	245.33	306.50	219.50	190.00	267.00	186.00
SD	*70.60*	*66.43*	*0.00*	*0.00*	*78.92*	*65.76*	*75.66*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.34	0.53	2.53	0.00	0.00	0.57	0.00	0.00	0.00	0.65
SD	*5.11*	*4.08*	*10.43*	*0.00*	*0.00*	*3.38*	*0.00*	*0.00*	*0.00*	*2.91*
Other station cumulative DOS, mean	1.02	1.78	2.53	43.00	3.41	2.86	0.00	0.00	0.00	0.65
SD	*7.62*	*7.52*	*10.43*	*0.00*	*9.73*	*8.89*	*0.00*	*0.00*	*0.00*	*2.91*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Other Psychosis Patients	49401	1815	301	182	130	499	99	69	194	341
Outpatient utilization										
(reported for those with some outpatient care)										
Patients with some outpatient care, %	99.7%	99.8%	100.0%	100.0%	100.0%	99.6%	100.0%	97.1%	100.0%	100.0%
annual visit days, mean	19.52	23.38	15.76	18.42	32.09	24.60	16.68	26.76	18.24	31.88
SD	*24.21*	*29.51*	*16.55*	*17.97*	*53.32*	*30.00*	*14.52*	*26.44*	*24.41*	*33.11*
Outpatient visit days, %										
1-12	49.1%	44.1%	55.1%	50.0%	48.5%	42.3%	46.5%	40.3%	45.9%	31.4%
13-24	27.0%	26.0%	27.2%	27.5%	19.2%	25.6%	31.3%	17.9%	33.0%	23.5%
25-36	11.5%	13.6%	9.6%	12.1%	11.5%	13.9%	15.2%	16.4%	14.4%	17.0%
37-48	5.4%	5.4%	3.3%	4.4%	6.2%	7.6%	3.0%	7.5%	2.6%	6.2%
49+	7.0%	10.8%	4.7%	6.0%	14.6%	10.7%	4.0%	17.9%	4.1%	22.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	86.5%	83.7%	85.7%	92.3%	72.3%	83.7%	77.8%	91.0%	86.1%	80.4%
Mean PC visit days, among those with some PC	4.04	4.29	3.64	4.68	3.01	4.46	5.01	5.08	5.35	3.80
SD	3.94	4.52	3.18	6.21	2.43	4.84	4.94	5.87	5.04	3.23
Average number clinic stops per visit day, mean	1.55	1.43	1.38	1.52	1.23	1.44	1.44	1.28	1.45	1.52
SD	*0.52*	*0.44*	*0.39*	*0.38*	*0.24*	*0.44*	*0.48*	*0.23*	*0.55*	*0.48*
annual clinic stops (psych & non-psych), mean	30.45	33.84	22.30	28.65	40.15	34.81	24.97	35.58	26.93	49.12
SD	*40.44*	*42.81*	*26.44*	*28.30*	62.69	41.55	22.68	*37.63*	*37.40*	*55.24*
annual non-psych. clinic stops, mean	22.67	23.58	17.56	23.12	22.44	23.76	22.53	25.84	20.46	30.95
SD	*25.36*	*27.38*	*18.37*	*22.05*	*38.59*	*28.76*	*21.23*	*25.61*	*24.57*	*31.11*
annual psych. clinic stops (specific groupings below), mean	7.77	10.26	4.74	5.54	17.71	11.05	2.44	9.75	6.47	18.18
SD	*27.43*	*27.93*	*14.61*	*14.79*	*41.55*	*26.93*	*4.57*	*18.53*	*23.65*	*39.94*
1. general psych. clinic stops, mean	3.20	4.51	3.59	4.12	7.11	5.56	2.24	4.48	3.23	4.38
SD	*7.61*	*10.96*	*8.85*	*10.56*	*22.19*	*12.45*	*4.38*	*5.74*	*4.87*	*8.09*
2. psych. case management clinic stops, mean	0.14	0.20	0.34	0.00	1.71	0.00	0.00	0.00	0.00	0.09
SD	*3.20*	*3.44*	*4.98*	*0.00*	*9.95*	*0.04*	*0.00*	*0.00*	*0.00*	*1.62*
3. psych. day treatment clinic stops, mean	0.60	0.62	0.05	0.02	1.19	0.30	0.00	0.96	0.05	2.11
SD	*8.52*	*6.91*	*0.81*	*0.30*	*7.06*	*2.66*	*0.00*	*3.54*	*0.38*	*14.79*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 1, continued

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Other Psychosis Patients	49401	1815	301	182	130	499	99	69	194	341
4. substance abuse clinic stops, mean	2.24	2.74	0.48	0.53	2.13	2.43	0.00	1.51	1.18	8.52
SD	*17.04*	*16.30*	*5.59*	*5.11*	*8.59*	*17.56*	*0.00*	*5.62*	*10.42*	*27.97*
5. psych. vocational clinic stops, mean	0.74	1.50	0.02	0.47	5.45	1.86	0.00	2.63	1.29	1.66
SD	*9.63*	*12.16*	*0.35*	*4.63*	*22.99*	*13.40*	*0.00*	*9.01*	*16.74*	*11.35*
6. PTSD clinic stops, mean	0.56	0.55	0.25	0.36	0.00	0.73	0.00	0.01	0.72	1.04
SD	*5.11*	*4.25*	*2.98*	*1.65*	*0.00*	*3.95*	*0.00*	*0.12*	*5.25*	*6.90*
7. psych. homeless clinic stops, mean	0.27	0.15	0.04	0.03	0.31	0.12	0.06	0.16	0.01	0.38
SD	*2.81*	*1.03*	*0.52*	*0.31*	*1.55*	*0.81*	*0.31*	*0.59*	*0.07*	*1.80*
Other VISN OP visit days, mean	0.31	0.31	0.28	0.15	0.29	0.42	0.27	0.90	0.04	0.34
SD	*2.01*	*2.07*	*1.87*	*0.91*	*1.67*	*2.80*	*1.48*	*3.25*	*0.32*	*1.98*
Other station OP visit days, mean	0.72	1.02	0.62	0.48	2.05	1.10	1.90	3.49	0.50	0.71
SD	*3.19*	*3.76*	*2.91*	*1.81*	*3.65*	*4.08*	*4.42*	*7.33*	*2.50*	*3.84*

Table 4I FY03 Other Psychosis Patients, Pharmacy Utilization, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Other Psychosis Patients	49401	1815	301	182	130	499	99	69	194	341
Pts. with any outpatient prescriptions, %	94.7%	92.5%	97.0%	95.6%	85.4%	92.2%	85.9%	91.3%	94.3%	90.9%
Patients with any oral antipsychotic fills, %*	41.4%	37.9%	43.9%	33.5%	43.1%	34.1%	36.4%	49.3%	41.2%	34.6%
Among pts. receiving any antipsychotic medication:										
Only conventional antipsychotics, %	9.2%	8.2%	7.6%	6.6%	7.1%	12.4%	2.8%	5.9%	7.5%	6.8%
Some use of atypical antipsychotics, %	90.8%	91.8%	92.4%	93.4%	92.9%	87.6%	97.2%	94.1%	92.5%	93.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %										
Aripiprazole	0.7%	0.4%	0.0%	0.0%	1.8%	0.6%	0.0%	0.0%	0.0%	0.8%
Clozapine	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Olanzapine	27.8%	29.3%	34.1%	29.5%	26.8%	24.1%	33.3%	29.4%	30.0%	30.5%
Quetiapine	29.2%	33.8%	37.1%	29.5%	50.0%	33.5%	44.4%	23.5%	32.5%	25.4%
Risperidone	46.2%	42.8%	33.3%	42.6%	41.1%	47.1%	22.2%	47.1%	51.3%	47.5%
Ziprasidone	3.6%	3.3%	2.3%	11.5%	1.8%	1.8%	2.8%	8.8%	1.3%	3.4%
Patients receiving only one kind** of antipsychotic, %	78.8%	78.5%	79.5%	77.0%	69.6%	78.8%	91.7%	79.4%	75.0%	79.7%
Concurrent use of 2 or more antipsychotics, % ***	5.1%	6.8%	11.4%	9.8%	8.9%	8.2%	2.8%	2.9%	3.8%	1.7%
Among pts. receiving just one antipsychotic:										
Antipsychotic fills, mean	5.21	5.70	6.10	2.77	5.33	6.62	5.27	5.44	5.08	6.16
SD	*4.06*	*4.23*	*4.11*	*1.97*	*4.32*	*4.48*	*3.45*	*3.99*	*4.10*	*4.57*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5I: FY03 Other Psychosis Patients, Cost, VISN 1

	All VISNs	VISN 1	402 *Togus*	405 *White River*	518 *Bedford*	523 *Boston*	608 *Manchester*	631 *Northampton*	650 *Providence*	689 *West Haven*
Other Psychosis Patients	49401	1815	301	182	130	499	99	69	194	341
Total Costs (in thousands $$)	$692,791	$30,560	$3,680	$2,447	$2,584	$9,977	$1,811	$1,255	$2,464	$6,345
%		100.0%	12.0%	8.0%	8.5%	32.6%	5.9%	4.1%	8.1%	20.8%
Psych vs. Non-Psych Costs										
Psych	16.6%	18.2%	9.5%	13.6%	18.2%	16.1%	3.4%	44.5%	20.8%	26.4%
Non-Psych	83.4%	81.8%	90.5%	86.4%	81.8%	83.9%	96.6%	55.5%	79.2%	73.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use										
Per Patient	$16,509	$20,914	$18,068	$17,930	$22,210	$25,028	$13,498	$27,071	$15,912	$12,303
Per Day of Stay	$1,028	$1,010	$1,017	$1,214	$699	$1,106	$1,207	$488	$951	$738
Mean Outpatient Costs, Pts with some Outpatient use										
Per Patient	$6,046	$7,402	$5,067	$5,976	$7,504	$7,988	$5,289	$6,093	$5,769	$11,133
Per Visit Day	$310	$317	$321	$324	$234	$325	$317	$228	$316	$349
Mean Patient Costs, By Cost Center										
1 Med	$2,712	$3,115	$1,240	$3,651	$1,625	$4,731	$2,094	$1,381	$2,967	$3,416
2 Surg	$779	$1,108	$1,498	$1,914	$369	$1,600	$1,304	$1,192	$232	$317
3 Psych	$1,494	$1,631	$504	$1,232	$2,277	$1,744	$283	$6,843	$1,887	$1,618
4 Psych Res Rehab Treatment Program	$103	$50	$0	$0	$288	$55	$0	$293	$0	$15
5 Non-VA	$203	$300	$667	$557	$11	$132	$1,121	$83	$159	$81
6 LTC Domiciliary	$183	$45	$0	$0	$0	$156	$0	$64	$0	$0
7 LTC Intermediate Care	$276	$663	$1,390	$12	$86	$1,287	$284	$0	$278	$137
8 LTC Nursing Home	$1,672	$1,553	$1,477	$100	$5,646	$1,214	$5,581	$1,919	$0	$985
9 Contract Nursing Home	$578	$987	$384	$0	$2,070	$1,120	$2,334	$503	$1,412	$905
10 OPC Med/Surg	$1,281	$1,633	$677	$1,402	$1,100	$2,348	$1,262	$971	$1,630	$1,998
11 OPC Psych	$831	$1,437	$654	$602	$1,348	$1,479	$346	$1,257	$749	$3,290
12 OPC Home Based Treatment	$730	$1,047	$656	$574	$1,011	$754	$991	$813	$737	$2,326
13 OPC Support	$1,493	$1,580	$949	$1,442	$2,926	$1,628	$1,148	$1,000	$1,090	$2,153
14 OPC Fee	$231	$234	$217	$104	$32	$462	$102	$305	$111	$156
15 OPC Pharmacy	$1,460	$1,455	$1,914	$1,852	$1,087	$1,285	$1,439	$1,571	$1,452	$1,210
TOTAL	$14,024	$16,837	$12,226	$13,443	$19,877	$19,994	$18,290	$18,195	$12,703	$18,606
Mean % Patient Costs at Other Stations	3.3%	4.8%	3.5%	1.9%	15.0%	3.5%	13.1%	11.8%	4.2%	1.9%
SD	*11.9%*	14.4%	13.8%	7.9%	25.1%	11.3%	21.6%	21.7%	12.7%	8.8%
Mean % Patient Costs at Other VISNs	1.3%	1.2%	1.3%	0.4%	1.1%	1.2%	1.8%	3.7%	0.6%	1.5%
SD	*7.5%*	7.5%	7.7%	3.4%	6.4%	7.1%	9.7%	13.7%	6.1%	8.2%

Table 1F: FY03 Psychosis Patients, Demographics, VISN 2

	All VISNs	VISN 2	528 *Upstate NY*
All Patients	217760	5989	5989
Psychosis Diagnosis Group, %			
Schizophrenia	43.3%	45.0%	45.0%
Bipolar Disorder	34.0%	40.5%	40.5%
Other Psychoses	22.7%	14.5%	14.5%
Total	100.0%	100.0%	100.0%
Age, %			
<35	4.9%	4.7%	4.7%
>=35 and <50	29.3%	30.8%	30.8%
>=50 and <65	38.1%	37.1%	37.1%
>=65 and <80	19.7%	19.5%	19.5%
>=80	8.2%	8.0%	8.0%
Total	100.0%	100.0%	100.0%
mean age	56.89	56.58	56.58
SD	*14.35*	14.42	14.42
Gender			
Male, %	92.7%	93.1%	93.1%
Female, %	7.3%	6.9%	6.9%
Total	100.0%	100.0%	100.0%
Race / Ethnicity, %			
Hispanic white	4.8%	1.2%	1.2%
Hispanic black	0.4%	0.3%	0.3%
American Indian	0.3%	0.3%	0.3%
Black	18.6%	11.2%	11.2%
Asian	0.5%	0.1%	0.1%
White	54.9%	70.7%	70.7%
Race unknown	20.5%	16.2%	16.2%
Total	100.0%	100.0%	100.0%
Marital Status			
Never married	28.5%	32.7%	32.7%
Married	35.3%	33.3%	33.3%
Divorced/Separated	30.8%	28.0%	28.0%
Widowed	5.4%	5.9%	5.9%
Total	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
All Patients	217760	5989	5989
Registry Pts. History of VA Utilization			
Years since first use in prior five years, mean	4.33	4.41	4.41
SD	*1.24*	1.14	1.14
Yrs with 24-hour institutional use / yrs since 1st use, %	25.9%	25.5%	25.5%
SD	*29.7%*	30.0%	30.0%
Years with OP use / Years since first use, %	96.7%	97.0%	97.0%
SD	*11.4%*	11.0%	11.0%
Psychosis Diagnoses in Prior Fiscal Year			
Had Psychosis Diagnosis in FY01, %	65.3%	66.8%	66.8%
Among Patients With Psychoses in FY01			
Psychosis Category: Schizophrenia, %	54.1%	54.5%	54.5%
Psychosis Category: Bipolar Disorder, %	33.9%	38.9%	38.9%
Psychosis Category: Other Psychosis, %	12.0%	6.6%	6.6%
Total	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %			
Dementia	6.2%	8.4%	8.4%
Post Traumatic Stress Disorder	15.4%	22.0%	22.0%
Depression	34.8%	44.8%	44.8%
Other Anxiety Disorder	12.0%	20.5%	20.5%
Substance Abuse or Dependence	23.3%	27.1%	27.1%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
All Patients	217760	5989	5989
Medical Comorbidities, %			
No medical comorbidities	15.2%	14.3%	14.3%
Anemia	8.2%	6.6%	6.6%
Arthritis	36.2%	38.1%	38.1%
Cancer	7.9%	7.3%	7.3%
Cerebrovascular Disease	6.7%	5.7%	5.7%
Chronic Neurologic Disorder	15.1%	15.5%	15.5%
Chronic Obstructive Pulmonary Disease	16.7%	18.7%	18.7%
Chronic Viral Infection	8.4%	7.3%	7.3%
Coronary Artery Disease	19.5%	19.3%	19.3%
Diabetes	20.0%	19.4%	19.4%
Digestive System Disease	43.5%	47.5%	47.5%
Hypertension	43.2%	41.9%	41.9%
Injury and Poisoning	17.9%	17.6%	17.6%
Liver Disease	3.6%	3.8%	3.8%
Other Endocrine	8.6%	8.7%	8.7%
Peripheral Vascular Disease	4.1%	5.0%	5.0%
GAF scores			
Lowest inpatient GAF score, mean	37.72	40.26	40.26
SD	*14.39*	10.63	10.63
Mean outpatient GAF score	50.52	50.05	50.05
SD	*11.04*	9.67	9.67
At least 1 IP GAF, among pts with MH bedsections, %	38.4%	73.6%	73.6%
At least 1 OP GAF, among pts with MH clinic stops, %	80.0%	92.1%	92.1%
Mortality rates			
died in FY02, %	3.1%	3.1%	3.1%
Age-and-gender-adjusted Standardized Mortality Ratio	1.32	1.23	1.33

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 2, continued

		All VISNs	VISN 2	528 *Upstate NY HCS*
	All Patients	217760	5989	5989
Service Connection (SC)				
	Non-SC	51.0%	54.0%	54.0%
	SC 0 - 29%	8.7%	8.0%	8.0%
	SC 30 - 69%	10.8%	10.3%	10.3%
	SC 70 - 99%	7.3%	7.9%	7.9%
	SC 100%	22.1%	19.8%	19.8%
	Total	100.0%	100.0%	100.0%
VERA Patient Class, %				
	Complex*	17.3%	23.5%	23.5%
	Basic vested, Cat A*	76.6%	70.5%	70.5%
	Basic Non-vested, Cat A*	1.0%	0.8%	0.8%
	Basic, Cats C and N	5.1%	5.2%	5.2%
	Total	100.0%	100.0%	100.0%
	* Funded			
Patient eligibility category, %				
	Cat A (SC or low income)	94.6%	94.4%	94.4%
	Cat C (NSC and higher income)	4.7%	4.7%	4.7%
	Non-Veteran	0.6%	0.9%	0.9%
	Total	100.0%	100.0%	100.0%
VERA 10 Price Groups, %				
BASIC	1. Non-reliant Care	0.1%	0.1%	0.1%
	2. Basic Medical	16.7%	13.8%	13.8%
	3. Mental Health	36.3%	36.7%	36.7%
	4. Heart / Lung / GI	7.7%	5.9%	5.9%
	5. Oncology / Infectious Disease	3.9%	2.7%	2.7%
	6. Multiple Medical	18.0%	17.2%	17.2%
COMPLEX	7. Specialized Care	2.6%	3.9%	3.9%
	8. Support Care	2.8%	3.3%	3.3%
	9. Chronic Mental	9.6%	13.7%	13.7%
	10. Critically Ill	2.2%	2.6%	2.6%
	Total	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
All Patients	217760	5989	5989
Homelessness			
Homelessness indicated in FY02, %	11.5%	10.7%	10.7%
Residence in Metropolitan Area			
Residing in a Metropolitan Statistical Area, %	79.7%	77.9%	77.9%
Distance			
Mile from Closest VA Medical Center, mean	32.17	22.54	22.54
SD	*68.58*	*23.52*	*23.52*
Distance from closest VA Medical Center, %			
0 to 15 miles	49.0%	47.6%	47.6%
15 to 30 miles	16.3%	24.0%	24.0%
30 to 45 miles	10.3%	14.3%	14.3%
45 to 60 miles	8.1%	7.2%	7.2%
60 plus miles	16.2%	6.9%	6.9%
Total	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.73	7.77	7.77
SD	*13.09*	*7.29*	*7.29*
Distance to closest VA Service Site, %			
0 to 15 miles	77.0%	82.9%	82.9%
15 to 30 miles	14.9%	16.1%	16.1%
30 to 45 miles	5.7%	1.0%	1.0%
45 plus miles	2.4%	0.0%	0.0%
Total	100.0%	100.0%	100.0%

Table 3F: FY03 Psychosis Patients, Utilization, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
All Patients	217760	5989	5989
Hospital Based Utilization			
Patients with some Hospital Based Utilization, %	27.2%	24.0%	24.0%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)			
Inpatient stays, mean	1.83	1.84	1.84
SD	*1.43*	*1.50*	*1.50*
Average LOS, mean	13.07	11.24	11.24
SD	*30.84*	*24.89*	*24.89*
Cumulative DOS, mean	21.85	20.13	20.13
SD	*40.46*	*37.57*	*37.57*
Cumulative DOS, %			
1 to 7	39.9%	39.5%	39.5%
8 to 14	21.8%	22.4%	22.4%
15 to 44	27.7%	28.7%	28.7%
45 to 89	6.9%	7.0%	7.0%
90 to 179	2.3%	1.3%	1.3%
180 to 359	0.9%	0.6%	0.6%
360+	0.6%	0.5%	0.5%
Total	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	2.1%	1.3%	1.3%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	237.76	280.83	280.83
SD	*95.14*	*93.82*	*93.82*
Hospital patients who had a 150+ day hosp. stay, %	1.3%	1.0%	1.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	290.80	309.80	309.80
SD	*77.65*	*72.37*	*72.37*
Cumulative DOS at Other VISNs	0.59	0.86	0.86
SD	*4.28*	*4.98*	*4.98*
Cumulative DOS at Other Stations	1.83	0.86	0.86
SD	*7.27*	*4.98*	*4.98*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY*
All Patients	217760	5989	5989
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)			
Pts. with non-psych hospital stays, %	14.0%	13.2%	13.2%
Inpatient stays, mean	0.85	0.90	0.90
SD	*1.20*	*1.18*	*1.18*
Average LOS, mean	7.54	6.84	6.84
SD	*13.36*	*7.67*	*7.67*
Cumulative Days of Stay, mean	6.52	6.42	2.60
SD	*17.31*	*13.43*	*6.60*
Cumulative Days of Stay, %			
0	48.5%	45.0%	45.0%
1 to 7	29.2%	30.6%	30.6%
8 to 14	9.8%	10.9%	10.9%
15 to 44	10.2%	11.1%	11.1%
45 to 89	1.8%	1.9%	1.9%
90 to 179	0.4%	0.3%	0.3%
180 to 359	0.1%	0.1%	0.1%
360+	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.1%	0.1%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	206.57	208.00	0.00
SD	*85.33*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.1%	0.1%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	268.22	208.00	208.00
SD	*74.94*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.14*	*0.16*	0.16
SD	1.82	*2.19*	*2.19*
Other station cumulative DOS, mean	0.51	0.16	0.16
SD	*3.43*	*2.19*	*2.19*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
All Patients	217760	5989	5989
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)			
Pts. with psych hospital stays, %	15.8%	13.0%	13.0%
Inpatient stays, mean	0.98	0.94	0.94
SD	*1.28*	*1.39*	*1.39*
Average LOS, mean	17.54	15.64	15.64
SD	*38.98*	*33.57*	*33.57*
Cumulative Days of Stay, mean	15.33	13.71	13.71
SD	*38.37*	*36.53*	*36.53*
Cumulative Days of Stay, %			
0	41.8%	46.0%	46.0%
1 to 7	18.6%	16.1%	16.1%
8 to 14	14.1%	13.4%	13.4%
15 to 44	17.8%	17.7%	17.7%
45 to 89	4.7%	4.9%	4.9%
90 to 179	1.7%	1.0%	1.0%
180 to 359	0.8%	0.6%	0.6%
360+	0.5%	0.5%	0.5%
Total	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	1.8%	1.2%	1.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	239.50	279.06	279.06
SD	*96.26*	*99.87*	*99.87*
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.2%	1.0%	1.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	291.18	312.21	312.21
SD	*78.31*	*74.21*	*74.21*
Other VISN cumulative DOS, mean	0.45	0.70	0.70
SD	*3.83*	*4.48*	*4.48*
Other station cumulative DOS, mean	1.32	0.70	0.70
SD	*6.36*	*4.48*	*4.48*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
All Patients	217760	5989	5989
Other 24 hour institutional care			
Patients with some other 24 hour institutional care, %	8.5%	13.8%	0.14
Residential Rehab (rep. for those w/ res rehab care)			
Patients with some residential rehab. care, %	1.8%	4.2%	4.2%
Number stays, mean	*1.12*	*1.18*	1.18
SD	0.38	*0.56*	*0.56*
Average LOS, mean	34.01	35.01	35.01
SD	*38.25*	*26.15*	*26.15*
Cumulative DOS, mean	37.28	38.46	38.46
SD	*40.79*	*27.90*	*27.90*
Cumulative Days of Stay, %			
1 to 7	12.3%	10.7%	10.7%
8 to 14	12.7%	6.7%	6.7%
15 to 44	50.7%	48.8%	48.8%
45 to 89	15.8%	26.2%	26.2%
90 to 179	7.0%	7.1%	7.1%
180 to 359	1.3%	0.4%	0.4%
360+	0.2%	0.0%	0.0%
Total	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.3%	3.2%	3.2%
Cumul. DOS, patients with a 100+ day Res Rehab stay, mean	175.66	127.38	127.38
SD	*75.56*	*27.05*	*27.05*
Res Rehab patients with 150+ day Res Rehab stay, %	1.9%	0.4%	0.4%
Cumul. DOS, patients with a 150+ day Res Rehab stay, mean	237.86	155.00	155.00
SD	*73.07*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.12	3.17	3.17
SD	*6.40*	*11.56*	*11.56*
Other station cumulative DOS, mean	3.58	3.17	3.17
SD	*10.93*	*11.56*	*11.56*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
All Patients	217760	5989	5989
Domiciliary and Vocational (reported for those with some dom/voc care)			
Patients with some dom/voc care, %	2.8%	5.0%	5.0%
Number stays, mean	1.13	1.22	1.22
SD	*0.38*	*0.48*	*0.48*
Average LOS, mean	85.20	91.62	91.62
SD	*90.51*	*56.30*	*56.30*
Cumulative DOS, mean	92.74	109.80	109.80
SD	*94.18*	*70.17*	*70.17*
Cumulative Days of Stay, %			
1 to 7	6.9%	1.3%	1.3%
8 to 14	6.1%	5.4%	5.4%
15 to 44	29.6%	16.1%	16.1%
45 to 89	19.5%	19.1%	19.1%
90 to 179	22.9%	39.6%	39.6%
180 to 359	10.1%	18.5%	18.5%
360+	5.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	31.6%	48.7%	48.7%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	203.50	168.28	168.28
SD	*90.08*	*47.02*	*47.02*
Dom. patients with 150+ day Dom. stay, %	18.0%	25.8%	25.8%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	259.61	196.49	196.49
SD	*79.66*	*39.32*	*39.32*
Other VISN cumulative DOS, mean	1.54	4.66	4.66
SD	*8.76*	*14.36*	*14.36*
Other station cumulative DOS, mean	3.75	4.66	4.66
SD	*14.14*	*14.36*	*14.36*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
All Patients	217760	5989	5989
Nursing Home Care			
(reported for those with some nursing home care)			
Patients with some nursing home care, %	4.5%	6.2%	6.2%
Number stays, mean	1.24	1.30	1.30
SD	*0.60*	*0.65*	*0.65*
Average LOS, mean	99.56	83.04	83.04
SD	*118.68*	*110.18*	*110.18*
Cumulative DOS, mean	111.19	93.59	93.59
SD	*123.23*	*112.15*	*112.15*
Cumulative Days of Stay, %			
1 to 7	9.0%	9.2%	9.2%
8 to 14	10.6%	11.9%	11.9%
15 to 44	27.5%	31.9%	31.9%
45 to 89	15.4%	15.9%	15.9%
90 to 179	13.8%	12.2%	12.2%
180 to 359	11.4%	10.0%	10.0%
360+	12.4%	8.9%	8.9%
Total	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	33.0%	26.2%	26.2%
Cumul. DOS, patients with a 100+ day NH stay, mean	263.62	255.20	255.20
SD	*97.17*	*98.16*	*98.16*
NH patients with 150+ day NH stay, %	25.7%	19.5%	19.5%
Cumul. DOS, patients with a 150+ day NH stay, mean	299.88	295.78	295.78
SD	*76.08*	*78.36*	*78.36*
Other VISN cumulative DOS, mean	0.41	0.48	0.48
SD	*5.60*	*4.38*	*4.38*
Other station cumulative DOS, mean	1.17	0.48	0.48
SD	*8.68*	*4.38*	*4.38*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
All Patients	217760	5989	5989
Outpatient utilization (reported for those with some outpatient care)			
Patients with some outpatient care, %	99.1%	98.8%	98.8%
annual visit days, mean	24.61	35.83	35.83
SD	*33.05*	*44.15*	*44.15*
Outpatient visit days, %			
1-12	44.2%	32.0%	32.0%
13-24	26.4%	26.1%	26.1%
25-36	11.9%	13.9%	13.9%
37-48	5.9%	7.7%	7.7%
49+	11.5%	20.3%	20.3%
Total	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	79.4%	84.8%	84.8%
Mean PC visit days, among those with some PC	3.84	4.05	4.05
SD	3.72	3.53	3.53
Average number clinic stops per visit day, mean	1.49	1.42	1.42
SD	*0.47*	0.38	0.38
annual clinic stops (psych & non-psych), mean	37.56	55.22	55.22
SD	*56.64*	*80.00*	*80.00*
annual non-psych. clinic stops, mean	20.14	27.15	27.15
SD	*25.25*	*38.13*	*38.13*
annual psych. clinic stops (specific groupings below), mean	17.42	28.06	28.06
SD	*43.44*	*55.69*	*55.69*
1. general psych. clinic stops, mean	7.22	8.95	8.95
SD	*13.49*	*11.42*	*11.42*
2. psych. case management clinic stops, mean	1.44	3.72	3.72
SD	*12.10*	*19.85*	*19.85*
3. psych. day treatment clinic stops, mean	2.80	8.20	8.20
SD	*21.66*	*36.19*	*36.19*
4. substance abuse clinic stops, mean	3.26	3.62	3.62
SD	*19.07*	*13.36*	*13.36*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
All Patients	217760	5989	5989
5. psych. vocational clinic stops, mean	1.73	2.18	2.18
SD	*15.65*	*14.94*	*14.94*
6. PTSD clinic stops, mean	0.56	0.83	0.83
SD	*4.85*	*7.32*	*7.32*
7. psych. homeless clinic stops, mean	0.41	0.53	0.53
SD	*3.32*	*3.44*	*3.44*
Other VISN OP visit days, mean	0.36	0.58	0.58
SD	*2.35*	*3.47*	*3.47*
Other station OP visit days, mean	0.91	0.58	0.58
SD	*3.87*	*3.47*	*3.47*

Table 4F: FY03 Psychosis Patients, Pharmacy Utilization, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
All Patients	217760	5989	5989
Among all patients in the registry			
Pts. with any outpatient prescriptions, %	95.5%	95.6%	95.6%
Patients with any oral antipsychotic fills, %*	59.2%	56.0%	56.0%
Among pts. Receiving any antipsychotic medication:			
Received only conventional antipsychotics, %	12.3%	12.6%	12.6%
Received some atypical antipsychotics, %	87.7%	87.4%	87.4%
Total	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %			
Aripiprazole	1.2%	1.9%	1.9%
Clozapine	1.8%	2.2%	2.2%
Olanzapine	35.8%	34.4%	34.4%
Quetiapine	26.2%	29.6%	29.6%
Risperidone	36.7%	37.5%	37.5%
Ziprasidone	5.2%	3.6%	3.6%
Patients receiving only one kind** of antipsychotic, %	73.8%	72.2%	72.2%
Concurrent use of 2 or more antipsychotics, % ***	11.3%	12.8%	12.8%
Among pts receiving just one antipsychotic:			
Antipsychotic fills, mean	7.06	8.27	8.27
SD	*5.06*	5.29	5.29
Antipsychotic Medication Possession Ratio, mean	--	--	--
SD	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5F: FY03 Psychosis Patients, Cost, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
All Patients	217760	5989	5989
Total Costs (in thousands $$)	$3,237,460	$99,468	$99,468
Station % of VISN		100.0%	100.0%
Psych vs. Non-Psych Costs			
Psych	30.3%	30.0%	30.0%
Non-Psych	69.7%	70.0%	70.0%
Total	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use			
Per Patient	$18,395	$18,817	$18,817
Per Day of Stay	$842	$935	$935
Mean Outpatient Costs, Pts with some Outpatient use			
Per Patient	$6,757	$8,467	$8,467
Per Visit Day	$275	$236	$236
Mean Patient Costs, By Cost Center			
1 Med	$1,582	$1,423	$1,423
2 Surg	$536	$527	$527
3 Psych	$2,886	$2,562	$2,562
4 Psych Res Rehab Treatment Program	$218	$295	$295
5 Non-VA	$205	$251	$251
6 LTC Domiciliary	$327	$577	$577
7 LTC Intermediate Care	$167	$1	$1
8 LTC Nursing Home	$1,785	$2,253	$2,253
9 Contract Nursing Home	$467	$350	$350
10 OPC Med/Surg	$1,071	$1,167	$1,167
11 OPC Psych	$1,624	$2,422	$2,422
12 OPC Home Based Treatment	$751	$1,010	$1,010
13 OPC Support	$1,322	$1,627	$1,627
14 OPC Fee	$148	$191	$191
15 OPC Pharmacy	$1,778	$1,953	$1,953
TOTAL	$14,867	$16,608	$16,608
Mean % Patient Costs at Other Stations	3.9%	1.88%	1.88%
SD	*12.8%*	9.10%	9.10%
Mean % Patient Costs at Other VISNs	1.5%	1.88%	1.88%
SD	*8.0%*	9.10%	9.10%

Table 1G: FY03 Schizophrenic Patients, Demographics, VISN 2

	All VISNs	VISN 2	528 *Upstate NY*
Schizophrenic Patients	94395	2698	2698
Age, %			
<35	3.9%	3.3%	3.3%
>=35 and <50	32.5%	29.4%	29.4%
>=50 and <65	44.6%	41.9%	41.9%
>=65 and <80	15.7%	20.0%	20.0%
>=80	3.3%	5.4%	5.4%
Total	100.0%	100.0%	100.0%
mean age	54.59	56.51	56.51
SD	*11.97*	*13.03*	*13.03*
Gender			
Male, %	94.6%	95.8%	95.8%
Female, %	5.4%	4.2%	4.2%
Total	100.0%	100.0%	100.0%
Race / Ethnicity, %			
Hispanic white	6.9%	1.6%	1.6%
Hispanic black	0.6%	0.4%	0.4%
American Indian	0.3%	0.3%	0.3%
Black	26.5%	14.0%	14.0%
Asian	0.8%	0.0%	0.0%
White	52.4%	72.4%	72.4%
Race unknown	12.5%	11.3%	11.3%
Total	100.0%	100.0%	100.0%
Marital Status			
Never married	42.4%	46.5%	46.5%
Married	24.6%	22.9%	22.9%
Divorced/Separated	29.5%	25.9%	25.9%
Widowed	3.5%	4.7%	4.7%
Total	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
Schizophrenic Patients	94395	2698	2698
Registry Pts. History of VA Utilization			
Years since first use in prior five years, mean	4.6	4.62	4.62
SD	*1.0*	*0.97*	*0.97*
Yrs with 24-hour institutional use / yrs since 1st use, %	27.3%	25.2%	25.2%
SD	*30.9%*	*30.1%*	*30.1%*
Years with OP use / Years since first use, %	96.7%	96.9%	96.9%
SD	*12.4%*	*11.9%*	*11.9%*
Psychosis Diagnoses in Prior Fiscal Year			
Had Psychosis Diagnosis in FY01, %	82.2%	82.9%	82.9%
Among Patients With Psychoses in FY01			
Psychosis Category: Schizophrenia, %	94.8%	94.1%	94.1%
Psychosis Category: Bipolar Disorder, %	2.6%	3.8%	3.8%
Psychosis Category: Other Psychosis, %	2.5%	2.1%	2.1%
Total	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %			
Dementia	2.3%	3.9%	3.9%
Post Traumatic Stress Disorder	11.9%	16.6%	16.6%
Depression	25.7%	31.5%	31.5%
Other Anxiety Disorder	8.7%	15.6%	15.6%
Substance Abuse or Dependence	22.3%	23.4%	23.4%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
Schizophrenic Patients	94395	2698	2698
Medical Comorbidities, %			
No medical comorbidities	18.7%	15.2%	15.2%
Anemia	7.1%	6.4%	6.4%
Arthritis	29.7%	30.3%	30.3%
Cancer	6.1%	6.8%	6.8%
Cerebrovascular Disease	3.8%	3.6%	3.6%
Chronic Neurologic Disorder	12.4%	13.6%	13.6%
Chronic Obstructive Pulmonary Disease	16.5%	19.1%	19.1%
Chronic Viral Infection	8.7%	6.4%	6.4%
Coronary Artery Disease	14.6%	16.0%	16.0%
Diabetes	20.3%	19.2%	19.2%
Digestive System Disease	44.1%	48.4%	48.4%
Hypertension	40.7%	41.1%	41.1%
Injury and Poisoning	15.5%	15.1%	15.1%
Liver Disease	3.2%	3.6%	3.6%
Other Endocrine	6.9%	7.7%	7.7%
Peripheral Vascular Disease	2.9%	4.3%	4.3%
GAF scores			
Lowest inpatient GAF score, mean	36.19	36.93	36.93
SD	*14.35*	*10.85*	*10.85*
Mean outpatient GAF score	48.84	46.78	46.78
SD	*10.59*	*9.18*	*9.18*
At least 1 IP GAF, among pts with MH bedsections, %	38.5%	68.3%	68.3%
At least 1 OP GAF, among pts with MH clinic stops, %	80.5%	93.5%	93.5%
Mortality rates			
died in FY02, %	2.7%	3.4%	3.4%
Age-and-gender-adjusted Standardized Mortality Ratio	1.68	1.63	1.63

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
Schizophrenic Patients	94395	2698	2698
Service Connection (SC)			
Non-SC	40.8%	44.1%	44.1%
SC 0 - 29%	6.8%	6.3%	6.3%
SC 30 - 69%	8.8%	8.5%	8.5%
SC 70 - 99%	6.6%	7.6%	7.6%
SC 100%	37.0%	33.5%	33.5%
Total	100.0%	100.0%	100.0%
VERA Patient Class, %			
Complex*	22.5%	27.6%	27.6%
Basic vested, Cat A*	74.7%	69.3%	69.3%
Basic Non-vested, Cat A*	1.2%	0.9%	0.9%
Basic, Cats C and N	1.7%	2.3%	2.3%
Total	100.0%	100.0%	100.0%
* Funded			
Patient eligibility category, %			
Cat A (SC or low income)	98.2%	97.4%	97.4%
Cat C (NSC and higher income)	1.4%	2.3%	2.3%
Non-Veteran	0.5%	0.3%	0.3%
Total	100.0%	100.0%	100.0%
VERA 10 Price Groups, %			
BASIC 1. Non-reliant Care	0.2%	0.1%	0.2%
2. Basic Medical	16.7%	13.4%	15.9%
3. Mental Health	36.3%	35.0%	38.8%
4. Heart / Lung / GI	7.7%	6.1%	6.8%
5. Oncology / Infectious Disease	3.9%	2.4%	3.8%
6. Multiple Medical	18.0%	15.4%	13.2%
COMPLEX 7. Specialized Care	2.6%	3.0%	2.1%
8. Support Care	2.8%	1.7%	1.3%
9. Chronic Mental	9.6%	20.1%	15.3%
10. Critically Ill	2.2%	2.8%	2.6%
Total	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
Schizophrenic Patients	94395	2698	2698
Homelessness			
Homelessness indicated in FY02, %	12.0%	8.8%	8.8%
Residence in Metropolitan Area			
Residing in a Metropolitan Statistical Area, %	81.5%	80.0%	80.0%
Distance			
Mile from Closest VA Medical Center, mean	28.72	21.15	21.15
SD	*55.48*	*23.20*	*23.20*
Distance from closest VA Medical Center, %			
0 to 15 miles	52.9%	50.5%	40.7%
15 to 30 miles	15.5%	23.2%	18.8%
30 to 45 miles	9.7%	14.0%	17.9%
45 to 60 miles	7.4%	6.6%	13.8%
60 plus miles	14.4%	5.7%	8.8%
Total	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	9.84	7.51	7.51
SD	*11.95*	*7.38*	*7.38*
Distance to closest VA Service Site, %			
0 to 15 miles	79.4%	82.7%	58.0%
15 to 30 miles	13.6%	16.3%	27.7%
30 to 45 miles	5.1%	1.0%	10.4%
45 plus miles	1.9%	0.0%	3.9%
Total	100.0%	100.0%	100.0%

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
Schizophrenic Patients	94395	2698	2698
Hospital Based Utilization			
Patients with some Hospital Based Utilization, %	27.0%	23.7%	23.7%
Hospital based utilization: Overall			
(psych & non-psych- for those with hosp.based util.)			
Inpatient stays, mean	1.85	1.95	1.95
SD	*1.45*	*1.71*	*1.71*
Average LOS, mean	17.65	14.59	14.59
SD	*42.51*	*35.24*	*35.24*
Cumulative DOS, mean	28.76	26.29	26.29
SD	*53.29*	*51.31*	*51.31*
Cumulative DOS, %			
1 to 7	35.1%	33.0%	33.0%
8 to 14	20.7%	23.4%	23.4%
15 to 44	29.0%	31.4%	31.4%
45 to 89	9.0%	7.8%	7.8%
90 to 179	3.4%	2.0%	2.0%
180 to 359	1.5%	1.3%	1.3%
360+	1.2%	1.1%	1.1%
Total	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	3.8%	2.3%	2.3%
mean	249.93	302.40	302.40
SD	*96.37*	*86.99*	*86.99*
Hospital patients who had a 150+ day hosp. stay, %	2.5%	2.0%	*2.0%*
mean	300.78	329.54	329.54
SD	*75.28*	*53.18*	*53.18*
Cumulative DOS at Other VISNs	0.65	0.89	0.89
SD	*4.66*	*5.20*	*5.20*
Cumulative DOS at Other Stations	2.06	0.89	0.89
SD	*8.11*	*5.20*	*5.20*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Schizophrenic Patients	94395	2698	2698
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)			
Pts. with non-psych hospital stays, %	11.8%	11.4%	11.4%
Inpatient stays, mean	0.71	0.79	0.79
SD	*1.11*	*1.16*	*1.16*
Average LOS, mean	8.26	7.07	0.00
SD	*16.10*	*7.70*	*7.70*
Cumulative Days of Stay, mean	6.10	5.76	5.76
SD	*19.61*	*12.77*	*12.77*
Cumulative Days of Stay, %			
0	56.2%	51.9%	51.9%
1 to 7	24.8%	25.8%	25.8%
8 to 14	8.1%	9.8%	9.8%
15 to 44	8.5%	10.8%	10.8%
45 to 89	1.7%	1.3%	1.3%
90 to 179	0.5%	0.5%	0.5%
180 to 359	0.2%	0.0%	0.0%
360+	0.1%	0.0%	0.0%
Total	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.4%	0.0%	0.0%
mean	225.13	0.00	0.00
SD	*88.92*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.0%	0.0%
mean	285.12	0.00	0.00
SD	*70.56*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.10*	*0.21*	*0.21*
SD	*1.58*	*3.00*	*3.00*
Other station cumulative DOS, mean	0.47	0.21	0.21
SD	*3.45*	*3.00*	*3.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Schizophrenic Patients	94395	2698	2698
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)			
Pts. with psych hospital stays, %	17.7%	14.7%	14.7%
Inpatient stays, mean	1.14	1.15	1.15
SD	*1.37*	*1.58*	*1.58*
Average LOS, mean	23.15	20.05	20.05
SD	*51.08*	*44.83*	*44.83*
Cumulative Days of Stay, mean	22.66	20.53	20.53
SD	*51.43*	*50.75*	*50.75*
Cumulative Days of Stay, %			
0	34.4%	38.0%	38.0%
1 to 7	17.5%	14.8%	14.8%
8 to 14	14.7%	15.3%	15.3%
15 to 44	21.2%	21.6%	21.6%
45 to 89	6.9%	6.4%	6.4%
90 to 179	2.8%	1.6%	1.6%
180 to 359	1.4%	1.3%	1.3%
360+	1.1%	1.1%	1.1%
Total	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	2.3%	2.3%
mean	250.18	296.13	296.13
SD	*97.20*	*93.50*	*93.50*
Hosp. Pts. with a 150+ day psych hosp.stay, %	2.2%	2.0%	2.0%
mean	300.10	324.31	324.31
SD	*76.47*	*61.23*	*61.23*
Other VISN cumulative DOS, mean	0.55	0.67	0.67
SD	4.34	4.25	4.25
Other station cumulative DOS, mean	1.59	0.67	0.67
SD	7.30	4.25	4.25

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Schizophrenic Patients	94395	2698	2698
Other 24 hour institutional care			
Patients with some other 24 hour institutional care, %	8.0%	10.1%	10.1%
Residential Rehab (rep. for those w/ res rehab care)			
Patients with some residential rehab. care, %	1.6%	2.5%	2.5%
Number stays, mean	*1.12*	*1.13*	*1.13*
SD	*0.37*	*0.39*	*0.39*
Average LOS, mean	36.26	35.10	35.10
SD	*45.44*	*25.02*	*25.02*
Cumulative DOS, mean	39.67	38.57	38.57
SD	*48.06*	*26.94*	*26.94*
Cumulative Days of Stay, %			
1 to 7	14.0%	14.9%	14.9%
8 to 14	14.7%	7.5%	7.5%
15 to 44	46.4%	37.3%	37.3%
45 to 89	13.8%	32.8%	32.8%
90 to 179	8.9%	7.5%	7.5%
180 to 359	1.8%	0.0%	0.0%
360+	0.5%	0.0%	0.0%
Total	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.2%	1.5%	1.5%
stay, mean	180.59	118.00	118.00
SD	*80.43*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	2.8%	0.0%	0.0%
stay, mean	246.24	0.00	0.00
SD	*77.24*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.84	3.64	3.64
SD	*5.37*	*13.23*	*13.23*
Other station cumulative DOS, mean	3.24	3.64	3.64
SD	*10.31*	*13.23*	*13.23*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Schizophrenic Patients	94395	2698	2698
Domiciliary and Vocational (reported for those with some dom/voc care)			
Patients with some dom/voc care, %	2.3%	1.7%	1.7%
Number stays, mean	1.12	1.11	1.11
SD	*0.37*	*0.31*	*0.31*
Average LOS, mean	94.48	74.38	74.38
SD	*108.97*	*51.92*	*51.92*
Cumulative DOS, mean	100.96	82.26	82.26
SD	*111.44*	*59.51*	*59.51*
Cumulative Days of Stay, %			
1 to 7	7.9%	2.2%	2.2%
8 to 14	6.7%	8.7%	8.7%
15 to 44	31.5%	23.9%	23.9%
45 to 89	17.3%	23.9%	23.9%
90 to 179	17.7%	32.6%	32.6%
180 to 359	9.4%	8.7%	8.7%
360+	9.5%	0.0%	0.0%
Total	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.0%	37.0%	37.0%
mean	234.98	148.41	148.41
SD	*102.95*	*34.63*	*34.63*
Dom. patients with 150+ day Dom. stay, %	20.9%	15.2%	15.2%
mean	291.61	170.14	170.14
SD	*80.75*	*15.93*	*15.93*
Other VISN cumulative DOS, mean	1.18	4.30	4.30
SD	*7.65*	*15.15*	*15.15*
Other station cumulative DOS, mean	3.16	4.30	4.30
SD	*12.59*	*15.15*	*15.15*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Schizophrenic Patients	94395	2698	2698
Nursing Home Care (reported for those with some nursing home care)			
Patients with some nursing home care, %	2.3%	1.7%	1.7%
Number stays, mean	1.20	1.23	1.23
SD	*0.56*	*0.55*	*0.55*
Average LOS, mean	143.54	106.32	106.32
SD	*137.46*	*130.43*	*130.43*
Cumulative DOS, mean	156.00	114.88	114.88
SD	*139.76*	*129.36*	*129.36*
Cumulative Days of Stay, %			
1 to 7	6.8%	10.5%	10.5%
8 to 14	6.5%	7.6%	7.6%
15 to 44	20.5%	29.7%	29.7%
45 to 89	14.1%	15.1%	15.1%
90 to 179	15.1%	12.8%	12.8%
180 to 359	14.7%	9.3%	9.3%
360+	22.5%	15.1%	15.1%
Total	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	48.0%	30.8%	30.8%
Cumul. DOS, patients with a 100+ day NH stay, mean	282.12	284.70	284.70
SD	*94.85*	*97.53*	*97.53*
NH patients with 150+ day NH stay, %	39.8%	24.4%	24.4%
Cumul. DOS, patients with a 150+ day NH stay, mean	312.43	322.07	322.07
SD	*72.26*	*70.08*	*70.08*
Other VISN cumulative DOS, mean	0.44	0.95	0.95
SD	*5.99*	*6.34*	*6.34*
Other station cumulative DOS, mean	1.19	0.95	0.95
SD	*9.07*	*6.34*	*6.34*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Schizophrenic Patients	94395	2698	2698
Outpatient utilization (reported for those with some outpatient care)			
Patients with some outpatient care, %	98.3%	98.1%	98.1%
annual visit days, mean	27.64	40.48	40.48
SD	*38.39*	*51.88*	*51.88*
Outpatient visit days, %			
1-12	42.6%	32.3%	32.3%
13-24	25.7%	24.1%	24.1%
25-36	11.8%	13.2%	13.2%
37-48	5.9%	7.1%	7.1%
49+	14.0%	23.3%	23.3%
Total	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	74.5%	83.8%	83.8%
Mean PC visit days, among those with some PC	3.73	3.87	3.87
SD	3.83	3.44	3.44
Average number clinic stops per visit day, mean	1.45	1.40	1.40
SD	*0.45*	*0.37*	*0.37*
annual clinic stops (psych & non-psych), mean	41.32	61.71	61.71
SD	*65.29*	*94.93*	*94.93*
annual non-psych. clinic stops, mean	19.07	26.19	26.19
SD	*26.86*	*42.54*	*42.54*
ıal psych. clinic stops (specific groupings below), mean	22.25	35.51	35.51
SD	*50.83*	*67.91*	*67.91*
1. general psych. clinic stops, mean	9.04	8.60	8.60
SD	*15.89*	*10.30*	*10.30*
2. psych. case management clinic stops, mean	2.76	7.38	7.38
SD	*16.59*	*27.93*	*27.93*
3. psych. day treatment clinic stops, mean	4.94	14.74	14.74
SD	*29.07*	*47.81*	*47.81*
4. substance abuse clinic stops, mean	2.71	1.77	1.77
SD	*17.49*	*9.08*	*9.08*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Schizophrenic Patients	94395	2698	2698
5. psych. vocational clinic stops, mean	2.11	2.34	2.34
SD	*18.38*	*17.01*	*17.01*
6. PTSD clinic stops, mean	0.37	0.34	0.34
SD	*3.86*	*3.78*	*3.78*
7. psych. homeless clinic stops, mean	0.39	0.50	0.50
SD	*2.98*	*3.78*	*3.78*
Other VISN OP visit days, mean	0.30	0.39	0.39
SD	*2.12*	*2.70*	*2.70*
Other station OP visit days, mean	0.82	0.39	0.39
SD	*3.70*	*2.70*	*2.70*

Table 4G: FY03 Schizophrenic Patients, Pharmacy Utilization, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
Schizophrenic Patients	94395	2698	2698
Among all patients in the registry			
Pts. with any outpatient prescriptions, %	94.9%	94.9%	94.9%
Patients with any oral antipsychotic fills, %*	78.7%	75.7%	75.7%
Among pts. Receiving any antipsychotic medication:			
Received only conventional antipsychotics, %	15.4%	16.7%	16.7%
Received some atypical antipsychotics, %	84.6%	83.3%	83.3%
Total	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %			
Aripiprazole	1.5%	2.5%	2.5%
Clozapine	3.1%	3.6%	3.6%
Olanzapine	35.7%	33.9%	33.9%
Quetiapine	21.7%	24.3%	24.3%
Risperidone	36.8%	38.9%	38.9%
Ziprasidone	5.9%	4.5%	4.5%
Patients receiving only one kind** of antipsychotic, %	70.8%	67.4%	67.4%
Concurrent use of 2 or more antipsychotics, % ***	15.6%	17.6%	17.6%
Among pts receiving just one antipsychotic:			
Antipsychotic fills, mean	8.10	9.40	9.40
SD	*5.37*	*5.39*	*5.39*
Antipsychotic Medication Possession Ratio, mean	0.83	0.87	0.87
SD	*0.33*	*0.32*	*0.32*
Antipsychotic Med Possession Ratio <= 0.80, %	37.1%	30.8%	30.8%
Antipsychotic Med Possession Ratio <= 0.50, %	18.0%	14.0%	14.0%

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 4G: FY03 Schizophrenic Patients, Cost, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
Schizophrenic Patients	94395	2698	2698
Total Costs (in thousands $$)	$1,637,013	$48,806	$48,806
Station % of VISN		100.0%	100.0%
Psych vs. Non-Psych Costs			
Psych	34.5%	35.0%	35.0%
Non-Psych	65.5%	65.0%	65.0%
Total	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use			
Per Patient	$21,945	$22,353	$22,353
Per Day of Stay	$763	$850	$850
Mean Outpatient Costs, Pts with some Outpatient use			
Per Patient	$7,323	$9,050	$9,050
Per Visit Day	$265	$224	$224
By Cost Center			
1 Med	$1,399	$1,218	$1,218
2 Surg	$470	$405	$405
3 Psych	$4,062	$3,680	$3,680
4 Psych Res Rehab Treatment Program	$217	$163	$163
5 Non-VA	$230	$392	$392
6 LTC Domiciliary	$302	$155	$155
7 LTC Intermediate Care	$166	$0	$0
8 LTC Nursing Home	$2,633	$2,775	$2,775
9 Contract Nursing Home	$664	$427	$427
10 OPC Med/Surg	$930	$995	$995
11 OPC Psych	$1,916	$2,656	$2,656
12 OPC Home Based Treatment	$933	$1,307	$1,307
13 OPC Support	$1,243	$1,451	$1,451
14 OPC Fee	$130	$179	$179
15 OPC Pharmacy	$2,047	$2,289	$2,289
TOTAL	$17,342	$18,090	$18,090
Mean % Patient Costs at Other Stations	3.6%	1.4%	1.4%
SD	*12.4%*	*7.5%*	*7.5%*
Mean % Patient Costs at Other VISNs	1.3%	1.4%	1.4%
SD	*7.5%*	*7.5%*	*7.5%*

Table 1H: FY03 Bipolar Patients, Demographics, VISN 2

	All VISNs	VISN 2	528 *Upstate NY*
Bipolar Patients	73964	2425	2425
Age, %			
<35	7.9%	7.4%	7.4%
>=35 and <50	36.3%	39.5%	39.5%
>=50 and <65	40.3%	38.6%	38.6%
>=65 and <80	13.3%	12.1%	12.1%
>=80	2.2%	2.4%	2.4%
Total	100.0%	100.0%	100.0%
mean age	52.26	51.65	51.65
SD	*12.50*	*12.43*	*12.43*
Gender			
Male, %	88.2%	89.3%	89.3%
Female, %	11.8%	10.7%	10.7%
Total	100.0%	100.0%	100.0%
Race / Ethnicity, %			
Hispanic white	2.8%	1.0%	1.0%
Hispanic black	0.3%	0.2%	0.2%
American Indian	0.3%	0.4%	0.4%
Black	10.4%	9.0%	9.0%
Asian	0.2%	0.0%	0.0%
White	62.5%	70.9%	70.9%
Race unknown	23.5%	18.5%	18.5%
Total	100.0%	100.0%	100.0%
Marital Status			
Never married	21.0%	23.8%	23.8%
Married	37.7%	37.6%	37.6%
Divorced/Separated	37.9%	34.7%	34.7%
Widowed	3.4%	3.8%	3.8%
Total	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
Bipolar Patients	73964	2425	2425
Registry Pts. History of VA Utilization			
Years since first use in prior five years, mean	4.2	4.29	4.29
SD	*1.3*	*1.20*	*1.20*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.1%	26.2%	26.2%
SD	*29.2%*	*30.6%*	*30.6%*
Years with OP use / Years since first use, %	96.7%	97.1%	97.1%
SD	*10.5%*	*10.0%*	*10.0%*
Psychosis Diagnoses in Prior Fiscal Year			
Had Psychosis Diagnosis in FY01, %	65.0%	63.3%	63.3%
Among Patients With Psychoses in FY01			
Psychosis Category: Schizophrenia, %	3.8%	3.6%	3.6%
Psychosis Category: Bipolar Disorder, %	94.8%	94.9%	94.9%
Psychosis Category: Other Psychosis, %	1.4%	1.4%	1.4%
Total	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %			
Dementia	1.7%	1.9%	1.9%
Post Traumatic Stress Disorder	21.3%	30.9%	30.9%
Depression	44.5%	62.6%	62.6%
Other Anxiety Disorder	16.3%	26.4%	26.4%
Substance Abuse or Dependence	29.8%	36.9%	36.9%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
Bipolar Patients	73964	2425	2425
Medical Comorbidities, %			
No medical comorbidities	15.4%	15.6%	15.6%
Anemia	5.6%	4.1%	4.1%
Arthritis	42.4%	45.5%	45.5%
Cancer	6.2%	5.0%	5.0%
Cerebrovascular Disease	3.8%	3.2%	3.2%
Chronic Neurologic Disorder	14.8%	14.3%	14.3%
Chronic Obstructive Pulmonary Disease	16.0%	17.5%	17.5%
Chronic Viral Infection	9.6%	9.4%	9.4%
Coronary Artery Disease	16.8%	16.3%	16.3%
Diabetes	17.4%	16.9%	16.9%
Digestive System Disease	43.2%	47.8%	47.8%
Hypertension	38.5%	37.0%	37.0%
Injury and Poisoning	19.9%	18.9%	18.9%
Liver Disease	3.8%	4.2%	4.2%
Other Endocrine	10.0%	9.1%	9.1%
Peripheral Vascular Disease	3.0%	3.1%	3.1%
GAF scores			
Lowest inpatient GAF score, mean	39.59	42.82	42.82
SD	*14.06*	*9.89*	*9.89*
Mean outpatient GAF score	53.41	53.47	53.47
SD	*10.75*	*8.81*	*8.81*
At least 1 IP GAF, among pts with MH bedsections, %	39.1%	79.4%	79.4%
At least 1 OP GAF, among pts with MH clinic stops, %	81.5%	92.8%	92.8%
Mortality rates			
died in FY02, %	1.5%	1.3%	1.3%
Age-and-gender-adjusted Standardized Mortality Ratio	1.07	1.01	1.01

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 2, continued

		All VISNs	VISN 2	528 *Upstate NY HCS*
	Bipolar Patients	73964	2425	2425
Service Connection (SC)				
	Non-SC	55.9%	61.4%	61.4%
	SC 0 - 29%	10.0%	8.9%	8.9%
	SC 30 - 69%	13.4%	12.6%	12.6%
	SC 70 - 99%	8.9%	8.6%	8.6%
	SC 100%	11.8%	8.5%	8.5%
	Total	100.0%	100.0%	100.0%
VERA Patient Class, %				
	Complex*	12.2%	17.9%	17.9%
	Basic vested, Cat A*	80.3%	74.4%	74.4%
	Basic Non-vested, Cat A*	0.9%	0.8%	0.8%
	Basic, Cats C and N	6.6%	6.9%	6.9%
	Total	100.0%	100.0%	100.0%
	* Funded			
Patient eligibility category, %				
	Cat A (SC or low income)	93.2%	93.0%	93.0%
	Cat C (NSC and higher income)	5.9%	5.5%	5.5%
	Non-Veteran	0.9%	1.5%	1.5%
	Total	100.0%	100.0%	100.0%
VERA 10 Price Groups, %				
BASIC	1. Non-reliant Care	0.1%	0.2%	0.3%
	2. Basic Medical	15.2%	11.9%	19.6%
	3. Mental Health	40.5%	43.2%	39.4%
	4. Heart / Lung / GI	6.9%	4.2%	7.8%
	5. Oncology / Infectious Disease	4.3%	3.2%	4.2%
	6. Multiple Medical	20.7%	19.3%	19.0%
COMPLEX	7. Specialized Care	2.2%	2.6%	2.0%
	8. Support Care	2.1%	3.8%	1.5%
	9. Chronic Mental	6.8%	10.7%	5.2%
	10. Critically Ill	1.1%	0.8%	0.9%
	Total	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Bipolar Patients	73964	2425	2425
Homelessness			
Homelessness indicated in FY02, %	13.8%	14.8%	14.8%
Residence in Metropolitan Area			
Residing in a Metropolitan Statistical Area, %	79.3%	75.2%	75.2%
Distance			
Mile from Closest VA Medical Center, mean	34.15	24.80	24.80
SD	*73.16*	*24.45*	*24.45*
Distance from closest VA Medical Center, %			
0 to 15 miles	46.2%	43.4%	37.8%
15 to 30 miles	17.2%	24.3%	22.6%
30 to 45 miles	10.6%	15.1%	15.8%
45 to 60 miles	8.5%	8.2%	13.5%
60 plus miles	17.4%	9.0%	10.3%
Total	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.09	8.03	8.03
SD	*13.59*	*7.33*	*7.33*
Distance to closest VA Service Site, %			
0 to 15 miles	76.3%	82.5%	55.1%
15 to 30 miles	15.4%	16.3%	29.9%
30 to 45 miles	5.7%	1.1%	10.3%
45 plus miles	2.7%	0.0%	4.7%
Total	100.0%	100.0%	100.0%

Table 3H: FY03 Bipolar Patients, Utilization, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
Bipolar Patients	73964	2425	2425
Hospital Based Utilization			
Patients with some Hospital Based Utilization, %	25.4%	21.7%	21.7%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)			
Inpatient stays, mean	1.80	1.75	1.75
SD	*1.41*	*1.32*	*1.32*
Average LOS, mean	9.79	9.03	9.03
SD	*17.76*	*11.56*	*11.56*
Cumulative DOS, mean	17.09	15.73	15.73
SD	*27.94*	*20.92*	*20.92*
Cumulative DOS, %			
1 to 7	44.7%	44.8%	44.8%
8 to 14	21.9%	20.7%	20.7%
15 to 44	25.9%	26.9%	26.9%
45 to 89	5.3%	6.6%	6.6%
90 to 179	1.5%	0.8%	0.8%
180 to 359	0.5%	0.2%	0.2%
360+	0.1%	0.0%	0.0%
Total	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	1.0%	0.6%	0.6%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	203.75	173.00	173.00
SD	*79.71*	*30.32*	*30.32*
Hospital patients who had a 150+ day hosp. stay, %	0.6%	0.4%	*0.4%*
Cumul. DOS, patients with a 150+ day hosp. stay, mean	251.69	181.50	181.50
SD	*73.28*	*37.48*	*37.48*
Cumulative DOS at Other VISNs	0.67	1.13	1.13
SD	*4.53*	*5.71*	*5.71*
Cumulative DOS at Other Stations	1.97	1.13	1.13
SD	*7.12*	*5.71*	*5.71*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Bipolar Patients	73964	2425	2425
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)			
Pts. with non-psych hospital stays, %	11.7%	10.1%	10.1%
Inpatient stays, mean	0.72	0.69	0.69
SD	*1.10*	*1.03*	*1.03*
Average LOS, mean	6.20	6.55	0.00
SD	*10.70*	*9.21*	*9.21*
Cumulative Days of Stay, mean	4.64	4.75	4.75
SD	*13.49*	*13.08*	*13.08*
Cumulative Days of Stay, %			
0	54.1%	53.5%	53.5%
1 to 7	30.1%	30.2%	30.2%
8 to 14	7.4%	7.2%	7.2%
15 to 44	7.0%	7.0%	7.0%
45 to 89	1.1%	1.9%	1.9%
90 to 179	0.3%	0.0%	0.0%
180 to 359	0.1%	0.2%	0.2%
360+	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.2%	0.2%	0.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	187.03	208.00	208.00
SD	*73.96*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.2%	0.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.06	208.00	208.00
SD	*75.99*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.15*	*0.11*	*0.11*
SD	*2.03*	*0.98*	*0.98*
Other station cumulative DOS, mean	0.50	0.11	0.11
SD	*3.25*	*0.98*	*0.98*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Bipolar Patients	73964	2425	2425
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)			
Pts. with psych hospital stays, %	16.8%	13.8%	13.8%
Inpatient stays, mean	1.08	1.05	1.05
SD	*1.27*	*1.28*	*1.28*
Average LOS, mean	12.15	10.92	10.92
SD	*21.36*	*13.12*	*13.12*
Cumulative Days of Stay, mean	12.44	10.98	10.98
SD	*25.57*	*18.26*	*18.26*
Cumulative Days of Stay, %			
0	34.1%	36.4%	36.4%
1 to 7	24.8%	23.0%	23.0%
8 to 14	16.7%	15.6%	15.6%
15 to 44	19.0%	19.7%	19.7%
45 to 89	3.7%	4.6%	4.6%
90 to 179	1.2%	0.8%	0.8%
180 to 359	0.4%	0.0%	0.0%
360+	0.1%	0.0%	0.0%
Total	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.8%	0.4%	0.4%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	201.69	151.00	151.00
SD	*78.85*	*5.66*	*5.66*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.5%	0.2%	0.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	248.87	155.00	155.00
SD	*70.96*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.52	1.03	1.03
SD	4.00	5.62	5.62
Other station cumulative DOS, mean	1.48	1.03	1.03
SD	6.29	5.62	5.62

Table 3H: FY03 Bipolar Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Bipolar Patients	73964	2425	2425
Other 24 hour institutional care			
Patients with some other 24 hour institutional care, %	8.1%	16.0%	16.0%
Residential Rehab (rep. for those w/ res rehab care)			
Patients with some residential rehab. care, %	2.6%	6.8%	6.8%
Number stays, mean	*1.12*	*1.15*	*1.15*
SD	*0.38*	*0.45*	*0.45*
Average LOS, mean	33.17	36.02	36.02
SD	*32.92*	*26.55*	*26.55*
Cumulative DOS, mean	36.42	39.14	39.14
SD	*35.54*	*28.69*	*28.69*
Cumulative Days of Stay, %			
1 to 7	10.4%	8.5%	8.5%
8 to 14	11.3%	6.1%	6.1%
15 to 44	53.1%	52.1%	52.1%
45 to 89	18.3%	25.5%	25.5%
90 to 179	5.8%	7.3%	7.3%
180 to 359	1.0%	0.6%	0.6%
360+	0.1%	0.0%	0.0%
Total	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.3%	4.2%	4.2%
Cumul. DOS, patients with a 100+ day Res Rehab stay, mean	167.40	128.71	128.71
SD	*69.53*	*28.93*	*28.93*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.6%	0.6%
Cumul. DOS, patients with a 150+ day Res Rehab stay, mean	224.60	155.00	155.00
SD	*70.59*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.28	2.47	2.47
SD	*6.79*	*8.60*	*8.60*
Other station cumulative DOS, mean	3.71	2.47	2.47
SD	*10.96*	*8.60*	*8.60*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Bipolar Patients	73964	2425	2425
Domiciliary and Vocational (reported for those with some dom/voc care)			
Patients with some dom/voc care, %	4.2%	9.8%	9.8%
Number stays, mean	1.14	1.22	1.22
SD	*0.38*	*0.48*	*0.48*
Average LOS, mean	80.47	95.46	95.46
SD	*77.50*	*56.72*	*56.72*
Cumulative DOS, mean	88.84	113.58	113.58
SD	*82.55*	*69.68*	*69.68*
Cumulative Days of Stay, %			
1 to 7	6.1%	0.8%	0.8%
8 to 14	5.6%	4.6%	4.6%
15 to 44	28.2%	15.2%	15.2%
45 to 89	21.0%	18.6%	18.6%
90 to 179	26.2%	41.4%	41.4%
180 to 359	10.5%	19.4%	19.4%
360+	2.4%	0.0%	0.0%
Total	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.1%	50.6%	50.6%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	184.30	168.93	168.93
SD	*76.03*	*47.13*	*47.13*
Dom. patients with 150+ day Dom. stay, %	16.5%	27.0%	27.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	236.94	198.17	198.17
SD	*71.03*	*40.00*	*40.00*
Other VISN cumulative DOS, mean	1.76	4.35	4.35
SD	*9.43*	*14.12*	*14.12*
Other station cumulative DOS, mean	4.27	4.35	4.35
SD	*15.65*	*14.12*	*14.12*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Bipolar Patients	73964	2425	2425
Nursing Home Care			
(reported for those with some nursing home care)			
Patients with some nursing home care, %	2.1%	2.4%	2.4%
Number stays, mean	1.22	1.26	1.26
SD	*0.55*	*0.67*	*0.67*
Average LOS, mean	86.89	85.63	85.63
SD	*110.58*	*107.55*	*107.55*
Cumulative DOS, mean	98.25	94.07	94.07
SD	*116.77*	*108.93*	*108.93*
Cumulative Days of Stay, %			
1 to 7	10.5%	14.0%	14.0%
8 to 14	10.7%	10.5%	10.5%
15 to 44	30.2%	28.1%	28.1%
45 to 89	16.4%	12.3%	12.3%
90 to 179	12.3%	12.3%	12.3%
180 to 359	10.2%	15.8%	15.8%
360+	9.8%	7.0%	7.0%
Total	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	27.9%	28.1%	28.1%
Cumul. DOS, patients with a 100+ day NH stay, mean	261.88	241.56	241.56
SD	*97.21*	*89.38*	*89.38*
NH patients with 150+ day NH stay, %	22.1%	22.8%	22.8%
Cumul. DOS, patients with a 150+ day NH stay, mean	296.07	267.08	267.08
SD	*76.98*	*78.47*	*78.47*
Other VISN cumulative DOS, mean	0.47	0.04	0.04
SD	*5.60*	*0.26*	*0.26*
Other station cumulative DOS, mean	1.51	0.04	0.04
SD	*9.89*	*0.26*	*0.26*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Bipolar Patients	73964	2425	2425
Outpatient utilization			
(reported for those with some outpatient care)			
Patients with some outpatient care, %	99.6%	99.6%	99.6%
annual visit days, mean	24.20	33.79	33.79
SD	*30.37*	*37.96*	*37.96*
Outpatient visit days, %			
1-12	43.1%	30.8%	30.8%
13-24	26.8%	26.7%	26.7%
25-36	12.4%	14.7%	14.7%
37-48	6.4%	8.0%	8.0%
49+	11.4%	19.8%	19.8%
Total	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	80.8%	85.7%	85.7%
Mean PC visit days, among those with some PC	3.83	4.18	4.18
SD	3.42	3.55	3.55
Average number clinic stops per visit day, mean	1.50	1.42	1.42
SD	*0.46*	*0.34*	*0.34*
annual clinic stops (psych & non-psych), mean	37.58	52.35	52.35
SD	*53.68*	*68.25*	*68.25*
annual non-psych. clinic stops, mean	19.81	26.09	26.09
SD	*22.87*	*32.83*	*32.83*
annual psych. clinic stops (specific groupings below), mean	17.77	26.26	26.26
SD	*40.95*	*43.87*	*43.87*
1. general psych. clinic stops, mean	7.61	11.26	11.26
SD	*12.69*	*12.94*	*12.94*
2. psych. case management clinic stops, mean	0.65	0.87	0.87
SD	*8.45*	*8.57*	*8.57*
3. psych. day treatment clinic stops, mean	1.57	3.02	3.02
SD	*15.80*	*19.64*	*19.64*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Bipolar Patients	73964	2425	2425
4. substance abuse clinic stops, mean	4.64	6.51	6.51
SD	*21.97*	*17.70*	*17.70*
5. psych. vocational clinic stops, mean	1.91	2.51	2.51
SD	*15.13*	*14.31*	*14.31*
6. PTSD clinic stops, mean	0.80	1.16	1.16
SD	*5.71*	*7.48*	*7.48*
7. psych. homeless clinic stops, mean	0.54	0.69	0.69
SD	*3.97*	*3.48*	*3.48*
Other VISN OP visit days, mean	0.48	0.81	0.81
SD	*2.80*	*4.27*	*4.27*
Other station OP visit days, mean	1.14	0.81	0.81
SD	*4.45*	*4.27*	*4.27*

Table 4H: FY03 Bipolar Patients, Pharmacy Utilization, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
Bipolar Patients	73964	2425	2425
Among all patients in the registry			
Pts. with any outpatient prescriptions, %	96.9%	96.9%	96.9%
Patients with any oral antipsychotic fills, %*	46.0%	41.9%	41.9%
Among pts. Receiving any antipsychotic medication:			
Received only conventional antipsychotics, %	7.6%	5.7%	5.7%
Received some atypical antipsychotics, %	92.4%	94.3%	94.3%
Total	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %			
Aripiprazole	0.9%	0.8%	0.8%
Clozapine	0.2%	0.0%	0.0%
Olanzapine	40.7%	37.9%	37.9%
Quetiapine	34.1%	40.5%	40.5%
Risperidone	31.0%	31.1%	31.1%
Ziprasidone	4.7%	2.0%	2.0%
Patients receiving only one kind** of antipsychotic, %	77.4%	79.3%	79.3%
Concurrent use of 2 or more antipsychotics, % ***	5.5%	5.1%	5.1%
Among pts receiving just one antipsychotic:			
Antipsychotic fills, mean	6.09	7.09	7.09
SD	*4.43*	*4.89*	*4.89*
Antipsychotic Medication Possession Ratio, mean	--	--	--
SD	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5H: FY03 Bipolar Patients, Cost, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
Bipolar Patients	73964	2425	2425
Total Costs (in thousands $$)	$907,650	$33,873	$33,873
Station % of VISN		100.0%	100.0%
Psych vs. Non-Psych Costs			
Psych	33.4%	20.2%	20.2%
Non-Psych	66.6%	79.8%	79.8%
Total	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use			
Per Patient	$15,075	$15,292	$15,292
Per Day of Stay	$882	$972	$972
Mean Outpatient Costs, Pts with some Outpatient use			
Per Patient	$6,520	$7,971	$7,971
Per Visit Day	$269	$236	$236
By Cost Center			
1 Med	$1,060	$972	$972
2 Surg	$459	$396	$396
3 Psych	$2,315	$1,956	$1,956
4 Psych Res Rehab Treatment Program	$298	$480	$480
5 Non-VA	$176	$130	$130
6 LTC Domiciliary	$455	$1,160	$1,160
7 LTC Intermediate Care	$96	$0	$0
8 LTC Nursing Home	$778	$863	$863
9 Contract Nursing Home	$142	$73	$73
10 OPC Med/Surg	$1,111	$1,219	$1,219
11 OPC Psych	$1,781	$2,690	$2,690
12 OPC Home Based Treatment	$532	$606	$606
13 OPC Support	$1,309	$1,627	$1,627
14 OPC Fee	$115	$94	$94
15 OPC Pharmacy	$1,645	$1,703	$1,703
TOTAL	$12,272	$13,968	$13,968
Mean % Patient Costs at Other Stations	4.8%	2.5%	2.5%
SD	*13.9%*	*10.6%*	*10.6%*
Mean % Patient Costs at Other VISNs	2.0%	2.5%	2.5%
SD	*9.0%*	*10.6%*	*10.6%*

Table 2I: FY03 Other Psychosis Patients, Demographics, VISN 2

	All VISNs	VISN 2	528 *Upstate NY*
Other Psychosis Patients	49401	866	866
Age, %			
<35	2.2%	1.5%	1.5%
>=35 and <50	12.5%	10.5%	10.5%
>=50 and <65	22.1%	17.9%	17.9%
>=65 and <80	36.7%	38.7%	38.7%
>=80	26.5%	31.4%	31.4%
Total	100.0%	100.0%	100.0%
mean age	68.22	70.59	70.59
SD	*15.13*	*14.58*	*14.58*
Gender			
Male, %	96.0%	95.5%	95.5%
Female, %	4.0%	4.5%	4.5%
Total	100.0%	100.0%	100.0%
Race / Ethnicity, %			
Hispanic white	3.9%	0.7%	0.7%
Hispanic black	0.3%	0.1%	0.1%
American Indian	0.2%	0.2%	0.2%
Black	15.5%	8.8%	8.8%
Asian	0.4%	0.2%	0.2%
White	48.2%	64.7%	64.7%
Race unknown	31.5%	25.3%	25.3%
Total	100.0%	100.0%	100.0%
Marital Status			
Never married	13.4%	14.9%	14.9%
Married	52.0%	53.6%	53.6%
Divorced/Separated	22.5%	15.9%	15.9%
Widowed	12.0%	15.6%	15.6%
Total	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
Other Psychosis Patients	49401	866	866
Registry Pts. History of VA Utilization			
Years since first use in prior five years, mean	4.0	4.12	4.12
SD	*1.4*	*1.35*	*1.35*
Yrs with 24-hour institutional use / yrs since 1st use, %	24.1%	24.2%	24.2%
SD	*27.8%*	*27.7%*	*27.7%*
Years with OP use / Years since first use, %	96.9%	96.9%	96.9%
SD	*10.4%*	*10.8%*	*10.8%*
Psychosis Diagnoses in Prior Fiscal Year			
Had Psychosis Diagnosis in FY01, %	33.8%	26.4%	26.4%
Among Patients With Psychoses in FY01			
Psychosis Category: Schizophrenia, %	9.4%	10.0%	10.0%
Psychosis Category: Bipolar Disorder, %	3.8%	4.8%	4.8%
Psychosis Category: Other Psychosis, %	86.9%	85.2%	85.2%
Total	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %			
Dementia	20.6%	40.5%	40.5%
Post Traumatic Stress Disorder	13.4%	13.5%	13.5%
Depression	37.7%	36.3%	36.3%
Other Anxiety Disorder	12.0%	19.1%	19.1%
Substance Abuse or Dependence	15.7%	11.4%	11.4%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
Other Psychosis Patients	49401	866	866
Medical Comorbidities, %			
No medical comorbidities	8.3%	7.7%	7.7%
Anemia	14.2%	14.5%	14.5%
Arthritis	39.1%	41.7%	41.7%
Cancer	14.0%	15.0%	15.0%
Cerebrovascular Disease	16.4%	19.3%	19.3%
Chronic Neurologic Disorder	20.8%	24.4%	24.4%
Chronic Obstructive Pulmonary Disease	17.9%	20.7%	20.7%
Chronic Viral Infection	5.9%	4.2%	4.2%
Coronary Artery Disease	33.0%	37.6%	37.6%
Diabetes	23.4%	26.4%	26.4%
Digestive System Disease	42.9%	44.0%	44.0%
Hypertension	54.9%	58.2%	58.2%
Injury and Poisoning	19.4%	21.6%	21.6%
Liver Disease	3.8%	3.1%	3.1%
Other Endocrine	9.5%	10.6%	10.6%
Peripheral Vascular Disease	7.8%	12.9%	12.9%
GAF scores			
Lowest inpatient GAF score, mean	37.71	39.32	39.32
SD	*14.78*	*9.77*	*9.77*
Mean outpatient GAF score	48.43	49.68	49.68
SD	*11.56*	*10.49*	*10.49*
At least 1 IP GAF, among pts with MH bedsections, %	36.3%	77.3%	77.3%
At least 1 OP GAF, among pts with MH clinic stops, %	74.8%	81.0%	81.0%
Mortality rates			
died in FY02, %	6.2%	7.0%	7.0%
Age-and-gender-adjusted Standardized Mortality Ratio	1.21	1.21	1.21

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
Other Psychosis Patients	49401	866	866
Service Connection (SC)			
Non-SC	63.3%	63.9%	63.9%
SC 0 - 29%	10.4%	10.9%	10.9%
SC 30 - 69%	10.8%	9.8%	9.8%
SC 70 - 99%	6.4%	7.0%	7.0%
SC 100%	9.1%	8.4%	8.4%
Total	100.0%	100.0%	100.0%
VERA Patient Class, %			
Complex*	15.0%	26.7%	26.7%
Basic vested, Cat A*	74.8%	63.3%	63.3%
Basic Non-vested, Cat A*	0.8%	0.5%	0.5%
Basic, Cats C and N	9.4%	9.6%	9.6%
Total	100.0%	100.0%	100.0%
* Funded			
Patient eligibility category, %			
Cat A (SC or low income)	90.1%	88.8%	88.8%
Cat C (NSC and higher income)	9.4%	10.0%	10.0%
Non-Veteran	0.6%	1.2%	1.2%
Total	100.0%	100.0%	100.0%
VERA 10 Price Groups, %			
BASIC 1. Non-reliant Care	0.1%	0.1%	0.0%
2. Basic Medical	25.3%	20.7%	27.3%
3. Mental Health	25.6%	23.6%	22.9%
4. Heart / Lung / GI	12.5%	9.9%	14.2%
5. Oncology / Infectious Disease	3.8%	2.2%	3.4%
6. Multiple Medical	17.6%	16.9%	18.0%
COMPLEX 7. Specialized Care	4.7%	10.5%	4.4%
8. Support Care	4.8%	6.8%	4.3%
9. Chronic Mental	2.2%	2.2%	2.3%
10. Critically Ill	3.3%	7.2%	3.2%
Total	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
Other Psychosis Patients	49401	866	866
Homelessness			
Homelessness indicated in FY02, %	7.1%	5.2%	5.2%
Residence in Metropolitan Area			
Residing in a Metropolitan Statistical Area, %	76.7%	79.4%	79.4%
Distance			
Mile from Closest VA Medical Center, mean	35.80	20.53	20.53
SD	*82.41*	*21.22*	*21.22*
Distance from closest VA Medical Center, %			
0 to 15 miles	45.8%	50.5%	40.7%
15 to 30 miles	16.6%	25.5%	18.8%
30 to 45 miles	10.9%	13.2%	17.9%
45 to 60 miles	8.8%	6.0%	13.8%
60 plus miles	17.9%	4.8%	8.8%
Total	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.89	7.83	7.83
SD	*14.24*	*6.87*	*6.87*
Distance to closest VA Service Site, %			
0 to 15 miles	73.5%	84.6%	58.0%
15 to 30 miles	16.6%	14.8%	27.7%
30 to 45 miles	7.0%	0.6%	10.4%
45 plus miles	3.0%	0.0%	3.9%
Total	100.0%	100.0%	100.0%

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
Other Psychosis Patients	49401	866	866
Hospital Based Utilization			
Patients with some Hospital Based Utilization, %	30.2%	31.1%	31.1%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)			
Inpatient stays, mean	1.82	1.79	1.79
SD	*1.40*	*1.28*	*1.28*
Average LOS, mean	9.37	7.62	7.62
SD	*15.01*	*6.63*	*6.63*
Cumulative DOS, mean	16.06	14.12	14.12
SD	*22.72*	*16.08*	*16.08*
Cumulative DOS, %			
1 to 7	42.1%	44.6%	44.6%
8 to 14	23.4%	23.4%	23.4%
15 to 44	27.8%	25.7%	25.7%
45 to 89	5.2%	5.9%	5.9%
90 to 179	1.2%	0.4%	0.4%
180 to 359	0.2%	0.0%	0.0%
360+	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	0.7%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	185.56	0.00	0.00
SD	*75.86*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.3%	0.0%	*0.0%*
Cumul. DOS, patients with a 150+ day hosp. stay, mean	241.58	0.00	0.00
SD	*74.51*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.37	0.27	0.27
SD	*3.13*	*2.04*	*2.04*
Cumulative DOS at Other Stations	1.24	0.27	0.27
SD	*5.73*	*2.04*	*2.04*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Other Psychosis Patients	49401	866	866
<u>Hospital based utilization: Non-Psych</u> (non-psych- for those with some hosp.based util.)			
Pts. with non-psych hospital stays, %	21.7%	27.4%	27.4%
Inpatient stays, mean	1.27	1.55	1.55
SD	*1.36*	*1.28*	*1.28*
Average LOS, mean	7.86	6.84	0.00
SD	*11.97*	*5.61*	*5.61*
Cumulative Days of Stay, mean	9.61	11.26	11.26
SD	*16.99*	*14.50*	*14.50*
Cumulative Days of Stay, %			
0	28.2%	11.9%	11.9%
1 to 7	35.5%	43.1%	43.1%
8 to 14	15.8%	20.8%	20.8%
15 to 44	17.1%	20.1%	20.1%
45 to 89	2.8%	3.7%	3.7%
90 to 179	0.5%	0.4%	0.4%
180 to 359	0.1%	0.0%	0.0%
360+	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	178.07	0.00	0.00
SD	*75.21*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	240.47	0.00	0.00
SD	*75.05*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.18*	*0.15*	*0.15*
SD	*1.94*	*1.55*	*1.55*
Other station cumulative DOS, mean	0.60	0.15	0.15
SD	*3.61*	*1.55*	*1.55*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Other Psychosis Patients	49401	866	866
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)			
Pts. with psych hospital stays, %	10.8%	5.1%	5.1%
Inpatient stays, mean	0.55	0.24	0.24
SD	*1.03*	*0.74*	*0.74*
Average LOS, mean	12.47	11.65	11.65
SD	*19.53*	*9.54*	*9.54*
Cumulative Days of Stay, mean	6.45	2.86	2.86
SD	*17.76*	*10.22*	*10.22*
Cumulative Days of Stay, %			
0	64.2%	83.6%	83.6%
1 to 7	12.7%	5.6%	5.6%
8 to 14	9.6%	4.5%	4.5%
15 to 44	10.7%	4.5%	4.5%
45 to 89	2.1%	1.9%	1.9%
90 to 179	0.5%	0.0%	0.0%
180 to 359	0.1%	0.0%	0.0%
360+	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.4%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	182.44	0.00	0.00
SD	*78.98*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.2%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.42	0.00	0.00
SD	*77.61*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.19	0.12	0.12
SD	2.40	1.35	1.35
Other station cumulative DOS, mean	0.64	0.12	0.12
SD	4.34	1.35	1.35

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Other Psychosis Patients	49401	866	866
Other 24 hour institutional care			
Patients with some other 24 hour institutional care, %	10.1%	19.4%	19.4%
Residential Rehab (rep. for those w/ res rehab care)			
Patients with some residential rehab. care, %	1.0%	2.3%	2.3%
Number stays, mean	*1.13*	*1.65*	*1.65*
SD	*0.45*	*1.27*	*1.27*
Average LOS, mean	30.41	26.34	26.34
SD	*33.22*	*26.21*	*26.21*
Cumulative DOS, mean	33.30	32.55	32.55
SD	*35.32*	*24.74*	*24.74*
Cumulative Days of Stay, %			
1 to 7	15.1%	15.0%	15.0%
8 to 14	12.1%	10.0%	10.0%
15 to 44	54.3%	60.0%	60.0%
45 to 89	11.7%	10.0%	10.0%
90 to 179	5.7%	5.0%	5.0%
180 to 359	1.1%	0.0%	0.0%
360+	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	2.6%	0.0%	0.0%
mean	181.33	0.00	0.00
SD	*69.09*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%
mean	235.83	0.00	0.00
SD	*52.07*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.38	7.35	7.35
SD	*7.57*	*22.29*	*22.29*
Other station cumulative DOS, mean	4.16	7.35	7.35
SD	*12.59*	*22.29*	*22.29*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Other Psychosis Patients	49401	866	866
Domiciliary and Vocational (reported for those with some dom/voc care)			
Patients with some dom/voc care, %	1.7%	1.7%	1.7%
Number stays, mean	1.13	1.60	1.60
SD	*0.36*	*0.63*	*0.63*
Average LOS, mean	79.24	83.72	83.72
SD	*81.39*	*55.23*	*55.23*
Cumulative DOS, mean	86.42	134.53	134.53
SD	*85.00*	*88.63*	*88.63*
Cumulative Days of Stay, %			
1 to 7	7.5%	6.7%	6.7%
8 to 14	6.2%	6.7%	6.7%
15 to 44	29.8%	6.7%	6.7%
45 to 89	19.6%	13.3%	13.3%
90 to 179	23.7%	33.3%	33.3%
180 to 359	10.4%	33.3%	33.3%
360+	2.9%	0.0%	0.0%
Total	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	53.3%	53.3%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	193.84	200.75	200.75
SD	*79.91*	*52.97*	*52.97*
Dom. patients with 150+ day Dom. stay, %	16.8%	40.0%	40.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	240.95	209.33	209.33
SD	*71.71*	*42.80*	*42.80*
Other VISN cumulative DOS, mean	1.61	10.53	10.53
SD	*8.79*	*15.32*	*15.32*
Other station cumulative DOS, mean	3.31	10.53	10.53
SD	*11.83*	*15.32*	*15.32*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Other Psychosis Patients	49401	866	866
Nursing Home Care (reported for those with some nursing home care)			
Patients with some nursing home care, %	1.7%	1.7%	1.7%
Number stays, mean	1.29	1.41	1.41
SD	*0.65*	*0.74*	*0.74*
Average LOS, mean	54.03	53.58	53.58
SD	*70.27*	*71.04*	*71.04*
Cumulative DOS, mean	64.81	67.43	67.43
SD	*79.26*	*81.98*	*81.98*
Cumulative Days of Stay, %			
1 to 7	10.9%	5.7%	5.7%
8 to 14	15.2%	17.7%	17.7%
15 to 44	34.5%	36.2%	36.2%
45 to 89	16.5%	18.4%	18.4%
90 to 179	13.0%	11.3%	11.3%
180 to 359	8.1%	8.5%	8.5%
360+	1.8%	2.1%	2.1%
Total	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	17.8%	19.9%	19.9%
Cumul. DOS, patients with a 100+ day NH stay, mean	207.27	207.14	207.14
SD	*81.27*	*85.39*	*85.39*
NH patients with 150+ day NH stay, %	11.0%	12.1%	12.1%
Cumul. DOS, patients with a 150+ day NH stay, mean	250.81	252.76	252.76
SD	*70.60*	*74.79*	*74.79*
Other VISN cumulative DOS, mean	0.34	0.08	0.08
SD	*5.11*	*0.93*	*0.93*
Other station cumulative DOS, mean	1.02	0.08	0.08
SD	*7.62*	*0.93*	*0.93*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Other Psychosis Patients	49401	866	866
Outpatient utilization (reported for those with some outpatient care)			
Patients with some outpatient care, %	99.7%	99.2%	99.2%
annual visit days, mean	19.52	27.29	27.29
SD	*24.21*	*30.68*	*30.68*
Outpatient visit days, %			
1-12	49.1%	34.2%	34.2%
13-24	27.0%	30.7%	30.7%
25-36	11.5%	13.5%	13.5%
37-48	5.4%	8.8%	8.8%
49+	7.0%	12.7%	12.7%
Total	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	86.5%	85.3%	85.3%
Mean PC visit days, among those with some PC	4.04	4.25	4.25
SD	3.94	3.70	3.70
Average number clinic stops per visit day, mean	1.55	1.50	1.50
SD	*0.52*	*0.46*	*0.46*
annual clinic stops (psych & non-psych), mean	30.45	43.28	43.28
SD	*40.44*	*54.46*	*54.46*
annual non-psych. clinic stops, mean	22.67	33.09	33.09
SD	*25.36*	*37.09*	*37.09*
annual psych. clinic stops (specific groupings below), mean	7.77	10.18	10.18
SD	*27.43*	*35.56*	*35.56*
1. general psych. clinic stops, mean	3.20	3.54	3.54
SD	*7.61*	*7.50*	*7.50*
2. psych. case management clinic stops, mean	0.14	0.49	0.49
SD	*3.20*	*5.79*	*5.79*
3. psych. day treatment clinic stops, mean	0.60	2.59	2.59
SD	*8.52*	*25.78*	*25.78*
4. substance abuse clinic stops, mean	2.24	1.15	1.15
SD	*17.04*	*7.42*	*7.42*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 2, continued

	All VISNs	VISN 2	528 *Upstate NY HCS*
Other Psychosis Patients	49401	866	866
5. psych. vocational clinic stops, mean	0.74	0.74	0.74
SD	*9.63*	*8.37*	*8.37*
6. PTSD clinic stops, mean	0.56	1.40	1.40
SD	*5.11*	*12.92*	*12.92*
7. psych. homeless clinic stops, mean	0.27	0.20	0.20
SD	*2.81*	*1.85*	*1.85*
Other VISN OP visit days, mean	0.31	0.54	0.54
SD	*2.01*	*3.02*	*3.02*
Other station OP visit days, mean	0.72	0.54	0.54
SD	*3.19*	*3.02*	*3.02*

Table 4I FY03 Other Psychosis Patients, Pharmacy Utilization, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
Other Psychosis Patients	49401	866	866
Among all patients in the registry			
Pts. with any outpatient prescriptions, %	94.7%	93.8%	93.8%
Patients with any oral antipsychotic fills, %*	41.4%	34.4%	34.4%
Among pts. Receiving any antipsychotic medication:			
Received only conventional antipsychotics, %	9.2%	8.1%	8.1%
Received some atypical antipsychotics, %	90.8%	91.9%	91.9%
Total	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %			
Aripiprazole	0.7%	1.3%	1.3%
Clozapine	0.1%	0.0%	0.0%
Olanzapine	27.8%	25.5%	25.5%
Quetiapine	29.2%	28.2%	28.2%
Risperidone	46.2%	50.0%	50.0%
Ziprasidone	3.6%	2.7%	2.7%
Patients receiving only one kind** of antipsychotic, %	78.8%	80.9%	80.9%
Concurrent use of 2 or more antipsychotics, % ***	5.1%	6.7%	6.7%
Among pts receiving just one antipsychotic:			
Antipsychotic fills, mean	5.21	5.82	5.82
SD	*4.06*	*4.17*	*4.17*
Antipsychotic Medication Possession Ratio, mean	--	--	--
SD	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5I: FY03 Other Psychosis Patients, Cost, VISN 2

	All VISNs	VISN 2	528 *Upstate NY HCS*
Other Psychosis Patients	49401	866	866
Total Costs (in thousands $$)	$692,791	$16,789	$16,789
Station % of VISN		100.0%	100.0%
Psych vs. Non-Psych Costs			
Psych	16.6%	27.3%	27.3%
Non-Psych	83.4%	72.7%	72.7%
Total	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use			
Per Patient	$16,509	$17,309	$17,309
Per Day of Stay	$1,028	$1,226	$1,226
Mean Outpatient Costs, Pts with some Outpatient use			
Per Patient	$6,046	$8,063	$8,063
Per Visit Day	$310	$295	$295
By Cost Center			
1 Med	$2,712	$3,326	$3,326
2 Surg	$779	$1,275	$1,275
3 Psych	$1,494	$776	$776
4 Psych Res Rehab Treatment Program	$103	$186	$186
5 Non-VA	$203	$148	$148
6 LTC Domiciliary	$183	$263	$263
7 LTC Intermediate Care	$276	$9	$9
8 LTC Nursing Home	$1,672	$4,520	$4,520
9 Contract Nursing Home	$578	$887	$887
10 OPC Med/Surg	$1,281	$1,555	$1,555
11 OPC Psych	$831	$942	$942
12 OPC Home Based Treatment	$730	$1,216	$1,216
13 OPC Support	$1,493	$2,175	$2,175
14 OPC Fee	$231	$501	$501
15 OPC Pharmacy	$1,460	$1,609	$1,609
TOTAL	$14,024	$19,387	$19,387
Mean % Patient Costs at Other Stations	3.3%	1.9%	1.9%
SD	*11.9%*	*9.2%*	*9.2%*
Mean % Patient Costs at Other VISNs	1.3%	1.9%	1.9%
SD	*7.5%*	*9.2%*	*9.2%*

Table 1F: FY03 Psychosis Patients, Demographics, VISN 3

	All VISNs	VISN 3	526	561	620	630	632
			Bronx	*New Jersey*	*Hudson Valley*	*New York Harbor*	*Northport*
All Patients	217760	9977	1269	2566	1362	3347	1433
Psychosis Diagnosis Group, %							
Schizophrenia	43.3%	55.8%	45.7%	62.8%	59.8%	53.2%	54.4%
Bipolar Disorder	34.0%	26.6%	28.2%	24.7%	26.6%	25.3%	31.6%
Other Psychoses	22.7%	17.6%	26.1%	12.5%	13.6%	21.5%	14.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age, %							
<35	4.9%	3.7%	4.7%	4.1%	2.9%	3.8%	2.7%
>=35 and <50	29.3%	26.7%	31.1%	26.1%	25.1%	28.5%	21.3%
>=50 and <65	38.1%	38.0%	34.2%	39.0%	37.4%	39.2%	37.6%
>=65 and <80	19.7%	22.6%	21.1%	22.4%	25.3%	20.2%	27.4%
>=80	8.2%	9.0%	8.9%	8.5%	9.3%	8.4%	11.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	56.89	58.39	57.34	58.09	59.65	57.55	60.61
SD	*14.35*	*14.32*	*14.76*	*14.21*	*14.11*	*14.16*	*14.37*
Gender							
Male, %	92.7%	95.0%	93.7%	94.9%	94.9%	95.3%	95.7%
Female, %	7.3%	5.0%	6.3%	5.1%	5.1%	4.7%	4.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %							
Hispanic white	4.8%	6.8%	20.0%	3.0%	4.3%	8.0%	1.8%
Hispanic black	0.4%	1.5%	3.9%	0.7%	0.9%	2.1%	0.2%
American Indian	0.3%	0.2%	0.2%	0.1%	0.8%	0.1%	0.1%
Black	18.6%	24.3%	34.3%	25.0%	18.9%	27.8%	11.0%
Asian	0.5%	0.3%	0.1%	0.3%	0.3%	0.6%	0.0%
White	54.9%	49.3%	26.1%	55.8%	67.1%	35.4%	73.5%
Race unknown	20.5%	17.6%	15.5%	15.2%	7.6%	26.0%	13.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status							
Never married	28.5%	44.4%	43.4%	42.0%	48.2%	47.5%	38.7%
Married	35.3%	27.2%	26.4%	30.7%	24.2%	23.5%	33.5%
Divorced/Separated	30.8%	22.5%	23.5%	22.3%	22.0%	23.0%	21.0%
Widowed	5.4%	5.9%	6.7%	5.0%	5.7%	6.0%	6.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
All Patients	217760	9977	1269	2566	1362	3347	1433
Registry Pts. History of VA Utilization							
Years since first use in prior five years, mean	4.33	4.48	4.51	4.41	4.55	4.49	4.46
SD	*1.24*	*1.11*	*1.05*	*1.17*	*1.04*	*1.11*	*1.10*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.9%	26.2%	26.0%	26.8%	32.0%	22.8%	27.8%
SD	*29.7%*	*31.4%*	*29.5%*	*33.2%*	*34.2%*	*28.7%*	*31.8%*
Years with OP use / Years since first use, %	96.7%	95.3%	97.3%	93.4%	95.6%	96.4%	94.1%
SD	*11.4%*	*15.0%*	*9.1%*	*19.1%*	*13.3%*	*11.5%*	*19.0%*
Psychosis Diagnoses in Prior Fiscal Year							
Had Psychosis Diagnosis in FY01, %	65.3%	69.2%	65.2%	72.3%	71.2%	66.6%	71.7%
Among Patients With Psychoses in FY01							
Psychosis Category: Schizophrenia, %	54.1%	65.4%	57.3%	69.7%	72.4%	63.6%	61.7%
Psychosis Category: Bipolar Disorder, %	33.9%	25.7%	29.4%	23.1%	23.3%	24.2%	33.1%
Psychosis Category: Other Psychosis, %	12.0%	8.8%	13.3%	7.2%	4.3%	12.2%	5.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %							
Dementia	6.2%	5.9%	5.9%	3.8%	7.3%	6.4%	7.2%
Post Traumatic Stress Disorder	15.4%	16.2%	14.3%	15.9%	18.9%	16.7%	14.4%
Depression	34.8%	32.1%	33.6%	28.4%	27.4%	35.5%	33.9%
Other Anxiety Disorder	12.0%	10.8%	9.4%	7.1%	7.9%	15.5%	10.7%
Substance Abuse or Dependence	23.3%	25.2%	31.2%	25.5%	25.0%	24.4%	21.4%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
All Patients	217760	9977	1269	2566	1362	3347	1433
Medical Comorbidities, %							
No medical comorbidities	15.2%	16.8%	14.3%	18.3%	14.5%	16.5%	19.3%
Anemia	8.2%	10.1%	10.2%	8.7%	10.8%	10.5%	11.1%
Arthritis	36.2%	28.6%	30.3%	26.1%	27.2%	31.2%	27.0%
Cancer	7.9%	8.4%	8.4%	7.8%	7.1%	8.3%	11.2%
Cerebrovascular Disease	6.7%	5.9%	5.7%	5.4%	5.7%	5.8%	7.3%
Chronic Neurologic Disorder	15.1%	13.4%	13.8%	13.0%	14.8%	13.3%	13.0%
Chronic Obstructive Pulmonary Disease	16.7%	14.9%	13.6%	15.8%	17.5%	12.7%	17.2%
Chronic Viral Infection	8.4%	10.8%	14.4%	9.0%	10.4%	13.4%	4.9%
Coronary Artery Disease	19.5%	18.3%	12.9%	19.5%	16.4%	18.5%	22.7%
Diabetes	20.0%	19.7%	20.9%	19.1%	18.6%	20.4%	18.9%
Digestive System Disease	43.5%	43.9%	42.2%	43.8%	49.4%	43.7%	41.0%
Hypertension	43.2%	39.9%	42.6%	40.7%	36.5%	38.7%	42.0%
Injury and Poisoning	17.9%	16.6%	17.9%	14.1%	17.8%	17.0%	17.8%
Liver Disease	3.6%	3.5%	3.7%	3.8%	4.7%	3.2%	2.4%
Other Endocrine	8.6%	6.7%	6.5%	6.9%	6.5%	6.0%	8.2%
Peripheral Vascular Disease	4.1%	4.0%	3.0%	3.2%	4.8%	4.1%	4.9%
GAF scores							
Lowest inpatient GAF score, mean	37.72	39.66	36.33	35.64	38.35	45.60	47.63
SD	*14.39*	*11.10*	*12.84*	*10.22*	*10.49*	*10.40*	*6.91*
Mean outpatient GAF score	50.52	51.87	52.33	51.65	48.36	53.40	51.77
SD	*11.04*	*9.53*	*10.97*	*10.51*	*10.33*	*8.71*	*6.58*
At least 1 IP GAF, among pts with MH bedsections, %	38.4%	32.9%	11.2%	49.5%	37.7%	22.3%	34.3%
At least 1 OP GAF, among pts with MH clinic stops, %	80.0%	84.2%	72.6%	80.8%	88.0%	85.4%	93.6%
Mortality rates							
died in FY02, %	3.1%	3.0%	2.7%	3.5%	3.2%	2.3%	4.0%
Age-and-gender-adjusted Standardized Mortality Ratio	1.32	1.17	1.10	1.40	1.14	0.96	1.31

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 3, continued

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
All Patients	217760	9977	1269	2566	1362	3347	1433
Service Connection (SC)							
Non-SC	51.0%	48.7%	57.0%	41.2%	50.1%	51.5%	46.5%
SC 0 - 29%	8.7%	8.8%	9.9%	8.1%	7.7%	9.3%	8.7%
SC 30 - 69%	10.8%	10.7%	10.4%	11.5%	9.0%	11.1%	10.1%
SC 70 - 99%	7.3%	6.3%	5.8%	7.2%	4.0%	6.8%	5.9%
SC 100%	22.1%	25.6%	16.9%	32.0%	29.1%	21.2%	28.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %							
Complex*	17.3%	24.5%	22.0%	27.2%	37.3%	16.5%	28.2%
Basic vested, Cat A*	76.6%	68.4%	73.5%	63.8%	54.4%	78.2%	62.3%
Basic Non-vested, Cat A*	1.0%	1.2%	0.2%	1.3%	1.9%	1.7%	0.2%
Basic, Cats C and N	5.1%	5.9%	4.3%	7.6%	6.4%	3.6%	9.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded							
Patient eligibility category, %							
Cat A (SC or low income)	94.6%	93.6%	95.6%	91.7%	93.1%	96.1%	89.6%
Cat C (NSC and higher income)	4.7%	5.8%	3.2%	7.8%	6.5%	3.3%	10.0%
Non-Veteran	0.6%	0.6%	1.3%	0.5%	0.4%	0.6%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %							
BASIC 1. Non-reliant Care	0.1%	0.1%	0.1%	0.0%	0.1%	0.1%	0.0%
2. Basic Medical	16.7%	15.3%	14.7%	14.1%	13.2%	17.9%	14.0%
3. Mental Health	36.3%	31.7%	28.1%	33.7%	27.8%	32.6%	32.8%
4. Heart / Lung / GI	7.7%	6.3%	7.1%	6.7%	4.2%	6.3%	6.8%
5. Oncology / Infectious Disease	3.9%	4.4%	6.9%	3.9%	3.5%	5.3%	1.8%
6. Multiple Medical	18.0%	17.8%	21.2%	14.3%	14.0%	21.4%	16.3%
COMPLEX 7. Specialized Care	2.6%	3.7%	6.1%	2.8%	2.9%	4.5%	2.2%
8. Support Care	2.8%	2.7%	2.0%	2.5%	3.8%	2.5%	3.2%
9. Chronic Mental	9.6%	14.4%	11.9%	16.4%	24.3%	7.7%	19.0%
10. Critically Ill	2.2%	3.6%	2.0%	5.5%	6.3%	1.7%	3.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 3, continued

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
All Patients	217760	9977	1269	2566	1362	3347	1433
Homelessness							
Homelessness indicated in FY02, %	11.5%	17.7%	16.1%	16.9%	14.3%	19.7%	19.3%
Residence in Metropolitan Area							
Residing in a Metropolitan Statistical Area, %	79.7%	99.0%	99.7%	99.7%	94.3%	99.8%	99.9%
Distance							
Mile from Closest VA Medical Center, mean	32.17	10.06	4.06	15.58	13.24	5.44	13.27
SD	*68.58*	*10.53*	*3.92*	*13.93*	*12.01*	*5.20*	*7.37*
Distance from closest VA Medical Center, %							
0 to 15 miles	49.0%	79.2%	97.9%	61.2%	69.8%	97.0%	62.3%
15 to 30 miles	16.3%	14.5%	1.8%	22.2%	19.5%	2.4%	35.6%
30 to 45 miles	10.3%	4.9%	0.3%	12.8%	9.0%	0.3%	1.9%
45 to 60 miles	8.1%	1.3%	0.0%	3.7%	1.6%	0.2%	0.2%
60 plus miles	16.2%	0.1%	0.0%	0.1%	0.1%	0.1%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.73	3.94	2.13	6.03	5.98	2.28	3.75
SD	*13.09*	*3.95*	*1.90*	*5.16*	*4.60*	*2.05*	*2.60*
Distance to closest VA Service Site, %							
0 to 15 miles	77.0%	97.5%	99.7%	94.1%	94.2%	99.7%	99.7%
15 to 30 miles	14.9%	2.5%	0.3%	5.8%	5.8%	0.3%	0.3%
30 to 45 miles	5.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
45 plus miles	2.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3F: FY03 Psychosis Patients, Utilization, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
All Patients	217760	9977	1269	2566	1362	3347	1433
Hospital Based Utilization							
Patients with some Hospital Based Utilization, %	27.2%	27.0%	30.8%	26.1%	28.6%	25.8%	26.6%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)							
Inpatient stays, mean	1.83	1.78	1.77	1.91	1.84	1.77	1.52
SD	*1.43*	*1.35*	*1.37*	*1.55*	*1.43*	*1.27*	*0.94*
Average LOS, mean	13.07	19.60	14.24	19.42	40.33	10.90	23.98
SD	*30.84*	*44.61*	*17.09*	*40.60*	*87.67*	*13.41*	*44.65*
Cumulative DOS, mean	21.85	31.50	24.45	33.83	58.00	19.55	34.75
SD	*40.46*	*57.00*	*29.66*	*54.92*	*102.86*	*27.85*	*56.14*
Cumulative DOS, %							
1 to 7	39.9%	31.8%	31.5%	26.4%	26.5%	39.0%	31.0%
8 to 14	21.8%	20.0%	19.4%	21.3%	20.6%	20.7%	16.3%
15 to 44	27.7%	31.4%	33.5%	33.7%	27.5%	29.9%	32.5%
45 to 89	6.9%	9.8%	10.0%	10.4%	11.6%	8.1%	10.8%
90 to 179	2.3%	4.0%	5.4%	5.4%	2.6%	1.8%	6.6%
180 to 359	0.9%	1.4%	0.3%	1.6%	3.6%	0.5%	1.8%
360+	0.6%	1.5%	0.0%	1.0%	7.7%	0.0%	1.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	2.1%	3.8%	1.5%	3.7%	11.8%	1.2%	4.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	237.76	267.44	147.67	252.20	323.50	164.40	239.38
SD	*95.14*	*99.70*	*31.53*	*96.22*	*71.63*	*75.72*	*99.66*
Hospital patients who had a 150+ day hosp. stay, %	1.3%	2.7%	0.0%	2.5%	10.8%	0.2%	2.9%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	290.80	320.67	0.00	303.18	338.86	292.50	283.36
SD	*77.65*	*66.32*	*0.00*	*70.95*	*52.31*	*89.80*	*86.87*
Cumulative DOS at Other VISNs	0.59	0.57	0.09	1.01	1.08	0.32	0.30
SD	*4.28*	*4.35*	*0.70*	*7.11*	*5.09*	*2.16*	*2.51*
Cumulative DOS at Other Stations	1.83	2.56	1.32	1.67	7.52	2.26	1.04
SD	*7.27*	*9.58*	*4.70*	*8.24*	*17.37*	*7.86*	*5.36*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
All Patients	217760	9977	1269	2566	1362	3347	1433
Hospital based utilization: Non-Psych							
(non-psych- for those with some hosp.based util.)							
Pts. with non-psych hospital stays, %	14.0%	14.3%	18.9%	11.5%	12.7%	14.9%	15.7%
Inpatient stays, mean	0.85	0.88	1.00	0.79	0.75	0.93	0.90
SD	*1.20*	*1.19*	*1.23*	*1.29*	*1.16*	*1.16*	*1.05*
Average LOS, mean	7.54	10.55	10.98	11.17	10.43	8.74	13.37
SD	*13.36*	*15.92*	*15.29*	*14.05*	*16.12*	*11.45*	*24.56*
Cumulative Days of Stay, mean	6.52	9.72	11.64	9.66	8.08	8.75	11.72
SD	*17.31*	*23.04*	*23.42*	*25.70*	*23.09*	*19.04*	*25.64*
Cumulative Days of Stay, %							
0	48.5%	46.9%	38.6%	56.0%	55.5%	42.4%	40.9%
1 to 7	29.2%	25.3%	28.9%	20.0%	18.5%	29.8%	27.6%
8 to 14	9.8%	9.8%	12.3%	7.8%	10.5%	9.8%	10.0%
15 to 44	10.2%	12.9%	13.0%	10.7%	11.8%	13.8%	15.5%
45 to 89	1.8%	3.5%	4.1%	3.9%	3.1%	3.2%	3.4%
90 to 179	0.4%	1.4%	3.1%	1.3%	0.3%	0.8%	2.1%
180 to 359	0.1%	0.1%	0.0%	0.1%	0.0%	0.1%	0.5%
360+	0.0%	0.1%	0.0%	0.1%	0.3%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.5%	0.8%	0.4%	0.3%	0.5%	0.8%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	206.57	185.86	148.33	231.00	364.00	137.50	183.33
SD	*85.33*	*82.75*	*17.01*	*120.65*	*0.00*	*25.49*	*54.50*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.2%	0.0%	0.3%	0.3%	0.0%	0.5%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	268.22	271.00	0.00	281.00	364.00	0.00	214.50
SD	*74.94*	*85.82*	*0.00*	*118.79*	*0.00*	*0.00*	*10.61*
Other VISN cumulative DOS, mean	0.14	0.12	0.06	0.19	0.14	0.07	0.15
SD	*1.82*	*1.99*	*0.60*	*3.46*	*1.27*	*0.75*	*1.91*
Other station cumulative DOS, mean	0.51	0.95	0.48	0.43	4.23	0.25	0.57
SD	*3.43*	*5.94*	*2.55*	*4.13*	*13.21*	*1.69*	*3.98*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
All Patients	217760	9977	1269	2566	1362	3347	1433
Hospital based utilization: Psychiatric							
(psych- for those with some hosp.based util.)							
Pts. with psych hospital stays, %	15.8%	14.9%	14.7%	16.8%	19.1%	13.1%	12.0%
Inpatient stays, mean	0.98	0.91	0.77	1.12	1.09	0.84	0.62
SD	*1.28*	*1.21*	*1.17*	*1.35*	*1.28*	*1.18*	*0.85*
Average LOS, mean	17.54	27.58	18.18	24.57	56.62	13.26	37.98
SD	*38.98*	*57.99*	*19.26*	*49.00*	*104.50*	*15.75*	*60.14*
Cumulative Days of Stay, mean	15.33	21.79	12.81	24.17	49.92	10.80	23.03
SD	*38.37*	*55.05*	*23.34*	*51.44*	*103.55*	*23.63*	*53.66*
Cumulative Days of Stay, %							
0	41.8%	44.7%	52.2%	35.5%	33.2%	49.2%	54.9%
1 to 7	18.6%	12.1%	10.0%	10.1%	15.4%	15.6%	6.0%
8 to 14	14.1%	12.3%	10.2%	16.6%	11.8%	12.5%	7.1%
15 to 44	17.8%	19.9%	19.4%	24.9%	20.1%	17.1%	17.8%
45 to 89	4.7%	6.0%	5.6%	7.3%	6.2%	4.5%	7.6%
90 to 179	1.7%	2.3%	2.6%	3.1%	2.3%	0.7%	4.2%
180 to 359	0.8%	1.3%	0.0%	1.6%	4.1%	0.3%	1.3%
360+	0.5%	1.3%	0.0%	0.7%	6.9%	0.0%	1.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	1.8%	3.3%	0.8%	3.3%	11.6%	0.7%	3.4%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	239.50	277.66	124.00	254.45	321.31	182.17	245.38
SD	*96.26*	*97.11*	*11.14*	*95.46*	*72.99*	*94.77*	*100.92*
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.2%	2.5%	0.0%	2.2%	10.5%	0.2%	2.4%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	291.18	322.31	0.00	305.60	337.27	292.50	288.67
SD	*78.31*	*64.41*	*0.00*	*67.87*	*53.23*	*89.80*	*88.48*
Other VISN cumulative DOS, mean	0.45	0.45	0.03	0.82	0.94	0.25	0.16
SD	*3.83*	*3.82*	*0.36*	*6.09*	*4.94*	*2.03*	*1.64*
Other station cumulative DOS, mean	1.32	1.62	0.84	1.24	3.30	2.01	0.47
SD	*6.36*	*7.60*	*3.98*	*7.06*	*12.24*	*7.66*	*3.66*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 3 continued

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
All Patients	217760	9977	1269	2566	1362	3347	1433
Other 24 hour institutional care							
Patients with some other 24 hour institutional care, %	8.5%	10.5%	4.3%	15.0%	16.5%	7.7%	8.5%
Residential Rehab (rep. for those w/ res rehab care)							
Patients with some residential rehab. care, %	1.8%	2.8%	1.2%	3.3%	1.2%	3.7%	2.7%
Number stays, mean	*1.12*	*1.11*	*1.07*	*1.06*	*1.12*	*1.13*	*1.15*
SD	0.38	0.33	0.26	0.24	0.33	0.38	0.37
Average LOS, mean	34.01	38.27	15.33	57.45	26.97	15.59	81.74
SD	*38.25*	*45.98*	*7.35*	*59.67*	*20.44*	*9.61*	*49.13*
Cumulative DOS, mean	37.28	42.15	15.87	61.28	29.29	17.47	93.97
SD	*40.79*	*50.73*	*7.07*	*63.02*	*20.71*	*11.23*	*59.58*
Cumulative Days of Stay, %							
1 to 7	12.3%	11.5%	13.3%	8.2%	0.0%	17.9%	2.6%
8 to 14	12.7%	15.1%	13.3%	8.2%	5.9%	22.8%	10.3%
15 to 44	50.7%	45.5%	73.3%	35.3%	76.5%	56.1%	10.3%
45 to 89	15.8%	12.9%	0.0%	25.9%	11.8%	3.3%	20.5%
90 to 179	7.0%	12.9%	0.0%	17.6%	5.9%	0.0%	51.3%
180 to 359	1.3%	1.8%	0.0%	3.5%	0.0%	0.0%	5.1%
360+	0.2%	0.4%	0.0%	1.2%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.3%	10.0%	0.0%	11.8%	0.0%	0.0%	46.2%
mean	175.66	161.11	0.00	190.20	0.00	0.00	144.94
SD	*75.56*	*63.89*	*0.00*	*90.49*	*0.00*	*0.00*	*37.06*
Res Rehab patients with 150+ day Res Rehab stay, %	1.9%	2.9%	0.0%	3.5%	0.0%	0.0%	12.8%
mean	237.86	212.50	0.00	311.00	0.00	0.00	153.40
SD	*73.07*	*86.93*	*0.00*	*56.24*	*0.00*	*0.00*	*0.89*
Other VISN cumulative DOS, mean	1.12	0.57	0.07	0.93	3.35	0.17	0.00
SD	*6.40*	*3.94*	*0.26*	*5.06*	*9.83*	*1.89*	*0.00*
Other station cumulative DOS, mean	3.58	3.84	15.87	1.95	29.29	0.63	2.36
SD	*10.93*	*10.44*	*7.07*	*6.37*	*20.71*	*5.13*	*5.80*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
All Patients	217760	9977	1269	2566	1362	3347	1433
Domiciliary and Vocational							
(reported for those with some dom/voc care)							
Patients with some dom/voc care, %	2.8%	3.5%	1.0%	5.5%	7.8%	2.4%	0.5%
Number stays, mean	1.13	1.19	1.15	1.20	1.23	1.14	1.00
SD	*0.38*	*0.41*	*0.38*	*0.42*	*0.46*	*0.34*	*0.00*
Average LOS, mean	85.20	57.58	34.46	50.16	64.97	63.34	72.43
SD	*90.51*	*47.13*	*21.97*	*52.79*	*43.23*	*41.51*	*50.54*
Cumulative DOS, mean	92.74	66.07	38.23	57.48	77.35	70.31	72.43
SD	*94.18*	*52.55*	*22.11*	*56.06*	*52.44*	*46.39*	*50.54*
Cumulative Days of Stay, %							
1 to 7	6.9%	7.4%	15.4%	6.3%	3.8%	12.3%	14.3%
8 to 14	6.1%	5.4%	7.7%	3.5%	7.5%	4.9%	14.3%
15 to 44	29.6%	33.0%	30.8%	50.0%	22.6%	19.8%	0.0%
45 to 89	19.5%	24.4%	46.2%	20.4%	30.2%	21.0%	14.3%
90 to 179	22.9%	25.8%	0.0%	14.1%	31.1%	40.7%	57.1%
180 to 359	10.1%	4.0%	0.0%	5.6%	4.7%	1.2%	0.0%
360+	5.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	31.6%	22.6%	0.0%	16.2%	26.4%	29.6%	57.1%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	203.50	140.70	0.00	163.26	140.43	124.29	111.25
SD	*90.08*	*38.78*	*0.00*	*48.92*	*36.13*	*18.26*	*4.65*
Dom. patients with 150+ day Dom. stay, %	18.0%	4.6%	0.0%	7.0%	5.7%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	259.61	198.44	0.00	209.20	180.50	0.00	0.00
SD	*79.66*	*34.02*	*0.00*	*33.92*	*27.96*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.54	2.36	5.77	2.34	2.92	1.15	1.86
SD	*8.76*	*10.20*	*14.50*	*8.24*	*13.57*	*7.38*	*4.91*
Other station cumulative DOS, mean	3.75	7.12	38.23	5.06	4.73	3.21	72.43
SD	*14.14*	*19.14*	*22.11*	*13.76*	*16.22*	*9.37*	*50.54*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
All Patients	217760	9977	1269	2566	1362	3347	1433
Nursing Home Care							
(reported for those with some nursing home care)							
Patients with some nursing home care, %	4.5%	5.0%	2.4%	7.0%	8.7%	2.7%	5.5%
Number stays, mean	1.24	1.12	1.03	1.11	1.12	1.17	1.11
SD	*0.60*	*0.37*	*0.18*	*0.35*	*0.35*	*0.48*	*0.36*
Average LOS, mean	99.56	183.43	94.52	205.65	199.45	105.51	233.22
SD	*118.68*	*142.49*	*95.40*	*144.10*	*141.50*	*105.45*	*146.08*
Cumulative DOS, mean	111.19	194.38	98.37	215.46	211.41	119.97	243.84
SD	*123.23*	*143.32*	*98.55*	*143.72*	*141.52*	*114.52*	*144.15*
Cumulative Days of Stay, %							
1 to 7	9.0%	3.8%	0.0%	2.8%	4.2%	7.6%	2.5%
8 to 14	10.6%	5.6%	10.0%	4.4%	4.2%	7.6%	6.3%
15 to 44	27.5%	11.6%	26.7%	12.8%	5.9%	15.2%	7.6%
45 to 89	15.4%	14.8%	26.7%	10.0%	15.1%	25.0%	8.9%
90 to 179	13.8%	16.8%	20.0%	14.4%	19.3%	21.7%	11.4%
180 to 359	11.4%	14.2%	10.0%	16.7%	11.8%	13.0%	15.2%
360+	12.4%	33.2%	6.7%	38.9%	39.5%	9.8%	48.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	33.0%	60.0%	30.0%	65.6%	64.7%	41.3%	73.4%
Cumul. DOS, patients with a 100+ day NH stay, mean	263.62	293.15	223.33	304.68	296.18	228.84	318.66
SD	*97.17*	*95.39*	*91.73*	*88.02*	*98.24*	*100.49*	*82.12*
NH patients with 150+ day NH stay, %	25.7%	50.2%	23.3%	58.3%	54.6%	25.0%	64.6%
Cumul. DOS, patients with a 150+ day NH stay, mean	299.88	325.16	253.29	327.05	329.34	284.65	344.10
SD	*76.08*	*66.42*	*80.56*	*64.07*	*65.27*	*85.63*	*46.78*
Other VISN cumulative DOS, mean	0.41	0.00	0.00	0.00	0.00	0.00	0.00
SD	*5.60*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.17	1.04	2.27	0.00	2.53	1.65	0.00
SD	*8.68*	*11.05*	*10.53*	*0.00*	*19.47*	*11.68*	*0.00*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
All Patients	217760	9977	1269	2566	1362	3347	1433
Outpatient utilization							
(reported for those with some outpatient care)							
Patients with some outpatient care, %	99.1%	97.5%	99.4%	95.6%	96.6%	99.3%	95.7%
annual visit days, mean	24.61	31.55	29.86	28.44	34.02	28.62	43.37
SD	*33.05*	*43.58*	*37.74*	*42.63*	*39.04*	*38.74*	*60.25*
Outpatient visit days, %							
1-12	44.2%	39.3%	38.4%	45.4%	30.3%	39.0%	38.4%
13-24	26.4%	24.8%	25.7%	23.2%	24.8%	26.7%	22.1%
25-36	11.9%	12.4%	12.1%	10.6%	16.9%	13.1%	10.1%
37-48	5.9%	6.5%	6.9%	6.2%	7.1%	6.8%	5.2%
49+	11.5%	17.0%	16.9%	14.6%	20.9%	14.4%	24.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	79.4%	75.7%	81.0%	68.7%	83.4%	78.6%	69.2%
Mean PC visit days, among those with some PC	3.84	3.30	3.31	2.81	3.70	3.68	2.64
SD	3.72	2.64	2.45	2.07	3.09	2.93	1.95
Average number clinic stops per visit day, mean	1.49	1.44	1.59	1.40	1.50	1.43	1.34
SD	*0.47*	*0.46*	*0.62*	*0.41*	*0.60*	*0.37*	*0.33*
annual clinic stops (psych & non-psych), mean	37.56	46.70	48.25	42.50	53.80	41.00	59.80
SD	*56.64*	*71.90*	*71.13*	*75.53*	*77.31*	*57.85*	*87.42*
annual non-psych. clinic stops, mean	20.14	21.28	21.66	17.24	26.21	23.78	17.35
SD	*25.25*	*27.56*	*26.34*	*21.36*	*37.08*	*28.97*	*22.38*
annual psych. clinic stops (groupings below), mean	17.42	25.43	26.60	25.26	27.59	17.23	42.45
SD	*43.44*	*58.80*	*63.03*	*63.31*	*49.72*	*42.82*	*80.19*
1. general psych. clinic stops, mean	7.22	7.24	6.25	6.65	10.28	6.28	8.59
SD	*13.49*	*10.15*	*9.62*	*9.31*	*11.30*	*9.69*	*11.23*
2. psych. case management clinic stops, mean	1.44	2.06	1.06	1.49	4.59	0.70	4.89
SD	*12.10*	*11.26*	*3.47*	*9.07*	*15.68*	*7.20*	*18.97*
3. psych. day treatment clinic stops, mean	2.80	4.28	0.01	10.76	1.73	0.64	7.89
SD	*21.66*	*26.40*	*0.20*	*43.94*	*15.02*	*7.72*	*31.37*
4. substance abuse clinic stops, mean	3.26	5.76	15.10	2.61	5.08	6.51	1.67
SD	*19.07*	*30.98*	*56.86*	*17.01*	*21.34*	*33.43*	*7.49*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
All Patients	217760	9977	1269	2566	1362	3347	1433
5. psych. vocational clinic stops, mean	1.73	4.81	2.71	3.15	4.35	1.23	18.86
SD	*15.65*	*27.30*	*17.77*	*19.95*	*21.73*	*15.44*	*54.93*
6. PTSD clinic stops, mean	0.56	0.77	1.12	0.40	1.47	0.84	0.27
SD	*4.85*	*5.55*	*7.06*	*3.17*	*8.71*	*5.31*	*3.57*
7. psych. homeless clinic stops, mean	0.41	0.68	0.33	0.35	0.33	1.24	0.54
SD	*3.32*	*4.23*	*1.67*	*2.87*	*2.42*	*6.31*	*2.47*
Other VISN OP visit days, mean	0.36	0.38	0.26	0.44	0.66	0.33	0.22
SD	2.35	2.55	1.68	2.97	3.81	2.16	1.48
Other station OP visit days, mean	0.91	0.98	1.24	0.62	2.17	0.87	0.48
SD	3.87	4.34	4.31	3.45	6.47	4.40	2.49

Table 4F: FY03 Psychosis Patients, Pharmacy Utilization, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
All Patients	217760	9977	1269	2566	1362	3347	1433
Among all patients in the registry							
Pts. with any outpatient prescriptions, %	95.5%	94.7%	95.2%	93.9%	93.5%	95.6%	95.0%
Patients with any oral antipsychotic fills, %*	59.2%	62.2%	56.9%	62.9%	64.8%	62.6%	62.0%
Among pts. Receiving any antipsychotic medication:							
Received only conventional antipsychotics, %	12.3%	15.1%	12.3%	14.9%	13.3%	15.4%	18.8%
Received some atypical antipsychotics, %	87.7%	84.9%	87.7%	85.1%	86.7%	84.6%	81.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %							
Aripiprazole	1.2%	1.1%	1.5%	0.6%	1.1%	1.8%	0.0%
Clozapine	1.8%	1.7%	1.1%	1.8%	4.2%	0.6%	2.1%
Olanzapine	35.8%	33.8%	36.6%	29.2%	34.7%	33.8%	39.5%
Quetiapine	26.2%	20.0%	16.1%	17.2%	26.8%	21.7%	17.4%
Risperidone	36.7%	41.3%	42.8%	48.2%	37.5%	40.6%	32.8%
Ziprasidone	5.2%	4.0%	3.3%	3.9%	1.7%	6.4%	1.7%
Patients receiving only one kind** of antipsychotic, %	73.8%	74.9%	80.3%	76.3%	67.2%	74.5%	76.7%
Concurrent use of 2 or more antipsychotics, % ***	11.3%	11.5%	6.6%	11.0%	19.8%	10.5%	10.5%
Among pts receiving just one antipsychotic:							
Antipsychotic fills, mean	7.06	7.71	7.58	8.43	6.97	6.90	9.02
SD	*5.06*	*4.93*	*4.68*	*4.94*	*4.98*	*4.53*	*5.50*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5F: FY03 Psychosis Patients, Cost, VISN 3

	All VISNs	VISN 3	526	561	620	630	632
			Bronx	*New Jersey*	*Hudson Valley*	*New York Harbor*	*Northport*
All Patients	217760	9977	1269	2566	1362	3347	1433
Total Costs (in thousands $$)	$3,237,460	$231,865	$21,485	$65,618	$47,463	$56,706	$40,594
Station % of VISN		100.0%	9.3%	28.3%	20.5%	24.5%	17.5%
Psych vs. Non-Psych Costs							
Psych	30.3%	29.1%	28.9%	27.1%	30.8%	27.5%	32.3%
Non-Psych	69.7%	70.9%	71.1%	72.9%	69.2%	72.5%	67.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use							
Per Patient	$18,395	$28,938	$21,491	$31,750	$38,158	$22,546	$36,734
Per Day of Stay	$842	$919	$879	$939	$658	$1,153	$1,057
Mean Outpatient Costs, Pts with some Outpatient use							
Per Patient	$6,757	$8,920	$8,300	$7,782	$11,448	$8,598	$9,883
Per Visit Day	$275	$283	$278	$274	$337	$300	$228
Mean Patient Costs, By Cost Center							
1 Med	$1,582	$2,443	$2,758	$2,766	$1,745	$2,220	$2,767
2 Surg	$536	$748	$996	$578	$350	$798	$1,094
3 Psych	$2,886	$4,629	$2,867	$4,946	$8,804	$2,809	$5,906
4 Psych Res Rehab Treatment Program	$218	$534	$113	$1,273	$158	$368	$327
5 Non-VA	$205	$139	$66	$185	$175	$165	$26
6 LTC Domiciliary	$327	$625	$100	$887	$1,719	$412	$79
7 LTC Intermediate Care	$167	$489	$401	$385	$672	$305	$1,009
8 LTC Nursing Home	$1,785	$4,662	$1,228	$6,774	$9,940	$1,215	$6,958
9 Contract Nursing Home	$467	$274	$154	$336	$225	$109	$700
10 OPC Med/Surg	$1,071	$1,781	$1,953	$1,494	$1,635	$2,043	$1,670
11 OPC Psych	$1,624	$2,124	$2,030	$1,989	$1,943	$1,854	$3,251
12 OPC Home Based Treatment	$751	$1,233	$725	$1,263	$3,178	$596	$1,270
13 OPC Support	$1,322	$1,648	$1,832	$1,207	$2,032	$1,879	$1,373
14 OPC Fee	$148	$91	$48	$81	$53	$127	$97
15 OPC Pharmacy	$1,778	$1,820	$1,659	$1,408	$2,221	$2,042	$1,802
TOTAL	$14,867	$23,240	$16,931	$25,572	$34,848	$16,942	$28,328
Mean % Patient Costs at Other Stations	3.9%	3.6%	5.1%	2.3%	7.0%	3.2%	2.3%
SD	*12.8%*	*11.9%*	*14.3%*	*9.8%*	*15.3%*	*11.0%*	*10.4%*
Mean % Patient Costs at Other VISNs	1.5%	1.2%	1.0%	1.4%	1.8%	1.0%	0.9%
SD	*8.0%*	*6.8%*	*6.4%*	*7.4%*	*8.2%*	*6.1%*	*6.2%*

Table 1G: FY03 Schizophrenic Patients, Demographics, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Schizophrenic Patients	94395	5568	580	1612	815	1782	779
Age, %							
<35	3.9%	2.9%	4.8%	3.1%	1.6%	3.0%	2.4%
>=35 and <50	32.5%	28.7%	38.4%	27.5%	25.9%	30.2%	23.1%
>=50 and <65	44.6%	43.8%	42.1%	43.7%	43.1%	45.5%	42.4%
>=65 and <80	15.7%	19.5%	13.3%	19.3%	22.2%	17.9%	25.4%
>=80	3.3%	5.1%	1.4%	6.4%	7.2%	3.4%	6.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	54.59	56.66	52.85	56.96	58.87	55.64	58.92
SD	*11.97*	*12.70*	*11.37*	*13.08*	*12.67*	*12.12*	*13.28*
Gender							
Male, %	94.6%	95.7%	94.0%	95.6%	95.0%	96.2%	96.5%
Female, %	5.4%	4.3%	6.0%	4.4%	5.0%	3.8%	3.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %							
Hispanic white	6.9%	7.3%	22.2%	3.7%	5.0%	9.0%	2.2%
Hispanic black	0.6%	1.6%	4.7%	0.9%	0.9%	2.1%	0.4%
American Indian	0.3%	0.3%	0.3%	0.1%	1.0%	0.2%	0.1%
Black	26.5%	29.3%	39.0%	30.5%	25.0%	33.2%	15.7%
Asian	0.8%	0.4%	0.2%	0.2%	0.2%	0.8%	0.0%
White	52.4%	48.0%	21.7%	54.1%	63.8%	33.0%	73.0%
Race unknown	12.5%	13.0%	11.9%	10.5%	4.0%	21.7%	8.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status							
Never married	42.4%	56.2%	57.4%	52.6%	64.9%	56.2%	53.4%
Married	24.6%	19.4%	16.8%	22.6%	12.8%	19.2%	22.0%
Divorced/Separated	29.5%	20.5%	22.9%	20.6%	19.1%	20.8%	19.6%
Widowed	3.5%	3.9%	2.9%	4.2%	3.2%	3.8%	5.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Schizophrenic Patients	94395	5568	580	1612	815	1782	779
Registry Pts. History of VA Utilization							
Years since first use in prior five years, mean	4.6	4.67	4.64	4.63	4.77	4.68	4.66
SD	*1.0*	*0.91*	*0.91*	*0.96*	*0.76*	*0.91*	*0.92*
Yrs with 24-hour institutional use / yrs since 1st use, %	27.3%	28.5%	28.7%	29.9%	36.6%	22.1%	31.6%
SD	*30.9%*	*32.9%*	*31.4%*	*34.7%*	*35.3%*	*28.7%*	*34.1%*
Years with OP use / Years since first use, %	96.7%	94.7%	97.8%	92.3%	95.0%	96.7%	92.4%
SD	*12.4%*	*17.1%*	*8.2%*	*21.5%*	*14.7%*	*11.4%*	*22.9%*
Psychosis Diagnoses in Prior Fiscal Year							
Had Psychosis Diagnosis in FY01, %	82.2%	81.8%	81.9%	80.8%	87.0%	79.9%	82.9%
Among Patients With Psychoses in FY01							
Psychosis Category: Schizophrenia, %	94.8%	95.5%	94.1%	97.0%	96.5%	94.6%	94.1%
Psychosis Category: Bipolar Disorder, %	2.6%	2.4%	2.7%	1.9%	1.7%	2.5%	4.0%
Psychosis Category: Other Psychosis, %	2.5%	2.1%	3.2%	1.1%	1.8%	3.0%	1.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %							
Dementia	2.3%	2.0%	0.7%	2.0%	3.3%	1.6%	2.6%
Post Traumatic Stress Disorder	11.9%	15.4%	14.1%	15.0%	14.7%	17.4%	13.7%
Depression	25.7%	25.8%	24.7%	25.0%	17.8%	28.8%	29.9%
Other Anxiety Disorder	8.7%	8.9%	6.6%	5.6%	4.3%	14.1%	10.1%
Substance Abuse or Dependence	22.3%	24.4%	31.7%	26.4%	23.2%	21.7%	22.5%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Schizophrenic Patients	94395	5568	580	1612	815	1782	779
Medical Comorbidities, %							
No medical comorbidities	18.7%	19.9%	18.6%	20.8%	16.0%	19.4%	24.0%
Anemia	7.1%	9.2%	7.8%	8.5%	11.7%	9.1%	9.2%
Arthritis	29.7%	24.0%	25.0%	21.6%	20.9%	27.4%	23.5%
Cancer	6.1%	7.3%	5.3%	7.1%	6.0%	7.2%	10.5%
Cerebrovascular Disease	3.8%	3.8%	2.9%	4.3%	4.4%	3.4%	3.9%
Chronic Neurologic Disorder	12.4%	11.7%	11.4%	12.3%	14.4%	10.2%	11.2%
Chronic Obstructive Pulmonary Disease	16.5%	15.4%	13.1%	17.1%	17.8%	12.0%	18.7%
Chronic Viral Infection	8.7%	10.9%	16.2%	8.6%	11.2%	14.0%	4.6%
Coronary Artery Disease	14.6%	14.8%	9.5%	15.4%	12.0%	15.8%	18.0%
Diabetes	20.3%	18.8%	20.9%	18.1%	16.1%	21.2%	16.3%
Digestive System Disease	44.1%	45.1%	44.5%	44.5%	51.4%	44.4%	41.6%
Hypertension	40.7%	36.4%	36.0%	37.7%	33.9%	36.2%	37.2%
Injury and Poisoning	15.5%	15.5%	16.2%	13.9%	14.8%	15.5%	19.1%
Liver Disease	3.2%	3.5%	3.8%	3.7%	5.0%	3.2%	2.3%
Other Endocrine	6.9%	5.5%	5.5%	5.7%	6.4%	4.8%	5.6%
Peripheral Vascular Disease	2.9%	3.1%	2.2%	3.0%	2.9%	3.4%	3.6%
GAF scores							
Lowest inpatient GAF score, mean	36.19	38.03	37.12	34.26	35.59	44.22	47.88
SD	*14.35*	*11.49*	*11.48*	*10.01*	*11.32*	*11.55*	*7.58*
Mean outpatient GAF score	48.84	50.47	52.36	49.91	45.36	52.60	50.71
SD	*10.59*	*9.13*	*10.38*	*10.09*	*9.47*	*8.02*	*5.55*
At least 1 IP GAF, among pts with MH bedsections, %	38.5%	33.8%	12.8%	51.4%	33.7%	21.1%	37.3%
At least 1 OP GAF, among pts with MH clinic stops, %	80.5%	86.2%	81.1%	82.7%	90.6%	85.8%	93.3%
Mortality rates							
died in FY02, %	2.7%	3.3%	3.3%	3.8%	4.0%	2.1%	4.0%
Age-and-gender-adjusted Standardized Mortality Ratio	1.68	1.61	2.47	1.78	1.71	1.19	1.53

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Schizophrenic Patients	94395	5568	580	1612	815	1782	779
Service Connection (SC)							
Non-SC	40.8%	38.6%	47.6%	32.9%	40.1%	42.0%	34.4%
SC 0 - 29%	6.8%	6.9%	7.6%	6.6%	6.3%	7.3%	6.9%
SC 30 - 69%	8.8%	9.4%	10.0%	9.6%	6.1%	10.7%	9.1%
SC 70 - 99%	6.6%	6.8%	6.2%	7.3%	4.2%	8.0%	5.9%
SC 100%	37.0%	38.3%	28.6%	43.7%	43.3%	31.9%	43.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %							
Complex*	22.5%	30.9%	27.9%	34.0%	47.6%	18.3%	37.7%
Basic vested, Cat A*	74.7%	65.0%	70.0%	61.1%	47.7%	77.8%	57.9%
Basic Non-vested, Cat A*	1.2%	1.7%	0.5%	1.6%	2.9%	2.2%	0.3%
Basic, Cats C and N	1.7%	2.5%	1.6%	3.3%	1.7%	1.7%	4.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded							
Patient eligibility category, %							
Cat A (SC or low income)	98.2%	97.1%	98.4%	96.0%	97.7%	98.3%	94.9%
Cat C (NSC and higher income)	1.4%	2.6%	0.9%	3.6%	2.2%	1.3%	4.9%
Non-Veteran	0.5%	0.4%	0.7%	0.4%	0.1%	0.4%	0.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %							
BASIC 1. Non-reliant Care	0.2%	0.1%	0.0%	0.1%	0.2%	0.2%	0.0%
2. Basic Medical	13.3%	11.9%	10.0%	10.6%	8.2%	15.9%	10.9%
3. Mental Health	38.5%	32.4%	28.4%	32.8%	27.7%	36.6%	29.7%
4. Heart / Lung / GI	5.8%	4.8%	5.3%	5.6%	2.3%	5.1%	4.7%
5. Oncology / Infectious Disease	3.6%	4.2%	7.9%	3.8%	3.6%	4.9%	1.3%
6. Multiple Medical	16.1%	15.7%	20.3%	13.2%	10.3%	19.0%	15.7%
COMPLEX 7. Specialized Care	1.9%	2.9%	5.0%	1.9%	2.3%	3.7%	1.8%
8. Support Care	2.3%	2.3%	1.6%	2.4%	2.9%	1.9%	3.0%
9. Chronic Mental	15.7%	20.8%	19.7%	22.1%	34.0%	11.2%	27.5%
10. Critically Ill	2.6%	4.9%	1.7%	7.6%	8.3%	1.5%	5.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Schizophrenic Patients	94395	5568	580	1612	815	1782	779
Homelessness							
Homelessness indicated in FY02, %	12.0%	18.8%	17.9%	19.5%	12.8%	19.9%	21.7%
Residence in Metropolitan Area							
Residing in a Metropolitan Statistical Area, %	81.5%	99.0%	99.5%	99.7%	94.7%	99.7%	100.0%
Distance							
Mile from Closest VA Medical Center, mean	28.72	10.00	3.92	14.11	13.63	5.36	12.85
SD	*55.48*	*10.50*	*4.32*	*13.21*	*12.32*	*5.16*	*7.71*
Distance from closest VA Medical Center, %							
0 to 15 miles	52.9%	78.7%	43.9%	42.0%	43.2%	46.6%	49.6%
15 to 30 miles	15.5%	15.2%	12.9%	18.4%	11.5%	15.6%	13.7%
30 to 45 miles	9.7%	5.1%	13.2%	7.2%	10.8%	23.2%	11.9%
45 to 60 miles	7.4%	0.9%	12.4%	7.4%	8.4%	10.8%	11.3%
60 plus miles	14.4%	0.1%	17.5%	24.9%	26.0%	3.8%	13.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	9.84	3.98	2.16	5.63	6.20	2.26	3.53
SD	*11.95*	*4.06*	*2.24*	*5.00*	*4.83*	*2.15*	*2.61*
Distance to closest VA Service Site, %							
0 to 15 miles	79.4%	97.1%	65.5%	83.7%	62.9%	81.8%	74.1%
15 to 30 miles	13.6%	2.9%	19.3%	14.4%	21.8%	15.5%	18.0%
30 to 45 miles	5.1%	0.0%	11.6%	1.2%	12.3%	2.8%	6.8%
45 plus miles	1.9%	0.0%	3.6%	0.7%	3.0%	0.0%	1.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Schizophrenic Patients	94395	5568	580	1612	815	1782	779
Hospital Based Utilization							
Patients with some Hospital Based Utilization, %	27.0%	27.6%	34.5%	28.0%	32.4%	23.1%	26.7%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)							
Inpatient stays, mean	1.85	1.84	1.84	1.97	1.85	1.82	1.57
SD	*1.45*	*1.43*	*1.54*	*1.56*	*1.44*	*1.41*	*0.99*
Average LOS, mean	17.65	25.10	16.58	23.02	52.31	11.81	29.54
SD	*42.51*	*56.09*	*19.81*	*48.31*	*100.99*	*13.87*	*55.85*
Cumulative DOS, mean	28.76	39.98	28.01	40.30	73.90	22.34	42.59
SD	*53.29*	*70.24*	*32.15*	*63.91*	*118.04*	*34.48*	*66.16*
Cumulative DOS, %							
1 to 7	35.1%	28.0%	29.0%	23.7%	23.1%	34.8%	28.8%
8 to 14	20.7%	18.3%	14.5%	20.2%	17.4%	22.1%	11.1%
15 to 44	29.0%	33.1%	36.0%	34.1%	28.8%	31.9%	35.6%
45 to 89	9.0%	10.7%	13.5%	10.9%	12.5%	7.5%	11.5%
90 to 179	3.4%	5.2%	6.5%	7.1%	2.3%	2.7%	8.7%
180 to 359	1.5%	2.2%	0.5%	2.4%	4.9%	1.0%	2.4%
360+	1.2%	2.6%	0.0%	1.6%	11.0%	0.0%	1.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	3.8%	5.9%	1.5%	5.3%	16.3%	1.7%	6.3%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	249.93	281.06	153.33	258.29	330.14	183.29	242.85
SD	*96.37*	*94.13*	*40.61*	*93.23*	*63.37*	*84.83*	*101.08*
Hospital patients who had a 150+ day hosp. stay, %	2.5%	4.4%	0.0%	3.8%	15.2%	0.5%	4.3%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.78	322.93	0.00	303.18	341.38	292.50	285.00
SD	*75.28*	*65.21*	*0.00*	*70.95*	*49.47*	*89.80*	*90.70*
Cumulative DOS at Other VISNs	0.65	0.54	0.08	0.65	0.91	0.45	0.46
SD	*4.66*	*3.87*	*0.53*	*4.81*	*5.22*	*2.69*	*3.31*
Cumulative DOS at Other Stations	2.06	2.81	1.36	1.42	7.31	2.92	1.29
SD	*8.11*	*10.00*	*4.75*	*6.91*	*17.50*	*8.77*	*6.26*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526	561	620	630	632
			Bronx	*New Jersey*	*Hudson Valley*	*New York Harbor*	*Northport*
Schizophrenic Patients	94395	5568	580	1612	815	1782	779
Hospital based utilization: Non-Psych							
(non-psych- for those with some hosp.based util.)							
Pts. with non-psych hospital stays, %	11.8%	13.2%	16.9%	12.5%	14.6%	11.6%	14.1%
Inpatient stays, mean	0.71	0.82	0.88	0.82	0.75	0.82	0.85
SD	*1.11*	*1.23*	*1.36*	*1.33*	*1.17*	*1.16*	*1.11*
Average LOS, mean	8.26	10.98	12.36	12.09	10.90	8.44	12.59
SD	*16.10*	*16.60*	*19.49*	*14.83*	*18.76*	*9.66*	*23.21*
Cumulative Days of Stay, mean	6.10	9.66	10.23	10.95	8.33	8.34	10.62
SD	*19.61*	*25.22*	*22.81*	*28.89*	*26.07*	*21.91*	*23.92*
Cumulative Days of Stay, %							
0	56.2%	52.1%	51.0%	55.4%	54.9%	49.6%	47.1%
1 to 7	24.8%	22.3%	24.5%	18.4%	18.2%	27.0%	24.5%
8 to 14	8.1%	8.0%	5.5%	7.8%	11.4%	8.5%	5.8%
15 to 44	8.5%	12.6%	12.5%	12.2%	12.1%	10.7%	17.8%
45 to 89	1.7%	3.3%	3.0%	4.2%	2.7%	2.9%	2.9%
90 to 179	0.5%	1.4%	3.5%	1.6%	0.4%	1.0%	1.4%
180 to 359	0.2%	0.2%	0.0%	0.2%	0.0%	0.2%	0.5%
360+	0.1%	0.1%	0.0%	0.2%	0.4%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.4%	0.5%	0.5%	0.7%	0.4%	0.5%	0.5%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	225.13	215.38	131.00	231.00	364.00	156.50	222.00
SD	*88.92*	*97.43*	*0.00*	*120.65*	*0.00*	*20.51*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.3%	0.0%	0.4%	0.4%	0.0%	0.5%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	285.12	287.00	0.00	281.00	364.00	0.00	222.00
SD	*70.56*	*90.07*	*0.00*	*118.79*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.10*	*0.09*	0.05	0.09	0.09	0.05	0.21
SD	*1.58*	*1.25*	*0.40*	*1.16*	*1.11*	*0.50*	*2.54*
Other station cumulative DOS, mean	0.47	1.11	0.44	0.39	4.63	0.22	0.59
SD	*3.45*	*6.83*	*2.71*	*2.94*	*14.83*	*1.47*	*4.10*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Schizophrenic Patients	94395	5568	580	1612	815	1782	779
Hospital based utilization: Psychiatric							
(psych- for those with some hosp.based util.)							
Pts. with psych hospital stays, %	17.7%	16.7%	20.2%	18.2%	21.8%	13.3%	13.1%
Inpatient stays, mean	1.14	1.02	0.96	1.15	1.10	1.00	0.72
SD	*1.37*	*1.26*	*1.25*	*1.33*	*1.24*	*1.33*	*0.94*
Average LOS, mean	23.15	35.16	20.36	29.68	74.32	14.71	47.08
SD	*51.08*	*69.94*	*21.02*	*58.10*	*118.20*	*17.67*	*72.17*
Cumulative Days of Stay, mean	22.66	30.32	17.78	29.35	65.56	13.99	31.97
SD	*51.43*	*68.95*	*27.26*	*60.54*	*119.06*	*29.85*	*66.96*
Cumulative Days of Stay, %							
0	34.4%	39.5%	41.5%	34.8%	32.6%	42.3%	51.0%
1 to 7	17.5%	10.8%	11.0%	8.6%	12.1%	14.4%	6.3%
8 to 14	14.7%	12.2%	11.0%	16.0%	9.1%	14.1%	5.3%
15 to 44	21.2%	22.3%	22.5%	25.1%	20.8%	22.4%	17.8%
45 to 89	6.9%	7.5%	10.5%	7.8%	8.0%	4.9%	8.7%
90 to 179	2.8%	3.3%	3.5%	4.2%	1.9%	1.2%	7.2%
180 to 359	1.4%	2.2%	0.0%	2.4%	5.7%	0.7%	1.9%
360+	1.1%	2.3%	0.0%	1.1%	9.8%	0.0%	1.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	5.3%	1.0%	4.7%	15.9%	1.2%	5.8%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	250.18	285.73	130.00	261.52	327.95	193.80	244.58
SD	*97.20*	*93.17*	*5.66*	*91.72*	*65.06*	*101.06*	*105.37*
Hosp. Pts. with a 150+ day psych hosp.stay, %	2.2%	4.2%	0.0%	3.3%	14.8%	0.5%	3.8%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.10	324.42	0.00	305.60	339.77	292.50	292.88
SD	*76.47*	*63.66*	*0.00*	*67.87*	*50.51*	*89.80*	*93.62*
Other VISN cumulative DOS, mean	0.55	0.45	0.04	0.56	0.81	0.40	0.25
SD	4.34	3.63	0.35	4.55	5.12	2.65	2.15
Other station cumulative DOS, mean	1.59	1.70	0.93	1.03	2.69	2.70	0.70
SD	7.30	7.41	3.86	6.20	10.28	8.58	4.82

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526	561	620	630	632
			Bronx	*New Jersey*	*Hudson Valley*	*New York Harbor*	*Northport*
Schizophrenic Patients	94395	5568	580	1612	815	1782	779
Other 24 hour institutional care							
Patients with some other 24 hour institutional care, %	8.0%	11.6%	4.7%	17.1%	16.3%	6.7%	11.9%
Residential Rehab (rep. for those w/ res rehab care)							
Patients with some residential rehab. care, %	1.6%	3.0%	1.7%	4.3%	0.7%	3.2%	3.3%
Number stays, mean	*1.12*	*1.11*	1.10	1.07	1.00	1.18	1.08
SD	*0.37*	*0.33*	*0.32*	*0.26*	*0.00*	*0.43*	*0.27*
Average LOS, mean	36.26	44.42	14.20	60.96	36.83	15.29	77.79
SD	*45.44*	*51.72*	*8.22*	*63.91*	*31.03*	*8.02*	*46.59*
Cumulative DOS, mean	39.67	48.20	15.00	65.68	36.83	18.00	83.42
SD	*48.06*	*54.81*	*7.93*	*67.48*	*31.03*	*10.74*	*50.21*
Cumulative Days of Stay, %							
1 to 7	14.0%	10.7%	20.0%	10.1%	0.0%	15.8%	0.0%
8 to 14	14.7%	14.9%	10.0%	8.7%	0.0%	24.6%	15.4%
15 to 44	46.4%	39.3%	70.0%	29.0%	83.3%	56.1%	7.7%
45 to 89	13.8%	17.3%	0.0%	27.5%	0.0%	3.5%	30.8%
90 to 179	8.9%	15.5%	0.0%	18.8%	16.7%	0.0%	46.2%
180 to 359	1.8%	1.8%	0.0%	4.3%	0.0%	0.0%	0.0%
360+	0.5%	0.6%	0.0%	1.4%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.2%	11.3%	0.0%	13.0%	0.0%	0.0%	38.5%
mean	180.59	163.84	0.00	195.33	0.00	0.00	135.50
SD	*80.43*	*71.59*	0.00	94.43	0.00	0.00	20.95
Res Rehab patients with 150+ day Res Rehab stay, %	2.8%	3.6%	0.0%	4.3%	0.0%	0.0%	11.5%
mean	246.24	232.33	0.00	311.00	0.00	0.00	153.67
SD	*77.24*	*93.23*	*0.00*	*56.24*	*0.00*	*0.00*	*1.15*
Other VISN cumulative DOS, mean	0.84	0.35	0.10	0.00	9.50	0.00	0.00
SD	*5.37*	*3.21*	*0.32*	*0.00*	*15.46*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.24	3.14	15.00	0.86	36.83	1.00	1.58
SD	*10.31*	*10.57*	*7.93*	*3.93*	*31.03*	*7.03*	*4.63*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Schizophrenic Patients	94395	5568	580	1612	815	1782	779
Domiciliary and Vocational							
(reported for those with some dom/voc care)							
Patients with some dom/voc care, %	2.3%	2.7%	1.0%	3.9%	5.0%	2.0%	0.9%
Number stays, mean	1.12	1.18	1.33	1.11	1.27	1.20	1.00
SD	*0.37*	*0.42*	*0.52*	*0.32*	*0.55*	*0.41*	*0.00*
Average LOS, mean	94.48	60.50	31.50	58.94	61.43	64.80	72.43
SD	*108.97*	*50.94*	*16.91*	*60.99*	*45.25*	*40.48*	*50.54*
Cumulative DOS, mean	100.96	69.18	39.67	64.75	75.54	74.11	72.43
SD	*111.44*	*57.40*	*17.78*	*65.01*	*58.05*	*46.89*	*50.54*
Cumulative Days of Stay, %							
1 to 7	7.9%	7.2%	16.7%	6.3%	4.9%	8.6%	14.3%
8 to 14	6.7%	5.9%	0.0%	1.6%	12.2%	5.7%	14.3%
15 to 44	31.5%	31.6%	33.3%	52.4%	14.6%	20.0%	0.0%
45 to 89	17.3%	25.7%	50.0%	17.5%	41.5%	20.0%	14.3%
90 to 179	17.7%	23.0%	0.0%	12.7%	19.5%	42.9%	57.1%
180 to 359	9.4%	6.6%	0.0%	9.5%	7.3%	2.9%	0.0%
360+	9.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.0%	25.0%	0.0%	20.6%	24.4%	31.4%	57.1%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	234.98	148.16	0.00	175.46	152.90	125.00	111.25
SD	*102.95*	*45.49*	*0.00*	*49.94*	*46.57*	*24.07*	*4.65*
Dom. patients with 150+ day Dom. stay, %	20.9%	7.2%	0.0%	12.7%	7.3%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	291.61	201.82	0.00	204.38	195.00	0.00	0.00
SD	*80.75*	*34.16*	*0.00*	*36.34*	*33.41*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.18	1.61	7.67	0.84	3.24	0.00	1.86
SD	*7.65*	*9.01*	*18.78*	*4.08*	*14.88*	*0.00*	*4.91*
Other station cumulative DOS, mean	3.16	8.30	39.67	2.57	6.20	2.89	72.43
SD	*12.59*	*22.82*	*17.78*	*10.34*	*19.82*	*6.38*	*50.54*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Schizophrenic Patients	94395	5568	580	1612	815	1782	779
Nursing Home Care							
(reported for those with some nursing home care)							
Patients with some nursing home care, %	4.7%	6.6%	2.2%	9.7%	11.3%	2.5%	8.1%
Number stays, mean	1.20	1.11	1.00	1.12	1.09	1.18	1.11
SD	*0.56*	*0.36*	*0.00*	*0.37*	*0.28*	*0.49*	*0.36*
Average LOS, mean	143.54	212.49	126.23	216.54	215.30	139.88	268.02
SD	*137.46*	*141.89*	*123.35*	*144.31*	*142.32*	*118.55*	*127.33*
Cumulative DOS, mean	156.00	224.09	126.23	227.63	224.87	160.53	279.76
SD	*139.76*	*141.43*	*123.35*	*143.24*	*141.68*	*128.54*	*123.17*
Cumulative Days of Stay, %							
1 to 7	6.8%	3.3%	0.0%	2.6%	5.4%	6.7%	0.0%
8 to 14	6.5%	3.3%	15.4%	3.8%	3.3%	2.2%	0.0%
15 to 44	20.5%	7.9%	0.0%	11.5%	3.3%	8.9%	6.3%
45 to 89	14.1%	13.6%	46.2%	9.0%	15.2%	24.4%	7.9%
90 to 179	15.1%	15.4%	15.4%	14.1%	17.4%	22.2%	11.1%
180 to 359	14.7%	15.4%	7.7%	16.0%	10.9%	20.0%	19.0%
360+	22.5%	41.2%	15.4%	42.9%	44.6%	15.6%	55.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	48.0%	68.8%	38.5%	67.9%	69.6%	57.8%	84.1%
Cumul. DOS, patients with a 100+ day NH stay, mean	282.12	303.53	251.60	312.50	299.86	246.27	323.00
SD	*94.85*	*91.09*	*112.72*	*84.10*	*98.15*	*102.10*	*77.21*
NH patients with 150+ day NH stay, %	39.8%	60.2%	30.8%	62.2%	59.8%	40.0%	76.2%
Cumul. DOS, patients with a 150+ day NH stay, mean	312.43	328.88	286.75	330.38	330.36	288.39	342.85
SD	*72.26*	*64.78*	*93.30*	*62.57*	*66.85*	*87.32*	*47.97*
Other VISN cumulative DOS, mean	0.44	0.00	0.00	0.00	0.00	0.00	0.00
SD	*5.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.19	0.62	5.23	0.00	1.74	0.00	0.00
SD	*9.07*	*8.85*	*15.85*	*0.00*	*16.68*	*0.00*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Schizophrenic Patients	94395	5568	580	1612	815	1782	779
Outpatient utilization							
(reported for those with some outpatient care)							
Patients with some outpatient care, %	98.3%	95.9%	99.1%	93.4%	95.0%	98.9%	92.7%
annual visit days, mean	27.64	34.42	32.55	33.07	35.10	27.34	55.28
SD	*38.39*	*46.91*	*40.65*	*48.99*	*37.43*	*36.26*	*68.49*
Outpatient visit days, %							
1-12	42.6%	36.8%	35.0%	41.4%	27.0%	40.0%	31.6%
13-24	25.7%	24.3%	27.0%	22.7%	24.3%	26.4%	20.2%
25-36	11.8%	12.8%	11.0%	11.8%	17.7%	13.1%	10.1%
37-48	5.9%	6.8%	8.3%	6.2%	7.2%	7.0%	6.0%
49+	14.0%	19.3%	18.8%	17.9%	23.8%	13.4%	32.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	74.5%	70.9%	75.5%	61.9%	81.0%	76.5%	61.6%
Mean PC visit days, among those with some PC	3.73	3.27	3.18	2.82	3.69	3.63	2.58
SD	3.83	2.63	2.28	2.13	3.39	2.72	1.99
Average number clinic stops per visit day, mean	1.45	1.42	1.56	1.39	1.47	1.41	1.31
SD	*0.45*	*0.45*	*0.62*	*0.39*	*0.62*	*0.36*	*0.31*
annual clinic stops (psych & non-psych), mean	41.32	50.06	52.14	49.24	51.60	38.80	75.92
SD	*65.29*	*76.55*	*77.17*	*85.95*	*68.75*	54.01	*100.26*
annual non-psych. clinic stops, mean	19.07	19.81	20.16	17.07	23.86	21.57	16.63
SD	*26.86*	*25.79*	*25.29*	*21.77*	*34.54*	*26.02*	*20.97*
annual psych. clinic stops (groupings below), mean	22.25	30.24	31.98	32.17	27.74	17.23	59.29
SD	*50.83*	*63.96*	*70.44*	*71.83*	*41.26*	*39.75*	*92.79*
1. general psych. clinic stops, mean	9.04	8.51	6.65	7.93	11.34	7.39	10.90
SD	*15.89*	*10.74*	*9.60*	*10.06*	*10.84*	*10.57*	*12.24*
2. psych. case management clinic stops, mean	2.76	3.38	2.27	2.13	7.55	1.19	7.77
SD	*16.59*	*14.23*	*4.83*	*10.66*	*19.86*	*9.19*	*23.69*
3. psych. day treatment clinic stops, mean	4.94	6.67	0.00	15.80	2.48	0.77	11.86
SD	*29.07*	*33.48*	*0.00*	*53.19*	*19.27*	*8.85*	*38.29*
4. substance abuse clinic stops, mean	2.71	5.08	19.24	2.02	2.53	5.60	1.66
SD	*17.49*	*29.92*	*65.85*	*13.42*	*13.84*	*30.94*	*7.52*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526	561	620	630	632
			Bronx	*New Jersey*	*Hudson Valley*	*New York Harbor*	*Northport*
Schizophrenic Patients	94395	5568	580	1612	815	1782	779
5. psych. vocational clinic stops, mean	2.11	5.61	2.70	3.79	3.04	0.62	26.64
SD	*18.38*	*29.19*	*16.40*	*21.83*	*16.86*	*9.57*	*63.62*
6. PTSD clinic stops, mean	0.37	0.70	0.72	0.33	0.91	1.13	0.17
SD	*3.86*	*5.18*	*5.72*	*2.76*	*6.71*	*6.51*	*2.01*
7. psych. homeless clinic stops, mean	0.39	0.58	0.37	0.33	0.31	0.93	0.69
SD	*2.98*	*3.59*	*2.10*	*3.14*	*2.83*	*4.69*	*2.96*
Other VISN OP visit days, mean	0.30	0.27	0.19	0.24	0.44	0.31	0.12
SD	*2.12*	*1.98*	*1.39*	*1.75*	*2.76*	*2.22*	*0.95*
Other station OP visit days, mean	0.82	0.87	1.55	0.36	1.70	0.90	0.43
SD	*3.70*	*4.11*	*5.31*	*2.17*	*4.94*	*4.91*	*2.36*

Table 4G: FY03 Schizophrenic Patients, Pharmacy Utilization, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Schizophrenic Patients	94395	5568	580	1612	815	1782	779
Among all patients in the registry							
Pts. with any outpatient prescriptions, %	94.9%	93.5%	94.5%	92.4%	91.2%	95.4%	93.0%
Patients with any oral antipsychotic fills, %*	78.7%	76.2%	76.2%	74.4%	78.9%	77.4%	74.6%
Among pts. receiving any antipsychotic medication:							
Received only conventional antipsychotics, %	15.4%	18.8%	15.4%	18.3%	15.9%	20.0%	23.1%
Received some atypical antipsychotics, %	84.6%	81.2%	84.6%	81.7%	84.1%	80.0%	76.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %							
Aripiprazole	1.5%	1.1%	1.8%	0.4%	1.2%	1.9%	0.0%
Clozapine	3.1%	2.5%	1.8%	2.4%	5.8%	0.8%	3.3%
Olanzapine	35.7%	32.9%	33.9%	26.9%	35.8%	33.8%	39.1%
Quetiapine	21.7%	16.8%	14.5%	15.9%	21.6%	18.2%	12.0%
Risperidone	36.8%	40.7%	42.5%	47.6%	36.7%	39.7%	32.0%
Ziprasidone	5.9%	4.4%	4.8%	4.5%	0.9%	6.7%	2.2%
Patients receiving only one kind** of antipsychotic, %	70.8%	72.5%	78.5%	74.6%	63.8%	71.9%	75.0%
Concurrent use of 2 or more antipsychotics, % ***	15.6%	14.9%	9.3%	13.7%	26.1%	13.0%	13.8%
Among pts receiving just one antipsychotic:							
Antipsychotic fills, mean	8.10	8.48	8.42	9.30	7.32	7.61	9.95
SD	*5.37*	*5.00*	*4.64*	*4.88*	*5.15*	*4.48*	*5.77*
Antipsychotic Medication Possession Ratio, mean	0.83	0.81	0.79	0.83	0.93	0.74	0.86
SD	*0.33*	*0.32*	*0.35*	*0.33*	*0.29*	*0.31*	*0.30*
Antipsychotic Med Possession Ratio <= 0.80, %	37.1%	37.9%	41.1%	34.9%	23.9%	46.6%	34.4%
Antipsychotic Med Possession Ratio <= 0.50, %	18.0%	19.1%	24.1%	17.9%	8.6%	23.7%	16.2%

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 4G: FY03 Schizophrenic Patients, Cost, VISN 3

	All VISNs	VISN 3	526	561	620	630	632
			Bronx	*New Jersey*	*Hudson Valley*	*New York Harbor*	*Northport*
Schizophrenic Patients	94395	5568	580	1612	815	1782	779
Total Costs (in thousands $$)	$1,637,013	$157,055	$11,175	$51,093	$35,627	$30,427	$28,732
Station % of VISN		100.0%	7.1%	32.5%	22.7%	19.4%	18.3%
Psych vs. Non-Psych Costs							
Psych	34.5%	30.9%	34.8%	27.1%	33.3%	30.5%	33.9%
Non-Psych	65.5%	69.1%	65.2%	72.9%	66.7%	69.5%	66.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use							
Per Patient	$21,945	$35,368	$24,386	$36,754	$47,807	$25,470	$46,694
Per Day of Stay	$763	$885	$871	$912	$647	$1,140	$1,096
Mean Outpatient Costs, Pts with some Outpatient use							
Per Patient	$7,323	$9,456	$8,640	$8,454	$12,587	$8,428	$11,349
Per Visit Day	$265	$275	$265	$256	$359	$308	$205
Mean Patient Costs, By Cost Center							
1 Med	$1,399	$2,578	$2,649	$3,323	$2,371	$1,854	$2,859
2 Surg	$470	$795	$1,309	$666	$352	$789	$1,159
3 Psych	$4,062	$6,370	$4,451	$6,294	$12,763	$3,232	$8,450
4 Psych Res Rehab Treatment Program	$217	$696	$151	$1,779	$94	$328	$334
5 Non-VA	$230	$196	$82	$280	$210	$218	$42
6 LTC Domiciliary	$302	$508	$105	$677	$1,088	$378	$146
7 LTC Intermediate Care	$166	$469	$333	$465	$634	$215	$989
8 LTC Nursing Home	$2,633	$7,203	$1,408	$9,885	$13,972	$1,520	$11,885
9 Contract Nursing Home	$664	$323	$212	$433	$277	$204	$501
10 OPC Med/Surg	$930	$1,628	$1,852	$1,375	$1,440	$1,850	$1,670
11 OPC Psych	$1,916	$2,356	$2,248	$2,305	$1,775	$1,968	$4,040
12 OPC Home Based Treatment	$933	$1,622	$890	$1,572	$4,652	$566	$1,519
13 OPC Support	$1,243	$1,483	$1,802	$1,198	$1,523	$1,661	$1,384
14 OPC Fee	$130	$56	$15	$42	$48	$87	$56
15 OPC Pharmacy	$2,047	$1,922	$1,758	$1,401	$2,515	$2,205	$1,850
TOTAL	$17,342	$28,207	$19,267	$31,695	$43,714	$17,075	$36,884
Mean % Patient Costs at Other Stations	3.6%	3.2%	5.4%	1.5%	5.8%	3.4%	1.9%
SD	*12.4%*	*11.3%*	*14.2%*	*8.2%*	*14.3%*	*11.6%*	*9.6%*
Mean % Patient Costs at Other VISNs	1.3%	0.9%	0.5%	0.8%	1.2%	1.0%	0.6%
SD	*7.5%*	*5.8%*	*4.1%*	*5.7%*	*7.1%*	*6.2%*	*4.7%*

Table 1H: FY03 Bipolar Patients, Demographics, VISN 3

	All VISNs	VISN 3	526	561	620	630	632
			Bronx	*New Jersey*	*Hudson Valley*	*New York Harbor*	*Northport*
Bipolar Patients	73964	2654	358	634	362	847	453
Age, %							
<35	7.9%	6.4%	7.0%	7.7%	6.4%	6.6%	4.0%
>=35 and <50	36.3%	32.5%	36.9%	30.8%	31.8%	36.0%	25.7%
>=50 and <65	40.3%	38.1%	34.4%	36.9%	36.2%	40.9%	39.4%
>=65 and <80	13.3%	19.4%	19.6%	21.8%	21.5%	14.2%	23.9%
>=80	2.2%	3.5%	2.2%	2.8%	4.1%	2.4%	7.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	52.26	54.59	53.76	54.74	55.31	52.93	57.56
SD	*12.50*	*13.35*	*13.08*	*13.76*	*13.81*	*12.44*	*13.77*
Gender							
Male, %	88.2%	92.1%	89.9%	91.6%	92.8%	91.7%	94.7%
Female, %	11.8%	7.9%	10.1%	8.4%	7.2%	8.3%	5.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %							
Hispanic white	2.8%	5.8%	16.8%	1.7%	4.4%	7.2%	1.1%
Hispanic black	0.3%	1.5%	3.4%	0.5%	1.4%	2.4%	0.0%
American Indian	0.3%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%
Black	10.4%	15.6%	28.8%	14.2%	11.0%	18.9%	4.6%
Asian	0.2%	0.2%	0.0%	0.5%	0.6%	0.1%	0.0%
White	62.5%	56.5%	36.9%	62.5%	70.7%	42.9%	77.7%
Race unknown	23.5%	20.4%	14.2%	20.7%	11.6%	28.6%	16.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status							
Never married	21.0%	32.7%	36.3%	26.5%	26.5%	42.1%	25.8%
Married	37.7%	31.9%	27.7%	38.6%	34.5%	21.5%	43.1%
Divorced/Separated	37.9%	30.9%	30.4%	30.4%	34.0%	32.9%	25.8%
Widowed	3.4%	4.5%	5.6%	4.4%	5.0%	3.5%	5.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Bipolar Patients	73964	2654	358	634	362	847	453
Registry Pts. History of VA Utilization							
Years since first use in prior five years, mean	4.2	4.30	4.45	4.15	4.27	4.35	4.33
SD	*1.3*	*1.22*	*1.08*	*1.33*	*1.25*	*1.18*	*1.20*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.1%	24.6%	25.0%	22.3%	28.8%	24.1%	25.0%
SD	*29.2%*	*30.1%*	*29.8%*	*30.2%*	*32.2%*	*29.7%*	*29.1%*
Years with OP use / Years since first use, %	96.7%	96.2%	96.8%	95.4%	96.6%	96.2%	96.3%
SD	*10.5%*	*11.4%*	*9.8%*	*12.9%*	*10.0%*	*11.2%*	*11.7%*
Psychosis Diagnoses in Prior Fiscal Year							
Had Psychosis Diagnosis in FY01, %	65.0%	65.7%	65.9%	65.8%	63.3%	62.5%	73.7%
Among Patients With Psychoses in FY01							
Psychosis Category: Schizophrenia, %	3.8%	4.8%	3.8%	4.1%	6.6%	4.3%	5.7%
Psychosis Category: Bipolar Disorder, %	94.8%	94.2%	95.3%	95.4%	92.1%	94.1%	93.4%
Psychosis Category: Other Psychosis, %	1.4%	1.0%	0.8%	0.5%	1.3%	1.5%	0.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %							
Dementia	1.7%	1.7%	1.7%	0.9%	3.3%	1.2%	2.6%
Post Traumatic Stress Disorder	21.3%	20.1%	19.8%	19.9%	29.6%	18.1%	17.0%
Depression	44.5%	44.0%	48.9%	37.4%	47.8%	47.1%	40.8%
Other Anxiety Disorder	16.3%	14.4%	14.5%	9.8%	15.7%	18.8%	11.3%
Substance Abuse or Dependence	29.8%	32.8%	41.6%	30.1%	35.9%	34.1%	24.7%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Bipolar Patients	73964	2654	358	634	362	847	453
Medical Comorbidities, %							
No medical comorbidities	15.4%	16.0%	11.7%	16.2%	15.7%	17.4%	16.8%
Anemia	5.6%	7.9%	10.3%	5.4%	5.8%	7.6%	11.7%
Arthritis	42.4%	34.9%	37.4%	33.6%	39.5%	34.0%	32.5%
Cancer	6.2%	6.9%	7.5%	6.9%	5.5%	5.8%	9.3%
Cerebrovascular Disease	3.8%	3.9%	3.6%	3.9%	3.9%	3.2%	5.5%
Chronic Neurologic Disorder	14.8%	13.0%	12.8%	12.3%	13.8%	13.2%	13.0%
Chronic Obstructive Pulmonary Disease	16.0%	15.4%	17.9%	14.8%	17.1%	13.7%	16.1%
Chronic Viral Infection	9.6%	12.2%	15.9%	11.2%	12.2%	14.6%	6.4%
Coronary Artery Disease	16.8%	17.9%	12.8%	21.9%	15.2%	16.9%	20.3%
Diabetes	17.4%	19.4%	20.4%	19.4%	22.4%	16.8%	21.0%
Digestive System Disease	43.2%	43.4%	44.1%	43.4%	47.8%	42.5%	40.8%
Hypertension	38.5%	37.1%	41.9%	39.3%	32.3%	33.2%	41.5%
Injury and Poisoning	19.9%	18.2%	22.3%	15.8%	24.3%	16.8%	15.9%
Liver Disease	3.8%	3.4%	3.9%	3.9%	4.1%	3.2%	2.2%
Other Endocrine	10.0%	8.3%	6.4%	9.9%	7.2%	6.8%	10.8%
Peripheral Vascular Disease	3.0%	3.9%	3.6%	2.2%	5.8%	4.0%	4.6%
GAF scores							
Lowest inpatient GAF score, mean	39.59	43.46	46.00	39.73	42.11	48.30	47.63
SD	*14.06*	*9.10*	*8.94*	*9.99*	*7.87*	*8.56*	*4.63*
Mean outpatient GAF score	53.41	55.14	54.16	56.15	54.21	55.95	53.92
SD	*10.75*	*9.08*	*10.57*	*10.36*	*9.04*	*8.75*	*6.62*
At least 1 IP GAF, among pts with MH bedsections, %	39.1%	32.9%	6.1%	45.4%	44.1%	26.9%	32.2%
At least 1 OP GAF, among pts with MH clinic stops, %	81.5%	83.7%	68.6%	79.7%	88.3%	85.1%	94.9%
Mortality rates							
died in FY02, %	1.5%	1.6%	1.1%	1.6%	1.4%	0.9%	3.5%
Age-and-gender-adjusted Standardized Mortality Ratio	1.07	0.91	0.68	0.86	0.70	0.66	1.55

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 3, continued

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Bipolar Patients	73964	2654	358	634	362	847	453
Service Connection (SC)							
Non-SC	55.9%	59.6%	60.9%	53.8%	65.5%	61.0%	59.6%
SC 0 - 29%	10.0%	9.9%	9.2%	9.6%	8.8%	10.2%	11.5%
SC 30 - 69%	13.4%	13.5%	14.0%	15.8%	13.3%	12.9%	11.5%
SC 70 - 99%	8.9%	6.3%	7.8%	7.9%	3.3%	6.1%	5.5%
SC 100%	11.8%	10.6%	8.1%	12.9%	9.1%	9.8%	11.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %							
Complex*	12.2%	16.1%	17.3%	15.1%	25.7%	11.6%	17.0%
Basic vested, Cat A*	80.3%	73.4%	76.8%	70.2%	61.6%	81.8%	68.7%
Basic Non-vested, Cat A*	0.9%	0.9%	0.0%	1.1%	0.6%	1.7%	0.0%
Basic, Cats C and N	6.6%	9.7%	5.9%	13.6%	12.2%	5.0%	14.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded							
Patient eligibility category, %							
Cat A (SC or low income)	93.2%	89.9%	93.9%	86.0%	87.6%	94.8%	85.0%
Cat C (NSC and higher income)	5.9%	9.3%	4.5%	13.2%	11.6%	4.6%	14.3%
Non-Veteran	0.9%	0.8%	1.7%	0.8%	0.8%	0.6%	0.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %							
BASIC 1. Non-reliant Care	0.1%	0.1%	0.3%	0.0%	0.0%	0.1%	0.0%
2. Basic Medical	15.2%	15.0%	12.6%	16.1%	15.5%	16.1%	13.2%
3. Mental Health	40.5%	36.6%	33.2%	39.4%	30.7%	35.3%	42.4%
4. Heart / Lung / GI	6.9%	5.8%	3.9%	6.6%	5.0%	5.8%	6.8%
5. Oncology / Infectious Disease	4.3%	4.5%	6.4%	4.7%	3.6%	5.4%	1.5%
6. Multiple Medical	20.7%	22.0%	26.3%	18.0%	19.6%	25.7%	19.0%
COMPLEX 7. Specialized Care	2.2%	3.2%	6.7%	2.7%	3.6%	2.8%	1.3%
8. Support Care	2.1%	2.6%	0.6%	2.2%	6.1%	2.2%	2.4%
9. Chronic Mental	6.8%	8.9%	8.7%	9.0%	13.5%	5.4%	11.9%
10. Critically Ill	1.1%	1.4%	1.4%	1.3%	2.5%	1.1%	1.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 3, continued

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Bipolar Patients	73964	2654	358	634	362	847	453
Homelessness							
Homelessness indicated in FY02, %	13.8%	20.9%	20.1%	15.3%	19.3%	25.9%	21.6%
Residence in Metropolitan Area							
Residing in a Metropolitan Statistical Area, %	79.3%	99.1%	100.0%	99.7%	93.9%	100.0%	100.0%
Distance							
Mile from Closest VA Medical Center, mean	34.15	10.74	4.20	18.52	12.46	5.41	13.63
SD	*73.16*	*10.91*	*3.58*	*14.80*	*11.65*	*4.85*	*6.83*
Distance from closest VA Medical Center, %							
0 to 15 miles	46.2%	78.1%	32.9%	32.5%	39.6%	42.6%	34.1%
15 to 30 miles	17.2%	14.6%	15.0%	20.9%	12.6%	18.0%	16.0%
30 to 45 miles	10.6%	5.3%	12.5%	8.7%	13.1%	22.7%	17.7%
45 to 60 miles	8.5%	2.0%	16.6%	6.9%	9.0%	10.9%	14.6%
60 plus miles	17.4%	0.0%	23.0%	31.0%	25.6%	5.7%	17.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.09	4.16	2.09	7.12	5.48	2.39	3.93
SD	*13.59*	*4.05*	*1.56*	*5.58*	*4.11*	*1.97*	*2.64*
Distance to closest VA Service Site, %							
0 to 15 miles	76.3%	97.6%	58.2%	86.8%	61.4%	82.2%	64.2%
15 to 30 miles	15.4%	2.3%	25.3%	11.0%	24.0%	15.3%	23.9%
30 to 45 miles	5.7%	0.0%	11.8%	1.3%	12.3%	2.5%	9.9%
45 plus miles	2.7%	0.0%	4.7%	0.9%	2.4%	0.1%	2.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3H: FY03 Bipolar Patients, Utilization, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Bipolar Patients	73964	2654	358	634	362	847	453
Hospital Based Utilization							
Patients with some Hospital Based Utilization, %	25.4%	25.7%	26.8%	23.7%	24.6%	26.8%	26.5%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)							
Inpatient stays, mean	1.80	1.70	1.83	1.80	1.72	1.71	1.45
SD	*1.41*	*1.21*	*1.28*	*1.49*	*1.17*	*1.15*	*0.84*
Average LOS, mean	9.79	12.57	10.94	11.56	15.73	10.68	16.36
SD	*17.76*	*21.07*	*11.69*	*11.64*	*44.04*	*15.71*	*18.05*
Cumulative DOS, mean	17.09	20.73	21.13	20.25	23.88	17.44	24.88
SD	*27.94*	*30.92*	*27.92*	*24.36*	*47.64*	*20.98*	*39.33*
Cumulative DOS, %							
1 to 7	44.7%	36.4%	37.5%	32.7%	37.1%	41.4%	30.0%
8 to 14	21.9%	23.3%	20.8%	20.7%	28.1%	22.0%	27.5%
15 to 44	25.9%	29.2%	31.3%	37.3%	22.5%	26.0%	28.3%
45 to 89	5.3%	8.2%	6.3%	6.7%	7.9%	9.3%	10.0%
90 to 179	1.5%	2.5%	4.2%	2.7%	2.2%	1.3%	3.3%
180 to 359	0.5%	0.3%	0.0%	0.0%	1.1%	0.0%	0.8%
360+	0.1%	0.1%	0.0%	0.0%	1.1%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	1.0%	1.3%	2.1%	0.7%	2.2%	1.3%	0.8%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	203.75	189.22	157.00	106.00	288.50	120.33	345.00
SD	*79.71*	*99.28*	*11.31*	*0.00*	*106.77*	*7.23*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.6%	0.4%	0.0%	0.0%	2.2%	0.0%	0.8%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	251.69	307.33	0.00	0.00	288.50	0.00	345.00
SD	*73.28*	*82.25*	*0.00*	*0.00*	*106.77*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.67	0.87	0.09	2.41	1.76	0.18	0.18
SD	*4.53*	*6.24*	*0.60*	*12.36*	*5.34*	*1.33*	*0.97*
Cumulative DOS at Other Stations	1.97	2.75	1.98	2.83	6.27	2.56	1.00
SD	*7.12*	*9.48*	*6.03*	*12.42*	*12.06*	*8.86*	*4.75*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Bipolar Patients	73964	2654	358	634	362	847	453
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)							
Pts. with non-psych hospital stays, %	11.7%	12.5%	17.0%	8.4%	8.3%	13.9%	15.2%
Inpatient stays, mean	0.72	0.74	0.98	0.56	0.53	0.78	0.83
SD	*1.10*	*1.03*	*1.05*	*0.97*	*0.97*	*1.08*	*0.98*
Average LOS, mean	6.20	9.47	9.29	7.83	8.25	9.35	11.62
SD	*10.70*	*14.68*	*12.52*	*10.67*	*7.97*	*17.02*	*16.97*
Cumulative Days of Stay, mean	4.64	7.48	11.64	5.13	4.78	7.06	9.90
SD	*13.49*	*18.73*	*27.23*	*16.13*	*12.05*	*16.12*	*21.34*
Cumulative Days of Stay, %							
0	54.1%	51.5%	36.5%	64.7%	66.3%	48.0%	42.5%
1 to 7	30.1%	26.8%	34.4%	23.3%	19.1%	29.1%	26.7%
8 to 14	7.4%	9.7%	12.5%	4.7%	6.7%	9.7%	15.8%
15 to 44	7.0%	8.1%	9.4%	4.7%	6.7%	9.7%	9.2%
45 to 89	1.1%	2.5%	4.2%	1.3%	1.1%	2.6%	3.3%
90 to 179	0.3%	1.5%	3.1%	1.3%	0.0%	0.9%	2.5%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.2%	0.6%	2.1%	0.0%	0.0%	0.9%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	187.03	137.75	157.00	0.00	0.00	118.50	0.00
SD	*73.96*	*23.77*	*11.31*	*0.00*	*0.00*	*9.19*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.06	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.15*	*0.20*	0.04	0.60	0.20	0.04	0.11
SD	*2.03*	*3.35*	*0.32*	*7.02*	*1.34*	*0.39*	*0.65*
Other station cumulative DOS, mean	0.50	0.71	0.53	0.73	2.01	0.25	0.72
SD	*3.25*	*4.76*	*2.30*	*7.09*	*6.99*	*1.41*	*4.58*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526	561	620	630	632
			Bronx	*New Jersey*	*Hudson Valley*	*New York Harbor*	*Northport*
Bipolar Patients	73964	2654	358	634	362	847	453
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)							
Pts. with psych hospital stays, %	16.8%	15.6%	13.7%	17.0%	18.8%	15.3%	13.0%
Inpatient stays, mean	1.08	0.97	0.85	1.24	1.19	0.93	0.62
SD	*1.27*	*1.18*	*1.30*	*1.45*	*1.09*	*1.11*	*0.74*
Average LOS, mean	12.15	14.98	12.17	13.17	18.49	11.37	24.55
SD	*21.36*	*26.38*	*9.59*	*11.56*	*50.21*	*13.60*	*34.03*
Cumulative Days of Stay, mean	12.44	13.25	9.49	15.12	19.10	10.38	14.98
SD	*25.57*	*26.17*	*14.87*	*19.70*	*47.41*	*17.51*	*30.86*
Cumulative Days of Stay, %							
0	34.1%	39.3%	49.0%	28.0%	23.6%	42.7%	50.8%
1 to 7	24.8%	16.7%	14.6%	14.7%	25.8%	20.7%	6.7%
8 to 14	16.7%	15.8%	12.5%	18.7%	21.3%	14.5%	13.3%
15 to 44	19.0%	22.0%	21.9%	32.0%	21.3%	16.3%	20.8%
45 to 89	3.7%	4.7%	1.0%	5.3%	3.4%	5.3%	6.7%
90 to 179	1.2%	1.0%	1.0%	1.3%	2.2%	0.4%	0.8%
180 to 359	0.4%	0.3%	0.0%	0.0%	1.1%	0.0%	0.8%
360+	0.1%	0.1%	0.0%	0.0%	1.1%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.8%	0.7%	0.0%	0.7%	2.2%	0.4%	0.8%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	201.69	212.40	0.00	106.00	288.50	124.00	255.00
SD	*78.85*	*104.80*	*0.00*	*0.00*	*106.77*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.5%	0.4%	0.0%	0.0%	2.2%	0.0%	0.8%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	248.87	277.33	0.00	0.00	288.50	0.00	255.00
SD	*70.96*	*77.94*	*0.00*	*0.00*	*106.77*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.52	0.67	0.05	1.81	1.56	0.14	0.07
SD	4.00	5.18	0.51	10.05	5.19	1.24	0.73
Other station cumulative DOS, mean	1.48	2.04	1.45	2.10	4.26	2.30	0.28
SD	6.29	8.25	5.71	10.12	10.35	8.79	1.42

Table 3H: FY03 Bipolar Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526	561	620	630	632
			Bronx	*New Jersey*	*Hudson Valley*	*New York Harbor*	*Northport*
Bipolar Patients	73964	2654	358	634	362	847	453
Other 24 hour institutional care							
Patients with some other 24 hour institutional care, %	8.1%	9.5%	3.4%	12.8%	17.7%	9.3%	3.8%
Residential Rehab (rep. for those w/ res rehab care)							
Patients with some residential rehab. care, %	2.6%	3.2%	1.4%	1.9%	2.5%	5.7%	2.4%
Number stays, mean	*1.12*	*1.14*	1.00	1.00	1.22	1.13	1.36
SD	*0.38*	*0.38*	*0.00*	*0.00*	*0.44*	*0.39*	*0.50*
Average LOS, mean	33.17	30.78	17.60	36.42	21.72	15.70	103.86
SD	*32.92*	*35.61*	*5.27*	*22.56*	*10.99*	*11.81*	*46.49*
Cumulative DOS, mean	36.42	36.05	17.60	36.42	26.11	17.31	133.91
SD	*35.54*	*45.96*	*5.27*	*22.56*	*13.61*	*12.88*	*61.34*
Cumulative Days of Stay, %							
1 to 7	10.4%	9.4%	0.0%	0.0%	0.0%	16.7%	0.0%
8 to 14	11.3%	18.8%	20.0%	8.3%	11.1%	27.1%	0.0%
15 to 44	53.1%	50.6%	80.0%	58.3%	66.7%	52.1%	9.1%
45 to 89	18.3%	8.2%	0.0%	25.0%	22.2%	4.2%	0.0%
90 to 179	5.8%	10.6%	0.0%	8.3%	0.0%	0.0%	72.7%
180 to 359	1.0%	2.4%	0.0%	0.0%	0.0%	0.0%	18.2%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.3%	9.4%	0.0%	0.0%	0.0%	0.0%	72.7%
mean	167.40	156.75	0.00	0.00	0.00	0.00	156.75
SD	*69.53*	*49.85*	0.00	0.00	0.00	0.00	49.85
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	2.4%	0.0%	0.0%	0.0%	0.0%	18.2%
mean	224.60	153.00	0.00	0.00	0.00	0.00	153.00
SD	*70.59*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.28	0.75	0.00	3.58	0.00	0.44	0.00
SD	*6.79*	*3.97*	*0.00*	*8.39*	*0.00*	*3.03*	*0.00*
Other station cumulative DOS, mean	3.71	5.24	17.60	5.92	26.11	0.44	2.73
SD	*10.96*	*10.45*	*5.27*	*9.09*	*13.61*	*3.03*	*6.08*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526	561	620	630	632
			Bronx	*New Jersey*	*Hudson Valley*	*New York Harbor*	*Northport*
Bipolar Patients	73964	2654	358	634	362	847	453
Domiciliary and Vocational							
(reported for those with some dom/voc care)							
Patients with some dom/voc care, %	4.2%	6.2%	2.0%	10.6%	14.6%	4.4%	0.0%
Number stays, mean	1.14	1.20	1.00	1.25	1.23	1.08	0.00
SD	*0.38*	*0.40*	*0.00*	*0.44*	*0.42*	*0.28*	*0.00*
Average LOS, mean	80.47	56.44	37.00	45.47	70.54	59.77	0.00
SD	*77.50*	*45.09*	*26.66*	*47.56*	*43.08*	*40.72*	*0.00*
Cumulative DOS, mean	88.84	64.84	37.00	53.39	83.49	64.11	0.00
SD	*82.55*	*49.51*	*26.66*	*49.93*	*50.22*	*43.15*	*0.00*
Cumulative Days of Stay, %							
1 to 7	6.1%	7.9%	14.3%	6.0%	3.8%	16.2%	0.0%
8 to 14	5.6%	4.3%	14.3%	4.5%	3.8%	2.7%	0.0%
15 to 44	28.2%	33.5%	28.6%	47.8%	24.5%	21.6%	0.0%
45 to 89	21.0%	23.8%	42.9%	22.4%	22.6%	24.3%	0.0%
90 to 179	26.2%	28.0%	0.0%	16.4%	41.5%	35.1%	0.0%
180 to 359	10.5%	2.4%	0.0%	3.0%	3.8%	0.0%	0.0%
360+	2.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%
Dom. patients with 100+ day Dom. stay, %	32.1%	20.7%	0.0%	14.9%	30.2%	21.6%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	184.30	135.65	0.00	147.40	135.63	121.00	0.00
SD	*76.03*	*32.15*	*0.00*	*45.05*	*28.76*	*6.93*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.5%	3.0%	0.0%	3.0%	5.7%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	236.94	191.00	0.00	228.50	166.00	0.00	0.00
SD	*71.03*	*36.35*	*0.00*	*13.44*	*14.42*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.76	2.99	4.14	2.88	3.32	2.51	0.00
SD	*9.43*	*11.50*	*10.96*	*9.71*	*14.11*	*10.85*	*0.00*
Other station cumulative DOS, mean	4.27	6.52	37.00	6.78	4.36	3.38	0.00
SD	*15.65*	*16.49*	*26.66*	*16.01*	*14.84*	*11.31*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526	561	620	630	632
			Bronx	*New Jersey*	*Hudson Valley*	*New York Harbor*	*Northport*
Bipolar Patients	73964	2654	358	634	362	847	453
Nursing Home Care							
(reported for those with some nursing home care)							
Patients with some nursing home care, %	2.1%	1.4%	0.6%	1.3%	3.0%	1.3%	1.3%
Number stays, mean	1.22	1.18	1.50	1.13	1.18	1.18	1.17
SD	*0.55*	*0.46*	*0.71*	*0.35*	*0.40*	*0.60*	*0.41*
Average LOS, mean	86.89	141.90	88.75	154.38	196.18	89.24	140.00
SD	*110.58*	*137.76*	*37.83*	*161.46*	*140.88*	*98.96*	*174.38*
Cumulative DOS, mean	98.25	154.61	146.50	159.00	216.09	96.09	146.00
SD	*116.77*	*137.61*	*119.50*	*158.11*	*138.01*	*97.63*	*170.67*
Cumulative Days of Stay, %							
1 to 7	10.5%	5.3%	0.0%	0.0%	0.0%	9.1%	16.7%
8 to 14	10.7%	5.3%	0.0%	12.5%	0.0%	0.0%	16.7%
15 to 44	30.2%	13.2%	0.0%	25.0%	9.1%	18.2%	0.0%
45 to 89	16.4%	28.9%	50.0%	25.0%	18.2%	36.4%	33.3%
90 to 179	12.3%	13.2%	0.0%	0.0%	18.2%	27.3%	0.0%
180 to 359	10.2%	10.5%	50.0%	12.5%	18.2%	0.0%	0.0%
360+	9.8%	23.7%	0.0%	25.0%	36.4%	9.1%	33.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	27.9%	42.1%	50.0%	37.5%	63.6%	27.3%	33.3%
Cumul. DOS, patients with a 100+ day NH stay, mean	261.88	293.25	231.00	347.00	297.00	204.33	364.00
SD	*97.21*	*98.70*	*0.00*	*29.44*	*99.19*	*139.64*	*0.00*
NH patients with 150+ day NH stay, %	22.1%	34.2%	50.0%	37.5%	54.5%	9.1%	33.3%
Cumul. DOS, patients with a 150+ day NH stay, mean	296.07	332.77	231.00	347.00	327.00	364.00	364.00
SD	*76.98*	*55.57*	*0.00*	*29.44*	*65.16*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.47	0.00	0.00	0.00	0.00	0.00	0.00
SD	*5.60*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.51	6.47	0.00	0.00	12.82	9.55	0.00
SD	*9.89*	*28.15*	*0.00*	*0.00*	*42.51*	*31.66*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526	561	620	630	632
			Bronx	*New Jersey*	*Hudson Valley*	*New York Harbor*	*Northport*
Bipolar Patients	73964	2654	358	634	362	847	453
Outpatient utilization							
(reported for those with some outpatient care)							
Patients with some outpatient care, %	99.6%	99.5%	99.7%	99.4%	98.6%	99.9%	99.3%
annual visit days, mean	24.20	30.62	33.78	23.27	36.32	30.96	33.25
SD	*30.37*	*41.11*	*40.58*	*31.10*	*43.02*	*42.56*	*47.75*
Outpatient visit days, %							
1-12	43.1%	39.2%	32.5%	48.6%	30.5%	37.2%	41.8%
13-24	26.8%	25.4%	27.2%	24.8%	25.2%	25.8%	24.2%
25-36	12.4%	12.4%	14.0%	8.7%	16.5%	13.6%	10.7%
37-48	6.4%	6.7%	4.8%	6.7%	7.6%	7.8%	5.3%
49+	11.4%	16.4%	21.6%	11.3%	20.2%	15.6%	18.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	80.8%	79.8%	83.2%	78.4%	86.0%	79.4%	75.1%
Mean PC visit days, among those with some PC	3.83	3.18	3.31	2.81	3.76	3.41	2.64
SD	3.42	2.44	2.50	1.95	2.75	2.76	1.81
Average number clinic stops per visit day, mean	1.50	1.46	1.58	1.45	1.57	1.43	1.35
SD	*0.46*	*0.42*	*0.47*	*0.41*	*0.59*	*0.33*	*0.34*
annual clinic stops (psych & non-psych), mean	37.58	47.16	54.92	35.60	65.77	45.14	46.20
SD	*53.68*	*71.38*	*75.25*	*59.73*	*96.32*	63.77	*70.23*
annual non-psych. clinic stops, mean	19.81	21.69	22.93	16.94	30.62	23.36	17.13
SD	*22.87*	*25.61*	*27.92*	*18.14*	*34.97*	*25.91*	*20.49*
annual psych. clinic stops (specific groupings below), mean	17.77	25.47	31.99	18.66	35.15	21.78	29.06
SD	*40.95*	*58.04*	*65.26*	*51.14*	*68.25*	*51.24*	*62.53*
1. general psych. clinic stops, mean	7.61	7.33	8.06	5.94	10.98	6.38	7.60
SD	*12.69*	*10.02*	*10.71*	*8.38*	*13.07*	*9.10*	*9.67*
2. psych. case management clinic stops, mean	0.65	0.66	0.03	0.69	0.42	0.15	2.24
SD	*8.45*	*6.44*	*0.34*	*6.82*	*2.22*	*3.24*	*12.30*
3. psych. day treatment clinic stops, mean	1.57	1.98	0.02	3.69	0.91	0.36	5.03
SD	*15.80*	*15.64*	*0.37*	*23.39*	*4.49*	*4.74*	*24.29*
4. substance abuse clinic stops, mean	4.64	8.47	17.75	4.51	10.87	9.80	2.24
SD	*21.97*	*35.23*	*55.87*	*22.63*	*31.24*	*40.69*	*8.65*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526	561	620	630	632
			Bronx	*New Jersey*	*Hudson Valley*	*New York Harbor*	*Northport*
Bipolar Patients	73964	2654	358	634	362	847	453
5. psych. vocational clinic stops, mean	1.91	5.15	3.98	2.85	8.81	2.50	11.38
SD	*15.13*	*28.05*	*22.36*	*19.81*	*32.25*	*22.26*	*43.03*
6. PTSD clinic stops, mean	0.80	0.95	1.71	0.63	2.69	0.52	0.25
SD	*5.71*	*6.43*	*8.84*	*4.33*	*12.12*	*3.67*	*3.03*
7. psych. homeless clinic stops, mean	0.54	0.98	0.42	0.47	0.46	2.09	0.44
SD	*3.97*	*5.21*	*1.44*	*2.74*	*1.91*	*8.55*	*1.82*
Other VISN OP visit days, mean	0.48	0.65	0.41	0.92	1.27	0.43	0.38
SD	*2.80*	*3.67*	*2.25*	*4.72*	*5.94*	*2.35*	*2.18*
Other station OP visit days, mean	1.14	1.34	1.37	1.22	3.33	0.95	0.62
SD	*4.45*	*5.09*	*3.91*	*5.12*	*9.36*	*3.38*	*2.96*

Table 4H: FY03 Bipolar Patients, Pharmacy Utilization, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Bipolar Patients	73964	2654	358	634	362	847	453
Among all patients in the registry							
Pts. with any outpatient prescriptions, %	96.9%	97.1%	96.9%	97.3%	97.2%	96.5%	98.0%
Patients with any oral antipsychotic fills, %*	46.0%	47.6%	41.3%	46.8%	50.3%	46.5%	53.4%
Among pts. receiving any antipsychotic medication:							
Received only conventional antipsychotics, %	7.6%	6.9%	8.1%	4.4%	4.9%	6.6%	11.2%
Received some atypical antipsychotics, %	92.4%	93.1%	91.9%	95.6%	95.1%	93.4%	88.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %							
Aripiprazole	1.5%	1.1%	1.4%	1.3%	1.1%	2.0%	0.0%
Clozapine	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Olanzapine	40.7%	41.0%	50.7%	40.4%	29.7%	40.6%	45.0%
Quetiapine	34.1%	28.8%	19.6%	21.2%	45.6%	31.7%	26.4%
Risperidone	31.0%	36.7%	32.4%	45.5%	37.4%	33.5%	33.1%
Ziprasidone	4.7%	3.4%	2.0%	1.3%	4.4%	7.1%	0.0%
Patients receiving only one kind** of antipsychotic, %	77.4%	78.9%	82.4%	82.2%	76.4%	77.7%	76.9%
Concurrent use of 2 or more antipsychotics, % ***	5.5%	4.1%	1.4%	3.0%	3.3%	6.1%	4.5%
Among pts receiving just one antipsychotic:							
Antipsychotic fills, mean	6.09	6.68	7.06	6.61	6.38	5.85	8.09
SD	*4.43*	*4.60*	*4.70*	*4.55*	*4.54*	*4.46*	*4.54*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5H: FY03 Bipolar Patients, Cost, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Bipolar Patients	73964	2654	358	634	362	847	453
Total Costs (in thousands $$)	$907,650	$44,595	$5,464	$9,387	$8,142	$13,537	$8,065
Station % of VISN		100.0%	12.3%	21.1%	18.3%	30.4%	18.1%
Psych vs. Non-Psych Costs							
Psych	33.4%	31.9%	29.3%	33.6%	28.2%	31.7%	35.7%
Non-Psych	66.6%	68.1%	70.7%	66.4%	71.8%	68.3%	64.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use							
Per Patient	$15,075	$20,673	$18,448	$19,849	$17,141	$20,328	$26,752
Per Day of Stay	$882	$997	$873	$980	$718	$1,165	$1,075
Mean Outpatient Costs, Pts with some Outpatient use							
Per Patient	$6,520	$8,469	$8,891	$6,969	$10,511	$8,472	$8,609
Per Visit Day	$269	$277	$263	$299	$289	$274	$259
Mean Patient Costs, By Cost Center							
1 Med	$1,060	$1,720	$2,118	$1,125	$633	$1,953	$2,670
2 Surg	$459	$633	$910	$535	$115	$635	$964
3 Psych	$2,315	$2,959	$1,919	$3,036	$3,466	$2,860	$3,453
4 Psych Res Rehab Treatment Program	$298	$419	$156	$418	$321	$565	$431
5 Non-VA	$176	$86	$21	$36	$181	$150	$11
6 LTC Domiciliary	$455	$1,097	$183	$1,673	$3,487	$617	$0
7 LTC Intermediate Care	$96	$333	$532	$232	$215	$234	$593
8 LTC Nursing Home	$778	$1,088	$559	$817	$3,640	$505	$937
9 Contract Nursing Home	$142	$45	$0	$10	$67	$0	$194
10 OPC Med/Surg	$1,111	$1,932	$2,141	$1,701	$2,010	$2,128	$1,662
11 OPC Psych	$1,781	$2,399	$2,560	$1,937	$2,878	$2,201	$2,907
12 OPC Home Based Treatment	$532	$630	$567	$583	$1,035	$441	$777
13 OPC Support	$1,309	$1,690	$1,883	$1,129	$2,601	$1,838	$1,315
14 OPC Fee	$115	$31	$8	$26	$17	$25	$78
15 OPC Pharmacy	$1,645	$1,742	$1,706	$1,548	$1,825	$1,829	$1,813
TOTAL	$12,272	$16,803	$15,263	$14,807	$22,491	$15,982	$17,805
Mean % Patient Costs at Other Stations	4.8%	4.7%	6.4%	3.9%	8.9%	3.6%	2.7%
SD	*13.9%*	*13.2%*	*16.0%*	*12.0%*	*16.7%*	*11.3%*	*11.4%*
Mean % Patient Costs at Other VISNs	2.0%	1.9%	1.6%	2.6%	3.2%	1.2%	1.4%
SD	*9.0%*	*8.4%*	*8.6%*	*9.8%*	*10.4%*	*5.9%*	*8.1%*

Table 2I: FY03 Other Psychosis Patients, Demographics, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Other Psychosis Patients	49401	1755	331	320	185	718	201
Age, %							
<35	2.2%	1.9%	2.1%	1.9%	1.6%	2.4%	0.5%
>=35 and <50	12.5%	11.6%	11.8%	9.7%	8.6%	15.2%	4.5%
>=50 and <65	22.1%	19.4%	20.3%	19.1%	14.6%	21.6%	14.9%
>=65 and <80	36.7%	37.3%	36.4%	39.4%	46.5%	32.9%	43.3%
>=80	26.5%	29.7%	29.4%	30.0%	28.6%	28.0%	36.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	68.22	69.62	69.12	70.43	71.57	67.75	74.01
SD	*15.13*	*15.05*	*15.39*	*14.22*	*14.33*	*15.80*	*12.28*
Gender							
Male, %	96.0%	97.0%	97.3%	97.5%	98.4%	97.1%	94.5%
Female, %	4.0%	3.0%	2.7%	2.5%	1.6%	2.9%	5.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %							
Hispanic white	3.9%	7.0%	19.6%	1.6%	1.1%	6.4%	2.0%
Hispanic black	0.3%	1.3%	3.0%	0.3%	0.0%	1.5%	0.0%
American Indian	0.2%	0.2%	0.0%	0.3%	1.1%	0.1%	0.0%
Black	15.5%	21.4%	32.0%	18.8%	7.6%	25.2%	7.0%
Asian	0.4%	0.3%	0.0%	0.3%	0.0%	0.6%	0.0%
White	48.2%	42.2%	22.1%	50.9%	74.6%	32.7%	65.7%
Race unknown	31.5%	27.7%	23.3%	27.8%	15.7%	33.4%	25.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status							
Never married	13.4%	25.2%	26.5%	20.0%	16.8%	32.6%	12.4%
Married	52.0%	44.9%	41.8%	55.6%	54.1%	36.4%	55.2%
Divorced/Separated	22.5%	15.7%	17.1%	14.4%	11.4%	16.8%	15.4%
Widowed	12.0%	14.2%	14.6%	10.0%	17.8%	14.3%	16.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Other Psychosis Patients	49401	1755	331	320	185	718	201
Registry Pts. History of VA Utilization							
Years since first use in prior five years, mean	4.0	4.13	4.35	3.85	4.11	4.20	3.98
SD	*1.4*	*1.35*	*1.20*	*1.45*	*1.33*	*1.35*	*1.32*
Yrs with 24-hour institutional use / yrs since 1st use, %	24.1%	20.5%	22.1%	16.9%	15.4%	23.2%	17.5%
SD	*27.8%*	*26.2%*	*24.4%*	*27.0%*	*25.4%*	*27.3%*	*23.6%*
Years with OP use / Years since first use, %	96.9%	96.1%	96.8%	95.8%	96.4%	95.7%	96.5%
SD	*10.4%*	*11.5%*	*9.9%*	*12.4%*	*11.1%*	*11.8%*	*12.4%*
Psychosis Diagnoses in Prior Fiscal Year							
Had Psychosis Diagnosis in FY01, %	33.8%	34.7%	35.0%	42.8%	17.3%	38.4%	23.9%
Among Patients With Psychoses in FY01							
Psychosis Category: Schizophrenia, %	9.4%	14.8%	15.5%	10.2%	9.4%	17.4%	14.6%
Psychosis Category: Bipolar Disorder, %	3.8%	3.8%	4.3%	4.4%	9.4%	2.5%	4.2%
Psychosis Category: Other Psychosis, %	86.9%	81.4%	80.2%	85.4%	81.3%	80.1%	81.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %							
Dementia	20.6%	24.4%	19.6%	18.1%	32.4%	24.4%	35.3%
Post Traumatic Stress Disorder	13.4%	12.4%	8.8%	12.5%	16.8%	13.4%	10.9%
Depression	37.7%	34.0%	32.9%	27.8%	29.7%	38.4%	33.8%
Other Anxiety Disorder	12.0%	11.8%	8.8%	9.1%	8.1%	15.3%	11.9%
Substance Abuse or Dependence	15.7%	16.1%	19.0%	11.9%	11.9%	19.5%	10.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Other Psychosis Patients	49401	1755	331	320	185	718	201
Medical Comorbidities, %							
No medical comorbidities	8.3%	8.2%	9.4%	9.7%	5.4%	8.1%	7.0%
Anemia	14.2%	16.5%	14.5%	15.9%	16.8%	17.5%	16.9%
Arthritis	39.1%	33.8%	31.7%	33.8%	30.8%	37.0%	28.4%
Cancer	14.0%	14.5%	14.5%	12.8%	15.1%	14.1%	17.9%
Cerebrovascular Disease	16.4%	15.4%	12.7%	14.1%	15.1%	14.8%	24.4%
Chronic Neurologic Disorder	20.8%	19.8%	19.0%	18.1%	18.4%	21.0%	20.4%
Chronic Obstructive Pulmonary Disease	17.9%	12.6%	9.7%	11.3%	17.3%	13.1%	13.9%
Chronic Viral Infection	5.9%	8.0%	9.7%	6.6%	3.2%	10.7%	2.5%
Coronary Artery Disease	33.0%	30.3%	19.0%	35.0%	37.8%	26.9%	46.3%
Diabetes	23.4%	22.7%	21.5%	23.1%	22.2%	22.8%	24.4%
Digestive System Disease	42.9%	41.0%	36.0%	40.6%	43.8%	43.3%	39.3%
Hypertension	54.9%	55.1%	55.0%	58.8%	56.2%	51.4%	61.7%
Injury and Poisoning	19.4%	17.5%	16.0%	11.9%	17.8%	20.9%	16.9%
Liver Disease	3.8%	3.5%	3.3%	4.1%	4.3%	3.1%	3.5%
Other Endocrine	9.5%	7.9%	8.2%	6.6%	5.4%	7.9%	11.9%
Peripheral Vascular Disease	7.8%	6.8%	3.6%	6.6%	11.4%	6.1%	10.4%
GAF scores							
Lowest inpatient GAF score, mean	37.71	38.82	24.00	36.19	39.89	44.56	40.50
SD	*14.78*	*11.45*	*12.45*	*9.96*	*10.45*	*9.24*	*13.44*
Mean outpatient GAF score	48.43	50.80	48.12	51.29	50.12	51.80	49.73
SD	*11.56*	*10.71*	*12.96*	*10.10*	*11.68*	*10.07*	*9.88*
At least 1 IP GAF, among pts with MH bedsections, %	36.3%	27.0%	14.3%	46.7%	57.1%	18.1%	18.2%
At least 1 OP GAF, among pts with MH clinic stops, %	74.8%	75.8%	56.2%	69.4%	70.6%	84.5%	90.2%
Mortality rates							
died in FY02, %	6.2%	4.3%	3.3%	5.9%	2.7%	4.3%	5.0%
Age-and-gender-adjusted Standardized Mortality Ratio	1.21	0.79	0.63	1.02	0.45	0.85	0.77

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Other Psychosis Patients	49401	1755	331	320	185	718	201
Service Connection (SC)							
Non-SC	63.3%	63.9%	69.2%	58.4%	64.3%	63.8%	63.7%
SC 0 - 29%	10.4%	12.8%	14.5%	12.8%	11.9%	13.2%	9.0%
SC 30 - 69%	10.8%	10.5%	7.3%	12.5%	13.5%	10.2%	10.9%
SC 70 - 99%	6.4%	4.7%	3.0%	5.3%	4.9%	4.6%	7.0%
SC 100%	9.1%	8.1%	6.0%	10.9%	5.4%	8.2%	9.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %							
Complex*	15.0%	16.9%	16.6%	17.2%	14.6%	17.7%	16.4%
Basic vested, Cat A*	74.8%	71.7%	76.1%	65.0%	69.7%	75.1%	65.2%
Basic Non-vested, Cat A*	0.8%	0.4%	0.0%	0.6%	0.0%	0.6%	0.5%
Basic, Cats C and N	9.4%	10.9%	7.3%	17.2%	15.7%	6.7%	17.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded							
Patient eligibility category, %							
Cat A (SC or low income)	90.1%	88.0%	92.4%	81.3%	83.8%	92.3%	79.6%
Cat C (NSC and higher income)	9.4%	11.1%	5.7%	18.4%	15.7%	6.7%	19.9%
Non-Veteran	0.6%	0.9%	1.8%	0.3%	0.5%	1.0%	0.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %							
BASIC 1. Non-reliant Care	0.1%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%
2. Basic Medical	25.3%	26.4%	25.4%	27.5%	30.8%	24.9%	27.9%
3. Mental Health	25.6%	22.1%	21.8%	27.2%	22.2%	19.5%	23.4%
4. Heart / Lung / GI	12.5%	11.7%	13.6%	12.5%	10.8%	9.9%	14.9%
5. Oncology / Infectious Disease	3.8%	4.7%	5.4%	2.5%	2.7%	5.8%	4.5%
6. Multiple Medical	17.6%	18.1%	17.2%	13.1%	18.9%	22.0%	12.9%
COMPLEX 7. Specialized Care	4.7%	7.4%	7.6%	7.5%	3.8%	8.6%	5.5%
8. Support Care	4.8%	4.3%	4.2%	3.8%	3.2%	4.3%	6.0%
9. Chronic Mental	2.2%	2.2%	1.8%	2.8%	2.7%	1.9%	2.0%
10. Critically Ill	3.3%	3.1%	3.0%	3.1%	4.9%	2.8%	3.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Other Psychosis Patients	49401	1755	331	320	185	718	201
Homelessness							
Homelessness indicated in FY02, %	7.1%	9.5%	8.5%	6.9%	11.4%	12.0%	4.5%
Residence in Metropolitan Area							
Residing in a Metropolitan Statistical Area, %	76.7%	99.1%	99.7%	100.0%	93.5%	99.9%	99.5%
Distance							
Mile from Closest VA Medical Center, mean	35.80	9.22	4.17	17.14	13.08	5.67	14.08
SD	*82.41*	*9.97*	*3.51*	*14.66*	*11.32*	*5.69*	*7.10*
Distance from closest VA Medical Center, %							
0 to 15 miles	45.8%	82.5%	37.5%	35.4%	40.1%	44.8%	41.4%
15 to 30 miles	16.6%	12.1%	14.4%	21.2%	14.0%	17.3%	15.3%
30 to 45 miles	10.9%	4.1%	14.6%	10.1%	12.6%	21.7%	15.6%
45 to 60 miles	8.8%	1.3%	15.8%	8.7%	9.7%	10.1%	13.1%
60 plus miles	17.9%	0.1%	17.6%	24.7%	23.7%	6.1%	14.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.89	3.47	2.10	5.87	5.94	2.21	4.18
SD	*14.24*	*3.39*	*1.59*	*4.79*	*4.42*	*1.86*	*2.40*
Distance to closest VA Service Site, %							
0 to 15 miles	73.5%	98.5%	59.0%	84.6%	57.5%	85.3%	64.6%
15 to 30 miles	16.6%	1.5%	23.5%	12.9%	25.2%	12.7%	22.9%
30 to 45 miles	7.0%	0.0%	13.6%	1.5%	14.3%	2.0%	11.0%
45 plus miles	3.0%	0.0%	3.9%	1.0%	3.0%	0.0%	1.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Other Psychosis Patients	49401	1755	331	320	185	718	201
Hospital Based Utilization							
Patients with some Hospital Based Utilization, %	30.2%	27.4%	28.7%	21.6%	19.5%	31.6%	26.4%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)							
Inpatient stays, mean	1.82	1.71	1.58	1.80	2.08	1.74	1.45
SD	*1.40*	*1.23*	*1.00*	*1.57*	*1.89*	*1.12*	*0.93*
Average LOS, mean	9.37	11.99	12.64	12.98	13.32	9.45	19.45
SD	*15.01*	*16.40*	*14.76*	*14.50*	*17.63*	*9.39*	*33.60*
Cumulative DOS, mean	16.06	19.74	20.34	21.03	25.81	16.60	26.34
SD	*22.72*	*24.48*	*24.88*	*22.14*	*30.87*	*18.46*	*39.00*
Cumulative DOS, %							
1 to 7	42.1%	37.7%	30.5%	30.4%	25.0%	44.1%	41.5%
8 to 14	23.4%	21.0%	28.4%	30.4%	25.0%	16.7%	11.3%
15 to 44	27.8%	29.4%	30.5%	23.2%	30.6%	30.4%	30.2%
45 to 89	5.2%	9.4%	6.3%	15.9%	13.9%	7.9%	9.4%
90 to 179	1.2%	2.3%	4.2%	0.0%	5.6%	0.9%	5.7%
180 to 359	0.2%	0.2%	0.0%	0.0%	0.0%	0.0%	1.9%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	0.7%	0.8%	1.1%	0.0%	2.8%	0.0%	3.8%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	185.56	137.00	112.00	0.00	108.00	0.00	164.00
SD	*75.86*	*46.98*	*0.00*	*0.00*	*0.00*	*0.00*	*60.81*
Hospital patients who had a 150+ day hosp. stay, %	0.3%	0.2%	0.0%	0.0%	0.0%	0.0%	1.9%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	241.58	207.00	0.00	0.00	0.00	0.00	207.00
SD	*74.51*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.37	0.23	0.11	0.36	0.69	0.22	0.00
SD	*3.13*	*1.67*	*1.03*	*1.92*	*2.91*	*1.73*	*0.00*
Cumulative DOS at Other Stations	1.24	1.52	0.56	0.81	12.19	0.76	0.15
SD	*5.73*	*8.16*	*2.49*	*3.09*	*25.52*	*3.87*	*0.86*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526	561	620	630	632
			Bronx	*New Jersey*	*Hudson Valley*	*New York Harbor*	*Northport*
Other Psychosis Patients	49401	1755	331	320	185	718	201
Hospital based utilization: Non-Psych							
(non-psych- for those with some hosp.based util.)							
Pts. with non-psych hospital stays, %	21.7%	20.8%	24.5%	12.8%	13.0%	24.1%	22.9%
Inpatient stays, mean	1.27	1.25	1.29	1.10	1.28	1.28	1.21
SD	*1.36*	*1.20*	*1.06*	*1.54*	*1.37*	*1.18*	*0.86*
Average LOS, mean	7.86	10.66	10.57	10.99	10.82	8.68	17.89
SD	*11.97*	*15.58*	*10.73*	*13.55*	*7.07*	*8.35*	*35.15*
Cumulative Days of Stay, mean	9.61	13.08	14.64	11.07	14.44	11.16	20.15
SD	*16.99*	*20.82*	*20.31*	*18.56*	*19.16*	*15.69*	*37.43*
Cumulative Days of Stay, %							
0	28.2%	24.0%	14.7%	40.6%	33.3%	23.8%	13.2%
1 to 7	35.5%	32.7%	32.6%	23.2%	19.4%	35.7%	41.5%
8 to 14	15.8%	15.6%	26.3%	14.5%	13.9%	12.3%	13.2%
15 to 44	17.1%	20.6%	17.9%	14.5%	22.2%	23.3%	20.8%
45 to 89	2.8%	5.8%	6.3%	7.2%	11.1%	4.4%	5.7%
90 to 179	0.5%	1.0%	2.1%	0.0%	0.0%	0.4%	3.8%
180 to 359	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	1.9%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.4%	0.0%	0.0%	0.0%	0.0%	3.8%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	178.07	164.00	0.00	0.00	0.00	0.00	164.00
SD	*75.21*	*60.81*	*0.00*	*0.00*	*0.00*	*0.00*	*60.81*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	1.9%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	240.47	207.00	0.00	0.00	0.00	0.00	207.00
SD	*75.05*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.18*	*0.11*	0.11	0.00	0.33	0.13	0.00
SD	*1.94*	*1.11*	*1.03*	*0.00*	*2.00*	*1.24*	*0.00*
Other station cumulative DOS, mean	0.60	0.79	0.53	0.04	6.81	0.31	0.15
SD	*3.61*	*4.09*	*2.47*	*0.36*	*11.77*	*2.24*	*0.86*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526	561	620	630	632
			Bronx	*New Jersey*	*Hudson Valley*	*New York Harbor*	*Northport*
Other Psychosis Patients	49401	1755	331	320	185	718	201
Hospital based utilization: Psychiatric							
(psych- for those with some hosp.based util.)							
Pts. with psych hospital stays, %	10.8%	8.4%	6.3%	9.4%	7.6%	10.0%	5.5%
Inpatient stays, mean	0.55	0.46	0.28	0.70	0.81	0.46	0.25
SD	*1.03*	*0.97*	*0.61*	*1.20*	*1.91*	*0.84*	*0.52*
Average LOS, mean	12.47	15.29	20.04	15.61	16.72	11.93	25.55
SD	*19.53*	*17.41*	*23.37*	*15.73*	*27.25*	*11.81*	*21.04*
Cumulative Days of Stay, mean	6.45	6.66	5.69	9.96	11.36	5.44	6.19
SD	*17.76*	*17.19*	*18.67*	*18.99*	*30.20*	*12.80*	*16.01*
Cumulative Days of Stay, %							
0	64.2%	69.2%	77.9%	56.5%	61.1%	68.3%	79.2%
1 to 7	12.7%	9.6%	3.2%	10.1%	13.9%	12.8%	3.8%
8 to 14	9.6%	7.7%	6.3%	15.9%	8.3%	7.5%	0.0%
15 to 44	10.7%	9.4%	10.5%	8.7%	11.1%	8.4%	11.3%
45 to 89	2.1%	3.3%	0.0%	8.7%	0.0%	3.1%	5.7%
90 to 179	0.5%	0.8%	2.1%	0.0%	5.6%	0.0%	0.0%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.4%	0.4%	1.1%	0.0%	2.8%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	182.44	110.00	112.00	0.00	108.00	0.00	0.00
SD	*78.98*	*2.83*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.42	0.00	0.00	0.00	0.00	0.00	0.00
SD	*77.61*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.19	0.12	0.00	0.36	0.36	0.09	0.00
SD	2.40	1.26	0.00	1.92	2.17	1.21	0.00
Other station cumulative DOS, mean	0.64	0.73	0.03	0.77	5.39	0.45	0.00
SD	4.34	7.14	0.31	3.08	24.26	3.21	0.00

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526	561	620	630	632
			Bronx	*New Jersey*	*Hudson Valley*	*New York Harbor*	*Northport*
Other Psychosis Patients	49401	1755	331	320	185	718	201
Other 24 hour institutional care							
Patients with some other 24 hour institutional care, %	10.1%	8.1%	4.5%	9.4%	15.1%	8.1%	6.0%
Residential Rehab (rep. for those w/ res rehab care)							
Patients with some residential rehab. care, %	1.0%	1.5%	0.0%	1.3%	1.1%	2.5%	1.0%
Number stays, mean	*1.13*	*1.00*	0.00	1.00	1.00	1.00	1.00
SD	*0.45*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	30.41	22.96	0.00	60.00	21.00	16.22	11.50
SD	*33.22*	*26.41*	*0.00*	*56.55*	*0.00*	*7.99*	*13.44*
Cumulative DOS, mean	33.30	22.96	0.00	60.00	21.00	16.22	11.50
SD	*35.32*	*26.41*	*0.00*	*56.55*	*0.00*	*7.99*	*13.44*
Cumulative Days of Stay, %							
1 to 7	15.1%	23.1%	0.0%	0.0%	0.0%	27.8%	50.0%
8 to 14	12.1%	3.8%	0.0%	0.0%	0.0%	5.6%	0.0%
15 to 44	54.3%	69.2%	0.0%	75.0%	100.0%	66.7%	50.0%
45 to 89	11.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	5.7%	3.8%	0.0%	25.0%	0.0%	0.0%	0.0%
180 to 359	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	2.6%	3.8%	0.0%	25.0%	0.0%	0.0%	0.0%
mean	181.33	144.00	0.00	144.00	0.00	0.00	0.00
SD	*69.09*	*0.00*	0.00	0.00	0.00	0.00	0.00
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
mean	235.83	0.00	0.00	0.00	0.00	0.00	0.00
SD	*52.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.38	1.38	0.00	9.00	0.00	0.00	0.00
SD	*7.57*	*7.06*	*0.00*	*18.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	4.16	3.81	0.00	9.00	21.00	0.00	10.50
SD	*12.59*	*9.47*	*0.00*	*18.00*	*0.00*	*0.00*	*14.85*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526	561	620	630	632
			Bronx	*New Jersey*	*Hudson Valley*	*New York Harbor*	*Northport*
Other Psychosis Patients	49401	1755	331	320	185	718	201
Domiciliary and Vocational							
(reported for those with some dom/voc care)							
Patients with some dom/voc care, %	1.7%	1.9%	0.0%	3.8%	6.5%	1.3%	0.0%
Number stays, mean	1.13	1.18	0.00	1.33	1.08	1.11	0.00
SD	*0.36*	*0.46*	*0.00*	*0.65*	*0.29*	*0.33*	*0.00*
Average LOS, mean	79.24	49.80	0.00	30.25	52.46	72.33	0.00
SD	*81.39*	*37.97*	*0.00*	*13.24*	*35.47*	*51.41*	*0.00*
Cumulative DOS, mean	86.42	57.94	0.00	42.17	56.42	81.00	0.00
SD	*85.00*	*43.27*	*0.00*	*29.01*	*37.46*	*58.56*	*0.00*
Cumulative Days of Stay, %							
1 to 7	7.5%	6.1%	0.0%	8.3%	0.0%	11.1%	0.0%
8 to 14	6.2%	9.1%	0.0%	8.3%	8.3%	11.1%	0.0%
15 to 44	29.8%	36.4%	0.0%	50.0%	41.7%	11.1%	0.0%
45 to 89	19.6%	21.2%	0.0%	25.0%	25.0%	11.1%	0.0%
90 to 179	23.7%	27.3%	0.0%	8.3%	25.0%	55.6%	0.0%
180 to 359	10.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	0.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	21.2%	0.0%	0.0%	16.7%	55.6%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	193.84	124.71	0.00	0.00	116.50	128.00	0.00
SD	*79.91*	*17.50*	*0.00*	*0.00*	*16.26*	*18.60*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	240.95	0.00	0.00	0.00	0.00	0.00	0.00
SD	*71.71*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.61	2.61	0.00	7.17	0.00	0.00	0.00
SD	*8.79*	*8.41*	*0.00*	*13.05*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.31	4.64	0.00	8.58	1.33	3.78	0.00
SD	*11.83*	*11.22*	*0.00*	*14.90*	*4.62*	*11.33*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Other Psychosis Patients	49401	1755	331	320	185	718	201
Nursing Home Care							
(reported for those with some nursing home care)							
Patients with some nursing home care, %	7.7%	5.3%	4.5%	5.0%	8.6%	5.0%	5.0%
Number stays, mean	1.29	1.12	1.00	1.00	1.25	1.17	1.10
SD	*0.65*	*0.39*	*0.00*	*0.00*	*0.58*	*0.45*	*0.32*
Average LOS, mean	54.03	85.13	67.80	125.06	110.58	67.51	69.90
SD	*70.27*	*89.92*	*63.28*	*104.26*	*106.86*	*73.19*	*111.60*
Cumulative DOS, mean	64.81	92.78	67.80	125.06	130.81	76.56	76.20
SD	*79.26*	*95.75*	*63.28*	*104.26*	*122.56*	*79.81*	*112.93*
Cumulative Days of Stay, %							
1 to 7	10.9%	5.4%	0.0%	6.3%	0.0%	8.3%	10.0%
8 to 14	15.2%	15.1%	6.7%	6.3%	12.5%	16.7%	40.0%
15 to 44	34.5%	25.8%	53.3%	18.8%	18.8%	22.2%	20.0%
45 to 89	16.5%	14.0%	6.7%	12.5%	12.5%	22.2%	0.0%
90 to 179	13.0%	23.7%	26.7%	25.0%	31.3%	19.4%	20.0%
180 to 359	8.1%	10.8%	6.7%	25.0%	12.5%	8.3%	0.0%
360+	1.8%	5.4%	0.0%	6.3%	12.5%	2.8%	10.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	17.8%	32.3%	20.0%	56.3%	37.5%	25.0%	30.0%
Cumul. DOS, patients with a 100+ day NH stay, mean	207.27	205.27	173.67	198.44	256.00	186.67	211.67
SD	*81.27*	*86.31*	*50.16*	*77.95*	*106.78*	*77.70*	*132.27*
NH patients with 150+ day NH stay, %	11.0%	17.2%	13.3%	31.3%	25.0%	11.1%	10.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	250.81	267.38	197.50	250.40	318.75	248.00	364.00
SD	*70.60*	*73.51*	*40.31*	*66.30*	*56.25*	*81.16*	*0.00*
Other VISN cumulative DOS, mean	0.34	0.00	0.00	0.00	0.00	0.00	0.00
SD	*5.11*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.02	0.51	0.00	0.00	0.00	1.31	0.00
SD	*7.62*	*4.20*	*0.00*	*0.00*	*0.00*	*6.74*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Other Psychosis Patients	49401	1755	331	320	185	718	201
Outpatient utilization							
(reported for those with some outpatient care)							
Patients with some outpatient care, %	99.7%	99.7%	99.4%	99.7%	100.0%	99.7%	99.5%
annual visit days, mean	19.52	24.18	20.91	16.80	25.07	29.02	23.14
SD	*24.21*	*34.89*	*26.14*	*21.56*	*36.49*	*39.81*	*41.32*
Outpatient visit days, %							
1-12	49.1%	46.9%	50.8%	58.3%	43.8%	38.5%	55.5%
13-24	27.0%	25.6%	21.9%	22.9%	25.9%	28.8%	24.0%
25-36	11.5%	11.4%	12.2%	8.2%	14.6%	12.3%	9.0%
37-48	5.4%	5.0%	6.7%	5.0%	5.4%	5.0%	2.0%
49+	7.0%	11.1%	8.5%	5.6%	10.3%	15.4%	9.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	86.5%	84.2%	88.1%	81.5%	88.1%	83.0%	83.0%
Mean PC visit days, among those with some PC	4.04	3.56	3.51	2.78	3.64	4.10	2.81
SD	3.94	2.91	2.64	2.06	2.46	3.48	2.11
Average number clinic stops per visit day, mean	1.55	1.49	1.68	1.40	1.50	1.47	1.42
SD	*0.52*	*0.53*	*0.75*	*0.51*	*0.53*	*0.43*	*0.37*
annual clinic stops (psych & non-psych), mean	30.45	35.78	34.22	24.32	39.85	41.53	32.23
SD	*40.44*	*55.01*	*50.96*	*37.03*	*66.47*	59.43	*54.57*
annual non-psych. clinic stops, mean	22.67	25.11	22.88	18.65	27.49	29.70	20.44
SD	*25.36*	*34.43*	*26.33*	*24.95*	*48.81*	*37.30*	*29.96*
annual psych. clinic stops (groupings below), mean	7.77	10.66	11.34	5.67	12.37	11.83	11.79
SD	*27.43*	*37.04*	*40.49*	*25.41*	*34.00*	*38.38*	*43.67*
1. general psych. clinic stops, mean	3.20	3.20	3.58	1.99	4.49	3.43	2.51
SD	*7.61*	*6.94*	*7.68*	*4.50*	*7.00*	*7.22*	*7.48*
2. psych. case management clinic stops, mean	0.14	0.17	0.08	0.03	0.28	0.17	0.45
SD	*3.20*	*3.54*	*0.70*	*0.41*	*1.29*	*4.37*	*6.22*
3. psych. day treatment clinic stops, mean	0.60	0.46	0.01	0.92	0.23	0.65	0.00
SD	*8.52*	*6.72*	*0.11*	*10.66*	*2.66*	*7.59*	*0.00*
4. substance abuse clinic stops, mean	2.24	3.75	4.99	1.60	4.57	4.86	0.41
SD	*17.04*	*26.76*	*36.10*	*18.90*	*21.70*	*29.36*	*3.19*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 3, continued

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Other Psychosis Patients	49401	1755	331	320	185	718	201
5. psych. vocational clinic stops, mean	0.74	1.87	1.35	0.68	1.21	1.21	7.57
SD	*9.63*	*18.62*	*13.98*	*5.62*	*10.53*	*17.17*	*38.38*
6. PTSD clinic stops, mean	0.56	0.70	1.16	0.25	1.45	0.51	0.67
SD	*5.11*	*5.19*	*6.98*	*2.11*	*7.99*	*3.18*	*7.25*
7. psych. homeless clinic stops, mean	0.27	0.52	0.16	0.20	0.14	1.01	0.22
SD	*2.81*	*4.34*	*0.87*	*1.36*	*1.01*	*6.59*	*1.70*
Other VISN OP visit days, mean	0.31	0.30	0.24	0.45	0.39	0.26	0.20
SD	*2.01*	*1.91*	*1.42*	*3.00*	*1.52*	*1.75*	*1.05*
Other station OP visit days, mean	0.72	0.76	0.55	0.66	1.90	0.72	0.39
SD	*3.19*	*3.72*	*2.23*	*4.11*	*4.84*	*4.11*	*1.64*

Table 4I FY03 Other Psychosis Patients, Pharmacy Utilization, VISN 3

	All VISNs	VISN 3	526 *Bronx*	561 *New Jersey*	620 *Hudson Valley*	630 *New York Harbor*	632 *Northport*
Other Psychosis Patients	49401	1755	331	320	185	718	201
Among all patients in the registry							
Pts. with any outpatient prescriptions, %	94.7%	95.0%	94.6%	94.4%	96.2%	95.0%	96.0%
Patients with any oral antipsychotic fills, %*	41.4%	39.5%	39.9%	36.6%	31.4%	44.7%	32.8%
Among pts. receiving any antipsychotic medication:							
Received only conventional antipsychotics, %	9.2%	7.2%	6.8%	6.8%	10.3%	6.5%	9.1%
Received some atypical antipsychotics, %	90.8%	92.8%	93.2%	93.2%	89.7%	93.5%	90.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %							
Aripiprazole	0.7%	1.6%	0.8%	0.0%	0.0%	1.2%	0.0%
Clozapine	0.1%	0.1%	0.0%	0.0%	0.0%	0.3%	0.0%
Olanzapine	27.8%	26.8%	29.5%	24.8%	37.9%	25.2%	22.7%
Quetiapine	29.2%	23.2%	17.4%	20.5%	25.9%	24.3%	31.8%
Risperidone	46.2%	53.0%	55.3%	60.7%	46.6%	53.3%	39.4%
Ziprasidone	3.6%	3.2%	0.0%	4.3%	1.7%	4.4%	3.0%
Patients receiving only one kind** of antipsychotic, %	78.8%	82.1%	84.1%	79.5%	75.9%	81.6%	90.9%
Concurrent use of 2 or more antipsychotics, % ***	5.1%	4.2%	3.8%	3.4%	1.7%	5.3%	3.0%
Among pts receiving just one antipsychotic:							
Antipsychotic fills, mean	5.21	5.36	5.54	4.91	5.55	5.47	5.15
SD	*4.06*	*4.00*	*4.10*	*3.34*	*4.21*	*4.19*	*3.78*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5I: FY03 Other Psychosis Patients, Cost, VISN 3

	All VISNs	VISN 3	526	561	620	630	632
			Bronx	*New Jersey*	*Hudson Valley*	*New York Harbor*	*Northport*
Other Psychosis Patients	49401	1755	331	320	185	718	201
Total Costs (in thousands $$)	$692,791	$30,215	$4,846	$5,137	$3,694	$12,742	$3,796
Station % of VISN		100.0%	16.0%	17.0%	12.2%	42.2%	12.6%
Psych vs. Non-Psych Costs							
Psych	16.6%	15.1%	15.0%	15.2%	13.3%	16.1%	13.5%
Non-Psych	83.4%	84.9%	85.0%	84.8%	86.7%	83.9%	86.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use							
Per Patient	$16,509	$20,132	$18,472	$24,916	$19,358	$19,468	$20,249
Per Day of Stay	$1,028	$1,020	$908	$1,185	$750	$1,173	$769
Mean Outpatient Costs, Pts with some Outpatient use							
Per Patient	$6,046	$7,966	$7,063	$6,220	$8,493	$9,166	$7,458
Per Visit Day	$310	$330	$338	$370	$339	$316	$322
Mean Patient Costs, By Cost Center							
1 Med	$2,712	$3,105	$3,643	$3,216	$1,163	$3,441	$2,631
2 Surg	$779	$771	$541	$214	$799	$1,016	$1,132
3 Psych	$1,494	$1,631	$1,118	$1,942	$1,805	$1,698	$1,576
4 Psych Res Rehab Treatment Program	$103	$191	$0	$414	$117	$236	$61
5 Non-VA	$203	$38	$85	$0	$8	$51	$0
6 LTC Domiciliary	$183	$285	$0	$389	$1,040	$255	$0
7 LTC Intermediate Care	$276	$788	$378	$284	$1,731	$614	$2,023
8 LTC Nursing Home	$1,672	$2,006	$1,637	$2,900	$4,510	$1,295	$1,428
9 Contract Nursing Home	$578	$463	$219	$493	$300	$1	$2,614
10 OPC Med/Surg	$1,281	$2,040	$1,929	$1,684	$1,755	$2,421	$1,687
11 OPC Psych	$831	$970	$1,073	$501	$852	$1,163	$967
12 OPC Home Based Treatment	$730	$912	$607	$1,057	$878	$855	$1,416
13 OPC Support	$1,493	$2,112	$1,827	$1,405	$3,161	$2,470	$1,459
14 OPC Fee	$231	$291	$151	$387	$148	$346	$300
15 OPC Pharmacy	$1,460	$1,616	$1,434	$1,167	$1,698	$1,885	$1,591
TOTAL	$14,024	$17,217	$14,641	$16,053	$19,966	$17,747	$18,885
Mean % Patient Costs at Other Stations	3.3%	3.2%	3.0%	2.7%	8.3%	2.3%	2.7%
SD	*11.9%*	*11.5%*	*12.1%*	*11.8%*	*16.6%*	*8.9%*	*11.1%*
Mean % Patient Costs at Other VISNs	1.3%	1.2%	1.1%	1.8%	1.8%	0.9%	1.3%
SD	*7.5%*	*6.9%*	*7.0%*	*9.0%*	*7.2%*	*5.8%*	*6.3%*

Table 1F: FY03 Psychosis Patients, Demographics, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
All Patients	217760	11939	615	631	424	630	1337	576	1263	2638	2507	1318
Psychosis Diagnosis Group, %												
Schizophrenia	43.3%	50.5%	46.0%	33.9%	31.1%	36.0%	53.0%	39.9%	52.9%	57.2%	58.2%	45.7%
Bipolar Disorder	34.0%	32.5%	46.7%	30.6%	32.1%	43.2%	29.5%	31.6%	37.2%	23.9%	34.9%	33.5%
Other Psychoses	22.7%	16.9%	7.3%	35.5%	36.8%	20.8%	17.4%	28.5%	9.9%	18.9%	6.8%	20.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age, %												
<35	4.9%	4.4%	5.4%	6.0%	2.6%	5.4%	3.3%	4.5%	4.0%	4.4%	5.1%	3.9%
>=35 and <50	29.3%	27.4%	31.2%	17.4%	18.4%	22.5%	28.7%	25.3%	31.0%	31.0%	28.0%	23.4%
>=50 and <65	38.1%	38.6%	42.3%	32.0%	28.8%	43.5%	35.2%	31.8%	37.8%	40.2%	43.0%	36.9%
>=65 and <80	19.7%	21.5%	18.2%	29.6%	29.7%	21.4%	23.3%	26.0%	21.4%	16.6%	18.6%	27.6%
>=80	8.2%	8.0%	2.9%	14.9%	20.5%	7.1%	9.5%	12.3%	5.9%	7.7%	5.3%	8.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	56.89	57.49	54.44	61.69	64.42	57.50	58.37	59.83	56.53	56.06	56.01	59.36
SD	*14.35*	*14.19*	*12.62*	*15.75*	*15.48*	*14.08*	*14.52*	*15.44*	*13.77*	*13.82*	*13.20*	*14.27*
Gender												
Male, %	92.7%	93.6%	90.1%	94.1%	94.6%	93.5%	93.3%	95.0%	94.7%	93.9%	92.8%	94.2%
Female, %	7.3%	6.4%	9.9%	5.9%	5.4%	6.5%	6.7%	5.0%	5.3%	6.1%	7.2%	5.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %												
Hispanic white	4.8%	1.0%	2.1%	0.0%	0.0%	0.2%	1.1%	0.5%	1.9%	1.9%	0.1%	1.1%
Hispanic black	0.4%	0.2%	0.3%	0.0%	0.0%	0.2%	0.0%	0.0%	0.1%	0.5%	0.0%	0.1%
American Indian	0.3%	0.1%	0.2%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%	0.1%
Black	18.6%	18.9%	26.0%	1.4%	4.2%	2.1%	23.9%	4.9%	11.3%	41.1%	18.2%	1.9%
Asian	0.5%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%	0.2%	0.0%	0.0%
White	54.9%	59.3%	60.2%	56.6%	69.1%	83.8%	50.2%	82.6%	72.0%	29.8%	69.8%	71.3%
Race unknown	20.5%	20.5%	11.2%	42.0%	26.7%	13.8%	24.7%	11.8%	14.7%	26.5%	11.6%	25.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status												
Never married	28.5%	34.6%	26.0%	23.5%	22.7%	18.3%	40.9%	26.5%	30.6%	43.6%	38.5%	31.2%
Married	35.3%	32.8%	36.2%	46.8%	44.4%	48.8%	28.8%	38.5%	30.2%	29.7%	24.7%	38.3%
Divorced/Separated	30.8%	27.1%	33.9%	21.9%	24.1%	28.2%	23.9%	26.8%	33.3%	22.0%	31.8%	25.0%
Widowed	5.4%	5.6%	3.9%	7.8%	8.7%	4.6%	6.3%	8.2%	5.9%	4.7%	4.9%	5.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
All Patients	217760	11939	615	631	424	630	1337	576	1263	2638	2507	1318
Registry Pts. History of VA Utilization												
Years since first use in prior five years, mean	4.33	4.33	4.35	4.05	4.13	4.39	4.14	4.49	4.46	4.34	4.46	4.24
SD	*1.24*	*1.24*	*1.22*	*1.37*	*1.38*	*1.17*	*1.36*	*1.06*	*1.14*	*1.23*	*1.14*	*1.32*
Yrs w/ 24-hour inst use / yrs since 1st use, %	25.9%	25.3%	19.4%	17.5%	23.7%	23.3%	34.5%	20.2%	27.5%	22.5%	30.5%	19.6%
SD	*29.7%*	*30.3%*	*25.7%*	*26.3%*	*30.1%*	*29.0%*	*34.5%*	*26.0%*	*31.4%*	*29.0%*	*31.4%*	*27.0%*
Years with OP use / Years since first use, %	96.7%	96.5%	98.0%	97.2%	96.3%	98.3%	94.1%	97.5%	96.1%	95.9%	96.7%	97.2%
SD	*11.4%*	*12.3%*	*8.7%*	*10.1%*	*12.1%*	*6.8%*	*16.9%*	*9.5%*	*13.8%*	*12.4%*	*11.9%*	*11.1%*
Psychosis Diagnoses in Prior Fiscal Year												
Had Psychosis Diagnosis in FY01, %	65.3%	63.1%	67.5%	56.4%	56.1%	65.9%	69.7%	66.3%	72.3%	69.7%	71.2%	65.4%
Among Patients With Psychoses in FY01												
Psychosis Category: Schizophrenia, %	54.1%	55.5%	54.2%	46.3%	45.4%	45.3%	64.2%	49.2%	61.4%	66.9%	68.2%	59.3%
Psychosis Category: Bipolar Disorder, %	33.9%	27.7%	41.4%	33.7%	36.6%	46.3%	28.9%	36.4%	33.8%	23.2%	29.4%	33.8%
Psychosis Category: Other Psychosis, %	12.0%	16.8%	4.3%	19.9%	18.1%	8.4%	7.0%	14.4%	4.7%	9.9%	2.4%	7.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %												
Dementia	6.2%	4.7%	4.6%	4.3%	11.6%	8.3%	7.2%	5.2%	3.5%	3.2%	4.5%	3.3%
Post Traumatic Stress Disorder	15.4%	12.7%	15.6%	8.7%	4.5%	26.0%	14.8%	15.8%	11.0%	17.0%	8.8%	6.4%
Depression	34.8%	31.3%	33.0%	27.6%	29.7%	52.1%	27.9%	38.0%	32.4%	27.4%	34.5%	23.7%
Other Anxiety Disorder	12.0%	10.1%	10.7%	10.1%	6.6%	18.6%	12.4%	21.2%	10.0%	7.8%	8.6%	7.6%
Substance Abuse or Dependence	23.3%	21.7%	13.5%	11.1%	15.3%	14.1%	30.7%	21.0%	20.1%	23.9%	27.2%	14.1%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
All Patients	217760	11939	615	631	424	630	1337	576	1263	2638	2507	1318
Medical Comorbidities, %												
No medical comorbidities	15.2%	17.3%	12.0%	8.6%	8.7%	13.2%	24.2%	11.5%	19.2%	21.0%	18.2%	13.1%
Anemia	8.2%	7.1%	4.7%	6.7%	18.4%	11.0%	4.9%	12.2%	3.6%	5.4%	8.1%	8.2%
Arthritis	36.2%	31.1%	39.0%	36.6%	30.2%	36.2%	30.1%	42.9%	29.8%	27.2%	29.7%	29.7%
Cancer	7.9%	7.5%	6.7%	9.0%	9.7%	9.4%	6.0%	8.9%	4.8%	8.8%	6.3%	8.5%
Cerebrovascular Disease	6.7%	5.9%	5.2%	8.6%	11.1%	6.3%	4.8%	9.2%	2.9%	5.3%	6.2%	6.7%
Chronic Neurologic Disorder	15.1%	12.6%	16.4%	12.4%	14.6%	10.8%	12.4%	14.4%	11.4%	12.7%	11.5%	13.6%
Chronic Obstructive Pulmonary Disease	16.7%	16.4%	15.1%	17.0%	19.6%	19.5%	14.9%	19.4%	18.8%	11.4%	17.8%	19.7%
Chronic Viral Infection	8.4%	8.5%	11.1%	3.6%	3.5%	4.1%	11.1%	5.4%	7.3%	14.1%	6.3%	5.7%
Coronary Artery Disease	19.5%	22.5%	15.4%	28.1%	25.5%	32.5%	16.6%	26.9%	16.7%	29.9%	16.4%	23.9%
Diabetes	20.0%	20.2%	23.6%	21.1%	21.9%	26.0%	15.6%	22.2%	18.7%	18.7%	20.8%	22.2%
Digestive System Disease	43.5%	39.7%	44.4%	44.1%	38.7%	39.8%	36.5%	51.9%	37.1%	36.5%	42.4%	37.6%
Hypertension	43.2%	42.2%	53.2%	45.0%	47.4%	54.8%	32.4%	53.5%	32.9%	38.1%	45.3%	44.5%
Injury and Poisoning	17.9%	13.8%	14.5%	11.4%	11.8%	16.0%	13.5%	20.7%	15.7%	12.7%	13.4%	13.3%
Liver Disease	3.6%	2.8%	3.3%	4.3%	1.9%	2.9%	2.4%	4.3%	1.8%	2.2%	3.2%	3.8%
Other Endocrine	8.6%	8.0%	8.1%	8.4%	8.7%	7.9%	7.2%	9.0%	8.6%	5.0%	8.7%	12.3%
Peripheral Vascular Disease	4.1%	5%	5.0%	5.5%	6.6%	3.5%	2.7%	5.9%	4.2%	3.9%	5.6%	4.2%
Lowest inpatient GAF score, mean	37.72	40.60	40.11	41.67	48.55	33.00	41.96	35.82	45.05	37.75	38.68	40.60
SD	*14.39*	*10.97*	*7.51*	*14.08*	*4.68*	*22.26*	*9.03*	*9.51*	*9.59*	*12.37*	*11.84*	*10.17*
Mean outpatient GAF score	50.52	51.93	51.85	53.48	52.32	48.76	50.14	59.39	56.08	45.81	51.78	59.77
SD	*11.04*	*10.41*	*8.47*	*9.79*	*10.26*	*7.37*	*11.01*	*10.42*	*10.21*	*8.75*	*8.84*	*8.91*
At least 1 IP GAF, among pts w/ MH bdscts, %	38.4%	32.3%	23.1%	26.7%	50.0%	5.3%	51.3%	22.7%	20.3%	24.2%	39.0%	27.0%
At least 1 OP GAF, among pts w MH stops, %	80.0%	80.8%	73.6%	93.2%	86.5%	37.5%	84.0%	88.0%	70.9%	84.0%	86.8%	87.1%
Mortality rates												
died in FY02, %	3.1%	3.1%	2.1%	5.9%	5.9%	3.5%	3.1%	3.1%	2.6%	2.6%	2.8%	3.0%
Age-gender-adjusted Standardized Mortality Ratio	1.32	1.27	1.31	1.65	1.45	1.47	1.17	1.00	1.19	1.21	1.39	1.08

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
All Patients	217760	11939	615	631	424	630	1337	576	1263	2638	2507	1318
Service Connection (SC)												
Non-SC	51.0%	52.5%	47.5%	62.4%	62.3%	54.3%	58.0%	63.5%	51.0%	46.9%	52.7%	48.3%
SC 0 - 29%	8.7%	8.7%	8.0%	8.7%	12.3%	9.5%	7.0%	8.5%	7.0%	8.6%	10.1%	8.9%
SC 30 - 69%	10.8%	10.3%	12.0%	10.6%	11.3%	10.5%	6.6%	9.0%	11.5%	10.2%	9.5%	14.0%
SC 70 - 99%	7.3%	6.6%	5.9%	5.9%	3.3%	8.4%	4.8%	5.0%	6.7%	8.3%	5.8%	7.9%
SC 100%	22.1%	21.8%	26.7%	12.4%	10.8%	17.3%	23.6%	13.9%	23.9%	25.9%	22.0%	20.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %												
Complex*	17.3%	17.8%	8.6%	5.4%	23.8%	6.5%	32.4%	12.0%	18.1%	12.6%	27.6%	10.5%
Basic vested, Cat A*	76.6%	75.2%	81.3%	84.3%	66.3%	88.7%	56.4%	79.3%	75.1%	80.3%	69.4%	82.3%
Basic Non-vested, Cat A*	1.0%	1.4%	4.2%	0.3%	1.2%	0.8%	1.7%	1.2%	1.3%	2.1%	0.5%	0.9%
Basic, Cats C and N	5.1%	5.7%	5.9%	10.0%	8.7%	4.0%	9.5%	7.5%	5.5%	5.0%	2.5%	6.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded												
Patient eligibility category, %												
Cat A (SC or low income)	94.6%	94.2%	94.1%	89.9%	90.6%	95.9%	90.1%	92.0%	94.4%	95.0%	97.3%	93.8%
Cat C (NSC and higher income)	4.7%	5.5%	5.5%	9.5%	9.2%	4.1%	9.5%	7.1%	4.9%	4.5%	2.5%	6.0%
Non-Veteran	0.6%	0.4%	0.3%	0.6%	0.2%	0.0%	0.4%	0.9%	0.7%	0.5%	0.2%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %												
BASIC 1. Non-reliant Care	0.1%	0.2%	0.0%	0.0%	0.7%	0.0%	0.0%	0.0%	0.0%	0.5%	0.0%	0.3%
2. Basic Medical	16.7%	15.4%	22.1%	29.8%	18.2%	18.9%	7.6%	16.7%	14.6%	13.6%	10.3%	24.4%
3. Mental Health	36.3%	38.4%	37.4%	37.6%	34.9%	46.2%	33.3%	34.2%	41.5%	40.8%	36.8%	39.0%
4. Heart / Lung / GI	7.7%	8.5%	14.3%	16.2%	8.5%	8.7%	4.3%	13.5%	7.0%	9.5%	5.4%	9.2%
5. Oncology / Infectious Disease	3.9%	3.9%	5.4%	2.2%	2.1%	2.9%	3.4%	2.6%	3.7%	7.1%	2.1%	3.1%
6. Multiple Medical	18.0%	15.9%	12.2%	8.9%	11.8%	16.8%	19.0%	21.0%	15.0%	15.9%	17.7%	13.5%
COMPLEX 7. Specialized Care	2.6%	2.1%	2.1%	1.0%	5.0%	1.0%	2.6%	3.8%	1.0%	2.5%	2.2%	1.1%
8. Support Care	2.8%	2.1%	1.8%	1.6%	5.9%	2.2%	1.7%	0.3%	2.2%	0.8%	3.8%	1.4%
9. Chronic Mental	9.6%	10.8%	2.4%	1.1%	5.4%	3.2%	22.0%	4.0%	11.4%	7.8%	18.8%	6.7%
10. Critically Ill	2.2%	2.8%	2.3%	1.7%	7.5%	0.2%	6.1%	3.8%	3.5%	1.4%	2.8%	1.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Substance Dependence and Abuse												
Any dx of alcohol / drug dependence or abuse, %	23.3%	21.7%	13.5%	11.1%	15.3%	14.1%	30.7%	21.0%	20.1%	23.9%	27.2%	14.1%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
All Patients	217760	11939	615	631	424	630	1337	576	1263	2638	2507	1318
Homelessness												
Homelessness indicated in FY02, %	11.5%	10.0%	4.1%	1.1%	6.1%	5.4%	12.2%	3.3%	12.2%	12.2%	13.6%	8.0%
Residence in Metropolitan Area												
Residing in a Metropolitan Statistical Area, %	79.7%	86.1%	91.2%	68.3%	81.6%	14.6%	99.0%	76.4%	86.4%	99.8%	91.5%	81.1%
Distance												
Mile from Closest VA Medical Center, mean	32.17	17.76	24.50	25.11	19.54	29.55	12.04	20.86	20.43	9.37	15.34	28.14
SD	*68.58*	*16.54*	*23.96*	*18.36*	*12.57*	*20.57*	*11.44*	*19.96*	*12.85*	*10.71*	*13.93*	*17.76*
Distance from closest VA Medical Center, %												
0 to 15 miles	49.0%	54.9%	55.1%	31.9%	38.0%	22.4%	67.8%	50.0%	33.0%	82.4%	61.4%	29.5%
15 to 30 miles	16.3%	23.2%	8.5%	28.8%	42.2%	29.8%	25.1%	14.6%	43.5%	13.7%	22.5%	20.5%
30 to 45 miles	10.3%	14.2%	13.3%	25.5%	17.5%	23.8%	5.1%	26.7%	20.0%	1.7%	11.6%	31.9%
45 to 60 miles	8.1%	5.0%	13.8%	10.0%	2.1%	8.3%	1.5%	3.8%	3.3%	1.1%	4.1%	13.3%
60 plus miles	16.2%	2.7%	9.3%	3.8%	0.2%	15.7%	0.5%	4.9%	0.1%	1.1%	0.3%	4.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.73	7.99	9.92	11.14	8.46	14.42	5.58	7.53	7.05	5.45	8.47	10.10
SD	*13.09*	*6.94*	*9.05*	*8.90*	*5.74*	*10.61*	*4.65*	*7.38*	*6.65*	*4.07*	*6.13*	*7.23*
Distance to closest VA Service Site, %												
0 to 15 miles	77.0%	85.3%	81.6%	63.2%	88.2%	44.8%	97.1%	79.5%	90.6%	97.4%	87.6%	73.4%
15 to 30 miles	14.9%	13.1%	10.7%	34.7%	11.8%	45.4%	2.5%	20.0%	8.6%	2.5%	11.1%	26.0%
30 to 45 miles	5.7%	1.5%	7.6%	2.1%	0.0%	9.8%	0.4%	0.5%	0.8%	0.1%	1.3%	0.6%
45 plus miles	2.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3F: FY03 Psychosis Patients, Utilization, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
All Patients	217760	11939	615	631	424	630	1337	576	1263	2638	2507	1318
Hospital Based Utilization												
Patients with some Hospital Based Utilization, %	27.2%	23.7%	18.0%	17.1%	16.5%	26.5%	25.7%	24.0%	25.5%	21.0%	30.7%	18.8%
Hospital based utilization: Overall (psych & non-psych- for those w/ hosp.based util.)												
Inpatient stays, mean	1.83	1.76	1.73	1.85	1.76	2.00	1.72	1.80	1.86	1.70	1.76	1.60
SD	*1.43*	*1.27*	*1.25*	*1.46*	*1.22*	*1.52*	*1.22*	*1.32*	*1.49*	*1.18*	*1.21*	*1.04*
Average LOS, mean	13.07	16.71	10.73	6.60	6.41	7.25	44.82	6.35	9.10	10.38	21.37	9.43
SD	*30.84*	*43.25*	*15.22*	*4.79*	*6.12*	*6.48*	*93.50*	*5.90*	*6.68*	*9.40*	*48.00*	*9.60*
Cumulative DOS, mean	21.85	25.83	19.05	12.47	10.37	14.34	59.02	12.13	17.48	18.52	32.33	15.39
SD	*40.46*	*50.47*	*33.73*	*14.87*	*10.00*	*17.13*	*98.79*	*13.11*	*22.06*	*24.53*	*56.90*	*17.64*
Cumulative DOS, %												
1 to 7	39.9%	35.8%	40.5%	47.2%	52.9%	42.5%	22.4%	52.9%	34.5%	35.4%	30.7%	46.8%
8 to 14	21.8%	21.8%	21.6%	23.1%	21.4%	28.1%	18.3%	18.8%	28.0%	21.0%	21.5%	18.1%
15 to 44	27.7%	30.0%	30.6%	27.8%	22.9%	24.0%	30.8%	26.8%	29.5%	34.4%	30.7%	26.2%
45 to 89	6.9%	7.8%	5.4%	0.9%	2.9%	4.2%	12.8%	1.4%	6.5%	8.3%	9.1%	8.5%
90 to 179	2.3%	2.3%	0.0%	0.9%	0.0%	1.2%	6.4%	0.0%	1.2%	0.5%	4.3%	0.4%
180 to 359	0.9%	1.1%	1.8%	0.0%	0.0%	0.0%	1.7%	0.0%	0.3%	0.2%	2.6%	0.0%
360+	0.6%	1.3%	0.0%	0.0%	0.0%	0.0%	7.6%	0.0%	0.0%	0.2%	1.2%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts w/ 100+ day hospital stay, %	2.1%	3.1%	1.8%	0.0%	0.0%	0.0%	11.9%	0.0%	0.0%	0.2%	5.9%	0.0%
Cumul. DOS, pts. w/100+ day hosp. stay, mean	237.76	261.49	238.00	0.00	0.00	0.00	303.22	0.00	0.00	365.00	222.22	0.00
SD	*95.14*	*98.73*	*12.73*	*0.00*	*0.00*	*0.00*	*92.66*	*0.00*	*0.00*	*0.00*	*90.66*	*0.00*
Hospital pts. who had a 150+ day hosp. stay, %	1.3%	2.2%	1.8%	0.0%	0.0%	0.0%	10.2%	0.0%	0.0%	0.2%	3.3%	0.0%
Cumul. DOS, pts. w/150+ day hosp. stay, mean	290.80	309.97	238.00	0.00	0.00	0.00	330.97	0.00	0.00	365.00	284.12	0.00
SD	*77.65*	*72.69*	*12.73*	*0.00*	*0.00*	*0.00*	*67.75*	*0.00*	*0.00*	*0.00*	*72.40*	*0.00*
Cumulative DOS at Other VISNs	0.59	0.53	0.65	0.25	0.44	0.23	0.47	0.73	0.85	0.50	0.47	0.59
SD	*4.28*	*3.60*	*2.41*	*2.41*	*3.06*	*2.03*	*2.58*	*3.56*	*4.22*	*2.88*	*4.65*	*3.52*
Cumulative DOS at Other Stations	1.83	2.43	3.53	3.22	6.87	1.45	4.39	7.58	2.64	2.03	0.78	1.16
SD	*7.27*	*7.25*	*7.01*	*6.46*	*10.16*	*4.65*	*9.16*	*12.06*	*7.82*	*6.40*	*5.07*	*5.73*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
All Patients	217760	11939	615	631	424	630	1337	576	1263	2638	2507	1318
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)												
Pts. with non-psych hospital stays, %	14.0%	12.3%	15.1%	15.5%	12.3%	17.6%	8.2%	20.5%	11.2%	10.5%	14.4%	8.3%
Inpatient stays, mean	0.85	0.84	1.45	1.69	1.33	1.28	0.49	1.32	0.69	0.74	0.79	0.60
SD	*1.20*	*1.15*	*1.31*	*1.53*	*1.21*	*1.60*	*0.89*	*1.00*	*1.04*	*0.95*	*1.17*	*0.84*
Average LOS, mean	7.54	6.61	10.18	6.06	4.34	6.22	8.98	4.59	5.66	7.07	6.36	6.18
SD	*13.36*	*9.68*	*16.33*	*4.29*	*3.29*	*6.77*	*12.64*	*4.25*	*4.58*	*10.01*	*11.59*	*6.43*
Cumulative Days of Stay, mean	6.52	5.92	15.95	10.82	6.04	8.15	5.06	6.43	3.97	6.18	4.88	3.82
SD	*17.31*	*16.09*	*34.26*	*15.06*	*8.26*	*16.24*	*18.94*	*8.34*	*7.47*	*20.84*	*11.84*	*7.74*
Cumulative Days of Stay, %												
0	48.5%	48.1%	16.2%	9.3%	25.7%	33.5%	68.3%	14.5%	56.2%	49.7%	53.1%	56.0%
1 to 7	29.2%	30.4%	40.5%	46.3%	48.6%	37.1%	18.0%	60.1%	27.0%	30.0%	25.6%	29.4%
8 to 14	9.8%	10.6%	13.5%	21.3%	14.3%	16.2%	6.7%	15.9%	9.6%	9.0%	11.2%	5.6%
15 to 44	10.2%	9.3%	22.5%	21.3%	10.0%	9.6%	4.7%	8.7%	6.5%	9.2%	9.4%	8.1%
45 to 89	1.8%	1.1%	5.4%	0.9%	1.4%	2.4%	0.6%	0.7%	0.6%	1.4%	0.5%	0.8%
90 to 179	0.4%	0.4%	0.0%	0.9%	0.0%	1.2%	1.5%	0.0%	0.0%	0.2%	0.1%	0.0%
180 to 359	0.1%	0.2%	1.8%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.2%	0.1%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. w/100+ day non-psych hosp.stay, %	0.3%	0.2%	1.8%	0.0%	0.0%	0.0%	0.9%	0.0%	0.0%	0.2%	0.1%	0.0%
Cumul. DOS, pts. w/100+ day hosp. stay, mean	206.57	218.14	238.00	0.00	0.00	0.00	160.33	0.00	0.00	365.00	205.00	0.00
SD	*85.33*	*78.62*	*12.73*	*0.00*	*0.00*	*0.00*	*46.76*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. w/ 150+ day non-psych hosp.stay, %	0.2%	0.2%	1.8%	0.0%	0.0%	0.0%	0.6%	0.0%	0.0%	0.2%	0.1%	0.0%
Cumul. DOS, pts. w/ 150+ day hosp. stay, mean	268.22	236.50	238.00	0.00	0.00	0.00	186.50	0.00	0.00	365.00	205.00	0.00
SD	*74.94*	*67.73*	*12.73*	*0.00*	*0.00*	*0.00*	*16.26*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.14*	*0.16*	*0.23*	*0.01*	*0.17*	*0.19*	*0.06*	*0.57*	*0.26*	*0.10*	*0.13*	*0.17*
SD	1.82	1.77	1.18	0.10	1.43	1.96	0.73	3.40	2.46	1.35	1.92	1.13
Other station cumulative DOS, mean	0.51	0.63	0.43	1.57	2.54	0.54	1.07	1.88	0.61	0.22	0.35	0.30
SD	*3.43*	*3.20*	*1.58*	*4.55*	*6.37*	*2.38*	*4.68*	*5.62*	*3.41*	*1.69*	*2.37*	*1.46*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
All Patients	217760	11939	615	631	424	630	1337	576	1263	2638	2507	1318
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)												
Pts. with psych hospital stays, %	15.8%	13.7%	4.2%	2.4%	5.2%	12.1%	20.1%	7.6%	16.8%	12.2%	19.5%	12.1%
Inpatient stays, mean	0.98	0.92	0.28	0.17	0.43	0.72	1.23	0.49	1.17	0.96	0.97	1.00
SD	*1.28*	*1.16*	*0.59*	*0.46*	*0.83*	*1.06*	*1.20*	*0.89*	*1.47*	*1.24*	*1.06*	*1.15*
Average LOS, mean	17.54	25.17	11.95	10.09	11.22	8.44	56.45	12.07	11.44	13.25	31.77	11.54
SD	*38.98*	*55.89*	*8.36*	*7.17*	*8.45*	*5.29*	*103.83*	*7.96*	*7.38*	*8.84*	*59.13*	*11.24*
Cumulative Days of Stay, mean	15.33	19.91	3.10	1.65	4.33	6.19	53.96	5.70	13.51	12.34	27.45	11.57
SD	*38.37*	*49.51*	*6.99*	*5.12*	*8.79*	*10.49*	*98.49*	*11.44*	*22.04*	*16.94*	*57.21*	*18.01*
Cumulative Days of Stay, %												
0	41.8%	42.2%	76.6%	86.1%	68.6%	54.5%	21.8%	68.1%	34.2%	41.8%	36.3%	35.9%
1 to 7	18.6%	13.3%	6.3%	6.5%	10.0%	18.0%	11.6%	7.2%	14.6%	11.8%	13.3%	24.6%
8 to 14	14.1%	13.2%	9.9%	1.9%	10.0%	13.2%	14.0%	8.7%	20.5%	14.1%	12.2%	13.7%
15 to 44	17.8%	21.1%	7.2%	5.6%	10.0%	12.6%	27.9%	15.2%	23.9%	25.9%	22.6%	17.7%
45 to 89	4.7%	6.3%	0.0%	0.0%	1.4%	1.8%	11.0%	0.7%	5.6%	6.5%	7.9%	7.7%
90 to 179	1.7%	1.8%	0.0%	0.0%	0.0%	0.0%	4.7%	0.0%	0.9%	0.0%	4.2%	0.4%
180 to 359	0.8%	0.8%	0.0%	0.0%	0.0%	0.0%	1.5%	0.0%	0.3%	0.0%	2.3%	0.0%
360+	0.5%	1.2%	0.0%	0.0%	0.0%	0.0%	7.6%	0.0%	0.0%	0.0%	1.2%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. w/ 100+ day psych hosp.stay, %	1.8%	2.9%	0.0%	0.0%	0.0%	0.0%	11.3%	0.0%	0.0%	0.0%	5.7%	0.0%
Cumul. DOS, pts. w/ 100+ day hosp. stay, mean	239.50	261.08	0.00	0.00	0.00	0.00	306.26	0.00	0.00	0.00	221.05	0.00
SD	*96.26*	*100.10*	*0.00*	*0.00*	*0.00*	*0.00*	*89.90*	*0.00*	*0.00*	*0.00*	*92.05*	*0.00*
Hosp. Pts. w/ 150+ day psych hosp.stay, %	1.2%	2.0%	0.0%	0.0%	0.0%	0.0%	9.9%	0.0%	0.0%	0.0%	3.1%	0.0%
Cumul. DOS, pts. w/ 150+ day hosp. stay, mean	291.18	311.41	0.00	0.00	0.00	0.00	329.53	0.00	0.00	0.00	285.75	0.00
SD	*78.31*	*73.84*	*0.00*	*0.00*	*0.00*	*0.00*	*69.99*	*0.00*	*0.00*	*0.00*	*72.89*	*0.00*
Other VISN cumulative DOS, mean	0.45	0.37	0.42	0.24	0.27	0.04	0.40	0.16	0.60	0.40	0.34	0.42
SD	*3.83*	*3.11*	*2.15*	*2.41*	*1.70*	*0.54*	*2.38*	*1.13*	*3.37*	*2.56*	*4.24*	*3.35*
Other station cumulative DOS, mean	1.32	1.81	3.10	1.65	4.33	0.91	3.31	5.70	2.03	1.82	0.44	0.86
SD	*6.36*	*6.61*	*6.99*	*5.12*	*8.79*	*4.11*	*8.25*	*11.44*	*7.10*	*6.20*	*4.51*	*5.59*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
All Patients	217760	11939	615	631	424	630	1337	576	1263	2638	2507	1318
Other 24 hour institutional care												
pts. with some other 24 hour institutional care, %	8.5%	10.7%	5.0%	3.0%	22.2%	0.3%	26.6%	8.3%	12.4%	5.8%	14.0%	4.7%
Residential Rehab (reported for those w/ RR care)												
pts. with some residential rehab. care, %	1.8%	1.4%	0.3%	0.0%	0.5%	0.0%	0.1%	0.0%	4.4%	0.4%	2.7%	1.7%
Number stays, mean	*1.12*	*1.09*	*1.50*	*0.00*	*1.00*	*0.00*	*1.00*	*0.00*	*1.07*	*1.00*	*1.12*	*1.09*
SD	*0.38*	*0.29*	*0.71*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.26*	*0.00*	*0.32*	*0.29*
Average LOS, mean	34.01	53.28	6.25	0.00	18.00	0.00	16.50	0.00	23.33	19.73	98.85	17.87
SD	*38.25*	*69.96*	*0.35*	*0.00*	*4.24*	*0.00*	*6.36*	*0.00*	*16.80*	*5.68*	*89.71*	*4.06*
Cumulative DOS, mean	37.28	57.44	9.50	0.00	18.00	0.00	16.50	0.00	24.84	19.73	107.15	19.04
SD	*40.79*	*73.62*	*4.95*	*0.00*	*4.24*	*0.00*	*6.36*	*0.00*	*18.37*	*5.68*	*92.71*	*4.69*
Cumulative Days of Stay, %												
1 to 7	12.3%	5.5%	50.0%	0.0%	0.0%	0.0%	0.0%	0.0%	8.9%	9.1%	2.9%	0.0%
8 to 14	12.7%	10.4%	50.0%	0.0%	0.0%	0.0%	50.0%	0.0%	14.3%	0.0%	4.4%	17.4%
15 to 44	50.7%	52.4%	0.0%	0.0%	100.0%	0.0%	50.0%	0.0%	66.1%	90.9%	25.0%	82.6%
45 to 89	15.8%	14.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	10.7%	0.0%	25.0%	0.0%
90 to 179	7.0%	9.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	22.1%	0.0%
180 to 359	1.3%	7.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	17.6%	0.0%
360+	0.2%	1.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.9%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.3%	15.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	38.2%	0.0%
Cum. DOS, pts w/ 100+ day res rehab stay, mean	175.66	202.73	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	202.73	0.00
SD	*75.56*	*79.50*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*79.50*	*0.00*
Res Rehab pts w/ 150+ day Res Rehab stay, %	1.9%	10.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	25.0%	0.0%
Cum. DOS, pts w/ 150+ day res rehab stay, mean	237.86	239.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	239.41	0.00
SD	*73.07*	*69.76*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*69.76*	*0.00*
Other VISN cumulative DOS, mean	1.12	0.26	6.50	0.00	7.50	0.00	6.00	0.00	0.00	0.00	0.03	0.00
SD	*6.40*	*1.81*	*9.19*	*0.00*	*10.61*	*0.00*	*8.49*	*0.00*	*0.00*	*0.00*	*0.24*	*0.00*
Other station cumulative DOS, mean	3.58	2.90	9.50	0.00	18.00	0.00	16.50	0.00	0.54	19.73	1.76	0.91
SD	*10.93*	*7.66*	*4.95*	*0.00*	*4.24*	*0.00*	*6.36*	*0.00*	*2.97*	*5.68*	*7.47*	*4.38*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
All Patients	217760	11939	615	631	424	630	1337	576	1263	2638	2507	1318
Domiciliary and Vocational (reported for those with some dom/voc care)												
pts. with some dom/voc care, %	2.8%	4.2%	1.1%	0.2%	6.1%	0.2%	16.4%	1.2%	2.5%	3.2%	5.1%	0.1%
Number stays, mean	1.13	1.11	1.00	1.00	1.38	1.00	1.07	1.00	1.09	1.05	1.20	1.00
SD	*0.38*	*0.35*	*0.00*	*0.00*	*0.50*	*0.00*	*0.25*	*0.00*	*0.30*	*0.21*	*0.49*	*0.00*
Average LOS, mean	85.20	39.48	12.00	8.00	68.96	14.00	34.73	17.86	63.95	20.68	51.23	8.00
SD	*90.51*	*43.92*	*7.16*	*0.00*	*44.52*	*0.00*	*35.35*	*11.01*	*72.13*	*12.63*	*54.09*	*0.00*
Cumulative DOS, mean	92.74	44.44	12.00	8.00	91.15	14.00	36.19	17.86	70.16	22.21	61.25	8.00
SD	*94.18*	*49.71*	*7.16*	*0.00*	*53.46*	*0.00*	*35.81*	*11.01*	*79.14*	*17.60*	*62.08*	*0.00*
Cumulative Days of Stay, %												
1 to 7	6.9%	10.3%	14.3%	0.0%	0.0%	0.0%	8.7%	28.6%	15.6%	15.5%	9.4%	0.0%
8 to 14	6.1%	9.3%	57.1%	100.0%	0.0%	100.0%	5.0%	0.0%	12.5%	19.0%	7.0%	100.0%
15 to 44	29.6%	53.6%	28.6%	0.0%	23.1%	0.0%	65.8%	71.4%	31.3%	60.7%	41.4%	0.0%
45 to 89	19.5%	10.3%	0.0%	0.0%	34.6%	0.0%	11.0%	0.0%	12.5%	2.4%	10.2%	0.0%
90 to 179	22.9%	13.4%	0.0%	0.0%	34.6%	0.0%	8.2%	0.0%	15.6%	2.4%	26.6%	0.0%
180 to 359	10.1%	3.2%	0.0%	0.0%	7.7%	0.0%	1.4%	0.0%	12.5%	0.0%	5.5%	0.0%
360+	5.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. pts. with 100+ day Dom. stay, %	31.6%	13.2%	0.0%	0.0%	30.8%	0.0%	6.8%	0.0%	28.1%	0.0%	27.3%	0.0%
Cumul. DOS, pts. w/ 100+ day Dom. stay, mean	203.50	153.97	0.00	0.00	159.88	0.00	142.87	0.00	180.89	0.00	150.46	0.00
SD	*90.08*	*39.54*	*0.00*	*0.00*	*22.15*	*0.00*	*38.26*	*0.00*	*59.27*	*0.00*	*35.18*	*0.00*
Dom. pts. with 150+ day Dom. stay, %	18.0%	4.9%	0.0%	0.0%	11.5%	0.0%	2.3%	0.0%	15.6%	0.0%	9.4%	0.0%
Cumul. DOS, pts. w/ 150+ day Dom. stay, mean	259.61	192.76	0.00	0.00	178.00	0.00	191.00	0.00	223.80	0.00	184.25	0.00
SD	*79.66*	*29.32*	*0.00*	*0.00*	*9.64*	*0.00*	*14.53*	*0.00*	*39.00*	*0.00*	*25.52*	*0.00*
Other VISN cumulative DOS, mean	1.54	1.28	0.00	0.00	0.00	0.00	0.11	0.00	8.59	1.93	1.47	0.00
SD	*8.76*	*8.89*	*0.00*	*0.00*	*0.00*	*0.00*	*1.42*	*0.00*	*25.86*	*9.83*	*8.22*	*0.00*
Other station cumulative DOS, mean	3.75	6.89	12.00	8.00	7.27	14.00	0.13	17.86	20.88	22.21	3.85	8.00
SD	*14.14*	*14.76*	*7.16*	*0.00*	*10.81*	*0.00*	*1.48*	*11.01*	*26.22*	*17.60*	*12.65*	*0.00*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
All Patients	217760	11939	615	631	424	630	1337	576	1263	2638	2507	1318
Nursing Home Care (reported for those with some nursing home care)												
Patients with some nursing home care, %	4.5%	5.4%	3.6%	2.9%	16.5%	0.2%	10.8%	7.1%	6.1%	2.4%	6.7%	2.9%
Number stays, mean	1.24	1.23	1.14	1.39	1.57	1.00	1.15	1.27	1.12	1.11	1.23	1.34
SD	*0.60*	*0.58*	*0.35*	*0.70*	*0.89*	*0.00*	*0.47*	*0.63*	*0.36*	*0.48*	*0.54*	*0.67*
Average LOS, mean	99.56	124.34	83.00	54.53	49.82	7.00	175.05	58.84	169.53	154.62	108.25	130.40
SD	*118.68*	*136.83*	*95.17*	*43.34*	*79.02*	*0.00*	*150.40*	*92.54*	*155.70*	*146.16*	*123.91*	*138.54*
Cumulative DOS, mean	111.19	134.66	92.77	76.33	65.09	7.00	181.23	70.41	176.21	156.50	121.79	147.95
SD	*123.23*	*138.57*	*97.95*	*78.32*	*87.55*	*0.00*	*149.08*	*101.89*	*156.23*	*144.68*	*130.61*	*141.97*
Cumulative Days of Stay, %												
1 to 7	9.0%	7.5%	4.5%	0.0%	8.6%	100.0%	10.4%	12.2%	7.8%	3.2%	6.5%	2.6%
8 to 14	10.6%	10.8%	18.2%	16.7%	8.6%	0.0%	5.6%	14.6%	9.1%	16.1%	11.3%	15.8%
15 to 44	27.5%	22.9%	22.7%	33.3%	45.7%	0.0%	13.2%	34.1%	20.8%	16.1%	22.0%	21.1%
45 to 89	15.4%	15.4%	9.1%	22.2%	14.3%	0.0%	10.4%	22.0%	7.8%	14.5%	23.8%	10.5%
90 to 179	13.8%	13.4%	36.4%	16.7%	12.9%	0.0%	16.7%	7.3%	10.4%	9.7%	11.3%	15.8%
180 to 359	11.4%	10.9%	9.1%	11.1%	5.7%	0.0%	11.1%	2.4%	13.0%	19.4%	10.1%	15.8%
360+	12.4%	19.0%	0.0%	0.0%	4.3%	0.0%	32.6%	7.3%	31.2%	21.0%	14.9%	18.4%
Total	100.0%											
NH pts. with 100+ day NH stay, %	33.0%	39.3%	40.9%	22.2%	14.3%	0.0%	55.6%	14.6%	53.2%	48.4%	31.5%	50.0%
Cumul. DOS, pts. w/ 100+ day NH stay, mean	263.62	286.10	186.78	183.00	237.50	0.00	297.00	286.33	306.22	288.70	292.47	269.11
SD	*97.17*	*97.42*	*85.70*	*82.26*	*113.96*	*0.00*	*94.43*	*115.08*	*93.82*	*90.87*	*93.30*	*100.67*
NH pts. with 150+ day NH stay, %	25.7%	31.7%	22.7%	11.1%	7.1%	0.0%	46.5%	12.2%	45.5%	40.3%	26.8%	36.8%
Cumul. DOS, pts. w/ 150+ day NH stay, mean	299.88	324.06	232.20	252.50	339.00	0.00	329.63	319.00	337.40	320.36	323.18	313.00
SD	*76.08*	*64.90*	*91.45*	*24.75*	*41.23*	*0.00*	*63.13*	*92.47*	*58.37*	*60.86*	*62.03*	*75.73*
Other VISN cumulative DOS, mean	0.41	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.05	1.08
SD	*5.60*	*1.26*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.80*	*0.00*	*0.62*	*4.81*
Other station cumulative DOS, mean	1.17	0.92	0.00	8.28	0.43	7.00	0.01	1.88	2.03	0.50	0.54	1.32
SD	*8.68*	*6.95*	*0.00*	*20.41*	*2.95*	*0.00*	*0.08*	*9.68*	*13.33*	*2.31*	*4.53*	*4.98*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
All Patients	217760	11939	615	631	424	630	1337	576	1263	2638	2507	1318
Outpatient utilization												
(reported for those with some outpatient care)												
Patients with some outpatient care, %	99.1%	98.5%	99.8%	99.5%	99.8%	100.0%	96.3%	99.1%	97.1%	99.0%	98.2%	99.2%
annual visit days, mean	24.61	20.63	15.37	13.60	19.28	17.29	26.32	20.24	19.38	19.25	26.04	16.87
SD	*33.05*	*28.30*	*15.37*	*13.70*	*22.82*	*13.90*	*42.76*	*22.56*	*22.39*	*32.59*	*30.41*	*15.47*
Outpatient visit days, %												
1-12	44.2%	49.5%	52.9%	60.5%	54.4%	47.8%	53.6%	45.7%	46.2%	55.1%	39.9%	49.7%
13-24	26.4%	26.6%	30.1%	26.6%	20.3%	27.9%	20.8%	28.4%	31.0%	25.1%	27.3%	29.2%
25-36	11.9%	10.8%	9.6%	6.7%	10.4%	15.6%	7.5%	13.1%	11.7%	9.6%	12.6%	11.9%
37-48	5.9%	4.7%	4.1%	3.0%	5.0%	5.2%	4.0%	5.4%	5.5%	3.5%	6.4%	4.0%
49+	11.5%	8.3%	3.3%	3.2%	9.9%	3.5%	14.0%	7.4%	5.5%	6.7%	13.9%	5.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpts who had some Primary Care (PC)	79.4%	76.9%	87.0%	95.9%	88.4%	88.4%	70.2%	89.3%	78.8%	66.6%	75.2%	76.7%
Mean PC visit days, among those with some PC	3.84	3.40	3.30	3.20	2.23	4.10	2.55	4.22	3.49	3.77	3.29	3.40
SD	3.72	2.97	2.52	3.20	1.59	3.35	1.65	3.63	2.83	3.51	2.61	3.19
Average number clinic stops per visit day, mean	1.49	1.45	1.45	1.41	1.61	1.64	1.35	1.45	1.36	1.61	1.35	1.39
SD	*0.47*	*0.44*	*0.40*	*0.39*	*0.53*	*0.47*	*0.40*	*0.44*	*0.35*	*0.53*	*0.30*	*0.39*
annual clinic stops (psych & non-psych), mean	37.56	29.92	22.75	18.62	30.26	28.93	38.16	28.54	26.72	30.43	35.21	23.55
SD	*56.64*	*42.15*	*24.19*	*18.46*	*39.82*	*25.70*	*70.72*	*30.92*	*32.80*	*46.04*	*42.10*	*23.19*
annual non-psych. clinic stops, mean	20.14	16.80	17.66	14.65	18.46	21.75	13.87	18.20	17.93	14.11	19.10	16.74
SD	*25.25*	*21.62*	*21.54*	*15.58*	*19.62*	*21.71*	*25.19*	*17.97*	*22.68*	*17.01*	*26.02*	*19.25*
annual psych. clinic stops (groupings below), mean	17.42	13.12	5.10	3.96	11.80	7.18	24.29	10.34	8.79	16.31	16.11	6.81
SD	*43.44*	*31.14*	*6.26*	*7.10*	*29.90*	*10.94*	*56.84*	*20.70*	*19.96*	*37.10*	*27.79*	*9.16*
1. general psych. clinic stops, mean	7.22	6.84	4.58	3.65	5.98	5.35	7.89	6.19	5.54	8.21	7.83	6.25
SD	*13.49*	*9.62*	*5.40*	*6.18*	*8.80*	*7.05*	*11.51*	*8.18*	*7.44*	*11.33*	*10.23*	*8.35*
2. psych. case management clinic stops, mean	1.44	1.13	0.00	0.00	0.03	0.00	6.39	0.00	0.21	0.00	1.93	0.05
SD	*12.10*	*8.12*	*0.06*	*0.00*	*0.58*	*0.00*	*19.85*	*0.00*	*0.71*	*0.10*	*9.48*	*0.78*
3. psych. day treatment clinic stops, mean	2.80	0.90	0.00	0.07	0.00	0.00	4.79	3.15	0.00	0.01	1.01	0.01
SD	*21.66*	*10.85*	*0.00*	*1.22*	*0.05*	*0.00*	*28.75*	*16.11*	*0.03*	*0.23*	*7.63*	*0.25*
4. substance abuse clinic stops, mean	3.26	2.40	0.43	0.01	5.49	0.52	1.16	0.62	0.53	7.11	1.62	0.18
SD	*19.07*	*18.06*	*2.59*	*0.17*	*22.89*	*2.35*	*4.83*	*2.68*	*2.61*	*34.80*	*11.34*	*1.33*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
All Patients	217760	11939	615	631	424	630	1337	576	1263	2638	2507	1318
5. psych. vocational clinic stops, mean	1.73	1.21	0.00	0.00	0.26	0.00	3.51	0.01	2.12	0.02	2.79	0.09
SD	*15.65*	*12.04*	*0.00*	*0.00*	*2.08*	*0.00*	*24.98*	*0.21*	*15.95*	*0.79*	*15.12*	*1.31*
6. PTSD clinic stops, mean	0.56	0.41	0.05	0.18	0.02	0.23	0.92	0.19	0.17	0.76	0.43	0.01
SD	*4.85*	*2.96*	*0.77*	*2.24*	*0.26*	*1.85*	*4.35*	*1.41*	*1.92*	*4.02*	*3.10*	*0.22*
7. psych. homeless clinic stops, mean	0.41	0.30	0.04	0.01	0.03	1.03	0.16	0.04	0.38	0.20	0.52	0.24
SD	*3.32*	*2.23*	*0.35*	*0.13*	*0.19*	*6.74*	*0.78*	*0.32*	*2.18*	*0.90*	*2.64*	*1.61*
Other VISN OP visit days, mean	0.36	0.27	0.24	0.09	0.32	0.25	0.28	0.52	0.41	0.22	0.24	0.30
SD	2.35	1.97	1.06	0.75	3.18	1.27	1.60	2.01	3.02	1.69	2.13	1.67
Other station OP visit days, mean	0.91	1.10	1.13	0.74	2.07	0.86	2.61	1.47	1.04	0.79	0.92	0.43
SD	3.87	3.75	2.97	2.18	5.28	2.26	4.94	3.41	3.95	3.46	4.21	1.99

Table 4F: FY03 Psychosis Patients, Pharmacy Utilization, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
All Patients	217760	11939	615	631	424	630	1337	576	1263	2638	2507	1318
Among all patients in the registry												
Pts. with any outpatient prescriptions, %	95.5%	94.3%	97.6%	90.8%	94.1%	97.9%	86.7%	94.3%	94.5%	95.0%	95.6%	96.2%
Patients with any oral antipsychotic fills, %*	59.2%	60.0%	57.9%	49.3%	47.4%	62.1%	55.4%	50.0%	67.5%	61.3%	64.4%	60.1%
Among pts. Receiving any antipsychotic meds:												
Received only conventional antipsychotics, %	12.3%	16.4%	16.0%	22.5%	11.9%	11.5%	7.7%	13.5%	17.5%	20.8%	16.0%	17.3%
Received some atypical antipsychotics, %	87.7%	83.6%	84.0%	77.5%	88.1%	88.5%	92.3%	86.5%	82.5%	79.2%	84.0%	82.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %												
Aripiprazole	1.2%	0.5%	0.8%	2.3%	1.5%	0.0%	1.3%	0.0%	0.1%	0.0%	0.6%	0.5%
Clozapine	1.8%	1.3%	0.0%	0.3%	0.5%	1.3%	1.6%	0.3%	0.8%	0.1%	3.0%	2.1%
Olanzapine	35.8%	33.1%	45.5%	32.2%	36.3%	38.1%	35.5%	26.7%	34.6%	31.8%	29.1%	33.3%
Quetiapine	26.2%	24.4%	19.1%	27.0%	26.9%	29.2%	27.1%	23.3%	16.3%	24.6%	28.1%	21.5%
Risperidone	36.7%	35.4%	26.7%	27.7%	38.8%	30.9%	40.1%	48.6%	38.8%	34.8%	33.1%	36.7%
Ziprasidone	5.2%	4.3%	5.6%	5.1%	3.5%	4.9%	6.6%	4.5%	3.9%	3.6%	4.2%	2.9%
pts. receiving only one kind** of antipsychotic, %	73.8%	74.3%	77.8%	77.8%	80.1%	78.0%	72.6%	68.4%	73.5%	75.6%	71.1%	76.5%
Concurrent use of 2 or more antipsychotics, % ***	11.3%	13.8%	12.1%	11.3%	7.5%	14.6%	13.4%	16.3%	16.1%	11.5%	17.2%	11.7%
Among pts receiving just one antipsychotic:												
Antipsychotic fills, mean	7.06	6.55	4.87	5.99	5.80	4.68	6.77	8.29	5.89	5.89	7.65	7.89
SD	*5.06*	4.54	3.18	4.13	4.19	3.50	4.66	4.57	4.05	3.84	5.22	5.00
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5F: FY03 Psychosis Patients, Cost, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
All Patients	217760	11939	615	631	424	630	1337	576	1263	2638	2507	1318
Total Costs (in thousands $$)	$3,237,460	$171,389	$6,184	$4,655	$6,992	$7,056	$31,941	$6,815	$16,999	$28,798	$50,361	$11,590
Station % of VISN		100.0%	3.6%	2.7%	4.1%	4.1%	18.6%	4.0%	9.9%	16.8%	29.4%	6.8%
Psych vs. Non-Psych Costs												
Psych	30.3%	30.2%	7.9%	9.7%	8.2%	21.8%	36.1%	17.0%	25.0%	34.3%	38.3%	22.3%
Non-Psych	69.7%	69.8%	92.1%	90.3%	91.8%	78.2%	63.9%	83.0%	75.0%	65.7%	61.7%	77.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use												
Per Patient	$18,395	$20,779	$18,297	$12,324	$18,731	$14,257	$33,073	$12,742	$14,232	$17,043	$27,507	$13,925
Per Day of Stay	$842	$804	$960	$988	$1,806	$995	$560	$1,050	$814	$920	$851	$905
Mean Outpatient Costs, Pts with some OP use												
Per Patient	$6,757	$5,800	$5,648	$3,987	$5,628	$6,402	$5,878	$5,457	$5,334	$5,865	$6,857	$4,894
Per Visit Day	$275	$281	$368	$293	$292	$370	$223	$270	$275	$305	$263	$290
Mean Patient Costs, By Cost Center												
1 Med	$1,582	$1,296	$2,150	$1,651	$2,333	$1,824	$1,272	$1,380	$737	$962	$1,536	$874
2 Surg	$536	$497	$762	$239	$54	$344	$298	$563	$356	$598	$751	$335
3 Psych	$2,886	$3,133	$390	$219	$705	$1,612	$6,939	$1,110	$2,536	$2,012	$6,151	$1,411
4 Psych Res Rehab Treatment Program	$218	$266	$11	$0	$32	$0	$7	$0	$460	$23	$942	$104
5 Non-VA	$205	$140	$31	$236	$301	$57	$116	$115	$128	$164	$186	$42
6 LTC Domiciliary	$327	$448	$57	$8	$1,275	$11	$1,937	$89	$157	$255	$496	$3
7 LTC Intermediate Care	$167	$78	$0	$0	$23	$469	$3	$0	$473	$0	$4	$8
8 LTC Nursing Home	$1,785	$2,591	$1,014	$948	$5,354	$6	$7,649	$3,162	$3,296	$1,095	$2,722	$1,153
9 Contract Nursing Home	$467	$194	$1	$109	$798	$475	$7	$3	$135	$0	$566	$11
10 OPC Med/Surg	$1,071	$947	$1,496	$605	$506	$1,027	$715	$1,049	$763	$1,111	$1,123	$665
11 OPC Psych	$1,624	$1,199	$405	$493	$644	$831	$1,687	$900	$825	$1,729	$1,542	$546
12 OPC Home Based Treatment	$751	$518	$415	$403	$1,037	$403	$486	$383	$391	$235	$1,067	$243
13 OPC Support	$1,322	$1,094	$1,424	$625	$1,430	$1,222	$863	$1,206	$1,109	$1,017	$1,292	$941
14 OPC Fee	$148	$106	$89	$140	$49	$150	$50	$307	$33	$30	$205	$101
15 OPC Pharmacy	$1,778	$1,849	$1,810	$1,701	$1,949	$2,769	$1,862	$1,565	$2,061	$1,685	$1,505	$2,357
TOTAL	$14,867	$14,355	$10,055	$7,377	$16,491	$11,199	$23,890	$11,831	$13,459	$10,916	$20,088	$8,793
Mean % Patient Costs at Other Stations	3.9%	5.2%	8.8%	5.5%	8.8%	5.1%	10.2%	10.8%	4.5%	3.6%	2.7%	2.9%
SD	*12.8%*	*14.8%*	*19.2%*	*15.8%*	*18.1%*	*14.5%*	*19.4%*	*21.8%*	*13.3%*	*12.3%*	*10.7%*	*11.5%*
Mean % Patient Costs at Other VISNs	1.5%	1.2%	1.9%	0.6%	0.8%	1.1%	1.0%	2.2%	1.3%	1.1%	1.1%	1.9%
SD	*8.0%*	*7.1%*	*8.4%*	*5.2%*	*5.5%*	*6.5%*	*6.2%*	*8.8%*	*6.8%*	*6.5%*	*6.8%*	*9.5%*

Table 1G: FY03 Schizophrenic Patients, Demographics, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Schizophrenic Patients	94395	6034	283	214	132	227	709	230	668	1509	1460	602
Age, percent												
<35	3.9%	3.2%	2.5%	4.7%	3.8%	2.6%	2.3%	5.2%	1.9%	4.1%	3.2%	2.8%
>=35 and <50	32.5%	29.1%	33.2%	21.0%	26.5%	29.1%	30.9%	30.4%	30.7%	33.4%	25.3%	24.6%
>=50 and <65	44.6%	44.9%	48.1%	44.9%	37.1%	44.9%	42.7%	44.8%	41.9%	47.8%	45.7%	42.2%
>=65 and <80	15.7%	19.2%	14.1%	26.2%	25.0%	22.0%	20.3%	17.4%	21.6%	12.5%	21.1%	26.1%
>=80	3.3%	3.5%	2.1%	3.3%	7.6%	1.3%	3.8%	2.2%	3.9%	2.3%	4.7%	4.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	54.59	55.89	54.06	57.56	58.61	55.57	56.22	54.62	56.68	53.49	57.13	57.93
SD	*11.97*	*12.19*	*11.03*	*12.56*	*13.61*	*11.66*	*12.39*	*12.00*	*12.50*	*11.10*	*12.50*	*12.75*
Gender												
Male, %	94.6%	94.6%	92.6%	95.3%	94.7%	96.0%	93.8%	95.2%	97.0%	93.8%	94.4%	95.0%
Female, %	5.4%	5.4%	7.4%	4.7%	5.3%	4.0%	6.2%	4.8%	3.0%	6.2%	5.6%	5.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, percent												
Hispanic white	6.9%	1.3%	3.5%	0.0%	0.0%	0.0%	1.6%	0.9%	1.8%	2.1%	0.2%	1.3%
Hispanic black	0.6%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.6%	0.0%	0.0%
American Indian	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
Black	26.5%	25.9%	38.9%	1.9%	4.5%	2.6%	30.0%	6.5%	15.0%	52.2%	20.7%	2.8%
Asian	0.8%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%	0.3%	0.0%	0.0%
White	52.4%	59.8%	51.6%	65.4%	82.6%	87.7%	56.0%	85.2%	74.1%	26.2%	71.3%	81.7%
Race unknown	12.5%	12.7%	6.0%	32.7%	12.9%	9.7%	12.4%	7.0%	9.0%	18.4%	7.7%	14.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status												
Never married	42.4%	47.6%	32.3%	40.4%	45.8%	30.7%	56.7%	38.6%	42.4%	53.6%	48.6%	45.5%
Married	24.6%	22.3%	33.7%	32.4%	22.9%	29.3%	16.0%	27.2%	22.5%	21.6%	18.9%	26.1%
Divorced/Separated	29.5%	25.9%	30.8%	23.9%	27.5%	35.1%	22.7%	29.4%	30.0%	21.2%	28.8%	22.9%
Widowed	3.5%	4.2%	3.2%	3.3%	3.8%	4.9%	4.6%	4.8%	5.1%	3.5%	3.8%	5.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Schizophrenic Patients	94395	6034	283	214	132	227	709	230	668	1509	1460	602
Registry Pts. History of VA Utilization												
Years since first use in prior five years, mean	4.6	4.62	4.65	4.54	4.59	4.55	4.56	4.73	4.66	4.61	4.64	4.61
SD	*1.0*	*0.98*	*0.96*	*1.04*	*1.06*	*1.03*	*1.05*	*0.79*	*0.95*	*0.98*	*0.96*	*0.99*
Yrs with 24-hour inst use / yrs since 1st use, %	27.3%	26.7%	19.5%	17.3%	27.1%	22.6%	38.9%	19.1%	29.1%	22.6%	30.8%	21.3%
SD	*30.9%*	*31.0%*	*26.2%*	*24.1%*	*32.3%*	*29.5%*	*35.5%*	*25.0%*	*32.5%*	*29.1%*	*31.4%*	*28.1%*
Years with OP use / Years since first use, percent	96.7%	96.4%	98.7%	97.8%	97.2%	98.5%	93.0%	97.5%	95.5%	96.3%	96.9%	97.5%
SD	*12.4%*	*13.2%*	*7.3%*	*9.2%*	*11.9%*	*6.6%*	*19.3%*	*10.3%*	*15.9%*	*12.4%*	*12.2%*	*11.5%*
Psychosis Diagnoses in Prior Fiscal Year												
Had Psychosis Diagnosis in FY01, %	82.2%	83.6%	80.9%	78.5%	82.6%	85.5%	85.8%	87.4%	83.7%	82.4%	83.3%	85.9%
Among Patients With Psychoses in FY01												
Psychosis Category: Schizophrenia, %	94.8%	95.9%	93.4%	95.2%	97.2%	93.8%	95.9%	92.5%	94.8%	96.2%	97.1%	96.9%
Psychosis Category: Bipolar Disorder, %	2.6%	2.4%	3.9%	3.0%	2.8%	5.2%	2.6%	5.5%	3.4%	1.7%	1.6%	1.5%
Psychosis Category: Other Psychosis, %	2.5%	1.7%	2.6%	1.8%	0.0%	1.0%	1.5%	2.0%	1.8%	2.1%	1.3%	1.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %												
Dementia	2.3%	2.5%	3.2%	0.5%	3.0%	3.1%	2.5%	2.2%	2.4%	1.1%	4.5%	1.5%
Post Traumatic Stress Disorder	11.9%	10.2%	16.6%	6.1%	2.3%	20.7%	12.1%	17.4%	5.8%	16.0%	5.1%	4.2%
Depression	25.7%	21.4%	21.2%	22.0%	20.5%	45.4%	19.9%	36.1%	22.9%	20.4%	19.6%	14.3%
Other Anxiety Disorder	8.7%	7.1%	8.1%	8.4%	8.3%	15.9%	10.9%	18.7%	7.3%	4.2%	5.2%	5.0%
Substance Abuse or Dependence	22.3%	20.1%	11.0%	11.2%	13.6%	12.3%	30.0%	22.6%	17.8%	24.5%	20.2%	11.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Schizophrenic Patients	94395	6034	283	214	132	227	709	230	668	1509	1460	602
Medical Comorbidities, %												
No medical comorbidities	18.7%	21.8%	14.5%	11.7%	12.9%	19.8%	30.6%	17.4%	22.6%	25.0%	21.1%	15.4%
Anemia	7.1%	6.4%	5.3%	6.1%	15.9%	7.0%	4.8%	5.7%	3.3%	5.2%	8.2%	8.6%
Arthritis	29.7%	25.3%	33.2%	33.6%	23.5%	25.6%	25.8%	39.1%	22.8%	23.3%	24.1%	23.8%
Cancer	6.1%	6.4%	5.7%	4.7%	10.6%	7.9%	3.9%	6.5%	4.0%	7.5%	6.2%	9.5%
Cerebrovascular Disease	3.8%	3.7%	3.5%	3.7%	6.1%	3.5%	2.8%	4.8%	1.5%	3.2%	5.4%	3.5%
Chronic Neurologic Disorder	12.4%	10.3%	12.7%	12.1%	12.9%	7.5%	11.8%	13.0%	8.2%	9.9%	9.7%	11.1%
Chronic Obstructive Pulmonary Disease	16.5%	16.9%	16.6%	17.8%	22.0%	16.3%	18.3%	17.4%	19.5%	10.5%	19.4%	21.3%
Chronic Viral Infection	8.7%	9.1%	12.0%	6.5%	4.5%	4.4%	11.3%	6.5%	5.8%	15.8%	4.9%	6.6%
Coronary Artery Disease	14.6%	17.9%	12.0%	18.2%	11.4%	26.0%	11.4%	17.8%	14.2%	25.9%	14.7%	18.6%
Diabetes	20.3%	19.7%	21.9%	20.6%	16.7%	24.7%	14.0%	19.6%	18.0%	17.6%	23.8%	20.8%
Digestive System Disease	44.1%	39.7%	45.6%	45.3%	42.4%	36.6%	36.7%	52.6%	37.6%	36.3%	40.7%	42.2%
Hypertension	40.7%	38.6%	51.2%	42.5%	38.6%	50.7%	27.9%	42.2%	31.0%	34.5%	45.3%	40.7%
Injury and Poisoning	15.5%	12.5%	13.4%	9.8%	11.4%	12.3%	13.0%	20.4%	12.9%	12.3%	11.6%	12.5%
Liver Disease	3.2%	2.4%	4.2%	6.1%	0.8%	1.3%	1.4%	2.6%	1.3%	2.2%	2.3%	3.5%
Other Endocrine	6.9%	6.9%	6.7%	3.7%	3.8%	7.9%	6.2%	10.0%	7.2%	4.2%	8.3%	11.5%
Peripheral Vascular Disease	2.9%	3.5%	4.9%	2.8%	3.8%	3.1%	2.0%	2.6%	3.6%	2.5%	5.5%	3.3%
GAF scores												
Lowest inpatient GAF score, mean	36.19	38.17	38.75	47.25	48.75	46.00	40.88	36.13	41.13	35.93	35.14	41.65
SD	*14.35*	*10.95*	*8.54*	*12.84*	*6.24*	*0.00*	*9.71*	*10.36*	*9.79*	*12.36*	*10.98*	*7.52*
Mean outpatient GAF score	48.84	50.22	50.10	51.65	49.94	48.12	47.18	59.22	54.49	44.70	50.56	59.49
SD	*10.59*	*10.14*	*7.61*	*9.49*	*9.53*	*6.21*	*10.07*	*10.38*	*9.86*	*8.20*	*8.64*	*8.99*
At least 1 IP GAF, for pts with MH bedscts, %	38.5%	33.9%	18.8%	33.3%	0.0%	3.3%	48.1%	28.0%	16.7%	25.4%	44.8%	24.7%
At least 1 OP GAF, for pts w/ MH stops, %	80.5%	83.1%	74.4%	93.3%	83.9%	41.9%	88.7%	89.0%	67.9%	84.6%	89.7%	88.8%
Mortality rates												
died in FY02, %	2.7%	2.9%	2.8%	2.3%	4.5%	2.2%	3.5%	2.2%	2.5%	3.2%	2.6%	3.5%
Age-gender-adjusted Standardized Mortality Ratio	1.68	1.58	2.02	1.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Schizophrenic Patients	94395	6034	283	214	132	227	709	230	668	1509	1460	602
Service Connection (SC)												
Non-SC	40.8%	42.7%	36.7%	46.3%	45.5%	52.9%	46.7%	52.2%	42.1%	39.2%	46.2%	32.2%
SC 0 - 29%	6.8%	6.9%	7.4%	7.0%	13.6%	6.6%	5.2%	6.5%	5.2%	6.3%	7.7%	8.8%
SC 30 - 69%	8.8%	8.9%	10.2%	13.1%	8.3%	7.9%	5.4%	9.6%	9.3%	9.0%	8.1%	13.0%
SC 70 - 99%	6.6%	6.7%	5.3%	7.9%	4.5%	6.6%	5.8%	5.7%	6.1%	7.9%	5.5%	9.3%
SC 100%	37.0%	34.8%	40.3%	25.7%	28.0%	26.0%	37.0%	26.1%	37.3%	37.6%	32.5%	36.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %												
Complex*	22.5%	23.6%	10.2%	7.9%	27.3%	7.5%	43.4%	10.9%	23.7%	16.0%	34.0%	15.6%
Basic vested, Cat A*	74.7%	73.5%	83.4%	89.3%	67.4%	89.9%	53.0%	85.2%	72.9%	80.6%	64.6%	82.4%
Basic Non-vested, Cat A*	1.2%	1.4%	4.6%	0.0%	2.3%	1.8%	1.4%	1.7%	1.0%	2.1%	0.4%	1.0%
Basic, Cats C and N	1.7%	1.5%	1.8%	2.8%	3.0%	0.9%	2.1%	2.2%	2.4%	1.2%	1.0%	1.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded												
Patient eligibility category, %												
Cat A (SC or low income)	98.2%	98.4%	98.2%	97.2%	97.0%	99.1%	97.7%	97.8%	97.5%	98.7%	98.8%	99.0%
Cat C (NSC and higher income)	1.4%	1.3%	1.4%	2.8%	2.3%	0.9%	1.7%	1.3%	1.8%	0.9%	1.2%	0.8%
Non-Veteran	0.5%	0.3%	0.4%	0.0%	0.8%	0.0%	0.6%	0.9%	0.7%	0.3%	0.0%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %												
BASIC 1. Non-reliant Care	0.2%	0.2%	0.0%	0.0%	1.5%	0.0%	0.0%	0.0%	0.0%	0.5%	0.1%	0.3%
2. Basic Medical	13.3%	11.3%	18.4%	20.6%	13.6%	12.3%	3.0%	13.5%	12.1%	10.5%	8.6%	19.9%
3. Mental Health	38.5%	40.7%	42.4%	45.3%	38.6%	58.6%	32.6%	39.6%	43.6%	44.1%	36.1%	41.0%
4. Heart / Lung / GI	5.8%	6.0%	12.4%	16.4%	6.1%	4.4%	1.8%	12.2%	5.7%	5.6%	4.8%	6.8%
5. Oncology / Infectious Disease	3.6%	3.8%	6.4%	2.3%	3.0%	3.5%	2.3%	1.7%	3.9%	7.7%	1.4%	2.3%
6. Multiple Medical	16.1%	14.5%	10.2%	7.5%	9.8%	13.7%	16.9%	22.2%	11.1%	15.5%	15.1%	14.0%
COMPLEX 7. Specialized Care	1.9%	2.0%	3.2%	1.4%	5.3%	0.0%	2.3%	1.7%	0.6%	2.3%	2.5%	1.5%
8. Support Care	2.3%	1.5%	0.4%	0.5%	3.8%	1.3%	0.7%	0.4%	1.0%	0.7%	3.0%	1.8%
9. Chronic Mental	15.7%	16.8%	4.2%	2.8%	10.6%	6.2%	33.7%	5.7%	16.9%	11.3%	25.4%	10.5%
10. Critically Ill	2.6%	3.2%	2.5%	3.3%	7.6%	0.0%	6.8%	3.0%	5.1%	1.7%	3.0%	1.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Substance Dependence and Abuse												
Any dx of alcohol / drug dependence or abuse, %	22.3%	20.1%	11.0%	11.2%	13.6%	12.3%	30.0%	22.6%	17.8%	24.5%	20.2%	11.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Schizophrenic Patients	94395	6034	283	214	132	227	709	230	668	1509	1460	602
Homelessness												
Homelessness indicated in FY02, %	12.0%	10.4%	4.6%	1.4%	5.3%	5.3%	12.0%	3.5%	12.1%	13.7%	10.7%	9.0%
Residence in Metropolitan Area												
Residing in a Metropolitan Statistical Area, %	81.5%	88.2%	91.2%	67.3%	77.3%	17.2%	99.2%	76.1%	86.2%	99.8%	90.8%	82.4%
Distance												
Mile from Closest VA Medical Center, mean	28.72	16.09	23.45	25.93	20.28	31.20	10.77	20.13	19.48	8.05	15.00	26.26
SD	*55.48*	*15.94*	*24.28*	*18.58*	*12.24*	*20.46*	*11.25*	*20.40*	*13.18*	*9.53*	*13.58*	*17.78*
Distance from closest VA Medical Center, %												
0 to 15 miles	52.9%	59.6%	58.7%	28.5%	31.1%	18.5%	71.8%	52.2%	36.4%	87.3%	61.2%	33.6%
15 to 30 miles	15.5%	21.2%	6.4%	31.3%	47.7%	29.1%	21.5%	13.0%	41.2%	9.7%	22.9%	21.3%
30 to 45 miles	9.7%	12.7%	11.3%	25.2%	20.5%	26.9%	4.9%	25.2%	19.3%	1.1%	12.0%	29.2%
45 to 60 miles	7.4%	4.3%	14.1%	9.8%	0.8%	7.9%	1.6%	3.9%	3.0%	1.1%	3.8%	11.5%
60 plus miles	14.4%	2.2%	9.5%	5.1%	0.0%	17.6%	0.3%	5.7%	0.1%	0.7%	0.1%	4.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	9.84	7.37	8.81	10.80	8.41	15.15	5.27	6.44	6.46	5.01	8.36	9.63
SD	*11.95*	*6.57*	*8.47*	*8.58*	*5.68*	*10.82*	*4.94*	*6.56*	*6.52*	*3.81*	*6.03*	*7.00*
Distance to closest VA Service Site, %												
0 to 15 miles	79.4%	87.9%	84.5%	66.4%	87.9%	42.3%	96.9%	84.8%	91.9%	97.5%	88.2%	75.4%
15 to 30 miles	13.6%	10.8%	9.2%	31.8%	12.1%	46.3%	2.4%	15.2%	7.2%	2.4%	10.5%	24.3%
30 to 45 miles	5.1%	1.4%	6.4%	1.9%	0.0%	11.5%	0.7%	0.0%	0.9%	0.1%	1.3%	0.3%
45 plus miles	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Schizophrenic Patients	94395	6034	283	214	132	227	709	230	668	1509	1460	602
Hospital Based Utilization												
Patients with some Hospital Based Utilization, %	27.0%	24.5%	18.0%	15.4%	17.4%	21.6%	33.1%	21.7%	26.3%	20.2%	29.9%	19.9%
Hospital based utilization: Overall (psych & non-psych- for those w/ hosp. util.)												
Inpatient stays, mean	1.85	1.79	1.73	1.88	1.48	2.08	1.70	1.90	1.90	1.85	1.76	1.65
SD	*1.45*	*1.29*	*1.22*	*1.24*	*0.67*	*1.32*	*1.16*	*1.63*	*1.59*	*1.37*	*1.23*	*0.98*
Average LOS, mean	17.65	23.14	13.52	7.75	6.89	8.13	59.77	7.67	9.81	10.96	27.13	11.44
SD	*42.51*	*56.39*	*19.67*	*5.42*	*8.19*	*6.37*	*109.43*	*8.19*	*7.58*	*10.28*	*55.82*	*10.82*
Cumulative DOS, mean	28.76	34.68	24.25	13.42	8.70	16.41	76.49	14.32	19.49	21.29	40.29	19.97
SD	*53.29*	*64.54*	*46.29*	*8.84*	*8.08*	*13.98*	*114.26*	*16.16*	*25.76*	*30.06*	*66.09*	*21.33*
Cumulative DOS, %												
1 to 7	35.1%	30.4%	31.4%	30.3%	60.9%	34.7%	18.3%	50.0%	34.1%	35.4%	25.0%	40.0%
8 to 14	20.7%	19.4%	25.5%	21.2%	21.7%	16.3%	17.0%	18.0%	23.3%	17.4%	21.1%	15.8%
15 to 44	29.0%	32.3%	35.3%	48.5%	17.4%	40.8%	28.9%	30.0%	33.5%	34.4%	31.7%	29.2%
45 to 89	9.0%	10.1%	3.9%	0.0%	0.0%	8.2%	14.0%	2.0%	7.4%	11.1%	10.6%	14.2%
90 to 179	3.4%	3.6%	0.0%	0.0%	0.0%	0.0%	8.1%	0.0%	1.1%	1.0%	6.4%	0.8%
180 to 359	1.5%	1.7%	3.9%	0.0%	0.0%	0.0%	2.6%	0.0%	0.6%	0.3%	3.4%	0.0%
360+	1.2%	2.4%	0.0%	0.0%	0.0%	0.0%	11.1%	0.0%	0.0%	0.3%	1.8%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hosp. stay, %	3.8%	5.4%	3.9%	0.0%	0.0%	0.0%	17.0%	0.0%	0.0%	0.3%	8.5%	0.0%
Cumul. DOS, pts w/ 100+ day hosp. stay, mean	249.93	266.86	238.00	0.00	0.00	0.00	306.88	0.00	0.00	365.00	222.51	0.00
SD	*96.37*	*98.89*	*12.73*	*0.00*	*0.00*	*0.00*	*90.80*	*0.00*	*0.00*	*0.00*	*91.71*	*0.00*
Hospital patients w/ a 150+ day hosp. stay, %	2.5%	3.9%	3.9%	0.0%	0.0%	0.0%	14.5%	0.0%	0.0%	0.3%	4.6%	0.0%
Cumul. DOS, pts w/ 150+ day hosp. stay, mean	300.78	315.95	238.00	0.00	0.00	0.00	336.09	0.00	0.00	365.00	287.05	0.00
SD	*75.28*	*69.64*	*12.73*	*0.00*	*0.00*	*0.00*	*61.52*	*0.00*	*0.00*	*0.00*	*73.08*	*0.00*
Cumulative DOS at Other VISNs	0.65	0.56	0.51	0.76	0.00	0.02	0.25	1.04	1.13	0.47	0.56	0.71
SD	*4.66*	*4.06*	*2.73*	*4.35*	*0.00*	*0.14*	*2.13*	*3.08*	*5.09*	*2.75*	*5.54*	*3.57*
Cumulative DOS at Other Stations	2.06	2.57	4.63	5.06	6.04	1.63	3.49	10.84	3.07	2.46	0.77	1.60
SD	*8.11*	*8.06*	*8.06*	*8.32*	*9.10*	*4.51*	*9.22*	*15.28*	*8.89*	*7.24*	*5.72*	*7.30*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Schizophrenic Patients	94395	6034	283	214	132	227	709	230	668	1509	1460	602
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)												
Pts. with non-psych hospital stays, %	11.8%	11.2%	14.5%	13.6%	12.9%	10.1%	10.2%	16.1%	11.2%	9.7%	13.0%	7.5%
Inpatient stays, mean	0.71	0.73	1.33	1.61	1.22	0.84	0.48	1.06	0.63	0.75	0.73	0.55
SD	*1.11*	*1.06*	*1.19*	*1.32*	*0.95*	*1.25*	*0.93*	*0.96*	*0.96*	*1.03*	*1.10*	*0.87*
Average LOS, mean	8.26	7.29	12.89	6.40	4.62	6.11	9.23	4.43	5.85	7.51	6.99	6.63
SD	*16.10*	*12.39*	*21.80*	*4.42*	*4.53*	*4.86*	*14.06*	*5.23*	*5.32*	*11.47*	*15.22*	*4.65*
Cumulative Days of Stay, mean	6.10	5.72	19.88	9.97	5.22	4.80	5.31	4.60	3.86	7.02	4.56	3.89
SD	*19.61*	*18.95*	*47.38*	*8.86*	*5.53*	*8.51*	*21.07*	*6.17*	*7.79*	*26.49*	*11.82*	*8.11*
Cumulative Days of Stay, %												
0	56.2%	54.3%	19.6%	12.1%	26.1%	53.1%	69.4%	26.0%	57.4%	51.8%	56.4%	62.5%
1 to 7	24.8%	26.0%	35.3%	36.4%	52.2%	22.4%	17.9%	56.0%	28.4%	29.2%	22.0%	21.7%
8 to 14	8.1%	9.2%	15.7%	18.2%	13.0%	12.2%	6.8%	12.0%	6.3%	7.2%	11.7%	5.8%
15 to 44	8.5%	9.1%	21.6%	33.3%	8.7%	10.2%	3.4%	6.0%	7.4%	9.2%	9.6%	9.2%
45 to 89	1.7%	0.7%	3.9%	0.0%	0.0%	2.0%	0.4%	0.0%	0.6%	1.6%	0.0%	0.8%
90 to 179	0.5%	0.3%	0.0%	0.0%	0.0%	0.0%	1.7%	0.0%	0.0%	0.3%	0.0%	0.0%
180 to 359	0.2%	0.3%	3.9%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%	0.3%	0.2%	0.0%
360+	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. w/ 100+ day non-psych hosp.stay, %	0.4%	0.5%	3.9%	0.0%	0.0%	0.0%	1.3%	0.0%	0.0%	0.3%	0.2%	0.0%
Cumul. DOS, pts w/ a 100+ day hosp. stay, mean	225.13	218.14	238.00	0.00	0.00	0.00	160.33	0.00	0.00	365.00	205.00	0.00
SD	*88.92*	*78.62*	*12.73*	*0.00*	*0.00*	*0.00*	*46.76*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. w/ 150+ day non-psych hosp.stay, %	0.2%	0.4%	3.9%	0.0%	0.0%	0.0%	0.9%	0.0%	0.0%	0.3%	0.2%	0.0%
Cumul. DOS, pts w/ 150+ day hosp. stay, mean	285.12	236.50	238.00	0.00	0.00	0.00	186.50	0.00	0.00	365.00	205.00	0.00
SD	*70.56*	*67.73*	*12.73*	*0.00*	*0.00*	*0.00*	*16.26*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.10*	*0.15*	*0.06*	*0.00*	*0.00*	*0.02*	*0.02*	*0.68*	*0.31*	*0.13*	*0.13*	*0.23*
SD	*1.58*	*1.74*	*0.42*	*0.00*	*0.00*	*0.14*	*0.33*	*2.61*	*3.13*	*1.71*	*1.72*	*1.26*
Other station cumulative DOS, mean	0.47	0.48	0.25	1.61	2.57	0.14	0.92	1.12	0.48	0.25	0.26	0.23
SD	*3.45*	*2.83*	*1.32*	*4.38*	*5.38*	*0.58*	*4.53*	*3.19*	*3.27*	*1.96*	*1.98*	*1.26*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Schizophrenic Patients	94395	6034	283	214	132	227	709	230	668	1509	1460	602
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)												
Pts. with psych hospital stays, %	17.7%	15.6%	5.7%	2.8%	4.5%	13.2%	26.1%	10.9%	17.1%	12.5%	19.9%	13.5%
Inpatient stays, mean	1.14	1.06	0.39	0.27	0.26	1.24	1.22	0.84	1.27	1.09	1.03	1.10
SD	*1.37*	*1.26*	*0.72*	*0.67*	*0.45*	*1.42*	*1.09*	*1.17*	*1.69*	*1.40*	*1.13*	*1.13*
Average LOS, mean	23.15	33.50	12.20	14.56	13.33	9.81	75.49	11.71	12.29	13.81	39.59	14.17
SD	*51.08*	*69.30*	*7.87*	*6.86*	*12.72*	*6.83*	*119.87*	*9.22*	*7.58*	*9.91*	*67.03*	*13.13*
Cumulative Days of Stay, mean	22.66	28.97	4.37	3.45	3.48	11.61	71.18	9.72	15.63	14.27	35.73	16.08
SD	*51.43*	*63.54*	*8.03*	*7.84*	*8.52*	*14.81*	*114.17*	*15.52*	*26.39*	*18.76*	*66.77*	*22.31*
Cumulative Days of Stay, %												
0	34.4%	36.3%	68.6%	81.8%	73.9%	38.8%	21.3%	50.0%	35.2%	38.0%	33.5%	32.5%
1 to 7	17.5%	11.3%	7.8%	0.0%	8.7%	16.3%	7.7%	14.0%	11.4%	12.8%	9.9%	21.7%
8 to 14	14.7%	12.9%	11.8%	3.0%	8.7%	12.2%	11.9%	16.0%	19.3%	13.1%	11.9%	11.7%
15 to 44	21.2%	24.1%	11.8%	15.2%	8.7%	26.5%	27.2%	18.0%	26.1%	27.2%	23.9%	20.0%
45 to 89	6.9%	8.7%	0.0%	0.0%	0.0%	6.1%	12.3%	2.0%	6.3%	8.9%	9.6%	13.3%
90 to 179	2.8%	3.0%	0.0%	0.0%	0.0%	0.0%	6.4%	0.0%	1.1%	0.0%	6.2%	0.8%
180 to 359	1.4%	1.4%	0.0%	0.0%	0.0%	0.0%	2.1%	0.0%	0.6%	0.0%	3.2%	0.0%
360+	1.1%	2.3%	0.0%	0.0%	0.0%	0.0%	11.1%	0.0%	0.0%	0.0%	1.8%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	5.0%	0.0%	0.0%	0.0%	0.0%	16.2%	0.0%	0.0%	0.0%	8.3%	0.0%
Cumul. DOS, pts w/ 100+ day hosp. stay, mean	250.18	266.84	0.00	0.00	0.00	0.00	310.18	0.00	0.00	0.00	221.08	0.00
SD	*97.20*	*100.44*	*0.00*	*0.00*	*0.00*	*0.00*	*87.65*	*0.00*	*0.00*	*0.00*	*93.41*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	2.2%	3.5%	0.0%	0.0%	0.0%	0.0%	14.0%	0.0%	0.0%	0.0%	4.4%	0.0%
Cumul. DOS, pts w/ 150+ day hosp. stay, mean	300.10	318.13	0.00	0.00	0.00	0.00	334.76	0.00	0.00	0.00	289.26	0.00
SD	*76.47*	*70.51*	*0.00*	*0.00*	*0.00*	*0.00*	*63.98*	*0.00*	*0.00*	*0.00*	*73.64*	*0.00*
Other VISN cumulative DOS, mean	0.55	0.42	0.45	0.76	0.00	0.00	0.23	0.36	0.82	0.34	0.44	0.48
SD	4.34	3.66	2.71	4.35	0.00	0.00	1.91	1.78	4.06	2.18	5.27	3.38
Other station cumulative DOS, mean	1.59	2.10	4.37	3.45	3.48	1.49	2.57	9.72	2.59	2.21	0.51	1.37
SD	7.30	7.64	8.03	7.84	8.52	4.52	8.27	15.52	8.40	7.00	5.38	7.23

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Schizophrenic Patients	94395	6034	283	214	132	227	709	230	668	1509	1460	602
Other 24 hour institutional care												
Pts with some other 24 hour institutional care, %	8.0%	10.1%	5.3%	4.2%	18.2%	0.0%	25.4%	5.7%	10.9%	5.2%	12.8%	4.7%
Residential Rehab (rep. for those w/ res rehab care)												
Patients with some residential rehab. care, %	1.6%	1.4%	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	3.0%	0.3%	3.7%	1.0%
Number stays, mean	*1.12*	*1.09*	*1.50*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*1.00*	*1.00*	*1.13*	*1.00*
SD	*0.37*	*0.29*	*0.71*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.34*	*0.00*
Average LOS, mean	36.26	73.59	6.25	0.00	0.00	0.00	0.00	0.00	19.20	18.20	108.02	13.67
SD	*45.44*	*86.06*	*0.35*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*8.81*	*8.67*	*93.77*	*4.18*
Cumulative DOS, mean	39.67	79.83	9.50	0.00	0.00	0.00	0.00	0.00	19.20	18.20	117.94	13.67
SD	*48.06*	*90.50*	*4.95*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*8.81*	*8.67*	*96.67*	*4.18*
Cumulative Days of Stay, %												
1 to 7	14.0%	5.7%	50.0%	0.0%	0.0%	0.0%	0.0%	0.0%	10.0%	20.0%	1.9%	0.0%
8 to 14	14.7%	10.3%	50.0%	0.0%	0.0%	0.0%	0.0%	0.0%	15.0%	0.0%	3.7%	50.0%
15 to 44	46.4%	39.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	70.0%	80.0%	24.1%	50.0%
45 to 89	13.8%	14.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	5.0%	0.0%	22.2%	0.0%
90 to 179	8.9%	14.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	24.1%	0.0%
180 to 359	1.8%	12.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	20.4%	0.0%
360+	0.5%	2.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.7%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.2%	27.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	44.4%	0.0%
Cum. DOS, pts w/ 100+ day res rehab stay, mean	180.59	204.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	204.17	0.00
SD	*80.43*	*80.84*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*80.84*	*0.00*
Res Rehab pts w/ 150+ day Res Rehab stay, %	2.8%	18.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	29.6%	0.0%
Cum. DOS, pts w/ 150+ day res rehab stay, mean	246.24	239.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	239.06	0.00
SD	*77.24*	*72.03*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*72.03*	*0.00*
Other VISN cumulative DOS, mean	0.84	0.15	6.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*5.37*	*1.39*	*9.19*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.24	1.74	9.50	0.00	0.00	0.00	0.00	0.00	1.00	18.20	0.39	0.00
SD	*10.31*	*5.65*	*4.95*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*4.47*	*8.67*	*2.86*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Schizophrenic Patients	94395	6034	283	214	132	227	709	230	668	1509	1460	602
Domiciliary and Vocational (reported for those with some dom/voc care)												
Patients with some dom/voc care, %	2.3%	3.0%	1.1%	0.5%	2.3%	0.0%	12.8%	1.3%	0.7%	2.5%	2.5%	0.2%
Number stays, mean	1.12	1.09	1.00	1.00	1.00	0.00	1.08	1.00	1.20	1.03	1.19	1.00
SD	*0.37*	*0.34*	*0.00*	*0.00*	*0.00*	*0.00*	*0.27*	*0.00*	*0.45*	*0.16*	*0.58*	*0.00*
Average LOS, mean	94.48	28.22	11.33	8.00	85.33	0.00	27.90	22.00	66.60	20.61	30.03	8.00
SD	*108.97*	*29.61*	*3.51*	*0.00*	*86.32*	*0.00*	*27.60*	*5.20*	*39.63*	*10.38*	*34.94*	*0.00*
Cumulative DOS, mean	100.96	30.60	11.33	8.00	85.33	0.00	29.33	22.00	75.20	20.97	36.78	8.00
SD	*111.44*	*33.20*	*3.51*	*0.00*	*86.32*	*0.00*	*27.67*	*5.20*	*37.85*	*10.39*	*47.34*	*0.00*
Cumulative Days of Stay, %												
1 to 7	7.9%	12.2%	0.0%	0.0%	0.0%	0.0%	11.0%	0.0%	0.0%	13.2%	19.4%	0.0%
8 to 14	6.7%	11.0%	66.7%	100.0%	0.0%	0.0%	5.5%	0.0%	0.0%	21.1%	8.3%	100.0%
15 to 44	31.5%	64.1%	33.3%	0.0%	66.7%	0.0%	72.5%	100.0%	40.0%	65.8%	47.2%	0.0%
45 to 89	17.3%	5.0%	0.0%	0.0%	0.0%	0.0%	5.5%	0.0%	20.0%	0.0%	8.3%	0.0%
90 to 179	17.7%	6.1%	0.0%	0.0%	0.0%	0.0%	4.4%	0.0%	40.0%	0.0%	13.9%	0.0%
180 to 359	9.4%	1.7%	0.0%	0.0%	33.3%	0.0%	1.1%	0.0%	0.0%	0.0%	2.8%	0.0%
360+	9.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, percent	32.0%	6.1%	0.0%	0.0%	33.3%	0.0%	4.4%	0.0%	40.0%	0.0%	11.1%	0.0%
Cumul. DOS, pts w/ 100+ day Dom. stay, mean	234.98	134.91	0.00	0.00	185.00	0.00	129.25	0.00	109.50	0.00	140.75	0.00
SD	*102.95*	*45.68*	*0.00*	*0.00*	*0.00*	*0.00*	*53.93*	*0.00*	*4.95*	*0.00*	*51.81*	*0.00*
Dom. patients with 150+ day Dom. stay, percent	20.9%	1.1%	0.0%	0.0%	33.3%	0.0%	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, pts w/ 150+ day Dom. stay, mean	291.61	197.50	0.00	0.00	185.00	0.00	210.00	0.00	0.00	0.00	0.00	0.00
SD	*80.75*	*17.68*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.18	1.60	0.00	0.00	0.00	0.00	0.23	0.00	38.40	0.18	1.94	0.00
SD	*7.65*	*11.14*	*0.00*	*0.00*	*0.00*	*0.00*	*2.20*	*0.00*	*53.05*	*0.83*	*10.09*	*0.00*
Other station cumulative DOS, mean	3.16	7.08	11.33	8.00	0.00	0.00	0.30	22.00	52.60	20.97	2.19	8.00
SD	*12.59*	*14.75*	*3.51*	*0.00*	*0.00*	*0.00*	*2.28*	*5.20*	*43.02*	*10.39*	*10.11*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Schizophrenic Patients	94395	6034	283	214	132	227	709	230	668	1509	1460	602
Nursing Home Care (reported for those with some nursing home care)												
Patients with some nursing home care, %	4.7%	5.8%	3.5%	3.7%	15.9%	0.0%	13.0%	4.3%	7.3%	2.5%	6.9%	3.5%
Number stays, mean	1.20	1.18	1.10	1.25	1.43	0.00	1.10	1.30	1.06	1.08	1.22	1.57
SD	*0.56*	*0.50*	*0.32*	*0.46*	*0.75*	*0.00*	*0.39*	*0.67*	*0.24*	*0.36*	*0.54*	*0.81*
Average LOS, mean	143.54	167.88	105.30	79.69	97.01	0.00	207.08	113.48	228.55	187.52	131.75	153.94
SD	*137.46*	*147.79*	*129.61*	*47.64*	*128.13*	*0.00*	*152.93*	*137.66*	*154.13*	*146.01*	*135.26*	*134.36*
Cumulative DOS, mean	156.00	178.98	113.60	111.25	110.38	0.00	214.45	140.50	230.84	189.78	146.14	185.33
SD	*139.76*	*148.01*	*130.67*	*95.44*	*134.95*	*0.00*	*151.49*	*154.35*	*152.21*	*143.83*	*140.32*	*133.87*
Cumulative Days of Stay, %												
1 to 7	6.8%	6.9%	0.0%	0.0%	9.5%	0.0%	12.0%	10.0%	2.0%	0.0%	8.9%	0.0%
8 to 14	6.5%	8.3%	30.0%	12.5%	4.8%	0.0%	4.3%	10.0%	8.2%	8.1%	10.9%	4.8%
15 to 44	20.5%	14.0%	20.0%	12.5%	33.3%	0.0%	6.5%	30.0%	14.3%	13.5%	14.9%	14.3%
45 to 89	14.1%	12.9%	10.0%	25.0%	23.8%	0.0%	7.6%	10.0%	2.0%	18.9%	17.8%	14.3%
90 to 179	15.1%	14.3%	20.0%	25.0%	4.8%	0.0%	14.1%	10.0%	14.3%	10.8%	14.9%	23.8%
180 to 359	14.7%	14.0%	20.0%	25.0%	9.5%	0.0%	12.0%	10.0%	10.2%	24.3%	11.9%	23.8%
360+	22.5%	29.5%	0.0%	0.0%	14.3%	0.0%	43.5%	20.0%	49.0%	24.3%	20.8%	19.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, percent	48.0%	54.2%	40.0%	50.0%	23.8%	0.0%	65.2%	40.0%	71.4%	56.8%	41.6%	66.7%
Cumul. DOS, pts w/ 100+ day NH stay, mean	282.12	297.80	250.50	183.00	339.00	0.00	310.92	300.00	312.46	299.81	289.69	257.29
SD	*94.85*	*92.79*	*94.23*	*82.26*	*41.23*	*0.00*	*87.22*	*118.21*	*92.14*	*84.76*	*97.32*	*103.67*
NH patients with 150+ day NH stay, percent	39.8%	45.0%	30.0%	25.0%	23.8%	0.0%	56.5%	30.0%	61.2%	48.6%	34.7%	42.9%
Cumul. DOS, pts with a 150+ day NH stay, mean	312.43	331.99	278.67	252.50	339.00	0.00	338.44	359.00	343.00	327.50	324.40	319.00
SD	*72.26*	*57.68*	*92.51*	*24.75*	*41.23*	*0.00*	*54.62*	*8.66*	*55.61*	*52.59*	*62.72*	*69.27*
Other VISN cumulative DOS, mean	0.44	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.00	0.08	0.00
SD	*5.99*	*0.57*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*1.00*	*0.00*	*0.80*	*0.00*
Other station cumulative DOS, mean	1.19	0.60	0.00	13.00	0.29	0.00	0.00	0.00	0.14	0.62	0.68	0.00
SD	*9.07*	*5.29*	*0.00*	*26.56*	*1.31*	*0.00*	*0.00*	*0.00*	*1.00*	*2.70*	*5.64*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Schizophrenic Patients	94395	6034	283	214	132	227	709	230	668	1509	1460	602
Outpatient utilization												
(reported for those with some outpatient care)												
Patients with some outpatient care, %	98.3%	97.6%	99.6%	99.1%	99.2%	100.0%	93.8%	98.7%	95.4%	98.5%	97.6%	98.7%
annual visit days, mean	27.64	22.75	15.99	14.67	18.17	16.38	35.51	23.41	20.16	19.65	27.11	17.81
SD	*38.39*	*31.07*	*17.66*	*14.85*	*18.73*	*14.56*	*53.72*	*26.00*	*22.50*	*30.18*	*30.94*	*15.28*
Outpatient visit days, percent												
1-12	42.6%	46.3%	50.7%	60.8%	50.4%	54.2%	47.8%	37.4%	41.9%	52.5%	38.2%	45.5%
13-24	25.7%	27.8%	33.7%	24.5%	26.0%	24.2%	18.8%	33.5%	34.2%	26.8%	27.7%	31.6%
25-36	11.8%	10.9%	7.4%	6.1%	10.7%	12.3%	7.8%	13.2%	12.2%	10.1%	12.1%	13.5%
37-48	5.9%	4.9%	3.5%	5.7%	4.6%	4.8%	4.7%	7.0%	5.7%	3.6%	6.6%	3.5%
49+	14.0%	10.1%	4.6%	2.8%	8.4%	4.4%	20.9%	8.8%	6.0%	7.0%	15.4%	5.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpts who had some Primary Care (PC)	74.5%	70.7%	83.3%	94.8%	87.0%	84.6%	64.5%	84.6%	76.6%	57.1%	73.9%	68.7%
Mean PC visit days, among those with some PC	3.73	3.39	3.31	3.41	2.11	3.80	2.65	4.64	3.55	3.73	3.20	3.41
SD	3.83	3.02	2.77	4.19	1.45	3.04	1.76	4.43	2.89	3.54	2.36	3.21
Average number clinic stops per visit day, mean	1.45	1.43	1.42	1.41	1.57	1.57	1.35	1.39	1.34	1.61	1.34	1.37
SD	*0.45*	*0.43*	*0.35*	*0.36*	*0.51*	*0.50*	*0.45*	*0.29*	*0.35*	*0.53*	*0.29*	*0.38*
annual clinic stops (psych & non-psych), mean	41.32	32.55	23.63	19.62	27.14	26.22	51.78	32.45	27.02	31.16	36.18	24.17
SD	*65.29*	*46.83*	*28.54*	*18.38*	*30.08*	*25.49*	*90.23*	*35.65*	*31.45*	*43.53*	*42.10*	*21.76*
annual non-psych. clinic stops, mean	19.07	16.48	17.89	14.68	17.11	17.71	14.60	17.89	18.81	13.50	19.26	15.71
SD	*26.86*	*23.55*	*25.65*	*15.88*	*17.77*	*17.27*	*29.76*	*16.71*	*24.54*	*16.77*	*29.62*	*17.61*
annual psych. clin stops (groupings below), mean	22.25	16.06	5.74	4.94	10.02	8.51	37.18	14.56	8.21	17.66	16.92	8.46
SD	*50.83*	*34.89*	*6.77*	*7.63*	*22.20*	*13.49*	*73.07*	*25.53*	*14.90*	*34.34*	*25.76*	*9.63*
1. general psych. clinic stops, mean	9.04	8.68	5.28	4.64	7.70	6.46	10.88	8.22	6.21	10.32	9.14	7.96
SD	*15.89*	*10.95*	*5.80*	*7.16*	*9.85*	*8.72*	*13.30*	*9.79*	*8.06*	*12.46*	*11.17*	*8.93*
2. psych. case management clinic stops, mean	2.76	2.04	0.00	0.00	0.09	0.00	11.29	0.00	0.21	0.01	3.01	0.11
SD	*16.59*	*11.04*	*0.06*	*0.00*	*1.05*	*0.00*	*25.86*	*0.00*	*0.70*	*0.10*	*11.83*	*1.15*
3. psych. day treatment clinic stops, mean	4.94	1.47	0.00	0.00	0.00	0.00	8.31	5.08	0.00	0.00	1.38	0.02
SD	*29.07*	*14.68*	*0.00*	*0.00*	*0.00*	*0.00*	*39.16*	*19.85*	*0.00*	*0.13*	*9.15*	*0.37*
4. substance abuse clinic stops, mean	2.71	2.14	0.35	0.01	2.08	0.47	1.00	0.86	0.45	6.46	0.92	0.13
SD	*17.49*	*16.80*	*2.64*	*0.15*	*14.45*	*2.18*	*4.75*	*3.55*	*2.72*	*31.74*	*7.19*	*1.11*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Schizophrenic Patients	94395	6034	283	214	132	227	709	230	668	1509	1460	602
5. psych. vocational clinic stops, mean	2.11	1.18	0.00	0.00	0.11	0.00	5.56	0.00	0.84	0.01	1.87	0.06
SD	*18.38*	*12.74*	*0.00*	*0.00*	*1.22*	*0.00*	*32.00*	*0.00*	*8.13*	*0.26*	*12.30*	*0.59*
6. PTSD clinic stops, mean	0.37	0.35	0.07	0.19	0.00	0.09	0.91	0.11	0.18	0.65	0.18	0.00
SD	*3.86*	*2.67*	*1.07*	*2.82*	*0.00*	*0.72*	*4.71*	*0.96*	*2.37*	*3.30*	*1.79*	*0.00*
7. psych. homeless clinic stops, mean	0.39	0.32	0.04	0.02	0.05	1.42	0.17	0.04	0.48	0.22	0.48	0.23
SD	*2.98*	*2.46*	*0.28*	*0.22*	*0.24*	*8.91*	*0.83*	*0.42*	*2.51*	*0.92*	*2.63*	*1.64*
Other VISN OP visit days, mean	0.30	0.24	0.24	0.11	0.10	0.26	0.23	0.49	0.44	0.15	0.23	0.26
SD	*2.12*	*1.97*	*1.06*	*0.98*	*0.67*	*1.46*	*1.49*	*1.67*	*3.50*	*1.21*	*2.36*	*1.72*
Other station OP visit days, mean	0.82	1.02	1.21	0.61	2.33	0.78	2.62	1.40	1.00	0.71	0.78	0.36
SD	*3.70*	*3.55*	*3.40*	*1.76*	*4.30*	*2.61*	*4.70*	*3.34*	*4.39*	*3.04*	*3.57*	*2.03*

Table 4G: FY03 Schizophrenic Patients, Pharmacy Utilization, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Schizophrenic Patients	94395	6034	283	214	132	227	709	230	668	1509	1460	602
Among all patients in the registry												
Pts. with any outpatient prescriptions, %	94.9%	93.3%	98.2%	91.6%	92.4%	97.4%	82.1%	91.7%	92.9%	95.3%	94.9%	95.7%
Patients with any oral antipsychotic fills, %*	78.7%	77.6%	74.9%	72.4%	72.7%	88.1%	71.9%	75.7%	79.6%	75.9%	80.5%	80.4%
Among pts. receiving any antipsychotics:												
Received only conventional antipsychotics, %	15.4%	20.3%	20.8%	31.6%	17.7%	13.0%	10.0%	19.5%	21.4%	24.9%	18.5%	24.0%
Received some atypical antipsychotics, %	84.6%	79.7%	79.2%	68.4%	82.3%	87.0%	90.0%	80.5%	78.6%	75.1%	81.5%	76.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %												
Aripiprazole	1.5%	0.7%	1.4%	2.6%	2.1%	0.0%	1.6%	0.0%	0.0%	0.0%	0.9%	0.8%
Clozapine	3.1%	1.9%	0.0%	0.6%	1.0%	2.5%	2.4%	0.6%	1.1%	0.0%	4.2%	3.3%
Olanzapine	35.7%	31.7%	40.1%	32.3%	41.7%	35.0%	34.5%	27.0%	32.7%	32.6%	27.8%	29.3%
Quetiapine	21.7%	22.0%	16.0%	16.8%	20.8%	28.5%	25.5%	24.1%	16.9%	21.6%	25.3%	18.2%
Risperidone	36.8%	34.1%	30.2%	27.7%	32.3%	32.0%	40.0%	40.8%	36.5%	32.6%	32.1%	36.6%
Ziprasidone	5.9%	5.1%	8.5%	4.5%	6.3%	6.0%	7.8%	6.3%	4.7%	3.8%	5.2%	3.7%
Pts receiving only one kind** of antipsychotic, %	70.8%	70.3%	72.2%	76.1%	76.0%	74.0%	67.3%	64.4%	69.2%	73.1%	67.3%	71.7%
Concurrent use, 2 or more antipsychotics, % ***	15.6%	18.8%	16.5%	14.8%	11.5%	21.5%	18.4%	24.7%	22.7%	14.7%	22.0%	16.9%
Among pts receiving just one antipsychotic:												
Antipsychotic fills, mean	8.10	7.20	5.22	6.77	6.89	5.13	7.27	9.69	6.17	6.25	8.45	8.83
SD	*5.37*	*4.74*	*3.22*	*4.29*	*4.75*	*3.83*	*4.84*	*4.25*	*4.18*	*3.87*	*5.41*	*5.13*
Antipsychotic Medication Possession Ratio, mean	0.83	0.87	0.90	0.90	0.97	0.91	0.86	0.86	0.91	0.80	0.93	0.85
SD	*0.33*	*0.33*	*0.31*	*0.29*	*0.31*	*0.35*	*0.37*	*0.28*	*0.34*	*0.33*	*0.32*	*0.30*
Antipsychotic Med Possession Ratio <= 0.80, %	37.1%	31.4%	26.6%	22.1%	18.6%	29.7%	35.6%	29.5%	28.2%	40.1%	25.5%	33.4%
Antipsychotic Med Possession Ratio <= 0.50, %	18.0%	15.3%	11.2%	11.5%	7.1%	14.5%	20.0%	12.4%	12.5%	20.5%	11.0%	17.5%

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 4G: FY03 Schizophrenic Patients, Cost, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Schizophrenic Patients	94395	6034	283	214	132	227	709	230	668	1509	1460	602
Total Costs (in thousands $$)	$1,637,013	$101,877	$3,230	$1,769	$2,689	$2,319	$22,653	$2,788	$10,342	$17,637	$32,107	$6,342
Station % of VISN		100.0%	3.2%	1.7%	2.6%	2.3%	22.2%	2.7%	10.2%	17.3%	31.5%	6.2%
Psych vs. Non-Psych Costs												
Psych	34.5%	34.2%	8.7%	10.9%	5.4%	32.7%	42.6%	23.2%	24.5%	37.1%	39.0%	25.0%
Non-Psych	65.5%	65.8%	91.3%	89.1%	94.6%	67.3%	57.4%	76.8%	75.5%	62.9%	61.0%	75.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use												
Per Patient	$21,945	$24,528	$23,053	$11,458	$15,078	$16,194	$39,922	$11,590	$15,248	$18,350	$30,549	$16,646
Per Day of Stay	$763	$707	$950	$854	$1,734	$987	$522	$809	$782	$862	$758	$834
Mean Outpatient Costs, Pts with some OP use												
Per Patient	$7,323	$6,278	$5,913	$4,192	$6,313	$6,062	$7,246	$5,797	$5,429	$6,185	$7,102	$5,537
Per Visit Day	$265	$276	$370	$286	$348	$370	$204	$248	$269	$315	$262	$311
By Cost Center												
1 Med	$1,399	$1,243	$2,981	$1,375	$1,968	$913	$1,609	$557	$785	$973	$1,380	$1,030
2 Surg	$470	$441	$625	$36	$143	$179	$349	$331	$291	$488	$681	$280
3 Psych	$4,062	$4,324	$549	$356	$516	$2,404	$11,274	$1,632	$2,941	$2,248	$7,063	$2,008
4 Psych Res Rehab Treatment Program	$217	$352	$24	$0	$0	$0	$0	$0	$183	$18	$1,332	$41
5 Non-VA	$230	$170	$42	$189	$388	$12	$189	$149	$145	$255	$166	$47
6 LTC Domiciliary	$302	$281	$47	$23	$376	$0	$1,293	$122	$86	$196	$224	$6
7 LTC Intermediate Care	$166	$55	$0	$0	$0	$160	$4	$0	$434	$0	$3	$0
8 LTC Nursing Home	$2,633	$3,612	$1,253	$1,926	$9,215	$0	$10,425	$3,609	$5,316	$1,415	$3,361	$1,660
9 Contract Nursing Home	$664	$280	$1	$209	$1,499	$487	$12	$0	$124	$0	$851	$0
10 OPC Med/Surg	$930	$880	$1,647	$580	$564	$799	$676	$1,062	$638	$1,016	$950	$650
11 OPC Psych	$1,916	$1,450	$439	$545	$588	$932	$2,325	$1,185	$847	$2,084	$1,516	$623
12 OPC Home Based Treatment	$933	$615	$376	$411	$1,139	$375	$638	$375	$390	$216	$1,371	$260
13 OPC Support	$1,243	$1,036	$1,353	$588	$1,218	$857	$891	$1,115	$1,076	$965	$1,203	$946
14 OPC Fee	$130	$108	$122	$218	$118	$62	$21	$117	$22	$32	$231	$160
15 OPC Pharmacy	$2,047	$2,036	$1,955	$1,811	$2,638	$3,037	$2,244	$1,868	$2,204	$1,783	$1,660	$2,825
TOTAL	$17,342	$16,884	$11,414	$8,266	$20,371	$10,217	$31,951	$12,121	$15,482	$11,688	$21,991	$10,536
Mean Percent Patient Costs at Other Stations	3.6%	4.7%	9.5%	5.9%	9.8%	3.7%	9.3%	11.7%	3.9%	3.2%	2.7%	2.6%
SD	*12.4%*	*14.3%*	*21.0%*	*17.1%*	*18.9%*	*12.2%*	*17.9%*	*22.9%*	*12.6%*	*11.6%*	*11.1%*	*11.4%*
Mean Percent Patient Costs at Other VISNs	1.3%	1.1%	1.5%	0.8%	0.6%	0.7%	0.6%	2.7%	1.5%	0.8%	0.9%	1.8%
SD	*7.5%*	*6.9%*	*7.2%*	*7.2%*	*4.6%*	*4.6%*	*4.1%*	*10.1%*	*7.9%*	*6.1%*	*6.8%*	*9.4%*

Table 1H: FY03 Bipolar Patients, Demographics, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Bipolar Patients	73964	3882	287	193	136	272	395	182	470	630	876	441
Age, %												
<35	7.9%	7.8%	8.4%	14.0%	4.4%	9.6%	6.8%	6.6%	6.8%	7.3%	8.1%	7.5%
>=35 and <50	36.3%	34.8%	33.4%	31.6%	28.7%	26.5%	37.5%	39.0%	36.6%	38.4%	35.2%	32.0%
>=50 and <65	40.3%	40.7%	40.1%	37.8%	43.4%	51.1%	36.5%	35.7%	37.7%	39.8%	42.2%	42.6%
>=65 and <80	13.3%	14.2%	17.4%	15.0%	19.9%	10.3%	17.2%	18.1%	15.5%	12.1%	11.4%	15.6%
>=80	2.2%	2.4%	0.7%	1.6%	3.7%	2.6%	2.0%	0.5%	3.4%	2.4%	3.1%	2.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	52.26	52.67	52.55	51.21	55.39	52.77	52.97	52.64	53.09	51.97	52.23	53.62
SD	*12.50*	*12.65*	*12.31*	*13.56*	*12.58*	*12.44*	*12.98*	*12.78*	*13.18*	*12.53*	*12.28*	*12.50*
Gender												
Male, %	88.2%	90.3%	86.4%	90.7%	91.9%	89.0%	91.6%	90.7%	90.6%	90.6%	89.7%	92.3%
Female, %	11.8%	9.7%	13.6%	9.3%	8.1%	11.0%	8.4%	9.3%	9.4%	9.4%	10.3%	7.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %												
Hispanic white	2.8%	0.8%	1.0%	0.0%	0.0%	0.0%	1.0%	0.5%	1.9%	1.6%	0.0%	0.9%
Hispanic black	0.3%	0.2%	0.7%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%	0.3%	0.1%	0.2%
American Indian	0.3%	0.1%	0.3%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	0.2%	0.0%
Black	10.4%	11.3%	14.6%	2.6%	7.4%	1.5%	18.7%	3.3%	6.2%	22.5%	13.9%	1.4%
Asian	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%
White	62.5%	65.2%	67.2%	58.0%	70.6%	82.0%	53.4%	84.1%	74.0%	45.7%	69.5%	68.0%
Race unknown	23.5%	22.3%	16.0%	39.4%	22.1%	16.2%	26.3%	12.1%	17.9%	29.8%	16.2%	29.5%
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status												
Never married	21.0%	24.8%	20.4%	19.7%	16.2%	12.2%	29.0%	25.8%	18.9%	37.3%	25.7%	23.2%
Married	37.7%	36.5%	37.3%	43.5%	41.2%	53.1%	34.1%	35.2%	34.0%	32.3%	31.0%	43.5%
Divorced/Separated	37.9%	34.9%	39.1%	34.2%	37.5%	31.0%	32.8%	35.2%	41.7%	27.8%	38.5%	31.4%
Widowed	3.4%	3.8%	3.2%	2.6%	5.1%	3.7%	4.1%	3.8%	5.3%	2.6%	4.8%	1.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Bipolar Patients	73964	3882	287	193	136	272	395	182	470	630	876	441
Registry Pts. History of VA Utilization												
Years since first use in prior five years, mean	4.2	4.17	4.10	4.05	4.00	4.33	3.94	4.43	4.31	4.17	4.25	4.04
SD	*1.3*	*1.33*	*1.35*	*1.36*	*1.42*	*1.22*	*1.42*	*1.11*	*1.24*	*1.33*	*1.30*	*1.45*
Yrs with 24-hour inst. use / yrs since 1st use, %	25.1%	25.1%	18.5%	16.1%	24.6%	22.5%	32.6%	22.6%	25.6%	24.7%	30.0%	20.1%
SD	*29.2%*	*30.1%*	*24.7%*	*26.3%*	*29.4%*	*28.4%*	*32.3%*	*28.0%*	*29.6%*	*30.4%*	*32.0%*	*27.7%*
Years with OP use / Years since first use, %	96.7%	96.6%	97.5%	96.3%	96.5%	98.4%	95.5%	97.4%	96.7%	96.3%	96.3%	96.7%
SD	*10.5%*	*10.8%*	*9.3%*	*12.0%*	*11.5%*	*6.6%*	*12.7%*	*9.5%*	*10.8%*	*11.1%*	*11.4%*	*9.9%*
Psychosis Diagnoses in Prior Fiscal Year												
Had Psychosis Diagnosis in FY01, %	65.0%	64.8%	60.6%	61.7%	61.8%	69.9%	65.8%	73.1%	67.2%	65.7%	61.1%	65.8%
Among Patients With Psychoses in FY01												
Psychosis Category: Schizophrenia, %	3.8%	3.8%	5.7%	2.5%	0.0%	1.6%	3.5%	1.5%	7.0%	2.7%	5.2%	2.4%
Psychosis Category: Bipolar Disorder, %	94.8%	95.1%	93.7%	96.6%	100.0%	95.8%	95.8%	96.2%	90.8%	96.9%	93.8%	97.2%
Psychosis Category: Other Psychosis, %	1.4%	1.1%	0.6%	0.8%	0.0%	2.6%	0.8%	2.3%	2.2%	0.5%	0.9%	0.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %												
Dementia	1.7%	1.4%	1.7%	2.6%	2.2%	1.8%	1.8%	0.5%	1.5%	1.1%	1.7%	0.2%
Post Traumatic Stress Disorder	21.3%	17.9%	15.7%	18.1%	8.8%	32.0%	23.8%	22.0%	17.9%	20.8%	14.5%	9.3%
Depression	44.5%	45.9%	44.9%	43.5%	42.6%	60.3%	42.0%	41.2%	46.8%	37.5%	57.9%	32.7%
Other Anxiety Disorder	16.3%	14.9%	13.9%	17.6%	6.6%	22.4%	18.0%	29.7%	13.4%	13.5%	13.9%	8.8%
Substance Abuse or Dependence	29.8%	29.4%	16.4%	20.7%	30.9%	19.1%	42.8%	31.9%	24.7%	28.6%	38.9%	21.5%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Bipolar Patients	73964	3882	287	193	136	272	395	182	470	630	876	441
Medical Comorbidities, %												
No medical comorbidities	15.4%	15.8%	11.1%	13.0%	10.3%	11.4%	19.7%	11.0%	17.2%	20.8%	15.9%	13.8%
Anemia	5.6%	4.9%	3.5%	3.6%	8.8%	9.6%	3.5%	6.0%	3.2%	2.2%	6.8%	5.0%
Arthritis	42.4%	38.7%	44.9%	45.6%	38.2%	44.1%	38.0%	46.7%	38.7%	32.5%	37.2%	37.9%
Cancer	6.2%	5.5%	6.6%	3.6%	5.1%	9.2%	5.3%	4.4%	3.8%	6.7%	4.9%	5.4%
Cerebrovascular Disease	3.8%	4.3%	5.9%	1.6%	5.1%	4.8%	3.5%	3.3%	3.2%	4.1%	5.1%	4.3%
Chronic Neurologic Disorder	14.8%	13.4%	18.8%	9.8%	10.3%	12.1%	13.7%	15.4%	13.4%	13.5%	13.7%	11.8%
Chronic Obstructive Pulmonary Disease	16.0%	15.4%	12.5%	15.0%	20.6%	18.8%	12.4%	18.1%	18.7%	11.9%	15.2%	17.5%
Chronic Viral Infection	9.6%	9.6%	11.1%	3.6%	6.6%	4.8%	14.9%	4.9%	10.6%	13.5%	8.6%	7.7%
Coronary Artery Disease	16.8%	18.7%	15.7%	17.1%	16.2%	30.1%	16.5%	17.6%	14.7%	24.6%	15.9%	19.3%
Diabetes	17.4%	18.8%	24.7%	16.1%	18.4%	27.9%	14.9%	21.4%	20.2%	16.8%	15.2%	21.5%
Digestive System Disease	43.2%	40.3%	43.6%	44.6%	38.2%	39.7%	38.7%	50.5%	37.2%	36.7%	44.4%	34.9%
Hypertension	38.5%	40.5%	50.9%	33.2%	44.1%	54.8%	29.9%	50.5%	32.6%	36.5%	43.3%	41.3%
Injury and Poisoning	19.9%	16.0%	15.7%	14.5%	10.3%	18.4%	13.7%	23.6%	20.2%	14.1%	16.0%	14.1%
Liver Disease	3.8%	3.3%	2.8%	1.6%	0.7%	3.7%	4.1%	6.6%	2.6%	2.2%	3.8%	4.3%
Other Endocrine	10.0%	9.6%	9.4%	9.3%	11.8%	8.1%	8.4%	11.0%	10.2%	5.9%	9.7%	14.7%
Peripheral Vascular Disease	3.0%	3.4%	3.7%	2.5%	3.0%	1.8%	3.3%	2.5%	1.9%	3.6%	2.0%	3.6%
GAF scores												
Lowest inpatient GAF score, mean	39.59	44.00	44.00	43.75	48.40	28.67	43.55	35.00	47.25	42.46	44.31	40.58
SD	*14.06*	*9.55*	*4.55*	*11.81*	*3.69*	*25.11*	*7.86*	*8.66*	*8.30*	*9.92*	*10.01*	*13.05*
Mean outpatient GAF score	53.41	55.19	53.85	55.54	56.06	50.34	55.88	61.83	58.00	49.01	54.20	61.42
SD	*10.75*	*9.85*	*8.77*	*9.05*	*8.48*	*6.80*	*10.21*	*9.10*	*10.33*	*9.31*	*8.58*	*7.75*
At least 1 IP GAF, among pts with MH bdscts, %	39.1%	31.7%	30.0%	22.2%	76.9%	8.8%	59.7%	18.8%	26.1%	22.9%	30.8%	31.6%
At least 1 OP GAF, among pts with MH stops, %	81.5%	79.4%	73.4%	96.6%	87.2%	33.5%	81.3%	88.3%	75.7%	84.5%	84.3%	86.8%
Mortality rates												
died in FY02, %	1.5%	1.5%	0.3%	1.6%	1.5%	1.8%	2.3%	0.0%	1.9%	1.0%	1.9%	1.6%
Age-gender-adjusted Standardized Mortality Ratio	1.07	1.05	0.28	1.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Bipolar Patients	73964	3882	287	193	136	272	395	182	470	630	876	441
Service Connection (SC)												
Non-SC	55.9%	58.9%	54.7%	63.7%	66.9%	50.7%	66.3%	61.0%	59.6%	50.2%	62.0%	59.9%
SC 0 - 29%	10.0%	10.7%	8.7%	10.4%	11.8%	12.1%	9.6%	13.7%	9.8%	11.0%	12.3%	7.7%
SC 30 - 69%	13.4%	13.0%	12.9%	13.5%	12.5%	12.5%	8.6%	9.9%	15.7%	14.8%	11.4%	16.3%
SC 70 - 99%	8.9%	7.4%	7.0%	6.2%	4.4%	11.4%	4.1%	6.0%	6.6%	11.7%	6.3%	7.5%
SC 100%	11.8%	10.0%	16.7%	6.2%	4.4%	13.2%	11.4%	9.3%	8.3%	12.4%	8.0%	8.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %												
Complex*	12.2%	11.6%	5.9%	3.1%	17.6%	5.9%	22.3%	8.8%	11.7%	8.6%	16.4%	7.0%
Basic vested, Cat A*	80.3%	80.0%	79.8%	86.5%	74.3%	90.1%	64.1%	82.4%	79.8%	82.7%	79.1%	84.4%
Basic Non-vested, Cat A*	0.9%	1.5%	4.5%	0.5%	1.5%	0.4%	2.0%	1.1%	1.7%	2.7%	0.5%	0.5%
Basic, Cats C and N	6.6%	6.9%	9.8%	9.8%	6.6%	3.7%	11.6%	7.7%	6.8%	6.0%	4.0%	8.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded												
Patient eligibility category, %												
Cat A (SC or low income)	93.2%	93.0%	90.2%	90.2%	92.6%	96.3%	88.4%	91.8%	93.0%	94.0%	95.9%	91.8%
Cat C (NSC and higher income)	5.9%	6.4%	9.4%	8.3%	7.4%	3.7%	11.1%	6.6%	6.2%	5.1%	3.9%	7.9%
Non-Veteran	0.9%	0.6%	0.3%	1.6%	0.0%	0.0%	0.5%	1.6%	0.9%	1.0%	0.2%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %												
BASIC 1. Non-reliant Care	0.1%	0.1%	0.0%	0.0%	0.7%	0.0%	0.0%	0.0%	0.0%	0.5%	0.0%	0.2%
2. Basic Medical	15.2%	15.2%	26.5%	23.8%	11.8%	19.1%	7.6%	10.4%	15.7%	11.7%	12.3%	21.3%
3. Mental Health	40.5%	42.3%	35.5%	51.3%	45.6%	45.2%	35.2%	42.3%	40.9%	46.3%	41.2%	44.0%
4. Heart / Lung / GI	6.9%	7.7%	14.6%	9.8%	7.4%	9.9%	4.8%	9.9%	6.2%	7.8%	6.1%	7.7%
5. Oncology / Infectious Disease	4.3%	4.1%	4.9%	1.6%	1.5%	1.8%	6.3%	2.7%	3.8%	6.3%	3.3%	4.5%
6. Multiple Medical	20.7%	18.9%	12.5%	10.4%	15.4%	18.0%	23.8%	25.8%	21.7%	18.7%	20.7%	15.2%
COMPLEX 7. Specialized Care	2.2%	1.8%	1.0%	1.0%	1.5%	1.8%	4.1%	1.1%	1.9%	2.5%	0.8%	1.4%
8. Support Care	2.1%	2.5%	2.4%	1.0%	5.9%	1.8%	3.3%	0.5%	3.0%	1.1%	4.2%	0.5%
9. Chronic Mental	6.8%	6.3%	1.0%	0.5%	6.6%	2.2%	12.7%	5.5%	5.7%	4.8%	9.9%	4.8%
10. Critically Ill	1.1%	1.1%	1.4%	0.5%	3.7%	0.0%	2.3%	1.6%	1.1%	0.2%	1.5%	0.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Substance Dependence and Abuse												
Any dx of alcohol / drug dependence or abuse, %	29.8%	29.4%	16.4%	20.7%	30.9%	19.1%	42.8%	31.9%	24.7%	28.6%	38.9%	21.5%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Bipolar Patients	73964	3882	287	193	136	272	395	182	470	630	876	441
Homelessness												
Homelessness indicated in FY02, %	13.8%	12.0%	3.5%	2.1%	11.8%	7.4%	14.9%	4.9%	14.5%	11.6%	18.7%	9.8%
Residence in Metropolitan Area												
Residing in a Metropolitan Statistical Area, %	79.3%	84.8%	90.9%	70.5%	83.8%	16.2%	98.7%	77.5%	85.5%	99.8%	92.9%	82.1%
Distance												
Mile from Closest VA Medical Center, mean	34.15	19.61	24.87	22.68	19.56	29.81	13.85	19.43	21.33	12.13	16.30	29.23
SD	*73.16*	*17.08*	*23.66*	*18.35*	*13.54*	*21.10*	*12.50*	*18.65*	*12.57*	*13.18*	*14.46*	*17.34*
Distance from closest VA Medical Center, %												
0 to 15 miles	46.2%	49.9%	54.4%	39.4%	41.9%	22.4%	61.9%	52.2%	30.2%	73.8%	59.8%	26.5%
15 to 30 miles	17.2%	25.2%	8.4%	22.8%	36.8%	32.0%	28.9%	15.9%	46.2%	19.2%	23.4%	19.7%
30 to 45 miles	10.6%	15.9%	15.7%	28.0%	16.2%	19.5%	6.1%	26.4%	19.4%	3.2%	11.6%	35.6%
45 to 60 miles	8.5%	5.6%	12.2%	7.3%	4.4%	8.8%	2.0%	2.2%	4.3%	1.6%	4.3%	13.4%
60 plus miles	17.4%	3.4%	9.4%	2.6%	0.7%	17.3%	1.0%	3.3%	0.0%	2.2%	0.8%	4.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.09	8.63	10.95	10.80	8.32	13.86	5.85	7.77	7.60	6.21	8.76	10.14
SD	*13.59*	*7.26*	*9.46*	*9.16*	*6.03*	*10.48*	*4.47*	*7.47*	*6.85*	*4.52*	*6.22*	*7.27*
Distance to closest VA Service Site, %												
0 to 15 miles	76.3%	83.2%	79.8%	63.7%	87.5%	46.0%	96.2%	78.0%	89.4%	97.3%	86.2%	73.7%
15 to 30 miles	15.4%	14.9%	11.1%	34.2%	12.5%	45.6%	3.8%	21.4%	9.8%	2.5%	12.7%	25.6%
30 to 45 miles	5.7%	1.8%	9.1%	2.1%	0.0%	8.5%	0.0%	0.5%	0.9%	0.0%	1.1%	0.7%
45 plus miles	2.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3H: FY03 Bipolar Patients, Utilization, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Bipolar Patients	73964	3882	287	193	136	272	395	182	470	630	876	441
Hospital Based Utilization												
Patients with some Hospital Based Utilization, %	25.4%	22.4%	16.0%	11.9%	13.2%	24.3%	21.3%	21.4%	25.5%	21.6%	29.7%	17.9%
Hospital based utilization: Overall (psych & non-psych- for those w/ hosp.based util.)												
Inpatient stays, mean	1.80	1.70	1.39	1.26	1.72	2.02	1.79	1.77	1.83	1.46	1.76	1.67
SD	*1.41*	*1.21*	*0.74*	*0.45*	*1.02*	*1.51*	*1.45*	*1.13*	*1.36*	*0.75*	*1.25*	*1.25*
Average LOS, mean	9.79	9.58	6.80	5.20	8.71	5.93	10.18	5.94	8.41	9.41	13.36	6.55
SD	*17.76*	*17.53*	*6.93*	*3.93*	*5.80*	*3.97*	*8.41*	*3.85*	*5.52*	*7.20*	*30.19*	*6.53*
Cumulative DOS, mean	17.09	16.27	10.57	6.30	13.72	12.80	18.90	11.87	15.73	14.75	21.85	10.39
SD	*27.94*	*24.84*	*13.78*	*4.59*	*10.14*	*17.49*	*21.06*	*10.99*	*17.34*	*14.63*	*37.96*	*11.12*
Cumulative DOS, %												
1 to 7	44.7%	42.4%	60.9%	78.3%	33.3%	45.5%	36.9%	51.3%	35.8%	36.8%	38.8%	53.2%
8 to 14	21.9%	23.7%	17.4%	13.0%	27.8%	36.4%	22.6%	12.8%	29.2%	22.8%	21.5%	25.3%
15 to 44	25.9%	27.2%	19.6%	8.7%	33.3%	15.2%	28.6%	35.9%	27.5%	36.0%	28.8%	19.0%
45 to 89	5.3%	5.3%	2.2%	0.0%	5.6%	1.5%	10.7%	0.0%	5.8%	4.4%	7.3%	2.5%
90 to 179	1.5%	0.9%	0.0%	0.0%	0.0%	1.5%	1.2%	0.0%	1.7%	0.0%	1.5%	0.0%
180 to 359	0.5%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.9%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. pts with a 100+ day hospital stay, %	1.0%	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.3%	0.0%
Cumul. DOS, pts w/ 100+ day hosp. stay, mean	203.75	212.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	212.00	0.00
SD	*79.71*	*77.29*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*77.29*	*0.00*
Hos. patients who had a 150+ day hosp. stay, %	0.6%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.5%	0.0%
Cum. DOS, pts w/ 150+ day hosp. stay, mean	251.69	249.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	249.50	0.00
SD	*73.28*	*65.79*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*65.79*	*0.00*
Cumulative DOS at Other VISNs	0.67	0.62	0.87	0.09	0.33	0.52	0.83	0.36	0.62	0.96	0.46	0.58
SD	*4.53*	*3.35*	*2.33*	*0.29*	*1.41*	*3.19*	*2.94*	*1.27*	*3.11*	*4.06*	*3.53*	*4.25*
Cumulative DOS at Other Stations	1.97	2.60	3.17	3.09	12.61	1.62	6.02	8.97	2.23	2.24	0.79	0.97
SD	*7.12*	*6.69*	*6.58*	*4.96*	*11.25*	*5.57*	*8.52*	*9.97*	*6.44*	*6.41*	*4.32*	*4.52*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Bipolar Patients	73964	3882	287	193	136	272	395	182	470	630	876	441
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)												
Pts. with non-psych hospital stays, %	11.7%	11.1%	13.2%	8.8%	5.9%	16.5%	7.1%	18.7%	10.4%	9.7%	13.6%	7.0%
Inpatient stays, mean	0.72	0.76	1.15	0.87	0.72	1.30	0.48	1.21	0.65	0.57	0.80	0.52
SD	*1.10*	*1.08*	*0.87*	*0.63*	*0.96*	*1.60*	*0.80*	*0.77*	*1.00*	*0.73*	*1.29*	*0.78*
Average LOS, mean	6.20	5.16	6.02	4.21	4.08	4.67	7.36	3.84	4.96	4.96	5.52	4.39
SD	*10.70*	*4.86*	*6.71*	*2.27*	*2.47*	*4.15*	*6.66*	*3.00*	*3.35*	*5.14*	*5.14*	*4.30*
Cumulative Days of Stay, mean	4.64	4.34	7.93	3.52	3.11	7.33	3.57	4.77	3.43	3.31	4.85	2.33
SD	*13.49*	*10.63*	*12.87*	*3.22*	*5.11*	*17.25*	*9.86*	*5.76*	*6.87*	*8.86*	*12.61*	*5.27*
Cumulative Days of Stay, %												
0	54.1%	50.6%	17.4%	26.1%	55.6%	31.8%	66.7%	12.8%	59.2%	55.1%	54.2%	60.8%
1 to 7	30.1%	33.9%	56.5%	65.2%	33.3%	47.0%	19.0%	71.8%	26.7%	30.9%	28.5%	31.6%
8 to 14	7.4%	8.4%	8.7%	8.7%	5.6%	13.6%	7.1%	10.3%	8.3%	8.1%	8.8%	3.8%
15 to 44	7.0%	5.9%	15.2%	0.0%	5.6%	4.5%	6.0%	5.1%	5.0%	5.1%	6.5%	3.8%
45 to 89	1.1%	1.0%	2.2%	0.0%	0.0%	1.5%	1.2%	0.0%	0.8%	0.7%	1.5%	0.0%
90 to 179	0.3%	0.2%	0.0%	0.0%	0.0%	1.5%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. W/ 100+ day non-psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day hosp. stay, mean	187.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*73.96*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. w/ 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day hosp. stay, mean	239.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.15*	*0.18*	*0.35*	*0.04*	*0.00*	*0.41*	*0.20*	*0.26*	*0.23*	*0.11*	*0.18*	*0.00*
SD	*2.03*	*1.80*	*1.66*	*0.21*	*0.00*	*3.08*	*1.36*	*1.12*	*1.36*	*0.91*	*2.44*	*0.00*
Other station cumulative DOS, mean	0.50	0.66	0.54	0.30	2.00	0.73	1.61	1.87	0.83	0.18	0.38	0.35
SD	*3.25*	*3.23*	*1.86*	*0.93*	*4.98*	*3.28*	*5.44*	*5.23*	*3.84*	*1.10*	*2.72*	*1.63*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Bipolar Patients	73964	3882	287	193	136	272	395	182	470	630	876	441
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)												
Pts. with psych hospital stays, %	16.8%	14.1%	3.5%	4.7%	9.6%	12.5%	17.0%	8.8%	18.7%	13.2%	19.3%	12.9%
Inpatient stays, mean	1.08	0.94	0.24	0.39	1.00	0.71	1.31	0.56	1.18	0.90	0.96	1.15
SD	*1.27*	*1.08*	*0.48*	*0.50*	*1.03*	*0.89*	*1.50*	*0.79*	*1.18*	*0.93*	*0.95*	*1.32*
Average LOS, mean	12.15	13.10	11.55	7.11	11.12	7.31	11.94	13.45	10.56	12.66	18.59	7.76
SD	*21.36*	*21.88*	*9.52*	*5.97*	*6.34*	*3.11*	*10.88*	*5.86*	*7.23*	*6.88*	*37.01*	*7.64*
Cumulative Days of Stay, mean	12.44	11.93	2.63	2.78	10.61	5.47	15.33	7.10	12.31	11.44	16.99	8.06
SD	*25.57*	*23.42*	*6.54*	*5.05*	*11.59*	*8.18*	*19.43*	*9.80*	*15.71*	*14.12*	*36.69*	*11.13*
Cumulative Days of Stay, %												
0	34.1%	37.3%	78.3%	60.9%	27.8%	48.5%	20.2%	59.0%	26.7%	39.0%	35.0%	27.8%
1 to 7	24.8%	19.4%	6.5%	30.4%	22.2%	22.7%	26.2%	2.6%	20.0%	11.0%	19.6%	34.2%
8 to 14	16.7%	16.9%	10.9%	4.3%	22.2%	19.7%	19.0%	10.3%	23.3%	16.2%	14.2%	21.5%
15 to 44	19.0%	21.2%	4.3%	4.3%	22.2%	9.1%	26.2%	28.2%	23.3%	30.1%	22.7%	13.9%
45 to 89	3.7%	4.1%	0.0%	0.0%	5.6%	0.0%	8.3%	0.0%	5.8%	3.7%	5.4%	2.5%
90 to 179	1.2%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.8%	0.0%	1.5%	0.0%
180 to 359	0.4%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.5%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.8%	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.3%	0.0%
Cumul. DOS, pts w/ 100+ day hosp. stay, mean	201.69	212.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	212.00	0.00
SD	*78.85*	*77.29*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*77.29*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.5%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.5%	0.0%
Cum. DOS, pts w/ 150+ day hosp. stay, mean	248.87	249.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	249.50	0.00
SD	*70.96*	*65.79*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*65.79*	*0.00*
Other VISN cumulative DOS, mean	0.52	0.43	0.52	0.04	0.33	0.11	0.63	0.10	0.39	0.85	0.28	0.58
SD	4.00	2.81	1.75	0.21	1.41	0.86	2.66	0.64	2.49	3.98	2.57	4.25
Other station cumulative DOS, mean	1.48	1.94	2.63	2.78	10.61	0.89	4.42	7.10	1.41	2.06	0.42	0.62
SD	6.29	5.98	6.54	5.05	11.59	4.65	7.48	9.80	4.96	6.38	3.39	4.26

Table 3H: FY03 Bipolar Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Bipolar Patients	73964	3882	287	193	136	272	395	182	470	630	876	441
Other 24 hour institutional care												
Patients with some other 24 hour inst. care, %	8.1%	11.1%	3.1%	1.0%	22.1%	0.4%	32.7%	6.0%	14.0%	6.2%	13.9%	4.5%
Residential Rehab (reported for those w/ RR care)												
Patients with some residential rehab. care, %	2.6%	1.8%	0.0%	0.0%	0.7%	0.0%	0.5%	0.0%	7.2%	0.6%	1.3%	3.6%
Number stays, mean	*1.12*	*1.10*	*0.00*	*0.00*	*1.00*	*0.00*	*1.00*	*0.00*	*1.12*	*1.00*	*1.09*	*1.13*
SD	*0.38*	*0.31*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.33*	*0.00*	*0.30*	*0.34*
Average LOS, mean	33.17	31.68	0.00	0.00	21.00	0.00	16.50	0.00	25.90	21.00	75.09	19.38
SD	*32.92*	*35.24*	*0.00*	*0.00*	*0.00*	*0.00*	*6.36*	*0.00*	*20.21*	*0.00*	*66.50*	*2.96*
Cumulative DOS, mean	36.42	33.74	0.00	0.00	21.00	0.00	16.50	0.00	28.38	21.00	77.64	21.06
SD	*35.54*	*35.54*	*0.00*	*0.00*	*0.00*	*0.00*	*6.36*	*0.00*	*22.02*	*0.00*	*65.03*	*3.23*
Cumulative Days of Stay, %												
1 to 7	10.4%	5.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	8.8%	0.0%	9.1%	0.0%
8 to 14	11.3%	10.3%	0.0%	0.0%	0.0%	0.0%	50.0%	0.0%	14.7%	0.0%	0.0%	6.3%
15 to 44	53.1%	64.7%	0.0%	0.0%	100.0%	0.0%	50.0%	0.0%	61.8%	100.0%	18.2%	93.8%
45 to 89	18.3%	14.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	14.7%	0.0%	45.5%	0.0%
90 to 179	5.8%	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	18.2%	0.0%
180 to 359	1.0%	1.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	9.1%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	100.0%	0.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.3%	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	18.2%	0.0%
Cum. DOS, pts w/ 100+ day res rehab stay, mean	167.40	185.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	185.50	0.00
SD	*69.53*	*84.15*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*84.15*	*0.00*
Res Rehab pts w/ 150+ day Res Rehab stay, %	1.3%	1.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	9.1%	0.0%
Cum. DOS, pts w/ 150+ day res rehab stay, mean	224.60	245.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	245.00	0.00
SD	*70.59*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.28	0.21	0.00	0.00	0.00	0.00	6.00	0.00	0.00	0.00	0.18	0.00
SD	*6.79*	*1.47*	*0.00*	*0.00*	*0.00*	*0.00*	*8.49*	*0.00*	*0.00*	*0.00*	*0.60*	*0.00*
Other station cumulative DOS, mean	3.71	3.22	0.00	0.00	21.00	0.00	16.50	0.00	0.29	21.00	4.55	1.31
SD	*10.96*	*8.58*	*0.00*	*0.00*	*0.00*	*0.00*	*6.36*	*0.00*	*1.71*	*0.00*	*14.42*	*5.25*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Bipolar Patients	73964	3882	287	193	136	272	395	182	470	630	876	441
Domiciliary and Vocational (reported for those with some dom/voc care)												
Patients with some dom/voc care, %	4.2%	7.1%	1.0%	0.0%	15.4%	0.4%	28.1%	2.2%	5.5%	5.2%	8.9%	0.0%
Number stays, mean	1.14	1.13	1.00	0.00	1.48	1.00	1.06	1.00	1.08	1.09	1.19	0.00
SD	*0.38*	*0.36*	*0.00*	*0.00*	*0.51*	*0.00*	*0.24*	*0.00*	*0.27*	*0.29*	*0.46*	*0.00*
Average LOS, mean	80.47	44.89	7.67	0.00	61.10	14.00	40.66	14.75	60.44	22.09	54.37	0.00
SD	*77.50*	*48.31*	*0.58*	*0.00*	*31.43*	*0.00*	*40.87*	*13.94*	*77.09*	*15.89*	*55.45*	*0.00*
Cumulative DOS, mean	88.84	51.23	7.67	0.00	88.57	14.00	42.20	14.75	66.42	25.58	63.85	0.00
SD	*82.55*	*54.51*	*0.58*	*0.00*	*48.83*	*0.00*	*41.63*	*13.94*	*85.50*	*25.02*	*61.09*	*0.00*
Cumulative Days of Stay, %												
1 to 7	6.1%	9.4%	33.3%	0.0%	0.0%	0.0%	6.3%	50.0%	19.2%	18.2%	6.4%	0.0%
8 to 14	5.6%	7.9%	66.7%	0.0%	0.0%	100.0%	4.5%	0.0%	15.4%	18.2%	5.1%	0.0%
15 to 44	28.2%	48.0%	0.0%	0.0%	19.0%	0.0%	61.3%	50.0%	30.8%	51.5%	43.6%	0.0%
45 to 89	21.0%	14.1%	0.0%	0.0%	38.1%	0.0%	15.3%	0.0%	11.5%	6.1%	11.5%	0.0%
90 to 179	26.2%	17.0%	0.0%	0.0%	42.9%	0.0%	10.8%	0.0%	7.7%	6.1%	28.2%	0.0%
180 to 359	10.5%	3.6%	0.0%	0.0%	0.0%	0.0%	1.8%	0.0%	15.4%	0.0%	5.1%	0.0%
360+	2.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%
Dom. patients with 100+ day Dom. stay, %	32.1%	17.0%	0.0%	0.0%	28.6%	0.0%	9.9%	0.0%	23.1%	0.0%	30.8%	0.0%
Cum. DOS, pts w/ 100+ day Dom. stay, mean	184.30	155.51	0.00	0.00	152.00	0.00	147.82	0.00	211.17	0.00	146.00	0.00
SD	*76.03*	*39.23*	*0.00*	*0.00*	*19.70*	*0.00*	*32.80*	*0.00*	*46.63*	*0.00*	*33.46*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.5%	6.1%	0.0%	0.0%	4.8%	0.0%	3.6%	0.0%	19.2%	0.0%	9.0%	0.0%
Cum. DOS, pts w/ 150+ day Dom. stay, mean	236.94	196.00	0.00	0.00	167.00	0.00	186.25	0.00	223.80	0.00	185.86	0.00
SD	*71.03*	*32.96*	*0.00*	*0.00*	*0.00*	*0.00*	*11.44*	*0.00*	*39.00*	*0.00*	*29.16*	*0.00*
Other VISN cumulative DOS, mean	1.76	1.24	0.00	0.00	0.00	0.00	0.02	0.00	3.19	4.24	1.51	0.00
SD	*9.43*	*7.91*	*0.00*	*0.00*	*0.00*	*0.00*	*0.13*	*0.00*	*12.95*	*15.30*	*8.03*	*0.00*
Other station cumulative DOS, mean	4.27	6.74	7.67	0.00	9.00	14.00	0.02	14.75	15.58	25.58	4.26	0.00
SD	*15.65*	*15.43*	*0.58*	*0.00*	*11.39*	*0.00*	*0.13*	*13.94*	*17.56*	*25.02*	*14.03*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Bipolar Patients	73964	3882	287	193	136	272	395	182	470	630	876	441
Nursing Home Care (reported for those with some nursing home care)												
Patients with some nursing home care, %	2.1%	2.8%	2.1%	1.0%	7.4%	0.0%	5.6%	3.8%	3.0%	0.6%	4.5%	0.9%
Number stays, mean	1.22	1.19	1.17	2.00	1.20	0.00	1.09	1.43	1.21	1.25	1.18	1.00
SD	*0.55*	*0.46*	*0.41*	*1.41*	*0.42*	*0.00*	*0.29*	*0.53*	*0.58*	*0.50*	*0.45*	*0.00*
Average LOS, mean	86.89	96.89	66.92	43.50	29.25	0.00	129.05	69.14	100.80	185.88	85.03	222.25
SD	*110.58*	*122.78*	*57.19*	*50.20*	*18.66*	*0.00*	*148.04*	*130.75*	*114.41*	*205.68*	*109.47*	*173.78*
Cumulative DOS, mean	98.25	106.79	81.17	51.50	36.70	0.00	130.86	77.71	115.64	187.75	99.85	222.25
SD	*116.77*	*127.81*	*71.59*	*38.89*	*28.49*	*0.00*	*146.78*	*127.80*	*125.08*	*203.54*	*124.02*	*173.78*
Cumulative Days of Stay, %												
1 to 7	10.5%	7.4%	0.0%	0.0%	20.0%	0.0%	18.2%	14.3%	0.0%	0.0%	2.6%	0.0%
8 to 14	10.7%	10.2%	16.7%	0.0%	0.0%	0.0%	4.5%	14.3%	7.1%	25.0%	12.8%	25.0%
15 to 44	30.2%	31.5%	33.3%	50.0%	50.0%	0.0%	27.3%	28.6%	35.7%	25.0%	30.8%	0.0%
45 to 89	16.4%	20.4%	0.0%	50.0%	20.0%	0.0%	4.5%	28.6%	21.4%	0.0%	33.3%	0.0%
90 to 179	12.3%	9.3%	50.0%	0.0%	10.0%	0.0%	18.2%	0.0%	7.1%	0.0%	0.0%	25.0%
180 to 359	10.2%	8.3%	0.0%	0.0%	0.0%	0.0%	4.5%	0.0%	28.6%	0.0%	10.3%	0.0%
360+	9.8%	13.0%	0.0%	0.0%	0.0%	0.0%	22.7%	14.3%	0.0%	50.0%	10.3%	50.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	27.9%	28.7%	50.0%	0.0%	0.0%	0.0%	40.9%	14.3%	35.7%	50.0%	20.5%	75.0%
Cum. DOS, pts w/ 100+ day NH stay, mean	261.88	286.81	143.33	0.00	0.00	0.00	282.33	364.00	255.20	364.00	334.00	293.33
SD	*97.21*	*98.15*	*34.27*	*0.00*	*0.00*	*0.00*	*108.57*	*0.00*	*109.27*	*0.00*	*41.18*	*122.40*
NH patients with 150+ day NH stay, %	22.1%	25.0%	33.3%	0.0%	0.0%	0.0%	31.8%	14.3%	28.6%	50.0%	20.5%	75.0%
Cum. DOS, pts w/ 150+ day NH stay, mean	296.07	311.93	162.50	0.00	0.00	0.00	325.29	364.00	294.00	364.00	334.00	293.33
SD	*76.98*	*77.38*	*12.02*	*0.00*	*0.00*	*0.00*	*77.24*	*0.00*	*76.70*	*0.00*	*41.18*	*122.40*
Other VISN cumulative DOS, mean	0.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*5.60*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.51	0.92	0.00	0.00	0.00	0.00	0.00	8.57	0.00	2.00	0.56	2.25
SD	*9.89*	*6.04*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*22.68*	*0.00*	*4.00*	*2.50*	*4.50*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Bipolar Patients	73964	3882	287	193	136	272	395	182	470	630	876	441
Outpatient utilization												
(reported for those with some outpatient care)												
Patients with some outpatient care, %	99.6%	99.4%	100.0%	100.0%	100.0%	100.0%	99.0%	99.5%	98.9%	99.8%	99.0%	99.5%
annual visit days, mean	24.20	20.23	15.13	15.49	22.88	17.75	19.17	22.27	19.13	21.63	24.43	17.35
SD	*30.37*	*26.93*	*13.28*	*13.13*	*25.41*	*13.84*	*25.47*	*24.23*	*23.32*	*40.74*	*29.73*	*16.66*
Outpatient visit days, %												
1-12	43.1%	48.8%	53.7%	49.2%	45.6%	44.9%	53.2%	44.8%	50.8%	55.0%	42.2%	49.0%
13-24	26.8%	27.1%	28.2%	33.7%	23.5%	30.1%	25.8%	26.0%	27.1%	23.8%	27.0%	29.2%
25-36	12.4%	11.8%	11.5%	10.4%	12.5%	16.5%	8.7%	12.2%	11.4%	9.5%	13.6%	11.8%
37-48	6.4%	4.6%	4.2%	3.1%	4.4%	5.5%	4.1%	6.1%	4.7%	3.8%	5.0%	4.8%
49+	11.4%	7.7%	2.4%	3.6%	14.0%	2.9%	8.2%	11.0%	6.0%	7.8%	12.2%	5.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpts who had some Primary Care (PC)	80.8%	79.7%	89.9%	94.3%	91.2%	90.4%	72.9%	90.6%	78.5%	69.3%	77.3%	78.6%
Mean PC visit days, among those with some PC	3.83	3.34	3.33	3.29	2.33	4.22	2.58	3.95	3.30	3.30	3.42	3.40
SD	3.42	2.65	2.22	2.20	1.68	3.26	1.71	3.08	2.31	2.68	2.87	2.99
Average number clinic stops per visit day, mean	1.50	1.46	1.48	1.39	1.69	1.66	1.35	1.46	1.42	1.62	1.37	1.40
SD	*0.46*	*0.41*	*0.43*	*0.35*	*0.48*	*0.42*	*0.34*	*0.53*	*0.35*	*0.51*	*0.29*	*0.33*
annual clinic stops (psych & non-psych), mean	37.58	29.58	22.33	21.01	40.45	29.82	27.39	31.36	27.34	33.55	33.65	24.47
SD	*53.68*	*39.24*	*19.87*	*17.60*	*50.89*	*25.41*	*39.63*	*32.78*	*34.58*	*55.69*	*42.61*	*25.13*
annual non-psych. clinic stops, mean	19.81	16.76	17.44	14.83	17.21	22.40	12.99	18.93	16.44	14.40	18.03	17.22
SD	*22.87*	*19.17*	*17.22*	*14.24*	*14.51*	*22.43*	*20.38*	*21.11*	*18.85*	*16.85*	*19.82*	*20.45*
annual psych. clinic stops (groupings below), mean	17.77	12.82	4.90	6.18	23.24	7.42	14.39	12.43	10.90	19.16	15.61	7.25
SD	*40.95*	*29.14*	*5.54*	*8.11*	*41.48*	*9.30*	*27.90*	*20.77*	*26.42*	*46.33*	*30.56*	*9.59*
1. general psych. clinic stops, mean	7.61	6.40	4.29	5.70	9.33	5.43	6.54	7.57	5.40	7.44	6.61	6.35
SD	*12.69*	*8.18*	*4.73*	*6.56*	*9.77*	*5.92*	*9.36*	*7.40*	*6.26*	*9.42*	*8.86*	*8.39*
2. psych. case management clinic stops, mean	0.65	0.31	0.00	0.00	0.00	0.00	1.58	0.00	0.27	0.01	0.53	0.01
SD	*8.45*	*3.47*	*0.06*	*0.00*	*0.00*	*0.00*	*8.36*	*0.00*	*0.80*	*0.12*	*4.56*	*0.15*
3. psych. day treatment clinic stops, mean	1.57	0.43	0.00	0.03	0.01	0.00	1.54	3.46	0.00	0.02	0.48	0.00
SD	*15.80*	*5.21*	*0.00*	*0.43*	*0.09*	*0.00*	*8.41*	*17.70*	*0.00*	*0.41*	*4.55*	*0.00*
4. substance abuse clinic stops, mean	4.64	3.19	0.53	0.03	13.13	0.71	1.72	0.77	0.71	10.46	2.65	0.33
SD	*21.97*	*21.13*	*2.72*	*0.26*	*32.87*	*2.91*	*5.53*	*2.35*	*2.67*	*44.91*	*16.18*	*1.83*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Bipolar Patients	73964	3882	287	193	136	272	395	182	470	630	876	441
5. psych. vocational clinic stops, mean	1.91	1.62	0.00	0.00	0.66	0.00	1.55	0.03	4.22	0.03	4.02	0.18
SD	*15.13*	*12.76*	*0.00*	*0.00*	*3.42*	*0.00*	*13.73*	*0.37*	*23.48*	*0.60*	*18.03*	*2.15*
6. PTSD clinic stops, mean	0.80	0.55	0.03	0.36	0.05	0.35	1.39	0.42	0.17	1.01	0.70	0.03
SD	*5.71*	*3.31*	*0.36*	*2.77*	*0.46*	*2.52*	*4.82*	*2.22*	*1.38*	*5.33*	*3.33*	*0.38*
7. psych. homeless clinic stops, mean	0.54	0.33	0.05	0.01	0.05	0.88	0.18	0.05	0.35	0.18	0.60	0.35
SD	*3.97*	*2.11*	*0.43*	*0.07*	*0.22*	*4.78*	*0.82*	*0.30*	*1.96*	*0.90*	*2.74*	*1.90*
Other VISN OP visit days, mean	0.48	0.35	0.24	0.16	0.42	0.28	0.40	0.71	0.41	0.38	0.28	0.34
SD	*2.80*	*2.00*	*1.00*	*0.87*	*3.07*	*1.16*	*1.55*	*2.60*	*2.53*	*2.60*	*1.81*	*1.56*
Other station OP visit days, mean	1.14	1.28	1.08	0.92	2.73	1.04	3.09	2.13	1.12	1.10	0.90	0.51
SD	*4.45*	*4.02*	*2.58*	*2.32*	*6.08*	*2.20*	*5.42*	*4.12*	*3.52*	*4.53*	*4.34*	*1.87*

Table 4H: FY03 Bipolar Patients, Pharmacy Utilization, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Bipolar Patients	73964	3882	287	193	136	272	395	182	470	630	876	441
Among all patients in the registry												
Pts. with any outpatient prescriptions, %	96.9%	96.7%	96.9%	94.3%	97.8%	98.9%	94.2%	98.4%	96.6%	96.0%	97.4%	97.5%
Patients with any oral antipsychotic fills, %*	46.0%	45.3%	43.9%	54.4%	43.4%	48.5%	40.8%	42.3%	54.9%	43.7%	41.8%	45.4%
Among pts. receiving any antipsychotic medication:												
Received only conventional antipsychotics, %	7.6%	9.4%	8.7%	14.3%	8.5%	10.6%	2.5%	5.2%	11.6%	14.2%	8.2%	7.0%
Received some atypical antipsychotics, %	92.4%	90.6%	91.3%	85.7%	91.5%	89.4%	97.5%	94.8%	88.4%	85.8%	91.8%	93.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %												
Aripiprazole	0.9%	0.2%	0.0%	1.0%	0.0%	0.0%	1.2%	0.0%	0.4%	0.0%	0.0%	0.0%
Clozapine	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%	0.5%
Olanzapine	40.7%	39.1%	55.6%	34.3%	35.6%	48.5%	43.5%	29.9%	40.3%	31.6%	34.7%	43.0%
Quetiapine	34.1%	29.2%	23.0%	43.8%	37.3%	28.8%	29.2%	23.4%	15.5%	30.9%	36.6%	27.5%
Risperidone	31.0%	33.4%	20.6%	17.1%	37.3%	23.5%	36.0%	57.1%	39.5%	34.5%	35.0%	32.0%
Ziprasidone	4.7%	2.7%	1.6%	4.8%	1.7%	3.0%	5.6%	1.3%	2.3%	4.0%	1.6%	1.5%
Pts receiving only one kind** of antipsychotic, %	77.4%	82.3%	84.9%	81.9%	81.4%	81.8%	82.6%	80.5%	81.0%	82.9%	80.6%	85.5%
Concurrent use of 2 or more antipsychotics, % ***	5.5%	4.0%	5.6%	6.7%	1.7%	6.1%	3.1%	1.3%	4.3%	4.4%	3.8%	2.5%
Among pts receiving just one antipsychotic:												
Antipsychotic fills, mean	6.09	5.86	4.68	5.74	5.42	4.22	6.59	7.21	5.89	5.55	5.93	6.99
SD	*4.43*	*4.06*	*3.14*	*3.88*	*3.91*	*2.97*	*4.38*	*4.25*	*4.01*	*3.71*	*4.29*	*4.53*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5H: FY03 Bipolar Patients, Cost, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Bipolar Patients	73964	3882	287	193	136	272	395	182	470	630	876	441
Total Costs (in thousands $$)	$907,650	$44,653	$2,297	$1,110	$1,740	$2,885	$6,125	$1,861	$5,325	$6,202	$13,847	$3,260
Station % of VISN		100.0%	5.1%	2.5%	3.9%	6.5%	13.7%	4.2%	11.9%	13.9%	31.0%	7.3%
Psych vs. Non-Psych Costs												
Psych	33.4%	29.3%	8.7%	19.8%	21.4%	20.7%	23.6%	24.0%	29.5%	35.9%	38.3%	22.4%
Non-Psych	66.6%	70.7%	91.3%	80.2%	78.6%	79.3%	76.4%	76.0%	70.5%	64.1%	61.7%	77.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use												
Per Patient	$15,075	$15,978	$11,462	$6,580	$17,830	$13,303	$17,094	$12,149	$13,589	$14,577	$22,005	$10,064
Per Day of Stay	$882	$982	$1,085	$1,044	$1,299	$1,039	$904	$1,023	$864	$988	$1,007	$968
Mean Outpatient Costs, Pts with some OP use												
Per Patient	$6,520	$5,586	$5,560	$4,423	$5,510	$6,711	$4,986	$5,852	$5,257	$5,884	$6,163	$4,644
Per Visit Day	$269	$276	$368	$286	$241	$378	$260	$263	$275	$272	$252	$268
By Cost Center												
1 Med	$1,060	$899	$737	$463	$848	$1,664	$938	$678	$617	$537	$1,473	$467
2 Surg	$459	$486	$807	$0	$0	$252	$375	$588	$422	$707	$627	$316
3 Psych	$2,315	$2,200	$293	$321	$1,511	$1,312	$2,322	$1,337	$2,431	$1,902	$4,431	$1,020
4 Psych Res Rehab Treatment Program	$298	$248	$0	$0	$45	$0	$22	$0	$917	$36	$442	$240
5 Non-VA	$176	$110	$24	$262	$21	$98	$52	$43	$91	$53	$237	$62
6 LTC Domiciliary	$455	$821	$39	$0	$3,271	$26	$3,751	$128	$301	$466	$897	$0
7 LTC Intermediate Care	$96	$78	$0	$0	$70	$341	$2	$0	$428	$0	$0	$0
8 LTC Nursing Home	$778	$1,040	$544	$242	$1,427	$0	$3,107	$1,632	$866	$268	$1,426	$663
9 Contract Nursing Home	$142	$66	$0	$40	$88	$203	$1	$0	$57	$0	$174	$0
10 OPC Med/Surg	$1,111	$1,022	$1,393	$596	$530	$1,110	$760	$1,161	$928	$1,129	$1,300	$642
11 OPC Psych	$1,781	$1,176	$401	$815	$1,222	$881	$1,334	$1,116	$908	$1,631	$1,623	$634
12 OPC Home Based Treatment	$532	$389	$452	$421	$670	$414	$329	$383	$353	$240	$555	$212
13 OPC Support	$1,309	$1,136	$1,486	$655	$1,406	$1,255	$885	$1,289	$1,062	$1,103	$1,267	$991
14 OPC Fee	$115	$98	$61	$96	$22	$198	$37	$437	$23	$30	$154	$67
15 OPC Pharmacy	$1,645	$1,732	$1,768	$1,840	$1,659	$2,854	$1,591	$1,434	$1,928	$1,743	$1,200	$2,077
TOTAL	$12,272	$11,503	$8,004	$5,752	$12,792	$10,607	$15,505	$10,226	$11,331	$9,845	$15,807	$7,391
Mean % Patient Costs at Other Stations	4.8%	6.3%	8.9%	7.0%	10.8%	6.5%	13.6%	14.2%	5.2%	5.1%	2.6%	3.2%
SD	*13.9%*	*16.0%*	*18.3%*	*16.8%*	*18.6%*	*15.8%*	*22.2%*	*24.5%*	*14.0%*	*14.8%*	*10.0%*	*11.4%*
Mean % Patient Costs at Other VISNs	2.0%	1.6%	2.4%	1.2%	1.2%	1.5%	2.0%	2.4%	1.1%	1.7%	1.4%	2.0%
SD	*9.0%*	*7.8%*	*9.8%*	*5.4%*	*6.5%*	*7.6%*	*8.8%*	*8.3%*	*5.5%*	*7.9%*	*7.5%*	*9.1%*

Table 2I: FY03 Other Psychosis Patients, Demographics, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Other Psychosis Patients	49401	2023	45	224	156	131	233	164	125	499	171	275
Age, %												
<35	2.2%	1.6%	4.4%	0.4%	0.0%	1.5%	0.4%	1.2%	4.0%	1.6%	5.3%	0.7%
>=35 and <50	12.5%	8.4%	4.4%	1.8%	2.6%	3.1%	7.3%	3.0%	12.0%	14.6%	14.6%	7.3%
>=50 and <65	22.1%	15.8%	20.0%	14.7%	9.0%	25.2%	9.9%	9.1%	16.0%	17.8%	23.4%	16.0%
>=65 and <80	36.7%	41.9%	48.9%	45.5%	42.3%	43.5%	42.9%	47.0%	42.4%	34.9%	34.5%	50.2%
>=80	26.5%	32.3%	22.2%	37.5%	46.2%	26.7%	39.5%	39.6%	25.6%	31.1%	22.2%	25.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	68.22	71.52	68.89	74.67	77.22	70.65	74.10	75.13	68.64	68.99	65.77	71.72
SD	*15.13*	*13.76*	*14.86*	*10.54*	*9.74*	*13.13*	*12.09*	*11.21*	*15.48*	*15.24*	*16.53*	*12.65*
Gender												
Male, %	96.0%	96.8%	97.8%	96.0%	96.8%	98.5%	94.8%	99.4%	97.6%	98.0%	95.3%	95.3%
Female, %	4.0%	3.2%	2.2%	4.0%	3.2%	1.5%	5.2%	0.6%	2.4%	2.0%	4.7%	4.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %												
Hispanic white	3.9%	0.7%	0.0%	0.0%	0.0%	0.8%	0.0%	0.0%	2.4%	1.6%	0.0%	1.1%
Hispanic black	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%
American Indian	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Black	15.5%	12.7%	17.8%	0.0%	1.3%	2.3%	13.7%	4.3%	11.2%	31.1%	19.3%	0.7%
Asian	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
White	48.2%	46.4%	68.9%	46.9%	56.4%	80.9%	27.0%	77.4%	52.8%	20.6%	59.1%	53.8%
Race unknown	31.5%	40.2%	13.3%	53.1%	42.3%	16.0%	59.2%	18.3%	33.6%	46.5%	21.6%	44.4%
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status												
Never married	13.4%	14.8%	22.2%	10.7%	9.0%	9.9%	13.4%	10.4%	11.2%	21.9%	18.8%	12.8%
Married	52.0%	56.4%	44.4%	63.4%	65.4%	73.3%	58.4%	57.9%	56.8%	50.1%	42.4%	56.6%
Divorced/Separated	22.5%	15.5%	20.0%	9.4%	9.6%	10.7%	12.6%	14.0%	19.2%	17.0%	24.1%	19.3%
Widowed	12.0%	13.3%	13.3%	16.5%	16.0%	6.1%	15.6%	17.7%	12.8%	11.0%	14.7%	11.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Other Psychosis Patients	49401	2023	45	224	156	131	233	164	125	499	171	275
Registry Pts. History of VA Utilization												
Years since first use in prior five years, mean	4.0	3.78	4.02	3.60	3.85	4.23	3.20	4.23	3.98	3.71	4.01	3.75
SD	*1.4*	*1.48*	*1.42*	*1.51*	*1.50*	*1.27*	*1.54*	*1.25*	*1.41*	*1.48*	*1.43*	*1.50*
Yrs w/ 24-hour inst use / yrs since 1st use, %	24.1%	20.4%	24.6%	19.0%	19.4%	26.6%	19.1%	19.4%	25.0%	18.8%	29.7%	14.0%
SD	*27.8%*	*27.4%*	*29.0%*	*28.9%*	*27.9%*	*29.4%*	*29.3%*	*25.2%*	*31.5%*	*26.1%*	*27.4%*	*21.8%*
Years with OP use / Years since first use, %	96.9%	96.2%	96.5%	97.3%	95.3%	98.0%	96.0%	97.6%	97.1%	94.1%	96.7%	97.1%
SD	*10.4%*	*11.7%*	*13.0%*	*9.2%*	*13.0%*	*7.7%*	*12.0%*	*8.1%*	*10.4%*	*14.0%*	*11.7%*	*11.8%*
Psychosis Diagnoses in Prior Fiscal Year												
Had Psychosis Diagnosis in FY01, %	33.8%	28.5%	26.7%	30.8%	28.8%	23.7%	27.5%	29.3%	30.4%	36.1%	19.9%	20.0%
Among Patients With Psychoses in FY01												
Psychosis Category: Schizophrenia, %	9.4%	9.7%	8.3%	2.9%	4.4%	9.7%	9.4%	0.0%	23.7%	11.7%	26.5%	5.5%
Psychosis Category: Bipolar Disorder, %	3.8%	3.0%	0.0%	0.0%	0.0%	0.0%	6.3%	0.0%	7.9%	2.8%	11.8%	1.8%
Psychosis Category: Other Psychosis, %	86.9%	87.3%	91.7%	97.1%	95.6%	90.3%	84.4%	100.0%	68.4%	85.6%	61.8%	92.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %												
Dementia	20.6%	17.8%	31.1%	9.4%	26.9%	30.5%	30.5%	14.6%	16.8%	12.2%	18.7%	12.4%
Post Traumatic Stress Disorder	13.4%	10.0%	8.9%	3.1%	2.6%	22.9%	7.7%	6.7%	12.8%	15.0%	11.1%	6.5%
Depression	37.7%	32.3%	31.1%	19.2%	26.3%	46.6%	28.3%	37.2%	28.8%	35.9%	41.5%	29.8%
Other Anxiety Disorder	12.0%	10.1%	6.7%	5.4%	5.1%	15.3%	7.7%	15.2%	11.2%	11.2%	10.5%	11.3%
Substance Abuse or Dependence	15.7%	11.7%	11.1%	2.7%	3.2%	6.9%	12.4%	6.7%	15.2%	16.4%	26.3%	9.1%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Other Psychosis Patients	49401	2023	45	224	156	131	233	164	125	499	171	275
Medical Comorbidities, %												
No medical comorbidities	8.3%	6.7%	2.2%	1.8%	3.8%	5.3%	12.0%	3.7%	8.8%	8.8%	5.3%	6.9%
Anemia	14.2%	13.7%	8.9%	9.8%	28.8%	20.6%	7.3%	28.0%	7.2%	10.0%	14.0%	12.4%
Arthritis	39.1%	33.5%	37.8%	31.7%	28.8%	38.2%	30.0%	43.9%	34.4%	32.3%	39.2%	29.8%
Cancer	14.0%	14.2%	13.3%	17.9%	12.8%	12.2%	13.3%	17.1%	12.0%	15.6%	13.5%	11.3%
Cerebrovascular Disease	16.4%	15.9%	11.1%	19.2%	20.5%	14.5%	12.9%	22.0%	8.8%	13.0%	18.7%	17.5%
Chronic Neurologic Disorder	20.8%	17.8%	24.4%	14.7%	19.9%	13.7%	12.0%	15.2%	20.8%	20.2%	15.8%	21.8%
Chronic Obstructive Pulmonary Disease	17.9%	16.9%	22.2%	17.9%	16.7%	26.7%	8.6%	23.8%	16.0%	13.6%	17.5%	19.6%
Chronic Viral Infection	5.9%	4.4%	4.4%	0.9%	0.0%	2.3%	4.3%	4.3%	2.4%	9.8%	7.0%	0.4%
Coronary Artery Disease	33.0%	43.5%	35.6%	46.9%	45.5%	48.9%	32.6%	50.0%	37.6%	48.9%	33.9%	42.9%
Diabetes	23.4%	24.5%	26.7%	25.9%	29.5%	24.4%	21.9%	26.8%	16.8%	24.0%	23.4%	26.2%
Digestive System Disease	42.9%	38.9%	42.2%	42.4%	35.9%	45.8%	32.2%	52.4%	33.6%	37.1%	47.4%	32.0%
Hypertension	54.9%	56.1%	80.0%	57.6%	57.7%	61.8%	50.2%	72.6%	44.0%	50.9%	55.0%	57.8%
Injury and Poisoning	19.4%	13.6%	13.3%	10.3%	13.5%	17.6%	14.6%	17.7%	13.6%	11.8%	15.2%	13.8%
Liver Disease	3.8%	3.5%	0.0%	4.9%	3.8%	3.8%	2.6%	4.3%	1.6%	2.2%	7.0%	3.6%
Other Endocrine	9.5%	8.5%	8.9%	12.1%	10.3%	7.6%	8.2%	5.5%	9.6%	6.6%	7.6%	10.2%
Peripheral Vascular Disease	7.8%	9.6%	11.1%	10.7%	12.8%	6.1%	5.2%	13.4%	8.0%	8.8%	11.7%	10.5%
GAF scores												
Lowest inpatient GAF score, mean	37.71	41.72	30.00	24.00	48.86	0.00	42.56	0.00	55.00	35.92	46.56	37.17
SD	*14.78*	*12.75*	*0.00*	*1.00*	*6.84*	*0.00*	*8.21*	*0.00*	*14.14*	*15.07*	*14.07*	*8.01*
Mean outpatient GAF score	48.43	49.66	48.15	52.36	49.07	46.51	47.83	53.17	56.25	44.58	48.94	55.73
SD	*11.56*	*11.16*	*10.03*	*12.42*	*12.48*	*10.32*	*11.98*	*11.49*	*10.21*	*8.71*	*9.44*	*10.54*
At least 1 IP GAF, among pts w/ MH bdscts, %	36.3%	24.5%	0.0%	0.0%	33.3%	0.0%	52.9%	0.0%	10.0%	22.0%	29.0%	23.8%
At least 1 OP GAF, among pts with MH stops, %	74.8%	72.3%	64.7%	80.5%	90.6%	38.3%	63.2%	83.6%	66.7%	78.8%	72.6%	80.6%
Mortality rates												
died in FY02, %	6.2%	6.5%	8.9%	12.9%	10.9%	9.2%	3.4%	7.9%	5.6%	3.0%	8.8%	4.4%
Age-gender-adjusted Standardized Mortality Ratio	1.21	1.08	1.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Other Psychosis Patients	49401	2023	45	224	156	131	233	164	125	499	171	275
Service Connection (SC)												
Non-SC	63.3%	69.8%	68.9%	76.8%	72.4%	64.1%	78.1%	82.3%	66.4%	66.3%	60.2%	64.7%
SC 0 - 29%	10.4%	10.5%	6.7%	8.9%	11.5%	9.2%	8.2%	5.5%	5.6%	12.8%	18.1%	10.9%
SC 30 - 69%	10.8%	9.2%	17.8%	5.8%	12.8%	10.7%	6.9%	7.3%	7.2%	8.0%	11.1%	12.7%
SC 70 - 99%	6.4%	4.6%	2.2%	3.6%	1.3%	5.3%	3.0%	3.0%	9.6%	5.2%	6.4%	5.5%
SC 100%	9.1%	5.8%	4.4%	4.9%	1.9%	10.7%	3.9%	1.8%	11.2%	7.6%	4.1%	6.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %												
Complex*	15.0%	12.4%	15.6%	4.9%	26.3%	6.1%	15.9%	17.1%	12.8%	7.4%	30.4%	5.1%
Basic vested, Cat A*	74.8%	70.8%	77.8%	77.7%	58.3%	84.0%	53.6%	67.7%	68.8%	76.2%	60.2%	78.9%
Basic Non-vested, Cat A*	0.8%	1.1%	0.0%	0.4%	0.0%	0.0%	2.1%	0.6%	1.6%	1.4%	1.8%	1.5%
Basic, Cats C and N	9.4%	15.7%	6.7%	17.0%	15.4%	9.9%	28.3%	14.6%	16.8%	15.0%	7.6%	14.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded												
Patient eligibility category, %												
Cat A (SC or low income)	90.1%	83.7%	93.3%	82.6%	83.3%	89.3%	69.5%	84.1%	83.2%	84.8%	91.8%	85.5%
Cat C (NSC and higher income)	9.4%	16.0%	6.7%	17.0%	16.7%	10.7%	30.5%	15.9%	16.8%	14.8%	7.0%	14.2%
Non-Veteran	0.6%	0.3%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%	1.2%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %												
BASIC 1. Non-reliant Care	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%	0.0%	0.4%
2. Basic Medical	25.3%	28.4%	17.8%	43.8%	27.6%	29.8%	21.9%	28.0%	24.0%	25.3%	15.2%	38.9%
3. Mental Health	25.6%	24.2%	17.8%	18.3%	22.4%	26.7%	32.2%	17.7%	32.8%	23.8%	19.9%	26.5%
4. Heart / Lung / GI	12.5%	17.3%	24.4%	21.4%	11.5%	13.7%	10.7%	19.5%	16.8%	23.4%	7.6%	16.7%
5. Oncology / Infectious Disease	3.8%	3.5%	2.2%	2.7%	1.9%	3.8%	2.1%	3.7%	2.4%	6.0%	2.3%	2.5%
6. Multiple Medical	17.6%	14.1%	22.2%	8.9%	10.3%	19.8%	17.2%	14.0%	11.2%	13.4%	24.6%	9.8%
COMPLEX 7. Specialized Care	4.7%	3.1%	2.2%	0.4%	7.7%	0.8%	1.3%	9.8%	0.0%	3.4%	7.0%	0.0%
8. Support Care	4.8%	3.2%	6.7%	3.1%	7.7%	4.6%	2.1%	0.0%	5.6%	0.8%	8.2%	2.2%
9. Chronic Mental	2.2%	1.6%	0.0%	0.0%	0.0%	0.0%	2.1%	0.0%	3.2%	1.2%	7.6%	1.5%
10. Critically Ill	3.3%	4.5%	6.7%	1.3%	10.9%	0.8%	10.3%	7.3%	4.0%	2.0%	7.6%	1.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Substance Dependence and Abuse												
Any dx of alcohol / drug dependence or abuse, %	15.7%	11.7%	11.1%	2.7%	3.2%	6.9%	12.4%	6.7%	15.2%	16.4%	26.3%	9.1%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Other Psychosis Patients	49401	2023	45	224	156	131	233	164	125	499	171	275
Homelessness												
Homelessness indicated in FY02, %	7.1%	5.2%	4.4%	0.0%	1.9%	1.5%	8.2%	1.2%	4.0%	8.6%	12.3%	2.9%
Residence in Metropolitan Area												
Residing in a Metropolitan Statistical Area, %	76.7%	82.3%	93.3%	67.4%	83.3%	6.9%	99.1%	75.6%	90.4%	100.0%	90.1%	76.7%
Distance												
Mile from Closest VA Medical Center, mean	35.80	19.18	28.73	26.41	18.91	26.14	12.80	23.47	22.12	9.90	13.35	30.51
SD	*82.41*	*16.73*	*23.82*	*18.02*	*12.00*	*19.40*	*9.54*	*20.61*	*11.76*	*9.87*	*13.83*	*17.99*
Distance from closest VA Medical Center, %												
0 to 15 miles	45.8%	50.5%	37.8%	28.6%	40.4%	29.0%	65.7%	44.5%	25.6%	78.2%	71.3%	25.5%
15 to 30 miles	16.6%	25.1%	22.2%	31.7%	42.3%	26.7%	29.6%	15.2%	46.4%	18.6%	14.6%	20.0%
30 to 45 miles	10.9%	15.8%	11.1%	23.7%	16.0%	27.5%	3.9%	29.3%	26.4%	1.6%	8.8%	32.0%
45 to 60 miles	8.8%	6.0%	22.2%	12.5%	1.3%	7.6%	0.4%	5.5%	1.6%	0.6%	5.3%	17.1%
60 plus miles	17.9%	2.6%	6.7%	3.6%	0.0%	9.2%	0.4%	5.5%	0.0%	1.0%	0.0%	5.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.89	8.64	10.35	11.75	8.61	14.32	6.08	8.79	8.14	5.81	7.93	11.04
SD	*14.24*	*7.21*	*9.19*	*8.98*	*5.57*	*10.52*	*3.95*	*8.14*	*6.34*	*4.06*	*6.47*	*7.58*
Distance to closest VA Service Site, %												
0 to 15 miles	73.5%	81.9%	75.6%	59.8%	89.1%	46.6%	99.1%	73.8%	88.0%	97.4%	89.5%	68.4%
15 to 30 miles	16.6%	16.7%	17.8%	37.9%	10.9%	43.5%	0.9%	25.0%	12.0%	2.6%	8.8%	30.5%
30 to 45 miles	7.0%	1.4%	6.7%	2.2%	0.0%	9.9%	0.0%	1.2%	0.0%	0.0%	1.8%	1.1%
45 plus miles	3.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Other Psychosis Patients	49401	2023	45	224	156	131	233	164	125	499	171	275
Hospital Based Utilization												
Patients with some Hospital Based Utilization, %	30.2%	23.8%	31.1%	23.2%	18.6%	39.7%	10.7%	29.9%	20.8%	22.4%	42.7%	17.8%
Hospital based utilization: Overall (psych & non-psych- for those w/ hosp. util.)												
Inpatient stays, mean	1.82	1.77	2.86	2.10	2.00	1.90	1.68	1.73	1.73	1.61	1.73	1.37
SD	*1.40*	*1.29*	*1.96*	*1.79*	*1.60*	*1.73*	*0.95*	*1.09*	*1.43*	*1.00*	*0.92*	*0.78*
Average LOS, mean	9.37	9.88	13.52	6.49	4.60	8.09	20.68	5.33	7.45	9.97	15.55	9.15
SD	*15.01*	*20.33*	*14.56*	*4.61*	*3.51*	*8.65*	*30.88*	*4.01*	*4.11*	*9.19*	*44.76*	*9.56*
Cumulative DOS, mean	16.06	15.96	28.00	14.60	9.62	14.33	29.52	10.10	11.92	15.59	22.07	12.24
SD	*22.72*	*23.95*	*16.79*	*19.58*	*11.08*	*19.34*	*33.79*	*10.93*	*9.95*	*14.49*	*45.51*	*12.99*
Cumulative DOS, %												
1 to 7	42.1%	40.3%	7.1%	44.2%	58.6%	46.2%	12.0%	57.1%	30.8%	33.9%	35.6%	53.1%
8 to 14	23.4%	25.6%	21.4%	28.8%	17.2%	28.8%	16.0%	24.5%	53.8%	28.6%	23.3%	12.2%
15 to 44	27.8%	27.9%	50.0%	23.1%	20.7%	19.2%	56.0%	16.3%	11.5%	32.1%	31.5%	30.6%
45 to 89	5.2%	5.0%	21.4%	1.9%	3.4%	3.8%	8.0%	2.0%	3.8%	5.4%	6.8%	4.1%
90 to 179	1.2%	1.0%	0.0%	1.9%	0.0%	1.9%	8.0%	0.0%	0.0%	0.0%	1.4%	0.0%
180 to 359	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.4%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. pts w/ 100+ day hospital stay, %	0.7%	0.6%	0.0%	0.0%	0.0%	0.0%	4.0%	0.0%	0.0%	0.0%	2.7%	0.0%
Cumul. DOS, pts w/ 100+ day hosp. stay, mean	185.56	217.33	0.00	0.00	0.00	0.00	157.00	0.00	0.00	0.00	247.50	0.00
SD	*75.86*	*127.68*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*164.76*	*0.00*
Hosp. pts w/ a 150+ day hosp. stay, %	0.3%	0.4%	0.0%	0.0%	0.0%	0.0%	4.0%	0.0%	0.0%	0.0%	1.4%	0.0%
Cumul. DOS, pts w/ 150+ day hosp. stay, mean	241.58	260.50	0.00	0.00	0.00	0.00	157.00	0.00	0.00	0.00	364.00	0.00
SD	*74.51*	*146.37*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.37	0.25	0.43	0.00	0.86	0.08	1.24	0.71	0.08	0.02	0.00	0.31
SD	*3.13*	*2.28*	*1.16*	*0.00*	*4.64*	*0.55*	*4.41*	*5.00*	*0.39*	*0.19*	*0.00*	*1.62*
Cumulative DOS at Other Stations	1.24	1.69	0.71	2.12	3.97	1.06	7.28	3.14	1.62	0.61	0.81	0.37
SD	*5.73*	*5.31*	*1.49*	*5.48*	*9.05*	*3.37*	*9.59*	*8.08*	*5.73*	*2.67*	*3.09*	*1.67*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Other Psychosis Patients	49401	2023	45	224	156	131	233	164	125	499	171	275
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)												
Pts. with non-psych hospital stays, %	21.7%	18.0%	31.1%	23.2%	17.3%	32.8%	3.9%	28.7%	13.6%	14.0%	30.4%	12.0%
Inpatient stays, mean	1.27	1.34	2.86	2.10	1.79	1.65	0.56	1.67	1.27	0.93	1.14	0.86
SD	*1.36*	*1.38*	*1.96*	*1.79*	*1.37*	*1.81*	*0.92*	*1.13*	*1.54*	*0.94*	*1.05*	*0.82*
Average LOS, mean	7.86	7.04	13.52	6.49	4.25	7.90	12.00	5.26	6.85	8.00	5.99	7.26
SD	*11.97*	*7.88*	*14.56*	*4.61*	*2.64*	*9.17*	*15.28*	*4.13*	*3.99*	*9.77*	*5.10*	*9.37*
Cumulative Days of Stay, mean	9.61	9.40	28.00	14.60	8.52	12.35	7.72	9.63	7.23	7.40	6.88	6.06
SD	*16.99*	*14.15*	*16.79*	*19.58*	*10.76*	*19.52*	*21.10*	*10.83*	*7.41*	*11.33*	*8.71*	*9.58*
Cumulative Days of Stay, %												
0	28.2%	24.3%	0.0%	0.0%	6.9%	17.3%	64.0%	4.1%	34.6%	37.5%	28.8%	32.7%
1 to 7	35.5%	37.4%	7.1%	44.2%	55.2%	38.5%	16.0%	55.1%	19.2%	31.3%	37.0%	44.9%
8 to 14	15.8%	19.1%	21.4%	28.8%	20.7%	23.1%	4.0%	24.5%	38.5%	15.2%	16.4%	8.2%
15 to 44	17.1%	16.2%	50.0%	23.1%	13.8%	15.4%	12.0%	14.3%	7.7%	14.3%	17.8%	12.2%
45 to 89	2.8%	2.3%	21.4%	1.9%	3.4%	3.8%	0.0%	2.0%	0.0%	1.8%	0.0%	2.0%
90 to 179	0.5%	0.6%	0.0%	1.9%	0.0%	1.9%	4.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. w/ 100+ day non-psych hosp.stay, %	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, pts w/ 100+ day hosp. stay, mean	178.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.21*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. W/ 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, pts w/ 150+ day hosp. stay, mean	240.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.05*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.18*	*0.16*	*0.43*	*0.00*	*0.41*	*0.08*	*0.00*	*0.71*	*0.08*	*0.02*	*0.00*	*0.31*
SD	*1.94*	*1.79*	*1.16*	*0.00*	*2.23*	*0.55*	*0.00*	*5.00*	*0.39*	*0.19*	*0.00*	*1.62*
Other station cumulative DOS, mean	0.60	1.02	0.71	2.12	2.86	0.67	0.72	2.67	0.54	0.16	0.73	0.37
SD	*3.61*	*4.09*	*1.49*	*5.48*	*7.87*	*2.05*	*3.01*	*7.55*	*1.98*	*1.52*	*3.03*	*1.67*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Other Psychosis Patients	49401	2023	45	224	156	131	233	164	125	499	171	275
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)												
Pts. with psych hospital stays, %	10.8%	7.3%	0.0%	0.0%	1.9%	9.2%	7.3%	1.8%	8.0%	10.0%	18.1%	7.6%
Inpatient stays, mean	0.55	0.43	0.00	0.00	0.21	0.25	1.12	0.06	0.46	0.68	0.59	0.51
SD	*1.03*	*0.80*	*0.00*	*0.00*	*0.77*	*0.48*	*1.13*	*0.24*	*0.65*	*1.03*	*0.86*	*0.68*
Average LOS, mean	12.47	16.68	0.00	0.00	7.42	8.21	24.62	7.67	9.50	12.12	30.42	11.67
SD	*19.53*	*34.06*	*0.00*	*0.00*	*8.32*	*5.47*	*35.57*	*6.35*	*5.60*	*7.33*	*66.76*	*8.78*
Cumulative Days of Stay, mean	6.45	6.56	0.00	0.00	1.10	1.98	21.80	0.47	4.69	8.19	15.19	6.18
SD	*17.76*	*21.92*	*0.00*	*0.00*	*3.90*	*4.42*	*32.27*	*2.26*	*8.26*	*13.87*	*46.60*	*11.57*
Cumulative Days of Stay, %												
0	64.2%	69.4%	100.0%	100.0%	89.7%	76.9%	32.0%	93.9%	61.5%	55.4%	57.5%	57.1%
1 to 7	12.7%	8.3%	0.0%	0.0%	3.4%	13.5%	0.0%	4.1%	11.5%	9.8%	11.0%	16.3%
8 to 14	9.6%	7.5%	0.0%	0.0%	3.4%	5.8%	16.0%	0.0%	15.4%	14.3%	6.8%	6.1%
15 to 44	10.7%	11.6%	0.0%	0.0%	3.4%	3.8%	40.0%	2.0%	11.5%	17.0%	15.1%	18.4%
45 to 89	2.1%	2.5%	0.0%	0.0%	0.0%	0.0%	8.0%	0.0%	0.0%	3.6%	6.8%	2.0%
90 to 179	0.5%	0.4%	0.0%	0.0%	0.0%	0.0%	4.0%	0.0%	0.0%	0.0%	1.4%	0.0%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.4%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.4%	0.6%	0.0%	0.0%	0.0%	0.0%	4.0%	0.0%	0.0%	0.0%	2.7%	0.0%
Cumul. DOS, pts w/ 100+ day hosp. stay, mean	182.44	217.33	0.00	0.00	0.00	0.00	157.00	0.00	0.00	0.00	247.50	0.00
SD	*78.98*	*127.68*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*164.76*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.2%	0.4%	0.0%	0.0%	0.0%	0.0%	4.0%	0.0%	0.0%	0.0%	1.4%	0.0%
Cumul. DOS, pts w/ 150+ day hosp. stay, mean	239.42	260.50	0.00	0.00	0.00	0.00	157.00	0.00	0.00	0.00	364.00	0.00
SD	*77.61*	*146.37*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.19	0.09	0.00	0.00	0.45	0.00	1.24	0.00	0.00	0.00	0.00	0.00
SD	2.40	1.18	0.00	0.00	2.41	0.00	4.41	0.00	0.00	0.00	0.00	0.00
Other station cumulative DOS, mean	0.64	0.67	0.00	0.00	1.10	0.38	6.56	0.47	1.08	0.45	0.08	0.00
SD	4.34	3.41	0.00	0.00	3.90	2.77	9.63	2.26	5.49	2.23	0.70	0.00

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Other Psychosis Patients	49401	2023	45	224	156	131	233	164	125	499	171	275
Other 24 hour institutional care												
Patients with some other 24 hour institutional care, %	10.1%	11.7%	15.6%	3.6%	25.6%	0.8%	20.2%	14.6%	13.6%	7.2%	25.1%	5.1%
Residential Rehab (reported for those w/ RR care)												
Patients with some residential rehab. care, %	1.0%	0.4%	0.0%	0.0%	0.6%	0.0%	0.0%	0.0%	1.6%	0.4%	1.8%	0.4%
Number stays, mean	*1.13*	*1.00*	*0.00*	*0.00*	*1.00*	*0.00*	*0.00*	*0.00*	*1.00*	*1.00*	*1.00*	*1.00*
SD	*0.45*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	30.41	20.11	0.00	0.00	15.00	0.00	0.00	0.00	21.00	21.00	21.00	19.00
SD	*33.22*	*3.66*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*6.08*	*0.00*
Cumulative DOS, mean	33.30	20.11	0.00	0.00	15.00	0.00	0.00	0.00	21.00	21.00	21.00	19.00
SD	*35.32*	*3.66*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*6.08*	*0.00*
Cumulative Days of Stay, %												
1 to 7	15.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
8 to 14	12.1%	11.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	33.3%	0.0%
15 to 44	54.3%	88.9%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	100.0%	100.0%	66.7%	100.0%
45 to 89	11.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	5.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day res rehab stay, mean	181.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*69.09*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab pts w/ 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day res rehab stay, mean	235.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*52.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.38	1.67	0.00	0.00	15.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*7.57*	*5.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	4.16	11.78	0.00	0.00	15.00	0.00	0.00	0.00	0.00	21.00	16.33	0.00
SD	*12.59*	*11.51*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*14.15*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Other Psychosis Patients	49401	2023	45	224	156	131	233	164	125	499	171	275
Domiciliary and Vocational (reported for those with some dom/voc care)												
Patients with some dom/voc care, %	1.7%	2.4%	2.2%	0.0%	1.3%	0.0%	7.3%	0.0%	0.8%	2.6%	8.2%	0.0%
Number stays, mean	1.13	1.10	1.00	0.00	1.00	0.00	1.06	0.00	1.00	1.00	1.29	0.00
SD	*0.36*	*0.31*	*0.00*	*0.00*	*0.00*	*0.00*	*0.24*	*0.00*	*0.00*	*0.00*	*0.47*	*0.00*
Average LOS, mean	79.24	50.78	27.00	0.00	127.00	0.00	32.62	0.00	142.00	17.31	88.21	0.00
SD	*81.39*	*53.61*	*0.00*	*0.00*	*77.78*	*0.00*	*27.22*	*0.00*	*0.00*	*8.91*	*65.60*	*0.00*
Cumulative DOS, mean	86.42	57.42	27.00	0.00	127.00	0.00	33.65	0.00	142.00	17.31	109.71	0.00
SD	*85.00*	*60.82*	*0.00*	*0.00*	*77.78*	*0.00*	*26.94*	*0.00*	*0.00*	*8.91*	*72.68*	*0.00*
Cumulative Days of Stay, %												
1 to 7	7.5%	8.3%	0.0%	0.0%	0.0%	0.0%	11.8%	0.0%	0.0%	15.4%	0.0%	0.0%
8 to 14	6.2%	10.4%	0.0%	0.0%	0.0%	0.0%	5.9%	0.0%	0.0%	15.4%	14.3%	0.0%
15 to 44	29.8%	45.8%	100.0%	0.0%	0.0%	0.0%	58.8%	0.0%	0.0%	69.2%	14.3%	0.0%
45 to 89	19.6%	8.3%	0.0%	0.0%	50.0%	0.0%	11.8%	0.0%	0.0%	0.0%	7.1%	0.0%
90 to 179	23.7%	20.8%	0.0%	0.0%	0.0%	0.0%	11.8%	0.0%	100.0%	0.0%	50.0%	0.0%
180 to 359	10.4%	6.3%	0.0%	0.0%	50.0%	0.0%	0.0%	0.0%	0.0%	0.0%	14.3%	0.0%
360+	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%	0.0%	100.0%	100.0%	100.0%	0.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	18.8%	0.0%	0.0%	50.0%	0.0%	0.0%	0.0%	100.0%	0.0%	50.0%	0.0%
Cumul. DOS, pts w/ 100+ day Dom. stay, mean	193.84	169.22	0.00	0.00	182.00	0.00	0.00	0.00	142.00	0.00	171.29	0.00
SD	*79.91*	*25.80*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*27.05*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.8%	12.5%	0.0%	0.0%	50.0%	0.0%	0.0%	0.0%	0.0%	0.0%	35.7%	0.0%
Cumul. DOS, pts w/ 150+ day Dom. stay, mean	240.95	182.00	0.00	0.00	182.00	0.00	0.00	0.00	0.00	0.00	182.00	0.00
SD	*71.71*	*20.08*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*22.45*	*0.00*
Other VISN cumulative DOS, mean	1.61	0.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.15	0.00	0.00
SD	*8.79*	*2.17*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*4.16*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.31	6.96	27.00	0.00	0.00	0.00	0.00	0.00	0.00	17.31	5.86	0.00
SD	*11.83*	*10.45*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*8.91*	*10.36*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Other Psychosis Patients	49401	2023	45	224	156	131	233	164	125	499	171	275
Nursing Home Care (reported for those with some nursing home care)												
Patients with some nursing home care, %	7.7%	9.1%	13.3%	3.6%	25.0%	0.8%	12.9%	14.6%	11.2%	4.2%	16.4%	4.7%
Number stays, mean	1.29	1.35	1.17	1.38	1.74	1.00	1.33	1.21	1.21	1.14	1.32	1.08
SD	*0.65*	*0.75*	*0.41*	*0.74*	*1.02*	*0.00*	*0.71*	*0.66*	*0.43*	*0.65*	*0.67*	*0.28*
Average LOS, mean	54.03	57.86	61.92	32.13	29.68	7.00	110.53	33.07	31.68	90.69	55.81	64.12
SD	*70.27*	*81.40*	*51.89*	*24.50*	*29.27*	*0.00*	*114.48*	*31.53*	*47.30*	*118.11*	*68.16*	*114.03*
Cumulative DOS, mean	64.81	66.96	69.67	47.63	47.97	7.00	116.30	39.08	45.57	91.90	64.54	64.69
SD	*79.26*	*84.43*	*52.60*	*55.31*	*49.94*	*0.00*	*110.44*	*36.01*	*89.09*	*117.35*	*68.02*	*113.74*
Cumulative Days of Stay, %												
1 to 7	10.9%	8.7%	16.7%	0.0%	5.1%	100.0%	0.0%	12.5%	35.7%	9.5%	3.6%	7.7%
8 to 14	15.2%	15.8%	0.0%	25.0%	12.8%	0.0%	10.0%	16.7%	14.3%	28.6%	10.7%	30.8%
15 to 44	34.5%	34.8%	16.7%	50.0%	51.3%	0.0%	23.3%	37.5%	28.6%	19.0%	35.7%	38.5%
45 to 89	16.5%	17.4%	16.7%	12.5%	7.7%	0.0%	23.3%	25.0%	14.3%	9.5%	32.1%	7.7%
90 to 179	13.0%	14.1%	50.0%	12.5%	17.9%	0.0%	23.3%	8.3%	0.0%	9.5%	14.3%	0.0%
180 to 359	8.1%	6.5%	0.0%	0.0%	5.1%	0.0%	13.3%	0.0%	7.1%	14.3%	3.6%	7.7%
360+	1.8%	2.7%	0.0%	0.0%	0.0%	0.0%	6.7%	0.0%	0.0%	9.5%	0.0%	7.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	17.8%	17.4%	33.3%	0.0%	12.8%	0.0%	36.7%	4.2%	7.1%	33.3%	10.7%	15.4%
Cum. DOS, pts with a 100+ day NH stay, mean	207.27	216.25	124.50	0.00	136.00	0.00	233.09	154.00	343.00	233.86	220.67	315.50
SD	*81.27*	*97.13*	*10.61*	*0.00*	*42.02*	*0.00*	*101.42*	*0.00*	*0.00*	*100.68*	*106.93*	*68.59*
NH patients with 150+ day NH stay, %	11.0%	10.3%	0.0%	0.0%	0.0%	0.0%	26.7%	4.2%	7.1%	23.8%	7.1%	15.4%
Cumul. DOS, pts w/ 150+ day NH stay, mean	250.81	275.79	0.00	0.00	0.00	0.00	276.13	154.00	343.00	277.20	258.50	315.50
SD	*70.60*	*80.96*	*0.00*	*0.00*	*0.00*	*0.00*	*82.82*	*0.00*	*0.00*	*83.45*	*119.50*	*68.59*
Other VISN cumulative DOS, mean	0.34	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.15
SD	*5.11*	*2.21*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*8.02*
Other station cumulative DOS, mean	1.02	1.54	0.00	5.63	0.62	7.00	0.03	0.71	10.64	0.00	0.00	3.15
SD	*7.62*	*9.69*	*0.00*	*15.91*	*3.84*	*0.00*	*0.18*	*3.47*	*30.61*	*0.00*	*0.00*	*8.02*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460	503	529	540	542	562	595	642	646	693
			Wilmington	*Van Zandt*	*Butler*	*Clarksburg*	*Coatesville*	*Erie*	*Lebanon*	*Philadelphia*	*Pittsburgh*	*Wilkes Barre*
Other Psychosis Patients	49401	2023	45	224	156	131	233	164	125	499	171	275
Outpatient utilization												
(reported for those with some outpatient care)												
Patients with some outpatient care, %	99.7%	99.6%	100.0%	99.6%	100.0%	100.0%	99.6%	99.4%	100.0%	99.4%	99.4%	99.6%
annual visit days, mean	19.52	15.23	13.07	10.94	17.08	17.91	12.06	13.58	16.29	15.01	25.28	14.07
SD	*24.21*	*20.57*	*12.08*	*12.65*	*23.33*	*12.83*	*16.22*	*11.51*	*17.65*	*27.12*	*29.15*	*13.50*
Outpatient visit days, %												
1-12	49.1%	60.2%	62.2%	70.0%	65.4%	42.7%	71.1%	58.3%	51.2%	62.9%	42.4%	59.9%
13-24	27.0%	22.3%	20.0%	22.4%	12.8%	29.8%	18.1%	23.9%	28.8%	21.6%	24.7%	24.1%
25-36	11.5%	9.1%	11.1%	4.0%	8.3%	19.1%	4.7%	14.1%	10.4%	8.5%	10.6%	8.8%
37-48	5.4%	4.1%	6.7%	0.4%	5.8%	5.3%	2.2%	2.5%	8.0%	2.6%	11.8%	3.6%
49+	7.0%	4.3%	0.0%	3.1%	7.7%	3.1%	3.9%	1.2%	1.6%	4.4%	10.6%	3.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpts who had some Primary Care (PC)	86.5%	89.6%	91.1%	98.2%	87.2%	90.8%	81.9%	94.5%	91.2%	91.5%	75.9%	90.9%
Mean PC visit days, among those with some PC	4.04	3.49	3.10	2.95	2.25	4.34	2.27	3.97	3.88	4.29	3.34	3.39
SD	3.94	3.34	2.79	2.83	1.63	3.93	1.22	2.99	3.90	4.05	3.07	3.43
Average number clinic stops per visit day, mean	1.55	1.48	1.51	1.44	1.57	1.70	1.34	1.51	1.26	1.60	1.40	1.41
SD	*0.52*	*0.50*	*0.52*	*0.46*	*0.58*	*0.49*	*0.35*	*0.49*	*0.29*	*0.58*	*0.34*	*0.50*
annual clinic stops (psych & non-psych), mean	30.45	22.87	19.91	15.60	24.01	31.79	17.27	19.96	22.81	24.26	35.15	20.72
SD	*40.44*	*30.75*	*19.34*	*18.93*	*34.12*	*26.45*	*25.36*	*17.11*	*32.74*	*38.78*	*39.39*	*22.82*
annual non-psych. clinic stops, mean	22.67	17.79	17.60	14.47	20.68	27.40	13.22	17.83	18.94	15.59	23.26	18.18
SD	*25.36*	*20.09*	*18.34*	*16.44*	*24.33*	*25.53*	*16.89*	*15.85*	*25.60*	*17.84*	*20.67*	*20.57*
annual psych. clinic stops (groupings below), mean	7.77	5.08	2.31	1.13	3.33	4.40	4.05	2.13	3.87	8.66	11.88	2.54
SD	*27.43*	*19.73*	*6.49*	*4.13*	*18.24*	*8.46*	*16.79*	*4.62*	*12.15*	*30.39*	*29.15*	*5.29*
1. general psych. clinic stops, mean	3.20	2.28	2.04	0.94	1.60	3.28	1.62	1.82	2.62	2.86	3.12	2.41
SD	*7.61*	*5.59*	*5.91*	*3.15*	*3.85*	*5.37*	*3.79*	*3.71*	*7.57*	*7.48*	*5.22*	*5.10*
2. psych. case management clinic stops, mean	0.14	0.06	0.00	0.00	0.00	0.00	0.45	0.00	0.04	0.00	0.05	0.00
SD	*3.20*	*1.13*	*0.00*	*0.00*	*0.00*	*0.00*	*3.28*	*0.00*	*0.23*	*0.00*	*0.56*	*0.00*
3. psych. day treatment clinic stops, mean	0.60	0.10	0.00	0.18	0.00	0.00	0.15	0.09	0.01	0.01	0.65	0.00
SD	*8.52*	*1.87*	*0.00*	*2.01*	*0.00*	*0.00*	*1.29*	*0.91*	*0.09*	*0.13*	*5.73*	*0.00*
4. substance abuse clinic stops, mean	2.24	1.63	0.24	0.00	1.70	0.18	0.69	0.10	0.22	4.81	2.29	0.04
SD	*17.04*	*14.93*	*1.07*	*0.00*	*15.30*	*0.70*	*3.59*	*1.10*	*1.51*	*27.97*	*9.16*	*0.55*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 4, continued

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Other Psychosis Patients	49401	2023	45	224	156	131	233	164	125	499	171	275
5. psych. vocational clinic stops, mean	0.74	0.53	0.00	0.00	0.03	0.00	0.91	0.00	0.85	0.07	4.21	0.00
SD	*9.63*	*7.74*	*0.00*	*0.00*	*0.32*	*0.00*	*13.72*	*0.00*	*9.30*	*1.62*	*19.23*	*0.06*
6. PTSD clinic stops, mean	0.56	0.32	0.00	0.00	0.00	0.24	0.15	0.05	0.09	0.74	1.11	0.01
SD	*5.11*	*3.03*	*0.00*	*0.00*	*0.00*	*1.54*	*1.24*	*0.37*	*0.90*	*4.06*	*7.40*	*0.09*
7. psych. homeless clinic stops, mean	0.27	0.15	0.02	0.00	0.01	0.65	0.09	0.01	0.05	0.16	0.45	0.08
SD	*2.81*	*1.70*	*0.15*	*0.00*	*0.08*	*5.82*	*0.55*	*0.11*	*0.54*	*0.83*	*2.05*	*0.83*
Other VISN OP visit days, mean	0.31	0.24	0.29	0.00	0.42	0.15	0.21	0.34	0.29	0.23	0.24	0.34
SD	*2.01*	*1.89*	*1.39*	*0.07*	*4.35*	*1.11*	*1.94*	*1.65*	*1.89*	*1.42*	*1.57*	*1.71*
Other station OP visit days, mean	0.72	0.96	0.93	0.70	1.27	0.62	1.79	0.82	0.96	0.62	2.15	0.45
SD	*3.19*	*3.75*	*2.43*	*2.40*	*5.22*	*1.66*	*4.67*	*2.34*	*3.04*	*3.06*	*7.20*	*2.08*

Table 4I FY03 Other Psychosis Patients, Pharmacy Utilization, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Other Psychosis Patients	49401	2023	45	224	156	131	233	164	125	499	171	275
Among all patients in the registry												
Pts. with any outpatient prescriptions, %	94.7%	92.4%	97.8%	87.1%	92.3%	96.9%	87.5%	93.3%	95.2%	92.8%	93.0%	95.3%
Patients with any oral antipsychotic fills, %*	41.4%	35.6%	40.0%	22.8%	29.5%	45.0%	30.0%	22.6%	50.4%	39.3%	42.1%	39.3%
Among pts. receiving any antipsychotic medication:												
Received only conventional antipsychotics, %	9.2%	7.5%	11.1%	11.8%	4.3%	8.5%	2.9%	2.7%	7.9%	6.1%	16.7%	6.5%
Received some atypical antipsychotics, %	90.8%	92.5%	88.9%	88.2%	95.7%	91.5%	97.1%	97.3%	92.1%	93.9%	83.3%	93.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %												
Aripiprazole	0.7%	0.4%	0.0%	3.9%	2.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Clozapine	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.6%	0.0%	0.0%	0.0%
Olanzapine	27.8%	27.1%	38.9%	27.5%	26.1%	25.4%	24.3%	18.9%	27.0%	27.6%	22.2%	33.3%
Quetiapine	29.2%	27.8%	27.8%	23.5%	26.1%	32.2%	34.3%	18.9%	14.3%	32.7%	29.2%	25.0%
Risperidone	46.2%	48.5%	27.8%	49.0%	54.3%	44.1%	50.0%	67.6%	55.6%	47.4%	41.7%	46.3%
Ziprasidone	3.6%	2.4%	0.0%	7.8%	0.0%	5.1%	0.0%	2.7%	3.2%	2.0%	1.4%	1.9%
Pts receiving only one kind** of antipsychotic, %	78.8%	81.1%	94.4%	74.5%	87.0%	83.1%	88.6%	62.2%	79.4%	80.1%	83.3%	81.5%
Concurrent use of 2 or more antipsychotics, % ***	5.1%	5.4%	5.6%	9.8%	6.5%	10.2%	0.0%	8.1%	7.9%	2.6%	6.9%	5.6%
Among pts receiving just one antipsychotic:												
Antipsychotic fills, mean	5.21	4.65	2.94	4.11	4.28	4.33	4.40	4.39	3.86	4.48	5.58	5.94
SD	*4.06*	*3.66*	*2.16*	*3.57*	*2.68*	*3.42*	*3.38*	*3.97*	*2.47*	*3.51*	*4.29*	*4.49*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5I: FY03 Other Psychosis Patients, Cost, VISN 4

	All VISNs	VISN 4	460 *Wilmington*	503 *Van Zandt*	529 *Butler*	540 *Clarksburg*	542 *Coatesville*	562 *Erie*	595 *Lebanon*	642 *Philadelphia*	646 *Pittsburgh*	693 *Wilkes Barre*
Other Psychosis Patients	49401	2023	45	224	156	131	233	164	125	499	171	275
Total Costs (in thousands $$)	$692,791	$24,860	$657	$1,776	$2,563	$1,851	$3,163	$2,166	$1,332	$4,958	$4,406	$1,988
Station % of VISN		100.0%	2.6%	7.1%	10.3%	7.4%	12.7%	8.7%	5.4%	19.9%	17.7%	8.0%
Psych vs. Non-Psych Costs												
Psych	16.6%	15.2%	1.5%	2.1%	2.1%	10.0%	14.1%	2.9%	10.9%	22.3%	33.1%	13.4%
Non-Psych	83.4%	84.8%	98.5%	97.9%	97.9%	90.0%	85.9%	97.1%	89.1%	77.7%	66.9%	86.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use												
Per Patient	$16,509	$17,951	$23,427	$15,414	$22,187	$13,642	$22,375	$14,391	$10,325	$16,479	$28,941	$13,486
Per Day of Stay	$1,028	$1,125	$837	$1,056	$2,306	$952	$758	$1,425	$866	$1,057	$1,311	$1,101
Mean Outpatient Costs, Pts with some OP use												
Per Patient	$6,046	$4,812	$4,556	$3,414	$5,156	$6,349	$3,461	$4,544	$5,136	$4,878	$8,353	$3,901
Per Visit Day	$310	$316	$349	$312	$302	$355	$287	$335	$315	$325	$330	$277
By Cost Center												
1 Med	$2,712	$2,214	$5,932	$2,939	$3,937	$3,732	$813	$3,313	$926	$1,465	$3,189	$1,187
2 Surg	$779	$685	$1,347	$639	$27	$821	$13	$859	$451	$794	$1,994	$484
3 Psych	$1,494	$1,368	$9	$0	$161	$861	$1,574	$127	$771	$1,439	$7,172	$732
4 Psych Res Rehab Treatment Program	$103	$41	$0	$0	$48	$0	$0	$0	$222	$22	$173	$24
5 Non-VA	$203	$107	$0	$259	$471	$50	$3	$147	$173	$29	$99	$0
6 LTC Domiciliary	$183	$228	$235	$0	$296	$0	$821	$0	$0	$166	$765	$0
7 LTC Intermediate Care	$276	$143	$0	$0	$0	$1,271	$0	$0	$853	$0	$30	$37
8 LTC Nursing Home	$1,672	$2,522	$2,507	$621	$5,510	$27	$6,903	$4,234	$1,633	$1,170	$3,906	$827
9 Contract Nursing Home	$578	$188	$6	$71	$825	$1,019	$4	$10	$489	$0	$136	$51
10 OPC Med/Surg	$1,281	$1,006	$1,213	$638	$436	$1,253	$759	$906	$810	$1,378	$1,691	$736
11 OPC Psych	$831	$497	$213	$166	$186	$552	$346	$261	$389	$780	$1,350	$237
12 OPC Home Based Treatment	$730	$474	$412	$380	$1,270	$429	$287	$395	$545	$285	$1,096	$259
13 OPC Support	$1,493	$1,183	$1,482	$634	$1,631	$1,784	$737	$1,240	$1,461	$1,067	$2,180	$850
14 OPC Fee	$231	$119	$70	$105	$14	$202	$160	$429	$131	$24	$247	$23
15 OPC Pharmacy	$1,460	$1,515	$1,167	$1,477	$1,619	$2,130	$1,158	$1,285	$1,800	$1,316	$1,739	$1,781
TOTAL	$14,024	$12,288	$14,592	$7,928	$16,431	$14,131	$13,577	$13,206	$10,653	$9,936	$25,769	$7,228
Mean % Patient Costs at Other Stations	3.3%	4.3%	4.2%	3.9%	6.2%	4.7%	7.3%	5.9%	4.9%	2.7%	3.6%	3.0%
SD	*11.9%*	*13.6%*	*10.9%*	*13.6%*	*16.8%*	*15.3%*	*17.8%*	*15.4%*	*14.3%*	*10.4%*	*11.0%*	*11.9%*
Mean % Patient Costs at Other VISNs	1.3%	0.9%	0.9%	0.0%	0.7%	1.0%	0.8%	1.3%	0.9%	0.9%	0.4%	2.2%
SD	*7.5%*	*6.2%*	*4.0%*	*0.4%*	*5.2%*	*6.7%*	*6.1%*	*7.3%*	*4.8%*	*5.9%*	*2.3%*	*10.2%*

Table 1F: FY03 Psychosis Patients, Demographics, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
All Patients	217760	5847	2588	938	2321
Psychosis Diagnosis Group, %					
Schizophrenia	43.3%	47.3%	50.4%	41.0%	46.4%
Bipolar Disorder	34.0%	30.9%	35.7%	37.0%	23.1%
Other Psychoses	22.7%	21.8%	13.8%	22.0%	30.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Age, %					
<35	4.9%	4.7%	4.9%	3.4%	5.0%
>=35 and <50	29.3%	32.4%	33.8%	33.4%	30.3%
>=50 and <65	38.1%	35.2%	34.7%	38.1%	34.7%
>=65 and <80	19.7%	19.1%	19.3%	20.0%	18.4%
>=80	8.2%	8.7%	7.3%	5.1%	11.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	56.89	56.62	56.02	55.88	57.60
SD	*14.35*	*14.70*	*14.30*	*13.46*	*15.56*
Gender					
Male, %	92.7%	91.5%	91.2%	93.5%	91.0%
Female, %	7.3%	8.5%	8.8%	6.5%	9.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %					
Hispanic white	4.8%	0.8%	0.3%	1.2%	1.1%
Hispanic black	0.4%	0.3%	0.2%	0.2%	0.4%
American Indian	0.3%	0.1%	0.2%	0.0%	0.1%
Black	18.6%	41.3%	38.4%	19.3%	53.4%
Asian	0.5%	0.3%	0.2%	0.1%	0.4%
White	54.9%	38.2%	45.0%	63.6%	20.3%
Race unknown	20.5%	19.1%	15.7%	15.6%	24.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status					
Never married	28.5%	34.5%	38.2%	24.4%	34.4%
Married	35.3%	28.5%	26.2%	34.3%	28.8%
Divorced/Separated	30.8%	29.6%	29.0%	36.4%	27.4%
Widowed	5.4%	7.4%	6.6%	4.9%	9.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
All Patients	217760	5847	2588	938	2321
Registry Pts. History of VA Utilization					
Years since first use in prior five years, mean	4.33	4.34	4.37	4.36	4.30
SD	*1.24*	*1.21*	*1.19*	*1.20*	*1.25*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.9%	31.6%	33.7%	38.0%	26.4%
SD	*29.7%*	*31.9%*	*32.7%*	*34.8%*	*28.8%*
Years with OP use / Years since first use, %	96.7%	96.4%	96.0%	96.6%	96.7%
SD	*11.4%*	*11.7%*	*12.8%*	*11.7%*	*10.5%*
Psychiatric Comorbidities, %					
Dementia	6.2%	1.0%	7.6%	5.8%	9.0%
Post Traumatic Stress Disorder	15.4%	0.0%	13.9%	25.7%	17.9%
Depression	34.8%	29.7%	40.1%	40.5%	36.9%
Other Anxiety Disorder	12.0%	213.9%	8.9%	13.6%	7.4%
Substance Abuse or Dependence	23.3%	7.9%	29.4%	26.9%	25.2%
Medical Comorbidities, %					
No medical comorbidities	15.2%	8.4%	17.8%	11.4%	13.2%
Anemia	8.2%	22.0%	8.9%	9.8%	11.3%
Arthritis	36.2%	44.8%	29.9%	44.7%	35.6%
Cancer	7.9%	20.5%	7.6%	6.1%	10.3%
Cerebrovascular Disease	6.7%	14.3%	7.0%	5.7%	11.2%
Chronic Neurologic Disorder	15.1%	6.6%	13.6%	13.8%	16.6%
Chronic Obstructive Pulmonary Disease	16.7%	38.1%	13.9%	19.2%	10.6%
Chronic Viral Infection	8.4%	7.3%	10.5%	11.2%	13.6%
Coronary Artery Disease	19.5%	5.7%	15.1%	22.2%	30.9%
Diabetes	20.0%	15.5%	21.8%	21.3%	23.2%
Digestive System Disease	43.5%	18.7%	40.0%	52.0%	43.9%
Hypertension	43.2%	7.3%	44.4%	49.1%	48.9%
Injury and Poisoning	17.9%	19.3%	18.3%	23.1%	20.6%
Liver Disease	3.6%	19.4%	2.6%	3.9%	4.4%
Other Endocrine	8.6%	47.5%	7.5%	7.8%	7.5%
Peripheral Vascular Disease	4.1%	41.9%	3.7%	6.6%	5.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
All Patients	217760	5847	2588	938	2321
Psychosis Diagnoses in Prior Fiscal Year					
Had Psychosis Diagnosis in FY01, %	65.3%	64.8%	67.4%	62.8%	62.6%
Among Patients With Psychoses in FY01					
Psychosis Category: Schizophrenia, %	54.1%	58.2%	62.1%	50.3%	56.6%
Psychosis Category: Bipolar Disorder, %	33.9%	29.9%	31.7%	37.2%	24.6%
Psychosis Category: Other Psychosis, %	12.0%	12.0%	6.1%	12.6%	18.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
GAF scores					
Lowest inpatient GAF score, mean	37.72	33.90	35.85	43.01	26.47
SD	*14.39*	*12.42*	*11.43*	*12.80*	*7.81*
Mean outpatient GAF score	50.52	50.07	50.38	49.41	50.00
SD	*11.04*	*10.39*	*10.74*	*9.96*	*10.20*
At least 1 IP GAF, among pts with MH bedsections, %	*38.4%*	*49.2%*	*36.2%*	*46.0%*	*76.6%*
At least 1 OP GAF, among pts with MH clinic stops, %	*80.0%*	*71.2%*	*63.1%*	*62.1%*	*85.2%*
Mortality rates					
died in FY02, %	3.1%	2.8%	2.6%	2.9%	3.1%
Age-and-gender-adjusted Standardized Mortality Ratio	1.32	1.21	1.19	1.38	1.18

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
All Patients	217760	5847	2588	938	2321
Service Connection (SC)					
Non-SC	51.0%	53.6%	55.0%	55.7%	51.1%
SC 0 - 29%	8.7%	8.2%	8.1%	9.3%	7.9%
SC 30 - 69%	10.8%	9.8%	7.6%	10.2%	12.1%
SC 70 - 99%	7.3%	6.1%	4.4%	7.1%	7.5%
SC 100%	22.1%	22.4%	24.9%	17.7%	21.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %					
Complex*	17.3%	23.2%	29.4%	29.2%	13.8%
Basic vested, Cat A*	76.6%	71.7%	64.6%	65.6%	82.0%
Basic Non-vested, Cat A*	1.0%	1.3%	1.6%	0.5%	1.3%
Basic, Cats C and N	5.1%	3.8%	4.3%	4.7%	2.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded					
Patient eligibility category, %					
Cat A (SC or low income)	94.6%	95.9%	95.2%	95.2%	96.9%
Cat C (NSC and higher income)	4.7%	3.7%	3.8%	4.8%	3.0%
Non-Veteran	0.6%	0.5%	0.9%	0.0%	0.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %					
BASIC 1. Non-reliant Care	0.1%	0.3%	0.5%	0.0%	0.3%
2. Basic Medical	16.7%	13.3%	9.8%	19.3%	14.6%
3. Mental Health	36.3%	30.1%	32.1%	24.8%	29.9%
4. Heart / Lung / GI	7.7%	7.5%	6.1%	8.2%	8.7%
5. Oncology / Infectious Disease	3.9%	3.7%	2.9%	3.8%	4.6%
6. Multiple Medical	18.0%	22.0%	19.1%	14.6%	28.1%
COMPLEX 7. Specialized Care	2.6%	3.1%	2.6%	1.7%	4.3%
8. Support Care	2.8%	3.4%	3.1%	6.8%	2.3%
9. Chronic Mental	9.6%	14.3%	20.8%	18.3%	5.3%
10. Critically Ill	2.2%	2.4%	2.9%	2.3%	1.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
All Patients	217760	5847	2588	938	2321
Substance Dependence and Abuse					
Any dx of alcohol / drug dependence or abuse, %	23.3%	27.3%	29.4%	26.9%	25.2%
Homelessness					
Homelessness indicated in FY02, %	11.5%	16.5%	16.0%	20.1%	15.5%
Residence in Metropolitan Area					
Residing in a Metropolitan Statistical Area, %	79.7%	91.3%	90.6%	74.4%	98.9%
Distance					
Mile from Closest VA Medical Center, mean	32.17	13.14	12.64	23.23	9.61
SD	*68.58*	*27.49*	*18.41*	*21.33*	*35.90*
Distance from closest VA Medical Center, %					
0 to 15 miles	49.0%	76.2%	80.6%	45.0%	83.9%
15 to 30 miles	16.3%	13.8%	10.4%	24.9%	13.2%
30 to 45 miles	10.3%	3.2%	1.5%	11.5%	1.6%
45 to 60 miles	8.1%	3.4%	2.9%	11.2%	0.8%
60 plus miles	16.2%	3.4%	4.6%	7.4%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.73	6.68	6.80	9.51	5.40
SD	*13.09*	*6.92*	*6.17*	*8.01*	*6.87*
Distance to closest VA Service Site, %					
0 to 15 miles	77.0%	88.4%	88.6%	35.4%	65.3%
15 to 30 miles	14.9%	11.0%	10.9%	58.6%	25.4%
30 to 45 miles	5.7%	0.5%	0.6%	6.1%	3.7%
45 plus miles	2.4%	0.1%	0.0%	0.0%	5.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3F: FY03 Psychosis Patients, Utilization, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
All Patients	217760	5847	2588	938	2321
Hospital Based Utilization					
Patients with some Hospital Based Utilization, %	27.2%	32.5%	35.5%	31.9%	29.3%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)					
Inpatient stays, mean	1.83	2.15	2.24	2.29	1.97
SD	*1.43*	*1.89*	*2.01*	*2.17*	*1.54*
Average LOS, mean	13.07	10.59	14.46	6.94	6.96
SD	*30.84*	*21.68*	*29.91*	*5.71*	*7.11*
Cumulative DOS, mean	21.85	21.93	30.06	15.10	13.95
SD	*40.46*	*36.62*	*48.62*	*15.86*	*16.36*
Cumulative DOS, %					
1 to 7	39.9%	41.6%	38.2%	41.1%	46.3%
8 to 14	21.8%	21.4%	19.7%	22.4%	23.2%
15 to 44	27.7%	25.0%	23.2%	31.1%	24.7%
45 to 89	6.9%	7.3%	9.7%	4.7%	5.3%
90 to 179	2.3%	3.7%	7.2%	0.7%	0.4%
180 to 359	0.9%	0.9%	1.8%	0.0%	0.0%
360+	0.6%	0.1%	0.2%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	2.1%	2.1%	4.1%	0.0%	0.1%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	237.76	196.82	198.13	0.00	147.00
SD	*95.14*	*78.35*	*78.97*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	1.3%	0.9%	2.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	290.80	249.89	249.89	0.00	0.00
SD	*77.65*	*83.97*	*83.97*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.59	0.66	0.56	1.06	0.63
SD	*4.28*	*4.49*	*4.25*	*5.10*	*4.50*
Cumulative DOS at Other Stations	1.83	2.74	2.51	3.78	2.59
SD	*7.27*	*8.64*	*8.49*	*9.17*	*8.59*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
All Patients	217760	5847	2588	938	2321
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)					
Pts. with non-psych hospital stays, %	14.0%	15.2%	13.7%	12.2%	18.2%
Inpatient stays, mean	0.85	0.81	0.69	0.61	1.05
SD	*1.20*	*1.23*	*1.19*	*1.01*	*1.31*
Average LOS, mean	7.54	6.18	5.80	5.88	6.57
SD	*13.36*	*7.84*	*7.66*	*5.77*	*8.45*
Cumulative Days of Stay, mean	6.52	4.99	4.02	3.55	6.95
SD	*17.31*	*11.54*	*11.13*	*7.29*	*13.25*
Cumulative Days of Stay, %					
0	48.5%	53.1%	61.5%	61.9%	37.8%
1 to 7	29.2%	27.3%	22.7%	24.1%	35.0%
8 to 14	9.8%	10.0%	8.6%	6.0%	13.5%
15 to 44	10.2%	8.3%	6.1%	7.7%	11.5%
45 to 89	1.8%	1.1%	0.8%	0.3%	1.9%
90 to 179	0.4%	0.3%	0.3%	0.0%	0.3%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.1%	0.0%	0.0%	0.1%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	206.57	147.00	0.00	0.00	147.00
SD	*85.33*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	268.22	0.00	0.00	0.00	0.00
SD	*74.94*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.14*	*0.17*	*0.05*	*0.14*	*0.33*
SD	1.82	2.53	0.70	1.40	4.03
Other station cumulative DOS, mean	0.51	0.40	0.24	0.88	0.39
SD	*3.43*	*3.14*	*1.74*	*3.80*	*4.12*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
All Patients	217760	5847	2588	938	2321
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)					
Pts. with psych hospital stays, %	15.8%	20.7%	25.5%	22.7%	14.5%
Inpatient stays, mean	0.98	1.35	1.55	1.68	0.92
SD	*1.28*	*1.79*	*1.85*	*2.24*	*1.34*
Average LOS, mean	17.54	13.40	18.46	7.37	7.31
SD	*38.98*	*26.58*	*34.87*	*5.49*	*5.32*
Cumulative Days of Stay, mean	15.33	16.94	26.04	11.56	7.00
SD	*38.37*	*36.38*	*48.66*	*15.93*	*12.65*
Cumulative Days of Stay, %					
0	41.8%	36.2%	28.2%	28.8%	50.4%
1 to 7	18.6%	23.5%	23.9%	25.4%	22.1%
8 to 14	14.1%	13.5%	12.8%	19.1%	12.1%
15 to 44	17.8%	16.4%	17.6%	21.7%	12.4%
45 to 89	4.7%	6.0%	8.7%	4.3%	2.9%
90 to 179	1.7%	3.4%	6.6%	0.7%	0.1%
180 to 359	0.8%	0.9%	1.8%	0.0%	0.0%
360+	0.5%	0.1%	0.2%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	1.8%	2.0%	4.1%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	239.50	197.24	197.24	0.00	0.00
SD	*96.26*	*79.27*	*79.27*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.2%	0.9%	2.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	291.18	249.72	249.72	0.00	0.00
SD	*78.31*	*83.78*	*83.78*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.45	0.50	0.50	0.91	0.30
SD	*3.83*	*3.66*	*4.09*	*4.93*	*1.99*
Other station cumulative DOS, mean	1.32	2.34	2.27	2.90	2.20
SD	*6.36*	*7.88*	*7.83*	*8.55*	*7.63*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
All Patients	217760	5847	2588	938	2321
Other 24 hour institutional care					
Patients with some other 24 hour institutional care, %	8.5%	14.3%	17.7%	28.5%	4.8%
Residential Rehab (rep. for those w/ res rehab care)					
Patients with some residential rehab. care, %	1.8%	4.0%	8.1%	1.0%	0.6%
Number stays, mean	*1.12*	*1.23*	*1.23*	*1.22*	*1.20*
SD	0.38	0.48	0.49	0.44	0.41
Average LOS, mean	34.01	40.46	43.13	17.50	17.00
SD	*38.25*	*32.70*	*33.12*	*19.30*	*13.37*
Cumulative DOS, mean	37.28	48.25	51.30	26.00	19.13
SD	*40.79*	*38.37*	*38.48*	*38.90*	*13.03*
Cumulative Days of Stay, %					
1 to 7	12.3%	14.2%	12.0%	44.4%	26.7%
8 to 14	12.7%	6.0%	5.7%	0.0%	13.3%
15 to 44	50.7%	38.6%	37.3%	44.4%	53.3%
45 to 89	15.8%	22.3%	24.4%	0.0%	6.7%
90 to 179	7.0%	18.0%	19.6%	11.1%	0.0%
180 to 359	1.3%	0.9%	1.0%	0.0%	0.0%
360+	0.2%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.3%	5.6%	6.2%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	175.66	131.08	131.08	0.00	0.00
SD	*75.56*	*33.58*	*33.58*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.9%	0.9%	1.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	237.86	176.00	176.00	0.00	0.00
SD	*73.07*	*29.70*	*29.70*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.12	0.59	0.42	3.33	1.40
SD	*6.40*	*3.47*	*3.12*	*5.98*	*5.42*
Other station cumulative DOS, mean	3.58	2.61	0.42	26.00	19.13
SD	*10.93*	*10.69*	*3.12*	*38.90*	*13.03*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
All Patients	217760	5847	2588	938	2321
Domiciliary and Vocational (reported for those with some dom/voc care)					
Patients with some dom/voc care, %	2.8%	5.6%	4.1%	22.5%	0.4%
Number stays, mean	1.13	1.14	1.12	1.15	1.00
SD	*0.38*	*0.38*	*0.36*	*0.40*	*0.00*
Average LOS, mean	85.20	112.82	56.85	144.75	32.40
SD	*90.51*	*111.47*	*40.13*	*124.68*	*24.36*
Cumulative DOS, mean	92.74	122.10	62.27	156.41	32.40
SD	*94.18*	*113.78*	*42.62*	*125.66*	*24.36*
Cumulative Days of Stay, %					
1 to 7	6.9%	4.6%	6.6%	3.8%	0.0%
8 to 14	6.1%	5.2%	7.5%	2.4%	40.0%
15 to 44	29.6%	19.0%	25.5%	14.7%	40.0%
45 to 89	19.5%	22.6%	32.1%	18.5%	10.0%
90 to 179	22.9%	27.8%	28.3%	28.4%	10.0%
180 to 359	10.1%	8.9%	0.0%	13.7%	0.0%
360+	5.0%	11.9%	0.0%	18.5%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	31.6%	40.4%	17.9%	53.6%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	203.50	228.09	125.84	245.28	0.00
SD	*90.08*	*106.96*	*16.48*	*106.14*	*0.00*
Dom. patients with 150+ day Dom. stay, %	18.0%	23.5%	0.9%	36.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	259.61	300.78	171.00	302.49	0.00
SD	*79.66*	*81.37*	*0.00*	*80.51*	*0.00*
Other VISN cumulative DOS, mean	1.54	2.43	3.04	2.19	1.20
SD	*8.76*	*13.43*	*14.70*	*13.08*	*3.79*
Other station cumulative DOS, mean	3.75	4.94	7.58	2.32	32.40
SD	*14.14*	*17.65*	*21.88*	*13.13*	*24.36*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
All Patients	217760	5847	2588	938	2321
Nursing Home Care					
(reported for those with some nursing home care)					
Patients with some nursing home care, %	4.5%	5.6%	6.7%	7.1%	3.8%
Number stays, mean	1.24	1.27	1.28	1.16	1.33
SD	*0.60*	*0.52*	*0.56*	*0.41*	*0.52*
Average LOS, mean	99.56	88.51	95.63	98.80	66.68
SD	*118.68*	*116.75*	*117.42*	*131.64*	*100.80*
Cumulative DOS, mean	111.19	100.37	108.63	104.81	80.76
SD	*123.23*	*121.25*	*119.51*	*131.98*	*115.18*
Cumulative Days of Stay, %					
1 to 7	9.0%	10.1%	7.5%	17.9%	9.1%
8 to 14	10.6%	15.5%	11.6%	19.4%	20.5%
15 to 44	27.5%	30.8%	31.2%	17.9%	39.8%
45 to 89	15.4%	9.1%	10.4%	11.9%	4.5%
90 to 179	13.8%	12.2%	15.0%	10.4%	8.0%
180 to 359	11.4%	11.0%	13.3%	7.5%	9.1%
360+	12.4%	11.3%	11.0%	14.9%	9.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	33.0%	32.3%	37.0%	31.3%	23.9%
Cumul. DOS, patients with a 100+ day NH stay, mean	263.62	253.15	242.75	277.33	260.67
SD	*97.17*	*98.94*	*95.11*	*102.06*	*107.06*
NH patients with 150+ day NH stay, %	25.7%	24.1%	27.2%	23.9%	18.2%
Cumul. DOS, patients with a 150+ day NH stay, mean	299.88	296.34	283.47	324.00	306.50
SD	*76.08*	*75.19*	*76.72*	*63.73*	*76.44*
Other VISN cumulative DOS, mean	0.41	0.48	0.03	0.00	1.75
SD	*5.60*	*6.47*	*0.38*	*0.00*	*12.45*
Other station cumulative DOS, mean	1.17	0.66	0.33	0.06	1.76
SD	*8.68*	*6.73*	*2.59*	*0.49*	*12.45*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
All Patients	217760	5847	2588	938	2321
Outpatient utilization					
(reported for those with some outpatient care)					
Patients with some outpatient care, %	99.1%	99.0%	98.6%	98.5%	99.6%
annual visit days, mean	24.61	32.41	38.29	26.50	28.29
SD	*33.05*	*44.26*	*52.22*	*30.89*	*38.01*
Outpatient visit days, %					
1-12	44.2%	38.2%	37.3%	38.9%	38.8%
13-24	26.4%	24.6%	21.6%	27.5%	26.7%
25-36	11.9%	12.7%	12.7%	13.4%	12.5%
37-48	5.9%	7.3%	6.5%	5.8%	8.7%
49+	11.5%	17.3%	21.9%	14.4%	13.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	79.4%	73.2%	70.5%	85.6%	71.2%
Mean PC visit days, among those with some PC	3.84	4.46	3.78	4.56	5.16
SD	3.72	4.54	3.97	3.72	5.31
Average number clinic stops per visit day, mean	1.49	1.52	1.39	1.52	1.66
SD	*0.47*	*0.45*	*0.36*	*0.37*	*0.51*
annual clinic stops (psych & non-psych), mean	37.56	50.36	57.05	40.74	46.83
SD	*56.64*	*71.71*	*84.33*	*51.34*	*62.27*
annual non-psych. clinic stops, mean	20.14	25.87	24.17	30.43	25.93
SD	*25.25*	*33.47*	*35.23*	*37.64*	*29.28*
annual psych. clinic stops (specific groupings below), mean	17.42	24.49	32.88	10.31	20.90
SD	*43.44*	*52.82*	*63.45*	*22.42*	*46.59*
1. general psych. clinic stops, mean	7.22	7.20	7.26	6.38	7.45
SD	*13.49*	*11.75*	*11.64*	*14.52*	*10.56*
2. psych. case management clinic stops, mean	1.44	1.61	2.86	0.06	0.86
SD	*12.10*	*11.31*	*13.36*	*0.68*	*10.95*
3. psych. day treatment clinic stops, mean	2.80	3.41	5.08	0.06	2.89
SD	*21.66*	*18.17*	*24.89*	*1.03*	*11.63*
4. substance abuse clinic stops, mean	3.26	7.69	10.09	2.49	7.12
SD	*19.07*	*34.53*	*39.33*	*10.45*	*34.89*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
All Patients	217760	5847	2588	938	2321
5. psych. vocational clinic stops, mean	1.73	3.32	6.30	0.65	1.11
SD	*15.65*	*21.14*	*29.72*	*4.42*	*10.90*
6. PTSD clinic stops, mean	0.56	0.74	0.95	0.41	0.64
SD	*4.85*	*5.27*	*6.37*	*3.65*	*4.41*
7. psych. homeless clinic stops, mean	0.41	0.56	0.38	0.26	0.87
SD	*3.32*	*2.80*	*2.17*	*1.99*	*3.57*
Other VISN OP visit days, mean	0.36	0.48	0.43	0.72	0.44
SD	2.35	3.13	2.73	4.51	2.86
Other station OP visit days, mean	0.91	1.33	1.30	2.72	0.81
SD	3.87	5.92	5.59	9.52	3.99

Table 4F: FY03 Psychosis Patients, Pharmacy Utilization, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
All Patients	217760	5847	2588	938	2321
Among all patients in the registry					
Pts. with any outpatient prescriptions, %	95.5%	94.2%	93.9%	95.1%	94.2%
Patients with any oral antipsychotic fills, %*	59.2%	59.9%	63.1%	58.3%	56.9%
Among pts. Receiving any antipsychotic medication:					
Received only conventional antipsychotics, %	12.3%	12.6%	12.4%	13.5%	8.1%
Received some atypical antipsychotics, %	87.7%	87.4%	87.6%	86.5%	91.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %					
Aripiprazole	1.2%	1.9%	0.9%	0.2%	4.2%
Clozapine	1.8%	2.2%	1.3%	1.1%	1.1%
Olanzapine	35.8%	34.4%	40.4%	38.8%	32.2%
Quetiapine	26.2%	29.6%	22.2%	24.9%	28.6%
Risperidone	36.7%	37.5%	38.3%	31.8%	47.5%
Ziprasidone	5.2%	3.6%	5.3%	12.2%	7.6%
Patients receiving only one kind** of antipsychotic, %	73.8%	72.2%	69.4%	74.6%	71.4%
Concurrent use of 2 or more antipsychotics, % ***	11.3%	12.8%	14.6%	10.4%	12.0%
Among pts receiving just one antipsychotic:					
Antipsychotic fills, mean	7.06	8.27	7.84	7.80	6.65
SD	*5.06*	5.29	5.30	4.79	4.53
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--
SD	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5F: FY03 Psychosis Patients, Cost, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
All Patients	217760	5847	2588	938	2321
Total Costs (in thousands $$)	$3,237,460	$114,943	$60,979	$17,138	$36,825
Station % of VISN		100.0%	53.1%	14.9%	32.0%
Psych vs. Non-Psych Costs					
Psych	30.3%	35.0%	41.4%	22.3%	30.3%
Non-Psych	69.7%	65.0%	58.6%	77.7%	69.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use					
Per Patient	$18,395	$22,016	$28,106	$14,274	$17,188
Per Day of Stay	$842	$1,004	$935	$945	$1,232
Mean Outpatient Costs, Pts with some Outpatient use					
Per Patient	$6,757	$8,212	$8,813	$6,255	$8,332
Per Visit Day	$275	$253	$230	$236	$295
Mean Patient Costs, By Cost Center					
1 Med	$1,582	$1,786	$2,006	$1,176	$1,786
2 Surg	$536	$600	$787	$344	$495
3 Psych	$2,886	$4,761	$7,187	$3,030	$2,755
4 Psych Res Rehab Treatment Program	$218	$483	$1,028	$115	$25
5 Non-VA	$205	$92	$109	$38	$94
6 LTC Domiciliary	$327	$1,087	$608	$5,029	$28
7 LTC Intermediate Care	$167	$383	$568	$312	$205
8 LTC Nursing Home	$1,785	$2,065	$2,288	$1,869	$1,895
9 Contract Nursing Home	$467	$274	$294	$196	$283
10 OPC Med/Surg	$1,071	$1,604	$1,137	$1,249	$2,267
11 OPC Psych	$1,624	$2,118	$2,560	$1,052	$2,055
12 OPC Home Based Treatment	$751	$913	$1,005	$501	$978
13 OPC Support	$1,322	$1,686	$1,644	$1,689	$1,732
14 OPC Fee	$148	$56	$73	$68	$33
15 OPC Pharmacy	$1,778	$1,751	$2,268	$1,603	$1,235
TOTAL	$14,867	$19,658	$23,562	$18,271	$15,866
Mean % Patient Costs at Other Stations	3.9%	4.0%	3.3%	7.3%	3.4%
SD	*12.8%*	12.8%	11.7%	16.5%	11.9%
Mean % Patient Costs at Other VISNs	1.5%	1.6%	1.2%	2.0%	1.9%
SD	*8.0%*	8.4%	6.7%	8.8%	9.7%

Table 1G: FY03 Schizophrenic Patients, Demographics, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Schizophrenic Patients	94395	2766	1305	385	1076
Age, %					
<35	3.9%	3.8%	3.5%	2.6%	4.6%
>=35 and <50	32.5%	34.5%	32.2%	33.5%	37.7%
>=50 and <65	44.6%	42.4%	41.1%	40.3%	44.8%
>=65 and <80	15.7%	16.0%	19.2%	19.5%	10.9%
>=80	3.3%	3.2%	3.9%	4.2%	2.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	54.59	54.49	55.71	55.75	52.55
SD	*11.97*	*12.21*	*12.55*	*12.80*	*11.29*
Gender					
Male, %	94.6%	93.4%	93.9%	94.3%	92.5%
Female, %	5.4%	6.6%	6.1%	5.7%	7.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %					
Hispanic white	6.9%	0.6%	0.2%	0.8%	1.0%
Hispanic black	0.6%	0.3%	0.2%	0.0%	0.5%
American Indian	0.3%	0.0%	0.1%	0.0%	0.0%
Black	26.5%	50.8%	48.0%	19.7%	65.1%
Asian	0.8%	0.3%	0.2%	0.3%	0.3%
White	52.4%	36.6%	42.1%	69.6%	18.0%
Race unknown	12.5%	11.5%	9.2%	9.6%	15.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status					
Never married	42.4%	46.8%	51.8%	35.2%	45.0%
Married	24.6%	19.7%	16.6%	26.1%	21.1%
Divorced/Separated	29.5%	28.6%	27.1%	33.9%	28.5%
Widowed	3.5%	4.9%	4.5%	4.7%	5.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Schizophrenic Patients	94395	2766	1305	385	1076
Registry Pts. History of VA Utilization					
Years since first use in prior five years, mean	4.6	4.61	4.63	4.61	4.59
SD	*1.0*	*0.96*	*0.95*	*0.95*	*0.98*
Yrs with 24-hour institutional use / yrs since 1st use, %	27.3%	32.9%	36.1%	40.5%	26.2%
SD	*30.9%*	*32.6%*	*32.9%*	*36.8%*	*29.4%*
Years with OP use / Years since first use, %	96.7%	96.0%	95.5%	96.2%	96.6%
SD	*12.4%*	*13.0%*	*14.4%*	*13.5%*	*10.6%*
Psychosis Diagnoses in Prior Fiscal Year					
Had Psychosis Diagnosis in FY01, %	82.2%	79.7%	82.6%	80.3%	76.0%
Among Patients With Psychoses in FY01					
Psychosis Category: Schizophrenia, %	3.8%	94.3%	95.5%	89.0%	94.7%
Psychosis Category: Bipolar Disorder, %	94.8%	2.8%	2.9%	4.2%	2.1%
Psychosis Category: Other Psychosis, %	1.4%	2.9%	1.7%	6.8%	3.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %					
Dementia	2.3%	2.9%	4.1%	1.8%	1.9%
Post Traumatic Stress Disorder	11.9%	15.6%	9.3%	18.7%	22.1%
Depression	25.7%	31.1%	28.4%	32.2%	34.0%
Other Anxiety Disorder	8.7%	6.1%	5.6%	9.4%	5.7%
Substance Abuse or Dependence	22.3%	27.9%	28.4%	22.1%	29.6%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Schizophrenic Patients	94395	2766	1305	385	1076
Medical Comorbidities, %					
No medical comorbidities	18.7%	17.8%	20.0%	16.1%	15.6%
Anemia	7.1%	8.5%	8.4%	8.3%	8.7%
Arthritis	29.7%	29.0%	23.2%	37.9%	32.8%
Cancer	6.1%	6.5%	6.4%	6.2%	6.9%
Cerebrovascular Disease	3.8%	4.3%	4.3%	3.1%	4.7%
Chronic Neurologic Disorder	12.4%	12.3%	11.3%	11.2%	13.8%
Chronic Obstructive Pulmonary Disease	16.5%	12.9%	14.1%	18.2%	9.5%
Chronic Viral Infection	8.7%	12.6%	10.2%	10.1%	16.4%
Coronary Artery Disease	14.6%	18.7%	11.9%	20.3%	26.3%
Diabetes	20.3%	23.0%	24.3%	20.5%	22.4%
Digestive System Disease	44.1%	43.1%	39.5%	53.0%	44.0%
Hypertension	40.7%	44.0%	42.5%	45.5%	45.4%
Injury and Poisoning	15.5%	17.7%	15.5%	19.2%	19.8%
Liver Disease	3.2%	3.0%	1.6%	3.6%	4.4%
Other Endocrine	6.9%	6.4%	7.0%	7.0%	5.5%
Peripheral Vascular Disease	2.9%	3.0%	3.0%	5.2%	2.3%
Lowest inpatient GAF score, mean	36.19	32.98	33.68	45.06	26.38
SD	*14.35*	*12.71*	*11.04*	*14.12*	*7.66*
Mean outpatient GAF score	48.84	48.43	48.07	48.26	48.80
SD	*10.59*	*10.18*	*10.53*	*8.83*	*10.16*
At least 1 IP GAF, among pts with MH bedsections, %	38.5%	53.0%	37.8%	51.3%	78.5%
At least 1 OP GAF, among pts with MH clinic stops, %	80.5%	73.9%	67.0%	61.8%	86.5%
Mortality rates					
died in FY02, %	2.7%	2.3%	2.8%	1.3%	2.0%
Age-and-gender-adjusted Standardized Mortality Ratio	1.68	1.41	0.00	0.00	0.00

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Schizophrenic Patients	94395	2766	1305	385	1076
Service Connection (SC)					
Non-SC	40.8%	43.9%	45.6%	50.1%	39.5%
SC 0 - 29%	6.8%	6.9%	7.1%	6.2%	6.8%
SC 30 - 69%	8.8%	7.6%	4.7%	9.4%	10.6%
SC 70 - 99%	6.6%	5.1%	2.9%	6.5%	7.3%
SC 100%	37.0%	36.5%	39.7%	27.8%	35.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %					
Complex*	22.5%	28.9%	38.9%	31.7%	15.7%
Basic vested, Cat A*	74.7%	68.4%	57.6%	65.7%	82.3%
Basic Non-vested, Cat A*	1.2%	1.2%	1.4%	0.8%	1.1%
Basic, Cats C and N	1.7%	1.6%	2.1%	1.8%	0.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded					
Patient eligibility category, %					
Cat A (SC or low income)	98.2%	98.3%	97.7%	98.2%	99.0%
Cat C (NSC and higher income)	1.4%	1.4%	1.8%	1.8%	0.8%
Non-Veteran	0.5%	0.3%	0.5%	0.0%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %					
BASIC 1. Non-reliant Care	0.2%	0.4%	0.6%	0.0%	0.4%
2. Basic Medical	13.3%	9.7%	7.0%	14.5%	11.2%
3. Mental Health	38.5%	31.6%	30.7%	29.1%	33.6%
4. Heart / Lung / GI	5.8%	5.7%	4.5%	7.5%	6.6%
5. Oncology / Infectious Disease	3.6%	3.5%	2.6%	2.6%	4.8%
6. Multiple Medical	16.1%	20.2%	15.6%	14.5%	27.7%
COMPLEX 7. Specialized Care	1.9%	1.8%	1.4%	1.0%	2.7%
8. Support Care	2.3%	2.4%	2.7%	3.1%	1.9%
9. Chronic Mental	15.7%	21.8%	31.6%	24.4%	8.9%
10. Critically Ill	2.6%	2.9%	3.3%	3.1%	2.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Schizophrenic Patients	94395	2766	1305	385	1076
Substance Dependence and Abuse					
Any dx of alcohol / drug dependence or abuse, %	22.3%	27.9%	28.4%	22.1%	29.6%
Homelessness					
Homelessness indicated in FY02, %	12.0%	17.6%	15.7%	16.4%	20.3%
Residence in Metropolitan Area					
Residing in a Metropolitan Statistical Area, %	81.5%	91.9%	91.3%	74.0%	99.1%
Distance					
Mile from Closest VA Medical Center, mean	28.72	11.69	11.19	23.27	8.15
SD	*55.48*	*15.67*	*17.15*	*20.27*	*8.18*
Distance from closest VA Medical Center, %					
0 to 15 miles	52.9%	78.8%	83.1%	43.4%	86.2%
15 to 30 miles	15.5%	12.2%	9.3%	24.4%	11.4%
30 to 45 miles	9.7%	3.0%	1.1%	13.0%	1.6%
45 to 60 miles	7.4%	3.3%	2.4%	14.0%	0.7%
60 plus miles	14.4%	2.7%	4.1%	5.2%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	9.84	6.12	6.29	9.58	4.67
SD	*11.95*	*6.06*	*5.76*	*8.18*	*4.88*
Distance to closest VA Service Site, %					
0 to 15 miles	79.4%	90.1%	90.0%	75.1%	95.5%
15 to 30 miles	13.6%	9.4%	9.7%	23.1%	4.2%
30 to 45 miles	5.1%	0.5%	0.3%	1.8%	0.2%
45 plus miles	1.9%	0.0%	0.0%	0.0%	0.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Schizophrenic Patients	94395	2766	1305	385	1076
Hospital Based Utilization					
Patients with some Hospital Based Utilization, %	27.0%	31.4%	34.1%	28.3%	29.3%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)					
Inpatient stays, mean	1.85	2.27	2.39	2.34	2.06
SD	*1.45*	*1.80*	*1.89*	*1.94*	*1.58*
Average LOS, mean	17.65	14.10	20.45	7.60	7.38
SD	*42.51*	*29.26*	*39.30*	*4.92*	*7.57*
Cumulative DOS, mean	28.76	29.62	42.86	17.36	15.18
SD	*53.29*	*47.17*	*61.00*	*16.81*	*16.76*
Cumulative DOS, %					
1 to 7	35.1%	35.8%	31.5%	35.8%	41.9%
8 to 14	20.7%	19.9%	16.2%	20.2%	25.1%
15 to 44	29.0%	25.3%	22.9%	35.8%	25.1%
45 to 89	9.0%	10.9%	14.2%	7.3%	7.6%
90 to 179	3.4%	6.1%	11.5%	0.9%	0.3%
180 to 359	1.5%	1.7%	3.4%	0.0%	0.0%
360+	1.2%	0.2%	0.4%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	3.8%	3.5%	6.7%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	249.93	212.77	212.77	0.00	0.00
SD	*96.37*	*81.66*	*81.66*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	2.5%	1.8%	3.6%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.78	260.44	260.44	0.00	0.00
SD	*75.28*	*83.12*	*83.12*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.65	0.73	0.68	1.29	0.59
SD	*4.66*	*5.35*	*5.30*	*6.58*	*4.95*
Cumulative DOS at Other Stations	2.06	3.33	3.07	4.08	3.43
SD	*8.11*	*9.65*	*9.32*	*9.16*	*10.27*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Schizophrenic Patients	94395	2766	1305	385	1076
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)					
Pts. with non-psych hospital stays, %	11.8%	12.7%	11.8%	9.9%	14.8%
Inpatient stays, mean	0.71	0.70	0.63	0.59	0.83
SD	*1.11*	*1.16*	*1.18*	*1.04*	*1.16*
Average LOS, mean	8.26	6.24	5.40	6.33	7.02
SD	*16.10*	*7.80*	*5.18*	*4.56*	*10.12*
Cumulative Days of Stay, mean	6.10	4.54	3.94	3.70	5.69
SD	*19.61*	*12.08*	*12.95*	*7.55*	*12.03*
Cumulative Days of Stay, %					
0	56.2%	59.6%	65.4%	65.1%	49.5%
1 to 7	24.8%	23.6%	20.7%	19.3%	29.2%
8 to 14	8.1%	8.4%	7.6%	5.5%	10.5%
15 to 44	8.5%	6.8%	4.9%	10.1%	8.3%
45 to 89	1.7%	1.3%	0.7%	0.0%	2.5%
90 to 179	0.5%	0.3%	0.7%	0.0%	0.0%
180 to 359	0.2%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.4%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	225.13	0.00	0.00	0.00	0.00
SD	*88.92*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	285.12	0.00	0.00	0.00	0.00
SD	*70.56*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.10*	*0.15*	*0.03*	*0.18*	*0.30*
SD	*1.58*	*2.83*	*0.42*	*1.92*	*4.53*
Other station cumulative DOS, mean	0.47	0.32	0.19	0.83	0.34
SD	*3.45*	*3.19*	*1.66*	*3.17*	*4.55*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Schizophrenic Patients	94395	2766	1305	385	1076
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)					
Pts. with psych hospital stays, %	17.7%	22.5%	25.7%	20.8%	19.1%
Inpatient stays, mean	1.14	1.57	1.76	1.75	1.23
SD	*1.37*	*1.76*	*1.84*	*2.05*	*1.47*
Average LOS, mean	23.15	17.56	26.12	8.01	7.24
SD	*51.08*	*33.99*	*44.22*	*5.30*	*5.04*
Cumulative Days of Stay, mean	22.66	25.08	38.92	13.66	9.49
SD	*51.43*	*47.39*	*61.40*	*17.49*	*14.49*
Cumulative Days of Stay, %					
0	34.4%	28.5%	24.5%	26.6%	34.9%
1 to 7	17.5%	21.7%	17.3%	22.9%	27.6%
8 to 14	14.7%	14.2%	11.7%	16.5%	16.8%
15 to 44	21.2%	18.6%	18.9%	25.7%	15.9%
45 to 89	6.9%	9.3%	13.3%	7.3%	4.4%
90 to 179	2.8%	5.6%	10.6%	0.9%	0.3%
180 to 359	1.4%	1.7%	3.4%	0.0%	0.0%
360+	1.1%	0.2%	0.4%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	3.5%	6.7%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	250.18	212.67	212.67	0.00	0.00
SD	*97.20*	*81.50*	*81.50*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	2.2%	1.8%	3.6%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.10	260.25	260.25	0.00	0.00
SD	*76.47*	*82.92*	*82.92*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.55	0.58	0.65	1.11	0.29
SD	4.34	4.52	5.21	6.33	2.02
Other station cumulative DOS, mean	1.59	3.00	2.88	3.26	3.09
SD	7.30	9.05	8.95	8.73	9.32

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Schizophrenic Patients	94395	2766	1305	385	1076
Other 24 hour institutional care					
Patients with some other 24 hour institutional care, %	8.0%	13.1%	16.0%	29.6%	3.5%
Residential Rehab (rep. for those w/ res rehab care)					
Patients with some residential rehab. care, %	1.6%	3.4%	6.3%	0.8%	0.9%
Number stays, mean	*1.12*	*1.23*	*1.23*	*1.00*	*1.30*
SD	*0.37*	*0.49*	*0.50*	*0.00*	*0.48*
Average LOS, mean	36.26	38.77	42.28	17.33	16.40
SD	*45.44*	*34.55*	*35.63*	*11.02*	*14.05*
Cumulative DOS, mean	39.67	44.93	49.02	17.33	19.60
SD	*48.06*	*37.24*	*38.23*	*11.02*	*13.56*
Cumulative Days of Stay, %					
1 to 7	14.0%	14.7%	13.4%	33.3%	20.0%
8 to 14	14.7%	7.4%	7.3%	0.0%	10.0%
15 to 44	46.4%	42.1%	39.0%	66.7%	60.0%
45 to 89	13.8%	18.9%	20.7%	0.0%	10.0%
90 to 179	8.9%	15.8%	18.3%	0.0%	0.0%
180 to 359	1.8%	1.1%	1.2%	0.0%	0.0%
360+	0.5%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.2%	4.2%	4.9%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	180.59	135.50	135.50	0.00	0.00
SD	*80.43*	*41.68*	*41.68*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	2.8%	1.1%	1.2%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	246.24	197.00	197.00	0.00	0.00
SD	*77.24*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.84	0.71	0.27	8.00	2.10
SD	*5.37*	*3.63*	*2.43*	*9.17*	*6.64*
Other station cumulative DOS, mean	3.24	2.84	0.27	17.33	19.60
SD	*10.31*	*8.22*	*2.43*	*11.02*	*13.56*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Schizophrenic Patients	94395	2766	1305	385	1076
Domiciliary and Vocational (reported for those with some dom/voc care)					
Patients with some dom/voc care, %	2.3%	5.6%	4.5%	23.6%	0.5%
Number stays, mean	1.12	1.09	1.08	1.10	1.00
SD	*0.37*	*0.31*	*0.28*	*0.34*	*0.00*
Average LOS, mean	94.48	143.46	60.90	202.91	35.80
SD	*108.97*	*134.71*	*44.46*	*145.06*	*32.07*
Cumulative DOS, mean	100.96	149.17	64.93	210.01	35.80
SD	*111.44*	*134.00*	*46.04*	*142.14*	*32.07*
Cumulative Days of Stay, %					
1 to 7	7.9%	5.8%	8.5%	4.4%	0.0%
8 to 14	6.7%	5.2%	8.5%	1.1%	40.0%
15 to 44	31.5%	16.8%	22.0%	12.1%	40.0%
45 to 89	17.3%	20.0%	28.8%	15.4%	0.0%
90 to 179	17.7%	21.9%	32.2%	15.4%	20.0%
180 to 359	9.4%	9.7%	0.0%	16.5%	0.0%
360+	9.5%	20.6%	0.0%	35.2%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.0%	45.8%	22.0%	63.7%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	234.98	269.08	130.23	300.21	0.00
SD	*102.95*	*105.65*	*17.37*	*90.90*	*0.00*
Dom. patients with 150+ day Dom. stay, %	20.9%	34.2%	1.7%	57.1%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	291.61	316.83	171.00	319.63	0.00
SD	*80.75*	*76.11*	*0.00*	*74.04*	*0.00*
Other VISN cumulative DOS, mean	1.18	0.71	0.59	0.82	0.00
SD	*7.65*	*4.92*	*4.06*	*5.54*	*0.00*
Other station cumulative DOS, mean	3.16	2.45	1.95	0.95	35.80
SD	*12.59*	*10.19*	*7.47*	*5.64*	*32.07*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Schizophrenic Patients	94395	2766	1305	385	1076
Nursing Home Care					
(reported for those with some nursing home care)					
Patients with some nursing home care, %	4.7%	4.8%	6.1%	8.1%	2.2%
Number stays, mean	1.20	1.20	1.27	1.03	1.21
SD	*0.56*	*0.47*	*0.50*	*0.18*	*0.59*
Average LOS, mean	143.54	143.25	136.35	153.10	153.27
SD	*137.46*	*141.20*	*139.06*	*155.01*	*134.04*
Cumulative DOS, mean	156.00	154.78	150.04	157.39	167.00
SD	*139.76*	*140.62*	*137.00*	*156.27*	*136.39*
Cumulative Days of Stay, %					
1 to 7	6.8%	9.0%	6.3%	19.4%	4.2%
8 to 14	6.5%	6.7%	5.1%	16.1%	0.0%
15 to 44	20.5%	19.4%	22.8%	9.7%	20.8%
45 to 89	14.1%	10.4%	13.9%	3.2%	8.3%
90 to 179	15.1%	18.7%	19.0%	9.7%	29.2%
180 to 359	14.7%	12.7%	11.4%	16.1%	12.5%
360+	22.5%	23.1%	21.5%	25.8%	25.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	48.0%	51.5%	49.4%	51.6%	58.3%
Cumul. DOS, patients with a 100+ day NH stay, mean	282.12	268.52	266.13	291.19	249.29
SD	*94.85*	*103.88*	*102.39*	*95.16*	*119.61*
NH patients with 150+ day NH stay, %	39.8%	38.1%	36.7%	41.9%	37.5%
Cumul. DOS, patients with a 150+ day NH stay, mean	312.43	319.08	312.86	329.23	324.44
SD	*72.26*	*67.54*	*72.37*	*54.36*	*73.49*
Other VISN cumulative DOS, mean	0.44	0.16	0.06	0.00	0.67
SD	*5.99*	*1.45*	*0.56*	*0.00*	*3.27*
Other station cumulative DOS, mean	1.19	0.47	0.59	0.00	0.67
SD	*9.07*	*3.12*	*3.65*	*0.00*	*3.27*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Schizophrenic Patients	94395	2766	1305	385	1076
Outpatient utilization					
(reported for those with some outpatient care)					
Patients with some outpatient care, %	98.3%	98.4%	97.8%	97.7%	99.3%
annual visit days, mean	27.64	37.59	45.62	27.14	31.67
SD	*38.39*	*51.58*	*60.09*	*32.67*	*44.04*
Outpatient visit days, %					
1-12	42.6%	36.7%	34.9%	37.2%	38.6%
13-24	25.7%	23.3%	19.7%	28.2%	25.9%
25-36	11.8%	12.4%	12.5%	16.0%	11.0%
37-48	5.9%	6.1%	5.4%	4.0%	7.6%
49+	14.0%	21.5%	27.5%	14.6%	16.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	74.5%	66.5%	68.0%	78.2%	60.5%
Mean PC visit days, among those with some PC	3.73	4.09	3.69	4.48	4.27
SD	3.83	4.02	4.00	3.77	4.10
Average number clinic stops per visit day, mean	1.45	1.49	1.38	1.48	1.63
SD	*0.45*	*0.44*	*0.38*	*0.38*	*0.49*
annual clinic stops (psych & non-psych), mean	41.32	57.29	67.81	40.20	50.74
SD	*65.29*	*82.31*	*97.65*	*51.78*	68.21
annual non-psych. clinic stops, mean	19.07	26.37	27.99	31.08	22.79
SD	*26.86*	*39.23*	*45.03*	*43.47*	*28.50*
annual psych. clinic stops (specific groupings below), mean	22.25	30.92	39.83	9.12	27.94
SD	*50.83*	*59.35*	*70.46*	*17.92*	*51.56*
1. general psych. clinic stops, mean	9.04	8.35	7.55	6.45	9.98
SD	*15.89*	*11.88*	*11.55*	*11.41*	*12.24*
2. psych. case management clinic stops, mean	2.76	3.24	5.37	0.10	1.80
SD	*16.59*	*16.10*	*18.15*	*0.83*	*15.98*
3. psych. day treatment clinic stops, mean	4.94	5.87	8.67	0.07	4.58
SD	*29.07*	*24.58*	*33.24*	*0.61*	*14.05*
4. substance abuse clinic stops, mean	2.71	7.17	7.62	1.53	8.62
SD	*17.49*	*33.15*	*33.28*	*6.77*	*38.03*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Schizophrenic Patients	94395	2766	1305	385	1076
5. psych. vocational clinic stops, mean	2.11	5.14	9.63	0.75	1.31
SD	*18.38*	*28.01*	*38.74*	*5.87*	*12.21*
6. PTSD clinic stops, mean	0.37	0.63	0.68	0.09	0.77
SD	*3.86*	*4.87*	*5.47*	*1.61*	*4.86*
7. psych. homeless clinic stops, mean	0.39	0.59	0.36	0.12	1.03
SD	*2.98*	*2.79*	*2.15*	*0.75*	*3.70*
Other VISN OP visit days, mean	0.30	0.42	0.45	0.43	0.38
SD	*2.12*	*3.08*	*3.31*	*2.39*	*3.00*
Other station OP visit days, mean	0.82	1.27	1.45	2.03	0.78
SD	*3.70*	*5.93*	*6.31*	*8.51*	*4.01*

Table 4G: FY03 Schizophrenic Patients, Pharmacy Utilization, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Schizophrenic Patients	94395	2766	1305	385	1076
Among all patients in the registry					
Pts. with any outpatient prescriptions, %	94.9%	93.7%	93.4%	92.2%	94.5%
Patients with any oral antipsychotic fills, %*	78.7%	77.5%	80.2%	76.9%	74.6%
Among pts. receiving any antipsychotic medication:					
Received only conventional antipsychotics, %	15.4%	12.9%	14.6%	16.6%	9.3%
Received some atypical antipsychotics, %	84.6%	87.1%	85.4%	83.4%	90.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %					
Aripiprazole	1.5%	2.7%	1.0%	0.3%	5.9%
Clozapine	3.1%	1.9%	2.1%	2.0%	1.6%
Olanzapine	35.7%	38.9%	41.4%	39.5%	35.4%
Quetiapine	21.7%	21.3%	18.2%	22.0%	25.0%
Risperidone	36.8%	40.0%	38.9%	30.1%	45.0%
Ziprasidone	5.9%	8.2%	5.3%	14.2%	9.7%
Patients receiving only one kind** of antipsychotic, %	70.8%	67.5%	65.7%	72.0%	68.1%
Concurrent use of 2 or more antipsychotics, % ***	15.6%	17.8%	19.5%	16.2%	16.2%
Among pts receiving just one antipsychotic:					
Antipsychotic fills, mean	8.10	8.51	9.15	9.20	7.43
SD	*5.37*	*5.15*	*5.47*	*4.68*	*4.71*
Antipsychotic Medication Possession Ratio, mean	0.83	0.79	0.84	0.85	0.71
SD	*0.33*	*0.34*	*0.33*	*0.32*	*0.35*
Antipsychotic Med Possession Ratio <= 0.80, %	37.1%	40.8%	33.7%	33.7%	52.1%
Antipsychotic Med Possession Ratio <= 0.50, %	18.0%	22.6%	18.4%	16.3%	30.3%

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 4G: FY03 Schizophrenic Patients, Cost, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Schizophrenic Patients	94395	2766	1305	385	1076
Total Costs (in thousands $$)	$1,637,013	$63,902	$36,527	$8,307	$19,068
Station % of VISN		100.0%	57.2%	13.0%	29.8%
Psych vs. Non-Psych Costs					
Psych	34.5%	39.4%	45.1%	19.0%	37.3%
Non-Psych	65.5%	60.6%	54.9%	81.0%	62.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use					
Per Patient	$21,945	$27,477	$36,662	$15,557	$18,627
Per Day of Stay	$763	$928	$855	$896	$1,227
Mean Outpatient Costs, Pts with some Outpatient use					
Per Patient	$7,323	$9,409	$10,365	$6,544	$9,276
Per Visit Day	$265	$250	$227	$241	$293
By Cost Center					
1 Med	$1,399	$1,567	$1,941	$1,051	$1,298
2 Surg	$470	$599	$860	$168	$437
3 Psych	$4,062	$6,466	$9,701	$3,185	$3,718
4 Psych Res Rehab Treatment Program	$217	$385	$771	$46	$39
5 Non-VA	$230	$107	$167	$9	$68
6 LTC Domiciliary	$302	$1,279	$678	$6,799	$33
7 LTC Intermediate Care	$166	$430	$675	$310	$175
8 LTC Nursing Home	$2,633	$2,719	$2,798	$3,468	$2,354
9 Contract Nursing Home	$664	$294	$264	$148	$384
10 OPC Med/Surg	$930	$1,447	$1,013	$1,173	$2,071
11 OPC Psych	$1,916	$2,630	$2,928	$910	$2,885
12 OPC Home Based Treatment	$933	$1,192	$1,426	$449	$1,174
13 OPC Support	$1,243	$1,794	$1,831	$1,777	$1,756
14 OPC Fee	$130	$60	$91	$82	$16
15 OPC Pharmacy	$2,047	$2,132	$2,846	$2,001	$1,313
TOTAL	$17,342	$23,103	$27,990	$21,576	$17,721
Mean % Patient Costs at Other Stations	3.6%	3.7%	3.3%	6.4%	3.2%
SD	*12.4%*	*12.2%*	*11.6%*	*16.6%*	*10.7%*
Mean % Patient Costs at Other VISNs	1.3%	1.2%	1.0%	1.5%	1.3%
SD	*7.5%*	*6.8%*	*5.6%*	*8.3%*	*7.5%*

Table 1H: FY03 Bipolar Patients, Demographics, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Bipolar Patients	73964	1809	925	347	537
Age, %					
<35	7.9%	8.2%	8.2%	5.2%	10.2%
>=35 and <50	36.3%	43.1%	44.6%	39.5%	42.8%
>=50 and <65	40.3%	35.0%	33.1%	41.5%	34.3%
>=65 and <80	13.3%	11.4%	12.2%	12.7%	9.3%
>=80	2.2%	2.2%	1.8%	1.2%	3.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	52.26	50.90	50.79	51.94	50.42
SD	*12.50*	*12.45*	*12.50*	*11.34*	*13.03*
Gender					
Male, %	88.2%	84.7%	85.0%	89.9%	81.0%
Female, %	11.8%	15.3%	15.0%	10.1%	19.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %					
Hispanic white	2.8%	1.3%	0.6%	2.3%	1.7%
Hispanic black	0.3%	0.4%	0.2%	0.6%	0.6%
American Indian	0.3%	0.2%	0.3%	0.0%	0.0%
Black	10.4%	28.9%	26.7%	17.6%	39.9%
Asian	0.2%	0.2%	0.2%	0.0%	0.4%
White	62.5%	48.2%	53.8%	60.2%	30.7%
Race unknown	23.5%	20.9%	18.1%	19.3%	26.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status					
Never married	21.0%	27.1%	28.5%	16.7%	31.6%
Married	37.7%	32.2%	31.8%	36.9%	29.9%
Divorced/Separated	37.9%	36.6%	35.6%	42.7%	34.6%
Widowed	3.4%	4.0%	4.1%	3.7%	4.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Bipolar Patients	73964	1809	925	347	537
Registry Pts. History of VA Utilization					
Years since first use in prior five years, mean	4.2	4.19	4.19	4.19	4.18
SD	*1.3*	*1.29*	*1.27*	*1.31*	*1.32*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.1%	31.0%	31.3%	37.0%	26.7%
SD	*29.2%*	*32.0%*	*32.7%*	*32.7%*	*29.5%*
Years with OP use / Years since first use, %	96.7%	96.7%	96.6%	96.3%	96.9%
SD	*10.5%*	*10.4%*	*10.5%*	*11.2%*	*9.5%*
Psychosis Diagnoses in Prior Fiscal Year					
Had Psychosis Diagnosis in FY01, %	65.0%	63.1%	61.3%	61.7%	67.0%
Among Patients With Psychoses in FY01					
Psychosis Category: Schizophrenia, %	3.8%	6.8%	7.6%	6.1%	6.1%
Psychosis Category: Bipolar Disorder, %	94.8%	91.9%	91.5%	92.5%	92.2%
Psychosis Category: Other Psychosis, %	1.4%	1.2%	0.9%	1.4%	1.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %					
Dementia	1.7%	1.8%	1.8%	2.3%	1.3%
Post Traumatic Stress Disorder	21.3%	23.4%	21.7%	35.2%	18.6%
Depression	44.5%	54.1%	59.8%	48.1%	48.2%
Other Anxiety Disorder	16.3%	14.1%	14.5%	17.6%	11.2%
Substance Abuse or Dependence	29.8%	33.1%	35.7%	31.4%	29.6%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Bipolar Patients	73964	1809	925	347	537
Medical Comorbidities, %					
No medical comorbidities	15.4%	16.0%	17.9%	8.9%	17.3%
Anemia	5.6%	5.9%	5.8%	7.2%	5.2%
Arthritis	42.4%	41.3%	39.8%	49.3%	38.9%
Cancer	6.2%	6.2%	5.7%	5.2%	7.6%
Cerebrovascular Disease	3.8%	4.0%	3.5%	4.3%	4.8%
Chronic Neurologic Disorder	14.8%	14.0%	13.8%	12.7%	15.1%
Chronic Obstructive Pulmonary Disease	16.0%	12.1%	11.2%	17.0%	10.4%
Chronic Viral Infection	9.6%	13.5%	12.0%	13.3%	16.2%
Coronary Artery Disease	16.8%	18.8%	13.7%	18.2%	27.9%
Diabetes	17.4%	17.5%	17.4%	18.2%	17.1%
Digestive System Disease	43.2%	44.4%	42.2%	52.4%	43.2%
Hypertension	38.5%	40.2%	40.0%	47.3%	35.9%
Injury and Poisoning	19.9%	23.5%	21.6%	26.8%	24.6%
Liver Disease	3.8%	4.3%	3.9%	3.7%	5.2%
Other Endocrine	10.0%	8.8%	8.3%	10.4%	8.8%
Peripheral Vascular Disease	3%	3.7%	2.7%	5.5%	4.3%
Lowest inpatient GAF score, mean	39.59	35.81	39.09	42.35	25.75
SD	*14.06*	*12.27*	*11.82*	*10.59*	*6.90*
Mean outpatient GAF score	53.41	52.89	53.86	51.52	52.38
SD	*10.75*	*10.27*	*10.32*	*10.34*	*10.08*
At least 1 IP GAF, among pts with MH bedsections, %	39.1%	43.9%	34.0%	39.8%	77.9%
At least 1 OP GAF, among pts with MH clinic stops, %	81.5%	69.1%	60.4%	67.3%	85.1%
Mortality rates					
died in FY02, %	1.5%	1.2%	0.8%	2.0%	1.3%
Age-and-gender-adjusted Standardized Mortality Ratio	1.07	0.94	0.00	0.00	0.00

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Bipolar Patients	73964	1809	925	347	537
Service Connection (SC)					
Non-SC	55.9%	56.3%	60.3%	56.2%	49.5%
SC 0 - 29%	10.0%	9.6%	8.6%	11.2%	10.2%
SC 30 - 69%	13.4%	13.9%	12.5%	13.0%	16.8%
SC 70 - 99%	8.9%	8.4%	7.0%	8.1%	11.0%
SC 100%	11.8%	11.8%	11.5%	11.5%	12.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %					
Complex*	12.2%	18.0%	18.5%	28.0%	10.6%
Basic vested, Cat A*	80.3%	75.3%	73.6%	66.3%	84.2%
Basic Non-vested, Cat A*	0.9%	1.0%	1.0%	0.3%	1.5%
Basic, Cats C and N	6.6%	5.7%	6.9%	5.5%	3.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded					
Patient eligibility category, %					
Cat A (SC or low income)	93.2%	94.0%	92.6%	94.2%	96.1%
Cat C (NSC and higher income)	5.9%	5.0%	5.5%	5.8%	3.7%
Non-Veteran	0.9%	1.0%	1.8%	0.0%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %					
BASIC 1. Non-reliant Care	0.1%	0.3%	0.5%	0.0%	0.2%
2. Basic Medical	15.2%	12.4%	9.3%	20.7%	12.5%
3. Mental Health	40.5%	33.8%	36.8%	23.9%	35.0%
4. Heart / Lung / GI	6.9%	6.6%	5.7%	6.9%	7.8%
5. Oncology / Infectious Disease	4.3%	4.6%	3.7%	5.8%	5.6%
6. Multiple Medical	20.7%	24.3%	25.5%	14.7%	28.3%
COMPLEX 7. Specialized Care	2.2%	3.0%	2.7%	1.7%	4.5%
8. Support Care	2.1%	3.3%	2.5%	8.9%	1.1%
9. Chronic Mental	6.8%	10.5%	12.1%	15.9%	4.3%
10. Critically Ill	1.1%	1.1%	1.2%	1.4%	0.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Bipolar Patients	73964	1809	925	347	537
Substance Dependence and Abuse					
Any dx of alcohol / drug dependence or abuse, %	29.8%	33.1%	35.7%	31.4%	29.6%
Homelessness					
Homelessness indicated in FY02, %	13.8%	19.1%	17.7%	24.5%	18.1%
Residence in Metropolitan Area					
Residing in a Metropolitan Statistical Area, %	79.3%	90.0%	90.9%	74.9%	98.1%
Distance					
Mile from Closest VA Medical Center, mean	34.15	14.56	13.63	23.27	10.52
SD	*73.16*	*18.02*	*18.56*	*22.62*	*10.22*
Distance from closest VA Medical Center, %					
0 to 15 miles	46.2%	72.3%	78.3%	48.4%	77.5%
15 to 30 miles	17.2%	16.0%	12.3%	21.9%	18.6%
30 to 45 miles	10.6%	3.6%	1.8%	10.4%	2.2%
45 to 60 miles	8.5%	3.9%	3.0%	10.4%	1.3%
60 plus miles	17.4%	4.1%	4.5%	8.9%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.09	7.50	7.28	9.43	6.63
SD	*13.59*	*6.93*	*6.48*	*8.08*	*6.65*
Distance to closest VA Service Site, %					
0 to 15 miles	76.3%	86.0%	87.7%	77.8%	88.3%
15 to 30 miles	15.4%	13.4%	11.6%	21.6%	11.4%
30 to 45 miles	5.7%	0.5%	0.8%	0.3%	0.2%
45 plus miles	2.7%	0.1%	0.0%	0.3%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3H: FY03 Bipolar Patients, Utilization, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Bipolar Patients	73964	1809	925	347	537
Hospital Based Utilization					
Patients with some Hospital Based Utilization, %	25.4%	32.1%	34.9%	32.3%	27.0%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)					
Inpatient stays, mean	1.80	2.17	2.06	2.41	2.25
SD	*1.41*	*1.94*	*1.64*	*2.68*	*1.88*
Average LOS, mean	9.79	6.77	7.59	5.73	5.77
SD	*17.76*	*7.16*	*8.81*	*4.07*	*4.09*
Cumulative DOS, mean	17.09	15.68	16.98	13.78	14.23
SD	*27.94*	*22.18*	*25.52*	*16.99*	*17.01*
Cumulative DOS, %					
1 to 7	44.7%	48.8%	48.0%	46.4%	52.4%
8 to 14	21.9%	20.0%	20.7%	24.1%	15.2%
15 to 44	25.9%	24.1%	22.3%	25.9%	26.9%
45 to 89	5.3%	4.8%	5.6%	2.7%	4.8%
90 to 179	1.5%	2.1%	3.1%	0.9%	0.7%
180 to 359	0.5%	0.2%	0.3%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	1.0%	0.9%	1.5%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	203.75	143.00	143.00	0.00	0.00
SD	*79.71*	*30.50*	*30.50*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.6%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	251.69	0.00	0.00	0.00	0.00
SD	*73.28*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.67	0.77	0.46	1.13	1.17
SD	*4.53*	*4.11*	*2.92*	*4.75*	*5.57*
Cumulative DOS at Other Stations	1.97	2.58	1.96	3.80	3.01
SD	*7.12*	*7.22*	*5.60*	*10.15*	*7.61*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Bipolar Patients	73964	1809	925	347	537
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)					
Pts. with non-psych hospital stays, %	11.7%	12.0%	10.6%	12.1%	14.3%
Inpatient stays, mean	0.72	0.66	0.49	0.58	1.09
SD	*1.10*	*1.24*	*0.98*	*1.01*	*1.74*
Average LOS, mean	6.20	4.71	4.84	4.21	4.83
SD	*10.70*	*4.94*	*5.86*	*2.42*	*4.71*
Cumulative Days of Stay, mean	4.64	3.39	2.38	2.63	6.25
SD	*13.49*	*9.32*	*6.48*	*5.52*	*14.88*
Cumulative Days of Stay, %					
0	54.1%	62.6%	69.7%	62.5%	46.9%
1 to 7	30.1%	26.0%	21.4%	27.7%	35.2%
8 to 14	7.4%	5.3%	4.3%	6.3%	6.9%
15 to 44	7.0%	5.2%	4.3%	3.6%	8.3%
45 to 89	1.1%	0.7%	0.3%	0.0%	2.1%
90 to 179	0.3%	0.2%	0.0%	0.0%	0.7%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	187.03	0.00	0.00	0.00	0.00
SD	*73.96*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.06	0.00	0.00	0.00	0.00
SD	*75.99*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.15*	*0.16*	*0.03*	*0.11*	*0.50*
SD	*2.03*	*2.46*	*0.36*	*0.80*	*4.83*
Other station cumulative DOS, mean	0.50	0.44	0.26	0.66	0.68
SD	*3.25*	*2.85*	*1.41*	*1.65*	*5.10*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Bipolar Patients	73964	1809	925	347	537
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)					
Pts. with psych hospital stays, %	16.8%	23.8%	28.3%	23.9%	16.0%
Inpatient stays, mean	1.08	1.51	1.56	1.83	1.16
SD	*1.27*	*1.81*	*1.55*	*2.67*	*1.42*
Average LOS, mean	12.15	7.87	8.73	6.55	6.54
SD	*21.36*	*9.52*	*11.68*	*4.38*	*3.89*
Cumulative Days of Stay, mean	12.44	12.28	14.61	11.14	7.98
SD	*25.57*	*21.03*	*24.98*	*16.49*	*11.92*
Cumulative Days of Stay, %					
0	34.1%	25.7%	18.9%	25.9%	40.7%
1 to 7	24.8%	33.6%	37.2%	28.6%	29.7%
8 to 14	16.7%	16.9%	18.0%	23.2%	9.7%
15 to 44	19.0%	18.1%	18.0%	18.8%	17.9%
45 to 89	3.7%	3.8%	5.0%	2.7%	2.1%
90 to 179	1.2%	1.7%	2.8%	0.9%	0.0%
180 to 359	0.4%	0.2%	0.3%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.8%	0.9%	1.5%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	201.69	136.80	136.80	0.00	0.00
SD	*78.85*	*26.52*	*26.52*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.5%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	248.87	0.00	0.00	0.00	0.00
SD	*70.96*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.52	0.60	0.43	1.02	0.66
SD	4.00	3.33	2.90	4.71	2.90
Other station cumulative DOS, mean	1.48	2.14	1.70	3.14	2.34
SD	6.29	6.63	5.23	10.12	5.93

Table 3H: FY03 Bipolar Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Bipolar Patients	73964	1809	925	347	537
Other 24 hour institutional care					
Patients with some other 24 hour institutional care, %	8.1%	14.8%	17.5%	27.4%	2.0%
Residential Rehab (rep. for those w/ res rehab care)					
Patients with some residential rehab. care, %	2.6%	6.4%	11.8%	1.2%	0.6%
Number stays, mean	*1.12*	*1.23*	*1.25*	*1.00*	*1.00*
SD	*0.38*	*0.48*	*0.49*	*0.00*	*0.00*
Average LOS, mean	33.17	42.38	44.37	7.25	17.00
SD	*32.92*	*31.11*	*30.95*	*8.77*	*12.49*
Cumulative DOS, mean	36.42	51.49	54.06	7.25	17.00
SD	*35.54*	*38.93*	*38.68*	*8.77*	*12.49*
Cumulative Days of Stay, %					
1 to 7	10.4%	11.2%	8.3%	75.0%	33.3%
8 to 14	11.3%	5.2%	4.6%	0.0%	33.3%
15 to 44	53.1%	37.1%	37.6%	25.0%	33.3%
45 to 89	18.3%	26.7%	28.4%	0.0%	0.0%
90 to 179	5.8%	19.0%	20.2%	0.0%	0.0%
180 to 359	1.0%	0.9%	0.9%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.3%	6.0%	6.4%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	167.40	136.14	136.14	0.00	0.00
SD	*69.53*	*33.24*	*33.24*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.9%	0.9%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	224.60	155.00	155.00	0.00	0.00
SD	*70.59*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.28	0.57	0.60	0.25	0.00
SD	*6.79*	*3.65*	*3.77*	*0.50*	*0.00*
Other station cumulative DOS, mean	3.71	1.25	0.60	7.25	17.00
SD	*10.96*	*5.12*	*3.77*	*8.77*	*12.49*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Bipolar Patients	73964	1809	925	347	537
Domiciliary and Vocational (reported for those with some dom/voc care)					
Patients with some dom/voc care, %	4.2%	7.0%	4.3%	24.2%	0.4%
Number stays, mean	1.14	1.17	1.18	1.18	1.00
SD	*0.38*	*0.42*	*0.45*	*0.42*	*0.00*
Average LOS, mean	80.47	81.81	47.81	99.30	27.50
SD	*77.50*	*74.31*	*31.52*	*83.11*	*21.92*
Cumulative DOS, mean	88.84	94.87	55.10	115.42	27.50
SD	*82.55*	*86.10*	*37.38*	*95.94*	*21.92*
Cumulative Days of Stay, %					
1 to 7	6.1%	3.2%	5.0%	2.4%	0.0%
8 to 14	5.6%	5.6%	7.5%	3.6%	50.0%
15 to 44	28.2%	23.0%	32.5%	17.9%	50.0%
45 to 89	21.0%	26.2%	35.0%	22.6%	0.0%
90 to 179	26.2%	30.2%	20.0%	35.7%	0.0%
180 to 359	10.5%	7.9%	0.0%	11.9%	0.0%
360+	2.4%	4.0%	0.0%	6.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.1%	33.3%	10.0%	45.2%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	184.30	183.40	112.50	190.87	0.00
SD	*76.03*	*91.26*	*9.40*	*92.85*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.5%	13.5%	0.0%	20.2%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	236.94	270.35	0.00	270.35	0.00
SD	*71.03*	*83.35*	*0.00*	*83.35*	*0.00*
Other VISN cumulative DOS, mean	1.76	4.22	5.48	3.58	6.00
SD	*9.43*	*19.35*	*20.80*	*18.94*	*8.49*
Other station cumulative DOS, mean	4.27	7.57	14.95	3.58	27.50
SD	*15.65*	*23.71*	*30.25*	*18.94*	*21.92*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Bipolar Patients	73964	1809	925	347	537
Nursing Home Care (reported for those with some nursing home care)					
Patients with some nursing home care, %	2.1%	2.5%	3.0%	3.5%	1.1%
Number stays, mean	1.22	1.22	1.25	1.17	1.17
SD	*0.55*	*0.47*	*0.52*	*0.39*	*0.41*
Average LOS, mean	86.89	79.14	75.27	107.58	40.33
SD	*110.58*	*98.99*	*88.89*	*129.66*	*68.60*
Cumulative DOS, mean	98.25	94.09	89.96	115.67	70.17
SD	*116.77*	*110.30*	*97.37*	*128.66*	*141.33*
Cumulative Days of Stay, %					
1 to 7	10.5%	6.5%	0.0%	8.3%	33.3%
8 to 14	10.7%	13.0%	17.9%	8.3%	0.0%
15 to 44	30.2%	34.8%	32.1%	33.3%	50.0%
45 to 89	16.4%	10.9%	14.3%	8.3%	0.0%
90 to 179	12.3%	15.2%	14.3%	25.0%	0.0%
180 to 359	10.2%	13.0%	17.9%	0.0%	16.7%
360+	9.8%	6.5%	3.6%	16.7%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	27.9%	32.6%	32.1%	41.7%	16.7%
Cumul. DOS, patients with a 100+ day NH stay, mean	261.88	228.87	212.22	233.00	358.00
SD	*97.21*	*94.84*	*76.70*	*122.06*	*0.00*
NH patients with 150+ day NH stay, %	22.1%	23.9%	25.0%	25.0%	16.7%
Cumul. DOS, patients with a 150+ day NH stay, mean	296.07	266.45	238.43	301.33	358.00
SD	*76.98*	*81.37*	*64.70*	*108.54*	*0.00*
Other VISN cumulative DOS, mean	0.47	0.00	0.00	0.00	0.00
SD	*5.60*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.51	0.00	0.00	0.00	0.00
SD	*9.89*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Bipolar Patients	73964	1809	925	347	537
Outpatient utilization					
(reported for those with some outpatient care)					
Patients with some outpatient care, %	99.6%	99.6%	99.6%	99.4%	99.8%
annual visit days, mean	24.20	30.15	33.51	27.17	26.31
SD	*30.37*	*37.72*	*42.07*	*30.17*	*33.47*
Outpatient visit days, %					
1-12	43.1%	37.6%	35.4%	35.4%	42.7%
13-24	26.8%	24.2%	22.8%	29.3%	23.3%
25-36	12.4%	13.7%	14.1%	13.6%	12.9%
37-48	6.4%	8.7%	9.4%	7.2%	8.2%
49+	11.4%	15.9%	18.2%	14.5%	12.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	80.8%	75.5%	72.6%	89.9%	71.1%
Mean PC visit days, among those with some PC	3.83	4.06	3.69	4.27	4.53
SD	3.42	3.69	3.54	3.17	4.25
Average number clinic stops per visit day, mean	1.50	1.51	1.40	1.53	1.67
SD	*0.46*	*0.41*	*0.34*	*0.33*	*0.49*
annual clinic stops (psych & non-psych), mean	37.58	47.34	50.40	42.29	45.34
SD	*53.68*	*63.31*	*68.43*	*51.95*	60.57
annual non-psych. clinic stops, mean	19.81	23.10	20.29	29.12	24.05
SD	*22.87*	*25.38*	*20.60*	*30.15*	*28.55*
annual psych. clinic stops (specific groupings below), mean	17.77	24.24	30.11	13.18	21.29
SD	*40.95*	*48.47*	*55.83*	*27.70*	*43.69*
1. general psych. clinic stops, mean	7.61	8.48	8.71	7.96	8.43
SD	*12.69*	*13.72*	*12.85*	*19.99*	*9.63*
2. psych. case management clinic stops, mean	0.65	0.27	0.47	0.01	0.11
SD	*8.45*	*3.47*	*4.55*	*0.09*	*2.21*
3. psych. day treatment clinic stops, mean	1.57	1.80	2.04	0.09	2.50
SD	*15.80*	*10.75*	*12.19*	*1.56*	*11.39*
4. substance abuse clinic stops, mean	4.64	9.52	13.62	3.21	6.54
SD	*21.97*	*37.11*	*44.74*	*12.22*	*32.14*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Bipolar Patients	73964	1809	925	347	537
5. psych. vocational clinic stops, mean	1.91	2.43	3.45	0.74	1.76
SD	*15.13*	*14.18*	*16.63*	*3.72*	*13.70*
6. PTSD clinic stops, mean	0.80	1.05	1.38	0.71	0.71
SD	*5.71*	*5.89*	*7.00*	*4.23*	*4.53*
7. psych. homeless clinic stops, mean	0.54	0.68	0.45	0.46	1.22
SD	*3.97*	*3.19*	*2.36*	*3.07*	*4.28*
Other VISN OP visit days, mean	0.48	0.70	0.48	1.24	0.73
SD	*2.80*	*3.87*	*2.18*	*6.68*	*3.64*
Other station OP visit days, mean	1.14	1.74	1.33	3.70	1.17
SD	*4.45*	*6.71*	*5.10*	*11.31*	*4.63*

Table 4H: FY03 Bipolar Patients, Pharmacy Utilization, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Bipolar Patients	73964	1809	925	347	537
Among all patients in the registry					
Pts. with any outpatient prescriptions, %	96.9%	96.1%	96.4%	98.3%	94.2%
Patients with any oral antipsychotic fills, %*	46.0%	47.6%	47.9%	42.1%	50.7%
Among pts. receiving any antipsychotic medication:					
Received only conventional antipsychotics, %	7.6%	6.9%	7.2%	9.6%	4.8%
Received some atypical antipsychotics, %	92.4%	93.1%	92.8%	90.4%	95.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %					
Aripiprazole	0.9%	0.7%	0.7%	0.0%	2.6%
Clozapine	0.2%	0.1%	0.0%	0.0%	0.4%
Olanzapine	40.7%	40.7%	43.3%	40.4%	36.4%
Quetiapine	34.1%	32.2%	30.7%	26.7%	37.5%
Risperidone	31.0%	36.6%	33.4%	32.2%	44.1%
Ziprasidone	4.7%	6.5%	5.9%	11.0%	5.1%
Patients receiving only one kind** of antipsychotic, %	77.4%	74.3%	74.7%	78.1%	71.7%
Concurrent use of 2 or more antipsychotics, % ***	5.5%	5.8%	6.5%	3.4%	5.9%
Among pts receiving just one antipsychotic:					
Antipsychotic fills, mean	6.09	6.14	6.11	6.53	5.96
SD	*4.43*	*4.39*	*4.49*	*4.53*	*4.15*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--
SD	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5H: FY03 Bipolar Patients, Cost, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Bipolar Patients	73964	1809	925	347	537
Total Costs (in thousands $$)	$907,650	$29,089	$16,090	$5,531	$7,467
Station % of VISN		100.0%	55.3%	19.0%	25.7%
Psych vs. Non-Psych Costs					
Psych	33.4%	37.8%	42.5%	27.0%	35.5%
Non-Psych	66.6%	62.2%	57.5%	73.0%	64.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use					
Per Patient	$15,075	$17,438	$18,283	$13,505	$18,595
Per Day of Stay	$882	$1,112	$1,076	$980	$1,307
Mean Outpatient Costs, Pts with some Outpatient use					
Per Patient	$6,520	$7,468	$7,765	$6,129	$7,820
Per Visit Day	$269	$248	$232	$226	$297
By Cost Center					
1 Med	$1,060	$1,201	$1,159	$956	$1,433
2 Surg	$459	$534	$506	$432	$650
3 Psych	$2,315	$3,855	$4,720	$2,971	$2,938
4 Psych Res Rehab Treatment Program	$298	$807	$1,558	$19	$22
5 Non-VA	$176	$94	$42	$24	$228
6 LTC Domiciliary	$455	$1,095	$563	$4,174	$21
7 LTC Intermediate Care	$96	$234	$274	$247	$156
8 LTC Nursing Home	$778	$678	$674	$884	$550
9 Contract Nursing Home	$142	$143	$168	$139	$102
10 OPC Med/Surg	$1,111	$1,545	$1,143	$1,308	$2,393
11 OPC Psych	$1,781	$2,221	$2,681	$1,329	$2,005
12 OPC Home Based Treatment	$532	$490	$486	$498	$493
13 OPC Support	$1,309	$1,552	$1,495	$1,637	$1,596
14 OPC Fee	$115	$56	$37	$61	$85
15 OPC Pharmacy	$1,645	$1,574	$1,889	$1,260	$1,233
TOTAL	$12,272	$16,080	$17,395	$15,939	$13,906
Mean % Patient Costs at Other Stations	4.8%	5.0%	3.7%	8.3%	4.9%
SD	*13.9%*	*13.7%*	*12.0%*	*16.4%*	*14.3%*
Mean % Patient Costs at Other VISNs	2.0%	2.3%	1.8%	2.7%	3.1%
SD	*9.0%*	*9.8%*	*8.2%*	*9.4%*	*12.3%*

Table 2I: FY03 Other Psychosis Patients, Demographics, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Other Psychosis Patients	49401	1272	358	206	708
Age, %					
<35	2.2%	1.7%	1.7%	1.9%	1.6%
>=35 and <50	12.5%	12.3%	11.7%	22.8%	9.6%
>=50 and <65	22.1%	19.7%	15.1%	28.2%	19.6%
>=65 and <80	36.7%	36.6%	38.0%	33.5%	36.7%
>=80	26.5%	29.7%	33.5%	13.6%	32.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	68.22	69.41	70.62	62.78	70.72
SD	*15.13*	*15.15*	*14.73*	*15.19*	*14.86*
Gender					
Male, %	96.0%	96.9%	97.2%	98.1%	96.3%
Female, %	4.0%	3.1%	2.8%	1.9%	3.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %					
Hispanic white	3.9%	0.5%	0.0%	0.0%	0.8%
Hispanic black	0.3%	0.1%	0.0%	0.0%	0.1%
American Indian	0.2%	0.2%	0.0%	0.0%	0.3%
Black	15.5%	38.4%	33.8%	21.4%	45.8%
Asian	0.4%	0.5%	0.3%	0.0%	0.7%
White	48.2%	27.4%	32.7%	58.3%	15.8%
Race unknown	31.5%	32.9%	33.2%	20.4%	36.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status					
Never married	13.4%	18.1%	13.7%	17.0%	20.7%
Married	52.0%	42.4%	46.2%	45.1%	39.7%
Divorced/Separated	22.5%	21.7%	19.3%	30.6%	20.4%
Widowed	12.0%	17.7%	20.7%	7.3%	19.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Other Psychosis Patients	49401	1272	358	206	708
Registry Pts. History of VA Utilization					
Years since first use in prior five years, mean	4.0	3.98	3.89	4.18	3.96
SD	*1.4*	*1.44*	*1.48*	*1.35*	*1.43*
Yrs with 24-hour institutional use / yrs since 1st use, %	24.1%	29.0%	30.3%	34.4%	26.6%
SD	*27.8%*	*29.6%*	*31.0%*	*33.7%*	*27.2%*
Years with OP use / Years since first use, %	96.9%	96.9%	96.7%	97.8%	96.7%
SD	*10.4%*	*10.3%*	*10.4%*	*8.1%*	*10.9%*
Psychosis Diagnoses in Prior Fiscal Year					
Had Psychosis Diagnosis in FY01, %	33.8%	34.7%	27.9%	32.0%	39.0%
Among Patients With Psychoses in FY01					
Psychosis Category: Schizophrenia, %	9.4%	10.4%	12.0%	12.1%	9.4%
Psychosis Category: Bipolar Disorder, %	3.8%	4.8%	4.0%	12.1%	3.3%
Psychosis Category: Other Psychosis, %	86.9%	84.8%	84.0%	75.8%	87.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %					
Dementia	20.6%	27.3%	35.5%	18.9%	25.6%
Post Traumatic Stress Disorder	13.4%	12.7%	10.1%	22.8%	11.0%
Depression	37.7%	34.3%	32.1%	43.2%	32.8%
Other Anxiety Disorder	12.0%	8.2%	6.4%	15.0%	7.1%
Substance Abuse or Dependence	15.7%	17.9%	17.3%	28.2%	15.3%
Medical Comorbidities, %					
No medical comorbidities	8.3%	7.3%	9.2%	6.8%	6.5%
Anemia	14.2%	19.0%	18.7%	17.0%	19.8%
Arthritis	39.1%	36.8%	28.5%	49.5%	37.3%
Cancer	14.0%	15.7%	16.8%	7.3%	17.7%
Cerebrovascular Disease	16.4%	23.6%	25.7%	12.6%	25.7%
Chronic Neurologic Disorder	20.8%	21.5%	21.2%	20.4%	21.9%
Chronic Obstructive Pulmonary Disease	17.9%	16.5%	20.1%	24.8%	12.3%
Chronic Viral Infection	5.9%	7.9%	7.5%	9.7%	7.5%
Coronary Artery Disease	33.0%	36.2%	30.2%	32.5%	40.3%
Diabetes	23.4%	27.4%	24.0%	28.2%	29.0%
Digestive System Disease	42.9%	42.9%	36.3%	49.5%	44.4%
Hypertension	54.9%	63.1%	63.1%	59.2%	64.3%
Injury and Poisoning	19.4%	19.9%	19.8%	24.3%	18.6%
Liver Disease	3.8%	3.7%	2.8%	4.9%	3.8%
Other Endocrine	9.5%	8.3%	7.5%	4.9%	9.6%
Peripheral Vascular Disease	7.8%	9.8%	9.2%	11.2%	9.7%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Other Psychosis Patients	49401	1272	358	206	708
GAF scores					
Lowest inpatient GAF score, mean	37.71	33.30	35.56	38.00	28.22
SD	*14.78*	*11.00*	*9.38*	*11.40*	*9.77*
Mean outpatient GAF score	48.43	49.58	50.29	46.80	50.07
SD	*11.56*	*10.08*	*9.56*	*11.03*	*9.90*
At least 1 IP GAF, among pts with MH bedsections, %	36.3%	48.7%	37.1%	48.0%	65.2%
At least 1 OP GAF, among pts with MH clinic stops, %	74.8%	66.5%	50.9%	51.4%	81.0%
Mortality rates					
died in FY02, %	6.2%	6.4%	6.7%	7.3%	5.9%
Age-and-gender-adjusted Standardized Mortality Ratio	1.21	1.17	0.00	0.00	0.00

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Other Psychosis Patients	49401	1272	358	206	708
Service Connection (SC)					
Non-SC	63.3%	70.8%	75.4%	65.0%	70.1%
SC 0 - 29%	10.4%	9.1%	10.3%	11.7%	7.8%
SC 30 - 69%	10.8%	8.6%	5.3%	7.3%	10.7%
SC 70 - 99%	6.4%	4.7%	3.1%	6.8%	4.9%
SC 100%	9.1%	6.8%	5.9%	9.2%	6.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %					
Complex*	15.0%	18.2%	22.9%	26.7%	13.3%
Basic vested, Cat A*	74.8%	73.7%	67.0%	64.1%	79.9%
Basic Non-vested, Cat A*	0.8%	2.0%	4.2%	0.5%	1.4%
Basic, Cats C and N	9.4%	6.1%	5.9%	8.7%	5.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded					
Patient eligibility category, %					
Cat A (SC or low income)	90.1%	93.4%	93.0%	91.3%	94.2%
Cat C (NSC and higher income)	9.4%	6.6%	7.0%	8.7%	5.8%
Non-Veteran	0.6%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %					
BASIC 1. Non-reliant Care	0.1%	0.1%	0.0%	0.0%	0.1%
2. Basic Medical	25.3%	22.2%	21.5%	25.7%	21.5%
3. Mental Health	25.6%	21.5%	24.9%	18.4%	20.6%
4. Heart / Lung / GI	12.5%	12.5%	13.1%	11.7%	12.4%
5. Oncology / Infectious Disease	3.8%	3.0%	2.2%	2.9%	3.4%
6. Multiple Medical	17.6%	22.6%	15.4%	14.6%	28.7%
COMPLEX 7. Specialized Care	4.7%	6.0%	6.4%	2.9%	6.6%
8. Support Care	4.8%	5.6%	6.4%	10.2%	3.8%
9. Chronic Mental	2.2%	3.3%	4.2%	11.2%	0.6%
10. Critically Ill	3.3%	3.3%	5.9%	2.4%	2.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Other Psychosis Patients	49401	1272	358	206	708
Substance Dependence and Abuse					
Any dx of alcohol / drug dependence or abuse, %	15.7%	17.9%	17.3%	28.2%	15.3%
Homelessness					
Homelessness indicated in FY02, %	7.1%	10.2%	12.3%	19.9%	6.4%
Residence in Metropolitan Area					
Residing in a Metropolitan Statistical Area, %	76.7%	91.8%	87.4%	74.3%	99.2%
Distance					
Mile from Closest VA Medical Center, mean	35.80	14.27	15.38	23.08	11.14
SD	*82.41*	*49.69*	*21.71*	*21.10*	*63.55*
Distance from closest VA Medical Center, %					
0 to 15 miles	45.8%	76.0%	77.1%	42.2%	85.3%
15 to 30 miles	16.6%	14.2%	9.2%	31.1%	11.9%
30 to 45 miles	10.9%	3.1%	2.2%	10.7%	1.3%
45 to 60 miles	8.8%	2.9%	4.7%	7.3%	0.7%
60 plus miles	17.9%	3.8%	6.7%	8.7%	0.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.89	6.74	7.43	9.52	5.58
SD	*14.24*	*8.38*	*6.66*	*7.61*	*9.11*
Distance to closest VA Service Site, %					
0 to 15 miles	73.5%	88.4%	85.8%	75.7%	93.4%
15 to 30 miles	16.6%	10.8%	13.1%	23.8%	5.9%
30 to 45 miles	7.0%	0.7%	1.1%	0.5%	0.6%
45 plus miles	3.0%	0.1%	0.0%	0.0%	0.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Other Psychosis Patients	49401	1272	358	206	708
Hospital Based Utilization					
Patients with some Hospital Based Utilization, %	30.2%	35.3%	42.2%	37.9%	31.1%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)					
Inpatient stays, mean	1.82	1.90	2.19	2.04	1.65
SD	*1.40*	*1.98*	*2.89*	*1.59*	*1.12*
Average LOS, mean	9.37	8.72	11.49	7.78	7.15
SD	*15.01*	*14.79*	*22.74*	*8.05*	*7.89*
Cumulative DOS, mean	16.06	15.13	20.34	13.86	12.00
SD	*22.72*	*22.85*	*33.20*	*12.26*	*15.21*
Cumulative DOS, %					
1 to 7	42.1%	43.4%	37.1%	41.0%	48.6%
8 to 14	23.4%	26.1%	27.8%	23.1%	25.9%
15 to 44	27.8%	25.4%	25.8%	32.1%	22.7%
45 to 89	5.2%	3.6%	5.3%	3.8%	2.3%
90 to 179	1.2%	1.3%	3.3%	0.0%	0.5%
180 to 359	0.2%	0.2%	0.7%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	0.7%	0.9%	2.0%	0.0%	0.5%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	185.56	144.50	143.67	0.00	147.00
SD	*75.86*	*32.09*	*39.25*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.3%	0.4%	1.3%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	241.58	165.50	165.50	0.00	0.00
SD	*74.51*	*14.85*	*14.85*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.37	0.41	0.40	0.63	0.34
SD	*3.13*	*2.81*	*3.06*	*2.69*	*2.67*
Cumulative DOS at Other Stations	1.24	1.82	2.07	3.33	1.10
SD	*5.73*	*8.18*	*10.74*	*7.70*	*5.98*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512	613	688
			Baltimore	*Martinsburg*	*Washington*
Other Psychosis Patients	49401	1272	358	206	708
Hospital based utilization: Non-Psych					
(non-psych- for those with some hosp.based util.)					
Pts. with non-psych hospital stays, %	21.7%	25.4%	28.5%	16.5%	26.4%
Inpatient stays, mean	1.27	1.20	1.25	0.67	1.35
SD	*1.36*	*1.25*	*1.47*	*0.96*	*1.12*
Average LOS, mean	7.86	7.09	7.32	7.44	6.91
SD	*11.97*	*9.24*	*11.32*	*8.79*	*8.03*
Cumulative Days of Stay, mean	9.61	7.94	7.79	4.64	9.21
SD	*16.99*	*12.51*	*12.30*	*8.93*	*13.53*
Cumulative Days of Stay, %					
0	28.2%	28.1%	32.5%	56.4%	15.0%
1 to 7	35.5%	36.3%	31.8%	25.6%	43.2%
8 to 14	15.8%	18.9%	20.5%	6.4%	22.3%
15 to 44	17.1%	15.1%	13.2%	10.3%	18.2%
45 to 89	2.8%	1.3%	2.0%	1.3%	0.9%
90 to 179	0.5%	0.2%	0.0%	0.0%	0.5%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.2%	0.0%	0.0%	0.5%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	178.07	147.00	0.00	0.00	147.00
SD	*75.21*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	240.47	0.00	0.00	0.00	0.00
SD	*75.05*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.18*	*0.21*	*0.17*	*0.14*	*0.25*
SD	*1.94*	*1.94*	*1.48*	*1.25*	*2.38*
Other station cumulative DOS, mean	0.60	0.48	0.38	1.27	0.28
SD	*3.61*	*3.38*	*2.47*	*6.13*	*2.40*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Other Psychosis Patients	49401	1272	358	206	708
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)					
Pts. with psych hospital stays, %	10.8%	12.4%	17.3%	24.3%	6.5%
Inpatient stays, mean	0.55	0.70	0.93	1.37	0.30
SD	*1.03*	*1.66*	*2.29*	*1.79*	*0.76*
Average LOS, mean	12.47	12.16	18.06	7.72	9.05
SD	*19.53*	*21.87*	*32.92*	*7.16*	*7.96*
Cumulative Days of Stay, mean	6.45	7.19	12.56	9.22	2.80
SD	*17.76*	*20.71*	*32.18*	*12.22*	*8.64*
Cumulative Days of Stay, %					
0	64.2%	64.8%	58.9%	35.9%	79.1%
1 to 7	12.7%	13.8%	15.2%	24.4%	9.1%
8 to 14	9.6%	8.0%	5.3%	16.7%	6.8%
15 to 44	10.7%	9.8%	13.2%	20.5%	3.6%
45 to 89	2.1%	2.2%	3.3%	2.6%	1.4%
90 to 179	0.5%	1.1%	3.3%	0.0%	0.0%
180 to 359	0.1%	0.2%	0.7%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.4%	0.7%	2.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	182.44	143.67	143.67	0.00	0.00
SD	*78.98*	*39.25*	*39.25*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.2%	0.4%	1.3%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.42	165.50	165.50	0.00	0.00
SD	*77.61*	*14.85*	*14.85*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.19	0.20	0.23	0.49	0.08
SD	2.40	1.64	1.96	2.42	0.86
Other station cumulative DOS, mean	0.64	1.33	1.70	2.06	0.83
SD	4.34	6.73	8.79	5.20	5.45

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Other Psychosis Patients	49401	1272	358	206	708
Other 24 hour institutional care					
Patients with some other 24 hour institutional care, %	10.1%	16.4%	24.3%	28.2%	8.9%
Residential Rehab (rep. for those w/ res rehab care)					
Patients with some residential rehab. care, %	1.0%	1.7%	5.0%	1.0%	0.3%
Number stays, mean	*1.13*	*1.23*	*1.17*	*2.00*	*1.00*
SD	*0.45*	*0.43*	*0.38*	*0.00*	*0.00*
Average LOS, mean	30.41	37.61	39.50	38.25	20.00
SD	*33.22*	*33.58*	*35.47*	*35.00*	*19.80*
Cumulative DOS, mean	33.30	45.50	44.89	76.50	20.00
SD	*35.32*	*40.57*	*39.14*	*70.00*	*19.80*
Cumulative Days of Stay, %					
1 to 7	15.1%	27.3%	27.8%	0.0%	50.0%
8 to 14	12.1%	4.5%	5.6%	0.0%	0.0%
15 to 44	54.3%	31.8%	27.8%	50.0%	50.0%
45 to 89	11.7%	13.6%	16.7%	0.0%	0.0%
90 to 179	5.7%	22.7%	22.2%	50.0%	0.0%
180 to 359	1.1%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	2.6%	9.1%	11.1%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	181.33	104.50	104.50	0.00	0.00
SD	*69.09*	*4.95*	*4.95*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	235.83	0.00	0.00	0.00	0.00
SD	*52.07*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.38	0.23	0.00	2.50	0.00
SD	*7.57*	*1.07*	*0.00*	*3.54*	*0.00*
Other station cumulative DOS, mean	4.16	8.77	0.00	76.50	20.00
SD	*12.59*	*27.69*	*0.00*	*70.00*	*19.80*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Other Psychosis Patients	49401	1272	358	206	708
Domiciliary and Vocational (reported for those with some dom/voc care)					
Patients with some dom/voc care, %	1.7%	3.6%	2.0%	17.5%	0.4%
Number stays, mean	1.13	1.20	1.14	1.22	1.00
SD	*0.36*	*0.45*	*0.38*	*0.48*	*0.00*
Average LOS, mean	79.24	94.47	74.36	103.76	30.00
SD	*81.39*	*79.38*	*39.29*	*85.40*	*17.69*
Cumulative DOS, mean	86.42	105.50	80.86	116.58	30.00
SD	*85.00*	*82.84*	*37.44*	*88.48*	*17.69*
Cumulative Days of Stay, %					
1 to 7	7.5%	4.3%	0.0%	5.6%	0.0%
8 to 14	6.2%	4.3%	0.0%	2.8%	33.3%
15 to 44	29.8%	15.2%	14.3%	13.9%	33.3%
45 to 89	19.6%	21.7%	42.9%	16.7%	33.3%
90 to 179	23.7%	41.3%	42.9%	44.4%	0.0%
180 to 359	10.4%	8.7%	0.0%	11.1%	0.0%
360+	2.9%	4.3%	0.0%	5.6%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	41.3%	28.6%	47.2%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	193.84	173.68	124.00	179.53	0.00
SD	*79.91*	*80.44*	*5.66*	*83.26*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.8%	15.2%	0.0%	19.4%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	240.95	253.14	0.00	253.14	0.00
SD	*71.71*	*87.16*	*0.00*	*87.16*	*0.00*
Other VISN cumulative DOS, mean	1.61	3.35	9.71	2.39	0.00
SD	*8.79*	*12.79*	*25.70*	*9.33*	*0.00*
Other station cumulative DOS, mean	3.31	6.15	13.00	2.83	30.00
SD	*11.83*	*17.24*	*34.39*	*9.59*	*17.69*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Other Psychosis Patients	49401	1272	358	206	708
Nursing Home Care (reported for those with some nursing home care)					
Patients with some nursing home care, %	7.7%	11.6%	18.4%	11.7%	8.2%
Number stays, mean	1.29	1.35	1.32	1.33	1.40
SD	*0.65*	*0.57*	*0.64*	*0.56*	*0.49*
Average LOS, mean	54.03	41.85	55.52	24.28	33.58
SD	*70.27*	*65.81*	*78.54*	*23.17*	*59.17*
Cumulative DOS, mean	64.81	53.07	66.98	31.46	46.17
SD	*79.26*	*78.26*	*85.66*	*28.51*	*81.43*
Cumulative Days of Stay, %					
1 to 7	10.9%	12.2%	12.1%	20.8%	8.6%
8 to 14	15.2%	24.3%	16.7%	29.2%	31.0%
15 to 44	34.5%	39.9%	40.9%	20.8%	46.6%
45 to 89	16.5%	7.4%	4.5%	25.0%	3.4%
90 to 179	13.0%	5.4%	10.6%	4.2%	0.0%
180 to 359	8.1%	8.8%	13.6%	0.0%	6.9%
360+	1.8%	2.0%	1.5%	0.0%	3.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	17.8%	14.9%	24.2%	0.0%	10.3%
Cumul. DOS, patients with a 100+ day NH stay, mean	207.27	221.50	202.94	0.00	271.00
SD	*81.27*	*75.87*	*67.99*	*0.00*	*79.15*
NH patients with 150+ day NH stay, %	11.0%	11.5%	16.7%	0.0%	10.3%
Cumul. DOS, patients with a 150+ day NH stay, mean	250.81	247.47	234.64	0.00	271.00
SD	*70.60*	*66.12*	*57.86*	*0.00*	*79.15*
Other VISN cumulative DOS, mean	0.34	0.93	0.00	0.00	2.38
SD	*5.11*	*9.54*	*0.00*	*0.00*	*15.20*
Other station cumulative DOS, mean	1.02	1.03	0.15	0.17	2.40
SD	*7.62*	*9.57*	*1.23*	*0.82*	*15.20*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Other Psychosis Patients	49401	1272	358	206	708
Outpatient utilization					
(reported for those with some outpatient care)					
Patients with some outpatient care, %	99.7%	99.4%	98.9%	98.5%	99.9%
annual visit days, mean	19.52	24.48	24.29	24.16	24.67
SD	*24.21*	*32.96*	*39.86*	*28.65*	*30.23*
Outpatient visit days, %					
1-12	49.1%	42.2%	51.1%	47.8%	36.1%
13-24	27.0%	27.8%	25.1%	23.2%	30.6%
25-36	11.5%	12.0%	9.6%	8.4%	14.3%
37-48	5.4%	8.0%	2.8%	6.9%	10.9%
49+	7.0%	10.0%	11.3%	13.8%	8.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	86.5%	84.4%	72.6%	89.9%	71.1%
Mean PC visit days, among those with some PC	4.04	5.61	4.33	5.16	6.28
SD	3.94	5.96	4.81	4.38	6.67
Average number clinic stops per visit day, mean	1.55	1.58	1.38	1.58	1.69
SD	*0.52*	*0.49*	*0.30*	*0.43*	*0.55*
annual clinic stops (psych & non-psych), mean	30.45	39.76	35.56	39.09	42.06
SD	*40.44*	*54.98*	*61.03*	*49.60*	53.18
annual non-psych. clinic stops, mean	22.67	28.74	20.50	31.44	32.10
SD	*25.36*	*29.64*	*20.80*	*37.57*	*30.07*
annual psych. clinic stops (specific groupings below), mean	7.77	11.02	15.06	7.65	9.96
SD	*27.43*	*39.70*	*50.16*	*19.24*	*37.98*
1. general psych. clinic stops, mean	3.20	2.88	2.45	3.56	2.89
SD	*7.61*	*5.98*	*6.18*	*5.34*	*6.04*
2. psych. case management clinic stops, mean	0.14	0.01	0.00	0.06	0.00
SD	*3.20*	*0.37*	*0.05*	*0.91*	*0.04*
3. psych. day treatment clinic stops, mean	0.60	0.38	0.05	0.01	0.65
SD	*8.52*	*4.54*	*0.51*	*0.10*	*6.05*
4. substance abuse clinic stops, mean	2.24	6.19	9.77	3.03	5.30
SD	*17.04*	*33.55*	*43.64*	*12.50*	*31.73*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 5, continued

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Other Psychosis Patients	49401	1272	358	206	708
5. psych. vocational clinic stops, mean	0.74	0.70	1.66	0.33	0.33
SD	*9.63*	*7.45*	*12.50*	*1.28*	*4.48*
6. PTSD clinic stops, mean	0.56	0.54	0.85	0.48	0.41
SD	*5.11*	*5.16*	*7.52*	*5.01*	*3.48*
7. psych. homeless clinic stops, mean	0.27	0.30	0.27	0.18	0.36
SD	*2.81*	*2.15*	*1.66*	*0.97*	*2.58*
Other VISN OP visit days, mean	0.31	0.30	0.23	0.36	0.32
SD	*2.01*	*1.74*	*1.36*	*2.33*	*1.72*
Other station OP visit days, mean	0.72	0.89	0.65	2.33	0.60
SD	*3.19*	*4.50*	*3.75*	*7.70*	*3.39*

Table 4I FY03 Other Psychosis Patients, Pharmacy Utilization, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Other Psychosis Patients	49401	1272	358	206	708
Among all patients in the registry					
Pts. with any outpatient prescriptions, %	94.7%	92.6%	89.1%	95.1%	93.6%
Patients with any oral antipsychotic fills, %*	41.4%	38.8%	39.9%	51.0%	34.7%
Among pts. receiving any antipsychotic medication:					
Received only conventional antipsychotics, %	9.2%	9.5%	11.9%	10.5%	7.7%
Received some atypical antipsychotics, %	90.8%	90.5%	88.1%	89.5%	92.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %					
Aripiprazole	0.7%	0.4%	0.7%	0.0%	0.4%
Clozapine	0.1%	0.0%	0.0%	0.0%	0.0%
Olanzapine	27.8%	23.1%	24.5%	34.3%	17.5%
Quetiapine	29.2%	29.1%	25.9%	30.5%	30.5%
Risperidone	46.2%	51.6%	49.0%	36.2%	59.8%
Ziprasidone	3.6%	4.7%	3.5%	8.6%	3.7%
Patients receiving only one kind** of antipsychotic, %	78.8%	80.4%	80.4%	77.1%	81.7%
Concurrent use of 2 or more antipsychotics, % ***	5.1%	4.7%	4.2%	3.8%	5.3%
Among pts receiving just one antipsychotic:					
Antipsychotic fills, mean	5.21	5.26	4.93	5.91	5.19
SD	*4.06*	*3.89*	*3.56*	*4.31*	*3.89*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--
SD	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5I: FY03 Other Psychosis Patients, Cost, VISN 5

	All VISNs	VISN 5	512 *Baltimore*	613 *Martinsburg*	688 *Washington*
Other Psychosis Patients	49401	1272	358	206	708
Total Costs (in thousands $$)	$692,791	$21,952	$8,362	$3,301	$10,289
Station % of VISN		100.0%	38.1%	15.0%	46.9%
Psych vs. Non-Psych Costs					
Psych	16.6%	18.5%	22.7%	23.0%	13.6%
Non-Psych	83.4%	81.5%	77.3%	77.0%	86.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use					
Per Patient	$16,509	$17,357	$23,904	$13,586	$14,200
Per Day of Stay	$1,028	$1,147	$1,175	$980	$1,183
Mean Outpatient Costs, Pts with some Outpatient use					
Per Patient	$6,046	$6,697	$5,943	$5,934	$7,293
Per Visit Day	$310	$274	$245	$246	$296
By Cost Center					
1 Med	$2,712	$3,092	$4,433	$1,781	$2,795
2 Surg	$779	$696	$1,250	$527	$465
3 Psych	$1,494	$2,339	$4,400	$2,837	$1,152
4 Psych Res Rehab Treatment Program	$103	$236	$595	$404	$6
5 Non-VA	$203	$57	$69	$116	$33
6 LTC Domiciliary	$183	$658	$469	$3,161	$25
7 LTC Intermediate Care	$276	$492	$934	$428	$288
8 LTC Nursing Home	$1,672	$2,616	$4,600	$539	$2,217
9 Contract Nursing Home	$578	$417	$732	$383	$268
10 OPC Med/Surg	$1,281	$2,027	$1,576	$1,291	$2,470
11 OPC Psych	$831	$856	$905	$852	$831
12 OPC Home Based Treatment	$730	$910	$814	$601	$1,048
13 OPC Support	$1,493	$1,640	$1,345	$1,610	$1,798
14 OPC Fee	$231	$47	$97	$56	$20
15 OPC Pharmacy	$1,460	$1,175	$1,139	$1,438	$1,116
TOTAL	$14,024	$17,258	$23,356	$16,023	$14,533
Mean % Patient Costs at Other Stations	3.3%	3.4%	2.7%	7.2%	2.6%
SD	*11.9%*	*12.5%*	*11.3%*	*16.6%*	*11.5%*
Mean % Patient Costs at Other VISNs	1.3%	1.5%	0.9%	1.7%	1.8%
SD	*7.5%*	*9.0%*	*5.4%*	*8.6%*	*10.5%*

Table 1F: FY03 Psychosis Patients, Demographics, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
All Patients	217760	9545	413	1354	1202	1562	751	1196	1233	1834
Psychosis Diagnosis Group, %										
Schizophrenia	43.3%	42.5%	34.9%	39.7%	44.3%	42.8%	31.2%	42.4%	53.4%	42.2%
Bipolar Disorder	34.0%	33.1%	34.9%	26.8%	40.8%	36.5%	32.2%	39.7%	24.5%	31.4%
Other Psychoses	22.7%	24.4%	30.3%	33.5%	15.0%	20.7%	36.6%	17.9%	22.1%	26.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age, %										
<35	4.9%	5.3%	6.3%	5.1%	9.0%	6.6%	3.5%	5.4%	3.1%	3.8%
>=35 and <50	29.3%	30.9%	25.7%	27.7%	35.2%	43.6%	24.6%	30.9%	25.1%	27.3%
>=50 and <65	38.1%	35.8%	44.1%	32.9%	40.6%	32.5%	34.0%	37.4%	37.9%	34.0%
>=65 and <80	19.7%	19.7%	18.6%	22.9%	12.3%	12.6%	23.4%	18.0%	24.4%	24.7%
>=80	8.2%	8.4%	5.3%	11.4%	2.9%	4.7%	14.5%	8.4%	9.6%	10.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	56.89	56.61	55.85	58.41	52.13	52.41	60.40	56.41	59.04	58.90
SD	*14.35*	*14.63*	*13.88*	*15.42*	*12.66*	*13.51*	*15.53*	*14.75*	*14.05*	*14.71*
Gender										
Male, %	92.7%	91.2%	94.2%	91.5%	87.4%	87.3%	93.1%	90.6%	93.6%	94.0%
Female, %	7.3%	8.8%	5.8%	8.5%	12.6%	12.7%	6.9%	9.4%	6.4%	6.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %										
Hispanic white	4.8%	0.7%	0.0%	0.4%	1.2%	0.9%	0.8%	0.9%	0.3%	0.5%
Hispanic black	0.4%	0.2%	0.0%	0.1%	0.4%	0.3%	0.0%	0.1%	0.0%	0.2%
American Indian	0.3%	0.3%	0.0%	0.3%	1.2%	0.3%	0.3%	0.2%	0.0%	0.2%
Black	18.6%	30.0%	7.5%	34.0%	32.1%	50.2%	6.5%	37.4%	22.1%	23.7%
Asian	0.5%	0.1%	0.0%	0.1%	0.2%	0.3%	0.0%	0.1%	0.1%	0.1%
White	54.9%	46.2%	79.9%	34.2%	33.9%	35.3%	72.8%	39.8%	62.7%	47.1%
Race unknown	20.5%	22.5%	12.6%	30.9%	30.9%	12.7%	19.6%	21.6%	14.8%	28.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status										
Never married	28.5%	26.4%	20.0%	26.5%	27.1%	30.5%	16.2%	27.0%	30.1%	25.2%
Married	35.3%	40.1%	48.4%	44.4%	43.2%	32.8%	45.4%	37.4%	36.0%	41.4%
Divorced/Separated	30.8%	28.1%	25.8%	23.3%	26.3%	32.2%	31.2%	28.8%	28.7%	27.9%
Widowed	5.4%	5.4%	5.8%	5.7%	3.4%	4.5%	7.2%	6.8%	5.1%	5.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
All Patients	217760	9545	413	1354	1202	1562	751	1196	1233	1834
Registry Pts. History of VA Utilization										
Years since first use in prior five years, mean	4.33	4.26	4.49	4.19	4.23	4.29	4.14	4.32	4.51	4.11
SD	*1.24*	*1.28*	*1.07*	*1.31*	*1.28*	*1.24*	*1.32*	*1.24*	*1.12*	*1.39*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.9%	28.7%	22.4%	26.3%	24.1%	35.1%	31.0%	28.3%	30.4%	27.7%
SD	*29.7%*	*31.1%*	*26.9%*	*29.1%*	*28.6%*	*34.8%*	*30.0%*	*29.2%*	*31.8%*	*32.1%*
Years with OP use / Years since first use, %	96.7%	96.3%	98.4%	96.1%	97.0%	95.2%	97.8%	97.2%	96.1%	95.6%
SD	*11.4%*	12.5%	*7.6%*	*12.7%*	*10.4%*	*13.7%*	*8.6%*	*10.1%*	*14.0%*	*15.0%*
Psychosis Diagnoses in Prior Fiscal Year										
Had Psychosis Diagnosis in FY01, %	65.3%	63.6%	61.3%	58.7%	57.5%	67.0%	56.2%	63.7%	69.7%	67.9%
Among Patients With Psychoses in FY01										
Psychosis Category: Schizophrenia, %	54.1%	54.1%	49.4%	51.9%	57.0%	51.1%	44.1%	52.4%	67.3%	52.7%
Psychosis Category: Bipolar Disorder, %	33.9%	33.2%	41.5%	26.5%	34.3%	36.8%	37.0%	39.4%	26.6%	31.5%
Psychosis Category: Other Psychosis, %	12.0%	12.7%	9.1%	21.5%	8.7%	12.1%	19.0%	8.3%	6.0%	15.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %										
Dementia	6.2%	7.0%	4.6%	8.9%	3.3%	3.8%	14.5%	7.9%	8.6%	6.4%
Post Traumatic Stress Disorder	15.4%	16.4%	27.4%	19.9%	24.0%	17.0%	23.4%	12.7%	11.1%	8.8%
Depression	34.8%	31.8%	40.7%	31.4%	48.3%	35.1%	33.7%	30.0%	24.5%	22.0%
Other Anxiety Disorder	12.0%	11.7%	32.4%	9.7%	15.3%	9.0%	10.9%	10.9%	12.7%	8.7%
Substance Abuse or Dependence	23.3%	19.4%	9.2%	16.9%	17.8%	36.2%	15.0%	19.8%	16.8%	13.7%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
All Patients	217760	9545	413	1354	1202	1562	751	1196	1233	1834
Medical Comorbidities, %										
No medical comorbidities	15.2%	14.2%	8.0%	15.6%	11.1%	17.5%	11.9%	13.9%	17.1%	13.0%
Anemia	8.2%	8.4%	12.6%	8.1%	8.5%	6.4%	7.6%	10.7%	14.1%	4.5%
Arthritis	36.2%	37.8%	57.6%	31.3%	45.9%	38.5%	39.1%	36.4%	34.5%	35.0%
Cancer	7.9%	7.3%	9.0%	9.9%	5.4%	5.8%	10.0%	8.6%	6.5%	5.9%
Cerebrovascular Disease	6.7%	7.2%	8.5%	8.0%	5.2%	5.6%	10.7%	7.4%	6.3%	7.9%
Chronic Neurologic Disorder	15.1%	14.9%	18.9%	11.5%	16.0%	15.3%	16.1%	17.4%	15.7%	12.8%
Chronic Obstructive Pulmonary Disease	16.7%	15.8%	24.0%	11.3%	19.3%	12.2%	17.3%	14.0%	17.8%	17.5%
Chronic Viral Infection	8.4%	7.3%	3.9%	6.2%	7.2%	10.4%	6.7%	9.0%	5.9%	6.4%
Coronary Artery Disease	19.5%	18.7%	27.8%	20.7%	15.8%	12.8%	24.1%	19.5%	18.4%	19.4%
Diabetes	20.0%	21.8%	27.1%	23.4%	23.1%	19.3%	20.2%	22.6%	20.6%	21.6%
Digestive System Disease	43.5%	43.7%	62.2%	37.6%	46.2%	41.6%	50.7%	42.6%	42.7%	42.9%
Hypertension	43.2%	47.2%	59.3%	50.7%	47.8%	39.3%	46.2%	46.1%	45.1%	50.7%
Injury and Poisoning	17.9%	17.1%	25.9%	15.7%	14.6%	19.3%	20.9%	18.3%	14.8%	14.8%
Liver Disease	3.6%	2.8%	4.6%	1.5%	2.4%	3.8%	3.7%	2.8%	3.0%	2.2%
Other Endocrine	8.6%	7.9%	11.1%	5.8%	6.6%	7.7%	9.3%	8.4%	8.6%	8.2%
Peripheral Vascular Disease	4.1%	3.8%	3.4%	4.2%	3.0%	3.6%	4.3%	3.7%	3.7%	4.0%
GAF scores										
Lowest inpatient GAF score, mean	37.72	39.67	35.00	32.18	35.97	48.65	33.41	41.09	35.22	40.86
SD	*14.39*	*11.85*	*0.00*	*8.50*	*11.05*	*10.78*	*11.14*	*11.73*	*9.45*	*10.69*
Mean outpatient GAF score	50.52	50.99	55.84	42.72	55.86	52.32	40.27	51.63	48.06	54.34
SD	*11.04*	*11.33*	*8.60*	*13.15*	*9.15*	*10.92*	*10.79*	*10.59*	*9.93*	*8.96*
At least 1 IP GAF, among pts with MH bedsections, %	38.4%	29.7%	5.6%	25.3%	33.8%	27.8%	18.3%	18.5%	44.8%	33.4%
At least 1 OP GAF, among pts with MH clinic stops, %	80.0%	86.1%	98.3%	71.5%	90.7%	78.3%	86.9%	91.3%	86.9%	92.2%
Mortality rates										
died in FY02, %	3.1%	3.3%	2.9%	3.0%	2.6%	2.0%	6.4%	4.1%	3.4%	3.3%
Age-and-gender-adjusted Standardized Mortality Ratio	1.32	1.42	1.40	1.09	1.92	1.28	2.00	1.76	1.27	1.20

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
All Patients	217760	9545	413	1354	1202	1562	751	1196	1233	1834
Service Connection (SC)										
Non-SC	51.0%	45.1%	47.2%	42.2%	36.7%	40.4%	53.1%	48.9%	46.6%	49.7%
SC 0 - 29%	8.7%	8.4%	6.1%	8.8%	7.9%	10.3%	6.4%	8.7%	8.0%	8.3%
SC 30 - 69%	10.8%	13.0%	16.5%	13.6%	15.5%	15.6%	10.3%	14.2%	10.5%	9.9%
SC 70 - 99%	7.3%	8.3%	13.3%	8.1%	11.5%	9.0%	8.1%	7.5%	6.1%	6.9%
SC 100%	22.1%	25.1%	16.9%	27.3%	28.5%	24.6%	22.1%	20.7%	28.9%	25.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %										
Complex*	17.3%	15.7%	4.1%	10.8%	8.8%	20.5%	15.7%	10.5%	23.3%	20.6%
Basic vested, Cat A*	76.6%	79.4%	91.5%	85.1%	88.2%	76.8%	75.2%	84.0%	72.5%	72.1%
Basic Non-vested, Cat A*	1.0%	1.0%	0.0%	0.6%	1.2%	1.0%	1.9%	0.6%	0.7%	1.2%
Basic, Cats C and N	5.1%	4.0%	4.4%	3.5%	1.7%	1.7%	7.2%	4.9%	3.5%	6.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded										
Patient eligibility category, %										
Cat A (SC or low income)	94.6%	95.8%	95.6%	96.5%	98.3%	98.0%	92.4%	94.9%	96.2%	93.6%
Cat C (NSC and higher income)	4.7%	4.0%	3.1%	3.4%	1.7%	1.7%	7.3%	4.6%	3.5%	6.4%
Non-Veteran	0.6%	0.3%	1.2%	0.1%	0.0%	0.3%	0.3%	0.5%	0.3%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %										
BASIC 1. Non-reliant Care	0.1%	0.2%	0.2%	0.1%	0.0%	0.2%	0.0%	0.1%	0.1%	0.5%
2. Basic Medical	16.7%	19.9%	27.6%	21.4%	19.3%	15.9%	22.8%	20.3%	20.2%	19.3%
3. Mental Health	36.3%	35.1%	34.6%	34.6%	43.1%	34.3%	29.0%	32.9%	28.8%	39.3%
4. Heart / Lung / GI	7.7%	8.9%	12.6%	10.6%	8.9%	5.6%	9.6%	11.0%	7.8%	8.9%
5. Oncology / Infectious Disease	3.9%	3.9%	2.9%	3.8%	3.7%	4.1%	4.3%	5.8%	4.0%	2.5%
6. Multiple Medical	18.0%	16.3%	17.9%	18.6%	16.1%	19.5%	18.6%	19.4%	15.9%	8.9%
COMPLEX 7. Specialized Care	2.6%	2.6%	0.5%	3.2%	1.4%	2.6%	4.7%	1.8%	2.7%	3.1%
8. Support Care	2.8%	2.1%	1.9%	2.4%	1.8%	2.9%	2.5%	2.3%	1.3%	1.6%
9. Chronic Mental	9.6%	8.8%	1.2%	3.6%	4.2%	13.0%	4.9%	3.9%	16.2%	13.4%
10. Critically Ill	2.2%	2.2%	0.5%	1.6%	1.3%	2.0%	3.6%	2.3%	3.1%	2.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
All Patients	217760	9545	413	1354	1202	1562	751	1196	1233	1834
Substance Dependence and Abuse										
Any dx of alcohol / drug dependence or abuse, %	23.3%	19.4%	9.2%	16.9%	17.8%	36.2%	15.0%	19.8%	16.8%	13.7%
Homelessness										
Homelessness indicated in FY02, %	11.5%	9.1%	1.2%	7.4%	6.6%	22.5%	6.0%	5.9%	6.3%	7.5%
Residence in Metropolitan Area										
Residing in a Metropolitan Statistical Area, %	79.7%	71.0%	2.2%	71.6%	61.0%	92.3%	53.4%	78.5%	64.5%	81.3%
Distance										
Mile from Closest VA Medical Center, mean	32.17	28.15	22.18	38.71	37.47	15.52	27.68	23.32	25.01	31.81
SD	*68.58*	*23.87*	*15.14*	*29.83*	*31.22*	*15.54*	*20.81*	*21.81*	*21.93*	*16.86*
Distance from closest VA Medical Center, %										
0 to 15 miles	49.0%	38.2%	32.0%	22.2%	36.0%	64.5%	35.8%	49.9%	48.0%	17.0%
15 to 30 miles	16.3%	21.2%	38.5%	27.6%	12.1%	25.1%	24.1%	18.1%	11.3%	22.9%
30 to 45 miles	10.3%	17.5%	23.7%	16.2%	14.1%	3.4%	17.4%	9.5%	17.4%	36.6%
45 to 60 miles	8.1%	13.8%	4.6%	12.3%	11.6%	3.8%	18.5%	14.6%	17.5%	22.1%
60 plus miles	16.2%	9.3%	1.2%	21.8%	26.1%	3.2%	4.1%	7.9%	5.8%	1.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.73	16.23	16.74	18.19	17.57	14.51	23.99	16.73	9.82	16.07
SD	*13.09*	*13.58*	*9.80*	*14.04*	*14.36*	*13.14*	*16.43*	*15.56*	*8.69*	*11.51*
Distance to closest VA Service Site, %										
0 to 15 miles	77.0%	55.6%	35.4%	47.3%	52.9%	65.3%	36.8%	57.3%	76.1%	52.6%
15 to 30 miles	14.9%	29.6%	58.6%	36.0%	21.5%	25.4%	27.6%	24.9%	22.4%	35.9%
30 to 45 miles	5.7%	10.7%	6.1%	12.6%	21.0%	3.7%	25.3%	10.5%	0.9%	10.3%
45 plus miles	2.4%	4.1%	0.0%	4.1%	4.5%	5.6%	10.4%	7.4%	0.6%	1.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3F: FY03 Psychosis Patients, Utilization, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
All Patients	217760	9545	413	1354	1202	1562	751	1196	1233	1834
Hospital Based Utilization										
Patients with some Hospital Based Utilization, %	27.2%	30.0%	25.2%	30.5%	27.3%	33.7%	33.8%	31.8%	35.1%	23.1%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)										
Inpatient stays, mean	1.83	1.83	1.84	1.71	1.83	2.14	1.71	1.73	1.87	1.71
SD	*1.43*	*1.43*	*1.50*	*1.44*	*1.52*	*1.80*	*1.16*	*1.10*	*1.34*	*1.20*
Average LOS, mean	13.07	15.48	6.70	8.16	8.36	9.92	10.47	10.16	33.59	26.47
SD	*30.84*	*38.56*	*4.95*	*7.13*	*11.50*	*15.62*	*7.62*	*12.64*	*77.14*	*51.91*
Cumulative DOS, mean	21.85	25.68	12.04	13.68	14.55	22.81	17.77	18.38	48.09	41.28
SD	*40.46*	*49.82*	*14.20*	*15.37*	*17.77*	*45.94*	*17.43*	*26.20*	*83.89*	*67.29*
Cumulative DOS, %										
1 to 7	39.9%	35.3%	47.1%	45.0%	43.6%	34.2%	30.7%	43.2%	27.3%	21.9%
8 to 14	21.8%	22.8%	27.9%	24.5%	25.6%	24.9%	26.4%	19.5%	16.4%	22.9%
15 to 44	27.7%	29.9%	22.1%	26.2%	24.7%	31.7%	35.4%	27.4%	33.0%	32.8%
45 to 89	6.9%	7.1%	1.9%	3.9%	5.5%	6.6%	6.3%	7.4%	10.4%	10.1%
90 to 179	2.3%	2.6%	1.0%	0.5%	0.6%	0.9%	1.2%	2.1%	5.1%	7.3%
180 to 359	0.9%	1.2%	0.0%	0.0%	0.0%	0.4%	0.0%	0.5%	3.5%	3.5%
360+	0.6%	1.1%	0.0%	0.0%	0.0%	1.3%	0.0%	0.0%	4.4%	1.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	2.1%	3.1%	0.0%	0.2%	0.3%	2.1%	0.0%	0.8%	9.0%	7.8%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	237.76	260.41	0.00	139.00	152.00	292.91	0.00	199.33	283.90	234.33
SD	*95.14*	*95.22*	*0.00*	*0.00*	*0.00*	*99.01*	*0.00*	*40.77*	*93.75*	*90.19*
Hospital patients who had a 150+ day hosp. stay, %	1.3%	2.1%	0.0%	0.0%	0.3%	1.7%	0.0%	0.3%	6.9%	4.7%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	290.80	306.18	0.00	0.00	152.00	319.67	0.00	233.00	323.50	285.50
SD	*77.65*	*73.85*	*0.00*	*0.00*	*0.00*	*88.26*	*0.00*	*0.00*	*61.49*	*75.02*
Cumulative DOS at Other VISNs	0.59	0.45	0.36	0.19	0.32	1.00	0.47	0.21	0.33	0.46
SD	*4.28*	*3.68*	*1.73*	*1.60*	*2.25*	*5.77*	*2.94*	*2.24*	*4.32*	*3.74*
Cumulative DOS at Other Stations	1.83	2.00	3.00	1.05	1.55	3.19	1.87	1.32	1.39	2.85
SD	*7.27*	*7.11*	*6.03*	*4.15*	*4.92*	*9.43*	*6.29*	*6.26*	*6.91*	*8.63*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
All Patients	217760	9545	413	1354	1202	1562	751	1196	1233	1834
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)										
Pts. with non-psych hospital stays, %	14.0%	12.4%	22.3%	13.8%	10.6%	7.2%	20.9%	16.4%	15.2%	6.7%
Inpatient stays, mean	0.85	0.66	1.63	0.71	0.63	0.35	0.90	0.82	0.68	0.46
SD	*1.20*	*1.05*	*1.55*	*1.06*	*1.11*	*0.86*	*1.02*	*1.06*	*1.01*	*0.88*
Average LOS, mean	7.54	9.99	6.24	7.45	6.41	13.57	10.59	10.73	13.81	9.33
SD	*13.36*	*21.26*	*4.80*	*8.74*	*13.95*	*24.38*	*8.85*	*16.44*	*42.98*	*8.86*
Cumulative Days of Stay, mean	6.52	6.90	10.19	5.29	3.72	7.54	9.70	9.92	7.45	4.38
SD	*17.31*	*25.36*	*14.20*	*12.34*	*10.73*	*42.83*	*14.81*	*25.55*	*29.48*	*12.15*
Cumulative Days of Stay, %										
0	48.5%	58.7%	11.5%	54.7%	61.0%	78.7%	38.2%	48.4%	56.8%	71.2%
1 to 7	29.2%	21.1%	45.2%	24.2%	23.8%	10.1%	26.4%	29.5%	21.2%	12.7%
8 to 14	9.8%	7.7%	23.1%	10.7%	7.6%	3.2%	11.0%	5.8%	9.0%	5.2%
15 to 44	10.2%	9.8%	17.3%	8.5%	7.0%	5.9%	20.1%	8.9%	11.5%	9.2%
45 to 89	1.8%	1.6%	1.9%	1.5%	0.3%	0.6%	3.9%	5.3%	0.2%	0.9%
90 to 179	0.4%	0.5%	1.0%	0.5%	0.3%	0.0%	0.4%	1.6%	0.2%	0.7%
180 to 359	0.1%	0.2%	0.0%	0.0%	0.0%	0.2%	0.0%	0.5%	0.7%	0.0%
360+	0.0%	0.3%	0.0%	0.0%	0.0%	1.3%	0.0%	0.0%	0.2%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.6%	0.0%	0.2%	0.3%	1.5%	0.0%	0.8%	1.2%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	206.57	273.06	0.00	139.00	152.00	341.63	0.00	199.33	258.60	0.00
SD	*85.33*	*93.18*	*0.00*	*0.00*	*0.00*	*63.69*	*0.00*	*40.77*	*84.11*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.5%	0.0%	0.0%	0.3%	1.3%	0.0%	0.3%	0.9%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	268.22	314.77	0.00	0.00	152.00	364.14	0.00	233.00	289.50	0.00
SD	*74.94*	*71.88*	*0.00*	*0.00*	*0.00*	*0.38*	*0.00*	*0.00*	*55.39*	*0.00*
Other VISN cumulative DOS, mean	0.14	0.08	0.18	0.06	0.06	0.08	0.13	0.18	0.02	0.05
SD	*1.82*	*1.26*	*1.28*	*1.01*	*1.10*	*0.84*	*1.77*	*2.21*	*0.48*	*0.98*
Other station cumulative DOS, mean	0.51	0.52	1.17	0.20	0.53	0.76	0.34	0.36	0.22	0.96
SD	*3.43*	*3.09*	*3.15*	*1.59*	*2.58*	*3.97*	*2.29*	*2.67*	*1.34*	*4.79*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
All Patients	217760	9545	413	1354	1202	1562	751	1196	1233	1834
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)										
Pts. with psych hospital stays, %	15.8%	19.9%	4.4%	18.7%	18.7%	28.4%	16.8%	18.6%	22.8%	17.9%
Inpatient stays, mean	0.98	1.18	0.21	0.99	1.20	1.78	0.81	0.91	1.20	1.26
SD	*1.28*	*1.42*	*0.52*	*1.34*	*1.41*	*1.85*	*1.10*	*1.08*	*1.39*	*1.22*
Average LOS, mean	17.54	18.31	8.45	8.69	9.23	8.83	9.72	9.11	44.96	31.98
SD	*38.98*	*44.75*	*5.30*	*6.14*	*9.18*	*11.83*	*5.95*	*6.77*	*88.54*	*58.53*
Cumulative Days of Stay, mean	15.33	18.78	1.85	8.39	10.83	15.27	8.07	8.46	40.63	36.90
SD	*38.37*	*45.42*	*5.24*	*12.29*	*16.29*	*22.04*	*14.20*	*13.50*	*81.83*	*68.21*
Cumulative Days of Stay, %										
0	41.8%	33.7%	82.7%	38.7%	31.4%	15.9%	50.4%	41.6%	35.1%	22.4%
1 to 7	18.6%	20.4%	8.7%	26.2%	25.9%	28.7%	13.4%	23.7%	12.0%	13.2%
8 to 14	14.1%	16.7%	4.8%	15.5%	20.1%	22.8%	17.7%	15.0%	9.2%	19.3%
15 to 44	17.8%	20.3%	3.8%	17.7%	17.7%	26.2%	16.1%	17.1%	21.9%	25.2%
45 to 89	4.7%	5.0%	0.0%	1.9%	4.6%	5.3%	1.6%	2.1%	10.4%	8.3%
90 to 179	1.7%	2.0%	0.0%	0.0%	0.3%	0.9%	0.8%	0.5%	4.4%	6.6%
180 to 359	0.8%	1.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	2.8%	3.5%
360+	0.5%	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	4.2%	1.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	1.8%	2.4%	0.0%	0.0%	0.0%	0.6%	0.0%	0.0%	7.9%	7.8%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	239.50	256.36	0.00	0.00	0.00	163.00	0.00	0.00	286.53	233.76
SD	*96.26*	*96.58*	*0.00*	*0.00*	*0.00*	*2.65*	*0.00*	*0.00*	*96.68*	*90.35*
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.2%	1.7%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%	6.0%	4.7%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	291.18	302.69	0.00	0.00	0.00	164.00	0.00	0.00	327.31	284.55
SD	*78.31*	*76.52*	*0.00*	*0.00*	*0.00*	*2.83*	*0.00*	*0.00*	*64.69*	*76.02*
Other VISN cumulative DOS, mean	0.45	0.36	0.17	0.13	0.26	0.92	0.34	0.02	0.31	0.40
SD	*3.83*	*3.47*	*1.19*	*1.25*	*1.97*	*5.71*	*2.37*	*0.36*	*4.29*	*3.62*
Other station cumulative DOS, mean	1.32	1.47	1.83	0.85	1.02	2.43	1.54	0.97	1.17	1.89
SD	*6.36*	*6.45*	*5.24*	*3.88*	*4.29*	*8.65*	*5.94*	*5.67*	*6.75*	*7.35*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
All Patients	217760	9545	413	1354	1202	1562	751	1196	1233	1834
Other 24 hour institutional care										
Patients with some other 24 hour institutional care, %	8.5%	7.2%	3.1%	5.1%	1.3%	18.1%	9.7%	2.2%	7.5%	6.2%
Residential Rehab (rep. for those w/ res rehab care)										
Patients with some residential rehab. care, %	1.8%	1.4%	0.2%	0.7%	0.1%	0.6%	3.6%	0.3%	3.0%	2.2%
Number stays, mean	1.12	1.03	1.00	1.11	1.00	1.00	1.11	1.00	1.00	1.00
SD	*0.38*	*0.17*	*0.00*	*0.33*	*0.00*	*0.00*	*0.32*	*0.00*	*0.00*	*0.00*
Average LOS, mean	34.01	25.44	4.00	20.72	33.00	23.60	22.11	11.67	23.78	31.95
SD	*38.25*	*20.48*	*0.00*	*9.22*	*0.00*	*13.70*	*9.53*	*14.22*	*8.25*	*32.65*
Cumulative DOS, mean	37.28	26.06	4.00	22.44	33.00	23.60	24.52	11.67	23.78	31.95
SD	*40.79*	*20.69*	*0.00*	*9.57*	*0.00*	*13.70*	*12.19*	*14.22*	*8.25*	*32.65*
Cumulative Days of Stay, %										
1 to 7	12.3%	16.3%	100.0%	11.1%	0.0%	30.0%	14.8%	66.7%	10.8%	14.6%
8 to 14	12.7%	3.1%	0.0%	11.1%	0.0%	0.0%	3.7%	0.0%	2.7%	2.4%
15 to 44	50.7%	76.0%	0.0%	77.8%	100.0%	70.0%	74.1%	33.3%	86.5%	73.2%
45 to 89	15.8%	3.9%	0.0%	0.0%	0.0%	0.0%	7.4%	0.0%	0.0%	7.3%
90 to 179	7.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.3%	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.4%
360+	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.3%	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.4%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	175.66	214.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	214.00
SD	*75.56*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.9%	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.4%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	237.86	214.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	214.00
SD	*73.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.12	0.12	4.00	0.00	0.00	0.90	0.00	0.67	0.00	0.00
SD	*6.40*	*0.68*	*0.00*	*0.00*	*0.00*	*1.91*	*0.00*	*1.15*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.58	4.19	4.00	22.44	33.00	23.60	1.11	11.67	0.00	0.00
SD	*10.93*	*10.11*	*0.00*	*9.57*	*0.00*	*13.70*	*5.77*	*14.22*	*0.00*	*0.00*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
All Patients	217760	9545	413	1354	1202	1562	751	1196	1233	1834
Domiciliary and Vocational										
(reported for those with some dom/voc care)										
Patients with some dom/voc care, %	2.8%	2.5%	0.0%	0.0%	0.0%	14.3%	0.4%	0.2%	0.2%	0.4%
Number stays, mean	1.13	1.13	0.00	0.00	0.00	1.13	1.00	1.00	1.00	1.00
SD	*0.38*	*0.33*	*0.00*	*0.00*	*0.00*	*0.34*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	85.20	44.41	0.00	0.00	0.00	45.45	38.33	45.00	5.50	24.71
SD	*90.51*	*42.29*	*0.00*	*0.00*	*0.00*	*43.15*	*15.89*	*5.66*	*6.36*	*18.30*
Cumulative DOS, mean	92.74	50.17	0.00	0.00	0.00	51.57	38.33	45.00	5.50	24.71
SD	*94.18*	*53.10*	*0.00*	*0.00*	*0.00*	*54.25*	*15.89*	*5.66*	*6.36*	*18.30*
Cumulative Days of Stay, %										
1 to 7	6.9%	7.1%	0.0%	0.0%	0.0%	6.7%	0.0%	0.0%	50.0%	14.3%
8 to 14	6.1%	6.7%	0.0%	0.0%	0.0%	6.3%	0.0%	0.0%	50.0%	14.3%
15 to 44	29.6%	45.8%	0.0%	0.0%	0.0%	46.4%	33.3%	50.0%	0.0%	42.9%
45 to 89	19.5%	24.8%	0.0%	0.0%	0.0%	24.1%	66.7%	50.0%	0.0%	28.6%
90 to 179	22.9%	12.2%	0.0%	0.0%	0.0%	12.9%	0.0%	0.0%	0.0%	0.0%
180 to 359	10.1%	2.5%	0.0%	0.0%	0.0%	2.7%	0.0%	0.0%	0.0%	0.0%
360+	5.0%	0.8%	0.0%	0.0%	0.0%	0.9%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	31.6%	13.0%	0.0%	0.0%	0.0%	13.8%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	203.50	155.55	0.00	0.00	0.00	155.55	0.00	0.00	0.00	0.00
SD	*90.08*	*69.97*	*0.00*	*0.00*	*0.00*	*69.97*	*0.00*	*0.00*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	18.0%	4.2%	0.0%	0.0%	0.0%	4.5%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	259.61	231.80	0.00	0.00	0.00	231.80	0.00	0.00	0.00	0.00
SD	*79.66*	*78.94*	*0.00*	*0.00*	*0.00*	*78.94*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.54	1.93	0.00	0.00	0.00	1.23	22.67	20.50	0.00	10.71
SD	*8.76*	*6.89*	*0.00*	*0.00*	*0.00*	*4.44*	*24.11*	*28.99*	*0.00*	*19.25*
Other station cumulative DOS, mean	3.75	2.79	0.00	0.00	0.00	1.23	38.33	45.00	5.50	24.71
SD	*14.14*	*8.78*	*0.00*	*0.00*	*0.00*	*4.44*	*15.89*	*5.66*	*6.36*	*18.30*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
All Patients	217760	9545	413	1354	1202	1562	751	1196	1233	1834
Nursing Home Care										
(reported for those with some nursing home care)										
Patients with some nursing home care, %	4.5%	3.5%	2.9%	4.4%	1.2%	3.6%	6.1%	1.8%	4.5%	3.8%
Number stays, mean	1.24	1.24	1.08	1.22	1.20	1.58	1.26	1.10	1.11	1.14
SD	*0.60*	*0.49*	*0.29*	*0.49*	*0.56*	*0.60*	*0.53*	*0.30*	*0.37*	*0.35*
Average LOS, mean	99.56	110.76	73.33	63.09	125.03	88.40	70.63	76.43	96.96	222.31
SD	*118.68*	*123.23*	*119.51*	*95.33*	*123.30*	*74.03*	*104.02*	*104.75*	*107.39*	*142.30*
Cumulative DOS, mean	111.19	128.51	74.17	72.08	135.47	154.68	77.35	79.52	101.40	234.51
SD	*123.23*	*134.65*	*119.06*	*104.75*	*120.33*	*142.61*	*104.80*	*103.93*	*106.45*	*140.15*
Cumulative Days of Stay, %										
1 to 7	9.0%	7.8%	25.0%	8.3%	0.0%	3.5%	19.6%	9.5%	3.6%	4.3%
8 to 14	10.6%	12.8%	16.7%	20.0%	6.7%	21.1%	15.2%	4.8%	9.1%	4.3%
15 to 44	27.5%	23.0%	33.3%	38.3%	33.3%	8.8%	26.1%	28.6%	27.3%	10.1%
45 to 89	15.4%	14.0%	0.0%	13.3%	6.7%	15.8%	10.9%	42.9%	21.8%	4.3%
90 to 179	13.8%	11.3%	8.3%	6.7%	20.0%	10.5%	15.2%	0.0%	20.0%	8.7%
180 to 359	11.4%	13.7%	16.7%	5.0%	26.7%	19.3%	6.5%	4.8%	9.1%	24.6%
360+	12.4%	17.3%	0.0%	8.3%	6.7%	21.1%	6.5%	9.5%	9.1%	43.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	33.0%	38.2%	25.0%	20.0%	46.7%	47.4%	21.7%	14.3%	30.9%	71.0%
Cumul. DOS, patients with a 100+ day NH stay, mean	263.62	280.95	258.67	255.17	243.57	288.37	245.10	312.67	229.82	312.98
SD	*97.17*	*91.81*	*97.90*	*107.37*	*82.87*	*86.98*	*106.88*	*88.91*	*102.13*	*74.97*
NH patients with 150+ day NH stay, %	25.7%	32.5%	16.7%	13.3%	40.0%	40.4%	15.2%	14.3%	23.6%	68.1%
Cumul. DOS, patients with a 150+ day NH stay, mean	299.88	307.11	315.00	312.00	258.00	315.35	294.71	312.67	266.92	320.79
SD	*76.08*	*71.78*	*11.31*	*79.54*	*80.57*	*60.88*	*86.37*	*88.91*	*86.91*	*65.86*
Other VISN cumulative DOS, mean	0.41	1.04	0.42	0.00	0.00	0.39	0.00	0.86	0.22	4.25
SD	*5.60*	*10.71*	*1.44*	*0.00*	*0.00*	*2.12*	*0.00*	*3.93*	*1.62*	*23.21*
Other station cumulative DOS, mean	1.17	2.71	0.50	0.00	0.00	7.93	0.00	0.86	0.22	6.07
SD	*8.68*	*12.85*	*1.45*	*0.00*	*0.00*	*13.58*	*0.00*	*3.93*	*1.62*	*24.45*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
All Patients	217760	9545	413	1354	1202	1562	751	1196	1233	1834
Outpatient utilization										
(reported for those with some outpatient care)										
Patients with some outpatient care, %	99.1%	98.8%	99.5%	99.3%	99.6%	98.6%	99.2%	99.7%	97.2%	98.1%
annual visit days, mean	24.61	17.86	17.33	14.75	16.06	19.45	16.79	19.56	23.94	15.43
SD	*33.05*	*23.74*	*12.78*	*18.41*	*15.70*	*25.07*	*14.10*	*23.71*	*35.93*	*24.57*
Outpatient visit days, %										
1-12	44.2%	53.6%	43.3%	59.4%	52.7%	53.1%	47.4%	48.6%	48.3%	62.0%
13-24	26.4%	26.8%	33.1%	25.5%	29.5%	23.4%	32.2%	26.9%	27.3%	24.6%
25-36	11.9%	10.0%	15.6%	8.6%	10.1%	10.7%	11.3%	12.2%	9.5%	7.3%
37-48	5.9%	4.1%	4.6%	3.0%	3.7%	4.8%	5.6%	6.0%	4.6%	2.2%
49+	11.5%	5.6%	3.4%	3.5%	4.0%	8.1%	3.5%	6.3%	10.3%	3.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	79.4%	78.5%	91.7%	70.4%	86.2%	73.8%	84.0%	82.4%	65.2%	84.5%
Mean PC visit days, among those with some PC	3.84	3.59	3.86	3.21	4.35	3.19	3.63	3.72	3.49	3.47
SD	3.72	2.89	2.81	2.46	3.36	2.95	2.70	2.81	2.71	2.85
Average number clinic stops per visit day, mean	1.49	1.51	1.64	1.53	1.42	1.45	1.57	1.54	1.58	1.51
SD	*0.47*	*0.47*	*0.45*	*0.47*	*0.40*	*0.42*	*0.50*	*0.46*	*0.49*	*0.51*
annual clinic stops (psych & non-psych), mean	37.56	26.88	27.72	22.38	22.97	29.00	26.23	29.34	37.89	22.17
SD	*56.64*	*36.93*	*20.97*	*26.59*	*25.62*	*39.12*	*24.10*	*35.32*	*60.36*	*33.85*
annual non-psych. clinic stops, mean	20.14	17.02	21.67	15.14	14.25	15.73	21.39	19.46	19.52	15.22
SD	*25.25*	*20.87*	*18.32*	*15.57*	*13.67*	*16.90*	*22.45*	*19.90*	*25.50*	*26.81*
annual psych. clinic stops (groupings below), mean	17.42	9.86	6.05	7.24	8.72	13.26	4.84	9.88	18.37	6.95
SD	*43.44*	*25.24*	*7.18*	*19.41*	*17.71*	*29.73*	*7.36*	*25.69*	*45.22*	*13.21*
1. general psych. clinic stops, mean	7.22	5.10	5.97	4.99	6.02	4.35	3.92	5.01	6.73	4.47
SD	*13.49*	*8.03*	*7.09*	*9.24*	*9.99*	*8.04*	*5.71*	*6.60*	*8.54*	*6.80*
2. psych. case management clinic stops, mean	1.44	1.10	0.01	0.19	1.05	2.61	0.00	0.00	1.53	1.68
SD	*12.10*	*8.45*	*0.25*	*2.01*	*8.69*	*14.93*	*0.11*	*0.00*	*8.06*	*9.07*
3. psych. day treatment clinic stops, mean	2.80	1.10	0.00	0.00	0.01	0.05	0.00	2.37	5.94	0.19
SD	*21.66*	*11.51*	*0.00*	*0.08*	*0.43*	*1.47*	*0.00*	*14.69*	*28.03*	*2.49*
4. substance abuse clinic stops, mean	3.26	1.11	0.03	0.51	0.94	2.70	0.28	2.29	0.69	0.39
SD	*19.07*	*7.98*	*0.41*	*3.99*	*5.42*	*9.66*	*2.43*	*16.91*	*4.87*	*3.18*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
All Patients	217760	9545	413	1354	1202	1562	751	1196	1233	1834
5. psych. vocational clinic stops, mean	1.73	0.96	0.00	1.12	0.03	2.34	0.01	0.10	3.09	0.02
SD	*15.65*	*11.87*	*0.00*	*13.44*	*0.69*	*16.93*	*0.25*	*1.80*	*22.86*	*0.47*
6. PTSD clinic stops, mean	0.56	0.25	0.01	0.25	0.55	0.46	0.43	0.00	0.16	0.05
SD	*4.85*	*2.59*	*0.16*	*2.53*	*5.35*	*2.46*	*2.72*	*0.06*	*1.99*	*0.51*
7. psych. homeless clinic stops, mean	0.41	0.24	0.02	0.12	0.06	0.83	0.11	0.10	0.19	0.18
SD	*3.32*	*1.92*	*0.39*	*0.78*	*0.54*	*4.11*	*0.95*	*0.66*	*1.81*	*1.02*
Other VISN OP visit days, mean	0.36	0.32	0.36	0.18	0.37	0.53	0.43	0.27	0.26	0.22
SD	2.35	2.30	1.57	1.29	3.01	3.44	2.27	1.80	1.76	1.79
Other station OP visit days, mean	0.91	0.85	1.27	0.67	1.11	1.06	0.68	0.49	0.90	0.81
SD	3.87	3.34	2.77	2.36	3.65	4.53	2.58	2.30	4.00	3.01

Table 4F: FY03 Psychosis Patients, Pharmacy Utilization, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
All Patients	217760	9545	413	1354	1202	1562	751	1196	1233	1834
Among all patients in the registry										
Pts. with any outpatient prescriptions, %	95.5%	96.0%	97.8%	97.3%	98.0%	95.2%	94.7%	96.6%	95.4%	94.5%
Patients with any oral antipsychotic fills, %*	59.2%	60.5%	63.4%	54.8%	65.1%	59.3%	57.9%	62.4%	63.4%	59.7%
Among pts. Receiving any antipsychotic medication:										
Received only conventional antipsychotics, %	12.3%	15.8%	18.3%	21.0%	11.4%	16.7%	18.4%	16.8%	19.3%	9.6%
Received some atypical antipsychotics, %	87.7%	84.2%	81.7%	79.0%	88.6%	83.3%	81.6%	83.2%	80.7%	90.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %										
Aripiprazole	1.2%	0.5%	0.0%	0.0%	0.3%	0.3%	0.2%	1.3%	0.3%	0.8%
Clozapine	1.8%	1.2%	1.5%	1.1%	0.3%	1.1%	0.0%	0.4%	3.8%	1.2%
Olanzapine	35.8%	28.4%	25.2%	24.9%	24.7%	36.0%	22.3%	32.8%	27.4%	27.9%
Quetiapine	26.2%	24.3%	21.4%	13.7%	19.9%	19.1%	39.3%	28.7%	21.0%	33.2%
Risperidone	36.7%	39.9%	43.1%	43.0%	60.4%	34.4%	29.9%	34.9%	36.6%	36.9%
Ziprasidone	5.2%	5.6%	2.3%	6.1%	1.9%	7.2%	3.9%	3.2%	6.8%	8.8%
Patients receiving only one kind** of antipsychotic, %	73.8%	76.2%	79.4%	80.2%	76.5%	78.7%	77.9%	72.7%	72.6%	74.8%
Concurrent use of 2 or more antipsychotics, % ***	11.3%	10.0%	9.5%	9.3%	9.7%	8.6%	6.0%	11.0%	13.2%	10.5%
Among pts receiving just one antipsychotic:										
Antipsychotic fills, mean	7.06	5.71	7.73	5.68	4.18	4.58	7.14	5.90	6.37	6.17
SD	*5.06*	4.27	4.60	4.41	2.90	3.40	4.33	4.17	5.10	4.41
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5F: FY03 Psychosis Patients, Cost, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
All Patients	217760	9545	413	1354	1202	1562	751	1196	1233	1834
Total Costs (in thousands $$)	$3,237,460	$123,137	$4,150	$15,176	$10,308	$20,477	$10,387	$13,945	$20,478	$28,217
Station % of VISN		100.0%	3.4%	12.3%	8.4%	16.6%	8.4%	11.3%	16.6%	22.9%
Psych vs. Non-Psych Costs										
Psych	30.3%	34.0%	9.0%	26.0%	34.1%	32.5%	20.3%	22.8%	48.4%	42.9%
Non-Psych	69.7%	66.0%	91.0%	74.0%	65.9%	67.5%	79.7%	77.2%	51.6%	57.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use										
Per Patient	$18,395	$17,472	$10,423	$13,169	$10,238	$14,923	$13,645	$15,500	$23,051	$30,520
Per Day of Stay	$842	$680	$866	$962	$704	$654	$768	$843	$479	$739
Mean Outpatient Costs, Pts with some Outpatient use										
Per Patient	$6,757	$5,356	$5,473	$5,499	$4,825	$5,327	$6,114	$5,480	$6,652	$4,340
Per Visit Day	$275	$300	$316	$373	$301	$274	$364	$280	$278	$281
Mean Patient Costs, By Cost Center										
1 Med	$1,582	$1,479	$1,828	$1,398	$670	$1,622	$1,695	$2,403	$1,416	$1,221
2 Surg	$536	$414	$544	$801	$222	$139	$707	$771	$291	$190
3 Psych	$2,886	$3,347	$253	$1,818	$1,902	$3,274	$2,213	$1,751	$6,389	$5,645
4 Psych Res Rehab Treatment Program	$218	$85	$4	$36	$5	$50	$246	$9	$167	$149
5 Non-VA	$205	$152	$52	$95	$214	$234	$96	$74	$129	$199
6 LTC Domiciliary	$327	$142	$0	$0	$0	$826	$14	$13	$2	$19
7 LTC Intermediate Care	$167	$254	$886	$18	$0	$171	$506	$345	$286	$340
8 LTC Nursing Home	$1,785	$1,504	$1,022	$1,232	$651	$1,440	$1,913	$658	$1,451	$2,845
9 Contract Nursing Home	$467	$233	$13	$348	$107	$101	$376	$175	$14	$520
10 OPC Med/Surg	$1,071	$898	$989	$1,011	$624	$1,029	$1,041	$1,246	$1,018	$498
11 OPC Psych	$1,624	$1,034	$649	$1,095	$1,026	$993	$595	$911	$1,653	$959
12 OPC Home Based Treatment	$751	$581	$415	$454	$807	$609	$1,340	$296	$699	$338
13 OPC Support	$1,322	$1,039	$1,348	$1,008	$826	$1,052	$1,408	$1,137	$1,009	$928
14 OPC Fee	$148	$145	$52	$288	$172	$133	$220	$91	$69	$109
15 OPC Pharmacy	$1,778	$1,591	$1,994	$1,606	$1,350	$1,436	$1,461	$1,780	$2,015	$1,425
TOTAL	$14,867	$12,901	$10,049	$11,208	$8,575	$13,109	$13,831	$11,660	$16,608	$15,385
Mean % Patient Costs at Other Stations	3.9%	4.4%	8.8%	4.0%	6.9%	4.8%	4.2%	2.2%	3.0%	4.4%
SD	*12.8%*	*13.3%*	*18.9%*	*12.4%*	*16.3%*	*13.8%*	*13.3%*	*9.1%*	*10.7%*	*13.2%*
Mean % Patient Costs at Other VISNs	1.5%	1.3%	1.6%	0.9%	1.5%	2.1%	1.9%	0.9%	0.8%	1.2%
SD	*8.0%*	*7.4%*	*7.8%*	*6.3%*	*7.8%*	*9.4%*	*9.2%*	*5.1%*	*5.4%*	*7.4%*

Table 1G: FY03 Schizophrenic Patients, Demographics, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Schizophrenic Patients	94395	4056	144	537	532	669	234	507	659	774
Age, %										
<35	3.9%	4.5%	5.6%	5.8%	6.6%	4.9%	3.8%	4.7%	2.3%	3.6%
>=35 and <50	32.5%	35.8%	29.2%	36.3%	37.4%	46.0%	38.0%	36.5%	27.0%	32.9%
>=50 and <65	44.6%	42.6%	50.7%	45.3%	43.2%	37.4%	40.2%	44.4%	45.2%	40.4%
>=65 and <80	15.7%	14.3%	12.5%	11.5%	11.7%	9.4%	12.4%	12.2%	20.5%	19.0%
>=80	3.3%	2.9%	2.1%	1.1%	1.1%	2.2%	5.6%	2.2%	5.0%	4.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	54.59	53.68	53.61	52.26	51.66	51.38	54.26	52.98	57.02	55.52
SD	*11.97*	*11.92*	*11.45*	*11.32*	*11.02*	*11.23*	*12.54*	*11.57*	*12.08*	*12.57*
Gender										
Male, %	94.6%	93.5%	97.2%	91.6%	93.4%	91.6%	93.6%	94.3%	94.4%	94.6%
Female, %	5.4%	6.5%	2.8%	8.4%	6.6%	8.4%	6.4%	5.7%	5.6%	5.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %										
Hispanic white	6.9%	0.6%	0.0%	0.6%	1.1%	1.0%	0.4%	1.0%	0.3%	0.3%
Hispanic black	0.6%	0.1%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%	0.5%
American Indian	0.3%	0.3%	0.0%	0.2%	1.3%	0.4%	0.0%	0.0%	0.0%	0.0%
Black	26.5%	44.1%	16.7%	51.6%	48.7%	65.3%	14.5%	51.3%	31.0%	37.9%
Asian	0.8%	0.2%	0.0%	0.2%	0.2%	0.6%	0.0%	0.2%	0.2%	0.1%
White	52.4%	40.2%	75.0%	25.9%	24.6%	24.2%	73.5%	28.6%	62.2%	47.2%
Race unknown	12.5%	14.4%	8.3%	21.6%	23.7%	8.4%	11.5%	18.9%	6.4%	14.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status										
Never married	42.4%	41.5%	33.8%	43.3%	36.9%	44.8%	30.8%	41.5%	45.0%	42.5%
Married	24.6%	26.7%	34.5%	29.8%	34.3%	24.8%	31.6%	22.4%	21.9%	24.7%
Divorced/Separated	29.5%	29.0%	28.2%	25.0%	25.6%	27.8%	33.8%	32.1%	30.4%	30.6%
Widowed	3.5%	2.8%	3.5%	1.9%	3.2%	2.6%	3.8%	4.0%	2.8%	2.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Schizophrenic Patients	94395	4056	144	537	532	669	234	507	659	774
Registry Pts. History of VA Utilization										
Years since first use in prior five years, mean	4.62	4.54	4.77	4.50	4.44	4.49	4.41	4.51	4.71	4.56
SD	*0.97*	*1.05*	*0.76*	*1.08*	*1.16*	*1.09*	*1.15*	*1.05*	*0.90*	*1.06*
Yrs with 24-hour institutional use / yrs since 1st use, %	27.3%	31.5%	18.8%	29.0%	26.3%	38.4%	34.7%	25.9%	33.4%	34.2%
SD	*30.9%*	*32.8%*	*23.9%*	*31.1%*	*29.9%*	*35.7%*	*32.6%*	*29.2%*	*33.3%*	*34.6%*
Years with OP use / Years since first use, %	96.7%	95.7%	99.0%	95.9%	97.3%	94.8%	97.7%	96.6%	95.7%	93.6%
SD	*12.4%*	*14.4%*	6.1%	*13.1%*	*10.0%*	*15.7%*	*9.2%*	*10.9%*	15.5%	18.9%
Psychosis Diagnoses in Prior Fiscal Year										
Had Psychosis Diagnosis in FY01, %	82.2%	81.6%	85.4%	76.9%	76.9%	79.1%	79.9%	79.1%	87.1%	86.8%
Among Patients With Psychoses in FY01										
Psychosis Category: Schizophrenia, %	94.8%	95.3%	98.4%	95.6%	90.2%	93.0%	95.2%	96.8%	98.3%	96.0%
Psychosis Category: Bipolar Disorder, %	2.6%	2.0%	0.8%	0.7%	3.7%	3.2%	2.1%	1.5%	0.9%	2.1%
Psychosis Category: Other Psychosis, %	2.5%	2.8%	0.8%	3.6%	6.1%	3.8%	2.7%	1.7%	0.9%	1.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %										
Dementia	2.3%	2.2%	1.4%	1.9%	1.9%	0.9%	2.1%	1.6%	4.2%	2.6%
Post Traumatic Stress Disorder	11.9%	11.8%	16.0%	20.5%	15.8%	11.7%	26.1%	8.3%	6.5%	4.9%
Depression	25.7%	21.9%	27.1%	25.1%	32.3%	25.3%	29.5%	20.7%	15.5%	12.7%
Other Anxiety Disorder	8.7%	7.7%	24.3%	8.0%	10.2%	5.7%	6.4%	7.3%	8.3%	4.8%
Substance Abuse or Dependence	22.3%	19.8%	8.3%	20.5%	16.4%	36.0%	17.1%	20.1%	16.1%	13.7%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Schizophrenic Patients	94395	4056	144	537	532	669	234	507	659	774
Medical Comorbidities, %										
No medical comorbidities	18.7%	18.7%	14.6%	21.0%	13.0%	21.1%	15.0%	19.3%	22.8%	17.2%
Anemia	7.1%	7.3%	7.6%	4.5%	7.7%	6.0%	6.0%	9.1%	14.4%	3.5%
Arthritis	29.7%	30.0%	45.8%	25.7%	38.7%	31.1%	29.5%	29.4%	26.6%	26.4%
Cancer	6.1%	4.7%	3.5%	5.2%	4.7%	3.6%	6.0%	5.7%	4.1%	4.8%
Cerebrovascular Disease	3.8%	3.6%	1.4%	1.7%	2.6%	3.9%	5.1%	4.1%	3.6%	4.8%
Chronic Neurologic Disorder	12.4%	11.7%	16.7%	7.4%	12.8%	13.8%	14.1%	12.4%	12.7%	9.2%
Chronic Obstructive Pulmonary Disease	16.5%	15.4%	23.6%	11.5%	14.8%	12.7%	19.7%	11.4%	18.1%	18.3%
Chronic Viral Infection	8.7%	8.1%	2.1%	7.6%	8.8%	11.7%	6.8%	10.3%	5.3%	7.1%
Coronary Artery Disease	14.6%	12.4%	18.8%	14.0%	10.7%	10.0%	15.4%	11.0%	14.1%	11.6%
Diabetes	20.3%	22.1%	24.3%	22.9%	23.3%	20.9%	19.2%	22.9%	21.5%	22.0%
Digestive System Disease	44.1%	43.0%	52.8%	36.7%	47.4%	45.0%	53.0%	39.3%	41.7%	41.5%
Hypertension	40.7%	45.8%	54.9%	45.1%	49.6%	39.8%	47.4%	41.6%	42.8%	52.2%
Injury and Poisoning	15.5%	14.3%	22.2%	13.6%	10.9%	16.3%	18.8%	14.2%	13.1%	13.4%
Liver Disease	3.2%	2.6%	2.1%	1.1%	2.3%	4.3%	4.7%	2.6%	2.4%	1.8%
Other Endocrine	6.9%	5.7%	6.9%	3.5%	5.5%	5.7%	9.0%	3.9%	6.8%	6.5%
Peripheral Vascular Disease	2.9%	2.2%	0.7%	1.3%	2.4%	2.5%	3.4%	1.6%	2.4%	2.5%
Lowest inpatient GAF score, mean	36.19	37.25	0.00	29.83	34.13	45.67	33.30	36.32	34.57	39.58
SD	*14.35*	*11.24*	*0.00*	*7.25*	*12.26*	*10.31*	*11.16*	*9.98*	*9.29*	*10.97*
Mean outpatient GAF score	48.84	48.75	54.98	38.78	55.71	50.11	35.88	48.43	46.35	53.02
SD	*10.59*	*11.47*	*7.88*	*12.63*	*9.00*	*10.00*	*9.54*	*10.84*	*9.23*	*9.05*
At least 1 IP GAF, among pts with MH bedsections, %	38.5%	30.6%	0.0%	21.5%	39.8%	22.0%	16.1%	20.7%	47.4%	35.6%
At least 1 OP GAF, among pts with MH clinic stops, %	80.5%	88.3%	99.3%	79.2%	91.0%	81.0%	83.7%	91.5%	90.4%	94.3%
Mortality rates										
died in FY02, %	2.7%	2.8%	0.7%	2.6%	2.8%	1.9%	3.0%	3.4%	3.3%	3.2%
Age-and-gender-adjusted Standardized Mortality Ratio	1.68	1.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Schizophrenic Patients	94395	4056	144	537	532	669	234	507	659	774
Service Connection (SC)										
Non-SC	40.8%	34.2%	45.1%	24.4%	31.0%	32.7%	41.5%	41.4%	36.0%	34.1%
SC 0 - 29%	6.8%	6.9%	4.9%	5.4%	7.3%	9.1%	5.1%	6.9%	6.7%	6.8%
SC 30 - 69%	8.8%	10.1%	15.3%	12.1%	11.5%	10.9%	8.1%	11.2%	8.2%	7.4%
SC 70 - 99%	6.6%	7.3%	10.4%	8.9%	8.5%	8.8%	8.1%	5.9%	4.7%	6.5%
SC 100%	37.0%	41.5%	24.3%	49.2%	41.7%	38.4%	37.2%	34.5%	44.5%	45.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %										
Complex*	22.5%	21.2%	4.9%	13.2%	10.5%	25.4%	17.5%	10.7%	30.7%	33.5%
Basic vested, Cat A*	74.7%	76.3%	95.1%	84.9%	87.4%	73.1%	76.9%	86.4%	66.5%	63.7%
Basic Non-vested, Cat A*	1.2%	1.2%	0.0%	0.6%	1.7%	0.7%	2.6%	0.8%	0.9%	1.9%
Basic, Cats C and N	1.7%	1.3%	0.0%	1.3%	0.4%	0.7%	3.0%	2.2%	2.0%	0.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded										
Patient eligibility category, %										
Cat A (SC or low income)	98.2%	98.6%	100.0%	98.7%	99.6%	99.3%	96.6%	97.8%	98.0%	98.8%
Cat C (NSC and higher income)	1.4%	1.1%	0.0%	1.1%	0.4%	0.0%	3.4%	1.4%	1.7%	1.2%
Non-Veteran	0.5%	0.3%	0.0%	0.2%	0.0%	0.7%	0.0%	0.8%	0.3%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %										
BASIC 1. Non-reliant Care	0.2%	0.2%	0.7%	0.2%	0.0%	0.3%	0.0%	0.2%	0.0%	0.6%
2. Basic Medical	13.3%	15.9%	24.3%	14.3%	20.5%	12.9%	17.5%	19.9%	17.0%	11.0%
3. Mental Health	38.5%	38.8%	45.1%	40.6%	42.1%	37.7%	37.6%	38.1%	32.2%	41.5%
4. Heart / Lung / GI	5.8%	6.8%	13.9%	7.6%	10.2%	4.0%	9.0%	9.3%	5.6%	3.9%
5. Oncology / Infectious Disease	3.6%	3.8%	2.1%	3.5%	4.3%	4.6%	3.0%	7.1%	3.3%	1.7%
6. Multiple Medical	16.1%	13.2%	9.0%	20.5%	12.4%	15.1%	15.4%	14.8%	11.2%	7.9%
COMPLEX 7. Specialized Care	1.9%	2.1%	0.0%	2.2%	1.1%	2.7%	3.4%	2.2%	1.4%	2.6%
8. Support Care	2.3%	1.3%	1.4%	1.5%	0.8%	2.1%	1.7%	1.0%	0.8%	1.3%
9. Chronic Mental	15.7%	15.3%	2.8%	8.0%	7.3%	17.9%	8.5%	5.5%	24.7%	26.1%
10. Critically Ill	2.6%	2.6%	0.7%	1.5%	1.3%	2.7%	3.8%	2.0%	3.8%	3.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Schizophrenic Patients	94395	4056	144	537	532	669	234	507	659	774
Substance Dependence and Abuse										
Any dx of alcohol / drug dependence or abuse, %	22.3%	19.8%	8.3%	20.5%	16.4%	36.0%	17.1%	20.1%	16.1%	13.7%
Homelessness										
Homelessness indicated in FY02, %	12.0%	10.9%	0.7%	12.7%	7.7%	25.7%	8.5%	6.1%	6.8%	8.4%
Residence in Metropolitan Area										
Residing in a Metropolitan Statistical Area, %	81.5%	72.0%	2.1%	69.6%	54.9%	91.2%	54.7%	81.9%	70.4%	82.0%
Distance										
Mile from Closest VA Medical Center, mean	28.72	27.17	21.66	39.30	37.37	15.42	26.91	20.57	23.25	30.65
SD	55.48	23.75	14.77	29.94	29.83	15.36	21.34	20.67	21.47	17.85
Distance from closest VA Medical Center, %										
0 to 15 miles	52.9%	40.7%	31.3%	23.1%	32.7%	64.0%	41.0%	54.4%	54.0%	19.8%
15 to 30 miles	15.5%	18.8%	36.8%	24.8%	13.0%	24.5%	19.7%	18.5%	6.8%	20.4%
30 to 45 miles	9.7%	17.9%	27.8%	15.8%	16.0%	4.3%	16.7%	9.7%	17.1%	36.8%
45 to 60 miles	7.4%	13.8%	4.2%	13.4%	14.7%	4.0%	18.4%	10.8%	17.0%	21.4%
60 plus miles	14.4%	8.8%	0.0%	22.9%	23.7%	3.1%	4.3%	6.5%	5.0%	1.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	9.8	15.5	15.8	17.9	19.3	14.4	22.7	15.4	9.4	15.2
SD	12.0	13.6	9.8	14.4	14.7	13.1	16.2	15.4	9.0	11.9
Distance to closest VA Service Site, %										
0 to 15 miles	79.4%	58.0%	36.1%	48.6%	46.6%	65.2%	41.5%	60.6%	79.5%	55.2%
15 to 30 miles	13.6%	27.7%	59.0%	35.6%	22.0%	24.5%	24.8%	24.5%	18.5%	33.9%
30 to 45 miles	5.1%	10.4%	4.9%	11.0%	26.7%	4.8%	25.2%	8.7%	1.1%	9.4%
45 plus miles	1.9%	3.9%	0.0%	4.8%	4.7%	5.5%	8.5%	6.3%	0.9%	1.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Schizophrenic Patients	94395	4056	144	537	532	669	234	507	659	774
Hospital Based Utilization										
Patients with some Hospital Based Utilization, %	27.0%	30.5%	17.4%	31.3%	28.2%	32.9%	35.0%	27.0%	36.0%	28.0%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)										
Inpatient stays, mean	1.85	1.93	2.00	1.73	1.97	2.19	1.84	1.80	2.03	1.81
SD	*1.45*	*1.51*	*2.33*	*1.43*	*1.67*	*1.90*	*1.18*	*1.16*	*1.42*	*1.24*
Average LOS, mean	17.65	21.46	6.49	8.86	8.26	11.19	11.04	9.48	45.68	37.51
SD	*42.51*	*52.73*	*4.58*	*7.20*	*7.26*	*17.89*	*7.46*	*8.90*	*93.09*	*67.39*
Cumulative DOS, mean	28.76	35.45	13.96	15.72	15.84	29.85	21.15	17.53	65.50	56.35
SD	*53.29*	*65.94*	*22.47*	*18.17*	*15.65*	*65.38*	*22.08*	*20.24*	*99.98*	*79.50*
Cumulative DOS, %										
1 to 7	35.1%	30.7%	56.0%	41.1%	40.0%	37.3%	28.0%	41.6%	17.3%	15.7%
8 to 14	20.7%	20.8%	12.0%	25.0%	23.3%	22.3%	23.2%	22.6%	15.6%	18.9%
15 to 44	29.0%	29.6%	28.0%	26.8%	28.7%	26.8%	36.6%	24.1%	34.2%	31.3%
45 to 89	9.0%	10.8%	0.0%	6.5%	8.0%	9.1%	8.5%	10.2%	14.3%	16.1%
90 to 179	3.4%	3.8%	4.0%	0.6%	0.0%	0.9%	3.7%	1.5%	6.3%	10.6%
180 to 359	1.5%	1.9%	0.0%	0.0%	0.0%	0.5%	0.0%	0.0%	5.1%	4.6%
360+	1.2%	2.4%	0.0%	0.0%	0.0%	3.2%	0.0%	0.0%	7.2%	2.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	3.8%	5.5%	0.0%	0.6%	0.0%	4.1%	0.0%	0.0%	13.1%	12.4%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	249.93	272.41	0.00	139.00	0.00	321.56	0.00	0.00	297.26	232.44
SD	*96.37*	*94.93*	*0.00*	*0.00*	*0.00*	*84.70*	*0.00*	*0.00*	*86.76*	*91.74*
Hospital patients who had a 150+ day hosp. stay, %	2.5%	3.9%	0.0%	0.0%	0.0%	3.2%	0.0%	0.0%	10.5%	7.4%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.78	318.54	0.00	0.00	0.00	364.14	0.00	0.00	328.28	283.38
SD	*75.28*	*68.44*	*0.00*	*0.00*	*0.00*	*0.38*	*0.00*	*0.00*	*59.97*	*80.46*
Cumulative DOS at Other VISNs	0.65	0.59	0.64	0.11	0.27	1.54	0.43	0.32	0.45	0.59
SD	*4.66*	*4.94*	*2.38*	*0.82*	*1.83*	*8.04*	*3.34*	*2.96*	*5.63*	*4.97*
Cumulative DOS at Other Stations	2.06	2.42	4.56	1.46	1.24	4.04	1.98	2.39	1.74	3.04
SD	*8.11*	*8.57*	*7.31*	*5.09*	*4.10*	*10.91*	*8.00*	*9.34*	*8.71*	*9.68*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Schizophrenic Patients	94395	4056	144	537	532	669	234	507	659	774
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)										
Pts. with non-psych hospital stays, %	11.8%	9.5%	13.2%	8.9%	10.3%	5.5%	17.1%	10.7%	12.4%	6.6%
Inpatient stays, mean	0.71	0.52	1.52	0.46	0.57	0.35	0.76	0.64	0.58	0.39
SD	*1.11*	*1.03*	*2.43*	*1.02*	*0.99*	*0.98*	*0.99*	*0.96*	*1.04*	*0.82*
Average LOS, mean	8.26	12.53	5.05	8.16	5.27	25.63	10.99	9.08	21.84	7.66
SD	*16.10*	*32.53*	*3.58*	*10.04*	*5.16*	*38.80*	*8.52*	*10.85*	*62.27*	*8.32*
Cumulative Days of Stay, mean	6.10	7.18	9.76	3.88	3.17	13.97	9.30	6.59	9.07	2.81
SD	*19.61*	*33.91*	*23.03*	*13.37*	*7.41*	*65.08*	*18.16*	*16.75*	*38.28*	*7.20*
Cumulative Days of Stay, %										
0	56.2%	68.8%	24.0%	71.4%	63.3%	83.2%	51.2%	60.6%	65.4%	76.5%
1 to 7	24.8%	15.0%	52.0%	15.5%	22.0%	7.7%	19.5%	21.9%	12.2%	10.1%
8 to 14	8.1%	5.9%	4.0%	6.5%	8.0%	1.4%	8.5%	6.6%	7.6%	5.5%
15 to 44	8.5%	7.5%	16.0%	4.8%	6.0%	3.6%	14.6%	4.4%	12.7%	7.4%
45 to 89	1.7%	1.5%	0.0%	1.2%	0.7%	0.5%	4.9%	5.8%	0.4%	0.5%
90 to 179	0.5%	0.3%	4.0%	0.6%	0.0%	0.0%	1.2%	0.7%	0.0%	0.0%
180 to 359	0.2%	0.3%	0.0%	0.0%	0.0%	0.5%	0.0%	0.0%	1.3%	0.0%
360+	0.1%	0.6%	0.0%	0.0%	0.0%	3.2%	0.0%	0.0%	0.4%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.4%	1.1%	0.0%	0.6%	0.0%	3.6%	0.0%	0.0%	1.7%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	225.13	310.00	0.00	139.00	0.00	341.63	0.00	0.00	289.50	0.00
SD	*88.92*	*79.86*	*0.00*	*0.00*	*0.00*	*63.69*	*0.00*	*0.00*	*55.39*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.9%	0.0%	0.0%	0.0%	3.2%	0.0%	0.0%	1.7%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	285.12	337.00	0.00	0.00	0.00	364.14	0.00	0.00	289.50	0.00
SD	*70.56*	*48.36*	*0.00*	*0.00*	*0.00*	*0.38*	*0.00*	*0.00*	*55.39*	*0.00*
Other VISN cumulative DOS, mean	*0.10*	*0.06*	*0.00*	*0.00*	*0.00*	*0.07*	*0.01*	*0.26*	*0.00*	*0.10*
SD	*1.58*	*1.15*	*0.00*	*0.00*	*0.00*	*0.61*	*0.11*	*2.91*	*0.00*	*1.36*
Other station cumulative DOS, mean	0.47	0.46	0.36	0.02	0.26	0.98	0.11	0.54	0.16	0.85
SD	*3.45*	*3.09*	*1.80*	*0.17*	*1.34*	*4.78*	*0.89*	*3.54*	*1.37*	*4.35*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Schizophrenic Patients	94395	4056	144	537	532	669	234	507	659	774
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)										
Pts. with psych hospital stays, %	17.7%	23.2%	6.3%	24.2%	20.3%	28.6%	23.9%	18.1%	26.6%	23.3%
Inpatient stays, mean	1.14	1.41	0.48	1.27	1.40	1.85	1.09	1.15	1.45	1.42
SD	*1.37*	*1.48*	*0.77*	*1.29*	*1.57*	*1.89*	*1.16*	*1.28*	*1.47*	*1.27*
Average LOS, mean	23.15	24.24	8.91	9.01	9.61	8.20	10.34	9.44	54.45	44.31
SD	*51.08*	*57.16*	*5.77*	*5.77*	*7.75*	*5.96*	*6.47*	*7.53*	*100.02*	*72.38*
Cumulative Days of Stay, mean	22.66	28.28	4.20	11.84	12.67	15.88	11.84	10.94	56.43	53.55
SD	*51.43*	*59.64*	*7.30*	*14.93*	*15.68*	*21.52*	*17.94*	*16.17*	*97.11*	*80.77*
Cumulative Days of Stay, %										
0	34.4%	23.9%	64.0%	22.6%	28.0%	13.2%	31.7%	32.8%	26.2%	17.1%
1 to 7	17.5%	21.4%	20.0%	31.0%	24.7%	33.2%	20.7%	26.3%	10.5%	9.2%
8 to 14	14.7%	16.4%	4.0%	19.0%	18.0%	21.4%	20.7%	17.5%	8.9%	15.7%
15 to 44	21.2%	23.1%	12.0%	22.6%	23.3%	23.6%	23.2%	18.2%	24.1%	25.8%
45 to 89	6.9%	8.6%	0.0%	4.8%	6.0%	7.7%	1.2%	4.4%	14.3%	14.3%
90 to 179	2.8%	3.3%	0.0%	0.0%	0.0%	0.9%	2.4%	0.7%	5.5%	10.6%
180 to 359	1.4%	1.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.8%	4.6%
360+	1.1%	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	6.8%	2.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	4.4%	0.0%	0.0%	0.0%	0.5%	0.0%	0.0%	11.4%	12.4%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	250.18	262.82	0.00	0.00	0.00	161.00	0.00	0.00	297.04	232.37
SD	*97.20*	*97.15*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*92.73*	*91.79*
Hosp. Pts. with a 150+ day psych hosp.stay, %	2.2%	3.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	8.9%	7.4%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.10	312.00	0.00	0.00	0.00	0.00	0.00	0.00	333.90	283.25
SD	*76.47*	*74.69*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*63.22*	*80.65*
Other VISN cumulative DOS, mean	0.55	0.53	0.64	0.11	0.27	1.47	0.41	0.06	0.45	0.49
SD	4.34	4.81	2.38	0.82	1.83	8.03	3.34	0.60	5.63	4.79
Other station cumulative DOS, mean	1.59	1.96	4.20	1.44	0.98	3.06	1.87	1.85	1.58	2.19
SD	7.30	8.04	7.30	5.10	3.87	9.92	7.98	8.76	8.59	8.83

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Schizophrenic Patients	94395	4056	144	537	532	669	234	507	659	774
Other 24 hour institutional care										
Patients with some other 24 hour institutional care, %	8.0%	7.1%	2.8%	3.7%	1.9%	18.1%	7.7%	1.4%	7.9%	7.2%
Residential Rehab (rep. for those w/ res rehab care)										
Patients with some residential rehab. care, %	1.6%	1.2%	0.0%	0.7%	0.0%	1.2%	3.4%	0.0%	2.4%	1.7%
Number stays, mean	*1.12*	*1.04*	*0.00*	*1.25*	*0.00*	*1.00*	*1.13*	*0.00*	*1.00*	*1.00*
SD	*0.37*	*0.20*	*0.00*	*0.50*	*0.00*	*0.00*	*0.35*	*0.00*	*0.00*	*0.00*
Average LOS, mean	36.26	21.20	0.00	22.13	0.00	24.63	18.19	0.00	23.94	17.31
SD	*45.44*	*11.75*	*0.00*	*6.30*	*0.00*	*12.92*	*11.01*	*0.00*	*7.95*	*15.98*
Cumulative DOS, mean	39.67	22.02	0.00	26.00	0.00	24.63	21.25	0.00	23.94	17.31
SD	*48.06*	*12.44*	*0.00*	*5.60*	*0.00*	*12.92*	*15.51*	*0.00*	*7.95*	*15.98*
Cumulative Days of Stay, %										
1 to 7	14.0%	20.4%	0.0%	0.0%	0.0%	25.0%	25.0%	0.0%	6.3%	38.5%
8 to 14	14.7%	4.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	6.3%	7.7%
15 to 44	46.4%	71.4%	0.0%	100.0%	0.0%	75.0%	62.5%	0.0%	87.5%	46.2%
45 to 89	13.8%	4.1%	0.0%	0.0%	0.0%	0.0%	12.5%	0.0%	0.0%	7.7%
90 to 179	8.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%	100.0%	0.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	180.59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*80.43*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	2.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	246.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*77.24*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.84	0.18	0.00	0.00	0.00	1.13	0.00	0.00	0.00	0.00
SD	*5.37*	*0.91*	*0.00*	*0.00*	*0.00*	*2.10*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.24	6.14	0.00	26.00	0.00	24.63	0.00	0.00	0.00	0.00
SD	*10.31*	*12.05*	*0.00*	*5.60*	*0.00*	*12.92*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Schizophrenic Patients	94395	4056	144	537	532	669	234	507	659	774
Domiciliary and Vocational (reported for those with some dom/voc care)										
Patients with some dom/voc care, %	2.3%	2.4%	0.0%	0.0%	0.0%	14.1%	0.4%	0.0%	0.2%	0.4%
Number stays, mean	1.12	1.16	0.00	0.00	0.00	1.17	1.00	0.00	1.00	1.00
SD	*0.37*	*0.37*	*0.00*	*0.00*	*0.00*	*0.38*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	94.48	41.27	0.00	0.00	0.00	42.68	48.00	0.00	1.00	8.33
SD	*108.97*	*46.37*	*0.00*	*0.00*	*0.00*	*47.01*	*0.00*	*0.00*	*0.00*	*7.51*
Cumulative DOS, mean	100.96	48.00	0.00	0.00	0.00	49.77	48.00	0.00	1.00	8.33
SD	*111.44*	*57.61*	*0.00*	*0.00*	*0.00*	*58.47*	*0.00*	*0.00*	*0.00*	*7.51*
Cumulative Days of Stay, %										
1 to 7	7.9%	9.1%	0.0%	0.0%	0.0%	7.4%	0.0%	0.0%	100.0%	33.3%
8 to 14	6.7%	8.1%	0.0%	0.0%	0.0%	7.4%	0.0%	0.0%	0.0%	33.3%
15 to 44	31.5%	48.5%	0.0%	0.0%	0.0%	50.0%	0.0%	0.0%	0.0%	33.3%
45 to 89	17.3%	19.2%	0.0%	0.0%	0.0%	19.1%	100.0%	0.0%	0.0%	0.0%
90 to 179	17.7%	11.1%	0.0%	0.0%	0.0%	11.7%	0.0%	0.0%	0.0%	0.0%
180 to 359	9.4%	3.0%	0.0%	0.0%	0.0%	3.2%	0.0%	0.0%	0.0%	0.0%
360+	9.5%	1.0%	0.0%	0.0%	0.0%	1.1%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	0.0%	100.0%	100.0%	0.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.0%	13.1%	0.0%	0.0%	0.0%	13.8%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	234.98	164.23	0.00	0.00	0.00	164.23	0.00	0.00	0.00	0.00
SD	*102.95*	*77.40*	*0.00*	*0.00*	*0.00*	*77.40*	*0.00*	*0.00*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	20.9%	5.1%	0.0%	0.0%	0.0%	5.3%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	291.61	236.40	0.00	0.00	0.00	236.40	0.00	0.00	0.00	0.00
SD	*80.75*	*83.41*	*0.00*	*0.00*	*0.00*	*83.41*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.18	2.23	0.00	0.00	0.00	1.83	48.00	0.00	0.00	0.33
SD	*7.65*	*7.41*	*0.00*	*0.00*	*0.00*	*5.92*	*0.00*	*0.00*	*0.00*	*0.58*
Other station cumulative DOS, mean	3.16	2.48	0.00	0.00	0.00	1.83	48.00	0.00	1.00	8.33
SD	*12.59*	*7.55*	*0.00*	*0.00*	*0.00*	*5.92*	*0.00*	*0.00*	*0.00*	*7.51*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Schizophrenic Patients	94395	4056	144	537	532	669	234	507	659	774
Nursing Home Care										
(reported for those with some nursing home care)										
Patients with some nursing home care, %	4.7%	3.7%	2.8%	3.0%	1.9%	4.0%	4.3%	1.4%	5.3%	5.3%
Number stays, mean	1.20	1.15	1.00	1.13	1.00	1.48	1.10	1.00	1.09	1.10
SD	*0.56*	*0.38*	*0.00*	*0.34*	*0.00*	*0.51*	*0.32*	*0.00*	*0.37*	*0.30*
Average LOS, mean	143.54	149.72	85.00	80.03	153.50	94.54	90.45	109.43	118.20	266.90
SD	*137.46*	*136.40*	*148.06*	*118.22*	*140.65*	*80.97*	*107.62*	*129.94*	*120.99*	*124.87*
Cumulative DOS, mean	156.00	167.54	85.00	82.19	153.50	162.00	100.90	109.43	120.80	282.05
SD	*139.76*	*145.77*	*148.06*	*117.17*	*140.65*	*152.44*	*114.02*	*129.94*	*119.90*	*120.02*
Cumulative Days of Stay, %										
1 to 7	6.8%	4.0%	25.0%	0.0%	0.0%	7.4%	10.0%	0.0%	2.9%	2.4%
8 to 14	6.5%	12.7%	25.0%	25.0%	10.0%	25.9%	10.0%	0.0%	8.6%	4.9%
15 to 44	20.5%	18.0%	25.0%	37.5%	30.0%	7.4%	30.0%	42.9%	22.9%	2.4%
45 to 89	14.1%	11.3%	0.0%	12.5%	10.0%	7.4%	10.0%	28.6%	22.9%	2.4%
90 to 179	15.1%	9.3%	0.0%	12.5%	0.0%	7.4%	20.0%	0.0%	17.1%	4.9%
180 to 359	14.7%	18.0%	25.0%	0.0%	40.0%	18.5%	10.0%	14.3%	11.4%	26.8%
360+	22.5%	26.7%	0.0%	12.5%	10.0%	25.9%	10.0%	14.3%	14.3%	56.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	48.0%	52.7%	25.0%	25.0%	50.0%	51.9%	40.0%	28.6%	40.0%	85.4%
Cumul. DOS, patients with a 100+ day NH stay, mean	282.12	289.59	307.00	248.00	279.00	291.71	209.50	287.00	239.79	323.74
SD	*94.85*	*90.07*	*0.00*	*134.94*	*69.33*	*91.03*	*110.53*	*108.89*	*104.42*	*66.84*
NH patients with 150+ day NH stay, %	39.8%	47.3%	25.0%	18.8%	50.0%	44.4%	30.0%	28.6%	31.4%	82.9%
Cumul. DOS, patients with a 150+ day NH stay, mean	312.43	309.10	307.00	293.33	279.00	319.50	242.33	287.00	274.82	329.59
SD	*72.26*	*72.25*	*0.00*	*122.40*	*69.33*	*62.32*	*108.90*	*108.89*	*88.66*	*58.06*
Other VISN cumulative DOS, mean	0.44	1.87	1.25	0.00	0.00	0.30	0.00	0.00	0.00	6.54
SD	*5.99*	*15.72*	*2.50*	*0.00*	*0.00*	*1.54*	*0.00*	*0.00*	*0.00*	*29.80*
Other station cumulative DOS, mean	1.19	3.46	1.25	0.00	0.00	6.59	0.00	0.00	0.00	8.20
SD	*9.07*	*16.68*	*2.50*	*0.00*	*0.00*	*6.93*	*0.00*	*0.00*	*0.00*	*30.85*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 6 continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Schizophrenic Patients	94395	4056	144	537	532	669	234	507	659	774
Outpatient utilization										
(reported for those with some outpatient care)										
Patients with some outpatient care, %	98.3%	97.8%	99.3%	98.9%	99.2%	97.6%	99.6%	99.6%	95.6%	96.3%
annual visit days, mean	27.64	19.31	14.16	15.79	15.21	21.07	17.17	18.56	27.38	18.52
SD	*38.39*	*27.96*	*10.57*	*20.78*	*15.76*	*28.55*	*16.22*	*25.31*	*41.86*	*29.44*
Outpatient visit days, %										
1-12	42.6%	53.6%	54.5%	59.3%	57.4%	51.5%	50.6%	54.3%	47.0%	54.4%
13-24	25.7%	26.1%	32.2%	22.6%	28.0%	24.2%	28.3%	24.8%	25.6%	28.2%
25-36	11.8%	9.7%	9.1%	10.2%	7.6%	10.6%	9.9%	10.9%	9.7%	9.1%
37-48	5.9%	3.8%	3.5%	3.8%	2.8%	3.8%	6.4%	4.0%	4.8%	2.7%
49+	14.0%	7.0%	0.7%	4.1%	4.2%	10.0%	4.7%	6.1%	13.0%	5.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	74.5%	72.1%	85.3%	62.1%	83.7%	71.2%	79.0%	77.0%	52.4%	80.5%
Mean PC visit days, among those with some PC	3.73	3.46	3.31	2.97	3.96	3.53	3.37	3.51	3.44	3.33
SD	3.83	2.86	2.45	2.66	3.03	3.46	2.50	2.60	2.89	2.60
Average number clinic stops per visit day, mean	1.45	1.45	1.56	1.46	1.39	1.41	1.48	1.48	1.52	1.43
SD	*0.45*	*0.45*	*0.41*	*0.44*	*0.38*	*0.44*	*0.40*	*0.50*	*0.49*	*0.42*
annual clinic stops (psych & non-psych), mean	41.32	28.21	21.71	23.16	21.11	30.73	25.42	26.69	42.76	25.50
SD	*65.29*	*43.16*	*16.05*	*29.72*	*23.23*	*43.60*	*26.82*	*37.18*	*70.55*	*39.75*
annual non-psych. clinic stops, mean	19.07	15.38	15.79	12.63	12.35	15.59	18.34	15.14	18.20	16.06
SD	*26.86*	*21.75*	*13.50*	*15.21*	*11.58*	*17.53*	*24.01*	*15.74*	*27.78*	*30.60*
annual psych. clinic stops (groupings below), mean	22.25	12.84	5.92	10.54	8.76	15.14	7.08	11.55	24.56	9.44
SD	*50.83*	*30.88*	*7.07*	*23.01*	*17.48*	*34.12*	*8.20*	*29.81*	*53.48*	*15.81*
1. general psych. clinic stops, mean	9.04	6.12	5.87	7.37	5.84	4.63	6.10	5.59	8.49	5.16
SD	*15.89*	*8.60*	*6.95*	*11.39*	*7.96*	*8.90*	*7.30*	*6.71*	*9.96*	*6.22*
2. psych. case management clinic stops, mean	2.76	2.09	0.03	0.47	1.88	4.54	0.01	0.00	2.46	3.40
SD	*16.59*	*11.57*	*0.42*	*3.18*	*11.97*	*19.84*	*0.20*	*0.00*	*10.47*	*12.35*
3. psych. day treatment clinic stops, mean	4.94	1.94	0.00	0.01	0.03	0.11	0.00	3.55	8.75	0.42
SD	*29.07*	*15.46*	*0.00*	*0.12*	*0.65*	*2.18*	*0.00*	*18.20*	*34.02*	*3.81*
4. substance abuse clinic stops, mean	2.71	1.00	0.01	0.83	0.62	2.26	0.27	2.22	0.48	0.30
SD	*17.49*	*8.02*	*0.08*	*5.60*	*4.10*	*8.45*	*1.52*	*18.19*	*3.83*	*2.37*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Schizophrenic Patients	94395	4056	144	537	532	669	234	507	659	774
5. psych. vocational clinic stops, mean	2.11	1.25	0.00	1.30	0.02	2.57	0.03	0.11	4.02	0.00
SD	*18.38*	*14.44*	*0.00*	*15.23*	*0.48*	*18.98*	*0.39*	*2.15*	*26.96*	*0.00*
6. PTSD clinic stops, mean	0.37	0.14	0.00	0.22	0.25	0.21	0.29	0.00	0.13	0.01
SD	*3.86*	*1.58*	*0.00*	*1.81*	*2.84*	*1.31*	*2.14*	*0.00*	*1.63*	*0.14*
7. psych. homeless clinic stops, mean	0.39	0.30	0.00	0.23	0.08	1.00	0.25	0.08	0.23	0.19
SD	*2.98*	*2.22*	*0.00*	*1.08*	*0.69*	*4.64*	*1.61*	*0.56*	*2.09*	*1.00*
Other VISN OP visit days, mean	0.30	0.29	0.24	0.19	0.21	0.67	0.35	0.14	0.22	0.22
SD	*2.12*	*2.28*	*1.54*	*1.15*	*1.73*	*4.48*	*2.08*	*0.91*	*1.71*	*1.43*
Other station OP visit days, mean	0.82	0.79	0.69	0.67	0.80	1.22	0.60	0.28	0.86	0.85
SD	*3.70*	*3.55*	*2.13*	*2.17*	*2.80*	*5.82*	*2.33*	*1.49*	*4.43*	*2.73*

Table 4G: FY03 Schizophrenic Patients, Pharmacy Utilization, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Schizophrenic Patients	94395	4056	144	537	532	669	234	507	659	774
Among all patients in the registry										
Pts. with any outpatient prescriptions, %	94.9%	95.3%	97.2%	97.4%	98.7%	94.0%	94.9%	95.7%	94.7%	92.6%
Patients with any oral antipsychotic fills, %*	78.7%	79.6%	82.6%	78.2%	81.4%	78.0%	81.2%	79.7%	80.4%	78.7%
Among pts. receiving any antipsychotic medication:										
Received only conventional antipsychotics, %	15.4%	20.3%	26.1%	26.9%	14.3%	22.6%	27.9%	23.0%	21.3%	12.0%
Received some atypical antipsychotics, %	84.6%	79.7%	73.9%	73.1%	85.7%	77.4%	72.1%	77.0%	78.7%	88.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %										
Aripiprazole	1.5%	0.3%	0.0%	0.0%	0.2%	0.2%	0.0%	1.2%	0.4%	0.3%
Clozapine	3.1%	2.1%	1.7%	1.9%	0.5%	1.7%	0.0%	0.7%	5.7%	2.1%
Olanzapine	35.7%	29.2%	21.0%	25.2%	23.6%	34.9%	23.7%	32.7%	29.1%	32.2%
Quetiapine	21.7%	18.3%	16.0%	10.2%	12.7%	16.5%	27.9%	22.0%	15.8%	26.6%
Risperidone	36.8%	38.9%	42.0%	37.9%	63.5%	30.8%	28.4%	35.1%	36.8%	35.8%
Ziprasidone	5.9%	6.6%	0.8%	8.3%	1.8%	8.4%	5.8%	3.5%	6.4%	11.0%
Patients receiving only one kind** of antipsychotic, %	70.8%	74.1%	76.5%	76.9%	77.4%	76.1%	76.3%	72.5%	69.8%	71.9%
Concurrent use of 2 or more antipsychotics, % ***	15.6%	13.6%	13.4%	13.6%	10.2%	12.3%	10.0%	14.6%	17.7%	14.0%
Among pts receiving just one antipsychotic:										
Antipsychotic fills, mean	8.10	6.30	8.68	6.42	4.47	4.84	8.17	6.58	7.00	7.06
SD	*5.37*	*4.53*	*3.71*	*4.69*	*3.02*	*3.68*	*4.09*	*4.28*	*5.59*	*4.70*
Antipsychotic Medication Possession Ratio, mean	0.83	0.85	0.84	0.81	0.91	0.80	0.85	0.76	0.91	0.91
SD	*0.33*	*0.33*	*0.24*	*0.35*	*0.32*	*0.33*	*0.26*	*0.34*	*0.30*	*0.33*
Antipsychotic Med Possession Ratio <= 0.80, %	37.1%	35.5%	34.8%	41.0%	30.6%	45.0%	33.9%	46.5%	25.9%	28.6%
Antipsychotic Med Possession Ratio <= 0.50, %	18.0%	16.4%	9.0%	19.8%	13.3%	21.0%	13.4%	25.3%	11.8%	12.7%

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 4G: FY03 Schizophrenic Patients, Cost, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Schizophrenic Patients	94395	4056	144	537	532	669	234	507	659	774
Total Costs (in thousands $$)	$1,637,013	$60,793	$1,199	$6,458	$4,907	$9,603	$3,470	$4,924	$13,470	$16,763
Station % of VISN		100.0%	2.0%	10.6%	8.1%	15.8%	5.7%	8.1%	22.2%	27.6%
Psych vs. Non-Psych Costs										
Psych	34.5%	41.9%	11.4%	34.7%	34.7%	29.7%	31.3%	29.8%	54.3%	51.7%
Non-Psych	65.5%	58.1%	88.6%	65.3%	65.3%	70.3%	68.7%	70.2%	45.7%	48.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use										
Per Patient	$21,945	$21,817	$11,911	$14,349	$10,943	$18,069	$15,170	$13,372	$29,721	$39,266
Per Day of Stay	$763	$615	$853	$913	$691	$605	$717	$763	$454	$697
Mean Outpatient Costs, Pts with some Outpatient use										
Per Patient	$7,323	$5,582	$4,333	$6,102	$4,703	$5,583	$6,410	$4,991	$7,374	$4,699
Per Visit Day	$265	$289	$306	$386	$309	$265	$373	$269	$269	$254
By Cost Center										
1 Med	$1,399	$1,277	$1,467	$813	$656	$2,474	$1,121	$1,372	$1,368	$864
2 Surg	$470	$331	$190	$1,116	$124	$89	$666	$376	$240	$113
3 Psych	$4,062	$5,040	$412	$2,560	$2,305	$3,380	$3,529	$1,865	$9,081	$10,031
4 Psych Res Rehab Treatment Program	$217	$64	$0	$47	$0	$75	$209	$0	$132	$61
5 Non-VA	$230	$154	$24	$57	$167	$142	$11	$84	$174	$318
6 LTC Domiciliary	$302	$133	$0	$0	$0	$794	$13	$0	$1	$6
7 LTC Intermediate Care	$166	$266	$417	$27	$0	$111	$424	$201	$309	$678
8 LTC Nursing Home	$2,633	$2,044	$1,512	$1,129	$1,144	$1,751	$1,953	$714	$2,087	$4,511
9 Contract Nursing Home	$664	$219	$0	$243	$159	$89	$520	$129	$0	$553
10 OPC Med/Surg	$930	$733	$641	$907	$543	$800	$934	$896	$852	$433
11 OPC Psych	$1,916	$1,237	$541	$1,614	$892	$883	$1,111	$1,026	$2,010	$1,165
12 OPC Home Based Treatment	$933	$651	$349	$261	$1,038	$803	$1,282	$287	$955	$369
13 OPC Support	$1,243	$935	$965	$902	$740	$1,086	$1,297	$940	$906	$868
14 OPC Fee	$130	$161	$25	$652	$100	$115	$31	$65	$49	$128
15 OPC Pharmacy	$2,047	$1,743	$1,783	$1,698	$1,354	$1,764	$1,728	$1,757	$2,278	$1,560
TOTAL	$17,342	$14,988	$8,325	$12,025	$9,223	$14,354	$14,827	$9,712	$20,440	$21,657
Mean % Patient Costs at Other Stations	3.6%	4.1%	7.1%	4.9%	5.2%	4.0%	3.8%	2.3%	2.6%	4.6%
SD	*12.4%*	*12.7%*	*18.6%*	*13.8%*	*14.0%*	*12.9%*	*12.6%*	*9.6%*	*9.8%*	*13.3%*
Mean % Patient Costs at Other VISNs	1.3%	1.1%	1.5%	1.1%	0.8%	1.8%	1.5%	0.8%	0.5%	1.2%
SD	*7.5%*	*6.8%*	*9.8%*	*6.5%*	*5.0%*	*9.1%*	*7.7%*	*4.6%*	*4.6%*	*7.3%*

Table 1H: FY03 Bipolar Patients, Demographics, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Bipolar Patients	73964	3161	144	363	490	570	242	475	302	575
Age, %										
<35	7.9%	8.5%	9.7%	8.8%	12.0%	9.8%	6.6%	7.6%	6.3%	6.6%
>=35 and <50	36.3%	38.6%	38.9%	35.8%	36.5%	52.8%	33.1%	35.6%	35.1%	34.6%
>=50 and <65	40.3%	38.5%	41.7%	38.3%	40.8%	30.0%	43.4%	40.8%	38.7%	40.3%
>=65 and <80	13.3%	12.3%	9.7%	14.0%	9.2%	6.3%	14.9%	12.8%	16.2%	16.7%
>=80	2.2%	2.1%	0.0%	3.0%	1.4%	1.1%	2.1%	3.2%	3.6%	1.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	52.26	51.47	50.27	52.25	50.31	47.87	52.90	52.58	53.76	53.11
SD	*12.50*	*12.50*	*12.09*	*13.10*	*12.23*	*11.20*	*12.52*	*12.93*	*12.98*	*12.21*
Gender										
Male, %	88.2%	84.2%	88.9%	84.3%	78.0%	78.6%	90.9%	84.0%	86.8%	89.7%
Female, %	11.8%	15.8%	11.1%	15.7%	22.0%	21.4%	9.1%	16.0%	13.2%	10.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %										
Hispanic white	2.8%	0.9%	0.0%	0.3%	0.8%	0.9%	1.7%	1.3%	0.3%	1.0%
Hispanic black	0.3%	0.2%	0.0%	0.0%	0.4%	0.7%	0.0%	0.2%	0.0%	0.0%
American Indian	0.3%	0.4%	0.0%	0.6%	1.4%	0.2%	0.0%	0.2%	0.0%	0.5%
Black	10.4%	18.5%	3.5%	16.8%	14.9%	37.5%	2.1%	25.1%	12.6%	12.3%
Asian	0.2%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%
White	62.5%	55.2%	79.9%	48.8%	45.7%	48.4%	73.6%	49.3%	71.2%	56.7%
Race unknown	23.5%	24.7%	16.7%	33.6%	36.5%	12.3%	22.7%	24.0%	15.9%	29.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status										
Never married	21.0%	18.8%	16.0%	21.3%	18.2%	22.3%	13.2%	18.4%	16.6%	18.6%
Married	37.7%	45.3%	51.4%	45.4%	51.0%	36.0%	43.0%	48.0%	47.5%	45.5%
Divorced/Separated	37.9%	32.8%	29.2%	29.9%	27.7%	38.8%	40.9%	30.4%	32.6%	32.6%
Widowed	3.4%	3.1%	3.5%	3.3%	3.1%	2.8%	2.9%	3.2%	3.3%	3.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Bipolar Patients	73964	3161	144	363	490	570	242	475	302	575
Registry Pts. History of VA Utilization										
Years since first use in prior five years, mean	4.19	4.15	4.32	3.99	4.11	4.29	3.99	4.19	4.51	3.97
SD	*1.31*	*1.32*	*1.19*	*1.45*	*1.32*	*1.23*	*1.41*	*1.33*	*1.06*	*1.40*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.1%	26.9%	20.9%	25.0%	21.2%	33.9%	26.0%	30.8%	26.2%	24.8%
SD	*29.2%*	*30.1%*	*26.3%*	*29.1%*	*27.2%*	*33.8%*	*27.8%*	*29.9%*	*29.7%*	*29.7%*
Years with OP use / Years since first use, %	96.7%	96.7%	97.9%	95.1%	96.8%	95.0%	98.6%	97.4%	97.5%	97.1%
SD	*10.5%*	*11.0%*	8.3%	*14.2%*	*10.2%*	*12.7%*	*6.6%*	*9.8%*	9.7%	10.9%
Psychosis Diagnoses in Prior Fiscal Year										
Had Psychosis Diagnosis in FY01, %	65.0%	64.0%	68.8%	60.6%	48.8%	70.0%	63.2%	63.8%	75.8%	66.4%
Among Patients With Psychoses in FY01										
Psychosis Category: Schizophrenia, %	3.8%	3.5%	1.0%	3.6%	5.9%	6.5%	0.7%	3.0%	3.1%	1.0%
Psychosis Category: Bipolar Disorder, %	94.8%	95.2%	99.0%	93.6%	92.5%	91.5%	96.7%	96.0%	96.9%	98.2%
Psychosis Category: Other Psychosis, %	1.4%	1.4%	0.0%	2.7%	1.7%	2.0%	2.6%	1.0%	0.0%	0.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %										
Dementia	1.7%	1.8%	1.4%	1.7%	0.6%	1.1%	2.1%	2.7%	3.6%	1.7%
Post Traumatic Stress Disorder	21.3%	22.5%	32.6%	26.2%	28.2%	20.9%	27.3%	21.5%	18.5%	15.3%
Depression	44.5%	40.8%	43.1%	37.2%	60.6%	42.1%	37.2%	41.1%	35.1%	28.9%
Other Anxiety Disorder	16.3%	15.9%	39.6%	13.5%	18.6%	12.5%	14.0%	15.2%	18.2%	12.7%
Substance Abuse or Dependence	29.8%	22.8%	13.2%	18.5%	17.8%	40.2%	18.6%	24.2%	21.2%	16.7%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Bipolar Patients	73964	3161	144	363	490	570	242	475	302	575
Medical Comorbidities, %										
No medical comorbidities	15.4%	13.2%	4.2%	18.7%	10.6%	16.1%	11.2%	12.2%	13.9%	12.5%
Anemia	5.6%	5.5%	4.9%	3.0%	7.3%	4.2%	2.5%	8.8%	10.3%	3.1%
Arthritis	42.4%	46.4%	63.9%	33.9%	50.8%	47.7%	45.0%	44.6%	44.7%	48.0%
Cancer	6.2%	5.9%	6.9%	8.5%	5.3%	5.3%	7.4%	6.5%	6.0%	4.0%
Cerebrovascular Disease	3.8%	4.3%	6.9%	3.6%	4.5%	4.0%	3.3%	5.3%	5.0%	3.5%
Chronic Neurologic Disorder	14.8%	15.5%	18.8%	9.9%	16.3%	15.3%	14.0%	20.4%	17.2%	13.4%
Chronic Obstructive Pulmonary Disease	16.0%	15.2%	19.4%	8.8%	23.1%	12.6%	11.6%	14.5%	15.6%	16.2%
Chronic Viral Infection	9.6%	8.4%	6.3%	6.3%	5.9%	10.9%	11.2%	10.3%	6.6%	7.8%
Coronary Artery Disease	16.8%	17.0%	21.5%	19.6%	17.6%	11.4%	16.9%	19.8%	17.2%	16.9%
Diabetes	17.4%	20.4%	27.8%	20.4%	23.3%	16.3%	19.4%	21.3%	19.5%	20.3%
Digestive System Disease	43.2%	44.8%	64.6%	38.0%	45.3%	38.6%	49.6%	43.8%	44.4%	48.7%
Hypertension	38.5%	42.2%	54.2%	42.1%	44.5%	32.3%	41.7%	43.2%	40.4%	47.7%
Injury and Poisoning	19.9%	20.1%	25.0%	20.1%	18.4%	22.8%	16.9%	21.9%	18.5%	18.1%
Liver Disease	3.8%	3.0%	5.6%	1.1%	2.2%	3.7%	4.1%	3.6%	2.6%	3.0%
Other Endocrine	10.0%	9.6%	14.6%	6.9%	9.4%	9.8%	8.7%	11.8%	10.6%	7.8%
Peripheral Vascular Disease	3.0%	2.8%	2.1%	2.8%	3.3%	2.6%	1.2%	2.5%	3.3%	3.5%
GAF scores										
Lowest inpatient GAF score, mean	39.59	42.54	35.00	33.06	39.52	50.93	30.90	44.70	35.43	41.26
SD	*14.06*	*11.94*	*0.00*	*9.87*	*8.05*	*9.70*	*12.92*	*12.26*	*8.81*	*9.44*
Mean outpatient GAF score	53.41	54.61	58.48	48.44	57.49	56.25	44.95	54.88	51.61	57.49
SD	*10.75*	*10.28*	*7.38*	*12.57*	*8.34*	*10.88*	*10.30*	*9.08*	*10.28*	*7.52*
At least 1 IP GAF, among pts with MH bedsections, %	39.1%	27.6%	16.7%	24.6%	28.4%	32.4%	20.5%	17.1%	41.3%	27.8%
At least 1 OP GAF, among pts with MH clinic stops, %	81.5%	87.2%	97.8%	73.8%	89.8%	77.5%	93.4%	93.2%	84.0%	94.0%
Mortality rates										
died in FY02, %	1.5%	1.3%	0.0%	1.1%	1.8%	0.7%	2.1%	1.7%	2.0%	1.0%
Age-and-gender-adjusted Standardized Mortality Ratio	1.07	1.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Bipolar Patients	73964	3161	144	363	490	570	242	475	302	575
Service Connection (SC)										
Non-SC	55.9%	47.8%	49.3%	43.3%	40.8%	43.0%	50.0%	49.9%	52.6%	55.8%
SC 0 - 29%	10.0%	9.2%	4.9%	11.3%	7.6%	10.5%	6.6%	9.7%	9.9%	9.6%
SC 30 - 69%	13.4%	17.5%	18.8%	17.6%	20.2%	20.9%	16.1%	18.1%	13.6%	13.4%
SC 70 - 99%	8.9%	10.5%	12.5%	11.6%	14.5%	10.2%	10.3%	10.1%	7.9%	8.0%
SC 100%	11.8%	15.0%	14.6%	16.3%	16.9%	15.4%	16.9%	12.2%	15.9%	13.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %										
Complex*	12.2%	9.7%	0.7%	7.4%	4.7%	17.2%	8.7%	8.2%	12.6%	10.3%
Basic vested, Cat A*	80.3%	84.6%	93.8%	85.4%	91.0%	80.0%	83.9%	84.2%	83.1%	82.4%
Basic Non-vested, Cat A*	0.9%	0.8%	0.0%	1.1%	1.2%	1.1%	1.2%	0.4%	0.0%	0.9%
Basic, Cats C and N	6.6%	4.9%	5.6%	6.1%	3.1%	1.8%	6.2%	7.2%	4.3%	6.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded										
Patient eligibility category, %										
Cat A (SC or low income)	93.2%	94.8%	94.4%	93.9%	96.9%	97.9%	93.4%	92.4%	95.4%	93.0%
Cat C (NSC and higher income)	5.9%	4.9%	3.5%	5.8%	3.1%	2.1%	6.2%	7.2%	4.3%	7.0%
Non-Veteran	0.9%	0.3%	2.1%	0.3%	0.0%	0.0%	0.4%	0.4%	0.3%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %										
BASIC 1. Non-reliant Care	0.1%	0.3%	0.0%	0.3%	0.0%	0.2%	0.0%	0.0%	0.3%	0.9%
2. Basic Medical	15.2%	19.6%	36.8%	19.6%	18.8%	13.7%	24.0%	17.9%	20.5%	21.0%
3. Mental Health	40.5%	39.4%	37.5%	40.5%	48.4%	37.9%	31.8%	34.5%	30.5%	44.9%
4. Heart / Lung / GI	6.9%	7.8%	7.6%	9.9%	7.6%	3.5%	9.5%	9.7%	9.3%	8.0%
5. Oncology / Infectious Disease	4.3%	4.2%	3.5%	4.1%	4.1%	4.0%	5.8%	5.1%	5.0%	3.1%
6. Multiple Medical	20.7%	19.0%	13.9%	18.2%	16.5%	23.5%	20.2%	24.6%	21.9%	11.8%
COMPLEX 7. Specialized Care	2.2%	2.0%	0.0%	2.8%	0.8%	2.1%	3.7%	1.7%	2.0%	2.4%
8. Support Care	2.1%	1.5%	0.7%	1.7%	1.6%	2.6%	0.0%	1.5%	1.7%	1.0%
9. Chronic Mental	6.8%	5.2%	0.0%	1.7%	1.8%	11.6%	4.5%	3.8%	8.3%	5.2%
10. Critically Ill	1.1%	0.9%	0.0%	1.4%	0.4%	0.9%	0.4%	1.3%	0.7%	1.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Bipolar Patients	73964	3161	144	363	490	570	242	475	302	575
Substance Dependence and Abuse										
Any dx of alcohol / drug dependence or abuse, %	29.8%	22.8%	13.2%	18.5%	17.8%	40.2%	18.6%	24.2%	21.2%	16.7%
Homelessness										
Homelessness indicated in FY02, %	13.8%	9.5%	0.7%	4.4%	6.1%	23.2%	5.4%	7.4%	8.6%	8.3%
Residence in Metropolitan Area										
Residing in a Metropolitan Statistical Area, %	79.3%	72.2%	2.8%	77.1%	68.0%	93.7%	50.0%	76.6%	60.3%	80.5%
Distance										
Mile from Closest VA Medical Center, mean	34.15	28.58	21.57	39.18	37.71	15.69	27.86	25.86	27.37	31.85
SD	*73.16*	*24.39*	*15.97*	*29.67*	*32.93*	*16.06*	*19.72*	*22.73*	*22.76*	*16.65*
Distance from closest VA Medical Center, %										
0 to 15 miles	46.2%	37.8%	35.4%	20.7%	39.6%	62.6%	29.8%	45.9%	41.7%	17.4%
15 to 30 miles	17.2%	22.6%	36.8%	29.5%	11.2%	27.5%	31.0%	17.3%	15.2%	24.4%
30 to 45 miles	10.6%	15.8%	20.8%	15.7%	11.2%	3.2%	20.2%	9.1%	17.9%	33.6%
45 to 60 miles	8.5%	13.5%	4.9%	11.3%	9.2%	3.2%	16.1%	19.2%	17.5%	23.3%
60 plus miles	17.4%	10.3%	2.1%	22.9%	28.8%	3.5%	2.9%	8.6%	7.6%	1.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.09	16.49	16.16	18.01	15.67	14.71	24.73	17.51	9.99	17.20
SD	*13.59*	*13.73*	*10.16*	*14.09*	*13.88*	*13.39*	*16.41*	*15.59*	*8.24*	*11.78*
Distance to closest VA Service Site, %										
0 to 15 miles	76.3%	55.1%	39.6%	50.7%	60.0%	63.2%	31.4%	55.2%	76.2%	48.4%
15 to 30 miles	15.4%	29.9%	52.8%	33.6%	20.0%	28.2%	35.1%	25.1%	22.5%	37.6%
30 to 45 miles	5.7%	10.3%	7.6%	10.7%	15.5%	3.3%	21.5%	11.6%	0.7%	12.7%
45 plus miles	2.7%	4.7%	0.0%	5.0%	4.5%	5.3%	12.0%	8.2%	0.7%	1.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3H: FY03 Bipolar Patients, Utilization, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Bipolar Patients	73964	3161	144	363	490	570	242	475	302	575
Hospital Based Utilization										
Patients with some Hospital Based Utilization, %	25.4%	27.6%	18.1%	27.8%	22.2%	35.1%	24.8%	33.5%	32.1%	21.2%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)										
Inpatient stays, mean	1.80	1.80	1.58	1.63	1.59	2.20	1.75	1.70	1.78	1.66
SD	*1.41*	*1.38*	*1.30*	*0.99*	*1.16*	*1.88*	*1.14*	*1.00*	*1.46*	*1.23*
Average LOS, mean	9.79	9.78	6.02	8.01	7.38	8.57	7.75	9.35	17.07	11.94
SD	*17.76*	*17.97*	*4.45*	*8.18*	*14.57*	*12.43*	*5.08*	*13.89*	*40.40*	*14.30*
Cumulative DOS, mean	17.09	17.53	9.42	13.59	11.69	17.71	15.00	16.85	26.31	22.57
SD	*27.94*	*29.15*	*11.48*	*16.29*	*17.44*	*23.32*	*16.85*	*28.75*	*44.72*	*42.00*
Cumulative DOS, %										
1 to 7	44.7%	41.0%	57.7%	48.5%	51.4%	33.0%	40.0%	42.1%	39.2%	35.2%
8 to 14	21.9%	24.9%	30.8%	21.8%	26.6%	27.0%	28.3%	23.9%	16.5%	27.9%
15 to 44	25.9%	27.3%	7.7%	24.8%	17.4%	33.5%	25.0%	29.6%	30.9%	27.9%
45 to 89	5.3%	4.5%	3.8%	4.0%	3.7%	5.0%	6.7%	1.9%	8.2%	4.1%
90 to 179	1.5%	1.5%	0.0%	1.0%	0.9%	1.0%	0.0%	1.3%	4.1%	2.5%
180 to 359	0.5%	0.7%	0.0%	0.0%	0.0%	0.5%	0.0%	1.3%	0.0%	2.5%
360+	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	1.0%	1.0%	0.0%	0.0%	0.9%	0.5%	0.0%	1.3%	3.1%	1.6%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	203.75	212.22	0.00	0.00	152.00	166.00	0.00	222.00	200.33	273.50
SD	*79.71*	*86.57*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*15.56*	*142.70*	*71.42*
Hospital patients who had a 150+ day hosp. stay, %	0.6%	0.7%	0.0%	0.0%	0.9%	0.5%	0.0%	0.6%	1.0%	1.6%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	251.69	243.67	0.00	0.00	152.00	166.00	0.00	233.00	364.00	273.50
SD	*73.28*	*84.75*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*71.42*
Cumulative DOS at Other VISNs	0.67	0.30	0.04	0.12	0.42	0.62	0.37	0.03	0.28	0.20
SD	*4.53*	*1.85*	*0.20*	*0.70*	*2.65*	*2.46*	*1.90*	*0.40*	*2.21*	*1.40*
Cumulative DOS at Other Stations	1.97	2.02	4.77	1.06	1.93	3.04	2.92	0.69	1.47	2.37
SD	*7.12*	*6.34*	*8.26*	*3.41*	*5.01*	*9.24*	*6.64*	*3.05*	*4.82*	*6.68*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Bipolar Patients	73964	3161	144	363	490	570	242	475	302	575
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)										
Pts. with non-psych hospital stays, %	11.7%	9.9%	14.6%	11.6%	8.8%	6.0%	11.6%	14.3%	13.9%	6.3%
Inpatient stays, mean	0.72	0.51	1.31	0.68	0.54	0.25	0.50	0.61	0.58	0.43
SD	*1.10*	*0.85*	*1.29*	*1.07*	*0.84*	*0.68*	*0.57*	*0.88*	*0.79*	*0.78*
Average LOS, mean	6.20	7.74	4.97	7.96	7.12	7.17	6.77	9.25	8.50	7.43
SD	*10.70*	*15.89*	*3.67*	*12.09*	*22.78*	*7.13*	*7.02*	*20.37*	*20.87*	*7.32*
Cumulative Days of Stay, mean	4.64	4.13	6.50	5.73	3.60	1.72	3.95	6.84	4.31	3.14
SD	*13.49*	*15.64*	*9.47*	*15.11*	*15.17*	*5.36*	*9.26*	*27.82*	*14.55*	*7.75*
Cumulative Days of Stay, %										
0	54.1%	64.1%	19.2%	58.4%	60.6%	83.0%	53.3%	57.2%	56.7%	70.5%
1 to 7	30.1%	24.1%	53.8%	25.7%	30.3%	8.0%	36.7%	29.6%	32.0%	18.0%
8 to 14	7.4%	4.9%	19.2%	5.0%	3.7%	3.5%	1.7%	6.3%	6.2%	4.1%
15 to 44	7.0%	5.1%	3.8%	5.9%	4.6%	5.5%	5.0%	4.4%	4.1%	6.6%
45 to 89	1.1%	1.0%	3.8%	4.0%	0.0%	0.0%	3.3%	0.6%	0.0%	0.8%
90 to 179	0.3%	0.5%	0.0%	1.0%	0.9%	0.0%	0.0%	0.6%	1.0%	0.0%
180 to 359	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.2%	0.5%	0.0%	0.0%	0.9%	0.0%	0.0%	1.3%	1.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	187.03	182.75	0.00	0.00	152.00	0.00	0.00	222.00	135.00	0.00
SD	*73.96*	*46.72*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*15.56*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.2%	0.0%	0.0%	0.9%	0.0%	0.0%	0.6%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.06	192.50	0.00	0.00	152.00	0.00	0.00	233.00	0.00	0.00
SD	*75.99*	*57.28*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.15*	*0.04*	*0.04*	*0.00*	*0.00*	*0.14*	*0.03*	*0.03*	*0.00*	*0.00*
SD	*2.03*	*0.61*	*0.20*	*0.00*	*0.00*	*1.21*	*0.26*	*0.40*	*0.00*	*0.00*
Other station cumulative DOS, mean	0.50	0.56	1.85	0.38	0.85	0.76	0.07	0.04	0.36	0.90
SD	*3.25*	*2.86*	*4.31*	*2.19*	*3.38*	*3.84*	*0.36*	*0.40*	*1.39*	*3.70*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Bipolar Patients	73964	3161	144	363	490	570	242	475	302	575
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)										
Pts. with psych hospital stays, %	16.8%	20.6%	4.2%	19.0%	15.1%	31.9%	18.2%	24.6%	20.9%	16.9%
Inpatient stays, mean	1.08	1.28	0.27	0.95	1.05	1.95	1.25	1.09	1.21	1.23
SD	*1.27*	*1.40*	*0.53*	*0.88*	*1.22*	*1.88*	*1.13*	*0.97*	*1.49*	*1.22*
Average LOS, mean	12.15	10.61	10.17	8.38	7.32	8.74	8.27	8.83	21.55	14.34
SD	*21.36*	*19.06*	*4.62*	*6.37*	*4.22*	*12.90*	*4.61*	*5.94*	*46.83*	*22.81*
Cumulative Days of Stay, mean	12.44	13.39	2.92	7.86	8.09	15.99	11.05	10.01	22.00	19.43
SD	*25.57*	*26.02*	*6.87*	*9.36*	*11.14*	*23.29*	*14.49*	*12.90*	*44.24*	*41.59*
Cumulative Days of Stay, %										
0	34.1%	25.4%	76.9%	31.7%	32.1%	9.0%	26.7%	26.4%	35.1%	20.5%
1 to 7	24.8%	25.9%	3.8%	30.7%	27.5%	31.5%	21.7%	29.6%	14.4%	22.1%
8 to 14	16.7%	21.6%	15.4%	18.8%	24.8%	24.5%	26.7%	18.9%	12.4%	26.2%
15 to 44	19.0%	22.4%	3.8%	18.8%	11.9%	29.5%	21.7%	23.3%	25.8%	23.8%
45 to 89	3.7%	3.1%	0.0%	0.0%	3.7%	4.0%	3.3%	1.3%	8.2%	2.5%
90 to 179	1.2%	1.0%	0.0%	0.0%	0.0%	1.0%	0.0%	0.6%	3.1%	2.5%
180 to 359	0.4%	0.5%	0.0%	0.0%	0.0%	0.5%	0.0%	0.0%	0.0%	2.5%
360+	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.8%	0.6%	0.0%	0.0%	0.0%	0.5%	0.0%	0.0%	2.1%	1.6%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	201.69	232.40	0.00	0.00	0.00	166.00	0.00	0.00	233.00	265.00
SD	*78.85*	*109.34*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*185.26*	*83.44*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.5%	0.5%	0.0%	0.0%	0.0%	0.5%	0.0%	0.0%	1.0%	1.6%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	248.87	265.00	0.00	0.00	0.00	166.00	0.00	0.00	364.00	265.00
SD	*70.96*	*94.10*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*83.44*
Other VISN cumulative DOS, mean	0.52	0.26	0.00	0.12	0.42	0.49	0.33	0.00	0.28	0.20
SD	4.00	1.74	0.00	0.70	2.65	2.13	1.88	0.00	2.21	1.40
Other station cumulative DOS, mean	1.48	1.46	2.92	0.68	1.07	2.28	2.85	0.65	1.11	1.47
SD	6.29	5.69	6.87	2.71	3.94	8.52	6.66	3.03	4.51	5.53

Table 3H: FY03 Bipolar Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Bipolar Patients	73964	3161	144	363	490	570	242	475	302	575
Other 24 hour institutional care										
Patients with some other 24 hour institutional care, %	8.1%	5.9%	1.4%	2.5%	0.4%	18.4%	5.0%	1.7%	6.0%	5.2%
Residential Rehab (rep. for those w/ res rehab care)										
Patients with some residential rehab. care, %	2.6%	1.6%	0.0%	0.3%	0.2%	0.4%	4.1%	0.4%	5.3%	3.1%
Number stays, mean	*1.12*	*1.02*	*0.00*	*1.00*	*1.00*	*1.00*	*1.10*	*1.00*	*1.00*	*1.00*
SD	*0.38*	*0.14*	*0.00*	*0.00*	*0.00*	*0.00*	*0.32*	*0.00*	*0.00*	*0.00*
Average LOS, mean	33.17	28.55	0.00	10.00	33.00	19.50	24.75	3.50	23.06	40.11
SD	*32.92*	*29.16*	*0.00*	*0.00*	*0.00*	*21.92*	*6.67*	*2.12*	*9.53*	*45.12*
Cumulative DOS, mean	36.42	28.82	0.00	10.00	33.00	19.50	26.10	3.50	23.06	40.11
SD	*35.54*	*29.08*	*0.00*	*0.00*	*0.00*	*21.92*	*5.38*	*2.12*	*9.53*	*45.12*
Cumulative Days of Stay, %										
1 to 7	10.4%	14.0%	0.0%	0.0%	0.0%	50.0%	0.0%	100.0%	18.8%	5.6%
8 to 14	11.3%	4.0%	0.0%	100.0%	0.0%	0.0%	10.0%	0.0%	0.0%	0.0%
15 to 44	53.1%	78.0%	0.0%	0.0%	100.0%	50.0%	90.0%	0.0%	81.3%	83.3%
45 to 89	18.3%	2.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	5.6%
90 to 179	5.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.0%	2.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	5.6%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.3%	2.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	5.6%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	167.40	214.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	214.00
SD	*69.53*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	2.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	5.6%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	224.60	214.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	214.00
SD	*70.59*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.28	0.04	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
SD	*6.79*	*0.28*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*1.41*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.71	1.78	0.00	10.00	33.00	19.50	0.00	3.50	0.00	0.00
SD	*10.96*	*6.85*	*0.00*	*0.00*	*0.00*	*21.92*	*0.00*	*2.12*	*0.00*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Bipolar Patients	73964	3161	144	363	490	570	242	475	302	575
Domiciliary and Vocational (reported for those with some dom/voc care)										
Patients with some dom/voc care, %	4.2%	3.1%	0.0%	0.0%	0.0%	16.0%	0.4%	0.4%	0.3%	0.3%
Number stays, mean	1.14	1.09	0.00	0.00	0.00	1.10	1.00	1.00	1.00	1.00
SD	*0.38*	*0.29*	*0.00*	*0.00*	*0.00*	*0.30*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	80.47	49.29	0.00	0.00	0.00	50.11	47.00	45.00	10.00	37.00
SD	*77.50*	*42.02*	*0.00*	*0.00*	*0.00*	*43.12*	*0.00*	*5.66*	*0.00*	*14.14*
Cumulative DOS, mean	88.84	54.16	0.00	0.00	0.00	55.31	47.00	45.00	10.00	37.00
SD	*82.55*	*52.60*	*0.00*	*0.00*	*0.00*	*54.00*	*0.00*	*5.66*	*0.00*	*14.14*
Cumulative Days of Stay, %										
1 to 7	6.1%	5.2%	0.0%	0.0%	0.0%	5.5%	0.0%	0.0%	0.0%	0.0%
8 to 14	5.6%	7.2%	0.0%	0.0%	0.0%	6.6%	0.0%	0.0%	100.0%	0.0%
15 to 44	28.2%	38.1%	0.0%	0.0%	0.0%	38.5%	0.0%	50.0%	0.0%	50.0%
45 to 89	21.0%	32.0%	0.0%	0.0%	0.0%	30.8%	100.0%	50.0%	0.0%	50.0%
90 to 179	26.2%	14.4%	0.0%	0.0%	0.0%	15.4%	0.0%	0.0%	0.0%	0.0%
180 to 359	10.5%	2.1%	0.0%	0.0%	0.0%	2.2%	0.0%	0.0%	0.0%	0.0%
360+	2.4%	1.0%	0.0%	0.0%	0.0%	1.1%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.1%	14.4%	0.0%	0.0%	0.0%	15.4%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	184.30	151.07	0.00	0.00	0.00	151.07	0.00	0.00	0.00	0.00
SD	*76.03*	*68.05*	*0.00*	*0.00*	*0.00*	*68.05*	*0.00*	*0.00*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.5%	4.1%	0.0%	0.0%	0.0%	4.4%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	236.94	223.75	0.00	0.00	0.00	223.75	0.00	0.00	0.00	0.00
SD	*71.03*	*96.26*	*0.00*	*0.00*	*0.00*	*96.26*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.76	1.04	0.00	0.00	0.00	0.66	0.00	20.50	0.00	0.00
SD	*9.43*	*4.79*	*0.00*	*0.00*	*0.00*	*2.56*	*0.00*	*28.99*	*0.00*	*0.00*
Other station cumulative DOS, mean	4.27	2.90	0.00	0.00	0.00	0.66	47.00	45.00	10.00	37.00
SD	*15.65*	*9.76*	*0.00*	*0.00*	*0.00*	*2.56*	*0.00*	*5.66*	*0.00*	*14.14*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Bipolar Patients	73964	3161	144	363	490	570	242	475	302	575
Nursing Home Care										
(reported for those with some nursing home care)										
Patients with some nursing home care, %	2.1%	1.4%	1.4%	2.2%	0.2%	2.3%	0.8%	0.8%	0.7%	2.1%
Number stays, mean	1.22	1.18	1.00	1.00	1.00	1.62	1.00	1.00	1.00	1.00
SD	*0.55*	*0.45*	*0.00*	*0.00*	*0.00*	*0.65*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	86.89	144.95	15.00	143.13	43.00	104.15	38.50	122.50	29.50	265.00
SD	*110.58*	*135.42*	*19.80*	*160.02*	*0.00*	*66.55*	*45.96*	*162.69*	*19.09*	*129.26*
Cumulative DOS, mean	98.25	166.82	15.00	143.13	43.00	178.15	38.50	122.50	29.50	265.00
SD	*116.77*	*146.72*	*19.80*	*160.02*	*0.00*	*134.96*	*45.96*	*162.69*	*19.09*	*129.26*
Cumulative Days of Stay, %										
1 to 7	10.5%	4.5%	50.0%	0.0%	0.0%	0.0%	50.0%	0.0%	0.0%	0.0%
8 to 14	10.7%	4.5%	0.0%	0.0%	0.0%	7.7%	0.0%	25.0%	0.0%	0.0%
15 to 44	30.2%	20.5%	50.0%	62.5%	100.0%	0.0%	0.0%	0.0%	100.0%	0.0%
45 to 89	16.4%	20.5%	0.0%	0.0%	0.0%	30.8%	50.0%	50.0%	0.0%	16.7%
90 to 179	12.3%	6.8%	0.0%	0.0%	0.0%	15.4%	0.0%	0.0%	0.0%	8.3%
180 to 359	10.2%	15.9%	0.0%	12.5%	0.0%	30.8%	0.0%	0.0%	0.0%	16.7%
360+	9.8%	27.3%	0.0%	25.0%	0.0%	15.4%	0.0%	25.0%	0.0%	58.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	27.9%	43.2%	0.0%	37.5%	0.0%	46.2%	0.0%	25.0%	0.0%	75.0%
Cumul. DOS, patients with a 100+ day NH stay, mean	261.88	325.16	0.00	333.00	0.00	311.17	0.00	364.00	0.00	327.56
SD	*97.21*	*60.60*	*0.00*	*53.69*	*0.00*	*55.82*	*0.00*	*0.00*	*0.00*	*72.32*
NH patients with 150+ day NH stay, %	22.1%	43.2%	0.0%	37.5%	0.0%	46.2%	0.0%	25.0%	0.0%	75.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	296.07	325.16	0.00	333.00	0.00	311.17	0.00	364.00	0.00	327.56
SD	*76.98*	*60.60*	*0.00*	*53.69*	*0.00*	*55.82*	*0.00*	*0.00*	*0.00*	*72.32*
Other VISN cumulative DOS, mean	0.47	0.32	0.00	0.00	0.00	1.08	0.00	0.00	0.00	0.00
SD	*5.60*	*2.11*	*0.00*	*0.00*	*0.00*	*3.88*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.51	1.91	0.50	0.00	0.00	6.38	0.00	0.00	0.00	0.00
SD	*9.89*	*4.80*	*0.71*	*0.00*	*0.00*	*7.18*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Bipolar Patients	73964	3161	144	363	490	570	242	475	302	575
Outpatient utilization										
(reported for those with some outpatient care)										
Patients with some outpatient care, %	99.6%	99.4%	100.0%	99.2%	100.0%	99.3%	99.6%	99.6%	99.0%	99.0%
annual visit days, mean	24.20	18.34	18.10	14.63	17.59	19.18	15.07	21.39	24.74	16.05
SD	*30.37*	*22.43*	*13.29*	*17.36*	*16.83*	*22.52*	*11.27*	*24.68*	*33.01*	*24.86*
Outpatient visit days, %										
1-12	43.1%	50.7%	40.3%	58.6%	46.9%	51.2%	49.4%	43.8%	43.5%	61.0%
13-24	26.8%	27.9%	31.3%	26.4%	31.8%	24.0%	32.8%	27.5%	29.4%	26.0%
25-36	12.4%	10.7%	20.1%	8.3%	11.6%	11.8%	11.6%	13.3%	9.4%	6.0%
37-48	6.4%	5.2%	4.2%	3.1%	5.1%	5.8%	5.4%	8.0%	7.0%	3.0%
49+	11.4%	5.5%	4.2%	3.6%	4.5%	7.1%	0.8%	7.4%	10.7%	4.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	80.8%	80.9%	95.1%	69.4%	90.0%	72.4%	85.9%	84.1%	71.6%	85.1%
Mean PC visit days, among those with some PC	3.83	3.68	3.58	3.32	4.69	2.83	3.43	3.66	3.50	3.89
SD	3.42	2.91	2.09	2.46	3.65	1.89	2.40	2.93	2.67	3.26
Average number clinic stops per visit day, mean	1.50	1.52	1.64	1.52	1.41	1.45	1.57	1.55	1.57	1.56
SD	*0.46*	*0.43*	*0.42*	*0.44*	*0.38*	*0.38*	*0.46*	*0.38*	*0.42*	*0.51*
annual clinic stops (psych & non-psych), mean	37.58	27.64	28.43	22.20	25.60	28.45	23.09	32.33	39.17	23.79
SD	*53.68*	*35.14*	*21.89*	*26.68*	*30.07*	*35.38*	*17.61*	*36.68*	*55.89*	*34.81*
annual non-psych. clinic stops, mean	19.81	17.47	21.47	14.69	15.89	15.46	17.40	20.63	21.41	16.93
SD	*22.87*	*20.20*	*18.05*	*15.00*	*15.68*	*14.54*	*14.34*	*19.83*	*23.50*	*29.56*
annual psych. clinic stops (groupings below), mean	17.77	10.16	6.96	7.51	9.71	12.99	5.69	11.70	17.75	6.86
SD	*40.95*	*23.00*	*7.41*	*17.74*	*19.99*	*26.05*	*6.79*	*25.77*	*41.46*	*12.42*
1. general psych. clinic stops, mean	7.61	5.81	6.85	5.51	6.88	5.13	4.56	6.02	6.73	5.39
SD	*12.69*	*8.60*	*7.34*	*9.22*	*12.56*	*7.57*	*5.02*	*6.86*	*7.13*	*8.32*
2. psych. case management clinic stops, mean	0.65	0.43	0.00	0.00	0.48	0.86	0.00	0.00	0.85	0.64
SD	*8.45*	*4.88*	*0.00*	*0.05*	*5.18*	*6.63*	*0.00*	*0.00*	*4.96*	*7.15*
3. psych. day treatment clinic stops, mean	1.57	0.77	0.00	0.00	0.00	0.00	0.00	2.15	4.69	0.03
SD	*15.80*	*9.30*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*13.66*	*24.34*	*0.67*
4. substance abuse clinic stops, mean	4.64	1.49	0.08	0.22	1.20	3.03	0.20	3.21	1.48	0.51
SD	*21.97*	*9.49*	*0.68*	*1.74*	*6.47*	*10.34*	*1.20*	*18.94*	*7.58*	*4.03*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Bipolar Patients	73964	3161	144	363	490	570	242	475	302	575
5. psych. vocational clinic stops, mean	1.91	0.97	0.00	1.22	0.04	2.57	0.01	0.14	3.57	0.01
SD	*15.13*	*11.17*	*0.00*	*11.77*	*0.95*	*17.87*	*0.19*	*1.79*	*22.80*	*0.13*
6. PTSD clinic stops, mean	0.80	0.41	0.03	0.47	0.96	0.58	0.81	0.00	0.19	0.08
SD	*5.71*	*3.82*	*0.20*	*4.31*	*7.68*	*3.02*	*3.57*	*0.09*	*2.16*	*0.67*
7. psych. homeless clinic stops, mean	0.54	0.23	0.00	0.04	0.05	0.77	0.04	0.15	0.16	0.21
SD	*3.97*	*1.87*	*0.00*	*0.33*	*0.44*	*4.05*	*0.26*	*0.84*	*0.93*	*1.12*
Other VISN OP visit days, mean	0.48	0.35	0.44	0.21	0.56	0.48	0.39	0.32	0.34	0.12
SD	*2.80*	*2.39*	*1.48*	*1.42*	*4.27*	*2.64*	*1.74*	*2.14*	*1.67*	*0.77*
Other station OP visit days, mean	1.14	0.98	1.38	0.91	1.39	1.02	0.70	0.61	1.19	0.82
SD	*4.45*	*3.29*	*2.35*	*2.97*	*4.67*	*3.46*	*2.36*	*2.72*	*3.97*	*2.26*

Table 4H: FY03 Bipolar Patients, Pharmacy Utilization, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Bipolar Patients	73964	3161	144	363	490	570	242	475	302	575
Among all patients in the registry										
Pts. with any outpatient prescriptions, %	96.9%	97.1%	100.0%	95.9%	97.6%	96.8%	97.9%	97.7%	97.4%	96.0%
Patients with any oral antipsychotic fills, %*	46.0%	49.4%	54.2%	43.3%	46.7%	45.1%	57.0%	55.6%	44.0%	53.2%
Among pts. receiving any antipsychotic medication:										
Received only conventional antipsychotics, %	7.6%	9.2%	7.7%	14.0%	7.9%	8.6%	7.2%	8.3%	14.3%	7.8%
Received some atypical antipsychotics, %	92.4%	90.8%	92.3%	86.0%	92.1%	91.4%	92.8%	91.7%	85.7%	92.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %										
Aripiprazole	0.9%	0.6%	0.0%	0.0%	0.4%	0.4%	0.7%	1.1%	0.0%	1.3%
Clozapine	0.2%	0.1%	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Olanzapine	40.7%	33.7%	41.0%	31.8%	32.3%	42.4%	25.4%	37.9%	32.3%	27.5%
Quetiapine	34.1%	35.1%	20.5%	24.2%	34.1%	23.3%	54.3%	40.5%	27.1%	45.1%
Risperidone	31.0%	35.0%	47.4%	38.9%	48.5%	33.9%	23.9%	28.8%	37.6%	29.7%
Ziprasidone	6.9%	7.8%	7.6%	9.9%	7.6%	3.5%	9.5%	9.7%	9.3%	8.0%
Patients receiving only one kind** of antipsychotic, %	77.4%	76.7%	76.9%	84.7%	70.3%	82.1%	78.3%	72.3%	74.4%	76.8%
Concurrent use of 2 or more antipsychotics, % ***	5.5%	6.0%	9.0%	3.8%	11.4%	3.1%	2.9%	6.4%	5.3%	5.9%
Among pts receiving just one antipsychotic:										
Antipsychotic fills, mean	6.09	5.39	8.03	4.84	4.15	4.43	7.50	5.50	5.32	5.73
SD	*4.43*	*3.88*	*4.96*	*3.73*	*2.88*	*3.04*	*4.47*	*3.99*	*3.73*	*3.86*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5H: FY03 Bipolar Patients, Cost, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Bipolar Patients	73964	3161	144	363	490	570	242	475	302	575
Total Costs (in thousands $$)	$907,650	$32,691	$1,116	$3,890	$3,512	$6,672	$1,913	$5,393	$3,611	$6,584
Station % of VISN		100.0%	3.4%	11.9%	10.7%	20.4%	5.9%	16.5%	11.0%	20.1%
Psych vs. Non-Psych Costs										
Psych	33.4%	34.4%	13.7%	25.5%	33.8%	42.4%	34.5%	29.2%	44.3%	34.2%
Non-Psych	66.6%	65.6%	86.3%	74.5%	66.2%	57.6%	65.5%	70.8%	55.7%	65.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use										
Per Patient	$15,075	$13,432	$9,100	$14,094	$8,400	$12,978	$11,379	$13,756	$14,819	$18,529
Per Day of Stay	$882	$766	$966	$1,037	$719	$733	$759	$816	$563	$821
Mean Outpatient Costs, Pts with some Outpatient use										
Per Patient	$6,520	$5,306	$5,582	$5,093	$5,124	$5,053	$4,460	$5,980	$6,710	$4,837
Per Visit Day	$269	$289	$308	$348	$291	$263	$296	$280	$271	$301
By Cost Center										
1 Med	$1,060	$890	$641	$1,452	$394	$607	$405	$1,885	$770	$745
2 Surg	$459	$414	$731	$861	$316	$197	$240	$496	$457	$332
3 Psych	$2,315	$2,410	$271	$1,609	$1,159	$3,749	$2,176	$2,224	$3,533	$2,854
4 Psych Res Rehab Treatment Program	$298	$109	$0	$7	$12	$19	$302	$8	$295	$275
5 Non-VA	$176	$106	$103	$225	$121	$148	$29	$47	$32	$99
6 LTC Domiciliary	$455	$172	$0	$0	$0	$891	$27	$32	$7	$23
7 LTC Intermediate Care	$96	$79	$267	$0	$0	$82	$191	$99	$154	$45
8 LTC Nursing Home	$778	$841	$145	$1,507	$33	$995	$94	$470	$68	$2,159
9 Contract Nursing Home	$142	$47	$8	$5	$7	$0	$0	$137	$0	$132
10 OPC Med/Surg	$1,111	$950	$945	$969	$690	$1,059	$938	$1,276	$1,252	$627
11 OPC Psych	$1,781	$1,146	$792	$1,124	$1,261	$1,209	$551	$1,097	$1,761	$1,057
12 OPC Home Based Treatment	$532	$411	$412	$349	$680	$385	$308	$311	$453	$350
13 OPC Support	$1,309	$1,072	$1,351	$1,003	$900	$1,012	$1,129	$1,188	$1,120	$1,108
14 OPC Fee	$115	$93	$46	$56	$160	$132	$74	$56	$74	$80
15 OPC Pharmacy	$1,645	$1,602	$2,036	$1,549	$1,433	$1,220	$1,440	$2,028	$1,984	$1,564
TOTAL	$12,272	$10,342	$7,747	$10,717	$7,167	$11,706	$7,905	$11,354	$11,958	$11,451
Mean % Patient Costs at Other Stations	4.8%	5.5%	9.9%	4.8%	8.4%	6.2%	5.7%	2.1%	4.7%	4.8%
SD	*13.9%*	*14.6%*	*19.1%*	*12.8%*	*18.0%*	*15.9%*	*15.9%*	*8.5%*	*13.5%*	*13.1%*
Mean % Patient Costs at Other VISNs	2.0%	1.6%	1.5%	1.2%	2.3%	2.7%	2.7%	0.7%	1.3%	0.8%
SD	*9.0%*	*7.9%*	*5.8%*	*7.3%*	*10.0%*	*10.2%*	*11.0%*	*4.6%*	*6.5%*	*4.7%*

Table 2I: FY03 Other Psychosis Patients, Demographics, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Other Psychosis Patients	49401	2328	125	454	180	323	275	214	272	485
Age, %										
<35	2.2%	2.2%	3.2%	1.3%	7.8%	4.3%	0.4%	2.3%	1.5%	0.8%
>=35 and <50	12.5%	11.9%	6.4%	11.0%	25.0%	22.3%	5.8%	7.0%	9.2%	9.7%
>=50 and <65	22.1%	20.2%	39.2%	14.1%	32.2%	26.6%	20.4%	13.1%	19.1%	16.1%
>=65 and <80	36.7%	39.1%	36.0%	43.4%	22.8%	30.3%	40.4%	43.0%	43.0%	43.3%
>=80	26.5%	26.5%	15.2%	30.2%	12.2%	16.4%	33.1%	34.6%	27.2%	30.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	68.22	68.68	64.87	70.60	58.47	62.53	72.22	73.04	69.81	71.17
SD	*15.13*	*14.90*	*14.02*	*14.05*	*16.03*	*16.13*	*12.90*	*13.86*	*14.10*	*13.45*
Gender										
Male, %	96.0%	96.6%	96.8%	97.1%	95.0%	93.5%	94.5%	96.7%	99.3%	98.1%
Female, %	4.0%	3.4%	3.2%	2.9%	5.0%	6.5%	5.5%	3.3%	0.7%	1.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %										
Hispanic white	3.9%	0.5%	0.0%	0.4%	2.8%	0.6%	0.4%	0.0%	0.4%	0.2%
Hispanic black	0.3%	0.1%	0.0%	0.4%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%
American Indian	0.2%	0.2%	0.0%	0.2%	0.0%	0.0%	0.7%	0.5%	0.0%	0.0%
Black	15.5%	21.0%	1.6%	26.9%	30.0%	41.2%	3.6%	31.8%	11.4%	14.4%
Asian	0.4%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%
White	48.2%	44.5%	85.6%	32.4%	29.4%	35.3%	71.6%	45.3%	54.4%	35.7%
Race unknown	31.5%	33.6%	12.8%	39.6%	37.2%	22.6%	23.6%	22.4%	33.8%	49.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status										
Never married	13.4%	10.7%	8.8%	10.9%	22.2%	15.5%	6.5%	12.1%	9.6%	5.6%
Married	52.0%	56.2%	60.8%	61.0%	48.3%	43.5%	59.3%	49.1%	57.2%	62.8%
Divorced/Separated	22.5%	20.3%	19.2%	15.8%	24.4%	29.5%	20.4%	17.3%	20.7%	18.4%
Widowed	12.0%	12.8%	11.2%	12.2%	5.0%	11.5%	13.8%	21.5%	12.5%	13.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Other Psychosis Patients	49401	2328	125	454	180	323	275	214	272	485
Registry Pts. History of VA Utilization										
Years since first use in prior five years, mean	3.96	3.92	4.35	4.00	3.96	3.88	4.03	4.15	4.00	3.55
SD	*1.44*	*1.44*	*1.15*	*1.38*	*1.40*	*1.44*	*1.33*	*1.36*	*1.47*	*1.60*
Yrs with 24-hour institutional use / yrs since 1st use, %	24.1%	25.8%	28.5%	23.7%	25.4%	29.4%	31.8%	29.1%	27.0%	18.2%
SD	*27.8%*	*28.6%*	*30.1%*	*25.9%*	*27.5%*	*33.5%*	*28.9%*	*27.2%*	*28.8%*	*26.2%*
Years with OP use / Years since first use, %	96.9%	97.1%	98.1%	97.1%	96.3%	96.6%	97.3%	98.0%	95.6%	97.6%
SD	*10.4%*	*10.5%*	8.5%	*10.6%*	*12.4%*	*10.0%*	*9.4%*	*8.7%*	14.2%	9.1%
Psychosis Diagnoses in Prior Fiscal Year										
Had Psychosis Diagnosis in FY01, %	33.8%	31.9%	24.8%	35.7%	23.9%	36.5%	29.8%	27.1%	21.0%	39.6%
Among Patients With Psychoses in FY01										
Psychosis Category: Schizophrenia, %	9.4%	8.7%	9.7%	6.2%	25.6%	13.6%	8.5%	3.4%	14.0%	4.2%
Psychosis Category: Bipolar Disorder, %	3.8%	3.2%	19.4%	1.2%	2.3%	2.5%	4.9%	5.2%	3.5%	1.6%
Psychosis Category: Other Psychosis, %	86.9%	88.0%	71.0%	92.6%	72.1%	83.9%	86.6%	91.4%	82.5%	94.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %										
Dementia	20.6%	22.3%	12.0%	22.9%	15.0%	14.6%	36.0%	34.1%	24.6%	18.1%
Post Traumatic Stress Disorder	13.4%	15.9%	34.4%	14.1%	36.7%	21.1%	17.8%	3.7%	14.0%	7.2%
Depression	37.7%	36.9%	53.6%	34.1%	62.2%	43.3%	34.2%	27.6%	34.6%	28.7%
Other Anxiety Disorder	12.0%	13.0%	33.6%	8.8%	21.7%	9.9%	12.0%	9.8%	16.9%	10.3%
Substance Abuse or Dependence	15.7%	14.1%	5.6%	11.5%	22.2%	29.4%	10.2%	9.3%	13.6%	10.1%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Other Psychosis Patients	49401	2328	125	454	180	323	275	214	272	485
Medical Comorbidities, %										
No medical comorbidities	8.3%	7.7%	4.8%	6.6%	7.2%	12.7%	9.8%	4.7%	7.0%	6.8%
Anemia	14.2%	14.3%	27.2%	16.5%	13.9%	11.1%	13.5%	18.7%	17.6%	7.6%
Arthritis	39.1%	39.8%	64.0%	35.9%	53.9%	37.5%	42.2%	34.6%	42.3%	33.2%
Cancer	14.0%	13.6%	17.6%	16.5%	7.8%	11.5%	15.6%	20.1%	12.9%	9.9%
Cerebrovascular Disease	16.4%	17.3%	18.4%	18.9%	14.4%	12.1%	21.8%	19.6%	14.3%	17.9%
Chronic Neurologic Disorder	20.8%	19.6%	21.6%	17.6%	24.4%	18.6%	19.6%	22.4%	21.0%	17.7%
Chronic Obstructive Pulmonary Disease	17.9%	17.4%	29.6%	13.0%	22.2%	10.2%	20.4%	19.2%	19.5%	17.7%
Chronic Viral Infection	5.9%	4.5%	3.2%	4.4%	5.6%	6.8%	2.5%	3.3%	6.6%	3.5%
Coronary Artery Disease	33.0%	32.0%	45.6%	29.5%	26.1%	21.1%	37.8%	38.8%	30.1%	34.8%
Diabetes	23.4%	23.3%	29.6%	26.4%	22.2%	21.4%	21.8%	24.8%	19.5%	22.7%
Digestive System Disease	42.9%	43.6%	70.4%	38.3%	45.0%	39.9%	49.8%	48.1%	43.4%	38.1%
Hypertension	54.9%	56.3%	70.4%	64.1%	51.7%	50.8%	49.1%	63.1%	55.9%	52.0%
Injury and Poisoning	19.4%	17.9%	31.2%	14.5%	15.6%	19.5%	26.2%	20.1%	15.1%	13.2%
Liver Disease	3.8%	2.9%	6.4%	2.2%	3.3%	2.8%	2.5%	1.9%	4.8%	2.1%
Other Endocrine	9.5%	9.3%	12.0%	7.7%	2.2%	8.4%	10.2%	11.2%	10.7%	11.3%
Peripheral Vascular Disease	7.8%	7.7%	8.0%	8.8%	3.9%	7.4%	7.6%	11.2%	7.4%	7.0%
GAF scores										
Lowest inpatient GAF score, mean	37.71	41.63	0.00	34.95	36.67	49.63	37.14	45.00	38.22	44.33
SD	*14.78*	*12.03*	*0.00*	*8.34*	*9.85*	*13.00*	*8.59*	*7.07*	*11.14*	*11.15*
Mean outpatient GAF score	48.43	48.95	53.22	43.98	51.28	48.29	38.62	51.18	48.94	51.04
SD	*11.56*	*11.03*	*10.18*	*11.38*	*10.41*	*10.55*	*9.94*	*11.62*	*10.39*	*9.63*
At least 1 IP GAF, among pts with MH bedsections, %	36.3%	31.6%	0.0%	35.2%	27.9%	31.4%	19.2%	15.4%	39.5%	36.5%
At least 1 OP GAF, among pts with MH clinic stops, %	74.8%	77.0%	97.8%	50.5%	92.6%	72.1%	78.7%	80.2%	79.0%	82.5%
Mortality rates										
died in FY02, %	6.2%	6.9%	8.8%	5.1%	3.9%	4.6%	13.1%	11.2%	5.1%	6.2%
Age-and-gender-adjusted Standardized Mortality Ratio	1.21	1.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Other Psychosis Patients	49401	2328	125	454	180	323	275	214	272	485
Service Connection (SC)										
Non-SC	63.3%	60.5%	47.2%	62.6%	42.2%	51.7%	65.8%	64.5%	65.4%	67.2%
SC 0 - 29%	10.4%	9.9%	8.8%	10.8%	10.6%	12.4%	7.3%	10.7%	9.2%	9.1%
SC 30 - 69%	10.8%	12.0%	15.2%	12.1%	14.4%	16.1%	6.9%	12.6%	12.5%	9.7%
SC 70 - 99%	6.4%	7.2%	17.6%	4.4%	12.2%	7.4%	6.2%	5.6%	7.4%	6.2%
SC 100%	9.1%	10.4%	11.2%	10.1%	20.6%	12.4%	13.8%	6.5%	5.5%	7.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %										
Complex*	15.0%	14.2%	7.2%	10.6%	15.0%	16.1%	20.4%	15.0%	17.3%	12.4%
Basic vested, Cat A*	74.8%	77.6%	84.8%	85.0%	82.8%	78.9%	66.2%	78.0%	75.4%	73.4%
Basic Non-vested, Cat A*	0.8%	0.7%	0.0%	0.2%	0.0%	1.5%	1.8%	0.5%	1.1%	0.4%
Basic, Cats C and N	9.4%	7.5%	8.0%	4.2%	2.2%	3.4%	11.6%	6.5%	6.3%	13.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded										
Patient eligibility category, %										
Cat A (SC or low income)	90.1%	92.1%	92.0%	95.8%	97.8%	95.4%	88.0%	93.5%	92.6%	85.8%
Cat C (NSC and higher income)	9.4%	7.7%	6.4%	4.2%	2.2%	4.6%	11.6%	6.5%	7.0%	14.2%
Non-Veteran	0.6%	0.2%	1.6%	0.0%	0.0%	0.0%	0.4%	0.0%	0.4%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %										
BASIC 1. Non-reliant Care	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
2. Basic Medical	25.3%	27.3%	20.8%	31.3%	17.2%	26.0%	26.2%	26.6%	27.6%	30.5%
3. Mental Health	25.6%	22.9%	19.2%	22.9%	31.7%	20.7%	19.3%	17.3%	18.8%	29.1%
4. Heart / Lung / GI	12.5%	14.2%	16.8%	14.8%	8.9%	12.7%	10.2%	18.2%	11.4%	17.9%
5. Oncology / Infectious Disease	3.8%	3.4%	3.2%	3.7%	1.1%	3.1%	4.0%	4.2%	4.4%	3.1%
6. Multiple Medical	17.6%	18.0%	32.8%	16.7%	26.1%	21.4%	20.0%	18.7%	20.6%	7.0%
COMPLEX 7. Specialized Care	4.7%	4.4%	1.6%	4.6%	3.9%	3.1%	6.5%	1.4%	6.6%	4.7%
8. Support Care	4.8%	4.3%	4.0%	4.0%	5.6%	5.3%	5.5%	7.5%	2.2%	2.9%
9. Chronic Mental	2.2%	2.3%	0.8%	0.0%	1.7%	5.3%	2.2%	0.5%	4.4%	2.9%
10. Critically Ill	3.3%	3.2%	0.8%	2.0%	3.9%	2.5%	6.2%	5.6%	4.0%	1.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Other Psychosis Patients	49401	2328	125	454	180	323	275	214	272	485
Substance Dependence and Abuse										
Any dx of alcohol / drug dependence or abuse, %	15.7%	14.1%	5.6%	11.5%	22.2%	29.4%	10.2%	9.3%	13.6%	10.1%
Homelessness										
Homelessness indicated in FY02, %	7.1%	5.2%	2.4%	3.5%	4.4%	14.9%	4.4%	1.9%	2.6%	4.9%
Residence in Metropolitan Area										
Residing in a Metropolitan Statistical Area, %	76.7%	67.8%	1.6%	69.6%	60.0%	92.3%	55.3%	74.8%	54.8%	81.2%
Distance										
Mile from Closest VA Medical Center, mean	35.80	29.28	23.50	37.64	37.10	15.44	28.19	24.18	26.65	33.60
SD	*82.41*	*23.31*	*14.59*	*29.87*	*30.64*	*15.03*	*21.35*	*21.69*	*21.79*	*15.27*
Distance from closest VA Medical Center, %										
0 to 15 miles	45.8%	34.2%	28.8%	22.2%	36.1%	68.7%	36.7%	48.1%	40.4%	12.0%
15 to 30 miles	16.6%	23.5%	42.4%	29.5%	11.7%	22.0%	21.8%	18.7%	17.6%	25.0%
30 to 45 miles	10.9%	19.2%	22.4%	17.0%	16.7%	1.9%	15.6%	10.3%	17.6%	39.9%
45 to 60 miles	8.8%	14.3%	4.8%	11.7%	9.4%	4.6%	20.7%	13.6%	18.8%	21.7%
60 plus miles	17.9%	8.7%	1.6%	19.6%	26.1%	2.8%	5.1%	9.3%	5.5%	1.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.89	17.14	18.50	18.70	17.58	14.50	24.41	18.13	10.60	16.04
SD	*14.24*	*13.31*	*9.20*	*13.60*	*13.88*	*12.78*	*16.65*	*15.80*	*8.46*	*10.35*
Distance to closest VA Service Site, %										
0 to 15 miles	73.5%	52.1%	29.6%	43.0%	52.2%	69.3%	37.5%	54.2%	67.6%	53.5%
15 to 30 miles	16.6%	32.4%	64.8%	38.3%	24.4%	22.3%	23.3%	25.7%	31.6%	37.0%
30 to 45 miles	7.0%	11.6%	5.6%	16.1%	19.4%	2.2%	28.7%	12.1%	0.7%	8.7%
45 plus miles	3.0%	3.8%	0.0%	2.6%	3.9%	6.2%	10.5%	7.9%	0.0%	0.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Other Psychosis Patients	49401	2328	125	454	180	323	275	214	272	485
Hospital Based Utilization										
Patients with some Hospital Based Utilization, %	30.2%	32.3%	42.4%	31.7%	38.3%	33.1%	40.7%	39.3%	36.4%	17.5%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)										
Inpatient stays, mean	1.82	1.71	1.89	1.73	1.90	1.91	1.59	1.67	1.59	1.55
SD	*1.40*	*1.32*	*1.05*	*1.71*	*1.67*	*1.40*	*1.14*	*1.18*	*0.88*	*1.03*
Average LOS, mean	9.37	12.28	7.13	7.43	10.15	9.80	11.52	12.78	20.84	19.14
SD	*15.01*	*24.71*	*5.37*	*6.16*	*13.34*	*15.90*	*8.52*	*14.93*	*54.58*	*30.39*
Cumulative DOS, mean	16.06	19.10	12.42	11.37	16.26	17.87	16.78	22.68	27.75	29.67
SD	*22.72*	*32.29*	*9.88*	*9.96*	*21.90*	*21.04*	*13.13*	*29.43*	*58.09*	*52.67*
Cumulative DOS, %										
1 to 7	42.1%	36.3%	37.7%	47.2%	39.1%	29.9%	27.7%	47.6%	39.4%	18.8%
8 to 14	23.4%	23.8%	34.0%	25.7%	29.0%	26.2%	27.7%	6.0%	18.2%	25.9%
15 to 44	27.8%	33.2%	26.4%	26.4%	27.5%	38.3%	40.2%	28.6%	32.3%	43.5%
45 to 89	5.2%	4.1%	1.9%	0.7%	2.9%	4.7%	4.5%	13.1%	3.0%	3.5%
90 to 179	1.2%	1.9%	0.0%	0.0%	1.4%	0.9%	0.0%	4.8%	3.0%	5.9%
180 to 359	0.2%	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.0%	2.4%
360+	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	0.7%	1.5%	0.0%	0.0%	0.0%	0.9%	0.0%	1.2%	5.1%	4.7%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	185.56	225.64	0.00	0.00	0.00	162.00	0.00	154.00	251.20	227.50
SD	*75.86*	*90.05*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*94.34*	*104.92*
Hospital patients who had a 150+ day hosp. stay, %	0.3%	0.9%	0.0%	0.0%	0.0%	0.9%	0.0%	0.0%	4.0%	2.4%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	241.58	275.00	0.00	0.00	0.00	162.00	0.00	0.00	283.50	314.50
SD	*74.51*	*74.81*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*70.08*	*51.62*
Cumulative DOS at Other VISNs	0.37	0.39	0.38	0.33	0.29	0.59	0.56	0.35	0.10	0.48
SD	*3.13*	*2.75*	*1.79*	*2.50*	*2.41*	*4.36*	*3.11*	*2.85*	*1.01*	*2.02*
Cumulative DOS at Other Stations	1.24	1.28	1.40	0.56	1.62	1.74	1.24	0.79	0.44	3.05
SD	*5.73*	*4.91*	*3.05*	*3.29*	*6.27*	*5.65*	*4.35*	*3.92*	*1.88*	*8.36*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Other Psychosis Patients	49401	2328	125	454	180	323	275	214	272	485
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)										
Pts. with non-psych hospital stays, %	21.7%	20.7%	41.6%	21.4%	16.7%	12.7%	32.4%	34.6%	23.2%	7.2%
Inpatient stays, mean	1.27	1.05	1.83	1.03	0.87	0.57	1.22	1.50	1.01	0.68
SD	*1.36*	*1.17*	*1.05*	*1.03*	*1.60*	*0.86*	*1.13*	*1.23*	*1.05*	*1.11*
Average LOS, mean	7.86	9.41	7.19	6.87	7.50	8.00	11.62	13.29	6.89	13.73
SD	*11.97*	*9.45*	*5.40*	*5.97*	*6.82*	*7.16*	*9.26*	*15.65*	*5.99*	*9.72*
Cumulative Days of Stay, mean	9.61	9.66	12.21	6.63	5.09	5.18	13.07	21.19	6.68	10.18
SD	*16.99*	*16.08*	*10.01*	*8.12*	*8.07*	*11.90*	*13.57*	*29.69*	*8.83*	*21.93*
Cumulative Days of Stay, %										
0	28.2%	36.1%	1.9%	32.6%	56.5%	61.7%	20.5%	11.9%	36.4%	58.8%
1 to 7	35.5%	27.4%	37.7%	33.3%	17.4%	18.7%	25.9%	41.7%	32.3%	11.8%
8 to 14	15.8%	13.9%	34.0%	19.4%	13.0%	6.5%	17.9%	3.6%	15.2%	5.9%
15 to 44	17.1%	19.0%	24.5%	14.6%	13.0%	11.2%	32.1%	25.0%	16.2%	17.6%
45 to 89	2.8%	2.7%	1.9%	0.0%	0.0%	1.9%	3.6%	13.1%	0.0%	2.4%
90 to 179	0.5%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	4.8%	0.0%	3.5%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	1.2%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	178.07	154.00	0.00	0.00	0.00	0.00	0.00	154.00	0.00	0.00
SD	*75.21*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	240.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.05*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.18*	*0.18*	*0.34*	*0.17*	*0.29*	*0.00*	*0.28*	*0.35*	*0.10*	*0.02*
SD	*1.94*	*1.84*	*1.78*	*1.72*	*2.41*	*0.00*	*2.66*	*2.85*	*1.01*	*0.22*
Other station cumulative DOS, mean	0.60	0.59	1.23	0.28	0.61	0.33	0.65	0.65	0.21	1.31
SD	*3.61*	*3.34*	*2.95*	*1.96*	*3.10*	*1.73*	*3.34*	*3.38*	*1.20*	*6.87*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Other Psychosis Patients	49401	2328	125	454	180	323	275	214	272	485
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)										
Pts. with psych hospital stays, %	10.8%	13.1%	2.4%	11.9%	23.9%	21.7%	9.5%	6.1%	15.8%	10.7%
Inpatient stays, mean	0.55	0.67	0.06	0.69	1.03	1.34	0.37	0.17	0.58	0.87
SD	*1.03*	*1.21*	*0.23*	*1.60*	*1.28*	*1.64*	*0.85*	*0.41*	*0.78*	*0.97*
Average LOS, mean	12.47	16.49	3.67	8.31	11.57	10.75	10.85	9.27	40.67	22.17
SD	*19.53*	*37.05*	*2.89*	*6.74*	*15.90*	*18.91*	*6.50*	*8.53*	*79.76*	*37.93*
Cumulative Days of Stay, mean	6.45	9.44	0.21	4.74	11.17	12.69	3.71	1.49	21.07	19.49
SD	*17.76*	*30.91*	*1.03*	*9.28*	*22.81*	*20.67*	*8.86*	*4.74*	*59.63*	*51.91*
Cumulative Days of Stay, %										
0	64.2%	59.6%	94.3%	62.5%	37.7%	34.6%	76.8%	84.5%	56.6%	38.8%
1 to 7	12.7%	12.5%	5.7%	17.4%	26.1%	14.0%	3.6%	8.3%	13.1%	10.6%
8 to 14	9.6%	11.6%	0.0%	9.0%	17.4%	22.4%	10.7%	3.6%	7.1%	18.8%
15 to 44	10.7%	13.3%	0.0%	11.1%	14.5%	25.2%	8.0%	3.6%	13.1%	25.9%
45 to 89	2.1%	1.3%	0.0%	0.0%	2.9%	2.8%	0.9%	0.0%	3.0%	1.2%
90 to 179	0.5%	0.9%	0.0%	0.0%	1.4%	0.9%	0.0%	0.0%	3.0%	2.4%
180 to 359	0.1%	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.0%	2.4%
360+	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.4%	1.3%	0.0%	0.0%	0.0%	0.9%	0.0%	0.0%	5.1%	4.7%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	182.44	232.80	0.00	0.00	0.00	162.00	0.00	0.00	251.20	227.50
SD	*78.98*	*91.56*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*94.34*	*104.92*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.2%	0.9%	0.0%	0.0%	0.0%	0.9%	0.0%	0.0%	4.0%	2.4%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.42	275.00	0.00	0.00	0.00	162.00	0.00	0.00	283.50	314.50
SD	*77.61*	*74.81*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*70.08*	*51.62*
Other VISN cumulative DOS, mean	0.19	0.21	0.04	0.15	0.00	0.59	0.29	0.00	0.00	0.46
SD	2.40	2.05	0.27	1.83	0.00	4.36	1.67	0.00	0.00	1.98
Other station cumulative DOS, mean	0.64	0.69	0.17	0.28	1.01	1.41	0.59	0.13	0.23	1.74
SD	4.34	3.67	0.99	2.67	5.57	5.46	2.93	1.20	1.48	5.21

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Other Psychosis Patients	49401	2328	125	454	180	323	275	214	272	485
Other 24 hour institutional care										
Patients with some other 24 hour institutional care, %	10.1%	9.1%	5.6%	8.8%	2.2%	17.3%	15.6%	5.1%	8.5%	5.6%
Residential Rehab (rep. for those w/ res rehab care)										
Patients with some residential rehab. care, %	1.0%	1.3%	0.8%	0.9%	0.0%	0.0%	3.3%	0.5%	1.8%	2.1%
Number stays, mean	*1.13*	*1.03*	*1.00*	*1.00*	*0.00*	*0.00*	*1.11*	*1.00*	*1.00*	*1.00*
SD	*0.45*	*0.18*	*0.00*	*0.00*	*0.00*	*0.00*	*0.33*	*0.00*	*0.00*	*0.00*
Average LOS, mean	30.41	27.17	4.00	22.00	0.00	0.00	22.67	28.00	25.60	36.30
SD	*33.22*	*11.67*	*0.00*	*12.00*	*0.00*	*0.00*	*10.70*	*0.00*	*5.37*	*9.50*
Cumulative DOS, mean	33.30	28.07	4.00	22.00	0.00	0.00	25.67	28.00	25.60	36.30
SD	*35.32*	*12.65*	*0.00*	*12.00*	*0.00*	*0.00*	*14.99*	*0.00*	*5.37*	*9.50*
Cumulative Days of Stay, %										
1 to 7	15.1%	13.3%	100.0%	25.0%	0.0%	0.0%	22.2%	0.0%	0.0%	0.0%
8 to 14	12.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	54.3%	80.0%	0.0%	75.0%	0.0%	0.0%	66.7%	100.0%	100.0%	90.0%
45 to 89	11.7%	6.7%	0.0%	0.0%	0.0%	0.0%	11.1%	0.0%	0.0%	10.0%
90 to 179	5.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	181.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*69.09*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	235.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*52.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.38	0.13	4.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*7.57*	*0.73*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	4.16	5.00	4.00	22.00	0.00	0.00	3.33	28.00	0.00	0.00
SD	*12.59*	*10.70*	*0.00*	*12.00*	*0.00*	*0.00*	*10.00*	*0.00*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Other Psychosis Patients	49401	2328	125	454	180	323	275	214	272	485
Domiciliary and Vocational										
(reported for those with some dom/voc care)										
Patients with some dom/voc care, %	1.7%	1.8%	0.0%	0.0%	0.0%	12.1%	0.4%	0.0%	0.0%	0.4%
Number stays, mean	1.13	1.12	0.00	0.00	0.00	1.13	1.00	0.00	0.00	1.00
SD	*0.36*	*0.33*	*0.00*	*0.00*	*0.00*	*0.34*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	79.24	40.54	0.00	0.00	0.00	41.24	20.00	0.00	0.00	37.00
SD	*81.39*	*31.10*	*0.00*	*0.00*	*0.00*	*32.00*	*0.00*	*0.00*	*0.00*	*16.97*
Cumulative DOS, mean	86.42	46.05	0.00	0.00	0.00	47.18	20.00	0.00	0.00	37.00
SD	*85.00*	*42.68*	*0.00*	*0.00*	*0.00*	*43.98*	*0.00*	*0.00*	*0.00*	*16.97*
Cumulative Days of Stay, %										
1 to 7	7.5%	7.1%	0.0%	0.0%	0.0%	7.7%	0.0%	0.0%	0.0%	0.0%
8 to 14	6.2%	2.4%	0.0%	0.0%	0.0%	2.6%	0.0%	0.0%	0.0%	0.0%
15 to 44	29.8%	57.1%	0.0%	0.0%	0.0%	56.4%	100.0%	0.0%	0.0%	50.0%
45 to 89	19.6%	21.4%	0.0%	0.0%	0.0%	20.5%	0.0%	0.0%	0.0%	50.0%
90 to 179	23.7%	9.5%	0.0%	0.0%	0.0%	10.3%	0.0%	0.0%	0.0%	0.0%
180 to 359	10.4%	2.4%	0.0%	0.0%	0.0%	2.6%	0.0%	0.0%	0.0%	0.0%
360+	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	0.0%	100.0%	100.0%	0.0%	0.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	9.5%	0.0%	0.0%	0.0%	10.3%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	193.84	143.00	0.00	0.00	0.00	143.00	0.00	0.00	0.00	0.00
SD	*79.91*	*65.62*	*0.00*	*0.00*	*0.00*	*65.62*	*0.00*	*0.00*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.8%	2.4%	0.0%	0.0%	0.0%	2.6%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	240.95	241.00	0.00	0.00	0.00	241.00	0.00	0.00	0.00	0.00
SD	*71.71*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.61	3.29	0.00	0.00	0.00	1.13	20.00	0.00	0.00	37.00
SD	*8.79*	*9.25*	*0.00*	*0.00*	*0.00*	*3.56*	*0.00*	*0.00*	*0.00*	*16.97*
Other station cumulative DOS, mean	3.31	3.29	0.00	0.00	0.00	1.13	20.00	0.00	0.00	37.00
SD	*11.83*	*9.25*	*0.00*	*0.00*	*0.00*	*3.56*	*0.00*	*0.00*	*0.00*	*16.97*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Other Psychosis Patients	49401	2328	125	454	180	323	275	214	272	485
Nursing Home Care (reported for those with some nursing home care)										
Patients with some nursing home care, %	7.7%	6.1%	4.8%	7.9%	2.2%	5.3%	12.4%	4.7%	6.6%	3.3%
Number stays, mean	1.29	1.35	1.17	1.31	1.75	1.71	1.32	1.20	1.17	1.38
SD	*0.65*	*0.57*	*0.41*	*0.58*	*0.96*	*0.69*	*0.59*	*0.42*	*0.38*	*0.50*
Average LOS, mean	54.03	58.65	85.00	37.77	74.38	66.62	66.69	34.90	63.17	76.03
SD	*70.27*	*77.88*	*128.67*	*44.19*	*56.85*	*66.61*	*106.46*	*24.45*	*68.28*	*90.82*
Cumulative DOS, mean	64.81	75.03	86.67	51.81	113.50	125.12	72.71	41.40	71.67	89.81
SD	*79.26*	*95.15*	*127.56*	*76.61*	*60.41*	*135.25*	*105.28*	*28.17*	*70.00*	*95.53*
Cumulative Days of Stay, %										
1 to 7	10.9%	12.8%	16.7%	13.9%	0.0%	0.0%	20.6%	20.0%	5.6%	12.5%
8 to 14	15.2%	15.6%	16.7%	22.2%	0.0%	23.5%	17.6%	0.0%	11.1%	6.3%
15 to 44	34.5%	29.1%	33.3%	33.3%	25.0%	17.6%	26.5%	30.0%	27.8%	37.5%
45 to 89	16.5%	14.9%	0.0%	16.7%	0.0%	17.6%	8.8%	50.0%	22.2%	0.0%
90 to 179	13.0%	14.9%	16.7%	5.6%	75.0%	11.8%	14.7%	0.0%	27.8%	18.8%
180 to 359	8.1%	8.5%	16.7%	5.6%	0.0%	11.8%	5.9%	0.0%	5.6%	25.0%
360+	1.8%	4.3%	0.0%	2.8%	0.0%	17.6%	5.9%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	17.8%	21.3%	33.3%	13.9%	50.0%	41.2%	17.6%	0.0%	16.7%	31.3%
Cumul. DOS, patients with a 100+ day NH stay, mean	207.27	230.17	234.50	214.20	155.00	262.14	268.83	0.00	183.33	211.40
SD	*81.27*	*93.06*	*125.16*	*99.55*	*2.83*	*104.33*	*107.44*	*0.00*	*92.86*	*67.96*
NH patients with 150+ day NH stay, %	11.0%	13.5%	16.7%	5.6%	25.0%	29.4%	11.8%	0.0%	11.1%	25.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	250.81	281.63	323.00	308.50	153.00	310.40	334.00	0.00	223.50	230.75
SD	*70.60*	*76.77*	*0.00*	*78.49*	*0.00*	*75.51*	*47.05*	*0.00*	*86.97*	*60.52*
Other VISN cumulative DOS, mean	0.34	0.39	0.00	0.00	0.00	0.00	0.00	1.80	0.67	1.56
SD	*5.11*	*2.77*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*5.69*	*2.83*	*6.25*
Other station cumulative DOS, mean	1.02	2.16	0.00	0.00	0.00	11.24	0.00	1.80	0.67	5.19
SD	*7.62*	*9.45*	*0.00*	*0.00*	*0.00*	*22.63*	*0.00*	*5.69*	*2.83*	*11.33*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Other Psychosis Patients	49401	2328	125	454	180	323	275	214	272	485
Outpatient utilization										
(reported for those with some outpatient care)										
Patients with some outpatient care, %	99.7%	99.5%	99.2%	100.0%	99.4%	99.4%	98.5%	100.0%	98.9%	100.0%
annual visit days, mean	19.52	14.74	20.08	13.64	14.35	16.63	17.99	17.89	15.00	9.95
SD	*24.21*	*16.08*	*13.79*	*16.10*	*11.45*	*21.28*	*14.32*	*16.26*	*18.20*	*11.84*
Outpatient visit days, %										
1-12	49.1%	57.6%	33.9%	60.1%	54.7%	59.5%	42.8%	45.8%	56.9%	74.8%
13-24	27.0%	26.4%	36.3%	28.2%	27.4%	20.6%	35.1%	30.8%	29.0%	17.5%
25-36	11.5%	9.5%	17.7%	6.8%	13.4%	9.0%	12.2%	13.1%	9.3%	6.0%
37-48	5.4%	3.1%	6.5%	2.2%	2.2%	5.0%	5.2%	6.1%	1.5%	0.6%
49+	7.0%	3.4%	5.6%	2.6%	2.2%	5.9%	4.8%	4.2%	3.3%	1.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	86.5%	86.2%	95.2%	80.8%	83.2%	81.3%	86.7%	91.1%	88.1%	89.9%
Mean PC visit days, among those with some PC	4.04	3.65	4.76	3.35	4.50	3.13	4.01	4.26	3.54	3.21
SD	3.94	2.89	3.59	2.26	3.29	3.25	3.05	2.93	2.48	2.66
Average number clinic stops per visit day, mean	1.55	1.62	1.75	1.63	1.51	1.54	1.65	1.68	1.71	1.56
SD	*0.52*	*0.54*	*0.52*	*0.51*	*0.48*	*0.45*	*0.58*	*0.50*	*0.53*	*0.63*
annual clinic stops (psych & non-psych), mean	30.45	23.58	33.82	21.60	21.26	26.45	29.71	28.98	25.07	15.16
SD	*40.44*	*25.89*	*23.04*	*22.33*	*17.22*	*35.58*	*26.16*	*26.22*	*29.91*	*18.30*
annual non-psych. clinic stops, mean	22.67	19.22	28.68	18.42	15.38	16.51	27.56	27.07	20.50	11.94
SD	*25.36*	*19.96*	*20.97*	*15.89*	*12.81*	*19.32*	*25.52*	*25.49*	*21.64*	*13.75*
annual psych. clinic stops (groupings below), mean	7.77	4.36	5.15	3.18	5.88	9.93	2.15	1.90	4.58	3.22
SD	*27.43*	*14.03*	*6.99*	*14.80*	*9.69*	*25.73*	*6.19*	*6.17*	*15.04*	*7.71*
1. general psych. clinic stops, mean	3.20	2.37	5.06	1.78	4.18	2.40	1.49	1.40	2.62	2.32
SD	*7.61*	*5.06*	*6.88*	*4.12*	*6.60*	*6.60*	*3.37*	*4.08*	*3.55*	*4.99*
2. psych. case management clinic stops, mean	0.14	0.32	0.00	0.00	0.17	1.75	0.00	0.00	0.10	0.25
SD	*3.20*	*5.11*	*0.00*	*0.09*	*2.32*	*13.37*	*0.00*	*0.00*	*0.74*	*1.70*
3. psych. day treatment clinic stops, mean	0.60	0.10	0.00	0.00	0.00	0.04	0.00	0.06	0.73	0.01
SD	*8.52*	*3.19*	*0.00*	*0.00*	*0.00*	*0.78*	*0.00*	*0.61*	*9.30*	*0.23*
4. substance abuse clinic stops, mean	2.24	0.77	0.01	0.35	1.18	3.02	0.38	0.41	0.28	0.38
SD	*17.04*	*5.14*	*0.09*	*2.83*	*5.64*	*10.67*	*3.60*	*4.02*	*2.56*	*3.15*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 6, continued

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Other Psychosis Patients	49401	2328	125	454	180	323	275	214	272	485
5. psych. vocational clinic stops, mean	0.74	0.42	0.00	0.83	0.00	1.46	0.00	0.00	0.39	0.05
SD	*9.63*	*6.81*	*0.00*	*12.45*	*0.00*	*8.91*	*0.06*	*0.07*	*6.34*	*0.89*
6. PTSD clinic stops, mean	0.56	0.22	0.02	0.10	0.33	0.75	0.21	0.00	0.23	0.07
SD	*5.11*	*1.79*	*0.18*	*0.57*	*2.38*	*3.05*	*2.20*	*0.00*	*2.49*	*0.63*
7. psych. homeless clinic stops, mean	0.27	0.16	0.06	0.06	0.03	0.60	0.05	0.03	0.14	0.14
SD	*2.81*	*1.37*	*0.72*	*0.61*	*0.23*	*2.86*	*0.40*	*0.31*	*1.86*	*0.91*
Other VISN OP visit days, mean	0.31	0.33	0.42	0.16	0.31	0.34	0.55	0.50	0.27	0.32
SD	*2.01*	*2.18*	*1.70*	*1.34*	*1.30*	*1.92*	*2.80*	*2.44*	*1.97*	*2.84*
Other station OP visit days, mean	0.72	0.78	1.82	0.46	1.27	0.78	0.74	0.74	0.67	0.74
SD	*3.19*	*3.03*	*3.63*	*2.01*	*2.45*	*2.90*	*2.96*	*2.77*	*2.78*	*4.02*

Table 4I FY03 Other Psychosis Patients, Pharmacy Utilization, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Other Psychosis Patients	49401	2328	125	454	180	323	275	214	272	485
Among all patients in the registry										
Pts. with any outpatient prescriptions, %	94.7%	95.7%	96.0%	98.2%	97.2%	94.7%	91.6%	96.3%	95.2%	95.7%
Patients with any oral antipsychotic fills, %*	41.4%	42.1%	52.0%	36.3%	66.7%	45.5%	38.9%	36.4%	43.8%	37.1%
Among pts. receiving any antipsychotic medication:										
Received only conventional antipsychotics, %	9.2%	11.2%	16.9%	12.7%	7.5%	10.2%	15.9%	12.8%	16.0%	4.4%
Received some atypical antipsychotics, %	90.8%	88.8%	83.1%	87.3%	92.5%	89.8%	84.1%	87.2%	84.0%	95.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %										
Aripiprazole	0.7%	0.6%	0.0%	0.0%	0.0%	0.7%	0.0%	2.6%	0.0%	1.7%
Clozapine	0.1%	0.1%	0.0%	0.0%	0.0%	0.7%	0.0%	0.0%	0.0%	0.0%
Olanzapine	27.8%	17.3%	13.8%	17.6%	14.2%	28.6%	15.9%	16.7%	14.3%	14.4%
Quetiapine	29.2%	26.9%	32.3%	12.7%	19.2%	21.1%	40.2%	23.1%	37.0%	35.0%
Risperidone	46.2%	51.3%	40.0%	60.0%	71.7%	48.3%	40.2%	53.8%	34.5%	52.8%
Ziprasidone	3.6%	3.7%	3.1%	3.0%	0.0%	2.7%	1.9%	2.6%	7.6%	6.7%
Patients receiving only one kind** of antipsychotic, %	78.8%	82.4%	87.7%	84.2%	85.0%	82.3%	80.4%	74.4%	83.2%	81.1%
Concurrent use of 2 or more antipsychotics, % ***	5.1%	4.6%	3.1%	3.6%	5.0%	5.4%	2.8%	7.7%	1.7%	6.7%
Among pts receiving just one antipsychotic:										
Antipsychotic fills, mean	5.21	4.43	5.89	4.76	3.26	4.02	4.95	3.76	5.09	4.22
SD	*4.06*	*3.64*	*5.01*	*4.03*	*2.29*	*2.96*	*3.77*	*3.19*	*3.82*	*3.58*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5I: FY03 Other Psychosis Patients, Cost, VISN 6

	All VISNs	VISN 6	517 *Beckley*	558 *Durham*	565 *Fayetteville*	590 *Hampton*	637 *Asheville*	652 *Richmond*	658 *Salem*	659 *Hefner Salisbury*
Other Psychosis Patients	49401	2328	125	454	180	323	275	214	272	485
Total Costs (in thousands $$)	$692,791	$29,654	$1,836	$4,828	$1,889	$4,202	$5,004	$3,628	$3,396	$4,870
Station % of VISN		100.0%	6.2%	16.3%	6.4%	14.2%	16.9%	12.2%	11.5%	16.4%
Psych vs. Non-Psych Costs										
Psych	16.6%	17.3%	4.5%	14.7%	33.5%	23.5%	7.3%	3.9%	29.7%	24.6%
Non-Psych	83.4%	82.7%	95.5%	85.3%	66.5%	76.5%	92.7%	96.1%	70.3%	75.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use										
Per Patient	$16,509	$15,031	$10,371	$11,143	$11,606	$12,089	$13,743	$22,273	$15,151	$25,404
Per Day of Stay	$1,028	$787	$835	$980	$714	$677	$819	$982	$546	$856
Mean Outpatient Costs, Pts with some Outpatient use										
Per Patient	$6,046	$5,036	$6,660	$5,115	$4,366	$5,289	$7,330	$5,526	$4,898	$3,206
Per Visit Day	$310	$342	$332	$375	$304	$318	$407	$309	$327	$322
By Cost Center										
1 Med	$2,712	$2,632	$3,612	$2,048	$1,463	$1,646	$3,319	$5,997	$2,249	$2,355
2 Surg	$779	$559	$737	$380	$257	$142	$1,152	$2,317	$228	$144
3 Psych	$1,494	$1,671	$48	$1,107	$2,729	$2,216	$1,126	$428	$3,037	$1,953
4 Psych Res Rehab Treatment Program	$103	$89	$14	$47	$0	$49	$228	$33	$112	$140
5 Non-VA	$203	$213	$25	$35	$604	$578	$227	$108	$126	$128
6 LTC Domiciliary	$183	$116	$0	$0	$0	$779	$3	$0	$0	$37
7 LTC Intermediate Care	$276	$472	$2,141	$23	$0	$454	$853	$1,234	$378	$152
8 LTC Nursing Home	$1,672	$1,463	$1,466	$1,135	$879	$1,584	$3,480	$944	$1,447	$1,000
9 Contract Nursing Home	$578	$510	$35	$746	$222	$304	$585	$367	$65	$926
10 OPC Med/Surg	$1,281	$1,117	$1,441	$1,169	$684	$1,449	$1,223	$2,007	$1,160	$450
11 OPC Psych	$831	$528	$609	$457	$783	$838	$195	$228	$670	$513
12 OPC Home Based Treatment	$730	$692	$495	$767	$467	$602	$2,298	$283	$350	$276
13 OPC Support	$1,493	$1,175	$1,785	$1,136	$874	$1,051	$1,747	$1,487	$1,136	$808
14 OPC Fee	$231	$188	$89	$42	$420	$174	$508	$233	$113	$113
15 OPC Pharmacy	$1,460	$1,312	$2,187	$1,543	$1,113	$1,142	$1,254	$1,287	$1,415	$1,045
TOTAL	$14,024	$12,738	$14,686	$10,635	$10,497	$13,008	$18,198	$16,954	$12,485	$10,041
Mean % Patient Costs at Other Stations	3.3%	3.7%	9.6%	2.4%	7.6%	3.9%	3.2%	2.2%	2.3%	3.5%
SD	*11.9%*	*12.2%*	*18.8%*	*9.9%*	*17.4%*	*11.3%*	*11.2%*	*9.0%*	*8.8%*	*12.9%*
Mean % Patient Costs at Other VISNs	1.3%	1.3%	1.7%	0.6%	1.4%	1.7%	1.7%	1.2%	0.9%	1.5%
SD	*7.5%*	*7.7%*	*7.1%*	*5.2%*	*7.9%*	*8.4%*	*8.5%*	*6.9%*	*5.7%*	*9.7%*

Table 1F: FY03 Psychosis Patients, Demographics, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
All Patients	217760	12758	2625	1563	1437	1404	1913	939	1920	957
Psychosis Diagnosis Group, %										
Schizophrenia	43.3%	48.5%	46.2%	56.4%	47.3%	44.9%	38.0%	51.8%	53.9%	55.7%
Bipolar Disorder	34.0%	27.3%	25.9%	24.6%	26.4%	33.3%	32.6%	32.9%	20.4%	25.6%
Other Psychoses	22.7%	24.2%	27.8%	19.1%	26.4%	21.8%	29.4%	15.3%	25.8%	18.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age, %										
<35	4.9%	4.8%	5.3%	3.6%	5.3%	4.2%	5.0%	6.2%	4.9%	3.9%
>=35 and <50	29.3%	32.0%	31.5%	34.0%	32.5%	30.7%	27.1%	33.4%	35.6%	32.4%
>=50 and <65	38.1%	36.9%	34.8%	37.3%	36.9%	39.1%	38.4%	39.3%	34.9%	37.0%
>=65 and <80	19.7%	18.5%	17.8%	18.8%	18.3%	18.7%	20.1%	15.3%	18.1%	20.8%
>=80	8.2%	7.8%	10.6%	6.3%	7.0%	7.2%	9.4%	5.8%	6.5%	6.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	56.89	56.21	56.77	56.02	55.80	56.20	57.47	54.50	55.34	56.46
SD	*14.35*	*14.19*	*15.15*	*13.54*	*13.93*	*13.99*	*14.66*	*13.25*	*13.88*	*13.49*
Gender										
Male, %	92.7%	91.6%	91.3%	90.5%	92.6%	91.0%	91.7%	93.5%	90.3%	94.6%
Female, %	7.3%	8.4%	8.7%	9.5%	7.4%	9.0%	8.3%	6.5%	9.7%	5.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %										
Hispanic white	4.8%	0.4%	0.3%	0.5%	0.3%	0.6%	0.4%	0.3%	0.5%	0.3%
Hispanic black	0.4%	0.1%	0.1%	0.3%	0.1%	0.1%	0.1%	0.2%	0.2%	0.0%
American Indian	0.3%	0.1%	0.1%	0.1%	0.2%	0.3%	0.1%	0.1%	0.0%	0.0%
Black	18.6%	38.8%	39.2%	37.7%	33.3%	42.5%	30.0%	32.3%	53.0%	37.0%
Asian	0.5%	0.1%	0.0%	0.1%	0.0%	0.3%	0.0%	0.0%	0.1%	0.0%
White	54.9%	41.2%	38.2%	47.7%	45.4%	44.3%	39.0%	42.0%	31.0%	52.1%
Race unknown	20.5%	19.3%	22.0%	13.6%	20.5%	12.0%	30.4%	25.1%	15.3%	10.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status										
Never married	28.5%	24.7%	26.8%	27.0%	23.5%	27.2%	21.8%	22.2%	23.1%	25.0%
Married	35.3%	38.7%	37.4%	33.2%	42.3%	39.5%	44.7%	38.2%	38.5%	33.6%
Divorced/Separated	30.8%	30.6%	29.0%	34.1%	29.5%	27.3%	26.3%	35.6%	32.8%	35.1%
Widowed	5.4%	6.0%	6.7%	5.7%	4.7%	6.0%	7.1%	4.1%	5.6%	6.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
All Patients	217760	12758	2625	1563	1437	1404	1913	939	1920	957
Registry Pts. History of VA Utilization										
Years since first use in prior five years, mean	4.33	4.34	4.22	4.43	4.52	4.45	4.18	4.24	4.37	4.48
SD	*1.24*	*1.22*	*1.29*	*1.16*	*1.04*	*1.11*	*1.34*	*1.26*	*1.21*	*1.13*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.9%	25.7%	25.7%	34.8%	16.2%	24.8%	19.8%	23.6%	29.0%	33.0%
SD	*29.7%*	*29.1%*	*28.4%*	*31.7%*	*22.4%*	*27.0%*	*25.5%*	*27.4%*	*31.3%*	*34.4%*
Years with OP use / Years since first use, %	96.7%	96.8%	97.0%	96.6%	97.9%	98.1%	97.0%	95.5%	97.0%	93.5%
SD	*11.4%*	*10.9%*	*9.9%*	*12.1%*	*8.1%*	*7.9%*	*10.0%*	*12.2%*	*10.0%*	*17.7%*
Psychosis Diagnoses in Prior Fiscal Year										
Had Psychosis Diagnosis in FY01, %	65.3%	63.3%	59.3%	66.5%	67.1%	65.2%	57.0%	59.7%	65.6%	72.4%
Among Patients With Psychoses in FY01										
Psychosis Category: Schizophrenia, %	54.1%	60.3%	61.2%	67.5%	59.6%	54.5%	50.2%	58.5%	64.6%	65.9%
Psychosis Category: Bipolar Disorder, %	33.9%	28.0%	28.5%	24.2%	28.1%	35.6%	33.5%	31.6%	20.6%	24.0%
Psychosis Category: Other Psychosis, %	12.0%	11.7%	10.2%	8.3%	12.2%	9.9%	16.3%	10.0%	14.8%	10.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %										
Dementia	6.2%	7.4%	7.0%	10.0%	8.0%	6.8%	7.7%	5.2%	6.8%	7.4%
Post Traumatic Stress Disorder	15.4%	18.1%	17.0%	18.4%	13.3%	13.0%	23.3%	26.1%	17.7%	18.0%
Depression	34.8%	34.9%	33.9%	38.0%	28.5%	31.1%	36.9%	49.2%	36.6%	26.9%
Other Anxiety Disorder	12.0%	11.1%	8.4%	10.5%	8.9%	10.1%	14.3%	24.4%	9.2%	8.7%
Substance Abuse or Dependence	23.3%	22.1%	26.5%	22.6%	20.3%	24.9%	16.4%	18.2%	19.6%	27.8%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
All Patients	217760	12758	2625	1563	1437	1404	1913	939	1920	957
Medical Comorbidities, %										
No medical comorbidities	15.2%	13.1%	14.6%	12.9%	17.3%	12.7%	12.3%	12.8%	10.1%	11.5%
Anemia	8.2%	9.3%	11.8%	7.9%	6.3%	7.3%	11.5%	7.0%	8.3%	11.7%
Arthritis	36.2%	39.3%	37.0%	40.6%	35.6%	31.1%	39.2%	46.4%	47.6%	38.3%
Cancer	7.9%	7.6%	11.3%	6.2%	6.0%	8.6%	8.7%	6.6%	4.7%	5.3%
Cerebrovascular Disease	6.7%	7.2%	7.3%	8.6%	5.9%	7.3%	8.4%	5.2%	6.5%	7.6%
Chronic Neurologic Disorder	15.1%	16.5%	16.2%	19.6%	14.7%	13.9%	16.5%	14.3%	19.0%	16.4%
Chronic Obstructive Pulmonary Disease	16.7%	17.2%	15.0%	20.3%	13.8%	11.9%	16.4%	17.9%	22.4%	21.4%
Chronic Viral Infection	8.4%	7.2%	8.7%	7.7%	5.0%	8.2%	5.6%	5.4%	8.6%	6.3%
Coronary Artery Disease	19.5%	17.5%	19.4%	21.4%	15.0%	18.4%	18.0%	15.1%	14.1%	16.7%
Diabetes	20.0%	23.1%	21.0%	21.8%	22.1%	25.3%	26.1%	20.6%	24.1%	23.5%
Digestive System Disease	43.5%	45.0%	45.3%	48.6%	42.8%	39.5%	45.2%	44.0%	46.6%	47.5%
Hypertension	43.2%	49.8%	46.5%	48.0%	45.0%	51.3%	52.5%	47.1%	55.1%	53.2%
Injury and Poisoning	17.9%	15.5%	15.6%	20.9%	13.6%	14.9%	13.7%	11.7%	15.5%	17.6%
Liver Disease	3.6%	3.6%	4.4%	3.4%	2.6%	3.1%	3.7%	2.3%	3.5%	5.6%
Other Endocrine	8.6%	7.3%	9.2%	7.0%	6.0%	6.5%	9.1%	3.8%	4.5%	11.4%
Peripheral Vascular Disease	4.1%	4.3%	4.6%	6.3%	3.2%	5.3%	3.5%	3.0%	3.6%	4.2%
GAF scores										
Lowest inpatient GAF score, mean	37.72	37.12	36.68	31.58	36.53	38.10	33.53	51.46	43.42	35.38
SD	*14.39*	*12.48*	*9.44*	*19.03*	*9.16*	*11.61*	*12.25*	*9.32*	*9.12*	*9.69*
Mean outpatient GAF score	50.52	50.83	52.68	44.63	50.22	46.48	50.64	55.36	54.46	50.03
SD	*11.04*	*9.34*	*7.52*	*8.99*	*8.85*	*11.69*	*9.84*	*7.48*	*6.95*	*9.10*
At least 1 IP GAF, among pts with MH bedsections, %	38.4%	36.8%	44.5%	23.6%	52.7%	24.8%	35.5%	19.2%	24.1%	70.1%
At least 1 OP GAF, among pts with MH clinic stops, %	80.0%	89.8%	92.6%	82.7%	89.0%	86.8%	89.2%	88.3%	93.3%	95.3%
Mortality rates										
died in FY02, %	3.1%	3.3%	3.0%	3.9%	3.8%	2.8%	4.1%	2.2%	2.3%	5.1%
Age-and-gender-adjusted Standardized Mortality Ratio	1.32	1.52	1.26	1.87	1.77	1.32	1.67	1.24	1.11	2.37

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
All Patients	217760	12758	2625	1563	1437	1404	1913	939	1920	957
Service Connection (SC)										
Non-SC	51.0%	47.9%	45.5%	48.3%	46.3%	49.3%	44.5%	50.6%	49.1%	55.5%
SC 0 - 29%	8.7%	9.3%	9.0%	9.0%	10.2%	10.1%	8.8%	11.0%	9.5%	6.6%
SC 30 - 69%	10.8%	12.6%	12.5%	10.3%	14.7%	11.9%	14.5%	14.6%	11.5%	10.3%
SC 70 - 99%	7.3%	8.2%	7.4%	6.7%	9.9%	8.1%	10.5%	6.8%	8.6%	6.3%
SC 100%	22.1%	22.1%	25.6%	25.7%	19.0%	20.6%	21.7%	17.0%	21.4%	21.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %										
Complex*	17.3%	15.9%	12.3%	30.9%	7.3%	10.9%	8.1%	14.4%	18.3%	33.8%
Basic vested, Cat A*	76.6%	79.1%	81.9%	64.6%	89.3%	84.4%	83.8%	81.2%	77.8%	63.0%
Basic Non-vested, Cat A*	1.0%	0.7%	0.7%	0.8%	0.6%	0.3%	1.9%	0.4%	0.4%	0.2%
Basic, Cats C and N	5.1%	4.3%	5.1%	3.7%	2.9%	4.4%	6.2%	4.0%	3.5%	3.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded										
Patient eligibility category, %										
Cat A (SC or low income)	94.6%	95.4%	94.6%	95.8%	96.9%	95.4%	93.7%	95.5%	96.1%	96.7%
Cat C (NSC and higher income)	4.7%	4.3%	5.2%	3.3%	3.0%	4.3%	6.2%	4.5%	3.4%	2.9%
Non-Veteran	0.6%	0.3%	0.2%	0.8%	0.1%	0.2%	0.1%	0.0%	0.5%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %										
BASIC 1. Non-reliant Care	0.1%	0.1%	0.0%	0.2%	0.1%	0.0%	0.1%	0.1%	0.1%	0.4%
2. Basic Medical	16.7%	18.0%	17.2%	12.1%	20.9%	21.2%	21.1%	19.8%	17.9%	13.6%
3. Mental Health	36.3%	36.6%	38.3%	27.6%	43.5%	39.7%	36.9%	41.7%	35.7%	27.9%
4. Heart / Lung / GI	7.7%	7.9%	7.7%	6.7%	10.0%	7.3%	11.1%	8.4%	6.8%	2.9%
5. Oncology / Infectious Disease	3.9%	3.7%	5.5%	3.0%	1.9%	3.1%	4.1%	3.2%	3.5%	3.0%
6. Multiple Medical	18.0%	17.8%	19.0%	19.5%	16.3%	17.9%	18.6%	12.4%	17.7%	18.4%
COMPLEX 7. Specialized Care	2.6%	2.9%	3.2%	3.5%	2.3%	4.0%	2.1%	2.7%	3.5%	0.9%
8. Support Care	2.8%	2.3%	2.3%	4.0%	1.9%	1.1%	2.3%	3.1%	2.2%	1.4%
9. Chronic Mental	9.6%	8.7%	5.0%	20.5%	2.9%	5.3%	2.5%	4.2%	10.8%	25.9%
10. Critically Ill	2.2%	2.0%	1.8%	2.9%	0.3%	0.4%	1.2%	4.5%	1.8%	5.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
All Patients	217760	12758	2625	1563	1437	1404	1913	939	1920	957
Substance Dependence and Abuse										
Any dx of alcohol / drug dependence or abuse, %	23.3%	22.1%	26.5%	22.6%	20.3%	24.9%	16.4%	18.2%	19.6%	27.8%
Homelessness										
Homelessness indicated in FY02, %	11.5%	9.0%	10.0%	15.5%	5.9%	5.3%	3.8%	14.9%	10.6%	6.4%
Residence in Metropolitan Area										
Residing in a Metropolitan Statistical Area, %	79.7%	73.5%	86.1%	75.4%	82.0%	78.4%	75.0%	42.9%	61.2%	67.8%
Distance										
Mile from Closest VA Medical Center, mean	32.17	32.94	22.01	22.18	37.95	40.13	38.13	51.98	37.07	25.07
SD	*68.58*	*28.19*	*19.60*	*24.30*	*32.82*	*33.26*	*23.71*	*27.89*	*28.11*	*27.07*
Distance from closest VA Medical Center, %										
0 to 15 miles	49.0%	39.4%	49.5%	56.9%	42.7%	35.0%	27.3%	10.6%	30.4%	54.6%
15 to 30 miles	16.3%	13.9%	25.8%	13.6%	7.1%	15.0%	9.4%	8.1%	11.2%	10.0%
30 to 45 miles	10.3%	13.3%	10.2%	8.7%	8.3%	8.0%	14.3%	23.9%	23.2%	12.9%
45 to 60 miles	8.1%	14.4%	7.9%	10.0%	13.2%	9.3%	27.2%	25.5%	15.3%	10.1%
60 plus miles	16.2%	19.0%	6.6%	10.8%	28.7%	32.7%	21.8%	31.9%	19.8%	12.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.73	14.88	13.92	14.83	12.35	14.20	13.17	22.53	16.86	14.35
SD	*13.09*	*13.93*	*12.19*	*14.88*	*10.84*	*11.91*	*10.65*	*18.07*	*17.15*	*14.60*
Distance to closest VA Service Site, %										
0 to 15 miles	77.0%	61.9%	66.0%	62.9%	68.4%	60.0%	63.5%	42.3%	58.3%	65.6%
15 to 30 miles	14.9%	21.9%	20.6%	17.8%	22.9%	27.1%	28.2%	21.6%	19.0%	17.1%
30 to 45 miles	5.7%	12.2%	10.8%	14.2%	7.9%	11.3%	8.2%	21.7%	15.4%	12.1%
45 plus miles	2.4%	4.0%	2.5%	5.1%	0.8%	1.6%	0.2%	14.4%	7.3%	5.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3F: FY03 Psychosis Patients, Utilization, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
All Patients	217760	12758	2625	1563	1437	1404	1913	939	1920	957
Hospital Based Utilization										
Patients with some Hospital Based Utilization, %	27.2%	28.0%	27.1%	41.5%	17.5%	30.6%	22.1%	19.8%	29.6%	36.9%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)										
Inpatient stays, mean	1.83	1.79	1.65	2.09	1.50	1.75	1.73	1.52	1.82	1.92
SD	*1.43*	*1.43*	*1.15*	*1.89*	*1.12*	*1.22*	*1.36*	*1.04*	*1.48*	*1.44*
Average LOS, mean	13.07	13.21	8.63	16.47	7.97	6.52	7.95	6.85	10.06	43.07
SD	*30.84*	*31.21*	*9.44*	*36.81*	*7.44*	*7.93*	*5.87*	*9.00*	*9.65*	*75.90*
Cumulative DOS, mean	21.85	21.69	14.42	28.83	12.19	11.53	13.64	10.63	17.80	64.08
SD	*40.46*	*41.10*	*20.63*	*48.25*	*15.33*	*15.51*	*14.07*	*17.92*	*19.43*	*90.35*
Cumulative DOS, %										
1 to 7	39.9%	39.5%	42.5%	34.4%	51.6%	53.0%	39.3%	59.1%	33.9%	16.1%
8 to 14	21.8%	23.6%	25.2%	18.8%	20.6%	24.0%	32.7%	22.6%	25.7%	17.0%
15 to 44	27.7%	26.9%	27.7%	30.9%	24.6%	18.4%	22.7%	15.1%	32.5%	32.3%
45 to 89	6.9%	6.2%	3.5%	9.0%	2.4%	4.2%	5.0%	2.7%	6.9%	13.9%
90 to 179	2.3%	2.3%	1.0%	4.6%	0.8%	0.5%	0.2%	0.0%	0.9%	10.2%
180 to 359	0.9%	1.0%	0.0%	1.7%	0.0%	0.0%	0.0%	0.5%	0.2%	6.2%
360+	0.6%	0.6%	0.1%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	4.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	2.1%	2.6%	0.3%	4.3%	0.0%	0.0%	0.0%	0.5%	0.5%	16.7%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	237.76	226.20	251.50	208.29	0.00	0.00	0.00	200.00	139.33	238.71
SD	*95.14*	*89.28*	*160.51*	*80.27*	*0.00*	*0.00*	*0.00*	*0.00*	*38.99*	*91.70*
Hospital patients who had a 150+ day hosp. stay, %	1.3%	1.6%	0.1%	2.2%	0.0%	0.0%	0.0%	0.5%	0.0%	11.9%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	290.80	272.40	365.00	263.07	0.00	0.00	0.00	200.00	0.00	275.02
SD	*77.65*	*79.81*	*0.00*	*74.58*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*81.96*
Cumulative DOS at Other VISNs	0.59	0.64	0.40	0.89	1.90	0.44	0.56	0.45	0.28	0.77
SD	*4.28*	*4.03*	*2.79*	*5.21*	*7.44*	*3.19*	*3.32*	*2.66*	*2.63*	*4.14*
Cumulative DOS at Other Stations	1.83	2.36	1.05	2.13	7.10	1.05	2.61	6.32	0.91	3.54
SD	*7.27*	*8.43*	*5.31*	*7.95*	*13.39*	*5.92*	*6.81*	*17.39*	*3.91*	*10.17*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
All Patients	217760	12758	2625	1563	1437	1404	1913	939	1920	957
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)										
Pts. with non-psych hospital stays, %	14.0%	13.9%	13.6%	19.8%	11.5%	18.5%	10.9%	13.1%	11.9%	12.6%
Inpatient stays, mean	0.85	0.80	0.80	0.82	0.92	1.00	0.80	1.02	0.60	0.61
SD	*1.20*	*1.12*	*1.11*	*1.20*	*1.00*	*1.17*	*1.18*	*1.11*	*0.95*	*1.16*
Average LOS, mean	7.54	7.32	7.45	10.61	6.21	4.34	7.19	4.88	8.31	7.36
SD	*13.36*	*11.91*	*11.36*	*20.49*	*7.63*	*5.23*	*8.08*	*5.45*	*10.12*	*10.01*
Cumulative Days of Stay, mean	6.52	6.09	6.23	9.07	5.81	4.54	5.75	5.13	4.85	5.39
SD	*17.31*	*17.03*	*17.90*	*27.34*	*11.22*	*10.76*	*11.37*	*8.75*	*10.64*	*16.99*
Cumulative Days of Stay, %										
0	48.5%	50.4%	49.6%	52.3%	34.5%	39.5%	50.7%	33.9%	59.9%	65.7%
1 to 7	29.2%	28.9%	27.8%	24.5%	45.6%	41.9%	26.8%	44.6%	20.2%	19.5%
8 to 14	9.8%	8.9%	9.1%	7.7%	9.1%	9.8%	10.4%	13.4%	9.1%	4.5%
15 to 44	10.2%	9.6%	11.1%	11.0%	9.5%	8.1%	10.2%	7.0%	9.5%	7.1%
45 to 89	1.8%	1.6%	2.0%	2.8%	0.8%	0.5%	1.9%	1.1%	0.9%	1.7%
90 to 179	0.4%	0.5%	0.1%	1.2%	0.4%	0.2%	0.0%	0.0%	0.4%	1.4%
180 to 359	0.1%	0.1%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.1%	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.4%	0.3%	1.2%	0.0%	0.0%	0.0%	0.0%	0.2%	0.6%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	206.57	190.54	251.50	195.63	0.00	0.00	0.00	0.00	108.00	150.50
SD	*85.33*	*88.14*	*160.51*	*84.31*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*6.36*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.1%	0.1%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	268.22	335.00	365.00	320.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*74.94*	*51.96*	*0.00*	*63.64*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.14*	*0.08*	*0.04*	*0.10*	*0.30*	*0.14*	*0.12*	*0.03*	*0.00*	*0.02*
SD	1.82	1.28	0.44	1.27	2.40	2.49	1.05	0.37	0.06	0.43
Other station cumulative DOS, mean	0.51	0.50	0.13	0.36	0.71	0.33	0.68	0.83	0.33	1.45
SD	*3.43*	*3.27*	*1.05*	*2.54*	*5.21*	*4.79*	*3.14*	*3.98*	*1.53*	*4.65*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
All Patients	217760	12758	2625	1563	1437	1404	1913	939	1920	957
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)										
Pts. with psych hospital stays, %	15.8%	16.7%	15.2%	26.0%	7.7%	14.7%	13.1%	7.8%	20.7%	30.4%
Inpatient stays, mean	0.98	0.99	0.85	1.26	0.58	0.75	0.93	0.50	1.22	1.32
SD	*1.28*	*1.31*	*1.06*	*1.83*	*0.98*	*1.04*	*1.21*	*0.79*	*1.36*	*1.10*
Average LOS, mean	17.54	17.77	9.60	19.87	10.84	9.27	8.59	10.43	10.91	53.84
SD	*38.98*	*39.88*	*7.14*	*43.10*	*6.87*	*9.66*	*4.99*	*14.56*	*9.71*	*84.40*
Cumulative Days of Stay, mean	15.33	15.59	8.20	19.76	6.38	6.99	7.89	5.49	12.95	58.69
SD	*38.37*	*39.08*	*13.78*	*43.18*	*12.62*	*13.11*	*11.69*	*17.15*	*18.11*	*90.67*
Cumulative Days of Stay, %										
0	41.8%	40.2%	43.7%	37.2%	56.3%	52.1%	40.5%	60.8%	30.1%	17.6%
1 to 7	18.6%	18.0%	19.8%	17.0%	15.1%	18.4%	20.1%	19.4%	21.4%	9.1%
8 to 14	14.1%	17.3%	18.3%	15.1%	12.3%	17.4%	24.2%	11.8%	18.3%	15.3%
15 to 44	17.8%	17.2%	15.9%	20.2%	15.1%	8.6%	12.1%	5.9%	24.4%	26.9%
45 to 89	4.7%	4.3%	1.5%	5.6%	0.8%	3.3%	2.8%	1.6%	5.3%	12.5%
90 to 179	1.7%	1.7%	0.7%	3.1%	0.4%	0.2%	0.2%	0.0%	0.4%	8.2%
180 to 359	0.8%	1.0%	0.0%	1.4%	0.0%	0.0%	0.0%	0.5%	0.2%	7.1%
360+	0.5%	0.4%	0.0%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	3.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	1.8%	2.2%	0.0%	3.1%	0.0%	0.0%	0.0%	0.5%	0.4%	16.1%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	239.50	229.49	0.00	212.50	0.00	0.00	0.00	199.00	149.50	238.79
SD	*96.26*	*88.44*	*0.00*	*80.97*	*0.00*	*0.00*	*0.00*	*0.00*	*47.38*	*91.28*
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.2%	1.5%	0.0%	1.9%	0.0%	0.0%	0.0%	0.5%	0.0%	11.9%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	291.18	266.89	0.00	253.58	0.00	0.00	0.00	199.00	0.00	272.31
SD	*78.31*	*78.83*	*0.00*	*74.28*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*80.68*
Other VISN cumulative DOS, mean	0.45	0.56	0.36	0.80	1.60	0.30	0.44	0.42	0.28	0.75
SD	*3.83*	*3.82*	*2.76*	*5.03*	*7.09*	*2.01*	*3.16*	*2.64*	*2.62*	*4.13*
Other station cumulative DOS, mean	1.32	1.85	0.91	1.78	6.38	0.72	1.93	5.49	0.58	2.09
SD	*6.36*	*7.74*	*5.16*	*7.27*	*12.62*	*3.55*	*6.11*	*17.15*	*3.59*	*8.93*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
All Patients	217760	12758	2625	1563	1437	1404	1913	939	1920	957
Other 24 hour institutional care										
Patients with some other 24 hour institutional care, %	8.5%	5.4%	4.2%	10.1%	0.4%	1.4%	2.6%	17.7%	6.1%	7.3%
Residential Rehab (rep. for those w/ res rehab care)										
Patients with some residential rehab. care, %	1.8%	0.1%	0.0%	0.2%	0.0%	0.0%	0.1%	0.0%	0.5%	0.0%
Number stays, mean	1.12	1.00	1.00	1.00	0.00	0.00	1.00	0.00	1.00	0.00
SD	*0.38*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	34.01	31.69	1.00	29.67	0.00	0.00	17.00	0.00	38.30	0.00
SD	*38.25*	*26.47*	*0.00*	*15.04*	*0.00*	*0.00*	*15.56*	*0.00*	*29.80*	*0.00*
Cumulative DOS, mean	37.28	31.69	1.00	29.67	0.00	0.00	17.00	0.00	38.30	0.00
SD	*40.79*	*26.47*	*0.00*	*15.04*	*0.00*	*0.00*	*15.56*	*0.00*	*29.80*	*0.00*
Cumulative Days of Stay, %										
1 to 7	12.3%	18.8%	100.0%	0.0%	0.0%	0.0%	50.0%	0.0%	10.0%	0.0%
8 to 14	12.7%	6.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	10.0%	0.0%
15 to 44	50.7%	56.3%	0.0%	66.7%	0.0%	0.0%	50.0%	0.0%	60.0%	0.0%
45 to 89	15.8%	6.3%	0.0%	33.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	7.0%	12.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	20.0%	0.0%
180 to 359	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	0.0%	0.0%	100.0%	0.0%	100.0%	0.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	175.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.56*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	237.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*73.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.12	11.06	1.00	29.67	0.00	0.00	17.00	0.00	5.30	0.00
SD	*6.40*	*14.98*	*0.00*	*15.04*	*0.00*	*0.00*	*15.56*	*0.00*	*11.20*	*0.00*
Other station cumulative DOS, mean	3.58	11.06	1.00	29.67	0.00	0.00	17.00	0.00	5.30	0.00
SD	*10.93*	*14.98*	*0.00*	*15.04*	*0.00*	*0.00*	*15.56*	*0.00*	*11.20*	*0.00*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
All Patients	217760	12758	2625	1563	1437	1404	1913	939	1920	957
Domiciliary and Vocational										
(reported for those with some dom/voc care)										
Patients with some dom/voc care, %	2.8%	2.0%	0.2%	5.6%	0.0%	0.4%	0.2%	11.0%	2.4%	0.2%
Number stays, mean	1.13	1.09	1.00	1.11	0.00	1.00	1.00	1.09	1.09	1.00
SD	*0.38*	*0.31*	*0.00*	*0.35*	*0.00*	*0.00*	*0.00*	*0.28*	*0.35*	*0.00*
Average LOS, mean	85.20	58.75	91.20	67.93	0.00	14.60	19.25	47.67	72.42	19.50
SD	*90.51*	*57.43*	*71.66*	*61.92*	*0.00*	*8.29*	*11.41*	*55.78*	*48.49*	*19.09*
Cumulative DOS, mean	92.74	63.37	91.20	74.57	0.00	14.60	19.25	51.08	77.50	19.50
SD	*94.18*	*59.90*	*71.66*	*64.79*	*0.00*	*8.29*	*11.41*	*56.97*	*52.33*	*19.09*
Cumulative Days of Stay, %										
1 to 7	6.9%	5.9%	20.0%	2.3%	0.0%	20.0%	25.0%	3.9%	10.9%	50.0%
8 to 14	6.1%	7.1%	0.0%	8.0%	0.0%	20.0%	0.0%	6.8%	6.5%	0.0%
15 to 44	29.6%	37.2%	0.0%	26.1%	0.0%	60.0%	75.0%	55.3%	15.2%	50.0%
45 to 89	19.5%	24.1%	40.0%	30.7%	0.0%	0.0%	0.0%	18.4%	28.3%	0.0%
90 to 179	22.9%	20.2%	40.0%	27.3%	0.0%	0.0%	0.0%	9.7%	32.6%	0.0%
180 to 359	10.1%	5.1%	0.0%	4.5%	0.0%	0.0%	0.0%	5.8%	6.5%	0.0%
360+	5.0%	0.4%	0.0%	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	31.6%	18.6%	40.0%	20.5%	0.0%	0.0%	0.0%	11.7%	32.6%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	203.50	161.26	164.50	166.89	0.00	0.00	0.00	185.42	134.73	0.00
SD	*90.08*	*59.65*	*19.09*	*75.86*	*0.00*	*0.00*	*0.00*	*53.75*	*33.34*	*0.00*
Dom. patients with 150+ day Dom. stay, %	18.0%	7.5%	40.0%	6.8%	0.0%	0.0%	0.0%	8.7%	4.3%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	259.61	215.53	164.50	253.83	0.00	0.00	0.00	206.67	191.50	0.00
SD	*79.66*	*56.31*	*19.09*	*71.02*	*0.00*	*0.00*	*0.00*	*44.05*	*9.19*	*0.00*
Other VISN cumulative DOS, mean	1.54	1.18	0.80	1.77	0.00	0.00	14.00	0.26	1.20	0.00
SD	*8.76*	*6.94*	*1.79*	*8.95*	*0.00*	*0.00*	*16.17*	*2.66*	*7.96*	*0.00*
Other station cumulative DOS, mean	3.75	2.78	0.80	3.33	0.00	14.60	19.25	1.35	1.70	19.50
SD	*14.14*	*10.32*	*1.79*	*10.96*	*0.00*	*8.29*	*11.41*	*8.22*	*11.35*	*19.09*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
All Patients	217760	12758	2625	1563	1437	1404	1913	939	1920	957
Nursing Home Care										
(reported for those with some nursing home care)										
Patients with some nursing home care, %	4.5%	3.4%	3.9%	4.5%	0.4%	1.1%	2.2%	6.9%	3.4%	7.1%
Number stays, mean	1.24	1.16	1.17	1.13	1.00	1.40	1.19	1.18	1.11	1.13
SD	*0.60*	*0.43*	*0.41*	*0.34*	*0.00*	*0.83*	*0.45*	*0.43*	*0.40*	*0.45*
Average LOS, mean	99.56	114.70	74.73	132.51	31.17	41.43	100.41	94.61	107.77	215.17
SD	*118.68*	*124.88*	*100.77*	*137.33*	*18.73*	*32.49*	*110.13*	*110.67*	*121.18*	*130.70*
Cumulative DOS, mean	111.19	125.80	84.29	145.28	31.17	54.33	117.33	107.12	111.17	229.84
SD	*123.23*	*129.65*	*108.55*	*142.45*	*18.73*	*43.69*	*124.28*	*115.75*	*120.16*	*129.45*
Cumulative Days of Stay, %										
1 to 7	9.0%	7.3%	13.6%	5.6%	16.7%	0.0%	4.7%	4.6%	9.1%	2.9%
8 to 14	10.6%	11.4%	20.4%	4.2%	0.0%	6.7%	9.3%	9.2%	21.2%	1.5%
15 to 44	27.5%	24.9%	26.2%	32.4%	50.0%	46.7%	30.2%	29.2%	18.2%	7.4%
45 to 89	15.4%	13.5%	10.7%	15.5%	33.3%	26.7%	16.3%	20.0%	7.6%	8.8%
90 to 179	13.8%	14.0%	12.6%	8.5%	0.0%	20.0%	11.6%	18.5%	21.2%	11.8%
180 to 359	11.4%	15.3%	12.6%	11.3%	0.0%	0.0%	18.6%	7.7%	16.7%	32.4%
360+	12.4%	13.5%	3.9%	22.5%	0.0%	0.0%	9.3%	10.8%	6.1%	35.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	33.0%	38.4%	28.2%	39.4%	0.0%	6.7%	37.2%	29.2%	39.4%	72.1%
Cumul. DOS, patients with a 100+ day NH stay, mean	263.62	269.14	235.62	303.64	0.00	114.00	259.44	258.74	234.31	298.10
SD	*97.17*	*94.03*	*93.00*	*87.93*	*0.00*	*0.00*	*90.77*	*104.07*	*101.21*	*77.04*
NH patients with 150+ day NH stay, %	25.7%	31.4%	20.4%	35.2%	0.0%	0.0%	32.6%	20.0%	27.3%	67.6%
Cumul. DOS, patients with a 150+ day NH stay, mean	299.88	299.73	276.33	324.48	0.00	0.00	280.00	313.46	284.17	305.17
SD	*76.08*	*74.72*	*75.57*	*66.80*	*0.00*	*0.00*	*76.54*	*75.58*	*80.35*	*73.50*
Other VISN cumulative DOS, mean	0.41	0.24	0.17	0.00	0.00	0.00	0.00	0.00	0.05	1.26
SD	*5.60*	*4.19*	*1.68*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.37*	*10.43*
Other station cumulative DOS, mean	1.17	0.72	0.17	1.31	4.33	5.47	0.00	0.11	0.05	1.26
SD	*8.68*	*6.50*	*1.68*	*7.20*	*7.71*	*21.17*	*0.00*	*0.87*	*0.37*	*10.43*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
All Patients	217760	12758	2625	1563	1437	1404	1913	939	1920	957
Outpatient utilization										
(reported for those with some outpatient care)										
Patients with some outpatient care, %	99.1%	99.2%	99.6%	98.4%	100.0%	99.9%	99.7%	99.3%	99.4%	95.7%
annual visit days, mean	24.61	23.65	23.50	38.13	16.57	21.83	19.88	15.67	21.68	33.72
SD	*33.05*	*31.53*	*38.13*	*48.25*	*14.74*	*22.47*	*18.98*	*18.94*	*28.19*	*48.28*
Outpatient visit days, %										
1-12	44.2%	45.1%	46.2%	34.9%	50.0%	40.5%	43.8%	57.7%	48.8%	40.2%
13-24	26.4%	26.2%	25.8%	22.0%	29.3%	29.8%	28.8%	25.8%	25.1%	21.3%
25-36	11.9%	12.6%	12.1%	12.7%	12.2%	14.8%	13.3%	9.1%	11.9%	14.2%
37-48	5.9%	5.7%	4.8%	7.3%	4.5%	6.9%	6.8%	3.1%	4.8%	7.4%
49+	11.5%	10.5%	11.1%	23.1%	4.0%	8.1%	7.2%	4.3%	9.3%	16.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	79.4%	76.8%	54.7%	61.4%	83.2%	86.9%	90.1%	89.8%	85.6%	81.2%
Mean PC visit days, among those with some PC	3.84	3.61	3.37	3.08	3.42	3.68	4.14	3.66	3.69	3.48
SD	3.72	3.02	2.55	2.54	2.43	3.59	3.46	2.87	3.01	3.09
Average number clinic stops per visit day, mean	1.49	1.54	1.65	1.55	1.46	1.45	1.39	1.68	1.52	1.69
SD	*0.47*	*0.50*	*0.54*	*0.51*	*0.43*	*0.37*	*0.36*	*0.65*	*0.47*	*0.56*
annual clinic stops (psych & non-psych), mean	37.56	37.56	39.47	62.25	24.35	31.56	27.89	29.48	34.99	54.27
SD	*56.64*	*58.39*	*62.98*	*92.40*	*24.02*	*33.48*	*28.07*	*44.10*	*61.68*	*73.42*
annual non-psych. clinic stops, mean	20.14	20.72	20.17	33.47	17.20	18.12	18.89	16.11	18.84	22.85
SD	*25.25*	*24.66*	*23.40*	*40.77*	*18.80*	*16.86*	*18.70*	*16.79*	*19.93*	*29.55*
annual psych. clinic stops (groupings below), mean	17.42	16.84	19.30	28.78	7.15	13.44	9.00	13.37	16.15	31.42
SD	*43.44*	*43.25*	*48.75*	*58.58*	*11.49*	*26.50*	*17.29*	*32.55*	*54.06*	*58.89*
1. general psych. clinic stops, mean	7.22	7.30	8.96	9.04	5.58	7.64	6.64	5.00	5.17	10.04
SD	*13.49*	*11.84*	*14.74*	*14.35*	*8.45*	*10.43*	*11.75*	*7.43*	*6.71*	*14.59*
2. psych. case management clinic stops, mean	1.44	1.58	2.06	3.37	0.09	0.01	0.19	0.00	1.78	6.02
SD	*12.10*	*12.23*	*14.89*	*18.08*	*1.77*	*0.16*	*1.35*	*0.00*	*10.28*	*24.84*
3. psych. day treatment clinic stops, mean	2.80	2.31	3.17	3.86	0.07	2.81	0.00	0.00	5.20	1.19
SD	*21.66*	*23.56*	*28.06*	*22.84*	*0.95*	*17.07*	*0.05*	*0.07*	*43.88*	*6.60*
4. substance abuse clinic stops, mean	3.26	2.47	3.93	3.07	0.75	2.26	0.78	3.99	1.64	3.98
SD	*19.07*	*15.43*	*25.76*	*12.07*	*4.61*	*13.51*	*6.04*	*17.22*	*11.25*	*13.17*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
All Patients	217760	12758	2625	1563	1437	1404	1913	939	1920	957
5. psych. vocational clinic stops, mean	1.73	2.04	0.65	6.80	0.02	0.14	0.43	1.70	1.23	9.54
SD	*15.65*	*16.86*	*7.13*	*30.64*	*0.32*	*1.87*	*5.57*	*12.59*	*8.06*	*41.52*
6. PTSD clinic stops, mean	0.56	0.93	0.50	2.05	0.30	0.38	0.77	2.64	0.81	0.95
SD	*4.85*	*7.25*	*4.53*	*11.30*	*1.75*	*3.02*	*5.01*	*15.76*	*7.19*	*3.93*
7. psych. homeless clinic stops, mean	0.41	0.21	0.28	0.23	0.27	0.16	0.12	0.04	0.32	0.10
SD	*3.32*	*1.65*	*2.12*	*1.82*	*1.97*	*0.99*	*1.00*	*0.54*	*2.03*	*0.67*
Other VISN OP visit days, mean	0.36	0.31	0.33	0.53	0.30	0.19	0.27	0.31	0.24	0.29
SD	2.35	2.28	2.99	3.16	1.88	1.40	1.50	1.84	2.22	1.62
Other station OP visit days, mean	0.91	1.06	0.50	1.85	0.91	0.43	0.59	1.65	0.98	3.11
SD	3.87	4.18	3.28	5.89	3.44	2.20	2.77	4.92	3.95	6.73

Table 4F: FY03 Psychosis Patients, Pharmacy Utilization, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
All Patients	217760	12758	2625	1563	1437	1404	1913	939	1920	957
Among all patients in the registry										
Pts. with any outpatient prescriptions, %	95.5%	96.7%	96.2%	96.0%	97.8%	98.3%	96.0%	96.7%	98.0%	93.6%
Patients with any oral antipsychotic fills, %*	59.2%	65.9%	59.3%	66.2%	69.9%	65.1%	64.4%	63.7%	74.7%	66.8%
Among pts. Receiving any antipsychotic medication:										
Received only conventional antipsychotics, %	12.3%	11.8%	11.5%	16.5%	11.6%	13.0%	9.4%	7.5%	9.8%	16.7%
Received some atypical antipsychotics, %	87.7%	88.2%	88.5%	83.5%	88.4%	87.0%	90.6%	92.5%	90.2%	83.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %										
Aripiprazole	1.2%	0.6%	0.7%	0.1%	1.7%	1.3%	0.1%	0.2%	0.1%	0.9%
Clozapine	1.8%	1.4%	1.3%	4.3%	0.5%	2.5%	0.2%	0.0%	0.1%	3.6%
Olanzapine	35.8%	33.7%	35.1%	37.5%	33.1%	27.8%	38.6%	28.6%	35.8%	24.1%
Quetiapine	26.2%	28.6%	25.6%	18.8%	31.1%	23.6%	40.1%	29.8%	30.6%	27.5%
Risperidone	36.7%	35.6%	37.8%	28.0%	38.6%	37.2%	28.7%	37.6%	38.1%	41.0%
Ziprasidone	5.2%	7.2%	3.5%	11.2%	2.5%	14.3%	9.6%	18.1%	2.7%	2.0%
Patients receiving only one kind** of antipsychotic, %	73.8%	73.9%	75.1%	77.9%	74.1%	70.0%	67.2%	75.6%	76.8%	74.3%
Concurrent use of 2 or more antipsychotics, % ***	11.3%	9.3%	12.1%	5.6%	9.6%	12.9%	12.9%	3.0%	4.7%	12.2%
Among pts receiving just one antipsychotic:										
Antipsychotic fills, mean	7.06	6.99	6.87	8.69	7.60	6.20	7.27	6.45	6.92	4.73
SD	*5.06*	4.85	4.74	6.10	4.47	4.52	4.54	4.48	4.32	4.50
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5F: FY03 Psychosis Patients, Cost, VISN 7

	All VISNs	VISN 7	508	509	521	534	544	557	619	679
			Decatur	*Augusta*	*Birmingham*	*Charleston*	*Columbia SC*	*Dublin*	*Montgomery*	*Tuscaloosa*
All Patients	217760	12758	2625	1563	1437	1404	1913	939	1920	957
Total Costs (in thousands $$)	$3,237,460	$169,909	$30,866	$33,958	$11,121	$14,661	$18,946	$9,547	$26,284	$24,524
Station % of VISN		100.0%	18.2%	20.0%	6.5%	8.6%	11.2%	5.6%	15.5%	14.4%
Psych vs. Non-Psych Costs										
Psych	30.3%	31.8%	23.9%	32.6%	19.5%	33.8%	27.1%	16.2%	35.5%	51.0%
Non-Psych	69.7%	68.2%	76.1%	67.4%	80.5%	66.2%	72.9%	83.8%	64.5%	49.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use										
Per Patient	$18,395	$17,582	$15,047	$21,803	$14,139	$12,581	$14,120	$9,585	$18,487	$30,378
Per Day of Stay	$842	$811	$1,043	$756	$1,159	$1,091	$1,036	$902	$1,039	$474
Mean Outpatient Costs, Pts with some Outpatient use										
Per Patient	$6,757	$6,416	$5,973	$9,546	$5,083	$6,180	$5,324	$4,520	$6,543	$8,811
Per Visit Day	$275	$271	$254	$250	$307	$283	$268	$289	$302	$261
Mean Patient Costs, By Cost Center										
1 Med	$1,582	$1,699	$2,056	$3,515	$1,309	$1,487	$1,225	$846	$1,662	$512
2 Surg	$536	$502	$435	$1,224	$451	$616	$294	$336	$314	$369
3 Psych	$2,886	$2,720	$1,585	$4,300	$719	$1,750	$1,596	$716	$3,502	$10,324
4 Psych Res Rehab Treatment Program	$218	$14	$13	$15	$0	$0	$5	$0	$57	$0
5 Non-VA	$205	$151	$75	$86	$56	$215	$219	$181	$58	$533
6 LTC Domiciliary	$327	$132	$0	$726	$0	$10	$13	$532	$3	$6
7 LTC Intermediate Care	$167	$69	$2	$0	$45	$0	$14	$0	$0	$818
8 LTC Nursing Home	$1,785	$1,456	$1,229	$2,202	$6	$76	$929	$2,759	$1,556	$4,629
9 Contract Nursing Home	$467	$211	$415	$265	$69	$112	$302	$310	$30	$1
10 OPC Med/Surg	$1,071	$975	$1,213	$1,454	$890	$773	$850	$682	$1,014	$427
11 OPC Psych	$1,624	$1,519	$1,222	$2,789	$790	$1,776	$1,087	$927	$1,353	$2,747
12 OPC Home Based Treatment	$751	$820	$547	$1,069	$489	$670	$584	$348	$1,231	$1,994
13 OPC Support	$1,322	$1,311	$1,404	$1,981	$1,209	$1,023	$921	$906	$1,546	$1,244
14 OPC Fee	$148	$139	$44	$194	$150	$117	$91	$246	$155	$277
15 OPC Pharmacy	$1,778	$1,601	$1,518	$1,906	$1,556	$1,816	$1,774	$1,377	$1,206	$1,744
TOTAL	$14,867	$13,318	$11,758	$21,726	$7,739	$10,442	$9,904	$10,167	$13,689	$25,626
Mean % Patient Costs at Other Stations	3.9%	4.9%	2.8%	4.8%	7.8%	2.5%	4.4%	9.2%	3.7%	8.6%
SD	*12.8%*	*14.2%*	*11.7%*	*13.0%*	*19.3%*	*10.1%*	*14.1%*	*18.6%*	*11.5%*	*16.1%*
Mean % Patient Costs at Other VISNs	1.5%	1.5%	1.5%	1.6%	2.1%	1.0%	1.8%	1.3%	0.9%	1.2%
SD	*8.0%*	*8.0%*	*8.4%*	*8.3%*	*10.1%*	*6.6%*	*9.1%*	*7.4%*	*5.9%*	*6.5%*

Table 1G: FY03 Schizophrenic Patients, Demographics, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Schizophrenic Patients	94395	6184	1214	881	679	630	727	486	1034	533
Age, %										
<35	3.9%	4.1%	5.1%	2.5%	4.6%	3.7%	3.6%	4.7%	5.0%	2.8%
>=35 and <50	32.5%	37.9%	39.0%	37.0%	39.3%	37.9%	35.5%	35.8%	40.7%	34.1%
>=50 and <65	44.6%	41.7%	43.1%	39.1%	41.8%	45.2%	44.7%	40.5%	38.4%	41.5%
>=65 and <80	15.7%	13.7%	11.2%	17.6%	11.8%	11.6%	13.6%	15.0%	12.6%	18.6%
>=80	3.3%	2.7%	1.6%	3.8%	2.5%	1.6%	2.6%	3.9%	3.3%	3.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	54.59	53.36	52.07	54.96	52.74	52.46	53.66	54.11	52.99	55.12
SD	*11.97*	*11.54*	*11.05*	*12.12*	*11.03*	*10.83*	*11.38*	*12.09*	*11.85*	*11.70*
Gender										
Male, %	94.6%	93.0%	92.3%	92.7%	92.9%	93.5%	92.7%	95.3%	91.7%	95.5%
Female, %	5.4%	7.0%	7.7%	7.3%	7.1%	6.5%	7.3%	4.7%	8.3%	4.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %										
Hispanic white	6.9%	0.4%	0.2%	0.7%	0.6%	0.3%	0.8%	0.2%	0.3%	0.2%
Hispanic black	0.6%	0.1%	0.0%	0.3%	0.1%	0.0%	0.1%	0.0%	0.2%	0.0%
American Indian	0.3%	0.1%	0.1%	0.0%	0.4%	0.0%	0.1%	0.0%	0.0%	0.0%
Black	26.5%	53.6%	53.9%	48.9%	48.2%	61.9%	45.8%	45.3%	68.1%	47.5%
Asian	0.8%	0.1%	0.1%	0.1%	0.0%	0.5%	0.0%	0.0%	0.1%	0.0%
White	52.4%	32.8%	30.1%	42.7%	35.6%	29.0%	29.3%	35.8%	22.1%	46.7%
Race unknown	12.5%	12.9%	15.6%	7.3%	15.0%	8.3%	23.8%	18.7%	9.3%	5.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status										
Never married	42.4%	35.6%	37.7%	39.0%	36.2%	41.4%	34.0%	29.2%	30.2%	35.8%
Married	24.6%	28.3%	29.5%	21.6%	31.0%	29.1%	33.8%	32.1%	29.1%	20.1%
Divorced/Separated	29.5%	32.3%	29.9%	34.8%	29.1%	27.2%	28.5%	35.8%	36.1%	38.6%
Widowed	3.5%	3.8%	3.0%	4.6%	3.7%	2.2%	3.7%	2.9%	4.7%	5.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Schizophrenic Patients	94395	6184	1214	881	679	630	727	486	1034	533
Registry Pts. History of VA Utilization										
Years since first use in prior five years, mean	4.6	4.59	4.49	4.62	4.75	4.64	4.51	4.42	4.59	4.71
SD	*1.0*	*1.00*	*1.11*	*0.95*	*0.77*	*0.91*	*1.06*	*1.14*	*1.01*	*0.86*
Yrs with 24-hour institutional use / yrs since 1st use, %	27.3%	28.0%	27.6%	36.0%	16.0%	25.3%	21.3%	24.1%	31.6%	39.4%
SD	*30.9%*	*30.5%*	*29.7%*	*32.6%*	*22.5%*	*27.5%*	*27.0%*	*27.6%*	*31.8%*	*36.4%*
Years with OP use / Years since first use, %	96.7%	96.8%	97.4%	96.8%	98.2%	97.7%	97.5%	95.7%	97.2%	91.4%
SD	*12.4%*	*11.3%*	*9.1%*	*12.2%*	*7.5%*	*8.7%*	*9.2%*	*11.7%*	*9.3%*	*20.9%*
Psychosis Diagnoses in Prior Fiscal Year										
Had Psychosis Diagnosis in FY01, %	82.2%	79.3%	77.8%	66.2%	21.9%	81.2%	63.0%	27.9%	84.4%	69.4%
Among Patients With Psychoses in FY01										
Psychosis Category: Schizophrenia, %	94.8%	94.9%	95.2%	95.4%	96.3%	96.3%	94.4%	90.0%	94.6%	95.4%
Psychosis Category: Bipolar Disorder, %	2.6%	2.2%	2.3%	2.5%	2.1%	1.2%	2.5%	4.6%	1.6%	2.0%
Psychosis Category: Other Psychosis, %	2.5%	2.8%	2.4%	2.1%	1.6%	2.5%	3.1%	5.4%	3.8%	2.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %										
Dementia	2.3%	2.9%	2.0%	6.2%	1.0%	2.1%	3.9%	3.5%	1.6%	3.6%
Post Traumatic Stress Disorder	11.9%	16.2%	18.6%	16.9%	9.0%	9.8%	22.6%	23.9%	15.1%	12.9%
Depression	25.7%	27.5%	28.6%	30.4%	19.7%	23.0%	28.6%	39.9%	30.2%	17.8%
Other Anxiety Disorder	8.7%	7.8%	6.2%	7.0%	5.9%	5.6%	11.0%	15.6%	8.2%	5.3%
Substance Abuse or Dependence	22.3%	23.4%	29.8%	23.2%	21.5%	26.2%	18.0%	16.7%	20.5%	27.2%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Schizophrenic Patients	94395	6184	1214	881	679	630	727	486	1034	533
Medical Comorbidities, %										
No medical comorbidities	18.7%	15.1%	18.6%	14.5%	20.2%	13.5%	12.2%	14.4%	12.7%	12.9%
Anemia	7.1%	8.4%	10.7%	6.2%	5.6%	6.5%	11.6%	6.8%	7.5%	11.3%
Arthritis	29.7%	34.4%	32.2%	34.7%	28.9%	25.4%	35.2%	44.0%	42.3%	31.1%
Cancer	6.1%	5.9%	8.1%	5.7%	5.0%	6.5%	7.3%	6.0%	3.9%	3.8%
Cerebrovascular Disease	3.8%	4.1%	3.5%	5.4%	2.5%	3.7%	5.0%	3.9%	4.1%	4.3%
Chronic Neurologic Disorder	12.4%	14.0%	13.7%	17.4%	12.4%	10.8%	13.5%	10.9%	16.6%	13.1%
Chronic Obstructive Pulmonary Disease	16.5%	16.5%	13.5%	19.8%	11.0%	10.2%	16.1%	16.5%	22.8%	21.0%
Chronic Viral Infection	8.7%	7.9%	10.1%	8.1%	3.8%	9.8%	6.5%	5.6%	10.1%	5.8%
Coronary Artery Disease	14.6%	12.9%	13.3%	16.5%	11.8%	12.4%	13.1%	12.1%	11.0%	12.4%
Diabetes	20.3%	23.9%	19.6%	21.6%	23.3%	29.4%	29.0%	21.0%	24.7%	26.5%
Digestive System Disease	44.1%	46.0%	45.6%	48.0%	45.2%	39.8%	49.2%	45.3%	46.7%	46.3%
Hypertension	40.7%	48.8%	43.7%	45.7%	42.4%	50.3%	55.8%	48.4%	53.5%	53.1%
Injury and Poisoning	15.5%	13.8%	12.9%	17.3%	11.0%	14.1%	12.7%	10.5%	14.7%	16.1%
Liver Disease	3.2%	3.6%	4.5%	2.7%	3.1%	3.0%	4.0%	2.1%	3.9%	5.1%
Other Endocrine	6.9%	6.1%	7.7%	6.6%	4.6%	5.2%	7.3%	2.9%	3.7%	11.3%
Peripheral Vascular Disease	2.9%	2.8%	2.2%	4.4%	1.8%	3.2%	2.5%	2.5%	2.8%	3.0%
GAF scores										
Lowest inpatient GAF score, mean	36.19	35.74	35.12	29.15	35.91	35.78	31.82	47.95	43.66	34.41
SD	*14.35*	*12.49*	*9.21*	*19.45*	*8.29*	*12.10*	*12.89*	*13.62*	*9.22*	*9.27*
Mean outpatient GAF score	48.84	49.52	51.78	43.10	49.06	43.64	49.11	55.02	53.79	48.01
SD	*10.59*	*8.79*	*6.94*	*8.24*	*8.56*	*10.62*	*8.13*	*7.03*	*6.19*	*8.28*
At least 1 IP GAF, among pts with MH bedsections, %	38.5%	37.9%	46.7%	23.1%	54.1%	22.1%	35.2%	23.3%	28.5%	66.7%
At least 1 OP GAF, among pts with MH clinic stops, %	80.5%	91.1%	94.0%	82.4%	90.5%	90.6%	91.0%	90.2%	94.0%	95.6%
Mortality rates										
died in FY02, %	2.7%	2.4%	1.7%	3.6%	2.5%	1.4%	2.5%	1.9%	1.9%	4.5%
Age-and-gender-adjusted Standardized Mortality Ratio	1.68	1.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Schizophrenic Patients	94395	6184	1214	881	679	630	727	486	1034	533
Service Connection (SC)										
Non-SC	40.8%	38.6%	32.6%	39.4%	38.3%	41.7%	27.5%	43.6%	42.3%	50.7%
SC 0 - 29%	6.8%	7.7%	6.8%	7.9%	7.4%	7.3%	7.7%	10.1%	9.1%	5.4%
SC 30 - 69%	8.8%	11.3%	11.9%	10.1%	13.5%	10.3%	14.4%	13.6%	9.3%	7.7%
SC 70 - 99%	6.6%	7.9%	6.6%	5.0%	9.7%	7.9%	12.5%	7.4%	8.7%	6.4%
SC 100%	37.0%	34.5%	42.1%	37.6%	31.1%	32.7%	37.8%	25.3%	30.7%	29.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %										
Complex*	22.5%	20.2%	14.6%	37.0%	8.4%	12.7%	10.6%	11.9%	22.0%	46.5%
Basic vested, Cat A*	74.7%	77.8%	83.6%	60.2%	89.8%	85.7%	87.3%	85.6%	75.9%	52.5%
Basic Non-vested, Cat A*	1.2%	0.6%	0.7%	0.9%	0.7%	0.0%	1.4%	0.6%	0.4%	0.2%
Basic, Cats C and N	1.7%	1.4%	1.2%	1.9%	1.0%	1.6%	0.7%	1.9%	1.7%	0.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded										
Patient eligibility category, %										
Cat A (SC or low income)	98.2%	98.5%	98.8%	98.0%	98.8%	98.4%	99.3%	97.7%	98.0%	98.7%
Cat C (NSC and higher income)	1.4%	1.2%	1.1%	1.4%	1.0%	1.3%	0.7%	2.3%	1.5%	0.9%
Non-Veteran	0.5%	0.3%	0.1%	0.7%	0.1%	0.3%	0.0%	0.0%	0.6%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %										
BASIC 1. Non-reliant Care	0.2%	0.1%	0.0%	0.3%	0.1%	0.0%	0.0%	0.0%	0.2%	0.4%
2. Basic Medical	13.3%	14.8%	12.4%	9.0%	18.0%	17.6%	19.0%	21.4%	16.0%	8.4%
3. Mental Health	38.5%	38.2%	43.1%	27.5%	47.4%	44.6%	39.1%	41.4%	36.2%	25.0%
4. Heart / Lung / GI	5.8%	6.2%	5.5%	5.0%	9.6%	4.8%	9.2%	9.7%	4.9%	2.4%
5. Oncology / Infectious Disease	3.6%	3.3%	5.3%	2.5%	1.9%	3.2%	3.6%	3.3%	3.4%	2.1%
6. Multiple Medical	16.1%	17.2%	19.2%	18.7%	14.6%	17.1%	18.6%	12.3%	17.4%	15.2%
COMPLEX 7. Specialized Care	1.9%	2.1%	2.3%	2.0%	1.8%	3.0%	1.9%	2.1%	2.4%	0.6%
8. Support Care	2.3%	1.9%	1.7%	3.5%	1.3%	1.0%	2.3%	2.3%	1.7%	0.8%
9. Chronic Mental	15.7%	14.1%	9.1%	28.7%	5.2%	8.3%	4.7%	4.3%	16.2%	37.7%
10. Critically Ill	2.6%	2.1%	1.5%	2.7%	0.1%	0.5%	1.7%	3.3%	1.5%	7.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Schizophrenic Patients	94395	6184	1214	881	679	630	727	486	1034	533
Substance Dependence and Abuse										
Any dx of alcohol / drug dependence or abuse, %	22.3%	23.4%	29.8%	23.2%	21.5%	26.2%	18.0%	16.7%	20.5%	27.2%
Homelessness										
Homelessness indicated in FY02, %	12.0%	10.5%	11.4%	17.4%	7.1%	6.7%	3.2%	15.8%	12.9%	6.0%
Residence in Metropolitan Area										
Residing in a Metropolitan Statistical Area, %	81.5%	74.2%	87.8%	78.2%	85.4%	77.5%	74.4%	42.8%	61.3%	71.5%
Distance										
Mile from Closest VA Medical Center, mean	28.72	30.79	20.06	20.06	33.00	40.78	36.48	53.38	34.81	22.14
SD	*55.48*	*28.26*	*18.82*	*23.13*	*32.87*	*33.35*	*24.14*	*28.69*	*27.12*	*27.04*
Distance from closest VA Medical Center, %										
0 to 15 miles	52.9%	43.9%	54.5%	60.7%	52.2%	35.9%	30.9%	11.3%	32.0%	61.7%
15 to 30 miles	15.5%	12.9%	24.7%	13.6%	5.5%	11.4%	9.4%	7.0%	12.4%	7.7%
30 to 45 miles	9.7%	13.2%	8.5%	8.4%	7.5%	8.6%	14.4%	22.2%	24.5%	12.4%
45 to 60 miles	7.4%	12.4%	6.8%	8.1%	10.9%	10.0%	23.8%	23.9%	14.8%	6.8%
60 plus miles	14.4%	17.5%	5.4%	9.2%	23.9%	34.1%	21.5%	35.6%	16.3%	11.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	9.84	14.01	13.06	13.78	10.88	14.14	12.46	21.40	15.31	13.26
SD	*11.95*	*13.79*	*11.85*	*14.31*	*10.06*	*12.32*	*10.53*	*17.85*	*16.12*	*15.00*
Distance to closest VA Service Site, %										
0 to 15 miles	79.4%	65.5%	69.6%	66.3%	75.4%	61.3%	66.4%	45.5%	61.8%	71.3%
15 to 30 miles	13.6%	19.3%	19.0%	17.3%	17.7%	24.1%	26.0%	19.8%	18.2%	12.0%
30 to 45 miles	5.1%	11.6%	9.2%	11.9%	6.5%	13.0%	7.4%	22.0%	15.0%	11.4%
45 plus miles	1.9%	3.6%	2.3%	4.5%	0.4%	1.6%	0.1%	12.8%	5.0%	5.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Schizophrenic Patients	94395	6184	1214	881	679	630	727	486	1034	533
Hospital Based Utilization										
Patients with some Hospital Based Utilization, %	27.0%	28.7%	27.7%	38.6%	16.6%	30.2%	23.5%	18.3%	31.0%	40.0%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)										
Inpatient stays, mean	1.85	1.81	1.64	2.04	1.51	1.66	1.75	1.61	1.93	1.92
SD	*1.45*	*1.49*	*1.25*	*1.80*	*1.34*	*1.10*	*1.50*	*1.09*	*1.67*	*1.49*
Average LOS, mean	17.65	17.18	9.47	19.29	8.57	6.62	8.48	6.81	11.01	60.59
SD	*42.51*	*41.22*	*11.90*	*42.46*	*6.98*	*6.30*	*5.68*	*8.66*	*11.44*	*92.09*
Cumulative DOS, mean	28.76	27.51	16.26	32.66	13.95	11.97	14.95	12.00	20.04	85.93
SD	*53.29*	*52.25*	*26.98*	*54.78*	*19.09*	*17.54*	*15.70*	*23.05*	*22.56*	*104.51*
Cumulative DOS, %										
1 to 7	35.1%	36.5%	42.0%	32.6%	46.9%	51.1%	39.2%	59.6%	31.2%	11.7%
8 to 14	20.7%	23.0%	25.6%	18.5%	22.1%	27.9%	29.8%	19.1%	26.2%	13.1%
15 to 44	29.0%	26.7%	25.9%	30.3%	26.5%	15.8%	24.6%	16.9%	32.4%	29.6%
45 to 89	9.0%	7.5%	4.2%	9.7%	2.7%	4.2%	5.8%	3.4%	8.7%	16.0%
90 to 179	3.4%	3.6%	2.1%	5.6%	1.8%	1.1%	0.6%	0.0%	1.2%	13.1%
180 to 359	1.5%	1.7%	0.0%	2.4%	0.0%	0.0%	0.0%	1.1%	0.3%	9.9%
360+	1.2%	1.0%	0.3%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	6.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	3.8%	4.4%	0.6%	5.3%	0.0%	0.0%	0.0%	1.1%	0.9%	25.4%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	249.93	272.41	251.50	220.89	0.00	0.00	0.00	200.00	139.33	241.61
SD	*96.37*	*94.93*	*160.51*	*84.95*	*0.00*	*0.00*	*0.00*	*0.00*	*38.99*	*90.73*
Hospital patients who had a 150+ day hosp. stay, %	2.5%	3.0%	0.3%	2.9%	0.0%	0.0%	0.0%	1.1%	0.0%	19.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.78	273.49	365.00	274.30	0.00	0.00	0.00	200.00	0.00	272.85
SD	*75.28*	*79.24*	*0.00*	*71.03*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*81.75*
Cumulative DOS at Other VISNs	0.65	0.81	0.62	1.01	2.96	0.65	0.49	0.61	0.37	0.82
SD	*4.66*	*5.01*	*3.75*	*6.13*	*10.44*	*4.27*	*3.28*	*3.48*	*3.18*	*4.65*
Cumulative DOS at Other Stations	2.06	2.79	1.60	2.18	9.86	1.49	2.93	7.10	1.01	3.78
SD	*8.11*	*10.32*	*7.26*	*8.52*	*17.10*	*8.08*	*8.14*	*22.44*	*4.24*	*11.99*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Schizophrenic Patients	94395	6184	1214	881	679	630	727	486	1034	533
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)										
Pts. with non-psych hospital stays, %	11.8%	12.0%	10.9%	15.1%	9.4%	15.7%	10.9%	13.0%	11.0%	11.4%
Inpatient stays, mean	0.71	0.67	0.60	0.64	0.74	0.81	0.76	1.11	0.54	0.58
SD	*1.11*	*1.09*	*1.03*	*1.14*	*0.99*	*1.03*	*1.22*	*1.09*	*0.92*	*1.25*
Average LOS, mean	8.26	7.63	7.65	11.59	5.86	4.12	6.98	4.58	8.45	8.94
SD	*16.10*	*15.13*	*16.13*	*27.02*	*6.65*	*5.15*	*6.78*	*4.58*	*12.02*	*12.22*
Cumulative Days of Stay, mean	6.10	5.42	5.21	7.35	5.22	4.11	5.49	5.64	4.30	5.49
SD	*19.61*	*19.14*	*22.91*	*29.02*	*13.44*	*13.59*	*11.33*	*9.78*	*11.20*	*16.91*
Cumulative Days of Stay, %										
0	56.2%	58.0%	60.7%	60.9%	43.4%	47.9%	53.8%	29.2%	64.5%	71.4%
1 to 7	24.8%	25.7%	25.6%	21.5%	42.5%	38.9%	25.7%	49.4%	18.1%	13.6%
8 to 14	8.1%	6.9%	5.7%	6.5%	6.2%	6.3%	8.8%	11.2%	9.0%	3.8%
15 to 44	8.5%	7.3%	6.0%	8.2%	6.2%	5.8%	9.9%	7.9%	7.2%	7.5%
45 to 89	1.7%	1.4%	1.5%	1.5%	0.9%	0.5%	1.8%	2.2%	0.6%	2.3%
90 to 179	0.5%	0.6%	0.3%	0.9%	0.9%	0.5%	0.0%	0.0%	0.6%	1.4%
180 to 359	0.2%	0.1%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.1%	0.3%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.4%	0.5%	0.6%	1.2%	0.0%	0.0%	0.0%	0.0%	0.3%	0.5%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	225.13	210.75	251.50	232.25	0.00	0.00	0.00	0.00	108.00	146.00
SD	*88.92*	*107.50*	*160.51*	*108.34*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.2%	0.3%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	285.12	335.00	365.00	320.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*70.56*	*51.96*	*0.00*	*63.64*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.10*	*0.07*	*0.03*	*0.03*	*0.27*	*0.28*	*0.02*	*0.06*	*0.01*	*0.04*
SD	*1.58*	*1.44*	*0.40*	*0.49*	*2.73*	*3.71*	*0.23*	*0.53*	*0.08*	*0.55*
Other station cumulative DOS, mean	0.47	0.50	0.14	0.05	1.13	0.51	0.64	0.74	0.32	1.49
SD	*3.45*	*3.71*	*1.23*	*0.53*	*7.40*	*6.75*	*2.55*	*3.11*	*1.53*	*5.27*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Schizophrenic Patients	94395	6184	1214	881	679	630	727	486	1034	533
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)										
Pts. with psych hospital stays, %	17.7%	19.2%	18.5%	27.0%	9.0%	16.5%	14.4%	6.2%	23.4%	33.8%
Inpatient stays, mean	1.14	1.14	1.04	1.41	0.77	0.85	0.99	0.49	1.39	1.33
SD	*1.37*	*1.39*	*1.19*	*1.79*	*1.25*	*1.06*	*1.35*	*0.94*	*1.51*	*1.03*
Average LOS, mean	23.15	22.60	10.44	22.49	11.32	8.85	9.71	12.10	11.97	73.30
SD	*51.08*	*49.33*	*8.34*	*46.77*	*6.75*	*6.46*	*5.52*	*17.88*	*11.51*	*98.14*
Cumulative Days of Stay, mean	22.66	22.09	11.05	25.31	8.73	7.86	9.46	6.36	15.74	80.44
SD	*51.43*	*50.28*	*17.43*	*49.76*	*16.02*	*13.29*	*14.04*	*22.39*	*20.95*	*105.67*
Cumulative Days of Stay, %										
0	34.4%	33.2%	33.0%	30.0%	46.0%	45.3%	38.6%	66.3%	24.6%	15.5%
1 to 7	17.5%	17.7%	22.3%	17.1%	15.9%	18.9%	18.7%	14.6%	20.9%	6.6%
8 to 14	14.7%	18.6%	22.0%	16.8%	16.8%	22.6%	24.0%	7.9%	19.6%	12.2%
15 to 44	21.2%	19.3%	18.2%	21.2%	19.5%	9.5%	14.6%	9.0%	27.1%	23.5%
45 to 89	6.9%	5.9%	3.0%	7.9%	0.9%	3.2%	3.5%	1.1%	6.9%	15.0%
90 to 179	2.8%	2.7%	1.5%	4.4%	0.9%	0.5%	0.6%	0.0%	0.6%	10.8%
180 to 359	1.4%	1.8%	0.0%	2.1%	0.0%	0.0%	0.0%	1.1%	0.3%	10.8%
360+	1.1%	0.8%	0.0%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	5.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	3.9%	0.0%	4.1%	0.0%	0.0%	0.0%	1.1%	0.6%	24.9%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	250.18	232.61	0.00	216.43	0.00	0.00	0.00	199.00	149.50	240.66
SD	*97.20*	*88.52*	*0.00*	*82.78*	*0.00*	*0.00*	*0.00*	*0.00*	*47.38*	*90.64*
Hosp. Pts. with a 150+ day psych hosp.stay, %	2.2%	2.8%	0.0%	2.4%	0.0%	0.0%	0.0%	1.1%	0.0%	19.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.10	267.88	0.00	262.88	0.00	0.00	0.00	199.00	0.00	270.54
SD	*76.47*	*78.62*	*0.00*	*71.85*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*80.85*
Other VISN cumulative DOS, mean	0.55	0.74	0.59	0.98	2.69	0.37	0.47	0.55	0.37	0.78
SD	4.34	4.79	3.74	6.07	10.12	2.16	3.27	3.44	3.17	4.62
Other station cumulative DOS, mean	1.59	2.29	1.46	2.13	8.73	0.98	2.29	6.36	0.69	2.29
SD	7.30	9.66	7.07	8.48	16.02	4.55	7.78	22.39	4.00	10.72

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Schizophrenic Patients	94395	6184	1214	881	679	630	727	486	1034	533
Other 24 hour institutional care										
Patients with some other 24 hour institutional care, %	8.0%	5.2%	3.0%	8.6%	0.0%	1.4%	3.0%	14.8%	5.5%	8.8%
Residential Rehab (rep. for those w/ res rehab care)										
Patients with some residential rehab. care, %	1.6%	0.2%	0.1%	0.2%	0.0%	0.0%	0.1%	0.0%	0.7%	0.0%
Number stays, mean	*1.12*	*1.00*	*1.00*	*1.00*	*0.00*	*0.00*	*1.00*	*0.00*	*1.00*	*0.00*
SD	*0.37*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	36.26	33.36	1.00	21.00	0.00	0.00	28.00	0.00	42.29	0.00
SD	*45.44*	*30.88*	*0.00*	*1.41*	*0.00*	*0.00*	*0.00*	*0.00*	*35.58*	*0.00*
Cumulative DOS, mean	39.67	33.36	1.00	21.00	0.00	0.00	28.00	0.00	42.29	0.00
SD	*48.06*	*30.88*	*0.00*	*1.41*	*0.00*	*0.00*	*0.00*	*0.00*	*35.58*	*0.00*
Cumulative Days of Stay, %										
1 to 7	14.0%	18.2%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	14.3%	0.0%
8 to 14	14.7%	9.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	14.3%	0.0%
15 to 44	46.4%	54.5%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	42.9%	0.0%
45 to 89	13.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	8.9%	18.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	28.6%	0.0%
180 to 359	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	0.0%	0.0%	100.0%	0.0%	100.0%	0.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	180.59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*80.43*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	2.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	246.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*77.24*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.84	9.00	1.00	21.00	0.00	0.00	28.00	0.00	4.00	0.00
SD	*5.37*	*12.50*	*0.00*	*1.41*	*0.00*	*0.00*	*0.00*	*0.00*	*10.58*	*0.00*
Other station cumulative DOS, mean	3.24	9.00	1.00	21.00	0.00	0.00	28.00	0.00	4.00	0.00
SD	*10.31*	*12.50*	*0.00*	*1.41*	*0.00*	*0.00*	*0.00*	*0.00*	*10.58*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Schizophrenic Patients	94395	6184	1214	881	679	630	727	486	1034	533
Domiciliary and Vocational (reported for those with some dom/voc care)										
Patients with some dom/voc care, %	2.3%	2.0%	0.2%	4.9%	0.0%	0.5%	0.1%	10.1%	2.6%	0.0%
Number stays, mean	1.12	1.07	1.00	1.05	0.00	1.00	1.00	1.08	1.11	0.00
SD	*0.37*	*0.29*	*0.00*	*0.21*	*0.00*	*0.00*	*0.00*	*0.28*	*0.42*	*0.00*
Average LOS, mean	94.48	55.11	109.00	66.59	0.00	17.00	28.00	35.78	73.14	0.00
SD	*108.97*	*51.89*	*59.40*	*63.89*	*0.00*	*4.00*	*0.00*	*32.87*	*49.34*	*0.00*
Cumulative DOS, mean	100.96	59.03	109.00	69.49	0.00	17.00	28.00	39.92	79.19	0.00
SD	*111.44*	*55.14*	*59.40*	*65.73*	*0.00*	*4.00*	*0.00*	*38.53*	*54.06*	*0.00*
Cumulative Days of Stay, %										
1 to 7	7.9%	5.6%	0.0%	4.7%	0.0%	0.0%	0.0%	2.0%	14.8%	0.0%
8 to 14	6.7%	8.8%	0.0%	9.3%	0.0%	33.3%	0.0%	8.2%	7.4%	0.0%
15 to 44	31.5%	38.4%	0.0%	27.9%	0.0%	66.7%	100.0%	63.3%	7.4%	0.0%
45 to 89	17.3%	23.2%	50.0%	30.2%	0.0%	0.0%	0.0%	16.3%	25.9%	0.0%
90 to 179	17.7%	20.0%	50.0%	23.3%	0.0%	0.0%	0.0%	8.2%	37.0%	0.0%
180 to 359	9.4%	3.2%	0.0%	2.3%	0.0%	0.0%	0.0%	2.0%	7.4%	0.0%
360+	9.5%	0.8%	0.0%	2.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	0.0%
Dom. patients with 100+ day Dom. stay, %	32.0%	18.4%	50.0%	20.9%	0.0%	0.0%	0.0%	6.1%	37.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	234.98	146.74	151.00	163.00	0.00	0.00	0.00	144.00	132.50	0.00
SD	*102.95*	*57.07*	*0.00*	*81.98*	*0.00*	*0.00*	*0.00*	*39.85*	*33.75*	*0.00*
Dom. patients with 150+ day Dom. stay, %	20.9%	4.8%	50.0%	7.0%	0.0%	0.0%	0.0%	2.0%	3.7%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	291.61	207.83	151.00	240.33	0.00	0.00	0.00	190.00	185.00	0.00
SD	*80.75*	*78.39*	*0.00*	*108.36*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.18	1.15	0.00	0.79	0.00	0.00	28.00	0.55	2.04	0.00
SD	*7.65*	*6.25*	*0.00*	*3.61*	*0.00*	*0.00*	*0.00*	*3.86*	*10.39*	*0.00*
Other station cumulative DOS, mean	3.16	2.85	0.00	1.40	0.00	17.00	28.00	2.84	2.89	0.00
SD	*12.59*	*10.89*	*0.00*	*4.77*	*0.00*	*4.00*	*0.00*	*11.80*	*14.81*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Schizophrenic Patients	94395	6184	1214	881	679	630	727	486	1034	533
Nursing Home Care										
(reported for those with some nursing home care)										
Patients with some nursing home care, %	4.7%	3.1%	2.7%	3.7%	0.0%	1.0%	2.8%	5.1%	2.7%	8.8%
Number stays, mean	1.20	1.09	1.03	1.09	0.00	1.67	1.15	1.08	1.04	1.06
SD	*0.56*	*0.34*	*0.17*	*0.29*	*0.00*	*1.21*	*0.37*	*0.28*	*0.19*	*0.25*
Average LOS, mean	143.54	167.22	128.73	195.53	0.00	38.92	127.05	109.20	154.52	246.27
SD	*137.46*	*143.47*	*134.65*	*158.21*	*0.00*	*39.15*	*135.29*	*122.86*	*137.54*	*126.24*
Cumulative DOS, mean	156.00	174.26	133.03	201.06	0.00	55.00	141.20	112.60	156.71	256.94
SD	*139.76*	*144.39*	*137.33*	*155.19*	*0.00*	*45.29*	*143.83*	*121.92*	*136.48*	*126.24*
Cumulative Days of Stay, %										
1 to 7	6.8%	5.2%	15.2%	6.1%	0.0%	0.0%	5.0%	0.0%	7.1%	0.0%
8 to 14	6.5%	7.8%	9.1%	6.1%	0.0%	16.7%	10.0%	8.0%	14.3%	2.1%
15 to 44	20.5%	17.7%	21.2%	12.1%	0.0%	33.3%	25.0%	36.0%	14.3%	6.4%
45 to 89	14.1%	10.4%	6.1%	18.2%	0.0%	16.7%	15.0%	20.0%	0.0%	6.4%
90 to 179	15.1%	16.1%	15.2%	12.1%	0.0%	33.3%	15.0%	16.0%	28.6%	10.6%
180 to 359	14.7%	16.7%	24.2%	3.0%	0.0%	0.0%	10.0%	4.0%	25.0%	27.7%
360+	22.5%	26.0%	9.1%	42.4%	0.0%	0.0%	20.0%	16.0%	10.7%	46.8%
Total	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	48.0%	52.6%	45.5%	51.5%	0.0%	16.7%	40.0%	28.0%	57.1%	78.7%
Cumul. DOS, patients with a 100+ day NH stay, mean	282.12	293.26	262.27	336.47	0.00	114.00	295.88	280.14	249.75	311.54
SD	*94.85*	*92.30*	*97.41*	*75.18*	*0.00*	*0.00*	*97.71*	*106.22*	*105.91*	*75.21*
NH patients with 150+ day NH stay, %	39.8%	46.4%	36.4%	45.5%	0.0%	0.0%	35.0%	24.0%	42.9%	78.7%
Cumul. DOS, patients with a 150+ day NH stay, mean	312.43	316.22	299.42	363.07	0.00	0.00	320.71	302.67	293.08	311.54
SD	*72.26*	*71.87*	*67.20*	*3.61*	*0.00*	*0.00*	*73.35*	*96.32*	*84.00*	*75.21*
Other VISN cumulative DOS, mean	0.44	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.00
SD	*5.99*	*0.22*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.57*	*0.00*
Other station cumulative DOS, mean	1.19	0.05	0.00	0.21	0.00	0.00	0.00	0.00	0.11	0.00
SD	*9.07*	*0.55*	*0.00*	*1.22*	*0.00*	*0.00*	*0.00*	*0.00*	*0.57*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 7 continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Schizophrenic Patients	94395	6184	1214	881	679	630	727	486	1034	533
Outpatient utilization										
(reported for those with some outpatient care)										
Patients with some outpatient care, %	98.3%	98.6%	99.3%	97.5%	100.0%	100.0%	99.4%	99.2%	99.2%	92.7%
annual visit days, mean	27.64	27.32	27.14	44.78	16.93	24.56	21.73	14.49	25.09	40.46
SD	*38.39*	*37.58*	*38.99*	*53.30*	*15.22*	*27.46*	*20.16*	*15.30*	*33.88*	*56.86*
Outpatient visit days, %										
1-12	42.6%	43.0%	45.5%	31.8%	50.5%	38.6%	39.4%	60.6%	44.5%	36.2%
13-24	25.7%	25.0%	24.2%	20.0%	26.7%	29.0%	29.9%	23.7%	26.5%	19.6%
25-36	11.8%	12.7%	11.9%	12.0%	13.3%	14.8%	14.2%	9.1%	11.5%	16.0%
37-48	5.9%	5.8%	4.5%	7.2%	5.6%	6.7%	7.9%	3.3%	4.7%	7.7%
49+	14.0%	13.5%	13.9%	29.0%	4.0%	11.0%	8.6%	3.3%	12.8%	20.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	74.5%	71.2%	38.9%	56.0%	80.7%	87.0%	86.7%	88.0%	83.7%	78.1%
Mean PC visit days, among those with some PC	3.73	3.49	2.91	2.63	3.23	3.57	4.27	3.69	3.76	3.44
SD	3.83	2.99	2.30	2.25	2.30	3.08	3.68	2.99	3.22	3.02
Average number clinic stops per visit day, mean	1.45	1.51	1.61	1.51	1.45	1.45	1.37	1.63	1.49	1.61
SD	*0.45*	*0.48*	*0.49*	*0.51*	*0.42*	*0.39*	*0.35*	*0.62*	*0.48*	*0.48*
annual clinic stops (psych & non-psych), mean	41.32	43.88	46.82	75.01	24.81	35.57	30.00	26.42	41.07	62.57
SD	*65.29*	*72.70*	*80.95*	*109.78*	*25.35*	*39.66*	*29.96*	*37.90*	*77.31*	*84.27*
annual non-psych. clinic stops, mean	19.07	20.60	17.99	37.95	15.65	16.63	18.22	14.79	18.52	22.14
SD	*26.86*	*27.51*	*22.99*	*47.76*	*18.42*	*16.00*	*18.29*	*15.67*	*20.09*	*33.00*
annual psych. clinic stops (groupings below), mean	22.25	23.28	28.82	37.06	9.15	18.95	11.78	11.63	22.55	40.43
SD	*50.83*	*54.67*	*63.40*	*67.69*	*13.44*	*33.43*	*19.95*	*27.66*	*69.87*	*68.55*
1. general psych. clinic stops, mean	9.04	9.42	12.38	10.94	7.65	10.40	8.83	4.64	6.15	13.08
SD	*15.89*	*13.92*	*17.34*	*15.94*	*10.65*	*13.23*	*14.20*	*5.78*	*7.52*	*17.45*
2. psych. case management clinic stops, mean	2.76	2.99	3.89	5.87	0.18	0.01	0.43	0.00	3.08	9.90
SD	*16.59*	*16.71*	*20.14*	*23.70*	*2.57*	*0.23*	*2.01*	*0.00*	*13.33*	*31.56*
3. psych. day treatment clinic stops, mean	4.94	4.39	6.56	6.62	0.09	5.10	0.00	0.00	9.15	1.02
SD	*29.07*	*33.26*	*40.50*	*29.87*	*1.10*	*23.49*	*0.08*	*0.00*	*59.04*	*3.58*
4. substance abuse clinic stops, mean	2.71	2.95	5.38	3.71	0.73	2.86	1.12	4.02	1.71	3.12
SD	*17.49*	*17.88*	*32.07*	*12.94*	*4.82*	*14.92*	*7.15*	*18.22*	*11.47*	*11.43*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Schizophrenic Patients	94395	6184	1214	881	679	630	727	486	1034	533
5. psych. vocational clinic stops, mean	2.11	2.58	0.27	7.66	0.01	0.18	0.47	0.75	1.35	13.41
SD	*18.38*	*19.54*	*3.58*	*31.35*	*0.21*	*2.35*	*5.67*	*4.93*	*8.24*	*50.56*
6. PTSD clinic stops, mean	0.37	0.82	0.72	1.59	0.14	0.12	0.76	2.15	0.75	0.54
SD	*3.86*	*7.07*	*5.99*	*9.56*	*1.01*	*1.36*	*4.97*	*14.64*	*7.25*	*2.87*
7. psych. homeless clinic stops, mean	0.39	0.19	0.16	0.22	0.26	0.24	0.09	0.05	0.34	0.07
SD	*2.98*	*1.42*	*0.96*	*1.87*	*1.92*	*1.29*	*0.84*	*0.70*	*1.90*	*0.52*
Other VISN OP visit days, mean	0.30	0.27	0.25	0.37	0.33	0.13	0.22	0.26	0.29	0.27
SD	*2.12*	*1.90*	*1.71*	*2.07*	*2.34*	*1.22*	*1.33*	*1.60*	*2.42*	*1.83*
Other station OP visit days, mean	0.82	1.10	0.48	1.64	0.95	0.46	0.69	1.55	1.04	3.00
SD	*3.70*	*4.26*	*2.35*	*5.73*	*3.54*	*2.50*	*3.66*	*5.19*	*4.08*	*6.52*

Table 4G: FY03 Schizophrenic Patients, Pharmacy Utilization, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Schizophrenic Patients	94395	6184	1214	881	679	630	727	486	1034	533
Among all patients in the registry										
Pts. with any outpatient prescriptions, %	94.9%	96.5%	96.2%	95.5%	97.6%	98.3%	97.7%	96.9%	97.7%	91.0%
Patients with any oral antipsychotic fills, %*	78.7%	81.6%	81.4%	77.8%	86.5%	79.8%	81.8%	76.1%	86.4%	79.4%
Among pts. receiving any antipsychotic medication:										
Received only conventional antipsychotics, %	15.4%	14.1%	13.8%	17.4%	12.9%	16.5%	13.3%	7.0%	11.9%	20.3%
Received some atypical antipsychotics, %	84.6%	85.9%	86.2%	82.6%	87.1%	83.5%	86.7%	93.0%	88.1%	79.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %										
Aripiprazole	1.5%	0.8%	1.0%	0.1%	2.0%	2.2%	0.2%	0.3%	0.1%	0.9%
Clozapine	3.1%	2.3%	1.8%	6.4%	0.9%	4.4%	0.3%	0.0%	0.1%	5.4%
Olanzapine	35.7%	33.8%	34.4%	39.1%	36.3%	27.4%	37.5%	29.2%	34.9%	24.1%
Quetiapine	21.7%	24.3%	22.0%	14.6%	28.1%	16.9%	35.1%	26.5%	27.8%	24.3%
Risperidone	36.8%	35.5%	39.6%	26.7%	36.6%	35.8%	29.6%	40.3%	38.0%	37.4%
Ziprasidone	5.9%	7.7%	3.8%	10.5%	2.9%	15.5%	11.6%	20.0%	3.1%	2.6%
Patients receiving only one kind** of antipsychotic, %	70.8%	73.1%	72.8%	79.3%	72.6%	67.6%	63.5%	74.9%	77.8%	72.6%
Concurrent use of 2 or more antipsychotics, % ***	15.6%	12.3%	16.3%	6.9%	12.8%	19.3%	19.2%	3.2%	5.5%	14.9%
Among pts receiving just one antipsychotic:										
Antipsychotic fills, mean	8.10	7.77	7.58	9.80	8.46	6.95	8.29	6.96	7.56	5.17
SD	*5.37*	*5.07*	*4.88*	*6.36*	*4.49*	*4.82*	*4.46*	*4.48*	*4.28*	*5.21*
Antipsychotic Medication Possession Ratio, mean	0.83	0.78	0.73	0.83	0.78	0.80	0.81	0.69	0.74	0.97
SD	*0.33*	*0.34*	*0.33*	*0.34*	*0.31*	*0.30*	*0.33*	*0.35*	*0.32*	*0.34*
Antipsychotic Med Possession Ratio <= 0.80, %	37.1%	44.1%	52.2%	36.7%	41.7%	42.6%	44.1%	55.9%	49.8%	19.9%
Antipsychotic Med Possession Ratio <= 0.50, %	18.0%	23.0%	28.0%	19.9%	20.4%	18.6%	19.1%	35.6%	27.0%	9.8%

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 4G: FY03 Schizophrenic Patients, Cost, VISN 7

	All VISNs	VISN 7	508	509	521	534	544	557	619	679
			Decatur	*Augusta*	*Birmingham*	*Charleston*	*Columbia SC*	*Dublin*	*Montgomery*	*Tuscaloosa*
Schizophrenic Patients	94395	6184	1214	881	679	630	727	486	1034	533
Total Costs (in thousands $$)	$1,637,013	$92,432	$14,492	$19,526	$5,173	$6,961	$8,463	$4,560	$15,768	$17,489
Station % of VISN		100.0%	15.7%	21.1%	5.6%	7.5%	9.2%	4.9%	17.1%	18.9%
Psych vs. Non-Psych Costs										
Psych	34.5%	37.7%	31.4%	38.4%	24.5%	39.1%	30.8%	16.2%	39.5%	53.1%
Non-Psych	65.5%	62.3%	68.6%	61.6%	75.5%	60.9%	69.2%	83.8%	60.5%	46.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use										
Per Patient	$21,945	$19,394	$14,538	$20,895	$13,977	$12,615	$15,147	$10,369	$20,322	$39,361
Per Day of Stay	$763	$705	$894	$640	$1,002	$1,054	$1,013	$864	$1,014	$458
Mean Outpatient Costs, Pts with some Outpatient use										
Per Patient	$7,323	$7,011	$6,046	$10,638	$5,106	$6,772	$5,962	$4,370	$7,109	$9,892
Per Visit Day	$265	$257	$223	$238	$302	$276	$274	$302	$283	$245
By Cost Center										
1 Med	$1,399	$1,482	$1,604	$2,541	$1,063	$1,461	$1,291	$815	$1,646	$566
2 Surg	$470	$358	$321	$419	$312	$439	$268	$379	$356	$409
3 Psych	$4,062	$3,720	$2,098	$5,104	$951	$1,904	$2,004	$705	$4,307	$14,754
4 Psych Res Rehab Treatment Program	$217	$20	$15	$18	$0	$0	$11	$0	$80	$0
5 Non-VA	$230	$172	$80	$89	$85	$230	$257	$207	$49	$655
6 LTC Domiciliary	$302	$122	$0	$584	$0	$16	$15	$438	$6	$0
7 LTC Intermediate Care	$166	$86	$4	$0	$87	$0	$0	$0	$0	$878
8 LTC Nursing Home	$2,633	$1,853	$1,417	$2,706	$0	$43	$1,563	$2,087	$1,718	$6,381
9 Contract Nursing Home	$664	$219	$397	$330	$14	$185	$304	$416	$34	$0
10 OPC Med/Surg	$930	$873	$1,028	$1,247	$744	$819	$747	$612	$968	$360
11 OPC Psych	$1,916	$1,922	$1,652	$3,406	$914	$2,417	$1,578	$815	$1,717	$2,659
12 OPC Home Based Treatment	$933	$984	$436	$1,440	$457	$540	$653	$322	$1,484	$2,762
13 OPC Support	$1,243	$1,262	$1,200	$1,996	$1,079	$880	$948	$857	$1,521	$1,173
14 OPC Fee	$130	$124	$32	$136	$142	$108	$53	$239	$110	$324
15 OPC Pharmacy	$2,047	$1,748	$1,653	$2,147	$1,770	$2,008	$1,948	$1,489	$1,255	$1,890
TOTAL	$17,342	$14,947	$11,937	$22,164	$7,618	$11,049	$11,641	$9,382	$15,250	$32,812
Mean % Patient Costs at Other Stations	3.6%	4.7%	3.0%	4.0%	8.5%	2.2%	4.3%	8.7%	3.3%	7.3%
SD	*12.4%*	*14.1%*	*12.3%*	*12.1%*	*20.6%*	*9.3%*	*13.9%*	*18.6%*	*11.1%*	*14.4%*
Mean % Patient Costs at Other VISNs	1.3%	1.3%	1.3%	1.3%	2.0%	0.8%	1.4%	1.5%	0.9%	1.0%
SD	*7.5%*	*7.5%*	*7.9%*	*7.3%*	*10.3%*	*6.0%*	*8.1%*	*8.1%*	*5.8%*	*6.3%*

Table 1H: FY03 Bipolar Patients, Demographics, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Bipolar Patients	73964	3481	681	384	379	468	624	309	391	245
Age, %										
<35	7.9%	8.4%	10.6%	6.0%	9.2%	6.9%	8.2%	9.4%	7.9%	7.8%
>=35 and <50	36.3%	38.0%	39.2%	39.6%	38.8%	36.0%	32.7%	36.9%	46.0%	37.6%
>=50 and <65	40.3%	38.5%	36.0%	40.9%	36.9%	41.8%	41.7%	39.5%	34.0%	36.3%
>=65 and <80	13.3%	13.1%	11.9%	11.2%	14.0%	13.3%	15.2%	11.7%	11.5%	16.3%
>=80	2.2%	2.0%	2.3%	2.3%	1.1%	2.1%	2.2%	2.6%	0.5%	2.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	52.26	51.67	50.70	52.23	51.17	52.38	52.80	51.40	49.90	53.22
SD	*12.50*	*12.54*	*13.07*	*12.14*	*12.29*	*12.14*	*13.03*	*12.34*	*11.54*	*12.84*
Gender										
Male, %	88.2%	84.6%	82.2%	83.9%	87.6%	83.5%	86.7%	89.0%	78.0%	89.8%
Female, %	11.8%	15.4%	17.8%	16.1%	12.4%	16.5%	13.3%	11.0%	22.0%	10.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %										
Hispanic white	2.8%	0.4%	0.4%	0.3%	0.0%	0.9%	0.2%	0.3%	0.5%	0.8%
Hispanic black	0.3%	0.1%	0.1%	0.3%	0.3%	0.0%	0.2%	0.3%	0.0%	0.0%
American Indian	0.3%	0.2%	0.1%	0.3%	0.0%	0.6%	0.2%	0.3%	0.0%	0.0%
Black	10.4%	18.9%	24.7%	16.1%	12.1%	16.2%	15.5%	14.6%	30.9%	17.1%
Asian	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
White	62.5%	57.1%	50.8%	63.0%	65.4%	67.7%	51.3%	47.9%	52.2%	66.5%
Race unknown	23.5%	23.3%	23.8%	20.1%	22.2%	14.5%	32.7%	36.6%	16.4%	15.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status										
Never married	21.0%	16.7%	22.5%	10.4%	14.1%	18.2%	17.5%	14.6%	16.7%	12.5%
Married	37.7%	43.8%	38.8%	45.6%	48.5%	43.3%	48.3%	40.9%	40.0%	46.7%
Divorced/Separated	37.9%	35.8%	35.7%	40.4%	34.7%	32.8%	30.6%	40.3%	41.0%	35.0%
Widowed	3.4%	3.7%	2.9%	3.6%	2.7%	5.8%	3.6%	4.2%	2.3%	5.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Bipolar Patients	73964	3481	681	384	379	468	624	309	391	245
Registry Pts. History of VA Utilization										
Years since first use in prior five years, mean	4.2	4.19	4.05	4.20	4.39	4.35	4.09	3.94	4.30	4.31
SD	*1.3*	*1.29*	*1.35*	*1.33*	*1.09*	*1.16*	*1.36*	*1.40*	*1.25*	*1.25*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.1%	22.6%	22.6%	30.9%	14.4%	25.4%	18.6%	20.1%	26.7%	23.4%
SD	*29.2%*	*27.1%*	*26.9%*	*30.2%*	*20.6%*	*27.3%*	*24.4%*	*26.3%*	*30.3%*	*28.7%*
Years with OP use / Years since first use, %	96.7%	97.0%	96.5%	96.5%	97.7%	98.5%	96.9%	95.2%	97.7%	95.7%
SD	*10.5%*	*10.1%*	*10.4%*	*12.2%*	*8.2%*	*7.1%*	*9.6%*	*13.0%*	*8.9%*	*12.1%*
Psychosis Diagnoses in Prior Fiscal Year										
Had Psychosis Diagnosis in FY01, %	65.0%	64.8%	66.2%	63.0%	69.4%	72.9%	58.5%	51.5%	67.8%	69.4%
Among Patients With Psychoses in FY01										
Psychosis Category: Schizophrenia, %	3.8%	4.7%	6.9%	3.7%	1.9%	5.0%	3.0%	3.1%	6.0%	7.1%
Psychosis Category: Bipolar Disorder, %	94.8%	93.9%	92.2%	94.2%	97.3%	93.8%	95.3%	95.6%	92.1%	90.6%
Psychosis Category: Other Psychosis, %	1.4%	1.4%	0.9%	2.1%	0.8%	1.2%	1.6%	1.3%	1.9%	2.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %										
Dementia	1.7%	2.2%	1.2%	4.4%	1.8%	1.9%	2.4%	1.9%	1.8%	3.7%
Post Traumatic Stress Disorder	21.3%	21.0%	17.5%	20.1%	16.9%	16.2%	27.1%	28.5%	19.7%	24.9%
Depression	44.5%	43.8%	40.2%	45.1%	35.9%	41.2%	46.2%	66.0%	44.5%	33.5%
Other Anxiety Disorder	16.3%	16.7%	13.1%	16.1%	13.7%	17.5%	17.9%	37.2%	8.7%	14.7%
Substance Abuse or Dependence	29.8%	25.4%	32.7%	25.5%	22.7%	29.1%	18.9%	22.0%	21.0%	29.4%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Bipolar Patients	73964	3481	681	384	379	468	624	309	391	245
Medical Comorbidities, %										
No medical comorbidities	15.4%	14.4%	16.3%	13.8%	21.1%	16.5%	12.3%	12.3%	9.0%	11.8%
Anemia	5.6%	6.1%	6.5%	5.5%	2.6%	5.6%	8.5%	4.2%	5.6%	9.0%
Arthritis	42.4%	44.5%	41.0%	46.4%	40.6%	38.5%	44.6%	46.3%	55.5%	48.6%
Cancer	6.2%	5.4%	7.3%	5.5%	3.2%	6.4%	5.4%	6.5%	2.8%	4.5%
Cerebrovascular Disease	3.8%	4.3%	2.5%	8.1%	2.6%	3.4%	6.6%	2.9%	4.1%	4.5%
Chronic Neurologic Disorder	14.8%	16.3%	15.9%	19.8%	12.1%	14.1%	16.7%	15.9%	18.4%	19.2%
Chronic Obstructive Pulmonary Disease	16.0%	16.3%	14.8%	18.0%	15.8%	12.2%	15.1%	16.2%	20.5%	22.9%
Chronic Viral Infection	9.6%	7.2%	8.8%	7.8%	6.6%	7.9%	5.8%	6.8%	6.6%	6.1%
Coronary Artery Disease	16.8%	14.4%	14.1%	20.6%	11.9%	15.4%	13.9%	13.9%	11.5%	14.3%
Diabetes	17.4%	20.0%	16.7%	20.8%	17.7%	19.9%	25.0%	17.2%	22.3%	18.4%
Digestive System Disease	43.2%	42.9%	42.7%	46.1%	38.5%	39.7%	42.0%	43.0%	45.3%	49.8%
Hypertension	38.5%	42.6%	37.3%	45.6%	37.7%	41.2%	45.8%	40.1%	47.1%	50.2%
Injury and Poisoning	19.9%	16.0%	15.4%	23.2%	14.2%	14.5%	13.3%	11.3%	18.9%	19.6%
Liver Disease	3.8%	3.4%	4.4%	3.9%	1.8%	2.8%	3.4%	3.2%	1.8%	6.1%
Other Endocrine	10.0%	9.1%	10.1%	9.4%	6.9%	8.1%	12.0%	3.2%	6.9%	15.1%
Peripheral Vascular Disease	3.0%	3.4%	3.4%	5.2%	2.9%	3.8%	3.2%	2.9%	2.8%	3.3%
Lowest inpatient GAF score, mean	39.59	39.24	38.67	35.22	41.75	37.30	34.07	53.89	42.57	37.06
SD	*14.06*	*12.43*	*9.68*	*18.06*	*9.59*	*9.71*	*12.12*	*4.56*	*10.05*	*9.35*
Mean outpatient GAF score	53.41	53.78	55.23	48.35	53.67	50.86	53.34	56.49	57.27	54.28
SD	*10.75*	*9.32*	*7.88*	*9.23*	*8.04*	*11.82*	*9.90*	*6.90*	*7.22*	*9.42*
At least 1 IP GAF, among pts with MH bedsections, %	39.1%	36.3%	42.5%	30.0%	48.0%	24.6%	33.0%	17.9%	19.4%	76.7%
At least 1 OP GAF, among pts with MH clinic stops, %	81.5%	90.2%	92.8%	83.1%	90.4%	86.6%	90.0%	85.7%	96.2%	96.6%
Mortality rates										
died in FY02, %	1.5%	1.9%	1.3%	2.6%	1.8%	2.6%	2.4%	1.0%	0.8%	2.4%
Age-and-gender-adjusted Standardized Mortality Ratio	1.07	1.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Bipolar Patients	73964	3481	681	384	379	468	624	309	391	245
Service Connection (SC)										
Non-SC	55.9%	52.3%	50.7%	57.8%	47.2%	50.2%	49.5%	58.3%	52.7%	59.6%
SC 0 - 29%	10.0%	10.7%	10.9%	9.9%	16.1%	11.5%	9.5%	11.3%	9.5%	6.5%
SC 30 - 69%	13.4%	15.5%	15.6%	13.3%	19.0%	14.7%	16.3%	15.2%	15.1%	14.3%
SC 70 - 99%	8.9%	9.9%	10.0%	9.1%	10.8%	11.5%	11.5%	6.5%	9.5%	7.3%
SC 100%	11.8%	11.5%	12.9%	9.9%	6.9%	12.0%	13.1%	8.7%	13.3%	12.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %										
Complex*	12.2%	9.5%	7.3%	19.5%	3.4%	6.6%	4.3%	12.9%	12.5%	18.0%
Basic vested, Cat A*	80.3%	83.0%	84.0%	72.1%	93.1%	85.0%	85.6%	80.3%	82.6%	74.7%
Basic Non-vested, Cat A*	0.9%	0.5%	0.6%	0.5%	0.3%	0.9%	1.1%	0.0%	0.0%	0.4%
Basic, Cats C and N	6.6%	7.0%	8.1%	7.8%	3.2%	7.5%	9.0%	6.8%	4.9%	6.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded										
Patient eligibility category, %										
Cat A (SC or low income)	93.2%	92.8%	91.8%	91.7%	96.8%	92.5%	90.9%	92.9%	94.9%	93.1%
Cat C (NSC and higher income)	5.9%	6.8%	7.8%	7.3%	3.2%	7.3%	8.8%	7.1%	4.9%	6.1%
Non-Veteran	0.9%	0.4%	0.4%	1.0%	0.0%	0.2%	0.3%	0.0%	0.3%	0.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %										
BASIC 1. Non-reliant Care	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.4%
2. Basic Medical	15.2%	17.0%	14.2%	14.6%	20.6%	18.4%	19.4%	16.8%	16.4%	14.7%
3. Mental Health	40.5%	43.5%	45.1%	34.1%	48.8%	45.3%	43.3%	47.2%	42.2%	39.6%
4. Heart / Lung / GI	6.9%	7.1%	6.3%	8.1%	7.7%	6.8%	8.8%	7.1%	6.6%	3.3%
5. Oncology / Infectious Disease	4.3%	3.9%	6.3%	3.6%	1.6%	2.1%	4.0%	4.2%	4.1%	3.7%
6. Multiple Medical	20.7%	19.1%	20.7%	20.1%	17.9%	20.7%	19.9%	11.7%	18.2%	20.4%
COMPLEX 7. Specialized Care	2.2%	1.8%	2.8%	3.1%	1.3%	1.9%	1.3%	1.3%	1.0%	1.2%
8. Support Care	2.1%	1.6%	1.5%	1.8%	1.6%	0.4%	0.6%	4.2%	2.3%	1.2%
9. Chronic Mental	6.8%	5.4%	2.6%	13.0%	0.5%	4.3%	1.8%	5.5%	9.2%	13.9%
10. Critically Ill	1.1%	0.7%	0.4%	1.6%	0.0%	0.0%	0.6%	1.9%	0.0%	1.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Bipolar Patients	73964	3481	681	384	379	468	624	309	391	245
Substance Dependence and Abuse										
Any dx of alcohol / drug dependence or abuse, %	29.8%	25.4%	32.7%	25.5%	22.7%	29.1%	18.9%	22.0%	21.0%	29.4%
Homelessness										
Homelessness indicated in FY02, %	13.8%	8.5%	11.0%	14.8%	5.3%	4.7%	4.2%	13.9%	10.2%	5.3%
Residence in Metropolitan Area										
Residing in a Metropolitan Statistical Area, %	79.3%	73.3%	84.6%	71.6%	76.5%	81.4%	76.1%	47.6%	63.2%	66.1%
Distance										
Mile from Closest VA Medical Center, mean	34.15	36.67	23.46	25.83	51.78	38.83	39.44	52.73	42.19	26.78
SD	*73.16*	*28.52*	*19.83*	*25.87*	*30.58*	*33.59*	*22.96*	*26.37*	*29.58*	*26.37*
Distance from closest VA Medical Center, %										
0 to 15 miles	46.2%	32.9%	44.3%	51.8%	21.9%	36.1%	23.7%	7.4%	26.1%	48.6%
15 to 30 miles	17.2%	15.0%	28.3%	12.5%	7.9%	18.4%	9.9%	9.1%	10.5%	14.3%
30 to 45 miles	10.6%	12.5%	12.2%	8.1%	6.9%	6.2%	13.8%	23.9%	20.2%	11.0%
45 to 60 miles	8.5%	16.6%	7.6%	13.3%	18.5%	8.5%	30.1%	29.1%	13.6%	13.9%
60 plus miles	17.4%	23.0%	7.5%	14.3%	44.9%	30.8%	22.4%	30.4%	29.7%	12.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.09	15.77	14.26	16.64	14.81	14.23	13.49	23.63	18.60	14.34
SD	*13.59*	*14.12*	*12.35*	*15.89*	*11.82*	*11.56*	*10.53*	*18.11*	*18.69*	*13.15*
Distance to closest VA Service Site, %										
0 to 15 miles	76.3%	58.2%	64.0%	58.9%	55.9%	59.6%	62.7%	38.5%	54.2%	61.2%
15 to 30 miles	15.4%	25.3%	21.9%	17.4%	31.9%	29.1%	29.3%	25.2%	22.5%	24.5%
30 to 45 miles	5.7%	11.8%	11.5%	16.9%	10.8%	9.4%	8.0%	19.7%	12.3%	9.8%
45 plus miles	2.7%	4.7%	2.6%	6.8%	1.3%	1.9%	0.0%	16.5%	11.0%	4.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3H: FY03 Bipolar Patients, Utilization, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Bipolar Patients	73964	3481	681	384	379	468	624	309	391	245
Hospital Based Utilization										
Patients with some Hospital Based Utilization, %	25.4%	24.8%	25.7%	40.9%	13.2%	28.0%	20.0%	16.8%	24.6%	31.0%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)										
Inpatient stays, mean	1.80	1.80	1.62	2.18	1.48	2.02	1.62	1.31	1.76	1.95
SD	*1.41*	*1.41*	*0.97*	*2.08*	*0.79*	*1.45*	*1.23*	*0.81*	*1.25*	*1.37*
Average LOS, mean	9.79	9.10	7.76	13.52	6.84	5.67	7.27	5.34	8.25	17.10
SD	*17.76*	*17.73*	*5.78*	*34.91*	*7.43*	*8.02*	*5.83*	*3.83*	*5.40*	*24.44*
Cumulative DOS, mean	17.09	16.18	12.94	24.54	9.48	11.31	11.78	6.77	15.26	34.04
SD	*27.94*	*28.63*	*12.91*	*44.57*	*10.04*	*13.87*	*12.80*	*5.66*	*15.96*	*56.69*
Cumulative DOS, %										
1 to 7	44.7%	45.5%	45.1%	40.8%	60.0%	55.7%	44.0%	67.3%	38.5%	25.0%
8 to 14	21.9%	24.2%	23.4%	20.4%	20.0%	18.3%	36.0%	25.0%	27.1%	23.7%
15 to 44	25.9%	23.4%	28.6%	26.1%	20.0%	21.4%	15.2%	7.7%	27.1%	31.6%
45 to 89	5.3%	5.0%	2.9%	7.0%	0.0%	4.6%	4.8%	0.0%	6.3%	11.8%
90 to 179	1.5%	1.4%	0.0%	4.5%	0.0%	0.0%	0.0%	0.0%	1.0%	5.3%
180 to 359	0.5%	0.2%	0.0%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%
360+	0.1%	0.2%	0.0%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	1.0%	1.2%	0.0%	3.8%	0.0%	0.0%	0.0%	0.0%	0.0%	5.3%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	203.75	212.22	0.00	197.83	0.00	0.00	0.00	0.00	0.00	233.75
SD	*79.71*	*86.57*	*0.00*	*84.88*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*103.57*
Hospital patients who had a 150+ day hosp. stay, %	0.6%	0.5%	0.0%	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	251.69	276.25	0.00	247.00	0.00	0.00	0.00	0.00	0.00	364.00
SD	*73.28*	*101.69*	*0.00*	*101.87*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.67	0.65	0.33	1.14	1.64	0.41	0.59	0.37	0.23	0.89
SD	*4.53*	*3.29*	*2.00*	*4.91*	*3.82*	*2.52*	*3.33*	*1.69*	*2.25*	*3.97*
Cumulative DOS at Other Stations	1.97	2.04	0.64	2.41	5.98	0.77	2.19	4.71	1.06	3.21
SD	*7.12*	*5.58*	*2.86*	*7.37*	*8.52*	*3.11*	*4.97*	*5.15*	*4.60*	*7.09*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Bipolar Patients	73964	3481	681	384	379	468	624	309	391	245
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)										
Pts. with non-psych hospital stays, %	11.7%	11.3%	10.4%	19.5%	8.2%	16.5%	7.9%	8.4%	8.7%	11.8%
Inpatient stays, mean	0.72	0.74	0.62	0.82	0.86	1.12	0.62	0.69	0.51	0.63
SD	*1.10*	*1.11*	*1.00*	*1.14*	*0.83*	*1.32*	*1.24*	*0.92*	*0.82*	*1.13*
Average LOS, mean	6.20	6.02	6.65	8.70	4.73	3.27	6.87	4.13	6.26	6.23
SD	*10.70*	*9.25*	*7.40*	*14.88*	*7.87*	*3.69*	*11.12*	*3.58*	*5.81*	*7.59*
Cumulative Days of Stay, mean	4.64	4.75	4.70	7.77	3.54	3.74	3.90	2.75	3.28	5.80
SD	*13.49*	*13.82*	*11.61*	*22.85*	*6.71*	*6.93*	*10.13*	*4.69*	*6.91*	*20.14*
Cumulative Days of Stay, %										
0	54.1%	54.5%	59.4%	52.2%	38.0%	41.2%	60.8%	50.0%	64.6%	61.8%
1 to 7	30.1%	30.0%	24.0%	29.3%	52.0%	42.7%	26.4%	36.5%	19.8%	23.7%
8 to 14	7.4%	7.2%	7.4%	7.0%	6.0%	7.6%	6.4%	11.5%	8.3%	3.9%
15 to 44	7.0%	6.1%	6.3%	6.4%	4.0%	7.6%	4.8%	1.9%	7.3%	7.9%
45 to 89	1.1%	1.6%	2.9%	3.2%	0.0%	0.8%	1.6%	0.0%	0.0%	1.3%
90 to 179	0.3%	0.5%	0.0%	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.2%	0.3%	0.0%	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	187.03	150.00	0.00	147.50	0.00	0.00	0.00	0.00	0.00	155.00
SD	*73.96*	*19.97*	*0.00*	*27.58*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.15*	*0.08*	*0.02*	*0.29*	*0.04*	*0.00*	*0.17*	*0.00*	*0.00*	*0.00*
SD	*2.03*	*1.10*	*0.17*	*2.38*	*0.28*	*0.00*	*1.06*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	0.50	0.41	0.06	0.62	0.04	0.00	0.36	0.69	0.34	1.72
SD	*3.25*	*2.07*	*0.55*	*2.91*	*0.28*	*0.00*	*1.54*	*2.24*	*1.63*	*4.17*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Bipolar Patients	73964	3481	681	384	379	468	624	309	391	245
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)										
Pts. with psych hospital stays, %	16.8%	16.1%	17.6%	26.0%	6.6%	14.7%	14.1%	9.1%	18.4%	24.5%
Inpatient stays, mean	1.08	1.06	0.99	1.36	0.62	0.89	1.00	0.62	1.25	1.32
SD	*1.27*	*1.25*	*0.94*	*1.92*	*0.75*	*1.17*	*0.92*	*0.63*	*1.13*	*1.19*
Average LOS, mean	12.15	11.54	8.46	16.15	9.74	8.50	7.57	6.52	9.36	25.06
SD	*21.36*	*25.00*	*4.81*	*41.85*	*6.35*	*10.24*	*4.50*	*3.88*	*5.61*	*49.51*
Cumulative Days of Stay, mean	12.44	11.43	8.24	16.76	5.94	7.57	7.88	4.02	11.98	28.24
SD	*25.57*	*26.04*	*9.01*	*40.51*	*8.54*	*13.31*	*10.30*	*5.22*	*14.65*	*53.75*
Cumulative Days of Stay, %										
0	34.1%	34.8%	31.4%	36.3%	50.0%	47.3%	29.6%	46.2%	25.0%	21.1%
1 to 7	24.8%	24.2%	27.4%	19.1%	20.0%	22.1%	29.6%	34.6%	26.0%	15.8%
8 to 14	16.7%	19.0%	18.9%	16.6%	14.0%	16.0%	28.0%	15.4%	19.8%	19.7%
15 to 44	19.0%	17.7%	22.3%	22.3%	16.0%	10.7%	9.6%	3.8%	22.9%	27.6%
45 to 89	3.7%	2.9%	0.0%	1.9%	0.0%	3.8%	3.2%	0.0%	6.3%	9.2%
90 to 179	1.2%	0.8%	0.0%	2.5%	0.0%	0.0%	0.0%	0.0%	0.0%	3.9%
180 to 359	0.4%	0.3%	0.0%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	2.6%
360+	0.1%	0.1%	0.0%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.8%	0.8%	0.0%	2.5%	0.0%	0.0%	0.0%	0.0%	0.0%	3.9%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	201.69	235.14	0.00	223.00	0.00	0.00	0.00	0.00	0.00	251.33
SD	*78.85*	*90.41*	*0.00*	*96.03*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*100.01*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.5%	0.5%	0.0%	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	248.87	271.50	0.00	247.00	0.00	0.00	0.00	0.00	0.00	345.00
SD	*70.96*	*96.53*	*0.00*	*101.87*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.52	0.56	0.31	0.85	1.60	0.41	0.42	0.37	0.23	0.89
SD	4.00	3.09	1.99	4.27	3.83	2.52	3.18	1.69	2.25	3.97
Other station cumulative DOS, mean	1.48	1.63	0.58	1.79	5.94	0.77	1.83	4.02	0.72	1.49
SD	6.29	5.14	2.81	6.72	8.54	3.11	4.86	5.22	4.09	5.11

Table 3H: FY03 Bipolar Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Bipolar Patients	73964	3481	681	384	379	468	624	309	391	245
Other 24 hour institutional care										
Patients with some other 24 hour institutional care, %	8.1%	3.9%	1.9%	9.9%	0.0%	0.9%	1.3%	16.8%	3.8%	2.9%
Residential Rehab (rep. for those w/ res rehab care)										
Patients with some residential rehab. care, %	2.6%	0.1%	0.0%	0.3%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%
Number stays, mean	*1.12*	*1.00*	*0.00*	*1.00*	*0.00*	*0.00*	*1.00*	*0.00*	*0.00*	*0.00*
SD	*0.38*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	33.17	26.50	0.00	47.00	0.00	0.00	6.00	0.00	0.00	0.00
SD	*32.92*	*28.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS, mean	36.42	26.50	0.00	47.00	0.00	0.00	6.00	0.00	0.00	0.00
SD	*35.54*	*28.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative Days of Stay, %										
1 to 7	10.4%	50.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%
8 to 14	11.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	53.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
45 to 89	18.3%	50.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	5.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	167.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*69.53*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	224.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*70.59*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.28	26.50	0.00	47.00	0.00	0.00	6.00	0.00	0.00	0.00
SD	*6.79*	*28.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.71	26.50	0.00	47.00	0.00	0.00	6.00	0.00	0.00	0.00
SD	*10.96*	*28.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Bipolar Patients	73964	3481	681	384	379	468	624	309	391	245
Domiciliary and Vocational (reported for those with some dom/voc care)										
Patients with some dom/voc care, %	4.2%	2.5%	0.3%	7.8%	0.0%	0.2%	0.0%	12.9%	3.6%	0.4%
Number stays, mean	1.14	1.13	1.00	1.20	0.00	1.00	0.00	1.10	1.07	1.00
SD	*0.38*	*0.33*	*0.00*	*0.41*	*0.00*	*0.00*	*0.00*	*0.30*	*0.27*	*0.00*
Average LOS, mean	80.47	68.24	117.00	71.80	0.00	1.00	0.00	62.66	76.89	33.00
SD	*77.50*	*64.36*	*86.27*	*57.69*	*0.00*	*0.00*	*0.00*	*74.08*	*47.38*	*0.00*
Cumulative DOS, mean	88.84	74.39	117.00	83.67	0.00	1.00	0.00	65.53	81.93	33.00
SD	*82.55*	*65.65*	*86.27*	*60.95*	*0.00*	*0.00*	*0.00*	*73.32*	*50.31*	*0.00*
Cumulative Days of Stay, %										
1 to 7	6.1%	3.4%	0.0%	0.0%	0.0%	100.0%	0.0%	5.0%	0.0%	0.0%
8 to 14	5.6%	5.7%	0.0%	3.3%	0.0%	0.0%	0.0%	7.5%	7.1%	0.0%
15 to 44	28.2%	31.8%	0.0%	20.0%	0.0%	0.0%	0.0%	45.0%	21.4%	100.0%
45 to 89	21.0%	27.3%	50.0%	33.3%	0.0%	0.0%	0.0%	20.0%	35.7%	0.0%
90 to 179	26.2%	23.9%	50.0%	36.7%	0.0%	0.0%	0.0%	12.5%	28.6%	0.0%
180 to 359	10.5%	8.0%	0.0%	6.7%	0.0%	0.0%	0.0%	10.0%	7.1%	0.0%
360+	2.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.1%	21.6%	50.0%	23.3%	0.0%	0.0%	0.0%	17.5%	28.6%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	184.30	176.37	178.00	163.43	0.00	0.00	0.00	209.86	140.00	0.00
SD	*76.03*	*57.71*	*0.00*	*65.00*	*0.00*	*0.00*	*0.00*	*50.23*	*41.42*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.5%	12.5%	50.0%	6.7%	0.0%	0.0%	0.0%	17.5%	7.1%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	236.94	214.45	178.00	257.00	0.00	0.00	0.00	209.86	198.00	0.00
SD	*71.03*	*45.29*	*0.00*	*1.41*	*0.00*	*0.00*	*0.00*	*50.23*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.76	0.56	0.00	1.63	0.00	0.00	0.00	0.00	0.00	0.00
SD	*9.43*	*3.89*	*0.00*	*6.60*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	4.27	2.20	0.00	5.33	0.00	1.00	0.00	0.00	0.00	33.00
SD	*15.65*	*8.11*	*0.00*	*12.04*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Bipolar Patients	73964	3481	681	384	379	468	624	309	391	245
Nursing Home Care										
(reported for those with some nursing home care)										
Patients with some nursing home care, %	2.1%	1.4%	1.6%	2.1%	0.0%	0.6%	1.1%	3.9%	0.3%	2.4%
Number stays, mean	1.22	1.21	1.18	1.13	0.00	1.00	1.43	1.17	1.00	1.33
SD	*0.55*	*0.46*	*0.40*	*0.35*	*0.00*	*0.00*	*0.53*	*0.39*	*0.00*	*0.82*
Average LOS, mean	86.89	84.42	89.41	85.44	0.00	17.67	89.43	33.67	13.00	214.83
SD	*110.58*	*102.80*	*106.38*	*86.59*	*0.00*	*2.52*	*100.74*	*29.29*	*0.00*	*147.55*
Cumulative DOS, mean	98.25	101.67	111.82	89.00	0.00	17.67	135.86	41.17	13.00	237.83
SD	*116.77*	*116.33*	*124.81*	*84.48*	*0.00*	*2.52*	*150.33*	*37.48*	*0.00*	*129.98*
Cumulative Days of Stay, %										
1 to 7	10.5%	8.3%	18.2%	0.0%	0.0%	0.0%	14.3%	8.3%	0.0%	0.0%
8 to 14	10.7%	12.5%	9.1%	0.0%	0.0%	0.0%	14.3%	25.0%	100.0%	0.0%
15 to 44	30.2%	33.3%	27.3%	50.0%	0.0%	100.0%	28.6%	33.3%	0.0%	0.0%
45 to 89	16.4%	8.3%	0.0%	12.5%	0.0%	0.0%	0.0%	16.7%	0.0%	16.7%
90 to 179	12.3%	14.6%	18.2%	25.0%	0.0%	0.0%	0.0%	16.7%	0.0%	16.7%
180 to 359	10.2%	16.7%	18.2%	12.5%	0.0%	0.0%	42.9%	0.0%	0.0%	33.3%
360+	9.8%	6.3%	9.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	33.3%
Total	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	27.9%	35.4%	45.5%	37.5%	0.0%	0.0%	42.9%	8.3%	0.0%	83.3%
Cumul. DOS, patients with a 100+ day NH stay, mean	261.88	237.06	224.60	179.00	0.00	0.00	294.33	106.00	0.00	276.20
SD	*97.21*	*92.94*	*98.21*	*72.34*	*0.00*	*0.00*	*40.50*	*0.00*	*0.00*	*100.40*
NH patients with 150+ day NH stay, %	22.1%	22.9%	27.3%	25.0%	0.0%	0.0%	42.9%	0.0%	0.0%	50.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	296.07	290.64	285.67	210.50	0.00	0.00	294.33	0.00	0.00	345.33
SD	*76.98*	*65.14*	*72.83*	*67.18*	*0.00*	*0.00*	*40.50*	*0.00*	*0.00*	*32.33*
Other VISN cumulative DOS, mean	0.47	1.79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.33
SD	*5.60*	*12.41*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*35.11*
Other station cumulative DOS, mean	1.51	1.79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.33
SD	*9.89*	*12.41*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*35.11*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Bipolar Patients	73964	3481	681	384	379	468	624	309	391	245
Outpatient utilization										
(reported for those with some outpatient care)										
Patients with some outpatient care, %	99.6%	99.8%	99.9%	99.7%	100.0%	99.8%	99.7%	99.7%	100.0%	100.0%
annual visit days, mean	24.20	21.57	22.31	30.20	16.00	20.14	20.65	17.49	19.09	28.78
SD	*30.37*	*26.37*	*29.99*	*38.63*	*13.72*	*17.96*	*19.18*	*23.93*	*21.71*	*38.58*
Outpatient visit days, %										
1-12	43.1%	45.9%	46.6%	38.6%	50.9%	41.1%	42.4%	54.5%	52.2%	44.9%
13-24	26.8%	26.9%	26.2%	23.2%	31.1%	30.6%	29.1%	27.9%	24.6%	18.0%
25-36	12.4%	12.6%	11.9%	13.6%	9.5%	15.4%	14.8%	8.8%	10.7%	14.3%
37-48	6.4%	5.6%	4.9%	8.4%	4.5%	7.3%	5.3%	2.3%	5.4%	6.5%
49+	11.4%	9.0%	10.4%	16.2%	4.0%	5.6%	8.4%	6.5%	7.2%	16.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	80.8%	77.9%	55.3%	61.9%	81.8%	86.7%	88.6%	91.6%	87.0%	84.5%
Mean PC visit days, among those with some PC	3.83	3.60	2.99	3.46	3.54	3.77	4.00	3.57	3.66	3.49
SD	3.42	2.95	2.39	2.83	2.60	3.72	3.11	2.66	2.83	2.73
Average number clinic stops per visit day, mean	1.50	1.53	1.66	1.52	1.36	1.47	1.40	1.75	1.49	1.74
SD	*0.46*	*0.51*	*0.61*	*0.47*	*0.38*	*0.35*	*0.35*	*0.67*	*0.40*	*0.67*
annual clinic stops (psych & non-psych), mean	37.58	33.26	35.66	46.18	22.30	29.42	28.83	33.64	29.49	47.44
SD	*53.68*	*43.61*	*48.60*	*60.15*	*21.29*	*29.31*	*28.16*	*51.40*	*40.98*	*60.89*
annual non-psych. clinic stops, mean	19.81	19.03	18.01	25.99	15.66	17.81	18.81	17.08	17.95	23.27
SD	*22.87*	*20.15*	*19.44*	*28.83*	*15.66*	*16.26*	*16.35*	*17.94*	*19.72*	*26.72*
annual psych. clinic stops (groupings below), mean	17.77	14.23	17.65	20.19	6.64	11.60	10.01	16.56	11.54	24.17
SD	*40.95*	*31.04*	*36.89*	*40.12*	*9.56*	*20.39*	*18.34*	*38.36*	*28.81*	*45.67*
1. general psych. clinic stops, mean	7.61	7.31	9.13	8.39	4.95	7.42	7.51	6.22	5.17	8.32
SD	*12.69*	*10.27*	*13.01*	*11.12*	*5.74*	*7.02*	*11.96*	*10.13*	*5.81*	*10.76*
2. psych. case management clinic stops, mean	0.65	0.46	1.03	0.34	0.01	0.00	0.07	0.00	0.61	1.93
SD	*8.45*	*6.68*	*11.07*	*4.72*	*0.09*	*0.09*	*0.85*	*0.00*	*6.29*	*13.76*
3. psych. day treatment clinic stops, mean	1.57	0.44	0.37	0.11	0.09	1.09	0.00	0.01	1.23	0.92
SD	*15.80*	*6.63*	*7.58*	*1.48*	*1.01*	*9.75*	*0.00*	*0.13*	*12.87*	*3.34*
4. substance abuse clinic stops, mean	4.64	2.69	4.40	3.11	0.80	2.31	0.87	4.20	2.14	4.50
SD	*21.97*	*15.55*	*24.99*	*13.58*	*4.43*	*14.66*	*6.79*	*15.74*	*13.66*	*14.73*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Bipolar Patients	73964	3481	681	384	379	468	624	309	391	245
5. psych. vocational clinic stops, mean	1.91	2.03	1.85	5.36	0.03	0.16	0.54	3.27	1.55	7.03
SD	*15.13*	*15.63*	*12.51*	*28.40*	*0.24*	*1.73*	*6.87*	*19.73*	*8.03*	*31.58*
6. PTSD clinic stops, mean	0.80	0.97	0.36	2.32	0.37	0.43	0.80	2.83	0.51	1.39
SD	*5.71*	*6.96*	*2.90*	*12.37*	*1.95*	*3.05*	*5.44*	*14.94*	*3.23*	*4.58*
7. psych. homeless clinic stops, mean	0.54	0.27	0.62	0.25	0.28	0.12	0.14	0.03	0.33	0.12
SD	*3.97*	*2.18*	*3.84*	*1.75*	*2.36*	*0.74*	*1.18*	*0.33*	*2.18*	*0.81*
Other VISN OP visit days, mean	0.48	0.44	0.55	0.90	0.35	0.26	0.40	0.38	0.24	0.38
SD	*2.80*	*3.25*	*5.18*	*5.00*	*1.54*	*1.56*	*1.85*	*2.20*	*2.53*	*1.58*
Other station OP visit days, mean	1.14	1.18	0.66	2.48	1.08	0.38	0.65	1.73	1.21	2.83
SD	*4.45*	*4.63*	*5.26*	*7.03*	*3.94*	*1.76*	*2.34*	*4.52*	*4.88*	*5.90*

Table 4H: FY03 Bipolar Patients, Pharmacy Utilization, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Bipolar Patients	73964	3481	681	384	379	468	624	309	391	245
Among all patients in the registry										
Pts. with any outpatient prescriptions, %	96.9%	98.0%	97.7%	97.1%	98.4%	98.3%	97.9%	97.7%	99.2%	97.1%
Patients with any oral antipsychotic fills, %*	46.0%	52.9%	45.4%	48.4%	55.9%	54.7%	58.0%	47.2%	63.2%	50.2%
Among pts. receiving any antipsychotic medication:										
Received only conventional antipsychotics, %	7.6%	7.8%	7.4%	12.9%	6.6%	8.6%	5.2%	8.2%	6.9%	10.6%
Received some atypical antipsychotics, %	92.4%	92.2%	92.6%	87.1%	93.4%	91.4%	94.8%	91.8%	93.1%	89.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %										
Aripiprazole	0.9%	0.4%	0.3%	0.0%	1.4%	0.4%	0.0%	0.0%	0.0%	1.6%
Clozapine	0.2%	0.2%	0.6%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Olanzapine	40.7%	39.7%	45.6%	42.5%	33.5%	30.9%	44.8%	33.6%	47.0%	26.8%
Quetiapine	34.1%	35.9%	29.8%	24.2%	41.0%	35.2%	47.8%	29.5%	35.6%	34.1%
Risperidone	31.0%	29.5%	27.8%	26.3%	35.4%	32.4%	20.4%	35.6%	29.1%	43.1%
Ziprasidone	4.7%	7.3%	2.9%	14.0%	2.4%	13.3%	9.4%	14.4%	2.0%	0.8%
Patients receiving only one kind** of antipsychotic, %	77.4%	74.3%	79.6%	74.7%	77.4%	73.0%	69.1%	75.3%	71.3%	78.0%
Concurrent use of 2 or more antipsychotics, % ***	5.5%	5.0%	6.1%	3.2%	4.7%	4.7%	6.6%	2.1%	4.9%	4.9%
Among pts receiving just one antipsychotic:										
Antipsychotic fills, mean	6.09	6.29	5.89	7.25	7.00	6.21	6.79	5.65	6.32	4.18
SD	*4.43*	*4.40*	*4.08*	*5.16*	*4.35*	*4.22*	*4.68*	*4.23*	*4.48*	*2.42*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5H: FY03 Bipolar Patients, Cost, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Bipolar Patients	73964	3481	681	384	379	468	624	309	391	245
Total Costs (in thousands $$)	$907,650	$35,780	$6,861	$6,708	$2,327	$4,499	$5,123	$2,200	$4,087	$3,974
Station % of VISN		100.0%	19.2%	18.7%	6.5%	12.6%	14.3%	6.1%	11.4%	11.1%
Psych vs. Non-Psych Costs										
Psych	33.4%	34.0%	29.3%	33.9%	22.5%	34.9%	31.2%	26.2%	41.9%	47.8%
Non-Psych	66.6%	66.0%	70.7%	66.1%	77.5%	65.1%	68.8%	73.8%	58.1%	52.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use										
Per Patient	$15,075	$14,702	$14,348	$19,415	$11,139	$12,711	$11,405	$7,088	$17,898	$18,135
Per Day of Stay	$882	$909	$1,109	$791	$1,175	$1,124	$968	$1,047	$1,173	$533
Mean Outpatient Costs, Pts with some Outpatient use										
Per Patient	$6,520	$5,728	$5,508	$7,745	$4,645	$5,732	$5,064	$4,571	$5,953	$7,632
Per Visit Day	$269	$266	$247	$256	$290	$285	$245	$261	$312	$265
By Cost Center										
1 Med	$1,060	$1,183	$1,667	$3,086	$633	$1,004	$749	$352	$951	$571
2 Surg	$459	$438	$411	$1,228	$341	$829	$68	$160	$238	$287
3 Psych	$2,315	$2,019	$1,608	$3,624	$495	$1,725	$1,467	$680	$3,206	$4,768
4 Psych Res Rehab Treatment Program	$298	$7	$23	$19	$0	$0	$2	$0	$0	$0
5 Non-VA	$176	$159	$50	$102	$24	$291	$319	$124	$90	$258
6 LTC Domiciliary	$455	$176	$0	$1,090	$0	$0	$0	$609	$0	$23
7 LTC Intermediate Care	$96	$63	$0	$0	$0	$0	$8	$0	$0	$874
8 LTC Nursing Home	$778	$382	$409	$548	$0	$39	$317	$565	$14	$1,809
9 Contract Nursing Home	$142	$133	$406	$49	$0	$5	$231	$73	$0	$0
10 OPC Med/Surg	$1,111	$921	$1,206	$1,638	$716	$669	$766	$678	$933	$492
11 OPC Psych	$1,781	$1,477	$1,340	$2,307	$889	$1,634	$1,095	$1,186	$1,175	$2,991
12 OPC Home Based Treatment	$532	$500	$291	$440	$379	$549	$465	$378	$745	$1,122
13 OPC Support	$1,309	$1,218	$1,217	$1,652	$1,139	$1,086	$882	$928	$1,730	$1,314
14 OPC Fee	$115	$75	$44	$26	$111	$98	$38	$76	$146	$115
15 OPC Pharmacy	$1,645	$1,527	$1,402	$1,663	$1,411	$1,684	$1,801	$1,310	$1,225	$1,598
TOTAL	$12,272	$10,279	$10,075	$17,469	$6,139	$9,612	$8,209	$7,120	$10,452	$16,220
Mean % Patient Costs at Other Stations	4.8%	5.7%	3.4%	6.4%	7.9%	2.4%	5.4%	10.2%	5.2%	9.8%
SD	*13.9%*	*15.1%*	*12.5%*	*14.8%*	*18.8%*	*10.2%*	*15.8%*	*18.7%*	*13.4%*	*17.1%*
Mean % Patient Costs at Other VISNs	2.0%	2.1%	2.5%	2.8%	2.8%	1.3%	2.8%	1.1%	1.1%	1.8%
SD	*9.0%*	*9.7%*	*10.9%*	*10.9%*	*11.1%*	*7.6%*	*11.7%*	*6.1%*	*6.4%*	*7.3%*

Table 2I: FY03 Other Psychosis Patients, Demographics, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Other Psychosis Patients	49401	3093	730	298	379	306	562	144	495	179
Age, %										
<35	2.2%	2.3%	0.8%	4.0%	2.6%	1.3%	3.2%	4.2%	2.4%	1.7%
>=35 and <50	12.5%	13.5%	11.8%	17.8%	14.0%	7.8%	10.1%	18.1%	16.6%	20.1%
>=50 and <65	22.1%	25.4%	19.9%	27.2%	28.0%	22.5%	26.7%	34.7%	28.3%	24.6%
>=65 and <80	36.7%	34.3%	34.1%	31.9%	34.3%	41.8%	34.0%	24.3%	34.9%	33.5%
>=80	26.5%	24.5%	33.4%	19.1%	21.1%	26.5%	26.0%	18.8%	17.8%	20.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	68.22	67.00	70.24	64.01	65.90	69.75	67.58	62.50	64.56	64.86
SD	*15.13*	*15.23*	*14.51*	*15.90*	*15.06*	*14.03*	*15.20*	*15.58*	*15.15*	*15.87*
Gender										
Male, %	96.0%	96.7%	98.1%	92.6%	96.8%	97.1%	95.9%	97.2%	97.0%	98.3%
Female, %	4.0%	3.3%	1.9%	7.4%	3.2%	2.9%	4.1%	2.8%	3.0%	1.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %										
Hispanic white	3.9%	0.4%	0.4%	0.3%	0.3%	0.7%	0.0%	0.7%	0.8%	0.0%
Hispanic black	0.3%	0.2%	0.1%	0.3%	0.0%	0.3%	0.0%	0.7%	0.4%	0.0%
American Indian	0.2%	0.1%	0.1%	0.3%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%
Black	15.5%	31.5%	28.5%	32.2%	28.0%	42.8%	25.6%	26.4%	39.0%	33.0%
Asian	0.4%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%
White	48.2%	40.0%	39.7%	43.0%	43.0%	39.9%	37.9%	50.0%	32.9%	48.6%
Race unknown	31.5%	27.7%	31.1%	23.8%	28.8%	15.7%	36.5%	22.2%	26.9%	18.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status										
Never married	13.4%	12.1%	12.8%	12.8%	10.3%	11.8%	11.0%	14.6%	13.4%	10.9%
Married	52.0%	53.6%	49.3%	51.5%	56.3%	54.9%	54.8%	52.8%	57.0%	54.9%
Divorced/Separated	22.5%	21.5%	21.3%	23.9%	24.9%	19.3%	18.9%	25.0%	19.5%	25.1%
Widowed	12.0%	12.8%	16.5%	11.8%	8.5%	14.1%	15.4%	7.6%	10.1%	9.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Other Psychosis Patients	49401	3093	730	298	379	306	562	144	495	179
Registry Pts. History of VA Utilization										
Years since first use in prior five years, mean	4.0	4.04	3.95	4.17	4.23	4.22	3.87	4.24	3.97	4.01
SD	*1.4*	*1.41*	*1.43*	*1.34*	*1.29*	*1.31*	*1.55*	*1.23*	*1.43*	*1.45*
Yrs with 24-hour institutional use / yrs since 1st use, %	24.1%	24.1%	25.0%	36.0%	18.6%	22.5%	19.1%	28.3%	24.8%	24.7%
SD	*27.8%*	*27.5%*	*27.2%*	*30.1%*	*24.0%*	*25.3%*	*24.2%*	*28.2%*	*30.1%*	*29.3%*
Years with OP use / Years since first use, %	96.9%	96.7%	96.7%	96.3%	97.6%	98.4%	96.4%	95.5%	95.8%	97.4%
SD	*10.4%*	*10.8%*	*10.7%*	*11.5%*	*9.2%*	*7.1%*	*11.6%*	*12.7%*	*12.3%*	*9.6%*
Psychosis Diagnoses in Prior Fiscal Year										
Had Psychosis Diagnosis in FY01, %	33.8%	29.7%	21.9%	27.9%	33.8%	28.1%	30.4%	36.1%	35.8%	35.2%
Among Patients With Psychoses in FY01										
Psychosis Category: Schizophrenia, %	9.4%	12.3%	13.8%	13.3%	14.1%	12.8%	7.6%	15.4%	13.6%	9.5%
Psychosis Category: Bipolar Disorder, %	3.8%	3.6%	3.8%	7.2%	2.3%	0.0%	1.8%	17.3%	1.7%	4.8%
Psychosis Category: Other Psychosis, %	86.9%	84.1%	82.5%	79.5%	83.6%	87.2%	90.6%	67.3%	84.7%	85.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %										
Dementia	20.6%	22.4%	21.0%	28.2%	26.6%	23.9%	18.7%	18.1%	21.6%	24.0%
Post Traumatic Stress Disorder	13.4%	18.7%	14.0%	20.8%	17.4%	14.7%	20.1%	28.5%	21.6%	23.5%
Depression	37.7%	39.7%	36.8%	51.3%	36.7%	32.4%	37.2%	44.4%	43.6%	44.7%
Other Anxiety Disorder	12.0%	11.4%	7.7%	13.4%	9.5%	8.2%	14.6%	26.4%	11.7%	10.6%
Substance Abuse or Dependence	15.7%	15.8%	15.2%	17.4%	15.6%	15.7%	11.6%	15.3%	16.8%	27.4%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Other Psychosis Patients	49401	3093	730	298	379	306	562	144	495	179
Medical Comorbidities, %										
No medical comorbidities	8.3%	7.5%	6.2%	6.7%	8.2%	5.6%	12.3%	8.3%	5.5%	6.7%
Anemia	14.2%	14.6%	18.6%	15.8%	11.1%	11.4%	14.8%	13.9%	11.9%	16.8%
Arthritis	39.1%	43.5%	41.4%	50.3%	42.7%	31.7%	38.3%	54.9%	52.3%	45.8%
Cancer	14.0%	13.5%	20.3%	8.7%	10.6%	16.3%	14.2%	9.0%	8.1%	11.2%
Cerebrovascular Disease	16.4%	16.7%	17.9%	18.8%	15.3%	20.6%	14.8%	14.6%	13.3%	21.8%
Chronic Neurologic Disorder	20.8%	21.8%	20.5%	26.2%	21.4%	19.9%	20.1%	22.2%	24.2%	22.3%
Chronic Obstructive Pulmonary Disease	17.9%	19.6%	17.8%	25.2%	16.9%	15.0%	18.1%	26.4%	23.0%	20.7%
Chronic Viral Infection	5.9%	5.8%	6.3%	6.7%	5.5%	5.2%	4.3%	2.1%	7.1%	7.8%
Coronary Artery Disease	33.0%	30.3%	34.4%	37.2%	24.0%	35.6%	29.0%	27.8%	22.6%	33.0%
Diabetes	23.4%	24.8%	27.1%	23.8%	24.3%	25.2%	23.5%	26.4%	24.2%	21.8%
Digestive System Disease	42.9%	45.6%	47.3%	53.4%	42.7%	38.6%	43.4%	41.7%	47.5%	48.0%
Hypertension	54.9%	59.9%	59.7%	57.7%	56.7%	68.6%	55.7%	57.6%	64.8%	57.5%
Injury and Poisoning	19.4%	18.4%	20.3%	28.9%	17.4%	17.0%	15.7%	16.7%	14.3%	19.0%
Liver Disease	3.8%	3.9%	4.2%	4.7%	2.6%	3.6%	3.7%	1.4%	4.2%	6.7%
Other Endocrine	9.5%	7.7%	11.0%	5.4%	7.7%	6.5%	8.4%	8.3%	4.4%	6.7%
Peripheral Vascular Disease	7.8%	8.1%	9.6%	13.1%	6.1%	11.8%	5.2%	4.9%	6.1%	8.9%
GAF scores										
Lowest inpatient GAF score, mean	37.71	38.36	39.48	33.53	33.31	43.71	35.74	52.14	43.06	36.55
SD	*14.78*	*11.98*	*8.83*	*19.06*	*9.62*	*12.05*	*11.37*	*4.63*	*8.26*	*11.12*
Mean outpatient GAF score	48.43	49.60	50.60	44.25	48.04	44.80	48.71	53.70	53.23	49.51
SD	*11.56*	*9.94*	*7.55*	*9.64*	*9.42*	*11.61*	*12.22*	*9.95*	*7.85*	*8.73*
At least 1 IP GAF, among pts with MH bedsections, %	36.3%	34.2%	40.0%	15.9%	54.2%	33.3%	39.7%	13.3%	15.5%	74.5%
At least 1 OP GAF, among pts with MH clinic stops, %	74.8%	84.9%	86.3%	83.4%	82.3%	72.5%	83.4%	87.6%	88.7%	91.6%
Mortality rates										
died in FY02, %	6.2%	6.9%	6.8%	6.4%	7.9%	6.2%	8.0%	6.3%	4.2%	10.6%
Age-and-gender-adjusted Standardized Mortality Ratio	1.21	1.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Other Psychosis Patients	49401	3093	730	298	379	306	562	144	495	179
Service Connection (SC)										
Non-SC	63.3%	61.4%	62.1%	62.4%	59.6%	63.4%	60.9%	57.6%	60.6%	64.2%
SC 0 - 29%	10.4%	10.7%	10.8%	11.1%	9.2%	13.7%	9.4%	13.2%	10.3%	10.1%
SC 30 - 69%	10.8%	11.7%	10.8%	7.0%	12.4%	10.8%	12.6%	16.7%	13.1%	12.8%
SC 70 - 99%	6.4%	6.8%	6.4%	8.7%	9.2%	3.3%	6.6%	5.6%	7.7%	4.5%
SC 100%	9.1%	9.4%	9.9%	10.7%	9.5%	8.8%	10.5%	6.9%	8.3%	8.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %										
Complex*	15.0%	14.5%	13.0%	27.5%	9.2%	13.7%	9.1%	25.7%	15.4%	17.3%
Basic vested, Cat A*	74.8%	77.3%	77.3%	67.8%	84.4%	80.7%	77.4%	68.1%	78.0%	78.2%
Basic Non-vested, Cat A*	0.8%	1.1%	1.0%	1.0%	0.5%	0.0%	3.4%	0.7%	0.6%	0.0%
Basic, Cats C and N	9.4%	7.0%	8.8%	3.7%	5.8%	5.6%	10.1%	5.6%	6.1%	4.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded										
Patient eligibility category, %										
Cat A (SC or low income)	90.1%	92.2%	90.1%	95.0%	93.4%	93.8%	89.5%	93.8%	93.3%	95.5%
Cat C (NSC and higher income)	9.4%	7.5%	9.7%	4.0%	6.3%	6.2%	10.5%	6.3%	6.3%	4.5%
Non-Veteran	0.6%	0.2%	0.1%	1.0%	0.3%	0.0%	0.0%	0.0%	0.4%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %										
BASIC 1. Non-reliant Care	0.1%	0.1%	0.0%	0.0%	0.3%	0.0%	0.0%	0.7%	0.0%	0.6%
2. Basic Medical	25.3%	25.8%	28.1%	18.1%	26.4%	32.7%	25.8%	20.8%	23.0%	27.4%
3. Mental Health	25.6%	25.7%	24.0%	19.5%	31.1%	20.9%	26.9%	31.3%	29.7%	20.7%
4. Heart / Lung / GI	12.5%	12.1%	12.7%	10.1%	12.9%	13.1%	16.2%	6.9%	10.7%	3.9%
5. Oncology / Infectious Disease	3.8%	4.0%	5.2%	3.7%	2.4%	4.2%	5.0%	0.7%	3.2%	5.0%
6. Multiple Medical	17.6%	17.8%	17.0%	21.1%	17.7%	15.4%	17.1%	13.9%	18.0%	25.1%
COMPLEX 7. Specialized Care	4.7%	5.7%	4.9%	8.1%	4.2%	9.2%	3.2%	7.6%	7.9%	1.7%
8. Support Care	4.8%	3.9%	4.0%	8.1%	3.2%	2.6%	4.1%	3.5%	3.0%	3.4%
9. Chronic Mental	2.2%	1.6%	0.5%	6.0%	1.1%	1.0%	0.5%	0.7%	0.8%	7.3%
10. Critically Ill	3.3%	3.3%	3.6%	5.4%	0.8%	1.0%	1.2%	13.9%	3.6%	5.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Other Psychosis Patients	49401	3093	730	298	379	306	562	144	495	179
Substance Dependence and Abuse										
Any dx of alcohol / drug dependence or abuse, %	15.7%	15.8%	15.2%	17.4%	15.6%	15.7%	11.6%	15.3%	16.8%	27.4%
Homelessness										
Homelessness indicated in FY02, %	7.1%	6.5%	6.7%	11.1%	4.5%	3.3%	4.3%	13.9%	6.3%	8.9%
Residence in Metropolitan Area										
Residing in a Metropolitan Statistical Area, %	76.7%	72.3%	84.6%	71.8%	81.3%	75.8%	74.4%	33.3%	59.4%	59.2%
Distance										
Mile from Closest VA Medical Center, mean	35.80	33.05	23.88	23.74	32.97	40.77	38.82	45.61	37.75	31.46
SD	*82.41*	*27.23*	*20.37*	*24.99*	*30.98*	*32.61*	*23.87*	*27.66*	*28.46*	*26.97*
Distance from closest VA Medical Center, %										
0 to 15 miles	45.8%	37.5%	45.9%	52.0%	46.4%	31.4%	26.7%	15.3%	30.5%	41.9%
15 to 30 miles	16.6%	14.4%	25.3%	14.8%	9.2%	17.3%	8.7%	9.7%	9.3%	11.2%
30 to 45 miles	10.9%	14.6%	11.1%	10.4%	11.1%	9.5%	14.8%	29.2%	23.0%	16.8%
45 to 60 miles	8.8%	15.8%	10.0%	11.7%	12.1%	9.2%	28.3%	22.9%	17.8%	15.1%
60 plus miles	17.9%	17.6%	7.6%	11.1%	21.1%	32.7%	21.5%	22.9%	19.4%	15.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.89	15.63	15.05	15.62	12.53	14.28	13.72	24.00	18.72	17.62
SD	*14.24*	*13.90*	*12.50*	*14.95*	*10.73*	*11.60*	*10.91*	*18.63*	*17.69*	*14.88*
Distance to closest VA Service Site, %										
0 to 15 miles	73.5%	59.0%	61.9%	58.1%	68.3%	58.2%	60.5%	39.6%	54.3%	54.7%
15 to 30 miles	16.6%	23.5%	22.3%	19.8%	23.2%	30.1%	29.7%	20.1%	17.8%	22.3%
30 to 45 miles	7.0%	13.6%	13.1%	17.4%	7.7%	10.5%	9.4%	25.0%	18.8%	17.3%
45 plus miles	3.0%	3.9%	2.8%	4.7%	0.8%	1.3%	0.4%	15.3%	9.1%	5.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Other Psychosis Patients	49401	3093	730	298	379	306	562	144	495	179
Hospital Based Utilization										
Patients with some Hospital Based Utilization, %	30.2%	30.3%	27.4%	50.7%	23.5%	35.6%	22.4%	31.3%	30.7%	35.8%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)										
Inpatient stays, mean	1.82	1.74	1.68	2.09	1.49	1.61	1.81	1.60	1.64	1.92
SD	*1.40*	*1.30*	*1.14*	*1.86*	*0.98*	*1.07*	*1.28*	*1.14*	*1.12*	*1.34*
Average LOS, mean	9.37	9.47	7.99	13.17	7.84	7.36	7.89	8.68	9.19	15.62
SD	*15.01*	*12.30*	*6.91*	*21.56*	*8.00*	*10.07*	*6.12*	*12.96*	*7.03*	*17.84*
Cumulative DOS, mean	16.06	15.73	12.63	24.66	11.49	11.05	13.69	12.38	14.68	27.03
SD	*22.72*	*19.84*	*11.71*	*33.51*	*11.91*	*13.60*	*12.75*	*15.04*	*12.51*	*30.50*
Cumulative DOS, %										
1 to 7	42.1%	39.5%	41.0%	31.8%	52.8%	53.2%	34.9%	48.9%	36.8%	20.3%
8 to 14	23.4%	24.1%	26.0%	17.9%	19.1%	23.9%	33.3%	26.7%	23.7%	21.9%
15 to 44	27.8%	30.4%	30.0%	37.1%	24.7%	19.3%	27.8%	20.0%	36.2%	42.2%
45 to 89	5.2%	4.8%	3.0%	9.3%	3.4%	3.7%	4.0%	4.4%	3.3%	9.4%
90 to 179	1.2%	0.9%	0.0%	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	6.3%
180 to 359	0.2%	0.2%	0.0%	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	0.7%	0.5%	0.0%	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	1.6%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	185.56	225.64	0.00	167.25	0.00	0.00	0.00	0.00	0.00	102.00
SD	*75.86*	*90.05*	*0.00*	*40.88*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.3%	0.1%	0.0%	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	241.58	199.00	0.00	199.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*74.51*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.37	0.31	0.08	0.38	0.71	0.11	0.64	0.22	0.11	0.45
SD	*3.13*	*2.06*	*0.64*	*2.63*	*2.84*	*0.85*	*3.38*	*1.49*	*1.16*	*2.08*
Cumulative DOS at Other Stations	1.24	1.83	0.46	1.75	4.21	0.61	2.60	6.64	0.59	3.16
SD	*5.73*	*6.35*	*1.97*	*7.21*	*8.92*	*3.56*	*6.43*	*15.12*	*2.41*	*5.88*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Other Psychosis Patients	49401	3093	730	298	379	306	562	144	495	179
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)										
Pts. with non-psych hospital stays, %	21.7%	20.5%	21.2%	33.9%	18.5%	27.5%	14.2%	23.6%	16.2%	17.3%
Inpatient stays, mean	1.27	1.10	1.28	1.25	1.17	1.20	1.03	1.22	0.80	0.66
SD	*1.36*	*1.15*	*1.18*	*1.31*	*1.06*	*1.17*	*1.01*	*1.29*	*1.04*	*0.82*
Average LOS, mean	7.86	7.77	7.64	10.75	7.18	5.56	7.60	6.01	8.98	5.31
SD	*11.97*	*8.57*	*7.23*	*12.70*	*8.31*	*6.25*	*7.09*	*7.68*	*8.44*	*6.16*
Cumulative Days of Stay, mean	9.61	8.60	9.27	14.28	7.83	6.26	7.93	6.89	6.98	4.56
SD	*16.99*	*15.10*	*11.36*	*27.25*	*9.84*	*8.65*	*12.29*	*9.73*	*11.11*	*12.90*
Cumulative Days of Stay, %										
0	28.2%	32.2%	22.5%	33.1%	21.3%	22.9%	36.5%	24.4%	47.4%	51.6%
1 to 7	35.5%	33.9%	35.0%	26.5%	46.1%	45.9%	28.6%	44.4%	25.0%	34.4%
8 to 14	15.8%	14.2%	16.5%	11.3%	14.6%	18.3%	16.7%	20.0%	9.9%	7.8%
15 to 44	17.1%	17.3%	24.0%	21.9%	16.9%	12.8%	15.9%	11.1%	15.8%	4.7%
45 to 89	2.8%	2.0%	2.0%	5.3%	1.1%	0.0%	2.4%	0.0%	2.0%	0.0%
90 to 179	0.5%	0.3%	0.0%	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	1.6%
180 to 359	0.1%	0.1%	0.0%	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.2%	0.0%	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	178.07	170.50	0.00	170.50	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.21*	*50.20*	*0.00*	*50.20*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	240.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.05*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.18*	*0.11*	*0.07*	*0.05*	*0.48*	*0.07*	*0.21*	*0.00*	*0.00*	*0.00*
SD	*1.94*	*1.10*	*0.62*	*0.65*	*2.62*	*0.77*	*1.58*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	0.60	0.59	0.18	0.79	0.55	0.41	1.06	1.16	0.32	1.00
SD	*3.61*	*3.29*	*1.06*	*4.23*	*2.65*	*3.34*	*4.66*	*6.42*	*1.48*	*2.52*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Other Psychosis Patients	49401	3093	730	298	379	306	562	144	495	179
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)										
Pts. with psych hospital stays, %	10.8%	12.6%	7.5%	23.2%	6.3%	10.8%	10.3%	10.4%	17.0%	28.5%
Inpatient stays, mean	0.55	0.65	0.40	0.84	0.33	0.40	0.78	0.38	0.85	1.27
SD	*1.03*	*1.14*	*0.76*	*1.76*	*0.60*	*0.70*	*1.26*	*0.58*	*1.06*	*1.20*
Average LOS, mean	12.47	12.04	8.65	16.24	10.76	12.24	8.09	14.40	9.17	19.02
SD	*19.53*	*16.11*	*5.50*	*29.33*	*7.80*	*15.15*	*4.29*	*18.60*	*5.58*	*18.63*
Cumulative Days of Stay, mean	6.45	7.13	3.37	10.38	3.66	4.79	5.76	5.49	7.70	22.47
SD	*17.76*	*15.79*	*7.59*	*23.88*	*8.50*	*12.38*	*8.91*	*14.06*	*11.09*	*29.41*
Cumulative Days of Stay, %										
0	64.2%	58.4%	72.5%	54.3%	73.0%	69.7%	54.0%	66.7%	44.7%	20.3%
1 to 7	12.7%	12.9%	9.0%	14.6%	11.2%	12.8%	12.7%	11.1%	19.7%	9.4%
8 to 14	9.6%	13.0%	11.5%	9.9%	5.6%	10.1%	20.6%	15.6%	14.5%	20.3%
15 to 44	10.7%	12.7%	6.5%	15.9%	9.0%	4.6%	11.1%	2.2%	19.7%	37.5%
45 to 89	2.1%	2.4%	0.5%	4.0%	1.1%	2.8%	1.6%	4.4%	1.3%	7.8%
90 to 179	0.5%	0.4%	0.0%	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	4.7%
180 to 359	0.1%	0.1%	0.0%	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.4%	0.3%	0.0%	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	1.6%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	182.44	143.33	0.00	164.00	0.00	0.00	0.00	0.00	0.00	102.00
SD	*78.98*	*50.06*	*0.00*	*49.50*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.2%	0.1%	0.0%	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.42	199.00	0.00	199.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*77.61*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.19	0.20	0.01	0.33	0.22	0.04	0.43	0.22	0.11	0.45
SD	2.40	1.75	0.14	2.55	1.19	0.38	3.02	1.49	1.16	2.08
Other station cumulative DOS, mean	0.64	1.25	0.28	0.97	3.66	0.19	1.54	5.49	0.26	2.16
SD	4.34	5.16	1.65	4.14	8.50	1.29	4.43	14.06	1.95	5.20

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Other Psychosis Patients	49401	3093	730	298	379	306	562	144	495	179
Other 24 hour institutional care										
Patients with some other 24 hour institutional care, %	10.1%	7.7%	8.2%	14.8%	1.6%	2.3%	3.4%	29.2%	9.1%	8.9%
Residential Rehab (rep. for those w/ res rehab care)										
Patients with some residential rehab. care, %	1.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%	0.0%
Number stays, mean	*1.13*	*1.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*1.00*	*0.00*
SD	*0.45*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	30.41	29.00	0.00	0.00	0.00	0.00	0.00	0.00	29.00	0.00
SD	*33.22*	*3.61*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*3.61*	*0.00*
Cumulative DOS, mean	33.30	29.00	0.00	0.00	0.00	0.00	0.00	0.00	29.00	0.00
SD	*35.32*	*3.61*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*3.61*	*0.00*
Cumulative Days of Stay, %										
1 to 7	15.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
8 to 14	12.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	54.3%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%
45 to 89	11.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	5.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%
Res Rehab pts with 100+ day Res Rehab stay, %	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	181.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*69.09*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	235.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*52.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.38	8.33	0.00	0.00	0.00	0.00	0.00	0.00	8.33	0.00
SD	*7.57*	*14.43*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*14.43*	*0.00*
Other station cumulative DOS, mean	4.16	8.33	0.00	0.00	0.00	0.00	0.00	0.00	8.33	0.00
SD	*12.59*	*14.43*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*14.43*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Other Psychosis Patients	49401	3093	730	298	379	306	562	144	495	179
Domiciliary and Vocational (reported for those with some dom/voc care)										
Patients with some dom/voc care, %	1.7%	1.3%	0.1%	5.0%	0.0%	0.3%	0.5%	9.7%	1.0%	0.6%
Number stays, mean	1.13	1.08	1.00	1.13	0.00	1.00	1.00	1.07	1.00	1.00
SD	*0.36*	*0.35*	*0.00*	*0.52*	*0.00*	*0.00*	*0.00*	*0.27*	*0.00*	*0.00*
Average LOS, mean	79.24	49.28	4.00	64.04	0.00	21.00	16.33	46.46	56.00	6.00
SD	*81.39*	*56.36*	*0.00*	*68.04*	*0.00*	*0.00*	*12.01*	*52.26*	*54.02*	*0.00*
Cumulative DOS, mean	86.42	52.70	4.00	70.93	0.00	21.00	16.33	48.86	56.00	6.00
SD	*85.00*	*58.75*	*0.00*	*71.83*	*0.00*	*0.00*	*12.01*	*52.38*	*54.02*	*0.00*
Cumulative Days of Stay, %										
1 to 7	7.5%	12.5%	100.0%	0.0%	0.0%	0.0%	33.3%	7.1%	20.0%	100.0%
8 to 14	6.2%	5.0%	0.0%	13.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	29.8%	45.0%	0.0%	33.3%	0.0%	100.0%	66.7%	57.1%	40.0%	0.0%
45 to 89	19.6%	20.0%	0.0%	26.7%	0.0%	0.0%	0.0%	21.4%	20.0%	0.0%
90 to 179	23.7%	12.5%	0.0%	20.0%	0.0%	0.0%	0.0%	7.1%	20.0%	0.0%
180 to 359	10.4%	5.0%	0.0%	6.7%	0.0%	0.0%	0.0%	7.1%	0.0%	0.0%
360+	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	12.5%	0.0%	13.3%	0.0%	0.0%	0.0%	14.3%	20.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	193.84	170.60	0.00	196.50	0.00	0.00	0.00	162.00	136.00	0.00
SD	*79.91*	*74.96*	*0.00*	*129.40*	*0.00*	*0.00*	*0.00*	*55.15*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.8%	5.0%	0.0%	6.7%	0.0%	0.0%	0.0%	7.1%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	240.95	244.50	0.00	288.00	0.00	0.00	0.00	201.00	0.00	0.00
SD	*71.71*	*61.52*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.61	2.63	4.00	4.87	0.00	0.00	9.33	0.00	0.00	0.00
SD	*8.79*	*12.25*	*0.00*	*18.85*	*0.00*	*0.00*	*16.17*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.31	3.83	4.00	4.87	0.00	21.00	16.33	0.00	0.00	6.00
SD	*11.83*	*12.74*	*0.00*	*18.85*	*0.00*	*0.00*	*12.01*	*0.00*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Other Psychosis Patients	49401	3093	730	298	379	306	562	144	495	179
Nursing Home Care										
(reported for those with some nursing home care)										
Patients with some nursing home care, %	7.7%	6.4%	8.1%	10.1%	1.6%	2.0%	2.8%	19.4%	7.5%	8.4%
Number stays, mean	1.29	1.21	1.25	1.17	1.00	1.33	1.13	1.29	1.16	1.27
SD	*0.65*	*0.49*	*0.48*	*0.38*	*0.00*	*0.52*	*0.50*	*0.53*	*0.50*	*0.70*
Average LOS, mean	54.03	70.90	41.80	75.73	31.17	55.83	71.92	107.70	74.95	117.87
SD	*70.27*	*85.10*	*55.70*	*87.34*	*18.73*	*28.73*	*69.63*	*115.07*	*96.29*	*90.68*
Cumulative DOS, mean	64.81	84.44	51.90	98.93	31.17	72.00	79.38	130.50	79.35	141.73
SD	*79.26*	*98.32*	*71.20*	*118.52*	*18.73*	*45.92*	*74.45*	*124.27*	*95.79*	*104.84*
Cumulative Days of Stay, %										
1 to 7	10.9%	9.1%	11.9%	6.7%	16.7%	0.0%	0.0%	7.1%	10.8%	13.3%
8 to 14	15.2%	14.7%	28.8%	3.3%	0.0%	0.0%	6.3%	3.6%	24.3%	0.0%
15 to 44	34.5%	29.9%	28.8%	50.0%	50.0%	33.3%	37.5%	21.4%	21.6%	13.3%
45 to 89	16.5%	17.8%	15.3%	13.3%	33.3%	50.0%	25.0%	21.4%	13.5%	13.3%
90 to 179	13.0%	11.7%	10.2%	0.0%	0.0%	16.7%	12.5%	21.4%	16.2%	13.3%
180 to 359	8.1%	13.7%	5.1%	20.0%	0.0%	0.0%	18.8%	14.3%	10.8%	46.7%
360+	1.8%	3.0%	0.0%	6.7%	0.0%	0.0%	0.0%	10.7%	2.7%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	17.8%	25.4%	15.3%	26.7%	0.0%	0.0%	31.3%	39.3%	27.0%	46.7%
Cumul. DOS, patients with a 100+ day NH stay, mean	207.27	231.32	197.33	280.63	0.00	0.00	180.20	259.00	209.60	242.71
SD	*81.27*	*83.15*	*76.10*	*74.35*	*0.00*	*0.00*	*44.19*	*100.35*	*93.05*	*41.57*
NH patients with 150+ day NH stay, %	11.0%	18.8%	10.2%	26.7%	0.0%	0.0%	25.0%	25.0%	16.2%	40.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	250.81	262.76	225.50	280.63	0.00	0.00	198.00	322.71	266.33	245.83
SD	*70.60*	*72.01*	*79.73*	*74.35*	*0.00*	*0.00*	*22.17*	*58.97*	*76.50*	*44.63*
Other VISN cumulative DOS, mean	0.34	0.09	0.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*5.11*	*1.21*	*2.21*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.02	1.11	0.29	2.87	4.33	13.67	0.00	0.25	0.00	0.00
SD	*7.62*	*7.47*	*2.21*	*10.92*	*7.71*	*33.48*	*0.00*	*1.32*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Other Psychosis Patients	49401	3093	730	298	379	306	562	144	495	179
Outpatient utilization										
(reported for those with some outpatient care)										
Patients with some outpatient care, %	99.7%	99.7%	99.9%	99.3%	100.0%	100.0%	100.0%	98.6%	99.4%	98.9%
annual visit days, mean	19.52	18.74	18.60	29.10	16.48	18.80	16.63	15.71	16.64	21.74
SD	*24.21*	*21.23*	*18.70*	*40.51*	*14.85*	*15.61*	*16.68*	*17.66*	*16.18*	*26.38*
Outpatient visit days, %										
1-12	49.1%	48.2%	46.9%	38.9%	48.0%	43.5%	51.1%	54.9%	55.1%	44.6%
13-24	27.0%	27.7%	28.1%	26.0%	32.2%	30.1%	27.2%	28.2%	22.8%	30.5%
25-36	11.5%	12.4%	12.8%	13.9%	12.9%	13.7%	10.5%	9.9%	13.6%	9.0%
37-48	5.4%	5.6%	5.3%	6.4%	2.6%	6.9%	7.1%	4.2%	4.7%	7.9%
49+	7.0%	6.1%	6.9%	14.9%	4.2%	5.9%	4.1%	2.8%	3.9%	7.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	86.5%	86.7%	80.2%	76.4%	88.9%	86.9%	96.3%	92.3%	88.6%	85.3%
Mean PC visit days, among those with some PC	4.04	3.82	3.97	3.64	3.62	3.79	4.15	3.73	3.56	3.58
SD	3.94	3.12	2.73	2.62	2.45	4.33	3.53	2.95	2.70	3.66
Average number clinic stops per visit day, mean	1.55	1.60	1.71	1.69	1.57	1.42	1.41	1.73	1.60	1.81
SD	*0.52*	*0.51*	*0.54*	*0.55*	*0.47*	*0.33*	*0.38*	*0.72*	*0.50*	*0.57*
annual clinic stops (psych & non-psych), mean	30.45	29.92	30.88	46.03	25.60	26.59	24.15	30.85	26.68	40.56
SD	*40.44*	*35.24*	*31.90*	*60.57*	*24.07*	*23.02*	*24.98*	*46.01*	*28.35*	*50.45*
annual non-psych. clinic stops, mean	22.67	22.88	25.79	30.14	21.53	21.68	19.85	18.46	20.23	24.25
SD	*25.36*	*23.09*	*26.38*	*28.43*	*21.51*	*18.90*	*21.46*	*17.61*	*19.71*	*22.22*
annual psych. clinic stops (groupings below), mean	7.77	7.04	5.09	15.89	4.08	4.92	4.30	12.38	6.45	16.32
SD	*27.43*	*22.29*	*16.09*	*44.79*	*8.31*	*12.20*	*9.89*	*33.93*	*17.65*	*38.01*
1. general psych. clinic stops, mean	3.20	3.11	3.15	4.39	2.52	2.31	2.85	3.60	3.10	3.93
SD	*7.61*	*6.82*	*8.46*	*11.86*	*4.18*	*4.49*	*5.51*	*4.62*	*4.89*	*5.03*
2. psych. case management clinic stops, mean	0.14	0.06	0.01	0.01	0.00	0.00	0.03	0.00	0.00	0.85
SD	*3.20*	*1.90*	*0.07*	*0.08*	*0.00*	*0.00*	*0.34*	*0.00*	*0.00*	*7.88*
3. psych. day treatment clinic stops, mean	0.60	0.32	0.18	0.71	0.02	0.73	0.00	0.00	0.11	2.04
SD	*8.52*	*5.12*	*4.81*	*8.29*	*0.46*	*5.99*	*0.00*	*0.00*	*1.58*	*13.21*
4. substance abuse clinic stops, mean	2.24	1.26	1.12	1.15	0.73	0.97	0.25	3.43	1.08	5.67
SD	*17.04*	*8.39*	*9.31*	*5.35*	*4.42*	*7.00*	*2.57*	*16.93*	*8.29*	*15.16*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 7, continued

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Other Psychosis Patients	49401	3093	730	298	379	306	562	144	495	179
5. psych. vocational clinic stops, mean	0.74	0.99	0.15	6.17	0.03	0.01	0.27	1.47	0.74	2.21
SD	*9.63*	*11.62*	*3.64*	*31.39*	*0.51*	*0.17*	*3.45*	*10.37*	*7.68*	*17.73*
6. PTSD clinic stops, mean	0.56	1.08	0.28	3.03	0.50	0.82	0.75	3.86	1.16	1.47
SD	*5.11*	*7.90*	*2.56*	*14.12*	*2.42*	*4.85*	*4.55*	*20.51*	*9.10*	*5.21*
7. psych. homeless clinic stops, mean	0.27	0.17	0.14	0.24	0.26	0.06	0.13	0.01	0.27	0.16
SD	*2.81*	*1.33*	*0.85*	*1.75*	*1.61*	*0.45*	*0.97*	*0.08*	*2.16*	*0.82*
Other VISN OP visit days, mean	0.31	0.24	0.26	0.49	0.21	0.20	0.20	0.31	0.14	0.21
SD	*2.01*	*1.52*	*1.46*	*2.65*	*1.12*	*1.49*	*1.25*	*1.78*	*1.35*	*0.84*
Other station OP visit days, mean	0.72	0.86	0.38	1.66	0.68	0.43	0.40	1.82	0.68	3.81
SD	*3.19*	*3.37*	*1.87*	*4.55*	*2.63*	*2.14*	*1.67*	*4.83*	*2.61*	*8.23*

Table 4I FY03 Other Psychosis Patients, Pharmacy Utilization, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Other Psychosis Patients	49401	3093	730	298	379	306	562	144	495	179
Among all patients in the registry										
Pts. with any outpatient prescriptions, %	94.7%	95.5%	94.8%	96.0%	97.4%	98.4%	91.6%	93.6%	97.6%	96.1%
Patients with any oral antipsychotic fills, %*	41.4%	49.4%	35.6%	55.0%	54.1%	50.7%	48.9%	56.9%	59.4%	52.0%
Among pts. receiving any antipsychotic medication:										
Received only conventional antipsychotics, %	9.2%	9.1%	7.7%	17.1%	12.7%	9.0%	6.5%	8.5%	6.1%	8.6%
Received some atypical antipsychotics, %	90.8%	90.9%	92.3%	82.9%	87.3%	91.0%	93.5%	91.5%	93.9%	91.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %										
Aripiprazole	0.7%	0.1%	0.0%	0.0%	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Clozapine	0.1%	0.1%	0.0%	0.0%	0.0%	0.6%	0.0%	0.0%	0.0%	0.0%
Olanzapine	27.8%	26.2%	25.4%	25.0%	23.4%	23.9%	33.1%	17.1%	28.9%	20.4%
Quetiapine	29.2%	34.3%	34.6%	30.5%	29.3%	26.5%	40.7%	45.1%	35.0%	33.3%
Risperidone	46.2%	43.1%	43.1%	35.4%	47.8%	49.7%	37.8%	29.3%	45.9%	54.8%
Ziprasidone	3.6%	5.4%	2.7%	11.0%	1.5%	12.3%	5.5%	15.9%	2.0%	1.1%
Patients receiving only one kind** of antipsychotic, %	78.8%	76.0%	78.5%	75.6%	75.1%	72.9%	72.7%	79.3%	78.2%	77.4%
Concurrent use of 2 or more antipsychotics, % ***	5.1%	4.8%	3.1%	3.0%	5.4%	5.8%	7.6%	3.7%	2.4%	9.7%
Among pts receiving just one antipsychotic:										
Antipsychotic fills, mean	5.21	5.35	5.55	5.43	5.88	3.94	5.96	5.62	5.43	3.63
SD	*4.06*	*4.04*	*4.51*	*4.11*	*3.96*	*3.16*	*4.06*	*4.61*	*3.88*	*2.86*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5I: FY03 Other Psychosis Patients, Cost, VISN 7

	All VISNs	VISN 7	508 *Decatur*	509 *Augusta*	521 *Birmingham*	534 *Charleston*	544 *Columbia SC*	557 *Dublin*	619 *Montgomery*	679 *Tuscaloosa*
Other Psychosis Patients	49401	3093	730	298	379	306	562	144	495	179
Total Costs (in thousands $$)	$692,791	$41,694	$9,513	$7,724	$3,621	$3,201	$5,358	$2,787	$6,429	$3,061
Station % of VISN		100.0%	22.8%	18.5%	8.7%	7.7%	12.9%	6.7%	15.4%	7.3%
Psych vs. Non-Psych Costs										
Psych	16.6%	16.8%	8.5%	16.9%	10.4%	20.5%	17.4%	8.2%	21.5%	43.4%
Non-Psych	83.4%	83.2%	91.5%	83.1%	89.6%	79.5%	82.6%	91.8%	78.5%	56.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use										
Per Patient	$16,509	$16,800	$16,513	$26,332	$16,029	$12,365	$15,414	$10,919	$14,984	$15,016
Per Day of Stay	$1,028	$1,068	$1,307	$1,068	$1,395	$1,119	$1,126	$882	$1,021	$555
Mean Outpatient Costs, Pts with some Outpatient use										
Per Patient	$6,046	$6,014	$6,288	$8,706	$5,480	$5,643	$4,793	$4,920	$5,831	$7,428
Per Visit Day	$310	$321	$338	$299	$333	$300	$288	$313	$350	$342
By Cost Center										
1 Med	$2,712	$2,714	$3,170	$6,946	$2,427	$2,281	$1,666	$2,012	$2,258	$268
2 Surg	$779	$862	$647	$3,601	$809	$653	$578	$569	$288	$361
3 Psych	$1,494	$1,509	$708	$2,796	$528	$1,470	$1,212	$831	$2,055	$4,740
4 Psych Res Rehab Treatment Program	$103	$8	$0	$0	$0	$0	$0	$0	$52	$0
5 Non-VA	$203	$99	$91	$56	$34	$70	$60	$214	$54	$545
6 LTC Domiciliary	$183	$103	$2	$677	$0	$14	$24	$682	$0	$0
7 LTC Intermediate Care	$276	$41	$0	$0	$16	$0	$37	$0	$0	$564
8 LTC Nursing Home	$1,672	$1,870	$1,682	$2,845	$23	$204	$786	$9,732	$2,437	$3,274
9 Contract Nursing Home	$578	$280	$453	$350	$238	$125	$378	$461	$47	$5
10 OPC Med/Surg	$1,281	$1,240	$1,527	$1,827	$1,326	$839	$1,075	$928	$1,175	$537
11 OPC Psych	$831	$759	$395	$1,590	$469	$674	$443	$747	$735	$2,677
12 OPC Home Based Treatment	$730	$854	$973	$781	$655	$1,122	$627	$375	$1,088	$903
13 OPC Support	$1,493	$1,514	$1,918	$2,363	$1,510	$1,219	$929	$1,026	$1,452	$1,357
14 OPC Fee	$231	$241	$64	$581	$204	$168	$200	$635	$256	$361
15 OPC Pharmacy	$1,460	$1,388	$1,402	$1,506	$1,317	$1,622	$1,518	$1,140	$1,088	$1,510
TOTAL	$14,024	$13,480	$13,031	$25,918	$9,555	$10,461	$9,534	$19,352	$12,987	$17,102
Mean % Patient Costs at Other Stations	3.3%	4.2%	2.0%	4.8%	6.4%	3.0%	3.3%	8.9%	3.2%	11.0%
SD	*11.9%*	*13.3%*	*9.7%*	*12.8%*	*17.5%*	*11.5%*	*12.3%*	*18.0%*	*10.7%*	*19.1%*
Mean % Patient Costs at Other VISNs	1.3%	1.1%	1.1%	1.3%	1.5%	1.0%	1.2%	1.4%	0.8%	1.2%
SD	*7.5%*	*6.7%*	*6.1%*	*6.6%*	*8.4%*	*6.4%*	*6.8%*	*7.5%*	*5.8%*	*5.9%*

Table 1F: FY03 Psychosis Patients, Demographics, VISN 8

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
All Patients	217760	20220	2971	3255	1694	3838	4350	4112
Psychosis Diagnosis Group, %								
Schizophrenia	43.3%	44.7%	30.9%	38.2%	28.1%	36.2%	76.4%	41.2%
Bipolar Disorder	34.0%	31.5%	39.7%	36.3%	40.3%	31.4%	12.0%	38.9%
Other Psychoses	22.7%	23.8%	29.4%	25.5%	31.6%	32.4%	11.6%	19.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age, %								
<35	4.9%	3.4%	3.2%	3.9%	2.8%	3.9%	1.8%	4.8%
>=35 and <50	29.3%	24.4%	22.3%	26.9%	22.3%	25.4%	18.7%	30.1%
>=50 and <65	38.1%	38.7%	36.3%	35.4%	37.4%	37.1%	43.2%	40.6%
>=65 and <80	19.7%	23.0%	24.9%	21.3%	21.9%	22.3%	29.1%	17.6%
>=80	8.2%	10.4%	13.3%	12.6%	15.7%	11.4%	7.3%	6.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	56.89	59.11	60.66	59.23	60.90	59.06	60.21	56.02
SD	*14.35*	*14.41*	*15.04*	*15.15*	*14.99*	*14.82*	*12.77*	*13.87*
Gender								
Male, %	92.7%	93.1%	92.4%	93.6%	93.5%	91.1%	97.4%	90.2%
Female, %	7.3%	6.9%	7.6%	6.4%	6.5%	8.9%	2.6%	9.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %								
Hispanic white	4.8%	24.2%	2.1%	10.1%	2.9%	2.2%	87.0%	14.2%
Hispanic black	0.4%	2.0%	0.2%	0.6%	0.4%	0.1%	7.3%	1.0%
American Indian	0.3%	0.1%	0.0%	0.2%	0.0%	0.1%	0.0%	0.2%
Black	18.6%	10.1%	6.3%	19.1%	9.7%	16.9%	0.9%	9.5%
Asian	0.5%	0.1%	0.0%	0.0%	0.1%	0.1%	0.0%	0.2%
White	54.9%	41.9%	61.5%	40.1%	66.6%	52.1%	2.6%	50.9%
Race unknown	20.5%	21.7%	29.9%	29.8%	20.4%	28.6%	2.3%	24.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status								
Never married	28.5%	19.1%	20.4%	16.4%	22.2%	19.6%	15.7%	22.0%
Married	35.3%	47.6%	41.8%	40.6%	43.2%	43.0%	62.7%	46.8%
Divorced/Separated	30.8%	27.7%	31.3%	36.5%	28.6%	30.1%	17.9%	26.7%
Widowed	5.4%	5.6%	6.5%	6.4%	6.0%	7.3%	3.7%	4.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 8

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
All Patients	217760	20220	2971	3255	1694	3838	4350	4112
Registry Pts. History of VA Utilization								
Years since first use in prior five years, mean	4.33	4.33	4.16	4.19	4.17	4.30	4.70	4.28
SD	*1.24*	*1.22*	*1.36*	*1.33*	*1.26*	*1.24*	*0.84*	*1.26*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.9%	20.7%	24.3%	22.5%	24.6%	20.5%	18.2%	18.5%
SD	*29.7%*	*27.0%*	*29.0%*	*28.2%*	*29.9%*	*26.1%*	*24.8%*	*25.8%*
Years with OP use / Years since first use, %	96.7%	97.7%	97.8%	96.8%	97.4%	97.8%	98.1%	97.7%
SD	*11.4%*	*9.2%*	*9.0%*	*11.3%*	*9.5%*	*9.0%*	*8.3%*	*8.8%*
Psychosis Diagnoses in Prior Fiscal Year								
Had Psychosis Diagnosis in FY01, %	65.3%	65.2%	61.9%	62.7%	59.2%	65.7%	70.8%	65.6%
Among Patients With Psychoses in FY01								
Psychosis Category: Schizophrenia, %	54.1%	56.2%	43.6%	52.2%	37.0%	46.7%	84.7%	51.2%
Psychosis Category: Bipolar Disorder, %	33.9%	31.0%	41.7%	33.1%	47.6%	31.0%	10.9%	38.7%
Psychosis Category: Other Psychosis, %	12.0%	12.8%	14.6%	14.7%	15.5%	22.3%	4.4%	10.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %								
Dementia	6.2%	7.5%	8.0%	8.3%	7.2%	7.9%	7.7%	6.1%
Post Traumatic Stress Disorder	15.4%	11.0%	13.5%	10.4%	14.8%	14.0%	4.1%	12.6%
Depression	34.8%	33.5%	31.1%	34.5%	38.5%	32.6%	34.3%	32.7%
Other Anxiety Disorder	12.0%	11.5%	10.1%	13.6%	12.4%	11.5%	9.6%	12.5%
Substance Abuse or Dependence	23.3%	17.4%	19.9%	22.9%	26.1%	14.7%	11.5%	16.5%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 8

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
All Patients	217760	20220	2971	3255	1694	3838	4350	4112
Medical Comorbidities, %								
No medical comorbidities	15.2%	12.0%	10.7%	14.6%	9.9%	11.9%	11.8%	12.2%
Anemia	8.2%	9.2%	10.9%	8.0%	12.1%	10.9%	6.6%	8.9%
Arthritis	36.2%	38.3%	37.9%	35.0%	36.1%	40.8%	36.4%	41.8%
Cancer	7.9%	8.8%	10.7%	9.3%	10.6%	8.8%	7.1%	8.2%
Cerebrovascular Disease	6.7%	7.6%	9.5%	7.9%	5.8%	8.9%	7.7%	5.4%
Chronic Neurologic Disorder	15.1%	15.0%	16.2%	15.2%	16.1%	17.3%	11.1%	15.4%
Chronic Obstructive Pulmonary Disease	16.7%	16.1%	19.3%	14.2%	18.5%	19.7%	11.5%	15.9%
Chronic Viral Infection	8.4%	8.2%	6.4%	11.7%	9.0%	7.0%	8.0%	8.0%
Coronary Artery Disease	19.5%	21.0%	26.4%	22.3%	27.1%	21.7%	15.6%	18.6%
Diabetes	20.0%	22.3%	20.0%	20.7%	17.6%	21.4%	29.3%	20.8%
Digestive System Disease	43.5%	46.5%	45.4%	43.3%	46.2%	46.0%	49.8%	46.8%
Hypertension	43.2%	46.3%	42.5%	46.3%	43.0%	46.5%	52.1%	44.0%
Injury and Poisoning	17.9%	17.3%	20.6%	17.1%	18.2%	16.6%	15.5%	17.2%
Liver Disease	3.6%	4.0%	3.6%	3.7%	5.0%	4.1%	5.3%	2.8%
Other Endocrine	8.6%	9.0%	11.9%	7.1%	9.4%	9.8%	7.6%	8.9%
Peripheral Vascular Disease	4.1%	4.0%	4.8%	3.2%	4.4%	4.9%	4.4%	2.7%
GAF scores								
Lowest inpatient GAF score, mean	37.72	34.98	36.55	30.27	33.45	35.44	45.00	36.45
SD	*14.39*	*13.07*	*13.61*	*12.87*	*11.41*	*18.76*	*5.00*	*11.75*
Mean outpatient GAF score	50.52	52.12	52.56	50.20	49.00	53.12	51.81	53.79
SD	*11.04*	*10.83*	*9.87*	*10.59*	*10.46*	*13.24*	*10.05*	*9.54*
At least 1 IP GAF, among pts with MH bedsections, %	38.4%	32.3%	27.0%	20.7%	59.4%	19.4%	0.8%	63.1%
At least 1 OP GAF, among pts with MH clinic stops, %	80.0%	63.4%	86.9%	87.1%	87.2%	66.9%	1.3%	85.4%
Mortality rates								
died in FY02, %	3.1%	2.9%	3.4%	2.4%	3.2%	3.7%	2.5%	2.2%
Age-and-gender-adjusted Standardized Mortality Ratio	1.32	1.05	1.07	0.83	1.00	1.34	0.98	1.06

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 8, continued

	All VISNs	VISN 8	516	546	548	573	672	673
			Bay Pines	*Miami*	*W Palm Beach*	*N.Fla/S.Georg*	*San Juan*	*Tampa*
All Patients	217760	20220	2971	3255	1694	3838	4350	4112
Service Connection (SC)								
Non-SC	51.0%	45.4%	49.3%	53.3%	56.6%	46.3%	33.7%	43.4%
SC 0 - 29%	8.7%	8.4%	8.4%	9.4%	9.3%	8.8%	7.0%	8.3%
SC 30 - 69%	10.8%	11.4%	12.2%	10.5%	9.1%	12.6%	10.4%	12.2%
SC 70 - 99%	7.3%	8.0%	8.4%	6.1%	6.8%	8.8%	8.1%	8.9%
SC 100%	22.1%	26.8%	21.7%	20.6%	18.1%	23.5%	40.8%	27.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %								
Complex*	17.3%	10.6%	11.7%	14.8%	9.2%	12.0%	7.8%	8.4%
Basic vested, Cat A*	76.6%	83.2%	79.1%	77.4%	78.0%	81.9%	91.2%	85.6%
Basic Non-vested, Cat A*	1.0%	0.7%	0.3%	1.0%	0.4%	0.5%	0.6%	1.3%
Basic, Cats C and N	5.1%	5.6%	8.9%	6.9%	12.5%	5.5%	0.4%	4.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded								
Patient eligibility category, %								
Cat A (SC or low income)	94.6%	94.3%	91.0%	92.9%	87.2%	94.2%	99.6%	95.3%
Cat C (NSC and higher income)	4.7%	5.0%	8.4%	6.1%	12.0%	4.8%	0.2%	4.1%
Non-Veteran	0.6%	0.6%	0.6%	0.9%	0.7%	0.9%	0.2%	0.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %								
BASIC 1. Non-reliant Care	0.1%	0.2%	0.2%	0.1%	0.0%	0.0%	0.7%	0.0%
2. Basic Medical	16.7%	19.6%	20.2%	16.9%	21.6%	25.3%	17.0%	17.8%
3. Mental Health	36.3%	36.0%	38.4%	36.2%	32.3%	31.1%	34.8%	41.4%
4. Heart / Lung / GI	7.7%	8.7%	9.3%	7.7%	11.0%	9.9%	8.0%	7.9%
5. Oncology / Infectious Disease	3.9%	3.8%	3.6%	3.5%	3.7%	5.1%	3.0%	4.0%
6. Multiple Medical	18.0%	21.1%	16.5%	20.8%	22.2%	16.5%	28.7%	20.5%
COMPLEX 7. Specialized Care	2.6%	2.4%	2.1%	4.3%	2.0%	2.3%	1.7%	2.2%
8. Support Care	2.8%	2.6%	3.2%	2.1%	1.4%	4.0%	2.4%	1.9%
9. Chronic Mental	9.6%	3.9%	4.9%	6.5%	3.9%	3.8%	2.4%	2.8%
10. Critically Ill	2.2%	1.6%	1.5%	2.0%	1.9%	1.9%	1.3%	1.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
All Patients	217760	20220	2971	3255	1694	3838	4350	4112
Homelessness								
Homelessness indicated in FY02, %	11.5%	6.6%	9.0%	12.7%	11.0%	5.1%	0.5%	5.8%
Residence in Metropolitan Area								
Residing in a Metropolitan Statistical Area, %	79.7%	88.4%	96.6%	97.1%	91.8%	66.2%	85.2%	98.2%
Distance								
Mile from Closest VA Medical Center, mean	32.17	35.95	37.73	18.33	22.28	54.79	25.33	47.86
SD	*68.58*	*31.93*	*37.56*	*18.93*	*19.37*	*31.29*	*23.96*	*33.41*
Distance from closest VA Medical Center, %								
0 to 15 miles	49.0%	37.4%	49.2%	50.1%	48.5%	13.6%	49.2%	24.2%
15 to 30 miles	16.3%	19.8%	10.5%	37.6%	25.4%	9.5%	19.9%	19.9%
30 to 45 miles	10.3%	8.4%	5.8%	8.6%	13.5%	12.1%	8.7%	4.3%
45 to 60 miles	8.1%	7.6%	2.8%	0.6%	5.5%	22.2%	6.4%	4.9%
60 plus miles	16.2%	26.8%	31.7%	3.1%	7.0%	42.7%	15.9%	46.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.73	8.52	5.68	5.15	6.79	13.36	9.97	7.92
SD	*13.09*	*7.90*	*4.59*	*4.19*	*4.69*	*12.69*	*6.84*	*5.31*
Distance to closest VA Service Site, %								
0 to 15 miles	77.0%	84.9%	95.0%	98.7%	97.2%	65.1%	76.2%	89.1%
15 to 30 miles	14.9%	13.0%	4.8%	0.9%	2.1%	25.4%	23.0%	10.8%
30 to 45 miles	5.7%	1.3%	0.1%	0.1%	0.7%	5.8%	0.5%	0.1%
45 plus miles	2.4%	0.8%	0.1%	0.2%	0.0%	3.7%	0.3%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3F: FY03 Psychosis Patients, Utilization, VISN 8

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
All Patients	217760	20220	2971	3255	1694	3838	4350	4112
Hospital Based Utilization								
Patients with some Hospital Based Utilization, %	27.2%	23.0%	24.6%	22.5%	30.3%	22.3%	22.7%	40.2%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)								
Inpatient stays, mean	1.83	1.83	1.84	1.77	2.26	1.79	1.68	1.84
SD	*1.43*	*1.46*	*1.48*	*1.32*	*2.05*	*1.32*	*1.19*	*1.48*
Average LOS, mean	13.07	8.03	7.75	6.85	6.23	7.17	10.42	8.48
SD	*30.84*	*10.04*	*11.49*	*9.26*	*5.42*	*9.54*	*10.21*	*11.21*
Cumulative DOS, mean	21.85	14.65	14.37	12.39	14.47	13.31	17.50	15.02
SD	*40.46*	*19.92*	*19.53*	*19.89*	*21.61*	*19.57*	*19.44*	*19.75*
Cumulative DOS, %								
1 to 7	39.9%	46.1%	50.0%	54.1%	47.5%	50.5%	34.3%	44.1%
8 to 14	21.8%	22.7%	21.2%	20.2%	21.2%	22.2%	26.4%	23.3%
15 to 44	27.7%	25.3%	22.0%	21.7%	26.7%	22.8%	30.6%	26.8%
45 to 89	6.9%	4.7%	5.6%	3.3%	3.3%	3.3%	7.2%	4.4%
90 to 179	2.3%	1.1%	1.1%	0.5%	1.0%	1.2%	1.4%	1.1%
180 to 359	0.9%	0.2%	0.1%	0.0%	0.4%	0.1%	0.1%	0.2%
360+	0.6%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	2.1%	0.4%	0.5%	0.1%	0.4%	0.8%	0.1%	0.6%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	237.76	167.75	140.00	365.00	232.00	153.29	182.00	142.20
SD	*95.14*	*65.77*	*52.81*	*0.00*	*69.30*	*36.54*	*0.00*	*38.16*
Hospital patients who had a 150+ day hosp. stay, %	1.3%	0.1%	0.1%	0.1%	0.0%	0.2%	0.1%	0.1%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	290.80	208.00	218.00	365.00	0.00	164.00	182.00	155.00
SD	*77.65*	*80.14*	*0.00*	*0.00*	*0.00*	*2.83*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.59	0.48	0.63	0.36	0.59	0.60	0.16	0.61
SD	*4.28*	*3.35*	*4.03*	*2.81*	*3.66*	*3.99*	*1.87*	*3.53*
Cumulative DOS at Other Stations	1.83	0.86	1.12	0.70	1.13	0.95	0.20	1.33
SD	*7.27*	*4.23*	*5.14*	*3.74*	*4.52*	*4.72*	*1.91*	*4.88*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516	546	548	573	672	673
			Bay Pines	*Miami*	*W Palm Beach*	*N.Fla/S.Georg*	*San Juan*	*Tampa*
All Patients	217760	20220	2971	3255	1694	3838	4350	4112
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)								
Pts. with non-psych hospital stays, %	14.0%	13.9%	15.6%	13.3%	15.6%	14.5%	15.1%	10.7%
Inpatient stays, mean	0.85	1.01	1.08	0.98	0.88	1.04	1.14	0.86
SD	*1.20*	*1.24*	*1.36*	*1.22*	*1.20*	*1.16*	*1.28*	*1.21*
Average LOS, mean	7.54	7.48	6.63	5.87	6.66	6.68	10.39	7.16
SD	*13.36*	*9.80*	*7.63*	*7.43*	*6.03*	*7.14*	*11.91*	*13.60*
Cumulative Days of Stay, mean	6.52	7.71	7.38	5.96	6.04	7.18	11.87	6.19
SD	*17.31*	*15.21*	*13.27*	*12.47*	*12.40*	*12.58*	*19.53*	*16.31*
Cumulative Days of Stay, %								
0	48.5%	39.6%	36.9%	40.8%	48.6%	35.2%	33.5%	47.4%
1 to 7	29.2%	32.8%	35.1%	39.1%	27.8%	35.4%	27.6%	32.1%
8 to 14	9.8%	11.5%	12.6%	7.9%	10.3%	14.5%	13.0%	9.9%
15 to 44	10.2%	12.7%	12.8%	9.8%	11.5%	13.0%	19.3%	7.8%
45 to 89	1.8%	2.6%	2.2%	2.0%	1.4%	1.5%	5.4%	1.9%
90 to 179	0.4%	0.6%	0.4%	0.3%	0.4%	0.5%	1.2%	0.8%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.2%	0.3%	0.0%	0.0%	0.4%	0.1%	0.6%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	206.57	133.64	117.00	0.00	0.00	114.33	182.00	142.20
SD	*85.33*	*32.49*	*14.14*	*0.00*	*0.00*	*8.74*	*0.00*	*38.16*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	268.22	168.50	0.00	0.00	0.00	0.00	182.00	155.00
SD	*74.94*	*19.09*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.14*	*0.13*	*0.27*	*0.07*	*0.11*	*0.12*	*0.07*	*0.15*
SD	1.82	1.48	2.49	0.66	1.11	1.47	0.87	1.56
Other station cumulative DOS, mean	0.51	0.28	0.54	0.17	0.47	0.18	0.07	0.38
SD	*3.43*	*2.15*	*3.24*	*1.72*	*2.30*	*1.84*	*0.87*	*2.51*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
All Patients	217760	20220	2971	3255	1694	3838	4350	4112
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)								
Pts. with psych hospital stays, %	15.8%	11.2%	11.2%	11.4%	18.9%	9.5%	9.1%	11.5%
Inpatient stays, mean	0.98	0.82	0.76	0.79	1.38	0.75	0.55	0.98
SD	*1.28*	*1.27*	*1.18*	*1.07*	*1.92*	*1.19*	*0.83*	*1.37*
Average LOS, mean	17.54	8.62	9.71	7.95	5.73	8.02	10.33	9.36
SD	*38.98*	*10.23*	*15.61*	*10.89*	*4.88*	*12.46*	*6.22*	*7.54*
Cumulative Days of Stay, mean	15.33	6.94	7.00	6.43	8.42	6.13	5.63	8.82
SD	*38.37*	*15.32*	*16.17*	*16.89*	*19.23*	*16.12*	*9.86*	*14.60*
Cumulative Days of Stay, %								
0	41.8%	51.5%	54.5%	49.2%	37.7%	57.2%	59.9%	43.4%
1 to 7	18.6%	20.9%	22.5%	25.1%	31.7%	22.0%	11.1%	19.8%
8 to 14	14.1%	12.7%	9.2%	13.3%	13.4%	8.4%	15.6%	15.7%
15 to 44	17.8%	12.7%	10.5%	10.8%	15.2%	10.0%	11.9%	18.5%
45 to 89	4.7%	1.7%	2.6%	1.4%	1.2%	1.5%	1.5%	2.2%
90 to 179	1.7%	0.3%	0.5%	0.1%	0.4%	0.8%	0.0%	0.2%
180 to 359	0.8%	0.1%	0.1%	0.0%	0.4%	0.0%	0.0%	0.1%
360+	0.5%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	1.8%	0.2%	0.3%	0.1%	0.4%	0.5%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	239.50	199.56	163.00	365.00	232.00	160.25	0.00	0.00
SD	*96.26*	*78.84*	*77.78*	*0.00*	*69.30*	*13.48*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.2%	0.1%	0.1%	0.1%	0.0%	0.2%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	291.18	227.75	218.00	365.00	0.00	164.00	0.00	0.00
SD	*78.31*	*94.99*	*0.00*	*0.00*	*0.00*	*2.83*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.45	0.35	0.35	0.30	0.48	0.48	0.09	0.46
SD	*3.83*	*2.91*	*3.17*	*2.73*	*3.41*	*3.34*	*1.66*	*3.17*
Other station cumulative DOS, mean	1.32	0.58	0.58	0.53	0.65	0.76	0.12	0.95
SD	*6.36*	*3.55*	*3.91*	*3.34*	*3.86*	*4.06*	*1.70*	*4.17*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
All Patients	217760	20220	2971	3255	1694	3838	4350	4112
Other 24 hour institutional care								
Patients with some other 24 hour institutional care, %	8.5%	4.8%	6.7%	7.0%	3.2%	7.0%	2.0%	3.4%
Residential Rehab (rep. for those w/ res rehab care)								
Patients with some residential rehab. care, %	1.8%	1.2%	1.3%	3.8%	0.2%	1.7%	0.0%	0.1%
Number stays, mean	1.12	1.11	1.08	1.10	1.00	1.15	1.00	1.00
SD	*0.38*	*0.32*	*0.27*	*0.33*	*0.00*	*0.36*	*0.00*	*0.00*
Average LOS, mean	34.01	51.88	27.08	63.82	13.25	48.85	14.50	38.40
SD	*38.25*	*32.41*	*9.63*	*32.66*	*11.44*	*30.24*	*17.68*	*33.98*
Cumulative DOS, mean	37.28	56.26	29.58	67.92	13.25	55.60	14.50	38.40
SD	*40.79*	*34.61*	*14.39*	*33.13*	*11.44*	*35.34*	*17.68*	*33.98*
Cumulative Days of Stay, %								
1 to 7	12.3%	8.2%	5.0%	6.4%	50.0%	9.0%	50.0%	20.0%
8 to 14	12.7%	5.3%	7.5%	4.0%	25.0%	6.0%	0.0%	0.0%
15 to 44	50.7%	30.9%	75.0%	17.6%	25.0%	28.4%	50.0%	40.0%
45 to 89	15.8%	25.5%	12.5%	26.4%	0.0%	34.3%	0.0%	20.0%
90 to 179	7.0%	30.0%	0.0%	45.6%	0.0%	22.4%	0.0%	20.0%
180 to 359	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.3%	4.1%	0.0%	6.4%	0.0%	3.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	175.66	111.40	0.00	108.00	0.00	125.00	0.00	0.00
SD	*75.56*	*12.35*	*0.00*	*8.11*	*0.00*	*21.21*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	237.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*73.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.12	0.88	0.18	1.18	9.00	0.00	1.00	4.40
SD	*6.40*	*6.89*	*1.11*	*9.07*	*13.74*	*0.00*	*1.41*	*8.26*
Other station cumulative DOS, mean	3.58	2.37	1.10	1.40	13.25	1.22	14.50	38.40
SD	*10.93*	*10.75*	*4.71*	*9.38*	*11.44*	*7.11*	*17.68*	*33.98*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
All Patients	217760	20220	2971	3255	1694	3838	4350	4112
Domiciliary and Vocational								
(reported for those with some dom/voc care)								
Patients with some dom/voc care, %	2.8%	0.3%	1.4%	0.1%	0.0%	0.1%	0.0%	0.3%
Number stays, mean	1.13	1.08	1.12	1.00	0.00	1.00	1.00	1.00
SD	*0.38*	*0.27*	*0.33*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	85.20	93.81	99.57	30.50	0.00	32.80	28.00	112.07
SD	*90.51*	*65.04*	*62.68*	*0.71*	*0.00*	*26.47*	*0.00*	*71.04*
Cumulative DOS, mean	92.74	99.45	108.17	30.50	0.00	32.80	28.00	112.07
SD	*94.18*	*68.43*	*67.06*	*0.71*	*0.00*	*26.47*	*0.00*	*71.04*
Cumulative Days of Stay, %								
1 to 7	6.9%	4.7%	2.4%	0.0%	0.0%	20.0%	0.0%	7.1%
8 to 14	6.1%	6.3%	7.1%	0.0%	0.0%	20.0%	0.0%	0.0%
15 to 44	29.6%	18.8%	9.5%	100.0%	0.0%	40.0%	100.0%	21.4%
45 to 89	19.5%	20.3%	26.2%	0.0%	0.0%	20.0%	0.0%	7.1%
90 to 179	22.9%	37.5%	45.2%	0.0%	0.0%	0.0%	0.0%	35.7%
180 to 359	10.1%	12.5%	9.5%	0.0%	0.0%	0.0%	0.0%	28.6%
360+	5.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	31.6%	45.3%	50.0%	0.0%	0.0%	0.0%	0.0%	57.1%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	203.50	162.66	161.81	0.00	0.00	0.00	0.00	164.88
SD	*90.08*	*43.32*	*47.05*	*0.00*	*0.00*	*0.00*	*0.00*	*34.25*
Dom. patients with 150+ day Dom. stay, %	18.0%	23.4%	26.2%	0.0%	0.0%	0.0%	0.0%	28.6%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	259.61	185.53	182.00	0.00	0.00	0.00	0.00	195.25
SD	*79.66*	*37.66*	*43.35*	*0.00*	*0.00*	*0.00*	*0.00*	*13.60*
Other VISN cumulative DOS, mean	1.54	4.95	2.00	15.00	0.00	22.80	28.00	4.36
SD	*8.76*	*12.73*	*6.58*	*21.21*	*0.00*	*30.64*	*0.00*	*10.87*
Other station cumulative DOS, mean	3.75	6.09	2.00	30.50	0.00	31.20	28.00	4.36
SD	*14.14*	*13.88*	*6.58*	*0.71*	*0.00*	*28.51*	*0.00*	*10.87*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
All Patients	217760	20220	2971	3255	1694	3838	4350	4112
Nursing Home Care								
(reported for those with some nursing home care)								
Patients with some nursing home care, %	4.5%	3.4%	4.4%	3.2%	3.1%	5.2%	1.9%	3.0%
Number stays, mean	1.24	1.22	1.33	1.19	1.13	1.23	1.12	1.25
SD	*0.60*	*0.53*	*0.70*	*0.50*	*0.40*	*0.50*	*0.36*	*0.54*
Average LOS, mean	99.56	71.53	63.24	101.54	84.97	56.34	75.09	71.52
SD	*118.68*	*88.59*	*71.59*	*122.41*	*105.81*	*64.90*	*84.07*	*93.79*
Cumulative DOS, mean	111.19	82.88	80.42	111.86	91.52	65.95	81.15	85.93
SD	*123.23*	*96.40*	*88.71*	*123.40*	*109.71*	*71.96*	*87.83*	*107.52*
Cumulative Days of Stay, %								
1 to 7	9.0%	7.3%	9.1%	4.8%	15.4%	6.0%	4.8%	8.1%
8 to 14	10.6%	16.0%	17.4%	15.4%	13.5%	16.6%	17.9%	13.8%
15 to 44	27.5%	30.7%	25.8%	27.9%	23.1%	34.2%	27.4%	38.2%
45 to 89	15.4%	15.7%	14.4%	13.5%	17.3%	17.6%	20.2%	12.2%
90 to 179	13.8%	15.7%	18.9%	14.4%	15.4%	18.1%	15.5%	9.8%
180 to 359	11.4%	10.7%	13.6%	13.5%	7.7%	6.5%	13.1%	11.4%
360+	12.4%	3.9%	0.8%	10.6%	7.7%	1.0%	1.2%	6.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	33.0%	24.5%	27.3%	26.9%	28.8%	20.6%	28.6%	21.1%
Cumul. DOS, patients with a 100+ day NH stay, mean	263.62	223.94	195.44	294.64	236.73	180.98	200.96	268.85
SD	*97.17*	*91.09*	*83.22*	*81.57*	*98.54*	*72.73*	*73.73*	*88.32*
NH patients with 150+ day NH stay, %	25.7%	16.1%	13.6%	24.0%	23.1%	10.1%	16.7%	18.7%
Cumul. DOS, patients with a 150+ day NH stay, mean	299.88	270.04	264.56	313.60	265.17	227.90	234.29	287.91
SD	*76.08*	*75.58*	*58.19*	*62.38*	*88.93*	*72.47*	*70.72*	*74.55*
Other VISN cumulative DOS, mean	0.41	0.50	1.37	0.46	0.00	0.18	0.55	0.28
SD	*5.60*	*4.77*	*8.93*	*3.57*	*0.00*	*2.17*	*5.02*	*2.60*
Other station cumulative DOS, mean	1.17	0.64	1.90	0.52	0.00	0.25	0.55	0.34
SD	*8.68*	*5.47*	*10.74*	*3.61*	*0.00*	*2.33*	*5.02*	*2.67*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
All Patients	217760	20220	2971	3255	1694	3838	4350	4112
Outpatient utilization								
(reported for those with some outpatient care)								
Patients with some outpatient care, %	99.1%	99.7%	99.8%	99.3%	99.5%	99.7%	99.8%	99.6%
annual visit days, mean	24.61	20.91	21.28	25.73	19.21	19.77	18.03	21.63
SD	*33.05*	*24.08*	*24.04*	*35.27*	*21.37*	*20.38*	*15.73*	*24.15*
Outpatient visit days, %								
1-12	44.2%	43.7%	43.3%	45.7%	49.3%	44.6%	42.3%	40.7%
13-24	26.4%	30.4%	28.8%	24.6%	26.5%	30.7%	36.7%	30.6%
25-36	11.9%	12.8%	14.1%	10.8%	10.8%	12.0%	12.8%	15.2%
37-48	5.9%	5.5%	6.2%	5.7%	5.3%	5.5%	4.5%	6.0%
49+	11.5%	7.6%	7.6%	13.3%	8.1%	7.2%	3.8%	7.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	79.4%	83.1%	82.9%	78.2%	89.9%	86.8%	80.1%	84.1%
Mean PC visit days, among those with some PC	3.84	4.26	4.06	4.30	3.77	3.54	4.82	4.70
SD	3.72	3.53	3.22	4.23	2.90	2.97	3.41	3.89
Average number clinic stops per visit day, mean	1.49	1.45	1.43	1.46	1.54	1.44	1.36	1.44
SD	*0.47*	*0.44*	*0.45*	*0.44*	*0.44*	*0.37*	*0.33*	*0.37*
annual clinic stops (psych & non-psych), mean	37.56	31.79	33.65	39.63	30.94	32.87	24.99	32.87
SD	*56.64*	*45.44*	*56.33*	*59.50*	*38.27*	*46.51*	*23.76*	*46.51*
annual non-psych. clinic stops, mean	20.14	20.62	20.77	22.32	19.98	20.69	18.19	21.96
SD	*25.25*	*22.71*	*22.16*	*30.42*	*22.23*	*19.84*	*17.68*	*23.19*
annual psych. clinic stops (groupings below), mean	17.42	11.17	12.88	17.31	10.96	9.98	6.80	10.91
SD	*43.44*	*31.81*	*41.80*	*39.53*	*24.87*	*31.69*	*14.21*	*31.96*
1. general psych. clinic stops, mean	7.22	5.40	5.47	6.41	5.99	4.62	5.36	5.08
SD	*13.49*	*9.75*	*8.75*	*10.79*	*11.92*	*8.89*	*11.64*	*6.51*
2. psych. case management clinic stops, mean	1.44	0.54	0.00	1.43	0.14	0.96	0.01	0.57
SD	*12.10*	*6.48*	*0.04*	*11.93*	*1.17*	*8.59*	*0.25*	*4.81*
3. psych. day treatment clinic stops, mean	2.80	2.06	5.24	3.39	1.09	0.62	0.40	2.22
SD	*21.66*	*19.10*	*36.56*	*19.94*	*6.46*	*7.95*	*3.93*	*20.19*
4. substance abuse clinic stops, mean	3.26	2.22	0.73	4.64	2.22	3.09	0.93	1.96
SD	*19.07*	*16.25*	*5.52*	*23.42*	*11.90*	*25.14*	*6.08*	*12.15*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
All Patients	217760	20220	2971	3255	1694	3838	4350	4112
5. psych. vocational clinic stops, mean	1.73	0.52	1.07	0.64	0.56	0.31	0.00	0.76
SD	*15.65*	*8.08*	*12.26*	*8.33*	*7.52*	*4.47*	*0.00*	*10.73*
6. PTSD clinic stops, mean	0.56	0.18	0.25	0.16	0.37	0.16	0.07	0.18
SD	*4.85*	*1.87*	*2.36*	*1.81*	*2.57*	*2.16*	*0.85*	*1.63*
7. psych. homeless clinic stops, mean	0.41	0.17	0.12	0.31	0.45	0.17	0.00	0.14
SD	*3.32*	*1.53*	*0.91*	*2.17*	*2.50*	*1.59*	*0.05*	*1.49*
Other VISN OP visit days, mean	0.36	0.27	0.36	0.25	0.35	0.33	0.10	0.30
SD	2.35	1.63	1.78	1.79	1.79	1.95	0.94	1.54
Other station OP visit days, mean	0.91	0.50	0.70	0.48	0.73	0.50	0.16	0.63
SD	3.87	2.40	2.77	2.58	2.80	2.43	1.18	2.68

Table 4F: FY03 Psychosis Patients, Pharmacy Utilization, VISN 8

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
All Patients	217760	20220	2971	3255	1694	3838	4350	4112
Among all patients in the registry								
Pts. with any outpatient prescriptions, %	95.5%	97.2%	95.9%	96.3%	96.9%	97.3%	98.4%	97.3%
Patients with any oral antipsychotic fills, %*	59.2%	57.3%	46.8%	52.2%	51.1%	54.6%	72.6%	58.0%
Among pts. Receiving any antipsychotic medication:								
Received only conventional antipsychotics, %	12.3%	14.1%	14.3%	13.7%	6.6%	11.8%	13.3%	20.3%
Received some atypical antipsychotics, %	87.7%	85.9%	85.7%	86.3%	93.4%	88.2%	86.7%	79.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %								
Aripiprazole	1.2%	0.8%	0.5%	2.6%	0.0%	0.4%	0.5%	0.8%
Clozapine	1.8%	0.8%	0.8%	1.2%	1.4%	1.2%	0.2%	0.9%
Olanzapine	35.8%	41.6%	39.9%	33.4%	44.6%	38.8%	52.2%	35.7%
Quetiapine	26.2%	22.8%	21.2%	23.3%	24.9%	24.5%	25.8%	17.3%
Risperidone	36.7%	32.5%	33.5%	40.0%	40.9%	37.3%	20.7%	35.2%
Ziprasidone	5.2%	4.1%	5.3%	3.6%	4.9%	3.4%	2.2%	6.4%
Patients receiving only one kind** of antipsychotic, %	73.8%	77.5%	80.3%	75.6%	72.0%	75.3%	81.7%	75.7%
Concurrent use of 2 or more antipsychotics, % ***	11.3%	7.2%	6.8%	8.1%	11.1%	8.8%	3.8%	8.6%
Among pts receiving just one antipsychotic:								
Antipsychotic fills, mean	7.06	7.55	7.90	7.14	7.55	7.28	8.17	6.99
SD	*5.06*	*4.68*	*4.63*	*5.03*	*5.69*	*4.68*	*4.16*	*4.64*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5F: FY03 Psychosis Patients, Cost, VISN 8

	All VISNs	VISN 8	516	546	548	573	672	673
			Bay Pines	*Miami*	*W Palm Beach*	*N.Fla/S.Georg*	*San Juan*	*Tampa*
All Patients	217760	20220	2971	3255	1694	3838	4350	4112
Total Costs (in thousands $$)	$3,237,460	$214,370	$32,838	$42,817	$20,388	$39,980	$40,652	$37,696
Station % of VISN		100.0%	15.3%	20.0%	9.5%	18.7%	19.0%	17.6%
Psych vs. Non-Psych Costs								
Psych	30.3%	22.3%	23.8%	23.1%	30.9%	16.9%	23.4%	19.7%
Non-Psych	69.7%	77.7%	76.2%	76.9%	69.1%	83.1%	76.6%	80.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use								
Per Patient	$18,395	$12,464	$13,809	$13,966	$15,489	$9,437	$13,396	$5,088
Per Day of Stay	$842	$851	$961	$1,127	$1,071	$709	$766	$339
Mean Outpatient Costs, Pts with some Outpatient use								
Per Patient	$6,757	$6,005	$5,326	$7,537	$5,735	$6,036	$5,629	$5,769
Per Visit Day	$275	$287	$250	$293	$299	$305	$312	$267
Mean Patient Costs, By Cost Center								
1 Med	$1,582	$1,266	$1,411	$1,290	$1,717	$1,004	$1,689	$754
2 Surg	$536	$387	$481	$526	$404	$288	$364	$317
3 Psych	$2,886	$1,215	$1,511	$1,325	$2,579	$812	$983	$973
4 Psych Res Rehab Treatment Program	$218	$184	$93	$804	$13	$195	$1	$14
5 Non-VA	$205	$222	$326	$122	$97	$284	$59	$392
6 LTC Domiciliary	$327	$41	$205	$4	$0	$4	$2	$44
7 LTC Intermediate Care	$167	$96	$64	$319	$177	$86	$20	$0
8 LTC Nursing Home	$1,785	$781	$563	$1,104	$1,288	$758	$601	$685
9 Contract Nursing Home	$467	$425	$1,084	$174	$57	$965	$6	$239
10 OPC Med/Surg	$1,071	$892	$850	$1,371	$1,244	$685	$845	$639
11 OPC Psych	$1,624	$1,146	$1,115	$1,720	$1,139	$947	$1,206	$836
12 OPC Home Based Treatment	$751	$623	$446	$881	$502	$547	$600	$693
13 OPC Support	$1,322	$1,362	$1,105	$1,662	$1,057	$1,542	$1,119	$1,524
14 OPC Fee	$148	$114	$161	$30	$152	$186	$47	$135
15 OPC Pharmacy	$1,778	$1,848	$1,639	$1,822	$1,610	$2,112	$1,802	$1,921
TOTAL	$14,867	$10,602	$11,053	$13,154	$12,036	$10,417	$9,345	$9,167
Mean % Patient Costs at Other Stations	3.9%	2.9%	3.6%	2.5%	4.3%	2.6%	1.0%	4.3%
SD	*12.8%*	*11.2%*	*12.3%*	*10.4%*	*13.2%*	*10.6%*	*6.5%*	*13.9%*
Mean % Patient Costs at Other VISNs	1.5%	1.7%	2.2%	1.5%	2.0%	1.8%	0.6%	2.3%
SD	*8.0%*	*8.7%*	*9.9%*	*8.4%*	*8.8%*	*9.1%*	*5.3%*	*10.4%*

Table 1G: FY03 Schizophrenic Patients, Demographics, VISN 8

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Schizophrenic Patients	94395	9043	917	1244	476	1388	3322	1696
Age, %								
<35	3.9%	3.0%	3.4%	4.3%	2.7%	4.8%	1.2%	3.9%
>=35 and <50	32.5%	27.0%	30.3%	35.7%	30.1%	32.1%	18.1%	31.2%
>=50 and <65	44.6%	46.9%	47.7%	42.6%	48.2%	45.4%	47.4%	49.5%
>=65 and <80	15.7%	19.1%	14.5%	14.1%	14.1%	15.1%	27.8%	12.9%
>=80	3.3%	4.0%	4.1%	3.4%	4.8%	2.7%	5.4%	2.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	54.59	56.24	54.84	53.92	55.41	54.01	59.69	54.02
SD	*11.97*	*12.05*	*11.89*	*11.97*	*11.94*	*11.69*	*11.83*	*11.37*
Gender								
Male, %	94.6%	95.7%	94.9%	94.4%	95.4%	92.2%	98.3%	94.9%
Female, %	5.4%	4.3%	5.1%	5.6%	4.6%	7.8%	1.7%	5.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %								
Hispanic white	6.9%	40.3%	4.4%	14.1%	5.7%	2.7%	88.4%	25.5%
Hispanic black	0.6%	3.3%	0.0%	1.1%	0.4%	0.1%	7.6%	1.8%
American Indian	0.3%	0.1%	0.1%	0.3%	0.0%	0.1%	0.0%	0.2%
Black	26.5%	13.5%	12.4%	28.4%	21.4%	28.9%	0.8%	13.5%
Asian	0.8%	0.1%	0.0%	0.1%	0.0%	0.2%	0.0%	0.2%
White	52.4%	32.3%	69.2%	39.1%	63.0%	48.8%	1.9%	44.8%
Race unknown	12.5%	10.3%	13.8%	17.0%	9.5%	19.2%	1.4%	14.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status								
Never married	42.4%	26.0%	37.9%	23.8%	34.7%	32.7%	16.7%	31.2%
Married	24.6%	44.8%	27.5%	31.4%	26.8%	31.0%	62.7%	43.5%
Divorced/Separated	29.5%	25.6%	31.9%	40.2%	35.1%	31.8%	17.2%	22.2%
Widowed	3.5%	3.6%	2.7%	4.7%	3.4%	4.5%	3.4%	3.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 8

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Schizophrenic Patients	94395	9043	917	1244	476	1388	3322	1696
Registry Pts. History of VA Utilization								
Years since first use in prior five years, mean	4.6	4.69	4.69	4.65	4.51	4.64	4.79	4.61
SD	*1.0*	*0.88*	*0.88*	*0.95*	*1.06*	*0.93*	*0.71*	*0.97*
Yrs with 24-hour institutional use / yrs since 1st use, %	27.3%	20.6%	26.5%	24.8%	28.6%	20.9%	17.5%	18.2%
SD	*30.9%*	*27.1%*	*30.2%*	*29.0%*	*31.5%*	*26.7%*	*24.8%*	*26.2%*
Years with OP use / Years since first use, %	96.7%	98.1%	98.3%	97.9%	97.5%	98.0%	98.3%	97.9%
SD	*12.4%*	*8.4%*	*7.9%*	*9.3%*	*9.9%*	*8.4%*	*7.9%*	*8.7%*
Psychosis Diagnoses in Prior Fiscal Year								
Had Psychosis Diagnosis in FY01, %	82.2%	82.2%	87.2%	84.7%	78.8%	85.9%	78.7%	82.3%
Among Patients With Psychoses in FY01								
Psychosis Category: Schizophrenia, %	94.8%	95.5%	96.4%	95.6%	94.7%	93.6%	96.8%	94.3%
Psychosis Category: Bipolar Disorder, %	2.6%	2.2%	1.9%	2.5%	2.7%	2.1%	1.8%	2.7%
Psychosis Category: Other Psychosis, %	2.5%	2.3%	1.8%	1.9%	2.7%	4.3%	1.4%	3.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %								
Dementia	2.3%	3.2%	2.3%	2.6%	1.7%	2.0%	4.9%	2.3%
Post Traumatic Stress Disorder	11.9%	8.6%	10.3%	11.2%	13.2%	12.6%	4.0%	10.4%
Depression	25.7%	27.2%	19.7%	27.4%	33.2%	21.6%	32.8%	23.2%
Other Anxiety Disorder	8.7%	9.2%	6.7%	12.8%	10.1%	7.3%	8.7%	10.3%
Substance Abuse or Dependence	22.3%	15.1%	20.1%	22.9%	23.1%	14.5%	11.0%	13.1%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 8

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Schizophrenic Patients	94395	9043	917	1244	476	1388	3322	1696
Medical Comorbidities, %								
No medical comorbidities	18.7%	14.4%	14.8%	19.0%	11.8%	14.9%	12.4%	15.0%
Anemia	7.1%	7.8%	10.8%	7.0%	12.6%	9.8%	5.7%	7.7%
Arthritis	29.7%	34.4%	31.8%	30.3%	32.4%	34.4%	36.1%	36.2%
Cancer	6.1%	6.6%	7.9%	7.2%	8.8%	5.0%	6.5%	6.4%
Cerebrovascular Disease	3.8%	4.9%	4.6%	4.1%	5.0%	4.1%	6.4%	3.2%
Chronic Neurologic Disorder	12.4%	11.9%	15.0%	13.0%	13.0%	15.7%	9.2%	11.4%
Chronic Obstructive Pulmonary Disease	16.5%	15.0%	18.9%	14.1%	19.7%	21.8%	11.1%	14.2%
Chronic Viral Infection	8.7%	9.2%	8.1%	11.9%	10.5%	7.9%	8.7%	9.6%
Coronary Artery Disease	14.6%	15.6%	18.8%	15.1%	21.0%	15.3%	14.9%	14.3%
Diabetes	20.3%	23.8%	20.3%	20.4%	19.5%	20.7%	29.0%	21.8%
Digestive System Disease	44.1%	50.2%	48.4%	49.0%	53.6%	46.7%	52.0%	50.8%
Hypertension	40.7%	45.5%	38.6%	43.2%	38.7%	43.8%	52.1%	41.5%
Injury and Poisoning	15.5%	15.5%	19.4%	16.6%	15.1%	14.0%	15.2%	14.3%
Liver Disease	3.2%	3.9%	2.9%	3.5%	3.8%	3.9%	5.3%	2.2%
Other Endocrine	6.9%	6.9%	9.8%	5.5%	6.9%	8.0%	6.6%	6.2%
Peripheral Vascular Disease	2.9%	3.2%	2.4%	2.7%	1.9%	4.0%	4.2%	1.9%
GAF scores								
Lowest inpatient GAF score, mean	36.19	32.85	31.40	28.33	33.10	32.11	42.50	34.58
SD	*14.35*	*12.37*	*11.73*	*11.82*	*11.23*	*17.39*	*3.54*	*11.67*
Mean outpatient GAF score	48.84	50.29	50.57	47.05	45.45	52.33	49.77	52.73
SD	*10.59*	*10.32*	*8.83*	*9.05*	*9.16*	*12.91*	*10.05*	*9.47*
At least 1 IP GAF, among pts with MH bedsections, %	38.5%	28.8%	29.0%	19.2%	60.7%	19.5%	0.8%	63.9%
At least 1 OP GAF, among pts with MH clinic stops, %	80.5%	52.3%	92.0%	85.6%	88.6%	64.3%	1.2%	85.5%
Mortality rates								
died in FY02, %	2.7%	2.6%	2.8%	2.3%	3.6%	3.1%	2.5%	2.2%
Age-and-gender-adjusted Standardized Mortality Ratio	1.68	1.42	0.00	0.00	0.00	0.00	0.00	0.00

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Schizophrenic Patients	94395	9043	917	1244	476	1388	3322	1696
Service Connection (SC)								
Non-SC	40.8%	29.5%	31.2%	34.3%	37.4%	31.2%	25.8%	28.6%
SC 0 - 29%	6.8%	6.1%	5.1%	7.1%	6.7%	7.1%	5.8%	5.4%
SC 30 - 69%	8.8%	9.5%	9.8%	9.8%	8.4%	9.8%	9.8%	8.8%
SC 70 - 99%	6.6%	8.3%	8.8%	7.8%	5.5%	8.7%	8.3%	8.9%
SC 100%	37.0%	46.6%	45.0%	41.0%	42.0%	43.2%	50.4%	48.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %								
Complex*	22.5%	11.4%	15.3%	17.0%	15.3%	13.2%	7.8%	9.8%
Basic vested, Cat A*	74.7%	86.9%	83.5%	80.8%	81.3%	85.4%	91.4%	87.2%
Basic Non-vested, Cat A*	1.2%	0.9%	0.2%	1.0%	0.6%	0.8%	0.6%	1.7%
Basic, Cats C and N	1.7%	0.8%	1.0%	1.1%	2.7%	0.6%	0.2%	1.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded								
Patient eligibility category, %								
Cat A (SC or low income)	98.2%	99.2%	99.0%	98.9%	97.1%	99.3%	99.8%	98.7%
Cat C (NSC and higher income)	1.4%	0.6%	0.9%	0.5%	2.3%	0.4%	0.1%	1.0%
Non-Veteran	0.5%	0.3%	0.1%	0.6%	0.6%	0.4%	0.1%	0.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %								
BASIC 1. Non-reliant Care	0.2%	0.3%	0.1%	0.1%	0.0%	0.0%	0.7%	0.0%
2. Basic Medical	13.3%	16.1%	15.7%	10.9%	16.4%	22.7%	15.6%	15.4%
3. Mental Health	38.5%	39.3%	44.7%	39.1%	38.0%	36.5%	36.0%	45.7%
4. Heart / Lung / GI	5.8%	6.4%	6.2%	4.3%	5.0%	6.8%	7.4%	6.1%
5. Oncology / Infectious Disease	3.6%	3.7%	3.1%	3.8%	3.8%	4.8%	3.3%	4.0%
6. Multiple Medical	16.1%	22.8%	14.9%	24.8%	21.4%	16.1%	29.2%	18.9%
COMPLEX 7. Specialized Care	1.9%	1.8%	1.1%	2.7%	2.1%	1.4%	1.6%	2.1%
8. Support Care	2.3%	2.1%	2.4%	1.4%	1.7%	3.0%	2.4%	1.4%
9. Chronic Mental	15.7%	5.9%	9.8%	11.2%	8.4%	7.8%	2.5%	4.3%
10. Critically Ill	2.6%	1.6%	2.0%	1.7%	3.2%	1.0%	1.3%	2.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Schizophrenic Patients	94395	9043	917	1244	476	1388	3322	1696
Substance Dependence and Abuse								
Any dx of alcohol / drug dependence or abuse, %	22.3%	15.1%	20.1%	22.9%	23.1%	14.5%	11.0%	13.1%
Homelessness								
Homelessness indicated in FY02, %	12.0%	5.8%	10.9%	14.0%	11.8%	5.8%	0.5%	5.7%
Residence in Metropolitan Area								
Residing in a Metropolitan Statistical Area, %	81.5%	88.3%	96.1%	98.4%	94.1%	67.6%	85.0%	98.5%
Distance								
Mile from Closest VA Medical Center, mean	28.72	33.16	29.29	15.76	20.54	56.03	24.94	48.91
SD	*55.48*	*30.79*	*33.35*	*16.14*	*19.67*	*32.44*	*23.85*	*33.11*
Distance from closest VA Medical Center, %								
0 to 15 miles	52.9%	42.0%	58.7%	56.5%	56.3%	13.8%	50.1%	25.7%
15 to 30 miles	15.5%	18.4%	12.0%	35.4%	17.7%	8.8%	19.9%	14.7%
30 to 45 miles	9.7%	7.2%	5.1%	5.9%	12.4%	10.8%	8.1%	3.4%
45 to 60 miles	7.4%	7.4%	2.2%	0.3%	7.8%	22.7%	6.3%	5.3%
60 plus miles	14.4%	24.9%	22.0%	1.9%	5.7%	44.0%	15.7%	50.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	9.84	8.69	5.10	5.14	6.85	13.07	9.95	7.73
SD	*11.95*	*7.74*	*6.94*	*13.93*	*7.93*	*18.33*	*15.42*	*16.64*
Distance to closest VA Service Site, %								
0 to 15 miles	79.4%	83.7%	96.6%	99.4%	96.8%	65.5%	76.6%	90.0%
15 to 30 miles	13.6%	14.4%	2.9%	0.4%	1.9%	24.8%	22.7%	9.8%
30 to 45 miles	5.1%	1.2%	0.2%	0.0%	1.3%	6.1%	0.4%	0.2%
45 plus miles	1.9%	0.7%	0.2%	0.2%	0.0%	3.5%	0.2%	0.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 8

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Schizophrenic Patients	94395	9043	917	1244	476	1388	3322	1696
Hospital Based Utilization								
Patients with some Hospital Based Utilization, %	27.0%	22.9%	26.9%	24.3%	34.2%	22.0%	21.4%	19.9%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)								
Inpatient stays, mean	1.85	1.83	1.85	1.79	2.33	1.84	1.73	1.82
SD	*1.45*	*1.43*	*1.34*	*1.34*	*2.28*	*1.35*	*1.25*	*1.42*
Average LOS, mean	17.65	8.77	8.42	7.15	6.57	7.89	10.41	8.87
SD	*42.51*	*9.87*	*9.87*	*6.79*	*5.93*	*11.48*	*10.32*	*10.63*
Cumulative DOS, mean	28.76	16.24	16.20	12.69	16.55	15.18	18.05	16.47
SD	*53.29*	*21.36*	*20.36*	*14.42*	*28.43*	*22.38*	*20.59*	*23.54*
Cumulative DOS, %								
1 to 7	35.1%	42.2%	44.5%	50.0%	47.2%	48.4%	34.0%	42.9%
8 to 14	20.7%	12.9%	23.5%	21.9%	17.8%	21.2%	26.4%	23.7%
15 to 44	29.0%	26.8%	24.3%	23.2%	29.4%	23.5%	30.2%	26.3%
45 to 89	9.0%	5.8%	6.1%	5.0%	2.5%	5.2%	7.5%	4.7%
90 to 179	3.4%	1.5%	1.6%	0.0%	2.5%	1.6%	1.7%	1.8%
180 to 359	1.5%	0.2%	0.0%	0.0%	0.6%	0.0%	0.1%	0.6%
360+	1.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	89.4%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	3.8%	0.4%	0.4%	0.0%	0.6%	1.0%	0.1%	0.9%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	249.93	166.78	108.00	0.00	281.00	158.67	182.00	151.33
SD	*96.37*	*52.33*	*0.00*	*0.00*	*0.00*	*15.28*	*0.00*	*43.56*
Hospital patients who had a 150+ day hosp. stay, %	2.5%	0.1%	0.0%	0.0%	0.0%	0.3%	0.1%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.78	172.00	0.00	0.00	0.00	162.00	182.00	0.00
SD	*75.28*	*14.14*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.65	0.51	0.73	0.34	0.95	1.00	0.13	0.68
SD	*4.66*	*3.87*	*4.91*	*2.13*	*5.35*	*5.53*	*1.94*	*4.46*
Cumulative DOS at Other Stations	2.06	0.82	1.15	0.58	1.47	1.33	0.16	1.38
SD	*8.11*	*4.43*	*5.37*	*3.06*	*5.76*	*6.05*	*1.98*	*5.62*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Schizophrenic Patients	94395	9043	917	1244	476	1388	3322	1696
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)								
Pts. with non-psych hospital stays, %	11.8%	13.0%	13.0%	12.3%	14.9%	12.7%	14.8%	9.6%
Inpatient stays, mean	0.71	0.94	0.76	0.83	0.71	0.89	1.22	0.74
SD	*1.11*	*1.18*	*0.97*	*1.09*	*1.22*	*1.64*	*0.93*	*1.33*
Average LOS, mean	8.26	8.09	6.40	5.70	6.45	6.44	10.30	7.38
SD	*16.10*	*10.37*	*6.93*	*6.92*	*5.89*	*6.47*	*11.92*	*13.47*
Cumulative Days of Stay, mean	6.10	7.90	5.11	4.85	4.55	5.82	12.68	6.07
SD	*19.61*	*16.35*	*10.53*	*10.88*	*9.85*	*10.14*	*20.60*	*18.52*
Cumulative Days of Stay, %								
0	56.2%	43.3%	51.8%	49.3%	56.4%	42.5%	30.9%	52.1%
1 to 7	24.8%	29.6%	27.9%	34.1%	23.3%	32.7%	28.0%	30.2%
8 to 14	8.1%	11.3%	9.7%	6.6%	9.2%	13.7%	14.2%	9.2%
15 to 44	8.5%	12.0%	9.3%	7.6%	10.4%	9.2%	19.7%	5.3%
45 to 89	1.7%	3.0%	1.2%	2.3%	0.0%	2.0%	5.6%	1.8%
90 to 179	0.5%	0.7%	0.0%	0.0%	0.6%	0.0%	1.4%	1.2%
180 to 359	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.4%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.9%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	225.13	159.00	0.00	0.00	0.00	0.00	182.00	151.33
SD	*88.92*	*38.73*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*43.56*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	285.12	182.00	0.00	0.00	0.00	0.00	182.00	0.00
SD	*70.56*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.10*	*0.05*	*0.02*	*0.05*	*0.03*	*0.11*	*0.03*	*0.08*
SD	*1.58*	*0.87*	*0.27*	*0.59*	*0.32*	*1.44*	*0.41*	*1.42*
Other station cumulative DOS, mean	0.47	0.14	0.15	0.05	0.28	0.20	0.03	0.30
SD	*3.45*	*1.33*	*1.18*	*0.59*	*0.98*	*1.96*	*0.42*	*2.25*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Schizophrenic Patients	94395	9043	917	1244	476	1388	3322	1696
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)								
Pts. with psych hospital stays, %	17.7%	11.8%	15.8%	14.6%	23.5%	11.5%	8.0%	11.9%
Inpatient stays, mean	1.14	0.89	1.10	0.96	1.62	0.95	0.51	1.08
SD	*1.37*	*1.33*	*1.36*	*1.16*	*2.27*	*1.32*	*0.84*	*1.47*
Average LOS, mean	23.15	9.32	10.24	8.23	6.42	9.70	10.35	9.61
SD	*51.08*	*9.38*	*12.91*	*6.71*	*5.84*	*15.36*	*5.97*	*6.83*
Cumulative Days of Stay, mean	22.66	8.35	11.09	7.84	11.99	9.36	5.36	10.40
SD	*51.43*	*16.95*	*19.26*	*11.92*	*27.86*	*21.50*	*10.01*	*18.05*
Cumulative Days of Stay, %								
0	34.4%	48.5%	41.3%	39.7%	31.3%	48.0%	62.7%	40.2%
1 to 7	17.5%	20.0%	22.7%	27.2%	36.2%	24.2%	10.7%	19.5%
8 to 14	14.7%	13.8%	14.6%	16.2%	9.2%	8.8%	14.3%	16.6%
15 to 44	21.2%	14.5%	15.4%	14.6%	19.0%	14.1%	10.5%	20.4%
45 to 89	6.9%	2.6%	4.9%	2.3%	2.5%	3.3%	1.7%	2.4%
90 to 179	2.8%	0.6%	1.2%	0.0%	1.2%	1.6%	0.0%	0.6%
180 to 359	1.4%	0.1%	0.0%	0.0%	0.6%	0.0%	0.0%	0.3%
360+	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	0.2%	0.4%	0.0%	0.6%	1.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	250.18	172.80	108.00	0.00	281.00	158.33	0.00	0.00
SD	*97.20*	*65.26*	*0.00*	*0.00*	*0.00*	*15.82*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	2.2%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.10	162.00	0.00	0.00	0.00	162.00	0.00	0.00
SD	*76.47*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.55	0.46	0.70	0.29	0.92	0.89	0.10	0.60
SD	4.34	3.67	4.91	2.02	5.34	4.85	1.89	4.24
Other station cumulative DOS, mean	1.59	0.68	1.00	0.53	1.20	1.13	0.14	1.07
SD	7.30	4.14	5.25	2.98	5.72	5.30	1.94	5.18

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Schizophrenic Patients	94395	9043	917	1244	476	1388	3322	1696
Other 24 hour institutional care								
Patients with some other 24 hour institutional care, %	8.0%	3.8%	6.0%	5.6%	4.4%	5.5%	1.9%	3.3%
Residential Rehab (rep. for those w/ res rehab care)								
Patients with some residential rehab. care, %	1.6%	0.8%	0.8%	3.5%	0.2%	1.5%	0.0%	0.1%
Number stays, mean	*1.12*	*1.08*	*1.00*	*1.09*	*1.00*	*1.10*	*1.00*	*1.00*
SD	*0.37*	*0.32*	*0.00*	*0.37*	*0.00*	*0.30*	*0.00*	*0.00*
Average LOS, mean	36.26	54.16	27.57	61.23	14.00	50.00	27.00	91.00
SD	*45.44*	*35.20*	*1.13*	*35.22*	*0.00*	*36.87*	*0.00*	*0.00*
Cumulative DOS, mean	39.67	57.35	27.57	65.28	14.00	52.95	27.00	91.00
SD	*48.06*	*36.42*	*1.13*	*36.56*	*0.00*	*37.04*	*0.00*	*0.00*
Cumulative Days of Stay, %								
1 to 7	14.0%	8.1%	0.0%	9.3%	0.0%	9.5%	0.0%	0.0%
8 to 14	14.7%	5.4%	0.0%	4.7%	100.0%	4.8%	0.0%	0.0%
15 to 44	46.4%	31.1%	100.0%	16.3%	0.0%	38.1%	100.0%	0.0%
45 to 89	13.8%	18.9%	0.0%	20.9%	0.0%	23.8%	0.0%	0.0%
90 to 179	8.9%	36.5%	0.0%	48.8%	0.0%	23.8%	0.0%	100.0%
180 to 359	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.2%	5.4%	0.0%	4.7%	0.0%	9.5%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	180.59	116.25	0.00	107.50	0.00	125.00	0.00	0.00
SD	*80.43*	*16.30*	*0.00*	*6.36*	*0.00*	*21.21*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	2.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	246.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*77.24*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.84	0.96	0.00	1.65	0.00	0.00	0.00	0.00
SD	*5.37*	*8.25*	*0.00*	*10.83*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.24	3.12	0.00	2.30	14.00	0.00	27.00	91.00
SD	*10.31*	*14.00*	*0.00*	*11.54*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Schizophrenic Patients	94395	9043	917	1244	476	1388	3322	1696
Domiciliary and Vocational (reported for those with some dom/voc care)								
Patients with some dom/voc care, %	2.3%	0.1%	0.9%	0.0%	0.0%	0.1%	0.0%	0.1%
Number stays, mean	1.12	1.09	1.13	0.00	0.00	1.00	1.00	1.00
SD	*0.37*	*0.30*	*0.35*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	94.48	60.00	77.88	0.00	0.00	8.00	28.00	1.00
SD	*108.97*	*64.67*	*67.68*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS, mean	100.96	63.27	82.38	0.00	0.00	8.00	28.00	1.00
SD	*111.44*	*64.25*	*65.66*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative Days of Stay, %								
1 to 7	7.9%	18.2%	12.5%	0.0%	0.0%	0.0%	0.0%	100.0%
8 to 14	6.7%	18.2%	12.5%	0.0%	0.0%	100.0%	0.0%	0.0%
15 to 44	31.5%	18.2%	12.5%	0.0%	0.0%	0.0%	100.0%	0.0%
45 to 89	17.3%	9.1%	12.5%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	17.7%	36.4%	50.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	9.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	9.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	0.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.0%	36.4%	50.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	234.98	137.00	137.00	0.00	0.00	0.00	0.00	0.00
SD	*102.95*	*33.42*	*33.42*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	20.9%	18.2%	25.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	291.61	164.50	164.50	0.00	0.00	0.00	0.00	0.00
SD	*80.75*	*16.26*	*16.26*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.18	6.09	4.75	0.00	0.00	0.00	28.00	1.00
SD	*7.65*	*11.23*	*10.02*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.16	6.09	4.75	0.00	0.00	0.00	28.00	1.00
SD	*12.59*	*11.23*	*10.02*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Schizophrenic Patients	94395	9043	917	1244	476	1388	3322	1696
Nursing Home Care								
(reported for those with some nursing home care)								
Patients with some nursing home care, %	4.7%	2.9%	4.7%	2.3%	4.2%	4.0%	1.9%	3.2%
Number stays, mean	1.20	1.17	1.16	1.11	1.20	1.18	1.15	1.20
SD	*0.56*	*0.41*	*0.37*	*0.31*	*0.52*	*0.43*	*0.40*	*0.45*
Average LOS, mean	143.54	94.41	95.13	134.96	143.41	65.25	80.07	100.83
SD	*137.46*	*104.30*	*93.48*	*142.30*	*136.37*	*81.84*	*85.44*	*107.21*
Cumulative DOS, mean	156.00	106.10	110.12	144.71	156.30	71.98	88.08	119.74
SD	*139.76*	*112.34*	*108.01*	*143.51*	*139.21*	*85.55*	*90.03*	*123.10*
Cumulative Days of Stay, %								
1 to 7	6.8%	7.3%	11.6%	3.6%	10.0%	7.3%	6.5%	5.6%
8 to 14	6.5%	10.7%	7.0%	14.3%	5.0%	16.4%	9.7%	9.3%
15 to 44	20.5%	26.7%	20.9%	21.4%	15.0%	30.9%	29.0%	31.5%
45 to 89	14.1%	18.3%	18.6%	14.3%	20.0%	20.0%	22.6%	13.0%
90 to 179	15.1%	14.9%	16.3%	10.7%	15.0%	18.2%	16.1%	11.1%
180 to 359	14.7%	15.6%	23.3%	17.9%	15.0%	5.5%	14.5%	20.4%
360+	22.5%	6.5%	2.3%	17.9%	20.0%	1.8%	1.6%	9.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	48.0%	34.0%	39.5%	39.3%	50.0%	23.6%	30.6%	35.2%
Cumul. DOS, patients with a 100+ day NH stay, mean	282.12	238.75	223.29	305.82	271.60	191.15	204.63	263.16
SD	*94.85*	*92.46*	*83.11*	*83.16*	*100.18*	*98.19*	*73.72*	*88.69*
NH patients with 150+ day NH stay, %	39.8%	23.7%	25.6%	35.7%	40.0%	9.1%	17.7%	31.5%
Cumul. DOS, patients with a 150+ day NH stay, mean	312.43	281.00	273.27	324.00	307.25	272.20	235.55	280.35
SD	*72.26*	*75.19*	*56.48*	*60.37*	*74.88*	*107.50*	*72.93*	*76.55*
Other VISN cumulative DOS, mean	0.44	0.56	1.00	0.00	0.00	0.55	0.74	0.52
SD	*5.99*	*4.62*	*6.56*	*0.00*	*0.00*	*4.05*	*5.84*	*3.81*
Other station cumulative DOS, mean	1.19	0.60	1.00	0.00	0.00	0.58	0.74	0.65
SD	*9.07*	*4.64*	*6.56*	*0.00*	*0.00*	*4.05*	*5.84*	*3.91*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Schizophrenic Patients	94395	9043	917	1244	476	1388	3322	1696
Outpatient utilization								
(reported for those with some outpatient care)								
Patients with some outpatient care, %	98.3%	99.5%	99.6%	99.4%	98.1%	99.6%	99.8%	99.3%
annual visit days, mean	27.64	21.83	23.84	30.99	22.37	21.50	17.79	22.09
SD	*38.39*	*25.46*	*27.72*	*39.29*	*23.39*	*22.94*	*15.32*	*27.81*
Outpatient visit days, %								
1-12	42.6%	41.6%	39.5%	36.9%	41.3%	43.3%	42.8%	42.6%
13-24	25.7%	31.9%	29.9%	26.8%	29.1%	29.5%	36.8%	29.8%
25-36	11.8%	12.9%	14.7%	12.5%	11.8%	12.3%	12.2%	14.5%
37-48	5.9%	5.1%	6.4%	5.3%	6.2%	5.4%	4.5%	5.2%
49+	14.0%	8.4%	9.5%	18.4%	11.6%	9.5%	3.7%	7.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	74.5%	77.2%	70.9%	68.0%	85.9%	83.4%	77.5%	79.2%
Mean PC visit days, among those with some PC	3.73	4.29	3.75	4.67	3.80	3.44	4.70	4.40
SD	3.83	3.58	3.20	4.56	3.10	3.17	3.37	3.74
Average number clinic stops per visit day, mean	1.45	1.42	1.47	1.48	1.53	1.46	1.35	1.41
SD	*0.45*	*0.42*	*0.53*	*0.42*	*0.42*	*0.56*	*0.31*	*0.37*
annual clinic stops (psych & non-psych), mean	41.32	33.05	42.10	48.94	35.66	31.87	24.37	33.83
SD	*65.29*	*50.88*	*83.57*	*68.66*	*42.97*	*41.89*	*22.94*	*56.78*
annual non-psych. clinic stops, mean	19.07	19.70	20.92	23.65	20.54	19.06	17.73	20.32
SD	*26.86*	*22.55*	*25.78*	*31.46*	*23.10*	*18.77*	*17.88*	*23.35*
annual psych. clinic stops (groupings below), mean	22.25	13.35	21.18	25.29	15.11	12.81	6.63	13.51
SD	*50.83*	*36.62*	*64.55*	*46.03*	*28.89*	*32.45*	*12.97*	*41.24*
1. general psych. clinic stops, mean	9.04	6.53	7.25	9.30	9.23	6.78	5.36	5.43
SD	*15.89*	*11.16*	*9.21*	*13.44*	*15.92*	*12.73*	*10.82*	*6.47*
2. psych. case management clinic stops, mean	2.76	1.03	0.00	3.02	0.26	2.52	0.02	1.12
SD	*16.59*	*9.01*	*0.07*	*17.25*	*1.73*	*13.94*	*0.29*	*6.87*
3. psych. day treatment clinic stops, mean	4.94	3.38	12.63	7.44	2.15	0.45	0.35	4.07
SD	*29.07*	*26.28*	*61.87*	*29.92*	*9.52*	*6.04*	*3.70*	*28.15*
4. substance abuse clinic stops, mean	2.71	1.79	0.56	4.64	2.10	2.53	0.80	1.61
SD	*17.49*	*13.37*	*4.54*	*21.37*	*10.71*	*21.66*	*5.34*	*11.27*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Schizophrenic Patients	94395	9043	917	1244	476	1388	3322	1696
5. psych. vocational clinic stops, mean	2.11	0.35	0.50	0.06	0.67	0.28	0.00	1.12
SD	*18.38*	*6.85*	*6.45*	*1.66*	*9.12*	*4.80*	*0.00*	*13.53*
6. PTSD clinic stops, mean	0.37	0.08	0.12	0.08	0.24	0.05	0.07	0.06
SD	*3.86*	*0.96*	*1.34*	*0.93*	*1.47*	*0.70*	*0.84*	*0.96*
7. psych. homeless clinic stops, mean	0.39	0.12	0.12	0.33	0.33	0.19	0.00	0.11
SD	*2.98*	*1.40*	*1.09*	*2.43*	*1.70*	*1.58*	*0.05*	*1.62*
Other VISN OP visit days, mean	0.30	0.20	0.28	0.27	0.37	0.30	0.08	0.21
SD	*2.12*	*1.41*	*1.45*	*1.94*	*1.79*	*1.91*	*0.82*	*1.19*
Other station OP visit days, mean	0.82	0.38	0.62	0.50	0.91	0.44	0.13	0.48
SD	*3.70*	*2.10*	*2.44*	*2.86*	*3.15*	*2.19*	*1.10*	*2.23*

Table 4G: FY03 Schizophrenic Patients, Pharmacy Utilization, VISN 8

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Schizophrenic Patients	94395	9043	917	1244	476	1388	3322	1696
Among all patients in the registry								
Pts. with any outpatient prescriptions, %	94.9%	97.8%	96.3%	97.4%	96.4%	97.6%	98.6%	97.7%
Patients with any oral antipsychotic fills, %*	78.7%	79.7%	84.2%	79.4%	81.1%	82.2%	76.9%	80.8%
Among pts. receiving any antipsychotic medication:								
Received only conventional antipsychotics, %	15.4%	17.5%	18.0%	17.5%	10.1%	14.2%	15.4%	26.1%
Received some atypical antipsychotics, %	84.6%	82.5%	82.0%	82.5%	89.9%	85.8%	84.6%	73.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %								
Aripiprazole	1.5%	0.9%	0.5%	2.6%	0.0%	0.7%	0.5%	0.9%
Clozapine	3.1%	1.3%	1.3%	2.1%	3.1%	2.2%	0.2%	1.5%
Olanzapine	35.7%	42.6%	41.1%	31.9%	47.2%	40.6%	52.9%	32.3%
Quetiapine	21.7%	19.1%	18.7%	20.7%	20.5%	17.7%	22.9%	12.0%
Risperidone	36.8%	30.3%	31.6%	38.1%	36.3%	38.5%	19.9%	34.7%
Ziprasidone	5.9%	4.0%	6.0%	3.9%	6.0%	4.9%	1.6%	6.1%
Patients receiving only one kind** of antipsychotic, %	70.8%	76.9%	76.9%	72.9%	69.2%	72.2%	82.6%	75.3%
Concurrent use of 2 or more antipsychotics, % ***	15.6%	9.2%	10.8%	11.6%	17.6%	13.5%	4.0%	10.5%
Among pts receiving just one antipsychotic:								
Antipsychotic fills, mean	8.10	8.36	9.14	8.23	8.81	8.36	8.41	7.78
SD	*5.37*	*4.65*	*4.34*	*5.31*	*6.67*	*4.75*	*4.07*	*4.68*
Antipsychotic Medication Possession Ratio, mean	0.83	0.79	0.84	0.75	0.77	0.78	0.78	0.79
SD	*0.33*	*0.32*	*0.31*	*0.35*	*0.33*	*0.32*	*0.31*	*0.31*
Antipsychotic Med Possession Ratio <= 0.80, %	37.1%	44.3%	36.7%	49.0%	42.9%	44.3%	45.3%	43.7%
Antipsychotic Med Possession Ratio <= 0.50, %	18.0%	20.9%	14.8%	27.3%	25.1%	21.2%	20.8%	18.8%

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 4G: FY03 Schizophrenic Patients, Cost, VISN 8

	All VISNs	VISN 8	516	546	548	573	672	673
			Bay Pines	*Miami*	*W Palm Beach*	*N.Fla/S.Georg*	*San Juan*	*Tampa*
Schizophrenic Patients	94395	9043	917	1244	476	1388	3322	1696
Total Costs (in thousands $$)	$1,637,013	$101,470	$11,869	$18,781	$7,797	$15,097	$30,678	$17,250
Station % of VISN		100.0%	11.7%	18.5%	7.7%	14.9%	30.2%	17.0%
Psych vs. Non-Psych Costs								
Psych	34.5%	24.8%	31.0%	29.0%	34.5%	21.6%	21.8%	19.5%
Non-Psych	65.5%	75.2%	69.0%	71.0%	65.5%	78.4%	78.2%	80.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use								
Per Patient	$21,945	$13,297	$14,652	$14,232	$17,540	$10,646	$13,835	$10,693
Per Day of Stay	$763	$819	$904	$1,122	$1,060	$702	$767	$649
Mean Outpatient Costs, Pts with some Outpatient use								
Per Patient	$7,323	$6,451	$6,264	$9,309	$7,043	$6,369	$5,567	$6,097
Per Visit Day	$265	$296	$263	$300	$315	$296	$313	$276
By Cost Center								
1 Med	$1,399	$1,191	$1,053	$1,022	$1,567	$787	$1,693	$629
2 Surg	$470	$398	$500	$567	$351	$255	$391	$365
3 Psych	$4,062	$1,450	$2,393	$1,866	$4,088	$1,305	$877	$1,136
4 Psych Res Rehab Treatment Program	$217	$137	$40	$748	$11	$165	$2	$18
5 Non-VA	$230	$242	$266	$180	$103	$321	$63	$602
6 LTC Domiciliary	$302	$13	$116	$0	$0	$0	$3	$0
7 LTC Intermediate Care	$166	$85	$29	$314	$175	$132	$25	$0
8 LTC Nursing Home	$2,633	$871	$856	$960	$3,036	$442	$619	$1,052
9 Contract Nursing Home	$664	$414	$1,452	$183	$138	$1,124	$7	$314
10 OPC Med/Surg	$930	$839	$854	$1,475	$1,320	$554	$808	$524
11 OPC Psych	$1,916	$1,330	$1,615	$2,510	$1,557	$1,048	$1,140	$850
12 OPC Home Based Treatment	$933	$703	$311	$994	$498	$807	$576	$925
13 OPC Support	$1,243	$1,326	$1,047	$1,878	$1,138	$1,441	$1,137	$1,403
14 OPC Fee	$130	$97	$123	$18	$233	$88	$52	$199
15 OPC Pharmacy	$2,047	$2,124	$2,287	$2,382	$2,165	$2,409	$1,843	$2,153
TOTAL	$17,342	$11,221	$12,943	$15,097	$16,380	$10,877	$9,235	$10,171
Mean % Patient Costs at Other Stations	3.6%	2.3%	3.2%	2.4%	5.2%	2.6%	0.7%	3.7%
SD	*12.4%*	*10.2%*	*11.9%*	*10.2%*	*14.7%*	*11.0%*	*5.4%*	*13.1%*
Mean % Patient Costs at Other VISNs	1.3%	1.3%	1.7%	1.4%	2.2%	1.7%	0.5%	1.8%
SD	*7.5%*	*7.6%*	*9.0%*	*8.1%*	*9.6%*	*9.1%*	*4.5%*	*9.1%*

Table 1H: FY03 Bipolar Patients, Demographics, VISN 8

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Bipolar Patients	73964	6373	1180	1180	683	1207	524	1599
Age, %								
<35	7.9%	5.5%	4.6%	4.8%	4.4%	5.8%	6.1%	6.7%
>=35 and <50	36.3%	32.4%	27.7%	29.4%	29.3%	34.7%	31.7%	38.1%
>=50 and <65	40.3%	41.8%	44.3%	40.1%	43.0%	44.1%	38.2%	40.2%
>=65 and <80	13.3%	16.8%	20.2%	19.3%	19.9%	12.5%	20.6%	13.2%
>=80	2.2%	3.4%	3.2%	6.4%	3.4%	2.9%	3.4%	1.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	52.26	54.45	55.77	56.64	55.69	53.15	54.74	52.22
SD	*12.50*	*12.88*	*12.71*	*13.79*	*12.67*	*12.21*	*13.44*	*12.26*
Gender								
Male, %	88.2%	87.9%	89.4%	91.4%	90.2%	85.2%	91.4%	84.2%
Female, %	11.8%	12.1%	10.6%	8.6%	9.8%	14.8%	8.6%	15.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %								
Hispanic white	2.8%	10.0%	1.3%	8.0%	1.8%	1.2%	80.2%	5.1%
Hispanic black	0.3%	0.8%	0.4%	0.2%	0.6%	0.0%	6.5%	0.2%
American Indian	0.3%	0.1%	0.0%	0.2%	0.0%	0.2%	0.0%	0.2%
Black	10.4%	6.4%	3.0%	11.9%	3.7%	8.4%	1.9%	5.9%
Asian	0.2%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%
White	62.5%	56.3%	66.4%	46.6%	75.1%	59.9%	6.7%	61.5%
Race unknown	23.5%	26.4%	29.0%	33.2%	18.7%	30.3%	4.8%	26.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status								
Never married	21.0%	17.0%	16.1%	14.9%	23.6%	15.4%	16.8%	17.8%
Married	37.7%	42.3%	40.6%	38.8%	41.5%	40.9%	54.5%	43.2%
Divorced/Separated	37.9%	36.8%	38.5%	41.4%	31.8%	39.6%	26.2%	35.9%
Widowed	3.4%	3.9%	4.8%	4.9%	3.1%	4.1%	2.5%	3.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 8

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Bipolar Patients	73964	6373	1180	1180	683	1207	524	1599
Registry Pts. History of VA Utilization								
Years since first use in prior five years, mean	4.2	4.19	4.16	4.07	4.25	4.21	4.50	4.15
SD	*1.3*	*1.29*	*1.35*	*1.34*	*1.19*	*1.28*	*1.06*	*1.32*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.1%	21.3%	23.8%	20.1%	25.6%	19.8%	23.4%	19.0%
SD	*29.2%*	*27.1%*	*28.5%*	*27.1%*	*30.5%*	*25.6%*	*26.7%*	*25.2%*
Years with OP use / Years since first use, %	96.7%	97.3%	97.6%	96.4%	97.5%	97.3%	97.6%	97.5%
SD	*10.5%*	*9.5%*	*9.0%*	*10.9%*	*8.8%*	*10.0%*	*9.1%*	*8.8%*
Psychosis Diagnoses in Prior Fiscal Year								
Had Psychosis Diagnosis in FY01, %	65.0%	63.9%	65.0%	57.5%	69.8%	64.9%	62.0%	65.2%
Among Patients With Psychoses in FY01								
Psychosis Category: Schizophrenia, %	3.8%	3.6%	2.2%	4.3%	2.1%	2.7%	11.1%	3.2%
Psychosis Category: Bipolar Disorder, %	94.8%	94.9%	96.7%	94.1%	97.1%	94.6%	87.7%	95.5%
Psychosis Category: Other Psychosis, %	1.4%	1.5%	1.0%	1.6%	0.8%	2.7%	1.2%	1.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %								
Dementia	1.7%	2.0%	1.5%	1.5%	1.3%	2.2%	5.2%	1.7%
Post Traumatic Stress Disorder	21.3%	15.7%	19.7%	11.2%	18.6%	19.0%	5.0%	15.7%
Depression	44.5%	41.6%	39.8%	43.2%	43.2%	41.6%	42.0%	40.7%
Other Anxiety Disorder	16.3%	15.0%	13.2%	16.5%	16.0%	15.8%	13.0%	14.9%
Substance Abuse or Dependence	29.8%	25.4%	26.3%	27.3%	38.2%	21.5%	18.9%	23.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 8

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Bipolar Patients	73964	6373	1180	1180	683	1207	524	1599
Medical Comorbidities, %								
No medical comorbidities	15.4%	12.0%	10.0%	14.3%	11.1%	12.4%	12.8%	11.6%
Anemia	5.6%	6.8%	7.3%	6.2%	9.1%	5.9%	5.9%	6.8%
Arthritis	42.4%	44.8%	45.0%	40.1%	40.8%	48.6%	39.5%	48.6%
Cancer	6.2%	7.4%	8.5%	7.6%	8.6%	6.5%	6.3%	7.1%
Cerebrovascular Disease	3.8%	5.0%	6.4%	5.7%	2.3%	5.6%	3.4%	4.8%
Chronic Neurologic Disorder	14.8%	14.6%	14.6%	11.5%	14.1%	15.9%	13.0%	16.6%
Chronic Obstructive Pulmonary Disease	16.0%	17.1%	18.8%	15.7%	21.1%	16.9%	12.0%	17.1%
Chronic Viral Infection	9.6%	9.2%	7.5%	13.6%	9.8%	8.8%	7.3%	7.8%
Coronary Artery Disease	16.8%	18.6%	21.8%	22.5%	21.5%	17.0%	11.8%	15.6%
Diabetes	17.4%	19.1%	19.5%	20.0%	14.5%	18.7%	26.0%	18.3%
Digestive System Disease	43.2%	44.6%	47.6%	40.4%	46.9%	45.7%	42.6%	44.5%
Hypertension	38.5%	40.7%	38.4%	42.8%	37.0%	38.5%	48.1%	41.5%
Injury and Poisoning	19.9%	19.9%	22.5%	18.6%	20.8%	18.6%	19.1%	19.8%
Liver Disease	3.8%	4.5%	4.2%	3.9%	6.6%	4.4%	7.4%	3.3%
Other Endocrine	10.0%	11.0%	13.6%	8.1%	10.1%	10.5%	11.3%	12.0%
Peripheral Vascular Disease	3.0%	2.9%	3.2%	3.1%	3.2%	3.8%	2.9%	1.7%
GAF scores								
Lowest inpatient GAF score, mean	39.59	36.78	39.81	31.53	34.25	37.10	50.00	38.24
SD	*14.06*	*13.23*	*13.02*	*13.57*	*11.43*	*19.27*	*0.00*	*11.87*
Mean outpatient GAF score	53.41	54.89	55.28	54.09	52.78	55.48	56.74	55.70
SD	*10.75*	*10.25*	*9.32*	*10.17*	*10.14*	*13.06*	*8.50*	*8.88*
At least 1 IP GAF, among pts with MH bedsections, %	39.1%	36.4%	27.2%	21.5%	61.1%	22.6%	1.1%	59.3%
At least 1 OP GAF, among pts with MH clinic stops, %	81.5%	78.6%	89.9%	89.4%	89.1%	71.9%	2.7%	87.3%
Mortality rates								
died in FY02, %	1.5%	1.5%	1.5%	1.4%	1.6%	1.7%	1.5%	1.3%
Age-and-gender-adjusted Standardized Mortality Ratio	1.07	0.87	0.00	0.00	0.00	0.00	0.00	0.00

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Bipolar Patients	73964	6373	1180	1180	683	1207	524	1599
Service Connection (SC)								
Non-SC	55.9%	55.6%	53.4%	64.2%	63.1%	50.0%	53.6%	52.5%
SC 0 - 29%	10.0%	9.8%	9.5%	9.7%	9.5%	9.7%	9.7%	10.5%
SC 30 - 69%	13.4%	13.9%	14.0%	12.0%	10.1%	16.4%	15.1%	14.8%
SC 70 - 99%	8.9%	9.4%	10.6%	5.8%	7.8%	11.2%	9.9%	10.3%
SC 100%	11.8%	11.3%	12.5%	8.4%	9.5%	12.8%	11.6%	11.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %								
Complex*	12.2%	7.9%	9.2%	11.4%	6.7%	6.0%	7.3%	6.3%
Basic vested, Cat A*	80.3%	84.1%	82.5%	79.2%	79.6%	87.2%	90.6%	86.2%
Basic Non-vested, Cat A*	0.9%	0.6%	0.1%	0.8%	0.1%	0.5%	0.4%	1.1%
Basic, Cats C and N	6.6%	7.5%	8.2%	8.7%	13.5%	6.3%	1.7%	6.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded								
Patient eligibility category, %								
Cat A (SC or low income)	93.2%	92.4%	91.8%	90.9%	86.4%	93.6%	98.3%	93.6%
Cat C (NSC and higher income)	5.9%	6.7%	7.4%	8.2%	12.8%	5.5%	0.8%	5.5%
Non-Veteran	0.9%	0.9%	0.8%	0.8%	0.9%	0.9%	1.0%	0.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %								
BASIC 1. Non-reliant Care	0.1%	0.1%	0.1%	0.1%	0.0%	0.0%	0.8%	0.1%
2. Basic Medical	15.2%	17.4%	15.4%	16.4%	16.6%	23.2%	15.6%	15.9%
3. Mental Health	40.5%	39.7%	43.2%	40.3%	36.4%	35.5%	36.8%	42.3%
4. Heart / Lung / GI	6.9%	8.3%	7.9%	7.6%	10.6%	8.9%	6.7%	8.3%
5. Oncology / Infectious Disease	4.3%	4.2%	4.0%	3.6%	3.7%	6.3%	2.5%	3.8%
6. Multiple Medical	20.7%	22.5%	20.2%	20.5%	26.1%	20.0%	30.3%	23.3%
COMPLEX 7. Specialized Care	2.2%	2.1%	1.9%	3.4%	2.3%	1.2%	1.9%	1.7%
8. Support Care	2.1%	1.8%	3.0%	1.9%	0.3%	2.0%	1.0%	1.8%
9. Chronic Mental	6.8%	3.3%	4.0%	4.9%	3.2%	2.1%	4.0%	2.4%
10. Critically Ill	1.1%	0.6%	0.3%	1.1%	0.9%	0.7%	0.4%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Bipolar Patients	73964	6373	1180	1180	683	1207	524	1599
Substance Dependence and Abuse								
Any dx of alcohol / drug dependence or abuse, %	29.8%	25.4%	26.3%	27.3%	38.2%	21.5%	18.9%	23.0%
Homelessness								
Homelessness indicated in FY02, %	13.8%	9.7%	11.4%	15.3%	13.9%	7.5%	1.0%	7.3%
Residence in Metropolitan Area								
Residing in a Metropolitan Statistical Area, %	79.3%	89.6%	96.4%	95.8%	90.2%	67.2%	86.2%	97.9%
Distance								
Mile from Closest VA Medical Center, mean	34.15	39.69	43.72	20.76	24.50	57.51	26.98	47.81
SD	*73.16*	*33.38*	*39.59*	*20.61*	*19.81*	*31.34*	*24.97*	*33.56*
Distance from closest VA Medical Center, %								
0 to 15 miles	46.2%	32.5%	43.6%	42.3%	42.6%	13.3%	46.3%	22.6%
15 to 30 miles	17.2%	20.9%	9.2%	41.1%	26.9%	7.9%	18.8%	22.5%
30 to 45 miles	10.6%	8.7%	4.9%	11.6%	17.1%	9.2%	11.2%	4.7%
45 to 60 miles	8.5%	6.9%	3.6%	0.8%	4.4%	20.6%	5.6%	5.0%
60 plus miles	17.4%	31.0%	38.8%	4.2%	8.9%	49.0%	18.0%	45.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.09	8.19	6.12	5.23	6.79	13.53	9.86	7.93
SD	*13.59*	*7.29*	*6.92*	*7.90*	*11.40*	*15.42*	*11.04*	*28.56*
Distance to closest VA Service Site, %								
0 to 15 miles	76.3%	83.7%	94.3%	97.8%	97.7%	65.5%	74.4%	88.7%
15 to 30 miles	15.4%	14.4%	5.6%	1.6%	2.0%	24.3%	25.0%	11.1%
30 to 45 miles	5.7%	1.2%	0.1%	0.3%	0.3%	6.0%	0.4%	0.1%
45 plus miles	2.7%	0.7%	0.0%	0.3%	0.0%	4.2%	0.2%	0.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3H: FY03 Bipolar Patients, Utilization, VISN 8

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Bipolar Patients	73964	6373	1180	1180	683	1207	524	1599
Hospital Based Utilization								
Patients with some Hospital Based Utilization, %	25.4%	21.7%	21.9%	20.2%	28.7%	18.1%	27.5%	20.4%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)								
Inpatient stays, mean	1.80	1.88	1.82	1.80	2.44	1.80	1.57	1.85
SD	*1.41*	*1.59*	*1.46*	*1.42*	*2.21*	*1.39*	*1.08*	*1.59*
Average LOS, mean	9.79	7.04	6.74	6.50	5.20	6.29	10.18	7.89
SD	*17.76*	*10.60*	*14.22*	*12.58*	*4.03*	*9.26*	*10.24*	*8.95*
Cumulative DOS, mean	17.09	13.02	12.49	11.98	12.73	12.44	15.18	13.79
SD	*27.94*	*19.47*	*20.30*	*26.10*	*15.71*	*21.75*	*15.96*	*14.36*
Cumulative DOS, %								
1 to 7	44.7%	51.0%	58.1%	57.1%	49.5%	56.2%	36.1%	45.1%
8 to 14	21.9%	21.5%	17.8%	19.7%	23.5%	20.5%	30.6%	21.2%
15 to 44	25.9%	23.3%	18.6%	20.6%	24.0%	19.6%	27.1%	29.4%
45 to 89	5.3%	3.4%	4.3%	1.7%	2.6%	2.3%	5.6%	4.3%
90 to 179	1.5%	0.5%	0.8%	0.4%	0.5%	0.9%	0.7%	0.0%
180 to 359	0.5%	0.1%	0.4%	0.0%	0.0%	0.5%	0.0%	0.0%
360+	0.1%	0.1%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	1.0%	0.4%	0.8%	0.4%	0.0%	0.9%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	203.75	217.60	172.50	365.00	0.00	189.00	0.00	0.00
SD	*79.71*	*90.32*	*64.35*	*0.00*	*0.00*	*32.53*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.6%	0.2%	0.4%	0.4%	0.0%	0.5%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	251.69	249.67	218.00	365.00	0.00	166.00	0.00	0.00
SD	*73.28*	*103.21*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.67	0.53	0.55	0.59	0.54	0.56	0.31	0.52
SD	*4.53*	*3.08*	*2.79*	*4.23*	*2.84*	*3.58*	*1.53*	*2.56*
Cumulative DOS at Other Stations	1.97	1.10	1.14	1.17	0.93	1.32	0.35	1.28
SD	*7.12*	*4.39*	*4.81*	*5.31*	*3.30*	*5.32*	*1.57*	*3.98*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Bipolar Patients	73964	6373	1180	1180	683	1207	524	1599
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)								
Pts. with non-psych hospital stays, %	11.7%	11.1%	13.1%	11.2%	12.0%	9.0%	12.2%	10.3%
Inpatient stays, mean	0.72	0.84	1.01	0.93	0.74	0.74	0.72	0.80
SD	*1.10*	*1.31*	*1.23*	*1.07*	*1.48*	*1.53*	*1.39*	*1.05*
Average LOS, mean	6.20	5.89	5.79	4.77	5.40	5.09	9.97	6.06
SD	*10.70*	*7.48*	*6.11*	*4.91*	*5.10*	*5.03*	*13.36*	*8.94*
Cumulative Days of Stay, mean	4.64	5.15	6.48	4.57	4.36	4.38	6.78	4.78
SD	*13.49*	*11.60*	*13.56*	*8.60*	*12.41*	*10.81*	*15.08*	*9.89*
Cumulative Days of Stay, %								
0	54.1%	48.9%	40.3%	44.5%	58.2%	50.2%	55.6%	49.4%
1 to 7	30.1%	32.2%	37.6%	37.8%	27.0%	33.8%	20.1%	31.3%
8 to 14	7.4%	8.3%	9.3%	8.0%	7.7%	7.8%	9.7%	8.0%
15 to 44	7.0%	9.2%	10.9%	8.4%	6.6%	7.8%	11.1%	10.1%
45 to 89	1.1%	1.0%	1.2%	1.3%	0.0%	0.0%	2.8%	1.2%
90 to 179	0.3%	0.4%	0.8%	0.0%	0.5%	0.5%	0.7%	0.0%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.2%	0.1%	0.4%	0.0%	0.0%	0.5%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	187.03	125.50	127.00	0.00	0.00	124.00	0.00	0.00
SD	*73.96*	*2.12*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.15*	*0.14*	*0.22*	*0.08*	*0.08*	*0.18*	*0.18*	*0.13*
SD	*2.03*	*1.26*	*1.46*	*0.60*	*0.45*	*2.00*	*1.12*	*1.17*
Other station cumulative DOS, mean	0.50	0.36	0.57	0.37	0.41	0.32	0.18	0.27
SD	*3.25*	*2.27*	*2.96*	*2.83*	*1.78*	*2.51*	*1.12*	*1.56*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Bipolar Patients	73964	6373	1180	1180	683	1207	524	1599
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)								
Pts. with psych hospital stays, %	16.8%	13.1%	11.5%	11.0%	21.8%	11.0%	17.4%	12.4%
Inpatient stays, mean	1.08	1.05	0.81	0.87	1.69	1.06	0.85	1.05
SD	*1.27*	*1.37*	*1.15*	*1.09*	*1.91*	*1.32*	*0.86*	*1.42*
Average LOS, mean	12.15	7.97	8.15	8.08	5.18	7.46	10.22	9.19
SD	*21.36*	*12.15*	*19.02*	*16.32*	*3.83*	*11.48*	*7.41*	*8.39*
Cumulative Days of Stay, mean	12.44	7.87	6.01	7.42	8.37	8.06	8.40	9.01
SD	*25.57*	*16.42*	*16.04*	*25.38*	*9.80*	*17.09*	*10.81*	*12.76*
Cumulative Days of Stay, %								
0	34.1%	39.3%	47.3%	45.4%	24.0%	39.3%	36.8%	39.0%
1 to 7	24.8%	29.0%	32.9%	29.4%	35.7%	32.4%	20.1%	23.3%
8 to 14	16.7%	14.6%	8.5%	11.8%	20.9%	11.9%	23.6%	15.6%
15 to 44	19.0%	15.1%	9.3%	12.2%	18.9%	14.2%	17.4%	19.0%
45 to 89	3.7%	1.6%	1.6%	0.4%	0.5%	1.4%	2.1%	3.1%
90 to 179	1.2%	0.2%	0.0%	0.4%	0.0%	0.9%	0.0%	0.0%
180 to 359	0.4%	0.1%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.1%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.8%	0.2%	0.4%	0.4%	0.0%	0.5%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	201.69	249.67	218.00	365.00	0.00	166.00	0.00	0.00
SD	*78.85*	*103.21*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.5%	0.2%	0.4%	0.4%	0.0%	0.5%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	248.87	249.67	218.00	365.00	0.00	166.00	0.00	0.00
SD	*70.96*	*103.21*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.52	0.38	0.33	0.52	0.46	0.38	0.13	0.40
SD	4.00	2.67	2.31	4.19	2.55	2.38	1.06	2.23
Other station cumulative DOS, mean	1.48	0.73	0.58	0.80	0.52	1.00	0.17	1.01
SD	6.29	3.66	3.81	4.56	2.59	4.40	1.12	3.49

Table 3H: FY03 Bipolar Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Bipolar Patients	73964	6373	1180	1180	683	1207	524	1599
Other 24 hour institutional care								
Patients with some other 24 hour institutional care, %	8.1%	3.9%	6.2%	6.2%	1.3%	4.3%	1.1%	2.2%
Residential Rehab (rep. for those w/ res rehab care)								
Patients with some residential rehab. care, %	2.6%	2.0%	2.5%	4.9%	0.3%	2.9%	0.2%	0.2%
Number stays, mean	*1.12*	*1.10*	*1.10*	*1.09*	*1.00*	*1.14*	*1.00*	*1.00*
SD	*0.38*	*0.30*	*0.31*	*0.28*	*0.00*	*0.36*	*0.00*	*0.00*
Average LOS, mean	33.17	49.80	26.03	64.61	18.00	50.34	2.00	24.00
SD	*32.92*	*31.34*	*10.26*	*32.99*	*15.56*	*25.96*	*0.00*	*23.90*
Cumulative DOS, mean	36.42	53.98	29.48	67.66	18.00	57.71	2.00	24.00
SD	*35.54*	*33.89*	*16.40*	*33.52*	*15.56*	*32.63*	*0.00*	*23.90*
Cumulative Days of Stay, %								
1 to 7	10.4%	7.8%	6.9%	5.2%	50.0%	5.7%	100.0%	33.3%
8 to 14	11.3%	6.3%	10.3%	5.2%	0.0%	5.7%	0.0%	0.0%
15 to 44	53.1%	33.6%	69.0%	20.7%	50.0%	25.7%	0.0%	33.3%
45 to 89	18.3%	25.8%	13.8%	22.4%	0.0%	42.9%	0.0%	33.3%
90 to 179	5.8%	26.6%	0.0%	46.6%	0.0%	20.0%	0.0%	0.0%
180 to 359	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.3%	4.7%	0.0%	10.3%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	167.40	108.17	0.00	108.17	0.00	0.00	0.00	0.00
SD	*69.53*	*9.15*	*0.00*	*9.15*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	224.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*70.59*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.28	1.12	0.24	1.31	18.00	0.00	2.00	7.33
SD	*6.79*	*7.15*	*1.30*	*9.59*	*15.56*	*0.00*	*0.00*	*10.21*
Other station cumulative DOS, mean	3.71	2.02	1.52	1.31	18.00	0.83	2.00	24.00
SD	*10.96*	*8.97*	*5.50*	*9.59*	*15.56*	*4.57*	*0.00*	*23.90*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Bipolar Patients	73964	6373	1180	1180	683	1207	524	1599
Domiciliary and Vocational								
(reported for those with some dom/voc care)								
Patients with some dom/voc care, %	4.2%	0.7%	2.4%	0.2%	0.0%	0.2%	0.0%	0.8%
Number stays, mean	1.14	1.07	1.11	1.00	0.00	1.00	0.00	1.00
SD	*0.38*	*0.25*	*0.31*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	80.47	103.67	108.21	30.50	0.00	50.67	0.00	118.50
SD	*77.50*	*64.90*	*64.10*	*0.71*	*0.00*	*14.15*	*0.00*	*68.51*
Cumulative DOS, mean	88.84	109.13	117.00	30.50	0.00	50.67	0.00	118.50
SD	*82.55*	*68.87*	*69.72*	*0.71*	*0.00*	*14.15*	*0.00*	*68.51*
Cumulative Days of Stay, %								
1 to 7	6.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
8 to 14	5.6%	2.2%	3.6%	0.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	28.2%	22.2%	10.7%	100.0%	0.0%	66.7%	0.0%	25.0%
45 to 89	21.0%	24.4%	32.1%	0.0%	0.0%	33.3%	0.0%	8.3%
90 to 179	26.2%	33.3%	39.3%	0.0%	0.0%	0.0%	0.0%	33.3%
180 to 359	10.5%	17.8%	14.3%	0.0%	0.0%	0.0%	0.0%	33.3%
360+	2.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.1%	46.7%	50.0%	0.0%	0.0%	0.0%	0.0%	58.3%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	184.30	171.05	172.79	0.00	0.00	0.00	0.00	167.57
SD	*76.03*	*46.37*	*51.94*	*0.00*	*0.00*	*0.00*	*0.00*	*36.06*
Dom. patients with 150+ day Dom. stay, %	16.5%	26.7%	28.6%	0.0%	0.0%	0.0%	0.0%	33.3%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	236.94	191.92	190.25	0.00	0.00	0.00	0.00	195.25
SD	*71.03*	*39.35*	*48.41*	*0.00*	*0.00*	*0.00*	*0.00*	*13.60*
Other VISN cumulative DOS, mean	1.76	5.47	1.64	15.00	0.00	36.67	0.00	5.00
SD	*9.43*	*14.10*	*6.04*	*21.21*	*0.00*	*33.95*	*0.00*	*11.68*
Other station cumulative DOS, mean	4.27	7.09	1.64	30.50	0.00	50.67	0.00	5.00
SD	*15.65*	*15.49*	*6.04*	*0.71*	*0.00*	*14.15*	*0.00*	*11.68*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Bipolar Patients	73964	6373	1180	1180	683	1207	524	1599
Nursing Home Care (reported for those with some nursing home care)								
Patients with some nursing home care, %	2.1%	1.4%	2.1%	1.3%	1.2%	1.4%	1.0%	1.3%
Number stays, mean	1.22	1.22	1.52	1.00	1.13	1.18	1.00	1.14
SD	*0.55*	*0.53*	*0.77*	*0.00*	*0.35*	*0.53*	*0.00*	*0.36*
Average LOS, mean	86.89	54.58	40.00	84.40	59.38	55.73	13.80	57.60
SD	*110.58*	*73.20*	*46.16*	*117.09*	*66.29*	*62.21*	*4.21*	*77.14*
Cumulative DOS, mean	98.25	65.27	69.16	84.40	60.88	64.00	13.80	61.95
SD	*116.77*	*86.28*	*97.07*	*117.09*	*65.19*	*71.24*	*4.21*	*77.89*
Cumulative Days of Stay, %								
1 to 7	10.5%	8.8%	4.0%	13.3%	12.5%	5.9%	0.0%	14.3%
8 to 14	10.7%	19.8%	32.0%	6.7%	12.5%	11.8%	80.0%	9.5%
15 to 44	30.2%	35.2%	28.0%	46.7%	37.5%	35.3%	20.0%	38.1%
45 to 89	16.4%	15.4%	12.0%	13.3%	12.5%	23.5%	0.0%	19.0%
90 to 179	12.3%	11.0%	12.0%	6.7%	25.0%	11.8%	0.0%	9.5%
180 to 359	10.2%	7.7%	12.0%	0.0%	0.0%	11.8%	0.0%	9.5%
360+	9.8%	2.2%	0.0%	13.3%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	27.9%	16.5%	20.0%	20.0%	25.0%	11.8%	0.0%	14.3%
Cumul. DOS, patients with a 100+ day NH stay, mean	261.88	230.93	233.80	279.33	164.00	234.00	0.00	220.33
SD	*97.21*	*92.70*	*102.90*	*146.65*	*5.66*	*31.11*	*0.00*	*93.71*
NH patients with 150+ day NH stay, %	22.1%	12.1%	12.0%	13.3%	25.0%	11.8%	0.0%	9.5%
Cumul. DOS, patients with a 150+ day NH stay, mean	296.07	270.45	308.00	364.00	164.00	234.00	0.00	263.50
SD	*76.98*	*74.50*	*22.07*	*0.00*	*5.66*	*31.11*	*0.00*	*79.90*
Other VISN cumulative DOS, mean	0.47	0.49	0.00	2.53	0.00	0.00	0.00	0.33
SD	*5.60*	*3.74*	*0.00*	*9.01*	*0.00*	*0.00*	*0.00*	*1.53*
Other station cumulative DOS, mean	1.51	0.56	0.00	2.93	0.00	0.00	0.00	0.33
SD	*9.89*	*3.79*	*0.00*	*9.03*	*0.00*	*0.00*	*0.00*	*1.53*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Bipolar Patients	73964	6373	1180	1180	683	1207	524	1599
Outpatient utilization								
(reported for those with some outpatient care)								
Patients with some outpatient care, %	99.6%	99.8%	99.9%	99.6%	100.0%	99.7%	100.0%	99.9%
annual visit days, mean	24.20	22.09	22.18	24.19	20.59	20.65	21.17	22.52
SD	*30.37*	*24.95*	*24.09*	*32.97*	*23.16*	*21.03*	*21.06*	*23.20*
Outpatient visit days, %								
1-12	43.1%	41.9%	40.0%	47.7%	49.0%	40.3%	39.5%	37.8%
13-24	26.8%	29.6%	30.7%	24.5%	25.5%	33.2%	32.1%	30.8%
25-36	12.4%	13.5%	14.4%	10.1%	10.4%	13.2%	17.0%	15.6%
37-48	6.4%	6.3%	6.9%	5.6%	5.3%	6.4%	4.4%	7.3%
49+	11.4%	8.8%	8.0%	12.1%	9.8%	6.9%	7.1%	8.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	80.8%	86.1%	85.8%	82.3%	89.5%	88.5%	84.0%	86.5%
Mean PC visit days, among those with some PC	3.83	4.28	4.13	4.25	3.78	3.52	5.11	4.97
SD	3.42	3.60	3.10	4.11	2.91	2.89	3.74	4.09
Average number clinic stops per visit day, mean	1.50	1.46	1.44	1.42	1.53	1.49	1.41	1.46
SD	*0.46*	*0.42*	*0.42*	*0.38*	*0.40*	*0.54*	*0.31*	*0.37*
annual clinic stops (psych & non-psych), mean	37.58	33.78	33.31	36.19	33.23	32.97	30.34	34.31
SD	*53.68*	*44.49*	*41.45*	*52.28*	*40.80*	*48.48*	*32.17*	*42.20*
annual non-psych. clinic stops, mean	19.81	21.05	21.12	20.78	19.72	20.32	18.89	23.03
SD	*22.87*	*22.09*	*20.53*	*25.97*	*22.02*	*18.72*	*18.25*	*23.45*
annual psych. clinic stops (groupings below), mean	17.77	12.72	12.18	15.40	13.52	12.65	11.46	11.28
SD	*40.95*	*30.99*	*27.56*	*35.61*	*27.52*	*37.94*	*23.06*	*27.28*
1. general psych. clinic stops, mean	7.61	5.98	6.67	5.78	6.62	4.85	8.08	5.49
SD	*12.69*	*9.81*	*10.11*	*9.15*	*11.17*	*6.17*	*18.82*	*6.73*
2. psych. case management clinic stops, mean	0.65	0.23	0.00	0.75	0.14	0.11	0.00	0.24
SD	*8.45*	*4.11*	*0.00*	*8.61*	*1.00*	*2.14*	*0.04*	*2.91*
3. psych. day treatment clinic stops, mean	1.57	1.25	1.81	1.13	0.97	1.13	0.88	1.26
SD	*15.80*	*11.23*	*12.64*	*9.72*	*5.49*	*11.46*	*5.57*	*13.89*
4. substance abuse clinic stops, mean	4.64	3.62	1.27	5.51	3.62	5.44	2.35	3.00
SD	*21.97*	*20.51*	*7.53*	*24.47*	*15.91*	*32.91*	*10.71*	*14.91*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Bipolar Patients	73964	6373	1180	1180	683	1207	524	1599
5. psych. vocational clinic stops, mean	1.91	0.95	1.76	1.39	0.89	0.44	0.00	0.73
SD	*15.13*	*10.84*	*16.43*	*12.47*	*9.05*	*4.81*	*0.00*	*10.05*
6. PTSD clinic stops, mean	0.80	0.32	0.48	0.11	0.43	0.38	0.10	0.34
SD	*5.71*	*2.68*	*3.43*	*1.25*	*3.05*	*3.46*	*1.16*	*2.28*
7. psych. homeless clinic stops, mean	0.54	0.26	0.18	0.35	0.65	0.24	0.00	0.18
SD	*3.97*	*1.85*	*1.06*	*2.16*	*3.32*	*1.65*	*0.06*	*1.57*
Other VISN OP visit days, mean	0.48	0.37	0.47	0.27	0.34	0.46	0.24	0.37
SD	*2.80*	*1.99*	*2.14*	*1.92*	*1.90*	*2.36*	*1.51*	*1.81*
Other station OP visit days, mean	1.14	0.70	0.92	0.50	0.71	0.76	0.35	0.77
SD	*4.45*	*2.96*	*3.40*	*2.65*	*2.97*	*3.24*	*1.71*	*2.89*

Table 4H: FY03 Bipolar Patients, Pharmacy Utilization, VISN 8

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Bipolar Patients	73964	6373	1180	1180	683	1207	524	1599
Among all patients in the registry								
Pts. with any outpatient prescriptions, %	96.9%	97.7%	97.7%	96.7%	97.5%	98.5%	97.9%	98.0%
Patients with any oral antipsychotic fills, %*	46.0%	41.5%	33.0%	36.4%	43.3%	42.5%	62.0%	43.2%
Among pts. receiving any antipsychotic medication:								
Received only conventional antipsychotics, %	7.6%	8.2%	10.3%	9.5%	3.7%	6.6%	2.8%	11.9%
Received some atypical antipsychotics, %	92.4%	91.8%	89.7%	90.5%	96.3%	93.4%	97.2%	88.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %								
Aripiprazole	0.9%	0.8%	0.8%	2.3%	0.0%	0.0%	0.9%	0.6%
Clozapine	0.2%	0.1%	0.3%	0.0%	0.0%	0.0%	0.0%	0.1%
Olanzapine	40.7%	45.4%	42.4%	43.3%	46.6%	41.5%	58.5%	44.5%
Quetiapine	34.1%	29.4%	25.4%	24.4%	32.1%	39.0%	33.2%	24.5%
Risperidone	31.0%	31.6%	30.1%	38.4%	38.5%	28.8%	21.2%	32.3%
Ziprasidone	4.7%	5.3%	5.4%	4.0%	5.1%	1.9%	7.1%	7.7%
Patients receiving only one kind** of antipsychotic, %	77.4%	77.6%	85.3%	76.7%	73.3%	77.6%	77.2%	75.7%
Concurrent use of 2 or more antipsychotics, % ***	5.5%	4.4%	2.1%	4.0%	6.1%	2.7%	4.3%	6.4%
Among pts receiving just one antipsychotic:								
Antipsychotic fills, mean	6.09	6.58	6.84	5.92	7.05	6.26	8.26	6.07
SD	*4.43*	*4.50*	*4.63*	*4.40*	*4.79*	*4.37*	*4.17*	*4.40*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5H: FY03 Bipolar Patients, Cost, VISN 8

	All VISNs	VISN 8	516	546	548	573	672	673
			Bay Pines	*Miami*	*W Palm Beach*	*N.Fla/S.Georg*	*San Juan*	*Tampa*
Bipolar Patients	73964	6373	1180	1180	683	1207	524	1599
Total Costs (in thousands $$)	$907,650	$60,061	$11,259	$12,963	$7,010	$10,475	$5,097	$13,258
Station % of VISN		100.0%	18.7%	21.6%	11.7%	17.4%	8.5%	22.1%
Psych vs. Non-Psych Costs								
Psych	33.4%	27.2%	25.5%	24.2%	38.5%	23.4%	39.6%	23.8%
Non-Psych	66.6%	72.8%	74.5%	75.8%	61.5%	76.6%	60.4%	76.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use								
Per Patient	$15,075	$11,079	$12,447	$12,352	$13,681	$8,027	$12,278	$9,027
Per Day of Stay	$882	$851	$997	$1,031	$1,074	$645	$809	$655
Mean Outpatient Costs, Pts with some Outpatient use								
Per Patient	$6,520	$5,968	$5,270	$6,755	$5,749	$6,064	$6,243	$5,835
Per Visit Day	$269	$270	$238	$279	$279	$294	$295	$259
By Cost Center								
1 Med	$1,060	$850	$1,118	$959	$1,036	$538	$1,202	$611
2 Surg	$459	$286	$332	$360	$346	$169	$362	$238
3 Psych	$2,315	$1,265	$1,272	$1,173	$2,544	$750	$1,810	$991
4 Psych Res Rehab Treatment Program	$298	$283	$175	$976	$22	$341	$1	$12
5 Non-VA	$176	$208	$342	$112	$98	$247	$47	$250
6 LTC Domiciliary	$455	$94	$346	$12	$0	$13	$0	$102
7 LTC Intermediate Care	$96	$52	$22	$178	$128	$2	$7	$0
8 LTC Nursing Home	$778	$238	$129	$461	$321	$242	$50	$178
9 Contract Nursing Home	$142	$190	$540	$28	$21	$333	$5	$78
10 OPC Med/Surg	$1,111	$926	$887	$1,357	$1,221	$667	$827	$739
11 OPC Psych	$1,781	$1,297	$1,158	$1,490	$1,409	$1,279	$2,039	$979
12 OPC Home Based Treatment	$532	$498	$427	$678	$485	$368	$576	$494
13 OPC Support	$1,309	$1,375	$1,148	$1,539	$1,069	$1,374	$989	$1,678
14 OPC Fee	$115	$90	$132	$18	$53	$183	$27	$76
15 OPC Pharmacy	$1,645	$1,773	$1,514	$1,644	$1,512	$2,173	$1,785	$1,865
TOTAL	$12,272	$9,424	$9,542	$10,985	$10,264	$8,678	$9,727	$8,291
Mean % Patient Costs at Other Stations	4.8%	3.8%	4.5%	2.7%	3.5%	3.6%	2.3%	5.0%
SD	*13.9%*	*12.6%*	*13.4%*	*10.6%*	*11.6%*	*12.2%*	*9.7%*	*14.7%*
Mean % Patient Costs at Other VISNs	2.0%	2.3%	2.8%	1.6%	1.6%	2.7%	1.4%	2.8%
SD	*9.0%*	*10.2%*	*11.0%*	*8.8%*	*7.5%*	*10.9%*	*7.7%*	*11.5%*

Table 2I: FY03 Other Psychosis Patients, Demographics, VISN 8

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Other Psychosis Patients	49401	4804	874	831	535	1243	504	817
Age, %								
<35	2.2%	1.5%	1.1%	1.9%	0.9%	1.0%	1.0%	2.8%
>=35 and <50	12.5%	9.0%	6.8%	10.1%	6.4%	8.8%	9.1%	12.2%
>=50 and <65	22.1%	19.3%	13.4%	17.9%	20.6%	21.0%	20.2%	23.0%
>=65 and <80	36.7%	38.4%	42.1%	34.8%	31.2%	39.7%	46.2%	36.2%
>=80	26.5%	31.8%	36.6%	35.3%	40.9%	29.4%	23.4%	25.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	68.22	70.67	73.35	70.85	72.41	70.43	69.38	67.63
SD	*15.13*	*14.24*	*13.18*	*15.10*	*13.63*	*13.77*	*13.43*	*15.31*
Gender								
Male, %	96.0%	95.1%	93.9%	95.8%	96.1%	95.6%	98.4%	92.2%
Female, %	4.0%	4.9%	6.1%	4.2%	3.9%	4.4%	1.6%	7.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %								
Hispanic white	3.9%	12.6%	0.9%	7.2%	1.9%	2.5%	84.7%	8.3%
Hispanic black	0.3%	1.0%	0.0%	0.5%	0.0%	0.2%	6.3%	1.1%
American Indian	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Black	15.5%	8.7%	4.2%	15.6%	6.9%	11.7%	0.6%	8.0%
Asian	0.4%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
White	48.2%	40.8%	46.9%	32.4%	58.9%	48.2%	3.0%	42.8%
Race unknown	31.5%	36.9%	47.9%	44.3%	32.3%	37.3%	5.4%	39.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status								
Never married	13.4%	9.1%	7.8%	8.9%	9.4%	9.0%	8.6%	10.9%
Married	52.0%	59.7%	58.3%	55.5%	59.9%	58.3%	70.9%	60.6%
Divorced/Separated	22.5%	19.6%	21.1%	24.9%	18.6%	19.1%	13.7%	18.0%
Widowed	12.0%	11.5%	12.7%	10.8%	12.1%	13.6%	6.8%	10.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 8

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Other Psychosis Patients	49401	4804	874	831	535	1243	504	817
Registry Pts. History of VA Utilization								
Years since first use in prior five years, mean	4.0	3.85	3.60	3.66	3.76	4.00	4.35	3.83
SD	*1.4*	*1.46*	*1.56*	*1.55*	*1.40*	*1.39*	*1.18*	*1.47*
Yrs with 24-hour institutional use / yrs since 1st use, %	24.1%	20.2%	22.1%	21.7%	19.0%	20.8%	17.9%	18.3%
SD	*27.8%*	*26.4%*	*27.9%*	*28.0%*	*26.5%*	*25.9%*	*22.7%*	*26.3%*
Years with OP use / Years since first use, %	96.9%	97.2%	97.3%	95.4%	97.2%	98.1%	97.0%	97.6%
SD	*10.4%*	*10.5%*	*10.2%*	*14.7%*	*9.8%*	*8.5%*	*10.1%*	*9.2%*
Psychosis Diagnoses in Prior Fiscal Year								
Had Psychosis Diagnosis in FY01, %	33.8%	34.9%	31.2%	37.1%	28.2%	44.1%	27.2%	31.6%
Among Patients With Psychoses in FY01								
Psychosis Category: Schizophrenia, %	9.4%	9.7%	5.5%	9.1%	4.0%	7.7%	27.7%	12.8%
Psychosis Category: Bipolar Disorder, %	3.8%	3.3%	4.0%	3.9%	2.6%	2.7%	2.9%	3.9%
Psychosis Category: Other Psychosis, %	86.9%	87.0%	90.5%	87.0%	93.4%	89.6%	69.3%	83.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %								
Dementia	20.6%	23.0%	22.9%	26.6%	19.6%	20.2%	28.8%	22.6%
Post Traumatic Stress Disorder	13.4%	9.3%	8.4%	8.3%	11.4%	10.7%	4.0%	11.3%
Depression	37.7%	34.8%	31.4%	32.6%	37.2%	36.0%	35.7%	36.6%
Other Anxiety Disorder	12.0%	11.1%	9.5%	10.6%	9.9%	11.8%	11.7%	12.6%
Substance Abuse or Dependence	15.7%	11.2%	11.2%	16.6%	13.3%	8.4%	7.7%	11.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 8

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Other Psychosis Patients	49401	4804	874	831	535	1243	504	817
Medical Comorbidities, %								
No medical comorbidities	8.3%	7.7%	7.4%	8.5%	6.7%	8.0%	6.9%	7.8%
Anemia	14.2%	15.0%	15.8%	11.9%	15.5%	17.0%	12.9%	15.4%
Arthritis	39.1%	37.0%	34.7%	34.9%	33.3%	40.4%	35.1%	39.9%
Cancer	14.0%	14.7%	16.6%	14.8%	14.8%	15.2%	11.7%	13.8%
Cerebrovascular Disease	16.4%	16.1%	18.9%	16.7%	11.0%	17.5%	20.2%	11.4%
Chronic Neurologic Disorder	20.8%	21.3%	19.5%	23.8%	21.3%	20.4%	22.0%	21.4%
Chronic Obstructive Pulmonary Disease	17.9%	17.0%	20.5%	12.3%	14.0%	20.3%	13.5%	17.1%
Chronic Viral Infection	5.9%	5.1%	3.1%	8.7%	6.7%	4.1%	4.0%	4.9%
Coronary Artery Disease	33.0%	34.3%	40.5%	32.9%	39.6%	33.5%	23.8%	33.3%
Diabetes	23.4%	23.8%	20.5%	22.1%	19.8%	24.9%	34.5%	23.5%
Digestive System Disease	42.9%	41.9%	39.2%	39.1%	38.9%	45.7%	43.3%	43.2%
Hypertension	54.9%	55.2%	52.3%	55.7%	54.6%	57.2%	56.2%	54.3%
Injury and Poisoning	19.4%	17.2%	19.3%	15.6%	17.8%	17.6%	13.5%	17.9%
Liver Disease	3.8%	3.7%	3.4%	3.7%	4.1%	4.0%	3.6%	3.3%
Other Endocrine	9.5%	10.1%	11.7%	7.9%	10.7%	11.3%	10.3%	8.4%
Peripheral Vascular Disease	7.8%	7.0%	9.4%	4.1%	8.0%	7.0%	7.3%	6.4%
GAF scores								
Lowest inpatient GAF score, mean	37.71	35.56	40.06	32.71	32.35	38.88	0.00	36.81
SD	*14.78*	*13.62*	*16.83*	*14.06*	*11.83*	*20.44*	*0.00*	*11.07*
Mean outpatient GAF score	48.43	49.38	48.46	48.52	45.49	50.07	57.50	51.57
SD	*11.56*	*11.92*	*11.80*	*12.12*	*10.10*	*13.47*	*10.61*	*10.54*
At least 1 IP GAF, among pts with MH bedsections, %	36.3%	32.8%	21.2%	23.3%	52.5%	13.5%	0.0%	71.4%
At least 1 OP GAF, among pts with MH clinic stops, %	74.8%	64.7%	67.4%	85.4%	79.7%	63.2%	0.6%	79.8%
Mortality rates								
died in FY02, %	6.2%	5.2%	6.4%	4.0%	4.9%	6.4%	4.0%	4.2%
Age-and-gender-adjusted Standardized Mortality Ratio	1.21	0.91	0.00	0.00	0.00	0.00	0.00	0.00

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Other Psychosis Patients	49401	4804	874	831	535	1243	504	817
Service Connection (SC)								
Non-SC	63.3%	62.1%	62.7%	66.4%	65.4%	59.6%	65.3%	56.5%
SC 0 - 29%	10.4%	10.8%	10.5%	12.6%	11.4%	9.7%	12.1%	10.0%
SC 30 - 69%	10.8%	11.3%	12.1%	9.3%	8.6%	12.1%	9.7%	14.3%
SC 70 - 99%	6.4%	5.6%	4.9%	4.1%	6.7%	6.7%	4.8%	5.9%
SC 100%	9.1%	10.2%	9.7%	7.6%	7.9%	12.0%	8.1%	13.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %								
Complex*	15.0%	12.5%	11.4%	16.5%	6.9%	16.6%	8.7%	9.3%
Basic vested, Cat A*	74.8%	75.0%	69.8%	69.7%	72.9%	72.9%	90.7%	81.2%
Basic Non-vested, Cat A*	0.8%	0.6%	0.6%	1.1%	0.4%	0.2%	0.2%	1.0%
Basic, Cats C and N	9.4%	11.9%	18.2%	12.8%	19.8%	10.4%	0.4%	8.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded								
Patient eligibility category, %								
Cat A (SC or low income)	90.1%	87.8%	81.7%	86.9%	79.6%	89.2%	99.6%	91.4%
Cat C (NSC and higher income)	9.4%	11.2%	17.6%	11.7%	19.8%	9.3%	0.2%	7.8%
Non-Veteran	0.6%	1.0%	0.7%	1.4%	0.6%	1.5%	0.2%	0.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %								
BASIC 1. Non-reliant Care	0.1%	0.2%	0.5%	0.0%	0.0%	0.0%	0.8%	0.0%
2. Basic Medical	25.3%	29.2%	31.5%	26.4%	32.7%	30.3%	27.8%	26.4%
3. Mental Health	25.6%	24.8%	25.4%	26.0%	21.9%	20.8%	24.6%	31.0%
4. Heart / Lung / GI	12.5%	13.7%	14.5%	13.0%	16.8%	14.4%	12.7%	10.8%
5. Oncology / Infectious Disease	3.8%	3.6%	3.7%	3.0%	3.7%	4.3%	1.6%	4.4%
6. Multiple Medical	17.6%	16.1%	13.0%	15.2%	17.9%	13.5%	23.8%	18.1%
COMPLEX 7. Specialized Care	4.7%	4.2%	3.4%	7.8%	1.5%	4.5%	2.4%	3.5%
8. Support Care	4.8%	4.5%	4.3%	3.4%	2.4%	7.2%	4.2%	3.2%
9. Chronic Mental	2.2%	0.9%	1.0%	1.6%	0.7%	0.9%	0.4%	0.5%
10. Critically Ill	3.3%	3.0%	2.6%	3.7%	2.2%	4.0%	1.8%	2.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Other Psychosis Patients	49401	4804	874	831	535	1243	504	817
Substance Dependence and Abuse								
Any dx of alcohol / drug dependence or abuse, %	15.7%	11.2%	11.2%	16.6%	13.3%	8.4%	7.7%	11.0%
Homelessness								
Homelessness indicated in FY02, %	7.1%	3.8%	3.8%	7.3%	6.7%	2.1%	0.0%	3.1%
Residence in Metropolitan Area								
Residing in a Metropolitan Statistical Area, %	76.7%	87.0%	97.6%	97.0%	92.0%	63.6%	85.7%	98.4%
Distance								
Mile from Closest VA Medical Center, mean	35.80	36.24	38.50	18.73	20.98	50.74	26.22	45.76
SD	*82.41*	*31.54*	*37.30*	*19.81*	*18.27*	*29.49*	*23.61*	*33.72*
Distance from closest VA Medical Center, %								
0 to 15 miles	45.8%	35.4%	47.0%	51.4%	49.2%	13.6%	46.0%	24.1%
15 to 30 miles	16.6%	21.2%	10.7%	36.1%	30.3%	11.9%	21.1%	25.5%
30 to 45 miles	10.9%	10.1%	7.7%	8.4%	9.9%	16.3%	10.0%	5.3%
45 to 60 miles	8.8%	8.7%	2.5%	0.7%	4.9%	23.2%	8.2%	4.0%
60 plus miles	17.9%	24.7%	32.2%	3.4%	5.8%	35.0%	14.7%	41.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.89	8.63	5.68	5.03	6.73	13.52	10.23	8.29
SD	*14.24*	*3.95*	*13.58*	*13.28*	*9.13*	*12.33*	*11.97*	*11.08*
Distance to closest VA Service Site, %								
0 to 15 miles	73.5%	84.6%	94.3%	99.0%	96.8%	64.3%	75.5%	87.9%
15 to 30 miles	16.6%	12.9%	5.6%	0.7%	2.4%	27.1%	23.1%	12.1%
30 to 45 miles	7.0%	1.5%	0.1%	0.1%	0.7%	5.1%	1.0%	0.0%
45 plus miles	3.0%	1.0%	0.0%	0.1%	0.0%	3.5%	0.4%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 8

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Other Psychosis Patients	49401	4804	874	831	535	1243	504	817
Hospital Based Utilization								
Patients with some Hospital Based Utilization, %	30.2%	25.1%	26.0%	23.1%	29.0%	26.6%	26.0%	20.6%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)								
Inpatient stays, mean	1.82	1.77	1.83	1.70	1.95	1.73	1.59	1.84
SD	*1.40*	*1.34*	*1.64*	*1.15*	*1.48*	*1.24*	*0.94*	*1.39*
Average LOS, mean	9.37	7.90	8.16	6.81	7.17	7.09	10.73	8.83
SD	*15.01*	*9.55*	*9.45*	*7.66*	*6.16*	*7.52*	*9.62*	*15.48*
Cumulative DOS, mean	16.06	13.80	14.52	12.43	14.48	12.15	17.07	14.48
SD	*22.72*	*17.52*	*17.49*	*18.46*	*19.63*	*14.57*	*16.13*	*20.31*
Cumulative DOS, %								
1 to 7	42.1%	46.9%	46.7%	56.8%	45.2%	48.6%	33.6%	44.6%
8 to 14	23.4%	22.7%	22.5%	18.2%	21.9%	24.2%	21.4%	26.8%
15 to 44	27.8%	25.0%	23.3%	20.8%	27.1%	24.2%	36.6%	22.6%
45 to 89	5.2%	4.3%	6.6%	2.6%	5.2%	2.1%	7.6%	4.2%
90 to 179	1.2%	1.0%	0.9%	1.6%	0.0%	0.9%	0.8%	1.8%
180 to 359	0.2%	0.1%	0.0%	0.0%	0.6%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	0.7%	0.5%	0.4%	0.0%	0.6%	0.6%	0.0%	1.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	185.56	127.67	107.00	0.00	183.00	109.50	0.00	128.50
SD	*75.86*	*33.37*	*0.00*	*0.00*	*0.00*	*3.54*	*0.00*	*37.48*
Hospital patients who had a 150+ day hosp. stay, %	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	241.58	155.00	0.00	0.00	0.00	0.00	0.00	155.00
SD	*74.51*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.37	0.35	0.60	0.11	0.28	0.26	0.20	0.64
SD	*3.13*	*2.60*	*4.17*	*0.91*	*1.99*	*2.05*	*1.82*	*3.04*
Cumulative DOS at Other Stations	1.24	0.68	1.07	0.30	1.01	0.34	0.20	1.35
SD	*5.73*	*3.64*	*5.25*	*1.84*	*4.37*	*2.13*	*1.82*	*4.88*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Other Psychosis Patients	49401	4804	874	831	535	1243	504	817
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)								
Pts. with non-psych hospital stays, %	21.7%	19.4%	21.6%	17.8%	20.7%	21.7%	20.0%	13.6%
Inpatient stays, mean	1.27	1.32	1.50	1.27	1.24	1.38	1.18	1.19
SD	*1.36*	*1.07*	*1.33*	*1.02*	*0.82*	*1.04*	*1.36*	*1.22*
Average LOS, mean	7.86	7.94	7.45	7.02	7.72	7.48	11.08	8.47
SD	*11.97*	*10.48*	*9.00*	*9.41*	*6.58*	*8.11*	*10.94*	*18.62*
Cumulative Days of Stay, mean	9.61	10.34	10.86	9.45	9.74	10.28	13.04	9.18
SD	*16.99*	*16.33*	*14.85*	*17.33*	*13.97*	*14.87*	*16.98*	*20.72*
Cumulative Days of Stay, %								
0	28.2%	22.8%	16.7%	22.9%	28.4%	18.4%	22.9%	33.9%
1 to 7	35.5%	39.2%	40.1%	48.4%	33.5%	39.0%	33.6%	37.5%
8 to 14	15.8%	15.7%	19.4%	9.9%	14.8%	19.6%	9.9%	14.9%
15 to 44	17.1%	17.9%	18.9%	15.1%	18.7%	19.9%	26.0%	8.3%
45 to 89	2.8%	3.7%	4.4%	2.6%	4.5%	2.1%	6.9%	3.6%
90 to 179	0.5%	0.8%	0.4%	1.0%	0.0%	0.9%	0.8%	1.8%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.4%	0.4%	0.0%	0.0%	0.6%	0.0%	1.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	178.07	116.60	107.00	0.00	0.00	109.50	0.00	128.50
SD	*75.21*	*21.76*	*0.00*	*0.00*	*0.00*	*3.54*	*0.00*	*37.48*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	240.47	155.00	0.00	0.00	0.00	0.00	0.00	155.00
SD	*75.05*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.18*	*0.25*	*0.60*	*0.08*	*0.25*	*0.08*	*0.20*	*0.35*
SD	*1.94*	*2.30*	*4.17*	*0.83*	*1.92*	*1.03*	*1.82*	*2.31*
Other station cumulative DOS, mean	0.60	0.44	0.95	0.10	0.76	0.08	0.20	0.76
SD	*3.61*	*2.98*	*4.70*	*0.88*	*3.53*	*1.03*	*1.82*	*4.03*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Other Psychosis Patients	49401	4804	874	831	535	1243	504	817
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)								
Pts. with psych hospital stays, %	10.8%	7.4%	5.9%	7.2%	11.0%	6.0%	7.7%	8.6%
Inpatient stays, mean	0.55	0.46	0.33	0.43	0.72	0.35	0.41	0.65
SD	*1.03*	*0.91*	*0.85*	*0.79*	*1.27*	*0.81*	*0.71*	*0.97*
Average LOS, mean	12.47	8.02	12.31	6.83	5.82	5.43	10.39	9.14
SD	*19.53*	*7.10*	*12.03*	*4.89*	*5.14*	*3.82*	*4.81*	*7.01*
Cumulative Days of Stay, mean	6.45	3.47	3.66	2.98	4.74	1.87	4.03	5.30
SD	*17.76*	*9.36*	*10.88*	*7.24*	*16.33*	*4.83*	*7.01*	*8.35*
Cumulative Days of Stay, %								
0	64.2%	70.6%	77.1%	68.8%	61.9%	77.6%	70.2%	58.3%
1 to 7	12.7%	13.3%	10.6%	16.7%	21.9%	13.0%	3.1%	13.7%
8 to 14	9.6%	8.6%	4.0%	10.4%	8.4%	5.7%	13.7%	14.3%
15 to 44	10.7%	6.9%	6.6%	3.1%	6.5%	3.6%	13.0%	13.7%
45 to 89	2.1%	0.5%	1.3%	1.0%	0.6%	0.0%	0.0%	0.0%
90 to 179	0.5%	0.1%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	0.1%	0.1%	0.0%	0.0%	0.6%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.4%	0.1%	0.0%	0.0%	0.6%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	182.44	183.00	0.00	0.00	183.00	0.00	0.00	0.00
SD	*78.98*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*77.61*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.19	0.10	0.00	0.03	0.03	0.18	0.00	0.30
SD	2.40	1.22	0.07	0.36	0.40	1.78	0.00	2.03
Other station cumulative DOS, mean	0.64	0.24	0.11	0.20	0.25	0.26	0.00	0.59
SD	4.34	1.97	1.60	1.63	2.51	1.87	0.00	2.92

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Other Psychosis Patients	49401	4804	874	831	535	1243	504	817
Other 24 hour institutional care								
Patients with some other 24 hour institutional care, %	10.1%	8.0%	8.2%	10.2%	4.7%	11.1%	3.4%	6.0%
Residential Rehab (rep. for those w/ res rehab care)								
Patients with some residential rehab. care, %	1.0%	0.9%	0.5%	2.9%	0.2%	0.9%	0.0%	0.1%
Number stays, mean	*1.13*	*1.17*	*1.00*	*1.17*	*1.00*	*1.27*	*0.00*	*1.00*
SD	*0.45*	*0.38*	*0.00*	*0.38*	*0.00*	*0.47*	*0.00*	*0.00*
Average LOS, mean	30.41	54.26	33.75	66.52	3.00	41.91	0.00	29.00
SD	*33.22*	*30.79*	*12.18*	*27.67*	*0.00*	*31.03*	*0.00*	*0.00*
Cumulative DOS, mean	33.30	61.44	33.75	73.29	3.00	53.91	0.00	29.00
SD	*35.32*	*33.68*	*12.18*	*25.50*	*0.00*	*42.94*	*0.00*	*0.00*
Cumulative Days of Stay, %								
1 to 7	15.1%	9.8%	0.0%	4.2%	100.0%	18.2%	0.0%	0.0%
8 to 14	12.1%	2.4%	0.0%	0.0%	0.0%	9.1%	0.0%	0.0%
15 to 44	54.3%	22.0%	75.0%	12.5%	0.0%	18.2%	0.0%	100.0%
45 to 89	11.7%	36.6%	25.0%	45.8%	0.0%	27.3%	0.0%	0.0%
90 to 179	5.7%	29.3%	0.0%	37.5%	0.0%	27.3%	0.0%	0.0%
180 to 359	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	181.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*69.09*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	235.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*52.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*7.57*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	4.16	2.07	0.00	0.00	3.00	4.82	0.00	29.00
SD	*12.59*	*9.19*	*0.00*	*0.00*	*0.00*	*15.65*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Other Psychosis Patients	49401	4804	874	831	535	1243	504	817
Domiciliary and Vocational (reported for those with some dom/voc care)								
Patients with some dom/voc care, %	1.7%	0.2%	0.7%	0.0%	0.0%	0.1%	0.0%	0.1%
Number stays, mean	1.13	1.13	1.17	0.00	0.00	1.00	0.00	1.00
SD	*0.36*	*0.35*	*0.41*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	79.24	84.88	88.17	0.00	0.00	4.00	0.00	146.00
SD	*81.39*	*55.75*	*47.78*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS, mean	86.42	94.75	101.33	0.00	0.00	4.00	0.00	146.00
SD	*85.00*	*61.28*	*55.08*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative Days of Stay, %								
1 to 7	7.5%	12.5%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
8 to 14	6.2%	12.5%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	29.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
45 to 89	19.6%	12.5%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	23.7%	62.5%	66.7%	0.0%	0.0%	0.0%	0.0%	100.0%
180 to 359	10.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	0.0%	100.0%	0.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	50.0%	50.0%	0.0%	0.0%	0.0%	0.0%	100.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	193.84	144.25	143.67	0.00	0.00	0.00	0.00	146.00
SD	*79.91*	*15.63*	*19.09*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.8%	12.5%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	240.95	151.00	151.00	0.00	0.00	0.00	0.00	0.00
SD	*71.71*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.61	0.50	0.00	0.00	0.00	4.00	0.00	0.00
SD	*8.79*	*1.41*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.31	0.50	0.00	0.00	0.00	4.00	0.00	0.00
SD	*11.83*	*1.41*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Other Psychosis Patients	49401	4804	874	831	535	1243	504	817
Nursing Home Care								
(reported for those with some nursing home care)								
Patients with some nursing home care, %	7.7%	7.1%	7.3%	7.3%	4.5%	10.2%	3.4%	5.9%
Number stays, mean	1.29	1.27	1.36	1.28	1.08	1.25	1.06	1.35
SD	*0.65*	*0.61*	*0.82*	*0.61*	*0.28*	*0.52*	*0.24*	*0.67*
Average LOS, mean	54.03	58.48	50.90	90.41	44.81	52.56	74.94	44.65
SD	*70.27*	*74.68*	*54.36*	*112.65*	*56.96*	*56.64*	*86.95*	*74.38*
Cumulative DOS, mean	64.81	69.74	64.86	103.52	47.75	63.61	75.71	58.40
SD	*79.26*	*81.30*	*64.03*	*113.62*	*58.43*	*65.84*	*86.43*	*89.41*
Cumulative Days of Stay, %								
1 to 7	10.9%	7.0%	9.4%	3.3%	20.8%	5.5%	0.0%	8.3%
8 to 14	15.2%	19.1%	18.8%	18.0%	20.8%	17.3%	29.4%	20.8%
15 to 44	34.5%	32.6%	28.1%	26.2%	25.0%	35.4%	23.5%	45.8%
45 to 89	16.5%	13.8%	12.5%	13.1%	16.7%	15.7%	17.6%	8.3%
90 to 179	13.0%	17.6%	23.4%	18.0%	12.5%	18.9%	17.6%	8.3%
180 to 359	8.1%	7.6%	7.8%	14.8%	4.2%	6.3%	11.8%	2.1%
360+	1.8%	2.3%	0.0%	6.6%	0.0%	0.8%	0.0%	6.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	17.8%	19.4%	21.9%	23.0%	12.5%	20.5%	29.4%	8.3%
Cumul. DOS, patients with a 100+ day NH stay, mean	207.27	202.38	147.93	289.14	169.00	171.81	187.00	332.25
SD	*81.27*	*85.80*	*53.63*	*70.71*	*67.44*	*58.58*	*80.60*	*63.50*
NH patients with 150+ day NH stay, %	11.0%	11.4%	6.3%	21.3%	8.3%	10.2%	17.6%	8.3%
Cumul. DOS, patients with a 150+ day NH stay, mean	250.81	252.49	208.00	297.85	198.00	209.92	229.67	332.25
SD	*70.60*	*75.08*	*42.42*	*65.33*	*63.64*	*56.65*	*76.66*	*63.50*
Other VISN cumulative DOS, mean	0.34	0.45	2.16	0.16	0.00	0.05	0.00	0.00
SD	*5.11*	*5.12*	*11.65*	*1.28*	*0.00*	*0.53*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.02	0.69	3.25	0.16	0.00	0.14	0.00	0.00
SD	*7.62*	*6.39*	*14.41*	*1.28*	*0.00*	*1.19*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516	546	548	573	672	673
			Bay Pines	*Miami*	*W Palm Beach*	*N.Fla/S.Georg*	*San Juan*	*Tampa*
Other Psychosis Patients	49401	4804	874	831	535	1243	504	817
Outpatient utilization								
(reported for those with some outpatient care)								
Patients with some outpatient care, %	99.7%	99.7%	99.9%	98.8%	100.0%	99.9%	100.0%	99.8%
annual visit days, mean	19.52	17.59	17.38	19.99	14.68	17.00	16.38	18.96
SD	*24.21*	*19.49*	*18.82*	*30.68*	*15.68*	*15.97*	*10.79*	*16.45*
Outpatient visit days, %								
1-12	49.1%	50.0%	51.7%	56.2%	56.6%	50.3%	41.7%	42.2%
13-24	27.0%	28.5%	25.2%	21.3%	25.4%	29.7%	40.7%	32.0%
25-36	11.5%	11.7%	12.9%	9.0%	10.5%	10.4%	12.1%	15.8%
37-48	5.4%	5.1%	5.0%	6.2%	4.7%	4.8%	4.6%	5.3%
49+	7.0%	4.6%	5.2%	7.3%	2.8%	4.8%	1.0%	4.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	86.5%	90.2%	91.4%	87.6%	94.0%	88.9%	93.1%	89.3%
Mean PC visit days, among those with some PC	4.04	4.17	4.21	3.94	3.74	3.67	5.18	4.76
SD	3.94	3.36	3.36	3.95	2.73	2.80	3.28	3.71
Average number clinic stops per visit day, mean	1.55	1.49	1.39	1.46	1.56	1.57	1.44	1.47
SD	*0.52*	*0.50*	*0.40*	*0.54*	*0.52*	*0.61*	*0.40*	*0.37*
annual clinic stops (psych & non-psych), mean	30.45	26.78	25.27	30.54	23.90	27.08	23.53	28.06
SD	*40.44*	*34.07*	*31.86*	*51.99*	*28.38*	*32.22*	*17.25*	*26.35*
annual non-psych. clinic stops, mean	22.67	21.77	20.12	22.53	19.83	22.85	20.43	23.24
SD	*25.36*	*23.72*	*20.12*	*34.42*	*21.73*	*21.78*	*15.44*	*22.17*
annual psych. clinic stops (groupings below), mean	7.77	5.01	5.14	8.01	4.06	4.23	3.10	4.82
SD	*27.43*	*20.31*	*20.54*	*31.04*	*13.54*	*21.93*	*6.74*	*10.53*
1. general psych. clinic stops, mean	3.20	2.52	1.99	2.97	2.36	1.99	2.49	3.57
SD	*7.61*	*5.16*	*3.98*	*6.49*	*6.68*	*3.79*	*3.88*	*5.91*
2. psych. case management clinic stops, mean	0.14	0.03	0.00	0.00	0.04	0.05	0.00	0.07
SD	*3.20*	*0.87*	*0.03*	*0.00*	*0.66*	*1.44*	*0.00*	*1.01*
3. psych. day treatment clinic stops, mean	0.60	0.67	2.15	0.49	0.33	0.30	0.26	0.29
SD	*8.52*	*8.02*	*15.49*	*6.46*	*3.56*	*5.17*	*3.20*	*4.63*
4. substance abuse clinic stops, mean	2.24	1.19	0.17	3.41	0.55	1.45	0.29	0.62
SD	*17.04*	*14.58*	*2.19*	*24.76*	*4.23*	*19.22*	*3.10*	*6.28*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 8, continued

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Other Psychosis Patients	49401	4804	874	831	535	1243	504	817
5. psych. vocational clinic stops, mean	0.74	0.28	0.73	0.46	0.05	0.23	0.00	0.05
SD	*9.63*	*5.50*	*10.09*	*6.71*	*0.72*	*3.70*	*0.00*	*1.33*
6. PTSD clinic stops, mean	0.56	0.16	0.07	0.35	0.40	0.08	0.06	0.11
SD	*5.11*	*1.83*	*1.06*	*3.06*	*2.64*	*1.45*	*0.49*	*1.03*
7. psych. homeless clinic stops, mean	0.27	0.12	0.03	0.24	0.28	0.10	0.00	0.10
SD	*2.81*	*1.29*	*0.26*	*1.74*	*1.74*	*1.53*	*0.00*	*0.98*
Other VISN OP visit days, mean	0.31	0.26	0.31	0.19	0.34	0.23	0.12	0.34
SD	*2.01*	*1.46*	*1.56*	*1.31*	*1.64*	*1.49*	*0.88*	*1.62*
Other station OP visit days, mean	0.72	0.44	0.48	0.41	0.61	0.31	0.17	0.68
SD	*3.19*	*2.08*	*2.02*	*1.97*	*2.17*	*1.63*	*0.98*	*3.05*

Table 4I FY03 Other Psychosis Patients, Pharmacy Utilization, VISN 8

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Other Psychosis Patients	49401	4804	874	831	535	1243	504	817
Among all patients in the registry								
Pts. with any outpatient prescriptions, %	94.7%	95.3%	92.9%	94.2%	96.6%	96.0%	97.8%	95.2%
Patients with any oral antipsychotic fills, %*	41.4%	36.2%	26.1%	33.8%	34.2%	35.6%	55.6%	40.0%
Among pts. receiving any antipsychotic medication:								
Received only conventional antipsychotics, %	9.2%	9.1%	8.3%	6.4%	3.8%	11.8%	6.4%	13.5%
Received some atypical antipsychotics, %	90.8%	90.9%	91.7%	93.6%	96.2%	88.2%	93.6%	86.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %								
Aripiprazole	0.7%	0.7%	0.0%	3.2%	0.0%	0.2%	0.4%	0.3%
Clozapine	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Olanzapine	27.8%	31.7%	31.6%	23.5%	36.1%	31.0%	38.6%	31.5%
Quetiapine	29.2%	28.3%	22.8%	30.6%	22.4%	25.3%	43.6%	24.5%
Risperidone	46.2%	43.3%	45.6%	49.1%	54.6%	44.1%	26.8%	43.4%
Ziprasidone	3.6%	2.5%	2.6%	1.8%	2.2%	1.1%	2.1%	5.2%
Patients receiving only one kind** of antipsychotic, %	78.8%	80.0%	82.9%	83.6%	76.0%	80.5%	78.6%	77.7%
Concurrent use of 2 or more antipsychotics, % ***	5.1%	3.4%	1.8%	1.8%	5.5%	3.8%	2.1%	5.5%
Among pts receiving just one antipsychotic:								
Antipsychotic fills, mean	5.21	5.78	5.83	5.53	5.91	5.92	5.81	5.66
SD	*4.06*	*4.23*	*4.32*	*4.05*	*4.24*	*4.22*	*4.31*	*4.28*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5I: FY03 Other Psychosis Patients, Cost, VISN 8

	All VISNs	VISN 8	516 *Bay Pines*	546 *Miami*	548 *W Palm Beach*	573 *N.Fla/S.Georg*	672 *San Juan*	673 *Tampa*
Other Psychosis Patients	49401	4804	874	831	535	1243	504	817
Total Costs (in thousands $$)	$692,791	$52,838	$9,711	$11,073	$5,579	$14,409	$4,878	$7,188
Station % of VISN		100.0%	18.4%	21.0%	10.6%	27.3%	9.2%	13.6%
Psych vs. Non-Psych Costs								
Psych	16.6%	11.9%	13.0%	12.0%	16.4%	7.2%	16.6%	12.8%
Non-Psych	83.4%	88.1%	87.0%	88.0%	83.6%	92.8%	83.4%	87.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use								
Per Patient	$16,509	$12,623	$14,440	$15,549	$15,614	$9,253	$12,241	$11,002
Per Day of Stay	$1,028	$915	$995	$1,251	$1,078	$762	$717	$760
Mean Outpatient Costs, Pts with some Outpatient use								
Per Patient	$6,046	$5,217	$4,422	$5,986	$4,575	$5,638	$5,393	$4,963
Per Visit Day	$310	$297	$254	$299	$312	$332	$329	$262
By Cost Center								
1 Med	$2,712	$1,961	$2,181	$2,162	$2,719	$1,699	$2,170	$1,293
2 Surg	$779	$497	$663	$699	$524	$442	$188	$371
3 Psych	$1,494	$706	$906	$731	$1,281	$323	$824	$598
4 Psych Res Rehab Treatment Program	$103	$143	$38	$646	$5	$87	$0	$11
5 Non-VA	$203	$202	$368	$50	$89	$279	$43	$236
6 LTC Domiciliary	$183	$24	$108	$0	$0	$1	$0	$24
7 LTC Intermediate Care	$276	$177	$157	$525	$241	$118	$1	$0
8 LTC Nursing Home	$1,672	$1,329	$842	$2,232	$965	$1,610	$1,058	$912
9 Contract Nursing Home	$578	$758	$1,432	$366	$31	$1,400	$1	$401
10 OPC Med/Surg	$1,281	$945	$795	$1,234	$1,207	$851	$1,112	$682
11 OPC Psych	$831	$598	$533	$863	$425	$513	$778	$529
12 OPC Home Based Treatment	$730	$640	$614	$1,000	$527	$431	$788	$602
13 OPC Support	$1,493	$1,411	$1,107	$1,515	$969	$1,818	$1,133	$1,475
14 OPC Fee	$231	$178	$239	$64	$207	$299	$35	$115
15 OPC Pharmacy	$1,460	$1,428	$1,128	$1,237	$1,241	$1,721	$1,546	$1,549
TOTAL	$14,024	$10,999	$11,110	$13,325	$10,429	$11,592	$9,678	$8,798
Mean % Patient Costs at Other Stations	3.3%	2.7%	2.7%	2.5%	4.5%	1.7%	1.3%	4.0%
SD	*11.9%*	*10.9%*	*10.9%*	*10.4%*	*13.8%*	*8.0%*	*8.4%*	*13.6%*
Mean % Patient Costs at Other VISNs	1.3%	1.6%	1.8%	1.5%	2.2%	1.1%	0.9%	2.3%
SD	*7.5%*	*8.5%*	*9.0%*	*8.3%*	*9.5%*	*6.9%*	*6.6%*	*10.5%*

Table 1F: FY03 Psychosis Patients, Demographics, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
All Patients	217760	9380	853	1143	1426	1728	1363	2867
Psychosis Diagnosis Group, %								
Schizophrenia	43.3%	37.0%	34.6%	29.2%	32.0%	41.3%	25.4%	46.3%
Bipolar Disorder	34.0%	33.3%	32.9%	28.8%	38.6%	26.5%	32.7%	36.9%
Other Psychoses	22.7%	29.7%	32.5%	42.0%	29.5%	32.2%	41.9%	16.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age, %								
<35	4.9%	4.9%	5.4%	5.2%	6.2%	3.9%	3.2%	5.4%
>=35 and <50	29.3%	26.9%	23.0%	18.1%	27.0%	30.8%	24.2%	30.5%
>=50 and <65	38.1%	36.2%	37.5%	30.1%	35.8%	37.2%	30.7%	40.5%
>=65 and <80	19.7%	22.0%	22.6%	28.9%	21.5%	19.5%	26.8%	18.6%
>=80	8.2%	10.0%	11.5%	17.8%	9.5%	8.6%	15.1%	5.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	56.89	58.16	58.91	62.72	57.29	57.16	61.41	55.62
SD	*14.35*	*14.87*	*14.91*	*16.11*	*15.21*	*14.34*	*15.53*	*13.41*
Gender								
Male, %	92.7%	93.6%	94.1%	94.8%	93.0%	92.7%	95.6%	92.8%
Female, %	7.3%	6.4%	5.9%	5.2%	7.0%	7.3%	4.4%	7.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %								
Hispanic white	4.8%	0.3%	0.4%	0.0%	0.2%	0.2%	0.2%	0.6%
Hispanic black	0.4%	0.1%	0.0%	0.2%	0.3%	0.0%	0.0%	0.2%
American Indian	0.3%	0.1%	0.0%	0.0%	0.1%	0.1%	0.2%	0.2%
Black	18.6%	18.0%	4.9%	5.2%	16.3%	45.4%	5.7%	17.0%
Asian	0.5%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
White	54.9%	63.3%	79.2%	71.4%	62.6%	35.8%	70.5%	68.9%
Race unknown	20.5%	18.2%	15.5%	23.3%	20.3%	18.5%	23.3%	13.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status								
Never married	28.5%	21.6%	20.4%	18.5%	21.2%	28.2%	15.3%	22.6%
Married	35.3%	42.1%	43.6%	46.8%	43.9%	38.7%	42.8%	40.5%
Divorced/Separated	30.8%	30.0%	27.7%	26.1%	29.1%	27.8%	33.8%	32.2%
Widowed	5.4%	6.3%	8.4%	8.6%	5.7%	5.3%	8.1%	4.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
All Patients	217760	9380	853	1143	1426	1728	1363	2867
Registry Pts. History of VA Utilization								
Years since first use in prior five years, mean	4.33	4.31	4.33	4.35	4.20	4.31	4.24	4.39
SD	*1.24*	*1.26*	*1.21*	*1.24*	*1.35*	*1.27*	*1.28*	*1.21*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.9%	29.0%	22.9%	26.1%	27.1%	27.4%	40.3%	28.6%
SD	*29.7%*	*30.3%*	*26.8%*	*27.9%*	*28.3%*	*27.9%*	*33.5%*	*31.7%*
Years with OP use / Years since first use, %	96.7%	97.0%	97.7%	97.3%	97.8%	96.9%	97.1%	96.1%
SD	*11.4%*	*10.9%*	*8.6%*	*10.6%*	*8.6%*	*10.0%*	*10.1%*	*13.2%*
Psychosis Diagnoses in Prior Fiscal Year								
Had Psychosis Diagnosis in FY01, %	65.3%	61.8%	63.1%	58.8%	63.3%	59.5%	58.4%	64.7%
Among Patients With Psychoses in FY01								
Psychosis Category: Schizophrenia, %	54.1%	49.4%	45.9%	41.2%	43.4%	55.5%	36.2%	58.6%
Psychosis Category: Bipolar Disorder, %	33.9%	33.7%	36.1%	30.8%	40.6%	27.3%	38.2%	32.4%
Psychosis Category: Other Psychosis, %	12.0%	16.8%	18.0%	28.0%	15.9%	17.1%	25.6%	8.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %								
Dementia	6.2%	7.8%	6.6%	11.1%	7.5%	5.8%	12.3%	6.0%
Post Traumatic Stress Disorder	15.4%	11.7%	10.3%	13.8%	8.4%	9.1%	13.6%	13.4%
Depression	34.8%	32.1%	25.0%	26.4%	30.4%	26.3%	40.2%	36.9%
Other Anxiety Disorder	12.0%	11.9%	13.1%	15.0%	9.4%	7.3%	16.4%	12.3%
Substance Abuse or Dependence	23.3%	17.5%	14.1%	11.4%	14.2%	20.5%	20.7%	19.1%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
All Patients	217760	9380	853	1143	1426	1728	1363	2867
Medical Comorbidities, %								
No medical comorbidities	15.2%	12.9%	9.5%	8.1%	15.6%	15.6%	9.5%	14.4%
Anemia	8.2%	10.2%	11.8%	13.4%	8.6%	7.2%	13.4%	9.6%
Arthritis	36.2%	39.2%	44.0%	41.7%	35.6%	33.6%	45.1%	39.1%
Cancer	7.9%	8.7%	10.2%	12.2%	7.4%	8.9%	8.7%	7.4%
Cerebrovascular Disease	6.7%	9.1%	8.2%	12.9%	8.5%	11.6%	9.9%	6.3%
Chronic Neurologic Disorder	15.1%	16.2%	14.4%	18.7%	15.0%	15.6%	17.3%	16.2%
Chronic Obstructive Pulmonary Disease	16.7%	19.3%	27.2%	23.6%	16.5%	11.6%	23.7%	19.0%
Chronic Viral Infection	8.4%	6.4%	4.2%	3.6%	5.2%	7.9%	8.8%	6.8%
Coronary Artery Disease	19.5%	23.4%	30.8%	27.6%	26.0%	18.4%	27.2%	19.4%
Diabetes	20.0%	22.0%	25.4%	21.7%	21.8%	22.2%	20.2%	22.0%
Digestive System Disease	43.5%	47.5%	47.5%	54.9%	42.6%	44.7%	53.2%	46.0%
Hypertension	43.2%	48.4%	46.9%	55.1%	48.5%	45.0%	50.5%	47.3%
Injury and Poisoning	17.9%	19.2%	15.2%	19.2%	17.0%	19.3%	24.3%	19.0%
Liver Disease	3.6%	3.6%	4.0%	1.8%	3.7%	3.4%	4.8%	3.6%
Other Endocrine	8.6%	9.1%	9.5%	11.4%	8.8%	8.1%	9.2%	8.8%
Peripheral Vascular Disease	4.1%	5.2%	3.6%	10.8%	4.0%	5.5%	6.6%	3.2%
GAF scores								
Lowest inpatient GAF score, mean	37.72	34.50	32.40	23.98	32.58	38.97	36.24	30.01
SD	*14.39*	*14.06*	*21.26*	*19.38*	*20.90*	*10.20*	*12.41*	*12.62*
Mean outpatient GAF score	50.52	50.47	54.46	51.88	55.79	46.19	48.29	49.24
SD	*11.04*	*12.60*	*9.31*	*13.15*	*14.07*	*10.43*	*9.05*	*13.70*
At least 1 IP GAF, among pts with MH bedsections, %	38.4%	36.2%	22.9%	43.7%	16.7%	45.2%	71.2%	22.8%
At least 1 OP GAF, among pts with MH clinic stops, %	80.0%	80.0%	96.0%	79.9%	85.8%	75.3%	84.6%	73.8%
Mortality rates								
died in FY02, %	3.1%	4.5%	5.6%	5.6%	4.1%	3.6%	5.9%	3.8%
Age-and-gender-adjusted Standardized Mortality Ratio	1.32	1.70	2.02	1.49	1.59	1.49	1.72	1.92

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
All Patients	217760	9380	853	1143	1426	1728	1363	2867
Service Connection (SC)								
Non-SC	51.0%	51.8%	51.9%	53.6%	54.6%	51.9%	58.6%	46.4%
SC 0 - 29%	8.7%	8.7%	7.9%	10.0%	10.2%	6.9%	8.3%	9.0%
SC 30 - 69%	10.8%	11.6%	11.8%	8.9%	11.0%	12.3%	11.8%	12.3%
SC 70 - 99%	7.3%	5.7%	9.1%	5.2%	4.9%	4.9%	4.7%	6.2%
SC 100%	22.1%	22.2%	19.2%	22.3%	19.4%	24.1%	16.6%	26.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %								
Complex*	17.3%	14.6%	7.4%	12.9%	10.0%	13.7%	27.6%	14.2%
Basic vested, Cat A*	76.6%	79.3%	86.8%	82.3%	80.4%	80.0%	65.8%	81.2%
Basic Non-vested, Cat A*	1.0%	1.2%	1.5%	0.6%	0.6%	2.3%	0.7%	1.1%
Basic, Cats C and N	5.1%	4.9%	4.3%	4.2%	9.0%	4.0%	5.9%	3.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded								
Patient eligibility category, %								
Cat A (SC or low income)	94.6%	94.8%	95.4%	95.3%	90.8%	95.9%	93.6%	96.3%
Cat C (NSC and higher income)	4.7%	4.4%	3.8%	4.2%	6.7%	3.4%	5.8%	3.6%
Non-Veteran	0.6%	0.8%	0.8%	0.5%	2.5%	0.7%	0.6%	0.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %								
BASIC 1. Non-reliant Care	0.1%	0.1%	0.2%	0.1%	0.1%	0.3%	0.0%	0.0%
2. Basic Medical	16.7%	20.3%	26.5%	25.6%	19.5%	20.5%	20.5%	16.6%
3. Mental Health	36.3%	34.1%	32.9%	27.7%	37.7%	32.1%	22.9%	41.9%
4. Heart / Lung / GI	7.7%	9.8%	12.1%	14.6%	9.7%	8.4%	9.5%	8.1%
5. Oncology / Infectious Disease	3.9%	3.6%	4.9%	2.7%	3.8%	5.1%	2.9%	3.0%
6. Multiple Medical	18.0%	17.3%	15.9%	16.4%	19.1%	19.8%	16.6%	16.1%
COMPLEX 7. Specialized Care	2.6%	2.5%	1.1%	3.1%	4.0%	3.2%	3.6%	1.0%
8. Support Care	2.8%	3.5%	4.5%	3.1%	2.5%	4.3%	7.9%	1.3%
9. Chronic Mental	9.6%	6.8%	1.5%	2.9%	2.9%	5.2%	12.7%	10.0%
10. Critically Ill	2.2%	1.8%	0.4%	3.7%	0.6%	1.0%	3.4%	1.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
All Patients	217760	9380	853	1143	1426	1728	1363	2867
Substance Dependence and Abuse								
Any dx of alcohol / drug dependence or abuse, %	23.3%	17.5%	14.1%	11.4%	14.2%	20.5%	20.7%	19.1%
Homelessness								
Homelessness indicated in FY02, %	11.5%	6.8%	9.6%	1.9%	4.8%	9.3%	11.2%	5.2%
Residence in Metropolitan Area								
Residing in a Metropolitan Statistical Area, %	79.7%	64.9%	72.1%	41.6%	69.3%	68.7%	72.8%	64.0%
Distance								
Mile from Closest VA Medical Center, mean	32.17	35.07	26.21	38.28	20.64	29.19	28.75	50.14
SD	*68.58*	*31.26*	*19.02*	*28.69*	*21.52*	*31.41*	*26.58*	*34.70*
Distance from closest VA Medical Center, %								
0 to 15 miles	49.0%	41.1%	0.2%	19.1%	48.2%	65.2%	30.6%	57.9%
15 to 30 miles	16.3%	12.6%	0.9%	4.2%	24.6%	31.2%	6.1%	10.8%
30 to 45 miles	10.3%	12.1%	50.7%	15.2%	11.0%	1.8%	23.1%	6.7%
45 to 60 miles	8.1%	9.0%	32.8%	7.2%	7.5%	1.0%	29.6%	8.3%
60 plus miles	16.2%	25.2%	15.5%	54.3%	8.8%	0.8%	10.5%	16.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.73	15.29	12.77	21.28	11.74	17.44	12.21	15.57
SD	*13.09*	*13.28*	*8.31*	*14.31*	*11.95*	*17.38*	*9.52*	*12.20*
Distance to closest VA Service Site, %								
0 to 15 miles	77.0%	60.8%	67.6%	38.2%	74.2%	62.8%	63.9%	58.4%
15 to 30 miles	14.9%	23.5%	27.5%	30.2%	13.3%	14.7%	31.1%	26.5%
30 to 45 miles	5.7%	12.9%	4.8%	27.7%	11.4%	13.2%	4.6%	13.9%
45 plus miles	2.4%	2.8%	0.0%	3.8%	1.1%	9.4%	0.4%	1.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3F: FY03 Psychosis Patients, Utilization, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
All Patients	217760	9380	853	1143	1426	1728	1363	2867
Hospital Based Utilization								
Patients with some Hospital Based Utilization, %	27.2%	34.1%	28.8%	33.4%	31.6%	36.1%	40.2%	33.2%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)								
Inpatient stays, mean	1.83	1.86	1.81	1.68	1.86	1.73	2.12	1.89
SD	*1.43*	*1.47*	*1.37*	*1.22*	*1.52*	*1.29*	*1.75*	*1.48*
Average LOS, mean	13.07	13.27	6.45	7.14	7.28	9.80	6.94	26.25
SD	*30.84*	*38.18*	*7.13*	*9.00*	*6.66*	*15.14*	*7.35*	*66.47*
Cumulative DOS, mean	21.85	21.25	11.52	11.58	13.32	16.15	14.47	38.66
SD	*40.46*	*44.58*	*13.46*	*15.17*	*16.69*	*22.08*	*17.78*	*74.06*
Cumulative DOS, %								
1 to 7	39.9%	41.7%	54.1%	54.5%	46.6%	42.1%	40.9%	31.1%
8 to 14	21.8%	22.5%	19.9%	20.2%	24.2%	23.7%	25.5%	20.7%
15 to 44	27.7%	27.0%	22.0%	22.3%	25.7%	26.4%	28.6%	30.2%
45 to 89	6.9%	5.7%	4.1%	2.4%	2.9%	6.7%	4.2%	8.8%
90 to 179	2.3%	1.5%	0.0%	0.8%	0.7%	0.6%	0.5%	3.8%
180 to 359	0.9%	0.7%	0.0%	0.0%	0.0%	0.3%	0.2%	2.1%
360+	0.6%	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	2.1%	2.0%	0.0%	0.3%	0.0%	0.5%	0.0%	6.4%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	237.76	280.65	0.00	122.00	0.00	211.00	0.00	286.67
SD	*95.14*	*96.43*	*0.00*	*0.00*	*0.00*	*68.64*	*0.00*	*95.20*
Hospital patients who had a 150+ day hosp. stay, %	1.3%	1.5%	0.0%	0.0%	0.0%	0.2%	0.0%	5.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	290.80	324.57	0.00	0.00	0.00	282.00	0.00	325.46
SD	*77.65*	*64.56*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*64.94*
Cumulative DOS at Other VISNs	0.59	0.63	0.70	0.12	0.37	0.64	1.78	0.26
SD	*4.28*	*5.30*	*3.22*	*1.10*	*3.17*	*4.13*	*10.95*	*2.30*
Cumulative DOS at Other Stations	1.83	1.27	2.36	0.25	0.78	0.75	3.30	0.82
SD	*7.27*	*7.42*	*6.13*	*1.62*	*6.08*	*4.35*	*13.85*	*5.52*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
All Patients	217760	9380	853	1143	1426	1728	1363	2867
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)								
Pts. with non-psych hospital stays, %	14.0%	19.4%	24.5%	24.8%	17.3%	20.8%	23.6%	13.8%
Inpatient stays, mean	0.85	1.00	1.57	1.24	0.96	0.94	1.11	0.75
SD	*1.20*	*1.32*	*1.45*	*1.25*	*1.25*	*1.22*	*1.47*	*1.26*
Average LOS, mean	7.54	8.36	6.22	4.81	6.27	10.82	5.22	13.65
SD	*13.36*	*17.20*	*7.42*	*4.13*	*6.41*	*19.11*	*4.77*	*29.76*
Cumulative Days of Stay, mean	6.52	8.20	9.60	6.15	5.87	9.51	6.18	10.08
SD	*17.31*	*22.03*	*13.29*	*9.15*	*10.19*	*20.76*	*11.14*	*33.78*
Cumulative Days of Stay, %								
0	48.5%	43.3%	15.0%	25.7%	45.5%	42.5%	41.4%	58.3%
1 to 7	29.2%	29.9%	46.7%	48.2%	28.8%	26.1%	32.8%	19.5%
8 to 14	9.8%	11.4%	16.7%	13.9%	12.9%	12.5%	12.6%	6.8%
15 to 44	10.2%	12.4%	18.3%	11.8%	12.2%	14.3%	11.5%	10.5%
45 to 89	1.8%	2.3%	3.3%	0.3%	0.7%	4.0%	1.5%	3.2%
90 to 179	0.4%	0.4%	0.0%	0.3%	0.0%	0.3%	0.2%	0.8%
180 to 359	0.1%	0.3%	0.0%	0.0%	0.0%	0.3%	0.0%	0.7%
360+	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.5%	0.0%	0.0%	0.0%	0.5%	0.0%	1.4%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	206.57	242.75	0.00	0.00	0.00	208.67	0.00	250.62
SD	*85.33*	*87.17*	*0.00*	*0.00*	*0.00*	*72.04*	*0.00*	*90.97*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.3%	0.0%	0.0%	0.0%	0.2%	0.0%	0.8%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	268.22	308.33	0.00	0.00	0.00	282.00	0.00	311.63
SD	*74.94*	*49.93*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*52.32*
Other VISN cumulative DOS, mean	*0.14*	*0.16*	*0.32*	*0.07*	*0.29*	*0.23*	*0.18*	*0.05*
SD	1.82	1.87	2.17	0.82	3.04	2.61	1.33	0.61
Other station cumulative DOS, mean	0.51	0.29	0.43	0.12	0.33	0.29	0.42	0.21
SD	*3.43*	*2.72*	*2.43*	*1.13*	*3.07*	*2.84*	*3.16*	*2.72*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
All Patients	217760	9380	853	1143	1426	1728	1363	2867
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)								
Pts. with psych hospital stays, %	15.8%	18.1%	5.6%	11.0%	17.6%	19.1%	21.6%	22.5%
Inpatient stays, mean	0.98	0.86	0.25	0.44	0.90	0.80	1.00	1.13
SD	*1.28*	*1.24*	*0.56*	*0.74*	*1.32*	*1.05*	*1.49*	*1.33*
Average LOS, mean	17.54	17.83	8.13	13.00	8.22	8.86	8.67	32.04
SD	*38.98*	*49.61*	*8.21*	*15.86*	*7.18*	*8.22*	*8.88*	*77.49*
Cumulative Days of Stay, mean	15.33	13.05	1.92	5.43	7.45	6.64	8.29	28.58
SD	*38.37*	*40.83*	*5.54*	*13.68*	*15.37*	*11.20*	*16.29*	*69.53*
Cumulative Days of Stay, %								
0	41.8%	47.1%	80.5%	67.0%	44.3%	47.1%	46.2%	32.3%
1 to 7	18.6%	19.6%	11.0%	12.6%	25.7%	23.7%	19.2%	19.2%
8 to 14	14.1%	13.4%	4.1%	7.3%	14.9%	13.5%	17.0%	15.5%
15 to 44	17.8%	14.6%	4.1%	11.3%	12.9%	13.8%	14.4%	20.3%
45 to 89	4.7%	3.0%	0.4%	1.3%	1.6%	1.9%	2.7%	5.8%
90 to 179	1.7%	1.0%	0.0%	0.5%	0.7%	0.0%	0.4%	2.5%
180 to 359	0.8%	0.4%	0.0%	0.0%	0.0%	0.0%	0.2%	1.4%
360+	0.5%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	3.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	1.8%	1.5%	0.0%	0.0%	5.0%	1.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	239.50	291.69	0.00	116.00	0.00	0.00	0.00	295.35
SD	*96.26*	*97.35*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*94.91*
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.2%	1.2%	0.0%	0.0%	0.0%	0.0%	0.0%	4.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	291.18	327.15	0.00	0.00	0.00	0.00	0.00	327.15
SD	*78.31*	*67.39*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*67.39*
Other VISN cumulative DOS, mean	0.45	0.47	0.39	0.06	0.07	0.42	1.60	0.21
SD	*3.83*	*4.87*	*2.16*	*0.67*	*0.92*	*2.94*	*10.79*	*2.12*
Other station cumulative DOS, mean	1.32	0.99	1.92	0.13	0.45	0.46	2.87	0.61
SD	*6.36*	*6.83*	*5.54*	*1.13*	*5.27*	*3.04*	*13.49*	*4.68*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
All Patients	217760	9380	853	1143	1426	1728	1363	2867
Other 24 hour institutional care								
Patients with some other 24 hour institutional care, %	8.5%	7.2%	4.9%	9.3%	2.3%	6.0%	24.5%	2.1%
Residential Rehab (rep. for those w/ res rehab care)								
Patients with some residential rehab. care, %	1.8%	0.8%	1.1%	0.3%	0.1%	3.3%	0.5%	0.0%
Number stays, mean	*1.12*	*1.05*	*1.00*	*1.00*	*1.00*	*1.04*	*1.29*	*1.00*
SD	0.38	0.22	0.00	0.00	0.00	0.19	0.49	0.00
Average LOS, mean	34.01	13.65	11.11	12.67	21.00	13.08	22.07	6.00
SD	*38.25*	*8.03*	*8.91*	*10.12*	*0.00*	*5.34*	*17.52*	*0.00*
Cumulative DOS, mean	37.28	14.44	11.11	12.67	21.00	13.67	26.00	6.00
SD	*40.79*	*9.53*	*8.91*	*10.12*	*0.00*	*7.12*	*18.77*	*0.00*
Cumulative Days of Stay, %								
1 to 7	12.3%	16.7%	55.6%	33.3%	0.0%	10.5%	0.0%	100.0%
8 to 14	12.7%	62.8%	11.1%	0.0%	0.0%	78.9%	42.9%	0.0%
15 to 44	50.7%	16.7%	33.3%	66.7%	100.0%	8.8%	28.6%	0.0%
45 to 89	15.8%	3.8%	0.0%	0.0%	0.0%	1.8%	28.6%	0.0%
90 to 179	7.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	175.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.56*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	237.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*73.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.12	5.45	11.11	12.67	21.00	1.37	26.00	6.00
SD	*6.40*	*11.67*	*8.91*	*10.12*	*0.00*	*7.25*	*18.77*	*0.00*
Other station cumulative DOS, mean	3.58	5.45	11.11	12.67	21.00	1.37	26.00	6.00
SD	*10.93*	*11.67*	*8.91*	*10.12*	*0.00*	*7.25*	*18.77*	*0.00*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
All Patients	217760	9380	853	1143	1426	1728	1363	2867
Domiciliary and Vocational (reported for those with some dom/voc care)								
Patients with some dom/voc care, %	2.8%	2.5%	0.4%	0.0%	0.2%	0.1%	16.7%	0.0%
Number stays, mean	1.13	1.08	1.33	0.00	1.00	1.00	1.08	1.00
SD	*0.38*	*0.28*	*0.58*	*0.00*	*0.00*	*0.00*	*0.28*	*0.00*
Average LOS, mean	85.20	128.00	15.50	0.00	4.00	15.00	131.96	49.00
SD	*90.51*	*121.36*	*1.32*	*0.00*	*3.46*	*0.00*	*121.56*	*0.00*
Cumulative DOS, mean	92.74	133.81	20.33	0.00	4.00	15.00	137.90	49.00
SD	*94.18*	*123.15*	*7.57*	*0.00*	*3.46*	*0.00*	*123.28*	*0.00*
Cumulative Days of Stay, %								
1 to 7	6.9%	3.8%	0.0%	0.0%	66.7%	0.0%	3.1%	0.0%
8 to 14	6.1%	5.1%	0.0%	0.0%	33.3%	0.0%	4.8%	0.0%
15 to 44	29.6%	23.7%	100.0%	0.0%	0.0%	100.0%	22.8%	0.0%
45 to 89	19.5%	19.1%	0.0%	0.0%	0.0%	0.0%	19.3%	100.0%
90 to 179	22.9%	17.8%	0.0%	0.0%	0.0%	0.0%	18.4%	0.0%
180 to 359	10.1%	17.4%	0.0%	0.0%	0.0%	0.0%	18.0%	0.0%
360+	5.0%	13.1%	0.0%	0.0%	0.0%	0.0%	13.6%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	31.6%	42.4%	0.0%	0.0%	0.0%	0.0%	43.9%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	203.50	255.00	0.00	0.00	0.00	0.00	255.00	0.00
SD	*90.08*	*95.45*	*0.00*	*0.00*	*0.00*	*0.00*	*95.45*	*0.00*
Dom. patients with 150+ day Dom. stay, %	18.0%	34.7%	0.0%	0.0%	0.0%	0.0%	36.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	259.61	284.12	0.00	0.00	0.00	0.00	284.12	0.00
SD	*79.66*	*78.72*	*0.00*	*0.00*	*0.00*	*0.00*	*78.72*	*0.00*
Other VISN cumulative DOS, mean	1.54	0.81	15.33	0.00	4.00	15.00	0.52	0.00
SD	*8.76*	*6.58*	*14.57*	*0.00*	*3.46*	*0.00*	*6.24*	*0.00*
Other station cumulative DOS, mean	3.75	1.08	20.33	0.00	4.00	15.00	0.52	49.00
SD	*14.14*	*7.35*	*7.57*	*0.00*	*3.46*	*0.00*	*6.24*	*0.00*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
All Patients	217760	9380	853	1143	1426	1728	1363	2867
Nursing Home Care								
(reported for those with some nursing home care)								
Patients with some nursing home care, %	4.5%	4.1%	3.8%	9.0%	2.1%	2.7%	8.1%	2.0%
Number stays, mean	1.24	1.26	1.13	1.44	1.43	1.11	1.24	1.09
SD	*0.60*	*0.61*	*0.34*	*0.74*	*0.82*	*0.31*	*0.66*	*0.28*
Average LOS, mean	99.56	77.13	28.45	57.39	46.92	27.40	62.90	221.34
SD	*118.68*	*102.55*	*16.61*	*77.64*	*66.12*	*12.69*	*81.67*	*133.05*
Cumulative DOS, mean	111.19	87.14	35.03	75.29	50.13	29.85	70.59	233.19
SD	*123.23*	*108.06*	*33.35*	*92.99*	*64.39*	*16.83*	*84.70*	*134.14*
Cumulative Days of Stay, %								
1 to 7	9.0%	7.1%	12.5%	6.8%	16.7%	4.3%	5.4%	5.2%
8 to 14	10.6%	11.3%	6.3%	15.5%	20.0%	10.9%	11.7%	1.7%
15 to 44	27.5%	41.8%	71.9%	35.9%	40.0%	73.9%	43.2%	8.6%
45 to 89	15.4%	11.8%	0.0%	17.5%	3.3%	8.7%	16.2%	6.9%
90 to 179	13.8%	11.1%	9.4%	11.7%	10.0%	2.2%	14.4%	12.1%
180 to 359	11.4%	9.2%	0.0%	9.7%	10.0%	0.0%	5.4%	27.6%
360+	12.4%	7.6%	0.0%	2.9%	0.0%	0.0%	3.6%	37.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	33.0%	22.9%	3.1%	17.5%	20.0%	0.0%	17.1%	74.1%
Cumul. DOS, patients with a 100+ day NH stay, mean	263.62	261.17	116.00	250.89	169.50	0.00	222.53	298.72
SD	*97.17*	*94.62*	*0.00*	*88.62*	*34.91*	*0.00*	*97.60*	*84.01*
NH patients with 150+ day NH stay, %	25.7%	18.7%	0.0%	12.6%	13.3%	0.0%	12.6%	69.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	299.88	291.15	0.00	290.38	189.50	0.00	260.57	312.28
SD	*76.08*	*77.02*	*0.00*	*68.72*	*20.73*	*0.00*	*85.16*	*69.94*
Other VISN cumulative DOS, mean	0.41	0.28	0.00	0.35	1.03	0.89	0.00	0.00
SD	*5.60*	*3.21*	*0.00*	*3.55*	*5.66*	*6.05*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.17	0.33	0.00	0.35	1.03	0.89	0.00	0.31
SD	*8.68*	*3.34*	*0.00*	*3.55*	*5.66*	*6.05*	*0.00*	*2.36*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
All Patients	217760	9380	853	1143	1426	1728	1363	2867
Outpatient utilization								
(reported for those with some outpatient care)								
Patients with some outpatient care, %	99.1%	99.1%	99.9%	99.5%	99.8%	99.9%	99.6%	97.7%
annual visit days, mean	24.61	17.81	17.03	17.12	18.80	18.85	20.92	15.66
SD	*33.05*	*21.78*	*12.82*	*16.55*	*16.69*	*26.34*	*20.82*	*24.98*
Outpatient visit days, %								
1-12	44.2%	50.8%	43.8%	48.5%	44.5%	53.2%	44.2%	58.9%
13-24	26.4%	28.3%	34.6%	29.2%	28.8%	26.6%	26.1%	28.0%
25-36	11.9%	11.3%	13.3%	14.2%	14.8%	9.6%	13.5%	7.8%
37-48	5.9%	4.8%	5.5%	4.6%	6.3%	4.6%	8.0%	2.4%
49+	11.5%	4.7%	2.8%	3.5%	5.6%	6.0%	8.3%	2.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	79.4%	79.1%	91.7%	86.3%	81.4%	62.4%	84.8%	78.8%
Mean PC visit days, among those with some PC	3.84	3.64	5.04	3.43	3.21	3.47	4.20	3.25
SD	3.72	3.49	4.11	3.47	2.81	3.07	4.70	2.83
Average number clinic stops per visit day, mean	1.49	1.60	1.71	1.50	1.39	1.74	1.68	1.58
SD	*0.47*	*0.53*	*0.47*	*0.51*	*0.38*	*0.61*	*0.50*	*0.52*
annual clinic stops (psych & non-psych), mean	37.56	27.94	29.11	24.92	26.60	32.46	34.24	23.64
SD	*56.64*	*33.65*	*24.70*	*24.03*	*26.71*	*46.18*	*33.74*	*32.48*
annual non-psych. clinic stops, mean	20.14	19.72	23.67	19.93	19.96	20.98	25.47	14.76
SD	*25.25*	*22.04*	*21.91*	*18.20*	*22.59*	*28.13*	*24.41*	*15.85*
annual psych. clinic stops (groupings below), mean	17.42	8.22	5.44	4.99	6.65	11.48	8.78	8.88
SD	*43.44*	*22.99*	*8.88*	*14.45*	*11.47*	*31.81*	*20.10*	*27.28*
1. general psych. clinic stops, mean	7.22	4.89	4.12	3.72	6.25	5.71	3.35	5.14
SD	*13.49*	*8.25*	*5.52*	*7.02*	*11.15*	*8.51*	*7.82*	*7.47*
2. psych. case management clinic stops, mean	1.44	0.19	0.00	0.00	0.00	0.00	1.31	0.00
SD	*12.10*	*4.18*	*0.00*	*0.00*	*0.00*	*0.04*	*10.88*	*0.02*
3. psych. day treatment clinic stops, mean	2.80	1.54	0.01	0.00	0.00	3.73	0.02	2.80
SD	*21.66*	*16.24*	*0.16*	*0.00*	*0.00*	*23.96*	*0.62*	*22.65*
4. substance abuse clinic stops, mean	3.26	1.12	1.01	1.11	0.03	1.52	2.86	0.62
SD	*19.07*	*7.56*	*6.23*	*11.87*	*0.72*	*7.72*	*11.78*	*3.78*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
All Patients	217760	9380	853	1143	1426	1728	1363	2867
5. psych. vocational clinic stops, mean	1.73	0.18	0.00	0.00	0.01	0.00	0.76	0.22
SD	*15.65*	*3.25*	*0.07*	*0.00*	*0.32*	*0.14*	*3.13*	*5.48*
6. PTSD clinic stops, mean	0.56	0.14	0.09	0.12	0.09	0.28	0.22	0.07
SD	*4.85*	*1.67*	*0.44*	*2.40*	*0.83*	*1.97*	*1.88*	*1.53*
7. psych. homeless clinic stops, mean	0.41	0.15	0.20	0.01	0.26	0.23	0.22	0.03
SD	*3.32*	*1.14*	*1.28*	*0.36*	*1.99*	*1.07*	*1.28*	*0.50*
Other VISN OP visit days, mean	0.36	0.39	0.46	0.20	0.26	0.35	0.95	0.28
SD	2.35	2.43	2.06	1.46	1.70	1.99	4.64	1.72
Other station OP visit days, mean	0.91	0.55	0.63	0.30	0.32	0.39	1.40	0.43
SD	3.87	2.80	2.28	1.68	1.81	2.10	5.42	2.08

Table 4F: FY03 Psychosis Patients, Pharmacy Utilization, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
All Patients	217760	9380	853	1143	1426	1728	1363	2867
Among all patients in the registry								
Pts. with any outpatient prescriptions, %	95.5%	95.8%	96.7%	94.7%	95.8%	95.3%	96.1%	96.0%
Patients with any oral antipsychotic fills, %*	59.2%	57.5%	59.8%	51.7%	54.9%	51.9%	56.0%	64.4%
Among pts. Receiving any antipsychotic medication:								
Received only conventional antipsychotics, %	12.3%	16.4%	15.9%	8.6%	14.2%	26.3%	13.1%	16.6%
Received some atypical antipsychotics, %	87.7%	83.6%	84.1%	91.4%	85.8%	73.7%	86.9%	83.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %								
Aripiprazole	1.2%	0.7%	0.8%	0.2%	0.8%	0.6%	0.5%	0.9%
Clozapine	1.8%	1.2%	0.0%	0.7%	1.4%	1.1%	0.3%	2.1%
Olanzapine	35.8%	30.5%	28.2%	34.7%	29.4%	22.4%	27.0%	35.8%
Quetiapine	26.2%	24.0%	23.9%	23.2%	19.7%	18.7%	29.1%	26.4%
Risperidone	36.7%	37.8%	44.3%	46.2%	42.8%	33.1%	40.6%	32.4%
Ziprasidone	5.2%	6.2%	5.5%	1.9%	6.4%	12.0%	6.7%	4.8%
Patients receiving only one kind** of antipsychotic, %	73.8%	75.5%	75.7%	78.0%	78.0%	81.3%	77.2%	70.0%
Concurrent use of 2 or more antipsychotics, % ***	11.3%	9.7%	6.5%	9.8%	7.0%	5.0%	4.3%	16.3%
Among pts receiving just one antipsychotic:								
Antipsychotic fills, mean	7.06	6.16	7.38	6.27	5.81	5.79	6.80	5.83
SD	*5.06*	*4.61*	*4.67*	*4.24*	*4.37*	*4.36*	*4.77*	*4.81*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5F: FY03 Psychosis Patients, Cost, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
All Patients	217760	9380	853	1143	1426	1728	1363	2867
Total Costs (in thousands $$)	$3,237,460	$120,654	$8,622	$14,441	$15,750	$19,969	$21,623	$40,250
Station % of VISN		100.0%	7.1%	12.0%	13.1%	16.6%	17.9%	33.4%
Psych vs. Non-Psych Costs								
Psych	30.3%	25.9%	8.9%	13.4%	23.1%	26.4%	19.4%	38.5%
Non-Psych	69.7%	74.1%	91.1%	86.6%	76.9%	73.6%	80.6%	61.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use								
Per Patient	$18,395	$15,471	$11,878	$13,406	$15,362	$12,766	$12,697	$20,655
Per Day of Stay	$842	$728	$1,031	$1,158	$1,153	$790	$878	$534
Mean Outpatient Costs, Pts with some Outpatient use								
Per Patient	$6,757	$5,531	$4,963	$5,734	$5,297	$5,632	$6,278	$5,317
Per Visit Day	$275	$311	$291	$335	$282	$299	$300	$340
Mean Patient Costs, By Cost Center								
1 Med	$1,582	$2,159	$2,474	$2,390	$2,210	$1,981	$2,198	$2,037
2 Surg	$536	$640	$547	$766	$730	$854	$702	$415
3 Psych	$2,886	$2,482	$405	$1,325	$1,919	$1,775	$2,205	$4,400
4 Psych Res Rehab Treatment Program	$218	$49	$60	$3	$1	$201	$37	$1
5 Non-VA	$205	$134	$296	$86	$131	$43	$133	$162
6 LTC Domiciliary	$327	$247	$8	$0	$3	$2	$1,685	$2
7 LTC Intermediate Care	$167	$288	$328	$124	$111	$584	$59	$360
8 LTC Nursing Home	$1,785	$853	$0	$1,690	$0	$13	$1,686	$1,309
9 Contract Nursing Home	$467	$529	$1,035	$547	$655	$475	$907	$161
10 OPC Med/Surg	$1,071	$1,060	$1,071	$1,287	$971	$1,045	$1,677	$728
11 OPC Psych	$1,624	$855	$494	$369	$633	$1,273	$880	$1,005
12 OPC Home Based Treatment	$751	$476	$353	$717	$428	$494	$481	$427
13 OPC Support	$1,322	$1,159	$1,128	$1,358	$1,145	$1,228	$1,375	$952
14 OPC Fee	$148	$225	$152	$246	$334	$150	$309	$190
15 OPC Pharmacy	$1,778	$1,706	$1,758	$1,728	$1,774	$1,440	$1,530	$1,892
TOTAL	$14,867	$12,863	$10,108	$12,634	$11,045	$11,556	$15,864	$14,039
Mean % Patient Costs at Other Stations	3.9%	2.8%	5.9%	1.6%	1.6%	2.1%	4.9%	2.4%
SD	*12.8%*	*11.1%*	*17.0%*	*7.6%*	*7.4%*	*9.7%*	*14.3%*	*10.3%*
Mean % Patient Costs at Other VISNs	1.5%	1.7%	2.8%	1.0%	1.1%	1.8%	3.1%	1.4%
SD	*8.0%*	*8.6%*	*11.5%*	*6.1%*	*6.1%*	*8.8%*	*11.2%*	*7.8%*

Table 1G: FY03 Schizophrenic Patients, Demographics, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Schizophrenic Patients	94395	3472	295	334	456	713	346	1328
Age, %								
<35	3.9%	4.0%	3.4%	5.1%	6.1%	3.6%	1.7%	3.9%
>=35 and <50	32.5%	32.4%	29.8%	24.3%	32.5%	40.4%	30.1%	31.3%
>=50 and <65	44.6%	43.7%	44.1%	37.7%	47.4%	43.8%	43.6%	43.8%
>=65 and <80	15.7%	16.5%	18.0%	24.3%	11.6%	10.5%	21.1%	17.9%
>=80	3.3%	3.4%	4.7%	8.7%	2.4%	1.7%	3.5%	3.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	54.59	54.89	55.89	58.27	52.83	52.38	56.90	55.36
SD	*11.97*	*12.12*	*11.99*	*14.36*	*11.88*	*10.69*	*11.89*	*12.04*
Gender								
Male, %	94.6%	95.3%	95.3%	97.0%	95.4%	94.0%	94.5%	95.8%
Female, %	5.4%	4.7%	4.7%	3.0%	4.6%	6.0%	5.5%	4.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %								
Hispanic white	6.9%	0.2%	0.7%	0.0%	0.2%	0.0%	0.0%	0.3%
Hispanic black	0.6%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
American Indian	0.3%	0.1%	0.0%	0.0%	0.2%	0.0%	0.0%	0.1%
Black	26.5%	28.2%	9.2%	6.6%	26.8%	64.2%	10.1%	23.8%
Asian	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
White	52.4%	62.7%	82.7%	79.9%	63.6%	26.6%	79.2%	68.8%
Race unknown	12.5%	8.7%	7.5%	13.5%	9.2%	9.1%	10.7%	6.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status								
Never married	42.4%	38.3%	38.1%	36.9%	40.1%	48.7%	31.3%	34.3%
Married	24.6%	27.5%	31.0%	30.2%	26.4%	22.5%	22.9%	30.3%
Divorced/Separated	29.5%	31.0%	27.2%	28.4%	31.0%	27.6%	41.7%	31.6%
Widowed	3.5%	3.2%	3.7%	4.5%	2.4%	1.3%	4.1%	3.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Schizophrenic Patients	94395	3472	295	334	456	713	346	1328
Registry Pts. History of VA Utilization								
Years since first use in prior five years, mean	4.6	4.65	4.71	4.65	4.57	4.60	4.61	4.70
SD	*1.0*	*0.95*	*0.81*	*0.94*	*1.08*	*1.02*	*0.97*	*0.90*
Yrs with 24-hour institutional use / yrs since 1st use, %	27.3%	31.0%	20.9%	29.3%	30.2%	27.9%	43.3%	32.5%
SD	*30.9%*	*31.9%*	*26.7%*	*30.5%*	*30.0%*	*28.0%*	*34.6%*	*33.9%*
Years with OP use / Years since first use, %	96.7%	96.6%	98.3%	96.7%	98.8%	96.9%	96.4%	95.2%
SD	*12.4%*	*12.7%*	*7.7%*	*13.1%*	*6.5%*	*9.7%*	*11.6%*	*16.0%*
Psychosis Diagnoses in Prior Fiscal Year								
Had Psychosis Diagnosis in FY01, %	82.2%	82.7%	84.4%	82.3%	85.3%	79.7%	82.1%	83.4%
Among Patients With Psychoses in FY01								
Psychosis Category: Schizophrenia, %	94.8%	94.8%	94.8%	92.4%	94.6%	97.0%	94.7%	94.5%
Psychosis Category: Bipolar Disorder, %	2.6%	2.1%	2.4%	1.8%	2.6%	1.1%	2.1%	2.5%
Psychosis Category: Other Psychosis, %	2.5%	3.0%	2.8%	5.8%	2.8%	1.9%	3.2%	3.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %								
Dementia	2.3%	2.5%	1.0%	2.7%	1.3%	1.4%	1.7%	4.0%
Post Traumatic Stress Disorder	11.9%	7.9%	7.1%	12.6%	5.3%	7.0%	7.2%	8.5%
Depression	25.7%	20.3%	16.3%	17.7%	16.0%	16.7%	32.7%	22.1%
Other Anxiety Disorder	8.7%	7.0%	8.1%	9.3%	5.0%	4.1%	11.3%	7.3%
Substance Abuse or Dependence	22.3%	18.2%	13.9%	9.0%	16.4%	25.4%	20.5%	17.5%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Schizophrenic Patients	94395	3472	295	334	456	713	346	1328
Medical Comorbidities, %								
No medical comorbidities	18.7%	18.9%	13.9%	13.8%	24.8%	22.9%	14.5%	18.4%
Anemia	7.1%	7.9%	6.8%	10.5%	7.5%	4.2%	9.5%	9.3%
Arthritis	29.7%	29.9%	35.3%	28.4%	24.3%	26.1%	38.7%	30.7%
Cancer	6.1%	5.8%	6.8%	7.5%	4.8%	4.9%	7.8%	5.6%
Cerebrovascular Disease	3.8%	4.7%	3.7%	9.6%	2.6%	4.6%	3.8%	4.6%
Chronic Neurologic Disorder	12.4%	12.8%	8.1%	14.1%	10.7%	11.2%	12.4%	15.1%
Chronic Obstructive Pulmonary Disease	16.5%	18.3%	26.1%	26.3%	13.2%	8.7%	24.3%	20.0%
Chronic Viral Infection	8.7%	7.0%	5.8%	3.3%	6.1%	9.5%	10.7%	6.2%
Coronary Artery Disease	14.6%	16.2%	20.7%	22.5%	16.2%	9.5%	18.5%	16.5%
Diabetes	20.3%	21.3%	26.8%	23.1%	21.5%	19.2%	16.8%	21.9%
Digestive System Disease	44.1%	46.4%	45.1%	55.4%	42.5%	42.5%	53.2%	46.1%
Hypertension	40.7%	43.7%	42.4%	49.1%	43.6%	38.4%	44.8%	45.2%
Injury and Poisoning	15.5%	17.0%	9.8%	18.0%	16.2%	16.8%	23.4%	17.0%
Liver Disease	3.2%	3.1%	3.7%	1.5%	4.2%	2.2%	3.5%	3.4%
Other Endocrine	6.9%	7.0%	6.8%	10.8%	6.4%	5.8%	6.9%	7.1%
Peripheral Vascular Disease	2.9%	3.1%	0.3%	10.2%	2.6%	2.4%	2.9%	2.5%
GAF scores								
Lowest inpatient GAF score, mean	36.19	33.30	30.40	25.29	29.45	37.19	36.84	28.76
SD	*14.35*	*13.88*	*22.17*	*19.78*	*19.05*	*11.27*	*12.17*	*11.30*
Mean outpatient GAF score	48.84	48.70	53.16	49.43	54.64	43.52	48.57	47.96
SD	*10.59*	*11.82*	*7.85*	*10.83*	*11.75*	*9.14*	*8.44*	*13.64*
At least 1 IP GAF, among pts with MH bedsections, %	38.5%	37.0%	34.8%	47.7%	22.0%	44.5%	74.2%	26.4%
At least 1 OP GAF, among pts with MH clinic stops, %	80.5%	82.7%	98.2%	87.6%	85.7%	79.3%	85.4%	78.0%
Mortality rates								
died in FY02, %	2.7%	3.8%	2.7%	5.1%	3.5%	2.4%	4.3%	4.5%
Age-and-gender-adjusted Standardized Mortality Ratio	1.68	2.27	0.00	0.00	0.00	0.00	0.00	0.00

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Schizophrenic Patients	94395	3472	295	334	456	713	346	1328
Service Connection (SC)								
Non-SC	40.8%	40.3%	39.3%	39.2%	41.4%	40.0%	45.1%	39.4%
SC 0 - 29%	6.8%	5.3%	5.1%	4.8%	5.5%	5.5%	5.2%	5.3%
SC 30 - 69%	8.8%	9.2%	10.8%	6.0%	9.2%	9.4%	9.0%	9.6%
SC 70 - 99%	6.6%	4.1%	7.1%	3.6%	3.5%	3.6%	3.2%	4.4%
SC 100%	37.0%	41.1%	37.6%	46.4%	40.4%	41.5%	37.6%	41.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %								
Complex*	22.5%	18.5%	7.5%	12.9%	14.5%	12.6%	32.9%	23.0%
Basic vested, Cat A*	74.7%	78.6%	88.1%	85.3%	81.4%	84.2%	65.3%	74.4%
Basic Non-vested, Cat A*	1.2%	1.6%	2.4%	0.6%	0.9%	2.8%	1.2%	1.4%
Basic, Cats C and N	1.7%	1.3%	2.0%	1.2%	3.3%	0.4%	0.6%	1.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded								
Patient eligibility category, %								
Cat A (SC or low income)	98.2%	98.6%	98.0%	98.5%	96.7%	99.6%	99.4%	98.6%
Cat C (NSC and higher income)	1.4%	0.9%	0.7%	1.2%	1.1%	0.1%	0.3%	1.3%
Non-Veteran	0.5%	0.6%	1.4%	0.3%	2.2%	0.3%	0.3%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %								
BASIC 1. Non-reliant Care	0.2%	0.1%	0.3%	0.0%	0.4%	0.0%	0.0%	0.1%
2. Basic Medical	13.3%	16.4%	23.4%	21.6%	14.5%	15.3%	18.5%	14.4%
3. Mental Health	38.5%	39.1%	39.3%	34.7%	44.7%	39.4%	27.2%	41.3%
4. Heart / Lung / GI	5.8%	7.1%	11.5%	11.1%	6.1%	5.8%	7.8%	5.9%
5. Oncology / Infectious Disease	3.6%	3.9%	5.1%	3.0%	3.1%	6.3%	3.2%	2.9%
6. Multiple Medical	16.1%	14.9%	12.9%	16.8%	16.7%	20.6%	10.4%	12.3%
COMPLEX 7. Specialized Care	1.9%	1.7%	1.0%	1.2%	6.6%	1.1%	1.2%	0.8%
8. Support Care	2.3%	2.2%	2.4%	2.7%	1.5%	2.1%	4.9%	1.7%
9. Chronic Mental	15.7%	12.9%	3.4%	5.7%	5.9%	9.3%	23.7%	18.3%
10. Critically Ill	2.5%	1.7%	0.7%	3.3%	0.4%	0.1%	3.2%	2.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Schizophrenic Patients	94395	3472	295	334	456	713	346	1328
Homelessness								
Homelessness indicated in FY02, %	12.0%	8.1%	14.9%	3.0%	5.9%	12.2%	13.6%	5.0%
Residence in Metropolitan Area								
Residing in a Metropolitan Statistical Area, %	66.4%	66.4%	71.9%	47.0%	71.1%	73.2%	71.7%	63.4%
Distance								
Mile from Closest VA Medical Center, mean	28.72	34.70	26.13	35.56	20.52	24.45	28.61	48.34
SD	*55.48*	*32.11*	*19.45*	*29.05*	*23.01*	*29.32*	*27.04*	*35.09*
Distance from closest VA Medical Center, %								
0 to 15 miles	52.9%	43.2%	45.8%	34.7%	64.5%	64.0%	42.2%	26.7%
15 to 30 miles	15.5%	11.5%	10.2%	13.5%	7.9%	6.5%	17.3%	13.8%
30 to 45 miles	9.7%	10.8%	22.0%	15.3%	12.9%	4.6%	12.4%	9.3%
45 to 60 miles	7.4%	8.4%	18.0%	10.8%	3.9%	5.6%	15.9%	6.9%
60 plus miles	14.4%	26.0%	4.1%	25.7%	10.7%	19.4%	12.1%	43.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	9.84	14.86	12.03	19.76	11.67	16.26	11.18	15.56
SD	*11.95*	*13.55*	*8.26*	*14.74*	*12.30*	*17.71*	*9.73*	*12.23*
Distance to closest VA Service Site, %								
0 to 15 miles	79.4%	62.9%	72.9%	44.6%	72.8%	67.3%	69.7%	57.7%
15 to 30 miles	13.6%	21.8%	23.1%	24.9%	14.3%	11.2%	25.4%	28.1%
30 to 45 miles	5.1%	12.3%	4.1%	26.6%	11.6%	12.1%	4.6%	12.9%
45 plus miles	1.9%	3.0%	0.0%	3.9%	1.3%	9.4%	0.3%	1.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Schizophrenic Patients	94395	3472	295	334	456	713	346	1328
Hospital Based Utilization								
Patients with some Hospital Based Utilization, %	27.0%	33.2%	21.4%	33.2%	31.1%	32.7%	37.0%	35.7%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)								
Inpatient stays, mean	1.85	1.82	1.49	1.52	1.96	1.73	2.23	1.83
SD	*1.45*	*1.51*	*0.82*	*1.04*	*1.43*	*1.49*	*2.31*	*1.42*
Average LOS, mean	17.65	22.46	6.14	9.73	7.88	8.84	7.84	42.62
SD	*42.51*	*60.93*	*4.79*	*13.00*	*7.80*	*9.24*	*9.49*	*90.59*
Cumulative DOS, mean	28.76	32.32	9.73	14.23	16.02	14.67	16.62	57.36
SD	*53.29*	*67.01*	*9.69*	*20.74*	*23.14*	*18.27*	*24.92*	*96.14*
Cumulative DOS, %								
1 to 7	35.1%	37.1%	55.6%	51.4%	41.5%	45.1%	36.7%	26.2%
8 to 14	20.7%	20.2%	19.0%	18.0%	25.4%	24.0%	30.5%	14.6%
15 to 44	29.0%	28.4%	23.8%	25.2%	28.2%	24.0%	24.2%	33.1%
45 to 89	9.0%	7.0%	1.6%	3.6%	2.8%	6.0%	7.0%	10.1%
90 to 179	3.4%	3.2%	0.0%	1.8%	2.1%	0.9%	0.8%	6.1%
180 to 359	1.5%	1.6%	0.0%	0.0%	0.0%	0.0%	0.8%	3.6%
360+	1.2%	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	6.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	3.8%	5.1%	0.0%	0.9%	0.0%	0.4%	0.0%	12.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	249.93	283.39	0.00	122.00	0.00	145.00	0.00	288.65
SD	*96.37*	*96.88*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*94.27*
Hospital patients who had a 150+ day hosp. stay, %	2.5%	4.0%	0.0%	0.0%	0.0%	0.0%	0.0%	9.7%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.78	324.02	0.00	0.00	0.00	0.00	0.00	324.02
SD	*75.28*	*65.97*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*65.97*
Cumulative DOS at Other VISNs	0.65	0.76	1.06	0.16	0.46	0.76	3.33	0.25
SD	*4.66*	*7.09*	*3.93*	*1.45*	*4.33*	*3.90*	*19.08*	*2.56*
Cumulative DOS at Other Stations	2.06	1.69	4.63	0.27	1.67	0.88	5.91	0.89
SD	*8.11*	*9.79*	*8.73*	*1.83*	*10.15*	*4.27*	*22.47*	*6.30*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Schizophrenic Patients	94395	3472	295	334	456	713	346	1328
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)								
Pts. with non-psych hospital stays, %	11.8%	14.8%	15.3%	21.9%	13.6%	14.4%	15.3%	13.3%
Inpatient stays, mean	0.71	0.73	0.97	1.00	0.85	0.67	0.66	0.65
SD	*1.11*	*1.16*	*0.82*	*1.04*	*1.36*	*1.22*	*1.17*	*1.11*
Average LOS, mean	8.26	11.06	5.27	5.55	6.28	9.31	5.00	19.31
SD	*16.10*	*26.01*	*4.92*	*5.02*	*6.58*	*12.48*	*3.43*	*41.62*
Cumulative Days of Stay, mean	6.10	7.88	5.10	5.41	5.22	6.12	3.69	11.62
SD	*19.61*	*26.39*	*6.39*	*7.48*	*11.32*	*15.01*	*8.52*	*38.49*
Cumulative Days of Stay, %								
0	56.2%	55.4%	28.6%	34.2%	56.3%	55.8%	58.6%	62.7%
1 to 7	24.8%	23.7%	46.0%	42.3%	23.2%	25.3%	25.0%	15.4%
8 to 14	8.1%	7.8%	14.3%	11.7%	9.9%	6.0%	10.2%	5.7%
15 to 44	8.5%	9.6%	11.1%	11.7%	9.2%	9.9%	4.7%	10.1%
45 to 89	1.7%	2.3%	0.0%	0.0%	1.4%	2.6%	1.6%	3.4%
90 to 179	0.5%	0.7%	0.0%	0.0%	0.0%	0.4%	0.0%	1.5%
180 to 359	0.2%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	1.1%
360+	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.4%	1.0%	0.0%	0.0%	0.0%	0.4%	0.0%	2.1%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	225.13	225.82	0.00	0.00	0.00	138.00	0.00	234.60
SD	*88.92*	*88.75*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*88.37*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	285.12	5.00	0.00	0.00	0.00	0.00	0.00	296.00
SD	*70.56*	*51.42*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*51.42*
Other VISN cumulative DOS, mean	*0.10*	*0.13*	*0.00*	*0.16*	*0.39*	*0.18*	*0.15*	*0.03*
SD	*1.58*	*1.84*	*0.00*	*1.45*	*4.29*	*1.90*	*1.09*	*0.37*
Other station cumulative DOS, mean	0.47	0.19	0.00	0.16	0.42	0.30	0.28	0.07
SD	*3.45*	*2.08*	*0.00*	*1.45*	*4.30*	*2.57*	*1.42*	*0.84*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Schizophrenic Patients	94395	3472	295	334	456	713	346	1328
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)								
Pts. with psych hospital stays, %	17.7%	21.1%	7.8%	13.2%	20.0%	21.7%	25.7%	24.8%
Inpatient stays, mean	1.14	1.09	0.52	0.52	1.11	1.06	1.56	1.18
SD	*1.37*	*1.41*	*0.82*	*0.76*	*1.20*	*1.23*	*2.21*	*1.39*
Average LOS, mean	23.15	29.23	9.76	17.97	8.81	8.97	9.19	52.63
SD	*51.08*	*73.28*	*9.68*	*22.55*	*8.50*	*8.44*	*11.09*	*103.74*
Cumulative Days of Stay, mean	22.66	24.44	4.63	8.82	10.80	8.55	12.93	45.74
SD	*51.43*	*64.08*	*8.73*	*20.80*	*22.38*	*12.23*	*24.87*	*93.30*
Cumulative Days of Stay, %								
0	34.4%	36.4%	63.5%	60.4%	35.9%	33.5%	30.5%	30.4%
1 to 7	17.5%	19.6%	14.3%	12.6%	25.4%	28.3%	22.7%	15.2%
8 to 14	14.7%	14.2%	7.9%	8.1%	17.6%	19.3%	21.9%	11.0%
15 to 44	21.2%	19.3%	12.7%	15.3%	17.6%	16.3%	18.0%	23.4%
45 to 89	6.9%	4.6%	1.6%	1.8%	1.4%	2.6%	5.5%	7.4%
90 to 179	2.8%	2.2%	0.0%	1.8%	2.1%	0.0%	0.8%	4.0%
180 to 359	1.4%	1.1%	0.0%	0.0%	0.0%	0.0%	0.8%	2.5%
360+	1.1%	2.5%	0.0%	0.0%	0.0%	0.0%	0.0%	6.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	4.2%	0.0%	0.9%	0.0%	0.0%	0.0%	9.9%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	250.18	295.42	0.00	116.00	0.00	0.00	0.00	299.23
SD	*97.20*	*94.79*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*92.01*
Hosp. Pts. with a 150+ day psych hosp.stay, %	2.2%	3.5%	0.0%	0.0%	0.0%	0.0%	0.0%	8.4%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.10	327.15	0.00	0.00	0.00	0.00	0.00	327.15
SD	*76.47*	*67.39*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*67.39*
Other VISN cumulative DOS, mean	0.55	0.63	1.06	0.00	0.07	0.58	3.18	0.23
SD	4.34	6.76	3.93	0.00	0.64	3.20	18.86	2.50
Other station cumulative DOS, mean	1.59	1.50	4.63	0.11	1.25	0.58	5.63	0.82
SD	7.30	9.51	8.73	1.14	9.25	3.20	22.31	6.18

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Schizophrenic Patients	94395	3472	295	334	456	713	346	1328
Other 24 hour institutional care								
Patients with some other 24 hour institutional care, %	8.0%	6.7%	4.4%	11.4%	2.2%	4.5%	28.3%	3.2%
Residential Rehab (rep. for those w/ res rehab care)								
Patients with some residential rehab. care, %	1.6%	1.0%	1.7%	0.9%	0.2%	3.4%	0.3%	0.0%
Number stays, mean	*1.12*	*1.00*	*1.00*	*1.00*	*1.00*	*1.00*	*1.00*	*0.00*
SD	*0.37*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	36.26	12.06	11.60	12.67	21.00	11.79	10.00	0.00
SD	*45.44*	*5.54*	*10.99*	*10.12*	*0.00*	*3.22*	*0.00*	*0.00*
Cumulative DOS, mean	39.67	12.06	11.60	12.67	21.00	11.79	10.00	0.00
SD	*48.06*	*5.54*	*10.99*	*10.12*	*0.00*	*3.22*	*0.00*	*0.00*
Cumulative Days of Stay, %								
1 to 7	14.0%	20.6%	60.0%	33.3%	0.0%	12.5%	0.0%	0.0%
8 to 14	14.7%	67.6%	20.0%	0.0%	0.0%	87.5%	100.0%	0.0%
15 to 44	46.4%	11.8%	20.0%	66.7%	100.0%	0.0%	0.0%	0.0%
45 to 89	13.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	8.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	180.59	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*80.43*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	2.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	246.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*77.24*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.84	3.74	11.60	12.67	21.00	0.00	10.00	0.00
SD	*5.37*	*7.61*	*10.99*	*10.12*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.24	3.74	11.60	12.67	21.00	0.00	10.00	0.00
SD	*10.31*	*7.61*	*10.99*	*10.12*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Schizophrenic Patients	94395	3472	295	334	456	713	346	1328
Domiciliary and Vocational (reported for those with some dom/voc care)								
Patients with some dom/voc care, %	2.3%	2.4%	0.7%	0.0%	0.2%	0.0%	22.8%	0.0%
Number stays, mean	1.12	1.07	1.00	0.00	1.00	0.00	1.08	0.00
SD	*0.37*	*0.26*	*0.00*	*0.00*	*0.00*	*0.00*	*0.27*	*0.00*
Average LOS, mean	94.48	146.13	16.00	0.00	2.00	0.00	151.25	0.00
SD	*108.97*	*138.72*	*1.41*	*0.00*	*0.00*	*0.00*	*138.77*	*0.00*
Cumulative DOS, mean	100.96	151.96	16.00	0.00	2.00	0.00	157.30	0.00
SD	*111.44*	*140.93*	*1.41*	*0.00*	*0.00*	*0.00*	*140.83*	*0.00*
Cumulative Days of Stay, %								
1 to 7	7.9%	2.4%	0.0%	0.0%	100.0%	0.0%	1.3%	0.0%
8 to 14	6.7%	6.1%	0.0%	0.0%	0.0%	0.0%	6.3%	0.0%
15 to 44	31.5%	31.7%	100.0%	0.0%	0.0%	0.0%	30.4%	0.0%
45 to 89	17.3%	11.0%	0.0%	0.0%	0.0%	0.0%	11.4%	0.0%
90 to 179	17.7%	9.8%	0.0%	0.0%	0.0%	0.0%	10.1%	0.0%
180 to 359	9.4%	19.5%	0.0%	0.0%	0.0%	0.0%	20.3%	0.0%
360+	9.5%	19.5%	0.0%	0.0%	0.0%	0.0%	20.3%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%	0.0%
Dom. patients with 100+ day Dom. stay, %	32.0%	45.1%	0.0%	0.0%	0.0%	0.0%	46.8%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	234.98	290.89	0.00	0.00	0.00	0.00	290.89	0.00
SD	*102.95*	*87.55*	*0.00*	*0.00*	*0.00*	*0.00*	*87.55*	*0.00*
Dom. patients with 150+ day Dom. stay, %	20.9%	41.5%	0.0%	0.0%	0.0%	0.0%	43.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	291.61	306.21	0.00	0.00	0.00	0.00	306.21	0.00
SD	*80.75*	*73.30*	*0.00*	*0.00*	*0.00*	*0.00*	*73.30*	*0.00*
Other VISN cumulative DOS, mean	1.18	0.26	8.50	0.00	2.00	0.00	0.03	0.00
SD	*7.65*	*1.90*	*12.02*	*0.00*	*0.00*	*0.00*	*0.23*	*0.00*
Other station cumulative DOS, mean	3.16	0.44	16.00	0.00	2.00	0.00	0.03	0.00
SD	*12.59*	*2.50*	*1.41*	*0.00*	*0.00*	*0.00*	*0.23*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Schizophrenic Patients	94395	3472	295	334	456	713	346	1328
Nursing Home Care								
(reported for those with some nursing home care)								
Patients with some nursing home care, %	4.7%	3.6%	2.4%	10.5%	2.0%	1.1%	6.4%	3.2%
Number stays, mean	1.20	1.22	1.29	1.37	1.56	1.13	1.14	1.07
SD	*0.56*	*0.58*	*0.49*	*0.81*	*1.01*	*0.35*	*0.35*	*0.26*
Average LOS, mean	143.54	133.69	28.36	80.25	32.06	26.56	131.66	236.57
SD	*137.46*	*136.79*	*14.70*	*110.84*	*44.27*	*12.22*	*128.66*	*129.16*
Cumulative DOS, mean	156.00	146.59	38.71	100.49	36.33	32.38	140.27	249.23
SD	*139.76*	*141.76*	*32.73*	*127.12*	*42.22*	*26.16*	*127.37*	*132.07*
Cumulative Days of Stay, %								
1 to 7	6.8%	5.6%	0.0%	8.6%	22.2%	0.0%	0.0%	4.7%
8 to 14	6.5%	7.3%	14.3%	14.3%	11.1%	12.5%	4.5%	0.0%
15 to 44	20.5%	29.8%	71.4%	34.3%	44.4%	75.0%	27.3%	9.3%
45 to 89	14.1%	8.9%	0.0%	11.4%	11.1%	0.0%	13.6%	7.0%
90 to 179	15.1%	12.9%	14.3%	11.4%	11.1%	12.5%	27.3%	7.0%
180 to 359	14.7%	14.5%	0.0%	11.4%	0.0%	0.0%	9.1%	27.9%
360+	22.5%	21.0%	0.0%	8.6%	0.0%	0.0%	18.2%	44.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	48.0%	42.7%	0.0%	25.7%	11.1%	0.0%	45.5%	76.7%
Cumul. DOS, patients with a 100+ day NH stay, mean	282.12	293.17	0.00	293.22	128.00	0.00	249.70	311.33
SD	*94.85*	*89.63*	*0.00*	*96.95*	*0.00*	*0.00*	*109.83*	*74.36*
NH patients with 150+ day NH stay, %	39.8%	37.9%	0.0%	20.0%	0.0%	0.0%	36.4%	74.4%
Cumul. DOS, patients with a 150+ day NH stay, mean	312.43	314.57	0.00	339.00	0.00	0.00	283.75	316.94
SD	*72.26*	*70.18*	*0.00*	*38.27*	*0.00*	*0.00*	*94.14*	*68.10*
Other VISN cumulative DOS, mean	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*5.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*9.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Schizophrenic Patients	94395	3472	295	334	456	713	346	1328
Outpatient utilization								
(reported for those with some outpatient care)								
Patients with some outpatient care, %	98.3%	98.0%	100.0%	98.2%	99.8%	99.9%	98.6%	95.7%
annual visit days, mean	27.64	19.79	16.83	18.25	19.84	21.92	22.33	12.28
SD	*38.39*	*28.77*	*13.43*	*15.34*	*20.04*	*33.70*	*24.92*	*13.02*
Outpatient visit days, %								
1-12	42.6%	51.2%	47.1%	44.8%	47.3%	51.8%	41.9%	57.4%
13-24	25.7%	27.0%	30.2%	29.0%	24.4%	26.4%	26.7%	27.2%
25-36	11.8%	11.3%	12.5%	17.1%	13.2%	10.1%	17.9%	7.8%
37-48	5.9%	4.4%	7.5%	4.9%	7.7%	3.7%	4.4%	2.8%
49+	14.0%	6.0%	2.7%	4.3%	7.5%	8.0%	9.1%	4.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	74.5%	70.9%	88.5%	79.6%	73.8%	45.9%	81.5%	74.6%
Mean PC visit days, among those with some PC	3.73	3.35	4.60	3.17	3.15	3.04	4.02	3.05
SD	3.83	3.41	3.63	3.46	3.61	3.15	4.95	2.60
Average number clinic stops per visit day, mean	1.45	1.55	1.60	1.42	1.36	1.67	1.61	1.55
SD	*0.45*	*0.51*	*0.44*	*0.50*	*0.32*	*0.61*	*0.50*	*0.50*
annual clinic stops (psych & non-psych), mean	41.32	29.82	26.91	24.83	28.12	36.44	34.23	27.51
SD	*65.29*	*41.89*	*22.92*	*21.24*	33.44	*56.78*	*37.07*	*42.94*
annual non-psych. clinic stops, mean	19.07	16.54	19.10	17.34	17.85	16.74	21.82	13.73
SD	*26.86*	*20.33*	*17.07*	*15.56*	*25.88*	*23.65*	*22.46*	*16.49*
annual psych. clinic stops (groupings below), mean	22.25	13.29	7.81	7.49	10.27	19.70	12.40	13.78
SD	*50.83*	*33.35*	*11.35*	*10.94*	*16.67*	*45.08*	*25.07*	*38.35*
1. general psych. clinic stops, mean	9.04	7.44	5.94	6.85	9.86	8.72	5.45	6.89
SD	*15.89*	*11.12*	*7.21*	*9.24*	*16.46*	*10.88*	*11.29*	*9.75*
2. psych. case management clinic stops, mean	2.76	0.40	0.00	0.00	0.00	0.00	3.94	0.00
SD	*16.59*	*5.98*	*0.00*	*0.00*	*0.00*	*0.05*	*18.55*	*0.03*
3. psych. day treatment clinic stops, mean	4.94	3.97	0.00	0.00	0.00	8.45	0.00	5.90
SD	*29.07*	*26.03*	*0.06*	*0.00*	*0.00*	*35.71*	*0.05*	*32.67*
4. substance abuse clinic stops, mean	2.71	1.06	1.46	0.53	0.06	2.12	1.92	0.65
SD	*17.49*	*6.45*	*7.99*	*5.94*	*1.22*	*9.50*	*8.13*	*4.17*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Schizophrenic Patients	94395	3472	295	334	456	713	346	1328
5. psych. vocational clinic stops, mean	2.11	0.18	0.01	0.00	0.00	0.00	0.72	0.30
SD	*18.38*	*4.09*	*0.12*	*0.00*	*0.00*	*0.00*	*2.38*	*6.57*
6. PTSD clinic stops, mean	0.37	0.05	0.11	0.07	0.06	0.10	0.04	0.00
SD	*3.86*	*0.66*	*0.50*	*1.21*	*0.59*	*0.97*	*0.48*	*0.09*
7. psych. homeless clinic stops, mean	0.39	0.17	0.27	0.00	0.29	0.30	0.31	0.05
SD	*2.98*	*1.23*	*1.51*	*0.00*	*1.92*	*1.24*	*1.78*	*0.66*
Other VISN OP visit days, mean	0.30	0.35	0.54	0.31	0.27	0.31	0.96	0.21
SD	*2.12*	*2.08*	*2.40*	*2.00*	*1.90*	*1.54*	*4.06*	*1.44*
Other station OP visit days, mean	0.82	0.50	0.72	0.49	0.30	0.32	1.41	0.37
SD	*3.70*	*2.42*	*2.63*	*2.33*	*1.93*	*1.58*	*4.83*	*1.84*

Table 4G: FY03 Schizophrenic Patients, Pharmacy Utilization, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Schizophrenic Patients	94395	3472	295	334	456	713	346	1328
Among all patients in the registry								
Pts. with any outpatient prescriptions, %	94.9%	95.2%	95.9%	94.0%	95.4%	95.5%	96.8%	94.7%
Patients with any oral antipsychotic fills, %*	78.7%	79.5%	82.0%	76.9%	80.9%	74.2%	80.6%	81.7%
Among pts. receiving any antipsychotic medication:								
Received only conventional antipsychotics, %	15.4%	19.9%	19.0%	7.4%	16.5%	28.9%	17.2%	20.5%
Received some atypical antipsychotics, %	84.6%	80.1%	81.0%	92.6%	83.5%	71.1%	82.8%	79.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %								
Aripiprazole	1.5%	0.9%	1.2%	0.4%	1.1%	0.4%	0.4%	1.2%
Clozapine	3.1%	2.4%	0.0%	1.6%	3.0%	1.7%	0.7%	3.6%
Olanzapine	35.7%	30.1%	27.3%	34.6%	29.8%	22.7%	30.5%	33.2%
Quetiapine	21.7%	20.1%	22.3%	26.5%	13.3%	13.2%	22.9%	23.0%
Risperidone	36.8%	37.1%	43.4%	48.2%	42.8%	34.4%	36.2%	32.7%
Ziprasidone	5.9%	7.8%	9.5%	1.9%	9.5%	12.1%	10.8%	5.3%
Patients receiving only one kind** of antipsychotic, %	70.8%	72.3%	71.9%	73.5%	75.3%	81.9%	73.5%	66.2%
Concurrent use of 2 or more antipsychotics, % ***	15.6%	14.2%	8.7%	17.1%	10.3%	5.5%	8.6%	21.8%
Among pts receiving just one antipsychotic:								
Antipsychotic fills, mean	8.10	7.23	9.45	7.71	6.87	6.45	8.03	6.95
SD	*5.37*	*4.93*	*4.41*	*4.42*	*4.58*	*4.40*	*5.06*	*5.39*
Antipsychotic Medication Possession Ratio, mean	0.83	0.84	0.87	0.87	0.80	0.80	0.83	0.87
SD	*0.33*	*0.33*	*0.31*	*0.30*	*0.30*	*0.32*	*0.37*	*0.34*
Antipsychotic Med Possession Ratio <= 0.80, %	37.1%	36.0%	27.9%	31.8%	42.5%	40.7%	37.0%	33.7%
Antipsychotic Med Possession Ratio <= 0.50, %	18.0%	17.0%	13.9%	12.3%	18.9%	19.2%	21.6%	15.8%

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 4G: FY03 Schizophrenic Patients, Cost, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Schizophrenic Patients	94395	3472	295	334	456	713	346	1328
Total Costs (in thousands $$)	$1,637,013	$50,422	$2,562	$4,854	$5,247	$7,435	$5,962	$24,362
Station % of VISN		100.0%	5.1%	9.6%	10.4%	14.7%	11.8%	48.3%
Psych vs. Non-Psych Costs								
Psych	34.5%	36.9%	30.2%	31.8%	27.1%	28.5%	34.8%	33.9%
Non-Psych	65.5%	63.1%	69.8%	68.2%	72.9%	71.5%	65.2%	66.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use								
Per Patient	$21,945	$18,796	$23,063	$14,808	$15,251	$12,925	$14,272	$14,784
Per Day of Stay	$763	$582	$2,370	$1,041	$952	$881	$859	$258
Mean Outpatient Costs, Pts with some Outpatient use								
Per Patient	$7,323	$8,653	$5,714	$6,481	$6,790	$7,718	$5,893	$7,791
Per Visit Day	$265	$437	$339	$355	$342	$352	$264	$635
By Cost Center								
1 Med	$1,399	$1,464	$1,296	$1,699	$1,672	$1,432	$1,701	$1,542
2 Surg	$470	$584	$497	$502	$580	$558	$496	$588
3 Psych	$4,062	$4,183	$3,133	$2,720	$2,497	$2,235	$3,083	$3,147
4 Psych Res Rehab Treatment Program	$217	$236	$266	$14	$615	$171	$34	$10
5 Non-VA	$230	$292	$140	$151	$112	$252	$137	$145
6 LTC Domiciliary	$302	$249	$448	$132	$454	$462	$125	$401
7 LTC Intermediate Care	$166	$405	$78	$69	$65	$72	$158	$110
8 LTC Nursing Home	$2,633	$1,954	$2,591	$1,456	$2,901	$2,814	$731	$1,273
9 Contract Nursing Home	$664	$871	$194	$211	$462	$381	$260	$891
10 OPC Med/Surg	$930	$1,285	$947	$975	$935	$1,056	$915	$1,288
11 OPC Psych	$1,916	$2,730	$1,199	$1,519	$1,881	$2,349	$1,281	$2,131
12 OPC Home Based Treatment	$933	$970	$518	$820	$1,140	$690	$572	$799
13 OPC Support	$1,243	$1,433	$1,094	$1,311	$1,136	$1,315	$1,180	$1,460
14 OPC Fee	$130	$148	$106	$139	$169	$220	$106	$99
15 OPC Pharmacy	$2,047	$1,912	$1,849	$1,601	$1,515	$2,078	$1,754	$1,679
TOTAL	$17,342	$18,716	$14,355	$13,318	$16,134	$16,082	$12,534	$15,563
Mean % Patient Costs at Other Stations	3.6%	2.9%	6.6%	2.0%	1.5%	2.5%	6.6%	2.1%
SD	*12.4%*	*11.7%*	*18.5%*	*9.5%*	*7.6%*	*10.9%*	*17.1%*	*9.6%*
Mean % Patient Costs at Other VISNs	1.3%	1.8%	3.1%	1.3%	1.0%	2.2%	3.9%	1.2%
SD	*7.5%*	*9.1%*	*13.0%*	*7.9%*	*5.8%*	*10.2%*	*12.7%*	*7.4%*

Table 1H: FY03 Bipolar Patients, Demographics, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Bipolar Patients	73964	3123	281	329	550	458	446	1059
Age, %								
<35	7.9%	8.3%	10.7%	10.6%	8.2%	5.2%	7.4%	8.7%
>=35 and <50	36.3%	35.7%	32.0%	26.4%	36.4%	38.6%	42.6%	34.9%
>=50 and <65	40.3%	41.5%	47.7%	43.2%	37.7%	42.1%	38.1%	42.4%
>=65 and <80	13.3%	12.7%	9.3%	17.6%	15.8%	11.6%	9.9%	12.1%
>=80	2.2%	1.9%	0.4%	2.1%	1.8%	2.4%	2.0%	1.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	52.26	51.94	50.54	53.53	52.34	52.48	50.84	51.86
SD	*12.50*	*12.38*	*11.57*	*13.69*	*12.76*	*11.91*	*11.72*	*12.38*
Gender								
Male, %	88.2%	88.2%	90.0%	88.4%	87.5%	85.8%	92.2%	87.3%
Female, %	11.8%	11.8%	10.0%	11.6%	12.5%	14.2%	7.8%	12.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %								
Hispanic white	2.8%	0.5%	0.4%	0.0%	0.2%	0.7%	0.2%	0.8%
Hispanic black	0.3%	0.1%	0.0%	0.0%	0.4%	0.0%	0.0%	0.2%
American Indian	0.3%	0.2%	0.0%	0.0%	0.2%	0.0%	0.4%	0.2%
Black	10.4%	9.7%	2.8%	2.7%	8.2%	27.9%	5.4%	8.3%
Asian	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
White	62.5%	69.2%	74.0%	67.5%	70.4%	50.9%	74.7%	73.4%
Race unknown	23.5%	20.4%	22.8%	29.8%	20.7%	20.5%	19.3%	17.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status								
Never married	21.0%	14.8%	14.2%	14.9%	16.1%	17.8%	15.7%	12.4%
Married	37.7%	44.8%	48.8%	47.9%	45.0%	42.5%	35.3%	47.9%
Divorced/Separated	37.9%	37.0%	35.6%	32.6%	34.9%	36.6%	45.8%	36.4%
Widowed	3.4%	3.4%	1.4%	4.6%	4.0%	3.1%	3.1%	3.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Bipolar Patients	73964	3123	281	329	550	458	446	1059
Registry Pts. History of VA Utilization								
Years since first use in prior five years, mean	4.2	4.18	4.10	4.15	4.19	4.15	4.30	4.18
SD	*1.3*	*1.32*	*1.31*	*1.37*	*1.37*	*1.39*	*1.19*	*1.31*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.1%	27.0%	16.4%	23.1%	24.5%	29.9%	41.9%	24.7%
SD	*29.2%*	*29.6%*	*22.4%*	*26.4%*	*26.9%*	*29.5%*	*34.4%*	*29.0%*
Years with OP use / Years since first use, %	96.7%	97.0%	97.3%	97.0%	97.4%	95.7%	97.1%	97.2%
SD	*10.5%*	*10.1%*	*9.0%*	*10.4%*	*9.4%*	*12.4%*	*10.3%*	*9.4%*
Psychosis Diagnoses in Prior Fiscal Year								
Had Psychosis Diagnosis in FY01, %	65.0%	62.9%	68.7%	64.1%	68.0%	60.3%	69.3%	56.8%
Among Patients With Psychoses in FY01								
Psychosis Category: Schizophrenia, %	3.8%	3.4%	2.6%	3.8%	4.0%	1.8%	3.2%	4.0%
Psychosis Category: Bipolar Disorder, %	94.8%	94.9%	96.9%	94.8%	93.9%	97.1%	94.5%	94.0%
Psychosis Category: Other Psychosis, %	1.4%	1.7%	0.5%	1.4%	2.1%	1.1%	2.3%	2.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %								
Dementia	1.7%	1.8%	0.0%	2.1%	2.0%	1.3%	0.7%	2.6%
Post Traumatic Stress Disorder	21.3%	17.0%	14.6%	21.3%	13.1%	12.2%	20.2%	19.0%
Depression	44.5%	43.9%	29.9%	33.4%	40.9%	38.9%	46.2%	53.6%
Other Anxiety Disorder	16.3%	17.2%	16.4%	23.1%	13.6%	12.0%	21.5%	17.9%
Substance Abuse or Dependence	29.8%	22.5%	19.6%	18.2%	15.6%	24.5%	34.8%	22.2%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Bipolar Patients	73964	3123	281	329	550	458	446	1059
Medical Comorbidities, %								
No medical comorbidities	15.4%	12.3%	10.7%	9.1%	13.8%	15.3%	9.4%	12.8%
Anemia	5.6%	6.4%	7.1%	7.3%	4.9%	5.5%	7.0%	6.9%
Arthritis	42.4%	46.5%	45.9%	51.1%	42.4%	41.3%	51.6%	47.6%
Cancer	6.2%	6.7%	5.0%	7.6%	5.6%	9.2%	4.7%	7.1%
Cerebrovascular Disease	3.8%	4.4%	2.1%	3.6%	4.7%	7.0%	2.2%	4.8%
Chronic Neurologic Disorder	14.8%	15.7%	11.0%	16.7%	13.6%	16.4%	16.4%	17.1%
Chronic Obstructive Pulmonary Disease	16.0%	17.4%	22.4%	17.3%	16.0%	12.2%	20.6%	17.8%
Chronic Viral Infection	9.6%	7.6%	5.0%	6.4%	6.2%	9.0%	12.1%	7.0%
Coronary Artery Disease	16.8%	18.5%	22.4%	17.6%	23.5%	15.9%	15.9%	17.5%
Diabetes	17.4%	19.6%	21.7%	19.8%	19.5%	17.9%	16.8%	21.0%
Digestive System Disease	43.2%	47.2%	45.9%	52.6%	42.0%	44.1%	54.3%	46.9%
Hypertension	38.5%	44.0%	39.5%	48.3%	44.2%	41.0%	41.7%	46.0%
Injury and Poisoning	19.9%	19.7%	18.9%	17.6%	15.3%	21.0%	26.2%	19.6%
Liver Disease	3.8%	3.7%	3.9%	2.4%	3.1%	4.6%	5.8%	3.2%
Other Endocrine	10.0%	10.4%	10.3%	10.0%	10.7%	9.4%	11.0%	10.7%
Peripheral Vascular Disease	3.0%	3.3%	2.1%	4.0%	4.2%	4.8%	2.5%	2.7%
GAF scores								
Lowest inpatient GAF score, mean	39.59	36.58	28.50	29.95	37.22	39.87	37.15	32.90
SD	*14.06*	*13.03*	*38.89*	*16.31*	*23.48*	*7.92*	*11.75*	*13.48*
Mean outpatient GAF score	53.41	54.12	57.81	55.42	59.70	50.55	49.79	52.87
SD	*10.75*	*11.95*	*8.60*	*12.82*	*12.44*	*9.17*	*8.59*	*13.27*
At least 1 IP GAF, among pts with MH bedsections, %	39.1%	36.7%	9.1%	37.3%	18.7%	45.3%	73.2%	20.3%
At least 1 OP GAF, among pts with MH clinic stops, %	81.5%	78.5%	94.7%	78.4%	85.8%	79.0%	86.2%	67.2%
Mortality rates								
died in FY02, %	1.5%	1.5%	1.4%	1.5%	1.3%	1.5%	2.0%	1.4%
Age-and-gender-adjusted Standardized Mortality Ratio	1.07	1.15	0.00	0.00	0.00	0.00	0.00	0.00

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Bipolar Patients	73964	3123	281	329	550	458	446	1059
Service Connection (SC)								
Non-SC	55.9%	54.6%	59.1%	54.4%	54.9%	57.9%	61.4%	49.1%
SC 0 - 29%	10.0%	10.7%	6.4%	10.9%	11.8%	7.6%	9.2%	13.0%
SC 30 - 69%	13.4%	14.6%	12.5%	10.9%	14.2%	15.3%	14.1%	16.4%
SC 70 - 99%	8.9%	7.6%	11.4%	7.3%	6.4%	5.0%	5.4%	9.3%
SC 100%	11.8%	12.6%	10.7%	16.4%	12.7%	14.2%	9.9%	12.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %								
Complex*	12.2%	8.8%	2.1%	4.6%	6.4%	9.0%	27.1%	5.4%
Basic vested, Cat A*	80.3%	83.8%	89.0%	88.4%	83.8%	81.9%	67.3%	88.9%
Basic Non-vested, Cat A*	0.9%	0.8%	1.8%	1.2%	0.2%	1.5%	0.4%	0.7%
Basic, Cats C and N	6.6%	6.5%	7.1%	5.8%	9.6%	7.6%	5.2%	5.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded								
Patient eligibility category, %								
Cat A (SC or low income)	93.2%	93.3%	92.9%	93.9%	90.4%	92.4%	94.6%	94.7%
Cat C (NSC and higher income)	5.9%	5.5%	6.4%	5.5%	6.9%	5.7%	4.3%	5.1%
Non-Veteran	0.9%	1.1%	0.7%	0.6%	2.7%	2.0%	1.1%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %								
BASIC 1. Non-reliant Care	0.1%	0.1%	0.0%	0.3%	0.0%	0.2%	0.0%	0.0%
2. Basic Medical	15.2%	19.0%	30.2%	22.8%	15.8%	19.9%	17.0%	16.9%
3. Mental Health	40.5%	39.3%	37.0%	36.5%	42.9%	36.0%	26.0%	46.0%
4. Heart / Lung / GI	6.9%	9.0%	9.3%	15.2%	9.5%	7.9%	7.2%	7.9%
5. Oncology / Infectious Disease	4.3%	3.7%	5.7%	2.4%	5.5%	5.0%	3.6%	2.1%
6. Multiple Medical	20.7%	20.2%	15.7%	18.2%	20.0%	22.1%	19.1%	21.7%
COMPLEX 7. Specialized Care	2.2%	1.3%	0.7%	0.6%	2.4%	1.5%	1.3%	1.0%
8. Support Care	2.1%	2.1%	0.7%	0.9%	1.6%	2.8%	7.2%	0.6%
9. Chronic Mental	6.8%	5.0%	0.7%	2.7%	2.2%	4.1%	17.9%	3.1%
10. Critically Ill	1.1%	0.4%	0.0%	0.3%	0.2%	0.4%	0.7%	0.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Bipolar Patients	73964	3123	281	329	550	458	446	1059
Substance Dependence and Abuse								
Any dx of alcohol / drug dependence or abuse, %	29.8%	22.5%	19.6%	18.2%	15.6%	24.5%	34.8%	22.2%
Homelessness								
Homelessness indicated in FY02, %	13.8%	8.2%	8.9%	2.1%	5.5%	10.9%	18.6%	5.9%
Residence in Metropolitan Area								
Residing in a Metropolitan Statistical Area, %	65.2%	65.2%	69.8%	44.4%	67.9%	66.7%	73.0%	65.1%
Distance								
Mile from Closest VA Medical Center, mean	34.15	35.92	28.25	35.63	20.65	32.32	30.84	49.66
SD	*73.16*	*31.20*	*18.52*	*28.04*	*19.90*	*32.49*	*29.11*	*34.30*
Distance from closest VA Medical Center, %								
0 to 15 miles	46.2%	39.6%	38.1%	32.8%	60.3%	52.5%	39.1%	26.2%
15 to 30 miles	17.2%	12.6%	11.4%	18.5%	11.7%	9.4%	20.9%	9.3%
30 to 45 miles	10.6%	13.1%	30.2%	13.7%	16.0%	2.4%	10.1%	12.8%
45 to 60 miles	8.5%	9.0%	14.9%	8.5%	4.9%	9.4%	10.8%	8.8%
60 plus miles	17.4%	25.6%	5.3%	26.4%	7.1%	26.3%	19.1%	42.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.09	14.99	13.04	20.81	11.49	18.15	11.91	15.43
SD	*13.59*	*12.83*	*8.02*	*14.57*	*11.16*	*17.23*	*9.88*	*11.94*
Distance to closest VA Service Site, %								
0 to 15 miles	76.3%	61.4%	63.7%	41.9%	75.2%	60.8%	63.6%	58.9%
15 to 30 miles	15.4%	24.0%	31.3%	27.7%	14.8%	16.2%	31.5%	25.9%
30 to 45 miles	5.7%	12.3%	5.0%	26.1%	9.3%	13.1%	4.7%	14.3%
45 plus miles	2.7%	2.4%	0.0%	4.3%	0.7%	9.8%	0.2%	0.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3H: FY03 Bipolar Patients, Utilization, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Bipolar Patients	73964	3123	281	329	550	458	446	1059
Hospital Based Utilization								
Patients with some Hospital Based Utilization, %	25.4%	30.3%	17.1%	26.4%	26.9%	39.5%	36.8%	29.9%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)								
Inpatient stays, mean	1.80	1.87	2.00	1.57	1.97	1.70	2.07	1.89
SD	*1.41*	*1.54*	*1.61*	*1.05*	*2.03*	*1.09*	*1.63*	*1.54*
Average LOS, mean	9.79	7.95	4.43	7.52	6.62	8.33	6.90	9.56
SD	*17.76*	*9.09*	*4.74*	*9.14*	*6.38*	*7.21*	*8.13*	*11.49*
Cumulative DOS, mean	17.09	14.97	8.13	10.84	12.09	14.73	14.34	18.96
SD	*27.94*	*21.87*	*8.64*	*11.06*	*14.18*	*16.42*	*16.99*	*30.92*
Cumulative DOS, %								
1 to 7	44.7%	45.1%	64.6%	51.7%	53.4%	42.0%	45.1%	38.2%
8 to 14	21.9%	24.2%	20.8%	20.7%	23.6%	23.2%	22.6%	27.4%
15 to 44	25.9%	24.4%	12.5%	25.3%	18.9%	28.7%	26.8%	24.9%
45 to 89	5.3%	5.4%	2.1%	2.3%	4.1%	5.5%	4.9%	7.6%
90 to 179	1.5%	0.6%	0.0%	0.0%	0.0%	0.6%	0.6%	1.3%
180 to 359	0.5%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
360+	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	1.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	203.75	365.00	0.00	0.00	0.00	0.00	0.00	365.00
SD	*79.71*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.6%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	251.69	365.00	0.00	0.00	0.00	0.00	0.00	365.00
SD	*73.28*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.67	0.89	1.27	0.29	0.51	0.71	2.80	0.27
SD	*4.53*	*5.24*	*4.76*	*1.57*	*3.35*	*4.65*	*10.27*	*1.85*
Cumulative DOS at Other Stations	1.97	1.60	3.19	0.51	0.59	0.89	5.16	0.70
SD	*7.12*	*7.44*	*7.43*	*2.38*	*3.44*	*4.90*	*14.24*	*4.78*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Bipolar Patients	73964	3123	281	329	550	458	446	1059
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)								
Pts. with non-psych hospital stays, %	11.7%	14.2%	14.2%	13.7%	13.8%	19.4%	14.6%	12.0%
Inpatient stays, mean	0.72	0.79	1.71	0.75	0.91	0.74	0.64	0.71
SD	*1.10*	*1.24*	*1.64*	*0.93*	*1.33*	*0.96*	*1.14*	*1.33*
Average LOS, mean	6.20	6.38	3.77	4.32	5.67	8.83	3.88	7.93
SD	*10.70*	*8.52*	*3.06*	*4.29*	*7.24*	*7.48*	*3.10*	*12.47*
Cumulative Days of Stay, mean	4.64	5.32	6.19	3.15	4.80	6.86	2.93	6.39
SD	*13.49*	*16.25*	*7.16*	*5.23*	*9.06*	*13.07*	*7.90*	*24.48*
Cumulative Days of Stay, %								
0	54.1%	53.2%	16.7%	48.3%	48.6%	50.8%	60.4%	59.9%
1 to 7	30.1%	28.8%	56.3%	36.8%	32.4%	22.7%	29.9%	23.7%
8 to 14	7.4%	7.8%	14.6%	8.0%	9.5%	11.6%	4.9%	5.4%
15 to 44	7.0%	8.5%	12.5%	6.9%	9.5%	11.6%	4.3%	8.2%
45 to 89	1.1%	1.5%	0.0%	0.0%	0.0%	3.3%	0.6%	2.2%
90 to 179	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	187.03	365.00	0.00	0.00	0.00	0.00	0.00	365.00
SD	*73.96*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.06	5.00	0.00	0.00	0.00	0.00	0.00	365.00
SD	*75.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.15*	*0.22*	*0.83*	*0.03*	*0.40*	*0.31*	*0.11*	*0.10*
SD	*2.03*	*2.25*	*3.85*	*0.24*	*3.05*	*3.55*	*0.78*	*0.94*
Other station cumulative DOS, mean	0.50	0.42	1.25	0.20	0.45	0.38	0.35	0.40
SD	*3.25*	*3.63*	*4.42*	*1.52*	*3.12*	*3.62*	*2.92*	*4.41*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Bipolar Patients	73964	3123	281	329	550	458	446	1059
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)								
Pts. with psych hospital stays, %	16.8%	20.0%	3.9%	15.5%	16.5%	25.5%	28.5%	21.4%
Inpatient stays, mean	1.08	1.08	0.29	0.83	1.06	0.96	1.43	1.18
SD	*1.27*	*1.27*	*0.58*	*0.90*	*1.75*	*1.00*	*1.30*	*1.22*
Average LOS, mean	12.15	8.98	7.05	10.17	7.26	8.32	8.12	10.33
SD	*21.36*	*9.19*	*7.86*	*11.02*	*5.95*	*7.51*	*9.06*	*10.50*
Cumulative Days of Stay, mean	12.44	9.65	1.94	7.69	7.29	7.88	11.41	12.57
SD	*25.57*	*16.38*	*5.14*	*11.36*	*12.25*	*11.55*	*15.51*	*21.64*
Cumulative Days of Stay, %								
0	34.1%	34.0%	77.1%	41.4%	38.5%	35.4%	22.6%	28.4%
1 to 7	24.8%	26.9%	14.6%	24.1%	31.1%	28.7%	29.9%	24.9%
8 to 14	16.7%	19.6%	6.3%	14.9%	18.2%	16.6%	23.8%	23.0%
15 to 44	19.0%	15.8%	2.1%	17.2%	10.1%	17.1%	18.9%	17.7%
45 to 89	3.7%	3.3%	0.0%	2.3%	2.0%	2.2%	4.3%	4.7%
90 to 179	1.2%	0.4%	0.0%	0.0%	0.0%	0.0%	0.6%	0.9%
180 to 359	0.4%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	201.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*78.85*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	248.87	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*70.96*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.52	0.66	0.44	0.25	0.11	0.40	2.70	0.17
SD	4.00	4.59	1.49	1.40	1.40	2.36	10.20	1.26
Other station cumulative DOS, mean	1.48	1.18	1.94	0.31	0.14	0.51	4.81	0.30
SD	6.29	6.40	5.14	1.74	1.42	2.74	14.00	1.65

Table 3H: FY03 Bipolar Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Bipolar Patients	73964	3123	281	329	550	458	446	1059
Other 24 hour institutional care								
Patients with some other 24 hour institutional care, %	8.1%	5.7%	1.8%	2.1%	0.7%	7.0%	28.0%	0.4%
Residential Rehab (rep. for those w/ res rehab care)								
Patients with some residential rehab. care, %	2.6%	1.1%	1.4%	0.0%	0.0%	5.2%	1.3%	0.0%
Number stays, mean	*1.12*	*1.12*	*1.00*	*0.00*	*0.00*	*1.08*	*1.33*	*0.00*
SD	*0.38*	*0.33*	*0.00*	*0.00*	*0.00*	*0.28*	*0.52*	*0.00*
Average LOS, mean	33.17	15.06	10.50	0.00	0.00	13.56	24.08	0.00
SD	*32.92*	*9.06*	*7.05*	*0.00*	*0.00*	*3.37*	*18.29*	*0.00*
Cumulative DOS, mean	36.42	16.85	10.50	0.00	0.00	14.96	28.67	0.00
SD	*35.54*	*11.68*	*7.05*	*0.00*	*0.00*	*7.94*	*19.05*	*0.00*
Cumulative Days of Stay, %								
1 to 7	10.4%	8.8%	50.0%	0.0%	0.0%	4.2%	0.0%	0.0%
8 to 14	11.3%	61.8%	0.0%	0.0%	0.0%	79.2%	33.3%	0.0%
15 to 44	53.1%	20.6%	50.0%	0.0%	0.0%	12.5%	33.3%	0.0%
45 to 89	18.3%	8.8%	0.0%	0.0%	0.0%	4.2%	33.3%	0.0%
90 to 179	5.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	0.0%	100.0%	100.0%	0.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	167.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*69.53*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	224.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*70.59*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.28	7.38	10.50	0.00	0.00	1.54	28.67	0.00
SD	*6.79*	*14.41*	*7.05*	*0.00*	*0.00*	*7.55*	*19.05*	*0.00*
Other station cumulative DOS, mean	3.71	7.38	10.50	0.00	0.00	1.54	28.67	0.00
SD	*10.96*	*14.41*	*7.05*	*0.00*	*0.00*	*7.55*	*19.05*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Bipolar Patients	73964	3123	281	329	550	458	446	1059
Domiciliary and Vocational (reported for those with some dom/voc care)								
Patients with some dom/voc care, %	4.2%	3.8%	0.4%	0.0%	0.2%	0.2%	26.0%	0.1%
Number stays, mean	1.14	1.08	2.00	0.00	1.00	1.00	1.07	1.00
SD	*0.38*	*0.26*	*0.00*	*0.00*	*0.00*	*0.00*	*0.25*	*0.00*
Average LOS, mean	80.47	118.45	14.50	0.00	8.00	15.00	121.79	49.00
SD	*77.50*	*106.99*	*0.00*	*0.00*	*0.00*	*0.00*	*107.23*	*0.00*
Cumulative DOS, mean	88.84	123.64	29.00	0.00	8.00	15.00	127.03	49.00
SD	*82.55*	*108.57*	*0.00*	*0.00*	*0.00*	*0.00*	*108.81*	*0.00*
Cumulative Days of Stay, %								
1 to 7	6.1%	3.3%	0.0%	0.0%	0.0%	0.0%	3.4%	0.0%
8 to 14	5.6%	4.2%	0.0%	0.0%	100.0%	0.0%	3.4%	0.0%
15 to 44	28.2%	17.5%	100.0%	0.0%	0.0%	100.0%	16.4%	0.0%
45 to 89	21.0%	25.0%	0.0%	0.0%	0.0%	0.0%	25.0%	100.0%
90 to 179	26.2%	25.8%	0.0%	0.0%	0.0%	0.0%	26.7%	0.0%
180 to 359	10.5%	14.2%	0.0%	0.0%	0.0%	0.0%	14.7%	0.0%
360+	2.4%	10.0%	0.0%	0.0%	0.0%	0.0%	10.3%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.1%	42.5%	0.0%	0.0%	0.0%	0.0%	44.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	184.30	223.20	0.00	0.00	0.00	0.00	223.20	0.00
SD	*76.03*	*96.67*	*0.00*	*0.00*	*0.00*	*0.00*	*96.67*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.5%	30.0%	0.0%	0.0%	0.0%	0.0%	31.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	236.94	264.81	0.00	0.00	0.00	0.00	264.81	0.00
SD	*71.03*	*83.15*	*0.00*	*0.00*	*0.00*	*0.00*	*83.15*	*0.00*
Other VISN cumulative DOS, mean	1.76	1.40	29.00	0.00	8.00	15.00	1.00	0.00
SD	*9.43*	*9.08*	*0.00*	*0.00*	*0.00*	*0.00*	*8.74*	*0.00*
Other station cumulative DOS, mean	4.27	1.81	29.00	0.00	8.00	15.00	1.00	49.00
SD	*15.65*	*10.06*	*0.00*	*0.00*	*0.00*	*0.00*	*8.74*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Bipolar Patients	73964	3123	281	329	550	458	446	1059
Nursing Home Care								
(reported for those with some nursing home care)								
Patients with some nursing home care, %	2.1%	1.0%	0.4%	2.1%	0.5%	1.5%	2.0%	0.3%
Number stays, mean	1.22	1.13	1.00	1.29	1.00	1.14	1.00	1.33
SD	*0.55*	*0.35*	*0.00*	*0.49*	*0.00*	*0.38*	*0.00*	*0.58*
Average LOS, mean	86.89	56.12	9.00	43.14	16.00	41.14	57.11	174.17
SD	*110.58*	*67.85*	*0.00*	*26.38*	*13.00*	*15.57*	*50.68*	*166.40*
Cumulative DOS, mean	98.25	61.23	9.00	52.00	16.00	46.57	57.11	192.00
SD	*116.77*	*68.36*	*0.00*	*29.98*	*13.00*	*20.22*	*50.68*	*148.96*
Cumulative Days of Stay, %								
1 to 7	10.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
8 to 14	10.7%	16.7%	100.0%	14.3%	66.7%	0.0%	11.1%	0.0%
15 to 44	30.2%	40.0%	0.0%	42.9%	33.3%	57.1%	44.4%	0.0%
45 to 89	16.4%	23.3%	0.0%	28.6%	0.0%	42.9%	22.2%	0.0%
90 to 179	12.3%	16.7%	0.0%	14.3%	0.0%	0.0%	22.2%	66.7%
180 to 359	10.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	9.8%	3.3%	0.0%	0.0%	0.0%	0.0%	0.0%	33.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	27.9%	13.3%	0.0%	0.0%	0.0%	0.0%	22.2%	66.7%
Cumul. DOS, patients with a 100+ day NH stay, mean	261.88	187.25	0.00	0.00	0.00	0.00	140.00	234.50
SD	*97.21*	*121.01*	*0.00*	*0.00*	*0.00*	*0.00*	*38.18*	*183.14*
NH patients with 150+ day NH stay, %	22.1%	6.7%	0.0%	0.0%	0.0%	0.0%	11.1%	33.3%
Cumul. DOS, patients with a 150+ day NH stay, mean	296.07	265.50	0.00	0.00	0.00	0.00	167.00	364.00
SD	*76.98*	*139.30*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.47	2.40	0.00	0.00	10.33	5.86	0.00	0.00
SD	*5.60*	*9.23*	*0.00*	*0.00*	*17.90*	*15.50*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.51	2.40	0.00	0.00	10.33	5.86	0.00	0.00
SD	*9.89*	*9.23*	*0.00*	*0.00*	*17.90*	*15.50*	*0.00*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Bipolar Patients	73964	3123	281	329	550	458	446	1059
Outpatient utilization								
(reported for those with some outpatient care)								
Patients with some outpatient care, %	99.6%	99.8%	100.0%	100.0%	99.8%	100.0%	99.8%	99.5%
annual visit days, mean	24.20	16.86	16.70	16.33	18.93	16.91	23.49	35.39
SD	*30.37*	*17.20*	*12.28*	*20.48*	*15.30*	*21.36*	*21.36*	*40.84*
Outpatient visit days, %								
1-12	43.1%	50.5%	42.3%	52.9%	40.3%	56.1%	40.0%	59.2%
13-24	26.8%	29.7%	40.6%	30.1%	33.3%	24.5%	24.7%	29.0%
25-36	12.4%	10.5%	10.0%	10.9%	14.9%	8.5%	12.8%	8.0%
37-48	6.4%	4.9%	3.9%	2.1%	5.6%	5.7%	11.9%	2.3%
49+	11.4%	4.5%	3.2%	4.0%	5.8%	5.2%	10.6%	1.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	80.8%	81.1%	94.3%	90.3%	84.0%	61.6%	85.8%	79.6%
Mean PC visit days, among those with some PC	3.83	3.56	5.01	2.93	3.19	3.46	4.03	3.35
SD	3.42	3.07	3.83	2.45	2.38	3.40	3.53	2.84
Average number clinic stops per visit day, mean	1.50	1.59	1.73	1.44	1.40	1.81	1.64	1.59
SD	*0.46*	*0.50*	*0.47*	*0.34*	*0.37*	*0.65*	*0.42*	*0.52*
annual clinic stops (psych & non-psych), mean	37.58	26.68	28.37	23.42	26.39	30.88	38.44	20.61
SD	*53.68*	*28.63*	*22.53*	*27.77*	23.12	*41.49*	*35.92*	*19.32*
annual non-psych. clinic stops, mean	19.81	19.06	22.42	16.40	19.57	22.07	24.50	15.13
SD	*22.87*	*20.50*	*18.79*	*14.35*	*20.06*	*31.14*	*21.44*	*14.97*
annual psych. clinic stops (groupings below), mean	17.77	7.62	5.96	7.02	6.83	8.81	13.94	5.47
SD	*40.95*	*15.84*	*8.33*	*22.20*	*8.44*	*19.78*	*24.11*	*9.72*
1. general psych. clinic stops, mean	7.61	4.81	4.40	3.86	6.33	5.51	4.51	4.23
SD	*12.69*	*6.33*	*4.46*	*5.47*	*7.89*	*6.71*	*8.47*	*4.44*
2. psych. case management clinic stops, mean	0.65	0.13	0.00	0.00	0.00	0.00	0.92	0.00
SD	*8.45*	*3.58*	*0.00*	*0.00*	*0.00*	*0.05*	*9.44*	*0.00*
3. psych. day treatment clinic stops, mean	1.57	0.15	0.02	0.00	0.00	0.68	0.05	0.13
SD	*15.80*	*4.67*	*0.27*	*0.00*	*0.00*	*10.59*	*1.09*	*3.89*
4. substance abuse clinic stops, mean	4.64	1.85	1.20	3.05	0.03	1.99	6.11	0.73
SD	*21.97*	*10.60*	*6.56*	*20.98*	*0.28*	*8.31*	*17.41*	*3.80*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Bipolar Patients	73964	3123	281	329	550	458	446	1059
5. psych. vocational clinic stops, mean	1.91	0.30	0.00	0.00	0.02	0.01	1.54	0.21
SD	*15.13*	*3.59*	*0.00*	*0.00*	*0.51*	*0.28*	*4.75*	*5.26*
6. PTSD clinic stops, mean	0.80	0.19	0.12	0.04	0.14	0.29	0.40	0.14
SD	*5.71*	*1.88*	*0.51*	*0.35*	*1.17*	*1.61*	*2.79*	*2.28*
7. psych. homeless clinic stops, mean	0.54	0.18	0.21	0.04	0.31	0.32	0.34	0.03
SD	*3.97*	*1.36*	*1.26*	*0.66*	*2.43*	*1.27*	*1.47*	*0.36*
Other VISN OP visit days, mean	0.48	0.56	0.52	0.29	0.28	0.51	1.69	0.35
SD	*2.80*	*3.24*	*2.01*	*1.77*	*1.69*	*2.53*	*6.93*	*1.97*
Other station OP visit days, mean	1.14	0.79	0.76	0.43	0.34	0.61	2.56	0.47
SD	*4.45*	*3.75*	*2.33*	*1.98*	*1.80*	*2.81*	*8.02*	*2.23*

Table 4H: FY03 Bipolar Patients, Pharmacy Utilization, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Bipolar Patients	73964	3123	281	329	550	458	446	1059
Among all patients in the registry								
Pts. with any outpatient prescriptions, %	96.9%	97.5%	98.2%	97.0%	97.8%	96.7%	97.8%	97.6%
Patients with any oral antipsychotic fills, %*	46.0%	48.1%	49.1%	51.7%	44.7%	41.5%	53.1%	49.1%
Among pts. receiving any antipsychotic medication:								
Received only conventional antipsychotics, %	7.6%	11.3%	12.3%	5.9%	11.8%	16.8%	9.7%	11.3%
Received some atypical antipsychotics, %	92.4%	88.7%	87.7%	94.1%	88.2%	83.2%	90.3%	88.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %								
Aripiprazole	0.9%	0.4%	0.7%	0.0%	0.4%	0.5%	0.4%	0.4%
Clozapine	0.2%	0.1%	0.0%	0.0%	0.0%	0.5%	0.0%	0.0%
Olanzapine	40.7%	37.7%	37.7%	44.1%	33.3%	29.5%	33.3%	42.7%
Quetiapine	34.1%	29.8%	24.6%	22.4%	28.0%	32.1%	39.2%	29.4%
Risperidone	31.0%	31.3%	36.2%	38.8%	35.4%	24.2%	30.8%	28.5%
Ziprasidone	4.7%	5.7%	2.9%	2.9%	4.9%	12.6%	6.8%	4.8%
Patients receiving only one kind** of antipsychotic, %	77.4%	77.7%	77.5%	80.0%	81.3%	78.4%	75.1%	76.2%
Concurrent use of 2 or more antipsychotics, % ***	5.5%	5.1%	4.3%	4.1%	4.5%	4.7%	3.0%	7.1%
Among pts receiving just one antipsychotic:								
Antipsychotic fills, mean	6.09	5.50	6.07	5.31	5.80	5.74	6.79	4.58
SD	*4.43*	*4.14*	*4.31*	*3.94*	*4.25*	*4.19*	*4.55*	*3.68*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5H: FY03 Bipolar Patients, Cost, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Bipolar Patients	73964	3123	281	329	550	458	446	1059
Total Costs (in thousands $$)	$907,650	$31,016	$1,896	$2,647	$5,130	$4,928	$6,367	$10,049
Station % of VISN		100.0%	6.1%	8.5%	16.5%	15.9%	20.5%	32.4%
Psych vs. Non-Psych Costs								
Psych	33.4%	30.0%	35.0%	22.3%	33.3%	28.3%	28.8%	40.4%
Non-Psych	66.6%	70.0%	65.0%	77.7%	66.7%	71.7%	71.2%	59.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use								
Per Patient	$15,075	$14,910	$41,837	$10,844	$21,329	$11,594	$13,765	$26,528
Per Day of Stay	$882	$996	$5,149	$1,000	$1,763	$787	$960	$1,399
Mean Outpatient Costs, Pts with some Outpatient use								
Per Patient	$6,520	$8,388	$8,128	$5,985	$6,002	$4,976	$6,235	$9,393
Per Visit Day	$269	$498	$487	$367	$317	$294	$265	$265
By Cost Center								
1 Med	$1,060	$1,423	$1,786	$1,266	$1,325	$1,437	$1,447	$1,307
2 Surg	$459	$527	$600	$387	$464	$887	$608	$530
3 Psych	$2,315	$2,562	$4,761	$1,215	$3,951	$2,258	$3,008	$6,104
4 Psych Res Rehab Treatment Program	$298	$295	$483	$184	$243	$347	$230	$111
5 Non-VA	$176	$251	$92	$222	$199	$49	$219	$328
6 LTC Domiciliary	$455	$577	$1,087	$41	$4	$8	$618	$332
7 LTC Intermediate Care	$96	$1	$383	$96	$358	$427	$117	$428
8 LTC Nursing Home	$778	$2,253	$2,065	$781	$2,818	$49	$1,502	$3,070
9 Contract Nursing Home	$142	$350	$274	$425	$410	$322	$503	$1,453
10 OPC Med/Surg	$1,111	$1,167	$1,604	$892	$829	$1,046	$894	$1,168
11 OPC Psych	$1,781	$2,422	$2,118	$1,146	$1,303	$782	$1,158	$3,188
12 OPC Home Based Treatment	$532	$1,010	$913	$623	$691	$370	$727	$1,202
13 OPC Support	$1,309	$1,627	$1,686	$1,362	$1,233	$1,294	$1,481	$1,395
14 OPC Fee	$115	$191	$56	$114	$111	$59	$108	$170
15 OPC Pharmacy	$1,645	$1,953	$1,751	$1,848	$1,824	$1,425	$1,853	$2,226
TOTAL	$12,272	$16,608	$19,658	$10,602	$15,760	$10,760	$14,471	$23,012
Mean % Patient Costs at Other Stations	4.8%	3.4%	6.4%	2.2%	1.9%	2.8%	7.3%	2.5%
SD	*13.9%*	*11.8%*	*17.2%*	*8.4%*	*8.1%*	*10.6%*	*16.7%*	*9.9%*
Mean % Patient Costs at Other VISNs	2.0%	2.2%	3.2%	1.5%	1.3%	2.3%	4.6%	1.6%
SD	*9.0%*	*9.3%*	*11.4%*	*7.1%*	*6.6%*	*9.2%*	*13.4%*	*8.2%*

Table 2I: FY03 Other Psychosis Patients, Demographics, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Other Psychosis Patients	49401	2785	277	480	420	557	571	480
Age, %								
<35	2.2%	2.1%	2.2%	1.5%	3.6%	3.1%	0.7%	2.1%
>=35 and <50	12.5%	10.3%	6.5%	8.1%	8.8%	12.2%	6.3%	18.5%
>=50 and <65	22.1%	21.0%	20.2%	15.8%	20.7%	24.8%	17.2%	26.9%
>=65 and <80	36.7%	39.4%	41.2%	39.8%	39.8%	37.5%	43.4%	34.8%
>=80	26.5%	27.3%	30.0%	34.8%	27.1%	22.4%	32.4%	17.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	68.22	69.22	70.61	72.11	68.61	67.14	72.39	64.67
SD	*15.13*	*14.54*	*13.36*	*13.68*	*15.43*	*15.11*	*12.77*	*14.92*
Gender								
Male, %	96.0%	97.5%	97.1%	97.7%	97.6%	96.6%	98.9%	96.5%
Female, %	4.0%	2.5%	2.9%	2.3%	2.4%	3.4%	1.1%	3.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %								
Hispanic white	3.9%	0.3%	0.0%	0.0%	0.2%	0.2%	0.4%	0.6%
Hispanic black	0.3%	0.1%	0.0%	0.4%	0.5%	0.0%	0.0%	0.0%
American Indian	0.2%	0.1%	0.0%	0.0%	0.0%	0.2%	0.2%	0.4%
Black	15.5%	14.4%	2.5%	5.8%	15.7%	35.7%	3.3%	17.3%
Asian	0.4%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%
White	48.2%	57.5%	80.9%	68.1%	51.4%	35.2%	62.0%	59.2%
Race unknown	31.5%	27.5%	16.6%	25.6%	31.9%	28.7%	34.2%	22.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status								
Never married	13.4%	8.8%	7.7%	8.3%	7.5%	10.7%	5.3%	13.1%
Married	52.0%	57.0%	51.8%	57.5%	61.5%	56.2%	60.7%	52.0%
Divorced/Separated	22.5%	20.8%	20.1%	20.0%	19.5%	20.8%	19.6%	24.6%
Widowed	12.0%	13.4%	20.4%	14.2%	11.5%	12.3%	14.4%	10.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Other Psychosis Patients	49401	2785	277	480	420	557	571	480
Registry Pts. History of VA Utilization								
Years since first use in prior five years, mean	4.0	4.04	4.15	4.27	3.80	4.07	3.97	3.99
SD	*1.4*	*1.42*	*1.36*	*1.28*	*1.49*	*1.39*	*1.44*	*1.47*
Yrs with 24-hour institutional use / yrs since 1st use, %	24.1%	28.4%	32.3%	25.6%	26.6%	24.6%	36.9%	25.1%
SD	*27.8%*	*28.7%*	*28.7%*	*26.5%*	*27.6%*	*26.2%*	*31.7%*	*28.7%*
Years with OP use / Years since first use, %	96.9%	97.5%	97.4%	97.9%	97.2%	97.9%	97.7%	96.6%
SD	*10.4%*	*8.9%*	*9.0%*	*8.3%*	*9.6%*	*7.7%*	*8.5%*	*10.2%*
Psychosis Diagnoses in Prior Fiscal Year								
Had Psychosis Diagnosis in FY01, %	33.8%	34.4%	34.7%	38.8%	33.3%	33.0%	35.6%	30.8%
Among Patients With Psychoses in FY01								
Psychosis Category: Schizophrenia, %	9.4%	7.5%	6.3%	8.1%	6.4%	8.2%	4.4%	12.2%
Psychosis Category: Bipolar Disorder, %	3.8%	3.2%	1.0%	1.1%	4.3%	3.8%	3.0%	6.1%
Psychosis Category: Other Psychosis, %	86.9%	89.2%	92.7%	90.9%	89.3%	88.0%	92.6%	81.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %								
Dementia	20.6%	21.1%	19.1%	23.1%	21.4%	15.3%	27.7%	19.0%
Post Traumatic Stress Disorder	13.4%	10.4%	9.4%	9.6%	5.7%	9.3%	12.4%	14.8%
Depression	37.7%	33.4%	29.2%	27.7%	32.1%	28.2%	40.1%	40.8%
Other Anxiety Disorder	12.0%	12.2%	15.2%	13.3%	8.6%	7.7%	15.4%	13.8%
Substance Abuse or Dependence	15.7%	10.9%	8.7%	8.3%	10.0%	11.1%	9.8%	16.7%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Other Psychosis Patients	49401	2785	277	480	420	557	571	480
Medical Comorbidities, %								
No medical comorbidities	8.3%	6.0%	3.6%	3.5%	7.9%	6.6%	6.7%	6.7%
Anemia	14.2%	17.3%	22.0%	19.6%	14.5%	12.6%	20.8%	16.0%
Arthritis	39.1%	42.5%	51.3%	44.6%	38.8%	37.0%	44.0%	43.5%
Cancer	14.0%	14.5%	19.1%	18.8%	12.4%	13.6%	12.4%	13.1%
Cerebrovascular Disease	16.4%	19.9%	19.1%	21.7%	19.8%	24.2%	19.6%	14.2%
Chronic Neurologic Disorder	20.8%	21.1%	24.5%	23.3%	21.4%	20.6%	21.0%	17.5%
Chronic Obstructive Pulmonary Disease	17.9%	22.4%	33.2%	26.0%	20.7%	14.7%	25.7%	19.2%
Chronic Viral Infection	5.9%	4.3%	1.8%	1.9%	2.9%	4.8%	5.1%	7.9%
Coronary Artery Disease	33.0%	37.9%	50.2%	38.1%	40.0%	31.8%	41.3%	31.7%
Diabetes	23.4%	25.6%	27.8%	22.1%	25.2%	29.4%	24.9%	24.8%
Digestive System Disease	42.9%	49.2%	51.6%	56.0%	43.6%	47.9%	52.4%	43.5%
Hypertension	54.9%	59.4%	59.2%	64.0%	59.5%	56.7%	60.8%	56.0%
Injury and Poisoning	19.4%	21.4%	17.3%	21.0%	20.0%	21.2%	23.3%	23.3%
Liver Disease	3.8%	3.9%	4.3%	1.7%	4.0%	3.9%	4.7%	5.0%
Other Endocrine	9.5%	10.2%	11.6%	12.7%	9.0%	10.1%	9.3%	9.2%
Peripheral Vascular Disease	7.8%	9.9%	8.7%	15.8%	5.2%	10.1%	12.1%	6.0%
GAF scores								
Lowest inpatient GAF score, mean	37.71	32.93	41.67	14.33	28.40	41.47	33.30	27.79
SD	*14.78*	*16.06*	*5.77*	*19.83*	*18.77*	*10.83*	*13.84*	*16.34*
Mean outpatient GAF score	48.43	47.19	51.00	50.61	49.06	46.21	45.45	44.00
SD	*11.56*	*13.86*	*11.29*	*16.02*	*18.23*	*13.01*	*9.86*	*12.53*
At least 1 IP GAF, among pts with MH bedsections, %	36.3%	33.7%	14.3%	48.4%	7.2%	46.6%	64.6%	16.1%
At least 1 OP GAF, among pts with MH clinic stops, %	74.8%	76.9%	94.0%	70.5%	85.7%	61.8%	81.1%	79.2%
Mortality rates								
died in FY02, %	6.2%	8.7%	13.0%	8.8%	8.3%	7.0%	9.8%	7.3%
Age-and-gender-adjusted Standardized Mortality Ratio	1.21	1.62	0.00	0.00	0.00	0.00	0.00	0.00

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Other Psychosis Patients	49401	2785	277	480	420	557	571	480
Service Connection (SC)								
Non-SC	63.3%	62.9%	58.1%	63.1%	68.3%	62.1%	64.6%	59.6%
SC 0 - 29%	10.4%	10.8%	12.3%	12.9%	13.1%	8.1%	9.5%	10.4%
SC 30 - 69%	10.8%	11.2%	12.3%	9.6%	8.8%	13.5%	11.7%	11.0%
SC 70 - 99%	6.4%	5.5%	9.0%	4.8%	4.5%	6.5%	5.1%	4.6%
SC 100%	9.1%	9.6%	8.3%	9.6%	5.2%	9.9%	9.1%	14.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %								
Complex*	15.0%	16.4%	12.6%	18.5%	10.0%	19.0%	24.7%	9.2%
Basic vested, Cat A*	74.8%	74.9%	83.0%	76.0%	74.8%	73.2%	65.0%	83.1%
Basic Non-vested, Cat A*	0.8%	1.0%	0.4%	0.2%	0.7%	2.2%	0.5%	1.5%
Basic, Cats C and N	9.4%	7.7%	4.0%	5.2%	14.5%	5.6%	9.8%	6.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded								
Patient eligibility category, %								
Cat A (SC or low income)	90.1%	91.7%	95.3%	94.0%	85.0%	94.1%	89.3%	93.5%
Cat C (NSC and higher income)	9.4%	7.6%	4.3%	5.4%	12.4%	5.7%	10.3%	6.5%
Non-Veteran	0.6%	0.6%	0.4%	0.6%	2.6%	0.2%	0.4%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %								
BASIC 1. Non-reliant Care	0.1%	0.2%	0.4%	0.0%	0.0%	0.9%	0.0%	0.0%
2. Basic Medical	25.3%	26.7%	26.0%	30.4%	29.8%	27.8%	24.5%	22.1%
3. Mental Health	25.6%	22.1%	22.0%	16.9%	23.1%	19.4%	17.9%	34.8%
4. Heart / Lung / GI	12.5%	14.0%	15.5%	16.7%	14.0%	12.4%	12.3%	14.6%
5. Oncology / Infectious Disease	3.8%	3.3%	4.0%	2.7%	2.4%	3.6%	2.3%	5.2%
6. Multiple Medical	17.6%	17.2%	19.5%	14.8%	20.7%	16.9%	18.4%	14.2%
COMPLEX 7. Specialized Care	4.7%	4.9%	1.4%	6.3%	3.3%	7.4%	6.8%	1.7%
8. Support Care	4.8%	6.7%	10.5%	5.0%	4.5%	8.3%	10.3%	2.1%
9. Chronic Mental	2.2%	1.3%	0.4%	1.0%	0.7%	0.9%	1.9%	2.5%
10. Critically Ill	3.3%	3.5%	0.4%	6.3%	1.4%	2.5%	5.6%	2.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Other Psychosis Patients	49401	2785	277	480	420	557	571	480
Substance Dependence and Abuse								
Any dx of alcohol / drug dependence or abuse, %	15.7%	10.9%	8.7%	8.3%	10.0%	11.1%	9.8%	16.7%
Homelessness								
Homelessness indicated in FY02, %	7.1%	3.4%	4.7%	1.0%	2.9%	4.1%	4.0%	4.2%
Residence in Metropolitan Area								
Residing in a Metropolitan Statistical Area, %	62.8%	74.7%	71.0%	64.9%	81.9%	64.4%	77.0%	83.9%
Distance								
Mile from Closest VA Medical Center, mean	35.80	34.58	24.23	42.00	20.77	32.71	27.20	56.18
SD	*82.41*	*30.23*	*18.91*	*28.51*	*21.94*	*32.36*	*24.05*	*33.87*
Distance from closest VA Medical Center, %								
0 to 15 miles	45.8%	40.1%	48.7%	22.3%	62.4%	51.6%	39.6%	20.6%
15 to 30 miles	16.6%	14.0%	13.0%	17.1%	9.3%	7.4%	26.8%	7.9%
30 to 45 miles	10.9%	12.6%	20.2%	16.7%	15.7%	5.2%	11.2%	11.5%
45 to 60 miles	8.8%	9.7%	13.0%	10.6%	5.0%	10.6%	11.9%	7.1%
60 plus miles	17.9%	23.7%	5.1%	33.3%	7.6%	25.2%	10.5%	52.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.89	16.15	13.29	22.66	12.12	18.38	13.06	15.92
SD	*14.24*	*13.40*	*8.62*	*13.72*	*12.57*	*17.02*	*9.04*	*12.73*
Distance to closest VA Service Site, %								
0 to 15 miles	73.5%	57.5%	66.1%	31.3%	74.5%	58.6%	60.6%	59.0%
15 to 30 miles	16.6%	25.2%	28.5%	35.6%	10.2%	17.8%	34.3%	23.8%
30 to 45 miles	7.0%	14.3%	5.4%	29.6%	13.8%	14.6%	4.6%	15.8%
45 plus miles	3.0%	3.0%	0.0%	3.5%	1.4%	9.0%	0.5%	1.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Other Psychosis Patients	49401	2785	277	480	420	557	571	480
Hospital Based Utilization								
Patients with some Hospital Based Utilization, %	30.2%	39.7%	48.7%	38.3%	38.3%	37.7%	44.8%	33.3%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)								
Inpatient stays, mean	1.82	1.89	1.90	1.83	1.67	1.77	2.09	2.05
SD	*1.40*	*1.36*	*1.46*	*1.36*	*0.93*	*1.22*	*1.49*	*1.54*
Average LOS, mean	9.37	8.23	7.31	5.39	7.35	12.14	6.51	10.81
SD	*15.01*	*12.24*	*8.50*	*4.54*	*5.74*	*23.13*	*5.30*	*11.52*
Cumulative DOS, mean	16.06	15.08	13.57	10.34	12.07	19.02	13.47	22.28
SD	*22.72*	*21.81*	*15.87*	*12.53*	*10.83*	*28.96*	*13.45*	*35.89*
Cumulative DOS, %								
1 to 7	42.1%	43.5%	49.6%	57.6%	44.7%	39.0%	40.2%	31.9%
8 to 14	23.4%	23.4%	20.0%	21.2%	23.6%	23.8%	25.0%	25.6%
15 to 44	27.8%	27.7%	24.4%	19.0%	29.8%	27.1%	32.0%	31.9%
45 to 89	5.2%	4.5%	5.9%	1.6%	1.9%	8.6%	2.3%	7.5%
90 to 179	1.2%	0.5%	0.0%	0.5%	0.0%	0.5%	0.4%	1.9%
180 to 359	0.2%	0.4%	0.0%	0.0%	0.0%	1.0%	0.0%	1.3%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	0.7%	0.5%	0.0%	0.0%	0.0%	1.0%	0.0%	1.9%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	185.56	231.40	0.00	0.00	0.00	244.00	0.00	223.00
SD	*75.86*	*88.10*	*0.00*	*0.00*	*0.00*	*53.74*	*0.00*	*117.53*
Hospital patients who had a 150+ day hosp. stay, %	0.3%	0.2%	0.0%	0.0%	0.0%	0.5%	0.0%	0.6%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	241.58	317.00	0.00	0.00	0.00	282.00	0.00	352.00
SD	*74.51*	*49.50*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.37	0.27	0.33	0.02	0.15	0.45	0.35	0.28
SD	*3.13*	*2.31*	*1.88*	*0.29*	*1.18*	*3.89*	*2.15*	*2.27*
Cumulative DOS at Other Stations	1.24	0.57	1.00	0.11	0.17	0.49	0.79	0.86
SD	*5.73*	*3.39*	*3.10*	*0.85*	*1.21*	*3.92*	*4.30*	*4.34*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Other Psychosis Patients	49401	2785	277	480	420	557	571	480
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)								
Pts. with non-psych hospital stays, %	21.7%	30.9%	44.8%	34.6%	25.7%	30.0%	35.6%	19.4%
Inpatient stays, mean	1.27	1.46	1.79	1.61	1.11	1.40	1.64	1.13
SD	*1.36*	*1.43*	*1.53*	*1.39*	*1.05*	*1.28*	*1.62*	*1.48*
Average LOS, mean	7.86	7.77	7.36	4.62	6.68	12.82	5.70	10.69
SD	*11.97*	*13.34*	*8.82*	*3.61*	*5.67*	*25.58*	*5.40*	*13.02*
Cumulative Days of Stay, mean	9.61	11.00	12.92	8.02	7.43	15.57	9.50	12.83
SD	*16.99*	*20.98*	*16.17*	*10.94*	*10.00*	*28.83*	*13.00*	*34.29*
Cumulative Days of Stay, %								
0	28.2%	22.2%	8.1%	9.8%	32.9%	20.5%	20.7%	41.9%
1 to 7	35.5%	37.3%	43.7%	57.1%	30.4%	30.0%	38.7%	23.1%
8 to 14	15.8%	18.1%	18.5%	17.9%	18.6%	20.5%	18.8%	13.1%
15 to 44	17.1%	18.7%	23.7%	14.1%	17.4%	21.4%	19.5%	16.3%
45 to 89	2.8%	3.2%	5.9%	0.5%	0.6%	6.2%	2.0%	4.4%
90 to 179	0.5%	0.3%	0.0%	0.5%	0.0%	0.5%	0.4%	0.0%
180 to 359	0.1%	0.4%	0.0%	0.0%	0.0%	1.0%	0.0%	1.3%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.4%	0.0%	0.0%	0.0%	1.0%	0.0%	1.3%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	178.07	258.75	0.00	0.00	0.00	244.00	0.00	273.50
SD	*75.21*	*73.22*	*0.00*	*0.00*	*0.00*	*53.74*	*0.00*	*111.02*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.2%	0.0%	0.0%	0.0%	0.5%	0.0%	0.6%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	240.47	5.00	0.00	0.00	0.00	282.00	0.00	352.00
SD	*75.05*	*49.50*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.18*	*0.15*	*0.28*	*0.02*	*0.11*	*0.20*	*0.23*	*0.02*
SD	*1.94*	*1.50*	*1.81*	*0.29*	*1.05*	*2.32*	*1.68*	*0.18*
Other station cumulative DOS, mean	0.60	0.27	0.35	0.06	0.14	0.20	0.54	0.25
SD	*3.61*	*2.37*	*1.90*	*0.53*	*1.08*	*2.32*	*3.86*	*1.84*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Other Psychosis Patients	49401	2785	277	480	420	557	571	480
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)								
Pts. with psych hospital stays, %	10.8%	12.1%	5.1%	6.5%	16.4%	10.4%	13.8%	18.1%
Inpatient stays, mean	0.55	0.44	0.10	0.21	0.56	0.37	0.45	0.92
SD	*1.03*	*0.84*	*0.31*	*0.52*	*0.82*	*0.71*	*0.83*	*1.31*
Average LOS, mean	12.47	9.49	6.29	10.61	8.70	9.64	8.97	10.58
SD	*19.53*	*7.91*	*5.31*	*7.85*	*6.73*	*9.05*	*4.99*	*10.13*
Cumulative Days of Stay, mean	6.45	4.08	0.65	2.32	4.63	3.45	3.97	9.44
SD	*17.76*	*9.97*	*2.54*	*7.07*	*8.19*	*8.79*	*8.45*	*17.33*
Cumulative Days of Stay, %								
0	64.2%	69.4%	89.6%	83.2%	57.1%	72.4%	69.1%	45.6%
1 to 7	12.7%	13.3%	8.1%	7.1%	21.1%	14.3%	10.5%	20.0%
8 to 14	9.6%	7.2%	1.5%	3.3%	9.3%	4.3%	10.2%	13.8%
15 to 44	10.7%	8.9%	0.7%	6.0%	11.2%	8.1%	9.8%	16.3%
45 to 89	2.1%	1.0%	0.0%	0.5%	1.2%	1.0%	0.4%	3.1%
90 to 179	0.5%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.4%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	182.44	113.00	0.00	0.00	0.00	0.00	0.00	113.00
SD	*78.98*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*77.61*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.19	0.12	0.05	0.00	0.04	0.25	0.11	0.26
SD	2.40	1.74	0.52	0.00	0.47	3.08	1.35	2.27
Other station cumulative DOS, mean	0.64	0.29	0.65	0.05	0.04	0.28	0.25	0.61
SD	4.34	2.31	2.54	0.66	0.47	3.12	1.95	3.44

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Other Psychosis Patients	49401	2785	277	480	420	557	571	480
Other 24 hour institutional care								
Patients with some other 24 hour institutional care, %	10.1%	9.6%	8.7%	12.7%	4.5%	7.2%	19.4%	2.7%
Residential Rehab (rep. for those w/ res rehab care)								
Patients with some residential rehab. care, %	1.0%	0.4%	0.0%	0.0%	0.0%	1.6%	0.0%	0.2%
Number stays, mean	*1.13*	*1.00*	*0.00*	*0.00*	*0.00*	*1.00*	*0.00*	*1.00*
SD	*0.45*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	30.41	14.30	0.00	0.00	0.00	15.22	0.00	6.00
SD	*33.22*	*10.98*	*0.00*	*0.00*	*0.00*	*11.22*	*0.00*	*0.00*
Cumulative DOS, mean	33.30	14.30	0.00	0.00	0.00	15.22	0.00	6.00
SD	*35.32*	*10.98*	*0.00*	*0.00*	*0.00*	*11.22*	*0.00*	*0.00*
Cumulative Days of Stay, %								
1 to 7	15.1%	30.0%	0.0%	0.0%	0.0%	22.2%	0.0%	100.0%
8 to 14	12.1%	50.0%	0.0%	0.0%	0.0%	55.6%	0.0%	0.0%
15 to 44	54.3%	20.0%	0.0%	0.0%	0.0%	22.2%	0.0%	0.0%
45 to 89	11.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	5.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	0.0%	100.0%	0.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	181.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*69.09*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	235.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*52.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.38	4.70	0.00	0.00	0.00	4.56	0.00	6.00
SD	*7.57*	*12.89*	*0.00*	*0.00*	*0.00*	*13.67*	*0.00*	*0.00*
Other station cumulative DOS, mean	4.16	4.70	0.00	0.00	0.00	4.56	0.00	6.00
SD	*12.59*	*12.89*	*0.00*	*0.00*	*0.00*	*13.67*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Other Psychosis Patients	49401	2785	277	480	420	557	571	480
Domiciliary and Vocational (reported for those with some dom/voc care)								
Patients with some dom/voc care, %	1.7%	1.2%	0.0%	0.0%	0.2%	0.0%	5.8%	0.0%
Number stays, mean	1.13	1.15	0.00	0.00	1.00	0.00	1.15	0.00
SD	*0.36*	*0.36*	*0.00*	*0.00*	*0.00*	*0.00*	*0.36*	*0.00*
Average LOS, mean	79.24	117.99	0.00	0.00	2.00	0.00	121.50	0.00
SD	*81.39*	*122.93*	*0.00*	*0.00*	*0.00*	*0.00*	*123.08*	*0.00*
Cumulative DOS, mean	86.42	125.88	0.00	0.00	2.00	0.00	129.64	0.00
SD	*85.00*	*124.48*	*0.00*	*0.00*	*0.00*	*0.00*	*124.44*	*0.00*
Cumulative Days of Stay, %								
1 to 7	7.5%	8.8%	0.0%	0.0%	100.0%	0.0%	6.1%	0.0%
8 to 14	6.2%	5.9%	0.0%	0.0%	0.0%	0.0%	6.1%	0.0%
15 to 44	29.8%	26.5%	0.0%	0.0%	0.0%	0.0%	27.3%	0.0%
45 to 89	19.6%	17.6%	0.0%	0.0%	0.0%	0.0%	18.2%	0.0%
90 to 179	23.7%	8.8%	0.0%	0.0%	0.0%	0.0%	9.1%	0.0%
180 to 359	10.4%	23.5%	0.0%	0.0%	0.0%	0.0%	24.2%	0.0%
360+	2.9%	8.8%	0.0%	0.0%	0.0%	0.0%	9.1%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	100.0%	0.0%	100.0%	0.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	35.3%	0.0%	0.0%	0.0%	0.0%	36.4%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	193.84	279.50	0.00	0.00	0.00	0.00	279.50	0.00
SD	*79.91*	*69.02*	*0.00*	*0.00*	*0.00*	*0.00*	*69.02*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.8%	35.3%	0.0%	0.0%	0.0%	0.0%	36.4%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	240.95	279.50	0.00	0.00	0.00	0.00	279.50	0.00
SD	*71.71*	*69.02*	*0.00*	*0.00*	*0.00*	*0.00*	*69.02*	*0.00*
Other VISN cumulative DOS, mean	1.61	0.06	0.00	0.00	2.00	0.00	0.00	0.00
SD	*8.79*	*0.34*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.31	0.06	0.00	0.00	2.00	0.00	0.00	0.00
SD	*11.83*	*0.34*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Other Psychosis Patients	49401	2785	277	480	420	557	571	480
Nursing Home Care								
(reported for those with some nursing home care)								
Patients with some nursing home care, %	7.7%	8.1%	8.7%	12.7%	4.3%	5.6%	14.0%	2.5%
Number stays, mean	1.29	1.30	1.08	1.49	1.44	1.10	1.30	1.08
SD	*0.65*	*0.66*	*0.28*	*0.72*	*0.78*	*0.30*	*0.75*	*0.29*
Average LOS, mean	54.03	48.88	29.29	45.91	59.50	24.52	44.64	178.54
SD	*70.27*	*65.34*	*17.27*	*52.47*	*77.87*	*10.27*	*54.49*	*139.63*
Cumulative DOS, mean	64.81	57.96	35.04	63.51	62.72	25.42	52.95	186.00
SD	*79.26*	*72.03*	*34.44*	*69.85*	*75.76*	*9.80*	*61.06*	*136.80*
Cumulative Days of Stay, %								
1 to 7	10.9%	8.8%	16.7%	6.6%	16.7%	6.5%	7.5%	8.3%
8 to 14	15.2%	12.8%	0.0%	16.4%	16.7%	12.9%	13.8%	8.3%
15 to 44	34.5%	48.7%	75.0%	36.1%	38.9%	77.4%	47.5%	8.3%
45 to 89	16.5%	11.9%	0.0%	19.7%	0.0%	3.2%	16.3%	8.3%
90 to 179	13.0%	9.3%	8.3%	11.5%	11.1%	0.0%	10.0%	16.7%
180 to 359	8.1%	7.5%	0.0%	9.8%	16.7%	0.0%	5.0%	33.3%
360+	1.8%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	16.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	17.8%	13.3%	4.2%	14.8%	27.8%	0.0%	8.8%	66.7%
Cumul. DOS, patients with a 100+ day NH stay, mean	207.27	214.50	116.00	208.56	177.80	0.00	207.29	262.75
SD	*81.27*	*75.83*	*0.00*	*57.09*	*31.73*	*0.00*	*80.45*	*94.19*
NH patients with 150+ day NH stay, %	11.0%	9.7%	0.0%	9.8%	22.2%	0.0%	6.3%	58.3%
Cumul. DOS, patients with a 150+ day NH stay, mean	250.81	243.45	0.00	233.67	189.50	0.00	242.20	283.57
SD	*70.60*	*66.24*	*0.00*	*49.05*	*20.73*	*0.00*	*66.13*	*79.40*
Other VISN cumulative DOS, mean	0.34	0.16	0.00	0.59	0.00	0.00	0.00	0.00
SD	*5.11*	*2.39*	*0.00*	*4.61*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.02	0.24	0.00	0.59	0.00	0.00	0.00	1.50
SD	*7.62*	*2.67*	*0.00*	*4.61*	*0.00*	*0.00*	*0.00*	*5.20*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Other Psychosis Patients	49401	2785	277	480	420	557	571	480
Outpatient utilization								
(reported for those with some outpatient care)								
Patients with some outpatient care, %	99.7%	99.7%	99.6%	100.0%	99.8%	100.0%	100.0%	99.0%
annual visit days, mean	19.52	16.44	17.58	16.90	17.50	16.54	18.08	28.39
SD	*24.21*	*15.32*	*12.73*	*14.16*	*14.19*	*17.49*	*17.07*	*30.78*
Outpatient visit days, %								
1-12	49.1%	50.8%	41.7%	48.1%	47.0%	52.4%	48.9%	62.3%
13-24	27.0%	28.4%	33.3%	28.8%	27.7%	28.5%	26.8%	27.8%
25-36	11.5%	12.2%	17.4%	14.4%	16.2%	9.9%	11.4%	7.4%
37-48	5.4%	5.1%	5.1%	6.0%	5.7%	5.0%	7.0%	1.7%
49+	7.0%	3.4%	2.5%	2.7%	3.3%	4.1%	6.0%	0.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	86.5%	87.0%	92.4%	88.1%	86.4%	84.0%	86.0%	88.2%
Mean PC visit days, among those with some PC	4.04	4.00	5.53	3.95	3.31	3.78	4.43	3.48
SD	3.94	3.93	4.76	3.99	2.47	2.75	5.31	3.25
Average number clinic stops per visit day, mean	1.55	1.67	1.81	1.59	1.43	1.77	1.76	1.65
SD	*0.52*	*0.56*	*0.47*	*0.60*	*0.46*	*0.58*	*0.54*	*0.58*
annual clinic stops (psych & non-psych), mean	30.45	27.05	32.22	26.02	25.23	28.69	30.98	20.03
SD	*40.44*	*26.72*	*28.17*	*23.04*	22.53	*32.35*	*29.31*	*19.65*
annual non-psych. clinic stops, mean	22.67	24.37	29.84	24.13	22.76	25.50	28.40	16.69
SD	*25.36*	*24.78*	*27.43*	*21.17*	*21.65*	*29.99*	*27.22*	*15.82*
annual psych. clinic stops (groupings below), mean	7.77	2.68	2.38	1.89	2.47	3.18	2.58	3.34
SD	*27.43*	*7.90*	*4.47*	*7.71*	*4.48*	*7.78*	*8.13*	*11.16*
1. general psych. clinic stops, mean	3.20	1.86	1.90	1.49	2.23	2.03	1.18	2.48
SD	*7.61*	*3.73*	*3.15*	*5.15*	*4.06*	*3.36*	*2.28*	*3.69*
2. psych. case management clinic stops, mean	0.14	0.01	0.00	0.00	0.00	0.00	0.05	0.00
SD	*3.20*	*0.42*	*0.00*	*0.00*	*0.00*	*0.00*	*0.93*	*0.00*
3. psych. day treatment clinic stops, mean	0.60	0.12	0.00	0.00	0.00	0.21	0.00	0.43
SD	*8.52*	*4.15*	*0.00*	*0.00*	*0.00*	*3.24*	*0.00*	*9.41*
4. substance abuse clinic stops, mean	2.24	0.37	0.32	0.17	0.01	0.36	0.89	0.32
SD	*17.04*	*3.65*	*2.68*	*2.21*	*0.15*	*3.31*	*6.46*	*2.32*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 9, continued

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Other Psychosis Patients	49401	2785	277	480	420	557	571	480
5. psych. vocational clinic stops, mean	0.74	0.04	0.00	0.00	0.00	0.00	0.19	0.00
SD	*9.63*	*0.57*	*0.00*	*0.00*	*0.00*	*0.00*	*1.23*	*0.09*
6. PTSD clinic stops, mean	0.56	0.21	0.04	0.20	0.06	0.50	0.19	0.10
SD	*5.11*	*2.19*	*0.21*	*3.54*	*0.44*	*2.94*	*1.48*	*1.49*
7. psych. homeless clinic stops, mean	0.27	0.07	0.12	0.00	0.17	0.08	0.07	0.01
SD	*2.81*	*0.68*	*0.99*	*0.00*	*1.30*	*0.49*	*0.51*	*0.10*
Other VISN OP visit days, mean	0.31	0.26	0.32	0.06	0.23	0.29	0.37	0.30
SD	*2.01*	*1.62*	*1.67*	*0.38*	*1.47*	*1.98*	*1.78*	*1.82*
Other station OP visit days, mean	0.72	0.35	0.42	0.08	0.31	0.31	0.49	0.51
SD	*3.19*	*1.82*	*1.76*	*0.47*	*1.69*	*2.00*	*1.97*	*2.31*

Table 4I FY03 Other Psychosis Patients, Pharmacy Utilization, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Other Psychosis Patients	49401	2785	277	480	420	557	571	480
Among all patients in the registry								
Pts. with any outpatient prescriptions, %	94.7%	94.5%	96.0%	93.5%	93.6%	93.9%	94.4%	96.2%
Patients with any oral antipsychotic fills, %*	41.4%	40.5%	46.9%	34.2%	40.0%	32.0%	43.3%	50.0%
Among pts. receiving any antipsychotic medication:								
Received only conventional antipsychotics, %	9.2%	14.8%	13.8%	13.4%	12.5%	28.7%	11.7%	10.8%
Received some atypical antipsychotics, %	90.8%	85.2%	86.2%	86.6%	87.5%	71.3%	88.3%	89.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %								
Aripiprazole	0.7%	0.5%	0.0%	0.0%	0.6%	1.1%	0.8%	0.4%
Clozapine	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Olanzapine	27.8%	22.2%	20.0%	25.0%	22.6%	14.0%	17.0%	32.5%
Quetiapine	29.2%	25.6%	26.2%	18.9%	21.4%	20.8%	26.3%	35.4%
Risperidone	46.2%	48.2%	54.6%	50.6%	53.6%	38.8%	55.1%	39.2%
Ziprasidone	3.6%	3.1%	0.8%	0.6%	1.8%	11.2%	2.0%	2.1%
Patients receiving only one kind** of antipsychotic, %	78.8%	80.2%	80.8%	82.9%	79.2%	82.6%	83.4%	73.8%
Concurrent use of 2 or more antipsychotics, % ***	5.1%	5.0%	4.6%	4.3%	3.6%	3.9%	0.8%	11.7%
Among pts receiving just one antipsychotic:								
Antipsychotic fills, mean	5.21	4.64	5.28	5.23	3.59	3.93	5.58	4.08
SD	*4.06*	*3.80*	*4.02*	*3.68*	*3.11*	*3.88*	*4.35*	*3.08*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5I: FY03 Other Psychosis Patients, Cost, VISN 9

	All VISNs	VISN 9	581 *Huntington*	596 *Lex.-Leestown*	603 *Louisville*	614 *Memphis*	621 *Mountain Home*	626 *Nashville*
Other Psychosis Patients	49401	2785	277	480	420	557	571	480
Total Costs (in thousands $$)	$692,791	$39,216	$4,164	$6,941	$5,373	$7,606	$9,293	$5,839
Station % of VISN		100.0%	10.6%	17.7%	13.7%	19.4%	23.7%	14.9%
Psych vs. Non-Psych Costs								
Psych	16.6%	29.1%	34.0%	25.9%	26.0%	29.6%	23.9%	39.9%
Non-Psych	83.4%	70.9%	66.0%	74.1%	74.0%	70.4%	76.1%	60.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use								
Per Patient	$16,509	$19,691	$10,753	$13,777	$14,618	$13,304	$7,962	$13,287
Per Day of Stay	$1,028	$1,305	$792	$1,333	$1,211	$699	$591	$597
Mean Outpatient Costs, Pts with some Outpatient use								
Per Patient	$6,046	$8,720	$5,309	$5,482	$7,190	$5,752	$6,056	$8,028
Per Visit Day	$310	$530	$302	$324	$411	$348	$335	$283
By Cost Center								
1 Med	$2,712	$2,443	$1,479	$2,159	$2,061	$1,724	$1,592	$942
2 Surg	$779	$748	$414	$640	$560	$449	$550	$423
3 Psych	$1,494	$4,629	$3,347	$2,482	$2,982	$2,842	$1,427	$3,064
4 Psych Res Rehab Treatment Program	$103	$534	$85	$49	$805	$112	$42	$460
5 Non-VA	$203	$139	$152	$134	$72	$187	$357	$247
6 LTC Domiciliary	$183	$625	$142	$247	$637	$280	$242	$239
7 LTC Intermediate Care	$276	$489	$254	$288	$141	$58	$54	$269
8 LTC Nursing Home	$1,672	$4,662	$1,504	$853	$3,421	$1,282	$1,076	$843
9 Contract Nursing Home	$578	$274	$233	$529	$869	$354	$378	$153
10 OPC Med/Surg	$1,281	$1,781	$898	$1,060	$1,246	$944	$1,028	$1,271
11 OPC Psych	$831	$2,124	$1,034	$855	$1,893	$1,016	$1,392	$2,756
12 OPC Home Based Treatment	$730	$1,233	$581	$476	$904	$555	$595	$670
13 OPC Support	$1,493	$1,648	$1,039	$1,159	$1,351	$1,222	$1,226	$1,415
14 OPC Fee	$231	$91	$145	$225	$102	$83	$197	$87
15 OPC Pharmacy	$1,460	$1,820	$1,591	$1,706	$1,676	$1,932	$1,619	$1,746
TOTAL	$14,024	$23,240	$12,901	$12,863	$18,720	$13,041	$11,775	$14,585
Mean % Patient Costs at Other Stations	3.3%	2.0%	4.8%	0.9%	1.2%	1.1%	2.0%	3.3%
SD	*11.9%*	*9.4%*	*14.9%*	*5.2%*	*6.3%*	*7.0%*	*9.0%*	*12.7%*
Mean % Patient Costs at Other VISNs	1.3%	1.1%	2.1%	0.4%	0.9%	0.9%	1.4%	1.5%
SD	*7.5%*	*6.8%*	*9.9%*	*3.1%*	*5.8%*	*5.9%*	*7.6%*	*7.9%*

Table 1F: FY03 Psychosis Patients, Demographics, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
All Patients	217760	9647	1302	1732	4201	1277	1135
Psychosis Diagnosis Group, %							
Schizophrenia	43.3%	47.1%	61.4%	30.1%	53.2%	41.5%	40.5%
Bipolar Disorder	34.0%	33.8%	25.1%	49.2%	26.1%	40.0%	41.8%
Other Psychoses	22.7%	19.1%	13.5%	20.7%	20.7%	18.5%	17.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age, %							
<35	4.9%	4.5%	3.7%	5.0%	4.0%	4.6%	6.3%
>=35 and <50	29.3%	31.8%	33.5%	34.0%	30.6%	32.7%	29.5%
>=50 and <65	38.1%	37.9%	41.8%	40.7%	36.6%	35.3%	37.1%
>=65 and <80	19.7%	18.6%	15.9%	15.0%	20.1%	20.0%	19.9%
>=80	8.2%	7.2%	5.1%	5.3%	8.6%	7.4%	7.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	56.89	56.18	55.12	54.48	57.20	56.17	56.26
SD	*14.35*	*14.03*	*12.70*	*13.27*	*14.36*	*14.39*	*14.59*
Gender							
Male, %	92.7%	93.3%	95.1%	92.0%	93.9%	91.5%	92.8%
Female, %	7.3%	6.7%	4.9%	8.0%	6.1%	8.5%	7.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %							
Hispanic white	4.8%	0.9%	0.2%	0.3%	1.5%	0.7%	0.4%
Hispanic black	0.4%	0.1%	0.0%	0.0%	0.2%	0.2%	0.2%
American Indian	0.3%	0.1%	0.2%	0.1%	0.1%	0.0%	0.2%
Black	18.6%	20.8%	10.9%	21.2%	24.8%	21.7%	15.8%
Asian	0.5%	0.1%	0.1%	0.0%	0.1%	0.2%	0.0%
White	54.9%	58.0%	80.3%	55.4%	55.5%	59.7%	43.5%
Race unknown	20.5%	20.0%	8.2%	23.0%	17.9%	17.5%	39.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status							
Never married	28.5%	28.7%	28.9%	24.7%	32.7%	26.7%	22.6%
Married	35.3%	32.7%	27.3%	35.1%	31.8%	32.5%	39.2%
Divorced/Separated	30.8%	33.0%	39.2%	35.0%	29.8%	35.5%	32.1%
Widowed	5.4%	5.5%	4.5%	5.3%	5.8%	5.3%	6.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
All Patients	217760	9647	1302	1732	4201	1277	1135
Registry Pts. History of VA Utilization							
Years since first use in prior five years, mean	4.33	4.26	4.47	4.31	4.20	4.25	4.16
SD	*1.24*	*1.29*	*1.13*	*1.24*	*1.32*	*1.29*	*1.36*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.9%	28.4%	39.9%	29.9%	25.2%	34.3%	17.1%
SD	*29.7%*	*30.8%*	*33.6%*	*29.8%*	*29.1%*	*33.3%*	*25.0%*
Years with OP use / Years since first use, %	96.7%	96.8%	96.9%	96.7%	97.4%	94.5%	97.2%
SD	*11.4%*	*11.3%*	*11.2%*	*10.8%*	*9.3%*	*17.0%*	*10.4%*
Psychosis Diagnoses in Prior Fiscal Year							
Had Psychosis Diagnosis in FY01, %	65.3%	68.0%	73.6%	65.5%	70.4%	64.4%	60.8%
Among Patients With Psychoses in FY01							
Psychosis Category: Schizophrenia, %	54.1%	57.4%	69.5%	37.2%	64.0%	53.1%	50.1%
Psychosis Category: Bipolar Disorder, %	33.9%	33.4%	25.1%	51.2%	25.6%	39.9%	41.6%
Psychosis Category: Other Psychosis, %	12.0%	9.2%	5.4%	11.6%	10.4%	7.0%	8.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %							
Dementia	6.2%	6.2%	6.0%	5.2%	6.0%	7.5%	7.5%
Post Traumatic Stress Disorder	15.4%	13.3%	13.0%	25.3%	9.0%	13.7%	11.0%
Depression	34.8%	32.6%	35.8%	41.7%	24.7%	39.6%	36.3%
Other Anxiety Disorder	12.0%	10.8%	17.3%	14.2%	7.2%	11.8%	10.5%
Substance Abuse or Dependence	23.3%	25.4%	28.5%	36.0%	23.3%	25.0%	14.3%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
All Patients	217760	9647	1302	1732	4201	1277	1135
Medical Comorbidities, %							
No medical comorbidities	15.2%	15.3%	9.0%	15.6%	16.5%	17.2%	15.7%
Anemia	8.2%	8.9%	9.2%	10.5%	8.7%	10.6%	5.4%
Arthritis	36.2%	35.3%	42.3%	40.4%	29.9%	36.4%	38.3%
Cancer	7.9%	7.5%	5.9%	10.5%	7.6%	6.5%	5.3%
Cerebrovascular Disease	6.7%	6.6%	6.1%	7.3%	6.5%	8.5%	4.5%
Chronic Neurologic Disorder	15.1%	15.5%	21.4%	16.4%	12.8%	16.7%	16.3%
Chronic Obstructive Pulmonary Disease	16.7%	17.3%	28.3%	16.3%	14.3%	18.3%	16.0%
Chronic Viral Infection	8.4%	8.0%	8.4%	11.3%	7.4%	7.7%	4.8%
Coronary Artery Disease	19.5%	23.5%	26.1%	18.9%	25.7%	20.4%	22.7%
Diabetes	20.0%	20.8%	21.1%	21.0%	19.8%	22.8%	21.7%
Digestive System Disease	43.5%	42.7%	53.4%	46.7%	38.6%	43.0%	39.6%
Hypertension	43.2%	46.0%	50.0%	47.1%	43.3%	48.5%	47.5%
Injury and Poisoning	17.9%	17.9%	24.9%	20.9%	14.7%	19.1%	15.9%
Liver Disease	3.6%	3.8%	3.8%	5.8%	3.5%	3.1%	3.0%
Other Endocrine	8.6%	9.1%	9.0%	8.6%	8.9%	10.7%	8.9%
Peripheral Vascular Disease	4.1%	4.2%	4.8%	5.4%	4.1%	3.6%	2.8%
GAF scores							
Lowest inpatient GAF score, mean	37.72	41.04	44.14	45.32	38.34	40.68	39.07
SD	*14.39*	*13.40*	*12.30*	*18.82*	*9.68*	*13.23*	*22.34*
Mean outpatient GAF score	50.52	51.01	49.64	49.02	49.23	52.09	59.85
SD	*11.04*	*11.21*	*9.99*	*10.60*	*11.36*	*7.94*	*11.68*
At least 1 IP GAF, among pts with MH bedsections, %	38.4%	38.5%	37.4%	40.7%	37.2%	30.0%	22.6%
At least 1 OP GAF, among pts with MH clinic stops, %	80.0%	79.0%	79.2%	81.1%	72.0%	76.6%	76.0%
Mortality rates							
died in FY02, %	3.1%	2.8%	3.7%	2.7%	2.6%	2.9%	2.6%
Age-and-gender-adjusted Standardized Mortality Ratio	1.32	1.27	1.99	1.47	1.08	1.28	1.14

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
All Patients	217760	9647	1302	1732	4201	1277	1135
Service Connection (SC)							
Non-SC	51.0%	56.7%	56.5%	53.7%	57.9%	57.9%	55.8%
SC 0 - 29%	8.7%	9.2%	9.3%	9.6%	8.8%	9.9%	9.4%
SC 30 - 69%	10.8%	11.3%	8.4%	14.0%	10.1%	10.6%	15.8%
SC 70 - 99%	7.3%	4.6%	4.1%	5.8%	3.8%	5.6%	5.0%
SC 100%	22.1%	18.2%	21.7%	16.9%	19.3%	16.1%	14.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %							
Complex*	17.3%	22.5%	36.8%	16.4%	24.2%	24.8%	6.4%
Basic vested, Cat A*	76.6%	72.1%	60.4%	78.8%	70.0%	69.4%	86.3%
Basic Non-vested, Cat A*	1.0%	0.9%	0.2%	1.4%	0.9%	0.5%	0.9%
Basic, Cats C and N	5.1%	4.5%	2.5%	3.3%	4.9%	5.3%	6.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded							
Patient eligibility category, %							
Cat A (SC or low income)	94.6%	95.3%	97.1%	96.5%	94.9%	94.4%	93.6%
Cat C (NSC and higher income)	4.7%	4.4%	2.8%	3.3%	4.8%	4.6%	6.3%
Non-Veteran	0.6%	0.3%	0.1%	0.2%	0.3%	0.9%	0.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %							
BASIC 1. Non-reliant Care	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%
2. Basic Medical	16.7%	13.0%	9.3%	11.4%	12.4%	12.1%	22.9%
3. Mental Health	36.3%	38.3%	28.8%	36.5%	41.1%	36.0%	44.1%
4. Heart / Lung / GI	7.7%	6.8%	5.2%	6.5%	6.7%	7.8%	7.8%
5. Oncology / Infectious Disease	3.9%	3.0%	3.4%	5.5%	2.0%	2.3%	3.1%
6. Multiple Medical	18.0%	16.4%	16.4%	23.6%	13.5%	16.8%	15.8%
COMPLEX 7. Specialized Care	2.6%	2.6%	2.3%	2.3%	3.1%	3.3%	0.5%
8. Support Care	2.8%	2.7%	2.7%	3.5%	2.7%	3.4%	0.9%
9. Chronic Mental	9.6%	13.3%	20.3%	9.2%	14.9%	14.3%	4.2%
10. Critically Ill	2.2%	4.0%	11.5%	1.4%	3.6%	3.8%	0.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
All Patients	217760	9647	1302	1732	4201	1277	1135
Substance Dependence and Abuse							
Any dx of alcohol / drug dependence or abuse, %	23.3%	25.4%	28.5%	36.0%	23.3%	25.0%	14.3%
Homelessness							
Homelessness indicated in FY02, %	11.5%	12.1%	14.0%	17.8%	11.0%	12.0%	5.3%
Residence in Metropolitan Area							
Residing in a Metropolitan Statistical Area, %	79.7%	80.6%	27.4%	96.2%	88.7%	85.9%	81.6%
Distance							
Mile from Closest VA Medical Center, mean	32.17	23.91	28.05	10.36	23.62	17.18	48.46
SD	*68.58*	*19.87*	*19.06*	*10.30*	*19.00*	*17.25*	*12.42*
Distance from closest VA Medical Center, %							
0 to 15 miles	49.0%	44.9%	27.4%	76.4%	44.9%	59.7%	0.2%
15 to 30 miles	16.3%	16.8%	21.0%	17.3%	18.2%	21.2%	0.9%
30 to 45 miles	10.3%	22.7%	33.6%	4.7%	23.3%	9.4%	50.7%
45 to 60 miles	8.1%	10.7%	10.4%	1.2%	9.7%	8.0%	32.8%
60 plus miles	16.2%	4.9%	7.6%	0.4%	4.0%	1.7%	15.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.73	8.37	12.30	7.36	7.26	8.29	9.58
SD	*13.09*	*7.93*	*10.05*	*6.70*	*7.01*	*7.87*	*8.55*
Distance to closest VA Service Site, %							
0 to 15 miles	77.0%	82.6%	59.8%	92.3%	86.3%	85.4%	77.0%
15 to 30 miles	14.9%	14.9%	36.1%	5.9%	11.8%	11.8%	19.3%
30 to 45 miles	5.7%	2.5%	4.1%	1.7%	2.0%	2.8%	3.7%
45 plus miles	2.4%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3F: FY03 Psychosis Patients, Utilization, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
All Patients	217760	9647	1302	1732	4201	1277	1135
Hospital Based Utilization							
Patients with some Hospital Based Utilization, %	27.2%	27.3%	41.3%	33.5%	23.1%	32.1%	11.9%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)							
Inpatient stays, mean	1.83	1.90	2.10	2.04	1.70	2.00	1.55
SD	*1.43*	*1.42*	*1.60*	*1.59*	*1.14*	*1.48*	*1.16*
Average LOS, mean	13.07	8.95	7.29	7.72	11.66	7.79	4.84
SD	*30.84*	*11.06*	*7.16*	*7.98*	*14.70*	*9.15*	*3.48*
Cumulative DOS, mean	21.85	16.74	16.11	14.70	19.68	16.55	7.46
SD	*40.46*	*22.48*	*20.85*	*14.97*	*24.63*	*29.31*	*6.60*
Cumulative DOS, %							
1 to 7	39.9%	41.4%	47.0%	40.4%	33.7%	45.1%	66.7%
8 to 14	21.8%	22.3%	19.3%	25.3%	23.4%	20.2%	19.3%
15 to 44	27.7%	29.0%	25.7%	28.9%	33.4%	28.0%	14.1%
45 to 89	6.9%	6.2%	6.7%	5.2%	7.6%	5.9%	0.0%
90 to 179	2.3%	0.8%	1.1%	0.2%	1.4%	0.2%	0.0%
180 to 359	0.9%	0.2%	0.2%	0.0%	0.5%	0.0%	0.0%
360+	0.6%	0.1%	0.0%	0.0%	0.0%	0.5%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	2.1%	0.6%	0.2%	0.2%	1.2%	0.5%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	237.76	187.94	207.00	121.00	162.42	365.00	0.00
SD	*95.14*	*78.19*	*0.00*	*0.00*	*38.54*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	1.3%	0.2%	0.2%	0.0%	0.3%	0.5%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	290.80	255.83	207.00	0.00	199.33	365.00	0.00
SD	*77.65*	*85.84*	*0.00*	*0.00*	*22.90*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.59	0.57	0.67	0.60	0.66	0.34	0.08
SD	*4.28*	*3.77*	*4.27*	*4.07*	*4.13*	*1.82*	*0.57*
Cumulative DOS at Other Stations	1.83	1.87	3.64	1.43	0.79	1.10	6.72
SD	*7.27*	*6.52*	*10.45*	*5.42*	*4.35*	*3.82*	*6.52*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
All Patients	217760	9647	1302	1732	4201	1277	1135
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)							
Pts. with non-psych hospital stays, %	14.0%	13.8%	22.4%	18.6%	10.1%	17.5%	6.7%
Inpatient stays, mean	0.85	0.91	0.96	1.10	0.72	1.04	0.93
SD	*1.20*	*1.33*	*1.27*	*1.57*	*1.13*	*1.44*	*1.32*
Average LOS, mean	7.54	6.39	5.77	5.50	7.03	7.92	4.53
SD	*13.36*	*9.51*	*5.11*	*7.89*	*10.06*	*14.75*	*2.98*
Cumulative Days of Stay, mean	6.52	6.03	5.67	6.05	5.12	9.23	4.30
SD	*17.31*	*15.64*	*10.80*	*11.92*	*12.33*	*28.85*	*6.53*
Cumulative Days of Stay, %							
0	48.5%	49.3%	45.9%	44.6%	56.3%	45.6%	43.7%
1 to 7	29.2%	29.8%	31.6%	33.0%	25.6%	30.7%	35.6%
8 to 14	9.8%	8.9%	10.0%	9.0%	8.2%	7.8%	11.9%
15 to 44	10.2%	9.9%	11.7%	11.5%	7.6%	11.0%	8.9%
45 to 89	1.8%	1.8%	0.6%	1.7%	1.8%	4.4%	0.0%
90 to 179	0.4%	0.2%	0.2%	0.2%	0.4%	0.0%	0.0%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.1%	0.0%	0.0%	0.0%	0.5%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.2%	0.0%	0.2%	0.2%	0.5%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	206.57	215.40	0.00	121.00	113.00	365.00	0.00
SD	*85.33*	*136.63*	*0.00*	*0.00*	*5.66*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.1%	0.0%	0.0%	0.0%	0.5%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	268.22	365.00	0.00	0.00	0.00	365.00	0.00
SD	*74.94*	*70.56*	*75.99*	*75.05*	*54.99*	*0.00*	*85.82*
Other VISN cumulative DOS, mean	*0.14*	*0.14*	*0.09*	*0.20*	*0.17*	*0.10*	*0.01*
SD	1.82	1.69	0.76	2.09	2.12	0.90	0.17
Other station cumulative DOS, mean	0.51	0.78	1.77	0.34	0.20	0.57	3.56
SD	*3.43*	*4.03*	*6.77*	*2.47*	*2.15*	*2.78*	*6.12*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
All Patients	217760	9647	1302	1732	4201	1277	1135
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)							
Pts. with psych hospital stays, %	15.8%	16.6%	26.0%	19.6%	14.7%	18.6%	5.9%
Inpatient stays, mean	0.98	0.98	1.14	0.95	0.98	0.96	0.61
SD	*1.28*	*1.19*	*1.41*	*1.22*	*1.05*	*1.22*	*0.74*
Average LOS, mean	17.54	10.82	8.46	9.53	14.56	7.86	5.16
SD	*38.98*	*11.93*	*8.42*	*7.17*	*16.18*	*5.87*	*4.02*
Cumulative Days of Stay, mean	15.33	10.72	10.44	8.66	14.56	7.39	3.16
SD	*38.37*	*18.90*	*19.43*	*12.58*	*24.01*	*11.58*	*4.93*
Cumulative Days of Stay, %							
0	41.8%	39.3%	37.2%	41.7%	36.4%	42.2%	50.4%
1 to 7	18.6%	21.5%	30.5%	19.3%	13.9%	25.4%	38.5%
8 to 14	14.1%	15.7%	12.1%	20.1%	16.9%	14.9%	5.9%
15 to 44	17.8%	18.6%	14.1%	16.2%	25.5%	16.1%	5.2%
45 to 89	4.7%	4.0%	5.0%	2.8%	5.9%	1.2%	0.0%
90 to 179	1.7%	0.6%	0.9%	0.0%	0.9%	0.2%	0.0%
180 to 359	0.8%	0.2%	0.2%	0.0%	0.5%	0.0%	0.0%
360+	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	1.8%	0.4%	0.2%	0.0%	1.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	239.50	175.45	207.00	0.00	172.30	0.00	0.00
SD	*96.26*	*33.97*	*0.00*	*0.00*	*34.06*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.2%	0.2%	0.2%	0.0%	0.3%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	291.18	201.25	207.00	0.00	199.33	0.00	0.00
SD	*78.31*	*19.09*	*0.00*	*0.00*	*22.90*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.45	0.43	0.58	0.41	0.49	0.24	0.07
SD	*3.83*	*3.36*	*4.20*	*3.51*	*3.55*	*1.45*	*0.55*
Other station cumulative DOS, mean	1.32	1.09	1.87	1.09	0.59	0.54	3.16
SD	*6.36*	*5.18*	*8.21*	*4.87*	*3.78*	*2.40*	*4.93*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
All Patients	217760	9647	1302	1732	4201	1277	1135
Other 24 hour institutional care							
Patients with some other 24 hour institutional care, %	8.5%	15.5%	32.8%	11.1%	13.9%	18.7%	5.1%
Residential Rehab (rep. for those w/ res rehab care)							
Patients with some residential rehab. care, %	1.8%	5.5%	15.6%	5.5%	4.6%	0.5%	3.2%
Number stays, mean	*1.12*	*1.17*	*1.26*	*1.11*	*1.11*	*1.00*	*1.19*
SD	0.38	0.46	0.57	0.41	0.33	0.00	0.47
Average LOS, mean	34.01	19.19	12.79	14.47	30.53	10.29	8.74
SD	*38.25*	*21.11*	*9.38*	*7.54*	*30.00*	*6.26*	*7.31*
Cumulative DOS, mean	37.28	21.48	15.44	15.76	33.17	10.29	10.25
SD	*40.79*	*22.52*	*11.70*	*8.86*	*31.52*	*6.26*	*8.22*
Cumulative Days of Stay, %							
1 to 7	12.3%	22.8%	28.1%	22.9%	11.9%	42.9%	47.2%
8 to 14	12.7%	20.2%	28.6%	17.7%	10.9%	28.6%	27.8%
15 to 44	50.7%	48.8%	40.9%	58.3%	57.5%	28.6%	25.0%
45 to 89	15.8%	6.5%	2.5%	1.0%	15.0%	0.0%	0.0%
90 to 179	7.0%	1.5%	0.0%	0.0%	4.1%	0.0%	0.0%
180 to 359	1.3%	0.2%	0.0%	0.0%	0.5%	0.0%	0.0%
360+	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.3%	1.1%	0.0%	0.0%	3.1%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	175.66	155.83	0.00	0.00	155.83	0.00	0.00
SD	*75.56*	*62.12*	*0.00*	*0.00*	*62.12*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.9%	0.4%	0.0%	0.0%	1.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	237.86	224.50	0.00	0.00	224.50	0.00	0.00
SD	*73.07*	*64.35*	*0.00*	*0.00*	*64.35*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.12	0.24	0.15	0.00	0.00	3.00	2.08
SD	*6.40*	*2.58*	*2.18*	*0.00*	*0.00*	*7.94*	*7.59*
Other station cumulative DOS, mean	3.58	1.33	0.41	1.83	0.05	10.29	10.25
SD	*10.93*	*4.65*	*3.37*	*5.27*	*0.52*	*6.26*	*8.22*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
All Patients	217760	9647	1302	1732	4201	1277	1135
Domiciliary and Vocational (reported for those with some dom/voc care)							
Patients with some dom/voc care, %	2.8%	5.5%	5.2%	5.7%	5.2%	10.4%	0.6%
Number stays, mean	1.13	1.17	1.19	1.13	1.18	1.18	1.00
SD	*0.38*	*0.41*	*0.43*	*0.34*	*0.41*	*0.46*	*0.00*
Average LOS, mean	85.20	55.64	38.15	64.25	50.33	69.15	14.14
SD	*90.51*	*57.36*	*38.65*	*45.78*	*47.36*	*80.78*	*19.03*
Cumulative DOS, mean	92.74	63.40	46.34	69.29	59.89	76.14	14.14
SD	*94.18*	*63.43*	*51.21*	*46.35*	*58.37*	*83.37*	*19.03*
Cumulative Days of Stay, %							
1 to 7	6.9%	7.2%	8.8%	7.1%	7.7%	3.8%	42.9%
8 to 14	6.1%	7.4%	7.4%	3.0%	9.5%	6.0%	28.6%
15 to 44	29.6%	39.8%	55.9%	27.3%	43.2%	36.8%	14.3%
45 to 89	19.5%	19.2%	8.8%	30.3%	13.2%	26.3%	14.3%
90 to 179	22.9%	21.4%	16.2%	29.3%	21.8%	18.8%	0.0%
180 to 359	10.1%	3.6%	2.9%	3.0%	4.5%	3.0%	0.0%
360+	5.0%	1.3%	0.0%	0.0%	0.0%	5.3%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	31.6%	19.0%	11.8%	21.2%	20.5%	19.5%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	203.50	164.82	161.75	137.24	155.69	203.85	0.00
SD	*90.08*	*68.43*	*45.25*	*32.18*	*44.01*	*106.56*	*0.00*
Dom. patients with 150+ day Dom. stay, %	18.0%	8.2%	5.9%	7.1%	8.2%	10.5%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	259.61	219.56	195.00	178.43	196.00	277.43	0.00
SD	*79.66*	*71.75*	*29.65*	*9.20*	*37.80*	*95.14*	*0.00*
Other VISN cumulative DOS, mean	1.54	0.55	0.60	0.31	0.07	1.13	7.29
SD	*8.76*	*5.26*	*3.84*	*3.12*	*1.08*	*8.59*	*19.28*
Other station cumulative DOS, mean	3.75	1.50	2.38	1.22	0.35	2.51	14.14
SD	*14.14*	*9.05*	*7.60*	*6.01*	*3.36*	*14.92*	*19.03*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
All Patients	217760	9647	1302	1732	4201	1277	1135
Nursing Home Care							
(reported for those with some nursing home care)							
Patients with some nursing home care, %	4.5%	6.8%	18.7%	2.4%	5.7%	8.4%	1.8%
Number stays, mean	1.24	1.25	1.36	1.24	1.17	1.21	1.10
SD	*0.60*	*0.59*	*0.68*	*0.49*	*0.51*	*0.61*	*0.31*
Average LOS, mean	99.56	86.13	85.73	87.09	66.71	142.45	21.60
SD	*118.68*	*102.03*	*93.07*	*105.78*	*74.03*	*150.35*	*22.75*
Cumulative DOS, mean	111.19	97.96	105.56	95.34	74.79	147.36	25.65
SD	*123.23*	*106.71*	*104.14*	*106.30*	*78.31*	*148.45*	*32.62*
Cumulative Days of Stay, %							
1 to 7	9.0%	7.5%	7.4%	4.9%	5.8%	7.5%	35.0%
8 to 14	10.6%	7.7%	8.2%	2.4%	5.8%	11.2%	15.0%
15 to 44	27.5%	30.8%	23.4%	39.0%	38.2%	27.1%	35.0%
45 to 89	15.4%	19.0%	20.1%	24.4%	22.8%	7.5%	10.0%
90 to 179	13.8%	16.7%	20.9%	12.2%	16.6%	11.2%	5.0%
180 to 359	11.4%	11.8%	16.0%	7.3%	9.5%	11.2%	0.0%
360+	12.4%	6.6%	4.1%	9.8%	1.2%	24.3%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	33.0%	30.3%	36.9%	26.8%	20.7%	43.0%	5.0%
Cumul. DOS, patients with a 100+ day NH stay, mean	263.62	234.11	217.72	243.55	200.54	302.54	135.00
SD	*97.17*	*94.56*	*88.05*	*99.98*	*79.58*	*88.76*	*0.00*
NH patients with 150+ day NH stay, %	25.7%	20.8%	24.2%	22.0%	11.2%	38.3%	0.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	299.88	279.01	262.14	267.78	249.89	324.93	0.00
SD	*76.08*	*77.76*	*75.52*	*94.10*	*68.63*	*64.21*	*0.00*
Other VISN cumulative DOS, mean	0.41	0.36	0.11	0.00	0.66	0.41	0.05
SD	*5.60*	*4.61*	*1.79*	*0.00*	*6.81*	*4.25*	*0.22*
Other station cumulative DOS, mean	1.17	2.02	0.48	4.56	0.79	2.87	25.65
SD	*8.68*	*10.23*	*4.08*	*13.34*	*7.08*	*10.82*	*32.62*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
All Patients	217760	9647	1302	1732	4201	1277	1135
Outpatient utilization							
(reported for those with some outpatient care)							
Patients with some outpatient care, %	99.1%	99.2%	99.1%	99.6%	99.7%	96.9%	99.8%
annual visit days, mean	24.61	27.92	31.79	29.61	28.03	27.05	21.50
SD	*33.05*	*33.74*	*36.58*	*33.87*	*33.15*	*36.63*	*27.61*
Outpatient visit days, %							
1-12	44.2%	37.9%	29.9%	35.2%	37.1%	43.1%	48.6%
13-24	26.4%	26.3%	29.1%	24.1%	27.0%	25.7%	24.9%
25-36	11.9%	13.3%	15.0%	14.7%	13.1%	10.6%	13.3%
37-48	5.9%	7.5%	8.5%	8.2%	7.8%	6.3%	5.0%
49+	11.5%	14.9%	17.4%	17.7%	15.0%	14.4%	8.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	79.4%	79.4%	87.4%	76.3%	77.2%	77.4%	85.3%
Mean PC visit days, among those with some PC	3.84	3.82	5.39	3.60	3.38	4.39	3.21
SD	3.72	3.35	4.57	3.16	2.81	3.74	2.38
Average number clinic stops per visit day, mean	1.49	1.42	1.53	1.54	1.34	1.45	1.35
SD	*0.47*	*0.40*	*0.49*	*0.42*	*0.37*	*0.40*	*0.32*
annual clinic stops (psych & non-psych), mean	37.56	41.62	52.08	46.82	39.66	41.48	29.20
SD	*56.64*	*56.81*	*67.44*	*56.52*	*55.70*	*60.40*	*38.11*
annual non-psych. clinic stops, mean	20.14	18.08	19.70	19.22	16.85	19.96	17.00
SD	*25.25*	*20.04*	*17.39*	*20.17*	*18.79*	*27.06*	*17.61*
annual psych. clinic stops (groupings below), mean	17.42	23.54	32.38	27.60	22.81	21.52	12.21
SD	*43.44*	*48.10*	*61.90*	*49.53*	*46.15*	*48.24*	*28.18*
1. general psych. clinic stops, mean	7.22	9.73	14.47	8.33	10.19	8.57	6.01
SD	*13.49*	*16.05*	*21.62*	*13.73*	*15.88*	*16.70*	*8.80*
2. psych. case management clinic stops, mean	1.44	2.72	3.57	1.70	3.37	2.38	1.26
SD	*12.10*	*14.33*	*16.31*	*9.28*	*16.87*	*11.89*	*9.38*
3. psych. day treatment clinic stops, mean	2.80	2.87	3.31	5.38	2.40	0.02	3.36
SD	*21.66*	*19.10*	*16.13*	*24.89*	*19.82*	*0.48*	*19.33*
4. substance abuse clinic stops, mean	3.26	5.44	5.28	9.81	5.15	4.57	1.01
SD	*19.07*	*22.33*	*17.93*	*33.69*	*20.05*	*22.57*	*5.58*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
All Patients	217760	9647	1302	1732	4201	1277	1135
5. psych. vocational clinic stops, mean	1.73	1.70	5.27	0.36	0.75	4.65	0.01
SD	*15.65*	*14.69*	*26.14*	*3.24*	*9.31*	*24.89*	*0.21*
6. PTSD clinic stops, mean	0.56	0.57	0.26	1.06	0.43	0.93	0.34
SD	*4.85*	*5.35*	*1.41*	*6.19*	*4.61*	*9.33*	*2.59*
7. psych. homeless clinic stops, mean	0.41	0.53	0.33	0.95	0.53	0.40	0.28
SD	*3.32*	*3.23*	*1.61*	*4.22*	*3.53*	*2.49*	*2.25*
Other VISN OP visit days, mean	0.36	0.39	0.51	0.50	0.36	0.41	0.16
SD	2.35	2.84	2.80	3.46	2.59	3.68	1.07
Other station OP visit days, mean	0.91	1.05	2.77	0.89	0.45	1.09	1.50
SD	3.87	4.58	6.79	4.45	3.39	5.39	3.96

Table 4F: FY03 Psychosis Patients, Pharmacy Utilization, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
All Patients	217760	9647	1302	1732	4201	1277	1135
Among all patients in the registry							
Pts. with any outpatient prescriptions, %	95.5%	96.1%	96.6%	96.3%	96.2%	94.0%	97.4%
Patients with any oral antipsychotic fills, %*	59.2%	61.1%	68.3%	63.5%	62.4%	54.5%	51.7%
Among patients receiving antipsychotics:							
Received only conventional antipsychotics, %	12.3%	11.8%	13.0%	7.3%	13.6%	13.4%	8.9%
Received some atypical antipsychotics, %	87.7%	88.2%	87.0%	92.7%	86.4%	86.6%	91.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %							
Aripiprazole	1.2%	2.1%	2.8%	5.3%	1.1%	0.9%	0.9%
Clozapine	1.8%	3.8%	5.4%	2.0%	5.4%	0.9%	1.2%
Olanzapine	35.8%	36.7%	23.5%	43.1%	40.8%	36.4%	26.4%
Quetiapine	26.2%	29.5%	37.0%	39.0%	21.7%	25.1%	40.4%
Risperidone	36.7%	30.5%	31.2%	26.5%	29.4%	35.6%	35.9%
Ziprasidone	5.2%	6.0%	8.0%	6.1%	5.8%	6.5%	3.6%
Patients receiving only one kind** of antipsychotic, %	73.8%	72.8%	64.7%	68.6%	75.3%	76.7%	77.0%
Concurrent use of 2 or more antipsychotics, % ***	11.3%	11.0%	16.6%	12.0%	10.9%	4.9%	8.2%
Among pts receiving just one antipsychotic:							
Antipsychotic fills, mean	7.06	7.75	8.52	6.33	8.24	7.04	7.83
SD	*5.06*	*6.64*	*6.02*	*4.75*	*7.98*	*4.67*	*5.03*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5F: FY03 Psychosis Patients, Cost, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
All Patients	217760	9647	1302	1732	4201	1277	1135
Total Costs (in thousands $$)	$3,237,460	$155,646	$32,659	$29,274	$62,993	$21,943	$8,776
Station % of VISN		100.0%	21.0%	18.8%	40.5%	14.1%	5.6%
Psych vs. Non-Psych Costs							
Psych	30.3%	27.1%	21.1%	33.7%	32.6%	14.5%	19.8%
Non-Psych	69.7%	72.9%	78.9%	66.3%	67.4%	85.5%	80.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use							
Per Patient	$18,395	$17,388	$16,117	$18,516	$20,836	$12,398	$7,946
Per Day of Stay	$842	$1,039	$1,001	$1,259	$1,059	$749	$1,065
Mean Outpatient Costs, Pts with some Outpatient use							
Per Patient	$6,757	$6,826	$7,795	$8,385	$6,325	$6,217	$5,868
Per Visit Day	$275	$244	$245	$283	$226	$230	$273
Mean Patient Costs, By Cost Center							
1 Med	$1,582	$1,672	$2,421	$2,443	$1,358	$2,034	$393
2 Surg	$536	$580	$501	$907	$603	$482	$195
3 Psych	$2,886	$2,497	$3,737	$2,861	$2,855	$1,465	$357
4 Psych Res Rehab Treatment Program	$218	$615	$911	$290	$972	$21	$120
5 Non-VA	$205	$112	$147	$157	$49	$117	$230
6 LTC Domiciliary	$327	$454	$340	$462	$155	$1,918	$31
7 LTC Intermediate Care	$167	$65	$22	$4	$56	$282	$0
8 LTC Nursing Home	$1,785	$2,901	$8,615	$1,134	$2,152	$4,330	$212
9 Contract Nursing Home	$467	$462	$666	$292	$489	$508	$336
10 OPC Med/Surg	$1,071	$935	$858	$1,481	$728	$1,110	$756
11 OPC Psych	$1,624	$1,881	$1,564	$2,842	$2,031	$1,029	$1,175
12 OPC Home Based Treatment	$751	$1,140	$2,069	$649	$1,120	$1,118	$921
13 OPC Support	$1,322	$1,136	$1,193	$1,498	$1,027	$1,061	$1,006
14 OPC Fee	$148	$169	$135	$318	$81	$180	$290
15 OPC Pharmacy	$1,778	$1,515	$1,904	$1,562	$1,318	$1,529	$1,708
TOTAL	$14,867	$16,134	$25,084	$16,902	$14,995	$17,183	$7,732
Mean % Patient Costs at Other Stations	3.9%	4.1%	8.4%	2.9%	1.6%	4.3%	9.8%
SD	*12.8%*	*13.0%*	*15.6%*	*10.8%*	*8.4%*	*13.5%*	*20.8%*
Mean % Patient Costs at Other VISNs	1.5%	1.3%	1.5%	1.5%	1.2%	1.5%	1.1%
SD	*8.0%*	*7.5%*	*7.5%*	*7.8%*	*7.3%*	*8.7%*	*6.6%*

Table 1G: FY03 Schizophrenic Patients, Demographics, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Schizophrenic Patients	94395	4544	799	521	2234	530	460
Age, %							
<35	3.9%	3.1%	2.6%	4.0%	3.0%	2.6%	3.9%
>=35 and <50	32.5%	34.7%	31.7%	36.3%	35.3%	34.7%	34.8%
>=50 and <65	44.6%	45.3%	47.6%	46.3%	45.3%	42.3%	44.3%
>=65 and <80	15.7%	14.1%	14.5%	10.6%	13.9%	17.2%	15.0%
>=80	3.3%	2.8%	3.6%	2.9%	2.5%	3.2%	2.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	54.59	54.13	54.99	53.00	53.99	54.91	53.71
SD	*11.97*	*11.46*	*11.43*	*11.36*	*11.26*	*11.98*	*11.83*
Gender							
Male, %	94.6%	94.5%	96.7%	93.1%	95.0%	92.1%	92.2%
Female, %	5.4%	5.5%	3.3%	6.9%	5.0%	7.9%	7.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %							
Hispanic white	6.9%	1.1%	0.3%	0.4%	1.7%	0.8%	0.4%
Hispanic black	0.6%	0.2%	0.0%	0.0%	0.2%	0.2%	0.4%
American Indian	0.3%	0.1%	0.3%	0.0%	0.1%	0.0%	0.2%
Black	26.5%	28.7%	13.5%	31.9%	34.0%	29.2%	24.6%
Asian	0.8%	0.1%	0.0%	0.0%	0.1%	0.4%	0.0%
White	52.4%	59.2%	82.2%	51.4%	54.4%	62.3%	47.8%
Race unknown	12.5%	10.7%	3.8%	16.3%	9.4%	7.2%	26.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status							
Never married	42.4%	42.8%	38.8%	40.4%	47.3%	38.9%	34.6%
Married	24.6%	20.9%	19.3%	22.3%	20.0%	20.3%	27.3%
Divorced/Separated	29.5%	33.1%	38.9%	33.5%	30.0%	36.4%	34.1%
Widowed	3.5%	3.2%	3.0%	3.8%	2.7%	4.4%	4.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Schizophrenic Patients	94395	4544	799	521	2234	530	460
Registry Pts. History of VA Utilization							
Years since first use in prior five years, mean	4.6	4.60	4.68	4.55	4.60	4.66	4.49
SD	*1.0*	*0.98*	*0.87*	*1.05*	*0.99*	*0.88*	*1.09*
Yrs with 24-hour institutional use / yrs since 1st use, %	27.3%	31.2%	42.4%	30.6%	28.2%	36.7%	20.3%
SD	*30.9%*	*31.9%*	*33.9%*	*30.8%*	*30.0%*	*35.7%*	*26.8%*
Years with OP use / Years since first use, %	96.7%	97.0%	96.8%	97.6%	97.9%	92.6%	97.7%
SD	*12.4%*	*11.7%*	*11.8%*	*10.3%*	*8.5%*	*21.0%*	*10.1%*
Psychosis Diagnoses in Prior Fiscal Year							
Had Psychosis Diagnosis in FY01, %	82.2%	83.8%	85.4%	82.9%	85.4%	81.9%	76.3%
Among Patients With Psychoses in FY01							
Psychosis Category: Schizophrenia, %	94.8%	95.9%	95.0%	93.5%	97.1%	95.4%	94.6%
Psychosis Category: Bipolar Disorder, %	2.6%	2.7%	3.8%	4.4%	1.6%	2.8%	4.3%
Psychosis Category: Other Psychosis, %	2.5%	1.4%	1.2%	2.1%	1.4%	1.8%	1.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %							
Dementia	2.3%	2.4%	4.5%	1.3%	2.1%	2.1%	1.3%
Post Traumatic Stress Disorder	11.9%	9.5%	10.4%	17.7%	6.3%	11.1%	12.2%
Depression	25.7%	22.9%	26.9%	29.0%	16.8%	30.0%	30.4%
Other Anxiety Disorder	8.7%	7.9%	13.6%	9.2%	4.9%	9.8%	8.7%
Substance Abuse or Dependence	22.3%	25.4%	25.7%	33.4%	25.0%	26.4%	16.7%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Schizophrenic Patients	94395	4544	799	521	2234	530	460
Medical Comorbidities, %							
No medical comorbidities	18.7%	18.3%	9.8%	19.8%	20.3%	21.5%	17.8%
Anemia	7.1%	8.3%	9.8%	9.6%	7.9%	8.1%	6.1%
Arthritis	29.7%	29.1%	34.4%	30.5%	25.0%	29.2%	37.8%
Cancer	6.1%	5.5%	4.9%	8.4%	5.5%	5.5%	3.0%
Cerebrovascular Disease	3.8%	4.1%	4.5%	4.4%	4.0%	4.9%	2.6%
Chronic Neurologic Disorder	12.4%	13.0%	19.1%	11.7%	10.7%	13.4%	14.3%
Chronic Obstructive Pulmonary Disease	16.5%	18.2%	29.2%	15.2%	14.9%	17.7%	18.7%
Chronic Viral Infection	8.7%	8.5%	8.0%	11.7%	8.4%	8.3%	6.7%
Coronary Artery Disease	14.6%	19.6%	21.5%	13.8%	21.4%	14.5%	19.8%
Diabetes	20.3%	20.2%	20.8%	20.2%	19.0%	22.3%	23.0%
Digestive System Disease	44.1%	44.9%	52.7%	47.2%	41.3%	44.0%	47.6%
Hypertension	40.7%	43.0%	48.6%	41.1%	40.1%	45.3%	47.0%
Injury and Poisoning	15.5%	17.2%	22.7%	19.4%	14.6%	18.9%	15.9%
Liver Disease	3.2%	3.7%	3.6%	6.0%	3.5%	2.1%	3.7%
Other Endocrine	6.9%	8.0%	8.5%	8.4%	7.6%	8.3%	7.8%
Peripheral Vascular Disease	2.9%	3.1%	3.8%	4.8%	2.8%	2.5%	2.6%
GAF scores							
Lowest inpatient GAF score, mean	36.19	39.52	42.54	48.40	36.32	41.38	43.50
SD	*14.35*	*13.44*	*13.80*	*22.50*	*10.17*	*12.56*	*13.63*
Mean outpatient GAF score	48.84	48.87	47.42	46.86	46.51	51.44	59.89
SD	*10.59*	*10.74*	*8.76*	*8.87*	*10.63*	*7.01*	*11.61*
At least 1 IP GAF, among pts with MH bedsections, %	38.5%	37.4%	28.6%	28.6%	45.0%	43.5%	8.6%
At least 1 OP GAF, among pts with MH clinic stops, %	80.5%	79.2%	80.2%	75.0%	75.2%	92.6%	87.6%
Mortality rates							
died in FY02, %	2.7%	2.6%	4.1%	2.1%	2.3%	2.5%	2.0%
Age-and-gender-adjusted Standardized Mortality Ratio	1.68	1.72	0.00	0.00	0.00	0.00	0.00

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Schizophrenic Patients	94395	4544	799	521	2234	530	460
Service Connection (SC)							
Non-SC	40.8%	48.4%	50.1%	42.8%	48.6%	51.3%	47.8%
SC 0 - 29%	6.8%	7.5%	8.0%	8.4%	6.9%	8.3%	7.2%
SC 30 - 69%	8.8%	8.9%	6.4%	10.4%	8.6%	7.9%	14.1%
SC 70 - 99%	6.6%	4.8%	3.5%	6.1%	4.3%	5.7%	6.3%
SC 100%	37.0%	30.4%	32.0%	32.2%	31.5%	26.8%	24.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %							
Complex*	22.5%	31.6%	47.1%	23.8%	31.7%	32.8%	11.7%
Basic vested, Cat A*	74.7%	66.1%	51.2%	74.3%	65.9%	64.5%	85.0%
Basic Non-vested, Cat A*	1.2%	0.8%	0.4%	1.0%	1.0%	0.4%	0.7%
Basic, Cats C and N	1.7%	1.6%	1.4%	1.0%	1.4%	2.3%	2.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded							
Patient eligibility category, %							
Cat A (SC or low income)	98.2%	98.3%	98.4%	98.8%	98.5%	97.4%	97.4%
Cat C (NSC and higher income)	1.4%	1.5%	1.5%	1.2%	1.3%	1.5%	2.4%
Non-Veteran	0.5%	0.3%	0.1%	0.0%	0.2%	1.1%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %							
BASIC 1. Non-reliant Care	0.2%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
2. Basic Medical	13.3%	8.9%	7.3%	6.5%	8.3%	10.0%	15.9%
3. Mental Health	38.5%	38.0%	26.5%	39.3%	41.1%	35.3%	44.3%
4. Heart / Lung / GI	5.8%	4.7%	3.5%	6.3%	4.4%	4.9%	6.1%
5. Oncology / Infectious Disease	3.6%	2.5%	2.6%	5.8%	1.5%	2.6%	3.0%
6. Multiple Medical	16.1%	14.3%	12.9%	18.2%	12.9%	14.3%	18.9%
COMPLEX 7. Specialized Care	1.9%	1.7%	2.4%	2.3%	1.7%	1.5%	0.4%
8. Support Care	2.3%	2.4%	2.8%	1.7%	2.7%	2.6%	0.9%
9. Chronic Mental	15.7%	21.9%	28.2%	17.7%	22.8%	24.5%	8.7%
10. Critically Ill	2.6%	5.5%	13.8%	2.1%	4.5%	4.2%	1.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Schizophrenic Patients	94395	4544	799	521	2234	530	460
Substance Dependence and Abuse							
Any dx of alcohol / drug dependence or abuse, %	22.3%	25.4%	25.7%	33.4%	25.0%	26.4%	16.7%
Homelessness							
Homelessness indicated in FY02, %	12.0%	12.4%	12.6%	19.0%	11.6%	13.2%	7.6%
Residence in Metropolitan Area							
Residing in a Metropolitan Statistical Area, %	81.5%	77.5%	23.2%	97.1%	87.7%	90.4%	85.4%
Distance							
Mile from Closest VA Medical Center, mean	28.72	23.05	25.12	8.91	22.27	15.98	47.39
SD	*55.48*	*19.64*	*18.03*	*9.96*	*18.96*	*17.82*	*11.72*
Distance from closest VA Medical Center, %							
0 to 15 miles	52.9%	46.6%	31.9%	80.8%	49.0%	64.9%	0.2%
15 to 30 miles	15.5%	15.6%	22.5%	15.0%	15.8%	18.1%	0.7%
30 to 45 miles	9.7%	23.2%	32.0%	2.9%	22.0%	6.0%	56.3%
45 to 60 miles	7.4%	10.8%	9.3%	0.8%	10.2%	9.4%	30.0%
60 plus miles	14.4%	3.8%	4.3%	0.6%	3.0%	1.5%	12.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	9.84	8.08	12.06	6.45	7.17	7.13	8.50
SD	*11.95*	*8.15*	*10.03*	*5.91*	*7.52*	*7.43*	*8.28*
Distance to closest VA Service Site, %							
0 to 15 miles	79.4%	81.8%	59.9%	94.4%	85.2%	89.1%	80.2%
15 to 30 miles	13.6%	15.5%	36.8%	4.6%	11.9%	8.3%	16.7%
30 to 45 miles	5.1%	2.8%	3.3%	1.0%	3.0%	2.6%	3.0%
45 plus miles	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Schizophrenic Patients	94395	4544	799	521	2234	530	460
Hospital Based Utilization							
Patients with some Hospital Based Utilization, %	27.0%	29.0%	40.3%	32.4%	26.5%	30.2%	15.7%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)							
Inpatient stays, mean	1.85	1.89	2.19	1.98	1.70	2.05	1.51
SD	*1.45*	*1.38*	*1.63*	*1.77*	*1.10*	*1.36*	*0.82*
Average LOS, mean	17.65	10.02	8.53	9.49	12.12	8.27	4.48
SD	*42.51*	*10.79*	*7.91*	*11.52*	*11.68*	*12.13*	*2.75*
Cumulative DOS, mean	28.76	19.19	19.98	17.18	20.82	18.98	7.36
SD	*53.29*	*25.96*	*24.59*	*18.77*	*23.83*	*42.05*	*6.70*
Cumulative DOS, %							
1 to 7	35.1%	37.2%	39.1%	38.5%	29.8%	44.4%	70.8%
8 to 14	20.7%	21.0%	19.3%	23.1%	21.9%	21.3%	15.3%
15 to 44	29.0%	32.2%	29.8%	30.2%	37.4%	28.1%	13.9%
45 to 89	9.0%	8.1%	9.6%	7.7%	9.3%	5.0%	0.0%
90 to 179	3.4%	1.0%	1.9%	0.6%	1.0%	0.0%	0.0%
180 to 359	1.5%	0.3%	0.3%	0.0%	0.5%	0.0%	0.0%
360+	1.2%	0.2%	0.0%	0.0%	0.0%	1.3%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	3.8%	0.8%	0.3%	0.6%	1.0%	1.3%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	249.93	207.20	207.00	121.00	169.00	365.00	0.00
SD	*96.37*	*89.20*	*0.00*	*0.00*	*33.55*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	2.5%	0.3%	0.3%	0.0%	0.2%	1.3%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.78	279.50	207.00	0.00	181.00	365.00	0.00
SD	*75.28*	*99.30*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.65	0.62	0.83	0.91	0.56	0.36	0.07
SD	*4.66*	*4.28*	*5.03*	*5.97*	*3.98*	*1.76*	*0.59*
Cumulative DOS at Other Stations	2.06	2.22	4.63	2.22	0.73	0.98	6.43
SD	*8.11*	*7.76*	*12.35*	*7.76*	*4.33*	*3.02*	*6.47*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Schizophrenic Patients	94395	4544	799	521	2234	530	460
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)							
Pts. with non-psych hospital stays, %	11.8%	12.8%	21.5%	15.0%	9.6%	14.3%	9.1%
Inpatient stays, mean	0.71	0.76	0.93	0.86	0.59	0.83	0.92
SD	*1.11*	*1.18*	*1.21*	*1.50*	*1.05*	*1.22*	*1.03*
Average LOS, mean	8.26	6.70	6.60	6.49	6.40	9.02	4.82
SD	*16.10*	*11.26*	*5.16*	*13.87*	*7.94*	*23.06*	*3.00*
Cumulative Days of Stay, mean	6.10	5.41	6.44	5.50	3.87	9.29	4.65
SD	*19.61*	*17.90*	*12.23*	*14.31*	*9.60*	*41.77*	*6.50*
Cumulative Days of Stay, %							
0	56.2%	55.8%	46.6%	53.8%	63.9%	52.5%	41.7%
1 to 7	24.8%	26.1%	27.0%	29.6%	21.6%	31.9%	37.5%
8 to 14	8.1%	7.8%	10.9%	5.9%	6.6%	7.5%	9.7%
15 to 44	8.5%	8.7%	14.6%	8.3%	6.4%	4.4%	11.1%
45 to 89	1.7%	1.4%	0.6%	1.8%	1.5%	2.5%	0.0%
90 to 179	0.5%	0.2%	0.3%	0.6%	0.0%	0.0%	0.0%
180 to 359	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.2%	0.0%	0.0%	0.0%	1.3%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.4%	0.2%	0.0%	0.6%	0.0%	1.3%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	225.13	283.67	0.00	121.00	0.00	365.00	0.00
SD	*88.92*	*140.87*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.2%	0.0%	0.0%	0.0%	1.3%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	285.12	365.00	0.00	0.00	0.00	365.00	0.00
SD	*70.56*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.10*	*0.06*	*0.11*	*0.02*	*0.06*	*0.03*	*0.00*
SD	*1.58*	*0.68*	*0.90*	*0.24*	*0.73*	*0.32*	*0.00*
Other station cumulative DOS, mean	0.47	0.85	2.16	0.28	0.08	0.34	3.72
SD	*3.45*	*4.35*	*7.77*	*1.79*	*0.80*	*1.78*	*5.92*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Schizophrenic Patients	94395	4544	799	521	2234	530	460
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)							
Pts. with psych hospital stays, %	17.7%	19.2%	26.3%	20.2%	18.6%	20.4%	7.6%
Inpatient stays, mean	1.14	1.13	1.26	1.12	1.11	1.22	0.60
SD	*1.37*	*1.27*	*1.49*	*1.60*	*1.06*	*1.28*	*0.71*
Average LOS, mean	23.15	11.97	9.90	11.21	14.77	8.49	4.21
SD	*51.08*	*10.66*	*9.32*	*8.30*	*12.19*	*6.39*	*2.74*
Cumulative Days of Stay, mean	22.66	13.80	13.53	11.68	16.95	9.86	2.71
SD	*51.43*	*21.60*	*23.35*	*16.35*	*24.25*	*12.73*	*4.66*
Cumulative Days of Stay, %							
0	34.4%	33.6%	34.8%	37.9%	29.8%	32.5%	51.4%
1 to 7	17.5%	19.9%	26.4%	17.2%	13.2%	25.0%	41.7%
8 to 14	14.7%	16.0%	14.0%	18.9%	17.2%	17.5%	4.2%
15 to 44	21.2%	23.2%	15.5%	20.1%	30.7%	23.1%	2.8%
45 to 89	6.9%	6.2%	7.5%	5.9%	7.6%	1.9%	0.0%
90 to 179	2.8%	0.8%	1.6%	0.0%	1.0%	0.0%	0.0%
180 to 359	1.4%	0.3%	0.3%	0.0%	0.5%	0.0%	0.0%
360+	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	0.5%	0.3%	0.0%	1.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	250.18	174.43	207.00	0.00	169.00	0.00	0.00
SD	*97.20*	*33.83*	*0.00*	*0.00*	*33.55*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	2.2%	0.2%	0.3%	0.0%	0.2%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.10	194.00	207.00	0.00	181.00	0.00	0.00
SD	*76.47*	*18.38*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.55	0.56	0.72	0.89	0.50	0.34	0.07
SD	4.34	4.23	4.95	5.97	3.92	1.71	0.59
Other station cumulative DOS, mean	1.59	1.37	2.47	1.93	0.65	0.64	2.71
SD	7.30	6.50	9.91	7.62	4.26	2.46	4.66

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Schizophrenic Patients	94395	4544	799	521	2234	530	460
Other 24 hour institutional care							
Patients with some other 24 hour institutional care, %	8.0%	17.2%	32.2%	9.0%	14.9%	21.3%	6.7%
Residential Rehabilitation							
Patients with some residential rehab. care, %	1.6%	6.7%	14.1%	4.4%	6.4%	0.8%	4.6%
Number stays, mean	*1.12*	*1.17*	*1.26*	*1.09*	*1.11*	*1.00*	*1.14*
SD	*0.37*	*0.44*	*0.55*	*0.42*	*0.34*	*0.00*	*0.36*
Average LOS, mean	36.26	22.55	13.74	13.43	33.59	10.50	7.62
SD	*45.44*	*26.03*	*10.07*	*8.93*	*33.43*	*4.20*	*5.34*
Cumulative DOS, mean	39.67	24.98	16.47	13.78	36.37	10.50	8.76
SD	*48.06*	*27.39*	*12.24*	*8.70*	*34.87*	*4.20*	*6.47*
Cumulative Days of Stay, %							
1 to 7	14.0%	19.8%	22.1%	34.8%	10.6%	25.0%	52.4%
8 to 14	14.7%	22.1%	36.3%	13.0%	10.6%	50.0%	28.6%
15 to 44	46.4%	46.5%	38.9%	52.2%	56.3%	25.0%	19.0%
45 to 89	13.8%	8.6%	2.7%	0.0%	16.2%	0.0%	0.0%
90 to 179	8.9%	2.6%	0.0%	0.0%	5.6%	0.0%	0.0%
180 to 359	1.8%	0.3%	0.0%	0.0%	0.7%	0.0%	0.0%
360+	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.2%	2.0%	0.0%	0.0%	4.2%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	180.59	155.83	0.00	0.00	155.83	0.00	0.00
SD	*80.43*	*62.12*	*0.00*	*0.00*	*62.12*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	2.8%	0.7%	0.0%	0.0%	1.4%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	246.24	224.50	0.00	0.00	224.50	0.00	0.00
SD	*77.24*	*64.35*	*0.00*	*0.00*	*64.35*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.84	0.14	0.27	0.00	0.00	0.00	0.52
SD	*5.37*	*1.89*	*2.92*	*0.00*	*0.00*	*0.00*	*2.40*
Other station cumulative DOS, mean	3.24	1.12	0.27	3.26	0.05	10.50	8.76
SD	*10.31*	*4.07*	*2.92*	*7.31*	*0.59*	*4.20*	*6.47*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Schizophrenic Patients	94395	4544	799	521	2234	530	460
Domiciliary and Vocational							
Patients with some dom/voc care, %	2.3%	4.2%	3.0%	3.3%	3.4%	13.2%	0.4%
Number stays, mean	1.12	1.16	1.08	1.12	1.17	1.20	1.00
SD	*0.37*	*0.41*	*0.28*	*0.33*	*0.38*	*0.50*	*0.00*
Average LOS, mean	94.48	58.73	32.94	63.85	47.62	80.20	1.00
SD	*108.97*	*73.23*	*25.94*	*42.75*	*46.66*	*103.45*	*0.00*
Cumulative DOS, mean	100.96	64.58	36.96	67.59	54.32	86.41	1.00
SD	*111.44*	*75.33*	*36.86*	*41.22*	*52.04*	*103.57*	*0.00*
Cumulative Days of Stay, %							
1 to 7	7.9%	7.4%	0.0%	5.9%	10.4%	4.3%	100.0%
8 to 14	6.7%	7.4%	4.2%	5.9%	10.4%	5.7%	0.0%
15 to 44	31.5%	43.2%	75.0%	23.5%	40.3%	41.4%	0.0%
45 to 89	17.3%	16.8%	8.3%	35.3%	11.7%	21.4%	0.0%
90 to 179	17.7%	19.5%	12.5%	29.4%	26.0%	12.9%	0.0%
180 to 359	9.4%	2.1%	0.0%	0.0%	1.3%	4.3%	0.0%
360+	9.5%	3.7%	0.0%	0.0%	0.0%	10.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.0%	19.5%	8.3%	17.6%	20.8%	22.9%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	234.98	179.54	137.50	124.00	135.00	239.75	0.00
SD	*102.95*	*94.96*	*48.79*	*33.81*	*32.10*	*116.04*	*0.00*
Dom. patients with 150+ day Dom. stay, %	20.9%	7.9%	0.0%	5.9%	3.9%	15.7%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	291.61	264.33	0.00	163.00	180.67	296.36	0.00
SD	*80.75*	*97.80*	*0.00*	*0.00*	*34.30*	*94.33*	*0.00*
Other VISN cumulative DOS, mean	1.18	0.43	1.46	1.82	0.21	0.00	0.00
SD	*7.65*	*3.38*	*6.35*	*7.52*	*1.82*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.16	1.19	3.92	1.94	0.99	0.30	1.00
SD	*12.59*	*6.05*	*11.22*	*7.50*	*5.66*	*2.51*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Schizophrenic Patients	94395	4544	799	521	2234	530	460
Nursing Home Care							
Patients with some nursing home care, %	4.7%	8.7%	21.3%	3.1%	7.0%	7.9%	2.4%
Number stays, mean	1.20	1.23	1.33	1.06	1.19	1.07	1.09
SD	*0.56*	*0.56*	*0.66*	*0.25*	*0.50*	*0.34*	*0.30*
Average LOS, mean	143.54	107.34	101.44	156.28	75.77	251.08	29.05
SD	*137.46*	*113.75*	*102.33*	*136.32*	*83.22*	*142.99*	*28.33*
Cumulative DOS, mean	156.00	120.45	122.31	160.31	84.40	254.81	35.18
SD	*139.76*	*117.57*	*111.84*	*134.36*	*86.66*	*141.28*	*41.66*
Cumulative Days of Stay, %							
1 to 7	6.8%	5.8%	5.9%	12.5%	3.8%	2.4%	36.4%
8 to 14	6.5%	4.5%	7.6%	0.0%	2.5%	2.4%	0.0%
15 to 44	20.5%	27.0%	20.0%	12.5%	38.9%	14.3%	36.4%
45 to 89	14.1%	18.7%	18.2%	12.5%	23.6%	4.8%	18.2%
90 to 179	15.1%	18.7%	23.5%	31.3%	16.6%	4.8%	9.1%
180 to 359	14.7%	15.7%	18.8%	6.3%	12.7%	21.4%	0.0%
360+	22.5%	9.6%	5.9%	25.0%	1.9%	50.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	48.0%	38.6%	44.1%	56.3%	22.9%	76.2%	9.1%
Cumul. DOS, patients with a 100+ day NH stay, mean	282.12	244.77	224.51	248.56	217.28	325.56	135.00
SD	*94.85*	*95.62*	*91.81*	*110.84*	*83.88*	*67.78*	*0.00*
NH patients with 150+ day NH stay, %	39.8%	27.8%	30.0%	43.8%	14.0%	71.4%	0.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	312.43	287.20	267.96	281.14	262.41	339.50	0.00
SD	*72.26*	*75.81*	*77.84*	*103.89*	*67.19*	*41.18*	*0.00*
Other VISN cumulative DOS, mean	0.44	0.22	0.16	0.00	0.38	0.00	0.09
SD	*5.99*	*2.25*	*2.15*	*0.00*	*2.78*	*0.00*	*0.30*
Other station cumulative DOS, mean	1.19	1.95	0.64	0.25	0.58	4.33	35.18
SD	*9.07*	*10.69*	*4.86*	*1.00*	*3.70*	*14.51*	*41.66*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Schizophrenic Patients	94395	4544	799	521	2234	530	460
Outpatient utilization							
(reported for those with some outpatient care)							
Patients with some outpatient care, %	98.3%	98.7%	98.6%	98.7%	99.6%	94.7%	99.6%
annual visit days, mean	27.64	31.94	35.39	32.22	31.43	31.55	28.63
SD	*38.39*	*37.75*	*40.84*	*37.65*	*35.24*	*43.69*	*36.84*
Outpatient visit days, %							
1-12	42.6%	33.0%	24.9%	35.2%	32.4%	40.2%	39.5%
13-24	25.7%	26.4%	30.2%	23.0%	26.5%	25.3%	24.9%
25-36	11.8%	14.3%	16.2%	14.2%	14.0%	10.2%	16.8%
37-48	5.9%	7.9%	8.4%	6.8%	8.8%	6.8%	5.2%
49+	14.0%	18.4%	20.3%	20.8%	18.4%	17.5%	13.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	74.5%	76.5%	87.8%	72.0%	72.0%	77.3%	83.6%
Mean PC visit days, among those with some PC	3.73	3.76	5.18	3.37	3.21	4.11	3.52
SD	3.83	3.36	4.60	3.00	2.64	3.63	2.52
Average number clinic stops per visit day, mean	1.45	1.39	1.49	1.49	1.34	1.38	1.33
SD	*0.45*	*0.39*	*0.47*	*0.42*	*0.36*	*0.32*	*0.31*
annual clinic stops (psych & non-psych), mean	41.32	46.36	56.32	49.29	44.08	45.33	38.15
SD	*65.29*	*62.29*	*73.60*	*61.66*	*59.18*	*65.64*	*49.51*
annual non-psych. clinic stops, mean	19.07	17.08	18.70	16.37	16.17	17.69	18.84
SD	*26.86*	*18.40*	*15.87*	*17.04*	*18.11*	*22.95*	*19.46*
annual psych. clinic stops (groupings below), mean	22.25	29.28	37.61	32.92	27.90	27.65	19.31
SD	*50.83*	*53.81*	*68.60*	*56.19*	*49.32*	*54.10*	*38.49*
1. general psych. clinic stops, mean	9.04	12.01	17.76	7.17	12.19	10.62	8.16
SD	*15.89*	*17.28*	*24.91*	*11.91*	*15.52*	*17.18*	*10.35*
2. psych. case management clinic stops, mean	2.76	4.87	5.03	4.01	5.64	4.54	2.16
SD	*16.59*	*18.97*	*19.01*	*14.10*	*21.59*	*15.54*	*11.96*
3. psych. day treatment clinic stops, mean	4.94	4.66	4.47	10.56	3.81	0.02	7.61
SD	*29.07*	*25.28*	*19.66*	*37.89*	*25.15*	*0.41*	*29.00*
4. substance abuse clinic stops, mean	2.71	4.66	3.53	8.88	4.81	4.81	0.91
SD	*17.49*	*20.25*	*14.16*	*31.94*	*19.23*	*25.01*	*3.34*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Schizophrenic Patients	94395	4544	799	521	2234	530	460
5. psych. vocational clinic stops, mean	2.11	2.28	6.52	0.39	0.64	6.94	0.00
SD	*18.38*	*18.59*	*30.87*	*4.13*	*9.02*	*33.90*	*0.00*
6. PTSD clinic stops, mean	0.37	0.30	0.17	0.75	0.24	0.39	0.19
SD	*3.86*	*3.62*	*1.01*	*5.43*	*3.61*	*5.09*	*1.24*
7. psych. homeless clinic stops, mean	0.39	0.54	0.30	1.18	0.58	0.32	0.34
SD	*2.98*	*3.52*	*1.74*	*5.09*	*3.94*	*1.89*	*2.65*
Other VISN OP visit days, mean	0.30	0.34	0.52	0.56	0.25	0.43	0.19
SD	*2.12*	*3.00*	*2.94*	*4.09*	*2.32*	*4.93*	*1.17*
Other station OP visit days, mean	0.82	1.05	2.47	1.00	0.39	1.11	1.80
SD	*3.70*	*4.86*	*6.49*	*5.01*	*3.75*	*6.07*	*4.07*

Table 4G: FY03 Schizophrenic Patients, Pharmacy Utilization, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Schizophrenic Patients	94395	4544	799	521	2234	530	460
Among all patients in the registry							
Pts. with any outpatient prescriptions, %	94.9%	95.6%	96.3%	96.0%	96.0%	91.6%	96.1%
Patients with any oral antipsychotic fills, %*	78.7%	79.4%	80.0%	82.0%	81.4%	73.2%	72.8%
Among pts. receiving any antipsychotic medication:							
Received only conventional antipsychotics, %	15.4%	14.9%	14.6%	10.3%	16.4%	16.2%	11.6%
Received some atypical antipsychotics, %	84.6%	85.1%	85.4%	89.7%	83.6%	83.8%	88.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %							
Aripiprazole	1.5%	2.1%	2.5%	6.1%	1.4%	1.0%	0.9%
Clozapine	3.1%	5.9%	7.5%	3.7%	7.6%	1.5%	1.8%
Olanzapine	35.7%	35.0%	25.8%	42.4%	38.3%	34.3%	26.3%
Quetiapine	21.7%	25.4%	35.8%	30.0%	19.9%	19.3%	36.7%
Risperidone	36.8%	30.6%	27.1%	30.0%	29.2%	38.7%	36.7%
Ziprasidone	5.9%	6.8%	7.8%	8.7%	6.7%	5.7%	4.5%
Patients receiving only one kind** of antipsychotic, %	70.8%	69.4%	60.6%	64.9%	71.7%	75.8%	72.5%
Concurrent use of 2 or more antipsychotics, % ***	15.6%	15.0%	21.4%	19.2%	14.1%	7.0%	11.9%
Among pts receiving just one antipsychotic:							
Antipsychotic fills, mean	8.10	8.92	9.92	7.14	9.22	7.94	8.90
SD	*5.37*	*7.50*	*6.29*	*5.05*	*8.90*	*4.79*	*5.26*
Antipsychotic Medication Possession Ratio, mean	0.83	0.85	0.87	0.82	0.87	0.82	0.79
SD	*0.33*	*0.32*	*0.31*	*0.31*	*0.32*	*0.31*	*0.32*
Antipsychotic Med Possession Ratio <= 0.80, %	37.1%	32.3%	29.8%	37.8%	29.0%	37.8%	41.2%
Antipsychotic Med Possession Ratio <= 0.50, %	18.0%	15.7%	13.9%	19.1%	14.3%	16.0%	21.9%

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 4G: FY03 Schizophrenic Patients, Cost, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Schizophrenic Patients	94395	4544	799	521	2234	530	460
Total Costs (in thousands $$)	$1,637,013	$89,271	$23,790	$9,814	$40,131	$10,965	$4,572
Station % of VISN		100.0%	26.6%	11.0%	45.0%	12.3%	5.1%
Psych vs. Non-Psych Costs							
Psych	34.5%	27.3%	21.4%	33.5%	33.8%	13.8%	19.5%
Non-Psych	65.5%	72.7%	78.6%	66.5%	66.2%	86.2%	80.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use							
Per Patient	$21,945	$18,705	$19,797	$20,795	$20,883	$11,336	$7,344
Per Day of Stay	$763	$975	$991	$1,210	$1,003	$597	$998
Mean Outpatient Costs, Pts with some Outpatient use							
Per Patient	$7,323	$7,500	$8,611	$8,110	$7,193	$6,486	$7,503
Per Visit Day	$265	$235	$243	$252	$229	$206	$262
By Cost Center							
1 Med	$1,399	$1,610	$2,687	$2,620	$1,307	$1,194	$542
2 Surg	$470	$487	$590	$475	$524	$433	$203
3 Psych	$4,062	$3,321	$4,701	$3,650	$3,712	$1,795	$405
4 Psych Res Rehab Treatment Program	$217	$902	$855	$203	$1,445	$29	$145
5 Non-VA	$230	$124	$167	$222	$53	$89	$321
6 LTC Domiciliary	$302	$426	$190	$256	$85	$2,751	$1
7 LTC Intermediate Care	$166	$56	$32	$0	$24	$334	$0
8 LTC Nursing Home	$2,633	$4,522	$11,013	$2,737	$2,810	$7,325	$354
9 Contract Nursing Home	$664	$793	$1,047	$670	$838	$595	$499
10 OPC Med/Surg	$930	$799	$820	$1,155	$683	$877	$835
11 OPC Psych	$1,916	$2,035	$1,683	$2,662	$2,352	$1,054	$1,530
12 OPC Home Based Treatment	$933	$1,591	$2,587	$935	$1,472	$1,309	$1,505
13 OPC Support	$1,243	$1,063	$1,077	$1,310	$1,002	$968	$1,160
14 OPC Fee	$130	$114	$135	$100	$57	$119	$366
15 OPC Pharmacy	$2,047	$1,803	$2,190	$1,839	$1,598	$1,816	$2,074
TOTAL	$17,342	$19,646	$29,775	$18,836	$17,964	$20,688	$9,939
Mean % Patient Costs at Other Stations	3.6%	4.0%	7.8%	3.4%	1.3%	3.9%	11.1%
SD	*12.4%*	*12.7%*	*15.4%*	*12.3%*	*7.6%*	*12.5%*	*21.1%*
Mean % Patient Costs at Other VISNs	1.3%	1.2%	1.5%	1.6%	0.9%	1.5%	1.2%
SD	*7.5%*	*7.0%*	*7.6%*	*8.7%*	*6.0%*	*8.3%*	*7.0%*

Table 1H: FY03 Bipolar Patients, Demographics, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Bipolar Patients	73964	3262	327	853	1097	511	474
Age, %							
<35	7.9%	8.2%	7.0%	6.9%	8.0%	8.6%	11.0%
>=35 and <50	36.3%	38.9%	44.6%	39.3%	38.5%	39.9%	34.2%
>=50 and <65	40.3%	39.0%	36.7%	42.4%	37.4%	37.4%	39.9%
>=65 and <80	13.3%	12.1%	9.2%	10.1%	14.1%	12.7%	12.2%
>=80	2.2%	1.9%	2.4%	1.3%	2.0%	1.4%	2.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	52.26	51.41	50.62	51.09	52.03	50.80	51.71
SD	*12.50*	*12.24*	*11.56*	*11.16*	*12.76*	*12.44*	*13.01*
Gender							
Male, %	88.2%	89.6%	90.2%	89.3%	89.1%	88.5%	92.4%
Female, %	11.8%	10.4%	9.8%	10.7%	10.9%	11.5%	7.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %							
Hispanic white	2.8%	0.6%	0.0%	0.1%	1.1%	0.6%	0.6%
Hispanic black	0.3%	0.1%	0.0%	0.0%	0.2%	0.0%	0.0%
American Indian	0.3%	0.2%	0.3%	0.1%	0.2%	0.0%	0.2%
Black	10.4%	11.7%	6.1%	13.6%	12.4%	13.9%	8.0%
Asian	0.2%	0.1%	0.3%	0.0%	0.1%	0.0%	0.0%
White	62.5%	63.6%	80.7%	64.9%	64.3%	65.0%	46.2%
Race unknown	23.5%	23.9%	12.5%	21.2%	21.8%	20.5%	44.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status							
Never married	21.0%	19.1%	13.5%	19.3%	20.5%	21.2%	17.1%
Married	37.7%	37.6%	38.2%	38.5%	37.5%	33.2%	40.2%
Divorced/Separated	37.9%	39.6%	44.3%	38.4%	38.7%	41.8%	38.3%
Widowed	3.4%	3.7%	4.0%	3.8%	3.3%	3.7%	4.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Bipolar Patients	73964	3262	327	853	1097	511	474
Registry Pts. History of VA Utilization							
Years since first use in prior five years, mean	4.2	4.12	4.24	4.34	3.95	4.08	4.04
SD	*1.3*	*1.36*	*1.32*	*1.20*	*1.43*	*1.39*	*1.40*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.1%	26.1%	34.3%	28.8%	22.8%	32.8%	15.5%
SD	*29.2%*	*29.3%*	*33.6%*	*28.9%*	*27.6%*	*31.3%*	*23.6%*
Years with OP use / Years since first use, %	96.7%	96.5%	97.3%	96.0%	96.8%	95.6%	97.2%
SD	*10.5%*	*10.8%*	*9.3%*	*11.1%*	*10.1%*	*13.4%*	*9.4%*
Psychosis Diagnoses in Prior Fiscal Year							
Had Psychosis Diagnosis in FY01, %	65.0%	66.5%	69.1%	68.6%	67.7%	64.2%	60.3%
Among Patients With Psychoses in FY01							
Psychosis Category: Schizophrenia, %	3.8%	3.3%	5.8%	2.4%	2.6%	4.9%	3.5%
Psychosis Category: Bipolar Disorder, %	94.8%	95.2%	93.8%	94.4%	96.6%	94.8%	95.1%
Psychosis Category: Other Psychosis, %	1.4%	1.4%	0.4%	3.2%	0.8%	0.3%	1.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %							
Dementia	1.7%	1.5%	1.5%	1.4%	1.4%	2.3%	1.1%
Post Traumatic Stress Disorder	21.3%	13.4%	18.3%	30.2%	16.2%	18.2%	12.9%
Depression	44.5%	43.7%	52.6%	47.4%	35.3%	47.9%	46.0%
Other Anxiety Disorder	16.3%	14.8%	23.5%	16.4%	11.0%	15.5%	13.9%
Substance Abuse or Dependence	29.8%	30.9%	37.6%	40.3%	29.8%	27.2%	15.8%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Bipolar Patients	73964	3262	327	853	1097	511	474
Medical Comorbidities, %							
No medical comorbidities	15.4%	15.7%	8.9%	14.8%	17.3%	17.8%	16.2%
Anemia	5.6%	6.3%	3.4%	7.4%	6.8%	7.8%	3.6%
Arthritis	42.4%	43.4%	56.9%	44.2%	39.1%	43.2%	42.6%
Cancer	6.2%	6.3%	5.2%	8.3%	6.5%	4.3%	5.1%
Cerebrovascular Disease	3.8%	4.0%	4.3%	5.0%	3.8%	4.3%	1.9%
Chronic Neurologic Disorder	14.8%	16.2%	22.9%	17.4%	13.7%	15.7%	16.2%
Chronic Obstructive Pulmonary Disease	16.0%	15.7%	26.0%	16.3%	13.2%	16.4%	12.7%
Chronic Viral Infection	9.6%	8.8%	9.8%	12.2%	8.6%	7.2%	4.4%
Coronary Artery Disease	16.8%	19.7%	26.9%	16.5%	22.0%	15.9%	19.4%
Diabetes	17.4%	18.5%	16.8%	19.8%	17.9%	19.2%	17.7%
Digestive System Disease	43.2%	41.6%	54.7%	45.7%	37.8%	40.7%	34.8%
Hypertension	38.5%	42.1%	46.8%	46.1%	36.2%	44.0%	43.5%
Injury and Poisoning	19.9%	19.8%	29.7%	21.3%	16.9%	18.6%	18.6%
Liver Disease	3.8%	4.1%	4.6%	5.3%	4.1%	3.1%	3.0%
Other Endocrine	10.0%	10.5%	11.3%	9.4%	10.8%	11.9%	9.7%
Peripheral Vascular Disease	3.0%	3.2%	3.4%	4.5%	2.7%	2.7%	2.1%
GAF scores							
Lowest inpatient GAF score, mean	39.59	43.75	45.65	46.96	41.66	42.36	41.57
SD	*14.06*	*13.49*	*10.97*	*18.84*	*8.03*	*11.73*	*26.94*
Mean outpatient GAF score	53.41	54.51	54.84	50.81	54.30	54.01	61.25
SD	*10.75*	*10.78*	*10.20*	*10.57*	*11.01*	*7.30*	*11.13*
At least 1 IP GAF, among pts with MH bedsections, %	39.1%	40.7%	34.5%	36.3%	49.3%	48.0%	16.1%
At least 1 OP GAF, among pts with MH clinic stops, %	81.5%	81.1%	78.7%	74.3%	81.4%	93.4%	82.4%
Mortality rates							
died in FY02, %	1.5%	1.5%	0.9%	1.8%	1.7%	1.4%	0.8%
Age-and-gender-adjusted Standardized Mortality Ratio	1.07	1.16	0.00	0.00	0.00	0.00	0.00

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Bipolar Patients	73964	3262	327	853	1097	511	474
Service Connection (SC)							
Non-SC	55.9%	60.6%	67.0%	56.3%	63.3%	59.3%	59.5%
SC 0 - 29%	10.0%	10.5%	9.5%	10.0%	11.1%	10.8%	10.5%
SC 30 - 69%	13.4%	14.7%	11.6%	16.2%	13.8%	13.9%	17.5%
SC 70 - 99%	8.9%	5.4%	6.1%	6.2%	4.3%	6.5%	4.6%
SC 100%	11.8%	8.7%	5.8%	11.4%	7.6%	9.6%	7.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %							
Complex*	12.2%	13.2%	15.9%	14.0%	14.2%	17.6%	2.7%
Basic vested, Cat A*	80.3%	80.4%	79.8%	81.1%	78.7%	76.3%	88.0%
Basic Non-vested, Cat A*	0.9%	0.8%	0.0%	1.3%	0.8%	0.4%	1.1%
Basic, Cats C and N	6.6%	5.6%	4.3%	3.6%	6.3%	5.7%	8.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded							
Patient eligibility category, %							
Cat A (SC or low income)	93.2%	94.3%	95.4%	96.2%	93.5%	94.3%	91.8%
Cat C (NSC and higher income)	5.9%	5.2%	4.6%	3.3%	6.0%	4.5%	8.2%
Non-Veteran	0.9%	0.5%	0.0%	0.5%	0.5%	1.2%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %							
BASIC 1. Non-reliant Care	0.1%	0.1%	0.0%	0.0%	0.2%	0.0%	0.0%
2. Basic Medical	15.2%	12.7%	12.5%	10.0%	11.5%	10.6%	22.6%
3. Mental Health	40.5%	43.4%	36.4%	38.1%	47.9%	41.7%	49.2%
4. Heart / Lung / GI	6.9%	6.3%	6.7%	6.3%	5.2%	8.4%	6.3%
5. Oncology / Infectious Disease	4.3%	3.8%	5.2%	6.1%	2.6%	2.0%	3.4%
6. Multiple Medical	20.7%	20.6%	23.2%	25.6%	18.3%	19.8%	15.8%
COMPLEX 7. Specialized Care	2.2%	1.9%	1.8%	2.2%	1.6%	2.9%	0.6%
8. Support Care	2.1%	2.3%	1.5%	4.0%	2.0%	2.3%	0.4%
9. Chronic Mental	6.8%	7.3%	8.9%	6.9%	8.5%	9.8%	1.7%
10. Critically Ill	1.1%	1.7%	3.7%	0.8%	2.1%	2.5%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Bipolar Patients	73964	3262	327	853	1097	511	474
Substance Dependence and Abuse							
Any dx of alcohol / drug dependence or abuse, %	29.8%	30.9%	37.6%	40.3%	29.8%	27.2%	15.8%
Homelessness							
Homelessness indicated in FY02, %	13.8%	14.3%	18.0%	19.0%	14.3%	12.7%	4.9%
Residence in Metropolitan Area							
Residing in a Metropolitan Statistical Area, %	79.3%	82.8%	32.4%	95.4%	88.7%	83.6%	80.6%
Distance							
Mile from Closest VA Medical Center, mean	34.15	24.94	31.95	11.43	26.13	17.98	49.16
SD	*73.16*	*20.03*	*19.33*	*10.71*	*18.97*	*16.62*	*12.77*
Distance from closest VA Medical Center, %							
0 to 15 miles	46.2%	42.6%	20.5%	72.8%	37.3%	56.9%	0.0%
15 to 30 miles	17.2%	18.0%	19.3%	19.3%	22.2%	22.3%	0.6%
30 to 45 miles	10.6%	22.7%	37.9%	6.0%	25.5%	11.5%	48.1%
45 to 60 miles	8.5%	10.9%	11.0%	1.5%	9.8%	7.4%	34.4%
60 plus miles	17.4%	5.7%	11.3%	0.4%	5.3%	1.8%	16.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.09	8.91	12.78	8.07	7.59	9.24	10.46
SD	*13.59*	*7.86*	*10.06*	*7.23*	*6.60*	*7.93*	*8.68*
Distance to closest VA Service Site, %							
0 to 15 miles	76.3%	82.2%	59.0%	90.5%	86.0%	82.6%	73.8%
15 to 30 miles	15.4%	15.3%	35.5%	7.0%	13.0%	14.9%	21.7%
30 to 45 miles	5.7%	2.5%	5.5%	2.2%	0.9%	2.5%	4.4%
45 plus miles	2.7%	0.1%	0.0%	0.2%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3H: FY03 Bipolar Patients, Utilization, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Bipolar Patients	73964	3262	327	853	1097	511	474
Hospital Based Utilization							
Patients with some Hospital Based Utilization, %	25.4%	25.0%	39.1%	29.5%	20.6%	31.9%	9.7%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)							
Inpatient stays, mean	1.80	1.84	1.92	1.87	1.81	1.85	1.61
SD	*1.41*	*1.39*	*1.62*	*1.18*	*1.34*	*1.49*	*1.65*
Average LOS, mean	9.79	7.90	4.53	7.36	11.61	6.91	5.49
SD	*17.76*	*12.38*	*3.80*	*6.68*	*21.08*	*5.93*	*4.62*
Cumulative DOS, mean	17.09	13.87	8.80	13.02	19.51	13.00	7.98
SD	*27.94*	*18.59*	*10.63*	*12.48*	*28.13*	*14.71*	*7.40*
Cumulative DOS, %							
1 to 7	44.7%	47.1%	68.0%	44.0%	34.1%	48.5%	65.2%
8 to 14	21.9%	24.0%	16.4%	26.2%	28.8%	22.7%	15.2%
15 to 44	25.9%	24.3%	14.1%	25.4%	29.2%	25.2%	19.6%
45 to 89	5.3%	3.7%	1.6%	4.4%	5.3%	3.1%	0.0%
90 to 179	1.5%	0.6%	0.0%	0.0%	1.8%	0.6%	0.0%
180 to 359	0.5%	0.2%	0.0%	0.0%	0.9%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	1.0%	0.5%	0.0%	0.0%	1.8%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	203.75	177.25	0.00	0.00	177.25	0.00	0.00
SD	*79.71*	*39.37*	*0.00*	*0.00*	*39.37*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.6%	0.2%	0.0%	0.0%	0.9%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	251.69	208.50	0.00	0.00	208.50	0.00	0.00
SD	*73.28*	*23.33*	*0.00*	*0.00*	*23.33*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.67	0.62	0.51	0.50	1.20	0.21	0.13
SD	*4.53*	*3.61*	*3.12*	*2.97*	*5.46*	*1.43*	*0.65*
Cumulative DOS at Other Stations	1.97	1.60	1.81	1.18	1.27	0.79	7.74
SD	*7.12*	*5.24*	*6.16*	*4.14*	*5.47*	*3.63*	*7.34*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Bipolar Patients	73964	3262	327	853	1097	511	474
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)							
Pts. with non-psych hospital stays, %	11.7%	12.4%	20.2%	15.8%	9.4%	16.0%	3.6%
Inpatient stays, mean	0.72	0.87	0.88	0.93	0.83	0.87	0.76
SD	*1.10*	*1.32*	*1.37*	*1.19*	*1.34*	*1.32*	*1.78*
Average LOS, mean	6.20	5.23	3.91	4.72	6.33	6.01	3.90
SD	*10.70*	*5.49*	*4.24*	*4.76*	*6.09*	*6.66*	*3.38*
Cumulative Days of Stay, mean	4.64	4.79	3.51	4.48	5.50	5.78	3.09
SD	*13.49*	*10.43*	*7.85*	*8.56*	*12.44*	*12.27*	*7.31*
Cumulative Days of Stay, %							
0	54.1%	50.6%	48.4%	46.4%	54.4%	49.7%	63.0%
1 to 7	30.1%	32.6%	42.2%	37.3%	23.9%	32.5%	23.9%
8 to 14	7.4%	7.7%	5.5%	7.9%	11.1%	5.5%	4.3%
15 to 44	7.0%	7.5%	3.1%	7.1%	8.4%	9.8%	8.7%
45 to 89	1.1%	1.5%	0.8%	1.2%	1.8%	2.5%	0.0%
90 to 179	0.3%	0.1%	0.0%	0.0%	0.4%	0.0%	0.0%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	187.03	0.00	0.00	0.00	0.00	0.00	0.00
SD	*73.96*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.06	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.15*	*0.21*	*0.05*	*0.19*	*0.48*	*0.04*	*0.04*
SD	*2.03*	*2.52*	*0.30*	*2.19*	*4.15*	*0.48*	*0.29*
Other station cumulative DOS, mean	0.50	0.62	1.10	0.22	0.52	0.39	2.85
SD	*3.25*	*3.87*	*5.12*	*2.20*	*4.18*	*2.66*	*7.09*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Bipolar Patients	73964	3262	327	853	1097	511	474
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)							
Pts. with psych hospital stays, %	16.8%	15.9%	25.7%	18.4%	13.3%	19.6%	6.5%
Inpatient stays, mean	1.08	0.97	1.05	0.94	0.98	0.98	0.85
SD	*1.27*	*1.09*	*1.25*	*0.96*	*1.06*	*1.24*	*0.82*
Average LOS, mean	12.15	9.75	5.10	9.37	15.21	7.37	6.19
SD	*21.36*	*14.97*	*4.61*	*7.23*	*25.67*	*5.07*	*4.99*
Cumulative Days of Stay, mean	12.44	9.08	5.29	8.54	14.01	7.22	4.89
SD	*25.57*	*17.03*	*7.76*	*11.25*	*27.05*	*11.64*	*5.57*
Cumulative Days of Stay, %							
0	34.1%	36.4%	34.4%	37.7%	35.4%	38.7%	32.6%
1 to 7	24.8%	27.0%	46.1%	21.4%	17.7%	28.2%	45.7%
8 to 14	16.7%	17.5%	7.0%	21.8%	19.9%	17.8%	10.9%
15 to 44	19.0%	16.6%	12.5%	17.1%	21.2%	14.1%	10.9%
45 to 89	3.7%	1.8%	0.0%	2.0%	4.0%	0.6%	0.0%
90 to 179	1.2%	0.4%	0.0%	0.0%	0.9%	0.6%	0.0%
180 to 359	0.4%	0.2%	0.0%	0.0%	0.9%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.8%	0.5%	0.0%	0.0%	1.8%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	201.69	177.25	0.00	0.00	177.25	0.00	0.00
SD	*78.85*	*39.37*	*0.00*	*0.00*	*39.37*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.5%	0.2%	0.0%	0.0%	0.9%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	248.87	208.50	0.00	0.00	208.50	0.00	0.00
SD	*70.96*	*23.33*	*0.00*	*0.00*	*23.33*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.52	0.41	0.46	0.31	0.73	0.17	0.09
SD	4.00	2.58	3.11	2.04	3.58	1.08	0.59
Other station cumulative DOS, mean	1.48	0.97	0.71	0.96	0.74	0.40	4.89
SD	6.29	3.63	3.62	3.53	3.58	2.28	5.57

Table 3H: FY03 Bipolar Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Bipolar Patients	73964	3262	327	853	1097	511	474
Other 24 hour institutional care							
Patients with some other 24 hour institutional care, %	8.1%	14.2%	29.7%	12.4%	14.7%	15.5%	4.4%
Residential Rehabilitation							
Patients with some residential rehab. care, %	2.6%	5.1%	19.3%	6.3%	3.1%	0.2%	3.2%
Number stays, mean	*1.12*	*1.19*	*1.32*	*1.09*	*1.06*	*1.00*	*1.27*
SD	*0.38*	*0.51*	*0.69*	*0.29*	*0.24*	*0.00*	*0.59*
Average LOS, mean	33.17	14.50	11.81	14.25	22.03	4.00	10.31
SD	*32.92*	*10.13*	*8.50*	*7.38*	*13.13*	*0.00*	*9.41*
Cumulative DOS, mean	36.42	16.47	14.79	15.30	23.62	4.00	12.33
SD	*35.54*	*11.66*	*11.31*	*7.83*	*15.18*	*0.00*	*10.05*
Cumulative Days of Stay, %							
1 to 7	10.4%	27.5%	33.3%	22.2%	17.6%	100.0%	40.0%
8 to 14	11.3%	19.8%	22.2%	18.5%	14.7%	0.0%	26.7%
15 to 44	53.1%	49.1%	41.3%	59.3%	55.9%	0.0%	33.3%
45 to 89	18.3%	3.6%	3.2%	0.0%	11.8%	0.0%	0.0%
90 to 179	5.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	167.40	0.00	0.00	0.00	0.00	0.00	0.00
SD	*69.53*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day C.C. stay, mean	224.60	0.00	0.00	0.00	0.00	0.00	0.00
SD	*70.59*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.28	0.38	0.00	0.00	0.00	0.00	4.27
SD	*6.79*	*3.49*	*0.00*	*0.00*	*0.00*	*0.00*	*11.27*
Other station cumulative DOS, mean	3.71	1.68	0.46	1.11	0.06	4.00	12.33
SD	*10.96*	*5.34*	*3.65*	*3.29*	*0.34*	*0.00*	*10.05*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Bipolar Patients	73964	3262	327	853	1097	511	474
Domiciliary and Vocational							
Patients with some dom/voc care, %	4.2%	8.3%	9.5%	7.9%	10.5%	10.8%	0.8%
Number stays, mean	1.14	1.16	1.26	1.12	1.18	1.13	1.00
SD	*0.38*	*0.40*	*0.51*	*0.33*	*0.41*	*0.39*	*0.00*
Average LOS, mean	80.47	54.73	38.71	65.75	52.18	58.04	22.25
SD	*77.50*	*46.35*	*42.17*	*48.46*	*48.59*	*38.87*	*22.56*
Cumulative DOS, mean	88.84	62.63	46.19	70.64	62.86	64.56	22.25
SD	*82.55*	*55.23*	*49.39*	*49.32*	*61.91*	*50.00*	*22.56*
Cumulative Days of Stay, %							
1 to 7	6.1%	6.6%	12.9%	9.0%	6.1%	0.0%	25.0%
8 to 14	5.6%	7.0%	12.9%	1.5%	8.7%	5.5%	25.0%
15 to 44	28.2%	38.2%	41.9%	28.4%	44.3%	36.4%	25.0%
45 to 89	21.0%	21.7%	12.9%	26.9%	15.7%	32.7%	25.0%
90 to 179	26.2%	22.1%	16.1%	29.9%	19.1%	23.6%	0.0%
180 to 359	10.5%	4.4%	3.2%	4.5%	6.1%	1.8%	0.0%
360+	2.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.1%	19.1%	12.9%	22.4%	20.9%	16.4%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	184.30	154.44	150.75	142.67	166.71	143.00	0.00
SD	*76.03*	*45.75*	*37.47*	*34.19*	*47.57*	*58.31*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.5%	8.5%	6.5%	9.0%	11.3%	3.6%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	236.94	194.39	182.00	181.00	198.00	223.50	0.00
SD	*71.03*	*38.88*	*12.73*	*6.78*	*41.61*	*94.05*	*0.00*
Other VISN cumulative DOS, mean	1.76	0.50	0.19	0.00	0.00	1.44	12.75
SD	*9.43*	*5.24*	*1.08*	*0.00*	*0.00*	*9.38*	*25.50*
Other station cumulative DOS, mean	4.27	1.70	2.19	1.31	0.00	3.96	22.25
SD	*15.65*	*10.63*	*5.29*	*6.29*	*0.00*	*20.78*	*22.56*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Bipolar Patients	73964	3262	327	853	1097	511	474
Nursing Home Care							
Patients with some nursing home care, %	2.1%	3.0%	8.0%	1.3%	2.8%	5.1%	0.8%
Number stays, mean	1.22	1.27	1.46	1.27	1.16	1.19	1.25
SD	*0.55*	*0.67*	*0.81*	*0.47*	*0.73*	*0.49*	*0.50*
Average LOS, mean	86.89	73.42	54.72	46.68	61.01	128.26	8.13
SD	*110.58*	*96.76*	*69.35*	*55.58*	*61.04*	*145.36*	*5.75*
Cumulative DOS, mean	98.25	82.74	76.00	54.18	65.58	133.00	11.50
SD	*116.77*	*99.38*	*89.15*	*54.66*	*61.87*	*142.68*	*11.27*
Cumulative Days of Stay, %							
1 to 7	10.5%	13.3%	19.2%	0.0%	9.7%	11.5%	50.0%
8 to 14	10.7%	10.2%	11.5%	9.1%	6.5%	11.5%	25.0%
15 to 44	30.2%	26.5%	19.2%	45.5%	32.3%	19.2%	25.0%
45 to 89	16.4%	22.4%	23.1%	36.4%	29.0%	11.5%	0.0%
90 to 179	12.3%	14.3%	11.5%	0.0%	19.4%	19.2%	0.0%
180 to 359	10.2%	8.2%	15.4%	9.1%	3.2%	7.7%	0.0%
360+	9.8%	5.1%	0.0%	0.0%	0.0%	19.2%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	27.9%	22.4%	23.1%	9.1%	19.4%	34.6%	0.0%
Cumul. DOS, patients with a 100+ day NH stay, mean	261.88	241.23	222.50	206.00	164.83	308.56	0.00
SD	*97.21*	*92.02*	*55.53*	*0.00*	*60.93*	*89.93*	*0.00*
NH patients with 150+ day NH stay, %	22.1%	18.4%	19.2%	9.1%	9.7%	34.6%	0.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	296.07	265.89	237.80	206.00	204.67	308.56	0.00
SD	*76.98*	*82.80*	*45.81*	*0.00*	*64.47*	*89.93*	*0.00*
Other VISN cumulative DOS, mean	0.47	1.02	0.00	0.00	3.23	0.00	0.00
SD	*5.60*	*10.10*	*0.00*	*0.00*	*17.96*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.51	3.16	0.38	11.64	3.23	1.00	11.50
SD	*9.89*	*13.06*	*1.36*	*21.85*	*17.96*	*3.31*	*11.27*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Bipolar Patients	73964	3262	327	853	1097	511	474
Outpatient utilization							
(reported for those with some outpatient care)							
Patients with some outpatient care, %	99.6%	99.7%	100.0%	100.0%	99.6%	98.2%	100.0%
annual visit days, mean	24.20	26.54	28.39	30.04	28.26	23.80	17.87
SD	*30.37*	*31.40*	*30.78*	*32.15*	*34.91*	*30.13*	*19.14*
Outpatient visit days, %							
1-12	43.1%	38.7%	36.1%	32.6%	36.0%	43.6%	52.5%
13-24	26.8%	26.1%	26.3%	23.2%	28.4%	27.1%	25.1%
25-36	12.4%	13.9%	14.1%	17.1%	13.5%	10.8%	12.0%
37-48	6.4%	7.1%	7.6%	8.9%	7.1%	6.2%	4.6%
49+	11.4%	14.1%	15.9%	18.2%	14.9%	12.4%	5.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	80.8%	79.2%	87.5%	77.3%	77.7%	74.7%	85.2%
Mean PC visit days, among those with some PC	3.83	3.83	5.55	3.52	3.58	4.49	3.06
SD	3.42	3.19	4.32	2.82	2.98	3.57	2.21
Average number clinic stops per visit day, mean	1.50	1.46	1.62	1.53	1.37	1.52	1.38
SD	*0.46*	*0.41*	*0.53*	*0.37*	*0.39*	*0.45*	*0.33*
annual clinic stops (psych & non-psych), mean	37.58	41.16	50.05	47.63	41.40	39.39	24.74
SD	*53.68*	*54.71*	*61.11*	*53.04*	*59.52*	*57.65*	*28.54*
annual non-psych. clinic stops, mean	19.81	17.84	21.10	18.97	17.04	17.86	15.38
SD	*22.87*	*18.52*	*19.15*	*18.99*	*18.93*	*18.50*	*15.71*
annual psych. clinic stops (groupings below), mean	17.77	23.33	28.95	28.66	24.37	21.53	9.35
SD	*40.95*	*45.56*	*53.28*	*45.34*	*49.00*	*47.82*	*18.84*
1. general psych. clinic stops, mean	7.61	9.79	11.00	10.31	11.07	9.22	5.69
SD	*12.69*	*16.36*	*14.68*	*15.61*	*18.48*	*18.77*	*8.19*
2. psych. case management clinic stops, mean	0.65	1.18	1.70	1.01	1.21	1.32	0.92
SD	*8.45*	*9.39*	*12.49*	*7.04*	*10.05*	*9.96*	*8.41*
3. psych. day treatment clinic stops, mean	1.57	1.74	1.87	3.98	1.20	0.03	0.67
SD	*15.80*	*13.24*	*8.93*	*18.46*	*14.23*	*0.62*	*7.22*
4. substance abuse clinic stops, mean	4.64	7.43	9.25	10.67	7.98	5.40	1.22
SD	*21.97*	*24.99*	*23.67*	*30.90*	*25.15*	*23.88*	*7.26*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Bipolar Patients	73964	3262	327	853	1097	511	474
5. psych. vocational clinic stops, mean	1.91	1.53	4.30	0.38	1.37	3.48	0.01
SD	*15.13*	*11.44*	*19.09*	*2.60*	*12.66*	*15.42*	*0.18*
6. PTSD clinic stops, mean	0.80	1.02	0.45	1.24	0.90	1.67	0.57
SD	*5.71*	*7.29*	*2.07*	*6.78*	*6.11*	*12.97*	*3.77*
7. psych. homeless clinic stops, mean	0.54	0.64	0.42	1.04	0.64	0.40	0.32
SD	*3.97*	*3.26*	*1.44*	*4.32*	*3.32*	*2.51*	*2.29*
Other VISN OP visit days, mean	0.48	0.49	0.57	0.55	0.64	0.35	0.16
SD	*2.80*	*3.02*	*2.74*	*3.57*	*3.47*	*2.24*	*1.07*
Other station OP visit days, mean	1.14	1.17	3.42	0.87	0.65	1.11	1.44
SD	*4.45*	*4.70*	*7.52*	*4.28*	*3.47*	*5.21*	*4.30*

Table 4H: FY03 Bipolar Patients, Pharmacy Utilization, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Bipolar Patients	73964	3262	327	853	1097	511	474
Among all patients in the registry							
Pts. with any outpatient prescriptions, %	96.9%	97.4%	97.2%	98.1%	96.6%	96.5%	98.7%
Patients with any oral antipsychotic fills, %*	46.0%	49.6%	51.1%	60.1%	46.7%	44.6%	41.8%
Among pts. receiving any antipsychotic medication:							
Received only conventional antipsychotics, %	7.6%	5.9%	7.8%	3.3%	6.6%	9.2%	5.1%
Received some atypical antipsychotics, %	92.4%	94.1%	92.2%	96.7%	93.4%	90.8%	94.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %							
Aripiprazole	0.9%	2.5%	4.2%	5.3%	0.6%	0.4%	1.0%
Clozapine	0.2%	0.4%	0.0%	1.0%	0.2%	0.0%	0.5%
Olanzapine	40.7%	42.8%	18.6%	47.0%	52.0%	46.1%	24.7%
Quetiapine	34.1%	38.9%	46.1%	47.6%	25.8%	33.3%	51.0%
Risperidone	31.0%	25.8%	37.7%	20.7%	25.4%	25.4%	30.8%
Ziprasidone	4.7%	5.3%	9.6%	4.5%	4.7%	7.5%	2.5%
Patients receiving only one kind** of antipsychotic, %	77.4%	76.3%	71.3%	69.6%	82.4%	76.3%	82.3%
Concurrent use of 2 or more antipsychotics, % ***	5.5%	4.9%	4.8%	7.8%	4.1%	2.6%	2.0%
Among pts receiving just one antipsychotic:							
Antipsychotic fills, mean	6.09	6.56	6.18	6.46	6.77	6.48	6.60
SD	*4.43*	*4.68*	*4.10*	*4.59*	*5.08*	*4.28*	*4.60*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5H: FY03 Bipolar Patients, Cost, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Bipolar Patients	73964	3262	327	853	1097	511	474
Total Costs (in thousands $$)	$907,650	$41,164	$4,911	$12,644	$13,711	$6,821	$3,076
Station % of VISN		100.0%	11.9%	30.7%	33.3%	16.6%	7.5%
Psych vs. Non-Psych Costs							
Psych	33.4%	33.0%	23.3%	39.2%	39.1%	19.8%	25.0%
Non-Psych	66.6%	67.0%	76.7%	60.8%	60.9%	80.2%	75.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use							
Per Patient	$15,075	$15,439	$9,204	$16,856	$21,903	$10,809	$9,671
Per Day of Stay	$882	$1,113	$1,046	$1,295	$1,123	$831	$1,212
Mean Outpatient Costs, Pts with some Outpatient use							
Per Patient	$6,520	$6,469	$6,898	$8,485	$5,815	$5,568	$5,049
Per Visit Day	$269	$244	$243	$283	$206	$234	$283
By Cost Center							
1 Med	$1,060	$1,221	$1,528	$1,500	$1,142	$1,617	$265
2 Surg	$459	$669	$199	$1,015	$853	$406	$225
3 Psych	$2,315	$1,967	$1,876	$2,465	$2,517	$1,424	$449
4 Psych Res Rehab Treatment Program	$298	$404	$1,146	$327	$537	$7	$148
5 Non-VA	$176	$77	$141	$58	$54	$92	$102
6 LTC Domiciliary	$455	$619	$591	$662	$342	$1,666	$72
7 LTC Intermediate Care	$96	$18	$8	$0	$9	$91	$0
8 LTC Nursing Home	$778	$1,094	$2,632	$276	$1,161	$2,308	$40
9 Contract Nursing Home	$142	$101	$0	$34	$90	$266	$140
10 OPC Med/Surg	$1,111	$998	$914	$1,505	$684	$1,155	$702
11 OPC Psych	$1,781	$2,194	$1,628	$3,347	$2,364	$1,213	$1,176
12 OPC Home Based Treatment	$532	$703	$1,283	$557	$669	$727	$620
13 OPC Support	$1,309	$1,138	$1,371	$1,416	$1,074	$927	$852
14 OPC Fee	$115	$90	$130	$108	$29	$88	$175
15 OPC Pharmacy	$1,645	$1,326	$1,572	$1,552	$975	$1,359	$1,526
TOTAL	$12,272	$12,619	$15,020	$14,823	$12,499	$13,348	$6,490
Mean % Patient Costs at Other Stations	4.8%	4.5%	9.8%	2.8%	2.5%	4.0%	9.3%
SD	*13.9%*	*13.7%*	*16.4%*	*10.2%*	*10.5%*	*12.9%*	*20.8%*
Mean % Patient Costs at Other VISNs	2.0%	1.7%	1.8%	1.5%	2.2%	1.3%	1.2%
SD	*9.0%*	*8.4%*	*7.6%*	*7.6%*	*9.9%*	*7.6%*	*7.1%*

Table 2I: FY03 Other Psychosis Patients, Demographics, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Other Psychosis Patients	49401	1841	176	358	870	236	201
Age, %							
<35	2.2%	1.4%	2.3%	2.0%	1.5%	0.4%	0.5%
>=35 and <50	12.5%	12.0%	21.0%	18.2%	8.7%	12.3%	6.5%
>=50 and <65	22.1%	17.8%	25.0%	28.5%	13.6%	15.3%	13.9%
>=65 and <80	36.7%	41.1%	34.7%	33.0%	43.4%	42.4%	49.3%
>=80	26.5%	27.8%	17.0%	18.4%	32.8%	29.7%	29.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	68.22	69.71	64.08	64.73	71.93	70.61	72.83
SD	*15.13*	*14.42*	*15.37*	*15.25*	*13.72*	*13.77*	*12.08*
Gender							
Male, %	96.0%	96.7%	96.6%	96.9%	97.1%	96.6%	95.0%
Female, %	4.0%	3.3%	3.4%	3.1%	2.9%	3.4%	5.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %							
Hispanic white	3.9%	0.9%	0.6%	0.6%	1.3%	0.8%	0.0%
Hispanic black	0.3%	0.3%	0.0%	0.0%	0.5%	0.4%	0.0%
American Indian	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Black	15.5%	17.5%	8.0%	24.0%	16.6%	21.6%	13.9%
Asian	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
White	48.2%	45.0%	71.0%	38.5%	47.0%	42.8%	27.4%
Race unknown	31.5%	36.3%	20.5%	36.9%	34.7%	34.3%	58.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status							
Never married	13.4%	11.4%	13.1%	14.6%	10.4%	11.4%	8.5%
Married	52.0%	53.3%	43.2%	45.4%	54.8%	58.1%	63.7%
Divorced/Separated	22.5%	21.2%	31.3%	29.1%	18.1%	19.9%	12.9%
Widowed	12.0%	14.2%	12.5%	10.9%	16.7%	10.6%	14.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Other Psychosis Patients	49401	1841	176	358	870	236	201
Registry Pts. History of VA Utilization							
Years since first use in prior five years, mean	4.0	3.66	3.94	3.90	3.49	3.70	3.67
SD	*1.4*	*1.54*	*1.50*	*1.46*	*1.54*	*1.53*	*1.62*
Yrs with 24-hour institutional use / yrs since 1st use, %	24.1%	24.1%	37.6%	31.8%	18.2%	31.1%	12.1%
SD	*27.8%*	*29.0%*	*30.5%*	*30.6%*	*26.3%*	*30.4%*	*21.9%*
Years with OP use / Years since first use, %	96.9%	96.7%	96.5%	96.8%	96.6%	97.9%	95.6%
SD	*10.4%*	*10.7%*	*11.3%*	*10.5%*	*10.5%*	*8.2%*	*13.5%*
Psychosis Diagnoses in Prior Fiscal Year							
Had Psychosis Diagnosis in FY01, %	33.8%	31.9%	28.4%	33.0%	35.1%	25.8%	26.4%
Among Patients With Psychoses in FY01							
Psychosis Category: Schizophrenia, %	9.4%	7.2%	10.0%	3.4%	7.2%	11.5%	7.5%
Psychosis Category: Bipolar Disorder, %	3.8%	4.3%	4.0%	8.5%	2.6%	8.2%	0.0%
Psychosis Category: Other Psychosis, %	86.9%	88.6%	86.0%	88.1%	90.2%	80.3%	92.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %							
Dementia	20.6%	24.2%	21.0%	19.8%	21.8%	30.9%	36.8%
Post Traumatic Stress Disorder	13.4%	11.2%	14.8%	24.9%	6.9%	9.7%	4.0%
Depression	37.7%	36.9%	44.9%	46.6%	31.8%	43.2%	26.9%
Other Anxiety Disorder	12.0%	11.0%	22.2%	16.2%	8.4%	8.5%	6.5%
Substance Abuse or Dependence	15.7%	15.8%	24.4%	29.6%	10.6%	16.9%	5.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Other Psychosis Patients	49401	1841	176	358	870	236	201
Medical Comorbidities, %							
No medical comorbidities	8.3%	7.4%	5.7%	11.7%	5.7%	6.4%	9.5%
Anemia	14.2%	15.3%	17.6%	19.3%	13.0%	22.0%	8.0%
Arthritis	39.1%	36.4%	51.1%	45.8%	30.8%	37.7%	29.4%
Cancer	14.0%	14.5%	11.9%	18.7%	14.4%	13.6%	10.9%
Cerebrovascular Disease	16.4%	17.6%	17.0%	16.8%	16.6%	25.4%	14.9%
Chronic Neurologic Disorder	20.8%	20.7%	29.0%	20.9%	17.4%	26.3%	20.9%
Chronic Obstructive Pulmonary Disease	17.9%	17.9%	28.4%	17.9%	14.1%	23.7%	17.9%
Chronic Viral Infection	5.9%	5.0%	8.0%	8.7%	3.2%	7.2%	1.0%
Coronary Artery Disease	33.0%	39.9%	45.5%	32.1%	41.5%	43.6%	37.3%
Diabetes	23.4%	26.3%	30.7%	25.1%	24.1%	31.8%	27.9%
Digestive System Disease	42.9%	39.4%	54.0%	48.0%	32.8%	45.8%	32.3%
Hypertension	54.9%	60.6%	62.5%	58.4%	60.3%	65.3%	58.2%
Injury and Poisoning	19.4%	16.3%	26.1%	22.1%	12.2%	20.8%	10.0%
Liver Disease	3.8%	3.6%	2.8%	6.7%	2.5%	5.1%	1.5%
Other Endocrine	9.5%	9.4%	6.8%	7.0%	9.8%	13.6%	9.5%
Peripheral Vascular Disease	7.8%	8.6%	11.9%	8.4%	9.1%	8.1%	5.0%
GAF scores							
Lowest inpatient GAF score, mean	37.71	39.16	47.09	36.60	41.06	31.35	27.33
SD	*14.78*	*11.73*	*7.53*	*8.49*	*7.52*	*17.76*	*22.81*
Mean outpatient GAF score	48.43	49.13	50.11	47.51	49.40	47.52	53.20
SD	*11.56*	*11.75*	*11.73*	*12.54*	*11.22*	*10.71*	*12.32*
At least 1 IP GAF, among pts with MH bedsections, %	36.3%	37.2%	40.9%	32.5%	39.3%	37.9%	100.0%
At least 1 OP GAF, among pts with MH clinic stops, %	74.8%	72.0%	63.2%	75.6%	69.0%	87.4%	69.2%
Mortality rates							
died in FY02, %	6.2%	5.8%	6.8%	5.6%	4.7%	7.2%	8.0%
Age-and-gender-adjusted Standardized Mortality Ratio	1.21	1.03	0.00	0.00	0.00	0.00	0.00

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Other Psychosis Patients	49401	1841	176	358	870	236	201
Service Connection (SC)							
Non-SC	55.9%	70.2%	65.9%	63.4%	75.3%	69.5%	65.2%
SC 0 - 29%	10.0%	11.4%	14.8%	10.6%	10.8%	11.4%	11.9%
SC 30 - 69%	13.4%	11.1%	11.9%	14.2%	9.1%	9.7%	15.4%
SC 70 - 99%	8.9%	2.8%	2.8%	4.2%	2.0%	3.4%	3.0%
SC 100%	11.8%	4.5%	4.5%	7.5%	2.9%	5.9%	4.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %							
Complex*	15.0%	16.6%	29.0%	11.5%	17.7%	22.5%	3.0%
Basic vested, Cat A*	74.8%	72.3%	66.5%	79.9%	69.3%	65.3%	85.1%
Basic Non-vested, Cat A*	0.8%	1.1%	0.0%	2.5%	0.9%	0.8%	1.0%
Basic, Cats C and N	9.4%	10.0%	4.5%	6.1%	12.1%	11.4%	10.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded							
Patient eligibility category, %							
Cat A (SC or low income)	90.1%	89.6%	94.3%	93.6%	87.5%	88.1%	89.1%
Cat C (NSC and higher income)	9.4%	10.3%	5.7%	6.4%	12.3%	11.9%	10.9%
Non-Veteran	0.6%	0.1%	0.0%	0.0%	0.2%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %							
BASIC 1. Non-reliant Care	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
2. Basic Medical	25.3%	23.7%	7.3%	6.5%	8.3%	10.0%	15.9%
3. Mental Health	25.6%	29.9%	26.5%	39.3%	41.1%	35.3%	44.3%
4. Heart / Lung / GI	12.5%	12.7%	3.5%	6.3%	4.4%	4.9%	6.1%
5. Oncology / Infectious Disease	3.8%	2.9%	2.6%	5.8%	1.5%	2.6%	3.0%
6. Multiple Medical	17.6%	14.3%	12.9%	18.2%	12.9%	14.3%	18.9%
COMPLEX 7. Specialized Care	4.7%	5.8%	2.4%	2.3%	1.7%	1.5%	0.4%
8. Support Care	4.8%	4.2%	2.8%	1.7%	2.7%	2.6%	0.9%
9. Chronic Mental	2.2%	2.3%	28.2%	17.7%	22.8%	24.5%	8.7%
10. Critically Ill	3.3%	4.3%	13.8%	2.1%	4.5%	4.2%	1.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Other Psychosis Patients	49401	1841	176	358	870	236	201
Substance Dependence and Abuse							
Any dx of alcohol / drug dependence or abuse, %	29.8%	15.8%	24.4%	29.6%	10.6%	16.9%	5.0%
Homelessness							
Homelessness indicated in FY02, %	13.8%	7.3%	12.5%	13.4%	5.1%	7.6%	1.0%
Residence in Metropolitan Area							
Residing in a Metropolitan Statistical Area, %	76.7%	84.1%	37.5%	96.9%	91.1%	80.9%	75.1%
Distance							
Mile from Closest VA Medical Center, mean	35.80	24.19	34.09	9.90	23.91	18.17	49.26
SD	*82.41*	*20.07*	*20.43*	*9.49*	*18.81*	*17.18*	*13.05*
Distance from closest VA Medical Center, %							
0 to 15 miles	45.8%	44.8%	19.9%	78.8%	43.7%	53.8%	0.5%
15 to 30 miles	16.6%	17.3%	17.0%	15.6%	19.3%	25.8%	2.0%
30 to 45 miles	10.9%	21.7%	32.4%	4.5%	24.0%	12.3%	43.8%
45 to 60 miles	8.8%	10.1%	14.8%	0.8%	8.3%	5.9%	35.3%
60 plus miles	17.9%	6.1%	15.9%	0.3%	4.7%	2.1%	18.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.89	8.13	12.51	6.97	7.10	8.83	9.99
SD	*14.24*	*7.41*	*10.16*	*6.31*	*6.07*	*8.36*	*8.60*
Distance to closest VA Service Site, %							
0 to 15 miles	73.5%	85.3%	60.8%	93.6%	89.4%	83.1%	77.1%
15 to 30 miles	16.6%	12.7%	34.1%	5.0%	9.9%	13.1%	19.4%
30 to 45 miles	7.0%	2.0%	5.1%	1.4%	0.7%	3.8%	3.5%
45 plus miles	3.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Other Psychosis Patients	49401	1841	176	358	870	236	201
Hospital Based Utilization							
Patients with some Hospital Based Utilization, %	30.2%	27.4%	50.0%	44.7%	17.5%	36.9%	8.5%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)							
Inpatient stays, mean	1.82	2.01	2.00	2.39	1.55	2.18	1.53
SD	*1.40*	*1.53*	*1.41*	*1.89*	*0.94*	*1.67*	*0.72*
Average LOS, mean	9.37	7.86	6.79	6.42	9.95	8.57	4.57
SD	*15.01*	*9.06*	*6.90*	*4.07*	*13.65*	*7.60*	*2.48*
Cumulative DOS, mean	16.06	14.99	12.59	14.74	15.46	18.74	6.47
SD	*22.72*	*17.13*	*11.89*	*13.73*	*21.62*	*19.17*	*3.16*
Cumulative DOS, %							
1 to 7	42.1%	42.9%	45.5%	36.9%	48.0%	40.2%	52.9%
8 to 14	23.4%	22.8%	23.9%	26.3%	21.1%	13.8%	47.1%
15 to 44	27.8%	28.2%	27.3%	33.1%	23.7%	33.3%	0.0%
45 to 89	5.2%	5.4%	3.4%	3.8%	4.6%	12.6%	0.0%
90 to 179	1.2%	0.8%	0.0%	0.0%	2.6%	0.0%	0.0%
180 to 359	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	0.7%	0.4%	0.0%	0.0%	1.3%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	185.56	113.00	0.00	0.00	113.00	0.00	0.00
SD	*75.86*	*5.66*	*0.00*	*0.00*	*5.66*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	241.58	0.00	0.00	0.00	0.00	0.00	0.00
SD	*74.51*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.37	0.37	0.32	0.45	0.24	0.55	0.00
SD	*3.13*	*2.27*	*2.14*	*2.92*	*1.45*	*2.45*	*0.00*
Cumulative DOS at Other Stations	1.24	1.39	2.69	1.00	0.32	1.91	5.18
SD	*5.73*	*4.48*	*6.86*	*3.93*	*1.62*	*5.18*	*3.64*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Other Psychosis Patients	49401	1841	176	358	870	236	201
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)							
Pts. with non-psych hospital stays, %	21.7%	19.1%	30.1%	30.4%	12.3%	27.5%	8.5%
Inpatient stays, mean	1.27	1.38	1.16	1.61	1.06	1.75	1.47
SD	*1.36*	*1.58*	*1.32*	*2.01*	*0.98*	*1.77*	*0.72*
Average LOS, mean	7.86	7.22	5.38	5.77	8.96	9.05	4.45
SD	*11.97*	*9.87*	*5.36*	*4.24*	*15.39*	*8.24*	*2.56*
Cumulative Days of Stay, mean	9.61	9.67	5.97	9.09	9.45	15.59	6.12
SD	*16.99*	*15.80*	*8.31*	*13.13*	*18.97*	*19.65*	*3.31*
Cumulative Days of Stay, %							
0	28.2%	30.4%	39.8%	31.9%	29.6%	25.3%	0.0%
1 to 7	35.5%	34.9%	33.0%	30.0%	44.1%	25.3%	58.8%
8 to 14	15.8%	13.5%	13.6%	13.8%	10.5%	12.6%	41.2%
15 to 44	17.1%	17.1%	13.6%	21.9%	11.2%	25.3%	0.0%
45 to 89	2.8%	3.6%	0.0%	2.5%	2.6%	11.5%	0.0%
90 to 179	0.5%	0.6%	0.0%	0.0%	2.0%	0.0%	0.0%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.4%	0.0%	0.0%	1.3%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	178.07	113.00	0.00	0.00	113.00	0.00	0.00
SD	*75.21*	*5.66*	*0.00*	*0.00*	*5.66*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	240.47	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.05*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.18*	*0.23*	*0.07*	*0.39*	*0.12*	*0.33*	*0.00*
SD	*1.94*	*1.87*	*0.64*	*2.88*	*0.93*	*1.77*	*0.00*
Other station cumulative DOS, mean	0.60	0.85	1.32	0.58	0.15	1.31	4.82
SD	*3.61*	*3.37*	*4.47*	*3.33*	*1.01*	*4.11*	*3.64*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Other Psychosis Patients	49401	1841	176	358	870	236	201
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)							
Pts. with psych hospital stays, %	10.8%	11.2%	25.0%	21.5%	6.4%	12.3%	0.5%
Inpatient stays, mean	0.55	0.62	0.84	0.79	0.49	0.44	0.06
SD	*1.03*	*1.02*	*1.28*	*1.09*	*0.85*	*0.83*	*0.24*
Average LOS, mean	12.47	8.61	8.05	7.54	11.30	7.22	6.00
SD	*19.53*	*6.80*	*7.79*	*4.38*	*8.26*	*6.36*	*0.00*
Cumulative Days of Stay, mean	6.45	5.32	6.63	5.65	6.01	3.15	0.35
SD	*17.76*	*11.10*	*11.93*	*8.74*	*14.49*	*7.30*	*1.46*
Cumulative Days of Stay, %							
0	64.2%	58.9%	50.0%	51.9%	63.2%	66.7%	94.1%
1 to 7	12.7%	16.9%	22.7%	18.1%	11.2%	20.7%	5.9%
8 to 14	9.6%	12.3%	12.5%	18.8%	11.2%	4.6%	0.0%
15 to 44	10.7%	10.1%	11.4%	10.6%	11.8%	6.9%	0.0%
45 to 89	2.1%	1.6%	3.4%	0.6%	2.0%	1.1%	0.0%
90 to 179	0.5%	0.2%	0.0%	0.0%	0.7%	0.0%	0.0%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	182.44	0.00	0.00	0.00	0.00	0.00	0.00
SD	*78.98*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.42	0.00	0.00	0.00	0.00	0.00	0.00
SD	*77.61*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.19	0.14	0.25	0.06	0.13	0.22	0.00
SD	2.40	1.27	2.05	0.50	1.13	1.54	0.00
Other station cumulative DOS, mean	0.64	0.54	1.38	0.42	0.16	0.60	0.35
SD	4.34	2.88	5.51	2.03	1.18	2.53	1.46

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Other Psychosis Patients	49401	1841	176	358	870	236	201
Other 24 hour institutional care							
Patients with some other 24 hour institutional care, %	10.1%	13.9%	41.5%	11.2%	10.2%	19.9%	3.0%
Residential Rehabilitation							
Patients with some residential rehab. care, %	1.0%	3.5%	15.3%	5.3%	2.0%	0.8%	0.0%
Number stays, mean	*1.13*	*1.15*	*1.11*	*1.21*	*1.18*	*1.00*	*0.00*
SD	*0.45*	*0.44*	*0.32*	*0.63*	*0.39*	*0.00*	*0.00*
Average LOS, mean	30.41	15.53	11.07	16.35	22.00	13.00	0.00
SD	*33.22*	*11.40*	*8.10*	*6.08*	*16.85*	*11.31*	*0.00*
Cumulative DOS, mean	33.30	18.02	12.63	19.47	25.53	13.00	0.00
SD	*35.32*	*14.19*	*9.95*	*11.03*	*19.62*	*11.31*	*0.00*
Cumulative Days of Stay, %							
1 to 7	15.1%	24.6%	40.7%	10.5%	11.8%	50.0%	0.0%
8 to 14	12.1%	12.3%	11.1%	21.1%	5.9%	0.0%	0.0%
15 to 44	54.3%	58.5%	48.1%	63.2%	70.6%	50.0%	0.0%
45 to 89	11.7%	4.6%	0.0%	5.3%	11.8%	0.0%	0.0%
90 to 179	5.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%
Res Rehab pts with 100+ day Res Rehab stay, %	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	181.33	0.00	0.00	0.00	0.00	0.00	0.00
SD	*69.09*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	235.83	0.00	0.00	0.00	0.00	0.00	0.00
SD	*52.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.38	0.32	0.00	0.00	0.00	10.50	0.00
SD	*7.57*	*2.60*	*0.00*	*0.00*	*0.00*	*14.85*	*0.00*
Other station cumulative DOS, mean	4.16	1.38	0.85	2.16	0.00	13.00	0.00
SD	*12.59*	*5.26*	*4.43*	*6.70*	*0.00*	*11.31*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Other Psychosis Patients	49401	1841	176	358	870	236	201
Domiciliary and Vocational							
Patients with some dom/voc care, %	1.7%	3.5%	7.4%	4.2%	3.2%	3.4%	0.5%
Number stays, mean	1.13	1.23	1.23	1.20	1.21	1.38	1.00
SD	*0.36*	*0.46*	*0.44*	*0.41*	*0.50*	*0.52*	*0.00*
Average LOS, mean	79.24	50.41	46.42	58.00	50.17	48.81	8.00
SD	*81.39*	*45.28*	*49.75*	*38.16*	*45.38*	*56.88*	*0.00*
Cumulative DOS, mean	86.42	63.22	64.00	65.20	63.00	65.88	8.00
SD	*85.00*	*58.24*	*73.67*	*40.02*	*60.74*	*61.78*	*0.00*
Cumulative Days of Stay, %							
1 to 7	7.5%	9.2%	15.4%	0.0%	7.1%	25.0%	0.0%
8 to 14	6.2%	9.2%	0.0%	6.7%	10.7%	12.5%	100.0%
15 to 44	29.8%	36.9%	53.8%	26.7%	46.4%	0.0%	0.0%
45 to 89	19.6%	15.4%	0.0%	40.0%	7.1%	25.0%	0.0%
90 to 179	23.7%	24.6%	23.1%	26.7%	21.4%	37.5%	0.0%
180 to 359	10.4%	4.6%	7.7%	0.0%	7.1%	0.0%	0.0%
360+	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	16.9%	15.4%	20.0%	17.9%	12.5%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	193.84	164.36	208.00	123.33	169.00	177.00	0.00
SD	*79.91*	*43.03*	*42.43*	*16.04*	*42.06*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.8%	7.7%	15.4%	0.0%	7.1%	12.5%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	240.95	201.00	208.00	0.00	206.00	177.00	0.00
SD	*71.71*	*26.10*	*42.43*	*0.00*	*14.14*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.61	1.09	0.00	0.00	0.00	8.88	0.00
SD	*8.79*	*8.81*	*0.00*	*0.00*	*0.00*	*25.10*	*0.00*
Other station cumulative DOS, mean	3.31	1.58	0.00	0.00	0.00	11.88	8.00
SD	*11.83*	*9.29*	*0.00*	*0.00*	*0.00*	*25.32*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Other Psychosis Patients	49401	1841	176	358	870	236	201
Nursing Home Care							
Patients with some nursing home care, %	7.7%	8.6%	27.3%	3.9%	6.1%	16.5%	2.5%
Number stays, mean	1.29	1.30	1.40	1.43	1.13	1.38	1.00
SD	*0.65*	*0.64*	*0.68*	*0.65*	*0.39*	*0.85*	*0.00*
Average LOS, mean	54.03	41.13	46.89	39.75	43.21	34.91	16.00
SD	*70.27*	*39.93*	*40.09*	*30.37*	*39.18*	*45.26*	*7.31*
Cumulative DOS, mean	64.81	51.34	62.25	53.43	51.70	41.21	16.00
SD	*79.26*	*52.65*	*58.77*	*55.88*	*51.89*	*45.53*	*7.31*
Cumulative Days of Stay, %							
1 to 7	10.9%	8.2%	6.3%	0.0%	9.4%	10.3%	20.0%
8 to 14	15.2%	13.8%	8.3%	0.0%	15.1%	20.5%	40.0%
15 to 44	34.5%	42.8%	37.5%	64.3%	39.6%	46.2%	40.0%
45 to 89	16.5%	17.6%	25.0%	28.6%	17.0%	7.7%	0.0%
90 to 179	13.0%	13.2%	16.7%	0.0%	15.1%	12.8%	0.0%
180 to 359	8.1%	4.4%	6.3%	7.1%	3.8%	2.6%	0.0%
360+	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	17.8%	14.5%	18.8%	7.1%	15.1%	12.8%	0.0%
Cumul. DOS, patients with a 100+ day NH stay, mean	207.27	156.35	158.00	236.00	152.00	144.40	0.00
SD	*81.27*	*40.68*	*43.61*	*0.00*	*35.63*	*35.61*	*0.00*
NH patients with 150+ day NH stay, %	11.0%	5.0%	6.3%	7.1%	3.8%	5.1%	0.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	250.81	195.88	203.67	236.00	180.00	180.00	0.00
SD	*70.60*	*32.93*	*47.65*	*0.00*	*2.83*	*15.56*	*0.00*
Other VISN cumulative DOS, mean	0.34	0.28	0.00	0.00	0.00	1.13	0.00
SD	*5.11*	*3.49*	*0.00*	*0.00*	*0.00*	*7.05*	*0.00*
Other station cumulative DOS, mean	1.02	1.47	0.00	3.93	0.00	2.54	16.00
SD	*7.62*	*6.37*	*0.00*	*10.66*	*0.00*	*9.33*	*7.31*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Other Psychosis Patients	49401	1841	176	358	870	236	201
Outpatient utilization							
(reported for those with some outpatient care)							
Patients with some outpatient care, %	99.7%	99.8%	99.4%	100.0%	100.0%	99.2%	100.0%
annual visit days, mean	19.52	20.55	21.95	24.84	19.03	24.35	13.85
SD	*24.21*	*24.74*	*20.38*	*31.68*	*21.79*	*31.52*	*11.88*
Outpatient visit days, %							
1-12	49.1%	48.6%	41.1%	41.6%	50.6%	47.9%	60.2%
13-24	27.0%	26.4%	29.7%	27.9%	26.4%	23.5%	24.4%
25-36	11.5%	10.1%	10.9%	9.8%	10.2%	11.1%	8.5%
37-48	5.4%	7.0%	10.9%	8.7%	6.2%	5.6%	5.5%
49+	7.0%	7.8%	7.4%	12.0%	6.6%	12.0%	1.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	86.5%	86.8%	85.7%	80.2%	90.1%	83.3%	89.6%
Mean PC visit days, among those with some PC	4.04	3.93	6.06	4.08	3.50	4.75	2.87
SD	3.94	3.57	4.82	3.96	2.94	4.23	2.37
Average number clinic stops per visit day, mean	1.55	1.41	1.51	1.61	1.30	1.47	1.35
SD	*0.52*	*0.42*	*0.48*	*0.49*	*0.35*	*0.42*	*0.32*
annual clinic stops (psych & non-psych), mean	30.45	30.85	36.77	41.34	26.17	37.68	19.36
SD	*40.44*	*43.34*	*43.20*	*56.66*	*36.05*	*53.85*	*19.08*
annual non-psych. clinic stops, mean	22.67	20.95	21.59	23.92	18.34	29.34	16.61
SD	*25.36*	*25.46*	*20.08*	*25.56*	*20.21*	*43.69*	*17.09*
annual psych. clinic stops (groupings below), mean	7.77	9.90	15.18	17.42	7.82	8.34	2.75
SD	*27.43*	*32.37*	*36.60*	*47.51*	*26.92*	*29.88*	*6.62*
1. general psych. clinic stops, mean	3.20	4.04	6.14	5.27	3.96	2.76	1.85
SD	*7.61*	*9.75*	*10.60*	*10.25*	*10.90*	*6.68*	*2.52*
2. psych. case management clinic stops, mean	0.14	0.18	0.49	0.01	0.28	0.00	0.00
SD	*3.20*	*3.58*	*4.43*	*0.09*	*4.80*	*0.07*	*0.00*
3. psych. day treatment clinic stops, mean	0.60	0.47	0.82	1.28	0.31	0.00	0.00
SD	*8.52*	*4.03*	*3.60*	*7.49*	*2.87*	*0.07*	*0.00*
4. substance abuse clinic stops, mean	2.24	3.85	5.72	9.10	2.48	2.24	0.72
SD	*17.04*	*21.99*	*19.50*	*41.62*	*13.33*	*11.23*	*5.09*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 10, continued

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Other Psychosis Patients	49401	1841	176	358	870	236	201
5. psych. vocational clinic stops, mean	0.74	0.60	1.45	0.28	0.24	2.25	0.03
SD	*9.63*	*6.86*	*6.89*	*3.20*	*2.74*	*16.95*	*0.42*
6. PTSD clinic stops, mean	0.56	0.45	0.26	1.05	0.30	0.50	0.12
SD	*5.11*	*4.75*	*1.41*	*5.74*	*4.69*	*6.55*	*0.67*
7. psych. homeless clinic stops, mean	0.27	0.31	0.30	0.40	0.26	0.58	0.03
SD	*2.81*	*2.33*	*1.24*	*1.95*	*2.54*	*3.41*	*0.35*
Other VISN OP visit days, mean	0.31	0.31	0.41	0.31	0.28	0.53	0.11
SD	*2.01*	*1.97*	*2.26*	*1.86*	*1.79*	*2.99*	*0.76*
Other station OP visit days, mean	0.72	0.82	2.91	0.77	0.34	1.02	0.99
SD	*3.19*	*3.55*	*6.60*	*3.99*	*2.03*	*4.14*	*2.56*

Table 4I FY03 Other Psychosis Patients, Pharmacy Utilization, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Other Psychosis Patients	49401	1841	176	358	870	236	201
Among all patients in the registry							
Pts. with any outpatient prescriptions, %	94.7%	95.3%	96.6%	92.5%	96.1%	94.1%	97.5%
Patients with any oral antipsychotic fills, %*	41.4%	36.4%	47.2%	44.7%	33.7%	33.9%	26.9%
Among pts. receiving any antipsychotic medication:							
Received only conventional antipsychotics, %	9.2%	9.7%	12.0%	11.9%	8.2%	11.3%	5.6%
Received some atypical antipsychotics, %	90.8%	90.3%	88.0%	88.1%	91.8%	88.8%	94.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %							
Aripiprazole	0.7%	1.5%	2.4%	3.1%	0.7%	1.3%	0.0%
Clozapine	0.1%	0.4%	0.0%	0.6%	0.7%	0.0%	0.0%
Olanzapine	27.8%	30.9%	15.7%	32.5%	37.2%	18.8%	33.3%
Quetiapine	29.2%	28.8%	27.7%	35.6%	25.9%	30.0%	24.1%
Risperidone	46.2%	41.3%	49.4%	36.3%	37.9%	50.0%	50.0%
Ziprasidone	3.6%	3.9%	6.0%	4.4%	2.4%	7.5%	1.9%
Patients receiving only one kind** of antipsychotic, %	78.8%	82.4%	83.1%	75.6%	85.3%	82.5%	85.2%
Concurrent use of 2 or more antipsychotics, % ***	5.1%	4.0%	3.6%	6.3%	3.1%	1.3%	7.4%
Among pts receiving just one antipsychotic:							
Antipsychotic fills, mean	5.21	5.11	4.71	4.12	5.61	4.50	6.52
SD	*4.06*	*4.81*	*4.13*	*3.76*	*5.61*	*3.99*	*3.93*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5I: FY03 Other Psychosis Patients, Cost, VISN 10

	All VISNs	VISN 10	538 *Chillicothe*	539 *Cincinnati*	541 *Cleveland*	552 *Dayton*	757 *Columbus*
Other Psychosis Patients	49401	1841	176	358	870	236	201
Total Costs (in thousands $$)	$692,791	$25,210	$3,957	$6,817	$9,151	$4,157	$1,128
Station % of VISN		100.0%	15.7%	27.0%	36.3%	16.5%	4.5%
Psych vs. Non-Psych Costs							
Psych	16.6%	17.1%	16.6%	24.0%	17.8%	7.9%	7.0%
Non-Psych	83.4%	82.9%	83.4%	76.0%	82.2%	92.1%	93.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use							
Per Patient	$16,509	$17,100	$12,705	$18,723	$19,068	$17,326	$5,827
Per Day of Stay	$1,028	$1,140	$1,009	$1,270	$1,233	$925	$901
Mean Outpatient Costs, Pts with some Outpatient use							
Per Patient	$6,046	$5,803	$5,795	$8,541	$4,747	$7,032	$4,072
Per Visit Day	$310	$282	$264	$344	$249	$289	$294
By Cost Center							
1 Med	$2,712	$2,625	$2,874	$4,431	$1,760	$4,820	$357
2 Surg	$779	$652	$660	$1,279	$490	$756	$107
3 Psych	$1,494	$1,404	$2,819	$2,658	$1,082	$810	$28
4 Psych Res Rehab Treatment Program	$103	$282	$723	$329	$305	$33	$0
5 Non-VA	$203	$146	$69	$300	$34	$232	$324
6 LTC Domiciliary	$183	$232	$558	$286	$100	$592	$4
7 LTC Intermediate Care	$276	$171	$0	$17	$197	$582	$0
8 LTC Nursing Home	$1,672	$2,104	$8,844	$844	$1,710	$1,984	$292
9 Contract Nursing Home	$578	$284	$175	$356	$95	$835	$425
10 OPC Med/Surg	$1,281	$1,158	$929	$1,900	$901	$1,534	$707
11 OPC Psych	$831	$943	$905	$1,904	$789	$575	$364
12 OPC Home Based Treatment	$730	$801	$1,179	$450	$786	$1,537	$295
13 OPC Support	$1,493	$1,313	$1,387	$1,968	$1,032	$1,557	$1,015
14 OPC Fee	$231	$441	$140	$1,136	$207	$518	$390
15 OPC Pharmacy	$1,460	$1,137	$1,222	$1,183	$1,032	$1,251	$1,302
TOTAL	$14,024	$13,694	$22,484	$19,041	$10,519	$17,616	$5,610
Mean % Patient Costs at Other Stations	3.3%	3.6%	8.9%	2.5%	1.2%	6.0%	8.3%
SD	*11.9%*	*12.3%*	*15.2%*	*9.8%*	*7.1%*	*16.4%*	*20.2%*
Mean % Patient Costs at Other VISNs	1.3%	1.2%	1.2%	1.2%	1.0%	2.1%	0.5%
SD	*7.5%*	*7.2%*	*7.2%*	*6.8%*	*6.5%*	*11.2%*	*3.8%*

Table 1F: FY03 Psychosis Patients, Demographics, VISN 11

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
All Patients	217760	9532	1309	1915	1229	1725	1288	1302	764
Psychosis Diagnosis Group, %									
Schizophrenia	43.3%	50.0%	39.3%	54.7%	48.5%	63.1%	38.7%	54.5%	40.8%
Bipolar Disorder	34.0%	34.0%	44.2%	35.7%	32.3%	23.5%	32.5%	32.5%	44.1%
Other Psychoses	22.7%	16.0%	16.5%	9.7%	19.2%	13.4%	28.8%	13.0%	15.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age, %									
<35	4.9%	5.0%	5.5%	3.8%	4.2%	5.6%	5.7%	4.5%	6.5%
>=35 and <50	29.3%	31.8%	35.3%	33.0%	25.1%	33.5%	32.9%	29.6%	31.3%
>=50 and <65	38.1%	40.4%	39.8%	44.4%	41.2%	42.4%	35.3%	37.8%	38.5%
>=65 and <80	19.7%	17.7%	15.4%	15.5%	22.6%	14.6%	19.4%	21.1%	18.3%
>=80	8.2%	5.1%	4.0%	3.3%	6.9%	3.9%	6.7%	7.0%	5.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	56.89	55.24	53.84	54.63	57.57	53.96	55.70	56.70	55.05
SD	*14.35*	*13.35*	*13.11*	*12.12*	*13.79*	*12.71*	*14.40*	*13.90*	*13.90*
Gender									
Male, %	92.7%	93.5%	93.7%	94.6%	94.2%	93.6%	90.7%	94.2%	93.3%
Female, %	7.3%	6.5%	6.3%	5.4%	5.8%	6.4%	9.3%	5.8%	6.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %									
Hispanic white	4.8%	0.6%	1.1%	0.9%	0.2%	0.2%	0.4%	0.3%	0.7%
Hispanic black	0.4%	0.1%	0.1%	0.1%	0.0%	0.2%	0.2%	0.0%	0.0%
American Indian	0.3%	0.2%	0.2%	0.4%	0.2%	0.1%	0.2%	0.1%	0.7%
Black	18.6%	19.8%	12.1%	18.9%	8.1%	44.4%	20.0%	13.2%	9.4%
Asian	0.5%	0.1%	0.2%	0.0%	0.1%	0.1%	0.1%	0.2%	0.0%
White	54.9%	60.8%	55.8%	68.1%	84.9%	33.6%	63.5%	72.6%	49.1%
Race unknown	20.5%	18.4%	30.5%	11.6%	6.5%	21.4%	15.7%	13.7%	40.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status									
Never married	28.5%	32.8%	32.2%	35.4%	27.7%	44.3%	24.8%	31.5%	25.1%
Married	35.3%	28.6%	29.2%	23.0%	30.3%	20.4%	35.6%	31.2%	41.3%
Divorced/Separated	30.8%	34.3%	34.9%	37.9%	36.3%	31.6%	33.7%	33.4%	29.8%
Widowed	5.4%	4.3%	3.8%	3.8%	5.6%	3.8%	5.8%	3.9%	3.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 11

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
All Patients	217760	9532	1309	1915	1229	1725	1288	1302	764
Registry Pts. History of VA Utilization									
Years since first use in prior five years, mean	4.33	4.31	4.22	4.40	4.41	4.32	4.26	4.28	4.18
SD	*1.24*	*1.26*	*1.34*	*1.18*	*1.17*	*1.27*	*1.25*	*1.28*	*1.35*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.9%	26.6%	23.7%	28.6%	31.0%	24.8%	22.7%	34.1%	16.8%
SD	*29.7%*	*30.8%*	*27.5%*	*32.4%*	*32.5%*	*28.8%*	*27.6%*	*35.5%*	*24.6%*
Years with OP use / Years since first use, %	96.7%	95.7%	96.5%	96.7%	95.4%	95.9%	97.3%	90.6%	97.6%
SD	*11.4%*	*14.1%*	*10.5%*	*10.8%*	*15.7%*	*12.3%*	*9.4%*	*24.1%*	*8.8%*
Psychosis Diagnoses in Prior Fiscal Year									
Had Psychosis Diagnosis in FY01, %	65.3%	69.1%	65.5%	71.6%	74.6%	68.6%	62.9%	71.9%	66.6%
Among Patients With Psychoses in FY01									
Psychosis Category: Schizophrenia, %	54.1%	60.3%	48.4%	64.9%	58.2%	73.4%	51.1%	64.2%	49.1%
Psychosis Category: Bipolar Disorder, %	33.9%	32.6%	45.2%	31.2%	32.1%	20.1%	36.2%	30.2%	44.0%
Psychosis Category: Other Psychosis, %	12.0%	7.0%	6.4%	3.9%	9.7%	6.5%	12.7%	5.6%	6.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %									
Dementia	6.2%	4.2%	3.8%	2.3%	4.6%	3.5%	7.1%	5.5%	4.2%
Post Traumatic Stress Disorder	15.4%	9.4%	9.3%	11.8%	8.5%	4.9%	11.1%	9.6%	12.2%
Depression	34.8%	29.5%	28.9%	31.2%	27.4%	27.4%	34.9%	27.8%	28.5%
Other Anxiety Disorder	12.0%	9.7%	11.0%	8.8%	9.7%	7.6%	12.2%	9.6%	11.1%
Substance Abuse or Dependence	23.3%	22.8%	31.2%	25.3%	22.5%	23.1%	24.4%	14.5%	13.4%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 11

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
All Patients	217760	9532	1309	1915	1229	1725	1288	1302	764
Medical Comorbidities, %									
No medical comorbidities	15.2%	19.5%	20.2%	17.7%	15.8%	24.7%	16.4%	21.7%	18.3%
Anemia	8.2%	5.9%	4.8%	3.6%	8.8%	4.8%	7.8%	7.1%	5.8%
Arthritis	36.2%	33.1%	32.5%	37.3%	36.9%	25.7%	34.7%	32.8%	32.5%
Cancer	7.9%	5.9%	6.5%	4.3%	6.3%	6.1%	6.4%	6.3%	6.0%
Cerebrovascular Disease	6.7%	5.2%	5.0%	2.9%	6.2%	4.3%	7.6%	6.4%	6.2%
Chronic Neurologic Disorder	15.1%	13.9%	13.4%	13.8%	14.3%	12.2%	15.5%	13.7%	16.4%
Chronic Obstructive Pulmonary Disease	16.7%	17.5%	15.5%	22.5%	19.1%	12.1%	17.5%	18.5%	16.0%
Chronic Viral Infection	8.4%	6.7%	5.9%	7.8%	7.1%	8.5%	6.7%	5.2%	3.7%
Coronary Artery Disease	19.5%	18.4%	19.2%	14.9%	18.6%	16.8%	20.8%	20.0%	22.1%
Diabetes	20.0%	18.9%	19.7%	17.0%	20.5%	16.5%	19.3%	21.0%	20.7%
Digestive System Disease	43.5%	38.9%	39.4%	39.6%	44.3%	31.1%	44.3%	39.2%	34.9%
Hypertension	43.2%	42.1%	43.3%	41.4%	45.1%	37.7%	43.1%	43.6%	42.3%
Injury and Poisoning	17.9%	15.6%	16.2%	13.5%	15.5%	15.0%	19.6%	16.1%	13.7%
Liver Disease	3.6%	2.3%	2.1%	1.9%	2.6%	1.9%	3.6%	1.8%	2.1%
Other Endocrine	8.6%	7.8%	7.0%	7.3%	10.3%	5.1%	9.1%	9.0%	8.1%
Peripheral Vascular Disease	4.1%	4.2%	4.4%	3.6%	4.6%	3.0%	5.8%	4.5%	3.8%
GAF scores									
Lowest inpatient GAF score, mean	37.72	58.08	44.61	61.38	40.49	81.32	41.90	38.22	56.05
SD	*14.39*	*26.61*	*28.43*	*27.33*	*12.28*	*20.75*	*12.01*	*12.17*	*14.26*
Mean outpatient GAF score	50.52	54.84	50.52	50.79	57.55	54.47	55.37	57.43	58.76
SD	*11.04*	*11.29*	*12.45*	*11.32*	*8.83*	*13.36*	*9.76*	*8.74*	*9.66*
At least 1 IP GAF, among pts with MH bedsections, %	38.4%	27.7%	16.1%	8.8%	27.4%	57.8%	18.1%	42.0%	11.1%
At least 1 OP GAF, among pts with MH clinic stops, %	80.0%	76.1%	86.0%	37.6%	93.1%	78.4%	91.0%	86.0%	94.5%
Mortality rates									
died in FY02, %	3.1%	2.7%	2.3%	2.2%	3.7%	2.6%	2.3%	2.9%	3.8%
Age-and-gender-adjusted Standardized Mortality Ratio	1.32	1.40	1.35	1.30	1.61	1.56	1.02	1.29	1.88

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 11, continued

	All VISNs	VISN 11	506	515	550	553	583	610	655
			Ann Arbor	*Battle Creek*	*Danville IL*	*Detroit*	*Indianapolis*	*N.Indiana*	*Saginaw*
All Patients	217760	9532	1309	1915	1229	1725	1288	1302	764
Service Connection (SC)									
Non-SC	51.0%	54.6%	56.4%	54.7%	56.2%	51.4%	56.0%	56.1%	50.5%
SC 0 - 29%	8.7%	8.9%	8.6%	7.7%	8.9%	9.0%	11.0%	8.2%	9.4%
SC 30 - 69%	10.8%	10.9%	13.0%	9.2%	9.5%	11.6%	11.5%	9.4%	14.3%
SC 70 - 99%	7.3%	5.5%	5.8%	4.9%	5.6%	4.9%	5.8%	5.5%	7.6%
SC 100%	22.1%	20.1%	16.2%	23.6%	19.8%	23.0%	15.7%	20.9%	18.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %									
Complex*	17.3%	17.1%	11.8%	20.4%	20.6%	13.3%	13.0%	29.3%	6.9%
Basic vested, Cat A*	76.6%	75.9%	81.1%	74.4%	71.4%	80.8%	78.2%	62.7%	84.9%
Basic Non-vested, Cat A*	1.0%	2.2%	2.3%	2.8%	1.5%	2.4%	1.8%	1.7%	2.7%
Basic, Cats C and N	5.1%	4.8%	4.8%	2.3%	6.4%	3.5%	7.0%	6.2%	5.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded									
Patient eligibility category, %									
Cat A (SC or low income)	94.6%	94.9%	95.0%	97.6%	92.9%	96.4%	92.8%	93.1%	94.5%
Cat C (NSC and higher income)	4.7%	4.7%	4.2%	2.4%	6.8%	3.2%	6.7%	6.5%	5.5%
Non-Veteran	0.6%	0.3%	0.8%	0.0%	0.2%	0.4%	0.5%	0.5%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %									
BASIC 1. Non-reliant Care	0.1%	0.1%	0.2%	0.0%	0.1%	0.0%	0.0%	0.4%	0.0%
2. Basic Medical	16.7%	15.9%	12.4%	14.6%	14.9%	14.2%	17.2%	13.6%	31.9%
3. Mental Health	36.3%	40.0%	44.5%	40.5%	39.1%	43.4%	37.0%	35.1%	37.7%
4. Heart / Lung / GI	7.7%	7.7%	8.6%	4.2%	7.6%	7.4%	10.2%	7.1%	12.4%
5. Oncology / Infectious Disease	3.9%	3.4%	4.0%	3.6%	4.4%	3.4%	2.5%	3.2%	2.6%
6. Multiple Medical	18.0%	15.9%	18.6%	16.7%	13.3%	18.3%	20.1%	11.2%	8.4%
COMPLEX 7. Specialized Care	2.6%	1.8%	1.1%	2.8%	1.0%	1.3%	2.0%	2.8%	0.7%
8. Support Care	2.8%	1.8%	1.2%	0.9%	2.9%	2.0%	2.9%	1.1%	2.4%
9. Chronic Mental	9.6%	10.7%	7.5%	14.6%	10.3%	8.8%	7.6%	20.3%	0.4%
10. Critically Ill	2.2%	2.8%	2.1%	2.1%	6.4%	1.2%	0.5%	5.1%	3.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
All Patients	217760	9532	1309	1915	1229	1725	1288	1302	764
Substance Dependence and Abuse									
Any dx of alcohol / drug dependence or abuse, %	23.3%	22.8%	31.2%	25.3%	22.5%	23.1%	24.4%	14.5%	13.4%
Homelessness									
Homelessness indicated in FY02, %	11.5%	10.6%	15.6%	12.2%	8.1%	15.7%	12.1%	2.8%	1.7%
Residence in Metropolitan Area									
Residing in a Metropolitan Statistical Area, %	79.7%	75.7%	87.8%	85.5%	47.5%	99.2%	82.3%	53.1%	50.2%
Distance									
Mile from Closest VA Medical Center, mean	32.17	31.05	33.19	35.67	58.98	11.90	20.25	21.76	48.13
SD	*68.58*	*29.90*	*21.22*	*27.53*	*37.27*	*11.75*	*19.79*	*21.15*	*41.77*
Distance from closest VA Medical Center, %									
0 to 15 miles	49.0%	43.0%	24.8%	34.2%	19.1%	75.7%	58.5%	48.2%	26.3%
15 to 30 miles	16.3%	14.7%	17.3%	10.9%	4.2%	17.5%	13.2%	24.6%	16.3%
30 to 45 miles	10.3%	14.5%	31.7%	13.2%	15.2%	4.1%	12.8%	11.0%	18.9%
45 to 60 miles	8.1%	12.7%	18.3%	27.6%	7.2%	2.1%	11.6%	7.5%	9.4%
60 plus miles	16.2%	15.1%	7.9%	14.2%	54.3%	0.5%	4.0%	8.8%	29.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.73	12.27	11.73	11.81	15.71	8.64	11.74	11.38	19.46
SD	*13.09*	*11.40*	*9.77*	*10.93*	*14.12*	*6.10*	*10.20*	*11.50*	*15.85*
Distance to closest VA Service Site, %									
0 to 15 miles	77.0%	69.2%	68.5%	72.0%	54.3%	86.8%	69.6%	69.1%	47.4%
15 to 30 miles	14.9%	20.8%	24.2%	20.5%	22.2%	12.4%	22.7%	22.3%	26.3%
30 to 45 miles	5.7%	8.5%	7.0%	5.2%	21.7%	0.7%	7.4%	8.4%	18.0%
45 plus miles	2.4%	1.5%	0.4%	2.3%	1.7%	0.2%	0.4%	0.2%	8.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3F: FY03 Psychosis Patients, Utilization, VISN 11

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
All Patients	217760	9532	1309	1915	1229	1725	1288	1302	764
Hospital Based Utilization									
Patients with some Hospital Based Utilization, %	27.2%	26.9%	23.8%	30.5%	32.5%	25.6%	26.2%	29.1%	14.3%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)									
Inpatient stays, mean	1.83	1.80	1.78	1.94	1.98	1.65	1.70	1.72	1.73
SD	*1.43*	*1.33*	*1.26*	*1.44*	*1.62*	*1.09*	*1.21*	*1.21*	*1.33*
Average LOS, mean	13.07	21.24	8.58	24.76	22.86	9.77	6.87	54.76	6.87
SD	*30.84*	*53.76*	*7.80*	*44.71*	*60.47*	*12.39*	*9.09*	*103.16*	*6.49*
Cumulative DOS, mean	21.85	32.29	15.29	41.33	35.58	16.24	12.41	71.16	11.76
SD	*40.46*	*63.54*	*21.10*	*59.91*	*69.89*	*23.32*	*19.91*	*112.22*	*13.74*
Cumulative DOS, %									
1 to 7	39.9%	35.6%	34.1%	22.8%	34.3%	39.9%	59.8%	27.2%	51.4%
8 to 14	21.8%	20.3%	32.8%	18.2%	18.5%	26.8%	15.7%	12.9%	17.4%
15 to 44	27.7%	28.3%	28.6%	31.5%	30.3%	27.0%	19.2%	30.3%	28.4%
45 to 89	6.9%	8.6%	3.9%	17.0%	9.0%	4.5%	4.4%	9.5%	1.8%
90 to 179	2.3%	3.0%	0.3%	6.3%	3.3%	1.4%	0.6%	4.5%	0.9%
180 to 359	0.9%	2.2%	0.3%	3.1%	2.0%	0.5%	0.3%	6.9%	0.0%
360+	0.6%	2.0%	0.0%	1.2%	2.8%	0.0%	0.0%	8.7%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	2.1%	5.0%	0.3%	5.8%	5.5%	0.7%	0.3%	17.4%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	237.76	276.84	289.00	232.03	297.82	181.00	219.00	297.98	0.00
SD	*95.14*	*89.60*	*0.00*	*92.14*	*84.53*	*37.64*	*0.00*	*82.27*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	1.3%	3.8%	0.3%	3.6%	4.8%	0.2%	0.3%	14.2%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	290.80	311.47	289.00	280.57	315.16	214.00	219.00	326.13	0.00
SD	*77.65*	*67.25*	*0.00*	*76.76*	*71.18*	*0.00*	*0.00*	*57.40*	*0.00*
Cumulative DOS at Other VISNs	0.59	0.49	0.42	0.69	0.56	0.36	0.62	0.25	0.23
SD	*4.28*	*4.33*	*2.80*	*7.10*	*3.93*	*2.49*	*4.21*	*1.71*	*1.49*
Cumulative DOS at Other Stations	1.83	1.95	1.89	2.70	1.54	1.16	0.99	2.16	5.02
SD	*7.27*	*6.97*	*5.93*	*8.76*	*6.13*	*5.82*	*5.52*	*6.64*	*9.53*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506	515	550	553	583	610	655
			Ann Arbor	*Battle Creek*	*Danville IL*	*Detroit*	*Indianapolis*	*N.Indiana*	*Saginaw*
All Patients	217760	9532	1309	1915	1229	1725	1288	1302	764
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)									
Pts. with non-psych hospital stays, %	14.0%	12.3%	11.8%	8.6%	18.1%	7.6%	17.5%	14.5%	11.4%
Inpatient stays, mean	0.85	0.79	0.84	0.48	1.12	0.43	1.06	0.86	1.38
SD	*1.20*	*1.22*	*1.21*	*0.97*	*1.65*	*0.79*	*1.18*	*1.21*	*1.36*
Average LOS, mean	7.54	7.44	6.46	7.76	6.39	11.26	6.89	8.13	5.36
SD	*13.36*	*11.22*	*9.53*	*10.36*	*7.03*	*19.51*	*10.03*	*12.09*	*5.75*
Cumulative Days of Stay, mean	6.52	6.29	5.59	4.19	8.81	4.90	7.82	7.33	7.57
SD	*17.31*	*20.22*	*18.39*	*16.97*	*25.16*	*18.98*	*18.44*	*24.45*	*11.98*
Cumulative Days of Stay, %									
0	48.5%	54.2%	50.2%	71.7%	44.5%	70.3%	33.4%	50.1%	20.2%
1 to 7	29.2%	25.9%	27.7%	16.1%	30.5%	15.4%	42.3%	25.1%	50.5%
8 to 14	9.8%	7.8%	11.9%	4.5%	8.5%	4.5%	9.2%	10.8%	11.0%
15 to 44	10.2%	10.0%	9.3%	6.3%	12.5%	7.9%	12.1%	11.9%	17.4%
45 to 89	1.8%	1.4%	0.6%	0.9%	3.0%	0.9%	2.4%	1.3%	0.0%
90 to 179	0.4%	0.4%	0.0%	0.3%	0.5%	0.5%	0.3%	0.3%	0.9%
180 to 359	0.1%	0.3%	0.3%	0.2%	0.5%	0.5%	0.3%	0.3%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.4%	0.3%	0.3%	0.5%	0.7%	0.3%	0.5%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	206.57	239.73	289.00	215.50	276.00	181.00	219.00	301.50	0.00
SD	*85.33*	*80.06*	*0.00*	*140.71*	*96.17*	*37.64*	*0.00*	*86.97*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.3%	0.3%	0.2%	0.5%	0.2%	0.3%	0.5%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	268.22	274.00	289.00	315.00	276.00	214.00	219.00	301.50	0.00
SD	*74.94*	*61.95*	*0.00*	*0.00*	*96.17*	*0.00*	*0.00*	*86.97*	*0.00*
Other VISN cumulative DOS, mean	0.14	0.12	0.24	0.10	0.13	0.12	0.17	0.04	0.01
SD	*1.82*	*1.61*	*2.51*	*1.49*	*1.69*	*1.64*	*1.55*	*0.72*	*0.10*
Other station cumulative DOS, mean	0.51	0.78	0.47	1.04	1.02	0.27	0.37	1.35	0.83
SD	*3.43*	*3.88*	*2.89*	*4.19*	*5.01*	*1.94*	*2.44*	*5.36*	*2.62*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506	515	550	553	583	610	655
			Ann Arbor	*Battle Creek*	*Danville IL*	*Detroit*	*Indianapolis*	*N.Indiana*	*Saginaw*
All Patients	217760	9532	1309	1915	1229	1725	1288	1302	764
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)									
Pts. with psych hospital stays, %	15.8%	17.2%	13.8%	25.4%	18.7%	19.4%	12.0%	17.2%	3.5%
Inpatient stays, mean	0.98	1.02	0.94	1.46	0.85	1.22	0.64	0.86	0.36
SD	*1.28*	*1.12*	*1.15*	*1.25*	*0.98*	*1.16*	*0.87*	*0.98*	*0.81*
Average LOS, mean	17.54	30.41	10.40	30.29	36.41	9.45	7.08	90.21	12.05
SD	*38.98*	*66.85*	*6.01*	*51.49*	*78.15*	*9.27*	*7.15*	*124.49*	*6.13*
Cumulative Days of Stay, mean	15.33	26.01	9.70	37.15	26.81	11.33	4.59	63.83	4.19
SD	*38.37*	*61.73*	*14.00*	*57.70*	*67.22*	*15.81*	*9.25*	*112.77*	*9.54*
Cumulative Days of Stay, %									
0	41.8%	36.1%	42.1%	16.8%	42.5%	24.3%	54.1%	40.9%	75.2%
1 to 7	18.6%	16.2%	13.8%	13.4%	13.3%	27.7%	27.8%	5.8%	3.7%
8 to 14	14.1%	14.7%	21.5%	16.6%	11.8%	23.8%	9.2%	5.5%	8.3%
15 to 44	17.8%	20.0%	19.9%	28.4%	20.0%	20.0%	7.7%	20.6%	11.9%
45 to 89	4.7%	6.6%	2.3%	14.7%	5.3%	3.9%	1.2%	8.7%	0.9%
90 to 179	1.7%	2.5%	0.3%	6.2%	3.0%	0.5%	0.0%	3.4%	0.0%
180 to 359	0.8%	2.0%	0.0%	2.9%	1.8%	0.0%	0.0%	6.9%	0.0%
360+	0.5%	1.8%	0.0%	1.0%	2.5%	0.0%	0.0%	8.2%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	1.8%	4.6%	0.0%	5.7%	5.0%	0.0%	0.0%	16.9%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.50	274.39	0.00	221.15	292.60	0.00	0.00	296.16	0.00
SD	*96.26*	*92.25*	*0.00*	*90.53*	*88.88*	*0.00*	*0.00*	*83.99*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.2%	3.5%	0.0%	3.4%	4.3%	0.0%	0.0%	13.7%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	291.18	310.82	0.00	271.45	311.06	0.00	0.00	325.88	0.00
SD	*78.31*	*68.98*	*0.00*	*74.26*	*76.86*	*0.00*	*0.00*	*58.85*	*0.00*
Other VISN cumulative DOS, mean	0.45	0.36	0.18	0.59	0.43	0.24	0.45	0.21	0.22
SD	*3.83*	*4.01*	*1.27*	*6.88*	*3.56*	*1.88*	*3.93*	*1.55*	*1.49*
Other station cumulative DOS, mean	1.32	1.16	1.42	1.65	0.51	0.89	0.62	0.81	4.19
SD	*6.36*	*5.75*	*5.31*	*7.68*	*3.67*	*5.50*	*4.63*	*3.37*	*9.54*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
All Patients	217760	9532	1309	1915	1229	1725	1288	1302	764
Other 24 hour institutional care									
Patients with some other 24 hour institutional care, %	8.5%	6.9%	3.9%	10.5%	10.7%	2.8%	4.5%	9.3%	5.6%
Residential Rehab (rep. for those w/ res rehab care)									
Patients with some residential rehab. care, %	1.8%	2.1%	0.4%	7.3%	0.3%	0.4%	2.9%	0.4%	0.3%
Number stays, mean	1.12	1.17	1.00	1.17	1.00	1.00	1.22	1.00	1.50
SD	*0.38*	*0.44*	*0.00*	*0.43*	*0.00*	*0.00*	*0.53*	*0.00*	*0.71*
Average LOS, mean	34.01	49.73	9.00	33.00	127.25	18.86	120.47	27.60	13.50
SD	*38.25*	*66.06*	*7.11*	*31.20*	*45.92*	*12.85*	*111.63*	*36.60*	*7.78*
Cumulative DOS, mean	37.28	54.81	9.00	38.62	127.25	18.86	126.19	27.60	23.00
SD	*40.79*	*67.96*	*7.11*	*37.19*	*45.92*	*12.85*	*110.42*	*36.60*	*21.21*
Cumulative Days of Stay, %									
1 to 7	12.3%	6.5%	40.0%	2.9%	0.0%	28.6%	8.1%	40.0%	0.0%
8 to 14	12.7%	13.1%	40.0%	12.9%	0.0%	28.6%	8.1%	0.0%	50.0%
15 to 44	50.7%	52.8%	20.0%	64.7%	0.0%	42.9%	21.6%	40.0%	50.0%
45 to 89	15.8%	10.6%	0.0%	12.2%	25.0%	0.0%	8.1%	0.0%	0.0%
90 to 179	7.0%	10.6%	0.0%	6.5%	50.0%	0.0%	24.3%	20.0%	0.0%
180 to 359	1.3%	6.0%	0.0%	0.7%	25.0%	0.0%	27.0%	0.0%	0.0%
360+	0.2%	0.5%	0.0%	0.0%	0.0%	0.0%	2.7%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.3%	15.6%	0.0%	5.8%	75.0%	0.0%	54.1%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	175.66	192.42	0.00	165.13	143.67	0.00	210.65	0.00	0.00
SD	*75.56*	*72.64*	*0.00*	*45.61*	*39.31*	*0.00*	*79.77*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.9%	9.0%	0.0%	2.2%	25.0%	0.0%	37.8%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	237.86	232.94	0.00	203.00	189.00	0.00	242.50	0.00	0.00
SD	*73.07*	*69.69*	*0.00*	*54.62*	*0.00*	*0.00*	*73.75*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.12	0.79	2.00	0.82	0.00	0.00	0.00	0.00	16.50
SD	*6.40*	*5.32*	*3.94*	*5.68*	*0.00*	*0.00*	*0.00*	*0.00*	*23.33*
Other station cumulative DOS, mean	3.58	2.39	9.00	0.82	0.00	18.86	0.00	27.60	23.00
SD	*10.93*	*9.58*	*7.11*	*5.68*	*0.00*	*12.85*	*0.00*	*36.60*	*21.21*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506	515	550	553	583	610	655
			Ann Arbor	*Battle Creek*	*Danville IL*	*Detroit*	*Indianapolis*	*N.Indiana*	*Saginaw*
All Patients	217760	9532	1309	1915	1229	1725	1288	1302	764
Domiciliary and Vocational									
(reported for those with some dom/voc care)									
Patients with some dom/voc care, %	2.8%	0.1%	0.0%	0.3%	0.2%	0.1%	0.1%	0.1%	0.0%
Number stays, mean	1.13	1.00	0.00	1.00	1.00	1.00	1.00	1.00	0.00
SD	*0.38*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	85.20	16.10	0.00	18.40	28.00	5.00	2.00	6.00	0.00
SD	*90.51*	*13.02*	*0.00*	*14.05*	*1.41*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS, mean	92.74	16.10	0.00	18.40	28.00	5.00	2.00	6.00	0.00
SD	*94.18*	*13.02*	*0.00*	*14.05*	*1.41*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative Days of Stay, %									
1 to 7	6.9%	50.0%	0.0%	40.0%	0.0%	100.0%	100.0%	100.0%	0.0%
8 to 14	6.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	29.6%	50.0%	0.0%	60.0%	100.0%	0.0%	0.0%	0.0%	0.0%
45 to 89	19.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	22.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	10.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	5.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%
Dom. patients with 100+ day Dom. stay, %	31.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	203.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*90.08*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	18.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	259.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*79.66*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.54	15.40	0.00	17.00	28.00	5.00	2.00	6.00	0.00
SD	*8.76*	*13.73*	*0.00*	*15.72*	*1.41*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.75	15.40	0.00	17.00	28.00	5.00	2.00	6.00	0.00
SD	*14.14*	*13.73*	*0.00*	*15.72*	*1.41*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
All Patients	217760	9532	1309	1915	1229	1725	1288	1302	764
Nursing Home Care									
(reported for those with some nursing home care)									
Patients with some nursing home care, %	4.5%	4.7%	3.5%	3.2%	10.2%	2.3%	1.6%	8.8%	5.5%
Number stays, mean	1.24	1.19	1.22	1.10	1.27	1.38	1.15	1.07	1.24
SD	*0.60*	*0.49*	*0.47*	*0.30*	*0.61*	*0.67*	*0.37*	*0.26*	*0.58*
Average LOS, mean	99.56	137.70	44.17	131.28	128.42	83.95	53.98	248.55	64.77
SD	*118.68*	*136.33*	*45.03*	*135.78*	*118.35*	*125.44*	*63.77*	*138.75*	*69.54*
Cumulative DOS, mean	111.19	147.13	50.76	138.55	145.11	89.93	63.90	253.78	73.40
SD	*123.23*	*135.21*	*46.23*	*135.98*	*118.51*	*123.51*	*75.47*	*135.11*	*73.35*
Cumulative Days of Stay, %									
1 to 7	9.0%	7.8%	8.7%	17.7%	6.4%	10.0%	5.0%	2.6%	9.5%
8 to 14	10.6%	6.9%	17.4%	6.5%	2.4%	17.5%	25.0%	0.9%	7.1%
15 to 44	27.5%	19.3%	26.1%	16.1%	17.6%	37.5%	40.0%	7.0%	28.6%
45 to 89	15.4%	15.8%	30.4%	11.3%	18.4%	2.5%	5.0%	11.3%	28.6%
90 to 179	13.8%	15.8%	13.0%	12.9%	22.4%	15.0%	10.0%	12.2%	16.7%
180 to 359	11.4%	14.2%	4.3%	21.0%	21.6%	5.0%	15.0%	12.2%	7.1%
360+	12.4%	20.2%	0.0%	14.5%	11.2%	12.5%	0.0%	53.9%	2.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	33.0%	45.8%	8.7%	46.8%	49.6%	27.5%	20.0%	75.7%	21.4%
Cumul. DOS, patients with a 100+ day NH stay, mean	263.62	273.05	160.25	263.59	240.90	264.55	197.25	317.76	187.00
SD	*97.17*	*97.00*	*56.42*	*95.16*	*92.85*	*108.77*	*56.55*	*82.55*	*74.22*
NH patients with 150+ day NH stay, %	25.7%	36.7%	4.3%	35.5%	37.6%	20.0%	10.0%	67.0%	16.7%
Cumul. DOS, patients with a 150+ day NH stay, mean	299.88	307.26	209.00	303.68	275.09	315.38	231.50	340.79	206.14
SD	*76.08*	*75.15*	*4.24*	*69.45*	*79.50*	*77.44*	*58.69*	*53.55*	*73.55*
Other VISN cumulative DOS, mean	0.41	0.19	0.07	0.66	0.00	0.35	0.00	0.24	0.00
SD	*5.60*	*2.19*	*0.44*	*5.21*	*0.00*	*1.56*	*0.00*	*1.79*	*0.00*
Other station cumulative DOS, mean	1.17	1.23	1.33	2.61	0.00	0.35	7.55	1.17	0.71
SD	*8.68*	*8.03*	*5.16*	*10.71*	*0.00*	*1.56*	*21.26*	*9.40*	*4.63*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
All Patients	217760	9532	1309	1915	1229	1725	1288	1302	764
Outpatient utilization									
(reported for those with some outpatient care)									
Patients with some outpatient care, %	99.1%	98.4%	99.9%	99.0%	97.3%	99.5%	99.8%	93.5%	99.6%
annual visit days, mean	24.61	21.78	20.89	24.22	18.66	19.47	24.32	27.85	13.35
SD	*33.05*	*31.32*	*28.75*	*32.49*	*27.30*	*28.98*	*30.43*	*44.00*	*11.85*
Outpatient visit days, %									
1-12	44.2%	51.4%	49.5%	46.2%	56.6%	56.1%	43.9%	50.6%	62.8%
13-24	26.4%	23.8%	25.9%	25.0%	23.7%	21.5%	25.7%	22.3%	22.2%
25-36	11.9%	10.6%	11.5%	11.9%	8.4%	10.1%	12.0%	8.9%	10.2%
37-48	5.9%	4.9%	4.5%	5.4%	4.5%	4.9%	7.0%	3.9%	2.6%
49+	11.5%	9.3%	8.6%	11.5%	6.8%	7.5%	11.4%	14.3%	2.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	79.4%	80.3%	79.4%	87.0%	83.9%	69.1%	75.4%	85.3%	85.2%
Mean PC visit days, among those with some PC	3.84	3.47	3.04	4.04	3.49	2.57	3.62	4.20	2.94
SD	3.72	3.01	2.29	3.38	3.16	1.71	2.92	4.09	1.98
Average number clinic stops per visit day, mean	1.49	1.49	1.48	1.42	1.48	1.54	1.55	1.49	1.45
SD	*0.47*	*0.46*	*0.46*	*0.41*	*0.43*	*0.52*	*0.46*	*0.44*	*0.41*
annual clinic stops (psych & non-psych), mean	37.56	33.82	31.22	38.30	27.09	32.88	39.76	40.50	19.14
SD	*56.64*	*54.64*	*41.29*	*66.77*	*40.63*	*58.93*	*54.75*	*63.80*	*17.20*
annual non-psych. clinic stops, mean	20.14	16.83	15.39	19.10	16.98	14.08	18.79	17.19	15.68
SD	*25.25*	*20.37*	*17.46*	*22.33*	*23.49*	*18.44*	*21.37*	*20.59*	*14.99*
annual psych. clinic stops (groupings below), mean	17.42	17.00	15.84	19.20	10.11	18.80	20.96	23.31	3.46
SD	*43.44*	*45.32*	*34.81*	*55.22*	*26.92*	*51.86*	*44.93*	*53.84*	*5.83*
1. general psych. clinic stops, mean	7.22	5.49	5.41	6.82	4.78	6.38	4.81	5.28	2.92
SD	*13.49*	*9.01*	*8.75*	*8.12*	*7.79*	*12.08*	*8.45*	*8.81*	*4.60*
2. psych. case management clinic stops, mean	1.44	2.14	3.08	2.35	2.12	1.97	0.01	4.67	0.00
SD	*12.10*	*15.02*	*22.76*	*12.90*	*18.51*	*9.28*	*0.22*	*21.20*	*0.00*
3. psych. day treatment clinic stops, mean	2.80	4.27	2.05	0.14	0.13	5.93	9.98	11.49	0.00
SD	*21.66*	*25.30*	*10.77*	*2.48*	*1.71*	*34.82*	*33.92*	*41.51*	*0.04*
4. substance abuse clinic stops, mean	3.26	2.17	3.08	1.98	1.11	4.01	2.10	1.26	0.14

Table 3F: FY03 Psychosis Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
All Patients	217760	9532	1309	1915	1229	1725	1288	1302	764
SD	*19.07*	*13.01*	*11.06*	*9.43*	*5.32*	*23.77*	*11.18*	*8.23*	*0.74*
5. psych. vocational clinic stops, mean	1.73	2.16	1.43	6.74	1.60	0.00	2.84	0.07	0.00
SD	*15.65*	*22.73*	*13.21*	*45.45*	*13.37*	*0.02*	*18.38*	*0.67*	*0.00*
6. PTSD clinic stops, mean	0.56	0.38	0.33	0.59	0.21	0.01	0.77	0.40	0.35
SD	*4.85*	*3.49*	*2.91*	*3.87*	*1.47*	*0.08*	*6.30*	*3.30*	*3.06*
7. psych. homeless clinic stops, mean	0.41	0.37	0.58	0.61	0.10	0.50	0.39	0.05	0.02
SD	*3.32*	*2.51*	*2.61*	*3.95*	*1.05*	*2.63*	*2.29*	*0.51*	*0.42*
Other VISN OP visit days, mean	0.36	0.27	0.28	0.25	0.50	0.18	0.33	0.21	0.17
SD	*2.35*	*1.75*	*1.50*	*1.59*	*2.83*	*1.37*	*2.07*	*1.20*	*1.08*
Other station OP visit days, mean	0.91	1.05	0.98	1.85	0.99	0.48	0.67	1.07	1.19
SD	*3.87*	*3.39*	*2.99*	*4.77*	*3.37*	*2.37*	*3.11*	*2.87*	*2.70*

Table 4F: FY03 Psychosis Patients, Pharmacy Utilization, VISN 11

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
All Patients	217760	9532	1309	1915	1229	1725	1288	1302	764
Among all patients in the registry									
Pts. with any outpatient prescriptions, %	95.5%	95.3%	94.9%	96.3%	93.2%	97.0%	96.5%	91.3%	97.5%
Patients with any oral antipsychotic fills, %*	59.2%	64.7%	60.7%	72.2%	63.6%	71.3%	57.8%	60.3%	59.0%
Among patients receiving antipsychotics:									
Received only conventional antipsychotics, %	12.3%	13.8%	11.7%	12.2%	14.5%	14.4%	11.7%	18.0%	15.7%
Received some atypical antipsychotics, %	87.7%	86.2%	88.3%	87.8%	85.5%	85.6%	88.3%	82.0%	84.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %									
Aripiprazole	1.2%	0.3%	0.0%	0.4%	0.0%	0.4%	0.8%	0.3%	0.2%
Clozapine	1.8%	2.5%	3.1%	3.0%	1.0%	4.0%	1.7%	1.8%	1.1%
Olanzapine	35.8%	36.7%	40.7%	38.2%	34.7%	31.5%	39.5%	42.2%	28.8%
Quetiapine	26.2%	19.7%	20.5%	22.6%	19.8%	16.2%	18.1%	16.9%	25.9%
Risperidone	36.7%	39.8%	40.4%	38.4%	37.2%	49.3%	36.5%	33.1%	38.1%
Ziprasidone	5.2%	3.2%	2.5%	2.9%	2.0%	0.7%	10.5%	3.7%	1.1%
Patients receiving only one kind** of antipsychotic, %	73.8%	75.1%	74.4%	66.4%	83.1%	76.8%	75.7%	76.6%	81.2%
Concurrent use of 2 or more antipsychotics, % ***	11.3%	11.2%	8.8%	17.1%	5.8%	11.2%	10.5%	11.1%	8.4%
Among pts receiving just one antipsychotic:									
Antipsychotic fills, mean	7.06	7.94	7.82	8.38	8.59	7.62	8.07	7.23	7.72
SD	*5.06*	*5.35*	*5.52*	*5.61*	*4.57*	*5.48*	*5.58*	*5.38*	*4.69*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5F: FY03 Psychosis Patients, Cost, VISN 11

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
All Patients	217760	9532	1309	1915	1229	1725	1288	1302	764
Total Costs (in thousands $$)	$3,237,460	$150,227	$16,869	$31,409	$21,178	$22,250	$13,781	$37,535	$7,204
Station % of VISN		100.0%	11.2%	20.9%	14.1%	14.8%	9.2%	25.0%	4.8%
Psych vs. Non-Psych Costs									
Psych	30.3%	33.3%	30.4%	46.8%	29.6%	26.2%	22.7%	38.4%	8.2%
Non-Psych	69.7%	66.7%	69.6%	53.2%	70.4%	73.8%	77.3%	61.6%	91.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use									
Per Patient	$18,395	$21,353	$19,553	$22,015	$20,007	$14,872	$11,601	$42,560	$10,612
Per Day of Stay	$842	$661	$1,279	$533	$562	$916	$934	$598	$902
Mean Outpatient Costs, Pts with some Outpatient use									
Per Patient	$6,757	$6,088	$7,057	$6,337	$5,271	$6,351	$6,376	$5,621	$4,755
Per Visit Day	$275	$280	$338	$262	$283	$326	$262	$202	$356
Mean Patient Costs, By Cost Center									
1 Med	$1,582	$1,325	$1,588	$601	$1,940	$1,139	$1,171	$2,085	$1,079
2 Surg	$536	$464	$1,187	$224	$400	$314	$777	$279	$53
3 Psych	$2,886	$3,951	$1,870	$5,889	$4,172	$2,349	$1,096	$10,024	$382
4 Psych Res Rehab Treatment Program	$218	$243	$13	$804	$39	$26	$484	$19	$19
5 Non-VA	$205	$199	$98	$262	$57	$375	$30	$190	$338
6 LTC Domiciliary	$327	$4	$0	$8	$13	$1	$0	$1	$0
7 LTC Intermediate Care	$167	$358	$20	$652	$383	$494	$221	$27	$648
8 LTC Nursing Home	$1,785	$2,818	$746	$1,688	$4,411	$1,015	$47	$10,797	$1,780
9 Contract Nursing Home	$467	$410	$314	$2	$688	$869	$507	$147	$394
10 OPC Med/Surg	$1,071	$829	$984	$488	$703	$1,002	$1,132	$744	$866
11 OPC Psych	$1,624	$1,303	$2,053	$1,781	$932	$1,035	$1,330	$1,054	$394
12 OPC Home Based Treatment	$751	$691	$645	$717	$574	$730	$580	$1,124	$253
13 OPC Support	$1,322	$1,233	$1,223	$1,401	$924	$1,517	$1,238	$1,069	$961
14 OPC Fee	$148	$111	$20	$78	$88	$36	$243	$199	$182
15 OPC Pharmacy	$1,778	$1,824	$2,126	$1,805	$1,908	$1,998	$1,843	$1,069	$2,081
TOTAL	$14,867	$15,760	$12,887	$16,401	$17,232	$12,899	$10,700	$28,829	$9,429
Mean % Patient Costs at Other Stations	3.9%	5.5%	5.1%	8.0%	5.1%	2.9%	2.8%	6.0%	10.3%
SD	*12.8%*	*14.8%*	*14.1%*	*16.7%*	*13.8%*	*11.8%*	*10.7%*	*15.5%*	*20.3%*
Mean % Patient Costs at Other VISNs	1.5%	1.4%	1.6%	1.1%	2.4%	1.0%	1.5%	1.1%	1.2%
SD	*8.0%*	*7.6%*	*8.1%*	*6.9%*	*10.2%*	*6.5%*	*8.0%*	*6.2%*	*7.5%*

Table 1G: FY03 Schizophrenic Patients, Demographics, VISN 11

	All VISNs	VISN 11	506 *Ann Arbor*	583 *Indianapolis*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Schizophrenic Patients	94395	4767	515	1047	596	1088	499	710	312
Age, %									
<35	3.9%	3.7%	3.7%	2.7%	3.0%	4.2%	4.4%	3.2%	6.1%
>=35 and <50	32.5%	33.3%	39.8%	30.0%	29.7%	33.5%	41.9%	29.7%	34.6%
>=50 and <65	44.6%	45.3%	47.0%	48.7%	43.6%	46.6%	41.3%	42.8%	42.3%
>=65 and <80	15.7%	14.8%	8.3%	15.7%	19.5%	13.1%	11.0%	20.0%	14.4%
>=80	3.3%	2.8%	1.2%	3.0%	4.2%	2.6%	1.4%	4.2%	2.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	54.59	54.16	51.72	55.10	55.97	53.58	51.72	56.03	53.17
SD	*11.97*	*11.61*	*10.26*	*11.22*	*12.16*	*11.41*	*10.93*	*12.43*	*12.11*
Gender									
Male, %	94.6%	95.1%	95.7%	95.2%	96.1%	94.9%	92.2%	95.5%	95.8%
Female, %	5.4%	4.9%	4.3%	4.8%	3.9%	5.1%	7.8%	4.5%	4.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %									
Hispanic white	6.9%	0.7%	1.2%	1.3%	0.2%	0.3%	0.6%	0.4%	1.0%
Hispanic black	0.6%	0.1%	0.0%	0.1%	0.0%	0.3%	0.2%	0.0%	0.0%
American Indian	0.3%	0.3%	0.0%	0.4%	0.0%	0.0%	0.4%	0.1%	1.6%
Black	26.5%	27.9%	20.6%	25.6%	12.9%	50.8%	28.7%	18.7%	15.4%
Asian	0.8%	0.1%	0.2%	0.0%	0.0%	0.1%	0.2%	0.1%	0.0%
White	52.4%	59.4%	54.0%	67.0%	83.4%	32.6%	62.5%	74.6%	51.3%
Race unknown	12.5%	11.6%	24.1%	5.6%	3.5%	15.9%	7.4%	5.9%	30.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status									
Never married	42.4%	46.8%	48.8%	47.9%	43.7%	52.1%	39.7%	46.0%	40.2%
Married	24.6%	18.4%	17.9%	15.0%	17.0%	16.6%	24.0%	18.7%	29.6%
Divorced/Separated	29.5%	31.6%	31.5%	33.8%	36.1%	28.2%	32.1%	31.8%	27.0%
Widowed	3.5%	3.2%	1.8%	3.3%	3.2%	3.1%	4.2%	3.5%	3.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 11

	All VISNs	VISN 11	506 *Ann Arbor*	583 *Indianapolis*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Schizophrenic Patients	94395	4767	515	1047	596	1088	499	710	312
Registry Pts. History of VA Utilization									
Years since first use in prior five years, mean	4.6	4.62	4.46	4.69	4.71	4.58	4.55	4.71	4.48
SD	*1.0*	*0.99*	*1.17*	*0.88*	*0.86*	*1.02*	*1.07*	*0.85*	*1.17*
Yrs with 24-hour institutional use / yrs since 1st use, %	27.3%	28.4%	23.2%	27.7%	34.3%	24.2%	26.4%	40.5%	15.8%
SD	*30.9%*	*32.1%*	*27.5%*	*31.6%*	*34.2%*	*28.9%*	*29.8%*	*37.6%*	*24.2%*
Years with OP use / Years since first use, %	96.7%	95.3%	97.4%	97.5%	94.1%	96.7%	97.8%	86.9%	98.2%
SD	*12.4%*	*15.9%*	*9.2%*	*9.7%*	*18.8%*	*11.1%*	*8.8%*	*28.7%*	*7.1%*
Psychosis Diagnoses in Prior Fiscal Year									
Had Psychosis Diagnosis in FY01, %	82.2%	84.0%	81.9%	85.0%	88.8%	81.8%	82.8%	86.3%	79.2%
Among Patients With Psychoses in FY01									
Psychosis Category: Schizophrenia, %	94.8%	96.0%	95.7%	96.1%	97.9%	94.9%	95.4%	96.1%	97.2%
Psychosis Category: Bipolar Disorder, %	2.6%	2.2%	2.8%	2.4%	0.8%	2.0%	2.4%	3.1%	2.0%
Psychosis Category: Other Psychosis, %	2.5%	1.7%	1.4%	1.6%	1.3%	3.0%	2.2%	0.8%	0.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %									
Dementia	2.3%	1.7%	0.6%	1.4%	1.5%	2.3%	2.0%	2.4%	1.3%
Post Traumatic Stress Disorder	11.9%	6.5%	6.8%	7.5%	4.5%	4.1%	7.0%	6.9%	12.8%
Depression	25.7%	19.7%	17.3%	20.0%	18.8%	19.5%	24.0%	18.3%	21.8%
Other Anxiety Disorder	8.7%	6.2%	5.0%	6.4%	5.9%	5.9%	8.4%	5.5%	7.4%
Substance Abuse or Dependence	22.3%	19.5%	26.8%	17.8%	21.5%	19.9%	28.9%	11.4%	12.2%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 11

	All VISNs	VISN 11	506 *Ann Arbor*	583 *Indianapolis*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Schizophrenic Patients	94395	4767	515	1047	596	1088	499	710	312
Medical Comorbidities, %									
No medical comorbidities	18.7%	23.1%	25.0%	19.8%	20.6%	26.6%	19.6%	25.6%	22.8%
Anemia	7.1%	5.0%	2.9%	3.3%	8.7%	4.0%	6.6%	6.5%	4.5%
Arthritis	29.7%	25.9%	21.6%	28.8%	29.4%	21.9%	27.9%	26.8%	25.0%
Cancer	6.1%	5.1%	5.2%	4.3%	5.7%	6.0%	4.2%	5.2%	4.2%
Cerebrovascular Disease	3.8%	3.1%	1.6%	2.7%	4.4%	2.8%	4.2%	3.8%	2.9%
Chronic Neurologic Disorder	12.4%	11.1%	9.5%	11.4%	11.2%	9.7%	12.4%	12.0%	13.8%
Chronic Obstructive Pulmonary Disease	16.5%	17.9%	14.4%	24.9%	19.5%	11.8%	16.6%	19.7%	15.7%
Chronic Viral Infection	8.7%	6.7%	5.6%	7.5%	7.0%	7.9%	6.4%	5.2%	5.1%
Coronary Artery Disease	14.6%	14.3%	13.0%	12.9%	13.3%	15.0%	12.4%	17.0%	17.6%
Diabetes	20.3%	18.1%	21.4%	16.7%	18.1%	16.5%	19.0%	19.3%	18.3%
Digestive System Disease	44.1%	38.8%	39.0%	40.1%	46.1%	32.7%	44.9%	38.2%	33.0%
Hypertension	40.7%	39.3%	39.2%	39.9%	40.9%	36.9%	40.5%	41.1%	36.5%
Injury and Poisoning	15.5%	13.4%	12.2%	11.7%	13.1%	12.6%	19.0%	15.6%	10.3%
Liver Disease	3.2%	1.8%	1.6%	1.5%	2.2%	1.4%	3.2%	1.3%	2.2%
Other Endocrine	6.9%	6.5%	5.2%	5.5%	9.2%	3.7%	8.6%	9.0%	6.7%
Peripheral Vascular Disease	2.9%	3.2%	3.1%	3.2%	3.4%	2.6%	3.2%	3.4%	4.2%
GAF scores									
Lowest inpatient GAF score, mean	36.19	57.06	36.33	64.08	41.09	79.83	41.53	35.51	58.83
SD	*14.35*	*27.19*	*29.60*	*27.78*	*12.75*	*22.20*	*11.63*	*10.82*	*11.13*
Mean outpatient GAF score	48.84	53.58	48.76	49.87	56.36	53.12	53.44	56.65	58.35
SD	*10.59*	*11.30*	*12.62*	*10.71*	*8.40*	*13.41*	*9.34*	*8.54*	*9.22*
At least 1 IP GAF, among pts with MH bedsections, %	38.5%	30.0%	15.3%	9.8%	30.1%	59.1%	16.4%	39.8%	0.0%
At least 1 OP GAF, among pts with MH clinic stops, %	80.5%	76.6%	92.8%	38.3%	92.9%	80.0%	91.3%	88.4%	95.1%
Mortality rates									
died in FY02, %	2.7%	2.6%	1.6%	2.2%	3.7%	2.7%	2.0%	3.1%	3.8%
Age-and-gender-adjusted Standardized Mortality Ratio	1.68	1.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	583 *Indianapolis*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Schizophrenic Patients	94395	4767	515	1047	596	1088	499	710	312
Service Connection (SC)									
Non-SC	40.8%	45.6%	46.2%	45.2%	46.6%	43.5%	46.7%	51.0%	38.1%
SC 0 - 29%	6.8%	7.0%	7.2%	5.6%	7.7%	7.2%	9.0%	5.2%	9.6%
SC 30 - 69%	8.8%	9.6%	10.5%	9.0%	8.7%	10.9%	9.4%	7.7%	12.5%
SC 70 - 99%	6.6%	5.8%	6.8%	4.8%	5.0%	5.7%	6.8%	5.5%	8.7%
SC 100%	37.0%	31.9%	29.3%	35.4%	31.9%	32.7%	28.1%	30.6%	31.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %									
Complex*	22.5%	22.7%	15.0%	24.4%	26.3%	16.4%	20.4%	41.4%	6.4%
Basic vested, Cat A*	74.7%	73.3%	80.4%	72.4%	69.6%	79.0%	76.6%	54.5%	89.1%
Basic Non-vested, Cat A*	1.2%	2.4%	2.3%	2.5%	2.3%	2.8%	1.8%	1.8%	3.2%
Basic, Cats C and N	1.7%	1.6%	2.3%	0.8%	1.7%	1.8%	1.2%	2.3%	1.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded									
Patient eligibility category, %									
Cat A (SC or low income)	98.2%	98.1%	97.7%	99.1%	97.7%	98.1%	98.8%	96.6%	98.7%
Cat C (NSC and higher income)	1.4%	1.5%	0.6%	0.9%	2.3%	1.7%	1.2%	2.7%	1.3%
Non-Veteran	0.5%	0.4%	1.7%	0.0%	0.0%	0.3%	0.0%	0.7%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %									
BASIC 1. Non-reliant Care	0.2%	0.1%	0.4%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%
2. Basic Medical	13.3%	13.2%	12.2%	13.9%	9.7%	14.2%	11.0%	10.0%	25.6%
3. Mental Health	38.5%	41.3%	47.8%	41.2%	40.8%	43.2%	39.7%	33.4%	46.5%
4. Heart / Lung / GI	5.8%	6.2%	4.9%	4.5%	6.5%	7.7%	6.6%	5.2%	10.3%
5. Oncology / Infectious Disease	3.6%	3.2%	4.7%	2.8%	4.4%	3.1%	2.2%	2.5%	3.2%
6. Multiple Medical	16.1%	13.3%	15.1%	13.3%	12.2%	15.3%	20.0%	7.0%	8.0%
COMPLEX 7. Specialized Care	1.9%	1.1%	0.4%	1.9%	0.7%	0.9%	1.2%	1.3%	0.3%
8. Support Care	2.3%	1.6%	0.4%	0.7%	3.0%	2.2%	2.8%	0.8%	2.2%
9. Chronic Mental	15.7%	16.9%	12.4%	19.3%	16.4%	12.1%	16.0%	31.8%	1.0%
10. Critically Ill	2.6%	3.1%	1.7%	2.5%	6.2%	1.1%	0.4%	7.5%	2.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	583 *Indianapolis*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Schizophrenic Patients	94395	4767	515	1047	596	1088	499	710	312
Substance Dependence and Abuse									
Any dx of alcohol / drug dependence or abuse, %	22.3%	19.5%	26.8%	17.8%	21.5%	19.9%	28.9%	11.4%	12.2%
Homelessness									
Homelessness indicated in FY02, %	12.0%	10.5%	17.5%	9.4%	8.2%	15.0%	15.6%	2.5%	1.9%
Residence in Metropolitan Area									
Residing in a Metropolitan Statistical Area, %	81.5%	76.4%	89.3%	87.8%	44.5%	99.6%	85.8%	43.7%	56.7%
Distance									
Mile from Closest VA Medical Center, mean	28.72	27.86	34.29	32.49	56.60	11.00	16.84	18.94	43.56
SD	*55.48*	*28.94*	*19.77*	*27.40*	*38.04*	*10.87*	*18.44*	*20.74*	*40.14*
Distance from closest VA Medical Center, %									
0 to 15 miles	52.9%	49.6%	22.8%	41.1%	23.0%	78.7%	67.5%	55.2%	30.4%
15 to 30 miles	15.5%	13.7%	15.0%	10.0%	4.4%	15.4%	10.4%	23.5%	18.3%
30 to 45 miles	9.7%	11.9%	35.0%	10.6%	11.9%	4.0%	10.8%	7.5%	17.3%
45 to 60 miles	7.4%	11.3%	21.0%	26.3%	6.7%	1.5%	7.2%	5.6%	7.7%
60 plus miles	14.4%	13.5%	6.2%	12.0%	54.0%	0.5%	4.0%	8.2%	26.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	9.84	11.01	10.81	10.96	14.86	8.14	10.42	9.55	18.36
SD	*11.95*	*10.80*	*9.97*	*10.48*	*14.06*	*5.62*	*9.53*	*10.40*	*15.99*
Distance to closest VA Service Site, %									
0 to 15 miles	73.5%	74.1%	73.5%	75.0%	57.4%	88.5%	75.2%	74.2%	51.6%
15 to 30 miles	16.6%	18.0%	19.5%	19.0%	21.3%	11.0%	17.4%	21.1%	23.4%
30 to 45 miles	7.0%	6.8%	6.4%	4.0%	20.3%	0.5%	7.4%	4.5%	17.3%
45 plus miles	3.0%	1.2%	0.6%	2.0%	1.0%	0.0%	0.0%	0.1%	7.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 11

	All VISNs	VISN 11	506 *Ann Arbor*	583 *Indianapolis*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Schizophrenic Patients	94395	4767	515	1047	596	1088	499	710	312
Hospital Based Utilization									
Patients with some Hospital Based Utilization, %	27.0%	27.3%	21.2%	29.9%	35.7%	24.7%	27.3%	32.0%	11.5%
Hospital based utilization: Overall									
(All psychiatric and medical hospital bedsections)									
Inpatient stays, mean	1.85	1.78	1.68	1.90	1.84	1.78	1.76	1.63	1.81
SD	*1.45*	*1.27*	*1.14*	*1.46*	*1.30*	*1.21*	*1.15*	*1.07*	*1.75*
Average LOS, mean	17.65	31.40	10.51	30.73	33.71	11.44	7.81	81.59	8.75
SD	*42.51*	*71.26*	*10.28*	*53.81*	*80.29*	*15.11*	*11.09*	*123.16*	*8.35*
Cumulative DOS, mean	28.76	45.08	18.22	48.34	47.71	20.08	15.69	102.97	15.14
SD	*53.29*	*80.69*	*30.05*	*66.82*	*86.35*	*28.38*	*26.82*	*131.68*	*19.19*
Cumulative DOS, %									
1 to 7	35.1%	28.7%	24.8%	19.8%	29.6%	32.0%	55.1%	19.8%	44.4%
8 to 14	20.7%	19.3%	35.8%	15.0%	19.2%	27.5%	14.7%	10.1%	19.4%
15 to 44	29.0%	29.5%	35.8%	32.3%	26.8%	30.5%	22.1%	28.2%	30.6%
45 to 89	9.0%	11.0%	1.8%	19.2%	12.2%	7.1%	5.9%	11.9%	2.8%
90 to 179	3.4%	4.3%	0.9%	7.7%	4.7%	2.2%	1.5%	5.3%	2.8%
180 to 359	1.5%	3.6%	0.9%	4.2%	2.8%	0.7%	0.7%	10.6%	0.0%
360+	1.2%	3.7%	0.0%	1.9%	4.7%	0.0%	0.0%	14.1%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	3.8%	8.4%	0.9%	8.0%	8.5%	1.1%	0.7%	27.3%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	249.93	282.86	289.00	228.00	308.61	181.00	219.00	303.37	0.00
SD	*96.37*	*87.97*	*0.00*	*93.60*	*79.28*	*37.64*	*0.00*	*78.42*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	2.5%	6.7%	0.9%	4.8%	8.0%	0.4%	0.7%	22.9%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.78	314.26	289.00	278.73	318.41	214.00	219.00	327.40	0.00
SD	*75.28*	*65.99*	*0.00*	*78.75*	*69.58*	*0.00*	*0.00*	*56.40*	*0.00*
Cumulative DOS at Other VISNs	0.65	0.44	0.38	0.54	0.67	0.17	0.87	0.19	0.31
SD	*4.66*	*3.39*	*1.89*	*3.88*	*4.47*	*1.20*	*5.86*	*1.31*	*1.83*
Cumulative DOS at Other Stations	2.06	1.91	2.45	2.21	1.81	1.23	1.45	1.68	6.75
SD	*8.11*	*6.72*	*7.51*	*5.42*	*7.33*	*6.60*	*7.72*	*5.23*	*12.07*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	583 *Indianapolis*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Schizophrenic Patients	94395	4767	515	1047	596	1088	499	710	312
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)									
Pts. with non-psych hospital stays, %	11.8%	10.7%	8.2%	8.6%	16.6%	7.4%	17.0%	12.0%	8.3%
Inpatient stays, mean	0.71	0.63	0.60	0.44	0.88	0.47	0.97	0.56	1.36
SD	*1.11*	*1.06*	*1.01*	*0.85*	*1.39*	*0.88*	*1.05*	*0.93*	*1.78*
Average LOS, mean	8.26	8.86	7.58	6.97	6.84	13.25	9.12	9.88	7.20
SD	*16.10*	*14.57*	*14.63*	*8.43*	*7.36*	*23.69*	*13.76*	*16.15*	*8.73*
Cumulative Days of Stay, mean	6.10	6.31	5.66	3.13	8.18	6.25	10.05	6.53	9.72
SD	*19.61*	*22.70*	*28.03*	*8.76*	*22.86*	*23.58*	*25.32*	*29.58*	*18.07*
Cumulative Days of Stay, %									
0	56.2%	61.0%	61.5%	71.2%	53.5%	69.9%	37.5%	62.6%	27.8%
1 to 7	24.8%	20.6%	21.1%	17.3%	24.4%	13.8%	34.6%	18.1%	38.9%
8 to 14	8.1%	7.2%	11.0%	4.5%	7.5%	4.8%	8.1%	10.1%	13.9%
15 to 44	8.5%	8.7%	5.5%	6.4%	9.9%	8.6%	15.4%	7.5%	16.7%
45 to 89	1.7%	1.4%	0.0%	0.3%	3.3%	1.5%	2.9%	0.9%	0.0%
90 to 179	0.5%	0.5%	0.0%	0.3%	0.9%	0.7%	0.7%	0.0%	2.8%
180 to 359	0.2%	0.5%	0.9%	0.0%	0.5%	0.7%	0.7%	0.4%	0.0%
360+	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.4%	0.6%	0.9%	0.0%	0.5%	1.1%	0.7%	0.9%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	225.13	232.75	289.00	0.00	208.00	181.00	219.00	301.50	0.00
SD	*88.92*	*67.46*	*0.00*	*0.00*	*0.00*	*37.64*	*0.00*	*86.97*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.5%	0.9%	0.0%	0.5%	0.4%	0.7%	0.9%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	285.12	255.50	289.00	0.00	208.00	214.00	219.00	301.50	0.00
SD	*70.56*	*60.38*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*86.97*	*0.00*
Other VISN cumulative DOS, mean	*0.10*	*0.04*	*0.06*	*0.02*	*0.15*	*0.04*	*0.00*	*0.00*	*0.00*
SD	*1.58*	*0.97*	*0.43*	*0.34*	*2.19*	*0.73*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	0.47	0.69	0.35	0.74	1.18	0.23	0.24	1.06	1.33
SD	*3.45*	*3.60*	*1.88*	*2.51*	*6.20*	*1.38*	*1.71*	*4.66*	*3.21*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	583 *Indianapolis*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Schizophrenic Patients	94395	4767	515	1047	596	1088	499	710	312
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)									
Pts. with psych hospital stays, %	17.7%	19.1%	14.0%	24.4%	22.8%	18.7%	14.6%	22.7%	3.2%
Inpatient stays, mean	1.14	1.15	1.08	1.46	0.95	1.31	0.79	1.07	0.44
SD	*1.37*	*1.17*	*1.16*	*1.29*	*0.97*	*1.27*	*0.95*	*1.04*	*1.08*
Average LOS, mean	23.15	42.64	11.87	38.51	50.56	11.08	6.54	114.29	12.80
SD	*51.08*	*84.13*	*5.78*	*60.78*	*97.98*	*11.20*	*5.06*	*135.90*	*5.87*
Cumulative Days of Stay, mean	22.66	38.77	12.56	45.21	39.53	13.84	5.64	96.44	5.42
SD	*51.43*	*79.44*	*15.95*	*66.32*	*85.67*	*18.91*	*10.61*	*132.12*	*12.26*
Cumulative Days of Stay, %									
0	34.4%	30.2%	33.9%	18.5%	36.2%	24.5%	46.3%	29.1%	72.2%
1 to 7	17.5%	13.5%	8.3%	8.6%	12.2%	21.2%	33.1%	4.4%	5.6%
8 to 14	14.7%	14.1%	25.7%	13.1%	12.7%	23.8%	10.3%	3.5%	5.6%
15 to 44	21.2%	22.7%	29.4%	28.4%	20.2%	23.4%	8.8%	22.9%	13.9%
45 to 89	6.9%	9.2%	1.8%	17.9%	7.5%	6.3%	1.5%	11.5%	2.8%
90 to 179	2.8%	3.5%	0.9%	7.3%	4.2%	0.7%	0.0%	4.8%	0.0%
180 to 359	1.4%	3.3%	0.0%	4.5%	2.3%	0.0%	0.0%	10.6%	0.0%
360+	1.1%	3.5%	0.0%	1.6%	4.7%	0.0%	0.0%	13.2%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	7.8%	0.0%	8.0%	8.0%	0.0%	0.0%	26.4%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	250.18	283.62	0.00	223.48	308.59	0.00	0.00	301.60	0.00
SD	*97.20*	*89.13*	*0.00*	*89.96*	*81.72*	*0.00*	*0.00*	*80.34*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	2.2%	6.2%	0.0%	4.8%	7.5%	0.0%	0.0%	22.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.10	315.36	0.00	272.00	319.00	0.00	0.00	327.20	0.00
SD	*76.47*	*66.81*	*0.00*	*75.55*	*71.82*	*0.00*	*0.00*	*57.91*	*0.00*
Other VISN cumulative DOS, mean	0.55	0.40	0.32	0.52	0.52	0.13	0.87	0.19	0.31
SD	4.34	3.22	1.84	3.78	3.92	0.96	5.86	1.31	1.83
Other station cumulative DOS, mean	1.59	1.22	2.10	1.47	0.63	1.00	1.21	0.62	5.42
SD	7.30	5.71	7.37	4.91	4.07	6.48	6.98	2.64	12.26

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506	583	550	553	583	610	655
			Ann Arbor	*Indianapolis*	*Danville IL*	*Detroit*	*Indianapolis*	*N.Indiana*	*Saginaw*
Schizophrenic Patients	94395	4767	515	1047	596	1088	499	710	312
Other 24 hour institutional care									
Patients with some other 24 hour institutional care, %	8.0%	6.7%	2.9%	7.4%	10.4%	2.0%	7.4%	13.1%	4.2%
Residential Rehabilitation									
Patients with some residential rehab. care, %	1.6%	1.6%	0.4%	3.7%	0.2%	0.5%	5.6%	0.4%	0.0%
Number stays, mean	*1.12*	*1.15*	*1.00*	*1.15*	*1.00*	*1.00*	*1.21*	*1.00*	*0.00*
SD	*0.37*	*0.40*	*0.00*	*0.37*	*0.00*	*0.00*	*0.50*	*0.00*	*0.00*
Average LOS, mean	36.26	64.38	10.50	34.45	123.00	18.00	118.66	40.67	0.00
SD	*45.44*	*84.09*	*13.44*	*41.07*	*0.00*	*12.10*	*111.65*	*44.61*	*0.00*
Cumulative DOS, mean	39.67	69.83	10.50	40.49	123.00	18.00	125.43	40.67	0.00
SD	*48.06*	*85.80*	*13.44*	*47.09*	*0.00*	*12.10*	*110.86*	*44.61*	*0.00*
Cumulative Days of Stay, %									
1 to 7	14.0%	6.4%	50.0%	0.0%	0.0%	20.0%	7.1%	33.3%	0.0%
8 to 14	14.7%	16.7%	0.0%	20.5%	0.0%	40.0%	10.7%	0.0%	0.0%
15 to 44	46.4%	44.9%	50.0%	64.1%	0.0%	40.0%	21.4%	33.3%	0.0%
45 to 89	13.8%	5.1%	0.0%	7.7%	0.0%	0.0%	3.6%	0.0%	0.0%
90 to 179	8.9%	16.7%	0.0%	5.1%	100.0%	0.0%	32.1%	33.3%	0.0%
180 to 359	1.8%	9.0%	0.0%	2.6%	0.0%	0.0%	21.4%	0.0%	0.0%
360+	0.5%	1.3%	0.0%	0.0%	0.0%	0.0%	3.6%	0.0%	0.0%
Total	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.2%	25.6%	0.0%	7.7%	100.0%	0.0%	57.1%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	180.59	195.30	0.00	184.00	123.00	0.00	201.94	0.00	0.00
SD	*80.43*	*81.17*	*0.00*	*71.58*	*0.00*	*0.00*	*85.09*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	2.8%	14.1%	0.0%	2.6%	0.0%	0.0%	35.7%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	246.24	243.55	0.00	266.00	0.00	0.00	241.30	0.00	0.00
SD	*77.24*	*80.62*	*0.00*	*0.00*	*0.00*	*0.00*	*84.62*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.84	0.65	0.50	1.28	0.00	0.00	0.00	0.00	0.00
SD	*5.37*	*5.66*	*0.71*	*8.01*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.24	3.63	10.50	1.28	0.00	18.00	0.00	40.67	0.00
SD	*10.31*	*13.00*	*13.44*	*8.01*	*0.00*	*12.10*	*0.00*	*44.61*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	583 *Indianapolis*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Schizophrenic Patients	94395	4767	515	1047	596	1088	499	710	312
Domiciliary and Vocational									
Patients with some dom/voc care, %	2.3%	0.1%	0.0%	0.1%	0.2%	0.0%	0.0%	0.1%	0.0%
Number stays, mean	1.12	1.00	0.00	1.00	1.00	0.00	0.00	1.00	0.00
SD	*0.37*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	94.48	18.33	0.00	22.00	27.00	0.00	0.00	6.00	0.00
SD	*108.97*	*10.97*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS, mean	100.96	18.33	0.00	22.00	27.00	0.00	0.00	6.00	0.00
SD	*111.44*	*10.97*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative Days of Stay, %									
1 to 7	7.9%	33.3%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%
8 to 14	6.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	31.5%	66.7%	0.0%	100.0%	100.0%	0.0%	0.0%	0.0%	0.0%
45 to 89	17.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	17.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	9.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	9.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	100.0%	0.0%	0.0%	100.0%	0.0%
Dom. patients with 100+ day Dom. stay, %	32.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	234.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*102.95*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	20.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	291.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*80.75*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.18	18.33	0.00	22.00	27.00	0.00	0.00	6.00	0.00
SD	*7.65*	*10.97*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.16	18.33	0.00	22.00	27.00	0.00	0.00	6.00	0.00
SD	*12.59*	*10.97*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	583 *Indianapolis*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Schizophrenic Patients	94395	4767	515	1047	596	1088	499	710	312
Nursing Home Care									
Patients with some nursing home care, %	4.7%	5.0%	2.5%	3.7%	10.1%	1.6%	1.8%	12.5%	4.2%
Number stays, mean	1.20	1.14	1.23	1.08	1.23	1.18	1.33	1.02	1.38
SD	*0.56*	*0.43*	*0.44*	*0.27*	*0.56*	*0.53*	*0.50*	*0.15*	*0.87*
Average LOS, mean	143.54	179.17	48.88	125.42	148.98	134.50	42.28	283.10	51.71
SD	*137.46*	*148.80*	*52.16*	*136.66*	*135.10*	*153.45*	*38.70*	*121.61*	*39.98*
Cumulative DOS, mean	156.00	186.81	57.00	131.36	162.83	139.12	64.33	285.80	63.08
SD	*139.76*	*145.99*	*53.75*	*136.79*	*131.72*	*151.43*	*75.16*	*120.25*	*42.70*
Cumulative Days of Stay, %									
1 to 7	6.8%	5.4%	0.0%	15.4%	6.7%	5.9%	0.0%	1.1%	7.7%
8 to 14	6.5%	5.4%	15.4%	10.3%	0.0%	11.8%	44.4%	0.0%	7.7%
15 to 44	20.5%	15.0%	38.5%	15.4%	16.7%	35.3%	22.2%	5.6%	15.4%
45 to 89	14.1%	15.8%	30.8%	15.4%	21.7%	0.0%	11.1%	7.9%	53.8%
90 to 179	15.1%	12.5%	7.7%	12.8%	18.3%	17.6%	0.0%	9.0%	15.4%
180 to 359	14.7%	12.5%	7.7%	15.4%	15.0%	5.9%	22.2%	12.4%	0.0%
360+	22.5%	33.3%	0.0%	15.4%	21.7%	23.5%	0.0%	64.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	48.0%	55.8%	7.7%	43.6%	48.3%	47.1%	22.2%	84.3%	15.4%
Cumul. DOS, patients with a 100+ day NH stay, mean	282.12	299.63	212.00	264.06	274.90	275.75	190.00	328.09	142.50
SD	*94.85*	*91.49*	*0.00*	*101.85*	*98.74*	*109.63*	*0.00*	*73.88*	*23.33*
NH patients with 150+ day NH stay, %	39.8%	47.5%	7.7%	30.8%	38.3%	35.3%	11.1%	78.7%	7.7%
Cumul. DOS, patients with a 150+ day NH stay, mean	312.43	327.76	212.00	314.25	309.70	322.83	190.00	342.47	159.00
SD	*72.26*	*66.11*	*0.00*	*73.00*	*77.86*	*78.18*	*0.00*	*51.85*	*0.00*
Other VISN cumulative DOS, mean	0.44	0.03	0.00	0.00	0.00	0.47	0.00	0.00	0.00
SD	*5.99*	*0.52*	*0.00*	*0.00*	*0.00*	*1.94*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.19	1.31	2.08	3.10	0.00	0.47	14.33	0.00	2.31
SD	*9.07*	*8.18*	*5.92*	*11.87*	*0.00*	*1.94*	*30.41*	*0.00*	*8.32*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	583 *Indianapolis*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Schizophrenic Patients	94395	4767	515	1047	596	1088	499	710	312
Outpatient utilization									
(reported for those with some outpatient care)									
Patients with some outpatient care, %	98.3%	97.3%	100.0%	98.6%	95.8%	99.4%	99.6%	88.9%	99.7%
annual visit days, mean	27.64	24.55	22.46	26.69	20.76	20.45	28.76	36.17	11.86
SD	*38.39*	*37.07*	*34.88*	*38.23*	*32.71*	*30.10*	*35.25*	*53.86*	*10.05*
Outpatient visit days, %									
1-12	42.6%	50.4%	49.9%	47.4%	54.8%	54.9%	37.4%	46.0%	67.8%
13-24	25.7%	23.2%	26.2%	23.0%	24.9%	21.3%	26.0%	22.3%	20.3%
25-36	11.8%	10.1%	10.3%	10.9%	8.2%	10.6%	14.1%	7.0%	8.7%
37-48	5.9%	4.7%	4.5%	4.7%	3.7%	5.1%	7.8%	3.6%	2.6%
49+	14.0%	11.6%	9.1%	14.1%	8.4%	8.1%	14.7%	21.1%	0.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	74.5%	76.5%	77.9%	85.0%	80.9%	66.1%	65.4%	82.4%	80.4%
Mean PC visit days, among those with some PC	3.73	3.42	2.90	3.96	3.64	2.48	3.34	4.40	2.73
SD	3.83	3.15	2.52	3.43	3.76	1.57	2.57	4.27	1.94
Average number clinic stops per visit day, mean	1.45	1.45	1.39	1.41	1.44	1.51	1.55	1.43	1.43
SD	*0.45*	*0.46*	*0.47*	*0.41*	*0.41*	*0.54*	*0.47*	*0.42*	*0.41*
annual clinic stops (psych & non-psych), mean	41.32	37.83	31.50	42.07	29.47	35.44	46.86	50.91	16.94
SD	*65.29*	*65.42*	*47.41*	*78.36*	*49.40*	*66.69*	*61.86*	*77.93*	*15.25*
annual non-psych. clinic stops, mean	19.07	15.91	13.61	18.60	17.69	13.39	16.85	16.63	13.26
SD	*26.86*	*20.84*	*16.67*	*23.22*	*28.05*	*18.43*	*17.63*	*20.74*	*13.13*
annual psych. clinic stops (groupings below), mean	22.25	21.92	17.89	23.47	11.78	22.05	30.00	34.29	3.68
SD	*50.83*	*55.95*	*42.03*	*67.26*	*32.10*	*59.72*	*52.43*	*67.00*	*5.49*
1. general psych. clinic stops, mean	9.04	6.38	5.80	7.63	5.42	7.62	4.57	6.55	3.19
SD	*15.89*	*10.24*	*8.77*	*9.13*	*9.10*	*13.77*	*7.44*	*10.32*	*4.25*
2. psych. case management clinic stops, mean	2.76	3.62	5.67	3.97	3.43	2.82	0.02	7.51	0.00
SD	*16.59*	*19.38*	*30.63*	*16.80*	*24.26*	*10.97*	*0.36*	*27.57*	*0.00*
3. psych. day treatment clinic stops, mean	4.94	6.68	2.15	0.15	0.14	7.83	18.14	19.23	0.00
SD	*29.07*	*32.21*	*12.62*	*3.09*	*1.82*	*41.97*	*40.70*	*52.47*	*0.00*
4. substance abuse clinic stops, mean	2.71	1.67	1.78	1.31	0.86	3.44	1.72	0.59	0.08
SD	*17.49*	*12.97*	*8.32*	*8.25*	*4.78*	*23.26*	*10.39*	*5.32*	*0.51*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	583 *Indianapolis*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Schizophrenic Patients	94395	4767	515	1047	596	1088	499	710	312
5. psych. vocational clinic stops, mean	2.11	3.07	1.84	9.80	1.70	0.00	4.42	0.03	0.00
SD	*18.38*	*29.35*	*17.01*	*57.17*	*13.75*	*0.03*	*24.59*	*0.35*	*0.00*
6. PTSD clinic stops, mean	0.37	0.23	0.21	0.28	0.08	0.00	0.77	0.22	0.37
SD	*3.86*	*3.13*	*2.68*	*2.74*	*1.12*	*0.06*	*7.26*	*2.51*	*3.13*
7. psych. homeless clinic stops, mean	0.39	0.31	0.72	0.44	0.06	0.34	0.30	0.07	0.02
SD	*2.98*	*2.45*	*2.71*	*4.08*	*0.51*	*2.00*	*1.98*	*0.63*	*0.20*
Other VISN OP visit days, mean	0.30	0.23	0.25	0.22	0.43	0.12	0.29	0.23	0.19
SD	*2.12*	*1.55*	*1.48*	*1.41*	*2.21*	*0.93*	*2.22*	*1.40*	*1.32*
Other station OP visit days, mean	0.82	0.91	0.97	1.52	0.88	0.39	0.62	0.95	0.97
SD	*3.70*	*3.13*	*2.93*	*4.33*	*2.96*	*2.11*	*3.12*	*2.68*	*2.46*

Table 4G: FY03 Schizophrenic Patients, Pharmacy Utilization, VISN 11

	All VISNs	VISN 11	506 *Ann Arbor*	583 *Indianapolis*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Schizophrenic Patients	94395	4767	515	1047	596	1088	499	710	312
Among all patients in the registry									
Pts. with any outpatient prescriptions, %	94.9%	94.2%	93.2%	96.6%	91.2%	97.1%	95.0%	87.2%	98.1%
Patients with any oral antipsychotic fills, %*	78.7%	80.9%	80.2%	85.5%	79.4%	84.1%	79.0%	71.8%	81.7%
Among pts. receiving any antipsychotic medication:									
Received only conventional antipsychotics, %	15.4%	16.9%	15.3%	14.6%	18.2%	17.5%	13.7%	22.0%	18.4%
Received some atypical antipsychotics, %	84.6%	83.1%	84.7%	85.4%	81.8%	82.5%	86.3%	78.0%	81.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %									
Aripiprazole	1.5%	0.4%	0.0%	0.6%	0.0%	0.4%	1.3%	0.2%	0.0%
Clozapine	3.1%	4.0%	5.8%	4.6%	1.7%	5.4%	3.3%	2.5%	2.0%
Olanzapine	35.7%	35.6%	44.6%	36.5%	35.9%	30.1%	36.5%	38.6%	30.2%
Quetiapine	21.7%	16.3%	12.3%	18.7%	16.9%	14.8%	17.5%	14.9%	20.4%
Risperidone	36.8%	38.9%	33.2%	38.5%	34.9%	48.5%	34.3%	34.5%	38.4%
Ziprasidone	5.9%	3.2%	2.7%	2.5%	1.9%	0.8%	14.5%	3.1%	1.2%
Patients receiving only one kind** of antipsychotic, %	70.8%	72.9%	74.8%	63.5%	81.0%	75.1%	72.6%	74.1%	78.4%
Concurrent use of 2 or more antipsychotics, % ***	15.6%	15.1%	13.8%	22.1%	8.0%	13.7%	16.5%	13.3%	12.5%
Among pts receiving just one antipsychotic:									
Antipsychotic fills, mean	8.10	9.08	9.61	9.63	9.39	8.38	9.87	8.52	8.48
SD	*5.37*	*5.56*	*5.72*	*5.79*	*4.47*	*5.72*	*6.00*	*5.69*	*4.59*
Antipsychotic Medication Possession Ratio, mean	0.83	0.85	0.86	0.85	0.87	0.82	0.84	0.95	0.77
SD	*0.33*	*0.32*	*0.28*	*0.33*	*0.29*	*0.32*	*0.30*	*0.35*	*0.29*
Antipsychotic Med Possession Ratio <= 0.80, %	37.1%	34.3%	30.6%	35.2%	29.7%	39.8%	33.1%	24.3%	47.4%
Antipsychotic Med Possession Ratio <= 0.50, %	18.0%	15.4%	13.3%	17.9%	13.6%	17.5%	14.8%	9.2%	19.8%

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 4G: FY03 Schizophrenic Patients, Cost, VISN 11

	All VISNs	VISN 11	506	583	550	553	583	610	655
			Ann Arbor	*Indianapolis*	*Danville IL*	*Detroit*	*Indianapolis*	*N.Indiana*	*Saginaw*
Schizophrenic Patients	94395	4767	515	1047	596	1088	499	710	312
Total Costs (in thousands $$)	$1,637,013	$90,363	$6,813	$18,165	$12,048	$15,422	$6,025	$29,052	$2,838
Station % of VISN		100.0%	7.5%	20.1%	13.3%	17.1%	6.7%	32.1%	3.1%
Psych vs. Non-Psych Costs									
Psych	34.5%	37.9%	29.7%	51.2%	37.5%	26.2%	28.5%	42.8%	8.1%
Non-Psych	65.5%	62.1%	70.3%	48.8%	62.5%	73.8%	71.5%	57.2%	91.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use									
Per Patient	$21,945	$27,047	$22,383	$25,323	$24,446	$16,876	$11,750	$56,731	$18,178
Per Day of Stay	$763	$600	$1,228	$524	$512	$840	$749	$551	$1,201
Mean Outpatient Costs, Pts with some Outpatient use									
Per Patient	$7,323	$6,375	$7,466	$6,842	$5,256	$6,570	$6,717	$6,029	$4,552
Per Visit Day	$265	$260	$332	$256	$253	$321	$234	$167	$384
By Cost Center									
1 Med	$1,399	$1,147	$1,119	$440	$1,735	$1,188	$940	$1,551	$1,715
2 Surg	$470	$443	$1,519	$236	$409	$280	$723	$239	$6
3 Psych	$4,062	$5,803	$2,099	$6,894	$6,593	$2,704	$1,539	$16,347	$376
4 Psych Res Rehab Treatment Program	$217	$207	$16	$413	$16	$27	$975	$30	$0
5 Non-VA	$230	$238	$92	$209	$59	$496	$34	$190	$454
6 LTC Domiciliary	$302	$2	$0	$2	$11	$0	$0	$2	$0
7 LTC Intermediate Care	$166	$440	$35	$623	$555	$704	$357	$25	$424
8 LTC Nursing Home	$2,633	$3,899	$625	$1,785	$4,691	$1,001	$107	$16,995	$1,243
9 Contract Nursing Home	$664	$573	$257	$2	$1,110	$1,239	$709	$179	$340
10 OPC Med/Surg	$930	$704	$862	$431	$619	$926	$908	$576	$704
11 OPC Psych	$1,916	$1,385	$1,830	$1,992	$984	$1,008	$1,896	$1,170	$357
12 OPC Home Based Treatment	$933	$830	$974	$838	$577	$852	$435	$1,435	$229
13 OPC Support	$1,243	$1,183	$1,041	$1,381	$840	$1,500	$1,117	$988	$848
14 OPC Fee	$130	$106	$14	$92	$81	$40	$255	$214	$103
15 OPC Pharmacy	$2,047	$1,997	$2,744	$2,010	$1,935	$2,207	$2,079	$975	$2,296
TOTAL	$17,342	$18,956	$13,230	$17,349	$20,215	$14,175	$12,075	$40,918	$9,096
Mean % Patient Costs at Other Stations	3.6%	4.9%	5.1%	6.8%	4.4%	2.6%	3.1%	5.0%	9.6%
SD	*12.4%*	*14.4%*	*14.6%*	*15.7%*	*13.4%*	*11.7%*	*11.3%*	*14.7%*	*20.0%*
Mean % Patient Costs at Other VISNs	1.3%	1.2%	1.6%	1.0%	2.4%	0.8%	1.2%	1.0%	0.8%
SD	*7.5%*	*7.3%*	*9.2%*	*6.5%*	*10.9%*	*5.7%*	*7.1%*	*6.1%*	*5.9%*

Table 1H: FY03 Bipolar Patients, Demographics, VISN 11

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Bipolar Patients	73964	3241	578	683	397	405	418	423	337
Age, %									
<35	7.9%	8.4%	8.0%	6.0%	8.1%	10.4%	11.0%	8.3%	9.2%
>=35 and <50	36.3%	37.4%	39.8%	41.9%	27.2%	40.5%	35.6%	37.1%	34.7%
>=50 and <65	40.3%	39.7%	39.3%	40.6%	43.3%	38.3%	38.8%	37.4%	40.1%
>=65 and <80	13.3%	13.2%	11.9%	10.5%	18.6%	10.4%	13.9%	15.1%	14.5%
>=80	2.2%	1.3%	1.0%	1.0%	2.8%	0.5%	0.7%	2.1%	1.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	52.26	51.77	51.03	51.57	54.31	50.28	51.30	52.31	52.12
SD	*12.50*	*12.32*	*11.80*	*11.43*	*13.44*	*11.84*	*12.84*	*12.70*	*12.59*
Gender									
Male, %	88.2%	90.0%	91.0%	93.1%	89.2%	88.1%	85.4%	91.0%	89.6%
Female, %	11.8%	10.0%	9.0%	6.9%	10.8%	11.9%	14.6%	9.0%	10.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %									
Hispanic white	2.8%	0.5%	0.9%	0.4%	0.5%	0.2%	0.2%	0.2%	0.6%
Hispanic black	0.3%	0.1%	0.2%	0.1%	0.0%	0.0%	0.2%	0.0%	0.0%
American Indian	0.3%	0.2%	0.3%	0.4%	0.3%	0.0%	0.0%	0.0%	0.0%
Black	10.4%	9.0%	6.1%	9.1%	3.0%	24.7%	11.0%	5.4%	4.5%
Asian	0.2%	0.1%	0.2%	0.0%	0.3%	0.0%	0.0%	0.2%	0.0%
White	62.5%	65.4%	59.2%	73.2%	87.9%	43.2%	70.1%	70.2%	48.7%
Race unknown	23.5%	24.7%	33.2%	16.7%	8.1%	31.9%	18.4%	23.9%	46.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status									
Never married	21.0%	20.8%	25.1%	21.2%	14.4%	31.0%	17.3%	16.8%	17.3%
Married	37.7%	35.1%	32.2%	28.8%	38.3%	26.1%	40.0%	41.5%	45.5%
Divorced/Separated	37.9%	41.4%	40.6%	46.6%	42.6%	41.2%	40.5%	39.1%	35.1%
Widowed	3.4%	2.7%	2.1%	3.4%	4.8%	1.7%	2.2%	2.6%	2.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 11

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Bipolar Patients	73964	3241	578	683	397	405	418	423	337
Registry Pts. History of VA Utilization									
Years since first use in prior five years, mean	4.2	4.04	4.10	4.06	4.23	3.92	4.08	3.85	4.00
SD	*1.3*	*1.40*	*1.41*	*1.37*	*1.26*	*1.47*	*1.36*	*1.50*	*1.41*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.1%	24.7%	24.0%	31.0%	27.3%	24.4%	19.6%	24.6%	16.3%
SD	*29.2%*	*29.3%*	*27.5%*	*33.7%*	*30.0%*	*27.3%*	*25.9%*	*29.3%*	*24.2%*
Years with OP use / Years since first use, %	96.7%	96.4%	95.9%	95.6%	97.3%	95.0%	97.6%	96.4%	97.5%
SD	*10.5%*	*11.3%*	*11.2%*	*12.4%*	*9.9%*	*12.1%*	*9.0%*	*13.2%*	*9.6%*
Psychosis Diagnoses in Prior Fiscal Year									
Had Psychosis Diagnosis in FY01, %	65.0%	65.5%	65.4%	62.8%	76.1%	55.8%	68.7%	64.8%	67.4%
Among Patients With Psychoses in FY01									
Psychosis Category: Schizophrenia, %	3.8%	3.4%	1.9%	6.1%	3.0%	3.5%	2.1%	3.6%	2.6%
Psychosis Category: Bipolar Disorder, %	94.8%	95.8%	97.6%	93.9%	96.0%	95.1%	96.2%	95.3%	96.5%
Psychosis Category: Other Psychosis, %	1.4%	0.8%	0.5%	0.0%	1.0%	1.3%	1.7%	1.1%	0.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %									
Dementia	1.7%	1.4%	1.2%	0.7%	1.5%	0.7%	2.9%	1.9%	1.2%
Post Traumatic Stress Disorder	21.3%	12.8%	11.1%	16.7%	12.3%	6.9%	13.9%	14.2%	12.8%
Depression	44.5%	38.8%	33.4%	43.5%	31.0%	44.9%	43.5%	40.4%	32.9%
Other Anxiety Disorder	16.3%	12.9%	15.1%	10.7%	12.6%	11.9%	14.4%	13.2%	13.4%
Substance Abuse or Dependence	29.8%	29.6%	39.4%	36.9%	28.2%	29.9%	24.4%	20.3%	16.9%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 11

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Bipolar Patients	73964	3241	578	683	397	405	418	423	337
Medical Comorbidities, %									
No medical comorbidities	15.4%	19.0%	19.0%	17.1%	13.4%	24.7%	20.8%	20.8%	18.1%
Anemia	5.6%	4.2%	4.0%	3.2%	5.8%	4.2%	4.8%	4.5%	3.3%
Arthritis	42.4%	40.8%	39.8%	47.3%	44.1%	33.1%	36.6%	40.4%	40.7%
Cancer	6.2%	4.1%	4.3%	3.1%	4.5%	5.4%	2.6%	5.9%	3.0%
Cerebrovascular Disease	3.8%	3.7%	4.2%	1.8%	4.5%	2.2%	4.5%	5.0%	5.0%
Chronic Neurologic Disorder	14.8%	14.3%	13.8%	15.1%	14.6%	13.3%	15.8%	12.1%	15.7%
Chronic Obstructive Pulmonary Disease	16.0%	16.2%	15.1%	19.9%	16.6%	10.6%	18.7%	15.4%	14.5%
Chronic Viral Infection	9.6%	6.9%	6.2%	8.1%	7.1%	9.1%	7.4%	6.1%	3.0%
Coronary Artery Disease	16.8%	16.5%	17.6%	14.1%	15.9%	15.3%	17.7%	17.5%	18.7%
Diabetes	17.4%	17.0%	14.5%	16.5%	19.6%	15.6%	14.8%	19.1%	20.5%
Digestive System Disease	43.2%	38.5%	37.9%	41.0%	44.3%	26.2%	42.1%	40.9%	35.3%
Hypertension	38.5%	40.6%	43.3%	40.7%	43.8%	35.6%	37.8%	39.7%	42.7%
Injury and Poisoning	19.9%	16.9%	18.0%	16.1%	17.6%	18.0%	17.2%	15.1%	16.3%
Liver Disease	3.8%	2.6%	2.9%	2.6%	2.3%	3.0%	3.8%	1.9%	1.2%
Other Endocrine	10.0%	9.4%	8.7%	9.8%	11.6%	8.1%	9.3%	8.7%	10.1%
Peripheral Vascular Disease	3.0%	3.2%	3.1%	3.1%	3.5%	3.2%	3.6%	4.7%	1.2%
GAF scores									
Lowest inpatient GAF score, mean	39.59	60.50	52.76	55.07	41.79	85.33	38.58	45.64	56.89
SD	*14.06*	*25.44*	*27.21*	*27.53*	*8.68*	*15.54*	*13.90*	*11.91*	*18.41*
Mean outpatient GAF score	53.41	57.22	52.93	51.90	60.14	58.11	59.32	59.05	59.72
SD	*10.75*	*10.74*	*11.82*	*11.71*	*8.31*	*13.02*	*8.46*	*8.29*	*9.33*
At least 1 IP GAF, among pts with MH bedsections, %	39.1%	22.6%	18.2%	7.0%	20.0%	55.4%	22.2%	42.0%	21.4%
At least 1 OP GAF, among pts with MH clinic stops, %	81.5%	76.0%	81.7%	37.8%	96.4%	76.5%	92.1%	84.1%	95.1%
Mortality rates									
died in FY02, %	1.5%	1.2%	1.0%	1.2%	2.0%	1.2%	0.7%	0.9%	1.8%
Age-and-gender-adjusted Standardized Mortality Ratio	1.07	0.96	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Bipolar Patients	73964	3241	578	683	397	405	418	423	337
Service Connection (SC)									
Non-SC	55.9%	61.2%	61.2%	66.3%	62.2%	62.0%	57.4%	57.2%	58.8%
SC 0 - 29%	10.0%	10.9%	9.7%	9.1%	11.1%	13.3%	12.7%	11.8%	9.8%
SC 30 - 69%	13.4%	13.1%	14.9%	9.8%	11.6%	14.6%	15.1%	12.8%	14.8%
SC 70 - 99%	8.9%	5.6%	5.0%	5.0%	6.5%	4.4%	5.5%	6.9%	6.5%
SC 100%	11.8%	9.2%	9.2%	9.8%	8.6%	5.7%	9.3%	11.3%	10.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %									
Complex*	12.2%	10.1%	9.2%	15.7%	11.6%	5.7%	6.9%	13.5%	3.6%
Basic vested, Cat A*	80.3%	80.5%	83.2%	77.5%	77.6%	85.2%	80.9%	75.9%	84.9%
Basic Non-vested, Cat A*	0.9%	2.2%	2.4%	3.2%	0.5%	1.5%	1.9%	1.7%	3.3%
Basic, Cats C and N	6.6%	7.3%	5.2%	3.7%	10.3%	7.7%	10.3%	9.0%	8.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded									
Patient eligibility category, %									
Cat A (SC or low income)	93.2%	92.6%	94.6%	96.3%	89.4%	92.3%	89.5%	90.8%	91.7%
Cat C (NSC and higher income)	5.9%	7.0%	5.2%	3.7%	9.8%	6.9%	9.3%	9.0%	8.3%
Non-Veteran	0.9%	0.4%	0.2%	0.0%	0.8%	0.7%	1.2%	0.2%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %									
BASIC 1. Non-reliant Care	0.1%	0.1%	0.0%	0.0%	0.3%	0.0%	0.0%	0.2%	0.0%
2. Basic Medical	15.2%	16.7%	11.6%	13.0%	16.1%	12.8%	18.2%	16.1%	37.1%
3. Mental Health	40.5%	43.8%	46.7%	42.0%	45.1%	49.4%	43.8%	42.1%	35.9%
4. Heart / Lung / GI	6.9%	7.3%	8.0%	2.9%	8.3%	5.9%	9.3%	7.6%	12.5%
5. Oncology / Infectious Disease	4.3%	3.4%	2.8%	4.1%	4.0%	4.0%	1.9%	4.0%	2.7%
6. Multiple Medical	20.7%	18.7%	21.8%	22.3%	14.6%	22.2%	19.9%	16.5%	8.3%
COMPLEX 7. Specialized Care	2.2%	1.7%	1.7%	2.6%	0.8%	1.2%	1.7%	2.4%	0.6%
8. Support Care	2.1%	1.0%	0.9%	1.0%	1.0%	0.7%	1.9%	0.9%	0.9%
9. Chronic Mental	6.8%	5.7%	5.2%	10.5%	5.0%	3.7%	3.1%	8.5%	0.0%
10. Critically Ill	1.1%	1.6%	1.4%	1.5%	4.8%	0.0%	0.2%	1.7%	2.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Bipolar Patients	73964	3241	578	683	397	405	418	423	337
Substance Dependence and Abuse									
Any dx of alcohol / drug dependence or abuse, %	29.8%	29.6%	39.4%	36.9%	28.2%	29.9%	24.4%	20.3%	16.9%
Homelessness									
Homelessness indicated in FY02, %	13.8%	11.3%	15.2%	16.7%	9.6%	16.3%	9.8%	2.8%	1.8%
Residence in Metropolitan Area									
Residing in a Metropolitan Statistical Area, %	79.3%	82.8%	86.0%	83.6%	52.1%	98.0%	81.1%	64.3%	44.2%
Distance									
Mile from Closest VA Medical Center, mean	34.15	24.94	33.24	38.78	63.80	15.46	21.72	27.37	52.66
SD	*73.16*	*20.03*	*23.05*	*27.26*	*36.66*	*14.04*	*19.86*	*21.84*	*42.46*
Distance from closest VA Medical Center, %									
0 to 15 miles	46.2%	34.1%	26.0%	27.1%	13.6%	63.6%	54.8%	36.9%	21.7%
15 to 30 miles	17.2%	16.0%	17.6%	12.0%	3.5%	25.5%	14.6%	24.3%	15.7%
30 to 45 miles	10.6%	17.7%	30.6%	16.0%	18.6%	5.4%	14.4%	15.8%	19.3%
45 to 60 miles	8.5%	14.6%	15.9%	28.6%	6.8%	4.7%	12.7%	11.3%	11.6%
60 plus miles	17.4%	17.6%	9.9%	16.4%	57.4%	0.7%	3.6%	11.6%	31.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.09	8.91	12.48	12.44	16.33	10.52	11.99	13.65	20.22
SD	*13.59*	*7.86*	*9.76*	*11.15*	*14.36*	*7.16*	*9.87*	*12.23*	*15.63*
Distance to closest VA Service Site, %									
0 to 15 miles	76.3%	64.2%	64.5%	69.7%	52.1%	79.2%	68.4%	63.1%	45.1%
15 to 30 miles	15.4%	23.9%	27.3%	21.7%	22.4%	18.8%	25.4%	23.4%	29.1%
30 to 45 miles	5.7%	9.9%	7.8%	6.1%	22.7%	1.2%	6.0%	13.2%	16.9%
45 plus miles	2.7%	2.0%	0.3%	2.5%	2.8%	0.7%	0.2%	0.2%	8.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3H: FY03 Bipolar Patients, Utilization, VISN 11

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Bipolar Patients	73964	3241	578	683	397	405	418	423	337
Hospital Based Utilization									
Patients with some Hospital Based Utilization, %	25.4%	25.0%	23.4%	32.8%	27.5%	24.0%	22.2%	21.3%	13.6%
Hospital based utilization: Overall									
(All psychiatric and medical hospital bedsections)									
Inpatient stays, mean	1.80	1.84	1.88	1.98	2.03	1.48	1.53	1.82	1.59
SD	*1.41*	*1.39*	*1.32*	*1.40*	*1.88*	*0.89*	*1.02*	*1.52*	*1.09*
Average LOS, mean	9.79	7.90	7.55	17.35	10.91	6.79	6.08	18.72	5.78
SD	*17.76*	*12.38*	*5.59*	*21.78*	*15.51*	*4.40*	*7.82*	*44.92*	*5.94*
Cumulative DOS, mean	17.09	13.87	14.23	32.98	20.73	10.21	9.35	27.57	9.30
SD	*27.94*	*18.59*	*14.02*	*46.54*	*39.30*	*9.32*	*11.34*	*51.34*	*10.68*
Cumulative DOS, %									
1 to 7	44.7%	47.1%	38.5%	24.6%	38.5%	52.6%	65.6%	36.7%	65.2%
8 to 14	21.9%	24.0%	28.9%	20.5%	16.5%	26.8%	15.1%	17.8%	6.5%
15 to 44	25.9%	24.3%	27.4%	33.0%	39.4%	19.6%	17.2%	32.2%	26.1%
45 to 89	5.3%	3.7%	5.2%	15.2%	1.8%	1.0%	2.2%	7.8%	2.2%
90 to 179	1.5%	0.6%	0.0%	4.9%	2.8%	0.0%	0.0%	2.2%	0.0%
180 to 359	0.5%	0.2%	0.0%	1.8%	0.0%	0.0%	0.0%	2.2%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.9%	0.0%	0.0%	1.1%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	1.0%	0.5%	0.0%	3.1%	1.8%	0.0%	0.0%	4.4%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	203.75	177.25	0.00	229.43	246.50	0.00	0.00	214.50	0.00
SD	*79.71*	*39.37*	*0.00*	*92.96*	*167.58*	*0.00*	*0.00*	*108.20*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.6%	0.2%	0.0%	2.2%	0.9%	0.0%	0.0%	2.2%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	251.69	208.50	0.00	269.40	365.00	0.00	0.00	293.00	0.00
SD	*73.28*	*23.33*	*0.00*	*76.50*	*0.00*	*0.00*	*0.00*	*100.41*	*0.00*
Cumulative DOS at Other VISNs	0.67	0.62	0.50	0.89	0.17	0.56	0.16	0.34	0.30
SD	*4.53*	*3.61*	*3.77*	*10.33*	*0.99*	*3.34*	*0.97*	*2.40*	*1.64*
Cumulative DOS at Other Stations	1.97	1.60	2.03	2.97	0.75	1.22	0.31	3.03	5.48
SD	*7.12*	*5.24*	*5.66*	*11.70*	*3.30*	*4.51*	*1.39*	*7.00*	*9.30*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Bipolar Patients	73964	3241	578	683	397	405	418	423	337
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)									
Pts. with non-psych hospital stays, %	11.7%	12.4%	10.2%	7.9%	15.9%	5.2%	13.6%	11.6%	10.7%
Inpatient stays, mean	0.72	0.87	0.78	0.42	1.12	0.23	0.89	1.07	1.15
SD	*1.10*	*1.32*	*1.21*	*0.90*	*1.72*	*0.44*	*1.06*	*1.52*	*1.03*
Average LOS, mean	6.20	5.23	4.86	8.98	6.08	8.43	4.94	5.57	3.68
SD	*10.70*	*5.49*	*5.07*	*12.42*	*8.34*	*9.95*	*5.60*	*5.96*	*3.42*
Cumulative Days of Stay, mean	4.64	4.79	3.83	4.50	8.47	1.87	4.44	5.80	4.17
SD	*13.49*	*10.43*	*7.97*	*22.89*	*33.79*	*5.76*	*7.66*	*10.56*	*5.12*
Cumulative Days of Stay, %									
0	54.1%	50.6%	56.3%	75.9%	42.2%	78.4%	38.7%	45.6%	21.7%
1 to 7	30.1%	32.6%	27.4%	12.9%	36.7%	14.4%	47.3%	32.2%	65.2%
8 to 14	7.4%	7.7%	7.4%	4.0%	7.3%	3.1%	5.4%	10.0%	2.2%
15 to 44	7.0%	7.5%	8.1%	5.8%	11.9%	4.1%	8.6%	10.0%	10.9%
45 to 89	1.1%	1.5%	0.7%	0.9%	0.9%	0.0%	0.0%	2.2%	0.0%
90 to 179	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	0.1%	0.0%	0.0%	0.4%	0.9%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.2%	0.0%	0.0%	0.4%	0.9%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	187.03	0.00	0.00	315.00	344.00	0.00	0.00	0.00	0.00
SD	*73.96*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%	0.4%	0.9%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.06	0.00	0.00	315.00	344.00	0.00	0.00	0.00	0.00
SD	*75.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.15*	*0.21*	*0.42*	*0.08*	*0.06*	*0.03*	*0.04*	*0.01*	*0.02*
SD	*2.03*	*2.52*	*3.72*	*1.27*	*0.58*	*0.30*	*0.41*	*0.11*	*0.15*
Other station cumulative DOS, mean	0.50	0.62	0.63	1.06	0.65	0.24	0.06	1.47	0.35
SD	*3.25*	*3.87*	*3.88*	*4.33*	*3.20*	*1.16*	*0.46*	*4.86*	*1.18*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Bipolar Patients	73964	3241	578	683	397	405	418	423	337
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)									
Pts. with psych hospital stays, %	16.8%	15.9%	15.2%	29.1%	16.4%	20.5%	10.8%	11.8%	4.2%
Inpatient stays, mean	1.08	0.97	1.10	1.57	0.91	1.26	0.63	0.76	0.43
SD	*1.27*	*1.09*	*1.24*	*1.25*	*1.06*	*0.94*	*0.79*	*0.87*	*0.75*
Average LOS, mean	12.15	9.75	9.49	19.81	14.57	6.61	7.96	30.57	12.24
SD	*21.36*	*14.97*	*6.36*	*29.74*	*18.28*	*3.48*	*9.77*	*58.00*	*6.94*
Cumulative Days of Stay, mean	12.44	9.08	10.40	28.48	12.39	8.34	4.91	21.77	5.13
SD	*25.57*	*17.03*	*13.99*	*40.93*	*21.16*	*7.99*	*9.36*	*51.69*	*9.42*
Cumulative Days of Stay, %									
0	34.1%	36.4%	34.8%	11.2%	40.4%	14.4%	51.6%	44.4%	69.6%
1 to 7	24.8%	27.0%	20.7%	18.8%	17.4%	43.3%	28.0%	10.0%	4.3%
8 to 14	16.7%	17.5%	21.5%	20.5%	11.0%	25.8%	11.8%	12.2%	8.7%
15 to 44	19.0%	16.6%	19.3%	31.7%	27.5%	16.5%	7.5%	23.3%	17.4%
45 to 89	3.7%	1.8%	3.7%	11.6%	0.9%	0.0%	1.1%	4.4%	0.0%
90 to 179	1.2%	0.4%	0.0%	4.9%	2.8%	0.0%	0.0%	2.2%	0.0%
180 to 359	0.4%	0.2%	0.0%	1.3%	0.0%	0.0%	0.0%	2.2%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.1%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.8%	0.5%	0.0%	2.7%	0.9%	0.0%	0.0%	4.4%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	201.69	177.25	0.00	207.33	128.00	0.00	0.00	214.50	0.00
SD	*78.85*	*39.37*	*0.00*	*80.51*	*0.00*	*0.00*	*0.00*	*108.20*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.5%	0.2%	0.0%	1.8%	0.0%	0.0%	0.0%	2.2%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	248.87	208.50	0.00	246.25	0.00	0.00	0.00	293.00	0.00
SD	*70.96*	*23.33*	*0.00*	*67.72*	*0.00*	*0.00*	*0.00*	*100.41*	*0.00*
Other VISN cumulative DOS, mean	0.52	0.41	0.08	0.81	0.10	0.53	0.12	0.33	0.28
SD	4.00	2.58	0.67	10.19	0.73	3.33	0.88	2.40	1.64
Other station cumulative DOS, mean	1.48	0.97	1.40	1.91	0.10	0.98	0.25	1.57	5.13
SD	6.29	3.63	4.33	10.73	0.73	4.27	1.24	4.94	9.42

Table 3H: FY03 Bipolar Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Bipolar Patients	73964	3241	578	683	397	405	418	423	337
Other 24 hour institutional care									
Patients with some other 24 hour institutional care, %	8.1%	14.2%	3.1%	13.8%	7.3%	1.7%	1.7%	3.5%	3.3%
Residential Rehabilitation									
Patients with some residential rehab. care, %	2.6%	5.1%	0.3%	11.9%	0.8%	0.2%	1.0%	0.5%	0.3%
Number stays, mean	*1.12*	*1.19*	*1.00*	*1.21*	*1.00*	*1.00*	*1.00*	*1.00*	*2.00*
SD	*0.38*	*0.51*	*0.00*	*0.49*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	33.17	14.50	9.50	32.64	128.67	7.00	80.75	8.00	19.00
SD	*32.92*	*10.13*	*0.71*	*24.19*	*56.13*	*0.00*	*105.85*	*9.90*	*0.00*
Cumulative DOS, mean	36.42	16.47	9.50	39.09	128.67	7.00	80.75	8.00	38.00
SD	*35.54*	*11.66*	*0.71*	*32.10*	*56.13*	*0.00*	*105.85*	*9.90*	*0.00*
Cumulative Days of Stay, %									
1 to 7	10.4%	27.5%	0.0%	2.5%	0.0%	100.0%	25.0%	50.0%	0.0%
8 to 14	11.3%	19.8%	100.0%	11.1%	0.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	53.1%	49.1%	0.0%	63.0%	0.0%	0.0%	25.0%	50.0%	100.0%
45 to 89	18.3%	3.6%	0.0%	16.0%	33.3%	0.0%	25.0%	0.0%	0.0%
90 to 179	5.8%	0.0%	0.0%	7.4%	33.3%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.0%	0.0%	0.0%	0.0%	33.3%	0.0%	25.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.3%	0.0%	0.0%	4.9%	66.7%	0.0%	25.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	167.40	0.00	0.00	148.75	154.00	0.00	235.00	0.00	0.00
SD	*69.53*	*0.00*	*0.00*	*26.40*	*49.50*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	1.2%	33.3%	0.0%	25.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	224.60	0.00	0.00	169.00	189.00	0.00	235.00	0.00	0.00
SD	*70.59*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.28	0.38	4.50	0.79	0.00	0.00	0.00	0.00	33.00
SD	*6.79*	*3.49*	*6.36*	*5.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.71	1.68	9.50	0.79	0.00	7.00	0.00	8.00	38.00
SD	*10.96*	*5.34*	*0.71*	*5.00*	*0.00*	*0.00*	*0.00*	*9.90*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Bipolar Patients	73964	3241	578	683	397	405	418	423	337
Domiciliary and Vocational									
Patients with some dom/voc care, %	4.2%	8.3%	0.0%	0.4%	0.3%	0.2%	0.0%	0.0%	0.0%
Number stays, mean	1.14	1.16	0.00	1.00	1.00	1.00	0.00	0.00	0.00
SD	*0.38*	*0.40*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	80.47	54.73	0.00	21.00	29.00	5.00	0.00	0.00	0.00
SD	*77.50*	*46.35*	*0.00*	*17.69*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS, mean	88.84	62.63	0.00	21.00	29.00	5.00	0.00	0.00	0.00
SD	*82.55*	*55.23*	*0.00*	*17.69*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative Days of Stay, %									
1 to 7	6.1%	6.6%	0.0%	33.3%	0.0%	100.0%	0.0%	0.0%	0.0%
8 to 14	5.6%	7.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	28.2%	38.2%	0.0%	66.7%	100.0%	0.0%	0.0%	0.0%	0.0%
45 to 89	21.0%	21.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	26.2%	22.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	10.5%	4.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	2.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	0.0%	0.0%	0.0%
Dom. patients with 100+ day Dom. stay, %	32.1%	19.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	184.30	154.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*76.03*	*45.75*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.5%	8.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	236.94	194.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*71.03*	*38.88*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.76	0.50	0.00	21.00	29.00	5.00	0.00	0.00	0.00
SD	*9.43*	*5.24*	*0.00*	*17.69*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	4.27	1.70	0.00	21.00	29.00	5.00	0.00	0.00	0.00
SD	*15.65*	*10.63*	*0.00*	*17.69*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Bipolar Patients	73964	3241	578	683	397	405	418	423	337
Nursing Home Care									
Patients with some nursing home care, %	2.1%	3.0%	2.8%	1.9%	6.3%	1.2%	0.7%	3.1%	3.0%
Number stays, mean	1.22	1.27	1.13	1.15	1.32	1.40	1.00	1.23	1.10
SD	*0.55*	*0.67*	*0.34*	*0.38*	*0.85*	*0.89*	*0.00*	*0.44*	*0.32*
Average LOS, mean	86.89	73.42	39.34	132.00	126.96	11.80	141.00	164.04	109.70
SD	*110.58*	*96.76*	*38.28*	*137.90*	*111.82*	*4.97*	*129.57*	*153.16*	*113.68*
Cumulative DOS, mean	98.25	82.74	42.44	140.62	146.16	15.40	141.00	172.77	110.40
SD	*116.77*	*99.38*	*38.01*	*137.64*	*121.36*	*8.02*	*129.57*	*146.16*	*112.99*
Cumulative Days of Stay, %									
1 to 7	10.5%	13.3%	12.5%	15.4%	4.0%	20.0%	0.0%	7.7%	10.0%
8 to 14	10.7%	10.2%	25.0%	0.0%	8.0%	40.0%	33.3%	0.0%	20.0%
15 to 44	30.2%	26.5%	18.8%	30.8%	8.0%	40.0%	0.0%	7.7%	10.0%
45 to 89	16.4%	22.4%	25.0%	0.0%	28.0%	0.0%	0.0%	30.8%	10.0%
90 to 179	12.3%	14.3%	18.8%	15.4%	12.0%	0.0%	33.3%	15.4%	30.0%
180 to 359	10.2%	8.2%	0.0%	23.1%	36.0%	0.0%	33.3%	7.7%	10.0%
360+	9.8%	5.1%	0.0%	15.4%	4.0%	0.0%	0.0%	30.8%	10.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	27.9%	22.4%	12.5%	46.2%	52.0%	0.0%	66.7%	46.2%	50.0%
Cumul. DOS, patients with a 100+ day NH stay, mean	261.88	241.23	111.50	264.83	243.85	0.00	204.50	308.67	197.20
SD	*97.21*	*92.02*	*4.95*	*100.24*	*85.70*	*0.00*	*96.87*	*93.75*	*96.75*
NH patients with 150+ day NH stay, %	22.1%	18.4%	0.0%	38.5%	40.0%	0.0%	33.3%	38.5%	40.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	296.07	265.89	0.00	296.60	275.70	0.00	273.00	342.80	218.00
SD	*76.98*	*82.80*	*0.00*	*70.65*	*70.01*	*0.00*	*0.00*	*47.40*	*97.97*
Other VISN cumulative DOS, mean	0.47	1.02	0.00	3.15	0.00	0.00	0.00	0.85	0.00
SD	*5.60*	*10.10*	*0.00*	*11.37*	*0.00*	*0.00*	*0.00*	*2.51*	*0.00*
Other station cumulative DOS, mean	1.51	3.16	0.19	3.15	0.00	0.00	0.00	1.38	0.00
SD	*9.89*	*13.06*	*0.75*	*11.37*	*0.00*	*0.00*	*0.00*	*3.01*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Bipolar Patients	73964	3241	578	683	397	405	418	423	337
Outpatient utilization									
(reported for those with some outpatient care)									
Patients with some outpatient care, %	99.6%	99.6%	99.8%	99.4%	99.0%	100.0%	100.0%	99.1%	99.7%
annual visit days, mean	24.20	19.87	20.72	22.08	17.89	18.23	23.41	19.66	14.11
SD	*30.37*	*25.54*	*25.10*	*23.82*	*22.76*	*26.84*	*30.71*	*30.47*	*13.28*
Outpatient visit days, %									
1-12	43.1%	51.1%	48.5%	42.9%	56.5%	55.6%	45.9%	55.6%	61.0%
13-24	26.8%	24.9%	25.1%	28.4%	23.7%	23.5%	26.1%	22.0%	22.3%
25-36	12.4%	11.3%	12.3%	13.1%	8.7%	9.9%	10.8%	12.2%	10.7%
37-48	6.4%	4.9%	5.4%	6.6%	4.8%	4.2%	6.2%	2.6%	2.4%
49+	11.4%	7.9%	8.7%	9.0%	6.4%	6.9%	11.0%	7.6%	3.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	80.8%	82.2%	78.5%	88.7%	86.3%	72.3%	74.6%	85.9%	87.5%
Mean PC visit days, among those with some PC	3.83	3.53	2.99	4.25	3.40	2.63	3.77	4.08	3.02
SD	3.42	2.99	2.01	3.40	2.65	1.82	3.07	4.30	2.01
Average number clinic stops per visit day, mean	1.50	1.50	1.52	1.46	1.51	1.56	1.53	1.54	1.44
SD	*0.46*	*0.43*	*0.42*	*0.41*	*0.43*	*0.45*	*0.44*	*0.45*	*0.39*
annual clinic stops (psych & non-psych), mean	37.58	30.81	31.70	35.17	26.57	28.37	38.36	30.08	19.85
SD	*53.68*	*42.43*	*37.14*	*49.22*	*31.89*	*37.51*	*57.10*	*44.91*	*18.45*
annual non-psych. clinic stops, mean	19.81	17.84	15.33	20.11	16.01	14.25	18.86	16.10	16.08
SD	*22.87*	*18.52*	*15.83*	*21.90*	*17.64*	*14.33*	*24.77*	*18.48*	*15.34*
annual psych. clinic stops (groupings below), mean	17.77	23.33	16.37	15.05	10.56	14.12	19.50	13.98	3.77
SD	*40.95*	*45.56*	*30.82*	*34.24*	*23.63*	*29.71*	*45.60*	*34.30*	*6.31*
1. general psych. clinic stops, mean	7.61	9.79	5.88	6.49	5.13	4.70	6.10	4.74	3.13
SD	*12.69*	*16.36*	*9.03*	*7.04*	*7.21*	*6.31*	*8.86*	*7.16*	*4.93*
2. psych. case management clinic stops, mean	0.65	1.18	1.80	0.41	1.09	0.70	0.00	2.15	0.00
SD	*8.45*	*9.39*	*17.90*	*4.27*	*11.42*	*5.63*	*0.00*	*11.56*	*0.00*
3. psych. day treatment clinic stops, mean	1.57	1.74	2.01	0.11	0.13	2.23	7.20	4.42	0.00
SD	*15.80*	*13.24*	*9.84*	*1.45*	*1.88*	*8.26*	*35.65*	*25.98*	*0.05*
4. substance abuse clinic stops, mean	4.64	7.43	4.66	3.03	1.64	5.70	2.67	1.63	0.15
SD	*21.97*	*24.99*	*13.73*	*10.97*	*6.37*	*26.15*	*12.14*	*8.69*	*0.62*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Bipolar Patients	73964	3241	578	683	397	405	418	423	337
5. psych. vocational clinic stops, mean	1.91	1.53	1.27	3.23	2.06	0.00	2.49	0.15	0.00
SD	*15.13*	*11.44*	*10.61*	*23.63*	*15.70*	*0.00*	*15.00*	*1.06*	*0.00*
6. PTSD clinic stops, mean	0.80	1.02	0.31	0.84	0.29	0.01	0.42	0.75	0.40
SD	*5.71*	*7.29*	*2.77*	*4.80*	*1.59*	*0.14*	*3.39*	*4.63*	*3.39*
7. psych. homeless clinic stops, mean	0.54	0.64	0.48	0.83	0.18	0.77	0.52	0.04	0.04
SD	*3.97*	*3.26*	*2.56*	*3.86*	*1.56*	*3.55*	*2.87*	*0.33*	*0.60*
Other VISN OP visit days, mean	0.48	0.49	0.28	0.30	0.64	0.31	0.42	0.16	0.15
SD	*2.80*	*3.02*	*1.36*	*1.92*	*3.86*	*2.20*	*2.00*	*0.78*	*0.82*
Other station OP visit days, mean	1.14	1.17	0.99	2.29	1.11	0.73	0.84	1.33	1.25
SD	*4.45*	*4.70*	*2.97*	*5.26*	*4.17*	*2.85*	*3.61*	*3.38*	*2.74*

Table 4H: FY03 Bipolar Patients, Pharmacy Utilization, VISN 11

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Bipolar Patients	73964	3241	578	683	397	405	418	423	337
Among all patients in the registry									
Pts. with any outpatient prescriptions, %	96.9%	97.4%	96.2%	96.9%	96.2%	97.8%	98.1%	96.0%	98.2%
Patients with any oral antipsychotic fills, %*	46.0%	49.6%	51.2%	58.0%	50.4%	46.7%	47.1%	49.6%	43.6%
Among pts. receiving any antipsychotic medication:									
Received only conventional antipsychotics, %	7.6%	5.9%	8.4%	6.6%	9.5%	4.2%	9.6%	11.0%	10.9%
Received some atypical antipsychotics, %	92.4%	94.1%	91.6%	93.4%	90.5%	95.8%	90.4%	89.0%	89.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %									
Aripiprazole	0.9%	2.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%	0.7%
Clozapine	0.2%	0.4%	0.3%	0.0%	0.0%	0.0%	0.0%	0.5%	0.0%
Olanzapine	40.7%	42.8%	37.5%	42.9%	37.0%	43.4%	56.3%	50.5%	28.6%
Quetiapine	34.1%	38.9%	29.1%	30.1%	22.0%	24.9%	20.3%	21.4%	40.1%
Risperidone	31.0%	25.8%	46.6%	37.6%	36.0%	43.4%	24.9%	26.7%	32.0%
Ziprasidone	4.7%	5.3%	3.0%	4.5%	3.5%	0.5%	4.1%	5.2%	1.4%
Patients receiving only one kind** of antipsychotic, %	77.4%	76.3%	74.7%	70.5%	86.0%	79.4%	79.7%	82.4%	83.0%
Concurrent use of 2 or more antipsychotics, % ***	5.5%	4.9%	2.7%	8.6%	3.0%	4.8%	4.6%	6.7%	3.4%
Among pts receiving just one antipsychotic:									
Antipsychotic fills, mean	6.09	6.56	6.00	6.41	7.83	6.31	6.64	5.49	7.08
SD	*4.43*	*4.68*	*4.72*	*4.63*	*4.42*	*4.37*	*4.53*	*4.10*	*4.80*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5H: FY03 Bipolar Patients, Cost, VISN 11

	All VISNs	VISN 11	506	515	550	553	583	610	655
			Ann Arbor	*Battle Creek*	*Danville IL*	*Detroit*	*Indianapolis*	*N.Indiana*	*Saginaw*
Bipolar Patients	73964	3241	578	683	397	405	418	423	337
Total Costs (in thousands $$)	$907,650	$37,145	$6,739	$10,241	$4,861	$3,589	$3,645	$5,420	$2,650
Station % of VISN		100.0%	18.1%	27.6%	13.1%	9.7%	9.8%	14.6%	7.1%
Psych vs. Non-Psych Costs									
Psych	33.4%	33.0%	38.0%	43.9%	25.5%	33.6%	24.6%	30.5%	11.7%
Non-Psych	66.6%	67.0%	62.0%	56.1%	74.5%	66.4%	75.4%	69.5%	88.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use									
Per Patient	$15,075	$15,439	$16,756	$17,201	$13,242	$11,544	$9,603	$22,005	$6,044
Per Day of Stay	$882	$1,113	$1,178	$522	$639	$1,131	$1,027	$798	$650
Mean Outpatient Costs, Pts with some Outpatient use									
Per Patient	$6,520	$6,475	$6,980	$5,876	$5,535	$5,888	$6,079	$5,078	$4,640
Per Visit Day	$269	$326	$337	$266	$309	$323	$260	$258	$329
By Cost Center									
1 Med	$1,060	$1,221	$1,221	$552	$1,333	$495	$504	$1,477	$349
2 Surg	$459	$669	$682	$153	$246	$494	$749	$341	$8
3 Psych	$2,315	$1,967	$2,010	$4,936	$2,057	$1,776	$884	$2,864	$468
4 Psych Res Rehab Treatment Program	$298	$404	$10	$1,373	$97	$7	$88	$9	$36
5 Non-VA	$176	$77	$81	$267	$72	$25	$21	$92	$265
6 LTC Domiciliary	$455	$619	$0	$19	$23	$2	$0	$0	$0
7 LTC Intermediate Care	$96	$18	$13	$693	$79	$81	$110	$14	$458
8 LTC Nursing Home	$778	$1,094	$466	$1,158	$2,588	$62	$0	$2,979	$1,459
9 Contract Nursing Home	$142	$101	$209	$1	$269	$31	$286	$9	$193
10 OPC Med/Surg	$1,111	$998	$977	$558	$792	$1,057	$1,149	$940	$906
11 OPC Psych	$1,781	$2,194	$2,425	$1,644	$1,066	$1,199	$1,266	$1,043	$455
12 OPC Home Based Treatment	$532	$703	$461	$508	$560	$485	$566	$658	$258
13 OPC Support	$1,309	$1,138	$1,292	$1,434	$992	$1,431	$1,309	$1,146	$908
14 OPC Fee	$115	$90	$29	$59	$74	$36	$138	$184	$167
15 OPC Pharmacy	$1,645	$1,326	$1,782	$1,638	$1,995	$1,680	$1,652	$1,059	$1,933
TOTAL	$12,272	$12,619	$11,660	$14,994	$12,243	$8,861	$8,721	$12,814	$7,863
Mean % Patient Costs at Other Stations	4.8%	6.7%	5.6%	9.1%	5.3%	3.8%	3.0%	8.5%	11.0%
SD	*13.9%*	*15.7%*	*14.4%*	*16.7%*	*13.3%*	*12.4%*	*10.6%*	*18.0%*	*21.0%*
Mean % Patient Costs at Other VISNs	2.0%	1.6%	1.5%	1.3%	2.8%	1.2%	1.8%	1.2%	1.7%
SD	*9.0%*	*8.0%*	*7.4%*	*7.2%*	*10.0%*	*6.9%*	*8.8%*	*7.0%*	*9.5%*

Table 2I: FY03 Other Psychosis Patients, Demographics, VISN 11

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Other Psychosis Patients	49401	1524	216	185	236	232	371	169	115
Age, %									
<35	2.2%	1.8%	3.2%	2.2%	0.8%	3.9%	1.3%	0.6%	0.0%
>=35 and <50	12.5%	14.9%	12.5%	16.8%	9.7%	21.1%	17.8%	10.1%	12.2%
>=50 and <65	22.1%	26.5%	24.1%	34.6%	31.4%	30.2%	23.5%	17.8%	23.5%
>=65 and <80	36.7%	36.5%	41.2%	32.4%	37.3%	28.9%	36.9%	40.8%	40.0%
>=80	26.5%	20.3%	19.0%	14.1%	20.8%	15.9%	20.5%	30.8%	24.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	68.22	66.02	66.41	63.25	67.08	62.19	66.01	70.49	68.73
SD	*15.13*	*15.02*	*15.14*	*14.74*	*14.13*	*15.97*	*14.99*	*14.03*	*14.22*
Gender									
Male, %	96.0%	96.3%	96.3%	96.2%	97.9%	96.6%	94.6%	96.4%	97.4%
Female, %	4.0%	3.7%	3.7%	3.8%	2.1%	3.4%	5.4%	3.6%	2.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %									
Hispanic white	3.9%	0.3%	1.4%	0.5%	0.0%	0.0%	0.3%	0.0%	0.0%
Hispanic black	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
American Indian	0.2%	0.2%	0.0%	0.0%	0.4%	0.4%	0.3%	0.0%	0.0%
Black	15.5%	17.4%	8.3%	16.8%	4.2%	48.7%	18.3%	9.5%	7.8%
Asian	0.4%	0.1%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
White	48.2%	55.4%	51.4%	56.2%	83.9%	21.6%	57.4%	69.8%	44.3%
Race unknown	31.5%	26.6%	38.4%	26.5%	11.4%	29.3%	23.7%	20.7%	47.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status									
Never married	13.4%	14.4%	11.6%	16.4%	9.8%	30.7%	13.2%	7.1%	7.0%
Married	52.0%	46.9%	47.4%	47.0%	50.6%	28.1%	46.2%	58.3%	60.9%
Divorced/Separated	22.5%	27.6%	27.9%	28.4%	26.4%	30.7%	28.4%	25.6%	21.7%
Widowed	12.0%	11.2%	13.0%	8.2%	13.2%	10.4%	12.2%	8.9%	10.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 11

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Other Psychosis Patients	49401	1524	216	185	236	232	371	169	115
Registry Pts. History of VA Utilization									
Years since first use in prior five years, mean	4.0	3.92	3.95	3.98	3.96	3.78	4.07	3.58	3.91
SD	*1.4*	*1.45*	*1.47*	*1.49*	*1.45*	*1.58*	*1.29*	*1.49*	*1.51*
Yrs with 24-hour institutional use / yrs since 1st use, %	24.1%	24.4%	24.5%	25.9%	27.1%	28.5%	20.7%	23.9%	21.5%
SD	*27.8%*	*28.8%*	*27.5%*	*31.8%*	*30.4%*	*30.9%*	*25.3%*	*30.4%*	*27.0%*
Years with OP use / Years since first use, %	96.9%	95.7%	95.6%	96.2%	96.4%	93.2%	96.4%	95.6%	96.1%
SD	*10.4%*	*12.6%*	*11.6%*	*11.1%*	*12.7%*	*17.8%*	*10.7%*	*11.4%*	*11.0%*
Psychosis Diagnoses in Prior Fiscal Year									
Had Psychosis Diagnosis in FY01, %	33.8%	30.0%	26.9%	28.1%	36.4%	28.9%	29.6%	29.0%	30.4%
Among Patients With Psychoses in FY01									
Psychosis Category: Schizophrenia, %	9.4%	12.0%	6.9%	17.3%	8.1%	22.4%	12.7%	4.1%	11.4%
Psychosis Category: Bipolar Disorder, %	3.8%	5.7%	12.1%	7.7%	0.0%	7.5%	6.4%	6.1%	0.0%
Psychosis Category: Other Psychosis, %	86.9%	82.3%	81.0%	75.0%	91.9%	70.1%	80.9%	89.8%	88.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %									
Dementia	20.6%	18.2%	18.5%	13.5%	17.4%	13.8%	18.6%	27.2%	20.9%
Post Traumatic Stress Disorder	13.4%	11.4%	10.6%	17.8%	12.3%	5.2%	13.5%	9.5%	8.7%
Depression	37.7%	40.3%	44.4%	49.2%	43.2%	33.6%	39.6%	36.1%	33.9%
Other Anxiety Disorder	12.0%	14.0%	14.4%	15.1%	14.4%	8.2%	14.8%	17.8%	14.8%
Substance Abuse or Dependence	15.7%	18.7%	19.9%	24.9%	15.7%	26.7%	18.3%	13.0%	6.1%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 11

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Other Psychosis Patients	49401	1524	216	185	236	232	371	169	115
Medical Comorbidities, %									
No medical comorbidities	8.3%	9.2%	11.6%	7.6%	7.6%	15.9%	7.0%	7.1%	7.0%
Anemia	14.2%	12.3%	11.6%	6.5%	14.0%	9.5%	12.9%	16.6%	16.5%
Arthritis	39.1%	39.5%	38.9%	48.1%	43.6%	31.0%	41.8%	39.1%	28.7%
Cancer	14.0%	12.2%	15.3%	8.6%	10.6%	8.2%	13.5%	11.8%	20.0%
Cerebrovascular Disease	16.4%	15.0%	15.3%	8.1%	13.6%	15.1%	15.6%	20.7%	18.3%
Chronic Neurologic Disorder	20.8%	21.8%	21.3%	22.7%	21.6%	22.0%	19.1%	24.9%	25.2%
Chronic Obstructive Pulmonary Disease	17.9%	19.1%	19.4%	18.4%	22.5%	15.9%	17.5%	21.3%	20.9%
Chronic Viral Infection	5.9%	6.4%	5.6%	8.1%	7.2%	10.3%	6.2%	3.0%	1.7%
Coronary Artery Disease	33.0%	35.2%	38.0%	29.7%	36.9%	27.6%	35.6%	39.1%	44.3%
Diabetes	23.4%	25.7%	29.6%	20.5%	28.0%	18.5%	24.8%	33.1%	27.8%
Digestive System Disease	42.9%	39.7%	44.4%	31.9%	39.4%	31.9%	46.1%	39.6%	39.1%
Hypertension	54.9%	53.9%	53.2%	52.4%	57.6%	45.7%	52.6%	63.9%	56.5%
Injury and Poisoning	19.4%	19.7%	20.8%	14.1%	18.2%	20.7%	23.2%	20.1%	15.7%
Liver Disease	3.8%	3.1%	1.4%	1.1%	4.2%	2.6%	4.0%	4.1%	4.3%
Other Endocrine	9.5%	8.3%	6.5%	7.6%	10.6%	6.5%	9.4%	9.5%	6.1%
Peripheral Vascular Disease	7.8%	9.3%	10.6%	7.6%	9.7%	4.3%	11.9%	8.9%	10.4%
GAF scores									
Lowest inpatient GAF score, mean	37.71	57.81	25.00	67.50	36.00	81.22	47.00	38.77	50.00
SD	*14.78*	*26.32*	*7.07*	*25.98*	*14.49*	*21.56*	*10.07*	*14.43*	*6.53*
Mean outpatient GAF score	48.43	53.16	48.11	52.53	54.99	55.23	52.24	55.51	55.72
SD	*11.56*	*11.69*	*12.60*	*13.57*	*9.99*	*12.10*	*10.56*	*10.99*	*12.84*
At least 1 IP GAF, among pts with MH bedsections, %	36.3%	31.3%	10.0%	12.5%	31.0%	56.3%	16.2%	69.2%	0.0%
At least 1 OP GAF, among pts with MH clinic stops, %	74.8%	74.5%	79.1%	31.4%	86.0%	71.9%	88.4%	77.9%	88.2%
Mortality rates									
died in FY02, %	6.2%	6.0%	7.4%	5.9%	6.4%	4.3%	4.3%	7.1%	9.6%
Age-and-gender-adjusted Standardized Mortality Ratio	1.21	1.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Other Psychosis Patients	49401	1524	216	185	236	232	371	169	115
Service Connection (SC)									
Non-SC	63.3%	68.2%	67.6%	65.4%	70.3%	70.3%	66.8%	74.6%	60.0%
SC 0 - 29%	10.4%	10.6%	9.3%	14.1%	8.1%	10.3%	11.9%	11.8%	7.8%
SC 30 - 69%	10.8%	10.3%	13.9%	8.1%	8.1%	9.5%	10.2%	7.7%	17.4%
SC 70 - 99%	6.4%	4.5%	5.6%	4.9%	5.5%	2.2%	4.9%	1.8%	7.8%
SC 100%	9.1%	6.4%	3.7%	7.6%	8.1%	7.8%	6.2%	4.1%	7.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %									
Complex*	15.0%	14.6%	11.6%	15.7%	21.2%	12.5%	10.0%	18.3%	18.3%
Basic vested, Cat A*	74.8%	74.1%	76.9%	74.6%	65.7%	81.9%	77.4%	64.5%	73.9%
Basic Non-vested, Cat A*	0.8%	1.6%	1.9%	3.2%	1.3%	1.7%	1.6%	1.2%	0.0%
Basic, Cats C and N	9.4%	9.6%	9.7%	6.5%	11.9%	3.9%	11.1%	16.0%	7.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded									
Patient eligibility category, %									
Cat A (SC or low income)	90.1%	89.8%	89.8%	93.5%	86.9%	95.7%	88.4%	84.0%	91.3%
Cat C (NSC and higher income)	9.4%	10.0%	10.2%	6.5%	13.1%	3.9%	11.1%	16.0%	8.7%
Non-Veteran	0.6%	0.2%	0.0%	0.0%	0.0%	0.4%	0.5%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %									
BASIC 1. Non-reliant Care	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%	0.0%
2. Basic Medical	25.3%	22.6%	14.8%	24.3%	25.8%	16.4%	24.5%	22.5%	33.9%
3. Mental Health	25.6%	27.6%	31.0%	30.8%	25.0%	34.1%	25.6%	24.9%	19.1%
4. Heart / Lung / GI	12.5%	13.1%	19.0%	7.6%	9.3%	8.2%	15.9%	14.2%	18.3%
5. Oncology / Infectious Disease	3.8%	4.2%	5.6%	5.9%	5.1%	3.4%	3.5%	4.1%	0.9%
6. Multiple Medical	17.6%	17.8%	18.1%	15.7%	13.6%	25.4%	20.5%	15.4%	9.6%
COMPLEX 7. Specialized Care	4.7%	4.1%	0.9%	8.1%	2.1%	3.4%	3.5%	10.7%	1.7%
8. Support Care	4.8%	3.9%	4.2%	1.6%	5.9%	3.0%	4.0%	2.4%	7.0%
9. Chronic Mental	2.2%	2.0%	1.9%	3.2%	3.4%	2.2%	1.3%	1.2%	0.0%
10. Critically Ill	3.3%	4.5%	4.6%	2.7%	9.7%	3.9%	1.1%	4.1%	9.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Other Psychosis Patients	49401	1524	216	185	236	232	371	169	115
Substance Dependence and Abuse									
Any dx of alcohol / drug dependence or abuse, %	15.7%	18.7%	19.9%	24.9%	15.7%	26.7%	18.3%	13.0%	6.1%
Homelessness									
Homelessness indicated in FY02, %	7.1%	9.6%	12.0%	11.9%	5.1%	18.1%	10.0%	3.6%	0.9%
Residence in Metropolitan Area									
Residing in a Metropolitan Statistical Area, %	76.7%	75.1%	89.4%	80.0%	47.2%	99.6%	79.0%	65.1%	50.0%
Distance									
Mile from Closest VA Medical Center, mean	35.80	31.10	30.43	42.16	56.86	9.96	23.20	19.54	47.25
SD	*82.41*	*29.42*	*19.19*	*26.94*	*35.67*	*10.03*	*20.82*	*18.21*	*42.99*
Distance from closest VA Medical Center, %									
0 to 15 miles	45.8%	41.4%	26.9%	21.1%	18.3%	82.3%	50.4%	46.7%	28.9%
15 to 30 miles	16.6%	15.3%	21.8%	11.4%	5.1%	13.8%	15.4%	29.6%	12.3%
30 to 45 miles	10.9%	15.6%	26.9%	17.8%	17.9%	2.6%	13.7%	13.6%	21.9%
45 to 60 miles	8.8%	13.1%	18.1%	31.9%	8.9%	0.9%	16.2%	5.9%	7.9%
60 plus miles	17.9%	14.5%	6.5%	17.8%	49.8%	0.4%	4.3%	4.1%	28.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.89	13.43	11.95	14.28	16.81	7.73	13.23	13.40	20.23
SD	*14.24*	*11.90*	*9.18*	*12.05*	*13.81*	*5.58*	*11.18*	*12.66*	*16.10*
Distance to closest VA Service Site, %									
0 to 15 miles	73.5%	64.6%	67.1%	63.2%	50.2%	91.8%	63.3%	62.7%	43.0%
15 to 30 miles	16.6%	22.9%	26.9%	24.9%	24.3%	7.3%	26.7%	24.3%	26.3%
30 to 45 miles	7.0%	11.0%	6.0%	8.1%	23.8%	0.9%	8.9%	13.0%	22.8%
45 plus miles	3.0%	1.6%	0.0%	3.8%	1.7%	0.0%	1.1%	0.0%	7.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 11

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Other Psychosis Patients	49401	1524	216	185	236	232	371	169	115
Hospital Based Utilization									
Patients with some Hospital Based Utilization, %	30.2%	30.5%	31.0%	25.4%	33.1%	32.3%	29.4%	36.7%	23.5%
Hospital based utilization: Overall									
(All psychiatric and medical hospital bedsections)									
Inpatient stays, mean	1.82	1.85	1.75	2.02	2.28	1.41	1.78	1.89	1.89
SD	*1.40*	*1.41*	*1.33*	*1.51*	*1.96*	*0.77*	*1.42*	*1.17*	*1.05*
Average LOS, mean	9.37	9.07	7.53	20.37	9.95	7.60	6.37	8.86	6.21
SD	*15.01*	*18.98*	*6.35*	*53.56*	*12.91*	*5.90*	*7.07*	*8.09*	*3.56*
Cumulative DOS, mean	16.06	16.47	12.66	34.45	23.21	10.24	10.94	17.94	11.44
SD	*22.72*	*29.95*	*13.84*	*63.12*	*41.75*	*8.16*	*14.33*	*22.43*	*7.99*
Cumulative DOS, %									
1 to 7	42.1%	46.2%	40.3%	34.0%	41.0%	52.0%	60.6%	40.3%	37.0%
8 to 14	23.4%	23.2%	35.8%	27.7%	19.2%	24.0%	17.4%	16.1%	33.3%
15 to 44	27.8%	23.7%	19.4%	19.1%	26.9%	24.0%	17.4%	35.5%	29.6%
45 to 89	5.2%	4.9%	4.5%	10.6%	10.3%	0.0%	4.6%	3.2%	0.0%
90 to 179	1.2%	1.1%	0.0%	4.3%	0.0%	0.0%	0.0%	4.8%	0.0%
180 to 359	0.2%	0.6%	0.0%	2.1%	2.6%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.2%	0.0%	2.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	0.7%	0.9%	0.0%	4.3%	2.6%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	185.56	271.75	0.00	291.50	252.00	0.00	0.00	0.00	0.00
SD	*75.86*	*72.11*	*0.00*	*102.53*	*59.40*	*0.00*	*0.00*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.3%	0.4%	0.0%	2.1%	1.3%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	241.58	287.00	0.00	364.00	210.00	0.00	0.00	0.00	0.00
SD	*74.51*	*108.89*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.37	0.58	0.34	0.70	0.81	0.77	0.70	0.29	0.00
SD	*3.13*	*3.44*	*1.48*	*4.39*	*4.81*	*4.09*	*3.35*	*1.81*	*0.00*
Cumulative DOS at Other Stations	1.24	1.72	0.70	4.66	1.88	0.85	1.00	2.63	1.93
SD	*5.73*	*6.20*	*2.45*	*10.20*	*5.51*	*4.14*	*4.28*	*9.92*	*4.16*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Other Psychosis Patients	49401	1524	216	185	236	232	371	169	115
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)									
Pts. with non-psych hospital stays, %	21.7%	21.5%	25.0%	11.4%	25.4%	12.5%	22.4%	32.5%	21.7%
Inpatient stays, mean	1.27	1.31	1.36	1.04	1.78	0.53	1.31	1.63	1.78
SD	*1.36*	*1.48*	*1.37*	*1.63*	*2.02*	*0.79*	*1.38*	*1.23*	*1.15*
Average LOS, mean	7.86	6.77	7.35	8.02	5.99	7.76	5.94	7.72	5.88
SD	*11.97*	*7.31*	*8.09*	*12.13*	*4.62*	*7.88*	*7.12*	*7.78*	*3.72*
Cumulative Days of Stay, mean	9.61	8.90	9.01	9.68	10.97	4.03	7.93	12.48	10.48
SD	*16.99*	*14.72*	*12.50*	*23.45*	*15.28*	*8.06*	*13.89*	*16.33*	*8.70*
Cumulative Days of Stay, %									
0	28.2%	29.7%	19.4%	55.3%	23.1%	61.3%	23.9%	11.3%	7.4%
1 to 7	35.5%	37.0%	38.8%	23.4%	38.5%	22.7%	47.7%	40.3%	40.7%
8 to 14	15.8%	13.3%	22.4%	6.4%	12.8%	5.3%	13.8%	14.5%	22.2%
15 to 44	17.1%	17.0%	17.9%	8.5%	20.5%	10.7%	11.0%	30.6%	29.6%
45 to 89	2.8%	2.6%	1.5%	4.3%	5.1%	0.0%	3.7%	1.6%	0.0%
90 to 179	0.5%	0.4%	0.0%	2.1%	0.0%	0.0%	0.0%	1.6%	0.0%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.2%	0.0%	2.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	178.07	116.00	0.00	116.00	0.00	0.00	0.00	0.00	0.00
SD	*75.21*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	240.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.05*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.18*	*0.35*	*0.18*	*0.70*	*0.18*	*0.48*	*0.48*	*0.23*	*0.00*
SD	*1.94*	*2.57*	*1.09*	*4.39*	*1.07*	*3.71*	*2.69*	*1.78*	*0.00*
Other station cumulative DOS, mean	0.60	1.15	0.33	3.00	1.12	0.48	0.78	2.21	0.96
SD	*3.61*	*5.04*	*1.65*	*9.20*	*3.05*	*3.71*	*3.81*	*7.88*	*3.39*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Other Psychosis Patients	49401	1524	216	185	236	232	371	169	115
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)									
Pts. with psych hospital stays, %	10.8%	11.9%	9.3%	17.3%	12.3%	20.7%	10.0%	7.7%	2.6%
Inpatient stays, mean	0.55	0.53	0.39	0.98	0.50	0.88	0.47	0.26	0.11
SD	*1.03*	*0.81*	*0.70*	*0.92*	*0.82*	*0.91*	*0.79*	*0.57*	*0.32*
Average LOS, mean	12.47	14.38	9.12	29.90	19.01	7.50	7.09	21.45	8.67
SD	*19.53*	*30.45*	*3.98*	*65.58*	*22.37*	*4.37*	*7.01*	*17.44*	*0.58*
Cumulative Days of Stay, mean	6.45	7.57	3.64	24.77	12.23	6.21	3.01	5.45	0.96
SD	*17.76*	*26.29*	*7.42*	*57.25*	*40.26*	*6.91*	*6.89*	*14.10*	*2.78*
Cumulative Days of Stay, %									
0	64.2%	60.9%	70.1%	31.9%	62.8%	36.0%	66.1%	79.0%	88.9%
1 to 7	12.7%	15.5%	9.0%	19.1%	10.3%	30.7%	21.1%	4.8%	0.0%
8 to 14	9.6%	11.8%	14.9%	21.3%	10.3%	21.3%	5.5%	3.2%	11.1%
15 to 44	10.7%	8.2%	6.0%	12.8%	9.0%	12.0%	6.4%	8.1%	0.0%
45 to 89	2.1%	2.6%	0.0%	8.5%	5.1%	0.0%	0.9%	4.8%	0.0%
90 to 179	0.5%	0.4%	0.0%	4.3%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	0.1%	0.4%	0.0%	0.0%	2.6%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.2%	0.0%	2.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.4%	0.9%	0.0%	4.3%	2.6%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	182.44	236.25	0.00	233.50	239.00	0.00	0.00	0.00	0.00
SD	*78.98*	*115.67*	*0.00*	*184.55*	*77.78*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.2%	0.4%	0.0%	2.1%	1.3%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.42	274.00	0.00	364.00	184.00	0.00	0.00	0.00	0.00
SD	*77.61*	*127.28*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.19	0.24	0.16	0.00	0.63	0.29	0.22	0.06	0.00
SD	2.40	2.32	1.04	0.00	4.72	1.81	2.03	0.40	0.00
Other station cumulative DOS, mean	0.64	0.57	0.37	1.66	0.77	0.37	0.22	0.42	0.96
SD	4.34	3.16	1.88	4.98	4.78	1.93	2.03	2.81	2.78

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Other Psychosis Patients	49401	1524	216	185	236	232	371	169	115
Other 24 hour institutional care									
Patients with some other 24 hour institutional care, %	10.1%	10.0%	8.3%	16.2%	16.9%	8.2%	3.8%	7.7%	16.5%
Residential Rehabilitation									
Patients with some residential rehab. care, %	1.0%	1.8%	0.5%	10.3%	0.0%	0.4%	1.3%	0.0%	0.9%
Number stays, mean	*1.13*	*1.11*	*1.00*	*1.05*	*0.00*	*1.00*	*1.40*	*0.00*	*1.00*
SD	*0.45*	*0.42*	*0.00*	*0.23*	*0.00*	*0.00*	*0.89*	*0.00*	*0.00*
Average LOS, mean	30.41	54.09	5.00	31.61	0.00	35.00	162.40	0.00	8.00
SD	*33.22*	*78.38*	*0.00*	*36.00*	*0.00*	*0.00*	*125.74*	*0.00*	*0.00*
Cumulative DOS, mean	33.30	55.74	5.00	32.79	0.00	35.00	166.80	0.00	8.00
SD	*35.32*	*77.79*	*0.00*	*36.05*	*0.00*	*0.00*	*119.34*	*0.00*	*0.00*
Cumulative Days of Stay, %									
1 to 7	15.1%	11.1%	100.0%	10.5%	0.0%	0.0%	0.0%	0.0%	0.0%
8 to 14	12.1%	7.4%	0.0%	5.3%	0.0%	0.0%	0.0%	0.0%	100.0%
15 to 44	54.3%	59.3%	0.0%	73.7%	0.0%	100.0%	20.0%	0.0%	0.0%
45 to 89	11.7%	7.4%	0.0%	5.3%	0.0%	0.0%	20.0%	0.0%	0.0%
90 to 179	5.7%	3.7%	0.0%	5.3%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.1%	11.1%	0.0%	0.0%	0.0%	0.0%	60.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	0.0%	100.0%	100.0%	0.0%	100.0%	100.0%	0.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	2.6%	14.8%	0.0%	5.3%	0.0%	0.0%	60.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	181.33	230.25	0.00	174.00	0.00	0.00	249.00	0.00	0.00
SD	*69.09*	*58.57*	*0.00*	*0.00*	*0.00*	*0.00*	*55.11*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	14.8%	0.0%	5.3%	0.0%	0.0%	60.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	235.83	230.25	0.00	174.00	0.00	0.00	249.00	0.00	0.00
SD	*52.07*	*58.57*	*0.00*	*0.00*	*0.00*	*0.00*	*55.11*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*7.57*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	4.16	1.78	5.00	0.00	0.00	35.00	0.00	0.00	8.00
SD	*12.59*	*6.87*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Other Psychosis Patients	49401	1524	216	185	236	232	371	169	115
Domiciliary and Vocational									
Patients with some dom/voc care, %	1.7%	0.1%	0.0%	0.5%	0.0%	0.0%	0.3%	0.0%	0.0%
Number stays, mean	1.13	1.00	0.00	1.00	0.00	0.00	1.00	0.00	0.00
SD	*0.36*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	79.24	4.50	0.00	7.00	0.00	0.00	2.00	0.00	0.00
SD	*81.39*	*3.54*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS, mean	86.42	4.50	0.00	7.00	0.00	0.00	2.00	0.00	0.00
SD	*85.00*	*3.54*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative Days of Stay, %									
1 to 7	7.5%	100.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
8 to 14	6.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	29.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
45 to 89	19.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	23.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	10.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	193.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*79.91*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	240.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*71.71*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.61	1.00	0.00	0.00	0.00	0.00	2.00	0.00	0.00
SD	*8.79*	*1.41*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.31	1.00	0.00	0.00	0.00	0.00	2.00	0.00	0.00
SD	*11.83*	*1.41*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Other Psychosis Patients	49401	1524	216	185	236	232	371	169	115
Nursing Home Care									
Patients with some nursing home care, %	7.7%	8.2%	7.9%	5.4%	16.9%	7.8%	2.2%	7.7%	16.5%
Number stays, mean	1.29	1.28	1.29	1.10	1.30	1.56	1.00	1.23	1.21
SD	*0.65*	*0.52*	*0.59*	*0.32*	*0.52*	*0.70*	*0.00*	*0.44*	*0.42*
Average LOS, mean	54.03	77.87	45.10	153.20	98.50	56.26	34.50	96.54	50.05
SD	*70.27*	*87.85*	*47.40*	*141.68*	*87.53*	*95.03*	*25.94*	*96.77*	*44.89*
Cumulative DOS, mean	64.81	90.90	53.82	163.90	117.88	64.17	34.50	115.62	61.00
SD	*79.26*	*91.98*	*48.76*	*141.84*	*89.99*	*92.97*	*25.94*	*103.16*	*60.46*
Cumulative Days of Stay, %									
1 to 7	10.9%	11.2%	11.8%	30.0%	7.5%	11.1%	12.5%	7.7%	10.5%
8 to 14	15.2%	5.6%	11.8%	0.0%	2.5%	16.7%	0.0%	7.7%	0.0%
15 to 44	34.5%	30.4%	23.5%	0.0%	25.0%	38.9%	75.0%	15.4%	47.4%
45 to 89	16.5%	13.6%	35.3%	10.0%	7.5%	5.6%	0.0%	15.4%	21.1%
90 to 179	13.0%	21.6%	11.8%	10.0%	35.0%	16.7%	12.5%	30.8%	10.5%
180 to 359	8.1%	15.2%	5.9%	40.0%	22.5%	5.6%	0.0%	15.4%	10.5%
360+	1.8%	2.4%	0.0%	10.0%	0.0%	5.6%	0.0%	7.7%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	17.8%	30.4%	5.9%	60.0%	50.0%	16.7%	0.0%	46.2%	10.5%
Cumul. DOS, patients with a 100+ day NH stay, mean	207.27	207.05	206.00	261.00	189.70	234.67	0.00	197.67	206.00
SD	*81.27*	*76.58*	*0.00*	*86.38*	*64.38*	*123.49*	*0.00*	*93.01*	*29.70*
NH patients with 150+ day NH stay, %	11.0%	20.8%	5.9%	50.0%	35.0%	11.1%	0.0%	15.4%	10.5%
Cumul. DOS, patients with a 150+ day NH stay, mean	250.81	239.77	206.00	285.40	217.79	293.00	0.00	277.00	206.00
SD	*70.60*	*67.63*	*0.00*	*69.72*	*55.30*	*100.41*	*0.00*	*123.04*	*29.70*
Other VISN cumulative DOS, mean	0.34	0.21	0.18	0.00	0.00	0.33	0.00	1.31	0.00
SD	*5.11*	*1.63*	*0.73*	*0.00*	*0.00*	*1.41*	*0.00*	*4.71*	*0.00*
Other station cumulative DOS, mean	1.02	1.40	1.82	0.00	0.00	0.33	2.75	8.92	0.00
SD	*7.62*	*9.49*	*6.78*	*0.00*	*0.00*	*1.41*	*7.78*	*27.47*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506	515	550	553	583	610	655
			Ann Arbor	*Battle Creek*	*Danville IL*	*Detroit*	*Indianapolis*	*N.Indiana*	*Saginaw*
Other Psychosis Patients	49401	1524	216	185	236	232	371	169	115
Outpatient utilization									
(reported for those with some outpatient care)									
Patients with some outpatient care, %	99.7%	99.3%	100.0%	99.5%	98.3%	98.7%	100.0%	99.4%	99.1%
annual visit days, mean	19.52	17.36	17.61	18.25	14.77	17.08	19.40	17.03	15.14
SD	*24.21*	*20.67*	*20.23*	*22.40*	*17.54*	*27.06*	*20.86*	*17.07*	*11.58*
Outpatient visit days, %									
1-12	49.1%	55.0%	51.4%	51.6%	61.2%	62.4%	50.1%	55.4%	54.4%
13-24	27.0%	23.6%	27.3%	23.9%	20.7%	19.2%	25.1%	23.2%	27.2%
25-36	11.5%	10.3%	12.0%	13.6%	8.6%	7.9%	10.5%	7.7%	13.2%
37-48	5.4%	5.4%	2.3%	4.3%	6.0%	5.2%	6.7%	8.3%	3.5%
49+	7.0%	5.7%	6.9%	6.5%	3.4%	5.2%	7.5%	5.4%	1.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	86.5%	87.9%	85.6%	92.4%	87.5%	77.3%	89.8%	94.6%	91.2%
Mean PC visit days, among those with some PC	4.04	3.48	3.46	3.71	3.31	2.83	3.74	3.82	3.19
SD	3.94	2.65	2.36	3.00	2.33	2.05	3.09	2.79	1.94
Average number clinic stops per visit day, mean	1.55	1.55	1.59	1.41	1.51	1.63	1.57	1.59	1.55
SD	*0.52*	*0.48*	*0.51*	*0.45*	*0.46*	*0.55*	*0.47*	*0.45*	*0.44*
annual clinic stops (psych & non-psych), mean	30.45	27.98	29.29	28.71	22.12	28.76	31.82	27.38	23.07
SD	*40.44*	*37.97*	*35.97*	*48.55*	*27.42*	*49.55*	*38.36*	*29.20*	*17.68*
annual non-psych. clinic stops, mean	22.67	19.44	19.76	18.16	16.86	17.02	21.32	22.00	21.11
SD	*25.36*	*21.45*	*22.14*	*18.47*	*19.55*	*23.94*	*21.59*	*24.16*	*17.17*
annual psych. clinic stops (groupings below), mean	7.77	8.54	9.53	10.55	5.25	11.74	10.50	5.38	1.96
SD	*27.43*	*27.58*	*23.48*	*38.56*	*15.04*	*40.19*	*27.59*	*15.78*	*5.04*
1. general psych. clinic stops, mean	3.20	3.04	3.23	3.48	2.61	3.48	3.69	1.88	1.57
SD	*7.61*	*7.23*	*7.59*	*3.77*	*3.88*	*10.36*	*9.06*	*4.16*	*4.28*
2. psych. case management clinic stops, mean	0.14	0.26	0.31	0.42	0.63	0.23	0.00	0.28	0.00
SD	*3.20*	*4.79*	*4.49*	*5.53*	*9.52*	*3.44*	*0.00*	*2.60*	*0.00*
3. psych. day treatment clinic stops, mean	0.60	1.36	1.90	0.12	0.07	3.51	2.18	0.04	0.00
SD	*8.52*	*12.08*	*8.04*	*1.48*	*0.93*	*24.44*	*13.52*	*0.46*	*0.00*
4. substance abuse clinic stops, mean	2.24	2.03	1.99	1.88	0.85	3.76	1.98	2.88	0.25
SD	*17.04*	*12.03*	*7.86*	*9.20*	*4.54*	*21.55*	*11.08*	*13.90*	*1.35*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 11, continued

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Other Psychosis Patients	49401	1524	216	185	236	232	371	169	115
5. psych. vocational clinic stops, mean	0.74	0.80	0.91	2.48	0.56	0.00	1.12	0.02	0.00
SD	*9.63*	*11.64*	*8.18*	*27.91*	*6.23*	*0.00*	*10.15*	*0.19*	*0.00*
6. PTSD clinic stops, mean	0.56	0.65	0.70	1.40	0.38	0.00	1.16	0.20	0.14
SD	*5.11*	*4.40*	*3.66*	*5.09*	*1.94*	*0.00*	*7.35*	*1.18*	*1.50*
7. psych. homeless clinic stops, mean	0.27	0.38	0.50	0.72	0.09	0.77	0.37	0.03	0.00
SD	*2.81*	*2.23*	*2.49*	*3.42*	*0.98*	*3.23*	*1.90*	*0.32*	*0.00*
Other VISN OP visit days, mean	0.31	0.29	0.36	0.18	0.43	0.21	0.29	0.27	0.20
SD	*2.01*	*1.63*	*1.88*	*1.13*	*1.99*	*1.20*	*1.94*	*1.26*	*1.04*
Other station OP visit days, mean	0.72	0.98	0.95	2.15	1.03	0.48	0.53	0.90	1.61
SD	*3.19*	*3.10*	*3.20*	*5.04*	*2.76*	*2.57*	*2.44*	*2.05*	*3.16*

Table 4I FY03 Other Psychosis Patients, Pharmacy Utilization, VISN 11

	All VISNs	VISN 11	506 *Ann Arbor*	515 *Battle Creek*	550 *Danville IL*	553 *Detroit*	583 *Indianapolis*	610 *N.Indiana*	655 *Saginaw*
Other Psychosis Patients	49401	1524	216	185	236	232	371	169	115
Among all patients in the registry									
Pts. with any outpatient prescriptions, %	94.7%	95.3%	95.4%	91.8%	93.2%	95.3%	96.8%	96.4%	93.9%
Patients with any oral antipsychotic fills, %*	41.4%	44.6%	39.4%	49.2%	46.2%	54.3%	41.5%	38.5%	42.6%
Among pts. receiving any antipsychotic medication:									
Received only conventional antipsychotics, %	9.2%	9.0%	5.9%	12.1%	7.3%	7.1%	9.1%	9.2%	16.3%
Received some atypical antipsychotics, %	90.8%	91.0%	94.1%	87.9%	92.7%	92.9%	90.9%	90.8%	83.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %									
Aripiprazole	0.7%	0.3%	0.0%	0.0%	0.0%	0.8%	0.6%	0.0%	0.0%
Clozapine	0.1%	0.1%	0.0%	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Olanzapine	27.8%	28.7%	32.9%	34.1%	24.8%	24.6%	25.3%	43.1%	22.4%
Quetiapine	29.2%	21.4%	30.6%	29.7%	28.4%	13.5%	16.9%	18.5%	12.2%
Risperidone	46.2%	53.0%	54.1%	40.7%	49.5%	63.5%	57.1%	43.1%	55.1%
Ziprasidone	3.6%	2.4%	0.0%	0.0%	0.0%	0.8%	8.4%	3.1%	0.0%
Patients receiving only one kind** of antipsychotic, %	78.8%	80.9%	71.8%	76.9%	87.2%	85.7%	78.6%	76.9%	89.8%
Concurrent use of 2 or more antipsychotics, % ***	5.1%	3.7%	5.9%	5.5%	0.9%	3.2%	2.6%	7.7%	2.0%
Among pts receiving just one antipsychotic:									
Antipsychotic fills, mean	5.21	5.50	5.36	6.11	6.72	4.61	5.68	3.48	6.02
SD	*4.06*	*4.16*	*3.91*	*4.65*	*4.49*	*3.69*	*4.19*	*2.91*	*4.15*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5I: FY03 Other Psychosis Patients, Cost, VISN 11

	All VISNs	VISN 11	506	515	550	553	583	610	655
			Ann Arbor	*Battle Creek*	*Danville IL*	*Detroit*	*Indianapolis*	*N.Indiana*	*Saginaw*
Other Psychosis Patients	49401	1524	216	185	236	232	371	169	115
Total Costs (in thousands $$)	$692,791	$22,719	$3,317	$3,003	$4,270	$3,239	$4,111	$3,064	$1,716
Station % of VISN		100.0%	14.6%	13.2%	18.8%	14.3%	18.1%	13.5%	7.6%
Psych vs. Non-Psych Costs									
Psych	16.6%	15.2%	16.5%	29.6%	12.1%	18.3%	12.4%	10.9%	3.1%
Non-Psych	83.4%	84.8%	83.5%	70.4%	87.9%	81.7%	87.6%	89.1%	96.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use									
Per Patient	$16,509	$16,419	$20,584	$22,934	$17,341	$11,989	$13,118	$20,514	$8,307
Per Day of Stay	$1,028	$997	$1,626	$666	$747	$1,171	$1,200	$1,144	$726
Mean Outpatient Costs, Pts with some Outpatient use									
Per Patient	$6,046	$5,764	$6,290	$5,206	$4,859	$6,131	$6,254	$5,442	$5,648
Per Visit Day	$310	$332	$357	$285	$329	$359	$322	$320	$373
By Cost Center									
1 Med	$2,712	$2,882	$3,688	$1,694	$3,481	$2,035	$2,234	$5,849	$1,494
2 Surg	$779	$691	$1,746	$415	$635	$158	$883	$293	$309
3 Psych	$1,494	$1,437	$951	$3,717	$1,616	$1,683	$737	$1,384	$147
4 Psych Res Rehab Treatment Program	$103	$189	$13	$923	$0	$50	$269	$0	$22
5 Non-VA	$203	$232	$155	$545	$29	$419	$36	$436	$238
6 LTC Domiciliary	$183	$0	$0	$0	$0	$0	$0	$0	$0
7 LTC Intermediate Care	$276	$371	$0	$669	$462	$224	$164	$71	$1,810
8 LTC Nursing Home	$1,672	$2,893	$1,781	$3,091	$6,767	$2,744	$18	$4,329	$4,175
9 Contract Nursing Home	$578	$488	$731	$3	$326	$597	$484	$355	$1,128
10 OPC Med/Surg	$1,281	$1,100	$1,291	$553	$763	$1,261	$1,415	$957	$1,187
11 OPC Psych	$831	$826	$1,590	$1,089	$577	$875	$641	$594	$316
12 OPC Home Based Treatment	$730	$652	$356	$804	$589	$581	$791	$980	$302
13 OPC Support	$1,493	$1,366	$1,472	$1,391	$1,022	$1,748	$1,322	$1,212	$1,428
14 OPC Fee	$231	$169	$9	$74	$130	$15	$345	$176	$437
15 OPC Pharmacy	$1,460	$1,613	$1,573	$1,266	$1,695	$1,573	$1,740	$1,490	$1,929
TOTAL	$14,024	$14,908	$15,355	$16,235	$18,092	$13,962	$11,080	$18,128	$14,922
Mean % Patient Costs at Other Stations	3.3%	5.0%	3.9%	10.9%	6.4%	2.4%	2.3%	3.8%	9.9%
SD	*11.9%*	*14.1%*	*11.7%*	*20.8%*	*15.2%*	*11.3%*	*10.0%*	*9.9%*	*18.9%*
Mean % Patient Costs at Other VISNs	1.3%	1.4%	1.6%	1.4%	1.9%	1.5%	1.4%	1.0%	0.7%
SD	*7.5%*	*7.7%*	*7.6%*	*8.4%*	*8.9%*	*8.7%*	*8.2%*	*4.4%*	*3.5%*

Table 1F: FY03 Psychosis Patients, Demographics, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
All Patients	217760	9211	2544	1061	1656	433	987	728	1802
Psychosis Diagnosis Group, %									
Schizophrenia	43.3%	41.6%	52.4%	29.8%	37.4%	39.3%	29.5%	52.6%	39.9%
Bipolar Disorder	34.0%	37.4%	34.0%	60.4%	39.4%	38.8%	31.4%	33.8%	31.2%
Other Psychoses	22.7%	21.0%	13.6%	9.8%	23.1%	21.9%	39.1%	13.6%	28.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age, %									
<35	4.9%	4.3%	4.4%	4.4%	3.4%	5.5%	4.5%	3.4%	4.6%
>=35 and <50	29.3%	30.1%	35.1%	29.8%	29.1%	30.7%	23.1%	28.3%	28.4%
>=50 and <65	38.1%	38.4%	39.3%	38.8%	38.5%	35.6%	33.6%	45.5%	37.2%
>=65 and <80	19.7%	19.7%	16.7%	20.4%	20.8%	19.4%	25.9%	17.3%	20.3%
>=80	8.2%	7.6%	4.5%	6.6%	8.2%	8.8%	12.9%	5.5%	9.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	56.89	56.84	54.76	56.73	57.53	56.67	60.25	56.06	57.72
SD	*14.35*	*14.06*	*12.93*	*13.86*	*14.10*	*14.73*	*15.31*	*12.98*	*14.74*
Gender									
Male, %	92.7%	93.6%	93.8%	91.9%	95.5%	91.7%	94.3%	94.4%	92.3%
Female, %	7.3%	6.4%	6.2%	8.1%	4.5%	8.3%	5.7%	5.6%	7.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %									
Hispanic white	4.8%	1.6%	3.1%	1.5%	1.5%	0.5%	0.5%	0.4%	1.2%
Hispanic black	0.4%	0.2%	0.2%	0.4%	0.0%	0.0%	0.2%	0.0%	0.2%
American indian	0.3%	0.2%	0.1%	0.1%	0.0%	0.9%	0.3%	0.4%	0.3%
Black	18.6%	25.1%	52.2%	20.8%	20.7%	0.5%	6.0%	2.5%	18.8%
Asian	0.5%	0.2%	0.1%	0.4%	0.3%	0.0%	0.1%	0.0%	0.2%
White	54.9%	52.4%	24.8%	61.9%	55.3%	80.4%	63.8%	77.1%	60.3%
Race unknown	20.5%	20.3%	19.5%	14.9%	22.2%	17.8%	29.1%	19.6%	19.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status									
Never married	28.5%	35.1%	43.1%	41.1%	33.3%	27.5%	24.4%	38.5%	28.4%
Married	35.3%	28.7%	21.6%	24.6%	31.3%	35.0%	43.6%	24.1%	30.7%
Divorced/Separated	30.8%	31.1%	30.6%	30.2%	30.3%	32.4%	26.5%	32.8%	34.7%
Widowed	5.4%	5.1%	4.7%	4.2%	5.2%	5.1%	5.5%	4.6%	6.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
All Patients	217760	9211	2544	1061	1656	433	987	728	1802
Registry Pts. History of VA Utilization									
Years since first use in prior five years, mean	4.33	4.35	4.47	4.34	4.26	4.39	4.22	4.43	4.30
SD	*1.24*	*1.22*	*1.12*	*1.24*	*1.29*	*1.14*	*1.29*	*1.19*	*1.26*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.9%	30.1%	29.3%	40.9%	30.1%	16.1%	25.4%	34.2%	29.2%
SD	*29.7%*	*32.3%*	*31.2%*	*36.6%*	*31.6%*	*23.9%*	*29.2%*	*35.3%*	*32.1%*
Years with OP use / Years since first use, %	96.7%	96.3%	97.0%	90.6%	96.5%	97.9%	98.2%	93.8%	97.9%
SD	*11.4%*	*13.0%*	*9.9%*	*23.2%*	*12.4%*	*8.0%*	*8.0%*	*17.4%*	*8.7%*
Psychosis Diagnoses in Prior Fiscal Year									
Had Psychosis Diagnosis in FY01, %	65.3%	66.1%	66.3%	69.0%	65.5%	67.4%	60.2%	74.3%	64.2%
Among Patients With Psychoses in FY01									
Psychosis Category: Schizophrenia, %	54.1%	50.0%	60.5%	33.9%	45.6%	52.1%	37.0%	60.8%	50.2%
Psychosis Category: Bipolar Disorder, %	33.9%	38.3%	30.5%	60.5%	42.6%	39.4%	38.4%	30.3%	35.2%
Psychosis Category: Other Psychosis, %	12.0%	11.6%	9.0%	5.6%	11.8%	8.6%	24.6%	8.9%	14.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %									
Dementia	6.2%	6.0%	5.7%	4.4%	7.1%	3.7%	9.0%	3.2%	6.5%
Post Traumatic Stress Disorder	15.4%	15.0%	21.0%	17.6%	10.8%	12.0%	11.0%	15.8%	11.3%
Depression	34.8%	39.0%	45.1%	48.2%	39.7%	32.8%	32.4%	28.2%	33.7%
Other Anxiety Disorder	12.0%	13.1%	13.3%	12.3%	10.9%	15.5%	19.5%	12.2%	11.9%
Substance Abuse or Dependence	23.3%	28.5%	36.8%	27.1%	24.2%	32.6%	20.1%	29.8%	24.9%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
All Patients	217760	9211	2544	1061	1656	433	987	728	1802
Medical Comorbidities, %									
No medical comorbidities	15.2%	16.6%	17.2%	17.7%	18.7%	13.6%	10.7%	21.3%	15.2%
Anemia	8.2%	7.0%	6.2%	8.0%	6.6%	7.4%	8.2%	3.7%	8.3%
Arthritis	36.2%	34.5%	33.3%	38.4%	30.7%	37.9%	38.4%	26.5%	38.0%
Cancer	7.9%	8.0%	7.6%	5.8%	8.9%	5.1%	9.4%	5.5%	10.1%
Cerebrovascular Disease	6.7%	7.4%	6.3%	6.6%	8.7%	6.5%	12.0%	4.0%	7.3%
Chronic Neurologic Disorder	15.1%	15.6%	15.5%	20.5%	14.9%	11.8%	17.9%	10.4%	15.3%
Chronic Obstructive Pulmonary Disease	16.7%	15.6%	12.5%	20.5%	13.8%	15.0%	17.3%	24.9%	14.0%
Chronic Viral Infection	8.4%	7.8%	11.2%	8.1%	6.3%	4.8%	6.1%	4.9%	7.0%
Coronary Artery Disease	19.5%	18.4%	15.9%	14.8%	20.3%	18.5%	27.0%	15.4%	19.0%
Diabetes	20.0%	19.6%	20.1%	17.1%	20.8%	15.9%	21.7%	16.6%	20.2%
Digestive System Disease	43.5%	42.5%	39.9%	45.0%	40.3%	39.5%	47.6%	40.1%	45.7%
Hypertension	43.2%	42.6%	47.1%	39.0%	41.0%	41.3%	46.9%	32.6%	41.6%
Injury and Poisoning	17.9%	18.1%	17.3%	16.0%	18.1%	14.3%	23.0%	15.0%	20.1%
Liver Disease	3.6%	3.5%	3.0%	2.6%	4.3%	3.5%	5.0%	3.4%	3.4%
Other Endocrine	8.6%	9.2%	6.1%	10.7%	9.7%	9.2%	11.3%	9.1%	10.9%
Peripheral Vascular Disease	4.1%	4.9%	5.4%	4.7%	4.5%	3.0%	7.3%	3.0%	4.5%
GAF scores									
Lowest inpatient GAF score, mean	37.72	37.59	29.98	35.17	35.43	48.00	36.52	43.07	45.89
SD	*14.39*	*11.33*	*8.54*	*11.95*	*7.60*	*6.12*	*8.03*	*8.79*	*11.76*
Mean outpatient GAF score	50.52	49.11	42.60	47.25	53.09	56.94	48.72	51.29	54.37
SD	*11.04*	*11.74*	*10.63*	*12.98*	*11.85*	*6.79*	*9.90*	*7.45*	*10.10*
At least 1 IP GAF, among pts with MH bedsections, %	38.4%	58.8%	44.2%	69.2%	51.8%	44.4%	89.4%	80.5%	57.3%
At least 1 OP GAF, among pts with MH clinic stops, %	80.0%	82.9%	84.9%	86.6%	78.1%	93.1%	52.2%	96.4%	90.2%
Mortality rates									
died in FY02, %	3.1%	2.6%	1.8%	2.6%	3.1%	2.8%	2.7%	3.7%	2.8%
Age-and-gender-adjusted Standardized Mortality Ratio	1.32	1.16	1.01	1.21	1.30	1.17	0.87	1.97	1.13

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
All Patients	217760	9211	2544	1061	1656	433	987	728	1802
Service Connection (SC)									
Non-SC	51.0%	58.6%	59.1%	58.6%	66.9%	53.6%	58.8%	54.5%	53.1%
SC 0 - 29%	8.7%	7.9%	8.2%	5.4%	7.9%	8.3%	7.6%	8.2%	9.0%
SC 30 - 69%	10.8%	9.7%	11.0%	8.2%	8.4%	12.0%	10.0%	5.5%	10.7%
SC 70 - 99%	7.3%	6.0%	7.0%	4.8%	5.0%	8.8%	6.3%	5.2%	6.0%
SC 100%	22.1%	17.8%	14.7%	23.0%	11.8%	17.3%	17.3%	26.5%	21.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %									
Complex*	17.3%	22.9%	19.3%	46.5%	21.7%	8.5%	13.4%	32.1%	20.3%
Basic vested, Cat A*	76.6%	69.3%	75.6%	45.3%	68.5%	84.1%	75.6%	60.2%	72.0%
Basic Non-vested, Cat A*	1.0%	1.1%	2.0%	1.2%	1.0%	1.2%	0.3%	0.7%	0.5%
Basic, Cats C and N	5.1%	6.6%	3.1%	7.0%	8.7%	6.2%	10.7%	7.0%	7.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded									
Patient eligibility category, %									
Cat A (SC or low income)	94.6%	93.0%	96.9%	92.4%	90.8%	93.8%	89.0%	92.0%	92.5%
Cat C (NSC and higher income)	4.7%	6.4%	2.6%	6.5%	8.9%	5.3%	10.8%	6.9%	6.9%
Non-Veteran	0.6%	0.6%	0.5%	1.1%	0.2%	0.9%	0.2%	1.1%	0.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %									
BASIC 1. Non-reliant Care	0.1%	0.1%	0.1%	0.5%	0.1%	0.2%	0.0%	0.0%	0.1%
2. Basic Medical	16.7%	14.0%	8.7%	8.2%	15.9%	23.6%	19.8%	11.1%	18.6%
3. Mental Health	36.3%	34.5%	38.7%	24.8%	31.5%	45.5%	31.9%	35.3%	35.5%
4. Heart / Lung / GI	7.7%	6.4%	6.3%	4.1%	5.4%	11.3%	8.4%	5.1%	6.9%
5. Oncology / Infectious Disease	3.9%	3.4%	4.4%	2.7%	3.4%	3.5%	4.0%	1.6%	2.9%
6. Multiple Medical	18.0%	18.7%	22.5%	13.3%	22.0%	7.4%	22.6%	14.7%	15.7%
COMPLEX 7. Specialized Care	2.6%	2.5%	3.3%	3.6%	2.8%	0.9%	1.2%	1.2%	2.3%
8. Support Care	2.8%	3.9%	3.1%	6.1%	5.6%	1.6%	1.7%	1.6%	4.6%
9. Chronic Mental	9.6%	14.0%	12.5%	30.4%	11.3%	2.1%	9.4%	19.8%	12.1%
10. Critically Ill	2.2%	2.5%	0.5%	6.3%	2.1%	3.9%	1.0%	9.5%	1.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
All Patients	217760	9211	2544	1061	1656	433	987	728	1802
Substance Dependence and Abuse									
Any dx of alcohol / drug dependence or abuse, %	23.3%	28.5%	36.8%	27.1%	24.2%	32.6%	20.1%	29.8%	24.9%
Homelessness									
Homelessness indicated in FY02, %	11.5%	11.5%	16.2%	14.6%	12.7%	1.8%	5.5%	8.4%	8.7%
Residence in Metropolitan Area									
Residing in a Metropolitan Statistical Area, %	79.7%	81.9%	97.1%	98.3%	95.2%	1.2%	68.4%	31.6%	85.8%
Distance									
Mile from Closest VA Medical Center, mean	32.17	22.53	12.70	12.66	15.62	63.27	36.05	33.62	26.89
SD	*68.58*	*26.04*	*12.37*	*11.01*	*16.32*	*41.46*	*25.24*	*28.37*	*32.32*
Distance from closest VA Medical Center, %									
0 to 15 miles	49.0%	56.7%	71.8%	12.3%	59.2%	24.7%	49.7%	11.4%	35.1%
15 to 30 miles	16.3%	18.0%	19.8%	5.6%	10.4%	5.2%	17.5%	12.4%	6.5%
30 to 45 miles	10.3%	8.0%	5.6%	12.3%	3.7%	6.2%	5.6%	46.4%	11.0%
45 to 60 miles	8.1%	7.7%	1.8%	29.2%	5.7%	10.3%	5.2%	11.7%	11.9%
60 plus miles	16.2%	9.6%	1.0%	40.7%	21.0%	53.5%	22.0%	18.2%	35.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.73	7.92	5.20	5.88	5.73	19.45	11.93	11.72	8.46
SD	*13.09*	*9.13*	*5.26*	*5.19*	*4.96*	*17.59*	*11.54*	*12.09*	*8.88*
Distance to closest VA Service Site, %									
0 to 15 miles	77.0%	85.8%	96.3%	48.8%	83.0%	43.3%	58.2%	52.6%	58.2%
15 to 30 miles	14.9%	9.7%	3.0%	26.2%	12.3%	28.2%	24.9%	23.4%	21.1%
30 to 45 miles	5.7%	3.8%	0.7%	12.7%	4.6%	20.4%	9.6%	19.0%	15.8%
45 plus miles	2.4%	0.7%	0.0%	12.3%	0.2%	8.2%	7.4%	5.0%	4.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3F: FY03 Psychosis Patients, Utilization, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
All Patients	217760	9211	2544	1061	1656	433	987	728	1802
Hospital Based Utilization									
Patients with some Hospital Based Utilization, %	27.2%	29.8%	31.7%	35.6%	31.8%	15.2%	29.8%	26.9%	26.4%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)									
Inpatient stays, mean	1.83	1.91	2.01	1.88	1.93	1.47	1.81	1.84	1.91
SD	*1.43*	*1.56*	*1.77*	*1.53*	*1.55*	*0.85*	*1.39*	*1.41*	*1.43*
Average LOS, mean	13.07	11.57	8.61	28.82	8.87	5.11	9.78	12.64	7.39
SD	*30.84*	*26.19*	*7.82*	*59.33*	*14.56*	*2.46*	*12.65*	*29.34*	*9.39*
Cumulative DOS, mean	21.85	19.77	16.31	42.72	16.31	7.77	16.48	20.52	14.60
SD	*40.46*	*36.52*	*16.99*	*74.37*	*23.50*	*6.13*	*21.63*	*43.59*	*24.97*
Cumulative DOS, %									
1 to 7	39.9%	39.6%	36.0%	30.2%	36.1%	62.1%	42.2%	43.4%	50.7%
8 to 14	21.8%	22.7%	24.9%	16.1%	26.8%	25.8%	20.1%	24.5%	19.8%
15 to 44	27.7%	29.7%	32.5%	32.0%	31.7%	12.1%	31.6%	25.0%	24.0%
45 to 89	6.9%	5.4%	6.1%	9.5%	4.2%	0.0%	4.4%	3.6%	4.2%
90 to 179	2.3%	1.6%	0.5%	6.9%	0.8%	0.0%	1.4%	1.0%	0.8%
180 to 359	0.9%	0.6%	0.0%	2.4%	0.4%	0.0%	0.3%	2.0%	0.2%
360+	0.6%	0.5%	0.0%	2.9%	0.0%	0.0%	0.0%	0.5%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	2.1%	1.8%	0.1%	8.7%	0.6%	0.0%	0.7%	3.6%	0.6%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	237.76	239.35	139.00	249.61	244.33	0.00	151.00	227.43	241.67
SD	*95.14*	*93.53*	*0.00*	*99.57*	*87.00*	*0.00*	*65.05*	*70.90*	*106.93*
Hospital patients who had a 150+ day hosp. stay, %	1.3%	1.4%	0.0%	7.4%	0.4%	0.0%	0.3%	3.1%	0.4%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	290.80	265.79	0.00	271.82	294.00	0.00	197.00	238.33	270.00
SD	*77.65*	*85.92*	*0.00*	*91.30*	*18.38*	*0.00*	*0.00*	*70.94*	*134.35*
Cumulative DOS at Other VISNs	0.59	0.29	0.23	0.56	0.16	0.00	0.33	0.43	0.26
SD	*4.28*	*2.65*	*2.17*	*3.35*	*1.32*	*0.00*	*5.09*	*2.37*	*1.81*
Cumulative DOS at Other Stations	1.83	1.96	1.74	3.86	1.55	2.94	0.90	2.77	1.44
SD	*7.27*	*6.25*	*6.29*	*8.15*	*5.63*	*4.11*	*5.74*	*6.00*	*5.35*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 11, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
All Patients	217760	9211	2544	1061	1656	433	987	728	1802
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)									
Pts. with non-psych hospital stays, %	14.0%	15.4%	16.1%	14.8%	16.5%	12.5%	16.5%	13.0%	14.7%
Inpatient stays, mean	0.85	0.89	0.85	0.68	0.92	1.18	1.00	0.91	0.96
SD	*1.20*	*1.26*	*1.25*	*1.19*	*1.29*	*0.93*	*1.42*	*1.31*	*1.23*
Average LOS, mean	7.54	7.17	5.71	6.79	8.51	4.93	6.98	8.44	8.39
SD	*13.36*	*14.65*	*7.83*	*17.67*	*19.73*	*2.59*	*10.46*	*25.85*	*12.48*
Cumulative Days of Stay, mean	6.52	6.54	5.05	5.46	7.89	6.24	7.02	6.14	8.33
SD	*17.31*	*19.91*	*11.95*	*28.05*	*22.74*	*6.66*	*16.78*	*19.37*	*22.50*
Cumulative Days of Stay, %									
0	48.5%	48.3%	49.1%	58.5%	48.1%	18.2%	44.6%	51.5%	44.2%
1 to 7	29.2%	30.8%	33.4%	28.3%	27.4%	50.0%	31.6%	29.1%	29.5%
8 to 14	9.8%	8.9%	7.2%	6.9%	9.5%	19.7%	10.9%	8.2%	10.3%
15 to 44	10.2%	9.6%	8.3%	5.0%	12.0%	12.1%	10.2%	9.7%	12.2%
45 to 89	1.8%	1.8%	1.7%	0.5%	2.1%	0.0%	2.0%	0.5%	3.2%
90 to 179	0.4%	0.4%	0.2%	0.3%	0.6%	0.0%	0.3%	0.5%	0.4%
180 to 359	0.1%	0.1%	0.0%	0.0%	0.4%	0.0%	0.3%	0.5%	0.0%
360+	0.0%	0.1%	0.0%	0.5%	0.0%	0.0%	0.0%	0.0%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.4%	0.1%	0.5%	0.6%	0.0%	0.3%	1.0%	0.4%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	206.57	244.82	139.00	365.00	244.33	0.00	197.00	180.00	267.00
SD	*85.33*	*93.76*	*0.00*	*0.00*	*87.00*	*0.00*	*0.00*	*42.43*	*138.59*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.3%	0.0%	0.5%	0.4%	0.0%	0.3%	1.0%	0.4%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	268.22	267.67	0.00	365.00	294.00	0.00	197.00	180.00	267.00
SD	*74.94*	*88.07*	*0.00*	*0.00*	*18.38*	*0.00*	*0.00*	*42.43*	*138.59*
Other VISN cumulative DOS, mean	0.14	0.04	0.04	0.05	0.07	0.00	0.02	0.10	0.01
SD	*1.82*	*0.56*	*0.40*	*0.61*	*0.86*	*0.00*	*0.35*	*0.91*	*0.15*
Other station cumulative DOS, mean	0.51	0.45	0.27	0.69	0.42	1.41	0.23	1.45	0.18
SD	*3.43*	*2.80*	*2.77*	*3.62*	*2.82*	*3.56*	*1.73*	*4.27*	*1.10*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 11, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
All Patients	217760	9211	2544	1061	1656	433	987	728	1802
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)									
Pts. with psych hospital stays, %	15.8%	17.6%	19.6%	24.8%	18.5%	4.2%	15.3%	16.9%	14.5%
Inpatient stays, mean	0.98	1.02	1.16	1.20	1.01	0.29	0.81	0.93	0.95
SD	*1.28*	*1.40*	*1.66*	*1.37*	*1.37*	*0.49*	*1.07*	*1.06*	*1.32*
Average LOS, mean	17.54	14.78	10.61	39.19	8.86	5.25	12.43	15.68	6.71
SD	*38.98*	*31.71*	*7.13*	*68.23*	*5.25*	*2.20*	*13.83*	*33.93*	*6.65*
Cumulative Days of Stay, mean	15.33	13.23	11.26	37.26	8.43	1.53	9.46	14.37	6.27
SD	*38.37*	*32.74*	*15.20*	*71.51*	*11.83*	*2.91*	*16.71*	*40.71*	*12.45*
Cumulative Days of Stay, %									
0	41.8%	40.8%	38.2%	30.4%	41.6%	72.7%	48.6%	37.2%	44.8%
1 to 7	18.6%	18.5%	14.4%	10.3%	17.9%	22.7%	16.7%	24.0%	31.2%
8 to 14	14.1%	16.2%	20.0%	13.8%	19.2%	4.5%	11.6%	17.9%	12.4%
15 to 44	17.8%	19.0%	23.3%	25.7%	19.2%	0.0%	19.4%	16.3%	9.9%
45 to 89	4.7%	3.4%	3.8%	8.7%	2.1%	0.0%	3.1%	2.0%	1.3%
90 to 179	1.7%	1.1%	0.2%	6.3%	0.0%	0.0%	0.7%	0.5%	0.4%
180 to 359	0.8%	0.4%	0.0%	2.4%	0.0%	0.0%	0.0%	1.5%	0.0%
360+	0.5%	0.4%	0.0%	2.4%	0.0%	0.0%	0.0%	0.5%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	1.8%	1.4%	0.0%	8.2%	0.0%	0.0%	0.3%	2.6%	0.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.50	235.89	0.00	242.03	0.00	0.00	105.00	245.40	129.00
SD	*96.26*	*96.02*	*0.00*	*98.11*	*0.00*	*0.00*	*0.00*	*74.47*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.2%	1.1%	0.0%	6.9%	0.0%	0.0%	0.0%	2.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	291.18	264.73	0.00	264.50	0.00	0.00	0.00	266.25	0.00
SD	*78.31*	*87.07*	*0.00*	*90.86*	*0.00*	*0.00*	*0.00*	*67.06*	*0.00*
Other VISN cumulative DOS, mean	0.45	0.24	0.19	0.50	0.09	0.00	0.31	0.34	0.25
SD	*3.83*	*2.58*	*2.13*	*3.28*	*1.01*	*0.00*	*5.08*	*2.21*	*1.74*
Other station cumulative DOS, mean	1.32	1.51	1.48	3.16	1.13	1.53	0.67	1.32	1.27
SD	*6.36*	*5.64*	*5.67*	*7.52*	*4.88*	*2.91*	*5.49*	*4.54*	*5.18*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 11, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
All Patients	217760	9211	2544	1061	1656	433	987	728	1802
Other 24 hour institutional care									
Patients with some other 24 hour institutional care, %	8.5%	14.6%	10.6%	27.6%	15.2%	8.5%	3.5%	25.1%	15.5%
Residential Rehab (rep. for those w/ res rehab care)									
Patients with some residential rehab. care, %	1.8%	5.2%	7.2%	3.1%	8.8%	2.8%	1.7%	8.7%	1.7%
Number stays, mean	1.12	1.15	1.21	1.06	1.06	1.25	1.18	1.27	1.06
SD	*0.38*	*0.42*	*0.49*	*0.24*	*0.23*	*0.45*	*0.39*	*0.60*	*0.25*
Average LOS, mean	34.01	33.59	33.83	38.73	26.58	19.08	60.18	39.26	39.06
SD	*38.25*	*24.89*	*14.91*	*60.19*	*15.73*	*8.15*	*42.11*	*27.94*	*11.23*
Cumulative DOS, mean	37.28	38.05	40.27	39.88	27.97	23.50	67.82	47.08	41.13
SD	*40.79*	*28.25*	*21.55*	*60.40*	*17.03*	*11.82*	*48.31*	*30.92*	*13.02*
Cumulative Days of Stay, %									
1 to 7	12.3%	9.1%	6.6%	9.1%	14.5%	8.3%	0.0%	11.1%	0.0%
8 to 14	12.7%	7.5%	6.6%	12.1%	9.0%	8.3%	5.9%	6.3%	3.2%
15 to 44	50.7%	53.2%	50.0%	60.6%	63.4%	75.0%	35.3%	33.3%	58.1%
45 to 89	15.8%	26.3%	34.1%	15.2%	12.4%	8.3%	35.3%	36.5%	38.7%
90 to 179	7.0%	3.7%	2.7%	0.0%	0.7%	0.0%	23.5%	12.7%	0.0%
180 to 359	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.2%	0.2%	0.0%	3.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.3%	1.4%	0.0%	3.0%	0.7%	0.0%	23.5%	1.6%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	175.66	161.71	0.00	364.00	108.00	0.00	136.50	114.00	0.00
SD	*75.56*	*92.24*	*0.00*	*0.00*	*0.00*	*0.00*	*28.45*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.9%	0.4%	0.0%	3.0%	0.0%	0.0%	5.9%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	237.86	258.50	0.00	364.00	0.00	0.00	153.00	0.00	0.00
SD	*73.07*	*149.20*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.12	0.22	0.03	2.27	0.00	0.00	0.00	0.10	0.58
SD	*6.40*	*3.12*	*0.44*	*11.39*	*0.00*	*0.00*	*0.00*	*0.76*	*3.23*
Other station cumulative DOS, mean	3.58	4.59	2.03	7.79	0.60	6.17	3.65	1.43	41.13
SD	*10.93*	*12.79*	*8.16*	*14.38*	*4.62*	*11.72*	*8.22*	*7.58*	*13.02*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 11, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
All Patients	217760	9211	2544	1061	1656	433	987	728	1802
Domiciliary and Vocational									
(reported for those with some dom/voc care)									
Patients with some dom/voc care, %	2.8%	4.5%	1.6%	12.3%	1.3%	0.0%	0.2%	0.5%	11.8%
Number stays, mean	1.13	1.06	1.10	1.08	1.00	0.00	1.00	1.00	1.04
SD	*0.38*	*0.23*	*0.30*	*0.28*	*0.00*	*0.00*	*0.00*	*0.00*	*0.19*
Average LOS, mean	85.20	112.23	33.89	67.40	28.36	0.00	18.00	49.25	165.60
SD	*90.51*	*112.57*	*29.03*	*70.15*	*34.18*	*0.00*	*24.04*	*35.85*	*123.02*
Cumulative DOS, mean	92.74	116.59	36.71	72.51	28.36	0.00	18.00	49.25	170.38
SD	*94.18*	*115.24*	*31.45*	*75.18*	*34.18*	*0.00*	*24.04*	*35.85*	*125.28*
Cumulative Days of Stay, %									
1 to 7	6.9%	7.5%	19.5%	6.1%	22.7%	0.0%	50.0%	25.0%	3.8%
8 to 14	6.1%	6.1%	7.3%	6.9%	22.7%	0.0%	0.0%	0.0%	3.8%
15 to 44	29.6%	26.6%	41.5%	42.0%	36.4%	0.0%	50.0%	25.0%	13.1%
45 to 89	19.5%	16.0%	22.0%	17.6%	13.6%	0.0%	0.0%	50.0%	13.6%
90 to 179	22.9%	18.6%	9.8%	15.3%	4.5%	0.0%	0.0%	0.0%	24.4%
180 to 359	10.1%	16.0%	0.0%	12.2%	0.0%	0.0%	0.0%	0.0%	23.5%
360+	5.0%	9.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	17.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	31.6%	40.7%	4.9%	24.4%	4.5%	0.0%	0.0%	0.0%	62.4%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	203.50	233.37	112.00	186.50	159.00	0.00	0.00	0.00	247.03
SD	*90.08*	*92.61*	*0.00*	*61.98*	*0.00*	*0.00*	*0.00*	*0.00*	*94.67*
Dom. patients with 150+ day Dom. stay, %	18.0%	29.8%	0.0%	14.5%	4.5%	0.0%	0.0%	0.0%	48.4%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	259.61	272.37	0.00	222.53	159.00	0.00	0.00	0.00	282.66
SD	*79.66*	*76.58*	*0.00*	*53.18*	*0.00*	*0.00*	*0.00*	*0.00*	*76.29*
Other VISN cumulative DOS, mean	1.54	0.91	1.10	0.80	1.00	0.00	0.50	49.25	0.02
SD	*8.76*	*8.03*	*7.03*	*9.17*	*3.59*	*0.00*	*0.71*	*35.85*	*0.22*
Other station cumulative DOS, mean	3.75	6.73	36.71	1.84	28.36	0.00	18.00	49.25	0.84
SD	*14.14*	*19.76*	*31.45*	*12.45*	*34.18*	*0.00*	*24.04*	*35.85*	*5.73*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 11, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
All Patients	217760	9211	2544	1061	1656	433	987	728	1802
Nursing Home Care									
(reported for those with some nursing home care)									
Patients with some nursing home care, %	4.5%	6.4%	3.6%	14.4%	6.6%	6.0%	1.6%	16.5%	4.1%
Number stays, mean	1.24	1.17	1.15	1.18	1.30	1.19	1.13	1.06	1.21
SD	*0.60*	*0.46*	*0.42*	*0.46*	*0.57*	*0.49*	*0.34*	*0.27*	*0.55*
Average LOS, mean	99.56	135.90	43.57	210.00	59.50	63.40	32.09	244.11	81.47
SD	*118.68*	*141.80*	*49.79*	*140.98*	*89.44*	*76.67*	*25.83*	*146.38*	*106.21*
Cumulative DOS, mean	111.19	147.74	49.22	233.16	70.64	74.19	34.63	247.37	94.96
SD	*123.23*	*145.90*	*54.32*	*145.18*	*95.90*	*84.21*	*26.10*	*143.75*	*118.14*
Cumulative Days of Stay, %									
1 to 7	9.0%	8.0%	7.7%	3.9%	17.3%	7.7%	12.5%	5.0%	6.8%
8 to 14	10.6%	7.5%	6.6%	3.3%	16.4%	7.7%	6.3%	2.5%	12.3%
15 to 44	27.5%	28.7%	62.6%	12.4%	30.9%	34.6%	56.3%	10.8%	38.4%
45 to 89	15.4%	8.7%	6.6%	6.5%	10.0%	26.9%	18.8%	5.0%	11.0%
90 to 179	13.8%	11.5%	12.1%	10.5%	13.6%	7.7%	6.3%	11.7%	12.3%
180 to 359	11.4%	9.8%	4.4%	16.3%	5.5%	15.4%	0.0%	9.2%	11.0%
360+	12.4%	25.8%	0.0%	47.1%	6.4%	0.0%	0.0%	55.8%	8.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	33.0%	44.1%	12.1%	71.2%	22.7%	19.2%	6.3%	74.2%	27.4%
Cumul. DOS, patients with a 100+ day NH stay, mean	263.62	293.44	175.36	312.45	215.44	212.60	108.00	319.63	265.20
SD	*97.17*	*95.90*	*58.52*	*85.10*	*103.44*	*80.98*	*0.00*	*83.90*	*95.71*
NH patients with 150+ day NH stay, %	25.7%	37.5%	6.6%	65.4%	13.6%	15.4%	0.0%	69.2%	17.8%
Cumul. DOS, patients with a 150+ day NH stay, mean	299.88	322.62	209.50	329.69	279.40	240.75	0.00	334.40	320.23
SD	*76.08*	*69.73*	*57.04*	*64.45*	*85.11*	*58.83*	*0.00*	*65.32*	*51.77*
Other VISN cumulative DOS, mean	0.41	0.60	0.00	0.69	0.00	0.00	2.06	0.06	2.85
SD	*5.60*	*7.43*	*0.00*	*7.94*	*0.00*	*0.00*	*8.25*	*0.64*	*17.19*
Other station cumulative DOS, mean	1.17	2.48	1.12	2.71	0.66	0.81	25.50	0.29	5.62
SD	*8.68*	*12.92*	*5.20*	*14.60*	*5.09*	*4.12*	*20.95*	*2.63*	*24.22*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 11, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
All Patients	217760	9211	2544	1061	1656	433	987	728	1802
Outpatient utilization									
(reported for those with some outpatient care)									
Patients with some outpatient care, %	99.1%	98.4%	100.0%	92.3%	99.3%	100.0%	100.0%	94.1%	99.5%
annual visit days, mean	24.61	32.23	36.05	40.20	29.39	13.73	26.64	36.84	30.87
SD	*33.05*	*44.84*	*48.63*	*51.11*	*39.53*	*12.66*	*37.34*	*55.40*	*42.48*
Outpatient visit days, %									
1-12	44.2%	41.1%	36.1%	35.3%	40.3%	62.8%	43.1%	52.1%	41.6%
13-24	26.4%	23.5%	24.3%	21.6%	25.2%	22.4%	25.8%	14.3%	24.1%
25-36	11.9%	11.2%	12.0%	11.8%	11.7%	9.0%	12.5%	6.4%	10.9%
37-48	5.9%	6.2%	5.9%	5.9%	7.8%	2.8%	6.9%	4.5%	6.2%
49+	11.5%	18.0%	21.6%	25.3%	14.9%	3.0%	11.8%	22.6%	17.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	79.4%	80.4%	80.7%	83.6%	60.2%	93.3%	90.3%	83.9%	87.1%
Mean PC visit days, among those with some PC	3.84	3.89	4.35	4.13	2.72	3.97	4.47	3.11	3.82
SD	3.72	3.38	3.80	3.13	1.91	4.09	3.56	2.24	3.46
Average number clinic stops per visit day, mean	1.49	1.61	1.64	1.83	1.61	1.51	1.61	1.63	1.48
SD	*0.47*	*0.55*	*0.52*	*0.74*	*0.53*	*0.52*	*0.51*	*0.60*	*0.44*
annual clinic stops (psych & non-psych), mean	37.56	55.33	62.94	80.39	50.76	20.88	43.39	65.26	46.15
SD	*56.64*	*90.94*	*91.83*	*151.97*	*73.24*	*23.25*	*64.18*	*109.06*	*66.87*
annual non-psych. clinic stops, mean	20.14	24.09	23.58	29.37	25.16	14.02	23.30	20.04	25.37
SD	*25.25*	*28.10*	*27.10*	*33.70*	*26.84*	*14.39*	*22.76*	*31.33*	*30.18*
annual psych. clinic stops (groupings below), mean	17.42	31.24	39.36	51.02	25.60	6.86	20.08	45.22	20.78
SD	*43.44*	*76.37*	*77.81*	*131.86*	*56.34*	*15.48*	*58.51*	*91.10*	*51.67*
1. general psych. clinic stops, mean	7.22	10.70	15.58	10.69	11.78	6.17	6.57	8.59	6.98
SD	*13.49*	*21.90*	*29.80*	*20.86*	*22.80*	*12.12*	*16.56*	*10.80*	*12.46*
2. psych. case management clinic stops, mean	1.44	3.91	1.91	13.68	0.01	0.00	9.03	8.39	1.41
SD	*12.10*	*26.81*	*12.42*	*47.72*	*0.08*	*0.00*	*49.85*	*38.10*	*12.23*
3. psych. day treatment clinic stops, mean	2.80	4.70	3.45	18.71	2.48	0.00	0.00	9.01	2.95
SD	*21.66*	*36.20*	*19.02*	*95.74*	*15.71*	*0.00*	*0.03*	*34.33*	*17.13*
4. substance abuse clinic stops, mean	3.26	6.94	16.97	0.91	4.61	0.61	2.04	6.32	2.63
SD	*19.07*	*36.00*	*62.27*	*6.14*	*19.65*	*5.00*	*11.19*	*24.30*	*13.06*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 11, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
All Patients	217760	9211	2544	1061	1656	433	987	728	1802
5. psych. vocational clinic stops, mean	1.73	3.68	0.16	5.77	5.29	0.00	0.78	10.34	6.01
SD	*15.65*	*25.12*	*2.96*	*26.61*	*28.47*	*0.00*	*8.05*	*40.19*	*36.66*
6. PTSD clinic stops, mean	0.56	0.61	0.70	1.26	0.20	0.05	0.11	2.18	0.32
SD	*4.85*	*5.52*	*4.88*	*6.06*	*2.23*	*0.53*	*1.55*	*13.83*	*4.45*
7. psych. homeless clinic stops, mean	0.41	0.73	0.71	0.19	1.13	0.02	1.44	0.48	0.57
SD	*3.32*	*6.74*	*4.51*	*1.86*	*6.18*	*0.32*	*15.25*	*4.70*	*5.21*
Other VISN OP visit days, mean	0.36	0.32	0.33	0.50	0.28	0.19	0.26	0.70	0.15
SD	*2.35*	*2.38*	*2.57*	*3.29*	*1.98*	*1.23*	*1.45*	*4.28*	*1.06*
Other station OP visit days, mean	0.91	1.66	1.62	2.52	1.47	2.26	0.73	2.82	1.33
SD	*3.87*	*6.23*	*6.53*	*7.28*	*5.26*	*4.14*	*2.58*	*6.91*	*7.34*

Table 4F: FY03 Psychosis Patients, Pharmacy Utilization, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
All Patients	217760	9211	2544	1061	1656	433	987	728	1802
Among all patients in the registry									
Pts. with any outpatient prescriptions, %	95.5%	94.4%	95.5%	85.5%	94.8%	96.3%	96.0%	92.5%	97.0%
Patients with any oral antipsychotic fills, %*	59.2%	54.9%	56.2%	41.8%	57.2%	63.7%	46.8%	63.7%	57.3%
Among patients receiving antipsychotics:									
Received only conventional antipsychotics, %	12.3%	11.3%	11.5%	12.0%	7.9%	9.8%	9.1%	11.2%	15.1%
Received some atypical antipsychotics, %	87.7%	88.7%	88.5%	88.0%	92.1%	90.2%	90.9%	88.8%	84.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %									
Aripiprazole	1.2%	1.6%	2.0%	0.9%	0.3%	0.0%	6.1%	0.9%	1.3%
Clozapine	1.8%	2.9%	0.6%	2.3%	1.1%	0.7%	8.2%	10.8%	2.8%
Olanzapine	35.8%	32.6%	31.2%	36.8%	38.6%	27.2%	31.4%	33.6%	28.9%
Quetiapine	26.2%	24.3%	22.9%	16.9%	24.2%	32.2%	35.1%	21.3%	23.7%
Risperidone	36.7%	40.4%	43.6%	39.3%	43.9%	46.4%	32.0%	38.6%	36.2%
Ziprasidone	5.2%	4.8%	4.8%	5.4%	4.5%	1.8%	4.3%	3.9%	6.3%
Patients receiving only one kind** of antipsychotic, %	73.8%	76.0%	80.2%	76.5%	74.6%	69.2%	72.7%	73.5%	75.5%
Concurrent use of 2 or more antipsychotics, % ***	11.3%	10.3%	6.5%	7.9%	9.5%	23.9%	10.4%	14.7%	11.6%
Among pts receiving just one antipsychotic:									
Antipsychotic fills, mean	7.06	7.93	7.58	6.80	7.36	8.41	9.32	9.02	8.26
SD	*5.06*	*5.44*	*4.77*	*5.26*	*4.95*	*5.05*	*6.43*	*7.32*	*5.31*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5F: FY03 Psychosis Patients, Cost, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
All Patients	217760	9211	2544	1061	1656	433	987	728	1802
Total Costs (in thousands $$)	$3,237,460	$172,434	$39,567	$38,607	$29,839	$3,947	$12,946	$19,596	$27,932
Station % of VISN		100.0%	22.9%	22.4%	17.3%	2.3%	7.5%	11.4%	16.2%
Psych vs. Non-Psych Costs									
Psych	30.3%	26.0%	36.0%	29.2%	25.4%	10.8%	25.4%	14.6%	18.8%
Non-Psych	69.7%	74.0%	64.0%	70.8%	74.6%	89.2%	74.6%	85.4%	81.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use									
Per Patient	$18,395	$18,830	$16,844	$30,553	$17,618	$12,567	$19,625	$14,570	$16,350
Per Day of Stay	$842	$952	$1,033	$715	$1,080	$1,617	$1,191	$710	$1,120
Mean Outpatient Costs, Pts with some Outpatient use									
Per Patient	$6,757	$7,289	$8,127	$9,187	$7,391	$4,837	$6,544	$6,685	$6,203
Per Visit Day	$275	$226	$225	$229	$251	$352	$246	$181	$201
Mean Patient Costs, By Cost Center									
1 Med	$1,582	$2,061	$1,656	$2,474	$2,573	$1,279	$2,835	$1,318	$1,981
2 Surg	$536	$560	$684	$304	$643	$405	$508	$285	$638
3 Psych	$2,886	$2,982	$2,997	$8,107	$2,380	$231	$2,502	$2,319	$1,691
4 Psych Res Rehab Treatment Program	$218	$805	$850	$414	$1,979	$147	$189	$651	$450
5 Non-VA	$205	$72	$52	$37	$32	$39	$107	$84	$141
6 LTC Domiciliary	$327	$637	$109	$1,192	$69	$0	$5	$22	$2,326
7 LTC Intermediate Care	$167	$141	$5	$35	$124	$0	$58	$2	$547
8 LTC Nursing Home	$1,785	$3,421	$13	$13,239	$1,460	$1,975	$176	$15,873	$1,347
9 Contract Nursing Home	$467	$869	$1,064	$2,108	$1,422	$202	$193	$72	$207
10 OPC Med/Surg	$1,071	$1,246	$1,613	$1,453	$1,395	$526	$922	$520	$1,113
11 OPC Psych	$1,624	$1,893	$2,605	$2,500	$2,198	$750	$835	$1,603	$1,224
12 OPC Home Based Treatment	$751	$904	$752	$1,816	$406	$595	$1,150	$1,312	$815
13 OPC Support	$1,322	$1,351	$1,494	$1,207	$1,611	$836	$1,085	$1,027	$1,395
14 OPC Fee	$148	$102	$116	$40	$112	$48	$265	$59	$50
15 OPC Pharmacy	$1,778	$1,676	$1,544	$1,462	$1,616	$2,082	$2,286	$1,769	$1,576
TOTAL	$14,867	$18,720	$15,553	$36,387	$18,019	$9,116	$13,117	$26,917	$15,501
Mean % Patient Costs at Other Stations	3.9%	5.0%	4.4%	7.0%	5.6%	8.3%	3.3%	7.0%	3.1%
SD	*12.8%*	*14.3%*	*13.2%*	*16.8%*	*16.9%*	*16.2%*	*11.0%*	*14.9%*	*11.9%*
Mean % Patient Costs at Other VISNs	1.5%	1.1%	1.1%	1.3%	1.1%	0.9%	1.2%	1.5%	0.8%
SD	*8.0%*	*6.7%*	*6.6%*	*7.1%*	*7.1%*	*5.8%*	*7.4%*	*7.5%*	*5.8%*

Table 1G: FY03 Schizophrenic Patients, Demographics, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Schizophrenic Patients	94395	3831	1332	316	620	170	291	383	719
Age, %									
<35	3.9%	3.6%	3.5%	2.5%	3.7%	5.9%	5.8%	1.8%	3.8%
>=35 and <50	32.5%	34.1%	37.6%	28.5%	36.5%	32.9%	30.9%	24.8%	34.4%
>=50 and <65	44.6%	44.6%	41.7%	42.4%	46.5%	38.2%	49.5%	50.1%	45.8%
>=65 and <80	15.7%	14.6%	14.3%	22.2%	11.0%	17.1%	11.7%	18.5%	13.5%
>=80	3.3%	3.1%	2.8%	4.4%	2.4%	5.9%	2.1%	4.7%	2.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	54.59	54.26	53.72	56.91	53.20	55.19	52.99	56.80	53.97
SD	*11.97*	*11.87*	*11.81*	*12.64*	*11.10*	*13.32*	*11.34*	*12.13*	*11.63*
Gender									
Male, %	94.6%	94.9%	94.7%	92.4%	96.0%	93.5%	95.2%	96.3%	94.7%
Female, %	5.4%	5.1%	5.3%	7.6%	4.0%	6.5%	4.8%	3.7%	5.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %									
Hispanic white	6.9%	2.1%	3.6%	1.9%	2.3%	0.6%	0.7%	0.0%	1.3%
Hispanic black	0.6%	0.2%	0.3%	0.3%	0.0%	0.0%	0.7%	0.0%	0.3%
American Indian	0.3%	0.3%	0.1%	0.3%	0.0%	1.8%	0.0%	0.3%	0.7%
Black	26.5%	32.8%	57.1%	24.7%	31.6%	0.0%	10.7%	1.3%	25.9%
Asian	0.8%	0.2%	0.1%	0.9%	0.3%	0.0%	0.0%	0.0%	0.1%
White	52.4%	50.0%	21.0%	64.2%	53.7%	83.5%	69.1%	85.9%	59.5%
Race unknown	12.5%	14.4%	17.8%	7.6%	12.1%	14.1%	18.9%	12.5%	12.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status									
Never married	42.4%	52.6%	52.8%	65.1%	55.2%	49.4%	50.0%	56.3%	44.6%
Married	24.6%	16.5%	16.3%	9.9%	15.2%	23.5%	23.4%	13.2%	18.3%
Divorced/Separated	29.5%	27.4%	26.9%	22.1%	26.6%	23.5%	24.1%	26.8%	34.0%
Widowed	3.5%	3.4%	4.1%	2.9%	3.0%	3.5%	2.4%	3.7%	3.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Schizophrenic Patients	94395	3831	1332	316	620	170	291	383	719
Registry Pts. History of VA Utilization									
Years since first use in prior five years, mean	4.6	4.61	4.62	4.64	4.59	4.58	4.61	4.69	4.55
SD	*1.0*	*0.99*	*0.95*	*1.01*	*1.03*	*0.94*	*1.01*	*0.90*	*1.04*
Yrs with 24-hour institutional use / yrs since 1st use, %	27.3%	29.9%	26.0%	47.4%	32.9%	12.3%	25.2%	36.7%	29.5%
SD	*30.9%*	*33.2%*	*30.3%*	*38.2%*	*33.1%*	*20.8%*	*29.7%*	*38.0%*	*32.9%*
Years with OP use / Years since first use, %	96.7%	95.6%	97.4%	84.3%	95.5%	98.0%	98.2%	91.7%	98.0%
SD	*12.4%*	*15.1%*	*9.7%*	*31.0%*	*15.1%*	*7.6%*	*8.2%*	*20.7%*	*8.9%*
Psychosis Diagnoses in Prior Fiscal Year									
Had Psychosis Diagnosis in FY01, %	82.2%	80.4%	76.8%	82.3%	79.8%	88.8%	77.7%	86.7%	82.3%
Among Patients With Psychoses in FY01									
Psychosis Category: Schizophrenia, %	94.8%	93.1%	93.0%	85.4%	92.3%	96.7%	93.8%	96.4%	94.4%
Psychosis Category: Bipolar Disorder, %	2.6%	4.0%	3.5%	11.2%	6.1%	2.0%	3.5%	1.8%	1.7%
Psychosis Category: Other Psychosis, %	2.5%	2.9%	3.5%	3.5%	1.6%	1.3%	2.7%	1.8%	3.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %									
Dementia	2.3%	1.7%	2.6%	1.3%	1.1%	1.2%	1.4%	1.3%	1.3%
Post Traumatic Stress Disorder	11.9%	10.7%	14.8%	9.8%	10.3%	3.5%	7.2%	8.1%	8.2%
Depression	25.7%	30.2%	33.0%	33.5%	38.9%	28.8%	22.3%	15.9%	27.1%
Other Anxiety Disorder	8.7%	9.5%	9.8%	6.6%	10.0%	6.5%	15.8%	6.8%	9.3%
Substance Abuse or Dependence	22.3%	26.5%	32.1%	21.5%	26.0%	28.8%	17.2%	23.5%	23.8%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Schizophrenic Patients	94395	3831	1332	316	620	170	291	383	719
Medical Comorbidities, %									
No medical comorbidities	18.7%	22.2%	22.0%	25.6%	22.1%	15.9%	19.2%	27.9%	20.7%
Anemia	7.1%	5.2%	5.3%	10.4%	4.8%	2.9%	5.8%	3.1%	4.6%
Arthritis	29.7%	26.2%	26.1%	27.5%	26.9%	28.2%	26.8%	18.0%	28.8%
Cancer	6.1%	5.9%	6.5%	6.3%	5.3%	1.2%	5.5%	5.2%	6.7%
Cerebrovascular Disease	3.8%	3.6%	4.0%	3.8%	4.4%	2.4%	3.4%	2.3%	3.3%
Chronic Neurologic Disorder	12.4%	11.4%	11.8%	18.0%	12.4%	4.7%	12.0%	6.5%	10.6%
Chronic Obstructive Pulmonary Disease	16.5%	14.6%	10.7%	21.5%	14.7%	12.9%	15.1%	25.1%	13.2%
Chronic Viral Infection	8.7%	7.8%	9.2%	6.3%	9.0%	3.5%	7.9%	4.4%	7.5%
Coronary Artery Disease	14.6%	12.0%	11.1%	11.1%	13.1%	14.7%	16.2%	10.2%	11.5%
Diabetes	20.3%	18.4%	18.8%	16.1%	20.3%	15.3%	19.9%	13.8%	19.6%
Digestive System Disease	44.1%	40.0%	36.3%	42.1%	41.6%	39.4%	43.6%	38.9%	43.5%
Hypertension	40.7%	38.3%	43.6%	34.2%	36.8%	43.5%	35.7%	26.6%	37.6%
Injury and Poisoning	15.5%	15.0%	14.3%	13.6%	17.6%	9.4%	19.2%	12.3%	15.7%
Liver Disease	3.2%	2.9%	2.8%	1.9%	3.5%	2.9%	4.1%	1.8%	3.1%
Other Endocrine	6.9%	7.1%	4.4%	9.8%	9.4%	10.6%	9.3%	6.8%	7.5%
Peripheral Vascular Disease	2.9%	3.2%	3.9%	3.2%	2.1%	4.7%	4.1%	1.8%	2.6%
GAF scores									
Lowest inpatient GAF score, mean	36.19	35.51	28.10	29.08	33.97	53.14	34.29	40.28	45.46
SD	*14.35*	*11.26*	*7.29*	*8.52*	*7.45*	*6.89*	*7.67*	*9.66*	*11.97*
Mean outpatient GAF score	48.84	47.29	42.17	41.76	51.04	56.57	45.62	48.19	53.44
SD	*10.59*	*11.17*	*10.47*	*11.26*	*11.67*	*6.22*	*8.26*	*6.68*	*9.41*
At least 1 IP GAF, among pts with MH bedsections, %	38.5%	52.7%	40.7%	61.4%	45.5%	40.0%	91.1%	74.5%	53.3%
At least 1 OP GAF, among pts with MH clinic stops, %	80.5%	85.5%	85.9%	84.5%	83.9%	94.9%	57.6%	94.9%	92.1%
Mortality rates									
died in FY02, %	2.7%	2.3%	1.9%	2.8%	1.6%	2.4%	1.7%	5.5%	2.1%
Age-and-gender-adjusted Standardized Mortality Ratio	1.68	1.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Schizophrenic Patients	94395	3831	1332	316	620	170	291	383	719
Service Connection (SC)									
Non-SC	40.8%	48.7%	52.1%	43.7%	53.2%	41.8%	49.1%	48.0%	42.6%
SC 0 - 29%	6.8%	6.6%	7.0%	3.8%	8.1%	7.1%	3.4%	6.5%	7.2%
SC 30 - 69%	8.8%	9.4%	12.4%	6.3%	9.7%	11.2%	5.5%	4.7%	8.9%
SC 70 - 99%	6.6%	5.9%	7.2%	4.4%	7.1%	8.8%	4.8%	2.3%	4.6%
SC 100%	37.0%	29.3%	21.3%	41.8%	21.9%	31.2%	37.1%	38.4%	36.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %									
Complex*	22.5%	27.9%	19.1%	63.3%	29.5%	8.2%	28.5%	43.1%	23.4%
Basic vested, Cat A*	74.7%	67.8%	75.8%	32.0%	66.0%	88.8%	66.7%	53.5%	73.3%
Basic Non-vested, Cat A*	1.2%	1.9%	3.6%	1.9%	1.6%	1.2%	0.3%	0.5%	0.7%
Basic, Cats C and N	1.7%	2.4%	1.4%	2.8%	2.9%	1.8%	4.5%	2.9%	2.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded									
Patient eligibility category, %									
Cat A (SC or low income)	98.2%	97.4%	98.6%	97.2%	96.9%	98.2%	95.2%	95.6%	97.2%
Cat C (NSC and higher income)	1.4%	2.2%	0.8%	1.6%	2.9%	1.2%	4.8%	4.2%	2.4%
Non-Veteran	0.5%	0.5%	0.6%	1.3%	0.2%	0.6%	0.0%	0.3%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %									
BASIC 1. Non-reliant Care	0.2%	0.1%	0.1%	0.6%	0.2%	0.0%	0.0%	0.0%	0.0%
2. Basic Medical	13.3%	10.4%	8.6%	7.6%	10.3%	20.6%	11.0%	7.8%	13.9%
3. Mental Health	38.5%	37.8%	42.8%	16.8%	32.6%	52.9%	36.4%	30.0%	43.7%
4. Heart / Lung / GI	5.8%	4.9%	5.8%	2.5%	3.7%	11.8%	4.8%	3.9%	4.0%
5. Oncology / Infectious Disease	3.6%	3.2%	4.1%	1.9%	3.7%	2.9%	2.7%	1.6%	2.8%
6. Multiple Medical	16.1%	15.7%	19.4%	7.3%	20.0%	3.5%	16.5%	13.6%	12.2%
COMPLEX 7. Specialized Care	1.9%	1.6%	1.8%	0.9%	2.1%	0.6%	2.1%	0.3%	2.1%
8. Support Care	2.3%	3.7%	2.8%	9.8%	7.3%	1.2%	0.7%	0.8%	3.1%
9. Chronic Mental	15.7%	19.1%	14.5%	41.5%	17.7%	2.9%	23.7%	27.9%	16.4%
10. Critically Ill	2.6%	3.4%	0.1%	11.1%	2.4%	3.5%	2.1%	14.1%	1.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Schizophrenic Patients	94395	3831	1332	316	620	170	291	383	719
Substance Dependence and Abuse									
Any dx of alcohol / drug dependence or abuse, %	22.3%	26.5%	32.1%	21.5%	26.0%	28.8%	17.2%	23.5%	23.8%
Homelessness									
Homelessness indicated in FY02, %	12.0%	12.1%	16.9%	13.0%	16.9%	1.2%	5.5%	3.1%	8.9%
Residence in Metropolitan Area									
Residing in a Metropolitan Statistical Area, %	81.5%	82.8%	97.6%	98.7%	96.9%	1.2%	74.2%	29.2%	87.6%
Distance									
Mile from Closest VA Medical Center, mean	28.72	20.72	11.88	11.38	13.43	69.61	31.50	30.64	26.36
SD	*55.48*	*26.18*	*11.65*	*10.47*	*14.67*	*46.11*	*24.69*	*27.89*	*32.99*
Distance from closest VA Medical Center, %									
0 to 15 miles	52.9%	61.5%	74.7%	68.0%	69.7%	11.8%	39.5%	35.8%	61.6%
15 to 30 miles	15.5%	16.2%	18.5%	28.2%	23.7%	3.6%	4.5%	14.4%	9.0%
30 to 45 miles	9.7%	6.8%	4.7%	1.9%	1.0%	10.1%	19.6%	24.3%	2.6%
45 to 60 miles	7.4%	6.5%	1.4%	1.6%	3.1%	29.0%	27.5%	10.2%	5.1%
60 plus miles	14.4%	9.0%	0.8%	0.3%	2.6%	45.6%	8.9%	15.4%	21.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	9.84	7.12	4.86	4.72	4.97	18.61	10.75	11.47	7.74
SD	*11.95*	*8.79*	*4.82*	*4.97*	*4.29*	*17.76*	*11.20*	*12.48*	*8.52*
Distance to closest VA Service Site, %									
0 to 15 miles	79.4%	87.8%	97.0%	97.2%	98.4%	52.7%	74.2%	62.9%	84.3%
15 to 30 miles	13.6%	8.1%	2.5%	2.5%	1.5%	21.9%	15.1%	25.8%	11.1%
30 to 45 miles	5.1%	3.5%	0.5%	0.0%	0.2%	13.6%	10.7%	10.4%	4.6%
45 plus miles	1.9%	0.6%	0.0%	0.3%	0.0%	11.8%	0.0%	0.8%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Schizophrenic Patients	94395	3831	1332	316	620	170	291	383	719
Hospital Based Utilization									
Patients with some Hospital Based Utilization, %	27.0%	27.6%	27.8%	40.5%	33.7%	6.5%	27.5%	22.5%	24.2%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)									
Inpatient stays, mean	1.85	1.93	2.00	2.02	1.95	1.55	1.74	1.69	1.90
SD	*1.45*	*1.74*	*1.96*	*1.94*	*1.79*	*1.51*	*1.26*	*1.01*	*1.55*
Average LOS, mean	17.65	14.36	9.11	49.35	10.41	5.76	13.34	9.79	7.77
SD	*42.51*	*36.13*	*8.88*	*88.52*	*21.19*	*2.22*	*17.45*	*19.75*	*11.81*
Cumulative DOS, mean	28.76	23.45	17.20	66.02	19.05	8.45	22.93	17.02	15.08
SD	*53.29*	*46.51*	*18.86*	*100.24*	*32.95*	*6.88*	*32.03*	*39.66*	*31.33*
Cumulative DOS, %									
1 to 7	35.1%	37.9%	37.3%	26.6%	32.1%	72.7%	33.8%	40.7%	52.9%
8 to 14	20.7%	22.7%	23.5%	10.9%	31.1%	9.1%	20.0%	25.6%	20.1%
15 to 44	29.0%	28.7%	30.8%	27.3%	29.2%	18.2%	35.0%	30.2%	21.8%
45 to 89	9.0%	6.7%	7.6%	14.8%	5.3%	0.0%	6.3%	2.3%	3.4%
90 to 179	3.4%	2.3%	0.8%	10.2%	1.4%	0.0%	3.8%	0.0%	1.1%
180 to 359	1.5%	0.7%	0.0%	3.1%	1.0%	0.0%	1.3%	0.0%	0.0%
360+	1.2%	1.0%	0.0%	7.0%	0.0%	0.0%	0.0%	1.2%	0.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	3.8%	2.7%	0.3%	16.4%	1.4%	0.0%	2.5%	1.2%	0.6%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	249.93	255.52	139.00	262.19	244.33	0.00	151.00	365.00	365.00
SD	*96.37*	*103.62*	*0.00*	*105.01*	*87.00*	*0.00*	*65.05*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	2.5%	2.3%	0.0%	14.8%	1.0%	0.0%	1.3%	1.2%	0.6%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.78	282.71	0.00	277.37	294.00	0.00	197.00	365.00	365.00
SD	*75.28*	*92.42*	*0.00*	*98.44*	*18.38*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.65	0.28	0.38	0.27	0.05	0.00	0.05	0.60	0.32
SD	*4.66*	*2.29*	*3.07*	*1.79*	*0.76*	*0.00*	*0.45*	*2.96*	*2.11*
Cumulative DOS at Other Stations	2.06	2.13	1.83	4.20	1.89	4.64	0.96	2.30	1.84
SD	*8.11*	*6.89*	*6.48*	*9.62*	*6.84*	*6.36*	*3.61*	*5.24*	*7.06*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Schizophrenic Patients	94395	3831	1332	316	620	170	291	383	719
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)									
Pts. with non-psych hospital stays, %	11.8%	11.8%	12.2%	17.7%	12.4%	4.1%	10.7%	10.2%	10.8%
Inpatient stays, mean	0.71	0.70	0.65	0.84	0.66	1.09	0.60	0.78	0.75
SD	*1.11*	*1.14*	*1.01*	*1.51*	*1.14*	*1.45*	*1.14*	*1.10*	*1.10*
Average LOS, mean	8.26	8.05	5.63	8.41	12.54	5.21	10.45	4.72	9.38
SD	*16.10*	*18.72*	*8.98*	*17.00*	*34.36*	*2.38*	*20.73*	*2.84*	*17.11*
Cumulative Days of Stay, mean	6.10	6.10	4.01	8.27	8.15	5.73	6.58	3.81	7.46
SD	*19.61*	*24.47*	*11.94*	*35.18*	*32.17*	*7.60*	*24.54*	*6.19*	*29.67*
Cumulative Days of Stay, %									
0	56.2%	57.4%	55.9%	56.3%	63.2%	36.4%	61.3%	54.7%	55.2%
1 to 7	24.8%	26.8%	31.1%	27.3%	19.1%	45.5%	23.8%	27.9%	26.4%
8 to 14	8.1%	6.6%	5.9%	6.3%	6.7%	0.0%	7.5%	9.3%	6.9%
15 to 44	8.5%	6.7%	4.9%	7.0%	8.1%	18.2%	3.8%	8.1%	8.6%
45 to 89	1.7%	1.6%	1.9%	1.6%	1.0%	0.0%	2.5%	0.0%	2.3%
90 to 179	0.5%	0.4%	0.3%	0.8%	1.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	0.2%	0.3%	0.0%	0.0%	1.0%	0.0%	1.3%	0.0%	0.0%
360+	0.1%	0.2%	0.0%	0.8%	0.0%	0.0%	0.0%	0.0%	0.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.4%	0.7%	0.3%	0.8%	1.4%	0.0%	1.3%	0.0%	0.6%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	225.13	257.00	139.00	365.00	244.33	0.00	197.00	0.00	365.00
SD	*88.92*	*97.02*	*0.00*	*0.00*	*87.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.5%	0.0%	0.8%	1.0%	0.0%	1.3%	0.0%	0.6%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	285.12	303.00	0.00	365.00	294.00	0.00	197.00	0.00	365.00
SD	*70.56*	*69.69*	*0.00*	*0.00*	*18.38*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.10*	*0.02*	*0.02*	*0.00*	*0.00*	*0.00*	*0.00*	*0.14*	*0.02*
SD	*1.58*	*0.42*	*0.30*	*0.00*	*0.00*	*0.00*	*0.00*	*1.29*	*0.23*
Other station cumulative DOS, mean	0.47	0.32	0.11	0.82	0.26	1.91	0.14	1.16	0.06
SD	*3.45*	*2.37*	*0.76*	*4.83*	*1.82*	*6.33*	*0.90*	*4.08*	*0.44*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Schizophrenic Patients	94395	3831	1332	316	620	170	291	383	719
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)									
Pts. with psych hospital stays, %	17.7%	18.4%	18.5%	26.3%	24.8%	2.9%	19.2%	14.4%	14.9%
Inpatient stays, mean	1.14	1.22	1.35	1.18	1.30	0.45	1.14	0.91	1.15
SD	*1.37*	*1.68*	*1.99*	*1.72*	*1.57*	*0.52*	*1.08*	*0.92*	*1.57*
Average LOS, mean	23.15	17.51	11.09	71.84	8.81	6.00	14.40	13.19	7.01
SD	*51.08*	*41.43*	*7.99*	*102.54*	*5.18*	*2.24*	*14.75*	*24.20*	*5.86*
Cumulative Days of Stay, mean	22.66	17.35	13.19	57.75	10.90	2.73	16.35	13.21	7.62
SD	*51.43*	*41.70*	*17.12*	*98.74*	*13.82*	*3.44*	*22.70*	*40.13*	*13.05*
Cumulative Days of Stay, %									
0	34.4%	33.3%	33.5%	35.2%	26.3%	54.5%	30.0%	36.0%	38.5%
1 to 7	17.5%	19.2%	15.9%	5.5%	22.5%	36.4%	17.5%	20.9%	31.0%
8 to 14	14.7%	18.0%	18.9%	8.6%	26.3%	9.1%	15.0%	18.6%	14.4%
15 to 44	21.2%	21.7%	25.7%	19.5%	20.6%	0.0%	28.8%	22.1%	14.4%
45 to 89	6.9%	5.0%	5.4%	12.5%	4.3%	0.0%	6.3%	1.2%	1.1%
90 to 179	2.8%	1.6%	0.5%	9.4%	0.0%	0.0%	2.5%	0.0%	0.6%
180 to 359	1.4%	0.4%	0.0%	3.1%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	1.1%	0.9%	0.0%	6.3%	0.0%	0.0%	0.0%	1.2%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	2.1%	0.0%	15.6%	0.0%	0.0%	1.3%	1.2%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	250.18	255.05	0.00	257.05	0.00	0.00	105.00	365.00	0.00
SD	*97.20*	*107.82*	*0.00*	*104.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	2.2%	1.8%	0.0%	14.1%	0.0%	0.0%	0.0%	1.2%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.10	277.37	0.00	272.50	0.00	0.00	0.00	365.00	0.00
SD	*76.47*	*98.44*	*0.00*	*98.91*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.55	0.26	0.35	0.27	0.05	0.00	0.05	0.47	0.30
SD	4.34	2.24	3.05	1.79	0.76	0.00	0.45	2.69	1.99
Other station cumulative DOS, mean	1.59	1.81	1.72	3.38	1.63	2.73	0.83	1.14	1.79
SD	7.30	6.50	6.43	8.64	6.49	3.44	3.53	3.68	7.00

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Schizophrenic Patients	94395	3831	1332	316	620	170	291	383	719
Other 24 hour institutional care									
Patients with some other 24 hour institutional care, %	8.0%	14.4%	8.6%	32.6%	16.0%	5.3%	3.1%	28.5%	14.9%
Residential Rehabilitation									
Patients with some residential rehab. care, %	1.6%	4.4%	5.1%	1.6%	9.8%	0.6%	0.7%	4.2%	1.9%
Number stays, mean	*1.12*	*1.15*	*1.19*	*1.20*	*1.07*	*1.00*	*1.00*	*1.31*	*1.14*
SD	*0.37*	*0.42*	*0.47*	*0.45*	*0.25*	*0.00*	*0.00*	*0.70*	*0.36*
Average LOS, mean	36.26	31.44	30.99	84.50	25.01	8.00	42.50	35.72	37.93
SD	*45.44*	*32.01*	*17.52*	*156.74*	*16.82*	*0.00*	*45.96*	*27.45*	*14.05*
Cumulative DOS, mean	39.67	35.65	37.34	85.00	26.39	8.00	42.50	43.25	42.50
SD	*48.06*	*34.49*	*25.04*	*156.42*	*17.66*	*0.00*	*45.96*	*29.34*	*17.22*
Cumulative Days of Stay, %									
1 to 7	14.0%	15.0%	14.7%	40.0%	16.4%	0.0%	0.0%	18.8%	0.0%
8 to 14	14.7%	10.2%	10.3%	20.0%	9.8%	100.0%	50.0%	0.0%	7.1%
15 to 44	46.4%	47.9%	39.7%	20.0%	65.6%	0.0%	0.0%	37.5%	42.9%
45 to 89	13.8%	23.4%	30.9%	0.0%	6.6%	0.0%	50.0%	37.5%	50.0%
90 to 179	8.9%	3.0%	4.4%	0.0%	1.6%	0.0%	0.0%	6.3%	0.0%
180 to 359	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.5%	0.6%	0.0%	20.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.2%	1.2%	0.0%	20.0%	1.6%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	180.59	236.00	0.00	364.00	108.00	0.00	0.00	0.00	0.00
SD	*80.43*	*181.02*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	2.8%	0.6%	0.0%	20.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	246.24	364.00	0.00	364.00	0.00	0.00	0.00	0.00	0.00
SD	*77.24*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.84	0.11	0.00	0.00	0.00	0.00	0.00	0.00	1.29
SD	*5.37*	*1.39*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*4.81*
Other station cumulative DOS, mean	3.24	4.24	0.63	5.20	0.16	0.00	0.00	2.13	42.50
SD	*10.31*	*13.32*	*5.09*	*5.81*	*1.28*	*0.00*	*0.00*	*8.50*	*17.22*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Schizophrenic Patients	94395	3831	1332	316	620	170	291	383	719
Domiciliary and Vocational									
Patients with some dom/voc care, %	2.3%	3.5%	1.1%	7.3%	1.5%	0.0%	0.3%	0.0%	12.1%
Number stays, mean	1.12	1.05	1.07	1.13	1.00	0.00	1.00	0.00	1.03
SD	*0.37*	*0.22*	*0.27*	*0.34*	*0.00*	*0.00*	*0.00*	*0.00*	*0.18*
Average LOS, mean	94.48	132.07	24.29	39.74	18.78	0.00	1.00	0.00	187.05
SD	*108.97*	*135.38*	*21.49*	*54.03*	*15.34*	*0.00*	*0.00*	*0.00*	*136.86*
Cumulative DOS, mean	100.96	135.35	24.64	42.65	18.78	0.00	1.00	0.00	191.28
SD	*111.44*	*136.48*	*21.19*	*54.82*	*15.34*	*0.00*	*0.00*	*0.00*	*137.33*
Cumulative Days of Stay, %									
1 to 7	7.9%	8.2%	21.4%	8.7%	22.2%	0.0%	100.0%	0.0%	3.4%
8 to 14	6.7%	6.7%	21.4%	8.7%	22.2%	0.0%	0.0%	0.0%	2.3%
15 to 44	31.5%	26.1%	35.7%	60.9%	44.4%	0.0%	0.0%	0.0%	13.8%
45 to 89	17.3%	14.2%	21.4%	8.7%	11.1%	0.0%	0.0%	0.0%	14.9%
90 to 179	17.7%	11.9%	0.0%	8.7%	0.0%	0.0%	0.0%	0.0%	16.1%
180 to 359	9.4%	14.2%	0.0%	4.3%	0.0%	0.0%	0.0%	0.0%	20.7%
360+	9.5%	18.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	28.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.0%	41.8%	0.0%	4.3%	0.0%	0.0%	0.0%	0.0%	63.2%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	234.98	277.52	0.00	269.00	0.00	0.00	0.00	0.00	277.67
SD	*102.95*	*93.81*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*94.67*
Dom. patients with 150+ day Dom. stay, %	20.9%	35.8%	0.0%	4.3%	0.0%	0.0%	0.0%	0.0%	54.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	291.61	303.69	0.00	269.00	0.00	0.00	0.00	0.00	304.43
SD	*80.75*	*73.29*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*73.90*
Other VISN cumulative DOS, mean	1.18	0.13	0.00	0.00	1.78	0.00	1.00	0.00	0.00
SD	*7.65*	*1.38*	*0.00*	*0.00*	*5.33*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.16	4.58	24.64	1.30	18.78	0.00	1.00	0.00	0.79
SD	*12.59*	*12.22*	*21.19*	*6.26*	*15.34*	*0.00*	*0.00*	*0.00*	*5.21*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Schizophrenic Patients	94395	3831	1332	316	620	170	291	383	719
Nursing Home Care									
Patients with some nursing home care, %	4.7%	7.8%	3.5%	25.6%	6.5%	4.7%	2.1%	24.5%	3.2%
Number stays, mean	1.20	1.14	1.17	1.21	1.10	1.13	1.00	1.06	1.26
SD	*0.56*	*0.42*	*0.48*	*0.47*	*0.30*	*0.35*	*0.00*	*0.29*	*0.69*
Average LOS, mean	143.54	182.87	53.50	234.88	90.85	128.13	51.17	267.61	131.17
SD	*137.46*	*147.73*	*55.09*	*127.10*	*118.60*	*112.75*	*32.20*	*139.85*	*135.02*
Cumulative DOS, mean	156.00	196.28	60.49	265.78	95.80	140.75	51.17	270.99	155.65
SD	*139.76*	*149.76*	*59.63*	*128.05*	*119.23*	*114.91*	*32.20*	*136.51*	*142.68*
Cumulative Days of Stay, %									
1 to 7	6.8%	4.3%	6.4%	1.2%	7.5%	12.5%	0.0%	4.3%	4.3%
8 to 14	6.5%	5.4%	10.6%	1.2%	20.0%	0.0%	16.7%	1.1%	0.0%
15 to 44	20.5%	20.1%	46.8%	8.6%	30.0%	0.0%	33.3%	9.6%	34.8%
45 to 89	14.1%	7.7%	8.5%	4.9%	7.5%	37.5%	33.3%	4.3%	13.0%
90 to 179	15.1%	12.0%	21.3%	9.9%	15.0%	12.5%	16.7%	8.5%	8.7%
180 to 359	14.7%	12.4%	6.4%	19.8%	7.5%	37.5%	0.0%	8.5%	17.4%
360+	22.5%	38.1%	0.0%	54.3%	12.5%	0.0%	0.0%	63.8%	21.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	48.0%	59.2%	19.1%	81.5%	32.5%	50.0%	16.7%	78.7%	43.5%
Cumul. DOS, patients with a 100+ day NH stay, mean	282.12	306.02	163.11	315.83	235.77	240.75	108.00	333.61	302.90
SD	*94.85*	*88.16*	*49.96*	*78.94*	*116.33*	*58.83*	*0.00*	*68.93*	*79.00*
NH patients with 150+ day NH stay, %	39.8%	53.2%	8.5%	77.8%	20.0%	50.0%	0.0%	76.6%	34.8%
Cumul. DOS, patients with a 150+ day NH stay, mean	312.43	324.87	199.00	323.90	313.25	240.75	0.00	339.19	320.25
SD	*72.26*	*69.49*	*51.96*	*70.37*	*72.67*	*58.83*	*0.00*	*60.94*	*64.54*
Other VISN cumulative DOS, mean	0.44	1.05	0.00	1.21	0.00	0.00	0.00	0.07	9.04
SD	*5.99*	*10.23*	*0.00*	*10.89*	*0.00*	*0.00*	*0.00*	*0.72*	*30.15*
Other station cumulative DOS, mean	1.19	2.79	0.49	4.84	0.10	0.00	33.17	0.07	9.04
SD	*9.07*	*14.48*	*2.53*	*19.82*	*0.63*	*0.00*	*22.92*	*0.72*	*30.15*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Schizophrenic Patients	94395	3831	1332	316	620	170	291	383	719
Outpatient utilization									
(reported for those with some outpatient care)									
Patients with some outpatient care, %	98.3%	97.2%	99.9%	83.2%	98.5%	100.0%	100.0%	89.6%	99.3%
annual visit days, mean	27.64	33.56	29.71	46.40	33.04	12.46	39.08	43.67	34.38
SD	*38.39*	*47.45*	*39.52*	*58.35*	*43.51*	*12.91*	*56.69*	*62.80*	*49.73*
Outpatient visit days, %									
1-12	42.6%	41.7%	39.1%	32.3%	38.0%	70.0%	39.9%	50.1%	43.3%
13-24	25.7%	22.9%	27.0%	20.9%	24.2%	17.1%	21.3%	11.7%	22.4%
25-36	11.8%	10.3%	11.3%	13.3%	10.8%	7.6%	10.0%	5.5%	9.8%
37-48	5.9%	6.2%	6.1%	6.1%	8.2%	1.8%	7.2%	5.8%	5.3%
49+	14.0%	18.9%	16.5%	27.4%	18.8%	3.5%	21.6%	26.8%	19.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	74.5%	75.1%	75.9%	75.7%	51.4%	91.2%	84.5%	79.9%	83.6%
Mean PC visit days, among those with some PC	3.73	3.70	4.24	3.89	2.49	4.41	4.12	2.97	3.31
SD	3.83	3.49	3.87	2.93	1.81	5.58	4.01	2.10	2.96
Average number clinic stops per visit day, mean	1.45	1.55	1.57	1.77	1.57	1.38	1.54	1.58	1.44
SD	*0.45*	*0.53*	*0.47*	*0.85*	*0.52*	*0.41*	*0.44*	*0.61*	*0.49*
annual clinic stops (psych & non-psych), mean	41.32	56.11	49.68	99.85	56.76	16.72	61.84	74.40	49.68
SD	*65.29*	*97.05*	*75.75*	199.46	*82.13*	*17.07*	*96.75*	*123.32*	*74.40*
annual non-psych. clinic stops, mean	19.07	21.03	18.52	29.13	25.02	11.48	21.04	20.31	21.94
SD	*26.86*	*26.86*	*21.58*	*37.25*	*28.60*	*12.33*	*21.30*	*35.04*	*28.40*
annual psych. clinic stops (groupings below), mean	22.25	35.07	31.16	70.73	31.74	5.24	40.79	54.09	27.73
SD	*50.83*	*82.51*	*64.15*	*175.30*	*61.36*	*8.92*	*91.21*	*104.65*	*61.11*
1. general psych. clinic stops, mean	9.04	12.71	15.80	9.24	16.09	5.18	10.68	10.63	8.96
SD	*15.89*	*23.92*	*28.78*	*16.21*	*28.23*	*8.81*	*26.04*	*12.85*	*15.04*
2. psych. case management clinic stops, mean	2.76	6.77	3.34	22.91	0.01	0.00	28.19	12.99	2.90
SD	*16.59*	*35.69*	*16.54*	*61.72*	*0.11*	*0.00*	*85.62*	*47.18*	*17.35*
3. psych. day treatment clinic stops, mean	4.94	6.58	4.00	30.62	4.88	0.00	0.00	14.69	4.35
SD	*29.07*	*41.88*	*22.03*	*130.03*	*22.28*	*0.00*	*0.00*	*42.66*	*21.12*
4. substance abuse clinic stops, mean	2.71	4.01	7.01	0.86	4.05	0.03	0.85	2.51	2.51
SD	*17.49*	*25.81*	*39.23*	*5.34*	*18.18*	*0.32*	*5.43*	*13.46*	*13.52*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Schizophrenic Patients	94395	3831	1332	316	620	170	291	383	719
5. psych. vocational clinic stops, mean	2.11	4.16	0.08	6.76	4.78	0.00	0.48	12.75	8.66
SD	*18.38*	*28.05*	*1.99*	*29.93*	*27.24*	*0.00*	*3.76*	*46.56*	*44.63*
6. PTSD clinic stops, mean	0.37	0.33	0.49	0.81	0.17	0.03	0.10	0.59	0.06
SD	*3.86*	*3.67*	*4.42*	*4.05*	*2.10*	*0.38*	*1.26*	*6.86*	*0.83*
7. psych. homeless clinic stops, mean	0.39	0.65	0.66	0.06	1.64	0.00	0.33	0.12	0.52
SD	*2.98*	*4.60*	*3.93*	*0.45*	*7.13*	*0.00*	*5.40*	*0.94*	*4.94*
Other VISN OP visit days, mean	0.30	0.25	0.30	0.34	0.20	0.09	0.28	0.34	0.14
SD	2.12	1.70	2.11	2.06	1.15	0.94	1.53	1.92	1.04
Other station OP visit days, mean	0.82	1.50	1.27	2.59	1.50	1.56	0.73	2.16	1.52
SD	3.70	5.75	4.89	6.20	4.33	2.92	2.38	5.62	8.78

Table 4G: FY03 Schizophrenic Patients, Pharmacy Utilization, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Schizophrenic Patients	94395	3831	1332	316	620	170	291	383	719
Among all patients in the registry									
Pts. with any outpatient prescriptions, %	94.9%	92.3%	94.1%	73.3%	93.2%	94.7%	94.8%	88.7%	96.7%
Patients with any oral antipsychotic fills, %*	78.7%	73.6%	71.2%	55.7%	76.6%	80.6%	77.3%	73.6%	80.4%
Among pts. receiving any antipsychotic medication:									
Received only conventional antipsychotics, %	15.4%	14.0%	14.2%	11.9%	9.7%	13.9%	12.0%	13.8%	18.5%
Received some atypical antipsychotics, %	84.6%	86.0%	85.8%	88.1%	90.3%	86.1%	88.0%	86.2%	81.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %									
Aripiprazole	1.5%	2.2%	2.1%	1.1%	0.4%	0.0%	9.3%	1.4%	2.2%
Clozapine	3.1%	5.2%	0.8%	5.7%	2.1%	1.5%	16.9%	17.7%	4.8%
Olanzapine	35.7%	31.3%	30.8%	33.0%	34.7%	29.9%	32.9%	33.7%	27.2%
Quetiapine	21.7%	19.2%	19.9%	10.8%	21.9%	21.2%	23.6%	12.8%	19.6%
Risperidone	36.8%	41.2%	42.7%	42.0%	46.7%	51.1%	32.4%	38.3%	36.5%
Ziprasidone	5.9%	5.4%	5.1%	8.0%	5.9%	1.5%	4.9%	3.5%	6.9%
Patients receiving only one kind** of antipsychotic, %	70.8%	73.5%	80.2%	72.2%	70.9%	62.0%	67.6%	70.2%	71.8%
Concurrent use of 2 or more antipsychotics, % ***	15.6%	13.7%	7.7%	10.8%	13.5%	32.1%	16.0%	20.6%	16.1%
Among pts receiving just one antipsychotic:									
Antipsychotic fills, mean	8.10	9.05	8.09	7.64	8.40	10.15	12.37	11.13	9.32
SD	*5.37*	*5.81*	*4.64*	*6.48*	*5.21*	*4.78*	*6.80*	*8.39*	*5.55*
Antipsychotic Medication Possession Ratio, mean	0.83	0.82	0.77	0.88	0.80	0.87	0.93	0.94	0.82
SD	*0.33*	*0.32*	*0.33*	*0.37*	*0.34*	*0.29*	*0.28*	*0.28*	*0.30*
Antipsychotic Med Possession Ratio <= 0.80, %	37.1%	36.0%	45.4%	33.0%	38.9%	24.4%	20.4%	17.5%	33.6%
Antipsychotic Med Possession Ratio <= 0.50, %	18.0%	18.5%	22.9%	14.6%	22.8%	12.8%	7.0%	7.0%	18.7%

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 4G: FY03 Schizophrenic Patients, Cost, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Schizophrenic Patients	94395	3831	1332	316	620	170	291	383	719
Total Costs (in thousands $$)	$1,637,013	$82,627	$19,029	$18,233	$13,493	$1,452	$4,876	$13,803	$11,740
Station % of VISN		100.0%	23.0%	22.1%	16.3%	1.8%	5.9%	16.7%	14.2%
Psych vs. Non-Psych Costs									
Psych	34.5%	25.5%	37.8%	26.4%	28.4%	10.4%	29.0%	9.9%	19.6%
Non-Psych	65.5%	74.5%	62.2%	73.6%	71.6%	89.6%	71.0%	90.1%	80.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use									
Per Patient	$21,945	$20,888	$17,012	$45,060	$19,097	$9,837	$26,657	$14,403	$14,751
Per Day of Stay	$763	$891	$989	$682	$1,002	$1,164	$1,163	$846	$978
Mean Outpatient Costs, Pts with some Outpatient use									
Per Patient	$7,323	$7,452	$7,229	$9,526	$8,387	$4,575	$8,626	$7,431	$6,521
Per Visit Day	$265	$222	$243	$205	$254	$367	$221	$170	$190
By Cost Center									
1 Med	$1,399	$1,822	$1,189	$4,705	$2,727	$376	$3,078	$965	$1,240
2 Surg	$470	$438	$471	$459	$555	$51	$340	$137	$557
3 Psych	$4,062	$3,509	$3,066	$13,089	$3,156	$209	$3,911	$2,132	$1,773
4 Psych Res Rehab Treatment Program	$217	$727	$506	$401	$2,260	$17	$55	$266	$641
5 Non-VA	$230	$98	$82	$27	$26	$5	$146	$2	$273
6 LTC Domiciliary	$302	$581	$56	$520	$47	$0	$1	$0	$2,724
7 LTC Intermediate Care	$166	$110	$10	$113	$140	$0	$165	$5	$326
8 LTC Nursing Home	$2,633	$5,412	$0	$25,341	$1,554	$2,794	$211	$25,743	$1,901
9 Contract Nursing Home	$664	$1,630	$1,683	$5,117	$3,033	$516	$222	$134	$418
10 OPC Med/Surg	$930	$1,038	$1,282	$1,075	$1,356	$231	$585	$388	$1,016
11 OPC Psych	$1,916	$1,992	$2,333	$2,157	$3,018	$677	$950	$1,443	$1,427
12 OPC Home Based Treatment	$933	$1,066	$762	$2,184	$346	$620	$2,484	$1,716	$945
13 OPC Support	$1,243	$1,200	$1,228	$1,048	$1,622	$621	$894	$950	$1,242
14 OPC Fee	$130	$93	$79	$34	$101	$58	$406	$58	$39
15 OPC Pharmacy	$2,047	$1,853	$1,539	$1,430	$1,822	$2,369	$3,307	$2,101	$1,807
TOTAL	$17,342	$21,568	$14,286	$57,700	$21,764	$8,543	$16,755	$36,040	$16,329
Mean % Patient Costs at Other Stations	3.6%	5.0%	4.0%	8.5%	8.2%	5.1%	3.5%	4.4%	3.2%
SD	*12.4%*	*15.3%*	*13.3%*	*19.9%*	*21.8%*	*11.5%*	*11.5%*	*11.6%*	*12.5%*
Mean % Patient Costs at Other VISNs	1.3%	1.0%	1.0%	0.8%	1.3%	0.4%	1.3%	1.3%	0.7%
SD	*7.5%*	*6.5%*	*6.7%*	*5.0%*	*7.6%*	*3.2%*	*7.6%*	*7.6%*	*5.2%*

Table 1H: FY03 Bipolar Patients, Demographics, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Bipolar Patients	73964	3446	865	641	653	168	310	246	563
Age, %									
<35	7.9%	6.4%	6.8%	5.6%	5.2%	7.1%	7.1%	5.7%	7.8%
>=35 and <50	36.3%	35.2%	37.9%	31.7%	34.2%	38.1%	33.5%	37.8%	35.2%
>=50 and <65	40.3%	40.5%	38.3%	39.5%	42.1%	44.0%	40.3%	43.5%	40.7%
>=65 and <80	13.3%	15.1%	14.2%	18.3%	15.5%	9.5%	16.8%	11.4%	15.1%
>=80	2.2%	2.8%	2.8%	5.0%	3.1%	1.2%	2.3%	1.6%	1.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	52.26	53.31	52.81	55.31	53.70	50.96	53.45	52.12	52.52
SD	*12.50*	*12.52*	*12.30*	*13.47*	*12.48*	*11.13*	*12.69*	*11.49*	*12.22*
Gender									
Male, %	88.2%	91.0%	91.1%	92.0%	93.9%	86.9%	90.6%	91.5%	87.7%
Female, %	11.8%	9.0%	8.9%	8.0%	6.1%	13.1%	9.4%	8.5%	12.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %									
Hispanic white	2.8%	1.4%	3.0%	1.2%	1.2%	0.6%	0.3%	0.4%	0.5%
Hispanic black	0.3%	0.1%	0.1%	0.5%	0.0%	0.0%	0.0%	0.0%	0.2%
American Indian	0.3%	0.2%	0.1%	0.0%	0.0%	0.6%	0.6%	0.8%	0.2%
Black	10.4%	19.8%	42.5%	18.1%	15.5%	0.0%	5.2%	4.1%	12.8%
Asian	0.2%	0.1%	0.1%	0.2%	0.3%	0.0%	0.0%	0.0%	0.2%
White	62.5%	56.7%	33.1%	61.9%	58.8%	80.4%	65.2%	72.4%	65.9%
Race unknown	23.5%	21.6%	21.0%	18.1%	24.2%	18.5%	28.7%	22.4%	20.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status									
Never married	21.0%	26.2%	35.1%	32.6%	25.5%	12.0%	15.5%	17.3%	20.0%
Married	37.7%	30.8%	25.1%	28.8%	31.1%	38.9%	42.3%	33.3%	31.3%
Divorced/Separated	37.9%	39.6%	36.3%	35.1%	39.2%	46.7%	40.0%	45.7%	45.4%
Widowed	3.4%	3.4%	3.5%	3.4%	4.2%	2.4%	2.3%	3.7%	3.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Bipolar Patients	73964	3446	865	641	653	168	310	246	563
Registry Pts. History of VA Utilization									
Years since first use in prior five years, mean	4.2	4.22	4.29	4.23	4.18	4.32	4.04	4.26	4.18
SD	*1.3*	*1.31*	*1.28*	*1.30*	*1.32*	*1.19*	*1.39*	*1.33*	*1.36*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.1%	31.6%	33.1%	38.0%	28.6%	16.3%	28.7%	33.2%	30.7%
SD	*29.2%*	*32.2%*	*31.2%*	*35.4%*	*31.2%*	*23.6%*	*30.3%*	*32.4%*	*32.1%*
Years with OP use / Years since first use, %	96.7%	96.2%	96.6%	93.1%	96.8%	97.9%	97.2%	96.7%	97.5%
SD	*10.5%*	*12.1%*	*10.3%*	*18.4%*	*10.9%*	*7.2%*	*9.4%*	*10.9%*	*9.0%*
Psychosis Diagnoses in Prior Fiscal Year									
Had Psychosis Diagnosis in FY01, %	65.0%	68.0%	61.7%	67.9%	70.3%	69.6%	73.2%	67.9%	71.8%
Among Patients With Psychoses in FY01									
Psychosis Category: Schizophrenia, %	3.8%	5.2%	8.6%	5.3%	5.2%	4.3%	1.8%	3.6%	3.7%
Psychosis Category: Bipolar Disorder, %	94.8%	92.9%	87.8%	94.0%	93.2%	94.9%	95.6%	93.4%	95.5%
Psychosis Category: Other Psychosis, %	1.4%	1.9%	3.6%	0.7%	1.5%	0.9%	2.6%	3.0%	0.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %									
Dementia	1.7%	2.6%	4.4%	3.7%	1.5%	0.6%	2.6%	0.8%	1.4%
Post Traumatic Stress Disorder	21.3%	21.8%	30.9%	21.7%	13.9%	24.4%	17.7%	26.0%	16.9%
Depression	44.5%	49.8%	62.9%	55.1%	45.9%	35.7%	41.9%	41.1%	40.3%
Other Anxiety Disorder	16.3%	17.7%	20.6%	15.1%	13.3%	23.2%	25.5%	17.5%	15.6%
Substance Abuse or Dependence	29.8%	36.1%	45.2%	30.4%	30.2%	45.8%	30.6%	42.7%	32.7%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Bipolar Patients	73964	3446	865	641	653	168	310	246	563
Medical Comorbidities, %									
No medical comorbidities	15.4%	16.0%	13.2%	15.8%	22.2%	18.5%	12.9%	14.6%	15.3%
Anemia	5.6%	5.2%	5.9%	5.9%	5.1%	2.4%	5.2%	2.8%	5.3%
Arthritis	42.4%	40.7%	42.2%	42.7%	31.1%	40.5%	43.5%	38.6%	46.4%
Cancer	6.2%	6.1%	7.6%	4.5%	6.6%	4.2%	3.9%	4.9%	7.5%
Cerebrovascular Disease	3.8%	4.3%	4.9%	6.1%	4.6%	1.2%	4.2%	2.0%	3.2%
Chronic Neurologic Disorder	14.8%	15.8%	17.0%	19.3%	11.8%	11.3%	19.0%	11.4%	16.2%
Chronic Obstructive Pulmonary Disease	16.0%	16.0%	14.8%	19.5%	12.9%	12.5%	17.4%	23.6%	14.6%
Chronic Viral Infection	9.6%	9.1%	14.6%	8.6%	5.5%	7.1%	7.4%	4.5%	8.9%
Coronary Artery Disease	16.8%	16.4%	18.2%	14.2%	16.7%	13.7%	18.7%	18.7%	14.2%
Diabetes	17.4%	17.5%	20.7%	16.8%	17.8%	11.9%	12.9%	17.5%	17.1%
Digestive System Disease	43.2%	44.5%	45.3%	46.0%	38.9%	34.5%	48.4%	41.9%	49.9%
Hypertension	38.5%	39.0%	46.1%	39.8%	35.5%	31.0%	38.1%	34.6%	36.2%
Injury and Poisoning	19.9%	20.3%	20.6%	17.2%	19.1%	17.3%	27.1%	17.5%	23.1%
Liver Disease	3.8%	3.9%	3.5%	3.1%	4.9%	1.8%	5.8%	4.5%	3.4%
Other Endocrine	10.0%	9.8%	7.9%	9.8%	8.3%	7.1%	13.2%	11.8%	12.6%
Peripheral Vascular Disease	3.0%	3.7%	6.0%	3.7%	2.8%	1.2%	3.5%	2.4%	2.5%
GAF scores									
Lowest inpatient GAF score, mean	39.59	38.85	31.35	37.41	36.68	44.64	37.68	46.07	45.79
SD	*14.06*	*11.27*	*8.80*	*12.70*	*7.58*	*4.06*	*7.96*	*6.95*	*11.95*
Mean outpatient GAF score	53.41	51.39	43.91	49.41	55.61	58.09	51.58	55.70	56.60
SD	*10.75*	*12.01*	*10.80*	*13.02*	*11.53*	*6.76*	*10.74*	*5.86*	*10.31*
At least 1 IP GAF, among pts with MH bedsections, %	39.1%	65.3%	50.8%	70.4%	56.3%	55.6%	90.4%	85.5%	67.0%
At least 1 OP GAF, among pts with MH clinic stops, %	81.5%	85.2%	86.1%	86.8%	79.5%	95.0%	61.2%	98.6%	93.0%
Mortality rates									
died in FY02, %	1.5%	1.5%	1.5%	2.5%	1.8%	0.6%	1.9%	0.4%	0.7%
Age-and-gender-adjusted Standardized Mortality Ratio	1.07	1.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Bipolar Patients	73964	3446	865	641	653	168	310	246	563
Service Connection (SC)									
Non-SC	55.9%	62.6%	65.4%	62.7%	72.6%	54.8%	55.5%	59.8%	54.2%
SC 0 - 29%	10.0%	8.9%	9.8%	5.5%	9.0%	10.7%	7.4%	10.2%	11.0%
SC 30 - 69%	13.4%	10.6%	10.2%	9.8%	8.0%	13.7%	15.5%	6.9%	13.1%
SC 70 - 99%	8.9%	6.7%	7.3%	5.6%	3.7%	10.7%	9.0%	8.1%	7.6%
SC 100%	11.8%	11.1%	7.3%	16.4%	6.7%	10.1%	12.6%	15.0%	14.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %									
Complex*	12.2%	21.4%	19.4%	38.5%	15.8%	4.8%	9.4%	22.4%	22.6%
Basic vested, Cat A*	80.3%	70.3%	76.3%	52.3%	74.1%	85.1%	78.7%	65.4%	70.5%
Basic Non-vested, Cat A*	0.9%	0.6%	0.2%	1.1%	0.5%	1.8%	0.3%	0.8%	0.4%
Basic, Cats C and N	6.6%	7.7%	4.0%	8.1%	9.6%	8.3%	11.6%	11.4%	6.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded									
Patient eligibility category, %									
Cat A (SC or low income)	93.2%	91.9%	96.0%	91.0%	89.9%	91.7%	87.7%	88.2%	93.1%
Cat C (NSC and higher income)	5.9%	7.3%	3.6%	7.8%	9.6%	6.5%	11.9%	9.8%	6.0%
Non-Veteran	0.9%	0.8%	0.5%	1.2%	0.5%	1.8%	0.3%	2.0%	0.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %									
BASIC 1. Non-reliant Care	0.1%	0.2%	0.1%	0.5%	0.2%	0.6%	0.0%	0.0%	0.4%
2. Basic Medical	15.2%	11.5%	7.1%	8.0%	13.9%	19.0%	15.2%	12.2%	14.9%
3. Mental Health	40.5%	36.4%	36.8%	28.9%	36.9%	53.0%	38.1%	39.8%	36.2%
4. Heart / Lung / GI	6.9%	5.5%	5.1%	4.2%	5.4%	10.7%	6.1%	6.1%	5.9%
5. Oncology / Infectious Disease	4.3%	3.8%	4.7%	3.1%	3.5%	3.0%	6.1%	1.2%	3.4%
6. Multiple Medical	20.7%	21.2%	26.8%	16.8%	24.3%	8.9%	25.2%	18.3%	16.7%
COMPLEX 7. Specialized Care	2.2%	2.6%	4.0%	3.3%	2.3%	1.2%	0.6%	2.4%	1.6%
8. Support Care	2.1%	3.3%	2.8%	4.4%	2.5%	0.6%	1.6%	2.8%	6.0%
9. Chronic Mental	6.8%	14.1%	12.1%	27.0%	10.0%	2.4%	6.8%	13.4%	14.9%
10. Critically Ill	1.1%	1.4%	0.5%	3.9%	1.1%	0.6%	0.3%	3.7%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Bipolar Patients	73964	3446	865	641	653	168	310	246	563
Substance Dependence and Abuse									
Any dx of alcohol / drug dependence or abuse, %	29.8%	36.1%	45.2%	30.4%	30.2%	45.8%	30.6%	42.7%	32.7%
Homelessness									
Homelessness indicated in FY02, %	13.8%	13.6%	17.2%	15.0%	13.5%	3.0%	8.4%	17.1%	11.2%
Residence in Metropolitan Area									
Residing in a Metropolitan Statistical Area, %	79.3%	83.0%	96.6%	98.0%	94.8%	0.6%	69.7%	35.4%	84.0%
Distance									
Mile from Closest VA Medical Center, mean	34.15	22.18	13.74	13.31	16.29	61.48	35.80	35.80	26.88
SD	*73.16*	*25.39*	*13.11*	*11.53*	*16.81*	*39.73*	*27.90*	*29.33*	*32.05*
Distance from closest VA Medical Center, %									
0 to 15 miles	46.2%	55.6%	67.9%	63.2%	61.3%	11.9%	33.5%	28.9%	58.3%
15 to 30 miles	17.2%	20.3%	21.9%	33.1%	28.5%	6.5%	6.8%	10.6%	9.8%
30 to 45 miles	10.6%	7.8%	6.7%	1.9%	2.8%	13.1%	19.7%	28.0%	5.2%
45 to 60 miles	8.5%	7.5%	2.2%	0.9%	3.2%	29.2%	28.4%	15.9%	6.7%
60 plus miles	17.4%	8.7%	1.3%	0.9%	4.3%	39.3%	11.6%	16.7%	20.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.09	7.92	5.56	6.35	5.97	19.99	11.71	10.83	8.63
SD	*13.59*	*8.90*	*5.56*	*5.31*	*5.22*	*17.58*	*11.43*	*11.36*	*9.11*
Distance to closest VA Service Site, %									
0 to 15 miles	76.3%	86.5%	95.6%	96.4%	94.8%	47.0%	69.7%	64.2%	82.4%
15 to 30 miles	15.4%	9.4%	3.5%	3.0%	4.9%	28.0%	17.7%	28.5%	12.6%
30 to 45 miles	5.7%	3.4%	0.9%	0.5%	0.3%	13.1%	12.6%	6.5%	4.8%
45 plus miles	2.7%	0.7%	0.0%	0.2%	0.0%	11.9%	0.0%	0.8%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3H: FY03 Bipolar Patients, Utilization, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Bipolar Patients	73964	3446	865	641	653	168	310	246	563
Hospital Based Utilization									
Patients with some Hospital Based Utilization, %	25.4%	30.5%	33.8%	32.6%	30.5%	14.3%	33.5%	30.1%	26.3%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)									
Inpatient stays, mean	1.80	1.91	2.09	1.78	1.91	1.38	1.76	1.96	1.89
SD	*1.41*	*1.45*	*1.65*	*1.28*	*1.37*	*0.65*	*1.39*	*1.74*	*1.26*
Average LOS, mean	9.79	10.57	7.93	18.08	7.69	4.33	9.76	18.91	6.42
SD	*17.76*	*19.67*	*6.29*	*31.63*	*7.40*	*2.19*	*12.96*	*41.97*	*5.85*
Cumulative DOS, mean	17.09	18.33	15.46	30.38	13.83	6.54	14.31	28.85	12.50
SD	*27.94*	*31.62*	*15.10*	*54.51*	*12.71*	*5.65*	*15.34*	*55.38*	*13.86*
Cumulative DOS, %									
1 to 7	44.7%	39.4%	33.6%	32.1%	38.7%	70.8%	44.2%	44.6%	51.4%
8 to 14	21.9%	23.0%	27.7%	20.1%	25.6%	16.7%	16.3%	25.7%	18.2%
15 to 44	25.9%	31.0%	33.6%	34.0%	32.2%	12.5%	35.6%	16.2%	27.0%
45 to 89	5.3%	4.6%	4.8%	6.7%	3.5%	0.0%	3.8%	5.4%	3.4%
90 to 179	1.5%	1.1%	0.3%	4.3%	0.0%	0.0%	0.0%	2.7%	0.0%
180 to 359	0.5%	0.8%	0.0%	1.9%	0.0%	0.0%	0.0%	5.4%	0.0%
360+	0.1%	0.2%	0.0%	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	1.0%	1.3%	0.0%	3.8%	0.0%	0.0%	0.0%	8.1%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	203.75	239.07	0.00	265.00	0.00	0.00	0.00	204.50	0.00
SD	*79.71*	*72.17*	*0.00*	*82.02*	*0.00*	*0.00*	*0.00*	*40.20*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.6%	1.2%	0.0%	3.8%	0.0%	0.0%	0.0%	6.8%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	251.69	245.00	0.00	265.00	0.00	0.00	0.00	213.00	0.00
SD	*73.28*	*71.48*	*0.00*	*82.02*	*0.00*	*0.00*	*0.00*	*38.44*	*0.00*
Cumulative DOS at Other VISNs	0.67	0.39	0.13	0.68	0.18	0.00	0.90	0.41	0.45
SD	*4.53*	*3.50*	*0.99*	*4.09*	*1.45*	*0.00*	*8.55*	*2.14*	*2.28*
Cumulative DOS at Other Stations	1.97	2.14	1.85	3.44	1.17	3.00	1.08	3.69	2.03
SD	*7.12*	*6.18*	*5.85*	*7.25*	*3.60*	*3.09*	*8.59*	*7.28*	*5.28*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Bipolar Patients	73964	3446	865	641	653	168	310	246	563
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)									
Pts. with non-psych hospital stays, %	11.7%	14.6%	18.0%	13.1%	15.5%	10.7%	13.2%	12.2%	12.8%
Inpatient stays, mean	0.72	0.78	0.98	0.59	0.81	1.00	0.63	0.76	0.73
SD	*1.10*	*1.14*	*1.33*	*0.94*	*1.13*	*0.83*	*1.13*	*1.25*	*0.96*
Average LOS, mean	6.20	6.23	5.02	6.26	6.25	4.05	4.72	16.55	5.89
SD	*10.70*	*15.12*	*6.50*	*19.77*	*9.25*	*2.24*	*5.70*	*45.26*	*6.05*
Cumulative Days of Stay, mean	4.64	4.87	5.11	4.22	5.11	4.67	2.89	8.30	4.68
SD	*13.49*	*16.48*	*11.43*	*25.61*	*11.10*	*6.08*	*7.11*	*29.97*	*9.47*
Cumulative Days of Stay, %									
0	54.1%	52.2%	46.6%	59.8%	49.2%	25.0%	60.6%	59.5%	51.4%
1 to 7	30.1%	31.6%	34.9%	28.2%	31.7%	54.2%	29.8%	24.3%	31.1%
8 to 14	7.4%	7.6%	8.2%	8.1%	8.5%	8.3%	5.8%	4.1%	7.4%
15 to 44	7.0%	7.0%	8.2%	3.3%	8.0%	12.5%	2.9%	9.5%	8.8%
45 to 89	1.1%	1.2%	1.7%	0.0%	2.5%	0.0%	1.0%	0.0%	1.4%
90 to 179	0.3%	0.2%	0.3%	0.0%	0.0%	0.0%	0.0%	1.4%	0.0%
180 to 359	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	1.4%	0.0%
360+	0.0%	0.1%	0.0%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.2%	0.3%	0.0%	0.5%	0.0%	0.0%	0.0%	2.7%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	187.03	241.67	0.00	365.00	0.00	0.00	0.00	180.00	0.00
SD	*73.96*	*110.94*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*42.43*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.3%	0.0%	0.5%	0.0%	0.0%	0.0%	2.7%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.06	241.67	0.00	365.00	0.00	0.00	0.00	180.00	0.00
SD	*75.99*	*110.94*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*42.43*	*0.00*
Other VISN cumulative DOS, mean	*0.15*	*0.05*	*0.07*	*0.05*	*0.05*	*0.00*	*0.06*	*0.05*	*0.01*
SD	*2.03*	*0.54*	*0.57*	*0.69*	*0.58*	*0.00*	*0.59*	*0.37*	*0.08*
Other station cumulative DOS, mean	0.50	0.44	0.28	0.60	0.24	1.13	0.11	1.84	0.23
SD	*3.25*	*2.25*	*1.72*	*2.94*	*1.25*	*2.51*	*0.67*	*4.94*	*1.06*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Bipolar Patients	73964	3446	865	641	653	168	310	246	563
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)									
Pts. with psych hospital stays, %	16.8%	20.4%	21.2%	23.7%	19.3%	5.4%	23.5%	22.4%	18.8%
Inpatient stays, mean	1.08	1.12	1.11	1.19	1.10	0.38	1.13	1.20	1.16
SD	*1.27*	*1.25*	*1.36*	*1.15*	*1.28*	*0.49*	*1.21*	*1.27*	*1.16*
Average LOS, mean	12.15	13.08	10.01	23.62	8.52	5.00	12.15	19.58	6.62
SD	*21.36*	*22.44*	*5.69*	*35.56*	*5.05*	*2.12*	*14.57*	*44.38*	*5.76*
Cumulative Days of Stay, mean	12.44	13.46	10.35	26.16	8.73	1.88	11.41	20.55	7.82
SD	*25.57*	*28.68*	*12.93*	*49.88*	*10.47*	*2.77*	*15.43*	*49.28*	*11.75*
Cumulative Days of Stay, %									
0	34.1%	33.0%	37.3%	27.3%	36.7%	62.5%	29.8%	25.7%	28.4%
1 to 7	24.8%	21.0%	13.4%	13.4%	20.1%	33.3%	23.1%	31.1%	39.9%
8 to 14	16.7%	19.2%	22.9%	17.2%	20.1%	4.2%	15.4%	23.0%	16.9%
15 to 44	19.0%	22.1%	24.0%	29.2%	22.1%	0.0%	28.8%	10.8%	12.8%
45 to 89	3.7%	3.0%	2.4%	6.7%	1.0%	0.0%	2.9%	4.1%	2.0%
90 to 179	1.2%	0.9%	0.0%	3.8%	0.0%	0.0%	0.0%	1.4%	0.0%
180 to 359	0.4%	0.7%	0.0%	1.9%	0.0%	0.0%	0.0%	4.1%	0.0%
360+	0.1%	0.1%	0.0%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.8%	1.0%	0.0%	3.3%	0.0%	0.0%	0.0%	5.4%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	201.69	237.55	0.00	250.14	0.00	0.00	0.00	215.50	0.00
SD	*78.85*	*65.52*	*0.00*	*77.00*	*0.00*	*0.00*	*0.00*	*37.88*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.5%	1.0%	0.0%	3.3%	0.0%	0.0%	0.0%	4.1%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	248.87	245.10	0.00	250.14	0.00	0.00	0.00	233.33	0.00
SD	*70.96*	*63.82*	*0.00*	*77.00*	*0.00*	*0.00*	*0.00*	*15.63*	*0.00*
Other VISN cumulative DOS, mean	0.52	0.34	0.07	0.63	0.13	0.00	0.85	0.35	0.44
SD	4.00	3.46	0.80	4.02	1.33	0.00	8.53	2.12	2.24
Other station cumulative DOS, mean	1.48	1.70	1.57	2.84	0.93	1.88	0.97	1.85	1.80
SD	6.29	5.82	5.61	6.83	3.44	2.77	8.55	5.73	5.04

Table 3H: FY03 Bipolar Patients, Utilization, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Bipolar Patients	73964	3446	865	641	653	168	310	246	563
Other 24 hour institutional care									
Patients with some other 24 hour institutional care, %	8.1%	16.2%	14.1%	25.3%	13.6%	6.0%	4.8%	22.0%	19.0%
Residential Rehabilitation									
Patients with some residential rehab. care, %	2.6%	7.9%	11.3%	3.7%	11.0%	5.4%	4.2%	15.9%	3.0%
Number stays, mean	*1.12*	*1.14*	*1.21*	*1.04*	*1.04*	*1.33*	*1.15*	*1.23*	*1.00*
SD	*0.38*	*0.40*	*0.48*	*0.20*	*0.20*	*0.50*	*0.38*	*0.54*	*0.00*
Average LOS, mean	33.17	35.13	36.41	31.44	27.67	19.89	57.23	41.97	40.00
SD	*32.92*	*20.10*	*12.90*	*14.39*	*14.73*	*8.62*	*43.28*	*29.83*	*8.61*
Cumulative DOS, mean	36.42	39.46	42.98	32.92	29.04	25.78	60.77	49.67	40.00
SD	*35.54*	*23.39*	*18.88*	*16.50*	*16.70*	*12.44*	*42.31*	*33.26*	*8.61*
Cumulative Days of Stay, %									
1 to 7	10.4%	5.5%	1.0%	4.2%	11.1%	11.1%	0.0%	10.3%	0.0%
8 to 14	11.3%	5.9%	4.1%	8.3%	9.7%	0.0%	0.0%	7.7%	0.0%
15 to 44	53.1%	55.1%	54.1%	66.7%	61.1%	77.8%	46.2%	30.8%	70.6%
45 to 89	18.3%	29.8%	39.8%	20.8%	18.1%	11.1%	38.5%	33.3%	29.4%
90 to 179	5.8%	3.7%	1.0%	0.0%	0.0%	0.0%	15.4%	17.9%	0.0%
180 to 359	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.3%	1.1%	0.0%	0.0%	0.0%	0.0%	15.4%	2.6%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	167.40	127.33	0.00	0.00	0.00	0.00	134.00	114.00	0.00
SD	*69.53*	*22.23*	*0.00*	*0.00*	*0.00*	*0.00*	*26.87*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.4%	0.0%	0.0%	0.0%	0.0%	7.7%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	224.60	153.00	0.00	0.00	0.00	0.00	153.00	0.00	0.00
SD	*70.59*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.28	0.32	0.06	3.13	0.00	0.00	0.00	0.15	0.00
SD	*6.79*	*4.02*	*0.61*	*13.34*	*0.00*	*0.00*	*0.00*	*0.96*	*0.00*
Other station cumulative DOS, mean	3.71	4.97	2.44	6.79	1.07	8.22	4.77	1.44	40.00
SD	*10.96*	*12.69*	*7.90*	*15.29*	*6.44*	*13.03*	*9.18*	*8.04*	*8.61*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Bipolar Patients	73964	3446	865	641	653	168	310	246	563
Domiciliary and Vocational									
Patients with some dom/voc care, %	4.2%	6.6%	2.7%	14.5%	1.7%	0.0%	0.0%	1.6%	17.4%
Number stays, mean	1.14	1.06	1.13	1.08	1.00	0.00	0.00	1.00	1.04
SD	*0.38*	*0.24*	*0.34*	*0.27*	*0.00*	*0.00*	*0.00*	*0.00*	*0.20*
Average LOS, mean	80.47	103.85	36.02	74.25	37.09	0.00	0.00	49.25	157.58
SD	*77.50*	*98.02*	*29.79*	*74.31*	*45.17*	*0.00*	*0.00*	*35.85*	*106.85*
Cumulative DOS, mean	88.84	108.70	40.83	79.95	37.09	0.00	0.00	49.25	162.39
SD	*82.55*	*101.52*	*33.70*	*80.21*	*45.17*	*0.00*	*0.00*	*35.85*	*109.96*
Cumulative Days of Stay, %									
1 to 7	6.1%	6.6%	21.7%	6.5%	18.2%	0.0%	0.0%	25.0%	1.0%
8 to 14	5.6%	5.7%	0.0%	5.4%	27.3%	0.0%	0.0%	0.0%	5.1%
15 to 44	28.2%	27.9%	43.5%	39.8%	27.3%	0.0%	0.0%	25.0%	13.3%
45 to 89	21.0%	14.4%	21.7%	17.2%	18.2%	0.0%	0.0%	50.0%	8.2%
90 to 179	26.2%	23.6%	13.0%	17.2%	9.1%	0.0%	0.0%	0.0%	34.7%
180 to 359	10.5%	17.9%	0.0%	14.0%	0.0%	0.0%	0.0%	0.0%	28.6%
360+	2.4%	3.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	9.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	0.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.1%	41.5%	4.3%	29.0%	9.1%	0.0%	0.0%	0.0%	67.3%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	184.30	208.81	112.00	187.89	159.00	0.00	0.00	0.00	219.59
SD	*76.03*	*81.03*	*0.00*	*63.02*	*0.00*	*0.00*	*0.00*	*0.00*	*86.17*
Dom. patients with 150+ day Dom. stay, %	16.5%	27.5%	0.0%	17.2%	9.1%	0.0%	0.0%	0.0%	46.9%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	236.94	249.03	0.00	223.75	159.00	0.00	0.00	0.00	259.78
SD	*71.03*	*69.57*	*0.00*	*55.60*	*0.00*	*0.00*	*0.00*	*0.00*	*71.50*
Other VISN cumulative DOS, mean	1.76	1.08	1.96	0.00	0.55	0.00	0.00	49.25	0.00
SD	*9.43*	*8.21*	*9.38*	*0.00*	*1.81*	*0.00*	*0.00*	*35.85*	*0.00*
Other station cumulative DOS, mean	4.27	7.66	40.83	1.14	37.09	0.00	0.00	49.25	1.07
SD	*15.65*	*22.19*	*33.70*	*9.63*	*45.17*	*0.00*	*0.00*	*35.85*	*6.87*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Bipolar Patients	73964	3446	865	641	653	168	310	246	563
Nursing Home Care									
Patients with some nursing home care, %	2.1%	3.8%	3.0%	8.9%	2.8%	1.2%	0.6%	5.7%	2.1%
Number stays, mean	1.22	1.16	1.19	1.14	1.33	1.00	1.00	1.00	1.17
SD	*0.55*	*0.43*	*0.40*	*0.44*	*0.59*	*0.00*	*0.00*	*0.00*	*0.39*
Average LOS, mean	86.89	136.40	27.73	212.64	52.11	33.50	34.00	226.14	65.71
SD	*110.58*	*146.84*	*14.67*	*152.23*	*88.93*	*14.85*	*1.41*	*151.61*	*88.08*
Cumulative DOS, mean	98.25	149.46	34.27	230.23	64.39	33.50	34.00	226.14	92.08
SD	*116.77*	*152.12*	*30.19*	*154.16*	*93.11*	*14.85*	*1.41*	*151.61*	*129.92*
Cumulative Days of Stay, %									
1 to 7	10.5%	9.2%	7.7%	7.0%	33.3%	0.0%	0.0%	0.0%	0.0%
8 to 14	10.7%	6.9%	3.8%	5.3%	16.7%	0.0%	0.0%	0.0%	16.7%
15 to 44	30.2%	32.8%	76.9%	12.3%	11.1%	100.0%	100.0%	21.4%	58.3%
45 to 89	16.4%	6.1%	7.7%	5.3%	11.1%	0.0%	0.0%	7.1%	0.0%
90 to 179	12.3%	8.4%	3.8%	7.0%	22.2%	0.0%	0.0%	14.3%	0.0%
180 to 359	10.2%	9.2%	0.0%	14.0%	0.0%	0.0%	0.0%	7.1%	25.0%
360+	9.8%	27.5%	0.0%	49.1%	5.6%	0.0%	0.0%	50.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	27.9%	43.5%	3.8%	68.4%	22.2%	0.0%	0.0%	71.4%	25.0%
Cumul. DOS, patients with a 100+ day NH stay, mean	261.88	306.28	172.00	323.21	190.25	0.00	0.00	299.90	307.00
SD	*97.21*	*92.78*	*0.00*	*81.08*	*117.73*	*0.00*	*0.00*	*108.87*	*16.46*
NH patients with 150+ day NH stay, %	22.1%	38.2%	3.8%	63.2%	11.1%	0.0%	0.0%	57.1%	25.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	296.07	333.88	172.00	341.47	262.50	0.00	0.00	347.88	307.00
SD	*76.98*	*59.16*	*0.00*	*51.70*	*143.54*	*0.00*	*0.00*	*45.61*	*16.46*
Other VISN cumulative DOS, mean	0.47	0.25	0.00	0.00	0.00	0.00	16.50	0.00	0.00
SD	*5.60*	*2.88*	*0.00*	*0.00*	*0.00*	*0.00*	*23.33*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.51	1.11	0.15	0.25	0.00	0.00	34.00	2.00	2.58
SD	*9.89*	*5.58*	*0.78*	*1.48*	*0.00*	*0.00*	*1.41*	*7.48*	*8.95*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Bipolar Patients	73964	3446	865	641	653	168	310	246	563
Outpatient utilization									
(reported for those with some outpatient care)									
% of Outpatients who had some Primary Care (PC)	99.6%	98.9%	100.0%	95.6%	99.5%	100.0%	100.0%	98.8%	99.5%
Mean PC visit days, among those with some PC	24.20	35.13	45.83	39.82	30.10	14.32	24.61	32.86	32.36
SD	*30.37*	*46.54*	*57.10*	*49.94*	*41.09*	*12.43*	*28.62*	*46.32*	*40.15*
Outpatient visit days, %									
1-12	43.1%	39.0%	29.6%	35.2%	42.5%	61.9%	41.9%	51.0%	39.6%
13-24	26.8%	22.0%	21.6%	22.3%	22.8%	22.6%	25.2%	15.6%	22.1%
25-36	12.4%	11.6%	12.8%	10.8%	11.7%	8.3%	14.5%	9.1%	11.1%
37-48	6.4%	6.1%	5.8%	5.2%	7.8%	4.8%	6.8%	2.5%	7.0%
49+	11.4%	21.4%	30.2%	26.4%	15.2%	2.4%	11.6%	21.8%	20.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Pts. with some OP primary care , %	80.8%	81.7%	85.8%	86.6%	58.5%	93.5%	88.4%	86.4%	87.5%
OP visit days with primary care clinic stops, mean	3.83	3.89	4.42	4.30	2.64	3.32	4.05	3.30	3.94
SD	3.42	3.29	3.81	3.27	2.03	2.50	3.02	2.50	3.60
Average number clinic stops per visit day, mean	1.50	1.67	1.72	1.83	1.63	1.64	1.60	1.69	1.50
SD	*0.46*	*0.58*	*0.55*	*0.71*	*0.56*	*0.60*	*0.56*	*0.60*	*0.37*
annual clinic stops (psych & non-psych), mean	37.58	62.63	83.92	77.46	52.84	23.53	39.33	61.23	50.11
SD	*53.68*	*97.39*	*109.39*	137.10	*76.07*	*26.63*	*48.85*	*93.03*	*69.16*
annual non-psych. clinic stops, mean	19.81	25.46	28.66	29.54	22.93	13.35	19.94	21.60	27.37
SD	*22.87*	*28.54*	*29.56*	*33.04*	*24.37*	*12.13*	*17.93*	*29.88*	*31.77*
annual psych. clinic stops (groupings below), mean	17.77	37.17	55.26	47.92	29.90	10.18	19.38	39.63	22.74
SD	*40.95*	*81.16*	*94.08*	*117.96*	*60.50*	*20.91*	*42.75*	*70.85*	*48.77*
1. general psych. clinic stops, mean	7.61	12.43	19.04	12.02	12.58	8.68	7.91	7.53	8.27
SD	*12.69*	*23.73*	*34.86*	*23.63*	*20.59*	*15.11*	*13.01*	*8.09*	*12.25*
2. psych. case management clinic stops, mean	0.65	2.90	0.46	11.75	0.01	0.00	2.28	4.70	0.78
SD	*8.45*	*22.17*	*5.09*	*43.76*	*0.08*	*0.00*	*23.59*	*28.38*	*9.48*
3. psych. day treatment clinic stops, mean	1.57	4.70	3.37	16.33	1.56	0.00	0.00	1.77	2.96
SD	*15.80*	*38.49*	*15.99*	*85.22*	*11.83*	*0.00*	*0.00*	*10.82*	*16.88*
4. substance abuse clinic stops, mean	4.64	11.19	30.47	0.69	6.80	1.39	4.45	12.43	4.15
SD	*21.97*	*46.42*	*83.07*	*5.06*	*23.97*	*7.87*	*16.94*	*34.62*	*16.11*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Bipolar Patients	73964	3446	865	641	653	168	310	246	563
5. psych. vocational clinic stops, mean	1.91	4.07	0.35	5.37	7.62	0.00	1.41	7.85	5.30
SD	*15.13*	*24.60*	*4.43*	*25.89*	*34.32*	*0.00*	*11.59*	*28.79*	*32.72*
6. PTSD clinic stops, mean	0.80	0.99	0.79	1.61	0.29	0.05	0.17	4.37	0.69
SD	*5.71*	*7.42*	*4.74*	*7.14*	*2.74*	*0.43*	*2.23*	*20.07*	*7.23*
7. psych. homeless clinic stops, mean	0.54	0.87	0.78	0.23	0.92	0.05	3.04	1.01	0.63
SD	*3.97*	*7.89*	*3.72*	*2.25*	*4.44*	*0.49*	*22.26*	*7.62*	*5.21*
Other VISN OP visit days, mean	0.48	0.46	0.47	0.47	0.38	0.21	0.37	1.41	0.24
SD	2.80	3.11	3.50	2.58	2.71	1.27	1.73	6.73	1.38
Other station OP visit days, mean	1.14	2.10	2.19	2.16	1.74	2.29	0.99	4.10	2.02
SD	4.45	7.46	8.93	6.46	6.68	4.84	3.10	8.91	8.35

Table 4H: FY03 Bipolar Patients, Pharmacy Utilization, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Bipolar Patients	73964	3446	865	641	653	168	310	246	563
Among all patients in the registry									
Pts. with any outpatient prescriptions, %	96.9%	95.7%	97.6%	89.7%	96.3%	97.0%	97.1%	96.3%	97.5%
Patients with any oral antipsychotic fills, %*	46.0%	44.6%	38.2%	35.1%	53.1%	56.0%	45.5%	53.7%	47.6%
Among pts. receiving any antipsychotic medication:									
Received only conventional antipsychotics, %	7.6%	7.2%	6.1%	12.0%	5.5%	3.2%	3.5%	5.3%	10.8%
Received some atypical antipsychotics, %	92.4%	92.8%	93.9%	88.0%	94.5%	96.8%	96.5%	94.7%	89.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %									
Aripiprazole	0.9%	0.9%	2.1%	0.4%	0.3%	0.0%	3.5%	0.0%	0.0%
Clozapine	0.2%	0.1%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
Olanzapine	40.7%	38.5%	36.7%	41.3%	48.1%	20.2%	36.9%	40.9%	32.1%
Quetiapine	34.1%	31.9%	28.5%	20.9%	26.8%	47.9%	51.8%	36.4%	34.0%
Risperidone	31.0%	34.9%	40.0%	37.3%	36.0%	44.7%	24.1%	30.3%	29.5%
Ziprasidone	4.7%	4.4%	4.8%	3.6%	3.7%	2.1%	5.7%	4.5%	5.2%
Patients receiving only one kind** of antipsychotic, %	77.4%	78.1%	79.4%	78.2%	76.7%	75.5%	75.2%	78.0%	81.0%
Concurrent use of 2 or more antipsychotics, % ***	5.5%	6.7%	4.8%	6.2%	6.3%	19.1%	5.0%	6.8%	6.3%
Among pts receiving just one antipsychotic:									
Antipsychotic fills, mean	6.09	6.88	6.56	6.39	6.93	7.06	6.85	6.43	7.76
SD	*4.43*	*4.70*	*4.93*	*4.27*	*4.60*	*4.53*	*5.03*	*4.24*	*4.91*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5H: FY03 Bipolar Patients, Cost, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Bipolar Patients	73964	3446	865	641	653	168	310	246	563
Total Costs (in thousands $$)	$907,650	$60,255	$14,500	$17,952	$9,863	$1,169	$3,682	$4,318	$8,771
Station % of VISN		100.0%	24.1%	29.8%	16.4%	1.9%	6.1%	7.2%	14.6%
Psych vs. Non-Psych Costs									
Psych	33.4%	31.7%	37.5%	30.7%	31.3%	18.3%	39.8%	27.2%	25.3%
Non-Psych	66.6%	68.3%	62.5%	69.3%	68.7%	81.7%	60.2%	72.8%	74.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use									
Per Patient	$15,075	$16,905	$16,386	$22,888	$14,382	$12,010	$14,918	$14,720	$16,151
Per Day of Stay	$882	$922	$1,060	$753	$1,040	$1,836	$1,043	$510	$1,292
Mean Outpatient Costs, Pts with some Outpatient use									
Per Patient	$6,520	$7,627	$9,212	$9,345	$6,902	$4,673	$5,940	$6,403	$6,492
Per Visit Day	$269	$217	$201	$235	$229	$326	$241	$195	$201
By Cost Center									
1 Med	$1,060	$1,480	$1,882	$1,366	$1,650	$728	$1,279	$1,251	$1,232
2 Surg	$459	$474	$703	$274	$316	$742	$270	$400	$599
3 Psych	$2,315	$3,196	$2,946	$5,823	$2,418	$245	$3,456	$2,778	$2,415
4 Psych Res Rehab Treatment Program	$298	$1,175	$1,464	$420	$2,600	$306	$395	$1,297	$574
5 Non-VA	$176	$56	$6	$44	$29	$83	$70	$238	$82
6 LTC Domiciliary	$455	$863	$204	$1,468	$117	$0	$0	$65	$3,136
7 LTC Intermediate Care	$96	$74	$0	$2	$10	$0	$5	$0	$439
8 LTC Nursing Home	$778	$2,271	$4	$8,719	$792	$180	$145	$5,200	$640
9 Contract Nursing Home	$142	$350	$342	$954	$301	$0	$318	$0	$5
10 OPC Med/Surg	$1,111	$1,323	$1,835	$1,632	$1,201	$578	$802	$640	$1,131
11 OPC Psych	$1,781	$2,349	$3,333	$2,788	$2,307	$1,025	$1,266	$1,998	$1,528
12 OPC Home Based Treatment	$532	$778	$647	$1,715	$262	$509	$646	$892	$616
13 OPC Support	$1,309	$1,415	$1,777	$1,268	$1,434	$775	$1,001	$1,221	$1,507
14 OPC Fee	$115	$86	$135	$44	$72	$33	$155	$56	$63
15 OPC Pharmacy	$1,645	$1,595	$1,485	$1,489	$1,595	$1,753	$2,070	$1,518	$1,612
TOTAL	$12,272	$17,485	$16,763	$28,006	$15,103	$6,958	$11,878	$17,553	$15,579
Mean % Patient Costs at Other Stations	4.8%	5.6%	5.2%	6.1%	4.3%	10.0%	4.2%	11.1%	4.3%
SD	*13.9%*	*14.2%*	*13.2%*	*14.9%*	*12.8%*	*17.0%*	*12.4%*	*18.4%*	*13.5%*
Mean % Patient Costs at Other VISNs	2.0%	1.4%	1.3%	1.5%	0.9%	1.2%	1.8%	2.3%	1.4%
SD	*9.0%*	*7.5%*	*6.7%*	*7.8%*	*6.4%*	*7.4%*	*9.2%*	*8.4%*	*7.8%*

Table 2I: FY03 Other Psychosis Patients, Demographics, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Other Psychosis Patients	49401	1934	347	104	383	95	386	99	520
Age, %									
<35	2.2%	1.7%	2.0%	2.9%	0.0%	2.1%	1.3%	4.0%	2.3%
>=35 and <50	12.5%	12.9%	18.2%	22.1%	8.6%	13.7%	8.8%	18.2%	12.7%
>=50 and <65	22.1%	22.4%	32.6%	24.0%	19.3%	15.8%	16.3%	32.3%	21.5%
>=65 and <80	36.7%	38.1%	32.0%	27.9%	46.0%	41.1%	44.0%	27.3%	35.4%
>=80	26.5%	24.9%	15.3%	23.1%	26.1%	27.4%	29.5%	18.2%	28.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	68.22	68.25	63.61	64.91	71.07	69.43	71.19	63.02	68.53
SD	*15.13*	*14.79*	*14.91*	*16.73*	*12.50*	*15.22*	*13.30*	*15.99*	*15.48*
Gender									
Male, %	96.0%	95.7%	97.1%	89.4%	97.4%	96.8%	96.6%	93.9%	94.0%
Female, %	4.0%	4.3%	2.9%	10.6%	2.6%	3.2%	3.4%	6.1%	6.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %									
Hispanic white	3.9%	1.1%	1.2%	1.9%	0.8%	0.0%	0.5%	2.0%	1.7%
Hispanic black	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
American Indian	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%
Black	15.5%	19.1%	57.6%	26.0%	12.0%	2.1%	3.1%	3.0%	15.4%
Asian	0.4%	0.2%	0.0%	0.0%	0.3%	0.0%	0.3%	0.0%	0.2%
White	48.2%	49.7%	19.0%	54.8%	52.0%	74.7%	58.8%	54.5%	55.2%
Race unknown	31.5%	29.8%	22.2%	17.3%	35.0%	23.2%	37.0%	40.4%	27.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status									
Never married	13.4%	16.6%	26.7%	21.2%	11.3%	15.8%	12.4%	22.2%	15.0%
Married	52.0%	48.8%	33.0%	42.3%	57.2%	48.4%	59.8%	43.4%	47.1%
Divorced/Separated	22.5%	23.3%	30.4%	24.0%	21.0%	23.2%	17.4%	24.2%	24.2%
Widowed	12.0%	11.4%	9.9%	12.5%	10.5%	12.6%	10.4%	10.1%	13.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Other Psychosis Patients	49401	1934	347	104	383	95	386	99	520
Registry Pts. History of VA Utilization									
Years since first use in prior five years, mean	4.0	4.08	4.38	4.06	3.87	4.18	4.06	3.90	4.07
SD	*1.4*	*1.38*	*1.24*	*1.40*	*1.48*	*1.31*	*1.32*	*1.54*	*1.38*
Yrs with 24-hour institutional use / yrs since 1st use, %	24.1%	27.9%	34.0%	37.0%	27.4%	23.1%	23.0%	24.6%	27.3%
SD	*27.8%*	*30.5%*	*33.0%*	*35.6%*	*28.5%*	*28.2%*	*27.7%*	*26.8%*	*30.8%*
Years with OP use / Years since first use, %	96.9%	97.8%	96.7%	96.6%	98.0%	97.4%	98.9%	96.4%	98.1%
SD	*10.4%*	*8.8%*	*9.7%*	*13.3%*	*7.9%*	*9.9%*	*6.4%*	*11.4%*	*8.1%*
Psychosis Diagnoses in Prior Fiscal Year									
Had Psychosis Diagnosis in FY01, %	33.8%	34.3%	37.2%	35.6%	34.2%	25.3%	36.5%	42.4%	30.8%
Among Patients With Psychoses in FY01									
Psychosis Category: Schizophrenia, %	9.4%	8.1%	17.8%	8.1%	10.7%	4.2%	2.8%	7.1%	3.8%
Psychosis Category: Bipolar Disorder, %	3.8%	5.3%	7.0%	13.5%	3.1%	4.2%	2.1%	4.8%	6.9%
Psychosis Category: Other Psychosis, %	86.9%	86.6%	75.2%	78.4%	86.3%	91.7%	95.0%	88.1%	89.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
GAF scores									
Lowest inpatient GAF score, mean	37.71	38.90	31.36	37.04	35.78	48.20	38.16	41.50	47.41
SD	*14.78*	*10.93*	*10.32*	*9.80*	*7.71*	*4.02*	*8.37*	*8.67*	*10.77*
Mean outpatient GAF score	48.43	47.95	40.05	47.16	50.34	53.76	48.61	49.90	52.15
SD	*11.56*	*11.54*	*10.34*	*12.80*	*11.91*	*7.97*	*9.04*	*8.13*	*10.59*
At least 1 IP GAF, among pts with MH bedsections, %	36.3%	57.1%	39.1%	85.7%	66.7%	25.0%	81.8%	84.6%	44.9%
At least 1 OP GAF, among pts with MH clinic stops, %	74.8%	68.2%	76.4%	92.5%	54.2%	81.0%	32.2%	95.7%	80.7%
Mortality rates									
died in FY02, %	6.2%	5.3%	2.6%	2.9%	7.8%	7.4%	4.1%	5.1%	6.2%
Age-and-gender-adjusted Standardized Mortality Ratio	1.21	1.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Other Psychosis Patients	49401	1934	347	104	383	95	386	99	520
Service Connection (SC)									
Non-SC	63.3%	71.1%	70.3%	78.8%	79.4%	72.6%	68.7%	66.7%	66.5%
SC 0 - 29%	10.4%	8.7%	8.6%	9.6%	5.7%	6.3%	10.9%	10.1%	9.4%
SC 30 - 69%	10.8%	8.4%	7.8%	3.8%	7.0%	10.5%	9.1%	5.1%	10.6%
SC 70 - 99%	6.4%	5.1%	5.2%	1.0%	3.7%	5.3%	5.2%	9.1%	6.2%
SC 100%	9.1%	6.6%	8.1%	6.7%	4.2%	5.3%	6.2%	9.1%	7.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %									
Complex*	15.0%	15.9%	19.9%	44.2%	19.3%	15.8%	5.2%	14.1%	13.5%
Basic vested, Cat A*	74.8%	70.4%	72.6%	43.3%	63.2%	73.7%	79.8%	72.7%	71.7%
Basic Non-vested, Cat A*	0.8%	0.5%	0.6%	0.0%	1.0%	0.0%	0.3%	1.0%	0.4%
Basic, Cats C and N	9.4%	13.1%	6.9%	12.5%	16.4%	10.5%	14.8%	12.1%	14.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded									
Patient eligibility category, %									
Cat A (SC or low income)	90.1%	86.5%	92.8%	86.5%	82.5%	89.5%	85.2%	87.9%	85.4%
Cat C (NSC and higher income)	9.4%	13.2%	6.9%	13.5%	17.5%	10.5%	14.5%	10.1%	14.2%
Non-Veteran	0.6%	0.3%	0.3%	0.0%	0.0%	0.0%	0.3%	2.0%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %									
BASIC 1. Non-reliant Care	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
2. Basic Medical	12.0%	25.3%	13.0%	11.5%	28.5%	36.8%	30.1%	21.2%	29.2%
3. Mental Health	36.4%	24.5%	27.7%	24.0%	20.4%	18.9%	23.6%	44.4%	23.5%
4. Heart / Lung / GI	6.3%	10.8%	11.2%	7.7%	8.1%	11.6%	13.0%	7.1%	11.9%
5. Oncology / Infectious Disease	3.6%	3.2%	4.6%	2.9%	2.6%	5.3%	3.1%	3.0%	2.5%
6. Multiple Medical	20.2%	20.3%	23.6%	9.6%	21.1%	11.6%	25.1%	10.1%	19.4%
COMPLEX 7. Specialized Care	3.4%	4.2%	6.9%	13.5%	4.7%	1.1%	1.0%	2.0%	3.5%
8. Support Care	2.6%	5.1%	5.5%	5.8%	8.1%	4.2%	2.6%	2.0%	5.2%
9. Chronic Mental	13.1%	3.8%	5.5%	18.3%	3.1%	0.0%	0.8%	4.0%	3.1%
10. Critically Ill	2.2%	2.8%	2.0%	6.7%	3.4%	10.5%	0.8%	6.1%	1.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Other Psychosis Patients	49401	1934	347	104	383	95	386	99	520
Substance Dependence and Abuse									
Any dx of alcohol / drug dependence or abuse, %	15.7%	19.1%	34.0%	24.0%	11.0%	15.8%	13.7%	22.2%	18.1%
Homelessness									
Homelessness indicated in FY02, %	7.1%	6.4%	11.0%	17.3%	4.4%	1.1%	3.1%	7.1%	5.8%
Residence in Metropolitan Area									
Residing in a Metropolitan Statistical Area, %	76.7%	78.2%	96.3%	99.0%	93.2%	2.1%	62.9%	31.3%	85.2%
Distance									
Mile from Closest VA Medical Center, mean	35.80	26.72	13.30	12.50	18.05	55.18	39.69	39.68	27.63
SD	*82.41*	*26.46*	*12.98*	*8.86*	*17.59*	*33.68*	*22.78*	*26.55*	*31.71*
Distance from closest VA Medical Center, %									
0 to 15 miles	45.8%	48.9%	70.6%	69.2%	56.4%	13.7%	21.6%	21.2%	56.9%
15 to 30 miles	16.6%	17.2%	19.9%	28.8%	30.5%	7.4%	6.8%	16.2%	12.9%
30 to 45 miles	10.9%	11.0%	6.3%	1.0%	5.2%	14.7%	28.6%	27.3%	3.5%
45 to 60 miles	8.8%	10.6%	2.0%	0.0%	2.3%	29.5%	32.2%	9.1%	5.4%
60 plus miles	17.9%	12.3%	1.2%	1.0%	5.5%	34.7%	10.9%	26.3%	21.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.89	9.49	5.57	6.54	6.55	19.99	13.00	14.92	9.29
SD	*14.24*	*9.96*	*5.98*	*4.50*	*5.36*	*17.45*	*11.80*	*11.94*	*9.05*
Distance to closest VA Service Site, %									
0 to 15 miles	73.5%	80.8%	95.1%	98.1%	94.0%	45.3%	65.5%	50.5%	81.7%
15 to 30 miles	16.6%	13.3%	4.0%	1.9%	5.5%	30.5%	21.3%	38.4%	13.7%
30 to 45 miles	7.0%	5.0%	0.6%	0.0%	0.5%	10.5%	13.0%	11.1%	4.2%
45 plus miles	3.0%	0.9%	0.3%	0.0%	0.0%	13.7%	0.3%	0.0%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Other Psychosis Patients	49401	1934	347	104	383	95	386	99	520
Hospital Based Utilization									
Patients with some Hospital Based Utilization, %	30.2%	32.7%	41.5%	39.4%	30.8%	32.6%	28.5%	36.4%	29.4%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)									
Inpatient stays, mean	1.82	1.91	1.90	2.00	1.92	1.52	1.91	1.97	1.93
SD	*1.40*	*1.42*	*1.50*	*1.16*	*1.41*	*0.68*	*1.48*	*1.50*	*1.46*
Average LOS, mean	9.37	8.56	8.70	19.47	8.15	5.49	7.21	6.54	7.89
SD	*15.01*	*11.24*	*7.66*	*32.40*	*7.30*	*2.65*	*5.87*	*5.82*	*9.04*
Cumulative DOS, mean	16.06	16.01	15.76	32.93	15.64	8.48	13.85	11.72	16.07
SD	*22.72*	*21.51*	*15.48*	*46.22*	*15.83*	*6.26*	*15.80*	*10.72*	*25.19*
Cumulative DOS, %									
1 to 7	42.1%	42.7%	37.5%	31.7%	39.0%	51.6%	46.4%	47.2%	47.7%
8 to 14	23.4%	22.1%	22.9%	12.2%	21.2%	38.7%	23.6%	19.4%	20.9%
15 to 44	27.8%	29.2%	34.7%	36.6%	35.6%	9.7%	25.5%	30.6%	23.5%
45 to 89	5.2%	4.4%	4.9%	7.3%	3.4%	0.0%	3.6%	2.8%	5.9%
90 to 179	1.2%	1.3%	0.0%	9.8%	0.8%	0.0%	0.9%	0.0%	1.3%
180 to 359	0.2%	0.3%	0.0%	2.4%	0.0%	0.0%	0.0%	0.0%	0.7%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	0.7%	0.9%	0.0%	9.8%	0.0%	0.0%	0.0%	0.0%	1.3%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	185.56	161.83	0.00	152.75	0.00	0.00	0.00	0.00	180.00
SD	*75.86*	*39.84*	*0.00*	*47.95*	*0.00*	*0.00*	*0.00*	*0.00*	*7.07*
Hospital patients who had a 150+ day hosp. stay, %	0.3%	0.3%	0.0%	2.4%	0.0%	0.0%	0.0%	0.0%	0.7%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	241.58	198.00	0.00	221.00	0.00	0.00	0.00	0.00	175.00
SD	*74.51*	*32.53*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.37	0.12	0.03	0.80	0.32	0.00	0.00	0.08	0.01
SD	*3.13*	*1.09*	*0.23*	*2.89*	*1.79*	*0.00*	*0.00*	*0.50*	*0.08*
Cumulative DOS at Other Stations	1.24	1.36	1.29	4.93	1.60	2.29	0.69	2.00	0.42
SD	*5.73*	*5.09*	*6.65*	*7.52*	*6.05*	*3.79*	*3.06*	*4.52*	*1.99*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Other Psychosis Patients	49401	1934	347	104	383	95	386	99	520
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)									
Pts. with non-psych hospital stays, %	21.7%	24.0%	26.2%	16.3%	24.8%	30.5%	23.6%	26.3%	22.1%
Inpatient stays, mean	1.27	1.38	1.13	0.68	1.58	1.35	1.64	1.53	1.43
SD	*1.36*	*1.50*	*1.51*	*1.17*	*1.54*	*0.75*	*1.61*	*1.68*	*1.45*
Average LOS, mean	7.86	7.33	7.04	4.05	7.64	5.40	6.81	4.68	9.28
SD	*11.97*	*8.14*	*7.60*	*1.76*	*7.84*	*2.78*	*5.73*	*2.93*	*11.60*
Cumulative Days of Stay, mean	9.61	10.04	7.63	3.02	12.11	7.65	11.25	7.28	12.84
SD	*16.99*	*15.81*	*12.70*	*5.93*	*15.52*	*6.66*	*15.44*	*9.97*	*21.35*
Cumulative Days of Stay, %									
0	28.2%	26.7%	36.8%	58.5%	19.5%	6.5%	17.3%	27.8%	24.8%
1 to 7	35.5%	35.9%	36.1%	31.7%	34.7%	48.4%	39.1%	41.7%	31.4%
8 to 14	15.8%	14.8%	8.3%	2.4%	16.1%	35.5%	18.2%	13.9%	17.0%
15 to 44	17.1%	19.0%	17.4%	7.3%	25.4%	9.7%	21.8%	13.9%	19.6%
45 to 89	2.8%	3.0%	1.4%	0.0%	3.4%	0.0%	2.7%	2.8%	5.9%
90 to 179	0.5%	0.6%	0.0%	0.0%	0.8%	0.0%	0.9%	0.0%	1.3%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.7%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	178.07	169.00	0.00	0.00	0.00	0.00	0.00	0.00	169.00
SD	*75.21*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.7%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	240.47	169.00	0.00	0.00	0.00	0.00	0.00	0.00	169.00
SD	*75.05*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.18*	*0.07*	*0.01*	*0.22*	*0.25*	*0.00*	*0.00*	*0.08*	*0.00*
SD	*1.94*	*0.77*	*0.17*	*0.99*	*1.64*	*0.00*	*0.00*	*0.50*	*0.00*
Other station cumulative DOS, mean	0.60	0.68	0.65	0.78	1.03	1.45	0.43	1.33	0.27
SD	*3.61*	*4.02*	*5.96*	*2.03*	*5.16*	*3.02*	*2.64*	*3.15*	*1.56*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Other Psychosis Patients	49401	1934	347	104	383	95	386	99	520
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)									
Pts. with psych hospital stays, %	10.8%	11.0%	19.9%	26.9%	7.0%	4.2%	5.7%	13.1%	9.4%
Inpatient stays, mean	0.55	0.53	0.77	1.32	0.34	0.16	0.27	0.44	0.50
SD	*1.03*	*0.96*	*1.11*	*1.19*	*0.76*	*0.45*	*0.62*	*0.65*	*1.04*
Average LOS, mean	12.47	11.34	10.48	26.93	10.75	4.88	8.36	9.77	6.25
SD	*19.53*	*16.35*	*7.28*	*37.10*	*6.31*	*2.72*	*6.27*	*8.07*	*9.58*
Cumulative Days of Stay, mean	6.45	5.97	8.13	29.90	3.53	0.84	2.59	4.44	3.23
SD	*17.76*	*17.08*	*13.50*	*47.61*	*8.22*	*2.72*	*8.12*	*8.51*	*11.94*
Cumulative Days of Stay, %									
0	64.2%	66.5%	52.1%	31.7%	77.1%	87.1%	80.0%	63.9%	68.0%
1 to 7	12.7%	13.3%	12.5%	9.8%	5.9%	9.7%	10.0%	16.7%	22.9%
8 to 14	9.6%	8.4%	16.7%	12.2%	5.1%	3.2%	5.5%	5.6%	5.9%
15 to 44	10.7%	9.5%	16.0%	26.8%	11.9%	0.0%	3.6%	13.9%	2.0%
45 to 89	2.1%	1.4%	2.8%	7.3%	0.0%	0.0%	0.9%	0.0%	0.7%
90 to 179	0.5%	0.8%	0.0%	9.8%	0.0%	0.0%	0.0%	0.0%	0.7%
180 to 359	0.1%	0.2%	0.0%	2.4%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.4%	0.8%	0.0%	9.8%	0.0%	0.0%	0.0%	0.0%	0.7%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	182.44	148.00	0.00	152.75	0.00	0.00	0.00	0.00	129.00
SD	*78.98*	*42.86*	*0.00*	*47.95*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.2%	0.2%	0.0%	2.4%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.42	221.00	0.00	221.00	0.00	0.00	0.00	0.00	0.00
SD	*77.61*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.19	0.06	0.01	0.59	0.08	0.00	0.00	0.00	0.01
SD	2.40	0.75	0.17	2.63	0.74	0.00	0.00	0.00	0.08
Other station cumulative DOS, mean	0.64	0.68	0.65	4.15	0.57	0.84	0.26	0.67	0.15
SD	4.34	3.20	3.09	7.15	3.35	2.72	1.61	3.51	1.27

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Other Psychosis Patients	49401	1934	347	104	383	95	386	99	520
Other 24 hour institutional care									
Patients with some other 24 hour institutional care, %	10.1%	12.4%	9.8%	26.9%	16.4%	18.9%	2.8%	20.2%	12.5%
Residential Rehabilitation									
Patients with some residential rehab. care, %	1.0%	2.3%	4.6%	3.8%	3.1%	2.1%	0.5%	8.1%	0.0%
Number stays, mean	*1.13*	*1.20*	*1.25*	*1.00*	*1.08*	*1.00*	*1.50*	*1.38*	*0.00*
SD	*0.45*	*0.55*	*0.68*	*0.00*	*0.29*	*0.00*	*0.71*	*0.74*	*0.00*
Average LOS, mean	30.41	32.28	30.13	25.25	28.00	21.00	97.00	33.17	0.00
SD	*33.22*	*20.20*	*11.93*	*11.62*	*16.60*	*0.00*	*18.38*	*18.93*	*0.00*
Cumulative DOS, mean	33.30	38.41	36.13	25.25	29.50	21.00	139.00	42.13	0.00
SD	*35.32*	*29.45*	*19.89*	*11.62*	*16.42*	*0.00*	*41.01*	*22.75*	*0.00*
Cumulative Days of Stay, %									
1 to 7	15.1%	9.1%	6.3%	0.0%	25.0%	0.0%	0.0%	0.0%	0.0%
8 to 14	12.1%	6.8%	6.3%	25.0%	0.0%	0.0%	0.0%	12.5%	0.0%
15 to 44	54.3%	61.4%	68.8%	75.0%	66.7%	100.0%	0.0%	37.5%	0.0%
45 to 89	11.7%	15.9%	12.5%	0.0%	8.3%	0.0%	0.0%	50.0%	0.0%
90 to 179	5.7%	6.8%	6.3%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
180 to 359	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%
Res Rehab pts with 100+ day Res Rehab stay, %	2.6%	4.5%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	181.33	139.00	0.00	0.00	0.00	0.00	139.00	0.00	0.00
SD	*69.09*	*41.01*	*0.00*	*0.00*	*0.00*	*0.00*	*41.01*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	235.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*52.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*7.57*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	4.16	3.55	5.50	17.00	0.00	0.00	0.00	0.00	0.00
SD	*12.59*	*11.51*	*16.12*	*15.38*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Other Psychosis Patients	49401	1934	347	104	383	95	386	99	520
Domiciliary and Vocational									
Patients with some dom/voc care, %	1.7%	2.6%	1.2%	14.4%	0.5%	0.0%	0.3%	0.0%	5.4%
Number stays, mean	1.13	1.04	1.00	1.07	1.00	0.00	1.00	0.00	1.04
SD	*0.36*	*0.20*	*0.00*	*0.26*	*0.00*	*0.00*	*0.00*	*0.00*	*0.19*
Average LOS, mean	79.24	97.43	55.25	67.40	23.50	0.00	35.00	0.00	127.05
SD	*81.39*	*102.31*	*40.60*	*57.00*	*23.33*	*0.00*	*0.00*	*0.00*	*122.00*
Cumulative DOS, mean	86.42	102.42	55.25	72.20	23.50	0.00	35.00	0.00	133.39
SD	*85.00*	*108.15*	*40.60*	*60.35*	*23.33*	*0.00*	*0.00*	*0.00*	*129.12*
Cumulative Days of Stay, %									
1 to 7	7.5%	10.0%	0.0%	0.0%	50.0%	0.0%	0.0%	0.0%	14.3%
8 to 14	6.2%	6.0%	0.0%	13.3%	0.0%	0.0%	0.0%	0.0%	3.6%
15 to 44	29.8%	22.0%	50.0%	26.7%	50.0%	0.0%	100.0%	0.0%	10.7%
45 to 89	19.6%	28.0%	25.0%	33.3%	0.0%	0.0%	0.0%	0.0%	28.6%
90 to 179	23.7%	14.0%	25.0%	13.3%	0.0%	0.0%	0.0%	0.0%	14.3%
180 to 359	10.4%	12.0%	0.0%	13.3%	0.0%	0.0%	0.0%	0.0%	14.3%
360+	2.9%	8.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	14.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	34.0%	25.0%	26.7%	0.0%	0.0%	0.0%	0.0%	42.9%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	193.84	225.18	112.00	156.50	0.00	0.00	0.00	0.00	257.50
SD	*79.91*	*101.04*	*0.00*	*42.34*	*0.00*	*0.00*	*0.00*	*0.00*	*101.69*
Dom. patients with 150+ day Dom. stay, %	16.8%	24.0%	0.0%	13.3%	0.0%	0.0%	0.0%	0.0%	35.7%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	240.95	269.58	0.00	189.50	0.00	0.00	0.00	0.00	285.60
SD	*71.71*	*86.07*	*0.00*	*13.44*	*0.00*	*0.00*	*0.00*	*0.00*	*85.59*
Other VISN cumulative DOS, mean	1.61	2.18	0.00	7.00	0.00	0.00	0.00	0.00	0.14
SD	*8.79*	*14.84*	*0.00*	*27.11*	*0.00*	*0.00*	*0.00*	*0.00*	*0.59*
Other station cumulative DOS, mean	3.31	8.24	55.25	7.00	23.50	0.00	35.00	0.00	0.14
SD	*11.83*	*23.76*	*40.60*	*27.11*	*23.33*	*0.00*	*0.00*	*0.00*	*0.59*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Other Psychosis Patients	49401	1934	347	104	383	95	386	99	520
Nursing Home Care									
Patients with some nursing home care, %	7.7%	8.2%	5.2%	14.4%	13.6%	16.8%	2.1%	12.1%	7.3%
Number stays, mean	1.29	1.25	1.06	1.13	1.44	1.25	1.25	1.08	1.18
SD	*0.65*	*0.55*	*0.24*	*0.52*	*0.67*	*0.58*	*0.46*	*0.29*	*0.51*
Average LOS, mean	54.03	47.15	40.53	65.69	37.95	34.78	17.31	80.96	56.37
SD	*70.27*	*61.88*	*62.71*	*69.83*	*49.42*	*24.97*	*11.22*	*71.52*	*80.88*
Cumulative DOS, mean	64.81	55.05	41.39	68.13	53.44	46.00	22.38	87.08	59.13
SD	*79.26*	*69.07*	*62.45*	*68.68*	*71.31*	*47.01*	*17.70*	*73.93*	*80.17*
Cumulative Days of Stay, %									
1 to 7	10.9%	13.8%	11.1%	6.7%	19.2%	6.3%	25.0%	16.7%	10.5%
8 to 14	15.2%	11.9%	0.0%	6.7%	13.5%	12.5%	0.0%	16.7%	18.4%
15 to 44	34.5%	41.5%	83.3%	33.3%	38.5%	43.8%	62.5%	8.3%	34.2%
45 to 89	16.5%	12.6%	0.0%	20.0%	11.5%	25.0%	12.5%	8.3%	13.2%
90 to 179	13.0%	13.2%	0.0%	26.7%	9.6%	6.3%	0.0%	33.3%	18.4%
180 to 359	8.1%	5.7%	5.6%	6.7%	5.8%	6.3%	0.0%	16.7%	2.6%
360+	1.8%	1.3%	0.0%	0.0%	1.9%	0.0%	0.0%	0.0%	2.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	17.8%	16.4%	5.6%	26.7%	15.4%	6.3%	0.0%	41.7%	18.4%
Cumul. DOS, patients with a 100+ day NH stay, mean	207.27	179.65	289.00	151.75	195.00	100.00	0.00	152.20	193.43
SD	*81.27*	*79.49*	*0.00*	*79.18*	*77.05*	*0.00*	*0.00*	*42.95*	*101.51*
NH patients with 150+ day NH stay, %	11.0%	7.5%	5.6%	6.7%	9.6%	0.0%	0.0%	25.0%	5.3%
Cumul. DOS, patients with a 150+ day NH stay, mean	250.81	245.75	289.00	270.00	232.00	0.00	0.00	183.33	340.00
SD	*70.60*	*71.99*	*0.00*	*0.00*	*75.64*	*0.00*	*0.00*	*7.23*	*33.94*
Other VISN cumulative DOS, mean	0.34	0.05	0.00	0.53	0.00	0.00	0.00	0.00	0.00
SD	*5.11*	*0.63*	*0.00*	*2.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.02	3.05	4.17	0.53	1.33	1.31	17.63	0.00	4.50
SD	*7.62*	*14.07*	*10.62*	*2.07*	*7.37*	*5.25*	*20.56*	*0.00*	*23.78*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Other Psychosis Patients	49401	1934	347	104	383	95	386	99	520
Outpatient utilization									
(reported for those with some outpatient care)									
Patients with some outpatient care, %	99.7%	99.9%	100.0%	99.0%	100.0%	100.0%	100.0%	100.0%	99.8%
annual visit days, mean	19.52	24.57	35.98	26.66	22.37	14.98	18.90	22.99	24.43
SD	*24.21*	*34.61*	*53.26*	*32.37*	*27.53*	*12.55*	*17.69*	*44.34*	*32.24*
Outpatient visit days, %									
1-12	49.1%	43.8%	41.2%	43.7%	40.5%	51.6%	46.4%	61.6%	41.2%
13-24	27.0%	27.0%	20.5%	18.4%	31.1%	31.6%	29.8%	20.2%	28.5%
25-36	11.5%	12.3%	12.7%	14.6%	13.3%	12.6%	12.7%	3.0%	12.3%
37-48	5.4%	6.4%	5.5%	9.7%	7.0%	1.1%	6.7%	5.1%	6.7%
49+	7.0%	10.5%	20.2%	13.6%	8.1%	3.2%	4.4%	10.1%	11.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	86.5%	88.6%	86.7%	85.4%	77.0%	96.8%	96.1%	91.9%	91.3%
Mean PC visit days, among those with some PC	4.04	4.20	4.53	3.65	3.08	4.34	5.01	3.12	4.32
SD	3.94	3.32	3.53	2.62	1.82	3.12	3.55	1.99	3.79
Average number clinic stops per visit day, mean	1.55	1.64	1.70	1.91	1.65	1.52	1.66	1.68	1.52
SD	*0.52*	*0.53*	*0.58*	*0.64*	*0.51*	*0.48*	*0.52*	*0.56*	*0.44*
annual clinic stops (psych & non-psych), mean	30.45	40.96	61.52	48.16	37.68	23.63	32.74	43.45	37.02
SD	*40.44*	*60.13*	*90.77*	66.12	*47.20*	*25.47*	*34.62*	*88.12*	*50.71*
annual non-psych. clinic stops, mean	22.67	27.57	30.33	29.03	29.17	19.75	27.71	15.27	27.93
SD	*25.36*	*29.04*	*34.88*	*27.82*	*27.54*	*19.25*	*26.36*	*18.18*	*30.43*
annual psych. clinic stops (groupings below), mean	7.77	13.39	31.19	19.13	8.50	3.88	5.03	28.18	9.10
SD	*27.43*	*47.12*	*74.85*	*47.08*	*32.22*	*12.15*	*21.94*	*81.64*	*36.36*
1. general psych. clinic stops, mean	3.20	3.79	6.16	6.48	3.56	3.51	2.40	4.16	2.86
SD	*7.61*	*9.62*	*13.65*	*10.60*	*12.00*	*10.44*	*4.92*	*6.21*	*6.28*
2. psych. case management clinic stops, mean	0.14	0.17	0.01	1.59	0.00	0.00	0.00	1.47	0.04
SD	*3.20*	*4.48*	*0.18*	*12.87*	*0.00*	*0.00*	*0.00*	*14.67*	*0.83*
3. psych. day treatment clinic stops, mean	0.60	1.08	1.50	2.49	0.21	0.00	0.00	7.09	1.02
SD	*8.52*	*11.61*	*12.19*	*14.62*	*3.89*	*0.00*	*0.05*	*36.62*	*9.34*
4. substance abuse clinic stops, mean	2.24	5.10	21.48	2.36	1.78	0.26	1.00	4.53	1.17
SD	*17.04*	*30.73*	*66.98*	*11.50*	*11.84*	*1.74*	*7.82*	*19.60*	*7.33*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 12, continued

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Other Psychosis Patients	49401	1934	347	104	383	95	386	99	520
5. psych. vocational clinic stops, mean	0.74	2.08	0.01	5.55	2.13	0.00	0.51	8.09	3.15
SD	*9.63*	*19.31*	*0.08*	*21.54*	*16.78*	*0.00*	*6.86*	*40.29*	*27.07*
6. PTSD clinic stops, mean	0.56	0.48	1.30	0.32	0.09	0.09	0.07	2.34	0.29
SD	*5.11*	*4.42*	*6.57*	*1.41*	*1.26*	*0.83*	*0.98*	*12.49*	*3.27*
7. psych. homeless clinic stops, mean	0.27	0.64	0.71	0.27	0.64	0.02	0.98	0.42	0.58
SD	*2.81*	*7.92*	*7.42*	*1.52*	*6.98*	*0.21*	*13.13*	*2.58*	*5.57*
Other VISN OP visit days, mean	0.31	0.21	0.12	1.05	0.24	0.33	0.17	0.22	0.08
SD	2.01	1.98	0.94	7.23	1.50	1.56	1.09	1.09	0.58
Other station OP visit days, mean	0.72	1.16	1.51	4.50	0.94	3.43	0.53	1.99	0.33
SD	3.19	4.43	4.58	12.42	3.60	4.42	2.24	4.59	1.86

Table 4I FY03 Other Psychosis Patients, Pharmacy Utilization, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Other Psychosis Patients	49401	1934	347	104	383	95	386	99	520
Among all patients in the registry									
Pts. with any outpatient prescriptions, %	94.7%	96.2%	95.7%	96.2%	94.8%	97.9%	96.1%	98.0%	96.9%
Patients with any oral antipsychotic fills, %*	41.4%	36.0%	43.8%	40.4%	32.9%	47.4%	24.9%	50.5%	35.8%
Among pts. receiving any antipsychotic medication:									
Received only conventional antipsychotics, %	9.2%	9.3%	5.9%	11.9%	7.9%	11.1%	10.4%	12.0%	10.8%
Received some atypical antipsychotics, %	90.8%	90.7%	94.1%	88.1%	92.1%	88.9%	89.6%	88.0%	89.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %									
Aripiprazole	0.7%	0.7%	1.3%	2.4%	0.0%	0.0%	2.1%	0.0%	0.0%
Clozapine	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Olanzapine	27.8%	25.1%	21.7%	28.6%	27.0%	33.3%	19.8%	14.0%	29.6%
Quetiapine	29.2%	27.5%	28.9%	21.4%	25.4%	33.3%	37.5%	30.0%	22.0%
Risperidone	46.2%	49.4%	57.2%	38.1%	54.8%	35.6%	42.7%	62.0%	45.2%
Ziprasidone	3.6%	3.4%	3.3%	4.8%	1.6%	2.2%	1.0%	4.0%	5.9%
Patients receiving only one kind** of antipsychotic, %	78.8%	81.1%	82.2%	85.7%	82.5%	77.8%	81.3%	80.0%	79.0%
Concurrent use of 2 or more antipsychotics, % ***	5.1%	4.3%	2.6%	4.8%	3.2%	8.9%	5.2%	2.0%	5.4%
Among pts receiving just one antipsychotic:									
Antipsychotic fills, mean	5.21	6.06	6.60	5.86	5.08	6.91	6.72	5.28	6.02
SD	*4.06*	*4.45*	*4.80*	*4.49*	*3.99*	*5.45*	*4.58*	*3.15*	*4.32*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5I: FY03 Other Psychosis Patients, Cost, VISN 12

	All VISNs	VISN 12	537 *Chicago*	556 *N.Chicago*	578 *Hines*	585 *Iron Mountain*	607 *Madison*	676 *Tomah*	695 *Milwaukee*
Other Psychosis Patients	49401	1934	347	104	383	95	386	99	520
Total Costs (in thousands $$)	$692,791	$29,552	$6,037	$2,422	$6,483	$1,326	$4,388	$1,475	$7,421
Station % of VISN		100.0%	20.4%	8.2%	21.9%	4.5%	14.8%	5.0%	25.1%
Psych vs. Non-Psych Costs									
Psych	16.6%	16.0%	27.0%	37.8%	10.3%	4.6%	9.5%	21.1%	9.9%
Non-Psych	83.4%	84.0%	73.0%	62.2%	89.7%	95.4%	90.5%	78.9%	90.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use									
Per Patient	$16,509	$18,584	$17,341	$24,336	$20,453	$13,966	$18,959	$14,657	$18,362
Per Day of Stay	$1,028	$1,161	$1,101	$739	$1,307	$1,646	$1,369	$1,250	$1,143
Mean Outpatient Costs, Pts with some Outpatient use									
Per Patient	$6,046	$6,378	$8,867	$7,385	$6,632	$5,596	$5,459	$4,791	$5,454
Per Visit Day	$310	$260	$246	$277	$296	$374	$289	$208	$223
By Cost Center									
1 Med	$2,712	$3,567	$2,887	$2,525	$3,899	$3,871	$3,902	$2,851	$3,816
2 Surg	$779	$957	$1,451	$22	$1,344	$442	$826	$577	$793
3 Psych	$1,494	$1,559	$2,858	$7,048	$1,059	$244	$675	$1,902	$794
4 Psych Res Rehab Treatment Program	$103	$300	$637	$415	$465	$99	$124	$535	$52
5 Non-VA	$203	$48	$48	$30	$44	$21	$106	$20	$23
6 LTC Domiciliary	$183	$345	$79	$1,531	$23	$0	$11	$0	$899
7 LTC Intermediate Care	$276	$323	$0	$0	$291	$0	$21	$0	$971
8 LTC Nursing Home	$1,672	$1,525	$85	$4,330	$2,447	$3,683	$174	$4,210	$1,345
9 Contract Nursing Home	$578	$285	$488	$72	$723	$0	$70	$9	$135
10 OPC Med/Surg	$1,281	$1,522	$2,332	$1,495	$1,791	$963	$1,273	$734	$1,227
11 OPC Psych	$831	$887	$1,831	$1,766	$686	$393	$402	$1,242	$613
12 OPC Home Based Treatment	$730	$807	$974	$1,319	$747	$700	$550	$794	$849
13 OPC Support	$1,493	$1,538	$1,811	$1,312	$1,895	$1,331	$1,297	$844	$1,486
14 OPC Fee	$231	$147	$208	$30	$197	$56	$247	$70	$51
15 OPC Pharmacy	$1,460	$1,469	$1,710	$1,392	$1,317	$2,153	$1,690	$1,106	$1,217
TOTAL	$14,024	$15,280	$17,398	$23,287	$16,927	$13,956	$11,369	$14,894	$14,272
Mean % Patient Costs at Other Stations	3.3%	3.7%	4.2%	7.6%	3.7%	11.0%	2.4%	7.0%	1.7%
SD	*11.9%*	*12.3%*	*13.0%*	*17.0%*	*12.9%*	*20.4%*	*9.1%*	*14.4%*	*8.5%*
Mean % Patient Costs at Other VISNs	1.3%	0.8%	0.7%	1.6%	1.2%	1.3%	0.8%	0.6%	0.4%
SD	*7.5%*	*5.6%*	*5.7%*	*7.9%*	*7.4%*	*6.4%*	*5.2%*	*3.2%*	*3.5%*

Table 1F: FY03 Psychosis Patients, Demographics, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Entire Population	217760	10039	5601	4438
Psychosis Diagnosis Group, %				
Schizophrenia	43.3%	38.9%	35.9%	42.7%
Bipolar Disorder	34.0%	35.2%	42.0%	26.6%
Other Psychoses	22.7%	26.0%	22.2%	30.7%
Total	100.0%	100.0%	100.0%	100.0%
Age, %				
<35	4.9%	4.8%	5.0%	4.4%
>=35 and <50	29.3%	29.9%	30.9%	28.6%
>=50 and <65	38.1%	37.0%	36.4%	37.7%
>=65 and <80	19.7%	20.0%	19.3%	20.8%
>=80	8.2%	8.4%	8.4%	8.4%
Total	100.0%	100.0%	100.0%	100.0%
mean age	56.89	57.01	56.73	57.37
SD	*14.35*	*14.46*	*14.58*	*14.30*
Gender				
Male, %	92.7%	93.3%	92.9%	93.8%
Female, %	7.3%	6.7%	7.1%	6.2%
Total	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %				
Hispanic white	4.8%	0.9%	1.4%	0.2%
Hispanic black	0.4%	0.1%	0.1%	0.0%
American indian	0.3%	0.3%	0.5%	0.0%
Black	18.6%	16.1%	13.6%	19.4%
Asian	0.5%	0.1%	0.1%	0.0%
White	54.9%	60.9%	63.1%	58.0%
Race unknown	20.5%	21.7%	21.2%	22.4%
Total	100.0%	100.0%	100.0%	100.0%
Marital Status				
Never married	28.5%	23.6%	22.8%	24.6%
Married	35.3%	36.9%	36.6%	37.4%
Divorced/Separated	30.8%	34.1%	35.3%	32.5%
Widowed	5.4%	5.4%	5.3%	5.5%
Total	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Entire Population	217760	10039	5601	4438
Registry Pts. History of VA Utilization				
Years since first use in prior five years, mean	4.33	4.32	4.32	4.32
SD	*1.24*	*1.25*	*1.25*	*1.25*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.9%	27.6%	31.4%	22.9%
SD	*29.7%*	*30.0%*	*31.1%*	*27.8%*
Years with OP use / Years since first use, %	96.7%	97.3%	97.2%	97.6%
SD	*11.4%*	*9.8%*	*10.3%*	*9.2%*
Psychosis Diagnoses in Prior Fiscal Year				
Had Psychosis Diagnosis in FY01, %	65.3%	58.7%	67.8%	64.7%
Among Patients With Psychoses in FY01				
Psychosis Category: Schizophrenia, %	54.1%	51.9%	44.5%	54.7%
Psychosis Category: Bipolar Disorder, %	33.9%	26.5%	42.6%	27.1%
Psychosis Category: Other Psychosis, %	12.0%	21.5%	12.9%	18.2%
Total	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %				
Dementia	6.2%	8.9%	4.6%	6.2%
Post Traumatic Stress Disorder	15.4%	19.9%	18.9%	9.2%
Depression	34.8%	31.4%	35.8%	31.0%
Other Anxiety Disorder	12.0%	9.7%	15.0%	12.4%
Substance Abuse or Dependence	23.3%	16.9%	25.0%	18.4%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Entire Population	217760	10039	5601	4438
Medical Comorbidities, %				
No medical comorbidities	15.2%	15.6%	13.6%	14.4%
Anemia	8.2%	8.1%	7.3%	8.0%
Arthritis	36.2%	31.3%	40.3%	35.7%
Cancer	7.9%	9.9%	8.0%	8.1%
Cerebrovascular Disease	6.7%	8.0%	6.6%	7.7%
Chronic Neurologic Disorder	15.1%	11.5%	17.7%	16.9%
Chronic Obstructive Pulmonary Disease	16.7%	11.3%	18.2%	19.4%
Chronic Viral Infection	8.4%	6.2%	7.7%	7.0%
Coronary Artery Disease	19.5%	20.7%	17.9%	20.9%
Diabetes	20.0%	23.4%	18.5%	20.6%
Digestive System Disease	43.5%	37.6%	45.9%	40.3%
Hypertension	43.2%	50.7%	39.2%	47.7%
Injury and Poisoning	17.9%	15.7%	20.8%	15.9%
Liver Disease	3.6%	1.5%	3.4%	3.9%
Other Endocrine	8.6%	5.8%	9.4%	7.5%
Peripheral Vascular Disease	4.1%	4.2%	3.9%	4.0%
GAF scores				
Lowest inpatient GAF score, mean	37.72	45.27	49.30	38.94
SD	*14.39*	*14.19*	*13.17*	*13.44*
Mean outpatient GAF score	50.52	52.86	51.25	54.40
SD	*11.04*	*11.08*	*10.74*	*11.19*
At least 1 IP GAF, among pts with MH bedsections, %	38.4%	11.5%	10.1%	13.8%
At least 1 OP GAF, among pts with MH clinic stops, %	80.0%	73.7%	64.5%	85.5%
Mortality rates				
died in FY02, %	3.1%	3.6%	3.6%	3.7%
Age-and-gender-adjusted Standardized Mortality Ratio	1.32	1.52	1.53	1.51

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Entire Population	217760	10039	5601	4438
Service Connection (SC)				
Non-SC	51.0%	57.9%	59.4%	47.7%
SC 0 - 29%	8.7%	8.8%	8.1%	8.9%
SC 30 - 69%	10.8%	9.2%	9.8%	12.7%
SC 70 - 99%	7.3%	5.8%	4.9%	6.7%
SC 100%	22.1%	18.2%	17.7%	24.1%
Total	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %				
Complex*	17.3%	0.16	22.0%	8.9%
Basic vested, Cat A*	76.6%	0.77	70.3%	84.9%
Basic Non-vested, Cat A*	1.0%	0.01	1.0%	0.6%
Basic, Cats C and N	5.1%	6.2%	6.6%	5.6%
Total	100.0%	100.0%	100.0%	100.0%
* Funded				
Patient eligibility category, %				
Cat A (SC or low income)	94.6%	93.6%	92.9%	94.3%
Cat C (NSC and higher income)	4.7%	5.6%	5.9%	5.1%
Non-Veteran	0.6%	0.9%	1.2%	0.5%
Total	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %				
BASIC 1. Non-reliant Care	0.1%	0.1%	0.1%	0.0%
2. Basic Medical	16.7%	18.1%	16.4%	20.3%
3. Mental Health	36.3%	35.9%	32.0%	40.7%
4. Heart / Lung / GI	7.7%	9.6%	8.6%	10.8%
5. Oncology / Infectious Disease	3.9%	3.3%	3.1%	3.5%
6. Multiple Medical	18.0%	16.9%	17.8%	15.8%
COMPLEX 7. Specialized Care	2.6%	2.6%	3.0%	2.0%
8. Support Care	2.8%	3.1%	3.5%	2.5%
9. Chronic Mental	9.6%	8.8%	13.4%	3.0%
10. Critically Ill	2.2%	1.8%	2.1%	1.5%
Total	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Entire Population	217760	10039	5601	4438
Substance Dependence and Abuse				
Any dx of alcohol / drug dependence or abuse, %	23.3%	22.1%	25.0%	18.4%
Homelessness				
Homelessness indicated in FY02, %	11.5%	10.8%	8.8%	9.9%
Residence in Metropolitan Area				
Residing in a Metropolitan Statistical Area, %	79.7%	64.4%	68.5%	59.2%
Distance				
Mile from Closest VA Medical Center, mean	32.17	27.70	26.90	28.71
SD	*68.58*	*31.44*	*34.08*	*27.73*
Distance from closest VA Medical Center, %				
0 to 15 miles	49.0%	53.2%	57.9%	23.5%
15 to 30 miles	16.3%	12.8%	10.8%	8.4%
30 to 45 miles	10.3%	7.2%	6.7%	5.4%
45 to 60 miles	8.1%	10.5%	8.3%	17.5%
60 plus miles	16.2%	16.2%	16.3%	45.3%
Total	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.73	11.37	10.72	12.18
SD	*13.09*	*12.33*	*12.64*	*11.88*
Distance to closest VA Service Site, %				
0 to 15 miles	77.0%	71.3%	74.0%	66.2%
15 to 30 miles	14.9%	18.7%	16.4%	17.2%
30 to 45 miles	5.7%	8.0%	7.4%	12.2%
45 plus miles	2.4%	1.9%	2.1%	4.4%
Total	100.0%	100.0%	100.0%	100.0%

Table 3F: FY03 Psychosis Patients, Utilization, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Entire Population	217760	10039	5601	4438
Hospital Based Utilization				
Patients with some Hospital Based Utilization, %	27.2%	31.6%	34.6%	27.7%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)				
Inpatient stays, mean	1.83	1.88	1.89	1.87
SD	*1.43*	*1.49*	*1.44*	*1.57*
Average LOS, mean	13.07	11.60	14.10	7.66
SD	*30.84*	*19.20*	*23.18*	*8.85*
Cumulative DOS, mean	21.85	20.20	24.22	13.87
SD	*40.46*	*30.16*	*35.56*	*16.93*
Cumulative DOS, %				
1 to 7	39.9%	38.5%	34.9%	44.1%
8 to 14	21.8%	22.7%	21.7%	24.4%
15 to 44	27.7%	28.2%	29.2%	26.7%
45 to 89	6.9%	7.2%	9.2%	4.0%
90 to 179	2.3%	2.6%	3.7%	0.7%
180 to 359	0.9%	0.8%	1.3%	0.1%
360+	0.6%	0.0%	0.1%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	2.1%	1.4%	2.1%	0.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	237.76	172.84	173.34	166.00
SD	*95.14*	*64.05*	*64.42*	*71.58*
Hospital patients who had a 150+ day hosp. stay, %	1.3%	0.6%	0.9%	0.1%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	290.80	227.00	225.88	246.00
SD	*77.65*	*54.16*	*55.61*	*0.00*
Cumulative DOS at Other VISNs	0.59	0.50	0.54	0.43
SD	*4.28*	*3.46*	*3.69*	*3.06*
Cumulative DOS at Other Stations	1.83	0.61	0.66	0.54
SD	*7.27*	*3.75*	*3.96*	*3.39*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Entire Population	217760	10039	5601	4438
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)				
Pts. with non-psych hospital stays, %	14.0%	16.5%	17.4%	15.4%
Inpatient stays, mean	0.85	0.92	0.86	1.03
SD	*1.20*	*1.38*	*1.24*	*1.56*
Average LOS, mean	7.54	6.24	6.65	5.65
SD	*13.36*	*9.31*	*9.47*	*9.06*
Cumulative Days of Stay, mean	6.52	5.70	5.68	5.73
SD	*17.31*	*12.27*	*12.47*	*11.97*
Cumulative Days of Stay, %				
0	48.5%	47.6%	49.7%	44.4%
1 to 7	29.2%	30.5%	28.7%	33.4%
8 to 14	9.8%	10.3%	9.8%	11.0%
15 to 44	10.2%	9.7%	10.1%	9.3%
45 to 89	1.8%	1.5%	1.4%	1.7%
90 to 179	0.4%	0.3%	0.3%	0.3%
180 to 359	0.1%	0.0%	0.1%	0.0%
360+	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.2%	0.2%	0.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	206.57	122.00	119.33	126.00
SD	*85.33*	*19.12*	*19.50*	*25.46*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	268.22	0.00	0.00	0.00
SD	*74.94*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.14	0.15	0.13	0.16
SD	*1.82*	*2.01*	*2.18*	*1.71*
Other station cumulative DOS, mean	0.51	0.17	0.15	0.20
SD	*3.43*	*2.07*	*2.21*	*1.82*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Entire Population	217760	10039	5601	4438
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)				
Pts. with psych hospital stays, %	15.8%	18.5%	21.1%	15.2%
Inpatient stays, mean	0.98	0.96	1.03	0.85
SD	*1.28*	*1.22*	*1.26*	*1.13*
Average LOS, mean	17.54	15.93	19.54	9.59
SD	*38.98*	*23.74*	*28.52*	*7.95*
Cumulative Days of Stay, mean	15.33	14.50	18.54	8.15
SD	*38.37*	*29.64*	*35.47*	*14.67*
Cumulative Days of Stay, %				
0	41.8%	41.4%	38.9%	45.2%
1 to 7	18.6%	17.7%	16.2%	20.1%
8 to 14	14.1%	14.5%	13.4%	16.4%
15 to 44	17.8%	18.3%	19.6%	16.2%
45 to 89	4.7%	5.1%	7.3%	1.6%
90 to 179	1.7%	2.2%	3.4%	0.4%
180 to 359	0.8%	0.7%	1.1%	0.1%
360+	0.5%	0.0%	0.1%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	1.8%	1.2%	2.0%	0.1%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.50	178.18	176.39	246.00
SD	*96.26*	*64.51*	*64.40*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.2%	0.6%	0.9%	0.1%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	291.18	225.00	223.76	246.00
SD	*78.31*	*54.70*	*56.13*	*0.00*
Other VISN cumulative DOS, mean	0.45	0.35	0.41	0.26
SD	*3.83*	*2.72*	*2.96*	*2.30*
Other station cumulative DOS, mean	1.32	0.44	0.51	0.33
SD	*6.36*	*3.05*	*3.28*	*2.66*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Entire Population	217760	10039	5601	4438
Other 24 hour institutional care				
Patients with some other 24 hour institutional care, %	8.5%	6.3%	8.4%	3.7%
Residential Rehab (rep. for those w/ res rehab care)				
Patients with some residential rehab. care, %	1.8%	0.5%	0.9%	0.0%
Number stays, mean	1.12	1.08	1.08	1.00
SD	*0.38*	*0.27*	*0.28*	*0.00*
Average LOS, mean	34.01	113.64	115.92	2.00
SD	*38.25*	*100.53*	*100.26*	*0.00*
Cumulative DOS, mean	37.28	120.56	122.98	2.00
SD	*40.79*	*102.75*	*102.37*	*0.00*
Cumulative Days of Stay, %				
1 to 7	12.3%	8.0%	6.1%	100.0%
8 to 14	12.7%	2.0%	2.0%	0.0%
15 to 44	50.7%	24.0%	24.5%	0.0%
45 to 89	15.8%	10.0%	10.2%	0.0%
90 to 179	7.0%	28.0%	28.6%	0.0%
180 to 359	1.3%	24.0%	24.5%	0.0%
360+	0.2%	4.0%	4.1%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.3%	46.0%	46.9%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	175.66	207.70	207.70	0.00
SD	*75.56*	*82.82*	*82.82*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.9%	30.0%	30.6%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	237.86	247.27	247.27	0.00
SD	*73.07*	*74.91*	*74.91*	*0.00*
Other VISN cumulative DOS, mean	1.12	2.86	2.88	2.00
SD	*6.40*	*11.23*	*11.35*	*0.00*
Other station cumulative DOS, mean	3.58	2.86	2.88	2.00
SD	*10.93*	*11.23*	*11.35*	*0.00*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Entire Population	217760	10039	5601	4438
Domiciliary and Vocational (reported for those with some dom/voc care)				
Patients with some dom/voc care, %	2.8%	2.2%	3.5%	0.5%
Number stays, mean	1.13	1.03	1.03	1.00
SD	*0.38*	*0.16*	*0.17*	*0.00*
Average LOS, mean	85.20	115.44	115.83	111.50
SD	*90.51*	*91.22*	*93.96*	*59.01*
Cumulative DOS, mean	92.74	116.72	117.24	111.50
SD	*94.18*	*90.72*	*93.42*	*59.01*
Cumulative Days of Stay, %				
1 to 7	6.9%	5.0%	5.1%	5.0%
8 to 14	6.1%	5.0%	5.6%	0.0%
15 to 44	29.6%	14.2%	14.6%	10.0%
45 to 89	19.5%	20.2%	19.2%	30.0%
90 to 179	22.9%	36.7%	35.9%	45.0%
180 to 359	10.1%	13.3%	13.6%	10.0%
360+	5.0%	5.5%	6.1%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	31.6%	52.3%	52.0%	55.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	203.50	180.80	183.17	158.64
SD	*90.08*	*79.49*	*82.97*	*24.25*
Dom. patients with 150+ day Dom. stay, %	18.0%	27.1%	25.8%	40.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	259.61	235.10	245.43	169.25
SD	*79.66*	*76.90*	*77.53*	*17.93*
Other VISN cumulative DOS, mean	1.54	1.31	1.41	0.30
SD	*8.76*	*7.33*	*7.68*	*1.34*
Other station cumulative DOS, mean	3.75	1.33	1.44	0.30
SD	*14.14*	*7.34*	*7.69*	*1.34*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Entire Population	217760	10039	5601	4438
Nursing Home Care (reported for those with some nursing home care)				
Patients with some nursing home care, %	4.5%	3.9%	4.4%	3.2%
Number stays, mean	1.24	1.25	1.25	1.24
SD	*0.60*	*0.58*	*0.59*	*0.56*
Average LOS, mean	99.56	68.08	82.91	42.75
SD	*118.68*	*89.18*	*97.50*	*65.76*
Cumulative DOS, mean	111.19	79.33	95.98	50.89
SD	*123.23*	*95.67*	*103.75*	*71.84*
Cumulative Days of Stay, %				
1 to 7	9.0%	11.0%	8.5%	15.3%
8 to 14	10.6%	12.3%	8.9%	18.1%
15 to 44	27.5%	28.7%	23.6%	37.5%
45 to 89	15.4%	20.5%	25.2%	12.5%
90 to 179	13.8%	15.6%	18.3%	11.1%
180 to 359	11.4%	6.7%	8.1%	4.2%
360+	12.4%	5.1%	7.3%	1.4%
Total	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	33.0%	20.8%	26.8%	10.4%
Cumul. DOS, patients with a 100+ day NH stay, mean	263.62	233.43	235.35	225.00
SD	*97.17*	*97.15*	*98.89*	*91.80*
NH patients with 150+ day NH stay, %	25.7%	13.3%	16.7%	7.6%
Cumul. DOS, patients with a 150+ day NH stay, mean	299.88	279.25	285.59	255.64
SD	*76.08*	*84.90*	*84.09*	*87.73*
Other VISN cumulative DOS, mean	0.41	0.31	0.23	0.44
SD	*5.60*	*3.68*	*3.63*	*3.76*
Other station cumulative DOS, mean	1.17	0.39	0.36	0.44
SD	*8.68*	*3.99*	*4.13*	*3.76*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Entire Population	217760	10039	5601	4438
Outpatient utilization				
(reported for those with some outpatient care)				
Patients with some outpatient care, %	99.1%	99.6%	99.4%	99.8%
annual visit days, mean	24.61	22.95	27.87	16.77
SD	*33.05*	*33.86*	*41.74*	*18.16*
Outpatient visit days, %				
1-12	44.2%	48.4%	46.3%	50.9%
13-24	26.4%	26.1%	23.2%	29.7%
25-36	11.9%	10.8%	10.9%	10.7%
37-48	5.9%	5.0%	5.7%	4.2%
49+	11.5%	9.7%	13.8%	4.4%
Total	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	79.4%	81.8%	81.3%	82.4%
Mean PC visit days, among those with some PC	3.84	3.17	3.29	3.02
SD	3.72	2.97	3.39	2.24
Average number clinic stops per visit day, mean	1.49	1.53	1.60	1.45
SD	*0.47*	*0.51*	*0.52*	*0.47*
annual clinic stops (psych & non-psych), mean	37.56	36.68	46.10	24.83
SD	*56.64*	*60.40*	*75.70*	*27.91*
annual non-psych. clinic stops, mean	20.14	19.89	22.23	16.95
SD	*25.25*	*29.98*	*36.20*	*19.13*
annual psych. clinic stops (groupings below), mean	17.42	16.79	23.87	7.88
SD	*43.44*	*43.23*	*54.66*	*17.90*
1. general psych. clinic stops, mean	7.22	6.94	8.78	4.63
SD	*13.49*	*13.49*	*16.55*	*7.55*
2. psych. case management clinic stops, mean	1.44	1.68	2.82	0.24
SD	*12.10*	*16.84*	*22.25*	*3.72*
3. psych. day treatment clinic stops, mean	2.80	1.68	2.80	0.28
SD	*21.66*	*16.60*	*21.72*	*4.99*
4. substance abuse clinic stops, mean	3.26	3.45	4.24	2.45
SD	*19.07*	*15.31*	*16.66*	*13.36*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Entire Population	217760	10039	5601	4438
5. psych. vocational clinic stops, mean	1.73	2.27	4.04	0.05
SD	*15.65*	*18.15*	*24.09*	*2.23*
6. PTSD clinic stops, mean	0.56	0.66	1.04	0.19
SD	*4.85*	*5.13*	*6.58*	*2.11*
7. psych. homeless clinic stops, mean	0.41	0.13	0.18	0.07
SD	*3.32*	*1.15*	*1.42*	*0.66*
Other VISN OP visit days, mean	0.36	0.39	0.50	0.25
SD	*2.35*	2.49	2.96	1.70
Other station OP visit days, mean	0.91	0.44	0.55	0.29
SD	*3.87*	2.61	3.10	1.79

Table 4F: FY03 Psychosis Patients, Pharmacy Utilization, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Entire Population	217760	10039	5601	4438
Among all patients in the registry				
Pts. with any outpatient prescriptions, %	95.5%	96.8%	96.5%	97.2%
Patients with any oral antipsychotic fills, %*	59.2%	60.7%	58.6%	63.3%
Among patients receiving antipsychotics:				
Received only conventional antipsychotics, %	12.3%	10.4%	10.8%	9.9%
Received some atypical antipsychotics, %	87.7%	89.6%	89.2%	90.1%
Total	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %				
Aripiprazole	1.2%	1.0%	1.4%	0.5%
Clozapine	1.8%	1.3%	1.7%	1.0%
Olanzapine	35.8%	35.5%	29.6%	42.4%
Quetiapine	26.2%	27.0%	28.6%	25.2%
Risperidone	36.7%	40.5%	42.1%	38.7%
Ziprasidone	5.2%	5.6%	7.5%	3.5%
Patients receiving only one kind** of antipsychotic, %	73.8%	70.8%	70.1%	71.6%
Concurrent use of 2 or more antipsychotics, % ***	11.3%	14.1%	14.9%	13.1%
Among pts receiving just one antipsychotic:				
Antipsychotic fills, mean	7.06	6.74	6.08	7.49
SD	*5.06*	*4.74*	*4.72*	*4.66*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--
SD	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5F: FY03 Psychosis Patients, Cost, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Entire Population	217760	10039	5601	4438
Total Costs (in thousands $$)	$3,237,460	$130,916	$87,679	$43,240
Station % of VISN		100.0%	67.0%	33.0%
Psych vs. Non-Psych Costs				
Psych	30.3%	29.6%	32.6%	23.5%
Non-Psych	69.7%	70.4%	67.4%	76.5%
Total	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use				
Per Patient	$18,395	$15,884	$18,041	$12,488
Per Day of Stay	$842	$786	$745	$900
Mean Outpatient Costs, Pts with some Outpatient use				
Per Patient	$6,757	$5,776	$6,355	$5,049
Per Visit Day	$275	$252	$228	$301
Mean Patient Costs, By Cost Center				
1 Med	$1,582	$1,724	$1,856	$1,558
2 Surg	$536	$449	$490	$397
3 Psych	$2,886	$2,842	$3,899	$1,508
4 Psych Res Rehab Treatment Program	$218	$112	$201	$0
5 Non-VA	$205	$187	$224	$142
6 LTC Domiciliary	$327	$280	$502	$0
7 LTC Intermediate Care	$167	$58	$86	$22
8 LTC Nursing Home	$1,785	$1,282	$1,650	$817
9 Contract Nursing Home	$467	$354	$428	$260
10 OPC Med/Surg	$1,071	$944	$961	$922
11 OPC Psych	$1,624	$1,016	$1,205	$777
12 OPC Home Based Treatment	$751	$555	$676	$403
13 OPC Support	$1,322	$1,222	$1,424	$967
14 OPC Fee	$148	$83	$117	$39
15 OPC Pharmacy	$1,778	$1,932	$1,935	$1,929
TOTAL	$14,867	$13,041	$15,654	$9,743
Mean % Patient Costs at Other Stations	3.9%	1.8%	1.8%	1.8%
SD	*12.8%*	*8.9%*	*8.6%*	*9.2%*
Mean % Patient Costs at Other VISNs	1.5%	1.6%	1.6%	1.5%
SD	*8.0%*	*8.2%*	*8.1%*	*8.3%*

Table 1G: FY03 Schizophrenic Patients, Demographics, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Schizophrenic Patients	94395	3902	2008	1894
Age, %				
<35	3.9%	4.1%	4.4%	3.7%
>=35 and <50	32.5%	35.0%	34.5%	35.6%
>=50 and <65	44.6%	44.8%	43.4%	46.3%
>=65 and <80	15.7%	13.3%	14.6%	12.0%
>=80	3.3%	2.8%	3.1%	2.4%
Total	100.0%	100.0%	100.0%	100.0%
mean age	54.59	53.74	53.93	53.53
SD	*11.97*	*11.47*	*11.88*	*11.01*
Gender				
Male, %	94.6%	94.5%	94.1%	94.9%
Female, %	5.4%	5.5%	5.9%	5.1%
Total	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %				
Hispanic white	6.9%	1.1%	1.9%	0.2%
Hispanic black	0.6%	0.0%	0.0%	0.0%
American indian	0.3%	0.4%	0.6%	0.1%
Black	26.5%	25.3%	21.9%	28.9%
Asian	0.8%	0.2%	0.3%	0.0%
White	52.4%	61.6%	64.6%	58.3%
Race unknown	12.5%	11.5%	10.6%	12.5%
Total	100.0%	100.0%	100.0%	100.0%
Marital Status				
Never married	42.4%	39.2%	39.5%	38.9%
Married	24.6%	22.8%	21.2%	24.6%
Divorced/Separated	29.5%	35.1%	36.2%	33.9%
Widowed	3.5%	2.8%	3.1%	2.6%
Total	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Schizophrenic Patients	94395	3902	2008	1894
Registry Pts. History of VA Utilization				
Years since first use in prior five years, mean	4.6	4.67	4.68	4.66
SD	*1.0*	*0.91*	*0.90*	*0.92*
Yrs with 24-hour institutional use / yrs since 1st use, %	27.3%	28.7%	32.8%	24.3%
SD	*30.9%*	*30.9%*	*31.8%*	*29.3%*
Years with OP use / Years since first use, %	96.7%	97.4%	97.0%	97.8%
SD	*12.4%*	*10.4%*	*11.7%*	*8.7%*
Psychosis Diagnoses in Prior Fiscal Year				
Had Psychosis Diagnosis in FY01, %	82.2%	85.1%	85.2%	85.0%
Among Patients With Psychoses in FY01				
Psychosis Category: Schizophrenia, %	94.8%	94.7%	95.1%	94.2%
Psychosis Category: Bipolar Disorder, %	2.6%	2.3%	2.5%	2.2%
Psychosis Category: Other Psychosis, %	2.5%	3.0%	2.4%	3.5%
Total	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %				
Dementia	2.3%	1.8%	1.8%	1.8%
Post Traumatic Stress Disorder	11.9%	10.4%	13.6%	6.9%
Depression	25.7%	23.6%	25.4%	21.7%
Other Anxiety Disorder	8.7%	9.4%	10.4%	8.3%
Substance Abuse or Dependence	22.3%	21.2%	22.2%	20.1%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Schizophrenic Patients	94395	3902	2008	1894
Medical Comorbidities, %				
No medical comorbidities	18.7%	18.0%	17.1%	19.0%
Anemia	7.1%	6.9%	6.5%	7.4%
Arthritis	29.7%	31.7%	33.3%	30.0%
Cancer	6.1%	5.2%	6.0%	4.4%
Cerebrovascular Disease	3.8%	3.3%	3.5%	3.1%
Chronic Neurologic Disorder	12.4%	14.2%	14.8%	13.5%
Chronic Obstructive Pulmonary Disease	16.5%	18.8%	17.7%	19.9%
Chronic Viral Infection	8.7%	7.5%	6.6%	8.6%
Coronary Artery Disease	14.6%	13.4%	12.1%	14.8%
Diabetes	20.3%	19.5%	19.5%	19.4%
Digestive System Disease	44.1%	43.1%	45.7%	40.4%
Hypertension	40.7%	40.6%	37.0%	44.5%
Injury and Poisoning	15.5%	16.6%	18.8%	14.4%
Liver Disease	3.2%	3.1%	2.8%	3.5%
Other Endocrine	6.9%	6.8%	9.6%	10.3%
Peripheral Vascular Disease	2.9%	2.7%	3.4%	1.8%
GAF scores				
Lowest inpatient GAF score, mean	36.19	42.79	45.54	39.84
SD	*14.35*	*12.63*	*11.99*	*12.75*
Mean outpatient GAF score	48.84	51.48	48.84	53.70
SD	*10.59*	*10.37*	*9.81*	*10.31*
At least 1 IP GAF, among pts with MH bedsections, %	38.5%	11.6%	9.3%	14.9%
At least 1 OP GAF, among pts with MH clinic stops, %	80.5%	76.4%	68.3%	84.9%
Mortality rates				
died in FY02, %	2.7%	2.7%	2.9%	2.5%
Age-and-gender-adjusted Standardized Mortality Ratio	1.68	1.88	0.00	0.00

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Schizophrenic Patients	94395	3902	2008	1894
Service Connection (SC)				
Non-SC	40.8%	48.9%	48.2%	49.7%
SC 0 - 29%	6.8%	6.9%	7.4%	6.4%
SC 30 - 69%	8.8%	6.8%	6.0%	7.7%
SC 70 - 99%	6.6%	5.1%	5.3%	4.9%
SC 100%	37.0%	32.3%	33.1%	31.4%
Total	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %				
Complex*	22.5%	21.6%	30.7%	11.9%
Basic vested, Cat A*	74.7%	75.1%	65.4%	85.3%
Basic Non-vested, Cat A*	1.2%	1.1%	1.5%	0.7%
Basic, Cats C and N	1.7%	2.3%	2.4%	2.1%
Total	100.0%	100.0%	100.0%	100.0%
* Funded				
Patient eligibility category, %				
Cat A (SC or low income)	98.2%	97.5%	97.3%	97.8%
Cat C (NSC and higher income)	1.4%	1.9%	1.9%	1.8%
Non-Veteran	0.5%	0.6%	0.8%	0.3%
Total	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %				
BASIC 1. Non-reliant Care	0.2%	0.1%	0.1%	0.1%
2. Basic Medical	13.3%	15.1%	13.8%	16.6%
3. Mental Health	38.5%	39.9%	34.2%	46.0%
4. Heart / Lung / GI	5.8%	7.0%	5.5%	8.6%
5. Oncology / Infectious Disease	3.6%	2.5%	1.9%	3.2%
6. Multiple Medical	16.1%	13.8%	13.9%	13.7%
COMPLEX 7. Specialized Care	1.9%	2.2%	2.0%	2.4%
8. Support Care	2.3%	2.5%	2.5%	2.5%
9. Chronic Mental	15.7%	14.9%	23.8%	5.5%
10. Critically Ill	2.6%	1.9%	2.4%	1.5%
Total	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Schizophrenic Patients	94395	3902	2008	1894
Substance Dependence and Abuse				
Any dx of alcohol / drug dependence or abuse, %	22.3%	21.2%	22.2%	20.1%
Homelessness				
Homelessness indicated in FY02, %	12.0%	12.8%	13.5%	12.0%
Residence in Metropolitan Area				
Residing in a Metropolitan Statistical Area, %	81.5%	67.8%	73.1%	62.2%
Distance				
Mile from Closest VA Medical Center, mean	28.72	24.84	22.92	26.88
SD	*55.48*	*29.78*	*31.95*	*27.16*
Distance from closest VA Medical Center, %				
0 to 15 miles	52.9%	58.3%	64.9%	51.3%
15 to 30 miles	15.5%	11.3%	9.8%	12.9%
30 to 45 miles	9.7%	6.0%	4.9%	7.1%
45 to 60 miles	7.4%	10.9%	6.8%	15.3%
60 plus miles	14.4%	13.6%	13.6%	13.5%
Total	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	9.84	10.16	9.24	11.14
SD	*11.95*	*11.65*	*11.71*	*11.51*
Distance to closest VA Service Site, %				
0 to 15 miles	79.4%	74.8%	78.0%	71.3%
15 to 30 miles	13.6%	17.1%	15.0%	19.3%
30 to 45 miles	5.1%	6.5%	5.2%	7.9%
45 plus miles	1.9%	1.6%	1.7%	1.4%
Total	100.0%	100.0%	100.0%	100.0%

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Schizophrenic Patients	94395	3902	2008	1894
Hospital Based Utilization				
Patients with some Hospital Based Utilization, %	27.0%	30.5%	33.4%	27.3%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)				
Inpatient stays, mean	1.85	1.88	1.88	1.89
SD	*1.45*	*1.45*	*1.38*	*1.55*
Average LOS, mean	17.65	13.92	18.03	8.58
SD	*42.51*	*23.53*	*29.77*	*8.53*
Cumulative DOS, mean	28.76	24.53	30.86	16.34
SD	*53.29*	*37.29*	*45.32*	*20.37*
Cumulative DOS, %				
1 to 7	35.1%	34.4%	29.4%	40.9%
8 to 14	20.7%	22.4%	21.8%	23.2%
15 to 44	29.0%	29.1%	29.5%	28.6%
45 to 89	9.0%	8.7%	10.7%	6.0%
90 to 179	3.4%	4.0%	6.3%	1.2%
180 to 359	1.5%	1.3%	2.2%	0.2%
360+	1.2%	0.1%	0.1%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	3.8%	2.4%	4.2%	0.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	249.93	178.45	176.04	246.00
SD	*96.37*	*70.58*	*70.64*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	2.5%	0.9%	1.5%	0.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.78	238.82	238.10	246.00
SD	*75.28*	*65.09*	*68.57*	*0.00*
Cumulative DOS at Other VISNs	0.65	0.60	0.79	0.34
SD	*4.66*	*3.51*	*4.10*	*2.54*
Cumulative DOS at Other Stations	2.06	0.73	0.91	0.50
SD	*8.11*	*3.84*	*4.32*	*3.09*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Schizophrenic Patients	94395	3902	2008	1894
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)				
Pts. with non-psych hospital stays, %	11.8%	12.4%	12.5%	12.2%
Inpatient stays, mean	0.71	0.68	0.60	0.77
SD	*1.11*	*1.22*	*1.07*	*1.39*
Average LOS, mean	8.26	6.61	7.09	6.09
SD	*16.10*	*10.20*	*11.53*	*8.53*
Cumulative Days of Stay, mean	6.10	4.57	4.30	4.92
SD	*19.61*	*12.64*	*12.77*	*12.46*
Cumulative Days of Stay, %				
0	56.2%	59.5%	62.6%	55.4%
1 to 7	24.8%	24.9%	22.4%	28.2%
8 to 14	8.1%	7.7%	7.3%	8.1%
15 to 44	8.5%	6.1%	6.4%	5.8%
45 to 89	1.7%	1.5%	1.0%	2.1%
90 to 179	0.5%	0.3%	0.1%	0.4%
180 to 359	0.2%	0.1%	0.1%	0.0%
360+	0.1%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.4%	0.1%	0.1%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	225.13	139.00	139.00	0.00
SD	*88.92*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	285.12	0.00	0.00	0.00
SD	*70.56*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.10*	*0.11*	*0.09*	*0.13*
SD	*1.58*	*1.75*	*1.73*	*1.77*
Other station cumulative DOS, mean	0.47	0.14	0.11	0.17
SD	*3.45*	*1.80*	*1.75*	*1.86*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Schizophrenic Patients	94395	3902	2008	1894
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)				
Pts. with psych hospital stays, %	17.7%	21.2%	24.2%	18.1%
Inpatient stays, mean	1.14	1.21	1.27	1.12
SD	*1.37*	*1.30*	*1.31*	*1.27*
Average LOS, mean	23.15	17.39	22.59	10.03
SD	*51.08*	*26.89*	*33.51*	*8.11*
Cumulative Days of Stay, mean	22.66	19.96	26.56	11.42
SD	*51.43*	*37.12*	*45.56*	*18.62*
Cumulative Days of Stay, %				
0	34.4%	30.3%	27.6%	33.8%
1 to 7	17.5%	18.9%	16.2%	22.4%
8 to 14	14.7%	16.7%	15.5%	18.1%
15 to 44	21.2%	23.1%	24.0%	22.0%
45 to 89	6.9%	5.9%	8.3%	2.7%
90 to 179	2.8%	3.8%	6.1%	0.8%
180 to 359	1.4%	1.3%	2.1%	0.2%
360+	1.1%	0.1%	0.1%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	2.4%	4.0%	0.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	250.18	179.64	177.19	246.00
SD	*97.20*	*71.42*	*71.56*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.02	0.01	0.01	0.00
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.10	238.82	238.10	246.00
SD	*76.47*	*65.09*	*68.57*	*0.00*
Other VISN cumulative DOS, mean	0.55	0.48	0.70	0.21
SD	4.34	3.01	3.70	1.72
Other station cumulative DOS, mean	1.59	0.59	0.80	0.32
SD	7.30	3.36	3.94	2.41

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Schizophrenic Patients	94395	3902	2008	1894
Other 24 hour institutional care				
Patients with some Community Based 24 hour care, %	8.0%	5.2%	7.3%	2.9%
Residential Rehabilitation				
Patients with some residential rehab. care, %	1.6%	0.6%	1.0%	0.1%
Number stays, mean	*1.12*	*1.09*	*1.10*	*1.00*
SD	*0.37*	*0.29*	*0.30*	*0.00*
Average LOS, mean	36.26	82.05	85.86	2.00
SD	*45.44*	*83.44*	*83.52*	*0.00*
Cumulative DOS, mean	39.67	91.91	96.19	2.00
SD	*48.06*	*92.72*	*92.75*	*0.00*
Cumulative Days of Stay, %				
1 to 7	14.0%	13.6%	9.5%	100.0%
8 to 14	14.7%	4.5%	4.8%	0.0%
15 to 44	46.4%	27.3%	28.6%	0.0%
45 to 89	13.8%	9.1%	9.5%	0.0%
90 to 179	8.9%	27.3%	28.6%	0.0%
180 to 359	1.8%	13.6%	14.3%	0.0%
360+	0.5%	4.5%	4.8%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.2%	27.3%	28.6%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	180.59	202.00	202.00	0.00
SD	*80.43*	*94.42*	*94.42*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	2.8%	13.6%	14.3%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	246.24	274.67	274.67	0.00
SD	*77.24*	*79.43*	*79.43*	*0.00*
Other VISN cumulative DOS, mean	0.84	0.14	0.05	2.00
SD	*5.37*	*0.47*	*0.22*	*0.00*
Other station cumulative DOS, mean	3.24	0.14	0.05	2.00
SD	*10.31*	*0.47*	*0.22*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Schizophrenic Patients	94395	3902	2008	1894
Domiciliary and Vocational				
Patients with some dom/voc care, %	2.3%	1.5%	2.7%	0.3%
Number stays, mean	1.12	1.02	1.02	1.00
SD	*0.37*	*0.13*	*0.13*	*0.00*
Average LOS, mean	94.48	120.03	126.37	50.20
SD	*108.97*	*115.10*	*117.94*	*31.02*
Cumulative DOS, mean	100.96	121.05	127.49	50.20
SD	*111.44*	*114.84*	*117.60*	*31.02*
Cumulative Days of Stay, %				
1 to 7	7.9%	16.7%	16.4%	20.0%
8 to 14	6.7%	1.7%	1.8%	0.0%
15 to 44	31.5%	13.3%	12.7%	20.0%
45 to 89	17.3%	18.3%	14.5%	60.0%
90 to 179	17.7%	26.7%	29.1%	0.0%
180 to 359	9.4%	10.0%	10.9%	0.0%
360+	9.5%	13.3%	14.5%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.0%	50.0%	54.5%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	234.98	207.00	207.00	0.00
SD	*102.95*	*103.42*	*103.42*	*0.00*
Dom. patients with 150+ day Dom. stay, %	20.9%	26.7%	29.1%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	291.61	281.94	281.94	0.00
SD	*80.75*	*87.74*	*87.74*	*0.00*
Other VISN cumulative DOS, mean	1.18	0.85	0.82	1.20
SD	*7.65*	*3.98*	*4.09*	*2.68*
Other station cumulative DOS, mean	3.16	0.95	0.93	1.20
SD	*12.59*	*4.03*	*4.15*	*2.68*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Schizophrenic Patients	94395	3902	2008	1894
Nursing Home Care				
Patients with some nursing home care, %	4.7%	3.3%	4.0%	2.6%
Number stays, mean	1.20	1.31	1.31	1.31
SD	*0.56*	*0.67*	*0.67*	*0.68*
Average LOS, mean	143.54	106.70	138.20	55.26
SD	*137.46*	*117.33*	*126.73*	*76.95*
Cumulative DOS, mean	156.00	122.10	156.20	66.43
SD	*139.76*	*120.62*	*126.86*	*84.89*
Cumulative Days of Stay, %				
1 to 7	6.8%	5.4%	2.5%	10.2%
8 to 14	6.5%	7.0%	5.0%	10.2%
15 to 44	20.5%	23.3%	12.5%	40.8%
45 to 89	14.1%	21.7%	26.3%	14.3%
90 to 179	15.1%	19.4%	21.3%	16.3%
180 to 359	14.7%	10.9%	15.0%	4.1%
360+	22.5%	12.4%	17.5%	4.1%
Total	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	48.0%	34.9%	47.5%	14.3%
Cumul. DOS, patients with a 100+ day NH stay, mean	282.12	262.29	267.58	233.57
SD	*94.85*	*95.60*	*93.74*	*108.14*
NH patients with 150+ day NH stay, %	39.8%	27.1%	37.5%	10.2%
Cumul. DOS, patients with a 150+ day NH stay, mean	312.43	289.66	291.67	277.60
SD	*72.26*	*86.14*	*86.24*	*94.55*
Other VISN cumulative DOS, mean	0.44	0.44	0.71	0.00
SD	*5.99*	*5.02*	*6.37*	*0.00*
Other station cumulative DOS, mean	1.19	0.44	0.71	0.00
SD	*9.07*	*5.02*	*6.37*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Schizophrenic Patients	94395	3902	2008	1894
Outpatient utilization				
(reported for those with some outpatient care)				
Patients with some outpatient care, %	98.3%	99.2%	98.8%	99.7%
annual visit days, mean	27.64	27.07	36.21	17.47
SD	*38.39*	*42.21*	*53.94*	*20.42*
Outpatient visit days, %				
1-12	42.6%	46.5%	42.9%	50.2%
13-24	25.7%	25.4%	20.9%	30.1%
25-36	11.8%	10.4%	11.1%	9.6%
37-48	5.9%	5.2%	5.5%	4.9%
49+	14.0%	12.6%	19.6%	5.2%
Total	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	74.5%	77.9%	78.4%	77.3%
Mean PC visit days, among those with some PC	3.73	3.09	3.28	2.90
SD	3.83	2.97	3.52	2.23
Average number clinic stops per visit day, mean	1.45	1.46	1.52	1.39
SD	*0.45*	*0.46*	*0.47*	*0.43*
annual clinic stops (psych & non-psych), mean	41.32	41.65	57.66	24.83
SD	*65.29*	*74.64*	*97.51*	*29.71*
annual non-psych. clinic stops, mean	19.07	20.22	24.53	15.69
SD	*26.86*	*36.84*	*47.15*	*20.17*
annual psych. clinic stops (groupings below), mean	22.25	21.44	33.13	9.14
SD	*50.83*	*52.03*	*68.21*	*19.20*
1. general psych. clinic stops, mean	9.04	8.61	11.16	5.93
SD	*15.89*	*15.38*	*18.90*	*9.79*
2. psych. case management clinic stops, mean	2.76	3.47	6.26	0.54
SD	*16.59*	*24.21*	*33.13*	*5.64*
3. psych. day treatment clinic stops, mean	4.94	3.59	6.71	0.31
SD	*29.07*	*24.67*	*33.73*	*5.65*
4. substance abuse clinic stops, mean	2.71	2.69	3.06	2.30
SD	*17.49*	*13.33*	*13.42*	*13.23*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Schizophrenic Patients	94395	3902	2008	1894
5. psych. vocational clinic stops, mean	2.11	2.62	5.11	0.00
SD	*18.38*	*20.93*	*29.02*	*0.02*
6. PTSD clinic stops, mean	0.37	0.38	0.66	0.09
SD	*3.86*	*3.88*	*5.32*	*1.04*
7. psych. homeless clinic stops, mean	0.39	0.13	0.20	0.05
SD	*2.98*	*1.13*	*1.53*	*0.40*
Other VISN OP visit days, mean	0.30	0.32	0.43	0.20
SD	2.12	1.93	2.43	1.20
Other station OP visit days, mean	0.82	0.37	0.49	0.24
SD	3.70	2.13	2.64	1.38

Table 4G: FY03 Schizophrenic Patients, Pharmacy Utilization, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Schizophrenic Patients	94395	3902	2008	1894
Among all patients in the registry				
Pts. with any outpatient prescriptions, %	94.9%	96.7%	95.9%	97.6%
Patients with any oral antipsychotic fills, %*	78.7%	83.8%	82.0%	85.6%
Among pts. receiving any antipsychotic medication:				
Received only conventional antipsychotics, %	15.4%	13.2%	14.3%	12.1%
Received some atypical antipsychotics, %	84.6%	86.8%	85.7%	87.9%
Total	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %				
Aripiprazole	1.5%	1.3%	2.0%	0.6%
Clozapine	3.1%	2.3%	3.2%	1.5%
Olanzapine	35.7%	36.9%	32.1%	41.7%
Quetiapine	21.7%	24.1%	24.2%	24.1%
Risperidone	36.8%	39.7%	40.8%	38.7%
Ziprasidone	5.9%	6.2%	7.8%	4.5%
Patients receiving only one kind** of antipsychotic, %	70.8%	65.6%	64.2%	67.1%
Concurrent use of 2 or more antipsychotics, % ***	15.6%	20.5%	21.8%	19.1%
Among pts receiving just one antipsychotic:				
Antipsychotic fills, mean	8.10	7.94	7.46	8.41
SD	*5.37*	*4.89*	*5.24*	*4.49*
Antipsychotic Medication Possession Ratio, mean	0.83	0.82	0.86	0.79
SD	*0.33*	*0.32*	*0.33*	*0.32*
Antipsychotic Med Possession Ratio <= 0.80, %	37.1%	37.7%	34.1%	41.1%
Antipsychotic Med Possession Ratio <= 0.50, %	18.0%	17.3%	15.2%	19.3%

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 4G: FY03 Schizophrenic Patients, Cost, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Schizophrenic Patients	94395	3902	2008	1894
Total Costs (in thousands $$)	$1,637,013	$56,542	$36,916	$19,630
Station % of VISN		100.0%	65.3%	34.7%
Psych vs. Non-Psych Costs				
Psych	34.5%	34.7%	38.4%	27.8%
Non-Psych	65.5%	65.3%	61.6%	72.2%
Total	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use				
Per Patient	$21,945	$17,971	$21,655	$13,201
Per Day of Stay	$763	$733	$702	$808
Mean Outpatient Costs, Pts with some Outpatient use				
Per Patient	$7,323	$6,359	$7,264	$5,409
Per Visit Day	$265	$235	$201	$310
By Cost Center				
1 Med	$1,399	$1,302	$1,336	$1,265
2 Surg	$470	$366	$348	$385
3 Psych	$4,062	$3,808	$5,552	$1,960
4 Psych Res Rehab Treatment Program	$217	$86	$168	$0
5 Non-VA	$230	$159	$204	$112
6 LTC Domiciliary	$302	$228	$442	$1
7 LTC Intermediate Care	$166	$37	$57	$15
8 LTC Nursing Home	$2,633	$1,644	$2,416	$827
9 Contract Nursing Home	$664	$549	$684	$406
10 OPC Med/Surg	$930	$824	$803	$846
11 OPC Psych	$1,916	$1,218	$1,499	$920
12 OPC Home Based Treatment	$933	$669	$882	$443
13 OPC Support	$1,243	$1,181	$1,458	$887
14 OPC Fee	$130	$72	$114	$27
15 OPC Pharmacy	$2,047	$2,346	$2,420	$2,268
TOTAL	$17,342	$14,490	$18,384	$10,364
Mean % Patient Costs at Other Stations	3.6%	1.8%	2.0%	1.7%
SD	*12.4%*	*9.3%*	*9.8%*	*8.8%*
Mean % Patient Costs at Other VISNs	1.3%	1.5%	1.8%	1.2%
SD	*7.5%*	*8.3%*	*9.2%*	*7.3%*

Table 1H: FY03 Bipolar Patients, Demographics, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Bipolar Patients	73964	3531	2351	1180
Age, %				
<35	7.9%	7.6%	7.4%	8.2%
>=35 and <50	36.3%	37.5%	39.8%	32.9%
>=50 and <65	40.3%	40.6%	40.8%	40.1%
>=65 and <80	13.3%	12.6%	10.5%	16.7%
>=80	2.2%	1.7%	1.4%	2.1%
Total	100.0%	100.0%	100.0%	100.0%
mean age	52.26	51.86	51.32	52.93
SD	*12.50*	*12.18*	*11.76*	*12.90*
Gender				
Male, %	88.2%	89.4%	90.0%	88.1%
Female, %	11.8%	10.6%	10.0%	11.9%
Total	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %				
Hispanic white	2.8%	0.8%	1.1%	0.3%
Hispanic black	0.3%	0.1%	0.1%	0.0%
American indian	0.3%	0.3%	0.4%	0.0%
Black	10.4%	8.0%	8.4%	7.4%
Asian	0.2%	0.1%	0.0%	0.1%
White	62.5%	66.0%	66.3%	65.5%
Race unknown	23.5%	24.7%	23.6%	26.8%
Total	100.0%	100.0%	100.0%	100.0%
Marital Status				
Never married	21.0%	16.1%	16.4%	15.6%
Married	37.7%	40.8%	40.0%	42.6%
Divorced/Separated	37.9%	39.8%	40.9%	37.7%
Widowed	3.4%	3.2%	2.8%	4.0%
Total	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Bipolar Patients	73964	3531	2351	1180
Registry Pts. History of VA Utilization				
Years since first use in prior five years, mean	4.2	4.18	4.19	4.14
SD	*1.3*	*1.33*	*1.32*	*1.35*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.1%	27.8%	31.9%	19.4%
SD	*29.2%*	*30.4%*	*31.6%*	*25.6%*
Years with OP use / Years since first use, %	96.7%	97.1%	97.1%	97.1%
SD	*10.5%*	*9.7%*	*9.5%*	*10.3%*
Psychosis Diagnoses in Prior Fiscal Year				
Had Psychosis Diagnosis in FY01, %	65.0%	68.1%	69.3%	65.5%
Among Patients With Psychoses in FY01				
Psychosis Category: Schizophrenia, %	3.8%	2.7%	2.7%	2.8%
Psychosis Category: Bipolar Disorder, %	94.8%	95.8%	96.4%	94.3%
Psychosis Category: Other Psychosis, %	1.4%	1.5%	0.9%	2.8%
Total	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %				
Dementia	1.7%	1.2%	1.8%	1.8%
Post Traumatic Stress Disorder	21.3%	22.7%	13.6%	6.9%
Depression	44.5%	42.2%	44.5%	37.7%
Other Anxiety Disorder	16.3%	19.0%	20.2%	16.5%
Substance Abuse or Dependence	29.8%	30.0%	34.8%	20.3%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Bipolar Patients	73964	3531	2351	1180
Medical Comorbidities, %				
No medical comorbidities	15.4%	14.2%	14.1%	14.3%
Anemia	5.6%	4.2%	4.4%	3.7%
Arthritis	42.4%	45.0%	46.6%	41.8%
Cancer	6.2%	5.8%	5.7%	6.2%
Cerebrovascular Disease	3.8%	4.0%	3.6%	4.7%
Chronic Neurologic Disorder	14.8%	16.8%	16.8%	16.7%
Chronic Obstructive Pulmonary Disease	16.0%	16.9%	17.0%	16.8%
Chronic Viral Infection	9.6%	9.2%	10.8%	6.1%
Coronary Artery Disease	16.8%	16.0%	14.5%	19.1%
Diabetes	17.4%	16.6%	15.7%	18.2%
Digestive System Disease	43.2%	43.9%	46.2%	39.2%
Hypertension	38.5%	36.9%	34.3%	42.0%
Injury and Poisoning	19.9%	21.0%	23.6%	15.8%
Liver Disease	3.8%	3.6%	3.5%	3.7%
Other Endocrine	10.0%	9.6%	9.7%	9.4%
Peripheral Vascular Disease	3.0%	2.5%	2.3%	2.8%
GAF scores				
Lowest inpatient GAF score, mean	39.59	48.87	51.87	36.96
SD	*14.06*	*13.94*	*12.00*	*14.94*
Mean outpatient GAF score	53.41	55.59	54.05	57.93
SD	*10.75*	*10.86*	*10.82*	*10.51*
At least 1 IP GAF, among pts with MH bedsections, %	39.1%	11.1%	10.7%	12.4%
At least 1 OP GAF, among pts with MH clinic stops, %	81.5%	72.4%	64.8%	88.2%
Mortality rates				
died in FY02, %	1.5%	1.6%	1.5%	1.9%
Age-and-gender-adjusted Standardized Mortality Ratio	1.07	1.27	0.00	0.00

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Bipolar Patients	73964	3531	2351	1180
Service Connection (SC)				
Non-SC	55.9%	59.6%	58.3%	62.2%
SC 0 - 29%	10.0%	10.2%	10.5%	9.5%
SC 30 - 69%	13.4%	12.0%	11.3%	13.3%
SC 70 - 99%	8.9%	7.8%	8.5%	6.5%
SC 100%	11.8%	10.4%	11.4%	8.5%
Total	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %				
Complex*	12.2%	13.6%	17.6%	5.5%
Basic vested, Cat A*	80.3%	78.2%	74.1%	86.4%
Basic Non-vested, Cat A*	0.9%	0.6%	0.7%	0.4%
Basic, Cats C and N	6.6%	7.6%	7.5%	7.7%
Total	100.0%	100.0%	100.0%	100.0%
* Funded				
Patient eligibility category, %				
Cat A (SC or low income)	93.2%	92.2%	92.1%	92.2%
Cat C (NSC and higher income)	5.9%	6.4%	6.2%	6.9%
Non-Veteran	0.9%	1.4%	1.7%	0.9%
Total	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %				
BASIC 1. Non-reliant Care	0.1%	0.1%	0.1%	0.0%
2. Basic Medical	15.2%	15.0%	14.0%	17.0%
3. Mental Health	40.5%	39.5%	35.5%	47.3%
4. Heart / Lung / GI	6.9%	7.7%	7.1%	9.0%
5. Oncology / Infectious Disease	4.3%	4.2%	4.3%	4.0%
6. Multiple Medical	20.7%	20.1%	21.5%	17.2%
COMPLEX 7. Specialized Care	2.2%	2.7%	3.4%	1.4%
8. Support Care	2.1%	2.4%	2.9%	1.5%
9. Chronic Mental	6.8%	7.4%	10.2%	1.8%
10. Critically Ill	1.1%	1.0%	1.1%	0.8%
Total	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Bipolar Patients	73964	3531	2351	1180
Substance Dependence and Abuse				
Any dx of alcohol / drug dependence or abuse, %	29.8%	30.0%	34.8%	20.3%
Homelessness				
Homelessness indicated in FY02, %	13.8%	12.9%	15.9%	7.0%
Residence in Metropolitan Area				
Residing in a Metropolitan Statistical Area, %	79.3%	63.5%	67.2%	56.1%
Distance				
Mile from Closest VA Medical Center, mean	34.15	29.75	28.82	31.62
SD	*73.16*	*33.80*	*36.06*	*28.71*
Distance from closest VA Medical Center, %				
0 to 15 miles	46.2%	51.4%	55.5%	43.3%
15 to 30 miles	17.2%	12.8%	11.0%	16.4%
30 to 45 miles	10.6%	7.6%	7.3%	8.2%
45 to 60 miles	8.5%	9.8%	8.3%	12.6%
60 plus miles	17.4%	18.4%	17.9%	19.5%
Total	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.09	11.78	11.08	13.16
SD	*13.59*	*12.51*	*12.57*	*12.26*
Distance to closest VA Service Site, %				
0 to 15 miles	76.3%	70.0%	72.6%	64.8%
15 to 30 miles	15.4%	19.5%	17.3%	23.7%
30 to 45 miles	5.7%	8.4%	8.0%	9.1%
45 plus miles	2.7%	2.2%	2.0%	2.4%
Total	100.0%	100.0%	100.0%	100.0%

Table 3H: FY03 Bipolar Patients, Utilization, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Bipolar Patients	73964	3531	2351	1180
Hospital Based Utilization				
Patients with some Hospital Based Utilization, %	25.4%	29.5%	32.9%	22.5%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)				
Inpatient stays, mean	1.80	1.87	1.90	1.77
SD	*1.41*	*1.50*	*1.50*	*1.49*
Average LOS, mean	9.79	12.48	14.06	7.90
SD	*17.76*	*20.21*	*21.99*	*12.74*
Cumulative DOS, mean	17.09	20.92	23.77	12.64
SD	*27.94*	*30.14*	*33.22*	*15.78*
Cumulative DOS, %				
1 to 7	44.7%	39.8%	37.0%	48.1%
8 to 14	21.9%	21.1%	20.3%	23.3%
15 to 44	25.9%	27.6%	28.2%	25.9%
45 to 89	5.3%	8.0%	10.1%	1.9%
90 to 179	1.5%	2.6%	3.2%	0.8%
180 to 359	0.5%	1.0%	1.3%	0.0%
360+	0.1%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	1.0%	1.3%	1.6%	0.8%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	203.75	165.07	171.58	126.00
SD	*79.71*	*49.83*	*50.51*	*25.46*
Hospital patients who had a 150+ day hosp. stay, %	0.6%	0.7%	0.9%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	251.69	208.43	208.43	0.00
SD	*73.28*	*24.29*	*24.29*	*0.00*
Cumulative DOS at Other VISNs	0.67	0.51	0.44	0.69
SD	*4.53*	*3.38*	*3.15*	*3.99*
Cumulative DOS at Other Stations	1.97	0.62	0.55	0.80
SD	*7.12*	*3.62*	*3.35*	*4.32*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Bipolar Patients	73964	3531	2351	1180
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)				
Pts. with non-psych hospital stays, %	11.7%	13.1%	14.1%	11.0%
Inpatient stays, mean	0.72	0.74	0.70	0.87
SD	*1.10*	*1.27*	*1.17*	*1.52*
Average LOS, mean	6.20	5.26	4.89	6.22
SD	*10.70*	*10.16*	*6.94*	*15.62*
Cumulative Days of Stay, mean	4.64	3.77	3.49	4.61
SD	*13.49*	*9.89*	*8.71*	*12.68*
Cumulative Days of Stay, %				
0	54.1%	55.6%	57.1%	51.1%
1 to 7	30.1%	30.4%	29.7%	32.3%
8 to 14	7.4%	6.9%	6.5%	8.3%
15 to 44	7.0%	6.3%	5.9%	7.1%
45 to 89	1.1%	0.5%	0.5%	0.4%
90 to 179	0.3%	0.4%	0.3%	0.8%
180 to 359	0.1%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.2%	0.3%	0.1%	0.8%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	187.03	117.33	100.00	126.00
SD	*73.96*	*23.44*	*0.00*	*25.46*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.06	0.00	0.00	0.00
SD	*75.99*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.15*	*0.12*	*0.11*	*0.12*
SD	*2.03*	*1.20*	*1.25*	*1.04*
Other station cumulative DOS, mean	0.50	0.13	0.12	0.14
SD	*3.25*	*1.22*	*1.27*	*1.08*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Bipolar Patients	73964	3531	2351	1180
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)				
Pts. with psych hospital stays, %	16.8%	20.7%	23.9%	14.3%
Inpatient stays, mean	1.08	1.12	1.20	0.91
SD	*1.27*	*1.22*	*1.27*	*1.01*
Average LOS, mean	12.15	16.47	18.76	8.86
SD	*21.36*	*23.84*	*26.34*	*8.73*
Cumulative Days of Stay, mean	12.44	17.15	20.28	8.03
SD	*25.57*	*29.38*	*32.73*	*12.11*
Cumulative Days of Stay, %				
0	34.1%	29.7%	27.4%	36.5%
1 to 7	24.8%	22.6%	20.8%	27.8%
8 to 14	16.7%	16.3%	15.8%	18.0%
15 to 44	19.0%	20.6%	22.1%	16.2%
45 to 89	3.7%	7.8%	9.9%	1.5%
90 to 179	1.2%	2.2%	3.0%	0.0%
180 to 359	0.4%	0.8%	1.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.8%	1.1%	1.4%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	201.69	174.45	174.45	0.00
SD	*78.85*	*44.98*	*44.98*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.00	0.01	0.01	0.00
Cumul. DOS, patients with a 150+ day hosp. stay, mean	248.87	203.29	203.29	0.00
SD	*70.96*	*22.72*	*22.72*	*0.00*
Other VISN cumulative DOS, mean	0.52	0.39	0.33	0.58
SD	4.00	3.14	2.86	3.85
Other station cumulative DOS, mean	1.48	0.49	0.43	0.66
SD	6.29	3.39	3.07	4.19

Table 3H: FY03 Bipolar Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Bipolar Patients	73964	3531	2351	1180
Other 24 hour institutional care				
Patients with some Community Based 24 hour care, %	8.1%	6.2%	8.2%	2.1%
Residential Rehabilitation				
Patients with some residential rehab. care, %	2.6%	0.7%	1.1%	0.0%
Number stays, mean	*1.12*	*1.08*	*1.08*	*0.00*
SD	*0.38*	*0.27*	*0.27*	*0.00*
Average LOS, mean	33.17	139.88	139.88	0.00
SD	*32.92*	*108.29*	*108.29*	*0.00*
Cumulative DOS, mean	36.42	144.85	144.85	0.00
SD	*35.54*	*107.25*	*107.25*	*0.00*
Cumulative Days of Stay, %				
1 to 7	10.4%	3.8%	3.8%	0.0%
8 to 14	11.3%	0.0%	0.0%	0.0%
15 to 44	53.1%	19.2%	19.2%	0.0%
45 to 89	18.3%	11.5%	11.5%	0.0%
90 to 179	5.8%	30.8%	30.8%	0.0%
180 to 359	1.0%	30.8%	30.8%	0.0%
360+	0.1%	3.8%	3.8%	0.0%
Total	100.0%	100.0%	100.0%	0.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.3%	61.5%	61.5%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	167.40	209.75	209.75	0.00
SD	*69.53*	*84.09*	*84.09*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	42.3%	42.3%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	224.60	243.27	243.27	0.00
SD	*70.59*	*78.78*	*78.78*	*0.00*
Other VISN cumulative DOS, mean	1.28	5.38	5.38	0.00
SD	*6.79*	*15.28*	*15.28*	*0.00*
Other station cumulative DOS, mean	3.71	5.38	5.38	0.00
SD	*10.96*	*15.28*	*15.28*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Bipolar Patients	73964	3531	2351	1180
Domiciliary and Vocational				
Patients with some dom/voc care, %	4.2%	3.8%	5.5%	0.5%
Number stays, mean	1.14	1.04	1.04	1.00
SD	*0.38*	*0.19*	*0.19*	*0.00*
Average LOS, mean	80.47	111.93	110.90	134.00
SD	*77.50*	*81.44*	*82.93*	*33.00*
Cumulative DOS, mean	88.84	113.54	112.59	134.00
SD	*82.55*	*80.75*	*82.24*	*33.00*
Cumulative Days of Stay, %				
1 to 7	6.1%	0.7%	0.8%	0.0%
8 to 14	5.6%	6.7%	7.0%	0.0%
15 to 44	28.2%	14.8%	15.5%	0.0%
45 to 89	21.0%	20.7%	20.9%	16.7%
90 to 179	26.2%	41.5%	39.5%	83.3%
180 to 359	10.5%	12.6%	13.2%	0.0%
360+	2.4%	3.0%	3.1%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.1%	51.9%	50.4%	83.3%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	184.30	170.57	172.52	145.20
SD	*76.03*	*70.75*	*72.91*	*20.51*
Dom. patients with 150+ day Dom. stay, %	16.5%	24.4%	23.3%	50.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	236.94	224.67	231.13	160.00
SD	*71.03*	*69.72*	*69.91*	*4.36*
Other VISN cumulative DOS, mean	1.76	1.73	1.81	0.00
SD	*9.43*	*8.92*	*9.12*	*0.00*
Other station cumulative DOS, mean	4.27	1.73	1.81	0.00
SD	*15.65*	*8.92*	*9.12*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Bipolar Patients	73964	3531	2351	1180
Nursing Home Care				
Patients with some nursing home care, %	2.1%	2.0%	2.2%	1.6%
Number stays, mean	1.22	1.33	1.39	1.16
SD	*0.55*	*0.68*	*0.72*	*0.50*
Average LOS, mean	86.89	70.14	79.34	45.46
SD	*110.58*	*86.66*	*87.41*	*81.76*
Cumulative DOS, mean	98.25	86.51	100.49	49.00
SD	*116.77*	*98.52*	*101.30*	*81.65*
Cumulative Days of Stay, %				
1 to 7	10.5%	10.0%	3.9%	26.3%
8 to 14	10.7%	8.6%	5.9%	15.8%
15 to 44	30.2%	24.3%	21.6%	31.6%
45 to 89	16.4%	28.6%	33.3%	15.8%
90 to 179	12.3%	15.7%	19.6%	5.3%
180 to 359	10.2%	7.1%	7.8%	5.3%
360+	9.8%	5.7%	7.8%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	27.9%	21.4%	25.5%	10.5%
Cumul. DOS, patients with a 100+ day NH stay, mean	261.88	236.40	233.31	256.50
SD	*97.21*	*105.95*	*107.95*	*127.99*
NH patients with 150+ day NH stay, %	22.1%	11.4%	11.8%	10.5%
Cumul. DOS, patients with a 150+ day NH stay, mean	296.07	298.75	312.83	256.50
SD	*76.98*	*87.00*	*79.80*	*127.99*
Other VISN cumulative DOS, mean	0.47	0.44	0.00	1.63
SD	*5.60*	*3.71*	*0.00*	*7.11*
Other station cumulative DOS, mean	1.51	0.44	0.00	1.63
SD	*9.89*	*3.71*	*0.00*	*7.11*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Bipolar Patients	73964	3531	2351	1180
Outpatient utilization				
(reported for those with some outpatient care)				
Patients with some outpatient care, %	99.6%	99.7%	99.6%	99.8%
annual visit days, mean	24.20	23.14	26.30	16.86
SD	*30.37*	*30.67*	*35.42*	*16.07*
Outpatient visit days, %				
1-12	43.1%	46.1%	44.3%	49.7%
13-24	26.8%	26.4%	24.6%	30.1%
25-36	12.4%	11.7%	11.5%	12.1%
37-48	6.4%	5.6%	6.6%	3.7%
49+	11.4%	10.1%	13.1%	4.3%
Total	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	80.8%	81.4%	79.5%	85.1%
Mean PC visit days, among those with some PC	3.83	3.11	3.17	3.00
SD	3.42	2.40	2.59	2.02
Average number clinic stops per visit day, mean	1.50	1.57	1.64	1.43
SD	*0.46*	*0.49*	*0.51*	*0.44*
annual clinic stops (psych & non-psych), mean	37.58	38.54	45.20	25.28
SD	*53.68*	*57.15*	*66.41*	*27.02*
annual non-psych. clinic stops, mean	19.81	18.87	20.28	16.08
SD	*22.87*	*25.19*	*28.64*	*15.95*
annual psych. clinic stops (groupings below), mean	17.77	19.66	24.92	9.20
SD	*40.95*	*43.53*	*50.93*	*18.49*
1. general psych. clinic stops, mean	7.61	8.18	9.75	5.06
SD	*12.69*	*14.26*	*16.78*	*5.79*
2. psych. case management clinic stops, mean	0.65	0.83	1.25	0.02
SD	*8.45*	*11.91*	*14.58*	*0.64*
3. psych. day treatment clinic stops, mean	1.57	0.63	0.71	0.46
SD	*15.80*	*8.84*	*9.93*	*6.12*
4. substance abuse clinic stops, mean	4.64	5.44	6.63	3.08
SD	*21.97*	*18.92*	*21.01*	*13.54*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Bipolar Patients	73964	3531	2351	1180
5. psych. vocational clinic stops, mean	1.91	3.32	4.90	0.18
SD	*15.13*	*20.46*	*24.75*	*4.33*
6. PTSD clinic stops, mean	0.80	1.09	1.49	0.29
SD	*5.71*	*6.80*	*8.05*	*2.93*
7. psych. homeless clinic stops, mean	0.54	0.18	0.23	0.08
SD	*3.97*	*1.36*	*1.55*	*0.86*
Other VISN OP visit days, mean	0.48	0.57	0.69	0.33
SD	2.80	3.25	3.73	1.95
Other station OP visit days, mean	1.14	0.63	0.76	0.37
SD	4.45	3.36	3.86	2.01

Table 4H: FY03 Bipolar Patients, Pharmacy Utilization, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Bipolar Patients	73964	3531	2351	1180
Among all patients in the registry				
Pts. with any outpatient prescriptions, %	96.9%	98.0%	98.1%	97.9%
Patients with any oral antipsychotic fills, %*	46.0%	50.2%	49.6%	51.4%
Among pts. receiving any antipsychotic medication:				
Received only conventional antipsychotics, %	7.6%	5.6%	5.7%	5.4%
Received some atypical antipsychotics, %	92.4%	94.4%	94.3%	94.6%
Total	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %				
Aripiprazole	0.9%	0.8%	0.9%	0.7%
Clozapine	0.2%	0.2%	0.2%	0.3%
Olanzapine	40.7%	37.5%	30.2%	51.7%
Quetiapine	34.1%	32.1%	35.2%	26.1%
Risperidone	31.0%	37.6%	39.9%	33.2%
Ziprasidone	4.7%	6.3%	8.6%	1.8%
Patients receiving only one kind** of antipsychotic, %	77.4%	76.4%	75.5%	78.2%
Concurrent use of 2 or more antipsychotics, % ***	5.5%	6.6%	7.6%	4.6%
Among pts receiving just one antipsychotic:				
Antipsychotic fills, mean	6.09	5.90	5.32	6.98
SD	*4.43*	*4.32*	*3.98*	*4.71*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--
SD	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5H: FY03 Bipolar Patients, Cost, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Bipolar Patients	73964	3531	2351	1180
Total Costs (in thousands $$)	$907,650	$41,416	$32,170	$9,246
Station % of VISN		100.0%	77.7%	22.3%
Psych vs. Non-Psych Costs				
Psych	33.4%	35.7%	37.9%	27.9%
Non-Psych	66.6%	64.3%	62.1%	72.1%
Total	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use				
Per Patient	$15,075	$14,753	$16,058	$10,954
Per Day of Stay	$882	$705	$676	$867
Mean Outpatient Costs, Pts with some Outpatient use				
Per Patient	$6,520	$5,678	$6,136	$4,768
Per Visit Day	$269	$245	$233	$283
By Cost Center				
1 Med	$1,060	$1,058	$1,103	$967
2 Surg	$459	$322	$364	$238
3 Psych	$2,315	$2,965	$3,819	$1,264
4 Psych Res Rehab Treatment Program	$298	$210	$316	$0
5 Non-VA	$176	$207	$224	$175
6 LTC Domiciliary	$455	$492	$739	$0
7 LTC Intermediate Care	$96	$33	$42	$14
8 LTC Nursing Home	$778	$691	$875	$325
9 Contract Nursing Home	$142	$90	$88	$94
10 OPC Med/Surg	$1,111	$977	$1,032	$870
11 OPC Psych	$1,781	$1,218	$1,367	$920
12 OPC Home Based Treatment	$532	$458	$528	$318
13 OPC Support	$1,309	$1,183	$1,335	$881
14 OPC Fee	$115	$73	$90	$38
15 OPC Pharmacy	$1,645	$1,751	$1,760	$1,733
TOTAL	$12,272	$11,729	$13,683	$7,836
Mean % Patient Costs at Other Stations	4.8%	2.1%	2.0%	2.4%
SD	*13.9%*	*9.2%*	*8.3%*	*10.8%*
Mean % Patient Costs at Other VISNs	2.0%	1.9%	1.8%	2.2%
SD	*9.0%*	*8.8%*	*7.8%*	*10.3%*

Table 2I: FY03 Other Psychosis Patients, Demographics, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Other Psychosis Patients	49401	2606	1242	1364
Age, %				
<35	2.2%	1.9%	1.5%	2.2%
>=35 and <50	12.5%	11.9%	8.2%	15.2%
>=50 and <65	22.1%	20.5%	16.9%	23.8%
>=65 and <80	36.7%	39.9%	43.3%	36.7%
>=80	26.5%	25.9%	30.0%	22.1%
Total	100.0%	100.0%	100.0%	100.0%
mean age	68.22	68.89	71.47	66.53
SD	*15.13*	*14.66*	*13.56*	*15.21*
Gender				
Male, %	96.0%	96.9%	96.6%	97.1%
Female, %	4.0%	3.1%	3.4%	2.9%
Total	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %				
Hispanic white	3.9%	0.6%	1.0%	0.2%
Hispanic black	0.3%	0.1%	0.2%	0.1%
American indian	0.2%	0.2%	0.3%	0.0%
Black	15.5%	13.4%	10.1%	16.4%
Asian	0.4%	0.0%	0.0%	0.0%
White	48.2%	52.8%	54.7%	51.1%
Race unknown	31.5%	32.9%	33.7%	32.2%
Total	100.0%	100.0%	100.0%	100.0%
Marital Status				
Never married	13.4%	10.6%	8.4%	12.6%
Married	52.0%	52.6%	54.9%	50.4%
Divorced/Separated	22.5%	24.8%	23.2%	26.2%
Widowed	12.0%	12.1%	13.5%	10.8%
Total	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Other Psychosis Patients	49401	2606	1242	1364
Registry Pts. History of VA Utilization				
Years since first use in prior five years, mean	4.0	3.98	3.97	3.99
SD	*1.4*	*1.44*	*1.46*	*1.43*
Yrs with 24-hour institutional use / yrs since 1st use, %	24.1%	25.6%	27.8%	23.6%
SD	*27.8%*	*27.5%*	*28.0%*	*26.9%*
Years with OP use / Years since first use, %	96.9%	97.6%	97.5%	97.7%
SD	*10.4%*	*8.9%*	*9.0%*	*8.8%*
Psychosis Diagnoses in Prior Fiscal Year				
Had Psychosis Diagnosis in FY01, %	33.8%	36.3%	37.0%	35.7%
Among Patients With Psychoses in FY01				
Psychosis Category: Schizophrenia, %	9.4%	5.3%	3.9%	6.6%
Psychosis Category: Bipolar Disorder, %	3.8%	2.0%	1.3%	2.7%
Psychosis Category: Other Psychosis, %	86.9%	92.7%	94.8%	90.8%
Total	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %				
Dementia	20.6%	16.0%	15.4%	16.6%
Post Traumatic Stress Disorder	13.4%	10.0%	11.4%	8.7%
Depression	37.7%	37.1%	36.1%	38.1%
Other Anxiety Disorder	12.0%	13.6%	12.6%	14.5%
Substance Abuse or Dependence	15.7%	12.8%	11.0%	14.4%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Other Psychosis Patients	49401	2606	1242	1364
Medical Comorbidities, %				
No medical comorbidities	8.3%	7.4%	6.8%	8.0%
Anemia	14.2%	13.4%	14.3%	12.6%
Arthritis	39.1%	38.9%	39.5%	38.3%
Cancer	14.0%	15.2%	15.5%	14.9%
Cerebrovascular Disease	16.4%	17.0%	17.6%	16.6%
Chronic Neurologic Disorder	20.8%	22.9%	24.1%	21.9%
Chronic Obstructive Pulmonary Disease	17.9%	21.1%	21.4%	20.8%
Chronic Viral Infection	5.9%	4.8%	3.9%	5.6%
Coronary Artery Disease	33.0%	32.2%	33.6%	31.0%
Diabetes	23.4%	23.3%	22.2%	24.3%
Digestive System Disease	42.9%	43.3%	45.6%	41.2%
Hypertension	54.9%	54.8%	52.3%	57.0%
Injury and Poisoning	19.4%	18.5%	18.8%	18.3%
Liver Disease	3.8%	4.5%	4.3%	4.6%
Other Endocrine	9.5%	9.9%	11.0%	8.9%
Peripheral Vascular Disease	7.8%	7.8%	7.6%	8.0%
GAF scores				
Lowest inpatient GAF score, mean	37.71	41.88	47.28	38.94
SD	*14.78*	*16.26*	*19.50*	*13.64*
Mean outpatient GAF score	48.43	50.23	48.35	51.12
SD	*11.56*	*12.11*	*10.88*	*12.56*
At least 1 IP GAF, among pts with MH bedsections, %	36.3%	12.0%	11.0%	12.9%
At least 1 OP GAF, among pts with MH clinic stops, %	74.8%	70.0%	52.5%	83.3%
Mortality rates				
died in FY02, %	6.2%	7.8%	8.8%	6.8%
Age-and-gender-adjusted Standardized Mortality Ratio	1.21	1.46	0.00	0.00

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Other Psychosis Patients	49401	2606	1242	1364
Service Connection (SC)				
Non-SC	63.3%	59.6%	67.6%	70.5%
SC 0 - 29%	10.4%	10.2%	10.5%	9.4%
SC 30 - 69%	10.8%	12.0%	8.5%	9.9%
SC 70 - 99%	6.4%	7.8%	4.5%	3.6%
SC 100%	9.1%	10.4%	8.9%	6.6%
Total	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %				
Complex*	15.0%	11.9%	16.3%	7.8%
Basic vested, Cat A*	74.8%	77.3%	71.1%	82.9%
Basic Non-vested, Cat A*	0.8%	0.8%	0.8%	0.7%
Basic, Cats C and N	9.4%	10.1%	11.8%	8.5%
Total	100.0%	100.0%	100.0%	100.0%
* Funded				
Patient eligibility category, %				
Cat A (SC or low income)	90.1%	89.5%	87.5%	91.3%
Cat C (NSC and higher income)	9.4%	9.9%	11.8%	8.2%
Non-Veteran	0.6%	0.6%	0.7%	0.4%
Total	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %				
BASIC 1. Non-reliant Care	0.1%	0.0%	0.0%	0.1%
2. Basic Medical	12.0%	26.7%	25.1%	28.2%
3. Mental Health	36.4%	24.9%	21.9%	27.6%
4. Heart / Lung / GI	6.3%	16.0%	16.5%	15.5%
5. Oncology / Infectious Disease	3.6%	3.2%	3.0%	3.4%
6. Multiple Medical	20.2%	17.3%	17.1%	17.4%
COMPLEX 7. Specialized Care	3.4%	2.9%	3.9%	2.0%
8. Support Care	2.6%	4.8%	6.4%	3.4%
9. Chronic Mental	13.1%	1.4%	2.5%	0.4%
10. Critically Ill	2.2%	2.8%	3.6%	2.1%
Total	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Other Psychosis Patients	49401	2606	1242	1364
Substance Dependence and Abuse				
Any dx of alcohol / drug dependence or abuse, %	15.7%	12.8%	11.0%	14.4%
Homelessness				
Homelessness indicated in FY02, %	7.1%	4.8%	3.6%	5.9%
Residence in Metropolitan Area				
Residing in a Metropolitan Statistical Area, %	76.7%	60.7%	63.8%	57.7%
Distance				
Mile from Closest VA Medical Center, mean	35.80	29.20	29.70	28.75
SD	*82.41*	*30.20*	*32.96*	*27.45*
Distance from closest VA Medical Center, %				
0 to 15 miles	45.8%	48.2%	51.2%	45.4%
15 to 30 miles	16.6%	15.2%	11.9%	18.3%
30 to 45 miles	10.9%	8.7%	8.5%	8.9%
45 to 60 miles	8.8%	10.8%	10.7%	10.9%
60 plus miles	17.9%	17.1%	17.7%	16.6%
Total	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.89	12.62	12.45	12.77
SD	*14.24*	*12.91*	*13.88*	*11.96*
Distance to closest VA Service Site, %				
0 to 15 miles	73.5%	67.9%	70.0%	66.0%
15 to 30 miles	16.6%	20.2%	17.1%	23.0%
30 to 45 miles	7.0%	9.8%	10.0%	9.6%
45 plus miles	3.0%	2.1%	2.9%	1.3%
Total	100.0%	100.0%	100.0%	100.0%

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Other Psychosis Patients	49401	2606	1242	1364
Hospital Based Utilization				
Patients with some Hospital Based Utilization, %	30.2%	36.1%	39.8%	32.8%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)				
Inpatient stays, mean	1.82	1.90	1.88	1.91
SD	*1.40*	*1.52*	*1.41*	*1.63*
Average LOS, mean	9.37	7.68	8.81	6.44
SD	*15.01*	*8.33*	*10.00*	*5.73*
Cumulative DOS, mean	16.06	13.95	15.92	11.76
SD	*22.72*	*15.57*	*17.85*	*12.24*
Cumulative DOS, %				
1 to 7	42.1%	42.1%	39.1%	45.4%
8 to 14	23.4%	25.1%	23.9%	26.4%
15 to 44	27.8%	27.8%	30.4%	25.1%
45 to 89	5.2%	4.4%	5.7%	2.9%
90 to 179	1.2%	0.6%	1.0%	0.2%
180 to 359	0.2%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	0.7%	0.1%	0.2%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	185.56	119.00	119.00	0.00
SD	*75.86*	*0.00*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.3%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	241.58	0.00	0.00	0.00
SD	*74.51*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.37	0.36	0.35	0.37
SD	*3.13*	*3.46*	*3.85*	*2.97*
Cumulative DOS at Other Stations	1.24	0.45	0.48	0.43
SD	*5.73*	*3.77*	*4.31*	*3.07*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Other Psychosis Patients	49401	2606	1242	1364
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)				
Pts. with non-psych hospital stays, %	21.7%	27.5%	31.6%	23.8%
Inpatient stays, mean	1.27	1.43	1.45	1.42
SD	*1.36*	*1.53*	*1.38*	*1.68*
Average LOS, mean	7.86	6.62	7.86	5.11
SD	*11.97*	*7.99*	*9.66*	*4.91*
Cumulative Days of Stay, mean	9.61	9.26	11.00	7.33
SD	*16.99*	*13.40*	*15.23*	*10.73*
Cumulative Days of Stay, %				
0	28.2%	23.8%	20.4%	27.5%
1 to 7	35.5%	37.8%	35.8%	40.0%
8 to 14	15.8%	17.2%	18.4%	15.9%
15 to 44	17.1%	18.2%	21.5%	14.5%
45 to 89	2.8%	2.7%	3.2%	2.0%
90 to 179	0.5%	0.3%	0.6%	0.0%
180 to 359	0.1%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.1%	0.2%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	178.07	119.00	119.00	0.00
SD	*75.21*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	240.47	0.00	0.00	0.00
SD	*75.05*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.18*	*0.22*	*0.22*	*0.23*
SD	*1.94*	*2.86*	*3.49*	*1.93*
Other station cumulative DOS, mean	0.60	0.26	0.24	0.28
SD	*3.61*	*2.94*	*3.54*	*2.09*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Other Psychosis Patients	49401	2606	1242	1364
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)				
Pts. with psych hospital stays, %	10.8%	11.5%	11.0%	12.0%
Inpatient stays, mean	0.55	0.46	0.44	0.49
SD	*1.03*	*0.93*	*0.97*	*0.88*
Average LOS, mean	12.47	10.53	11.85	9.43
SD	*19.53*	*8.80*	*10.71*	*6.65*
Cumulative Days of Stay, mean	6.45	4.69	4.92	4.43
SD	*17.76*	*11.17*	*12.92*	*8.84*
Cumulative Days of Stay, %				
0	64.2%	68.2%	72.5%	63.5%
1 to 7	12.7%	10.8%	8.9%	13.0%
8 to 14	9.6%	9.9%	6.7%	13.4%
15 to 44	10.7%	9.7%	9.9%	9.4%
45 to 89	2.1%	1.2%	1.8%	0.4%
90 to 179	0.5%	0.2%	0.2%	0.2%
180 to 359	0.1%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.4%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	182.44	0.00	0.00	0.00
SD	*78.98*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.00	0.00	0.00	0.00
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.42	0.00	0.00	0.00
SD	*77.61*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.19	0.14	0.13	0.15
SD	2.40	1.58	1.66	1.49
Other station cumulative DOS, mean	0.64	0.19	0.23	0.15
SD	4.34	2.07	2.48	1.49

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Other Psychosis Patients	49401	2606	1242	1364
Other 24 hour institutional care				
Patients with some Community Based 24 hour care, %	10.1%	8.3%	10.5%	6.2%
Residential Rehabilitation				
Patients with some residential rehab. care, %	1.0%	0.1%	0.2%	0.0%
Number stays, mean	*1.13*	*1.00*	*1.00*	*0.00*
SD	*0.45*	*0.00*	*0.00*	*0.00*
Average LOS, mean	30.41	120.00	120.00	0.00
SD	*33.22*	*125.87*	*125.87*	*0.00*
Cumulative DOS, mean	33.30	120.00	120.00	0.00
SD	*35.32*	*125.87*	*125.87*	*0.00*
Cumulative Days of Stay, %				
1 to 7	15.1%	0.0%	0.0%	0.0%
8 to 14	12.1%	0.0%	0.0%	0.0%
15 to 44	54.3%	50.0%	50.0%	0.0%
45 to 89	11.7%	0.0%	0.0%	0.0%
90 to 179	5.7%	0.0%	0.0%	0.0%
180 to 359	1.1%	50.0%	50.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	0.0%
Res Rehab pts with 100+ day Res Rehab stay, %	2.6%	50.0%	50.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	181.33	209.00	209.00	0.00
SD	*69.09*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	50.0%	50.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	235.83	209.00	209.00	0.00
SD	*52.07*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.38	0.00	0.00	0.00
SD	*7.57*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	4.16	0.00	0.00	0.00
SD	*12.59*	*0.00*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Other Psychosis Patients	49401	2606	1242	1364
Domiciliary and Vocational				
Patients with some dom/voc care, %	1.7%	0.9%	1.1%	0.7%
Number stays, mean	1.13	1.00	1.00	1.00
SD	*0.36*	*0.00*	*0.00*	*0.00*
Average LOS, mean	79.24	124.04	119.86	130.56
SD	*81.39*	*77.02*	*86.87*	*63.01*
Cumulative DOS, mean	86.42	124.04	119.86	130.56
SD	*85.00*	*77.02*	*86.87*	*63.01*
Cumulative Days of Stay, %				
1 to 7	7.5%	0.0%	0.0%	0.0%
8 to 14	6.2%	4.3%	7.1%	0.0%
15 to 44	29.8%	13.0%	14.3%	11.1%
45 to 89	19.6%	21.7%	21.4%	22.2%
90 to 179	23.7%	34.8%	28.6%	44.4%
180 to 359	10.4%	26.1%	28.6%	22.2%
360+	2.9%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	60.9%	57.1%	66.7%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	193.84	175.79	180.25	169.83
SD	*79.91*	*48.15*	*62.36*	*22.55*
Dom. patients with 150+ day Dom. stay, %	16.8%	43.5%	35.7%	55.6%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	240.95	194.60	214.40	174.80
SD	*71.71*	*43.22*	*52.64*	*21.23*
Other VISN cumulative DOS, mean	1.61	0.00	0.00	0.00
SD	*8.79*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.31	0.00	0.00	0.00
SD	*11.83*	*0.00*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Other Psychosis Patients	49401	2606	1242	1364
Nursing Home Care				
Patients with some nursing home care, %	7.7%	7.3%	9.3%	5.6%
Number stays, mean	1.29	1.18	1.15	1.22
SD	*0.65*	*0.46*	*0.44*	*0.48*
Average LOS, mean	54.03	41.25	46.03	34.01
SD	*70.27*	*50.44*	*49.24*	*51.68*
Cumulative DOS, mean	64.81	47.82	52.10	41.34
SD	*79.26*	*56.14*	*54.63*	*58.12*
Cumulative Days of Stay, %				
1 to 7	10.9%	15.2%	14.8%	15.8%
8 to 14	15.2%	17.3%	13.0%	23.7%
15 to 44	34.5%	34.0%	32.2%	36.8%
45 to 89	16.5%	16.8%	20.9%	10.5%
90 to 179	13.0%	13.1%	15.7%	9.2%
180 to 359	8.1%	3.7%	3.5%	3.9%
360+	1.8%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	17.8%	11.0%	13.0%	7.9%
Cumul. DOS, patients with a 100+ day NH stay, mean	207.27	169.48	155.47	204.50
SD	*81.27*	*60.10*	*50.36*	*72.70*
NH patients with 150+ day NH stay, %	11.0%	4.7%	4.3%	5.3%
Cumul. DOS, patients with a 150+ day NH stay, mean	250.81	221.44	216.40	227.75
SD	*70.60*	*56.37*	*38.20*	*80.19*
Other VISN cumulative DOS, mean	0.34	0.17	0.00	0.43
SD	*5.11*	*2.39*	*0.00*	*3.79*
Other station cumulative DOS, mean	1.02	0.34	0.27	0.43
SD	*7.62*	*3.27*	*2.89*	*3.79*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Other Psychosis Patients	49401	2606	1242	1364
Outpatient utilization				
(reported for those with some outpatient care)				
Patients with some outpatient care, %	99.7%	99.9%	100.0%	99.9%
annual visit days, mean	19.52	16.56	17.50	15.71
SD	*24.21*	*20.40*	*23.99*	*16.42*
Outpatient visit days, %				
1-12	49.1%	54.3%	55.6%	53.1%
13-24	27.0%	26.7%	24.5%	28.6%
25-36	11.5%	10.3%	9.4%	11.2%
37-48	5.4%	4.0%	4.4%	3.6%
49+	7.0%	4.8%	6.1%	3.5%
Total	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	86.5%	88.0%	89.2%	86.9%
Mean PC visit days, among those with some PC	4.04	3.35	3.51	3.19
SD	3.94	3.44	4.26	2.42
Average number clinic stops per visit day, mean	1.55	1.59	1.65	1.54
SD	*0.52*	*0.57*	*0.60*	*0.53*
annual clinic stops (psych & non-psych), mean	30.45	26.77	29.34	24.44
SD	*40.44*	*34.20*	*41.20*	*26.04*
annual non-psych. clinic stops, mean	22.67	20.78	22.23	19.46
SD	*25.36*	*23.94*	*27.60*	*19.94*
annual psych. clinic stops (groupings below), mean	7.77	6.00	7.11	4.98
SD	*27.43*	*20.73*	*25.57*	*14.94*
1. general psych. clinic stops, mean	3.20	2.78	3.15	2.44
SD	*7.61*	*6.97*	*9.17*	*4.01*
2. psych. case management clinic stops, mean	0.14	0.16	0.31	0.02
SD	*3.20*	*4.20*	*6.05*	*0.59*
3. psych. day treatment clinic stops, mean	0.60	0.27	0.48	0.08
SD	*8.52*	*6.14*	*8.62*	*2.07*
4. substance abuse clinic stops, mean	2.24	1.88	1.62	2.11
SD	*17.04*	*11.98*	*10.25*	*13.36*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 15, continued

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Other Psychosis Patients	49401	2606	1242	1364
5. psych. vocational clinic stops, mean	0.74	0.34	0.71	0.00
SD	*9.63*	*6.52*	*9.44*	*0.00*
6. PTSD clinic stops, mean	0.56	0.50	0.80	0.23
SD	*5.11*	*3.95*	*5.14*	*2.36*
7. psych. homeless clinic stops, mean	0.27	0.07	0.06	0.09
SD	*2.81*	*0.81*	*0.87*	*0.76*
Other VISN OP visit days, mean	0.31	0.25	0.24	0.27
SD	2.01	1.95	1.88	2.02
Other station OP visit days, mean	0.72	0.29	0.28	0.30
SD	3.19	2.02	1.96	2.07

Table 4I FY03 Other Psychosis Patients, Pharmacy Utilization, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Other Psychosis Patients	49401	2606	1242	1364
Among all patients in the registry				
Pts. with any outpatient prescriptions, %	94.7%	95.2%	94.3%	96.0%
Patients with any oral antipsychotic fills, %*	41.4%	40.4%	37.9%	42.6%
Among pts. receiving any antipsychotic medication:				
Received only conventional antipsychotics, %	9.2%	9.6%	10.8%	8.6%
Received some atypical antipsychotics, %	90.8%	90.4%	89.2%	91.4%
Total	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %				
Aripiprazole	0.7%	0.4%	0.6%	0.2%
Clozapine	0.1%	0.2%	0.2%	0.2%
Olanzapine	27.8%	27.7%	19.1%	34.6%
Quetiapine	29.2%	27.6%	28.0%	27.2%
Risperidone	46.2%	47.9%	52.0%	44.6%
Ziprasidone	3.6%	2.9%	3.6%	2.4%
Patients receiving only one kind** of antipsychotic, %	78.8%	77.3%	77.5%	77.1%
Concurrent use of 2 or more antipsychotics, % ***	5.1%	6.7%	8.5%	5.3%
Among pts receiving just one antipsychotic:				
Antipsychotic fills, mean	5.21	4.96	3.90	5.83
SD	*4.06*	*4.13*	*3.36*	*4.49*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--
SD	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5I: FY03 Other Psychosis Patients, Cost, VISN 15

	All VISNs	VISN 15	589 *Kansas City*	657 *St Louis*
Other Psychosis Patients	49401	2606	1242	1364
Total Costs (in thousands $$)	$692,791	$32,960	$18,596	$14,364
Station % of VISN		100.0%	56.4%	43.6%
Psych vs. Non-Psych Costs				
Psych	16.6%	13.2%	12.0%	14.7%
Non-Psych	83.4%	86.8%	88.0%	85.3%
Total	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use				
Per Patient	$16,509	$14,499	$16,240	$12,574
Per Day of Stay	$1,028	$1,040	$1,020	$1,069
Mean Outpatient Costs, Pts with some Outpatient use				
Per Patient	$6,046	$5,043	$5,319	$4,792
Per Visit Day	$310	$304	$304	$305
By Cost Center				
1 Med	$2,712	$3,260	$4,121	$2,476
2 Surg	$779	$746	$959	$552
3 Psych	$1,494	$1,229	$1,379	$1,093
4 Psych Res Rehab Treatment Program	$103	$18	$38	$0
5 Non-VA	$203	$202	$255	$153
6 LTC Domiciliary	$183	$71	$149	$0
7 LTC Intermediate Care	$276	$123	$215	$40
8 LTC Nursing Home	$1,672	$1,539	$1,878	$1,230
9 Contract Nursing Home	$578	$420	$659	$202
10 OPC Med/Surg	$1,281	$1,077	$1,082	$1,072
11 OPC Psych	$831	$439	$424	$453
12 OPC Home Based Treatment	$730	$516	$620	$422
13 OPC Support	$1,493	$1,335	$1,536	$1,153
14 OPC Fee	$231	$112	$174	$56
15 OPC Pharmacy	$1,460	$1,559	$1,482	$1,629
TOTAL	$14,024	$12,648	$14,973	$10,531
Mean % Patient Costs at Other Stations	3.3%	1.3%	1.1%	1.5%
SD	*11.9%*	*7.6%*	*6.8%*	*8.2%*
Mean % Patient Costs at Other VISNs	1.3%	1.1%	1.0%	1.3%
SD	*7.5%*	*7.1%*	*6.4%*	*7.6%*

Table 1F: FY03 Psychosis Patients, Demographics, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Entire Population	217760	17753	1089	2727	1046	3312	1597	2183	1074	1924	1622	1179
Psychosis Diagnosis Group, %												
Schizophrenia	43.3%	43.4%	59.5%	48.4%	34.6%	42.5%	37.1%	37.2%	30.2%	48.9%	45.3%	48.0%
Bipolar Disorder	34.0%	26.6%	25.3%	26.7%	33.8%	25.3%	20.5%	33.9%	26.8%	28.3%	24.6%	19.8%
Other Psychoses	22.7%	30.0%	15.2%	24.9%	31.5%	32.2%	42.4%	28.9%	43.0%	22.9%	30.1%	32.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age, %												
<35	4.9%	5.4%	7.1%	5.0%	4.1%	5.9%	4.2%	5.3%	4.8%	5.4%	5.4%	6.4%
>=35 and <50	29.3%	28.1%	32.4%	30.9%	26.6%	25.5%	25.1%	29.3%	24.2%	30.9%	28.4%	26.8%
>=50 and <65	38.1%	37.7%	38.0%	38.0%	35.4%	38.4%	31.9%	34.5%	40.5%	43.5%	37.9%	38.3%
>=65 and <80	19.7%	20.3%	16.8%	19.8%	23.2%	21.8%	26.2%	20.4%	19.5%	15.0%	19.5%	19.9%
>=80	8.2%	8.5%	5.7%	6.3%	10.7%	8.3%	12.6%	10.5%	11.0%	5.3%	8.8%	8.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	56.89	57.12	54.76	56.11	58.81	57.43	60.20	57.74	58.19	54.77	57.05	56.95
SD	*14.35*	*14.57*	*13.82*	*13.96*	*15.10*	*14.70*	*15.38*	*15.14*	*14.59*	*13.05*	*14.57*	*14.83*
Gender												
Male, %	92.7%	92.9%	92.7%	90.6%	94.4%	93.0%	93.8%	93.4%	93.9%	94.0%	92.1%	93.2%
Female, %	7.3%	7.1%	7.3%	9.4%	5.6%	7.0%	6.2%	6.6%	6.1%	6.0%	7.9%	6.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %												
Hispanic white	4.8%	1.1%	0.3%	0.3%	0.5%	4.5%	0.1%	0.1%	0.3%	0.2%	1.1%	0.1%
Hispanic black	0.4%	0.1%	0.0%	0.1%	0.0%	0.2%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%
American indian	0.3%	0.4%	0.2%	0.2%	0.2%	0.3%	0.2%	0.0%	2.5%	0.0%	1.6%	0.1%
Black	18.6%	29.1%	36.1%	23.1%	1.6%	33.8%	42.0%	27.1%	8.7%	50.2%	15.8%	36.1%
Asian	0.5%	0.1%	0.1%	0.1%	0.1%	0.3%	0.0%	0.1%	0.0%	0.2%	0.1%	0.2%
White	54.9%	50.3%	43.4%	53.7%	71.5%	49.4%	41.1%	57.4%	51.7%	28.5%	64.0%	47.1%
Race unknown	20.5%	18.9%	19.9%	22.6%	26.1%	11.4%	16.7%	15.2%	36.9%	20.8%	17.4%	16.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status												
Never married	28.5%	23.2%	29.9%	24.5%	14.4%	26.3%	21.6%	20.6%	15.3%	26.5%	20.7%	26.0%
Married	35.3%	40.1%	35.0%	39.4%	50.0%	34.7%	47.5%	40.8%	49.8%	32.7%	41.7%	40.8%
Divorced/Separated	30.8%	31.3%	30.9%	31.3%	28.8%	32.6%	24.5%	33.4%	30.5%	35.7%	32.8%	27.2%
Widowed	5.4%	5.5%	4.1%	4.8%	6.9%	6.4%	6.3%	5.2%	4.4%	5.1%	4.9%	5.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Entire Population	217760	17753	1089	2727	1046	3312	1597	2183	1074	1924	1622	1179
Registry Pts. History of VA Utilization												
Years since first use in prior five years, mean	4.33	4.28	4.40	4.38	4.09	4.22	4.16	4.42	4.15	4.33	4.25	4.33
SD	*1.24*	*1.27*	*1.17*	*1.21*	*1.38*	*1.30*	*1.35*	*1.16*	*1.34*	*1.24*	*1.32*	*1.20*
Yrs w/ 24-hour inst use / yrs since 1st use, %	25.9%	25.2%	33.1%	22.6%	22.3%	25.1%	23.8%	32.9%	17.0%	22.4%	23.7%	26.9%
SD	*29.7%*	*28.7%*	*32.1%*	*28.4%*	*26.9%*	*27.4%*	*28.4%*	*32.1%*	*24.0%*	*26.4%*	*27.2%*	*29.0%*
Yrs w/ OP use / Yrs since first use, %	96.7%	97.1%	96.3%	97.3%	98.1%	96.9%	97.2%	97.5%	97.3%	96.9%	96.9%	97.3%
SD	*11.4%*	*10.1%*	*12.9%*	*10.4%*	*7.9%*	*10.1%*	*10.8%*	*9.4%*	*9.4%*	*9.9%*	*10.3%*	*8.7%*
Psychosis Diagnoses in Prior Fiscal Year												
Had Psychosis Diagnosis in FY01, %	65.3%	63.1%	64.8%	68.6%	61.9%	63.8%	61.5%	63.3%	59.5%	62.7%	58.4%	59.6%
Among Patients With Psychoses in FY01												
Psychosis Category: Schizophrenia, %	54.1%	55.5%	72.2%	59.1%	45.6%	53.6%	51.6%	49.7%	39.7%	59.4%	59.7%	63.3%
Psychosis Category: Bipolar Disorder, %	33.9%	27.7%	20.7%	28.2%	38.9%	26.5%	20.7%	35.4%	29.3%	28.3%	25.9%	20.5%
Psychosis Category: Other Psychosis, %	12.0%	16.8%	7.1%	12.7%	15.5%	19.9%	27.7%	14.9%	31.0%	12.3%	14.3%	16.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %												
Dementia	6.2%	7.0%	6.3%	4.4%	6.7%	9.7%	7.8%	8.3%	4.1%	5.3%	8.5%	6.7%
Post Traumatic Stress Disorder	15.4%	12.9%	12.2%	15.5%	11.7%	9.0%	4.5%	13.5%	17.5%	20.2%	12.1%	15.6%
Depression	34.8%	32.9%	39.2%	34.1%	31.1%	26.5%	27.1%	36.5%	35.9%	37.7%	30.5%	38.0%
Other Anxiety Disorder	12.0%	10.7%	14.3%	11.6%	9.9%	6.6%	10.4%	10.5%	13.0%	9.7%	8.1%	20.9%
Substance Abuse or Dependence	23.3%	21.3%	24.9%	21.2%	16.4%	18.4%	18.6%	24.5%	14.2%	29.7%	19.5%	23.7%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Entire Population	217760	17753	1089	2727	1046	3312	1597	2183	1074	1924	1622	1179
Medical Comorbidities, %												
No medical comorbidities	15.2%	13.9%	9.5%	14.2%	7.8%	18.8%	12.5%	11.9%	11.5%	13.6%	17.3%	12.0%
Anemia	8.2%	8.3%	7.7%	9.1%	8.5%	5.3%	9.3%	11.8%	6.7%	8.2%	7.5%	10.0%
Arthritis	36.2%	37.0%	38.8%	41.3%	46.1%	30.0%	33.6%	40.1%	40.7%	36.6%	32.7%	39.6%
Cancer	7.9%	8.1%	8.5%	6.4%	8.5%	7.8%	9.5%	8.5%	6.8%	7.5%	8.7%	10.9%
Cerebrovascular Disease	6.7%	7.6%	6.7%	6.2%	8.7%	9.3%	8.2%	8.7%	6.9%	5.5%	7.2%	7.3%
Chronic Neurologic Disorder	15.1%	15.9%	15.6%	18.1%	18.0%	13.3%	16.8%	16.3%	14.7%	16.5%	15.7%	14.8%
Chronic Obstructive Pulmonary Disease	16.7%	16.0%	17.3%	16.8%	22.9%	13.1%	12.4%	16.2%	18.8%	15.0%	15.2%	19.4%
Chronic Viral Infection	8.4%	8.0%	6.7%	8.3%	5.6%	8.0%	6.4%	8.2%	7.4%	11.4%	8.3%	7.0%
Coronary Artery Disease	19.5%	18.9%	20.4%	18.1%	21.0%	17.2%	17.7%	21.3%	21.8%	18.0%	17.1%	20.9%
Diabetes	20.0%	20.8%	22.3%	20.0%	20.1%	19.6%	20.8%	21.7%	21.3%	22.1%	21.0%	20.4%
Digestive System Disease	43.5%	42.7%	44.9%	45.6%	50.3%	33.3%	43.4%	49.3%	42.2%	41.5%	40.2%	46.3%
Hypertension	43.2%	47.7%	57.3%	47.1%	43.0%	46.9%	49.3%	48.6%	47.3%	47.1%	40.4%	54.6%
Injury and Poisoning	17.9%	17.1%	22.6%	15.5%	17.4%	14.3%	16.2%	19.4%	16.9%	20.0%	17.0%	15.5%
Liver Disease	3.6%	3.9%	2.8%	4.8%	4.9%	2.8%	3.3%	4.8%	3.1%	5.1%	3.8%	3.2%
Other Endocrine	8.6%	8.1%	8.2%	10.1%	9.7%	7.9%	7.0%	7.7%	7.2%	6.9%	8.7%	7.0%
Peripheral Vascular Disease	4.1%	3.7%	4.4%	3.3%	4.8%	3.7%	3.9%	3.9%	3.1%	4.0%	2.8%	3.9%
GAF scores												
Lowest inpatient GAF score, mean	37.72	38.43	44.79	46.14	30.21	36.88	36.12	28.99	40.26	40.45	34.70	44.54
SD	*14.39*	*13.01*	*12.03*	*10.36*	*14.19*	*11.65*	*12.82*	*10.87*	*12.05*	*10.19*	*10.07*	*10.43*
Mean outpatient GAF score	50.52	50.87	60.32	51.69	45.87	50.66	51.46	39.61	54.41	53.50	54.66	52.20
SD	*11.04*	*10.99*	*10.68*	*7.25*	*9.77*	*10.41*	*10.15*	*12.50*	*7.09*	*9.80*	*8.45*	*10.45*
At least 1 IP GAF, pts w/ MH bdscts, %	38.4%	44.0%	68.8%	60.5%	42.8%	31.1%	53.1%	53.1%	40.0%	10.6%	50.3%	25.2%
At least 1 OP GAF, pts w/ MH stops, %	80.0%	94.0%	93.7%	95.5%	95.2%	96.0%	90.0%	93.1%	96.9%	93.4%	90.9%	93.7%
Mortality rates												
died in FY02, %	3.1%	3.5%	3.9%	2.8%	2.7%	3.4%	4.4%	3.9%	4.4%	3.3%	3.8%	2.7%
Age-gender-adj Standardized Mortality Ratio	1.32	1.44	2.02	1.31	0.94	1.40	1.40	1.50	1.62	1.80	1.55	1.10

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Entire Population	217760	17753	1089	2727	1046	3312	1597	2183	1074	1924	1622	1179
Service Connection (SC)												
Non-SC	51.0%	50.9%	47.7%	45.6%	55.0%	55.0%	55.3%	53.0%	42.9%	53.6%	44.8%	52.4%
SC 0 - 29%	8.7%	8.7%	8.9%	8.8%	8.0%	8.0%	10.5%	8.3%	9.8%	8.9%	8.3%	8.5%
SC 30 - 69%	10.8%	11.0%	12.7%	12.2%	10.3%	8.7%	10.8%	10.6%	10.4%	11.0%	12.2%	13.3%
SC 70 - 99%	7.3%	7.4%	6.7%	8.5%	7.3%	7.3%	3.7%	7.1%	10.8%	7.1%	7.5%	8.4%
SC 100%	22.1%	22.0%	24.1%	24.9%	19.4%	21.0%	19.7%	21.0%	26.1%	19.4%	27.3%	17.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %												
Complex*	17.3%	14.1%	26.4%	18.3%	5.1%	13.0%	10.5%	23.6%	5.8%	11.2%	9.8%	8.9%
Basic vested, Cat A*	76.6%	80.3%	68.7%	77.2%	87.3%	81.3%	80.5%	70.1%	89.3%	85.6%	84.8%	84.8%
Basic Non-vested, Cat A*	1.0%	0.9%	0.7%	0.6%	0.2%	0.8%	0.7%	1.7%	0.5%	0.6%	1.7%	0.8%
Basic, Cats C and N	5.1%	4.8%	4.1%	3.9%	7.5%	4.9%	8.3%	4.6%	4.5%	2.7%	3.7%	5.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded												
Patient eligibility category, %												
Cat A (SC or low income)	94.6%	95.0%	95.7%	95.8%	92.5%	94.9%	91.4%	94.9%	95.5%	97.3%	96.2%	94.4%
Cat C (NSC and higher income)	4.7%	4.3%	4.3%	2.8%	7.4%	4.6%	8.1%	4.1%	4.5%	2.1%	3.7%	4.2%
Non-Veteran	0.6%	0.6%	0.0%	1.4%	0.1%	0.5%	0.5%	1.0%	0.0%	0.6%	0.1%	1.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %												
BASIC 1. Non-reliant Care	0.1%	0.1%	0.1%	0.0%	0.1%	0.2%	0.0%	0.1%	0.2%	0.1%	0.1%	0.6%
2. Basic Medical	16.7%	19.4%	16.7%	16.8%	27.1%	18.6%	20.1%	19.7%	21.0%	17.7%	22.8%	18.7%
3. Mental Health	36.3%	36.9%	28.3%	40.7%	35.7%	41.2%	37.1%	27.9%	42.3%	36.1%	36.7%	38.7%
4. Heart / Lung / GI	7.7%	8.8%	9.0%	6.0%	12.7%	8.4%	11.3%	7.6%	11.0%	7.7%	9.4%	9.8%
5. Oncology / Infectious Disease	3.9%	4.3%	3.7%	3.0%	4.1%	5.2%	3.4%	3.2%	4.8%	6.0%	4.6%	5.2%
6. Multiple Medical	18.0%	16.4%	15.8%	15.1%	15.3%	13.4%	17.7%	17.9%	14.9%	21.3%	16.5%	18.2%
COMPLEX 7. Specialized Care	2.6%	2.2%	1.0%	2.1%	0.7%	1.8%	1.6%	3.7%	1.3%	2.3%	1.8%	4.4%
8. Support Care	2.8%	2.2%	4.8%	1.5%	1.3%	2.5%	1.0%	2.8%	2.9%	2.5%	2.0%	1.4%
9. Chronic Mental	9.6%	8.4%	18.2%	13.8%	2.8%	7.4%	5.9%	14.4%	1.3%	4.8%	5.4%	2.9%
10. Critically Ill	2.2%	1.3%	2.5%	1.0%	0.3%	1.2%	1.9%	2.7%	0.3%	1.6%	0.6%	0.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Entire Population	217760	17753	1089	2727	1046	3312	1597	2183	1074	1924	1622	1179
Substance Dependence and Abuse												
Any dx of alcohol / drug depend/abuse, %	23.3%	21.3%	24.9%	21.2%	16.4%	18.4%	18.6%	24.5%	14.2%	29.7%	19.5%	23.7%
Homelessness												
Homelessness indicated in FY02, %	11.5%	9.0%	9.9%	9.0%	3.5%	7.4%	6.8%	12.6%	4.6%	16.9%	7.6%	7.4%
Residence in Metropolitan Area												
Residing in a Metropolitan Statistical Area, %	79.7%	72.8%	67.5%	88.6%	66.8%	87.6%	42.4%	55.7%	51.3%	89.7%	72.3%	71.1%
Distance												
Mile from Closest VAMC, mean	32.17	41.14	54.18	62.72	49.91	31.25	43.63	35.35	40.63	24.35	36.76	40.45
SD	*68.58*	*35.92*	*34.19*	*46.37*	*29.87*	*31.65*	*31.75*	*30.99*	*20.46*	*28.53*	*36.36*	*31.07*
Distance from closest VA Medical Center, %												
0 to 15 miles	49.0%	37.3%	24.7%	23.5%	16.3%	49.7%	33.8%	38.9%	11.4%	63.5%	46.4%	35.1%
15 to 30 miles	16.3%	10.0%	5.2%	8.4%	13.2%	17.5%	6.5%	9.8%	12.4%	4.6%	10.1%	6.5%
30 to 45 miles	10.3%	10.3%	6.2%	5.4%	12.4%	5.6%	8.1%	16.1%	46.4%	4.7%	6.0%	11.0%
45 to 60 miles	8.1%	11.1%	10.3%	17.5%	20.7%	5.2%	12.0%	13.1%	11.7%	6.7%	7.5%	11.9%
60 plus miles	16.2%	31.2%	53.5%	45.3%	37.3%	22.0%	39.6%	22.1%	18.2%	20.5%	30.0%	35.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.73	16.82	20.03	13.82	20.19	16.98	19.77	20.94	17.77	11.43	15.01	16.08
SD	*13.09*	*15.42*	*15.40*	*14.06*	*13.62*	*14.07*	*16.69*	*18.90*	*14.72*	*13.29*	*14.64*	*15.19*
Distance to closest VA Service Site, %												
0 to 15 miles	77.0%	58.0%	43.3%	66.2%	37.3%	58.2%	50.6%	50.7%	52.6%	77.3%	64.4%	58.2%
15 to 30 miles	14.9%	20.7%	28.2%	17.2%	35.9%	24.9%	19.9%	16.6%	23.4%	10.1%	20.4%	21.1%
30 to 45 miles	5.7%	14.3%	20.4%	12.2%	23.3%	9.6%	19.8%	18.8%	19.0%	7.8%	9.7%	15.8%
45 plus miles	2.4%	7.0%	8.2%	4.4%	3.4%	7.4%	9.8%	14.0%	5.0%	4.8%	5.5%	4.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3F: FY03 Psychosis Patients, Utilization, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Entire Population	217760	17753	1089	2727	1046	3312	1597	2183	1074	1924	1622	1179
Hospital Based Utilization												
Pts w/ some Hospital Based Utilization, %	27.2%	29.3%	40.7%	24.9%	26.0%	28.4%	26.8%	35.4%	19.0%	29.6%	30.2%	33.6%
Hospital based utilization: Overall (psych & non-psych- pts w/ hosp.care)												
Inpatient stays, mean	1.83	1.76	1.82	1.63	1.96	1.61	1.74	2.05	1.65	1.74	1.70	1.80
SD	*1.43*	*1.29*	*1.29*	*1.13*	*1.55*	*1.04*	*1.30*	*1.63*	*1.17*	*1.18*	*1.23*	*1.34*
Average LOS, mean	13.07	12.74	19.84	18.07	8.17	11.75	12.32	14.86	6.53	8.95	11.72	7.35
SD	*30.84*	*18.38*	*27.68*	*25.47*	*8.85*	*18.33*	*16.23*	*18.99*	*5.56*	*10.05*	*12.84*	*8.00*
Cumulative DOS, mean	21.85	21.53	33.58	27.08	17.01	18.28	20.33	28.80	10.68	15.32	19.72	13.24
SD	*40.46*	*30.77*	*41.18*	*37.15*	*24.23*	*25.83*	*28.27*	*39.99*	*10.83*	*18.17*	*25.29*	*18.22*
Cumulative DOS, %												
1 to 7	39.9%	37.2%	23.0%	26.4%	47.4%	38.1%	37.9%	34.5%	53.9%	42.9%	36.9%	50.0%
8 to 14	21.8%	20.8%	15.6%	21.1%	21.7%	23.4%	21.3%	17.7%	21.1%	22.5%	19.4%	24.0%
15 to 44	27.7%	29.5%	37.0%	36.4%	20.6%	30.3%	29.9%	26.0%	24.0%	28.6%	32.2%	21.0%
45 to 89	6.9%	9.3%	17.6%	11.2%	8.1%	6.1%	8.4%	15.4%	1.0%	4.9%	9.6%	4.3%
90 to 179	2.3%	2.4%	5.0%	3.1%	1.8%	2.0%	1.9%	4.7%	0.0%	1.1%	1.6%	0.5%
180 to 359	0.9%	0.8%	1.6%	1.8%	0.4%	0.1%	0.7%	1.7%	0.0%	0.0%	0.2%	0.3%
360+	0.6%	0.0%	0.2%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital pts w/ a 100+ day stay, %	2.1%	1.3%	2.3%	3.1%	0.0%	0.6%	1.2%	2.7%	0.0%	0.2%	0.4%	0.3%
Cum. DOS, pts w/ a 100+ day stay, mean	237.76	192.55	201.70	184.95	0.00	199.50	201.40	191.19	0.00	139.00	223.00	196.00
SD	*95.14*	*70.11*	*86.24*	*66.22*	*0.00*	*94.82*	*53.21*	*68.51*	*0.00*	*0.00*	*110.31*	*0.00*
Hospitalpts who had a 150+ day stay, %	1.3%	0.5%	0.9%	1.3%	0.0%	0.3%	0.7%	0.6%	0.0%	0.0%	0.2%	0.0%
Cum. DOS, pts w/ a 150+ day hosp. mean	290.80	250.76	276.50	236.00	0.00	232.67	233.67	267.80	0.00	0.00	301.00	0.00
SD	*77.65*	*65.47*	*79.18*	*51.22*	*0.00*	*113.85*	*36.30*	*77.58*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.59	0.51	0.02	0.79	0.30	0.36	0.59	0.79	0.39	0.41	0.83	0.31
SD	*4.28*	*4.17*	*0.34*	*4.97*	*2.14*	*2.32*	*3.99*	*6.17*	*2.68*	*3.31*	*6.66*	*1.95*
Cumulative DOS at Other Stations	1.83	1.46	0.84	1.68	2.48	0.60	1.31	1.69	4.22	1.40	1.87	1.00
SD	*7.27*	*6.29*	*3.45*	*6.81*	*7.51*	*3.44*	*5.98*	*7.57*	*7.34*	*6.16*	*8.90*	*4.81*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Entire Population	217760	17753	1089	2727	1046	3312	1597	2183	1074	1924	1622	1179
Hospital based utilization: Non-Psych (non-psych-pts w/ hosp.based util.)												
Pts. w/ non-psych hospital stays, %	14.0%	14.2%	14.9%	9.4%	16.3%	14.2%	14.8%	18.6%	13.9%	13.6%	13.6%	16.6%
Inpatient stays, mean	0.85	0.80	0.62	0.56	1.12	0.73	0.93	0.97	1.24	0.75	0.74	0.85
SD	*1.20*	*1.20*	*1.12*	*0.94*	*1.32*	*0.99*	*1.29*	*1.50*	*1.29*	*1.10*	*1.17*	*1.25*
Average LOS, mean	7.54	8.36	7.44	9.32	7.13	10.82	8.44	8.64	5.91	6.90	7.54	7.11
SD	*13.36*	*14.18*	*8.49*	*20.57*	*8.23*	*22.01*	*9.93*	*13.55*	*5.28*	*6.71*	*7.94*	*9.45*
Cumulative Days of Stay, mean	6.52	6.56	4.56	4.99	8.80	7.58	7.67	8.01	7.32	5.35	5.69	5.92
SD	*17.31*	*16.23*	*10.96*	*17.62*	*18.08*	*19.85*	*13.86*	*19.89*	*10.12*	*11.09*	*12.92*	*13.98*
Cumulative Days of Stay, %												
0	48.5%	51.3%	63.4%	62.2%	37.5%	50.2%	44.6%	47.4%	27.0%	54.0%	54.9%	50.5%
1 to 7	29.2%	25.8%	19.6%	22.3%	33.5%	24.5%	28.3%	27.7%	42.6%	25.1%	22.2%	27.3%
8 to 14	9.8%	9.6%	7.4%	6.8%	13.2%	10.4%	10.3%	10.0%	13.2%	8.3%	10.8%	10.1%
15 to 44	10.2%	10.4%	7.2%	6.8%	11.0%	11.6%	13.3%	10.5%	16.7%	10.7%	9.8%	10.1%
45 to 89	1.8%	2.3%	2.0%	1.2%	2.9%	2.3%	3.5%	3.6%	0.5%	1.9%	2.0%	1.8%
90 to 179	0.4%	0.4%	0.2%	0.3%	1.8%	0.8%	0.0%	0.6%	0.0%	0.0%	0.2%	0.0%
180 to 359	0.1%	0.1%	0.0%	0.4%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.3%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. w/ 100+ day non-psych stay, %	0.3%	0.3%	0.0%	0.6%	0.0%	0.4%	0.0%	0.4%	0.0%	0.0%	0.2%	0.3%
Cum. DOS, pts w/ 100+ day stay, mean	206.57	189.54	0.00	196.50	0.00	192.00	0.00	189.67	0.00	0.00	145.00	196.00
SD	*85.33*	*74.67*	*0.00*	*18.95*	*0.00*	*116.42*	*0.00*	*107.07*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. w/ a 150+ day non-psych stay, %	0.2%	0.2%	0.0%	0.6%	0.0%	0.2%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ a 150+ day stay, mean	268.22	222.38	0.00	196.50	0.00	263.00	0.00	233.50	0.00	0.00	0.00	0.00
SD	*74.94*	*74.74*	*0.00*	*18.95*	*0.00*	*142.84*	*0.00*	*106.77*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.14	0.16	0.02	0.11	0.03	0.12	0.26	0.33	0.25	0.24	0.06	0.11
SD	*1.82*	*2.58*	*0.34*	*0.92*	*0.33*	*1.25*	*3.34*	*5.27*	*2.50*	*2.70*	*0.63*	*1.20*
Other station cumulative DOS, mean	0.51	0.43	0.32	0.48	1.11	0.18	0.36	0.53	0.86	0.44	0.18	0.52
SD	*3.43*	*3.37*	*1.85*	*2.61*	*4.87*	*1.51*	*3.46*	*5.44*	*3.19*	*3.69*	*1.23*	*3.77*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Entire Population	217760	17753	1089	2727	1046	3312	1597	2183	1074	1924	1622	1179
Hospital based utilization: Psychiatric (psych- pts w/ hosp.based util.)												
Pts. w/ psych hospital stays, %	15.8%	17.8%	29.8%	17.5%	13.9%	16.3%	14.3%	21.4%	6.1%	18.7%	19.0%	20.5%
Inpatient stays, mean	0.98	0.96	1.21	1.07	0.83	0.87	0.81	1.09	0.41	0.99	0.95	0.95
SD	*1.28*	*1.10*	*1.15*	*1.07*	*1.03*	*1.02*	*1.04*	*1.25*	*0.71*	*1.10*	*1.06*	*1.15*
Average LOS, mean	17.54	15.86	25.25	22.15	9.47	12.47	15.84	19.63	8.31	10.25	14.22	7.47
SD	*38.98*	*20.26*	*31.15*	*26.19*	*9.60*	*14.11*	*19.68*	*21.82*	*6.42*	*11.56*	*14.39*	*6.99*
Cumulative Days of Stay, mean	15.33	14.97	29.02	22.09	8.22	10.71	12.65	20.79	3.36	9.97	14.03	7.32
SD	*38.37*	*28.62*	*42.06*	*34.60*	*15.60*	*19.81*	*27.66*	*37.89*	*6.88*	*17.04*	*24.53*	*14.22*
Cumulative Days of Stay, %												
0	41.8%	39.2%	26.9%	29.5%	46.7%	42.6%	46.7%	39.5%	68.1%	36.7%	37.1%	38.9%
1 to 7	18.6%	18.6%	9.9%	10.0%	24.3%	19.1%	16.1%	17.5%	16.2%	25.1%	19.6%	33.1%
8 to 14	14.1%	13.4%	10.4%	15.9%	13.6%	14.5%	13.1%	10.4%	8.3%	17.0%	12.4%	14.9%
15 to 44	17.8%	19.6%	31.4%	31.1%	12.1%	19.1%	16.8%	15.4%	7.4%	17.4%	22.0%	10.6%
45 to 89	4.7%	6.6%	15.1%	9.3%	2.6%	3.6%	4.9%	12.0%	0.0%	2.6%	7.3%	2.0%
90 to 179	1.7%	2.0%	4.5%	3.1%	0.7%	1.0%	1.6%	3.9%	0.0%	1.1%	1.2%	0.5%
180 to 359	0.8%	0.6%	1.6%	1.0%	0.0%	0.1%	0.7%	1.3%	0.0%	0.0%	0.2%	0.0%
360+	0.5%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. w/ a 100+ day psych stay, %	1.8%	1.0%	2.3%	2.5%	0.0%	0.2%	1.2%	2.3%	0.0%	0.2%	0.2%	0.0%
Cum. DOS, pts w/ a 150+ day stay, mean	239.50	189.28	201.50	175.18	0.00	214.50	201.40	186.22	0.00	139.00	301.00	0.00
SD	*96.26*	*70.33*	*86.48*	*70.34*	*0.00*	*60.10*	*53.21*	*68.03*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. w/ a 150+ day psych stay, %	1.2%	0.3%	0.9%	0.7%	0.0%	0.1%	0.7%	0.4%	0.0%	0.0%	0.2%	0.0%
Cum. DOS, pts w/ a 150+ day stay, mean	291.18	259.76	276.50	252.80	0.00	172.00	233.67	290.67	0.00	0.00	301.00	0.00
SD	*78.31*	*62.04*	*79.18*	*62.68*	*0.00*	*0.00*	*36.30*	*66.15*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.45	0.35	0.00	0.68	0.28	0.23	0.32	0.46	0.14	0.17	0.77	0.19
SD	*3.83*	*3.26*	*0.00*	*4.82*	*2.05*	*1.85*	*2.21*	*3.22*	*0.98*	*1.90*	*6.64*	*1.51*
Other station cumulative DOS, mean	1.32	1.03	0.51	1.20	1.38	0.43	0.95	1.16	3.36	0.96	1.69	0.48
SD	*6.36*	*5.30*	*2.94*	*6.26*	*5.92*	*3.04*	*4.88*	*5.16*	*6.88*	*4.84*	*8.84*	*3.04*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Entire Population	217760	17753	1089	2727	1046	3312	1597	2183	1074	1924	1622	1179
Other 24 hour institutional care												
Pts w/ some other 24 hour institutional care, %	8.5%	4.2%	5.0%	7.2%	0.8%	1.8%	5.3%	11.2%	0.2%	3.3%	1.6%	1.2%
care)												
Pts w/ some residential rehab. care, %	1.8%	0.4%	0.0%	0.1%	0.0%	0.0%	3.2%	0.2%	0.0%	0.5%	0.1%	0.2%
Number stays, mean	1.12	1.04	0.00	1.00	0.00	1.00	1.02	1.20	0.00	1.10	1.00	1.00
SD	*0.38*	*0.20*	*0.00*	*0.00*	*0.00*	*0.00*	*0.14*	*0.45*	*0.00*	*0.32*	*0.00*	*0.00*
Average LOS, mean	34.01	20.90	0.00	7.00	0.00	5.00	19.93	15.50	0.00	35.60	14.00	18.00
SD	*38.25*	*11.69*	*0.00*	*5.57*	*0.00*	*0.00*	*9.64*	*11.24*	*0.00*	*9.37*	*0.00*	*24.04*
Cumulative DOS, mean	37.28	21.79	0.00	7.00	0.00	5.00	20.47	16.20	0.00	39.00	14.00	18.00
SD	*40.79*	*13.35*	*0.00*	*5.57*	*0.00*	*0.00*	*10.77*	*10.38*	*0.00*	*13.83*	*0.00*	*24.04*
Cumulative Days of Stay, %												
1 to 7	12.3%	13.7%	0.0%	33.3%	0.0%	100.0%	11.8%	20.0%	0.0%	0.0%	0.0%	50.0%
8 to 14	12.7%	21.9%	0.0%	66.7%	0.0%	0.0%	19.6%	40.0%	0.0%	10.0%	100.0%	0.0%
15 to 44	50.7%	58.9%	0.0%	0.0%	0.0%	0.0%	62.7%	40.0%	0.0%	80.0%	0.0%	50.0%
45 to 89	15.8%	5.5%	0.0%	0.0%	0.0%	0.0%	5.9%	0.0%	0.0%	10.0%	0.0%	0.0%
90 to 179	7.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%
%	4.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
mean	175.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.56*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
stay, %	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
mean	237.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*73.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.12	2.32	0.00	2.67	0.00	5.00	0.51	16.20	0.00	0.00	14.00	17.50
SD	*6.40*	*7.01*	*0.00*	*4.62*	*0.00*	*0.00*	*3.64*	*10.38*	*0.00*	*0.00*	*0.00*	*24.75*
Other station cumulative DOS, mean	3.58	2.51	0.00	7.00	0.00	5.00	0.51	16.20	0.00	0.00	14.00	18.00
SD	*10.93*	*7.09*	*0.00*	*5.57*	*0.00*	*0.00*	*3.64*	*10.38*	*0.00*	*0.00*	*0.00*	*24.04*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Entire Population	217760	17753	1089	2727	1046	3312	1597	2183	1074	1924	1622	1179
Domiciliary and Vocational (reported for those w/ some dom/voc care)												
Pts w/ some dom/voc care, %	2.8%	1.6%	0.0%	5.3%	0.2%	0.0%	0.3%	5.2%	0.0%	0.1%	1.1%	0.0%
Number stays, mean	1.13	1.09	0.00	1.08	1.50	1.00	1.00	1.12	0.00	1.00	1.06	0.00
SD	*0.38*	*0.34*	*0.00*	*0.29*	*0.71*	*0.00*	*0.00*	*0.40*	*0.00*	*0.00*	*0.24*	*0.00*
Average LOS, mean	85.20	72.43	0.00	89.71	16.50	17.00	9.00	52.28	0.00	36.50	88.25	0.00
SD	*90.51*	*72.81*	*0.00*	*82.07*	*14.85*	*0.00*	*7.83*	*53.45*	*0.00*	*12.02*	*74.81*	*0.00*
Cumulative DOS, mean	92.74	76.16	0.00	92.65	30.00	17.00	9.00	56.89	0.00	36.50	93.06	0.00
SD	*94.18*	*73.64*	*0.00*	*82.32*	*33.94*	*0.00*	*7.83*	*55.68*	*0.00*	*12.02*	*77.42*	*0.00*
Cumulative Days of Stay, %												
1 to 7	6.9%	8.0%	0.0%	4.8%	50.0%	0.0%	50.0%	9.6%	0.0%	0.0%	11.1%	0.0%
8 to 14	6.1%	3.8%	0.0%	2.1%	0.0%	0.0%	25.0%	6.1%	0.0%	0.0%	0.0%	0.0%
15 to 44	29.6%	34.3%	0.0%	29.7%	0.0%	100.0%	25.0%	43.0%	0.0%	50.0%	16.7%	0.0%
45 to 89	19.5%	25.2%	0.0%	28.3%	50.0%	0.0%	0.0%	20.2%	0.0%	50.0%	33.3%	0.0%
90 to 179	22.9%	19.2%	0.0%	21.4%	0.0%	0.0%	0.0%	17.5%	0.0%	0.0%	22.2%	0.0%
180 to 359	10.1%	8.4%	0.0%	11.7%	0.0%	0.0%	0.0%	3.5%	0.0%	0.0%	16.7%	0.0%
360+	5.0%	1.0%	0.0%	2.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	0.0%
Dom. pts w/ 100+ day Dom. stay, %	31.6%	23.8%	0.0%	29.7%	0.0%	0.0%	0.0%	16.7%	0.0%	0.0%	33.3%	0.0%
Cum. DOS for these pts, mean	203.50	186.24	0.00	198.16	0.00	0.00	0.00	158.47	0.00	0.00	188.67	0.00
SD	*90.08*	*68.50*	*0.00*	*74.60*	*0.00*	*0.00*	*0.00*	*52.88*	*0.00*	*0.00*	*43.63*	*0.00*
Dom. pts w/ 150+ day Dom. stay, %	18.0%	14.0%	0.0%	18.6%	0.0%	0.0%	0.0%	7.9%	0.0%	0.0%	22.2%	0.0%
Cum. DOS for these pts., mean	259.61	220.55	0.00	233.33	0.00	0.00	0.00	188.33	0.00	0.00	206.75	0.00
SD	*79.66*	*66.32*	*0.00*	*69.03*	*0.00*	*0.00*	*0.00*	*59.55*	*0.00*	*0.00*	*39.81*	*0.00*
Other VISN cumulative DOS, mean	1.54	2.16	0.00	1.52	27.00	17.00	1.25	1.75	0.00	14.00	5.22	0.00
SD	*8.76*	*11.11*	*0.00*	*11.08*	*38.18*	*0.00*	*2.50*	*9.23*	*0.00*	*19.80*	*15.34*	*0.00*
Other station cumulative DOS, mean	3.75	3.21	0.00	1.68	30.00	17.00	9.00	2.06	0.00	36.50	14.00	0.00
SD	*14.14*	*12.50*	*0.00*	*11.22*	*33.94*	*0.00*	*7.83*	*9.77*	*0.00*	*12.02*	*21.07*	*0.00*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Entire Population	217760	17753	1089	2727	1046	3312	1597	2183	1074	1924	1622	1179
Nursing Home Care												
(for those w/ some nursing home care)												
Pts w/ some nursing home care, %	4.5%	2.2%	5.0%	1.8%	0.6%	1.7%	2.0%	5.9%	0.2%	2.7%	0.4%	1.0%
Number stays, mean	1.24	1.24	1.24	1.17	1.33	1.28	1.19	1.36	1.00	1.08	1.00	1.17
SD	*0.60*	*0.54*	*0.55*	*0.48*	*0.52*	*0.49*	*0.40*	*0.68*	*0.00*	*0.27*	*0.00*	*0.58*
Average LOS, mean	99.56	98.23	135.32	147.40	111.00	109.89	153.52	69.11	36.50	54.85	20.71	81.86
SD	*118.68*	*114.31*	*137.50*	*148.20*	*121.37*	*97.39*	*145.07*	*96.24*	*2.12*	*38.24*	*11.63*	*91.00*
Cumulative DOS, mean	111.19	110.40	155.52	149.50	125.33	137.54	165.09	78.73	36.50	58.13	20.71	100.42
SD	*123.23*	*121.87*	*145.89*	*146.38*	*113.77*	*121.06*	*147.80*	*101.44*	*2.12*	*40.33*	*11.63*	*116.64*
Cumulative Days of Stay, %												
1 to 7	9.0%	8.5%	14.8%	2.1%	16.7%	7.0%	6.3%	10.9%	0.0%	1.9%	14.3%	16.7%
8 to 14	10.6%	11.3%	7.4%	14.6%	0.0%	3.5%	12.5%	15.5%	0.0%	9.6%	14.3%	16.7%
15 to 44	27.5%	27.3%	14.8%	25.0%	0.0%	21.1%	12.5%	35.7%	100.0%	34.6%	71.4%	16.7%
45 to 89	15.4%	14.5%	13.0%	10.4%	33.3%	15.8%	12.5%	10.9%	0.0%	30.8%	0.0%	8.3%
90 to 179	13.8%	14.3%	11.1%	10.4%	16.7%	19.3%	18.8%	11.6%	0.0%	23.1%	0.0%	8.3%
180 to 359	11.4%	13.3%	16.7%	14.6%	33.3%	26.3%	9.4%	10.1%	0.0%	0.0%	0.0%	33.3%
360+	12.4%	10.8%	22.2%	22.9%	0.0%	7.0%	28.1%	5.4%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH pts w/ 100+ day NH stay, %	33.0%	34.1%	44.4%	45.8%	33.3%	47.4%	53.1%	24.8%	0.0%	15.4%	0.0%	33.3%
Cum. DOS for these pts, mean	263.62	256.90	303.88	288.55	262.50	245.48	279.24	231.69	0.00	124.50	0.00	246.75
SD	*97.17*	*97.37*	*78.35*	*99.83*	*58.69*	*87.17*	*108.95*	*94.05*	*0.00*	*13.94*	*0.00*	*70.18*
NH pts w/ 150+ day NH stay, %	25.7%	25.3%	38.9%	37.5%	33.3%	38.6%	37.5%	17.1%	0.0%	0.0%	0.0%	33.3%
Cum. DOS for these pts, mean	299.88	298.44	318.43	328.11	262.50	265.73	342.25	276.55	0.00	0.00	0.00	246.75
SD	*76.08*	*73.58*	*65.98*	*56.22*	*58.69*	*80.02*	*49.43*	*77.61*	*0.00*	*0.00*	*0.00*	*70.18*
Other VISN cumulative DOS, mean	0.41	1.59	4.67	0.00	0.00	1.02	4.03	0.00	0.00	0.00	0.00	16.25
SD	*5.60*	*14.48*	*25.30*	*0.00*	*0.00*	*6.37*	*16.47*	*0.00*	*0.00*	*0.00*	*0.00*	*56.29*
Other station cumulative DOS, mean	1.17	1.97	4.67	1.63	0.00	1.02	4.03	0.00	0.00	0.90	0.00	18.42
SD	*8.68*	*14.79*	*25.30*	*5.59*	*0.00*	*6.37*	*16.47*	*0.00*	*0.00*	*6.52*	*0.00*	*55.84*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Entire Population	217760	17753	1089	2727	1046	3312	1597	2183	1074	1924	1622	1179
Outpatient utilization												
(for those w/ some outpatient care)												
Pts w/ some outpatient care, %	99.1%	99.4%	98.4%	98.6%	100.0%	99.6%	99.3%	99.4%	100.0%	99.9%	99.7%	99.7%
annual visit days, mean	24.61	19.64	13.65	23.01	14.06	18.44	13.18	27.45	16.35	23.58	19.07	17.35
SD	*33.05*	*25.61*	*13.34*	*32.09*	*12.38*	*24.69*	*13.30*	*33.85*	*13.77*	*26.57*	*29.11*	*18.44*
Outpatient visit days, %												
1-12	44.2%	51.0%	59.3%	44.8%	58.8%	54.6%	61.7%	40.4%	46.3%	43.6%	59.1%	51.0%
13-24	26.4%	27.1%	27.3%	30.3%	25.4%	25.2%	26.5%	26.0%	35.8%	27.2%	21.4%	28.5%
25-36	11.9%	9.7%	8.1%	10.4%	10.3%	8.9%	6.9%	11.1%	12.1%	11.2%	7.5%	11.1%
37-48	5.9%	4.5%	3.5%	4.9%	3.1%	4.2%	2.1%	7.5%	3.4%	5.4%	3.8%	4.2%
49+	11.5%	7.7%	1.7%	9.5%	2.4%	7.1%	2.7%	14.9%	2.4%	12.5%	8.3%	5.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of OPs who had some Primary Care (PC)	79.4%	79.7%	91.4%	83.3%	94.8%	77.2%	57.9%	76.7%	88.7%	79.0%	78.4%	84.4%
Mean PC visits, among those with some PC	3.84	3.37	3.35	3.80	2.94	3.61	2.60	2.71	3.25	3.64	3.68	3.44
SD	3.72	2.78	2.29	3.07	2.22	3.01	2.33	1.94	2.37	2.65	3.70	2.72
Avg # clinic stops per visit day, mean	1.49	1.53	1.63	1.42	1.63	1.53	1.82	1.46	1.44	1.44	1.57	1.47
SD	*0.47*	*0.48*	*0.48*	*0.41*	*0.42*	*0.49*	*0.61*	*0.45*	*0.39*	*0.40*	*0.54*	*0.40*
Ann. stops (psych & non-psych), mean	37.56	29.97	22.45	32.97	22.30	27.99	23.50	39.70	23.45	34.43	34.50	25.60
SD	*56.64*	*42.77*	*25.00*	48.67	*20.70*	*40.18*	*23.52*	*49.64*	*21.16*	*41.57*	*70.27*	*27.85*
annual non-psych. clinic stops, mean	20.14	17.73	14.26	18.19	16.57	16.46	16.92	21.70	17.31	18.82	17.91	16.53
SD	*25.25*	*20.56*	*12.56*	*22.95*	*14.99*	*19.81*	*17.54*	*26.62*	*16.71*	*18.41*	*25.32*	*15.34*
ıual psych. clinic stops (groupings below), mean	17.42	12.24	8.19	14.79	5.74	11.53	6.58	18.00	6.14	15.61	16.59	9.07
SD	*43.44*	*31.71*	*18.25*	*33.91*	*10.55*	*29.80*	*11.86*	*38.62*	*8.75*	*30.54*	*56.25*	*20.76*
1. general psych. clinic stops, mean	7.22	4.74	5.87	6.49	3.64	4.23	3.91	5.93	5.09	3.89	2.99	4.50
SD	*13.49*	*7.32*	*9.25*	*8.54*	*5.04*	*7.13*	*4.53*	*9.95*	*6.21*	*5.64*	*5.32*	*6.32*
2. psych. case management clinic stops, mean	1.44	0.93	0.01	1.40	0.00	0.86	0.00	3.72	0.00	0.85	0.00	0.01
SD	*12.10*	*8.76*	*0.24*	*13.63*	*0.08*	*6.77*	*0.08*	*16.73*	*0.00*	*6.21*	*0.04*	*0.35*
3. psych. day treatment clinic stops, mean	2.80	1.94	0.03	3.32	0.00	2.59	0.00	0.04	0.00	1.65	7.12	1.69
SD	*21.66*	*19.99*	*0.85*	*22.51*	*0.06*	*19.65*	*0.03*	*1.04*	*0.00*	*13.17*	*48.74*	*11.98*
4. substance abuse clinic stops, mean	3.26	2.33	1.27	1.83	1.47	2.02	1.57	2.40	0.54	4.25	5.03	1.67
SD	*19.07*	*12.56*	*8.24*	*8.88*	*7.86*	*14.37*	*8.02*	*9.87*	*3.12*	*17.00*	*22.15*	*6.94*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Entire Population	217760	17753	1089	2727	1046	3312	1597	2183	1074	1924	1622	1179
5. psych. vocational clinic stops, mean	1.73	1.03	0.71	1.46	0.03	1.11	0.19	3.72	0.00	0.00	0.32	0.70
SD	*15.65*	*9.82*	*6.32*	*11.36*	*0.54*	*11.22*	*1.95*	*19.34*	*0.00*	*0.18*	*3.52*	*5.66*
6. PTSD clinic stops, mean	0.56	0.57	0.03	0.33	0.42	0.42	0.44	0.47	0.30	2.00	0.66	0.26
SD	*4.85*	*5.43*	*0.48*	*2.99*	*1.74*	*4.52*	*2.14*	*3.11*	*4.41*	*11.30*	*8.58*	*2.43*
7. psych. homeless clinic stops, mean	0.41	0.69	0.17	0.10	0.09	0.30	0.39	1.72	0.06	2.89	0.27	0.23
SD	*3.32*	*4.93*	*1.51*	*1.29*	*0.88*	*2.54*	*2.65*	*8.92*	*0.46*	*9.79*	*2.86*	*1.67*
Other VISN OP visit days, mean	0.36	0.33	0.09	0.41	0.38	0.20	0.26	0.68	0.24	0.26	0.34	0.32
SD	*2.35*	2.23	0.79	2.48	1.93	1.28	1.61	4.09	1.34	2.05	1.99	1.80
Other station OP visit days, mean	0.91	0.69	0.76	0.79	1.12	0.27	0.42	1.17	0.95	0.57	0.71	0.58
SD	*3.87*	3.18	2.58	3.68	3.11	1.54	2.52	5.08	3.16	2.87	3.04	2.54

Table 4F: FY03 Psychosis Patients, Pharmacy Utilization, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Entire Population	217760	17753	1089	2727	1046	3312	1597	2183	1074	1924	1622	1179
Amg all pts in the registry												
Pts. with any outpatient prescriptions, %	95.5%	96.8%	96.6%	96.9%	97.5%	97.5%	97.2%	96.6%	98.0%	97.2%	93.2%	96.9%
Pts w/ any oral antipsychotic fills, %*	59.2%	63.3%	69.3%	67.4%	54.8%	65.9%	64.4%	54.7%	58.5%	68.3%	60.3%	63.4%
Amg pts recv'ing antipsychotics:												
recv'd only conventional antipsychotics, %	12.3%	10.5%	7.0%	10.3%	9.6%	9.5%	9.6%	14.6%	9.9%	7.9%	14.7%	12.6%
recv'd some atypical antipsychotics, %	87.7%	89.5%	93.0%	89.7%	90.4%	90.5%	90.4%	85.4%	90.1%	92.1%	85.3%	87.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %												
Aripiprazole	1.2%	1.2%	0.9%	0.1%	3.8%	1.1%	0.5%	3.4%	0.2%	0.3%	0.1%	3.5%
Clozapine	1.8%	1.1%	2.6%	0.7%	1.2%	1.4%	0.5%	3.2%	1.3%	0.2%	0.1%	0.4%
Olanzapine	35.8%	34.2%	49.5%	34.6%	31.4%	30.3%	30.2%	26.3%	40.6%	37.3%	41.9%	28.1%
Quetiapine	26.2%	28.0%	18.8%	31.5%	37.5%	26.7%	38.4%	23.1%	27.5%	20.5%	27.1%	33.2%
Risperidone	36.7%	40.4%	44.1%	38.4%	30.5%	44.9%	35.9%	44.6%	38.9%	45.4%	32.4%	39.2%
Ziprasidone	5.2%	6.1%	2.0%	3.3%	14.0%	5.0%	8.0%	5.3%	4.9%	12.6%	2.1%	8.0%
Pts rec. only 1 kind** of antipsychotic, %	73.8%	71.7%	68.1%	67.9%	67.2%	75.1%	71.6%	73.7%	73.4%	71.5%	72.7%	73.0%
Concurrent use, 2 or more antipsych., % ***	11.3%	11.6%	15.6%	17.4%	16.1%	11.1%	8.5%	9.4%	10.0%	9.4%	8.8%	8.2%
Amg pts recv'ing just one antipsychotic:												
Antipsychotic fills, mean	7.06	7.04	7.32	7.75	6.40	6.69	7.17	7.60	6.94	6.75	6.77	6.59
SD	*5.06*	*4.81*	*5.21*	*4.79*	*4.58*	*4.67*	*4.64*	*5.65*	*4.75*	*4.56*	*4.55*	*4.34*
Antipsychotic Med Possess Ratio, mean	--	--	--	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--	--	--	--
Antipsych. Med Possess Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--	--	--	--
Antipsych. Med Possess Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5F: FY03 Psychosis Patients, Cost, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Entire Population	217760	17753	1089	2727	1046	3312	1597	2183	1074	1924	1622	1179
Total Costs (in thousands $$)	$3,237,460	$222,511	$18,310	$33,274	$10,432	$37,223	$19,544	$39,705	$8,296	$25,107	$19,437	$11,184
Station % of VISN		100.0%	8.2%	15.0%	4.7%	16.7%	8.8%	17.8%	3.7%	11.3%	8.7%	5.0%
Psych vs. Non-Psych Costs												
Psych	30.3%	34.8%	42.9%	38.6%	23.2%	33.6%	30.4%	38.8%	13.4%	34.1%	37.7%	31.5%
Non-Psych	69.7%	65.2%	57.1%	61.4%	76.8%	66.4%	69.6%	61.2%	86.6%	65.9%	62.3%	68.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some IP use												
Per Patient	$18,395	$18,046	$19,794	$17,396	$15,063	$16,855	$20,960	$23,757	$10,255	$15,322	$20,327	$12,908
Per Day of Stay	$842	$838	$589	$643	$885	$922	$1,031	$825	$961	$1,000	$1,031	$975
Mean OP Costs, Pts with some OP use												
Per Patient	$6,757	$5,841	$5,261	$6,248	$4,655	$5,406	$5,343	$7,268	$4,829	$7,290	$5,447	$4,859
Per Visit Day	$275	$297	$386	$271	$331	$293	$406	$265	$295	$309	$286	$280
Mean Patient Costs, By Cost Center												
1 Med	$1,582	$1,701	$1,418	$757	$1,679	$1,710	$2,345	$2,692	$1,204	$1,243	$2,175	$1,971
2 Surg	$536	$496	$281	$319	$421	$691	$644	$605	$192	$517	$517	$435
3 Psych	$2,886	$3,083	$6,353	$3,249	$1,817	$2,392	$2,628	$5,104	$552	$2,771	$3,448	$1,929
4 Psych Res Rehab Treatment Program	$218	$34	$0	$3	$0	$0	$151	$15	$0	$84	$88	$18
5 Non-VA	$205	$137	$61	$146	$977	$12	$15	$166	$177	$44	$85	$91
6 LTC Domiciliary	$327	$125	$0	$600	$2	$0	$3	$244	$0	$6	$21	$0
7 LTC Intermediate Care	$167	$158	$255	$121	$247	$166	$8	$355	$83	$240	$0	$38
8 LTC Nursing Home	$1,785	$731	$1,957	$797	$0	$695	$1,059	$1,486	$0	$667	$59	$44
9 Contract Nursing Home	$467	$260	$1,309	$49	$175	$184	$77	$299	$689	$190	$159	$113
10 OPC Med/Surg	$1,071	$915	$734	$667	$695	$975	$1,175	$1,097	$652	$1,073	$914	$982
11 OPC Psych	$1,624	$1,281	$858	$1,457	$500	$1,384	$1,090	$1,959	$485	$1,673	$1,064	$1,060
12 OPC Home Based Treatment	$751	$572	$603	$728	$423	$539	$274	$783	$407	$844	$357	$415
13 OPC Support	$1,322	$1,180	$961	$1,010	$1,081	$1,108	$1,076	$1,454	$1,237	$1,452	$1,328	$1,005
14 OPC Fee	$148	$106	$270	$122	$108	$58	$71	$48	$229	$93	$154	$43
15 OPC Pharmacy	$1,778	$1,754	$1,753	$2,177	$1,849	$1,323	$1,621	$1,880	$1,818	$2,151	$1,613	$1,341
TOTAL	$14,867	$12,534	$16,813	$12,202	$9,973	$11,239	$12,238	$18,188	$7,725	$13,049	$11,983	$9,486
Mean % Patient Costs at Other Stations	3.9%	3.3%	3.4%	3.4%	7.2%	1.7%	2.0%	3.1%	8.7%	2.7%	2.9%	3.6%
SD	*12.8%*	*12.0%*	*11.3%*	*11.8%*	*16.7%*	*8.4%*	*9.0%*	*11.2%*	*20.2%*	*10.8%*	*10.7%*	*12.6%*
Mean % Patient Costs at Other VISNs	1.5%	1.5%	0.5%	1.9%	2.3%	1.3%	1.2%	1.7%	1.8%	1.1%	1.7%	1.9%
SD	*8.0%*	*7.9%*	*3.8%*	*8.6%*	*9.6%*	*7.3%*	*6.7%*	*8.2%*	*8.9%*	*6.7%*	*8.4%*	*9.4%*

Table 1G: FY03 Schizophrenic Patients, Demographics, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Schizophrenic Patients	94395	7704	648	1319	362	1406	592	813	324	940	734	566
Age, %												
<35	3.9%	4.5%	6.3%	3.6%	4.4%	4.8%	3.5%	3.9%	4.9%	4.6%	4.2%	4.9%
>=35 and <50	32.5%	34.2%	37.7%	34.8%	34.5%	30.3%	39.5%	34.7%	31.5%	34.9%	32.6%	34.5%
>=50 and <65	44.6%	45.4%	41.8%	45.2%	45.6%	47.4%	41.2%	42.6%	49.7%	47.2%	47.0%	45.8%
>=65 and <80	15.7%	13.3%	11.7%	13.6%	13.8%	14.3%	13.0%	15.4%	11.4%	11.8%	13.6%	12.2%
>=80	3.3%	2.6%	2.5%	2.8%	1.7%	3.1%	2.7%	3.4%	2.5%	1.5%	2.6%	2.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	54.59	53.67	52.42	53.88	53.35	54.17	53.47	54.64	53.62	52.82	53.90	53.52
SD	*11.97*	*11.56*	*11.67*	*11.49*	*11.64*	*11.79*	*11.39*	*12.35*	*10.97*	*10.88*	*11.41*	*11.48*
Gender												
Male, %	94.6%	94.7%	94.9%	92.6%	97.5%	94.8%	94.8%	96.6%	93.5%	95.9%	93.7%	94.9%
Female, %	5.4%	5.3%	5.1%	7.4%	2.5%	5.2%	5.2%	3.4%	6.5%	4.1%	6.3%	5.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %												
Hispanic white	6.9%	1.2%	0.5%	0.5%	1.1%	4.8%	0.2%	0.2%	0.0%	0.1%	1.2%	0.2%
Hispanic black	0.6%	0.1%	0.0%	0.1%	0.0%	0.2%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%
American indian	0.3%	0.5%	0.2%	0.2%	0.3%	0.1%	0.3%	0.1%	2.8%	0.0%	2.5%	0.0%
Black	26.5%	42.2%	47.2%	34.4%	3.9%	46.5%	63.7%	43.2%	13.3%	64.6%	22.6%	49.3%
Asian	0.8%	0.2%	0.2%	0.2%	0.3%	0.3%	0.0%	0.2%	0.0%	0.3%	0.1%	0.2%
White	52.4%	44.2%	37.7%	51.3%	76.8%	40.5%	28.7%	48.3%	58.0%	20.3%	64.2%	39.6%
Race unknown	12.5%	11.6%	14.4%	13.3%	17.7%	7.5%	7.1%	7.9%	25.9%	14.5%	9.3%	10.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status												
Never married	42.4%	35.9%	39.7%	36.7%	26.3%	40.3%	35.2%	36.5%	26.3%	35.6%	29.9%	38.0%
Married	24.6%	27.9%	27.1%	28.7%	34.9%	21.3%	31.8%	25.4%	34.8%	26.0%	32.0%	31.5%
Divorced/Separated	29.5%	32.7%	30.8%	31.0%	35.7%	33.5%	29.4%	35.9%	35.4%	34.1%	35.0%	27.1%
Widowed	3.5%	3.6%	2.3%	3.6%	3.0%	4.8%	3.6%	2.2%	3.4%	4.3%	3.2%	3.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Schizophrenic Patients	94395	7704	648	1319	362	1406	592	813	324	940	734	566
Registry Pts. History of VA Utilization												
Years since first use in prior five years, mean	4.6	4.58	4.56	4.70	4.41	4.50	4.61	4.70	4.50	4.58	4.55	4.54
SD	*1.0*	*1.01*	*1.03*	*0.87*	*1.19*	*1.08*	*0.96*	*0.86*	*1.10*	*1.02*	*1.06*	*1.04*
Yrs w/ 24-hour inst use / yrs since 1st use, %	27.3%	27.3%	37.5%	24.2%	21.6%	27.9%	28.0%	36.1%	17.0%	23.0%	24.1%	28.7%
SD	*30.9%*	*30.1%*	*33.4%*	*29.0%*	*26.4%*	*29.3%*	*31.3%*	*33.2%*	*24.3%*	*27.9%*	*27.6%*	*29.7%*
Yrs. w/ OP use / Yrs. since first use, %	96.7%	97.5%	96.4%	97.5%	98.4%	97.6%	97.1%	97.9%	97.7%	97.4%	97.3%	98.0%
SD	*12.4%*	*10.0%*	*13.2%*	*10.2%*	*7.5%*	*9.2%*	*12.5%*	*9.9%*	*8.7%*	*9.1%*	*9.8%*	*7.3%*
Psychosis Diagnoses in Prior Fiscal Year												
Had Psychosis Diagnosis in FY01, %	82.2%	81.2%	79.6%	83.9%	81.2%	81.7%	85.6%	84.1%	81.5%	77.0%	77.4%	79.0%
Among Patients With Psychoses in FY01												
Psychosis Category: Schizophrenia, %	94.8%	95.1%	94.4%	97.0%	96.6%	95.5%	95.9%	96.6%	91.7%	92.4%	94.0%	94.0%
Psychosis Category: Bipolar Disorder, %	2.6%	2.0%	2.1%	1.4%	1.7%	1.8%	1.6%	0.7%	2.3%	4.0%	3.2%	2.0%
Psychosis Category: Other Psychosis, %	2.5%	2.8%	3.5%	1.5%	1.7%	2.7%	2.6%	2.6%	6.1%	3.6%	2.8%	4.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %												
Dementia	2.3%	2.7%	4.0%	1.1%	2.2%	6.1%	1.2%	3.4%	0.3%	1.9%	1.4%	2.1%
Post Traumatic Stress Disorder	11.9%	10.0%	12.3%	11.5%	9.4%	4.9%	4.6%	8.7%	10.2%	14.7%	11.7%	14.1%
Depression	25.7%	25.0%	34.4%	24.6%	26.5%	17.2%	17.2%	26.1%	20.7%	32.9%	25.7%	28.1%
Other Anxiety Disorder	8.7%	7.2%	10.5%	7.3%	9.4%	3.2%	5.6%	5.3%	9.0%	7.1%	6.1%	16.6%
Substance Abuse or Dependence	22.3%	22.8%	25.6%	23.0%	14.6%	19.7%	23.5%	25.3%	12.7%	29.6%	19.6%	26.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Schizophrenic Patients	94395	7704	648	1319	362	1406	592	813	324	940	734	566
Medical Comorbidities, %												
No medical comorbidities	18.7%	17.4%	11.4%	16.5%	12.7%	23.8%	17.4%	16.0%	15.7%	15.9%	21.0%	14.3%
Anemia	7.1%	7.0%	6.8%	9.2%	4.7%	4.1%	6.9%	10.8%	5.2%	6.8%	5.7%	8.7%
Arthritis	29.7%	31.2%	34.1%	34.6%	42.5%	24.7%	25.3%	33.5%	34.6%	32.1%	26.7%	33.9%
Cancer	6.1%	6.2%	6.9%	5.3%	6.1%	6.4%	5.9%	5.8%	5.2%	6.8%	6.4%	7.6%
Cerebrovascular Disease	3.8%	4.6%	4.8%	3.9%	4.1%	5.8%	4.1%	5.8%	2.8%	3.9%	4.4%	4.6%
Chronic Neurologic Disorder	12.4%	12.3%	14.8%	13.6%	16.0%	9.8%	13.3%	11.6%	10.2%	14.3%	10.6%	10.2%
Chronic Obstructive Pulmonary Disease	16.5%	15.4%	17.0%	15.8%	19.9%	13.0%	11.8%	15.6%	18.2%	15.1%	14.7%	18.7%
Chronic Viral Infection	8.7%	8.8%	7.3%	8.9%	7.2%	8.6%	7.6%	8.7%	7.7%	11.9%	9.7%	7.6%
Coronary Artery Disease	14.6%	13.2%	18.2%	13.4%	12.7%	11.7%	8.8%	15.4%	13.3%	13.1%	11.7%	14.1%
Diabetes	20.3%	21.0%	22.7%	19.9%	22.4%	19.6%	22.8%	22.5%	19.1%	21.8%	20.8%	20.5%
Digestive System Disease	44.1%	43.9%	45.8%	48.7%	51.4%	33.6%	44.8%	49.1%	44.4%	41.8%	43.3%	47.2%
Hypertension	40.7%	45.3%	55.2%	46.3%	39.2%	42.8%	47.0%	47.2%	40.4%	43.9%	36.9%	53.0%
Injury and Poisoning	15.5%	14.7%	20.5%	13.0%	15.2%	12.9%	13.7%	15.3%	14.2%	16.5%	13.6%	15.7%
Liver Disease	3.2%	3.7%	3.2%	5.5%	4.4%	2.3%	2.9%	3.8%	2.5%	4.4%	3.7%	3.2%
Other Endocrine	6.9%	6.5%	8.0%	8.3%	5.8%	5.5%	5.1%	4.8%	6.2%	5.7%	8.6%	5.8%
Peripheral Vascular Disease	2.9%	2.7%	3.1%	2.7%	2.8%	3.3%	2.2%	2.5%	0.6%	3.0%	1.9%	3.0%
GAF scores												
Lowest inpatient GAF score, mean	36.19	37.88	44.10	44.70	27.41	34.83	33.99	29.15	39.68	38.35	33.00	43.11
SD	*14.35*	*12.66*	*12.05*	*10.18*	*13.20*	*10.42*	*13.26*	*10.80*	*12.28*	*10.30*	*9.38*	*10.12*
Mean outpatient GAF score	48.84	50.16	60.30	50.36	43.38	48.77	50.96	36.70	53.95	53.61	54.13	52.58
SD	*10.59*	*10.78*	*10.27*	*6.79*	*8.65*	*9.54*	*9.71*	*11.28*	*6.50*	*9.57*	*7.65*	*9.62*
At least 1 IP GAF, pts w/ MH bdscts, %	38.5%	45.7%	68.7%	62.2%	46.7%	33.9%	56.1%	50.9%	40.7%	9.5%	54.7%	26.2%
At least 1 OP GAF, pts w/ MH stops, %	80.5%	94.8%	93.0%	96.1%	94.7%	96.7%	93.6%	95.8%	97.3%	93.2%	92.2%	93.8%
Mortality rates												
died in FY02, %	2.7%	2.9%	4.3%	2.6%	1.7%	3.3%	2.5%	3.3%	3.1%	2.6%	2.5%	2.5%
Age-gender-adj Standardized Mortality Ratio	1.68	1.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Schizophrenic Patients	94395	7704	648	1319	362	1406	592	813	324	940	734	566
Service Connection (SC)												
Non-SC	40.8%	40.1%	40.3%	37.7%	41.2%	41.3%	39.9%	42.4%	27.8%	44.7%	37.5%	41.3%
SC 0 - 29%	6.8%	7.4%	6.9%	6.9%	6.6%	7.4%	9.3%	6.3%	7.1%	8.4%	6.8%	8.3%
SC 30 - 69%	8.8%	8.9%	12.0%	9.4%	8.6%	6.0%	8.4%	7.4%	8.6%	10.1%	7.4%	14.1%
SC 70 - 99%	6.6%	6.2%	5.7%	6.6%	5.5%	6.5%	3.7%	6.8%	5.9%	7.2%	4.8%	7.8%
SC 100%	37.0%	37.4%	35.0%	39.4%	38.1%	38.8%	38.7%	37.1%	50.6%	29.6%	43.6%	28.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %												
Complex*	22.5%	19.0%	34.1%	23.5%	6.6%	19.6%	16.2%	31.6%	7.7%	13.1%	10.4%	10.4%
Basic vested, Cat A*	74.7%	78.7%	63.6%	74.8%	92.5%	78.0%	81.4%	64.7%	91.4%	85.3%	86.6%	86.9%
Basic Non-vested, Cat A*	1.2%	1.0%	0.6%	0.8%	0.3%	1.1%	0.3%	2.5%	0.6%	0.5%	1.8%	0.7%
Basic, Cats C and N	1.7%	1.3%	1.7%	1.0%	0.6%	1.3%	2.0%	1.2%	0.3%	1.1%	1.2%	1.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded												
Patient eligibility category, %												
Cat A (SC or low income)	98.2%	98.6%	98.1%	98.7%	99.4%	98.5%	97.6%	98.6%	99.7%	98.9%	98.8%	97.9%
Cat C (NSC and higher income)	1.4%	1.1%	1.9%	0.4%	0.6%	1.3%	2.0%	1.1%	0.3%	0.7%	1.2%	1.6%
Non-Veteran	0.5%	0.3%	0.0%	0.9%	0.0%	0.2%	0.3%	0.2%	0.0%	0.3%	0.0%	0.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %												
BASIC 1. Non-reliant Care	0.2%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%	0.6%	0.1%	0.0%	0.5%
2. Basic Medical	13.3%	15.7%	13.3%	14.8%	24.6%	14.2%	14.2%	16.2%	13.9%	16.7%	18.9%	15.4%
3. Mental Health	38.5%	39.6%	26.4%	40.4%	45.9%	43.5%	42.9%	29.5%	49.1%	38.7%	41.1%	43.8%
4. Heart / Lung / GI	5.8%	6.5%	7.3%	4.8%	8.6%	5.9%	7.8%	5.2%	9.0%	6.2%	7.9%	8.0%
5. Oncology / Infectious Disease	3.6%	4.2%	3.5%	3.1%	3.6%	4.8%	3.4%	3.6%	5.2%	5.3%	4.4%	5.8%
6. Multiple Medical	16.1%	14.8%	15.4%	13.3%	10.8%	11.9%	15.5%	13.8%	14.5%	19.9%	17.3%	16.1%
COMPLEX 7. Specialized Care	1.9%	1.5%	0.9%	1.4%	0.0%	1.1%	1.4%	1.8%	0.3%	1.9%	1.1%	4.6%
8. Support Care	2.3%	1.8%	4.6%	1.1%	0.6%	1.8%	0.7%	2.1%	3.7%	2.0%	1.1%	0.9%
9. Chronic Mental	15.7%	14.4%	26.2%	20.0%	5.8%	15.1%	12.2%	25.1%	3.1%	7.7%	7.8%	4.6%
10. Critically Ill	2.6%	1.3%	2.3%	1.0%	0.3%	1.5%	2.0%	2.6%	0.6%	1.5%	0.4%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Schizophrenic Patients	94395	7704	648	1319	362	1406	592	813	324	940	734	566
Substance Dependence and Abuse												
Any dx of alcohol / drug depend/abuse, %	22.3%	22.8%	25.6%	23.0%	14.6%	19.7%	23.5%	25.3%	12.7%	29.6%	19.6%	26.0%
Homelessness												
Homelessness indicated in FY02, %	12.0%	10.4%	12.0%	9.9%	4.4%	8.5%	8.3%	12.8%	5.6%	18.2%	10.4%	6.5%
Residence in Metropolitan Area												
Residing in Metropolitan Statistical Area, %	81.5%	75.7%	70.1%	87.9%	66.9%	89.4%	43.6%	60.3%	57.1%	89.2%	73.7%	72.1%
Distance												
Mile from closest VAMC, mean	28.72	39.75	54.21	59.12	49.91	28.30	42.65	33.07	42.19	24.30	33.27	39.22
SD	*55.48*	*36.19*	*35.18*	*46.15*	*29.04*	*30.94*	*32.38*	*30.40*	*19.80*	*29.39*	*33.79*	*30.84*
Distance from closest VA Medical Center, %												
0 to 15 miles	52.9%	40.9%	26.7%	26.0%	16.6%	57.2%	35.8%	41.5%	9.9%	65.5%	50.4%	36.0%
15 to 30 miles	15.5%	8.7%	4.6%	9.0%	9.9%	13.5%	5.7%	10.5%	8.3%	3.5%	9.8%	8.0%
30 to 45 miles	9.7%	9.3%	5.1%	5.3%	16.9%	4.6%	8.1%	17.5%	49.1%	3.6%	4.8%	11.8%
45 to 60 miles	7.4%	10.7%	9.3%	19.1%	20.4%	4.8%	11.0%	11.1%	13.9%	5.6%	7.6%	10.2%
60 plus miles	14.4%	30.5%	54.3%	40.6%	36.2%	19.9%	39.4%	19.6%	18.8%	21.7%	27.4%	33.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from closest VA Service Site, mean	9.84	15.88	20.33	13.43	20.36	15.32	17.98	20.07	17.12	10.54	15.10	15.94
SD	*11.95*	*15.17*	*15.28*	*14.04*	*13.67*	*13.64*	*16.52*	*18.71*	*14.95*	*12.79*	*15.03*	*14.80*
Distance to closest VA Service Site, %												
0 to 15 miles	79.4%	61.3%	41.7%	67.6%	36.7%	65.3%	55.4%	52.8%	57.7%	80.1%	65.8%	57.8%
15 to 30 miles	13.6%	18.9%	29.3%	16.1%	35.9%	20.1%	17.9%	16.4%	18.5%	8.5%	18.5%	21.4%
30 to 45 miles	5.1%	13.6%	21.3%	11.4%	24.3%	7.8%	18.9%	19.3%	17.0%	7.5%	9.3%	17.5%
45 plus miles	1.9%	6.3%	7.7%	4.8%	3.0%	6.8%	7.8%	11.6%	6.8%	3.9%	6.4%	3.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Schizophrenic Patients	94395	7704	648	1319	362	1406	592	813	324	940	734	566
Hospital Based Utilization												
Pts. w/ some Hospital Based Utilization, %	27.0%	29.9%	45.4%	24.3%	22.4%	29.2%	26.2%	37.6%	19.1%	28.7%	29.4%	33.7%
Hospital based utilization: Overall bedsections)												
Inpatient stays, mean	1.85	1.78	1.90	1.63	2.12	1.70	1.78	1.99	1.61	1.65	1.71	1.86
SD	*1.45*	*1.23*	*1.36*	*1.04*	*1.57*	*1.03*	*1.22*	*1.44*	*1.09*	*0.94*	*1.24*	*1.48*
Average LOS, mean	17.65	14.96	21.93	21.75	9.42	12.10	14.07	18.78	7.26	9.41	13.76	7.64
SD	*42.51*	*20.83*	*30.11*	*31.50*	*8.35*	*12.57*	*17.39*	*22.53*	*5.81*	*9.08*	*15.19*	*7.39*
Cumulative DOS, mean	28.76	25.85	38.50	33.31	21.84	20.78	24.37	35.26	11.24	15.50	23.48	14.64
SD	*53.29*	*36.56*	*45.77*	*45.23*	*31.67*	*26.63*	*35.90*	*47.39*	*9.68*	*17.40*	*30.77*	*22.56*
Cumulative DOS, %												
1 to 7	35.1%	32.1%	17.3%	24.1%	37.0%	32.7%	31.6%	30.4%	50.0%	41.9%	32.9%	48.2%
8 to 14	20.7%	20.3%	16.7%	18.1%	24.7%	23.9%	24.5%	15.0%	19.4%	22.2%	18.5%	24.6%
15 to 44	29.0%	30.9%	37.1%	36.3%	27.2%	32.2%	28.4%	26.1%	30.6%	29.3%	32.4%	21.5%
45 to 89	9.0%	12.3%	20.4%	14.1%	7.4%	8.8%	12.9%	20.3%	0.0%	5.9%	13.9%	4.2%
90 to 179	3.4%	3.0%	6.1%	4.7%	2.5%	2.2%	0.6%	5.6%	0.0%	0.7%	1.9%	1.0%
180 to 359	1.5%	1.3%	2.0%	2.8%	1.2%	0.2%	1.9%	2.6%	0.0%	0.0%	0.5%	0.5%
360+	1.2%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp pts. w/ 100+ day hosp stay, %	3.8%	1.9%	2.7%	4.7%	0.0%	0.2%	1.9%	4.9%	0.0%	0.0%	0.5%	0.5%
Cumul. DOS, pts. w/ a 100+ day stay, mean	249.93	203.93	212.25	191.40	0.00	257.00	233.67	196.60	0.00	0.00	301.00	196.00
SD	*96.37*	*72.75*	*91.00*	*70.58*	*0.00*	*0.00*	*36.30*	*74.91*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp pts. w/ 150+ day hosp. stay, %	2.5%	0.7%	1.0%	1.9%	0.0%	0.0%	1.9%	1.3%	0.0%	0.0%	0.5%	0.0%
mean	300.78	267.65	299.67	244.67	0.00	0.00	233.67	295.25	0.00	0.00	301.00	0.00
SD	*75.28*	*59.94*	*78.64*	*62.61*	*0.00*	*0.00*	*36.30*	*54.79*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.65	0.49	0.03	0.88	0.59	0.39	0.48	0.73	0.48	0.27	0.84	0.30
SD	*4.66*	*4.11*	*0.41*	*6.37*	*3.42*	*2.42*	*2.79*	*4.64*	*2.28*	*2.64*	*7.36*	*1.99*
Cumulative DOS at Other Stations	2.06	1.48	0.83	1.82	3.70	0.81	1.57	1.37	5.97	1.26	1.73	1.05
SD	*8.11*	*6.46*	*3.53*	*8.03*	*10.08*	*4.35*	*6.33*	*6.02*	*8.81*	*5.47*	*9.27*	*5.37*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Schizophrenic Patients	94395	7704	648	1319	362	1406	592	813	324	940	734	566
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)												
Pts. w/ non-psych hospital stays, %	11.8%	11.6%	13.3%	8.6%	11.9%	11.8%	10.6%	15.0%	12.0%	11.0%	9.9%	14.5%
Inpatient stays, mean	0.71	0.61	0.50	0.50	0.89	0.60	0.66	0.68	1.05	0.55	0.57	0.70
SD	*1.11*	*1.03*	*1.07*	*0.84*	*1.16*	*0.93*	*1.00*	*1.23*	*1.21*	*0.87*	*1.05*	*1.17*
Average LOS, mean	8.26	8.15	7.21	12.31	7.31	9.45	7.16	7.93	5.93	6.92	7.37	5.59
SD	*16.10*	*13.26*	*8.65*	*28.08*	*9.67*	*11.69*	*8.26*	*10.42*	*4.83*	*6.80*	*7.24*	*7.42*
Cumulative Days of Stay, mean	6.10	5.02	3.56	5.75	6.94	5.78	4.75	6.01	6.02	3.98	4.17	4.38
SD	*19.61*	*15.25*	*9.75*	*20.69*	*17.04*	*14.61*	*10.72*	*21.72*	*8.13*	*9.19*	*10.45*	*15.66*
Cumulative Days of Stay, %												
0	56.2%	61.3%	70.7%	64.4%	46.9%	59.5%	59.4%	60.1%	37.1%	61.9%	66.2%	57.1%
1 to 7	24.8%	21.8%	15.3%	21.3%	32.1%	20.2%	21.9%	22.2%	37.1%	22.2%	17.1%	30.4%
8 to 14	8.1%	7.2%	6.8%	5.3%	11.1%	8.0%	9.0%	7.8%	8.1%	6.3%	7.4%	5.2%
15 to 44	8.5%	7.5%	5.8%	5.9%	7.4%	9.3%	7.7%	6.5%	17.7%	8.5%	6.9%	6.8%
45 to 89	1.7%	1.8%	1.4%	2.2%	0.0%	2.7%	1.9%	2.6%	0.0%	1.1%	2.3%	0.0%
90 to 179	0.5%	0.2%	0.0%	0.3%	2.5%	0.2%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%
180 to 359	0.2%	0.2%	0.0%	0.6%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	0.5%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp Pts. w/ 100+ day non-psych stay, %	0.4%	0.2%	0.0%	0.9%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	0.5%
Cum. DOS, pts. w/ 100+ day stay, mean	225.13	215.20	0.00	190.33	0.00	0.00	0.00	309.00	0.00	0.00	0.00	196.00
SD	*88.92*	*53.95*	*0.00*	*17.62*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp Pts. w/ 150+ day non-psych stay, %	0.2%	0.2%	0.0%	0.9%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts. w/ 150+ day stay, mean	285.12	220.00	0.00	190.33	0.00	0.00	0.00	309.00	0.00	0.00	0.00	0.00
SD	*70.56*	*61.05*	*0.00*	*17.62*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.10*	*0.06*	*0.03*	*0.08*	*0.06*	*0.07*	*0.03*	*0.05*	*0.27*	*0.07*	*0.02*	*0.02*
SD	*1.58*	*0.71*	*0.41*	*0.81*	*0.56*	*0.71*	*0.32*	*0.59*	*2.03*	*0.96*	*0.34*	*0.22*
Other station cumulative DOS, mean	0.47	0.25	0.19	0.37	1.11	0.15	0.10	0.17	0.74	0.16	0.06	0.43
SD	*3.45*	*2.07*	*1.21*	*2.08*	*6.00*	*1.38*	*0.91*	*1.33*	*2.55*	*1.37*	*0.47*	*3.77*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Schizophrenic Patients	94395	7704	648	1319	362	1406	592	813	324	940	734	566
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)												
Pts. w/ psych hospital stays, %	17.7%	21.2%	36.0%	17.4%	16.6%	19.7%	18.1%	26.8%	8.3%	20.2%	21.7%	23.0%
Inpatient stays, mean	1.14	1.17	1.40	1.13	1.23	1.10	1.12	1.31	0.56	1.10	1.14	1.16
SD	*1.37*	*1.16*	*1.25*	*1.09*	*1.06*	*1.11*	*1.11*	*1.29*	*0.78*	*1.00*	*1.15*	*1.35*
Average LOS, mean	23.15	18.10	26.57	25.60	10.88	13.67	17.37	23.65	9.40	10.67	16.19	8.78
SD	*51.08*	*22.81*	*32.86*	*31.43*	*8.27*	*14.11*	*19.42*	*24.64*	*6.66*	*10.06*	*16.55*	*7.57*
Cumulative Days of Stay, mean	22.66	20.83	34.94	27.56	14.90	15.00	19.61	29.26	5.23	11.53	19.31	10.27
SD	*51.43*	*35.21*	*46.74*	*42.18*	*21.78*	*24.90*	*36.28*	*45.55*	*8.48*	*16.91*	*30.85*	*18.18*
Cumulative Days of Stay, %												
0	34.4%	29.2%	20.7%	28.1%	25.9%	32.4%	31.0%	28.8%	56.5%	29.6%	26.4%	31.9%
1 to 7	17.5%	17.5%	7.5%	8.1%	23.5%	19.3%	18.1%	16.0%	17.7%	26.3%	19.4%	29.3%
8 to 14	14.7%	15.3%	12.2%	14.4%	21.0%	17.1%	16.1%	9.8%	12.9%	18.5%	14.8%	19.9%
15 to 44	21.2%	23.9%	32.7%	30.6%	23.5%	22.9%	21.9%	20.6%	12.9%	20.7%	25.9%	14.7%
45 to 89	6.9%	10.2%	18.7%	12.2%	3.7%	6.6%	10.3%	17.3%	0.0%	4.1%	11.6%	3.1%
90 to 179	2.8%	2.8%	5.8%	5.0%	2.5%	1.5%	0.6%	5.2%	0.0%	0.7%	1.4%	1.0%
180 to 359	1.4%	1.0%	2.0%	1.6%	0.0%	0.2%	1.9%	2.3%	0.0%	0.0%	0.5%	0.0%
360+	1.1%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp Pts. w/ a 100+ day psych stay, %	3.4%	1.7%	2.7%	3.8%	0.0%	0.2%	1.9%	4.6%	0.0%	0.0%	0.5%	0.0%
Cum. DOS, pts. w/ 100+ day stay, mean	250.18	199.38	212.00	181.75	0.00	257.00	233.67	188.57	0.00	0.00	301.00	0.00
SD	*97.20*	*75.07*	*91.33*	*76.46*	*0.00*	*0.00*	*36.30*	*70.72*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. w/ 150+ day psych stay, %	0.02	0.01	0.01	0.01	0.00	0.00	0.02	0.01	0.00	0.00	0.00	0.00
Cum. DOS, pts. w/ a 150+ day stay, mean	300.10	276.69	299.67	274.67	0.00	0.00	233.67	290.67	0.00	0.00	301.00	0.00
SD	*76.47*	*60.69*	*78.64*	*77.85*	*0.00*	*0.00*	*36.30*	*66.15*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.55	0.44	0.00	0.79	0.53	0.32	0.46	0.68	0.21	0.20	0.81	0.28
SD	4.34	4.04	0.00	6.33	3.23	2.32	2.75	4.57	1.09	2.47	7.35	1.98
Other station cumulative DOS, mean	1.59	1.23	0.64	1.45	2.59	0.66	1.47	1.20	5.23	1.10	1.67	0.62
SD	7.30	6.12	3.34	7.76	8.39	4.16	6.28	5.79	8.48	5.33	9.25	3.89

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Schizophrenic Patients	94395	7704	648	1319	362	1406	592	813	324	940	734	566
Other 24 hour institutional care												
Pts. w/ some other 24 hour inst. care, %	8.0%	3.7%	4.2%	6.4%	0.3%	2.1%	6.4%	8.2%	0.6%	2.8%	0.4%	0.7%
Residential Rehabilitation												
Pts. w/ some residential rehab. care, %	1.6%	0.4%	0.0%	0.1%	0.0%	0.1%	4.4%	0.4%	0.0%	0.1%	0.0%	0.2%
Number stays, mean	*1.12*	*1.06*	*0.00*	*1.00*	*0.00*	*1.00*	*1.04*	*1.33*	*0.00*	*1.00*	*0.00*	*1.00*
SD	*0.37*	*0.24*	*0.00*	*0.00*	*0.00*	*0.00*	*0.20*	*0.58*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	36.26	17.61	0.00	12.00	0.00	5.00	18.17	16.50	0.00	41.00	0.00	1.00
SD	*45.44*	*10.21*	*0.00*	*0.00*	*0.00*	*0.00*	*8.52*	*15.74*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS, mean	39.67	18.55	0.00	12.00	0.00	5.00	19.23	17.67	0.00	41.00	0.00	1.00
SD	*48.06*	*11.89*	*0.00*	*0.00*	*0.00*	*0.00*	*4.95*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative Days of Stay, %												
1 to 7	14.0%	24.2%	0.0%	0.0%	0.0%	100.0%	19.2%	33.3%	0.0%	0.0%	0.0%	100.0%
8 to 14	14.7%	15.2%	0.0%	100.0%	0.0%	0.0%	11.5%	33.3%	0.0%	0.0%	0.0%	0.0%
15 to 44	46.4%	57.6%	0.0%	0.0%	0.0%	0.0%	65.4%	33.3%	0.0%	100.0%	0.0%	0.0%
45 to 89	13.8%	3.0%	0.0%	0.0%	0.0%	0.0%	3.8%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	8.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%
%	6.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
mean	180.59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*80.43*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
stay, %	2.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
mean	246.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*77.24*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.84	2.55	0.00	0.00	0.00	5.00	1.00	17.67	0.00	0.00	0.00	0.00
SD	*5.37*	*7.58*	*0.00*	*0.00*	*0.00*	*0.00*	*5.10*	*14.36*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.24	2.94	0.00	12.00	0.00	5.00	1.00	17.67	0.00	0.00	0.00	1.00
SD	*10.31*	*7.73*	*0.00*	*0.00*	*0.00*	*0.00*	*5.10*	*14.36*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Schizophrenic Patients	94395	7704	648	1319	362	1406	592	813	324	940	734	566
Domiciliary and Vocational												
Pts. w/ some dom/voc care, %	2.3%	1.2%	0.0%	4.6%	0.3%	0.1%	0.2%	3.0%	0.0%	0.1%	0.1%	0.0%
Number stays, mean	1.12	1.07	0.00	1.07	1.00	1.00	1.00	1.08	0.00	1.00	1.00	0.00
SD	*0.37*	*0.29*	*0.00*	*0.31*	*0.00*	*0.00*	*0.00*	*0.28*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	94.48	76.10	0.00	89.31	6.00	17.00	11.00	54.17	0.00	28.00	39.00	0.00
SD	*108.97*	*84.88*	*0.00*	*90.32*	*0.00*	*0.00*	*0.00*	*70.15*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS, mean	100.96	79.19	0.00	93.03	6.00	17.00	11.00	56.29	0.00	28.00	39.00	0.00
SD	*111.44*	*86.50*	*0.00*	*92.35*	*0.00*	*0.00*	*0.00*	*69.74*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative Days of Stay, %												
1 to 7	7.9%	6.7%	0.0%	4.9%	100.0%	0.0%	0.0%	8.3%	0.0%	0.0%	0.0%	0.0%
8 to 14	6.7%	5.6%	0.0%	3.3%	0.0%	0.0%	100.0%	8.3%	0.0%	0.0%	0.0%	0.0%
15 to 44	31.5%	41.1%	0.0%	37.7%	0.0%	100.0%	0.0%	45.8%	0.0%	100.0%	100.0%	0.0%
45 to 89	17.3%	21.1%	0.0%	21.3%	0.0%	0.0%	0.0%	25.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	17.7%	14.4%	0.0%	18.0%	0.0%	0.0%	0.0%	8.3%	0.0%	0.0%	0.0%	0.0%
180 to 359	9.4%	8.9%	0.0%	11.5%	0.0%	0.0%	0.0%	4.2%	0.0%	0.0%	0.0%	0.0%
360+	9.5%	2.2%	0.0%	3.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	0.0%
Dom. pts. w/ 100+ day Dom. stay, %	32.0%	21.1%	0.0%	27.9%	0.0%	0.0%	0.0%	8.3%	0.0%	0.0%	0.0%	0.0%
Cum DOS for these pts, mean	234.98	220.89	0.00	217.29	0.00	0.00	0.00	251.50	0.00	0.00	0.00	0.00
SD	*102.95*	*88.91*	*0.00*	*87.97*	*0.00*	*0.00*	*0.00*	*127.99*	*0.00*	*0.00*	*0.00*	*0.00*
Dom. pts. w/ 150+ day Dom. stay, %	20.9%	13.3%	0.0%	16.4%	0.0%	0.0%	0.0%	8.3%	0.0%	0.0%	0.0%	0.0%
Cum DOS for these pts., mean	291.61	261.83	0.00	263.90	0.00	0.00	0.00	251.50	0.00	0.00	0.00	0.00
SD	*80.75*	*80.40*	*0.00*	*77.79*	*0.00*	*0.00*	*0.00*	*127.99*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.18	2.64	0.00	2.62	0.00	17.00	0.00	1.38	0.00	28.00	0.00	0.00
SD	*7.65*	*14.44*	*0.00*	*16.64*	*0.00*	*0.00*	*0.00*	*6.74*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.16	2.83	0.00	2.62	6.00	17.00	11.00	1.38	0.00	28.00	0.00	0.00
SD	*12.59*	*14.47*	*0.00*	*16.64*	*0.00*	*0.00*	*0.00*	*6.74*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Schizophrenic Patients	94395	7704	648	1319	362	1406	592	813	324	940	734	566
Nursing Home Care												
Pts. w/ some nursing home care, %	4.7%	2.1%	4.2%	1.7%	0.0%	2.0%	2.0%	5.2%	0.6%	2.6%	0.3%	0.5%
Number stays, mean	1.20	1.25	1.22	1.22	0.00	1.36	1.25	1.38	1.00	1.04	1.00	1.00
SD	*0.56*	*0.51*	*0.42*	*0.52*	*0.00*	*0.56*	*0.45*	*0.66*	*0.00*	*0.20*	*0.00*	*0.00*
Average LOS, mean	143.54	131.25	162.54	165.88	0.00	135.54	262.04	111.21	36.50	50.79	16.50	84.67
SD	*137.46*	*132.57*	*133.65*	*163.65*	*0.00*	*111.29*	*156.52*	*126.94*	*2.12*	*34.36*	*21.92*	*95.87*
Cumulative DOS, mean	156.00	148.37	191.52	168.87	0.00	176.57	281.08	123.95	36.50	51.92	16.50	84.67
SD	*139.76*	*140.85*	*142.81*	*160.92*	*0.00*	*136.11*	*149.51*	*131.48*	*2.12*	*33.99*	*21.92*	*95.87*
Cumulative Days of Stay, %												
1 to 7	6.8%	4.9%	3.7%	0.0%	0.0%	3.6%	8.3%	9.5%	0.0%	0.0%	50.0%	0.0%
8 to 14	6.5%	6.7%	3.7%	13.0%	0.0%	3.6%	0.0%	7.1%	0.0%	12.5%	0.0%	0.0%
15 to 44	20.5%	26.4%	14.8%	30.4%	0.0%	21.4%	8.3%	31.0%	100.0%	33.3%	50.0%	33.3%
45 to 89	14.1%	14.7%	18.5%	13.0%	0.0%	7.1%	8.3%	7.1%	0.0%	37.5%	0.0%	33.3%
90 to 179	15.1%	11.7%	11.1%	0.0%	0.0%	17.9%	0.0%	16.7%	0.0%	16.7%	0.0%	0.0%
180 to 359	14.7%	16.0%	22.2%	13.0%	0.0%	32.1%	8.3%	14.3%	0.0%	0.0%	0.0%	33.3%
360+	22.5%	19.6%	25.9%	30.4%	0.0%	14.3%	66.7%	14.3%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH pts. w/ 100+ day NH stay, %	48.0%	44.8%	55.6%	43.5%	0.0%	60.7%	75.0%	42.9%	0.0%	12.5%	0.0%	33.3%
Cum DOS for these pts, mean	282.12	286.59	304.07	345.70	0.00	268.29	363.33	251.56	0.00	116.67	0.00	194.00
SD	*94.85*	*93.79*	*79.51*	*37.05*	*0.00*	*90.34*	*2.00*	*104.69*	*0.00*	*1.53*	*0.00*	*0.00*
NH pts. w/ 150+ day NH stay, %	39.8%	37.4%	48.1%	43.5%	0.0%	53.6%	75.0%	31.0%	0.0%	0.0%	0.0%	33.3%
Cum DOS for these pts, mean	312.43	316.85	328.23	345.70	0.00	285.40	363.33	296.85	0.00	0.00	0.00	194.00
SD	*72.26*	*69.19*	*50.98*	*37.05*	*0.00*	*81.53*	*2.00*	*84.65*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.44	1.53	6.19	0.00	0.00	0.00	6.83	0.00	0.00	0.00	0.00	0.00
SD	*5.99*	*14.54*	*32.14*	*0.00*	*0.00*	*0.00*	*23.67*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.19	1.70	6.19	0.57	0.00	0.00	6.83	0.00	0.00	0.00	0.00	5.00
SD	*9.07*	*14.59*	*32.14*	*2.02*	*0.00*	*0.00*	*23.67*	*0.00*	*0.00*	*0.00*	*0.00*	*8.66*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Schizophrenic Patients	94395	7704	648	1319	362	1406	592	813	324	940	734	566
Outpatient utilization												
(reported for those w/ some outpatient care)												
Pts. w/ some outpatient care, %	98.3%	99.3%	98.1%	98.8%	100.0%	99.4%	98.5%	99.0%	100.0%	99.9%	99.7%	99.8%
annual visit days, mean	27.64	21.45	14.59	25.11	13.76	21.29	13.52	32.21	17.56	23.45	21.97	17.18
SD	*38.39*	*29.74*	*13.62*	*37.02*	*11.82*	*28.94*	*14.29*	*41.43*	*17.53*	*27.19*	*35.67*	*18.89*
Outpatient visit days, %												
1-12	42.6%	49.7%	55.3%	43.4%	59.4%	50.5%	62.4%	38.4%	44.8%	45.4%	58.7%	51.5%
13-24	25.7%	26.5%	28.3%	29.9%	23.5%	25.4%	24.7%	25.6%	34.6%	26.4%	19.0%	29.0%
25-36	11.8%	10.1%	9.9%	11.4%	11.3%	9.4%	7.7%	10.3%	13.0%	10.4%	7.8%	11.0%
37-48	5.9%	4.5%	4.4%	4.8%	3.9%	4.5%	2.1%	7.0%	4.9%	4.8%	4.5%	3.2%
49+	14.0%	9.2%	2.0%	10.4%	1.9%	10.2%	3.1%	18.8%	2.8%	13.0%	10.0%	5.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of OPs who had some Primary Care (PC)	74.5%	75.1%	89.9%	80.3%	91.4%	71.5%	39.6%	72.8%	83.6%	76.0%	72.8%	80.9%
Mean PC visits, among those with some PC	3.73	3.24	3.25	3.47	2.75	3.38	2.56	2.43	2.89	3.52	3.68	3.43
SD	3.83	2.74	2.22	2.86	2.29	2.79	1.87	1.59	2.32	2.67	3.92	3.09
Avg # clinic stops per visit day, mean	1.45	1.48	1.63	1.39	1.63	1.47	1.77	1.38	1.39	1.40	1.54	1.45
SD	*0.45*	*0.45*	*0.48*	*0.37*	*0.44*	*0.42*	*0.59*	*0.36*	*0.38*	*0.35*	*0.53*	*0.41*
ann. clinic stops (psych & non-psych), mean	41.32	32.21	23.84	35.31	21.33	31.81	23.15	44.21	24.61	33.08	42.40	24.40
SD	*65.29*	*50.71*	*25.14*	*55.71*	*18.45*	*47.97*	*24.08*	*57.56*	*26.92*	*40.49*	*92.95*	*26.64*
annual non-psych. clinic stops, mean	19.07	16.39	14.07	17.19	15.11	15.53	14.77	19.87	16.52	16.55	17.90	14.55
SD	*26.86*	*21.76*	*12.19*	*24.79*	*14.19*	*22.10*	*16.56*	*28.37*	*19.21*	*16.64*	*30.23*	*13.15*
ıual psych. clinic stops (groupings below), mean	22.25	15.82	9.77	18.12	6.22	16.28	8.39	24.34	8.09	16.52	24.50	9.85
SD	*50.83*	*38.79*	*18.20*	*38.81*	*8.54*	*35.94*	*13.05*	*47.26*	*11.42*	*30.39*	*75.73*	*21.34*
1. general psych. clinic stops, mean	9.04	6.07	7.56	8.26	4.85	5.27	5.45	7.70	6.70	4.69	3.88	5.14
SD	*15.89*	*8.76*	*10.83*	*10.60*	*5.35*	*8.16*	*5.27*	*12.70*	*7.31*	*6.21*	*5.89*	*6.02*
2. psych. case management clinic stops, mean	2.76	1.89	0.02	2.47	0.01	1.87	0.01	8.76	0.00	1.62	0.00	0.00
SD	*16.59*	*12.69*	*0.31*	*18.61*	*0.12*	*9.93*	*0.12*	*25.56*	*0.00*	*8.44*	*0.05*	*0.04*
3. psych. day treatment clinic stops, mean	4.94	3.81	0.06	4.58	0.00	5.36	0.00	0.12	0.00	3.03	14.89	3.20
SD	*29.07*	*28.66*	*1.11*	*26.94*	*0.00*	*27.56*	*0.00*	*1.70*	*0.00*	*17.96*	*70.98*	*16.44*
4. substance abuse clinic stops, mean	2.71	2.07	1.24	1.55	0.88	2.04	1.93	1.41	0.63	3.36	4.91	1.11
SD	*17.49*	*11.85*	*7.93*	*7.89*	*5.87*	*13.29*	*10.11*	*7.44*	*3.82*	*14.58*	*22.22*	*5.13*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Schizophrenic Patients	94395	7704	648	1319	362	1406	592	813	324	940	734	566
5. psych. vocational clinic stops, mean	2.11	1.01	0.61	1.36	0.00	1.31	0.06	4.36	0.00	0.00	0.15	0.15
SD	*18.38*	*10.95*	*6.33*	*12.27*	*0.05*	*12.92*	*0.55*	*23.47*	*0.00*	*0.00*	*2.68*	*1.57*
6. PTSD clinic stops, mean	0.37	0.34	0.03	0.14	0.35	0.11	0.40	0.30	0.50	1.18	0.40	0.12
SD	*3.86*	*4.26*	*0.35*	*1.41*	*1.81*	*1.64*	*1.85*	*2.62*	*7.51*	*8.49*	*6.91*	*1.73*
7. psych. homeless clinic stops, mean	0.39	0.67	0.16	0.07	0.06	0.37	0.44	1.91	0.11	2.65	0.08	0.10
SD	*2.98*	*4.96*	*1.53*	*0.76*	*0.42*	*2.88*	*2.54*	*10.07*	*0.59*	*9.31*	*0.67*	*0.97*
Other VISN OP visit days, mean	0.30	0.31	0.04	0.37	0.43	0.25	0.32	0.58	0.22	0.19	0.37	0.32
SD	2.12	2.11	0.33	2.70	1.98	1.58	1.70	3.57	1.30	1.45	2.07	1.85
Other station OP visit days, mean	0.82	0.65	0.81	0.68	0.96	0.34	0.46	1.02	1.10	0.55	0.73	0.50
SD	3.70	2.94	2.83	3.33	2.60	1.81	1.98	4.51	4.26	2.62	2.82	2.11

Table 4G: FY03 Schizophrenic Patients, Pharmacy Utilization, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Schizophrenic Patients	94395	7704	648	1319	362	1406	592	813	324	940	734	566
Among all patients in the registry												
Pts. with any outpatient prescriptions, %	94.9%	96.7%	96.3%	97.4%	97.8%	97.4%	97.5%	96.8%	97.5%	97.6%	91.7%	96.8%
Patients with any oral antipsychotic fills, %*	78.7%	82.0%	82.9%	84.7%	81.2%	85.0%	87.2%	79.6%	79.6%	80.6%	76.4%	76.1%
Amg pts. receiving any antipsychotic meds:												
Recv'd only conventional antipsychotics, %	15.4%	12.5%	7.4%	12.8%	11.2%	12.5%	11.0%	14.4%	13.2%	9.5%	16.8%	16.7%
Received some atypical antipsychotics, %	84.6%	87.5%	92.6%	87.2%	88.8%	87.5%	89.0%	85.6%	86.8%	90.5%	83.2%	83.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %												
Aripiprazole	1.5%	1.5%	1.1%	0.1%	4.8%	1.8%	0.8%	4.5%	0.0%	0.5%	0.2%	3.9%
Clozapine	3.1%	2.0%	3.7%	1.2%	2.0%	2.5%	1.0%	5.6%	3.1%	0.4%	0.2%	0.7%
Olanzapine	35.7%	35.3%	49.9%	33.1%	32.0%	34.6%	32.6%	28.4%	41.5%	38.0%	37.4%	29.0%
Quetiapine	21.7%	22.8%	18.1%	26.4%	31.6%	22.1%	28.3%	19.3%	20.9%	15.6%	24.8%	24.8%
Risperidone	36.8%	42.2%	46.7%	42.6%	36.1%	41.2%	40.3%	44.7%	36.0%	47.9%	37.8%	40.6%
Ziprasidone	5.9%	6.7%	2.2%	3.7%	12.9%	6.7%	9.7%	7.0%	7.4%	11.1%	2.9%	9.3%
Pts. rec only one kind** of antipsychotic, %	70.8%	68.2%	62.9%	63.3%	63.3%	70.6%	67.8%	69.9%	71.7%	71.6%	70.2%	71.9%
Concurrent use,2 or more antipsych., % ***	15.6%	16.1%	20.5%	23.5%	23.1%	15.7%	12.4%	13.6%	16.7%	10.8%	12.1%	9.5%
Among pts receiving just one antipsychotic:												
Antipsychotic fills, mean	8.10	8.08	7.99	8.81	7.42	7.84	8.00	9.19	8.29	7.63	7.57	7.28
SD	*5.37*	*4.93*	*5.37*	*4.68*	*4.82*	*4.95*	*4.48*	*5.97*	*5.17*	*4.61*	*4.52*	*4.33*
Antipsychotic Med. Possess. Ratio, mean	0.83	0.79	0.78	0.81	0.86	0.82	0.76	0.84	0.84	0.74	0.75	0.71
SD	*0.33*	*0.33*	*0.35*	*0.32*	*0.31*	*0.33*	*0.31*	*0.31*	*0.32*	*0.34*	*0.34*	*0.32*
Antipsych Med Possess. Ratio <= 0.80, %	37.1%	43.2%	44.7%	39.3%	31.2%	40.9%	49.4%	36.0%	35.5%	51.7%	46.8%	52.7%
Antipsych Med Possess. Ratio <= 0.50, %	18.0%	21.1%	25.2%	18.3%	16.2%	18.7%	20.4%	14.7%	17.4%	25.7%	27.3%	28.8%

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 4G: FY03 Schizophrenic Patients, Cost, VISN 16

	All VISNs	VISN 16	502	520	564	580	586	598	623	629	635	667
			Alexandria	*Gulf Coast*	*Fayetteville AR*	*Houston*	*Montgomery*	*Central AR.*	*Muskogee*	*New Orleans*	*Oklahoma City*	*Overton Brks*
Schizophrenic Patients	94395	7704	648	1319	362	1406	592	813	324	940	734	566
Total Costs (in thousands $$)	$1,637,013	$107,585	$12,667	$17,523	$4,216	$18,782	$8,196	$16,813	$2,796	$12,025	$9,199	$5,368
Station % of VISN		100.0%	11.8%	16.3%	3.9%	17.5%	7.6%	15.6%	2.6%	11.2%	8.6%	5.0%
Psych vs. Non-Psych Costs												
Psych	34.5%	41.6%	48.2%	42.8%	27.6%	40.1%	37.6%	46.1%	16.8%	38.1%	47.9%	40.1%
Non-Psych	65.5%	58.4%	51.8%	57.2%	72.4%	59.9%	62.4%	53.9%	83.2%	61.9%	52.1%	59.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some IP use												
Per Patient	$21,945	$20,093	$22,458	$20,938	$18,182	$18,601	$22,699	$26,303	$10,822	$15,416	$22,650	$13,716
Per Day of Stay	$763	$777	$583	$629	$833	$895	$931	$746	$963	$994	$965	$937
Mean OP Costs, Pts with some OP use												
Per Patient	$7,323	$6,270	$5,571	$6,642	$4,838	$6,423	$5,772	$7,780	$5,317	$7,299	$5,718	$4,657
Per Visit Day	$265	$292	$382	$265	$352	$302	$427	$242	$303	$311	$260	$271
By Cost Center												
1 Med	$1,399	$1,310	$1,498	$756	$1,235	$1,274	$1,411	$2,164	$1,141	$813	$1,654	$1,667
2 Surg	$470	$467	$213	$320	$128	$826	$672	$557	$91	$499	$411	$317
3 Psych	$4,062	$4,235	$8,479	$4,003	$2,705	$3,324	$3,860	$7,179	$839	$3,116	$4,601	$2,644
4 Psych Res Rehab Treatment Program	$217	$21	$0	$4	$0	$1	$201	$17	$0	$17	$10	$3
5 Non-VA	$230	$212	$81	$150	$2,509	$16	$18	$199	$337	$34	$115	$101
6 LTC Domiciliary	$302	$109	$0	$542	$0	$1	$3	$148	$0	$6	$0	$0
7 LTC Intermediate Care	$166	$113	$212	$76	$105	$128	$2	$330	$51	$125	$0	$22
8 LTC Nursing Home	$2,633	$931	$1,961	$859	$0	$1,077	$1,832	$1,958	$0	$589	$22	$11
9 Contract Nursing Home	$664	$342	$1,637	$13	$126	$324	$162	$423	$854	$303	$19	$69
10 OPC Med/Surg	$930	$771	$683	$598	$626	$836	$1,050	$754	$562	$919	$717	$883
11 OPC Psych	$1,916	$1,571	$940	$1,678	$512	$2,034	$1,339	$2,348	$608	$1,762	$1,397	$1,158
12 OPC Home Based Treatment	$933	$686	$723	$834	$369	$788	$177	$1,032	$329	$1,040	$306	$395
13 OPC Support	$1,243	$1,089	$931	$944	$1,020	$1,150	$960	$1,303	$1,222	$1,222	$1,283	$785
14 OPC Fee	$130	$106	$165	$108	$95	$104	$95	$27	$313	$76	$159	$40
15 OPC Pharmacy	$2,047	$2,000	$2,026	$2,398	$2,216	$1,475	$2,063	$2,239	$2,283	$2,272	$1,840	$1,389
TOTAL	$17,342	$13,965	$19,549	$13,285	$11,646	$13,358	$13,845	$20,680	$8,630	$12,792	$12,533	$9,483
Mean % Patient Costs at Other Stations	3.6%	3.0%	3.3%	2.7%	6.8%	1.7%	2.5%	2.6%	10.0%	2.4%	2.8%	3.0%
SD	*12.4%*	*11.3%*	*11.5%*	*10.5%*	*15.8%*	*8.4%*	*10.7%*	*10.3%*	*21.8%*	*10.2%*	*10.4%*	*10.6%*
Mean % Patient Costs at Other VISNs	1.3%	1.3%	0.4%	1.2%	2.6%	1.3%	1.3%	1.4%	2.0%	0.8%	1.6%	1.4%
SD	*7.5%*	*7.0%*	*3.4%*	*6.7%*	*9.6%*	*7.2%*	*7.0%*	*7.1%*	*9.5%*	*5.9%*	*7.9%*	*7.0%*

Table 1H: FY03 Bipolar Patients, Demographics, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Bipolar Patients	73964	4729	275	728	354	839	328	740	288	544	399	234
Age, %												
<35	7.9%	9.6%	10.9%	9.4%	6.8%	11.4%	9.5%	8.6%	6.9%	8.6%	10.5%	14.5%
>=35 and <50	36.3%	36.0%	31.6%	40.2%	36.2%	34.4%	29.6%	37.0%	35.8%	37.5%	40.1%	29.5%
>=50 and <65	40.3%	39.2%	38.2%	36.6%	41.5%	37.1%	40.5%	37.3%	49.3%	42.3%	38.1%	39.7%
>=65 and <80	13.3%	13.6%	17.5%	12.1%	14.1%	15.3%	18.3%	15.3%	7.6%	10.7%	10.0%	14.5%
>=80	2.2%	1.5%	1.8%	1.8%	1.4%	1.8%	2.1%	1.8%	0.3%	0.9%	1.3%	1.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	52.26	51.58	52.79	50.75	52.51	51.69	53.43	52.15	50.69	51.19	50.20	50.80
SD	*12.50*	*12.49*	*13.58*	*12.36*	*12.23*	*13.39*	*13.57*	*12.28*	*9.83*	*11.37*	*11.91*	*13.66*
Gender												
Male, %	88.2%	85.9%	84.7%	82.3%	88.1%	86.2%	85.1%	87.7%	88.2%	88.4%	84.2%	84.2%
Female, %	11.8%	14.1%	15.3%	17.7%	11.9%	13.8%	14.9%	12.3%	11.8%	11.6%	15.8%	15.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %												
Hispanic white	2.8%	1.0%	0.0%	0.1%	0.3%	4.4%	0.0%	0.1%	0.7%	0.2%	1.0%	0.0%
Hispanic black	0.3%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
American indian	0.3%	0.4%	0.4%	0.4%	0.3%	0.2%	0.3%	0.0%	2.1%	0.0%	0.8%	0.4%
Black	10.4%	13.6%	13.8%	7.7%	0.3%	14.7%	19.2%	15.7%	5.6%	31.8%	6.8%	12.4%
Asian	0.2%	0.1%	0.0%	0.0%	0.0%	0.4%	0.0%	0.1%	0.0%	0.0%	0.0%	0.4%
White	62.5%	63.8%	56.4%	65.0%	77.1%	67.3%	61.3%	67.4%	58.3%	46.1%	70.4%	65.0%
Race unknown	23.5%	21.1%	29.5%	26.8%	22.0%	12.9%	19.2%	16.5%	33.3%	21.9%	21.1%	21.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status												
Never married	21.0%	16.5%	17.3%	16.3%	12.5%	19.3%	15.7%	13.4%	14.8%	20.4%	15.8%	18.9%
Married	37.7%	42.2%	41.7%	42.4%	48.2%	37.2%	49.7%	45.1%	47.2%	31.8%	44.0%	43.6%
Divorced/Separated	37.9%	38.5%	35.8%	39.3%	34.8%	40.1%	33.0%	38.3%	36.6%	45.6%	38.7%	33.0%
Widowed	3.4%	2.8%	5.2%	1.9%	4.5%	3.4%	1.5%	3.2%	1.4%	2.2%	1.5%	4.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Bipolar Patients	73964	4729	275	728	354	839	328	740	288	544	399	234
Registry Pts. History of VA Utilization												
Years since first use in prior five years, mean	4.2	4.16	4.14	4.25	4.10	4.13	3.93	4.35	4.10	4.18	4.06	4.08
SD	*1.3*	*1.33*	*1.34*	*1.27*	*1.39*	*1.36*	*1.44*	*1.20*	*1.40*	*1.27*	*1.40*	*1.30*
Yrs w/24-hour inst use / yrs since 1st use, %	25.1%	24.2%	25.3%	20.4%	24.2%	22.6%	26.6%	31.9%	16.6%	22.0%	24.5%	26.4%
SD	*29.2%*	*28.2%*	*28.0%*	*27.1%*	*28.0%*	*26.2%*	*29.0%*	*32.5%*	*23.2%*	*24.9%*	*28.9%*	*28.0%*
Yrs w/OP use / Yrs since first use, %	96.7%	96.7%	95.3%	97.2%	97.9%	95.8%	97.5%	97.2%	96.5%	96.4%	97.3%	96.1%
SD	*10.5%*	*10.1%*	*13.6%*	*9.8%*	*7.6%*	*11.3%*	*8.5%*	*8.7%*	*11.1%*	*10.4%*	*9.4%*	*11.1%*
Psychosis Diagnoses in Prior Fiscal Year												
Had Psychosis Diagnosis in FY01, %	65.0%	65.4%	56.0%	72.3%	71.2%	65.8%	63.1%	67.3%	61.8%	62.1%	62.7%	59.0%
Among Patients With Psychoses in FY01												
Psychosis Category: Schizophrenia, %	3.8%	3.9%	10.4%	2.7%	2.4%	2.4%	4.3%	2.6%	1.1%	7.1%	8.0%	3.6%
Psychosis Category: Bipolar Disorder, %	94.8%	94.5%	86.4%	96.4%	96.4%	96.6%	93.2%	95.6%	97.2%	91.7%	88.8%	95.7%
Psychosis Category: Other Psychosis, %	1.4%	1.6%	3.2%	1.0%	1.2%	1.1%	2.4%	1.8%	1.7%	1.2%	3.2%	0.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %												
Dementia	1.7%	1.8%	2.2%	1.0%	2.8%	3.2%	2.1%	1.5%	0.3%	1.5%	1.0%	0.9%
Post Traumatic Stress Disorder	21.3%	16.7%	13.1%	16.1%	16.4%	12.4%	5.2%	18.4%	24.0%	28.7%	15.3%	16.2%
Depression	44.5%	40.6%	50.2%	37.5%	35.9%	29.2%	39.0%	46.4%	40.6%	48.2%	39.8%	54.7%
Other Anxiety Disorder	16.3%	14.7%	20.4%	14.7%	13.8%	9.3%	14.9%	14.9%	17.7%	14.2%	11.0%	31.2%
Substance Abuse or Dependence	29.8%	27.0%	26.9%	22.1%	24.9%	22.8%	25.9%	29.7%	21.5%	41.2%	28.8%	25.2%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Bipolar Patients	73964	4729	275	728	354	839	328	740	288	544	399	234
Medical Comorbidities, %												
No medical comorbidities	15.4%	14.1%	8.4%	16.1%	7.6%	21.1%	12.2%	10.8%	10.4%	12.3%	19.3%	12.0%
Anemia	5.6%	5.4%	5.8%	5.5%	5.9%	4.1%	6.1%	7.6%	3.8%	5.1%	4.8%	4.7%
Arthritis	42.4%	42.5%	45.8%	46.3%	51.4%	32.5%	38.4%	44.5%	44.1%	45.4%	40.9%	43.6%
Cancer	6.2%	6.0%	8.0%	4.5%	7.6%	5.0%	7.9%	7.4%	4.9%	6.1%	4.3%	6.4%
Cerebrovascular Disease	3.8%	3.9%	1.8%	3.4%	3.7%	4.6%	5.8%	5.3%	2.4%	2.6%	2.8%	5.1%
Chronic Neurologic Disorder	14.8%	15.8%	13.5%	18.8%	16.1%	12.4%	14.6%	17.2%	14.9%	16.9%	15.0%	17.5%
Chronic Obstructive Pulmonary Disease	16.0%	15.2%	16.7%	15.2%	22.9%	12.9%	12.5%	13.1%	19.4%	15.8%	12.8%	18.4%
Chronic Viral Infection	9.6%	9.6%	6.9%	8.5%	6.5%	9.2%	10.4%	10.3%	10.8%	13.2%	10.3%	7.7%
Coronary Artery Disease	16.8%	16.0%	16.7%	14.1%	13.8%	15.1%	14.0%	19.9%	18.1%	16.4%	12.0%	20.5%
Diabetes	17.4%	18.1%	20.7%	17.3%	16.4%	16.8%	16.8%	20.4%	17.4%	20.4%	17.0%	17.1%
Digestive System Disease	43.2%	42.5%	41.1%	41.2%	53.7%	31.9%	43.0%	50.4%	44.1%	42.6%	40.6%	44.0%
Hypertension	38.5%	41.7%	54.9%	39.8%	35.9%	39.9%	43.0%	42.6%	42.0%	43.9%	34.6%	48.7%
Injury and Poisoning	19.9%	19.3%	25.1%	17.0%	16.9%	15.1%	18.6%	21.9%	20.8%	25.4%	19.3%	14.1%
Liver Disease	3.8%	4.6%	2.2%	4.3%	4.8%	3.5%	4.0%	6.8%	3.8%	5.9%	5.5%	2.6%
Other Endocrine	10.0%	10.3%	9.1%	14.3%	13.0%	10.1%	8.5%	10.7%	6.9%	7.2%	9.5%	9.0%
Peripheral Vascular Disease	3.0%	3.0%	5.1%	2.6%	2.8%	2.7%	3.7%	2.7%	1.0%	3.1%	3.3%	3.8%
GAF scores												
Lowest inpatient GAF score, mean	39.59	39.08	48.11	47.66	36.24	39.07	39.12	28.82	41.80	41.56	36.81	49.45
SD	*14.06*	*13.34*	*11.06*	*10.77*	*10.37*	*12.91*	*13.85*	*10.50*	*12.68*	*8.56*	*10.97*	*10.32*
Mean outpatient GAF score	53.41	53.73	62.40	54.95	50.24	55.95	54.88	43.70	56.83	55.60	56.68	55.31
SD	*10.75*	*10.75*	*10.33*	*6.90*	*9.20*	*10.06*	*9.97*	*12.18*	*6.93*	*9.64*	*8.50*	*9.96*
At least 1 IP GAF, pts w/MH bdscts, %	39.1%	43.0%	68.8%	59.8%	38.5%	28.6%	46.0%	54.7%	30.4%	14.4%	48.4%	22.9%
At least 1 OP GAF, pts w/MH stops, %	81.5%	95.2%	94.0%	96.6%	97.7%	96.9%	90.8%	94.7%	96.6%	96.0%	90.7%	94.6%
Mortality rates												
died in FY02, %	1.5%	1.5%	2.9%	1.1%	0.6%	1.4%	0.9%	1.9%	2.4%	1.3%	1.8%	2.1%
Age-gender-adj Standardized Mortality Ratio	1.07	1.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Bipolar Patients	73964	4729	275	728	354	839	328	740	288	544	399	234
Service Connection (SC)												
Non-SC	55.9%	55.1%	54.9%	49.3%	57.1%	60.3%	60.7%	54.7%	46.2%	60.7%	43.6%	63.2%
SC 0 - 29%	10.0%	9.9%	12.0%	12.0%	9.0%	8.9%	9.5%	9.3%	11.5%	9.6%	9.0%	9.0%
SC 30 - 69%	13.4%	13.6%	14.2%	15.7%	10.2%	12.5%	15.2%	11.9%	12.5%	12.5%	19.8%	12.4%
SC 70 - 99%	8.9%	9.6%	9.5%	10.6%	12.1%	8.7%	4.9%	9.2%	14.9%	7.2%	12.8%	7.7%
SC 100%	11.8%	11.7%	9.5%	12.5%	11.6%	9.5%	9.8%	14.9%	14.9%	10.1%	14.8%	7.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %												
Complex*	12.2%	9.9%	13.1%	13.7%	4.2%	7.2%	5.8%	18.2%	5.2%	7.5%	10.0%	3.4%
Basic vested, Cat A*	80.3%	83.1%	77.5%	80.5%	88.4%	85.5%	80.8%	75.9%	89.6%	87.9%	84.7%	85.5%
Basic Non-vested, Cat A*	0.9%	0.7%	0.7%	0.4%	0.0%	1.0%	0.3%	1.1%	0.3%	0.4%	1.5%	1.3%
Basic, Cats C and N	6.6%	6.3%	8.7%	5.4%	7.3%	6.4%	13.1%	4.7%	4.9%	4.2%	3.8%	9.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded												
Patient eligibility category, %												
Cat A (SC or low income)	93.2%	93.6%	90.9%	94.5%	92.7%	93.3%	86.9%	94.7%	95.1%	95.8%	96.2%	90.2%
Cat C (NSC and higher income)	5.9%	5.4%	9.1%	2.9%	7.3%	6.1%	12.2%	4.5%	4.9%	3.3%	3.5%	5.1%
Non-Veteran	0.9%	1.1%	0.0%	2.6%	0.0%	0.6%	0.9%	0.8%	0.0%	0.9%	0.3%	4.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %												
BASIC 1. Non-reliant Care	0.1%	0.2%	0.0%	0.0%	0.0%	0.2%	0.0%	0.3%	0.0%	0.0%	0.3%	1.3%
2. Basic Medical	15.2%	17.8%	20.7%	14.7%	25.1%	16.2%	12.2%	20.0%	19.8%	15.3%	21.8%	17.1%
3. Mental Health	40.5%	41.1%	34.5%	48.8%	39.3%	48.6%	44.5%	30.8%	45.1%	35.7%	37.6%	41.5%
4. Heart / Lung / GI	6.9%	7.4%	10.9%	4.7%	8.5%	7.0%	9.1%	7.7%	7.3%	7.0%	7.3%	9.8%
5. Oncology / Infectious Disease	4.3%	4.8%	4.0%	2.9%	3.4%	6.2%	5.8%	3.4%	5.9%	7.2%	5.3%	4.3%
6. Multiple Medical	20.7%	18.8%	16.7%	15.2%	19.5%	14.5%	22.6%	19.6%	16.7%	27.4%	17.8%	22.6%
COMPLEX 7. Specialized Care	2.2%	1.9%	0.7%	2.1%	1.4%	2.0%	0.6%	2.4%	3.1%	2.0%	2.0%	1.3%
8. Support Care	2.1%	1.4%	2.5%	1.2%	0.6%	1.4%	1.2%	2.0%	0.3%	1.5%	1.3%	0.4%
9. Chronic Mental	6.8%	5.9%	8.0%	10.2%	2.0%	3.0%	3.4%	12.4%	1.4%	2.8%	6.5%	1.7%
10. Critically Ill	1.1%	0.7%	1.8%	0.3%	0.3%	0.7%	0.6%	1.4%	0.3%	1.3%	0.3%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Bipolar Patients	73964	4729	275	728	354	839	328	740	288	544	399	234
Substance Dependence and Abuse												
Any dx of alcohol / drug depend/abuse, %	29.8%	27.0%	26.9%	22.1%	24.9%	22.8%	25.9%	29.7%	21.5%	41.2%	28.8%	25.2%
Homelessness												
Homelessness indicated in FY02, %	13.8%	11.4%	9.1%	10.6%	4.8%	8.3%	11.0%	14.6%	7.6%	23.5%	7.8%	11.5%
Residence in Metropolitan Area												
Residing in Metropol Statistical Area, %	79.3%	73.3%	65.8%	91.6%	66.9%	88.5%	40.9%	51.6%	53.5%	92.3%	73.9%	72.6%
Distance												
Mile from Closest VAMC, mean	34.15	43.29	57.36	72.67	49.32	32.75	45.92	36.40	40.28	24.15	37.31	40.23
SD	*73.16*	*36.88*	*32.52*	*48.32*	*29.21*	*30.08*	*31.77*	*31.35*	*20.55*	*27.10*	*36.14*	*32.15*
Distance from closest VA Medical Center, %												
0 to 15 miles	46.2%	34.2%	20.0%	20.7%	16.1%	40.1%	33.5%	37.7%	11.5%	61.4%	44.6%	36.3%
15 to 30 miles	17.2%	11.4%	5.5%	6.3%	15.8%	24.6%	4.6%	9.9%	13.9%	5.2%	11.0%	6.0%
30 to 45 miles	10.6%	10.4%	4.7%	4.4%	9.6%	8.6%	6.4%	14.6%	45.5%	5.7%	7.0%	9.4%
45 to 60 miles	8.5%	10.8%	12.0%	10.6%	20.1%	5.8%	11.9%	14.6%	9.7%	9.0%	7.3%	11.5%
60 plus miles	17.4%	33.2%	57.8%	58.0%	38.4%	20.9%	43.6%	23.2%	19.4%	18.6%	30.1%	36.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.09	17.36	18.93	13.92	20.02	19.18	21.12	21.14	16.42	12.28	15.51	14.59
SD	*13.59*	*15.48*	*15.20*	*13.79*	*13.65*	*13.94*	*17.40*	*18.62*	*14.44*	*13.82*	*14.37*	*15.30*
Distance to closest VA Service Site, %												
0 to 15 miles	76.3%	56.0%	46.2%	66.2%	38.7%	48.4%	50.6%	48.8%	55.9%	75.6%	62.9%	62.4%
15 to 30 miles	15.4%	22.0%	29.5%	16.9%	35.3%	31.5%	17.7%	18.2%	22.9%	9.6%	22.1%	20.9%
30 to 45 miles	5.7%	14.3%	14.9%	13.2%	22.6%	12.5%	17.4%	18.5%	18.1%	8.7%	9.3%	10.3%
45 plus miles	2.7%	7.7%	9.5%	3.7%	3.4%	7.5%	14.3%	14.5%	3.1%	6.1%	5.8%	6.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3H: FY03 Bipolar Patients, Utilization, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Bipolar Patients	73964	4729	275	728	354	839	328	740	288	544	399	234
Hospital Based Utilization												
Pts w/some Hospital Based Utilization, %	25.4%	27.3%	32.0%	21.7%	25.4%	27.5%	29.6%	33.2%	18.4%	26.3%	28.8%	29.1%
Hospital based utilization: Overall												
bedsections)												
Inpatient stays, mean	1.80	1.75	1.58	1.67	1.70	1.48	1.66	2.24	1.47	1.85	1.70	1.57
SD	*1.41*	*1.37*	*1.00*	*1.34*	*1.32*	*0.99*	*1.19*	*1.91*	*0.93*	*1.45*	*1.16*	*1.03*
Average LOS, mean	9.79	11.03	18.00	14.58	6.90	9.24	10.76	14.00	5.33	7.57	11.82	5.29
SD	*17.76*	*15.27*	*26.49*	*18.91*	*7.11*	*9.89*	*17.35*	*18.70*	*5.91*	*7.12*	*11.47*	*4.30*
Cumulative DOS, mean	17.09	18.66	24.74	21.28	12.38	13.15	16.13	30.17	7.92	14.87	19.32	9.00
SD	*27.94*	*26.01*	*29.06*	*26.83*	*15.77*	*13.13*	*20.99*	*40.33*	*8.92*	*20.42*	*20.52*	*11.03*
Cumulative DOS, %												
1 to 7	44.7%	43.1%	33.0%	31.0%	61.1%	44.6%	44.3%	35.8%	69.8%	46.9%	34.8%	66.2%
8 to 14	21.9%	19.1%	9.1%	21.5%	17.8%	22.5%	24.7%	16.3%	15.1%	22.4%	18.3%	16.2%
15 to 44	25.9%	27.6%	44.3%	36.7%	13.3%	29.4%	22.7%	24.0%	15.1%	25.2%	37.4%	16.2%
45 to 89	5.3%	7.2%	11.4%	7.0%	7.8%	3.0%	6.2%	15.4%	0.0%	3.5%	7.0%	1.5%
90 to 179	1.5%	2.5%	1.1%	3.2%	0.0%	0.4%	2.1%	6.9%	0.0%	2.1%	2.6%	0.0%
180 to 359	0.5%	0.5%	1.1%	0.6%	0.0%	0.0%	0.0%	1.6%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp pts w/a 100+ day stay, %	1.0%	0.9%	2.3%	1.9%	0.0%	0.0%	1.0%	2.0%	0.0%	0.0%	0.0%	0.0%
Cum.. DOS, pts w/a 100+ day stay, mean	203.75	162.00	159.50	153.00	0.00	0.00	132.00	174.40	0.00	0.00	0.00	0.00
SD	*79.71*	*51.42*	*67.18*	*57.30*	*0.00*	*0.00*	*0.00*	*57.97*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp pts w/ 150+ day stay, %	0.6%	0.2%	1.1%	0.6%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%
Cum.. DOS, pts w/ 150+ day stay, mean	251.69	193.33	207.00	215.00	0.00	0.00	0.00	158.00	0.00	0.00	0.00	0.00
SD	*73.28*	*30.86*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.67	0.80	0.00	0.96	0.36	0.39	0.88	1.15	0.94	0.76	1.76	0.47
SD	*4.53*	*5.75*	*0.00*	*3.74*	*1.79*	*2.45*	*6.16*	*9.39*	*4.61*	*3.58*	*9.25*	*2.61*
Cumulative DOS at Other Stations	1.97	2.08	0.70	2.23	1.94	0.55	1.60	2.65	5.04	2.52	4.13	0.76
SD	*7.12*	*8.08*	*2.85*	*6.79*	*6.48*	*2.81*	*7.91*	*11.02*	*8.03*	*8.48*	*12.78*	*3.33*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Bipolar Patients	73964	4729	275	728	354	839	328	740	288	544	399	234
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)												
Pts. w/non-psych hospital stays, %	11.7%	11.6%	13.1%	6.6%	10.7%	11.8%	13.1%	16.6%	11.8%	12.1%	9.0%	10.7%
Inpatient stays, mean	0.72	0.67	0.63	0.50	0.62	0.55	0.71	1.00	0.92	0.66	0.46	0.62
SD	*1.10*	*1.15*	*1.03*	*1.03*	*0.95*	*0.85*	*1.18*	*1.68*	*1.00*	*0.91*	*0.89*	*1.02*
Average LOS, mean	6.20	6.80	6.42	7.86	6.26	7.23	6.93	7.56	4.19	6.32	6.19	6.13
SD	*10.70*	*11.34*	*7.51*	*16.04*	*7.69*	*9.02*	*10.34*	*16.87*	*5.39*	*7.45*	*6.05*	*4.98*
Cumulative Days of Stay, mean	4.64	4.60	3.99	4.29	4.67	3.72	5.11	6.81	4.04	4.64	2.62	4.03
SD	*13.49*	*13.09*	*8.74*	*19.65*	*12.84*	*7.67*	*12.44*	*17.96*	*7.27*	*11.41*	*5.73*	*8.18*
Cumulative Days of Stay, %												
0	54.1%	57.5%	59.1%	69.6%	57.8%	57.1%	55.7%	50.0%	35.8%	53.8%	68.7%	63.2%
1 to 7	30.1%	27.2%	28.4%	19.0%	27.8%	26.8%	28.9%	29.7%	52.8%	31.5%	18.3%	19.1%
8 to 14	7.4%	6.7%	3.4%	5.1%	5.6%	8.2%	8.2%	8.1%	3.8%	5.6%	8.7%	4.4%
15 to 44	7.0%	6.9%	8.0%	5.1%	5.6%	6.9%	4.1%	8.5%	7.5%	7.0%	4.3%	13.2%
45 to 89	1.1%	1.5%	1.1%	0.0%	3.3%	0.9%	3.1%	2.8%	0.0%	2.1%	0.0%	0.0%
90 to 179	0.3%	0.2%	0.0%	0.6%	0.0%	0.0%	0.0%	0.8%	0.0%	0.0%	0.0%	0.0%
180 to 359	0.1%	0.1%	0.0%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. w/a 100+ day non-psych stay, %	0.2%	0.2%	0.0%	0.6%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%
Cum.. DOS, pts w/ 100+ day stay, mean	187.03	186.50	0.00	215.00	0.00	0.00	0.00	158.00	0.00	0.00	0.00	0.00
SD	*73.96*	*40.31*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. w/a 150+ day non-psych stay, %	0.1%	0.2%	0.0%	0.6%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%
Cum.. DOS, pts w/ 150+ day stay, mean	239.06	186.50	0.00	215.00	0.00	0.00	0.00	158.00	0.00	0.00	0.00	0.00
SD	*75.99*	*40.31*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.15*	*0.38*	*0.00*	*0.25*	*0.00*	*0.11*	*0.69*	*0.86*	*0.64*	*0.48*	*0.15*	*0.32*
SD	*2.03*	*4.65*	*0.00*	*1.44*	*0.00*	*0.93*	*6.02*	*9.23*	*4.40*	*3.14*	*1.01*	*2.23*
Other station cumulative DOS, mean	0.50	0.62	0.28	0.66	0.27	0.18	0.81	1.07	1.15	1.07	0.20	0.32
SD	*3.25*	*5.08*	*1.39*	*2.97*	*1.75*	*1.15*	*6.07*	*9.29*	*4.55*	*5.72*	*1.15*	*2.23*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Bipolar Patients	73964	4729	275	728	354	839	328	740	288	544	399	234
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)												
Pts. w/psych hospital stays, %	16.8%	18.9%	23.3%	16.8%	18.4%	17.5%	19.2%	23.2%	8.0%	17.8%	23.3%	20.5%
Inpatient stays, mean	1.08	1.07	0.95	1.17	1.08	0.94	0.95	1.24	0.55	1.19	1.23	0.96
SD	*1.27*	*1.11*	*0.74*	*1.18*	*1.03*	*1.00*	*1.00*	*1.25*	*0.77*	*1.39*	*0.98*	*0.90*
Average LOS, mean	12.15	13.30	22.85	16.87	7.34	10.55	12.53	18.24	7.34	8.07	13.18	4.86
SD	*21.36*	*16.82*	*29.60*	*18.93*	*7.11*	*10.34*	*19.79*	*20.12*	*7.35*	*6.83*	*12.03*	*3.79*
Cumulative Days of Stay, mean	12.44	14.06	20.75	16.99	7.71	9.42	11.02	23.36	3.89	10.24	16.70	4.97
SD	*25.57*	*24.15*	*29.94*	*21.04*	*10.82*	*12.99*	*19.74*	*38.15*	*7.28*	*18.73*	*21.35*	*9.29*
Cum.ative Days of Stay, %												
0	34.1%	30.6%	27.3%	22.8%	27.8%	36.4%	35.1%	30.1%	56.6%	32.2%	19.1%	29.4%
1 to 7	24.8%	25.8%	15.9%	16.5%	44.4%	23.4%	23.7%	22.4%	28.3%	28.0%	25.2%	54.4%
8 to 14	16.7%	15.3%	8.0%	19.0%	14.4%	16.0%	18.6%	13.4%	9.4%	18.9%	16.5%	11.8%
15 to 44	19.0%	20.4%	37.5%	34.2%	11.1%	21.6%	17.5%	14.2%	5.7%	17.5%	29.6%	2.9%
45 to 89	3.7%	5.5%	9.1%	5.1%	2.2%	2.2%	3.1%	13.8%	0.0%	1.4%	7.0%	1.5%
90 to 179	1.2%	2.0%	1.1%	2.5%	0.0%	0.4%	2.1%	4.9%	0.0%	2.1%	2.6%	0.0%
180 to 359	0.4%	0.3%	1.1%	0.0%	0.0%	0.0%	0.0%	1.2%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. w/a 100+ day psych.stay, %	0.8%	0.7%	2.3%	1.3%	0.0%	0.0%	1.0%	1.6%	0.0%	0.0%	0.0%	0.0%
Cum.. DOS for these pts, mean	201.69	156.33	159.50	122.00	0.00	0.00	132.00	178.00	0.00	0.00	0.00	0.00
SD	*78.85*	*54.15*	*67.18*	*28.28*	*0.00*	*0.00*	*0.00*	*66.59*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. w/a 150+ day psych .stay, %	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Cum.. DOS for these pts, mean	248.87	207.00	207.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*70.96*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.52	0.43	0.00	0.72	0.36	0.28	0.19	0.29	0.30	0.28	1.61	0.15
SD	4.00	3.30	0.00	3.09	1.79	1.84	1.32	1.78	1.53	1.70	9.21	1.00
Other station cumulative DOS, mean	1.48	1.46	0.42	1.57	1.68	0.37	0.78	1.58	3.89	1.45	3.93	0.44
SD	6.29	6.23	2.49	6.00	6.23	2.18	5.17	5.88	7.28	5.92	12.79	2.33

Table 3H: FY03 Bipolar Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Bipolar Patients	73964	4729	275	728	354	839	328	740	288	544	399	234
Other 24 hour institutional care												
Pts w/some other 24 hour institutional care, %	8.1%	4.5%	4.4%	8.7%	0.3%	1.1%	6.4%	10.8%	0.0%	2.6%	3.5%	0.0%
Residential Rehabilitation												
Pts w/some residential rehab. care, %	2.6%	0.5%	0.0%	0.3%	0.0%	0.0%	5.5%	0.3%	0.0%	0.6%	0.3%	0.0%
Number stays, mean	*1.12*	*1.00*	*0.00*	*1.00*	*0.00*	*0.00*	*1.00*	*1.00*	*0.00*	*1.00*	*1.00*	*0.00*
SD	*0.38*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	33.17	19.38	0.00	4.50	0.00	0.00	20.28	14.00	0.00	29.33	14.00	0.00
SD	*32.92*	*9.65*	*0.00*	*4.95*	*0.00*	*0.00*	*7.24*	*1.41*	*0.00*	*16.86*	*0.00*	*0.00*
Cumulative DOS, mean	36.42	19.38	0.00	4.50	0.00	0.00	20.28	14.00	0.00	29.33	14.00	0.00
SD	*35.54*	*9.65*	*0.00*	*0.00*	*0.00*	*4.95*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative Days of Stay, %												
1 to 7	10.4%	7.7%	0.0%	50.0%	0.0%	0.0%	5.6%	0.0%	0.0%	0.0%	0.0%	0.0%
8 to 14	11.3%	30.8%	0.0%	50.0%	0.0%	0.0%	22.2%	50.0%	0.0%	33.3%	100.0%	0.0%
15 to 44	53.1%	61.5%	0.0%	0.0%	0.0%	0.0%	72.2%	50.0%	0.0%	66.7%	0.0%	0.0%
45 to 89	18.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	5.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	0.0%	0.0%	100.0%	100.0%	0.0%	100.0%	100.0%	0.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
mean	167.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*69.53*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
mean	224.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*70.59*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.28	1.92	0.00	4.00	0.00	0.00	0.00	14.00	0.00	0.00	14.00	0.00
SD	*6.79*	*4.72*	*0.00*	*5.66*	*0.00*	*0.00*	*0.00*	*1.41*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.71	1.96	0.00	4.50	0.00	0.00	0.00	14.00	0.00	0.00	14.00	0.00
SD	*10.96*	*4.71*	*0.00*	*4.95*	*0.00*	*0.00*	*0.00*	*1.41*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Bipolar Patients	73964	4729	275	728	354	839	328	740	288	544	399	234
Domiciliary and Vocational												
Pts w/some dom/voc care, %	4.2%	2.7%	0.0%	7.8%	0.3%	0.0%	0.6%	7.7%	0.0%	0.2%	2.8%	0.0%
Number stays, mean	1.14	1.10	0.00	1.07	2.00	0.00	1.00	1.14	0.00	1.00	1.00	0.00
SD	*0.38*	*0.35*	*0.00*	*0.26*	*0.00*	*0.00*	*0.00*	*0.44*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	80.47	70.61	0.00	83.25	27.00	0.00	3.00	55.16	0.00	45.00	103.82	0.00
SD	*77.50*	*65.11*	*0.00*	*73.61*	*0.00*	*0.00*	*2.83*	*48.98*	*0.00*	*0.00*	*76.38*	*0.00*
Cumulative DOS, mean	88.84	74.47	0.00	85.42	54.00	0.00	3.00	61.23	0.00	45.00	103.82	0.00
SD	*82.55*	*65.53*	*0.00*	*72.56*	*0.00*	*0.00*	*2.83*	*53.22*	*0.00*	*0.00*	*76.38*	*0.00*
Cumulative Days of Stay, %												
1 to 7	6.1%	8.5%	0.0%	5.3%	0.0%	0.0%	100.0%	8.8%	0.0%	0.0%	9.1%	0.0%
8 to 14	5.6%	3.1%	0.0%	1.8%	0.0%	0.0%	0.0%	5.3%	0.0%	0.0%	0.0%	0.0%
15 to 44	28.2%	27.9%	0.0%	21.1%	0.0%	0.0%	0.0%	40.4%	0.0%	0.0%	9.1%	0.0%
45 to 89	21.0%	31.8%	0.0%	42.1%	100.0%	0.0%	0.0%	19.3%	0.0%	100.0%	36.4%	0.0%
90 to 179	26.2%	22.5%	0.0%	22.8%	0.0%	0.0%	0.0%	22.8%	0.0%	0.0%	27.3%	0.0%
180 to 359	10.5%	5.4%	0.0%	5.3%	0.0%	0.0%	0.0%	3.5%	0.0%	0.0%	18.2%	0.0%
360+	2.4%	0.8%	0.0%	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	100.0%	0.0%	100.0%	100.0%	0.0%	100.0%	100.0%	0.0%
Dom. pts w/100+ day Dom. stay, %	32.1%	24.0%	0.0%	24.6%	0.0%	0.0%	0.0%	22.8%	0.0%	0.0%	36.4%	0.0%
Cum.. DOS for these pts, mean	184.30	169.29	0.00	188.50	0.00	0.00	0.00	143.23	0.00	0.00	186.75	0.00
SD	*76.03*	*59.40*	*0.00*	*73.93*	*0.00*	*0.00*	*0.00*	*30.13*	*0.00*	*0.00*	*53.90*	*0.00*
Dom. pts w/150+ day Dom. stay, %	16.5%	12.4%	0.0%	15.8%	0.0%	0.0%	0.0%	7.0%	0.0%	0.0%	27.3%	0.0%
Cum.. DOS for these pts, mean	236.94	203.00	0.00	217.67	0.00	0.00	0.00	168.50	0.00	0.00	205.00	0.00
SD	*71.03*	*63.53*	*0.00*	*77.96*	*0.00*	*0.00*	*0.00*	*12.82*	*0.00*	*0.00*	*48.57*	*0.00*
Other VISN cumulative DOS, mean	1.76	1.81	0.00	0.68	54.00	0.00	2.50	1.44	0.00	0.00	4.82	0.00
SD	*9.43*	*8.26*	*0.00*	*2.89*	*0.00*	*0.00*	*3.54*	*7.07*	*0.00*	*0.00*	*15.98*	*0.00*
Other station cumulative DOS, mean	4.27	3.00	0.00	1.09	54.00	0.00	3.00	2.07	0.00	45.00	9.27	0.00
SD	*15.65*	*10.45*	*0.00*	*4.13*	*0.00*	*0.00*	*2.83*	*8.42*	*0.00*	*0.00*	*19.97*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Bipolar Patients	73964	4729	275	728	354	839	328	740	288	544	399	234
Nursing Home Care												
Pts w/some nursing home care, %	2.1%	1.3%	4.4%	0.7%	0.0%	1.1%	0.6%	3.0%	0.0%	1.8%	0.5%	0.0%
Number stays, mean	1.22	1.21	1.08	1.40	0.00	1.22	1.00	1.32	0.00	1.10	1.00	0.00
SD	*0.55*	*0.58*	*0.29*	*0.89*	*0.00*	*0.44*	*0.00*	*0.78*	*0.00*	*0.32*	*0.00*	*0.00*
Average LOS, mean	86.89	98.91	154.83	226.13	0.00	99.94	30.00	67.52	0.00	65.10	24.00	0.00
SD	*110.58*	*119.49*	*167.40*	*188.91*	*0.00*	*86.55*	*41.01*	*90.14*	*0.00*	*41.05*	*14.14*	*0.00*
Cumulative DOS, mean	98.25	103.87	155.92	230.00	0.00	102.33	30.00	77.27	0.00	69.00	24.00	0.00
SD	*116.77*	*119.99*	*166.44*	*183.49*	*0.00*	*83.89*	*41.01*	*98.26*	*0.00*	*40.13*	*14.14*	*0.00*
Cumulative Days of Stay, %												
1 to 7	10.5%	9.7%	33.3%	0.0%	0.0%	0.0%	50.0%	4.5%	0.0%	0.0%	0.0%	0.0%
8 to 14	10.7%	8.1%	8.3%	0.0%	0.0%	0.0%	0.0%	13.6%	0.0%	0.0%	50.0%	0.0%
15 to 44	30.2%	30.6%	8.3%	40.0%	0.0%	33.3%	0.0%	40.9%	0.0%	30.0%	50.0%	0.0%
45 to 89	16.4%	16.1%	0.0%	0.0%	0.0%	22.2%	50.0%	13.6%	0.0%	40.0%	0.0%	0.0%
90 to 179	12.3%	14.5%	8.3%	0.0%	0.0%	22.2%	0.0%	13.6%	0.0%	30.0%	0.0%	0.0%
180 to 359	10.2%	8.1%	8.3%	0.0%	0.0%	22.2%	0.0%	9.1%	0.0%	0.0%	0.0%	0.0%
360+	9.8%	12.9%	33.3%	60.0%	0.0%	0.0%	0.0%	4.5%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	0.0%
NH pts w/100+ day NH stay, %	27.9%	32.3%	50.0%	60.0%	0.0%	44.4%	0.0%	22.7%	0.0%	20.0%	0.0%	0.0%
Cum.. DOS for these pts, mean	261.88	252.45	303.00	364.00	0.00	179.50	0.00	233.40	0.00	127.00	0.00	0.00
SD	*97.21*	*102.31*	*94.51*	*0.00*	*0.00*	*62.17*	*0.00*	*93.77*	*0.00*	*14.14*	*0.00*	*0.00*
NH pts w/150+ day NH stay, %	22.1%	25.8%	50.0%	60.0%	0.0%	33.3%	0.0%	18.2%	0.0%	0.0%	0.0%	0.0%
Cum.. DOS, for these pts, mean	296.07	285.75	303.00	364.00	0.00	204.00	0.00	262.50	0.00	0.00	0.00	0.00
SD	*76.98*	*85.50*	*94.51*	*0.00*	*0.00*	*46.87*	*0.00*	*77.96*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*5.60*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.51	1.48	0.00	9.00	0.00	0.00	0.00	0.00	0.00	4.70	0.00	0.00
SD	*9.89*	*7.21*	*0.00*	*13.15*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*14.86*	*0.00*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Bipolar Patients	73964	4729	275	728	354	839	328	740	288	544	399	234
Outpatient utilization												
(reported for those w/some outpatient care)												
Pts w/some outpatient care, %	99.6%	99.4%	98.9%	97.9%	100.0%	99.6%	100.0%	99.5%	100.0%	100.0%	100.0%	99.1%
annual visit days, mean	24.20	20.42	12.89	22.41	15.71	17.23	15.43	26.24	17.30	27.74	18.91	19.66
SD	*30.37*	*24.50*	*14.91*	*29.57*	*13.02*	*23.94*	*15.12*	*28.55*	*12.10*	*28.73*	*23.61*	*22.18*
Outpatient visit days, %												
1-12	43.1%	48.4%	66.5%	44.9%	52.3%	57.4%	57.0%	37.0%	40.6%	37.5%	54.6%	49.1%
13-24	26.8%	27.9%	23.5%	31.1%	30.5%	24.0%	26.2%	28.1%	41.0%	25.7%	24.6%	28.9%
25-36	12.4%	9.9%	5.5%	9.8%	10.5%	7.9%	9.5%	12.0%	12.8%	13.1%	7.3%	9.5%
37-48	6.4%	5.1%	2.6%	5.0%	3.7%	4.5%	3.0%	8.7%	3.5%	6.8%	4.3%	4.3%
49+	11.4%	8.6%	1.8%	9.1%	3.1%	6.1%	4.3%	14.3%	2.1%	16.9%	9.3%	8.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of OPs who had some Primary Care (PC)	80.8%	81.4%	92.3%	83.6%	96.6%	75.4%	58.2%	80.6%	89.9%	83.1%	80.5%	83.6%
Mean PC visits, among those with some PC	3.83	3.43	3.51	3.95	2.99	3.73	2.52	2.63	3.41	3.86	3.68	3.46
SD	3.42	2.85	2.47	3.22	2.06	3.59	2.08	1.88	2.43	2.63	3.73	2.13
Avg # clinic stops per visit day, mean	1.50	1.52	1.58	1.40	1.62	1.55	1.81	1.46	1.43	1.46	1.57	1.41
SD	*0.46*	*0.42*	*0.46*	*0.30*	*0.37*	*0.52*	*0.51*	*0.36*	*0.36*	*0.33*	*0.49*	*0.34*
Ann. stops (psych & non-psych), mean	37.58	31.18	21.21	32.24	25.14	26.24	27.46	38.74	24.68	42.17	31.72	29.21
SD	*53.68*	*39.51*	*28.39*	*45.31*	*23.09*	*38.03*	*26.72*	*43.33*	*18.62*	*48.03*	*45.59*	*34.89*
annual non-psych. clinic stops, mean	19.81	17.86	14.07	17.66	16.98	15.67	18.28	20.62	17.77	21.96	16.28	16.09
SD	*22.87*	*18.12*	*13.88*	*19.86*	*13.71*	*18.75*	*17.57*	*18.13*	*15.99*	*20.46*	*18.43*	*14.31*
ınual psych. clinic stops (groupings below), mean	17.77	13.31	7.13	14.58	8.16	10.56	9.18	18.12	6.91	20.21	15.45	13.12
SD	*40.95*	*28.90*	*21.30*	*32.70*	*13.82*	*27.66*	*15.02*	*34.02*	*6.79*	*34.45*	*35.31*	*26.92*
1. general psych. clinic stops, mean	7.61	5.02	4.02	5.86	4.40	4.64	4.45	6.69	5.95	3.96	3.58	5.33
SD	*12.69*	*6.63*	*5.99*	*5.67*	*5.43*	*7.35*	*4.23*	*8.71*	*5.94*	*5.56*	*5.71*	*7.29*
2. psych. case management clinic stops, mean	0.65	0.29	0.00	0.24	0.00	0.27	0.00	1.16	0.00	0.22	0.00	0.00
SD	*8.45*	*4.02*	*0.00*	*3.86*	*0.05*	*3.56*	*0.00*	*8.09*	*0.00*	*3.34*	*0.00*	*0.00*
3. psych. day treatment clinic stops, mean	1.57	0.78	0.00	3.20	0.01	0.71	0.00	0.00	0.00	0.36	1.16	0.57
SD	*15.80*	*10.48*	*0.00*	*21.27*	*0.11*	*11.29*	*0.06*	*0.07*	*0.00*	*5.13*	*11.94*	*7.08*
4. substance abuse clinic stops, mean	4.64	3.88	1.63	2.72	2.80	3.05	2.74	3.67	0.60	8.29	8.25	3.25
SD	*21.97*	*16.63*	*10.23*	*11.39*	*11.22*	*20.73*	*9.64*	*12.08*	*2.47*	*23.78*	*26.61*	*9.77*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Bipolar Patients	73964	4729	275	728	354	839	328	740	288	544	399	234
5. psych. vocational clinic stops, mean	1.91	1.40	1.03	1.98	0.05	0.60	0.52	4.43	0.00	0.02	0.72	2.79
SD	*15.13*	*9.76*	*7.44*	*12.27*	*0.67*	*6.29*	*3.42*	*17.93*	*0.00*	*0.35*	*4.94*	*11.79*
6. PTSD clinic stops, mean	0.80	0.73	0.06	0.35	0.61	1.00	0.65	0.53	0.07	2.03	0.76	0.46
SD	*5.71*	*5.66*	*0.79*	*3.12*	*1.84*	*7.78*	*2.52*	*3.24*	*0.42*	*9.28*	*8.85*	*3.35*
7. psych. homeless clinic stops, mean	0.54	1.09	0.28	0.19	0.17	0.29	0.63	1.52	0.07	5.12	0.75	0.71
SD	*3.97*	*5.79*	*1.86*	*2.15*	*1.39*	*2.32*	*3.81*	*6.90*	*0.47*	*12.55*	*4.97*	*3.12*
Other VISN OP visit days, mean	0.48	0.42	0.20	0.53	0.49	0.21	0.34	0.66	0.46	0.36	0.44	0.38
SD	2.80	2.21	1.37	2.53	2.33	1.17	1.76	3.30	1.96	1.94	2.28	1.56
Other station OP visit days, mean	1.14	0.90	0.83	1.12	1.25	0.29	0.81	1.37	1.35	0.71	0.76	0.60
SD	4.45	3.65	2.46	4.91	3.45	1.47	4.34	4.96	3.43	2.85	3.24	2.08

Table 4H: FY03 Bipolar Patients, Pharmacy Utilization, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Bipolar Patients	73964	4729	275	728	354	839	328	740	288	544	399	234
Amg all Pts in the registry												
Pts. with any outpatient prescriptions, %	96.9%	97.9%	96.7%	97.5%	98.3%	97.3%	98.8%	99.1%	99.3%	98.5%	97.7%	95.3%
Pts w/any oral antipsychotic fills, %*	46.0%	50.8%	51.6%	54.0%	50.8%	51.3%	54.0%	39.2%	48.3%	55.9%	53.4%	56.4%
Amg pts. Recv'g any antipsychotic meds:												
Recv'd only conventional antipsychotics, %	7.6%	8.3%	7.0%	6.1%	7.8%	7.2%	7.3%	19.3%	4.3%	5.9%	8.9%	5.3%
Received some atypical antipsychotics, %	92.4%	91.8%	93.0%	93.9%	92.2%	92.8%	92.7%	80.7%	95.7%	94.1%	91.1%	94.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %												
Aripiprazole	0.9%	1.0%	0.7%	0.0%	2.8%	0.5%	0.6%	2.4%	0.7%	0.0%	0.0%	5.3%
Clozapine	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%
Olanzapine	40.7%	39.6%	51.4%	45.0%	33.3%	32.6%	39.5%	27.6%	47.5%	41.8%	54.0%	32.6%
Quetiapine	34.1%	35.0%	21.8%	39.9%	46.7%	31.9%	53.1%	25.9%	36.0%	23.4%	36.2%	48.5%
Risperidone	31.0%	30.6%	28.9%	23.7%	20.0%	40.9%	16.9%	39.0%	32.4%	41.1%	20.7%	24.2%
Ziprasidone	4.7%	6.5%	2.1%	2.5%	17.2%	4.0%	6.8%	3.8%	0.7%	19.7%	1.4%	6.1%
Ptsw/ only one kind** of antipsychotic, %	77.4%	75.0%	84.5%	74.8%	70.6%	80.0%	74.6%	74.8%	76.3%	65.8%	74.6%	77.3%
Concurrent use,2 or more antipsychotics, % ***	5.5%	6.2%	2.8%	8.9%	8.3%	4.2%	6.2%	5.2%	6.5%	8.6%	3.8%	6.1%
Amg pts receiving just one antipsychotic:												
Antipsychotic fills, mean	6.09	6.19	6.08	6.63	5.90	5.73	6.64	6.65	5.98	5.79	6.14	6.51
SD	*4.43*	*4.54*	*4.87*	*4.68*	*4.27*	*3.97*	*4.77*	*5.27*	*4.28*	*4.33*	*4.59*	*4.38*
Antipsychotic Med Possess Ratio, mean	--	--	--	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--	--	--	--
Antipsych Med Possess. Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--	--	--	--
Antipsych Med Possess. Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5H: FY03 Bipolar Patients, Cost, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Bipolar Patients	73964	4729	275	728	354	839	328	740	288	544	399	234
Total Costs (in thousands $$)	$907,650	$51,961	$3,492	$7,556	$2,770	$7,064	$3,559	$12,671	$1,893	$6,824	$4,296	$1,837
Station % of VISN		100.0%	6.7%	14.5%	5.3%	13.6%	6.8%	24.4%	3.6%	13.1%	8.3%	3.5%
Psych vs. Non-Psych Costs												
Psych	33.4%	38.8%	35.7%	35.4%	31.0%	39.0%	37.3%	45.2%	18.4%	37.4%	47.1%	34.7%
Non-Psych	66.6%	61.2%	64.3%	64.6%	69.0%	61.0%	62.7%	54.8%	81.6%	62.6%	52.9%	65.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some IP use												
Per Patient	$15,075	$15,660	$14,682	$13,398	$9,777	$12,448	$16,534	$25,788	$7,277	$14,409	$17,545	$8,966
Per Day of Stay	$882	$839	$593	$630	$790	$947	$1,025	$855	$918	$969	$908	$996
Mean OP Costs, Pts with some OP use												
Per Patient	$6,520	$5,784	$4,940	$5,987	$4,958	$4,624	$5,599	$7,041	$5,061	$7,709	$5,205	$5,235
Per Visit Day	$269	$283	$383	$267	$316	$268	$363	$268	$293	$278	$275	$266
By Cost Center												
1 Med	$1,060	$1,114	$855	$447	$638	$859	$1,660	$2,468	$647	$941	$1,087	$1,104
2 Surg	$459	$352	$213	$313	$127	$487	$695	$453	$66	$390	$131	$321
3 Psych	$2,315	$2,803	$3,631	$2,147	$1,720	$2,081	$2,534	$5,652	$627	$2,457	$3,839	$1,180
4 Psych Res Rehab Treatment Program	$298	$51	$0	$3	$0	$0	$261	$25	$0	$71	$245	$0
5 Non-VA	$176	$99	$49	$143	$114	$21	$7	$218	$163	$67	$90	$53
6 LTC Domiciliary	$455	$181	$0	$823	$7	$0	$6	$321	$0	$10	$27	$0
7 LTC Intermediate Care	$96	$117	$92	$222	$260	$41	$2	$94	$8	$310	$0	$0
8 LTC Nursing Home	$778	$438	$2,196	$416	$0	$225	$86	$865	$0	$513	$71	$0
9 Contract Nursing Home	$142	$81	$775	$0	$0	$97	$1	$24	$0	$77	$74	$0
10 OPC Med/Surg	$1,111	$978	$872	$702	$744	$943	$1,321	$1,319	$732	$1,224	$768	$982
11 OPC Psych	$1,781	$1,457	$903	$1,531	$707	$1,200	$1,509	$2,087	$580	$2,229	$1,229	$1,542
12 OPC Home Based Treatment	$532	$420	$407	$532	$453	$325	$248	$394	$442	$656	$334	$268
13 OPC Support	$1,309	$1,165	$897	$958	$1,098	$992	$1,282	$1,421	$1,240	$1,478	$1,136	$1,093
14 OPC Fee	$115	$105	$373	$115	$65	$19	$56	$65	$338	$80	$130	$60
15 OPC Pharmacy	$1,645	$1,626	$1,434	$2,027	$1,893	$1,128	$1,183	$1,719	$1,729	$2,043	$1,609	$1,246
TOTAL	$12,272	$10,988	$12,697	$10,378	$7,825	$8,419	$10,851	$17,124	$6,571	$12,545	$10,768	$7,849
Mean % Patient Costs at Other Stations	4.8%	4.5%	3.7%	4.5%	7.3%	2.3%	2.9%	3.9%	12.4%	3.9%	4.3%	4.3%
SD	*13.9%*	*13.7%*	*11.0%*	*13.8%*	*16.7%*	*9.9%*	*10.1%*	*11.9%*	*23.7%*	*12.5%*	*13.9%*	*13.9%*
Mean % Patient Costs at Other VISNs	2.0%	2.2%	0.6%	2.7%	2.6%	1.7%	1.9%	2.0%	3.3%	1.8%	2.9%	2.6%
SD	*9.0%*	*9.6%*	*3.7%*	*10.6%*	*10.8%*	*8.5%*	*9.0%*	*8.6%*	*12.5%*	*8.7%*	*11.6%*	*10.9%*

Table 2I: FY03 Other Psychosis Patients, Demographics, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Other Psychosis Patients	49401	5320	166	680	330	1067	677	630	462	440	489	379
Age, %												
<35	2.2%	2.9%	3.6%	3.1%	0.9%	3.1%	2.2%	3.0%	3.5%	3.0%	3.1%	3.4%
>=35 and <50	12.5%	12.2%	13.3%	13.2%	7.6%	12.2%	10.3%	13.2%	11.9%	14.1%	12.5%	13.7%
>=50 and <65	22.1%	25.2%	22.9%	25.6%	17.6%	27.6%	19.5%	21.0%	28.6%	36.8%	24.1%	26.4%
>=65 and <80	36.7%	36.4%	35.5%	40.1%	43.3%	36.9%	41.5%	33.0%	32.5%	27.3%	36.0%	34.8%
>=80	26.5%	23.3%	24.7%	17.9%	30.6%	20.2%	26.4%	29.8%	23.6%	18.9%	24.3%	21.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	68.22	67.05	67.14	66.15	71.57	66.22	69.37	68.29	66.07	63.37	67.36	65.86
SD	*15.13*	*15.26*	*15.36*	*14.88*	*13.27*	*15.14*	*14.49*	*16.14*	*15.45*	*15.31*	*15.29*	*15.89*
Gender												
Male, %	96.0%	96.5%	97.6%	95.9%	97.6%	95.9%	97.2%	95.9%	97.8%	97.0%	96.1%	96.3%
Female, %	4.0%	3.5%	2.4%	4.1%	2.4%	4.1%	2.8%	4.1%	2.2%	3.0%	3.9%	3.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %												
Hispanic white	3.9%	1.0%	0.0%	0.0%	0.0%	4.3%	0.1%	0.0%	0.2%	0.5%	1.0%	0.0%
Hispanic black	0.3%	0.1%	0.0%	0.1%	0.0%	0.4%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%
American indian	0.2%	0.4%	0.0%	0.0%	0.0%	0.5%	0.0%	0.0%	2.6%	0.0%	1.0%	0.0%
Black	15.5%	23.9%	29.5%	17.5%	0.6%	32.2%	34.0%	19.7%	7.4%	42.3%	12.9%	31.1%
Asian	0.4%	0.1%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
White	48.2%	47.0%	44.6%	46.2%	59.7%	47.0%	42.1%	57.1%	43.1%	24.1%	58.5%	47.2%
Race unknown	31.5%	27.5%	25.9%	36.2%	39.7%	15.2%	23.8%	23.2%	46.8%	33.0%	26.6%	21.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status												
Never married	13.4%	11.0%	12.7%	9.8%	3.3%	13.5%	12.6%	8.5%	7.9%	15.8%	10.7%	12.2%
Married	52.0%	55.7%	54.8%	56.7%	68.4%	50.1%	60.2%	55.8%	62.0%	47.3%	54.3%	53.3%
Divorced/Separated	22.5%	22.9%	23.5%	23.5%	14.6%	25.4%	16.2%	24.3%	23.2%	26.8%	24.6%	23.9%
Widowed	12.0%	10.5%	9.0%	10.1%	13.7%	11.0%	11.0%	11.4%	6.8%	10.1%	10.3%	10.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Other Psychosis Patients	49401	5320	166	680	330	1067	677	630	462	440	489	379
Registry Pts. History of VA Utilization												
Years since first use in prior five years, mean	4.0	3.96	4.19	3.88	3.72	3.93	3.88	4.15	3.95	3.95	3.93	4.15
SD	*1.4*	*1.44*	*1.31*	*1.50*	*1.49*	*1.43*	*1.48*	*1.35*	*1.40*	*1.48*	*1.51*	*1.30*
Yrs w/ 24-hour inst use / yrs since 1st use, %	24.1%	22.4%	27.0%	21.2%	20.8%	23.0%	18.1%	29.4%	17.3%	21.6%	22.3%	24.1%
SD	*27.8%*	*26.4%*	*29.4%*	*28.2%*	*26.1%*	*25.1%*	*23.5%*	*29.3%*	*24.4%*	*24.2%*	*24.9%*	*28.2%*
Years w/ OP use / Years since first use, %	96.9%	96.9%	97.4%	96.7%	98.0%	96.8%	97.1%	97.1%	97.5%	96.1%	96.0%	96.9%
SD	*10.4%*	*10.2%*	*10.2%*	*11.7%*	*8.7%*	*10.3%*	*9.8%*	*9.5%*	*8.7%*	*11.1%*	*11.8%*	*9.1%*
Psychosis Diagnoses in Prior Fiscal Year												
Had Psychosis Diagnosis in FY01, %	33.8%	34.7%	21.7%	35.0%	30.6%	38.7%	39.6%	31.7%	42.6%	33.0%	26.6%	31.1%
Among Patients With Psychoses in FY01												
Psychosis Category: Schizophrenia, %	9.4%	7.8%	19.4%	7.6%	5.0%	5.6%	4.5%	6.5%	5.1%	16.6%	9.2%	16.9%
Psychosis Category: Bipolar Disorder, %	3.8%	2.5%	5.6%	1.7%	4.0%	1.7%	0.7%	4.0%	4.1%	2.1%	4.6%	2.5%
Psychosis Category: Other Psychosis, %	86.9%	89.7%	75.0%	90.8%	91.1%	92.7%	94.8%	89.5%	90.9%	81.4%	86.2%	80.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %												
Dementia	20.6%	18.0%	22.3%	14.7%	15.8%	19.5%	16.2%	22.5%	9.1%	17.3%	25.4%	17.2%
Post Traumatic Stress Disorder	13.4%	13.9%	10.2%	22.5%	9.1%	11.8%	4.1%	13.8%	18.6%	21.4%	10.2%	17.4%
Depression	37.7%	37.6%	39.8%	48.8%	30.9%	36.7%	30.0%	38.3%	43.7%	35.0%	30.1%	42.5%
Other Anxiety Disorder	12.0%	12.1%	19.3%	16.8%	6.4%	8.8%	12.4%	12.1%	13.0%	9.8%	8.8%	20.8%
Substance Abuse or Dependence	15.7%	14.1%	18.7%	16.8%	9.4%	13.4%	10.8%	17.3%	10.8%	15.9%	11.9%	19.3%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Other Psychosis Patients	49401	5320	166	680	330	1067	677	630	462	440	489	379
Medical Comorbidities, %												
No medical comorbidities	8.3%	8.5%	3.6%	7.5%	2.7%	10.5%	8.3%	7.9%	9.3%	10.2%	10.2%	8.4%
Anemia	14.2%	12.7%	14.5%	12.6%	15.5%	8.0%	13.0%	18.1%	9.5%	14.8%	12.5%	15.3%
Arthritis	39.1%	40.6%	45.8%	48.7%	44.2%	35.1%	38.4%	43.7%	42.9%	35.5%	35.2%	45.6%
Cancer	14.0%	12.7%	15.7%	10.4%	12.1%	11.7%	13.4%	13.2%	9.1%	10.7%	15.7%	18.7%
Cerebrovascular Disease	16.4%	15.1%	22.3%	13.5%	19.1%	17.5%	13.0%	16.3%	12.6%	12.5%	15.1%	12.7%
Chronic Neurologic Disorder	20.8%	21.2%	22.3%	26.0%	22.1%	18.7%	21.0%	21.4%	17.7%	20.7%	23.7%	20.1%
Chronic Obstructive Pulmonary Disease	17.9%	17.5%	19.3%	20.3%	26.4%	13.4%	12.9%	20.6%	18.8%	13.9%	17.8%	21.1%
Chronic Viral Infection	5.9%	5.4%	4.2%	6.8%	3.0%	6.4%	3.4%	5.2%	5.0%	8.0%	4.5%	5.5%
Coronary Artery Disease	33.0%	29.8%	34.9%	31.3%	37.9%	26.0%	27.2%	30.5%	30.1%	30.5%	29.2%	31.4%
Diabetes	23.4%	22.8%	23.5%	23.2%	21.5%	21.7%	21.0%	22.2%	25.3%	24.8%	24.5%	22.2%
Digestive System Disease	42.9%	41.1%	47.6%	44.3%	45.5%	33.9%	42.4%	48.3%	39.4%	39.5%	35.2%	46.4%
Hypertension	54.9%	56.6%	69.3%	56.3%	54.8%	57.8%	54.4%	57.3%	55.4%	57.7%	50.5%	60.7%
Injury and Poisoning	19.4%	18.6%	26.5%	18.8%	20.3%	15.6%	17.3%	21.9%	16.2%	20.9%	20.2%	16.1%
Liver Disease	3.8%	3.6%	2.4%	4.3%	5.5%	2.8%	3.2%	3.7%	3.0%	5.7%	2.7%	3.7%
Other Endocrine	9.5%	8.5%	7.2%	9.0%	10.3%	9.1%	7.8%	7.9%	8.0%	8.9%	8.2%	7.4%
Peripheral Vascular Disease	7.8%	5.9%	8.4%	5.3%	9.1%	5.2%	5.5%	7.1%	6.1%	7.3%	3.9%	5.3%
GAF scores												
Lowest inpatient GAF score, mean	37.71	38.90	43.17	47.31	25.21	39.48	37.08	28.98	40.00	43.50	36.19	44.29
SD	*14.78*	*13.37*	*12.98*	*9.95*	*18.69*	*12.37*	*11.10*	*11.85*	*12.09*	*12.91*	*9.78*	*10.79*
Mean outpatient GAF score	48.43	48.46	55.55	50.42	40.94	48.30	49.56	37.57	52.62	49.32	52.82	48.31
SD	*11.56*	*10.97*	*12.35*	*7.44*	*9.51*	*10.28*	*10.29*	*13.59*	*7.23*	*9.53*	*10.22*	*11.52*
At least 1 IP GAF, amg pts w/ MH bdscts, %	36.3%	41.2%	70.4%	57.9%	45.0%	27.4%	55.2%	55.8%	53.3%	8.2%	41.1%	25.0%
At least 1 OP GAF, amgpts w/ MH stops, %	74.8%	90.6%	96.7%	92.2%	90.1%	93.7%	84.8%	83.7%	96.7%	90.0%	87.0%	92.6%
Mortality rates												
died in FY02, %	6.2%	6.1%	3.6%	5.1%	6.1%	5.1%	7.8%	7.0%	6.5%	7.3%	7.4%	3.4%
Age-gender-adj Standardized Mortality Ratio	1.21	1.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Other Psychosis Patients	49401	5320	166	680	330	1067	677	630	462	440	489	379
Service Connection (SC)												
Non-SC	63.3%	62.8%	64.5%	56.9%	67.9%	68.9%	66.2%	64.4%	51.5%	64.1%	56.9%	62.3%
SC 0 - 29%	10.4%	9.5%	11.4%	9.1%	8.5%	8.0%	12.1%	9.7%	10.6%	9.1%	9.8%	8.4%
SC 30 - 69%	10.8%	11.7%	12.7%	14.1%	12.4%	9.4%	10.8%	13.2%	10.4%	10.9%	13.3%	12.7%
SC 70 - 99%	6.4%	7.1%	6.0%	10.0%	3.9%	7.2%	3.1%	5.2%	11.7%	6.8%	7.2%	9.8%
SC 100%	9.1%	8.9%	5.4%	9.9%	7.3%	6.6%	7.8%	7.5%	15.8%	9.1%	12.9%	6.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %												
Complex*	15.0%	10.5%	18.7%	13.2%	4.2%	8.9%	7.7%	19.7%	4.8%	11.6%	8.8%	10.0%
Basic vested, Cat A*	74.8%	80.1%	74.1%	78.4%	80.3%	82.3%	79.6%	70.2%	87.7%	83.4%	82.0%	81.3%
Basic Non-vested, Cat A*	0.8%	0.9%	1.2%	0.4%	0.3%	0.5%	1.2%	1.4%	0.4%	0.9%	1.8%	0.8%
Basic, Cats C and N	9.4%	8.5%	6.0%	7.9%	15.2%	8.3%	11.5%	8.7%	7.1%	4.1%	7.4%	7.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded												
Patient eligibility category, %												
Cat A (SC or low income)	90.1%	91.1%	94.0%	91.6%	84.8%	91.5%	88.0%	90.2%	92.9%	95.7%	92.2%	91.8%
Cat C (NSC and higher income)	9.4%	8.1%	6.0%	7.5%	14.8%	7.8%	11.5%	7.6%	7.1%	3.4%	7.6%	7.4%
Non-Veteran	0.6%	0.8%	0.0%	0.9%	0.3%	0.7%	0.4%	2.2%	0.0%	0.9%	0.2%	0.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %												
BASIC 1. Non-reliant Care	0.1%	0.1%	0.6%	0.0%	0.3%	0.1%	0.0%	0.0%	0.0%	0.2%	0.0%	0.3%
2. Basic Medical	25.3%	26.1%	23.5%	22.9%	31.8%	26.4%	29.1%	23.8%	26.8%	23.0%	29.4%	24.5%
3. Mental Health	25.6%	29.4%	25.3%	32.6%	20.6%	32.2%	28.4%	22.2%	35.7%	30.9%	29.4%	29.3%
4. Heart / Lung / GI	12.5%	13.2%	12.7%	9.9%	21.8%	12.7%	15.4%	10.6%	14.7%	11.8%	13.5%	12.7%
5. Oncology / Infectious Disease	3.8%	4.0%	3.6%	3.1%	5.5%	5.1%	2.2%	2.4%	3.9%	5.9%	4.5%	4.7%
6. Multiple Medical	17.6%	16.7%	15.7%	18.2%	15.8%	14.5%	17.3%	21.3%	14.1%	16.6%	14.3%	18.5%
COMPLEX 7. Specialized Care	4.7%	3.3%	1.8%	3.5%	0.6%	2.5%	2.4%	7.6%	0.9%	3.4%	2.9%	6.1%
8. Support Care	4.8%	3.6%	9.0%	2.4%	3.0%	4.3%	1.2%	4.6%	3.9%	4.8%	3.9%	2.6%
9. Chronic Mental	2.2%	1.8%	3.6%	5.7%	0.3%	0.7%	1.6%	2.9%	0.0%	1.1%	1.0%	1.1%
10. Critically Ill	3.3%	1.8%	4.2%	1.6%	0.3%	1.3%	2.5%	4.6%	0.0%	2.3%	1.0%	0.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Other Psychosis Patients	49401	5320	166	680	330	1067	677	630	462	440	489	379
Substance Dependence and Abuse												
Any dx of alcohol / drug depend/abuse, %	15.7%	14.1%	18.7%	16.8%	9.4%	13.4%	10.8%	17.3%	10.8%	15.9%	11.9%	19.3%
Homelessness												
Homelessness indicated in FY02, %	7.1%	4.9%	3.0%	5.4%	1.2%	5.1%	3.5%	9.8%	1.9%	6.1%	3.5%	6.1%
Residence in Metropolitan Area												
Residing in a Metropol Statistical Area, %	76.7%	68.3%	60.2%	86.6%	66.7%	84.5%	42.2%	54.6%	45.9%	87.5%	68.9%	68.6%
Distance												
Mile from Closest VAMC, mean	35.80	41.26	48.83	59.06	50.55	33.94	43.37	37.06	39.74	24.68	41.53	42.43
SD	*82.41*	*34.54*	*32.47*	*43.06*	*31.51*	*33.44*	*31.17*	*31.18*	*20.83*	*28.46*	*39.62*	*30.70*
Distance from closest VA Medical Center, %												
0 to 15 miles	45.8%	34.9%	24.7%	21.5%	16.4%	47.3%	32.1%	37.0%	12.3%	61.8%	41.9%	33.0%
15 to 30 miles	16.6%	10.8%	7.2%	9.3%	13.9%	17.2%	8.0%	9.0%	14.3%	6.1%	9.8%	4.7%
30 to 45 miles	10.9%	11.7%	13.3%	6.6%	10.6%	4.5%	9.0%	16.0%	45.0%	5.9%	7.2%	10.8%
45 to 60 miles	8.8%	12.0%	11.4%	21.8%	21.8%	5.2%	13.0%	13.8%	11.5%	6.1%	7.4%	14.5%
60 plus miles	17.9%	30.6%	43.4%	40.9%	37.3%	25.8%	37.9%	24.1%	16.9%	20.0%	33.7%	36.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.89	17.69	20.68	14.47	20.19	17.42	20.69	21.85	19.06	12.28	14.47	17.20
SD	*14.24*	*15.66*	*16.22*	*14.37*	*13.58*	*14.46*	*16.37*	*19.44*	*14.66*	*13.57*	*14.29*	*15.65*
Distance to closest VA Service Site, %												
0 to 15 miles	73.5%	54.9%	44.6%	63.5%	36.4%	56.4%	46.3%	50.2%	47.0%	73.2%	63.6%	56.2%
15 to 30 miles	16.6%	22.3%	21.7%	19.4%	36.7%	25.9%	22.6%	14.9%	27.1%	14.1%	21.9%	20.8%
30 to 45 miles	7.0%	15.3%	25.9%	12.5%	23.0%	9.7%	21.7%	18.4%	21.0%	7.5%	10.6%	16.6%
45 plus miles	3.0%	7.5%	7.8%	4.6%	3.9%	8.1%	9.3%	16.5%	5.0%	5.2%	3.9%	6.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Other Psychosis Patients	49401	5320	166	680	330	1067	677	630	462	440	489	379
Hospital Based Utilization												
Pts w/ some hosp Based Utilization, %	30.2%	30.1%	36.7%	29.4%	30.6%	28.2%	26.0%	34.9%	19.3%	35.5%	32.5%	36.1%
Hosp based utilization: Overall (All psychiatric and medical hosp bedsections)												
Inpatient stays, mean	1.82	1.75	1.79	1.59	2.05	1.56	1.75	1.94	1.78	1.80	1.67	1.83
SD	*1.40*	*1.31*	*1.33*	*1.09*	*1.71*	*1.07*	*1.42*	*1.52*	*1.33*	*1.27*	*1.27*	*1.26*
Average LOS, mean	9.37	10.91	12.47	14.94	8.28	13.19	11.63	10.37	6.74	9.41	8.89	7.98
SD	*15.01*	*16.48*	*10.85*	*17.10*	*10.42*	*27.50*	*14.38*	*11.35*	*5.09*	*13.36*	*9.36*	*9.90*
Cumulative DOS, mean	16.06	17.61	22.62	21.68	17.28	18.82	19.08	18.25	11.92	15.42	14.91	13.39
SD	*22.72*	*23.57*	*26.15*	*27.04*	*22.99*	*31.06*	*23.42*	*22.59*	*12.34*	*17.38*	*18.55*	*13.47*
Cumulative DOS, %												
1 to 7	42.1%	39.6%	36.1%	26.5%	43.6%	40.5%	39.8%	38.6%	47.2%	41.0%	44.0%	44.5%
8 to 14	23.4%	22.9%	19.7%	25.5%	22.8%	23.3%	16.5%	23.2%	25.8%	23.1%	21.4%	27.0%
15 to 44	27.8%	29.1%	26.2%	36.5%	21.8%	28.2%	35.2%	28.2%	24.7%	30.8%	28.3%	22.6%
45 to 89	5.2%	6.6%	13.1%	10.0%	8.9%	4.7%	5.7%	8.6%	2.2%	4.5%	5.7%	5.8%
90 to 179	1.2%	1.6%	4.9%	0.5%	3.0%	3.0%	2.8%	0.9%	0.0%	0.6%	0.6%	0.0%
180 to 359	0.2%	0.2%	0.0%	1.0%	0.0%	0.0%	0.0%	0.5%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.1%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp pts w/ a 100+ day stay, %	0.7%	0.8%	0.0%	1.5%	0.0%	1.7%	0.6%	0.5%	0.0%	0.6%	0.6%	0.0%
Cum.. DOS, pts w/ a 100+ day stay, mean	185.56	178.83	0.00	184.67	0.00	188.00	174.00	194.00	0.00	139.00	145.00	0.00
SD	*75.86*	*68.89*	*0.00*	*62.12*	*0.00*	*101.22*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp pts who had a 150+ day stay, %	0.3%	0.3%	0.0%	1.0%	0.0%	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum.. DOS, pts w/ a 150+ day stay, mean	241.58	227.80	0.00	220.50	0.00	232.67	0.00	0.00	0.00	0.00	0.00	0.00
SD	*74.51*	*80.80*	*0.00*	*3.54*	*0.00*	*113.85*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.37	0.31	0.00	0.52	0.02	0.29	0.52	0.48	0.00	0.34	0.14	0.23
SD	*3.13*	*2.36*	*0.00*	*2.78*	*0.20*	*2.06*	*3.35*	*2.28*	*0.00*	*4.01*	*0.96*	*1.48*
Cumulative DOS at Other Stations	1.24	0.95	1.07	1.04	1.98	0.36	0.91	1.08	2.52	0.63	0.43	1.05
SD	*5.73*	*3.92*	*3.88*	*4.17*	*5.68*	*2.26*	*4.18*	*3.69*	*5.17*	*4.42*	*2.06*	*4.62*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Other Psychosis Patients	49401	5320	166	680	330	1067	677	630	462	440	489	379
Hosp based utilization: Non-Psych (Non-Psych hosp bedsections)												
Pts. w/ non-psych hosp stays, %	21.7%	20.5%	24.1%	13.8%	27.0%	19.1%	19.4%	25.6%	16.5%	21.1%	22.9%	23.5%
Inpatient stays, mean	1.27	1.18	1.15	0.70	1.75	1.05	1.28	1.34	1.55	1.17	1.19	1.18
SD	*1.36*	*1.36*	*1.31*	*0.99*	*1.48*	*1.09*	*1.48*	*1.57*	*1.43*	*1.46*	*1.37*	*1.40*
Average LOS, mean	7.86	9.31	8.85	6.43	7.43	13.68	9.54	10.00	6.67	7.28	8.09	8.78
SD	*11.97*	*16.00*	*8.99*	*7.17*	*7.75*	*30.82*	*10.45*	*12.74*	*5.34*	*6.09*	*8.86*	*11.62*
Cumulative Days of Stay, mean	9.61	10.35	10.18	4.32	13.97	12.99	11.65	12.12	10.18	8.37	9.99	9.00
SD	*16.99*	*19.02*	*16.50*	*7.96*	*21.49*	*29.23*	*16.00*	*18.71*	*11.97*	*13.11*	*17.76*	*13.31*
Cumulative Days of Stay, %												
0	28.2%	31.9%	34.4%	53.0%	11.9%	32.2%	25.6%	26.8%	14.6%	40.4%	29.6%	35.0%
1 to 7	35.5%	30.6%	27.9%	26.5%	39.6%	28.6%	33.5%	33.2%	40.4%	24.4%	32.1%	27.0%
8 to 14	15.8%	15.6%	16.4%	10.5%	21.8%	15.3%	12.5%	15.0%	22.5%	14.1%	17.0%	19.7%
15 to 44	17.1%	17.2%	13.1%	9.5%	18.8%	18.3%	23.3%	18.2%	21.3%	17.9%	17.6%	13.1%
45 to 89	2.8%	3.7%	6.6%	0.5%	5.0%	3.0%	5.1%	5.9%	1.1%	3.2%	3.1%	5.1%
90 to 179	0.5%	0.9%	1.6%	0.0%	3.0%	2.3%	0.0%	0.9%	0.0%	0.0%	0.6%	0.0%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.1%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. w/ 100+ day non-psych stay, %	0.3%	0.4%	0.0%	0.0%	0.0%	1.3%	0.0%	0.5%	0.0%	0.0%	0.6%	0.0%
Cum.. DOS, pts w/ a 100+ day stay, mean	178.07	169.17	0.00	0.00	0.00	192.00	0.00	102.00	0.00	0.00	145.00	0.00
SD	*75.21*	*97.82*	*0.00*	*0.00*	*0.00*	*116.42*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. w/ 150+ day non-psych stay, %	0.1%	0.1%	0.0%	0.0%	0.0%	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum.. DOS, pts w/ a 150+ day stay, mean	240.47	263.00	0.00	0.00	0.00	263.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.05*	*142.84*	*0.00*	*0.00*	*0.00*	*142.84*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.18*	*0.14*	*0.00*	*0.06*	*0.02*	*0.21*	*0.24*	*0.13*	*0.00*	*0.32*	*0.05*	*0.14*
SD	*1.94*	*1.85*	*0.00*	*0.42*	*0.20*	*1.89*	*2.66*	*1.24*	*0.00*	*4.00*	*0.56*	*1.27*
Other station cumulative DOS, mean	0.60	0.53	1.00	0.54	1.85	0.21	0.33	0.42	0.78	0.37	0.32	0.75
SD	*3.61*	*3.15*	*3.86*	*3.05*	*5.61*	*1.89*	*2.83*	*2.15*	*2.58*	*4.02*	*1.84*	*4.34*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Other Psychosis Patients	49401	5320	166	680	330	1067	677	630	462	440	489	379
Hosp based utilization: Psychiatric (All Psychiatric hosp bedsections)												
Pts. w/ psych hosp stays, %	10.8%	11.9%	16.3%	18.5%	6.1%	11.0%	8.6%	12.2%	3.2%	16.6%	11.5%	16.9%
Inpatient stays, mean	0.55	0.56	0.64	0.89	0.30	0.51	0.47	0.60	0.22	0.63	0.48	0.66
SD	*1.03*	*0.87*	*0.86*	*0.91*	*0.73*	*0.79*	*0.88*	*1.06*	*0.56*	*0.86*	*0.80*	*0.84*
Average LOS, mean	12.47	13.70	19.52	20.99	12.16	12.06	16.59	11.34	7.82	12.06	10.36	6.77
SD	*19.53*	*16.81*	*15.09*	*20.23*	*16.94*	*17.62*	*19.94*	*12.40*	*4.11*	*18.11*	*9.97*	*7.06*
Cumulative Days of Stay, mean	6.45	7.26	12.44	17.36	3.31	5.84	7.43	6.14	1.74	7.04	4.92	4.39
SD	*17.76*	*17.19*	*22.58*	*27.94*	*10.71*	*14.33*	*20.58*	*14.58*	*4.77*	*15.29*	*10.50*	*7.72*
Cumulative Days of Stay, %												
0	64.2%	60.4%	55.7%	37.0%	80.2%	61.1%	67.0%	65.0%	83.1%	53.2%	64.8%	53.3%
1 to 7	12.7%	14.3%	13.1%	8.0%	6.9%	15.6%	10.2%	14.1%	7.9%	20.5%	15.7%	27.7%
8 to 14	9.6%	9.3%	4.9%	16.0%	6.9%	10.0%	7.4%	7.7%	4.5%	12.8%	6.3%	9.5%
15 to 44	10.7%	12.7%	16.4%	29.5%	4.0%	12.0%	11.9%	9.5%	4.5%	11.5%	11.3%	8.8%
45 to 89	2.1%	2.4%	6.6%	8.0%	2.0%	0.7%	1.1%	2.7%	0.0%	1.3%	1.9%	0.7%
90 to 179	0.5%	0.8%	3.3%	0.5%	0.0%	0.7%	2.3%	0.9%	0.0%	0.6%	0.0%	0.0%
180 to 359	0.1%	0.1%	0.0%	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. w/ a 100+ day psych stay, %	0.4%	0.4%	0.0%	1.5%	0.0%	0.3%	0.6%	0.0%	0.0%	0.6%	0.0%	0.0%
Cum.. DOS for these pts, mean	182.44	173.00	0.00	184.33	0.00	172.00	174.00	0.00	0.00	139.00	0.00	0.00
SD	*78.98*	*42.86*	*0.00*	*61.81*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. w/ a 150+ day psych stay, %	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Cum.. DOS for these pts, mean	239.42	204.00	0.00	220.00	0.00	172.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*77.61*	*27.78*	*0.00*	*2.83*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.19	0.17	0.00	0.47	0.00	0.08	0.28	0.35	0.00	0.02	0.09	0.09
SD	2.40	1.47	0.00	2.69	0.00	0.84	2.07	1.94	0.00	0.24	0.78	0.78
Other station cumulative DOS, mean	0.64	0.42	0.07	0.51	0.13	0.15	0.58	0.65	1.74	0.26	0.11	0.30
SD	4.34	2.33	0.51	2.73	1.11	1.26	2.90	2.84	4.77	1.89	0.97	1.69

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Other Psychosis Patients	49401	5320	166	680	330	1067	677	630	462	440	489	379
Other 24 hour institutional care												
Pts w/ some other 24 hour inst care, %	10.1%	4.8%	9.0%	6.9%	1.8%	1.9%	3.8%	15.4%	0.0%	5.5%	1.8%	2.6%
Residential Rehabilitation												
Pts w/ some residential rehab. care, %	1.0%	0.3%	0.0%	0.0%	0.0%	0.0%	1.0%	0.0%	0.0%	1.4%	0.0%	0.3%
Number stays, mean	*1.13*	*1.07*	*0.00*	*0.00*	*0.00*	*0.00*	*1.00*	*0.00*	*0.00*	*1.17*	*0.00*	*1.00*
SD	*0.45*	*0.27*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.41*	*0.00*	*0.00*
Average LOS, mean	30.41	31.50	0.00	0.00	0.00	0.00	25.57	0.00	0.00	37.83	0.00	35.00
SD	*33.22*	*12.95*	*0.00*	*0.00*	*0.00*	*0.00*	*16.51*	*0.00*	*0.00*	*2.99*	*0.00*	*0.00*
Cumulative DOS, mean	33.30	33.93	0.00	0.00	0.00	0.00	25.57	0.00	0.00	43.50	0.00	35.00
SD	*35.32*	*16.23*	*0.00*	*0.00*	*4.95*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative Days of Stay, %												
1 to 7	15.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
8 to 14	12.1%	21.4%	0.0%	0.0%	0.0%	0.0%	42.9%	0.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	54.3%	57.1%	0.0%	0.0%	0.0%	0.0%	28.6%	0.0%	0.0%	83.3%	0.0%	100.0%
45 to 89	11.7%	21.4%	0.0%	0.0%	0.0%	0.0%	28.6%	0.0%	0.0%	16.7%	0.0%	0.0%
90 to 179	5.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	100.0%
%	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
mean	181.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*69.09*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
mean	235.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*52.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.38	2.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	35.00
SD	*7.57*	*9.35*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	4.16	2.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	35.00
SD	*12.59*	*9.35*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Other Psychosis Patients	49401	5320	166	680	330	1067	677	630	462	440	489	379
Domiciliary and Vocational												
Pts w/ some dom/voc care, %	1.7%	1.3%	0.0%	4.0%	0.0%	0.0%	0.1%	5.2%	0.0%	0.0%	1.2%	0.0%
Number stays, mean	1.13	1.12	0.00	1.11	0.00	0.00	1.00	1.12	0.00	0.00	1.17	0.00
SD	*0.36*	*0.37*	*0.00*	*0.32*	*0.00*	*0.00*	*0.00*	*0.42*	*0.00*	*0.00*	*0.41*	*0.00*
Average LOS, mean	79.24	71.00	0.00	104.26	0.00	0.00	19.00	45.92	0.00	0.00	67.92	0.00
SD	*81.39*	*70.18*	*0.00*	*80.62*	*0.00*	*0.00*	*0.00*	*47.92*	*0.00*	*0.00*	*76.43*	*0.00*
Cumulative DOS, mean	86.42	75.34	0.00	107.04	0.00	0.00	19.00	49.85	0.00	0.00	82.33	0.00
SD	*85.00*	*70.56*	*0.00*	*78.63*	*0.00*	*0.00*	*0.00*	*49.11*	*0.00*	*0.00*	*87.93*	*0.00*
Cumulative Days of Stay, %												
1 to 7	7.5%	9.0%	0.0%	3.7%	0.0%	0.0%	0.0%	12.1%	0.0%	0.0%	16.7%	0.0%
8 to 14	6.2%	3.0%	0.0%	0.0%	0.0%	0.0%	0.0%	6.1%	0.0%	0.0%	0.0%	0.0%
15 to 44	29.8%	37.3%	0.0%	29.6%	0.0%	0.0%	100.0%	45.5%	0.0%	0.0%	16.7%	0.0%
45 to 89	19.6%	17.9%	0.0%	14.8%	0.0%	0.0%	0.0%	18.2%	0.0%	0.0%	33.3%	0.0%
90 to 179	23.7%	19.4%	0.0%	25.9%	0.0%	0.0%	0.0%	15.2%	0.0%	0.0%	16.7%	0.0%
180 to 359	10.4%	13.4%	0.0%	25.9%	0.0%	0.0%	0.0%	3.0%	0.0%	0.0%	16.7%	0.0%
360+	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	0.0%	0.0%	100.0%	100.0%	0.0%	0.0%	100.0%	0.0%
Dom. pts w/ 100+ day Dom. stay, %	28.6%	26.9%	0.0%	44.4%	0.0%	0.0%	0.0%	12.1%	0.0%	0.0%	33.3%	0.0%
Cum.. DOS for these pts, mean	193.84	178.83	0.00	182.33	0.00	0.00	0.00	161.50	0.00	0.00	192.50	0.00
SD	*79.91*	*44.40*	*0.00*	*50.75*	*0.00*	*0.00*	*0.00*	*30.03*	*0.00*	*0.00*	*27.58*	*0.00*
Dom. pts w/ 150+ day Dom. stay, %	16.8%	17.9%	0.0%	29.6%	0.0%	0.0%	0.0%	9.1%	0.0%	0.0%	16.7%	0.0%
Cum.. DOS for these pts, mean	240.95	202.67	0.00	212.75	0.00	0.00	0.00	172.67	0.00	0.00	212.00	0.00
SD	*71.71*	*31.17*	*0.00*	*28.97*	*0.00*	*0.00*	*0.00*	*24.58*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.61	2.19	0.00	0.81	0.00	0.00	0.00	2.55	0.00	0.00	6.83	0.00
SD	*8.79*	*10.89*	*0.00*	*4.23*	*0.00*	*0.00*	*0.00*	*13.42*	*0.00*	*0.00*	*16.74*	*0.00*
Other station cumulative DOS, mean	3.31	4.10	0.00	0.81	0.00	0.00	19.00	2.55	0.00	0.00	25.00	0.00
SD	*11.83*	*13.39*	*0.00*	*4.23*	*0.00*	*0.00*	*0.00*	*13.42*	*0.00*	*0.00*	*21.87*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Other Psychosis Patients	49401	5320	166	680	330	1067	677	630	462	440	489	379
Nursing Home Care												
Pts w/ some nursing home care, %	7.7%	3.3%	9.0%	2.9%	1.8%	1.9%	2.7%	10.3%	0.0%	4.1%	0.6%	2.4%
Number stays, mean	1.29	1.25	1.40	1.05	1.33	1.20	1.17	1.35	0.00	1.11	1.00	1.22
SD	*0.65*	*0.56*	*0.83*	*0.22*	*0.52*	*0.41*	*0.38*	*0.67*	*0.00*	*0.32*	*0.00*	*0.67*
Average LOS, mean	54.03	67.05	70.73	106.48	111.00	78.48	94.89	42.43	0.00	54.56	21.33	80.93
SD	*70.27*	*81.03*	*100.81*	*109.54*	*121.37*	*71.74*	*93.17*	*60.39*	*0.00*	*42.58*	*6.03*	*95.31*
Cumulative DOS, mean	64.81	77.17	90.40	107.10	125.33	98.75	102.78	50.00	0.00	60.39	21.33	105.67
SD	*79.26*	*89.59*	*117.89*	*109.01*	*113.77*	*97.43*	*97.57*	*64.48*	*0.00*	*48.31*	*6.03*	*127.62*
Cumulative Days of Stay, %												
1 to 7	10.9%	11.5%	20.0%	5.0%	16.7%	15.0%	0.0%	13.8%	0.0%	5.6%	0.0%	22.2%
8 to 14	15.2%	16.7%	13.3%	20.0%	0.0%	5.0%	22.2%	21.5%	0.0%	11.1%	0.0%	22.2%
15 to 44	34.5%	27.0%	20.0%	15.0%	0.0%	15.0%	16.7%	36.9%	0.0%	38.9%	100.0%	11.1%
45 to 89	16.5%	13.8%	13.3%	10.0%	33.3%	25.0%	11.1%	12.3%	0.0%	16.7%	0.0%	0.0%
90 to 179	13.0%	16.7%	13.3%	25.0%	16.7%	20.0%	33.3%	7.7%	0.0%	27.8%	0.0%	11.1%
180 to 359	8.1%	12.6%	13.3%	20.0%	33.3%	20.0%	11.1%	7.7%	0.0%	0.0%	0.0%	33.3%
360+	1.8%	1.7%	6.7%	5.0%	0.0%	0.0%	5.6%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%
NH pts w/ 100+ day NH stay, %	17.8%	24.7%	20.0%	45.0%	33.3%	30.0%	44.4%	13.8%	0.0%	16.7%	0.0%	33.3%
Cum.. DOS for these pts, mean	207.27	208.56	304.67	199.89	262.50	224.83	184.63	191.00	0.00	130.67	0.00	264.33
SD	*81.27*	*82.00*	*63.32*	*97.75*	*58.69*	*72.93*	*88.34*	*61.95*	*0.00*	*20.55*	*0.00*	*74.38*
NH pts w/ 150+ day NH stay, %	11.0%	13.8%	13.3%	25.0%	33.3%	20.0%	16.7%	7.7%	0.0%	0.0%	0.0%	33.3%
Cum.. DOS for these pts, mean	250.81	260.08	301.00	271.40	262.50	238.25	279.00	235.00	0.00	0.00	0.00	264.33
SD	*70.60*	*61.16*	*89.10*	*67.71*	*58.69*	*74.71*	*73.63*	*43.25*	*0.00*	*0.00*	*0.00*	*74.38*
Other VISN cumulative DOS, mean	0.34	2.21	5.67	0.00	0.00	2.90	2.61	0.00	0.00	0.00	0.00	21.67
SD	*5.11*	*16.82*	*21.95*	*0.00*	*0.00*	*10.67*	*11.08*	*0.00*	*0.00*	*0.00*	*0.00*	*65.00*
Other station cumulative DOS, mean	1.02	2.39	5.67	1.00	0.00	2.90	2.61	0.00	0.00	0.00	0.00	22.89
SD	*7.62*	*16.88*	*21.95*	*4.47*	*0.00*	*10.67*	*11.08*	*0.00*	*0.00*	*0.00*	*0.00*	*64.64*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Other Psychosis Patients	49401	5320	166	680	330	1067	677	630	462	440	489	379
Outpatient utilization												
(reported for those w/ some OP care)												
Pts w/ some outpatient care, %	99.7%	99.7%	98.8%	99.0%	100.0%	99.9%	99.7%	99.7%	100.0%	100.0%	99.4%	100.0%
annual visit days, mean	19.52	16.33	11.23	19.60	12.62	15.65	11.78	22.76	14.92	18.72	14.83	16.20
SD	*24.21*	*18.95*	*8.14*	*22.72*	*12.11*	*17.88*	*11.15*	*27.43*	*11.45*	*21.10*	*20.41*	*14.82*
Outpatient visit days, %												
1-12	49.1%	55.1%	62.8%	47.4%	65.2%	57.8%	63.4%	47.1%	50.9%	47.3%	63.2%	51.5%
13-24	27.0%	27.3%	29.9%	30.3%	22.1%	25.8%	28.3%	24.2%	33.5%	30.9%	22.4%	27.4%
25-36	11.5%	9.1%	5.5%	8.9%	9.1%	9.2%	5.0%	11.1%	11.0%	10.7%	7.2%	12.1%
37-48	5.4%	3.7%	1.8%	5.2%	1.5%	3.5%	1.6%	6.8%	2.2%	5.0%	2.3%	5.5%
49+	7.0%	4.8%	0.0%	8.2%	2.1%	3.8%	1.6%	10.7%	2.4%	6.1%	4.9%	3.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of OPs who had some Primary Care (PC)	86.5%	84.9%	95.7%	88.7%	96.7%	86.0%	73.5%	77.1%	91.6%	80.5%	85.2%	90.0%
Mean PC visits, among those with some PC	4.04	3.50	3.46	4.20	3.08	3.77	2.65	3.16	3.38	3.60	3.68	3.45
SD	3.94	2.76	2.23	3.22	2.31	2.80	2.60	2.30	2.33	2.64	3.39	2.49
Avg # clinic stops per visit day, mean	1.55	1.61	1.70	1.52	1.64	1.59	1.88	1.56	1.48	1.52	1.64	1.53
SD	*0.52*	*0.56*	*0.53*	*0.56*	*0.45*	*0.54*	*0.66*	*0.61*	*0.41*	*0.53*	*0.58*	*0.41*
Ann.stops (psych & non-psych), mean	30.45	25.68	19.14	29.23	20.32	24.35	21.87	35.04	21.87	27.75	24.88	25.17
SD	*40.44*	*31.17*	*16.86*	*35.53*	*20.05*	*28.51*	*21.06*	*44.99*	*17.73*	*32.96*	*39.11*	*24.44*
annual non-psych. clinic stops, mean	22.67	19.53	15.32	20.68	17.72	18.30	18.12	25.32	17.58	19.77	19.28	19.74
SD	*25.36*	*20.67*	*11.64*	*22.13*	*16.94*	*17.14*	*18.17*	*31.85*	*15.23*	*18.73*	*21.83*	*18.23*
ıual psych. clinic stops (groupings below), mean	7.77	6.15	3.82	8.55	2.60	6.06	3.75	9.72	4.28	7.99	5.60	5.43
SD	*27.43*	*19.52*	*10.64*	*22.08*	*7.20*	*19.88*	*7.74*	*28.55*	*7.19*	*23.58*	*25.65*	*13.91*
1. general psych. clinic stops, mean	3.20	2.57	2.37	3.74	1.49	2.55	2.32	2.77	3.43	2.09	1.17	3.03
SD	*7.61*	*4.64*	*4.02*	*5.07*	*3.28*	*4.82*	*3.29*	*5.66*	*5.02*	*3.72*	*3.23*	*5.85*
2. psych. case management clinic stops, mean	0.14	0.11	0.00	0.57	0.00	0.01	0.00	0.26	0.00	0.01	0.00	0.03
SD	*3.20*	*2.61*	*0.00*	*7.19*	*0.00*	*0.46*	*0.00*	*1.08*	*0.00*	*0.12*	*0.00*	*0.62*
3. psych. day treatment clinic stops, mean	0.60	0.28	0.00	1.02	0.00	0.44	0.00	0.00	0.00	0.30	0.29	0.12
SD	*8.52*	*6.31*	*0.00*	*11.54*	*0.00*	*9.08*	*0.00*	*0.00*	*0.00*	*5.39*	*6.22*	*2.36*
4. substance abuse clinic stops, mean	2.24	1.32	0.78	1.46	0.68	1.19	0.69	2.19	0.44	1.18	2.57	1.53
SD	*17.04*	*8.62*	*5.13*	*7.52*	*4.50*	*8.32*	*4.06*	*9.58*	*2.94*	*8.94*	*17.17*	*7.07*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 16, continued

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Other Psychosis Patients	49401	5320	166	680	330	1067	677	630	462	440	489	379
5. psych. vocational clinic stops, mean	0.74	0.71	0.56	1.10	0.05	1.25	0.13	2.05	0.00	0.00	0.26	0.24
SD	*9.63*	*7.96*	*3.75*	*8.02*	*0.66*	*11.81*	*1.71*	*14.36*	*0.00*	*0.00*	*3.20*	*2.77*
6. PTSD clinic stops, mean	0.56	0.75	0.01	0.69	0.29	0.38	0.36	0.63	0.31	3.71	0.98	0.34
SD	*5.11*	*6.59*	*0.08*	*4.62*	*1.52*	*3.45*	*2.17*	*3.52*	*2.37*	*17.16*	*10.43*	*2.64*
7. psych. homeless clinic stops, mean	0.27	0.37	0.05	0.06	0.04	0.21	0.22	1.71	0.03	0.67	0.17	0.12
SD	*2.81*	*3.92*	*0.40*	*0.78*	*0.42*	*2.22*	*1.96*	*9.45*	*0.31*	*5.31*	*2.47*	*1.05*
Other VISN OP visit days, mean	0.31	0.28	0.11	0.36	0.21	0.12	0.16	0.82	0.12	0.32	0.20	0.29
SD	2.01	2.39	0.70	1.91	1.28	0.85	1.45	5.36	0.72	3.05	1.55	1.85
Other station OP visit days, mean	0.72	0.56	0.46	0.67	1.16	0.18	0.20	1.13	0.59	0.46	0.65	0.69
SD	3.19	3.04	1.53	2.64	3.24	1.16	1.49	5.86	1.72	3.37	3.21	3.29

Table 4I FY03 Other Psychosis Patients, Pharmacy Utilization, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Other Psychosis Patients	49401	5320	166	680	330	1067	677	630	462	440	489	379
Among all pts in the registry												
Pts. with any outpatient prescriptions, %	94.7%	95.9%	97.4%	97.8%	97.4%	97.5%	96.8%	97.5%	97.6%	91.7%	96.8%	96.4%
Pts w/ any oral antipsychotic fills, %*	41.4%	47.4%	45.8%	48.1%	30.0%	52.1%	49.6%	40.8%	50.0%	57.3%	41.7%	48.5%
Amg pts. Recv'g any antipsych med:												
Recv'd only conventional antipsychotics, %	9.2%	7.9%	3.9%	7.0%	8.1%	5.0%	8.6%	9.7%	9.5%	5.6%	15.2%	8.2%
Recv'd some atypical antipsychotics, %	90.8%	92.1%	96.1%	93.0%	91.9%	95.0%	91.4%	90.3%	90.5%	94.4%	84.8%	91.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %												
Aripiprazole	2.5%	0.4%	0.0%	0.0%	3.0%	0.4%	0.0%	1.6%	0.0%	0.0%	0.0%	1.1%
Clozapine	0.1%	0.1%	0.0%	0.0%	1.0%	0.2%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%
Olanzapine	27.8%	26.2%	43.4%	26.9%	26.3%	19.2%	21.7%	19.5%	35.5%	29.8%	41.7%	22.8%
Quetiapine	29.2%	34.3%	18.4%	38.5%	38.4%	32.7%	46.1%	29.6%	29.9%	31.7%	24.0%	41.8%
Risperidone	46.2%	45.4%	53.9%	41.6%	33.3%	56.1%	39.0%	50.6%	45.9%	42.9%	29.9%	46.7%
Ziprasidone	3.6%	4.2%	0.0%	2.8%	11.1%	2.3%	6.0%	2.7%	4.8%	8.3%	1.0%	6.5%
Pts recv'g 1 kind** of antipsychotic, %	78.8%	77.2%	73.7%	75.2%	72.7%	81.1%	75.9%	82.1%	73.6%	77.8%	77.5%	72.3%
Concurrent use, 2 or more antipsych, % ***	5.1%	5.6%	5.3%	6.7%	9.1%	6.5%	3.6%	3.5%	4.8%	6.0%	4.9%	6.5%
Amgpts receiving just one antipsychotic:												
Antipsychotic fills, mean	5.21	5.55	5.89	6.04	4.63	5.25	6.30	5.16	6.08	5.26	5.44	5.03
SD	*4.06*	*4.20*	*4.19*	*4.42*	*3.79*	*4.04*	*4.60*	*4.03*	*4.20*	*4.08*	*4.17*	*3.93*
Antipsychotic Med Possess Ratio, mean	--	--	--	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--	--	--	--
Antipsych Med Possess Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--	--	--	--
Antipsych Med Possess Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5I: FY03 Other Psychosis Patients, Cost, VISN 16

	All VISNs	VISN 16	502 *Alexandria*	520 *Gulf Coast*	564 *Fayetteville AR*	580 *Houston*	586 *Montgomery*	598 *Central AR.*	623 *Muskogee*	629 *New Orleans*	635 *Oklahoma City*	667 *Overton Brks*
Other Psychosis Patients	49401	5320	166	680	330	1067	677	630	462	440	489	379
Total Costs (in thousands $$)	$692,791	$62,965	$2,151	$8,195	$3,446	$11,378	$7,788	$10,220	$3,608	$6,258	$5,941	$3,980
Station % of VISN		100.0%	3.4%	13.0%	5.5%	18.1%	12.4%	16.2%	5.7%	9.9%	9.4%	6.3%
Psych vs. Non-Psych Costs												
Psych	16.6%	20.0%	23.4%	32.5%	11.6%	19.5%	19.7%	19.1%	8.2%	22.6%	15.1%	18.5%
Non-Psych	83.4%	80.0%	76.6%	67.5%	88.4%	80.5%	80.3%	80.9%	91.8%	77.4%	84.9%	81.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some IP use												
Per Patient	$16,509	$17,019	$14,329	$14,887	$17,272	$17,857	$21,868	$17,944	$11,634	$15,996	$19,182	$13,739
Per Day of Stay	$1,028	$967	$633	$687	$1,000	$949	$1,146	$983	$976	$1,038	$1,286	$1,026
Mean OP Costs, Pts with some OP use												
Per Patient	$6,046	$5,274	$4,592	$5,761	$4,130	$4,687	$4,848	$6,877	$4,342	$6,751	$5,236	$4,928
Per Visit Day	$310	$323	$409	$294	$327	$299	$411	$302	$291	$361	$353	$304
By Cost Center												
1 Med	$2,712	$2,788	$2,040	$1,090	$3,282	$2,956	$3,494	$3,638	$1,596	$2,536	$3,847	$2,961
2 Surg	$779	$666	$660	$321	$1,059	$674	$594	$845	$342	$712	$991	$683
3 Psych	$1,494	$1,665	$2,566	$2,967	$946	$1,408	$1,597	$1,784	$304	$2,424	$1,400	$1,323
4 Psych Res Rehab Treatment Program	$103	$38	$0	$0	$0	$0	$55	$0	$0	$246	$78	$51
5 Non-VA	$203	$62	$4	$143	$223	$0	$16	$64	$73	$39	$38	$99
6 LTC Domiciliary	$183	$99	$0	$476	$0	$0	$3	$278	$0	$0	$50	$0
7 LTC Intermediate Care	$276	$258	$693	$98	$388	$314	$16	$693	$151	$399	$0	$87
8 LTC Nursing Home	$1,672	$702	$1,547	$1,085	$0	$562	$856	$1,606	$0	$1,026	$104	$120
9 Contract Nursing Home	$578	$302	$909	$169	$416	$68	$40	$461	$1,002	$89	$439	$248
10 OPC Med/Surg	$1,281	$1,068	$704	$762	$717	$1,182	$1,213	$1,279	$666	$1,217	$1,329	$1,130
11 OPC Psych	$831	$706	$465	$949	$265	$672	$669	$1,307	$340	$795	$430	$618
12 OPC Home Based Treatment	$730	$540	$459	$733	$451	$379	$371	$920	$439	$657	$452	$536
13 OPC Support	$1,493	$1,326	$1,183	$1,194	$1,129	$1,143	$1,077	$1,688	$1,246	$1,910	$1,552	$1,279
14 OPC Fee	$231	$105	$509	$157	$169	$30	$58	$55	$103	$144	$166	$38
15 OPC Pharmacy	$1,460	$1,512	$1,217	$1,907	$1,400	$1,276	$1,446	$1,606	$1,548	$2,027	$1,275	$1,327
TOTAL	$14,024	$11,835	$12,956	$12,051	$10,443	$10,663	$11,504	$16,223	$7,809	$14,222	$12,150	$10,500
Mean % Patient Costs at Other Stations	3.3%	2.8%	3.2%	3.7%	7.6%	1.2%	1.0%	2.7%	5.4%	1.9%	1.8%	3.9%
SD	*11.9%*	*11.1%*	*10.9%*	*12.0%*	*17.7%*	*7.2%*	*6.4%*	*11.5%*	*15.6%*	*9.5%*	*7.7%*	*14.2%*
Mean % Patient Costs at Other VISNs	1.3%	1.2%	0.6%	2.3%	1.5%	0.9%	0.7%	1.7%	0.7%	0.9%	0.7%	2.1%
SD	*7.5%*	*7.3%*	*5.3%*	*9.5%*	*8.0%*	*6.4%*	*4.9%*	*9.0%*	*4.6%*	*5.6%*	*4.9%*	*11.2%*

Table 1F: FY03 Psychosis Patients, Demographics, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Entire Population	217760	9461	3730	2803	2928
Psychosis Diagnosis Group, %					
Schizophrenia	43.3%	37.5%	32.5%	34.5%	46.8%
Bipolar Disorder	34.0%	35.8%	44.8%	31.0%	28.9%
Other Psychoses	22.7%	26.7%	22.7%	34.5%	24.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Age, %					
<35	4.9%	5.9%	6.1%	6.4%	5.2%
>=35 and <50	29.3%	29.2%	31.8%	26.6%	28.6%
>=50 and <65	38.1%	36.8%	38.7%	34.9%	36.2%
>=65 and <80	19.7%	18.9%	15.8%	20.2%	21.7%
>=80	8.2%	9.1%	7.6%	12.0%	8.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	56.89	56.86	55.48	58.09	57.45
SD	*14.35*	*14.79*	*14.14*	*15.66*	*14.59*
Gender					
Male, %	92.7%	90.9%	89.5%	91.2%	92.4%
Female, %	7.3%	9.1%	10.5%	8.8%	7.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %					
Hispanic white	4.8%	11.8%	2.3%	31.3%	5.0%
Hispanic black	0.4%	0.2%	0.2%	0.3%	0.1%
American indian	0.3%	0.2%	0.2%	0.1%	0.2%
Black	18.6%	19.0%	24.7%	9.8%	20.7%
Asian	0.5%	0.1%	0.2%	0.2%	0.0%
White	54.9%	51.7%	53.1%	43.2%	58.0%
Race unknown	20.5%	17.0%	19.4%	15.0%	15.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status					
Never married	28.5%	22.3%	20.5%	22.9%	24.2%
Married	35.3%	39.4%	40.2%	43.2%	34.9%
Divorced/Separated	30.8%	32.7%	33.9%	28.5%	35.3%
Widowed	5.4%	5.5%	5.5%	5.5%	5.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Entire Population	217760	9461	3730	2803	2928
Registry Pts. History of VA Utilization					
Years since first use in prior five years, mean	4.33	4.26	4.12	4.32	4.38
SD	*1.24*	*1.29*	*1.37*	*1.24*	*1.20*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.9%	28.9%	25.7%	27.9%	33.7%
SD	*29.7%*	*31.2%*	*29.0%*	*30.5%*	*33.8%*
Years with OP use / Years since first use, %	96.7%	96.7%	96.5%	97.5%	96.0%
SD	*11.4%*	*11.3%*	*11.4%*	*8.9%*	*12.9%*
Psychosis Diagnoses in Prior Fiscal Year					
Had Psychosis Diagnosis in FY01, %	65.3%	64.5%	62.7%	65.4%	65.9%
Among Patients With Psychoses in FY01					
Psychosis Category: Schizophrenia, %	54.1%	47.7%	41.9%	45.3%	57.1%
Psychosis Category: Bipolar Disorder, %	33.9%	35.8%	43.9%	32.9%	28.7%
Psychosis Category: Other Psychosis, %	12.0%	16.5%	14.2%	21.8%	14.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %					
Dementia	6.2%	7.0%	6.6%	8.5%	6.0%
Post Traumatic Stress Disorder	15.4%	15.5%	18.0%	14.4%	13.3%
Depression	34.8%	34.1%	40.4%	30.0%	30.1%
Other Anxiety Disorder	12.0%	11.6%	13.1%	10.2%	11.3%
Substance Abuse or Dependence	23.3%	22.0%	24.3%	19.6%	21.2%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Entire Population	217760	9461	3730	2803	2928
Medical Comorbidities, %					
No medical comorbidities	15.2%	13.4%	15.0%	13.9%	10.9%
Anemia	8.2%	7.9%	4.7%	7.9%	12.0%
Arthritis	36.2%	39.3%	37.0%	36.9%	44.4%
Cancer	7.9%	7.7%	7.4%	9.0%	7.0%
Cerebrovascular Disease	6.7%	7.4%	6.3%	8.3%	7.9%
Chronic Neurologic Disorder	15.1%	15.3%	13.1%	14.7%	18.7%
Chronic Obstructive Pulmonary Disease	16.7%	17.5%	15.8%	16.8%	20.4%
Chronic Viral Infection	8.4%	9.4%	8.6%	9.6%	10.4%
Coronary Artery Disease	19.5%	18.7%	16.4%	19.3%	21.1%
Diabetes	20.0%	22.8%	19.7%	26.4%	23.3%
Digestive System Disease	43.5%	43.0%	40.4%	43.5%	46.0%
Hypertension	43.2%	44.7%	44.0%	43.8%	46.6%
Injury and Poisoning	17.9%	18.0%	16.6%	19.7%	18.1%
Liver Disease	3.6%	3.8%	3.5%	4.8%	3.4%
Other Endocrine	8.6%	9.6%	9.8%	8.2%	10.7%
Peripheral Vascular Disease	4.1%	3.6%	3.2%	4.5%	3.3%
GAF scores					
Lowest inpatient GAF score, mean	37.72	40.73	38.47	45.68	41.11
SD	*14.39*	*12.06*	*13.16*	*9.14*	*11.50*
Mean outpatient GAF score	50.52	49.14	48.67	51.48	48.21
SD	*11.04*	*10.21*	*10.23*	*9.68*	*10.30*
At least 1 IP GAF, among pts with MH bedsections, %	38.4%	46.9%	52.4%	22.2%	62.7%
At least 1 OP GAF, among pts with MH clinic stops, %	80.0%	82.1%	90.0%	66.7%	85.1%
Mortality rates					
died in FY02, %	3.1%	3.4%	2.8%	3.3%	4.3%
Age-and-gender-adjusted Standardized Mortality Ratio	1.32	1.43	1.37	1.20	1.74

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Entire Population	217760	9461	3730	2803	2928
Service Connection (SC)					
Non-SC	51.0%	47.2%	51.5%	43.1%	45.5%
SC 0 - 29%	8.7%	10.3%	10.2%	10.2%	10.6%
SC 30 - 69%	10.8%	11.7%	11.8%	12.8%	10.6%
SC 70 - 99%	7.3%	8.8%	7.9%	10.1%	8.7%
SC 100%	22.1%	22.0%	18.7%	23.7%	24.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %					
Complex*	17.3%	19.4%	14.3%	16.1%	29.0%
Basic vested, Cat A*	76.6%	75.3%	79.1%	79.0%	67.0%
Basic Non-vested, Cat A*	1.0%	0.7%	0.6%	1.2%	0.5%
Basic, Cats C and N	5.1%	4.6%	6.1%	3.7%	3.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded					
Patient eligibility category, %					
Cat A (SC or low income)	94.6%	95.2%	93.9%	96.1%	96.1%
Cat C (NSC and higher income)	4.7%	3.6%	4.3%	2.9%	3.3%
Non-Veteran	0.6%	1.2%	1.8%	1.0%	0.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %					
BASIC 1. Non-reliant Care	0.1%	0.1%	0.1%	0.0%	0.2%
2. Basic Medical	16.7%	18.0%	15.0%	19.5%	20.5%
3. Mental Health	36.3%	33.6%	38.7%	36.2%	24.6%
4. Heart / Lung / GI	7.7%	7.5%	7.4%	7.7%	7.5%
5. Oncology / Infectious Disease	3.9%	4.1%	3.7%	4.2%	4.7%
6. Multiple Medical	18.0%	17.3%	21.0%	16.2%	13.6%
COMPLEX 7. Specialized Care	2.6%	2.2%	1.8%	3.9%	1.2%
8. Support Care	2.8%	4.5%	4.5%	2.6%	6.4%
9. Chronic Mental	9.6%	9.6%	6.4%	6.4%	16.8%
10. Critically Ill	2.2%	3.0%	1.5%	3.2%	4.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Entire Population	217760	9461	3730	2803	2928
Substance Dependence and Abuse					
Any dx of alcohol / drug dependence or abuse, %	23.3%	22.0%	24.3%	19.6%	21.2%
Homelessness					
Homelessness indicated in FY02, %	11.5%	12.0%	16.1%	5.7%	12.9%
Residence in Metropolitan Area					
Residing in a Metropolitan Statistical Area, %	79.7%	81.6%	85.1%	82.3%	76.5%
Distance					
Mile from Closest VA Medical Center, mean	32.17	41.06	33.16	56.77	36.09
SD	*68.58*	*50.83*	*28.35*	*74.75*	*40.45*
Distance from closest VA Medical Center, %					
0 to 15 miles	49.0%	40.4%	33.1%	55.4%	35.5%
15 to 30 miles	16.3%	15.6%	25.0%	7.3%	11.7%
30 to 45 miles	10.3%	11.3%	15.0%	4.7%	12.8%
45 to 60 miles	8.1%	7.6%	6.6%	2.0%	14.3%
60 plus miles	16.2%	25.0%	20.3%	30.7%	25.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.73	10.74	11.18	8.19	12.62
SD	*13.09*	*11.04*	*10.20*	*10.45*	*12.12*
Distance to closest VA Service Site, %					
0 to 15 miles	77.0%	74.8%	74.2%	83.8%	66.9%
15 to 30 miles	14.9%	17.0%	19.6%	10.7%	19.8%
30 to 45 miles	5.7%	6.9%	5.3%	3.7%	12.0%
45 plus miles	2.4%	1.3%	1.0%	1.8%	1.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3F: FY03 Psychosis Patients, Utilization, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Entire Population	217760	9461	3730	2803	2928
Hospital Based Utilization					
Patients with some Hospital Based Utilization, %	27.2%	28.8%	25.1%	30.2%	32.1%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)					
Inpatient stays, mean	1.83	1.83	1.73	1.97	1.81
SD	*1.43*	*1.58*	*1.50*	*1.59*	*1.63*
Average LOS, mean	13.07	16.11	7.65	8.94	31.00
SD	*30.84*	*37.90*	*8.25*	*8.15*	*60.81*
Cumulative DOS, mean	21.85	25.57	13.12	17.20	45.51
SD	*40.46*	*46.59*	*16.27*	*18.81*	*71.38*
Cumulative DOS, %					
1 to 7	39.9%	38.3%	50.8%	36.7%	27.1%
8 to 14	21.8%	20.9%	20.2%	24.3%	18.5%
15 to 44	27.7%	27.9%	23.8%	30.6%	29.6%
45 to 89	6.9%	7.5%	4.7%	7.6%	10.1%
90 to 179	2.3%	2.7%	0.5%	0.8%	6.6%
180 to 359	0.9%	2.2%	0.0%	0.0%	6.3%
360+	0.6%	0.6%	0.0%	0.0%	1.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	2.1%	3.7%	0.0%	0.1%	10.7%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	237.76	221.07	0.00	129.00	221.98
SD	*95.14*	*79.74*	*0.00*	*0.00*	*79.60*
Hospital patients who had a 150+ day hosp. stay, %	1.3%	2.8%	0.0%	0.0%	8.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	290.80	245.93	0.00	0.00	245.93
SD	*77.65*	*75.57*	*0.00*	*0.00*	*75.57*
Cumulative DOS at Other VISNs	0.59	0.79	0.43	0.50	1.41
SD	*4.28*	*5.65*	*2.94*	*3.67*	*8.45*
Cumulative DOS at Other Stations	1.83	1.79	0.92	1.03	3.35
SD	*7.27*	*8.12*	*5.11*	*5.86*	*11.42*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Entire Population	217760	9461	3730	2803	2928
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)					
Pts. with non-psych hospital stays, %	14.0%	14.7%	13.8%	15.8%	14.9%
Inpatient stays, mean	0.85	0.84	0.95	0.85	0.72
SD	*1.20*	*1.26*	*1.50*	*1.11*	*1.10*
Average LOS, mean	7.54	7.74	6.18	7.17	10.17
SD	*13.36*	*11.27*	*7.71*	*8.83*	*15.75*
Cumulative Days of Stay, mean	6.52	6.25	5.70	6.10	6.94
SD	*17.31*	*13.47*	*11.34*	*12.29*	*16.15*
Cumulative Days of Stay, %					
0	48.5%	48.8%	45.1%	47.6%	53.5%
1 to 7	29.2%	28.0%	34.0%	28.6%	21.4%
8 to 14	9.8%	9.9%	7.3%	11.1%	11.4%
15 to 44	10.2%	11.3%	11.8%	11.0%	11.0%
45 to 89	1.8%	1.7%	1.5%	1.4%	2.1%
90 to 179	0.4%	0.3%	0.2%	0.4%	0.4%
180 to 359	0.1%	0.1%	0.0%	0.0%	0.2%
360+	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.2%	0.0%	0.1%	0.4%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	206.57	155.40	0.00	129.00	162.00
SD	*85.33*	*24.91*	*0.00*	*0.00*	*23.17*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.1%	0.0%	0.0%	0.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	268.22	182.00	0.00	0.00	182.00
SD	*74.94*	*2.83*	*0.00*	*0.00*	*2.83*
Other VISN cumulative DOS, mean	0.14	0.15	0.12	0.12	0.22
SD	*1.82*	*1.76*	*1.24*	*1.72*	*2.18*
Other station cumulative DOS, mean	0.51	0.39	0.22	0.38	0.56
SD	*3.43*	*3.36*	*2.05*	*4.22*	*3.52*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Entire Population	217760	9461	3730	2803	2928
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)					
Pts. with psych hospital stays, %	15.8%	16.9%	13.4%	17.7%	20.5%
Inpatient stays, mean	0.98	0.99	0.78	1.12	1.09
SD	*1.28*	*1.35*	*1.00*	*1.55*	*1.42*
Average LOS, mean	17.54	22.84	9.16	10.45	44.44
SD	*38.98*	*49.09*	*8.66*	*8.12*	*74.44*
Cumulative Days of Stay, mean	15.33	19.31	7.42	11.10	38.57
SD	*38.37*	*46.38*	*13.88*	*16.82*	*72.23*
Cumulative Days of Stay, %					
0	41.8%	41.4%	46.6%	41.6%	36.1%
1 to 7	18.6%	17.3%	23.7%	16.9%	11.3%
8 to 14	14.1%	13.7%	14.6%	15.9%	10.6%
15 to 44	17.8%	17.7%	12.2%	20.3%	21.0%
45 to 89	4.7%	5.0%	2.6%	4.8%	7.6%
90 to 179	1.7%	2.2%	0.3%	0.5%	5.6%
180 to 359	0.8%	2.1%	0.0%	0.0%	6.1%
360+	0.5%	0.6%	0.0%	0.0%	1.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	1.8%	3.6%	0.0%	0.0%	10.3%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.50	222.42	0.00	0.00	222.42
SD	*96.26*	*80.71*	*0.00*	*0.00*	*80.71*
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.2%	2.7%	0.0%	0.0%	7.8%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	291.18	245.81	0.00	0.00	245.81
SD	*78.31*	*76.45*	*0.00*	*0.00*	*76.45*
Other VISN cumulative DOS, mean	0.45	0.64	0.31	0.38	1.20
SD	*3.83*	*5.27*	*2.65*	*3.20*	*7.99*
Other station cumulative DOS, mean	1.32	1.41	0.70	0.65	2.79
SD	*6.36*	*7.22*	*4.66*	*4.08*	*10.57*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Entire Population	217760	9461	3730	2803	2928
Other 24 hour institutional care					
Patients with some other 24 hour institutional care, %	8.5%	12.9%	10.4%	8.5%	20.5%
Residential Rehab (rep. for those w/ res rehab care)					
Patients with some residential rehab. care, %	1.8%	3.2%	4.6%	3.5%	1.3%
Number stays, mean	1.12	1.07	1.03	1.14	1.05
SD	*0.38*	*0.28*	*0.17*	*0.41*	*0.22*
Average LOS, mean	34.01	21.24	23.51	13.15	31.42
SD	*38.25*	*32.07*	*39.74*	*8.34*	*27.29*
Cumulative DOS, mean	37.28	22.12	23.99	14.77	32.18
SD	*40.79*	*32.17*	*39.77*	*10.21*	*27.19*
Cumulative Days of Stay, %					
1 to 7	12.3%	16.3%	11.1%	25.8%	15.4%
8 to 14	12.7%	18.6%	9.4%	34.0%	20.5%
15 to 44	50.7%	59.0%	77.2%	38.1%	30.8%
45 to 89	15.8%	5.2%	0.6%	2.1%	33.3%
90 to 179	7.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.3%	0.7%	1.2%	0.0%	0.0%
360+	0.2%	0.3%	0.6%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.3%	1.0%	1.8%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	175.66	312.00	312.00	0.00	0.00
SD	*75.56*	*45.04*	*45.04*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.9%	1.0%	1.8%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	237.86	312.00	312.00	0.00	0.00
SD	*73.07*	*45.04*	*45.04*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.12	0.11	0.01	0.26	0.23
SD	*6.40*	*1.52*	*0.08*	*2.54*	*1.44*
Other station cumulative DOS, mean	3.58	1.44	0.12	0.63	9.23
SD	*10.93*	*5.28*	*1.04*	*3.85*	*10.51*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Entire Population	217760	9461	3730	2803	2928
Domiciliary and Vocational (reported for those with some dom/voc care)					
Patients with some dom/voc care, %	2.8%	5.9%	5.3%	0.4%	12.1%
Number stays, mean	1.13	1.13	1.21	1.09	1.08
SD	*0.38*	*0.37*	*0.47*	*0.30*	*0.29*
Average LOS, mean	85.20	123.91	99.88	30.36	140.31
SD	*90.51*	*119.72*	*106.66*	*37.35*	*124.78*
Cumulative DOS, mean	92.74	131.95	112.73	34.09	145.78
SD	*94.18*	*119.33*	*107.73*	*40.44*	*124.32*
Cumulative Days of Stay, %					
1 to 7	6.9%	5.2%	5.1%	27.3%	4.5%
8 to 14	6.1%	4.4%	1.0%	27.3%	5.7%
15 to 44	29.6%	21.0%	29.8%	18.2%	16.1%
45 to 89	19.5%	19.2%	22.7%	18.2%	17.3%
90 to 179	22.9%	23.0%	22.2%	9.1%	23.8%
180 to 359	10.1%	13.0%	9.1%	0.0%	15.6%
360+	5.0%	14.2%	10.1%	0.0%	17.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	31.6%	42.9%	32.8%	9.1%	49.6%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	203.50	243.51	237.11	124.00	246.57
SD	*90.08*	*99.84*	*101.17*	*0.00*	*99.38*
Dom. patients with 150+ day Dom. stay, %	18.0%	30.4%	19.7%	0.0%	37.4%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	259.61	288.65	300.15	0.00	285.26
SD	*79.66*	*81.98*	*81.03*	*0.00*	*82.26*
Other VISN cumulative DOS, mean	1.54	0.57	0.41	7.45	0.44
SD	*8.76*	*5.59*	*5.29*	*24.72*	*3.90*
Other station cumulative DOS, mean	3.75	1.31	0.93	34.09	0.51
SD	*14.14*	*9.22*	*8.29*	*40.44*	*4.03*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Entire Population	217760	9461	3730	2803	2928
Nursing Home Care					
(reported for those with some nursing home care)					
Patients with some nursing home care, %	4.5%	5.4%	3.5%	5.0%	8.3%
Number stays, mean	1.24	1.22	1.21	1.23	1.22
SD	*0.60*	*0.46*	*0.43*	*0.47*	*0.48*
Average LOS, mean	99.56	88.56	91.95	64.73	100.54
SD	*118.68*	*93.37*	*120.09*	*68.03*	*87.41*
Cumulative DOS, mean	111.19	102.64	102.88	80.32	115.43
SD	*123.23*	*102.10*	*125.09*	*86.26*	*94.89*
Cumulative Days of Stay, %					
1 to 7	9.0%	8.4%	8.5%	10.0%	7.4%
8 to 14	10.6%	9.8%	17.8%	10.7%	5.0%
15 to 44	27.5%	20.7%	27.1%	28.6%	12.8%
45 to 89	15.4%	19.8%	12.4%	17.9%	24.8%
90 to 179	13.8%	22.7%	13.2%	20.0%	29.3%
180 to 359	11.4%	13.5%	9.3%	12.1%	16.5%
360+	12.4%	5.1%	11.6%	0.7%	4.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	33.0%	34.4%	29.5%	25.0%	42.6%
Cumul. DOS, patients with a 100+ day NH stay, mean	263.62	218.82	271.13	201.69	205.35
SD	*97.17*	*87.27*	*103.03*	*83.31*	*74.83*
NH patients with 150+ day NH stay, %	25.7%	25.2%	20.9%	16.4%	32.6%
Cumul. DOS, patients with a 150+ day NH stay, mean	299.88	252.03	330.00	243.65	227.82
SD	*76.08*	*77.53*	*50.11*	*70.25*	*70.13*
Other VISN cumulative DOS, mean	0.41	0.06	0.24	0.00	0.00
SD	*5.60*	*1.21*	*2.40*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.17	1.13	1.07	1.19	1.13
SD	*8.68*	*8.23*	*6.05*	*8.18*	*9.23*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Entire Population	217760	9461	3730	2803	2928
Outpatient utilization					
(reported for those with some outpatient care)					
Patients with some outpatient care, %	99.1%	98.8%	99.4%	99.8%	97.3%
annual visit days, mean	24.61	24.42	25.25	20.44	27.25
SD	*33.05*	*32.49*	*37.14*	*21.60*	*34.49*
Outpatient visit days, %					
1-12	44.2%	44.3%	48.2%	43.2%	40.2%
13-24	26.4%	26.7%	24.4%	29.6%	26.7%
25-36	11.9%	12.1%	10.3%	13.4%	13.0%
37-48	5.9%	5.9%	5.2%	6.9%	5.8%
49+	11.5%	11.1%	11.8%	6.9%	14.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	79.4%	84.5%	85.3%	80.0%	87.9%
Mean PC visit days, among those with some PC	3.84	4.21	3.57	4.10	5.10
SD	3.72	3.88	3.10	3.29	4.95
Average number clinic stops per visit day, mean	1.49	1.52	1.63	1.42	1.50
SD	*0.47*	*0.49*	*0.54*	*0.44*	*0.45*
annual clinic stops (psych & non-psych), mean	37.56	36.29	38.76	28.61	40.60
SD	*56.64*	*48.63*	*54.23*	31.79	*53.49*
annual non-psych. clinic stops, mean	20.14	23.37	20.85	20.87	29.09
SD	*25.25*	*29.08*	*25.36*	*21.95*	*37.69*
annual psych. clinic stops (groupings below), mean	17.42	12.92	17.91	7.74	11.50
SD	*43.44*	*32.01*	*40.80*	*20.34*	*27.05*
1. general psych. clinic stops, mean	7.22	5.63	5.76	4.40	6.68
SD	*13.49*	*13.42*	*8.18*	*7.80*	*21.03*
2. psych. case management clinic stops, mean	1.44	1.00	1.32	0.12	1.45
SD	*12.10*	*9.19*	*10.25*	*2.54*	*11.53*
3. psych. day treatment clinic stops, mean	2.80	1.47	3.04	0.86	0.01
SD	*21.66*	*13.84*	*20.09*	*9.97*	*0.35*
4. substance abuse clinic stops, mean	3.26	2.18	3.31	0.70	2.16
SD	*19.07*	*10.30*	*13.15*	*5.27*	*9.60*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Entire Population	217760	9461	3730	2803	2928
5. psych. vocational clinic stops, mean	1.73	1.85	3.62	1.02	0.36
SD	*15.65*	*15.77*	*22.82*	*11.03*	*3.49*
6. PTSD clinic stops, mean	0.56	0.34	0.31	0.31	0.41
SD	*4.85*	*3.02*	*3.20*	*2.61*	*3.15*
7. psych. homeless clinic stops, mean	0.41	0.38	0.50	0.23	0.38
SD	*3.32*	*2.64*	*3.09*	*2.33*	*2.25*
Other VISN OP visit days, mean	0.36	0.40	0.32	0.25	0.64
SD	*2.35*	2.45	1.93	1.67	3.46
Other station OP visit days, mean	0.91	0.69	0.47	0.40	1.25
SD	*3.87*	3.41	2.43	2.27	5.00

Table 4F: FY03 Psychosis Patients, Pharmacy Utilization, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Entire Population	217760	9461	3730	2803	2928
Among all patients in the registry					
Pts. with any outpatient prescriptions, %	95.5%	96.5%	97.0%	97.4%	94.9%
Patients with any oral antipsychotic fills, %*	59.2%	61.1%	59.7%	61.6%	62.4%
Among patients receiving antipsychotics:					
Received only conventional antipsychotics, %	12.3%	10.3%	10.6%	11.5%	8.7%
Received some atypical antipsychotics, %	87.7%	89.7%	89.4%	88.5%	91.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %					
Aripiprazole	1.2%	1.5%	1.0%	2.6%	1.1%
Clozapine	1.8%	1.9%	2.0%	1.2%	2.4%
Olanzapine	35.8%	41.3%	43.8%	36.9%	42.5%
Quetiapine	26.2%	25.9%	31.8%	19.8%	24.5%
Risperidone	36.7%	35.6%	27.4%	43.5%	38.3%
Ziprasidone	5.2%	5.4%	4.3%	8.8%	3.4%
Patients receiving only one kind** of antipsychotic, %	73.8%	72.8%	73.9%	70.0%	74.1%
Concurrent use of 2 or more antipsychotics, % ***	11.3%	9.8%	10.1%	10.0%	9.3%
Among pts receiving just one antipsychotic:					
Antipsychotic fills, mean	7.06	6.72	6.34	6.99	6.96
SD	*5.06*	*5.01*	*4.96*	*4.87*	*5.18*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--
SD	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5F: FY03 Psychosis Patients, Cost, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Entire Population	217760	9461	3730	2803	2928
Total Costs (in thousands $$)	$3,237,460	$136,909	$41,612	$35,781	$59,516
Station % of VISN		100.0%	30.4%	26.1%	43.5%
Psych vs. Non-Psych Costs					
Psych	30.3%	28.8%	24.4%	23.4%	35.1%
Non-Psych	69.7%	71.2%	75.6%	76.6%	64.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use					
Per Patient	$18,395	$17,580	$12,320	$14,456	$25,639
Per Day of Stay	$842	$688	$939	$840	$563
Mean Outpatient Costs, Pts with some Outpatient use					
Per Patient	$6,757	$6,294	$6,122	$6,222	$6,590
Per Visit Day	$275	$258	$242	$304	$242
Mean Patient Costs, By Cost Center					
1 Med	$1,582	$1,447	$1,162	$1,663	$1,601
2 Surg	$536	$608	$595	$753	$485
3 Psych	$2,886	$3,008	$1,338	$1,953	$6,145
4 Psych Res Rehab Treatment Program	$218	$230	$317	$184	$164
5 Non-VA	$205	$219	$99	$266	$326
6 LTC Domiciliary	$327	$618	$375	$15	$1,503
7 LTC Intermediate Care	$167	$117	$61	$129	$175
8 LTC Nursing Home	$1,785	$1,502	$767	$1,109	$2,814
9 Contract Nursing Home	$467	$503	$360	$487	$702
10 OPC Med/Surg	$1,071	$894	$827	$967	$908
11 OPC Psych	$1,624	$1,158	$1,380	$1,034	$995
12 OPC Home Based Treatment	$751	$727	$574	$725	$924
13 OPC Support	$1,322	$1,481	$1,452	$1,565	$1,438
14 OPC Fee	$148	$108	$54	$83	$201
15 OPC Pharmacy	$1,778	$1,853	$1,795	$1,832	$1,946
TOTAL	$14,867	$14,471	$11,156	$12,765	$20,327
Mean % Patient Costs at Other Stations	3.9%	3.0%	2.5%	2.3%	4.3%
SD	*12.8%*	*11.3%*	*10.3%*	*10.2%*	*13.2%*
Mean % Patient Costs at Other VISNs	1.5%	1.6%	1.6%	1.5%	1.8%
SD	*8.0%*	*8.2%*	*8.2%*	*8.4%*	*8.1%*

Table 1G: FY03 Schizophrenic Patients, Demographics, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Schizophrenic Patients	94395	3551	1213	968	1370
Age, %					
<35	3.9%	4.2%	3.9%	5.5%	3.6%
>=35 and <50	32.5%	33.1%	34.3%	33.5%	31.8%
>=50 and <65	44.6%	45.4%	47.5%	45.2%	43.6%
>=65 and <80	15.7%	14.2%	11.2%	13.0%	17.6%
>=80	3.3%	3.1%	3.1%	2.8%	3.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	54.59	54.13	53.59	53.21	55.25
SD	*11.97*	*11.74*	*11.32*	*11.64*	*12.09*
Gender					
Male, %	94.6%	94.0%	93.2%	93.6%	94.9%
Female, %	5.4%	6.0%	6.8%	6.4%	5.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %					
Hispanic white	6.9%	14.7%	3.7%	40.6%	6.1%
Hispanic black	0.6%	0.2%	0.2%	0.2%	0.1%
American indian	0.3%	0.2%	0.1%	0.2%	0.2%
Black	26.5%	30.2%	41.4%	16.2%	30.2%
Asian	0.8%	0.2%	0.3%	0.2%	0.1%
White	52.4%	46.3%	43.4%	35.4%	56.4%
Race unknown	12.5%	8.3%	10.8%	7.1%	6.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status					
Never married	42.4%	35.8%	32.7%	39.2%	36.1%
Married	24.6%	27.9%	31.3%	28.7%	24.3%
Divorced/Separated	29.5%	32.8%	32.0%	29.5%	35.8%
Widowed	3.5%	3.5%	4.0%	2.5%	3.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Schizophrenic Patients	94395	3551	1213	968	1370
Registry Pts. History of VA Utilization					
Years since first use in prior five years, mean	4.6	4.62	4.51	4.66	4.68
SD	*1.0*	*0.97*	*1.10*	*0.92*	*0.86*
Yrs with 24-hour institutional use / yrs since 1st use, %	27.3%	31.2%	26.6%	28.0%	37.3%
SD	*30.9%*	*30.8%*	*29.3%*	*31.1%*	*35.3%*
Years with OP use / Years since first use, %	96.7%	96.6%	96.9%	98.1%	95.4%
SD	*12.4%*	*12.4%*	*11.6%*	*8.1%*	*15.1%*
Psychosis Diagnoses in Prior Fiscal Year					
Had Psychosis Diagnosis in FY01, %	82.2%	82.8%	80.9%	86.7%	81.8%
Among Patients With Psychoses in FY01					
Psychosis Category: Schizophrenia, %	94.8%	95.0%	93.5%	96.7%	95.0%
Psychosis Category: Bipolar Disorder, %	2.6%	2.2%	2.7%	1.7%	2.3%
Psychosis Category: Other Psychosis, %	2.5%	2.8%	3.9%	1.7%	2.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %					
Dementia	2.3%	2.2%	2.4%	1.8%	2.4%
Post Traumatic Stress Disorder	11.9%	11.3%	14.0%	9.0%	10.5%
Depression	25.7%	24.9%	33.1%	18.3%	22.3%
Other Anxiety Disorder	8.7%	8.0%	8.2%	6.0%	9.1%
Substance Abuse or Dependence	22.3%	21.0%	24.5%	17.6%	20.4%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Schizophrenic Patients	94395	3551	1213	968	1370
Medical Comorbidities, %					
No medical comorbidities	18.7%	16.1%	17.7%	19.2%	12.6%
Anemia	7.1%	7.0%	3.6%	5.5%	10.9%
Arthritis	29.7%	34.8%	32.9%	29.5%	40.1%
Cancer	6.1%	5.5%	5.9%	5.3%	5.4%
Cerebrovascular Disease	3.8%	3.7%	3.1%	2.5%	5.0%
Chronic Neurologic Disorder	12.4%	14.6%	13.0%	10.8%	18.8%
Chronic Obstructive Pulmonary Disease	16.5%	18.1%	16.2%	16.4%	20.8%
Chronic Viral Infection	8.7%	10.2%	8.9%	10.3%	11.3%
Coronary Artery Disease	14.6%	13.5%	11.7%	9.7%	17.7%
Diabetes	20.3%	24.2%	21.2%	27.1%	25.0%
Digestive System Disease	44.1%	43.9%	41.4%	42.3%	47.2%
Hypertension	40.7%	43.6%	43.7%	39.7%	46.4%
Injury and Poisoning	15.5%	15.9%	15.2%	16.8%	15.8%
Liver Disease	3.2%	4.2%	3.8%	5.1%	3.9%
Other Endocrine	6.9%	8.3%	8.3%	6.2%	9.9%
Peripheral Vascular Disease	2.9%	2.8%	3.7%	1.9%	2.6%
GAF scores					
Lowest inpatient GAF score, mean	36.19	37.84	34.29	44.60	38.40
SD	*14.35*	*11.24*	*12.07*	*9.59*	*10.56*
Mean outpatient GAF score	48.84	46.85	46.21	49.88	45.73
SD	*10.59*	*9.10*	*8.82*	*9.12*	*8.98*
At least 1 IP GAF, among pts with MH bedsections, %	38.5%	45.7%	53.9%	18.0%	57.1%
At least 1 OP GAF, among pts with MH clinic stops, %	80.5%	82.1%	89.6%	68.1%	85.2%
Mortality rates					
died in FY02, %	2.7%	2.6%	1.9%	2.1%	3.6%
Age-and-gender-adjusted Standardized Mortality Ratio	1.68	1.68	0.00	0.00	0.00

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Schizophrenic Patients	94395	3551	1213	968	1370
Service Connection (SC)					
Non-SC	40.8%	36.0%	37.9%	31.4%	37.7%
SC 0 - 29%	6.8%	8.3%	8.3%	8.6%	8.1%
SC 30 - 69%	8.8%	9.0%	10.6%	8.5%	8.0%
SC 70 - 99%	6.6%	7.3%	6.1%	8.8%	7.3%
SC 100%	37.0%	39.4%	37.1%	42.8%	39.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %					
Complex*	22.5%	25.1%	19.5%	16.0%	36.5%
Basic vested, Cat A*	74.7%	72.8%	77.7%	81.6%	62.3%
Basic Non-vested, Cat A*	1.2%	0.6%	0.5%	1.2%	0.4%
Basic, Cats C and N	1.7%	1.5%	2.4%	1.1%	0.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded					
Patient eligibility category, %					
Cat A (SC or low income)	98.2%	98.3%	97.5%	98.9%	98.7%
Cat C (NSC and higher income)	1.4%	1.0%	1.2%	0.6%	1.1%
Non-Veteran	0.5%	0.7%	1.3%	0.5%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %					
BASIC 1. Non-reliant Care	0.2%	0.0%	0.1%	0.0%	0.0%
2. Basic Medical	13.3%	15.4%	11.6%	18.8%	16.3%
3. Mental Health	38.5%	36.0%	42.0%	43.1%	25.8%
4. Heart / Lung / GI	5.8%	5.5%	5.4%	5.1%	5.8%
5. Oncology / Infectious Disease	3.6%	3.9%	2.9%	5.0%	4.2%
6. Multiple Medical	16.1%	14.1%	18.6%	12.1%	11.5%
COMPLEX 7. Specialized Care	1.9%	1.4%	1.2%	2.3%	0.9%
8. Support Care	2.3%	3.4%	3.8%	1.9%	4.2%
9. Chronic Mental	15.7%	17.3%	12.8%	10.7%	26.1%
10. Critically Ill	2.6%	3.0%	1.6%	1.1%	5.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Schizophrenic Patients	94395	3551	1213	968	1370
Substance Dependence and Abuse					
Any dx of alcohol / drug dependence or abuse, %	22.3%	21.0%	24.5%	17.6%	20.4%
Homelessness					
Homelessness indicated in FY02, %	12.0%	12.5%	17.6%	6.0%	12.6%
Residence in Metropolitan Area					
Residing in a Metropolitan Statistical Area, %	81.5%	83.4%	87.5%	87.5%	77.0%
Distance					
Mile from Closest VA Medical Center, mean	28.72	37.88	29.31	60.45	29.52
SD	*55.48*	*49.62*	*27.74*	*77.91*	*30.33*
Distance from closest VA Medical Center, %					
0 to 15 miles	52.9%	47.0%	41.4%	56.7%	45.2%
15 to 30 miles	15.5%	14.1%	22.3%	5.2%	13.1%
30 to 45 miles	9.7%	10.8%	14.2%	4.3%	12.3%
45 to 60 miles	7.4%	5.6%	4.7%	0.9%	9.8%
60 plus miles	14.4%	22.5%	17.4%	32.9%	19.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	9.84	9.60	9.40	7.37	11.35
SD	*11.95*	*10.50*	*9.56*	*9.48*	*11.61*
Distance to closest VA Service Site, %					
0 to 15 miles	79.4%	78.4%	81.6%	86.6%	69.7%
15 to 30 miles	13.6%	14.7%	13.4%	9.3%	19.6%
30 to 45 miles	5.1%	6.0%	4.0%	2.8%	10.0%
45 plus miles	1.9%	1.0%	0.9%	1.3%	0.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Schizophrenic Patients	94395	3551	1213	968	1370
Hospital Based Utilization					
Patients with some Hospital Based Utilization, %	27.0%	28.6%	24.0%	27.8%	33.3%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)					
Inpatient stays, mean	1.85	1.86	1.75	2.04	1.82
SD	*1.45*	*1.64*	*1.46*	*1.66*	*1.73*
Average LOS, mean	17.65	25.56	8.70	9.63	45.72
SD	*42.51*	*56.58*	*10.48*	*9.15*	*79.27*
Cumulative DOS, mean	28.76	37.92	14.38	19.44	63.84
SD	*53.29*	*65.89*	*18.19*	*21.82*	*89.24*
Cumulative DOS, %					
1 to 7	35.1%	33.5%	49.8%	36.4%	21.3%
8 to 14	20.7%	18.5%	18.6%	20.4%	17.3%
15 to 44	29.0%	28.1%	24.4%	32.0%	28.3%
45 to 89	9.0%	9.3%	6.5%	10.0%	10.5%
90 to 179	3.4%	4.1%	0.7%	1.1%	8.1%
180 to 359	1.5%	4.9%	0.0%	0.0%	11.0%
360+	1.2%	1.6%	0.0%	0.0%	3.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	3.8%	8.2%	0.0%	0.0%	18.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	249.93	228.19	0.00	0.00	228.19
SD	*96.37*	*81.17*	*0.00*	*0.00*	*81.17*
Hospital patients who had a 150+ day hosp. stay, %	2.5%	6.3%	0.0%	0.0%	14.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.78	249.64	0.00	0.00	249.64
SD	*75.28*	*76.93*	*0.00*	*0.00*	*76.93*
Cumulative DOS at Other VISNs	0.65	1.17	0.50	0.85	1.77
SD	*4.66*	*6.90*	*3.39*	*5.23*	*9.06*
Cumulative DOS at Other Stations	2.06	2.28	0.91	1.74	3.46
SD	*8.11*	*9.27*	*4.51*	*8.38*	*11.60*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Schizophrenic Patients	94395	3551	1213	968	1370
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)					
Pts. with non-psych hospital stays, %	11.8%	12.7%	13.4%	12.6%	12.1%
Inpatient stays, mean	0.71	0.71	0.92	0.74	0.57
SD	*1.11*	*1.19*	*1.34*	*1.11*	*1.12*
Average LOS, mean	8.26	7.89	6.37	6.59	10.33
SD	*16.10*	*12.07*	*8.80*	*10.22*	*15.32*
Cumulative Days of Stay, mean	6.10	5.33	5.34	4.98	5.54
SD	*19.61*	*13.28*	*9.91*	*12.38*	*15.50*
Cumulative Days of Stay, %					
0	56.2%	55.7%	44.3%	54.6%	63.6%
1 to 7	24.8%	25.3%	36.4%	28.6%	16.2%
8 to 14	8.1%	8.4%	6.9%	7.4%	9.9%
15 to 44	8.5%	8.7%	10.7%	7.4%	8.1%
45 to 89	1.7%	1.5%	1.7%	1.1%	1.5%
90 to 179	0.5%	0.4%	0.0%	0.7%	0.4%
180 to 359	0.2%	0.1%	0.0%	0.0%	0.2%
360+	0.1%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.4%	0.2%	0.0%	0.0%	0.4%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	225.13	161.50	0.00	0.00	161.50
SD	*88.92*	*26.16*	*0.00*	*0.00*	*26.16*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.1%	0.0%	0.0%	0.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	285.12	180.00	0.00	0.00	180.00
SD	*70.56*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.10*	*0.16*	*0.05*	*0.19*	*0.21*
SD	*1.58*	*2.10*	*0.55*	*2.41*	*2.49*
Other station cumulative DOS, mean	0.47	0.41	0.15	0.73	0.38
SD	*3.45*	*4.02*	*1.36*	*6.55*	*3.08*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Schizophrenic Patients	94395	3551	1213	968	1370
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)					
Pts. with psych hospital stays, %	17.7%	18.5%	12.5%	18.4%	23.8%
Inpatient stays, mean	1.14	1.14	0.83	1.30	1.25
SD	*1.37*	*1.38*	*1.14*	*1.45*	*1.44*
Average LOS, mean	23.15	36.22	11.15	11.75	61.27
SD	*51.08*	*69.33*	*11.53*	*9.25*	*91.26*
Cumulative Days of Stay, mean	22.66	32.58	9.04	14.46	58.29
SD	*51.43*	*66.50*	*17.00*	*18.67*	*90.90*
Cumulative Days of Stay, %					
0	34.4%	35.4%	47.8%	33.8%	28.5%
1 to 7	17.5%	14.6%	19.9%	16.7%	9.9%
8 to 14	14.7%	11.8%	13.1%	14.9%	9.2%
15 to 44	21.2%	21.2%	14.1%	27.1%	22.1%
45 to 89	6.9%	7.1%	4.5%	7.1%	8.8%
90 to 179	2.8%	3.5%	0.7%	0.4%	7.2%
180 to 359	1.4%	4.8%	0.0%	0.0%	10.7%
360+	1.1%	1.6%	0.0%	0.0%	3.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	8.0%	0.0%	0.0%	17.8%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	250.18	229.22	0.00	0.00	229.22
SD	*97.20*	*81.38*	*0.00*	*0.00*	*81.38*
Hosp. Pts. with a 150+ day psych hosp.stay, %	2.2%	6.2%	0.0%	0.0%	13.8%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.10	249.97	0.00	0.00	249.97
SD	*76.47*	*77.17*	*0.00*	*0.00*	*77.17*
Other VISN cumulative DOS, mean	0.55	1.01	0.45	0.67	1.56
SD	4.34	6.45	3.34	4.59	8.52
Other station cumulative DOS, mean	1.59	1.87	0.76	1.00	3.08
SD	7.30	8.24	4.32	5.30	10.98

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Schizophrenic Patients	94395	3551	1213	968	1370
Other 24 hour institutional care					
Patients with some other 24 hour institutional care, %	8.0%	11.6%	8.5%	4.3%	19.5%
Residential Rehabilitation					
Patients with some residential rehab. care, %	1.6%	2.0%	3.5%	2.1%	0.6%
Number stays, mean	*1.12*	*1.04*	*1.02*	*1.10*	*1.00*
SD	*0.37*	*0.20*	*0.15*	*0.31*	*0.00*
Average LOS, mean	36.26	16.82	17.74	12.95	21.50
SD	*45.44*	*10.56*	*7.05*	*8.60*	*23.31*
Cumulative DOS, mean	39.67	17.65	18.16	15.00	21.50
SD	*48.06*	*11.64*	*7.58*	*12.56*	*23.31*
Cumulative Days of Stay, %					
1 to 7	14.0%	18.3%	16.3%	30.0%	0.0%
8 to 14	14.7%	18.3%	4.7%	30.0%	62.5%
15 to 44	46.4%	60.6%	79.1%	35.0%	25.0%
45 to 89	13.8%	2.8%	0.0%	5.0%	12.5%
90 to 179	8.9%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.8%	0.0%	0.0%	0.0%	0.0%
360+	0.5%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.2%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	180.59	0.00	0.00	0.00	0.00
SD	*80.43*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	2.8%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	246.24	0.00	0.00	0.00	0.00
SD	*77.24*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.84	0.49	0.02	1.25	1.13
SD	*5.37*	*3.14*	*0.15*	*5.59*	*3.18*
Other station cumulative DOS, mean	3.24	2.08	0.02	2.65	11.75
SD	*10.31*	*6.00*	*0.15*	*8.17*	*6.69*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Schizophrenic Patients	94395	3551	1213	968	1370
Domiciliary and Vocational					
Patients with some dom/voc care, %	2.3%	6.0%	4.1%	0.3%	11.6%
Number stays, mean	1.12	1.12	1.24	1.33	1.08
SD	*0.37*	*0.38*	*0.56*	*0.58*	*0.29*
Average LOS, mean	94.48	158.74	111.73	58.67	175.42
SD	*108.97*	*138.26*	*116.24*	*58.53*	*141.86*
Cumulative DOS, mean	100.96	166.21	128.86	72.33	179.73
SD	*111.44*	*136.69*	*120.86*	*57.12*	*139.95*
Cumulative Days of Stay, %					
1 to 7	7.9%	5.2%	4.0%	0.0%	5.7%
8 to 14	6.7%	2.4%	0.0%	33.3%	2.5%
15 to 44	31.5%	17.9%	32.0%	0.0%	13.8%
45 to 89	17.3%	17.0%	18.0%	33.3%	16.4%
90 to 179	17.7%	17.5%	22.0%	33.3%	15.7%
180 to 359	9.4%	15.1%	10.0%	0.0%	17.0%
360+	9.5%	25.0%	14.0%	0.0%	28.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.0%	51.9%	40.0%	33.3%	56.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	234.98	277.13	247.80	124.00	285.44
SD	*102.95*	*97.55*	*106.93*	*0.00*	*93.74*
Dom. patients with 150+ day Dom. stay, %	20.9%	40.1%	22.0%	0.0%	46.5%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	291.61	317.04	332.73	0.00	314.70
SD	*80.75*	*70.17*	*57.59*	*0.00*	*71.89*
Other VISN cumulative DOS, mean	1.18	0.76	0.00	27.33	0.50
SD	*7.65*	*6.39*	*0.00*	*47.34*	*3.53*
Other station cumulative DOS, mean	3.16	1.87	1.88	72.33	0.53
SD	*12.59*	*12.24*	*12.73*	*57.12*	*3.55*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Schizophrenic Patients	94395	3551	1213	968	1370
Nursing Home Care					
Patients with some nursing home care, %	4.7%	4.7%	3.1%	2.2%	8.0%
Number stays, mean	1.20	1.17	1.22	1.19	1.15
SD	*0.56*	*0.43*	*0.48*	*0.40*	*0.42*
Average LOS, mean	143.54	121.73	146.64	73.69	122.53
SD	*137.46*	*109.60*	*149.96*	*84.58*	*94.91*
Cumulative DOS, mean	156.00	137.09	165.78	98.81	134.75
SD	*139.76*	*118.33*	*156.09*	*121.04*	*100.75*
Cumulative Days of Stay, %					
1 to 7	6.8%	8.9%	5.4%	19.0%	8.2%
8 to 14	6.5%	7.1%	5.4%	23.8%	4.5%
15 to 44	20.5%	14.9%	32.4%	9.5%	10.0%
45 to 89	14.1%	13.7%	8.1%	9.5%	16.4%
90 to 179	15.1%	26.8%	8.1%	14.3%	35.5%
180 to 359	14.7%	17.3%	10.8%	23.8%	18.2%
360+	22.5%	11.3%	29.7%	0.0%	7.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	48.0%	51.2%	45.9%	28.6%	57.3%
Cumul. DOS, patients with a 100+ day NH stay, mean	282.12	231.19	323.41	263.00	203.27
SD	*94.85*	*90.40*	*72.45*	*99.12*	*76.38*
NH patients with 150+ day NH stay, %	39.8%	42.3%	40.5%	23.8%	46.4%
Cumul. DOS, patients with a 150+ day NH stay, mean	312.43	254.55	347.07	295.40	223.33
SD	*72.26*	*81.83*	*29.99*	*66.39*	*71.01*
Other VISN cumulative DOS, mean	0.44	0.00	0.00	0.00	0.00
SD	*5.99*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.19	1.01	0.19	3.33	0.84
SD	*9.07*	*8.91*	*1.15*	*15.28*	*8.77*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Schizophrenic Patients	94395	3551	1213	968	1370
Outpatient utilization					
(reported for those with some outpatient care)					
Patients with some outpatient care, %	98.3%	97.8%	98.8%	99.7%	95.5%
annual visit days, mean	27.64	28.84	31.40	21.39	31.98
SD	*38.39*	*38.99*	*44.17*	*24.69*	*41.75*
Outpatient visit days, %					
1-12	42.6%	41.2%	43.9%	42.9%	37.5%
13-24	25.7%	26.1%	23.4%	30.4%	25.4%
25-36	11.8%	12.1%	10.9%	11.9%	13.2%
37-48	5.9%	5.8%	4.9%	6.7%	6.0%
49+	14.0%	14.9%	16.9%	8.1%	18.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	74.5%	81.5%	81.9%	74.6%	86.1%
Mean PC visit days, among those with some PC	3.73	4.35	3.69	3.70	5.33
SD	3.83	4.29	3.24	2.70	5.55
Average number clinic stops per visit day, mean	1.45	1.44	1.52	1.34	1.45
SD	*0.45*	*0.45*	*0.50*	*0.38*	*0.42*
annual clinic stops (psych & non-psych), mean	41.32	40.99	44.87	28.68	46.50
SD	*65.29*	*56.56*	*60.42*	*34.96*	*63.97*
annual non-psych. clinic stops, mean	19.07	24.14	20.86	17.79	31.84
SD	*26.86*	*33.76*	*25.86*	*19.87*	*44.99*
annual psych. clinic stops (groupings below), mean	22.25	16.84	24.01	10.89	14.67
SD	*50.83*	*37.71*	*47.92*	*24.69*	*33.81*
1. general psych. clinic stops, mean	9.04	7.61	6.47	6.10	9.75
SD	*15.89*	*19.11*	*8.55*	*9.33*	*28.82*
2. psych. case management clinic stops, mean	2.76	2.13	3.41	0.34	2.28
SD	*16.59*	*12.94*	*16.14*	*4.27*	*13.74*
3. psych. day treatment clinic stops, mean	4.94	3.21	8.05	1.53	0.03
SD	*29.07*	*20.68*	*32.42*	*13.69*	*0.49*
4. substance abuse clinic stops, mean	2.71	1.76	2.57	0.81	1.72
SD	*17.49*	*9.07*	*11.35*	*5.79*	*8.63*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Schizophrenic Patients	94395	3551	1213	968	1370
5. psych. vocational clinic stops, mean	2.11	1.47	2.92	1.33	0.24
SD	*18.38*	*13.98*	*20.51*	*12.77*	*3.07*
6. PTSD clinic stops, mean	0.37	0.23	0.15	0.30	0.25
SD	*3.86*	*2.41*	*1.75*	*2.78*	*2.63*
7. psych. homeless clinic stops, mean	0.39	0.35	0.39	0.29	0.35
SD	*2.98*	*2.34*	*1.97*	*2.98*	*2.10*
Other VISN OP visit days, mean	0.30	0.40	0.31	0.24	0.60
SD	2.12	2.56	1.94	1.77	3.42
Other station OP visit days, mean	0.82	0.73	0.49	0.37	1.20
SD	3.70	3.66	2.58	2.23	5.05

Table 4G: FY03 Schizophrenic Patients, Pharmacy Utilization, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Schizophrenic Patients	94395	3551	1213	968	1370
Among all patients in the registry					
Pts. with any outpatient prescriptions, %	94.9%	95.7%	96.4%	98.4%	95.2%
Patients with any oral antipsychotic fills, %*	78.7%	80.9%	79.6%	84.7%	79.4%
Among pts. receiving any antipsychotic medication:					
Received only conventional antipsychotics, %	15.4%	12.0%	11.8%	14.8%	10.1%
Received some atypical antipsychotics, %	84.6%	88.0%	88.2%	85.2%	89.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %					
Aripiprazole	1.5%	2.2%	1.2%	4.1%	1.5%
Clozapine	3.1%	3.5%	4.2%	2.3%	3.9%
Olanzapine	35.7%	40.1%	42.4%	36.7%	40.5%
Quetiapine	21.7%	22.0%	27.1%	14.0%	23.3%
Risperidone	36.8%	37.3%	30.0%	42.6%	39.7%
Ziprasidone	5.9%	6.5%	5.0%	12.0%	3.7%
Patients receiving only one kind** of antipsychotic, %	70.8%	69.8%	71.3%	66.7%	70.9%
Concurrent use of 2 or more antipsychotics, % ***	15.6%	14.4%	15.1%	15.2%	13.1%
Among pts receiving just one antipsychotic:					
Antipsychotic fills, mean	8.10	8.06	7.58	8.79	7.97
SD	*5.37*	*5.45*	*5.62*	*4.98*	*5.58*
Antipsychotic Medication Possession Ratio, mean	0.83	0.80	0.79	0.79	0.81
SD	*0.33*	*0.33*	*0.35*	*0.31*	*0.33*
Antipsychotic Med Possession Ratio <= 0.80, %	37.1%	41.0%	43.7%	39.4%	39.7%
Antipsychotic Med Possession Ratio <= 0.50, %	18.0%	20.6%	22.4%	18.5%	20.5%

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 4G: FY03 Schizophrenic Patients, Cost, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Schizophrenic Patients	94395	3551	1213	968	1370
Total Costs (in thousands $$)	$1,637,013	$60,179	$14,821	$11,252	$34,106
Station % of VISN		100.0%	24.6%	18.7%	56.7%
Psych vs. Non-Psych Costs					
Psych	34.5%	35.2%	23.5%	31.4%	41.5%
Non-Psych	65.5%	64.8%	76.5%	68.6%	58.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use					
Per Patient	$21,945	$22,426	$13,238	$14,268	$33,103
Per Day of Stay	$763	$591	$921	$734	$519
Mean Outpatient Costs, Pts with some Outpatient use					
Per Patient	$7,323	$6,910	$6,892	$6,160	$7,479
Per Visit Day	$265	$240	$220	$288	$234
By Cost Center					
1 Med	$1,399	$1,181	$1,033	$1,025	$1,422
2 Surg	$470	$559	$745	$619	$353
3 Psych	$4,062	$4,676	$1,398	$2,321	$9,243
4 Psych Res Rehab Treatment Program	$217	$125	$226	$105	$49
5 Non-VA	$230	$301	$157	$291	$436
6 LTC Domiciliary	$302	$827	$343	$21	$1,825
7 LTC Intermediate Care	$166	$68	$34	$35	$121
8 LTC Nursing Home	$2,633	$1,864	$907	$557	$3,636
9 Contract Nursing Home	$664	$587	$562	$509	$664
10 OPC Med/Surg	$930	$771	$800	$692	$802
11 OPC Psych	$1,916	$1,286	$1,470	$1,332	$1,091
12 OPC Home Based Treatment	$933	$986	$973	$652	$1,234
13 OPC Support	$1,243	$1,341	$1,335	$1,252	$1,408
14 OPC Fee	$130	$138	$41	$91	$257
15 OPC Pharmacy	$2,047	$2,236	$2,194	$2,121	$2,355
TOTAL	$17,342	$16,947	$12,219	$11,623	$24,895
Mean % Patient Costs at Other Stations	3.6%	2.9%	2.6%	2.5%	3.5%
SD	*12.4%*	*11.5%*	*11.0%*	*11.3%*	*11.9%*
Mean % Patient Costs at Other VISNs	1.3%	0.0%	1.6%	1.6%	1.6%
SD	*7.5%*	*0.0%*	*8.6%*	*9.2%*	*7.9%*

Table 1H: FY03 Bipolar Patients, Demographics, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Bipolar Patients	73964	3384	1671	868	845
Age, %					
<35	7.9%	10.4%	9.7%	11.6%	10.5%
>=35 and <50	36.3%	38.4%	39.2%	36.6%	38.7%
>=50 and <65	40.3%	39.0%	40.2%	38.1%	37.8%
>=65 and <80	13.3%	9.9%	8.9%	11.2%	10.5%
>=80	2.2%	2.3%	2.0%	2.5%	2.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	52.26	50.90	50.81	50.96	51.02
SD	*12.50*	*12.38*	*12.01*	*12.84*	*12.62*
Gender					
Male, %	88.2%	84.0%	83.8%	83.2%	85.2%
Female, %	11.8%	16.0%	16.2%	16.8%	14.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %					
Hispanic white	2.8%	6.7%	1.8%	19.2%	3.7%
Hispanic black	0.3%	0.2%	0.1%	0.3%	0.1%
American indian	0.3%	0.3%	0.4%	0.2%	0.1%
Black	10.4%	10.3%	13.6%	6.1%	8.3%
Asian	0.2%	0.1%	0.2%	0.1%	0.0%
White	62.5%	61.3%	61.6%	57.5%	64.6%
Race unknown	23.5%	21.0%	22.3%	16.5%	23.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status					
Never married	21.0%	17.5%	17.1%	18.7%	16.9%
Married	37.7%	39.2%	40.4%	42.3%	33.6%
Divorced/Separated	37.9%	40.3%	39.8%	36.5%	45.2%
Widowed	3.4%	3.1%	2.7%	2.6%	4.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Bipolar Patients	73964	3384	1671	868	845
Registry Pts. History of VA Utilization					
Years since first use in prior five years, mean	4.2	4.09	4.04	4.20	4.08
SD	*1.3*	*1.37*	*1.39*	*1.29*	*1.41*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.1%	28.5%	25.3%	29.1%	34.3%
SD	*29.2%*	*29.1%*	*28.8%*	*30.8%*	*33.8%*
Years with OP use / Years since first use, %	96.7%	96.6%	96.5%	97.2%	96.2%
SD	*10.5%*	*10.3%*	*10.8%*	*8.6%*	*11.1%*
Psychosis Diagnoses in Prior Fiscal Year					
Had Psychosis Diagnosis in FY01, %	65.0%	64.6%	61.9%	69.8%	64.6%
Among Patients With Psychoses in FY01					
Psychosis Category: Schizophrenia, %	3.8%	2.9%	2.7%	2.0%	4.4%
Psychosis Category: Bipolar Disorder, %	94.8%	95.7%	95.6%	96.9%	94.9%
Psychosis Category: Other Psychosis, %	1.4%	1.3%	1.7%	1.2%	0.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %					
Dementia	1.7%	1.3%	1.0%	1.6%	1.5%
Post Traumatic Stress Disorder	21.3%	21.7%	23.6%	20.5%	19.1%
Depression	44.5%	41.3%	46.6%	34.2%	38.1%
Other Anxiety Disorder	16.3%	16.1%	17.9%	12.9%	15.9%
Substance Abuse or Dependence	29.8%	28.5%	28.7%	27.1%	29.7%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Bipolar Patients	73964	3384	1671	868	845
Medical Comorbidities, %					
No medical comorbidities	15.4%	14.9%	15.9%	15.7%	12.2%
Anemia	5.6%	4.9%	2.9%	5.1%	8.9%
Arthritis	42.4%	42.8%	40.4%	39.2%	51.2%
Cancer	6.2%	6.4%	5.7%	8.6%	5.3%
Cerebrovascular Disease	3.8%	3.7%	3.3%	4.6%	3.7%
Chronic Neurologic Disorder	14.8%	12.8%	10.5%	13.2%	16.9%
Chronic Obstructive Pulmonary Disease	16.0%	16.8%	15.7%	17.3%	18.5%
Chronic Viral Infection	9.6%	11.3%	10.1%	11.5%	13.4%
Coronary Artery Disease	16.8%	14.3%	13.8%	15.7%	14.0%
Diabetes	17.4%	19.3%	17.9%	22.4%	18.8%
Digestive System Disease	43.2%	42.7%	40.6%	44.1%	45.6%
Hypertension	38.5%	38.6%	39.2%	36.8%	39.2%
Injury and Poisoning	19.9%	19.8%	18.1%	21.4%	21.7%
Liver Disease	3.8%	3.8%	3.3%	5.0%	3.7%
Other Endocrine	10.0%	11.3%	11.1%	9.6%	13.3%
Peripheral Vascular Disease	3.0%	1.8%	1.6%	2.0%	1.9%
GAF scores					
Lowest inpatient GAF score, mean	39.59	43.52	41.75	46.48	44.36
SD	*14.06*	*12.08*	*12.89*	*9.20*	*11.81*
Mean outpatient GAF score	53.41	52.58	51.75	54.76	52.66
SD	*10.75*	*10.03*	*10.13*	*9.61*	*9.88*
At least 1 IP GAF, among pts with MH bedsections, %	39.1%	48.6%	49.2%	26.7%	68.8%
At least 1 OP GAF, among pts with MH clinic stops, %	81.5%	83.9%	90.8%	67.3%	86.4%
Mortality rates					
died in FY02, %	1.5%	1.5%	1.6%	1.3%	1.5%
Age-and-gender-adjusted Standardized Mortality Ratio	1.07	1.24	0.00	0.00	0.00

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 17, continued

		All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
	Bipolar Patients	73964	3384	1671	868	845
Service Connection (SC)						
	Non-SC	55.9%	51.5%	54.3%	44.7%	52.9%
	SC 0 - 29%	10.0%	11.8%	11.5%	11.4%	12.9%
	SC 30 - 69%	13.4%	14.0%	14.0%	15.1%	13.0%
	SC 70 - 99%	8.9%	10.5%	10.1%	12.8%	8.9%
	SC 100%	11.8%	12.1%	10.1%	16.0%	12.3%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %						
	Complex*	12.2%	14.1%	10.6%	12.3%	23.0%
	Basic vested, Cat A*	80.3%	78.1%	80.7%	80.3%	70.8%
	Basic Non-vested, Cat A*	0.9%	0.7%	0.5%	1.4%	0.6%
	Basic, Cats C and N	6.6%	7.0%	8.2%	6.0%	5.7%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%
	* Funded					
Patient eligibility category, %						
	Cat A (SC or low income)	93.2%	92.9%	91.8%	93.8%	94.3%
	Cat C (NSC and higher income)	5.9%	5.0%	5.7%	4.1%	4.5%
	Non-Veteran	0.9%	2.0%	2.5%	2.1%	1.2%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %						
BASIC	1. Non-reliant Care	0.1%	0.1%	0.0%	0.1%	0.4%
	2. Basic Medical	15.2%	15.3%	13.5%	16.0%	18.2%
	3. Mental Health	40.5%	38.0%	41.3%	39.6%	29.9%
	4. Heart / Lung / GI	6.9%	6.5%	6.8%	6.5%	6.0%
	5. Oncology / Infectious Disease	4.3%	5.1%	4.4%	4.6%	6.9%
	6. Multiple Medical	20.7%	20.8%	23.4%	20.9%	15.6%
COMPLEX	7. Specialized Care	2.2%	2.1%	1.8%	3.2%	1.4%
	8. Support Care	2.1%	3.7%	3.7%	1.4%	6.0%
	9. Chronic Mental	6.8%	6.6%	4.2%	5.8%	12.3%
	10. Critically Ill	1.1%	1.7%	0.8%	2.0%	3.2%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Bipolar Patients	73964	3384	1671	868	845
Substance Dependence and Abuse					
Any dx of alcohol / drug dependence or abuse, %	29.8%	28.5%	28.7%	27.1%	29.7%
Homelessness					
Homelessness indicated in FY02, %	13.8%	15.6%	18.5%	7.8%	17.9%
Residence in Metropolitan Area					
Residing in a Metropolitan Statistical Area, %	79.3%	82.6%	84.9%	80.0%	80.9%
Distance					
Mile from Closest VA Medical Center, mean	34.15	41.21	35.15	51.71	42.39
SD	*73.16*	*50.34*	*27.76*	*70.96*	*57.19*
Distance from closest VA Medical Center, %					
0 to 15 miles	46.2%	34.4%	27.0%	55.2%	27.8%
15 to 30 miles	17.2%	18.7%	28.1%	10.1%	9.0%
30 to 45 miles	10.6%	12.2%	16.5%	4.4%	11.8%
45 to 60 miles	8.5%	9.3%	7.0%	2.4%	20.9%
60 plus miles	17.4%	25.3%	21.4%	27.9%	30.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.09	11.08	11.84	8.18	12.56
SD	*13.59*	*10.62*	*10.01*	*10.09*	*11.73*
Distance to closest VA Service Site, %					
0 to 15 miles	76.3%	73.7%	71.1%	83.4%	69.0%
15 to 30 miles	15.4%	18.6%	22.6%	11.3%	18.2%
30 to 45 miles	5.7%	6.5%	5.4%	3.7%	11.6%
45 plus miles	2.7%	1.2%	0.9%	1.6%	1.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3H: FY03 Bipolar Patients, Utilization, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Bipolar Patients	73964	3384	1671	868	845
Hospital Based Utilization					
Patients with some Hospital Based Utilization, %	25.4%	27.0%	23.8%	29.5%	30.9%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)					
Inpatient stays, mean	1.80	1.78	1.58	1.94	1.94
SD	*1.41*	*1.42*	*1.06*	*1.50*	*1.75*
Average LOS, mean	9.79	10.58	6.99	8.43	18.15
SD	*17.76*	*20.36*	*7.12*	*7.63*	*35.21*
Cumulative DOS, mean	17.09	18.65	11.72	16.02	31.77
SD	*27.94*	*31.09*	*15.15*	*18.17*	*49.67*
Cumulative DOS, %					
1 to 7	44.7%	44.0%	54.9%	38.3%	33.0%
8 to 14	21.9%	21.0%	21.2%	25.0%	16.9%
15 to 44	25.9%	25.8%	19.9%	30.1%	30.7%
45 to 89	5.3%	6.2%	3.5%	5.9%	10.7%
90 to 179	1.5%	2.0%	0.5%	0.8%	5.4%
180 to 359	0.5%	0.9%	0.0%	0.0%	3.1%
360+	0.1%	0.1%	0.0%	0.0%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	1.0%	1.4%	0.0%	0.4%	4.6%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	203.75	207.46	0.00	129.00	214.00
SD	*79.71*	*71.12*	*0.00*	*0.00*	*70.08*
Hospital patients who had a 150+ day hosp. stay, %	0.6%	1.0%	0.0%	0.0%	3.4%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	251.69	234.78	0.00	0.00	234.78
SD	*73.28*	*69.21*	*0.00*	*0.00*	*69.21*
Cumulative DOS at Other VISNs	0.67	0.66	0.44	0.66	0.99
SD	*4.53*	*4.10*	*3.20*	*3.79*	*5.41*
Cumulative DOS at Other Stations	1.97	1.92	1.11	1.38	3.69
SD	*7.12*	*7.60*	*6.29*	*5.84*	*10.24*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Bipolar Patients	73964	3384	1671	868	845
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)					
Pts. with non-psych hospital stays, %	11.7%	11.7%	10.3%	12.4%	13.6%
Inpatient stays, mean	0.72	0.67	0.66	0.66	0.69
SD	*1.10*	*1.02*	*1.01*	*1.00*	*1.04*
Average LOS, mean	6.20	6.81	5.40	7.05	8.70
SD	*10.70*	*10.69*	*7.20*	*9.73*	*14.89*
Cumulative Days of Stay, mean	4.64	4.73	3.95	4.70	5.94
SD	*13.49*	*12.37*	*10.15*	*12.80*	*14.74*
Cumulative Days of Stay, %					
0	54.1%	56.8%	56.7%	57.8%	55.9%
1 to 7	30.1%	26.7%	29.7%	25.4%	23.4%
8 to 14	7.4%	6.8%	4.3%	8.2%	9.2%
15 to 44	7.0%	7.9%	8.1%	7.0%	8.4%
45 to 89	1.1%	1.5%	1.0%	1.2%	2.7%
90 to 179	0.3%	0.3%	0.3%	0.4%	0.4%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.2%	0.2%	0.0%	0.4%	0.4%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	187.03	135.00	0.00	129.00	141.00
SD	*73.96*	*8.49*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.06	0.00	0.00	0.00	0.00
SD	*75.99*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.15*	*0.15*	*0.10*	*0.19*	*0.18*
SD	*2.03*	*1.58*	*1.48*	*1.93*	*1.33*
Other station cumulative DOS, mean	0.50	0.38	0.16	0.36	0.75
SD	*3.25*	*2.88*	*1.60*	*3.25*	*3.82*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Bipolar Patients	73964	3384	1671	868	845
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)					
Pts. with psych hospital stays, %	16.8%	18.6%	15.6%	20.7%	22.4%
Inpatient stays, mean	1.08	1.11	0.91	1.29	1.25
SD	*1.27*	*1.34*	*0.94*	*1.51*	*1.61*
Average LOS, mean	12.15	13.04	7.98	9.12	23.73
SD	*21.36*	*25.08*	*7.18*	*6.60*	*42.71*
Cumulative Days of Stay, mean	12.44	13.92	7.77	11.32	25.82
SD	*25.57*	*29.40*	*13.17*	*15.59*	*48.23*
Cumulative Days of Stay, %					
0	34.1%	31.2%	34.5%	29.7%	27.6%
1 to 7	24.8%	25.9%	33.2%	23.4%	17.2%
8 to 14	16.7%	18.1%	18.1%	19.9%	16.1%
15 to 44	19.0%	18.5%	12.1%	23.0%	23.8%
45 to 89	3.7%	3.9%	1.8%	3.5%	7.7%
90 to 179	1.2%	1.4%	0.3%	0.4%	4.2%
180 to 359	0.4%	0.9%	0.0%	0.0%	3.1%
360+	0.1%	0.1%	0.0%	0.0%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.8%	1.2%	0.0%	0.0%	4.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	201.69	213.64	0.00	0.00	213.64
SD	*78.85*	*68.89*	*0.00*	*0.00*	*68.89*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.5%	1.0%	0.0%	0.0%	3.4%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	248.87	226.22	0.00	0.00	226.22
SD	*70.96*	*70.37*	*0.00*	*0.00*	*70.37*
Other VISN cumulative DOS, mean	0.52	0.51	0.34	0.46	0.81
SD	4.00	3.77	2.80	3.23	5.25
Other station cumulative DOS, mean	1.48	1.54	0.95	1.02	2.93
SD	6.29	6.95	6.02	4.88	9.39

Table 3H: FY03 Bipolar Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Bipolar Patients	73964	3384	1671	868	845
Other 24 hour institutional care					
Patients with some other 24 hour institutional care, %	8.1%	12.9%	10.5%	8.1%	22.5%
Residential Rehabilitation					
Patients with some residential rehab. care, %	2.6%	5.1%	6.1%	5.5%	2.8%
Number stays, mean	*1.12*	*1.06*	*1.04*	*1.13*	*1.04*
SD	*0.38*	*0.29*	*0.20*	*0.44*	*0.20*
Average LOS, mean	33.17	23.63	24.91	14.74	35.98
SD	*32.92*	*35.99*	*43.91*	*8.76*	*28.14*
Cumulative DOS, mean	36.42	24.54	25.54	16.23	36.92
SD	*35.54*	*36.05*	*43.91*	*10.19*	*28.04*
Cumulative Days of Stay, %					
1 to 7	10.4%	14.4%	9.8%	20.8%	20.8%
8 to 14	11.3%	14.4%	8.8%	33.3%	0.0%
15 to 44	53.1%	63.2%	78.4%	43.8%	37.5%
45 to 89	18.3%	6.9%	1.0%	2.1%	41.7%
90 to 179	5.8%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.0%	0.6%	1.0%	0.0%	0.0%
360+	0.1%	0.6%	1.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.3%	1.1%	2.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	167.40	325.50	325.50	0.00	0.00
SD	*69.53*	*54.45*	*54.45*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	1.1%	2.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	224.60	325.50	325.50	0.00	0.00
SD	*70.59*	*54.45*	*54.45*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.28	0.00	0.00	0.00	0.00
SD	*6.79*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.71	1.22	0.08	0.00	8.54
SD	*10.96*	*5.39*	*0.79*	*0.00*	*12.28*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Bipolar Patients	73964	3384	1671	868	845
Domiciliary and Vocational					
Patients with some dom/voc care, %	4.2%	8.3%	7.2%	0.8%	18.0%
Number stays, mean	1.14	1.16	1.22	1.00	1.11
SD	*0.38*	*0.38*	*0.46*	*0.00*	*0.32*
Average LOS, mean	80.47	97.63	92.30	19.14	105.49
SD	*77.50*	*97.99*	*100.79*	*25.08*	*96.30*
Cumulative DOS, mean	88.84	106.99	104.39	19.14	113.10
SD	*82.55*	*99.23*	*100.24*	*25.08*	*98.90*
Cumulative Days of Stay, %					
1 to 7	6.1%	5.4%	5.8%	42.9%	3.3%
8 to 14	5.6%	6.1%	1.7%	28.6%	8.6%
15 to 44	28.2%	23.9%	29.8%	14.3%	19.7%
45 to 89	21.0%	20.4%	24.0%	14.3%	17.8%
90 to 179	26.2%	25.4%	21.5%	0.0%	29.6%
180 to 359	10.5%	12.1%	9.1%	0.0%	15.1%
360+	2.4%	6.8%	8.3%	0.0%	5.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.1%	35.4%	28.9%	0.0%	42.1%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	184.30	213.41	230.37	0.00	204.14
SD	*76.03*	*91.08*	*99.20*	*0.00*	*85.70*
Dom. patients with 150+ day Dom. stay, %	16.5%	23.2%	17.4%	0.0%	28.9%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	236.94	257.57	290.71	0.00	241.75
SD	*71.03*	*82.06*	*82.55*	*0.00*	*77.84*
Other VISN cumulative DOS, mean	1.76	0.56	0.68	0.00	0.49
SD	*9.43*	*5.64*	*6.76*	*0.00*	*4.73*
Other station cumulative DOS, mean	4.27	1.14	0.74	19.14	0.62
SD	*15.65*	*7.42*	*6.79*	*25.08*	*4.96*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Bipolar Patients	73964	3384	1671	868	845
Nursing Home Care					
Patients with some nursing home care, %	2.1%	2.4%	1.6%	2.5%	3.9%
Number stays, mean	1.22	1.23	1.23	1.23	1.24
SD	*0.55*	*0.43*	*0.43*	*0.43*	*0.44*
Average LOS, mean	86.89	92.02	108.27	57.02	102.55
SD	*110.58*	*96.22*	*130.18*	*54.30*	*82.47*
Cumulative DOS, mean	98.25	104.42	119.15	70.18	115.64
SD	*116.77*	*97.65*	*128.51*	*66.37*	*83.27*
Cumulative Days of Stay, %					
1 to 7	10.5%	4.9%	3.8%	9.1%	3.0%
8 to 14	10.7%	8.6%	19.2%	4.5%	3.0%
15 to 44	30.2%	21.0%	23.1%	36.4%	9.1%
45 to 89	16.4%	21.0%	3.8%	22.7%	33.3%
90 to 179	12.3%	28.4%	26.9%	18.2%	36.4%
180 to 359	10.2%	12.3%	15.4%	9.1%	12.1%
360+	9.8%	3.7%	7.7%	0.0%	3.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	27.9%	35.8%	42.3%	22.7%	39.4%
Cumul. DOS, patients with a 100+ day NH stay, mean	261.88	207.03	237.27	170.20	195.62
SD	*97.21*	*90.00*	*113.47*	*66.61*	*71.74*
NH patients with 150+ day NH stay, %	22.1%	23.5%	23.1%	13.6%	30.3%
Cumul. DOS, patients with a 150+ day NH stay, mean	296.07	250.89	330.83	214.33	213.90
SD	*76.98*	*80.42*	*44.96*	*39.51*	*72.38*
Other VISN cumulative DOS, mean	0.47	0.33	1.04	0.00	0.00
SD	*5.60*	*3.00*	*5.30*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.51	1.83	1.54	0.00	3.27
SD	*9.89*	*11.36*	*5.78*	*0.00*	*17.09*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Bipolar Patients	73964	3384	1671	868	845
Outpatient utilization					
(reported for those with some outpatient care)					
Patients with some outpatient care, %	99.6%	99.5%	99.6%	99.8%	99.1%
annual visit days, mean	24.20	23.79	24.34	20.45	26.14
SD	*30.37*	*30.69*	*35.61*	*20.79*	*28.37*
Outpatient visit days, %					
1-12	43.1%	43.6%	47.1%	42.3%	38.1%
13-24	26.8%	27.4%	26.1%	30.0%	27.2%
25-36	12.4%	11.9%	10.0%	14.4%	13.1%
37-48	6.4%	6.6%	5.9%	7.0%	7.5%
49+	11.4%	10.5%	10.9%	6.2%	14.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	80.8%	85.7%	85.5%	81.5%	90.3%
Mean PC visit days, among those with some PC	3.83	4.13	3.57	3.94	5.35
SD	3.42	3.77	3.12	3.42	4.80
Average number clinic stops per visit day, mean	1.50	1.55	1.63	1.41	1.52
SD	*0.46*	*0.50*	*0.53*	*0.44*	*0.44*
annual clinic stops (psych & non-psych), mean	37.58	36.38	38.60	28.42	40.18
SD	*53.68*	*47.57*	*54.59*	*30.97*	*45.84*
annual non-psych. clinic stops, mean	19.81	22.12	20.74	19.42	27.64
SD	*22.87*	*26.18*	*26.65*	*18.29*	*30.99*
annual psych. clinic stops (groupings below), mean	17.77	14.26	17.86	9.00	12.53
SD	*40.95*	*32.03*	*39.23*	*22.02*	*22.55*
1. general psych. clinic stops, mean	7.61	5.92	6.54	5.00	5.63
SD	*12.69*	*9.35*	*8.81*	*7.44*	*11.78*
2. psych. case management clinic stops, mean	0.65	0.49	0.42	0.00	1.14
SD	*8.45*	*7.08*	*6.08*	*0.03*	*11.29*
3. psych. day treatment clinic stops, mean	1.57	0.59	0.81	0.73	0.01
SD	*15.80*	*8.21*	*9.92*	*8.52*	*0.18*
4. substance abuse clinic stops, mean	4.64	3.26	4.26	0.89	3.73
SD	*21.97*	*12.44*	*14.62*	*5.90*	*12.41*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Bipolar Patients	73964	3384	1671	868	845
5. psych. vocational clinic stops, mean	1.91	2.91	4.68	1.66	0.70
SD	*15.13*	*19.86*	*26.04*	*14.02*	*4.76*
6. PTSD clinic stops, mean	0.80	0.47	0.46	0.33	0.65
SD	*5.71*	*3.62*	*4.21*	*1.92*	*3.69*
7. psych. homeless clinic stops, mean	0.54	0.56	0.65	0.31	0.63
SD	*3.97*	*3.28*	*3.75*	*2.51*	*2.97*
Other VISN OP visit days, mean	0.48	0.47	0.31	0.37	0.91
SD	2.80	2.69	1.77	2.08	4.26
Other station OP visit days, mean	1.14	0.82	0.49	0.60	1.72
SD	4.45	3.70	2.35	2.95	5.83

Table 4H: FY03 Bipolar Patients, Pharmacy Utilization, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Bipolar Patients	73964	3384	1671	868	845
Among all patients in the registry					
Pts. with any outpatient prescriptions, %	96.9%	97.8%	98.4%	96.9%	97.3%
Patients with any oral antipsychotic fills, %*	46.0%	52.2%	50.9%	54.0%	52.7%
Among pts. receiving any antipsychotic medication:					
Received only conventional antipsychotics, %	7.6%	7.6%	8.6%	7.7%	5.6%
Received some atypical antipsychotics, %	92.4%	92.4%	91.4%	92.3%	94.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %					
Aripiprazole	0.9%	0.7%	0.5%	0.9%	0.9%
Clozapine	0.2%	0.3%	0.4%	0.2%	0.4%
Olanzapine	40.7%	47.3%	45.4%	46.7%	51.7%
Quetiapine	34.1%	32.4%	37.8%	26.7%	27.9%
Risperidone	31.0%	27.7%	23.0%	34.1%	29.9%
Ziprasidone	4.7%	4.9%	4.0%	7.2%	4.3%
Patients receiving only one kind** of antipsychotic, %	77.4%	75.5%	75.9%	72.5%	78.0%
Concurrent use of 2 or more antipsychotics, % ***	5.5%	5.5%	5.8%	6.4%	4.0%
Among pts receiving just one antipsychotic:					
Antipsychotic fills, mean	6.09	5.84	5.66	6.01	5.99
SD	*4.43*	*4.40*	*4.37*	*4.44*	*4.42*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--
SD	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5H: FY03 Bipolar Patients, Cost, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Bipolar Patients	73964	3384	1671	868	845
Total Costs (in thousands $$)	$907,650	$41,041	$16,731	$10,201	$14,109
Station % of VISN		100.0%	40.8%	24.9%	34.4%
Psych vs. Non-Psych Costs					
Psych	33.4%	30.5%	29.5%	27.5%	33.9%
Non-Psych	66.6%	69.5%	70.5%	72.5%	66.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use					
Per Patient	$15,075	$14,011	$10,155	$13,389	$20,487
Per Day of Stay	$882	$751	$866	$836	$645
Mean Outpatient Costs, Pts with some Outpatient use					
Per Patient	$6,520	$6,129	$6,019	$6,113	$6,365
Per Visit Day	$269	$258	$247	$299	$243
By Cost Center					
1 Med	$1,060	$1,004	$591	$1,536	$1,275
2 Surg	$459	$536	$482	$500	$677
3 Psych	$2,315	$2,245	$1,339	$1,912	$4,376
4 Psych Res Rehab Treatment Program	$298	$405	$447	$326	$403
5 Non-VA	$176	$173	$54	$424	$149
6 LTC Domiciliary	$455	$670	$483	$24	$1,705
7 LTC Intermediate Care	$96	$52	$78	$2	$52
8 LTC Nursing Home	$778	$861	$476	$851	$1,633
9 Contract Nursing Home	$142	$82	$65	$77	$123
10 OPC Med/Surg	$1,111	$963	$894	$977	$1,086
11 OPC Psych	$1,781	$1,456	$1,612	$1,320	$1,290
12 OPC Home Based Treatment	$532	$486	$367	$491	$718
13 OPC Support	$1,309	$1,446	$1,442	$1,472	$1,429
14 OPC Fee	$115	$59	$30	$71	$104
15 OPC Pharmacy	$1,645	$1,689	$1,654	$1,767	$1,677
TOTAL	$12,272	$12,128	$10,013	$11,752	$16,697
Mean % Patient Costs at Other Stations	4.8%	3.6%	2.5%	3.0%	6.4%
SD	*13.9%*	*12.1%*	*9.8%*	*11.5%*	*15.9%*
Mean % Patient Costs at Other VISNs	2.0%	0.0%	1.6%	2.0%	2.5%
SD	*9.0%*	*0.0%*	*7.7%*	*9.7%*	*9.5%*

Table 2I: FY03 Other Psychosis Patients, Demographics, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Other Psychosis Patients	49401	2526	846	967	713
Age, %					
<35	2.2%	2.3%	2.4%	2.5%	1.8%
>=35 and <50	12.5%	11.6%	13.6%	10.7%	10.4%
>=50 and <65	22.1%	21.7%	23.2%	21.6%	20.2%
>=65 and <80	36.7%	37.6%	35.8%	35.6%	42.6%
>=80	26.5%	26.8%	25.1%	29.7%	25.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	68.22	68.69	67.43	69.36	69.28
SD	*15.13*	*14.90*	*14.93*	*15.19*	*14.39*
Gender					
Male, %	96.0%	95.8%	95.3%	96.0%	96.2%
Female, %	4.0%	4.2%	4.7%	4.0%	3.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %					
Hispanic white	3.9%	14.3%	1.4%	32.9%	4.5%
Hispanic black	0.3%	0.2%	0.1%	0.3%	0.1%
American indian	0.2%	0.1%	0.2%	0.0%	0.1%
Black	15.5%	15.0%	22.6%	6.8%	17.1%
Asian	0.4%	0.1%	0.0%	0.2%	0.0%
White	48.2%	46.3%	49.9%	38.2%	53.2%
Race unknown	31.5%	24.0%	25.8%	21.6%	25.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status					
Never married	13.4%	9.9%	9.5%	10.3%	9.7%
Married	52.0%	56.0%	52.5%	58.4%	56.7%
Divorced/Separated	22.5%	22.4%	24.9%	20.2%	22.4%
Widowed	12.0%	11.8%	13.2%	11.0%	11.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Other Psychosis Patients	49401	2526	846	967	713
Registry Pts. History of VA Utilization					
Years since first use in prior five years, mean	4.0	3.98	3.72	4.08	4.16
SD	*1.4*	*1.43*	*1.51*	*1.39*	*1.36*
Yrs with 24-hour institutional use / yrs since 1st use, %	24.1%	25.6%	24.9%	26.5%	24.9%
SD	*27.8%*	*29.7%*	*28.8%*	*29.7%*	*28.6%*
Years with OP use / Years since first use, %	96.9%	96.7%	95.7%	97.2%	97.1%
SD	*10.4%*	*10.5%*	*12.2%*	*10.1%*	*9.0%*
Psychosis Diagnoses in Prior Fiscal Year					
Had Psychosis Diagnosis in FY01, %	33.8%	38.6%	38.3%	40.0%	36.9%
Among Patients With Psychoses in FY01					
Psychosis Category: Schizophrenia, %	9.4%	5.7%	10.8%	1.8%	5.3%
Psychosis Category: Bipolar Disorder, %	3.8%	2.5%	4.0%	0.5%	3.4%
Psychosis Category: Other Psychosis, %	86.9%	91.8%	85.2%	97.7%	91.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %					
Dementia	20.6%	21.4%	23.9%	21.5%	18.2%
Post Traumatic Stress Disorder	13.4%	13.0%	12.5%	14.3%	11.9%
Depression	37.7%	37.5%	38.7%	38.0%	35.3%
Other Anxiety Disorder	12.0%	10.8%	10.4%	11.9%	10.0%
Substance Abuse or Dependence	15.7%	14.4%	15.4%	15.0%	12.5%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Other Psychosis Patients	49401	2526	846	967	713
Medical Comorbidities, %					
No medical comorbidities	8.3%	7.5%	9.2%	6.9%	6.3%
Anemia	14.2%	13.2%	9.9%	12.8%	17.5%
Arthritis	39.1%	40.8%	36.3%	42.1%	44.5%
Cancer	14.0%	12.7%	12.8%	13.0%	12.1%
Cerebrovascular Disease	16.4%	17.5%	16.7%	17.5%	18.5%
Chronic Neurologic Disorder	20.8%	19.6%	18.3%	20.0%	20.6%
Chronic Obstructive Pulmonary Disease	17.9%	17.8%	15.4%	16.8%	22.0%
Chronic Viral Infection	5.9%	5.9%	5.3%	7.0%	5.2%
Coronary Artery Disease	33.0%	31.9%	28.1%	32.3%	36.0%
Diabetes	23.4%	25.5%	21.3%	29.4%	25.4%
Digestive System Disease	42.9%	42.2%	38.5%	44.1%	44.0%
Hypertension	54.9%	54.6%	54.0%	54.2%	55.7%
Injury and Poisoning	19.4%	18.4%	15.7%	20.9%	18.2%
Liver Disease	3.8%	3.4%	3.4%	4.3%	2.2%
Other Endocrine	9.5%	9.1%	9.1%	8.9%	9.3%
Peripheral Vascular Disease	7.8%	7.3%	5.4%	9.5%	6.6%
GAF scores					
Lowest inpatient GAF score, mean	37.71	40.75	36.61	45.57	42.10
SD	*14.78*	*12.29*	*13.46*	*8.64*	*11.65*
Mean outpatient GAF score	48.43	46.59	45.10	49.05	46.67
SD	*11.56*	*10.83*	*10.61*	*9.40*	*12.02*
At least 1 IP GAF, among pts with MH bedsections, %	36.3%	46.0%	59.1%	21.9%	70.9%
At least 1 OP GAF, among pts with MH clinic stops, %	74.8%	78.4%	88.9%	63.0%	81.8%
Mortality rates					
died in FY02, %	6.2%	7.1%	6.6%	6.3%	8.8%
Age-and-gender-adjusted Standardized Mortality Ratio	1.21	1.38	0.00	0.00	0.00

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Other Psychosis Patients	49401	2526	846	967	713
Service Connection (SC)					
Non-SC	63.3%	57.0%	65.4%	53.5%	51.8%
SC 0 - 29%	10.4%	11.1%	10.0%	10.9%	12.8%
SC 30 - 69%	10.8%	12.4%	9.1%	15.2%	12.6%
SC 70 - 99%	6.4%	8.7%	6.1%	9.1%	11.2%
SC 100%	9.1%	10.8%	9.3%	11.4%	11.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %					
Complex*	15.0%	18.4%	14.1%	19.5%	21.9%
Basic vested, Cat A*	74.8%	75.1%	77.8%	75.3%	71.5%
Basic Non-vested, Cat A*	0.8%	0.9%	1.1%	0.9%	0.6%
Basic, Cats C and N	9.4%	5.7%	7.1%	4.2%	6.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded					
Patient eligibility category, %					
Cat A (SC or low income)	90.1%	94.0%	92.8%	95.6%	93.3%
Cat C (NSC and higher income)	9.4%	5.4%	6.1%	4.0%	6.3%
Non-Veteran	0.6%	0.6%	1.1%	0.4%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %					
BASIC 1. Non-reliant Care	0.1%	0.1%	0.2%	0.0%	0.0%
2. Basic Medical	12.0%	25.3%	20.5%	30.4%	18.4%
3. Mental Health	36.4%	24.2%	24.6%	40.1%	32.4%
4. Heart / Lung / GI	6.3%	11.7%	7.5%	10.6%	9.3%
5. Oncology / Infectious Disease	3.6%	3.2%	4.7%	6.5%	3.9%
6. Multiple Medical	20.2%	17.1%	13.6%	6.5%	18.8%
COMPLEX 7. Specialized Care	3.4%	3.7%	1.2%	1.0%	6.6%
8. Support Care	2.6%	7.2%	6.4%	1.4%	3.0%
9. Chronic Mental	13.1%	2.8%	16.8%	2.2%	3.7%
10. Critically Ill	2.2%	4.8%	4.7%	1.2%	4.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Other Psychosis Patients	49401	2526	846	967	713
Substance Dependence and Abuse					
Any dx of alcohol / drug dependence or abuse, %	15.7%	14.4%	15.4%	15.0%	12.5%
Homelessness					
Homelessness indicated in FY02, %	7.1%	6.6%	9.3%	3.5%	7.4%
Residence in Metropolitan Area					
Residing in a Metropolitan Statistical Area, %	76.7%	77.6%	82.0%	79.1%	70.4%
Distance					
Mile from Closest VA Medical Center, mean	35.80	45.33	34.75	57.63	41.24
SD	*82.41*	*52.82*	*29.81*	*74.66*	*30.46*
Distance from closest VA Medical Center, %					
0 to 15 miles	45.8%	39.2%	33.2%	54.1%	25.9%
15 to 30 miles	16.6%	13.7%	22.9%	6.8%	12.1%
30 to 45 miles	10.9%	10.7%	13.1%	5.4%	15.1%
45 to 60 miles	8.8%	8.3%	8.6%	2.7%	15.4%
60 plus miles	17.9%	28.1%	22.1%	31.0%	31.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.89	11.88	12.40	9.00	15.15
SD	*14.24*	*12.13*	*11.09*	*11.58*	*13.10*
Distance to closest VA Service Site, %					
0 to 15 miles	73.5%	71.1%	69.5%	81.4%	59.0%
15 to 30 miles	16.6%	18.2%	22.3%	11.6%	22.2%
30 to 45 miles	7.0%	8.7%	7.0%	4.7%	16.3%
45 plus miles	3.0%	2.0%	1.2%	2.4%	2.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Other Psychosis Patients	49401	2526	846	967	713
Hospital Based Utilization					
Patients with some Hospital Based Utilization, %	30.2%	31.4%	29.4%	33.3%	31.3%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)					
Inpatient stays, mean	1.82	1.86	1.96	1.94	1.64
SD	*1.40*	*1.66*	*2.02*	*1.61*	*1.22*
Average LOS, mean	9.37	10.37	7.47	8.78	15.92
SD	*15.01*	*13.20*	*6.75*	*7.64*	*21.04*
Cumulative DOS, mean	16.06	17.72	13.86	16.28	24.12
SD	*22.72*	*21.70*	*15.49*	*16.33*	*31.11*
Cumulative DOS, %					
1 to 7	42.1%	37.8%	45.4%	35.7%	32.3%
8 to 14	23.4%	23.8%	20.5%	27.0%	22.9%
15 to 44	27.8%	30.0%	29.3%	29.8%	30.9%
45 to 89	5.2%	6.5%	4.4%	6.8%	8.5%
90 to 179	1.2%	1.8%	0.4%	0.6%	4.9%
180 to 359	0.2%	0.1%	0.0%	0.0%	0.4%
360+	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	0.7%	0.8%	0.0%	0.0%	2.7%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	185.56	152.00	0.00	0.00	152.00
SD	*75.86*	*34.47*	*0.00*	*0.00*	*34.47*
Hospital patients who had a 150+ day hosp. stay, %	0.3%	0.3%	0.0%	0.0%	0.9%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	241.58	177.50	0.00	0.00	177.50
SD	*74.51*	*9.19*	*0.00*	*0.00*	*9.19*
Cumulative DOS at Other VISNs	0.37	0.46	0.34	0.07	1.17
SD	*3.13*	*5.40*	*1.70*	*0.95*	*9.95*
Cumulative DOS at Other Stations	1.24	1.03	0.62	0.17	2.73
SD	*5.73*	*6.98*	*3.37*	*1.83*	*12.35*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Other Psychosis Patients	49401	2526	846	967	713
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)					
Pts. with non-psych hospital stays, %	21.7%	21.8%	21.3%	22.1%	21.9%
Inpatient stays, mean	1.27	1.20	1.44	1.10	1.07
SD	*1.36*	*1.50*	*2.09*	*1.16*	*1.05*
Average LOS, mean	7.86	8.29	6.74	7.57	11.08
SD	*11.97*	*10.98*	*7.10*	*7.42*	*16.80*
Cumulative Days of Stay, mean	9.61	9.18	8.90	8.16	10.96
SD	*16.99*	*14.46*	*13.83*	*11.55*	*18.31*
Cumulative Days of Stay, %					
0	28.2%	30.7%	27.7%	33.5%	30.0%
1 to 7	35.5%	32.9%	38.2%	31.1%	29.6%
8 to 14	15.8%	15.4%	12.4%	16.5%	17.0%
15 to 44	17.1%	18.5%	19.3%	17.1%	19.7%
45 to 89	2.8%	2.1%	2.0%	1.9%	2.7%
90 to 179	0.5%	0.3%	0.4%	0.0%	0.4%
180 to 359	0.1%	0.1%	0.0%	0.0%	0.4%
360+	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.1%	0.0%	0.0%	0.4%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	178.07	184.00	0.00	0.00	184.00
SD	*75.21*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.1%	0.0%	0.0%	0.4%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	240.47	184.00	0.00	0.00	184.00
SD	*75.05*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.18*	*0.15*	*0.22*	*0.00*	*0.27*
SD	*1.94*	*1.44*	*1.38*	*0.06*	*2.29*
Other station cumulative DOS, mean	0.60	0.36	0.41	0.10	0.70
SD	*3.61*	*2.91*	*3.10*	*1.57*	*3.98*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Other Psychosis Patients	49401	2526	846	967	713
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)					
Pts. with psych hospital stays, %	10.8%	12.3%	10.4%	14.2%	12.1%
Inpatient stays, mean	0.55	0.66	0.52	0.84	0.57
SD	*1.03*	*1.26*	*0.85*	*1.63*	*0.94*
Average LOS, mean	12.47	14.46	9.21	10.50	26.15
SD	*19.53*	*18.06*	*5.87*	*8.14*	*29.26*
Cumulative Days of Stay, mean	6.45	8.54	4.96	8.11	13.16
SD	*17.76*	*18.85*	*10.13*	*15.59*	*27.70*
Cumulative Days of Stay, %					
0	64.2%	60.8%	64.7%	57.5%	61.4%
1 to 7	12.7%	10.8%	12.9%	11.8%	7.2%
8 to 14	9.6%	11.0%	10.8%	13.7%	7.2%
15 to 44	10.7%	12.5%	10.0%	12.4%	15.2%
45 to 89	2.1%	3.5%	1.6%	4.0%	4.9%
90 to 179	0.5%	1.4%	0.0%	0.6%	4.0%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.4%	0.6%	0.0%	0.0%	2.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	182.44	131.60	0.00	0.00	131.60
SD	*78.98*	*23.47*	*0.00*	*0.00*	*23.47*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.2%	0.1%	0.0%	0.0%	0.4%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.42	160.00	0.00	0.00	160.00
SD	*77.61*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.19	0.31	0.11	0.07	0.90
SD	2.40	5.05	0.96	0.95	9.40
Other station cumulative DOS, mean	0.64	0.66	0.21	0.07	2.03
SD	4.34	5.97	1.36	0.95	11.02

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Other Psychosis Patients	49401	2526	846	967	713
Other 24 hour institutional care					
Patients with some other 24 hour institutional care, %	10.1%	14.9%	12.8%	13.0%	20.1%
Residential Rehabilitation					
Patients with some residential rehab. care, %	1.0%	2.5%	3.1%	3.0%	1.0%
Number stays, mean	*1.13*	*1.11*	*1.00*	*1.21*	*1.14*
SD	*0.45*	*0.32*	*0.00*	*0.41*	*0.38*
Average LOS, mean	30.41	19.61	27.58	10.66	27.14
SD	*33.22*	*36.28*	*52.78*	*7.00*	*28.53*
Cumulative DOS, mean	33.30	20.45	27.58	12.21	28.14
SD	*35.32*	*36.18*	*52.78*	*8.07*	*27.82*
Cumulative Days of Stay, %					
1 to 7	15.1%	19.4%	7.7%	31.0%	14.3%
8 to 14	12.1%	30.6%	19.2%	37.9%	42.9%
15 to 44	54.3%	45.2%	69.2%	31.0%	14.3%
45 to 89	11.7%	3.2%	0.0%	0.0%	28.6%
90 to 179	5.7%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.1%	1.6%	3.8%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	2.6%	1.6%	3.8%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	181.33	285.00	285.00	0.00	0.00
SD	*69.09*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	1.6%	3.8%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	235.83	285.00	285.00	0.00	0.00
SD	*52.07*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.38	0.00	0.00	0.00	0.00
SD	*7.57*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	4.16	1.29	0.42	0.28	8.71
SD	*12.59*	*3.96*	*2.16*	*1.31*	*7.72*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Other Psychosis Patients	49401	2526	846	967	713
Domiciliary and Vocational					
Patients with some dom/voc care, %	1.7%	2.8%	3.2%	0.1%	5.9%
Number stays, mean	1.13	1.06	1.11	1.00	1.02
SD	*0.36*	*0.23*	*0.32*	*0.00*	*0.15*
Average LOS, mean	79.24	123.57	111.94	24.00	133.42
SD	*81.39*	*112.82*	*114.67*	*0.00*	*112.47*
Cumulative DOS, mean	86.42	128.03	120.22	24.00	135.52
SD	*85.00*	*112.62*	*114.70*	*0.00*	*112.44*
Cumulative Days of Stay, %					
1 to 7	7.5%	4.3%	3.7%	0.0%	4.8%
8 to 14	6.2%	4.3%	0.0%	0.0%	7.1%
15 to 44	29.8%	18.6%	25.9%	100.0%	11.9%
45 to 89	19.6%	21.4%	25.9%	0.0%	19.0%
90 to 179	23.7%	30.0%	25.9%	0.0%	33.3%
180 to 359	10.4%	10.0%	7.4%	0.0%	11.9%
360+	2.9%	11.4%	11.1%	0.0%	11.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	45.7%	37.0%	0.0%	52.4%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	193.84	221.06	239.30	0.00	212.77
SD	*79.91*	*100.31*	*105.01*	*0.00*	*99.48*
Dom. patients with 150+ day Dom. stay, %	16.8%	30.0%	25.9%	0.0%	33.3%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	240.95	270.00	277.29	0.00	266.36
SD	*71.71*	*89.30*	*102.35*	*0.00*	*85.98*
Other VISN cumulative DOS, mean	1.61	0.00	0.00	0.00	0.00
SD	*8.79*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.31	0.34	0.00	24.00	0.00
SD	*11.83*	*2.87*	*0.00*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Other Psychosis Patients	49401	2526	846	967	713
Nursing Home Care					
Patients with some nursing home care, %	7.7%	10.4%	7.8%	10.0%	13.9%
Number stays, mean	1.29	1.25	1.20	1.24	1.29
SD	*0.65*	*0.49*	*0.40*	*0.50*	*0.54*
Average LOS, mean	54.03	66.22	54.86	64.54	75.44
SD	*70.27*	*72.80*	*78.88*	*67.34*	*73.27*
Cumulative DOS, mean	64.81	80.00	61.20	78.62	93.90
SD	*79.26*	*84.90*	*82.74*	*81.59*	*87.75*
Cumulative Days of Stay, %					
1 to 7	10.9%	9.2%	12.1%	8.2%	8.1%
8 to 14	15.2%	11.8%	24.2%	9.3%	6.1%
15 to 44	34.5%	24.4%	25.8%	30.9%	17.2%
45 to 89	16.5%	23.3%	18.2%	18.6%	31.3%
90 to 179	13.0%	18.3%	10.6%	21.6%	20.2%
180 to 359	8.1%	11.5%	6.1%	10.3%	16.2%
360+	1.8%	1.5%	3.0%	1.0%	1.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	17.8%	23.3%	15.2%	24.7%	27.3%
Cumul. DOS, patients with a 100+ day NH stay, mean	207.27	207.00	219.50	192.92	214.89
SD	*81.27*	*80.19*	*102.37*	*77.95*	*74.37*
NH patients with 150+ day NH stay, %	11.0%	14.9%	9.1%	15.5%	18.2%
Cumul. DOS, patients with a 150+ day NH stay, mean	250.81	248.00	286.50	232.27	248.28
SD	*70.60*	*69.44*	*73.29*	*70.66*	*65.91*
Other VISN cumulative DOS, mean	0.34	0.02	0.06	0.00	0.00
SD	*5.11*	*0.25*	*0.49*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.02	0.99	1.38	0.99	0.74
SD	*7.62*	*6.46*	*7.61*	*6.86*	*5.16*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Other Psychosis Patients	49401	2526	846	967	713
Outpatient utilization					
(reported for those with some outpatient care)					
Patients with some outpatient care, %	99.7%	99.4%	99.5%	99.8%	98.6%
annual visit days, mean	19.52	19.15	18.28	19.48	19.77
SD	*24.21*	*22.61*	*26.16*	*18.80*	*22.81*
Outpatient visit days, %					
1-12	49.1%	49.4%	56.5%	44.4%	47.8%
13-24	27.0%	26.6%	22.7%	28.5%	28.6%
25-36	11.5%	12.2%	10.1%	13.9%	12.4%
37-48	5.4%	5.1%	4.4%	6.9%	3.3%
49+	7.0%	6.8%	6.3%	6.3%	8.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	86.5%	87.2%	89.8%	84.0%	88.3%
Mean PC visit days, among those with some PC	4.04	4.13	3.43	4.59	4.38
SD	3.94	3.44	2.86	3.58	3.77
Average number clinic stops per visit day, mean	1.55	1.60	1.76	1.49	1.55
SD	*0.52*	*0.54*	*0.59*	*0.48*	*0.51*
annual clinic stops (psych & non-psych), mean	30.45	29.66	30.39	28.70	30.09
SD	*40.44*	*35.67*	*41.66*	*29.11*	*36.09*
annual non-psych. clinic stops, mean	22.67	23.97	21.07	25.25	25.71
SD	*25.36*	*25.52*	*21.81*	*25.92*	*28.64*
annual psych. clinic stops (groupings below), mean	7.77	5.68	9.33	3.46	4.38
SD	*27.43*	*19.96*	*29.82*	*11.19*	*12.71*
1. general psych. clinic stops, mean	3.20	2.51	3.18	2.14	2.20
SD	*7.61*	*5.79*	*5.38*	*5.60*	*6.42*
2. psych. case management clinic stops, mean	0.14	0.12	0.11	0.02	0.26
SD	*3.20*	*3.55*	*3.10*	*0.64*	*5.73*
3. psych. day treatment clinic stops, mean	0.60	0.23	0.33	0.30	0.00
SD	*8.52*	*4.98*	*5.80*	*5.93*	*0.00*
4. substance abuse clinic stops, mean	2.24	1.32	2.51	0.42	1.11

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 17, continued

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Other Psychosis Patients	49401	2526	846	967	713
SD	*17.04*	*8.44*	*12.35*	*3.96*	*6.89*
5. psych. vocational clinic stops, mean	0.74	0.96	2.55	0.15	0.19
SD	*9.63*	*11.15*	*18.69*	*3.49*	*2.15*
6. PTSD clinic stops, mean	0.56	0.33	0.25	0.32	0.43
SD	*5.11*	*2.88*	*2.36*	*2.95*	*3.33*
7. psych. homeless clinic stops, mean	0.27	0.20	0.37	0.09	0.16
SD	*2.81*	*1.95*	*2.92*	*1.08*	*1.32*
Other VISN OP visit days, mean	0.31	0.28	0.34	0.16	0.37
SD	2.01	1.86	2.20	1.03	2.26
Other station OP visit days, mean	0.72	0.45	0.42	0.25	0.78
SD	3.19	2.51	2.34	1.42	3.60

Table 4I FY03 Other Psychosis Patients, Pharmacy Utilization, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Other Psychosis Patients	49401	2526	846	967	713
Among all patients in the registry					
Pts. with any outpatient prescriptions, %	94.7%	95.8%	95.2%	97.0%	94.9%
Patients with any oral antipsychotic fills, %*	41.4%	45.2%	48.3%	45.4%	41.2%
Among pts. receiving any antipsychotic medication:					
Received only conventional antipsychotics, %	9.2%	10.2%	12.2%	9.6%	8.2%
Received some atypical antipsychotics, %	90.8%	89.8%	87.8%	90.4%	91.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %					
Aripiprazole	0.7%	1.1%	1.5%	1.6%	0.0%
Clozapine	0.1%	0.0%	0.0%	0.0%	0.0%
Olanzapine	27.8%	35.1%	43.5%	26.9%	35.7%
Quetiapine	29.2%	25.7%	30.1%	23.2%	23.5%
Risperidone	46.2%	43.8%	30.1%	55.4%	45.6%
Ziprasidone	3.6%	3.2%	3.2%	4.6%	1.4%
Patients receiving only one kind** of antipsychotic, %	78.8%	76.1%	76.0%	73.6%	79.9%
Concurrent use of 2 or more antipsychotics, % ***	5.1%	5.0%	7.3%	3.9%	3.4%
Among pts receiving just one antipsychotic:					
Antipsychotic fills, mean	5.21	5.00	4.98	4.96	5.06
SD	*4.06*	*3.89*	*3.81*	*3.96*	*3.90*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--
SD	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5I: FY03 Other Psychosis Patients, Cost, VISN 17

	All VISNs	VISN 17	549 *Dallas*	671 *San Antonio*	674 *Temple*
Other Psychosis Patients	49401	2526	846	967	713
Total Costs (in thousands $$)	$692,791	$35,689	$10,060	$14,329	$11,301
Station % of VISN		100.0%	28.2%	40.1%	31.7%
Psych vs. Non-Psych Costs					
Psych	16.6%	16.0%	17.2%	14.2%	17.3%
Non-Psych	83.4%	84.0%	82.8%	85.8%	82.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use					
Per Patient	$16,509	$15,488	$14,699	$15,462	$16,408
Per Day of Stay	$1,028	$874	$1,060	$950	$680
Mean Outpatient Costs, Pts with some Outpatient use					
Per Patient	$6,046	$5,663	$5,227	$6,380	$5,201
Per Visit Day	$310	$296	$286	$328	$263
By Cost Center					
1 Med	$2,712	$2,413	$2,477	$2,416	$2,333
2 Surg	$779	$772	$600	$1,112	$513
3 Psych	$1,494	$1,684	$1,249	$1,621	$2,286
4 Psych Res Rehab Treatment Program	$103	$144	$190	$136	$101
5 Non-VA	$203	$165	$104	$101	$324
6 LTC Domiciliary	$183	$253	$209	$2	$645
7 LTC Intermediate Care	$276	$271	$67	$339	$423
8 LTC Nursing Home	$1,672	$1,851	$1,141	$1,893	$2,635
9 Contract Nursing Home	$578	$949	$651	$832	$1,461
10 OPC Med/Surg	$1,281	$973	$734	$1,234	$902
11 OPC Psych	$831	$580	$794	$478	$463
12 OPC Home Based Treatment	$730	$685	$412	$1,007	$573
13 OPC Support	$1,493	$1,726	$1,640	$1,963	$1,507
14 OPC Fee	$231	$131	$121	$84	$205
15 OPC Pharmacy	$1,460	$1,533	$1,501	$1,602	$1,478
TOTAL	$14,024	$14,129	$11,891	$14,818	$15,849
Mean % Patient Costs at Other Stations	3.3%	2.1%	2.1%	1.4%	3.2%
SD	*11.9%*	*9.6%*	*10.0%*	*7.3%*	*11.7%*
Mean % Patient Costs at Other VISNs	1.3%	0.0%	1.6%	0.9%	1.2%
SD	*7.5%*	*0.0%*	*8.5%*	*6.1%*	*6.5%*

Table 1F: FY03 Psychosis Patients, Demographics, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Entire Population	217760	8476	1606	548	414	2876	835	1555	642
Psychosis Diagnosis Group, %									
Schizophrenia	43.3%	33.7%	36.6%	34.7%	38.6%	31.6%	31.5%	28.6%	47.5%
Bipolar Disorder	34.0%	40.2%	36.4%	41.4%	43.7%	47.3%	41.4%	34.2%	27.4%
Other Psychoses	22.7%	26.1%	27.0%	23.9%	17.6%	21.1%	27.1%	37.2%	25.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age, %									
<35	4.9%	5.4%	4.9%	4.0%	8.0%	6.5%	3.7%	4.4%	5.3%
>=35 and <50	29.3%	29.0%	28.5%	24.8%	25.4%	30.7%	33.5%	25.3%	31.9%
>=50 and <65	38.1%	37.9%	38.5%	39.8%	44.7%	38.9%	40.6%	33.9%	31.8%
>=65 and <80	19.7%	19.1%	19.9%	19.2%	17.9%	16.8%	16.9%	23.1%	21.7%
>=80	8.2%	8.6%	8.2%	12.2%	4.1%	7.2%	5.3%	13.3%	9.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	56.89	56.82	56.83	58.88	54.90	55.46	55.56	59.62	57.15
SD	*14.35*	*14.53*	*14.37*	*14.84*	*13.43*	*14.14*	*13.22*	*15.55*	*14.98*
Gender									
Male, %	92.7%	90.7%	90.7%	91.1%	91.3%	89.7%	92.3%	90.7%	92.5%
Female, %	7.3%	9.3%	9.3%	8.9%	8.7%	10.3%	7.7%	9.3%	7.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %									
Hispanic white	4.8%	10.5%	24.5%	8.6%	7.2%	4.5%	2.6%	9.1%	19.5%
Hispanic black	0.4%	0.3%	0.2%	0.2%	0.0%	0.4%	0.0%	0.1%	0.6%
American indian	0.3%	0.8%	1.7%	0.4%	0.0%	0.7%	0.8%	0.7%	0.8%
Black	18.6%	6.0%	3.7%	6.9%	8.5%	8.0%	2.5%	6.0%	5.3%
Asian	0.5%	0.2%	0.0%	0.0%	0.0%	0.3%	0.0%	0.5%	0.3%
White	54.9%	59.2%	45.3%	63.1%	71.7%	60.9%	71.1%	73.3%	24.8%
Race unknown	20.5%	23.0%	24.5%	20.8%	12.6%	25.3%	22.9%	10.4%	48.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status									
Never married	28.5%	21.8%	23.3%	18.2%	19.9%	23.3%	21.1%	19.0%	23.4%
Married	35.3%	38.8%	38.3%	48.5%	39.1%	35.0%	31.5%	42.0%	50.5%
Divorced/Separated	30.8%	33.7%	32.4%	26.3%	36.4%	36.6%	42.3%	31.7%	22.6%
Widowed	5.4%	5.7%	6.0%	7.0%	4.7%	5.1%	5.2%	7.2%	3.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Entire Population	217760	8476	1606	548	414	2876	835	1555	642
Registry Pts. History of VA Utilization									
Years since first use in prior five years, mean	4.33	4.29	4.35	4.47	4.31	4.24	4.28	4.24	4.33
SD	*1.24*	*1.26*	*1.22*	*1.11*	*1.28*	*1.30*	*1.22*	*1.29*	*1.25*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.9%	26.0%	25.8%	22.6%	20.8%	27.9%	33.5%	26.7%	12.9%
SD	*29.7%*	*29.0%*	*28.3%*	*27.6%*	*26.0%*	*29.7%*	*32.4%*	*28.9%*	*20.2%*
Years with OP use / Years since first use, %	96.7%	97.3%	98.1%	95.9%	96.9%	96.9%	96.5%	98.1%	97.5%
SD	*11.4%*	*9.8%*	*7.8%*	*15.5%*	*10.6%*	*10.0%*	*10.8%*	*7.8%*	*8.8%*
Psychosis Diagnoses in Prior Fiscal Year									
Had Psychosis Diagnosis in FY01, %	65.3%	61.0%	64.6%	61.5%	53.1%	59.8%	54.4%	63.2%	66.0%
Among Patients With Psychoses in FY01									
Psychosis Category: Schizophrenia, %	54.1%	43.9%	48.0%	46.3%	49.1%	41.0%	39.2%	39.1%	56.6%
Psychosis Category: Bipolar Disorder, %	33.9%	42.4%	36.1%	46.3%	44.5%	49.0%	49.6%	38.8%	27.1%
Psychosis Category: Other Psychosis, %	12.0%	13.8%	15.9%	7.4%	6.4%	10.0%	11.2%	22.1%	16.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %									
Dementia	6.2%	8.1%	10.3%	7.3%	8.5%	7.6%	6.0%	8.0%	8.4%
Post Traumatic Stress Disorder	15.4%	21.9%	24.8%	12.8%	25.1%	24.8%	27.1%	16.5%	14.3%
Depression	34.8%	43.7%	40.0%	38.1%	49.5%	48.7%	55.4%	38.3%	29.0%
Other Anxiety Disorder	12.0%	15.7%	14.6%	12.0%	16.4%	15.0%	19.5%	20.0%	8.9%
Substance Abuse or Dependence	23.3%	24.3%	22.6%	13.9%	11.6%	25.7%	41.0%	23.2%	19.9%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Entire Population	217760	8476	1606	548	414	2876	835	1555	642
Medical Comorbidities, %									
No medical comorbidities	15.2%	12.2%	11.9%	9.7%	13.5%	12.9%	9.7%	11.2%	16.4%
Anemia	8.2%	8.5%	10.9%	6.2%	8.5%	6.5%	9.3%	10.2%	7.8%
Arthritis	36.2%	42.0%	40.7%	44.9%	40.1%	40.4%	48.6%	43.6%	39.4%
Cancer	7.9%	9.2%	7.2%	10.2%	7.7%	9.1%	9.0%	11.6%	8.6%
Cerebrovascular Disease	6.7%	6.3%	5.7%	5.7%	4.6%	6.8%	6.3%	7.9%	3.7%
Chronic Neurologic Disorder	15.1%	18.4%	22.7%	20.4%	13.8%	17.1%	19.0%	18.7%	13.6%
Chronic Obstructive Pulmonary Disease	16.7%	17.3%	18.5%	23.9%	20.5%	16.9%	19.3%	14.3%	13.2%
Chronic Viral Infection	8.4%	8.4%	9.5%	7.8%	7.2%	8.3%	11.5%	7.5%	5.5%
Coronary Artery Disease	19.5%	26.4%	21.5%	23.0%	18.6%	36.3%	22.8%	23.3%	14.8%
Diabetes	20.0%	18.4%	19.4%	19.2%	17.6%	18.6%	15.6%	17.4%	21.5%
Digestive System Disease	43.5%	46.4%	46.1%	49.3%	42.8%	44.5%	58.0%	44.6%	44.7%
Hypertension	43.2%	42.1%	44.8%	50.4%	47.1%	38.7%	38.9%	44.6%	37.9%
Injury and Poisoning	17.9%	23.9%	25.3%	19.2%	15.7%	26.0%	28.7%	22.7%	16.5%
Liver Disease	3.6%	4.4%	4.4%	2.6%	1.9%	4.6%	6.8%	4.2%	4.0%
Other Endocrine	8.6%	11.4%	12.1%	13.5%	9.9%	10.3%	10.3%	14.0%	8.4%
Peripheral Vascular Disease	4.1%	4.0%	3.5%	3.3%	2.4%	4.9%	4.2%	3.7%	3.9%
GAF scores									
Lowest inpatient GAF score, mean	37.72	40.49	44.04	43.64	43.00	39.29	44.89	30.32	0.00
SD	*14.39*	*14.16*	*21.04*	*8.09*	*6.71*	*12.17*	*9.64*	*10.80*	*0.00*
Mean outpatient GAF score	50.52	50.14	49.29	55.09	61.55	45.73	48.70	51.44	56.24
SD	*11.04*	*11.16*	*10.56*	*8.13*	*10.96*	*10.05*	*9.89*	*11.60*	*8.97*
At least 1 IP GAF, among pts with MH bedsections, %	38.4%	26.8%	29.2%	6.3%	13.0%	16.9%	57.6%	38.1%	0.0%
At least 1 OP GAF, among pts with MH clinic stops, %	80.0%	81.2%	78.3%	96.7%	85.3%	76.7%	75.6%	88.0%	85.1%
Mortality rates									
died in FY02, %	3.1%	3.4%	3.9%	5.5%	1.9%	2.8%	3.5%	4.1%	2.5%
Age-and-gender-adjusted Standardized Mortality Ratio	1.32	1.47	1.70	2.08	1.05	1.36	1.78	1.35	0.99

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Entire Population	217760	8476	1606	548	414	2876	835	1555	642
Service Connection (SC)									
Non-SC	51.0%	49.6%	47.1%	55.7%	49.5%	50.0%	59.4%	50.3%	34.7%
SC 0 - 29%	8.7%	9.2%	8.0%	9.1%	14.0%	9.2%	9.6%	8.8%	8.9%
SC 30 - 69%	10.8%	10.5%	8.6%	8.4%	12.8%	10.3%	8.7%	12.4%	14.0%
SC 70 - 99%	7.3%	9.4%	13.3%	7.5%	7.7%	9.0%	6.7%	7.4%	12.0%
SC 100%	22.1%	21.4%	22.9%	19.3%	15.9%	21.5%	15.6%	21.1%	30.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %									
Complex*	17.3%	12.8%	13.3%	8.2%	5.8%	10.7%	25.0%	17.2%	3.1%
Basic vested, Cat A*	76.6%	81.5%	79.6%	83.9%	88.9%	85.0%	69.8%	75.7%	92.8%
Basic Non-vested, Cat A*	1.0%	0.5%	0.1%	0.4%	0.5%	0.5%	1.2%	0.4%	0.8%
Basic, Cats C and N	5.1%	5.3%	7.0%	7.5%	4.8%	3.9%	4.0%	6.8%	3.3%
Total	100.0%	94.7%	93.0%	92.5%	95.2%	96.1%	96.0%	93.2%	96.7%
* Funded									
Patient eligibility category, %									
Cat A (SC or low income)	94.6%	94.4%	92.7%	92.3%	94.7%	96.0%	95.7%	92.5%	96.7%
Cat C (NSC and higher income)	4.7%	4.4%	3.7%	6.8%	5.3%	3.8%	4.0%	6.0%	3.3%
Non-Veteran	0.6%	1.1%	3.6%	0.9%	0.0%	0.2%	0.4%	1.5%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %									
BASIC 1. Non-reliant Care	0.1%	0.1%	0.2%	0.0%	0.0%	0.2%	0.4%	0.0%	0.0%
2. Basic Medical	16.7%	18.3%	17.1%	25.5%	30.4%	16.0%	14.3%	18.4%	23.1%
3. Mental Health	36.3%	35.9%	34.4%	35.2%	40.1%	37.5%	30.1%	32.4%	47.0%
4. Heart / Lung / GI	7.7%	8.8%	9.1%	14.2%	10.6%	8.2%	5.4%	9.3%	7.8%
5. Oncology / Infectious Disease	3.9%	4.6%	3.5%	5.1%	6.5%	4.9%	5.4%	3.9%	4.4%
6. Multiple Medical	18.0%	19.5%	22.4%	11.7%	6.5%	22.6%	19.5%	18.8%	14.6%
COMPLEX 7. Specialized Care	2.6%	3.2%	2.4%	1.1%	1.0%	3.4%	2.3%	6.6%	0.6%
8. Support Care	2.8%	3.0%	2.3%	1.1%	1.4%	2.4%	10.4%	3.0%	0.5%
9. Chronic Mental	9.6%	4.7%	7.5%	2.6%	2.2%	3.8%	8.6%	3.7%	2.0%
10. Critically Ill	2.2%	1.9%	1.1%	3.5%	1.2%	1.0%	3.7%	4.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Entire Population	217760	8476	1606	548	414	2876	835	1555	642
Substance Dependence and Abuse									
Any dx of alcohol / drug dependence or abuse, %	23.3%	24.3%	22.6%	13.9%	11.6%	25.7%	41.0%	23.2%	19.9%
Homelessness									
Homelessness indicated in FY02, %	11.5%	11.4%	8.3%	3.3%	5.6%	12.0%	28.6%	12.2%	3.7%
Residence in Metropolitan Area									
Residing in a Metropolitan Statistical Area, %	79.7%	77.0%	72.5%	63.7%	60.9%	93.1%	21.4%	84.9%	91.1%
Distance									
Mile from Closest VA Medical Center, mean	32.17	44.62	43.67	52.87	66.28	18.29	26.79	25.19	214.08
SD	*68.58*	*63.98*	*58.15*	*43.94*	*40.38*	*28.84*	*36.19*	*36.33*	*27.24*
Distance from closest VA Medical Center, %									
0 to 15 miles	49.0%	56.2%	57.4%	38.7%	16.2%	69.1%	62.6%	67.6%	0.3%
15 to 30 miles	16.3%	11.3%	10.0%	3.3%	1.0%	20.3%	7.7%	8.5%	0.0%
30 to 45 miles	10.3%	3.3%	1.7%	3.6%	14.3%	2.6%	6.7%	2.7%	0.5%
45 to 60 miles	8.1%	3.3%	4.5%	5.8%	10.1%	1.3%	2.5%	5.1%	0.0%
60 plus miles	16.2%	25.8%	26.4%	48.5%	58.5%	6.8%	20.5%	16.1%	99.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.73	9.65	12.09	14.48	11.22	7.97	8.30	9.17	8.86
SD	*13.09*	*11.97*	*14.30*	*18.68*	*14.83*	*8.15*	*12.83*	*9.53*	*12.49*
Distance to closest VA Service Site, %									
0 to 15 miles	77.0%	84.6%	74.8%	69.2%	68.4%	93.5%	84.7%	86.5%	88.8%
15 to 30 miles	14.9%	8.6%	13.6%	10.8%	19.1%	3.6%	9.8%	9.4%	6.7%
30 to 45 miles	5.7%	3.5%	6.7%	8.9%	8.5%	1.4%	3.2%	2.2%	1.2%
45 plus miles	2.4%	3.2%	4.8%	11.1%	4.1%	1.6%	2.3%	1.9%	3.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3F: FY03 Psychosis Patients, Utilization, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Entire Population	217760	8476	1606	548	414	2876	835	1555	642
Hospital Based Utilization									
Patients with some Hospital Based Utilization, %	27.2%	27.8%	28.8%	26.8%	18.4%	31.8%	31.1%	26.7%	12.1%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)									
Inpatient stays, mean	1.83	1.88	1.79	1.82	1.78	1.94	2.10	1.83	1.53
SD	*1.43*	*1.49*	*1.47*	*1.17*	*1.38*	*1.57*	*1.60*	*1.42*	*1.12*
Average LOS, mean	13.07	7.34	9.05	7.00	8.28	6.27	8.08	7.58	5.85
SD	*30.84*	*10.68*	*17.05*	*10.36*	*7.52*	*5.18*	*14.08*	*8.95*	*5.15*
Cumulative DOS, mean	21.85	13.68	15.98	13.87	14.96	12.27	15.40	13.30	11.21
SD	*40.46*	*19.21*	*23.95*	*27.20*	*16.84*	*14.42*	*21.30*	*16.79*	*23.90*
Cumulative DOS, %									
1 to 7	39.9%	48.2%	49.7%	54.4%	42.1%	49.2%	36.2%	48.2%	62.8%
8 to 14	21.8%	22.7%	16.0%	19.0%	26.3%	24.2%	28.1%	25.1%	19.2%
15 to 44	27.7%	24.3%	26.1%	21.1%	23.7%	23.6%	31.2%	22.4%	15.4%
45 to 89	6.9%	3.8%	6.3%	4.8%	7.9%	2.5%	3.5%	3.4%	1.3%
90 to 179	2.3%	0.7%	1.5%	0.0%	0.0%	0.4%	0.4%	1.0%	0.0%
180 to 359	0.9%	0.3%	0.4%	0.7%	0.0%	0.0%	0.8%	0.0%	1.3%
360+	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	2.1%	0.2%	0.4%	0.7%	0.0%	0.0%	0.8%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	237.76	231.80	227.50	294.00	0.00	0.00	205.00	0.00	0.00
SD	*95.14*	*49.34*	*65.76*	*0.00*	*0.00*	*0.00*	*8.49*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	1.3%	0.2%	0.4%	0.7%	0.0%	0.0%	0.8%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	290.80	231.80	227.50	294.00	0.00	0.00	205.00	0.00	0.00
SD	*77.65*	*49.34*	*65.76*	*0.00*	*0.00*	*0.00*	*8.49*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.59	0.90	0.52	0.77	2.70	0.52	2.17	1.05	1.18
SD	*4.28*	*5.32*	*4.42*	*3.50*	*10.04*	*3.04*	*8.17*	*6.84*	*5.33*
Cumulative DOS at Other Stations	1.83	1.99	0.56	2.58	4.51	0.83	8.75	1.39	1.26
SD	*7.27*	*7.30*	*4.44*	*8.48*	*11.13*	*4.28*	*12.66*	*7.16*	*5.35*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Entire Population	217760	8476	1606	548	414	2876	835	1555	642
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)									
Pts. with non-psych hospital stays, %	14.0%	17.1%	16.9%	25.7%	15.0%	17.1%	20.7%	16.7%	7.9%
Inpatient stays, mean	0.85	1.02	0.89	1.70	1.29	0.88	1.26	1.07	0.85
SD	*1.20*	*1.25*	*1.07*	*1.18*	*1.13*	*1.24*	*1.50*	*1.26*	*0.87*
Average LOS, mean	7.54	5.75	6.49	6.89	6.47	4.98	7.39	4.74	4.92
SD	*13.36*	*11.53*	*20.19*	*10.46*	*5.61*	*5.06*	*15.74*	*5.13*	*5.31*
Cumulative Days of Stay, mean	6.52	5.94	5.40	12.70	8.84	4.63	8.75	5.03	4.32
SD	*17.31*	*14.32*	*17.16*	*26.91*	*12.39*	*9.52*	*19.80*	*8.20*	*8.07*
Cumulative Days of Stay, %									
0	48.5%	38.4%	41.3%	4.1%	18.4%	46.3%	33.5%	37.3%	34.6%
1 to 7	29.2%	38.2%	40.8%	53.7%	43.4%	35.1%	29.6%	39.3%	47.4%
8 to 14	9.8%	12.4%	8.4%	18.4%	22.4%	9.5%	18.8%	15.2%	12.8%
15 to 44	10.2%	9.8%	8.6%	19.0%	13.2%	8.1%	16.5%	7.7%	3.8%
45 to 89	1.8%	1.0%	0.4%	4.1%	2.6%	0.9%	0.8%	0.5%	1.3%
90 to 179	0.4%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
180 to 359	0.1%	0.2%	0.4%	0.7%	0.0%	0.0%	0.8%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.2%	0.4%	0.7%	0.0%	0.0%	0.8%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	206.57	231.80	227.50	294.00	0.00	0.00	205.00	0.00	0.00
SD	*85.33*	*49.34*	*65.76*	*0.00*	*0.00*	*0.00*	*8.49*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.2%	0.4%	0.7%	0.0%	0.0%	0.8%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	268.22	231.80	227.50	294.00	0.00	0.00	205.00	0.00	0.00
SD	*74.94*	*49.34*	*65.76*	*0.00*	*0.00*	*0.00*	*8.49*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.14	0.18	0.11	0.24	0.28	0.14	0.30	0.12	0.91
SD	*1.82*	*1.67*	*0.75*	*1.71*	*1.58*	*1.64*	*1.60*	*0.94*	*5.24*
Other station cumulative DOS, mean	0.51	0.56	0.13	1.41	1.47	0.25	2.10	0.23	0.99
SD	*3.43*	*3.32*	*0.83*	*7.48*	*4.12*	*2.13*	*5.52*	*1.53*	*5.26*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Entire Population	217760	8476	1606	548	414	2876	835	1555	642
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)									
Pts. with psych hospital stays, %	15.8%	13.6%	14.7%	2.9%	5.6%	18.1%	15.0%	12.7%	5.1%
Inpatient stays, mean	0.98	0.86	0.91	0.12	0.49	1.06	0.84	0.75	0.68
SD	*1.28*	*1.33*	*1.38*	*0.37*	*1.04*	*1.45*	*1.23*	*1.22*	*1.18*
Average LOS, mean	17.54	9.19	11.56	10.38	13.44	7.31	8.63	11.32	7.89
SD	*38.98*	*8.80*	*10.38*	*9.12*	*9.64*	*5.34*	*9.35*	*12.17*	*5.83*
Cumulative Days of Stay, mean	15.33	7.74	10.57	1.17	6.12	7.64	6.65	8.27	6.88
SD	*38.37*	*15.17*	*18.95*	*4.40*	*13.34*	*13.05*	*12.06*	*16.50*	*23.52*
Cumulative Days of Stay, %									
0	41.8%	51.1%	49.0%	89.1%	69.7%	43.0%	51.9%	52.5%	57.7%
1 to 7	18.6%	19.3%	17.3%	4.8%	6.6%	24.1%	20.4%	17.3%	20.5%
8 to 14	14.1%	12.6%	9.5%	3.4%	9.2%	16.5%	11.2%	12.8%	10.3%
15 to 44	17.8%	13.9%	17.1%	2.7%	10.5%	14.7%	14.6%	13.7%	10.3%
45 to 89	4.7%	2.6%	6.3%	0.0%	3.9%	1.4%	1.5%	3.1%	0.0%
90 to 179	1.7%	0.4%	0.9%	0.0%	0.0%	0.3%	0.4%	0.5%	0.0%
180 to 359	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%
360+	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*96.26*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	291.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*78.31*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.45	0.72	0.42	0.52	2.42	0.38	1.87	0.93	0.27
SD	*3.83*	*5.00*	*4.19*	*3.10*	*9.83*	*2.56*	*7.90*	*6.77*	*1.21*
Other station cumulative DOS, mean	1.32	1.43	0.44	1.17	3.04	0.58	6.65	1.16	0.27
SD	*6.36*	*6.46*	*4.20*	*4.40*	*10.59*	*3.70*	*12.06*	*6.94*	*1.21*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Entire Population	217760	8476	1606	548	414	2876	835	1555	642
Other 24 hour institutional care									
Patients with some other 24 hour institutional care, %	8.5%	8.3%	4.1%	4.9%	3.1%	4.5%	34.1%	12.0%	0.0%
Residential Rehab (rep. for those w/ res rehab care)									
Patients with some residential rehab. care, %	1.8%	0.6%	1.0%	0.0%	0.5%	0.1%	0.7%	1.6%	0.0%
Number stays, mean	1.12	1.08	1.25	0.00	1.00	1.00	1.00	1.00	0.00
SD	*0.38*	*0.33*	*0.58*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	34.01	29.93	48.89	0.00	26.00	33.00	22.33	19.56	0.00
SD	*38.25*	*36.30*	*60.32*	*0.00*	*21.21*	*10.15*	*19.39*	*7.14*	*0.00*
Cumulative DOS, mean	37.28	32.77	58.13	0.00	26.00	33.00	22.33	19.56	0.00
SD	*40.79*	*39.39*	*63.22*	*0.00*	*21.21*	*10.15*	*19.39*	*7.14*	*0.00*
Cumulative Days of Stay, %									
1 to 7	12.3%	11.5%	12.5%	0.0%	0.0%	0.0%	16.7%	12.0%	0.0%
8 to 14	12.7%	17.3%	12.5%	0.0%	50.0%	0.0%	33.3%	16.0%	0.0%
15 to 44	50.7%	57.7%	37.5%	0.0%	50.0%	100.0%	33.3%	72.0%	0.0%
45 to 89	15.8%	3.8%	6.3%	0.0%	0.0%	0.0%	16.7%	0.0%	0.0%
90 to 179	7.0%	7.7%	25.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.3%	1.9%	6.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	0.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.3%	3.8%	12.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	175.66	179.50	179.50	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.56*	*88.39*	*88.39*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.9%	1.9%	6.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	237.86	242.00	242.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*73.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.12	5.96	0.69	0.00	26.00	33.00	20.00	1.12	0.00
SD	*6.40*	*13.29*	*2.75*	*0.00*	*21.21*	*10.15*	*21.34*	*5.60*	*0.00*
Other station cumulative DOS, mean	3.58	6.23	0.69	0.00	26.00	33.00	22.33	1.12	0.00
SD	*10.93*	*13.31*	*2.75*	*0.00*	*21.21*	*10.15*	*19.39*	*5.60*	*0.00*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501	504	519	644	649	678	756
			New Mexico	*Amarillo*	*W. Texas*	*Phoenix*	*N. Arizona*	*S. Arizona*	*El Paso*
Entire Population	217760	8476	1606	548	414	2876	835	1555	642
Domiciliary and Vocational									
(reported for those with some dom/voc care)									
Patients with some dom/voc care, %	2.8%	2.8%	0.1%	0.0%	0.0%	0.3%	27.2%	0.1%	0.0%
Number stays, mean	1.13	1.10	1.50	0.00	0.00	1.10	1.10	1.00	0.00
SD	*0.38*	*0.32*	*0.71*	*0.00*	*0.00*	*0.32*	*0.32*	*0.00*	*0.00*
Average LOS, mean	85.20	76.70	12.00	0.00	0.00	13.85	80.36	5.00	0.00
SD	*90.51*	*62.94*	*4.24*	*0.00*	*0.00*	*10.20*	*62.75*	*0.00*	*0.00*
Cumulative DOS, mean	92.74	83.82	19.50	0.00	0.00	14.20	87.80	5.00	0.00
SD	*94.18*	*70.20*	*14.85*	*0.00*	*0.00*	*9.86*	*70.09*	*0.00*	*0.00*
Cumulative Days of Stay, %									
1 to 7	6.9%	5.4%	0.0%	0.0%	0.0%	40.0%	3.5%	100.0%	0.0%
8 to 14	6.1%	5.4%	50.0%	0.0%	0.0%	20.0%	4.4%	0.0%	0.0%
15 to 44	29.6%	21.3%	50.0%	0.0%	0.0%	40.0%	20.3%	0.0%	0.0%
45 to 89	19.5%	27.1%	0.0%	0.0%	0.0%	0.0%	28.6%	0.0%	0.0%
90 to 179	22.9%	32.5%	0.0%	0.0%	0.0%	0.0%	34.4%	0.0%	0.0%
180 to 359	10.1%	7.5%	0.0%	0.0%	0.0%	0.0%	7.9%	0.0%	0.0%
360+	5.0%	0.8%	0.0%	0.0%	0.0%	0.0%	0.9%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	0.0%	100.0%	100.0%	100.0%	0.0%
Dom. patients with 100+ day Dom. stay, %	31.6%	23.8%	0.0%	0.0%	0.0%	0.0%	25.1%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	203.50	172.51	0.00	0.00	0.00	0.00	172.51	0.00	0.00
SD	*90.08*	*81.69*	*0.00*	*0.00*	*0.00*	*0.00*	*81.69*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	18.0%	8.3%	0.0%	0.0%	0.0%	0.0%	8.8%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	259.61	263.85	0.00	0.00	0.00	0.00	263.85	0.00	0.00
SD	*79.66*	*71.72*	*0.00*	*0.00*	*0.00*	*0.00*	*71.72*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.54	1.65	19.50	0.00	0.00	6.80	1.25	5.00	0.00
SD	*8.76*	*8.54*	*14.85*	*0.00*	*0.00*	*9.67*	*8.25*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.75	1.96	19.50	0.00	0.00	14.20	1.25	5.00	0.00
SD	*14.14*	*8.85*	*14.85*	*0.00*	*0.00*	*9.86*	*8.25*	*0.00*	*0.00*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Entire Population	217760	8476	1606	548	414	2876	835	1555	642
Nursing Home Care									
(reported for those with some nursing home care)									
Patients with some nursing home care, %	4.5%	5.2%	3.0%	4.9%	2.7%	4.1%	8.5%	10.5%	0.0%
Number stays, mean	1.24	1.29	1.27	1.07	1.00	1.20	1.25	1.44	0.00
SD	*0.60*	*0.61*	*0.49*	*0.27*	*0.00*	*0.46*	*0.55*	*0.76*	*0.00*
Average LOS, mean	99.56	54.55	41.85	189.57	65.91	48.95	71.36	31.85	0.00
SD	*118.68*	*79.48*	*52.75*	*133.43*	*100.85*	*77.56*	*80.72*	*42.74*	*0.00*
Cumulative DOS, mean	111.19	64.66	47.73	200.96	65.91	55.35	85.07	44.79	0.00
SD	*123.23*	*85.98*	*54.87*	*136.53*	*100.85*	*79.58*	*92.02*	*58.21*	*0.00*
Cumulative Days of Stay, %									
1 to 7	9.0%	13.3%	18.8%	7.4%	0.0%	13.7%	16.9%	11.7%	0.0%
8 to 14	10.6%	12.8%	12.5%	3.7%	9.1%	18.8%	5.6%	13.5%	0.0%
15 to 44	27.5%	37.1%	41.7%	3.7%	72.7%	38.5%	23.9%	43.6%	0.0%
45 to 89	15.4%	17.4%	8.3%	14.8%	9.1%	12.8%	18.3%	23.9%	0.0%
90 to 179	13.8%	9.4%	14.6%	14.8%	0.0%	8.5%	19.7%	3.7%	0.0%
180 to 359	11.4%	7.6%	4.2%	37.0%	0.0%	6.0%	14.1%	2.5%	0.0%
360+	12.4%	2.5%	0.0%	18.5%	9.1%	1.7%	1.4%	1.2%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%
NH patients with 100+ day NH stay, %	33.0%	15.6%	14.6%	66.7%	9.1%	13.7%	25.4%	4.9%	0.0%
Cumul. DOS, patients with a 100+ day NH stay, mean	263.62	234.65	155.14	280.17	364.00	226.63	216.00	243.63	0.00
SD	*97.17*	*93.59*	*39.17*	*89.89*	*0.00*	*92.56*	*82.93*	*112.58*	*0.00*
NH patients with 150+ day NH stay, %	25.7%	11.0%	6.3%	59.3%	9.1%	9.4%	16.9%	3.1%	0.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	299.88	277.75	193.67	302.13	364.00	267.82	253.75	312.40	0.00
SD	*76.08*	*75.90*	*21.59*	*67.28*	*0.00*	*81.83*	*72.98*	*77.85*	*0.00*
Other VISN cumulative DOS, mean	0.41	0.30	0.00	0.33	5.09	0.01	0.01	0.40	0.00
SD	*5.60*	*2.98*	*0.00*	*1.73*	*13.16*	*0.09*	*0.12*	*3.33*	*0.00*
Other station cumulative DOS, mean	1.17	0.48	0.00	0.33	6.91	0.23	0.45	0.40	0.00
SD	*8.68*	*3.66*	*0.00*	*1.73*	*13.76*	*2.40*	*3.68*	*3.33*	*0.00*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Entire Population	217760	8476	1606	548	414	2876	835	1555	642
Outpatient utilization									
(reported for those with some outpatient care)									
Patients with some outpatient care, %	99.1%	99.7%	100.0%	97.6%	99.5%	99.9%	99.6%	99.9%	99.8%
annual visit days, mean	24.61	22.44	26.14	16.25	14.03	20.29	30.96	24.05	18.44
SD	*33.05*	*23.66*	*30.78*	*13.88*	*11.37*	*18.76*	*30.18*	*24.51*	*17.51*
Outpatient visit days, %									
1-12	44.2%	41.3%	39.4%	51.6%	57.5%	43.1%	32.2%	35.3%	46.0%
13-24	26.4%	28.8%	27.3%	29.5%	30.1%	28.0%	27.3%	30.8%	30.9%
25-36	11.9%	13.3%	13.1%	10.8%	6.8%	14.7%	10.7%	16.0%	10.9%
37-48	5.9%	6.8%	7.2%	3.7%	3.4%	6.7%	8.8%	7.9%	6.4%
49+	11.5%	9.7%	13.0%	4.3%	2.2%	7.5%	21.0%	10.0%	5.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	79.4%	79.5%	60.9%	94.8%	90.5%	86.2%	92.7%	67.5%	87.8%
Mean PC visit days, among those with some PC	3.84	4.33	4.46	4.12	4.56	3.94	5.93	3.82	4.61
SD	3.72	3.93	5.14	3.08	3.36	3.37	5.07	3.18	3.65
Average number clinic stops per visit day, mean	1.49	1.50	1.46	1.63	1.44	1.54	1.69	1.43	1.33
SD	*0.47*	*0.45*	*0.43*	*0.54*	*0.55*	*0.43*	*0.53*	*0.37*	*0.30*
annual clinic stops (psych & non-psych), mean	37.56	34.56	39.73	25.28	21.65	31.18	55.53	34.78	25.03
SD	*56.64*	*41.10*	*54.13*	*22.48*	*27.53*	31.40	*60.39*	*36.99*	*24.61*
annual non-psych. clinic stops, mean	20.14	20.64	19.54	18.39	15.47	21.22	26.64	21.94	15.01
SD	*25.25*	*22.27*	*22.88*	*16.20*	*14.42*	*23.36*	*24.59*	*23.51*	*14.15*
annual psych. clinic stops (groupings below), mean	17.42	13.92	20.18	6.90	6.18	9.97	28.88	12.84	10.02
SD	*43.44*	*30.12*	*44.46*	*12.58*	*16.28*	*14.92*	*47.66*	*27.71*	*18.68*
1. general psych. clinic stops, mean	7.22	9.01	14.38	5.23	3.56	6.88	14.28	7.82	7.85
SD	*13.49*	*18.14*	*32.78*	*9.02*	*4.11*	*8.70*	*19.07*	*12.22*	*15.30*
2. psych. case management clinic stops, mean	1.44	0.54	1.35	0.00	0.00	0.84	0.01	0.00	0.00
SD	*12.10*	*6.36*	*12.33*	*0.00*	*0.10*	*5.77*	*0.09*	*0.03*	*0.00*
3. psych. day treatment clinic stops, mean	2.80	0.44	0.00	0.00	0.00	0.00	0.01	2.37	0.00
SD	*21.66*	*7.64*	*0.04*	*0.00*	*0.00*	*0.04*	*0.20*	*17.71*	*0.00*
4. substance abuse clinic stops, mean	3.26	2.18	0.98	1.06	2.48	1.38	11.30	0.77	1.03
SD	*19.07*	*10.73*	*5.42*	*7.44*	*14.58*	*7.36*	*24.66*	*4.86*	*7.13*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Entire Population	217760	8476	1606	548	414	2876	835	1555	642
5. psych. vocational clinic stops, mean	1.73	0.99	2.89	0.00	0.00	0.03	2.98	0.63	0.30
SD	*15.65*	*9.81*	*18.38*	*0.00*	*0.00*	*0.30*	*10.57*	*9.12*	*7.50*
6. PTSD clinic stops, mean	0.56	0.46	0.51	0.54	0.01	0.38	0.02	0.81	0.69
SD	*4.85*	*3.27*	*3.05*	*2.64*	*0.16*	*3.20*	*0.25*	*4.61*	*3.67*
7. psych. homeless clinic stops, mean	0.41	0.28	0.28	0.02	0.13	0.32	0.27	0.43	0.08
SD	*3.32*	*1.81*	*2.51*	*0.35*	*0.86*	*1.46*	*1.32*	*2.46*	*0.54*
Other VISN OP visit days, mean	0.36	0.53	0.39	0.35	0.82	0.39	1.46	0.46	0.35
SD	*2.35*	2.60	1.97	1.51	2.99	2.06	5.30	2.16	1.87
Other station OP visit days, mean	0.91	0.93	0.52	0.61	1.26	0.64	3.57	0.63	0.55
SD	*3.87*	3.49	2.40	2.61	3.37	2.57	7.55	2.47	2.05

Table 4F: FY03 Psychosis Patients, Pharmacy Utilization, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Entire Population	217760	8476	1606	548	414	2876	835	1555	642
Among all patients in the registry									
Pts. with any outpatient prescriptions, %	95.5%	95.9%	95.5%	95.6%	97.1%	95.8%	95.9%	95.8%	97.4%
Patients with any oral antipsychotic fills, %*	59.2%	49.2%	48.7%	49.1%	60.1%	46.2%	45.3%	53.1%	52.3%
Among patients receiving antipsychotics:									
Received only conventional antipsychotics, %	12.3%	13.9%	12.4%	28.3%	6.4%	17.7%	12.2%	5.8%	18.8%
Received some atypical antipsychotics, %	87.7%	86.1%	87.6%	71.7%	93.6%	82.3%	87.8%	94.2%	81.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %									
Aripiprazole	1.2%	1.6%	4.0%	0.7%	0.0%	0.6%	1.9%	1.7%	1.8%
Clozapine	1.8%	0.8%	1.7%	0.4%	0.0%	1.2%	0.0%	0.4%	0.0%
Olanzapine	35.8%	32.2%	32.4%	24.2%	55.0%	27.8%	27.2%	35.4%	36.9%
Quetiapine	26.2%	24.6%	24.8%	34.6%	27.3%	19.7%	23.0%	33.2%	14.0%
Risperidone	36.7%	39.7%	35.8%	19.0%	33.3%	43.0%	53.4%	42.8%	33.6%
Ziprasidone	5.2%	5.1%	8.6%	1.5%	1.2%	4.1%	2.4%	5.1%	9.8%
Patients receiving only one kind** of antipsychotic, %	73.8%	75.3%	75.4%	80.7%	70.3%	75.4%	74.3%	73.6%	79.2%
Concurrent use of 2 or more antipsychotics, % ***	11.3%	7.9%	7.4%	8.6%	6.4%	7.6%	6.9%	10.7%	5.7%
Among pts receiving just one antipsychotic:									
Antipsychotic fills, mean	7.06	6.37	5.20	8.08	6.20	6.76	5.88	6.18	7.15
SD	*5.06*	*4.59*	*4.00*	*4.62*	*4.29*	*5.13*	*4.29*	*4.16*	*4.26*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5F: FY03 Psychosis Patients, Cost, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Entire Population	217760	8476	1606	548	414	2876	835	1555	642
Total Costs (in thousands $$)	$3,237,460	$99,801	$19,979	$7,323	$4,265	$31,545	$14,264	$18,774	$3,650
Station % of VISN		100.0%	20.0%	7.3%	4.3%	31.6%	14.3%	18.8%	3.7%
Psych vs. Non-Psych Costs									
Psych	30.3%	23.9%	33.4%	8.9%	16.7%	27.1%	18.1%	22.2%	14.5%
Non-Psych	69.7%	76.1%	66.6%	91.1%	83.3%	72.9%	81.9%	77.8%	85.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use									
Per Patient	$18,395	$12,859	$14,900	$14,742	$12,591	$12,810	$12,617	$12,452	$988
Per Day of Stay	$842	$940	$933	$1,063	$842	$1,044	$819	$936	$88
Mean Outpatient Costs, Pts with some Outpatient use									
Per Patient	$6,757	$6,074	$6,992	$5,332	$5,754	$5,445	$7,212	$6,573	$4,732
Per Visit Day	$275	$271	$268	$328	$410	$268	$233	$273	$257
Mean Patient Costs, By Cost Center									
1 Med	$1,582	$1,592	$1,602	$2,594	$1,434	$1,776	$1,941	$1,371	$77
2 Surg	$536	$550	$633	$1,082	$552	$479	$468	$679	$5
3 Psych	$2,886	$1,427	$2,061	$279	$326	$1,816	$1,520	$1,273	$37
4 Psych Res Rehab Treatment Program	$218	$42	$95	$0	$45	$21	$60	$50	$0
5 Non-VA	$205	$357	$262	$933	$1,390	$209	$290	$98	$816
6 LTC Domiciliary	$327	$242	$7	$0	$0	$6	$2,420	$0	$0
7 LTC Intermediate Care	$167	$54	$0	$0	$158	$13	$411	$0	$22
8 LTC Nursing Home	$1,785	$1,076	$266	$3,027	$578	$776	$2,481	$1,602	$0
9 Contract Nursing Home	$467	$378	$524	$243	$94	$435	$306	$437	$3
10 OPC Med/Surg	$1,071	$1,028	$1,144	$998	$699	$1,046	$1,384	$983	$545
11 OPC Psych	$1,624	$1,392	$2,097	$916	$1,398	$1,157	$1,580	$1,413	$784
12 OPC Home Based Treatment	$751	$595	$544	$505	$714	$750	$413	$544	$386
13 OPC Support	$1,322	$1,226	$1,346	$1,026	$1,127	$1,176	$1,599	$1,174	$1,024
14 OPC Fee	$148	$197	$37	$198	$71	$159	$525	$290	$189
15 OPC Pharmacy	$1,778	$1,619	$1,824	$1,563	$1,717	$1,150	$1,685	$2,160	$1,796
TOTAL	$14,867	$11,775	$12,440	$13,364	$10,303	$10,968	$17,083	$12,073	$5,685
Mean % Patient Costs at Other Stations	3.9%	4.8%	2.4%	4.4%	6.5%	3.5%	15.5%	3.9%	4.1%
SD	*12.8%*	*14.2%*	*9.7%*	*12.9%*	*15.5%*	*12.4%*	*22.7%*	*13.0%*	*13.2%*
Mean % Patient Costs at Other VISNs	1.5%	2.6%	2.0%	2.3%	3.5%	2.2%	5.0%	2.8%	2.4%
SD	*8.0%*	*10.5%*	*8.8%*	*9.1%*	*11.5%*	*9.7%*	*14.6%*	*11.1%*	*10.3%*

Table 1G: FY03 Schizophrenic Patients, Demographics, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Schizophrenic Patients	94395	2859	588	190	160	908	263	445	305
Age, %									
<35	3.9%	4.6%	4.6%	2.6%	5.6%	5.1%	2.7%	4.3%	5.9%
>=35 and <50	32.5%	35.7%	37.1%	27.9%	26.3%	38.4%	36.9%	36.0%	33.1%
>=50 and <65	44.6%	44.0%	42.5%	50.0%	50.6%	43.3%	42.6%	45.4%	41.0%
>=65 and <80	15.7%	13.2%	13.3%	15.3%	15.0%	11.1%	13.7%	11.9%	18.0%
>=80	3.3%	2.6%	2.6%	4.2%	2.5%	2.1%	4.2%	2.5%	2.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	54.59	53.32	52.89	55.74	54.64	52.43	54.43	53.16	53.83
SD	*11.97*	*11.62*	*11.73*	*11.57*	*11.34*	*11.17*	*12.20*	*11.41*	*12.44*
Gender									
Male, %	94.6%	93.4%	94.6%	93.2%	93.8%	93.2%	92.8%	90.8%	96.4%
Female, %	5.4%	6.6%	5.4%	6.8%	6.3%	6.8%	7.2%	9.2%	3.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %									
Hispanic white	6.9%	15.4%	34.7%	10.5%	10.0%	6.8%	3.4%	10.8%	26.6%
Hispanic black	0.6%	0.2%	0.5%	0.5%	0.0%	0.2%	0.0%	0.0%	0.3%
American indian	0.3%	0.9%	1.9%	0.5%	0.0%	0.3%	1.5%	0.9%	1.3%
Black	26.5%	9.6%	6.3%	12.1%	13.8%	13.3%	3.0%	9.7%	6.9%
Asian	0.8%	0.2%	0.0%	0.0%	0.0%	0.4%	0.0%	0.4%	0.0%
White	52.4%	57.7%	43.2%	64.7%	68.8%	64.5%	73.0%	73.0%	19.3%
Race unknown	12.5%	15.9%	13.4%	11.6%	7.5%	14.3%	19.0%	5.2%	45.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status									
Never married	42.4%	33.7%	37.8%	31.6%	28.8%	35.3%	29.1%	32.7%	30.4%
Married	24.6%	28.3%	25.2%	36.4%	26.3%	25.3%	24.8%	25.1%	46.5%
Divorced/Separated	29.5%	34.5%	33.5%	28.9%	41.7%	36.4%	41.5%	37.0%	21.1%
Widowed	3.5%	3.6%	3.5%	3.2%	3.2%	3.1%	4.7%	5.2%	2.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Schizophrenic Patients	94395	2859	588	190	160	908	263	445	305
Registry Pts. History of VA Utilization									
Years since first use in prior five years, mean	4.6	4.58	4.60	4.72	4.59	4.62	4.45	4.57	4.50
SD	*1.0*	*1.02*	*1.01*	*0.88*	*1.07*	*0.98*	*1.12*	*1.06*	*1.08*
Yrs with 24-hour institutional use / yrs since 1st use, %	27.3%	26.5%	27.2%	20.1%	24.1%	31.6%	30.4%	25.6%	12.6%
SD	*30.9%*	*29.7%*	*30.0%*	*27.0%*	*27.2%*	*31.2%*	*32.5%*	*28.1%*	*20.3%*
Years with OP use / Years since first use, %	96.7%	97.4%	98.2%	95.4%	97.1%	97.3%	95.9%	98.5%	97.6%
SD	*12.4%*	*9.6%*	*7.2%*	*17.2%*	*10.8%*	*9.2%*	*12.0%*	*6.7%*	*8.8%*
Psychosis Diagnoses in Prior Fiscal Year									
Had Psychosis Diagnosis in FY01, %	82.2%	79.8%	82.8%	82.6%	71.3%	78.7%	70.0%	86.5%	78.7%
Among Patients With Psychoses in FY01									
Psychosis Category: Schizophrenia, %	94.8%	92.7%	92.6%	96.2%	90.4%	91.5%	88.6%	94.8%	95.0%
Psychosis Category: Bipolar Disorder, %	2.6%	3.9%	2.9%	1.9%	7.0%	5.7%	4.9%	2.3%	2.1%
Psychosis Category: Other Psychosis, %	2.5%	3.4%	4.5%	1.9%	2.6%	2.8%	6.5%	2.9%	2.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %									
Dementia	2.3%	2.5%	3.2%	4.7%	4.4%	2.5%	0.8%	1.8%	1.0%
Post Traumatic Stress Disorder	11.9%	16.9%	22.3%	10.0%	21.3%	16.7%	22.8%	10.3%	13.4%
Depression	25.7%	34.8%	31.3%	29.5%	38.1%	40.2%	47.9%	30.3%	22.3%
Other Anxiety Disorder	8.7%	14.3%	12.4%	13.2%	10.0%	13.2%	18.6%	22.9%	8.2%
Substance Abuse or Dependence	22.3%	25.0%	25.5%	12.6%	10.6%	26.4%	36.9%	30.3%	17.4%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Schizophrenic Patients	94395	2859	588	190	160	908	263	445	305
Medical Comorbidities, %									
No medical comorbidities	18.7%	15.6%	15.3%	15.3%	15.0%	16.2%	11.0%	16.2%	18.4%
Anemia	7.1%	6.2%	8.8%	4.7%	6.9%	4.6%	5.7%	6.5%	6.6%
Arthritis	29.7%	35.4%	33.5%	41.6%	33.8%	33.7%	46.4%	33.0%	34.8%
Cancer	6.1%	6.5%	6.1%	6.8%	8.1%	6.3%	7.2%	6.1%	6.9%
Cerebrovascular Disease	3.8%	3.3%	2.9%	2.6%	3.1%	5.1%	1.5%	2.7%	1.6%
Chronic Neurologic Disorder	12.4%	16.4%	25.7%	16.3%	9.4%	14.8%	14.8%	15.3%	10.5%
Chronic Obstructive Pulmonary Disease	16.5%	15.8%	17.9%	18.9%	20.0%	16.2%	14.8%	13.5%	10.8%
Chronic Viral Infection	8.7%	9.0%	11.4%	6.3%	6.3%	8.9%	10.6%	8.1%	7.2%
Coronary Artery Disease	14.6%	20.0%	16.7%	16.3%	10.0%	31.5%	17.9%	15.1%	9.2%
Diabetes	20.3%	19.0%	18.7%	21.1%	16.9%	19.2%	15.6%	19.1%	21.3%
Digestive System Disease	44.1%	47.6%	47.3%	47.4%	39.4%	46.0%	58.6%	43.8%	53.4%
Hypertension	40.7%	40.6%	43.5%	45.3%	45.0%	37.6%	41.1%	41.3%	37.4%
Injury and Poisoning	15.5%	20.3%	23.5%	10.5%	15.6%	22.7%	25.1%	17.3%	15.7%
Liver Disease	3.2%	4.7%	4.3%	1.1%	1.9%	4.7%	8.0%	5.6%	4.6%
Other Endocrine	6.9%	9.3%	11.6%	8.9%	10.6%	8.3%	6.8%	11.2%	6.9%
Peripheral Vascular Disease	2.9%	2.6%	2.4%	0.5%	0.6%	3.0%	3.4%	2.2%	3.6%
GAF scores									
Lowest inpatient GAF score, mean	36.19	38.83	43.76	47.50	37.50	35.66	42.54	31.38	0.00
SD	*14.35*	*14.81*	*20.29*	*3.54*	*3.54*	*10.93*	*9.34*	*11.14*	*0.00*
Mean outpatient GAF score	48.84	48.17	46.30	53.16	60.16	43.82	45.97	48.75	55.32
SD	*10.59*	*10.35*	*10.37*	*6.38*	*10.25*	*9.27*	*9.21*	*9.16*	*7.84*
At least 1 IP GAF, among pts with MH bedsections, %	38.5%	27.5%	35.6%	0.0%	20.0%	17.2%	48.6%	39.0%	0.0%
At least 1 OP GAF, among pts with MH clinic stops, %	80.5%	84.4%	79.5%	96.2%	82.2%	82.9%	81.1%	90.3%	87.0%
Mortality rates									
died in FY02, %	2.7%	2.7%	3.4%	3.7%	1.9%	2.6%	1.9%	2.9%	1.3%
Age-and-gender-adjusted Standardized Mortality Ratio	1.68	1.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Schizophrenic Patients	94395	2859	588	190	160	908	263	445	305
Service Connection (SC)									
Non-SC	40.8%	38.9%	38.3%	38.9%	44.4%	38.4%	51.0%	42.2%	23.6%
SC 0 - 29%	6.8%	6.9%	5.6%	6.3%	14.4%	6.2%	8.0%	6.7%	7.2%
SC 30 - 69%	8.8%	8.0%	5.8%	7.4%	8.1%	7.8%	7.6%	8.8%	12.8%
SC 70 - 99%	6.6%	8.1%	12.4%	8.4%	5.6%	7.6%	6.5%	4.3%	9.8%
SC 100%	37.0%	38.0%	37.9%	38.9%	27.5%	40.0%	27.0%	38.0%	46.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %									
Complex*	22.5%	13.2%	18.9%	9.5%	5.6%	12.9%	18.3%	14.6%	3.3%
Basic vested, Cat A*	74.7%	83.8%	75.3%	88.4%	91.9%	85.4%	77.6%	83.6%	94.4%
Basic Non-vested, Cat A*	1.2%	0.6%	0.2%	0.5%	0.6%	0.4%	2.3%	0.2%	1.0%
Basic, Cats C and N	1.7%	2.3%	5.6%	1.6%	1.9%	1.3%	1.9%	1.6%	1.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded									
Patient eligibility category, %									
Cat A (SC or low income)	98.2%	97.6%	94.4%	98.4%	98.1%	98.5%	98.1%	98.2%	98.7%
Cat C (NSC and higher income)	1.4%	1.1%	1.0%	1.1%	1.9%	1.1%	1.1%	0.9%	1.3%
Non-Veteran	0.5%	1.3%	4.6%	0.5%	0.0%	0.4%	0.8%	0.9%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %									
BASIC 1. Non-reliant Care	0.1%	0.2%	0.3%	0.0%	0.0%	0.3%	0.8%	0.0%	0.0%
2. Basic Medical	25.3%	16.1%	11.7%	27.4%	33.1%	13.3%	16.7%	11.7%	23.0%
3. Mental Health	25.6%	42.4%	39.8%	41.6%	39.4%	42.6%	37.6%	43.6%	51.5%
4. Heart / Lung / GI	12.5%	6.4%	5.6%	8.9%	11.9%	6.4%	4.6%	6.3%	5.2%
5. Oncology / Infectious Disease	3.8%	4.7%	3.6%	3.2%	5.6%	5.2%	6.5%	4.3%	4.6%
6. Multiple Medical	17.6%	16.9%	20.1%	9.5%	4.4%	19.3%	15.6%	19.6%	12.5%
COMPLEX 7. Specialized Care	4.7%	1.9%	1.2%	0.5%	1.3%	2.5%	2.3%	3.6%	0.0%
8. Support Care	4.8%	2.0%	2.2%	0.5%	0.0%	2.0%	6.8%	1.6%	0.3%
9. Chronic Mental	2.2%	8.1%	14.6%	4.2%	2.5%	7.6%	7.2%	8.1%	3.0%
10. Critically Ill	3.3%	1.2%	0.9%	4.2%	1.9%	0.8%	1.9%	1.3%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Schizophrenic Patients	94395	2859	588	190	160	908	263	445	305
Substance Dependence and Abuse									
Any dx of alcohol / drug dependence or abuse, %	22.3%	25.0%	25.5%	12.6%	10.6%	26.4%	36.9%	30.3%	17.4%
Homelessness									
Homelessness indicated in FY02, %	12.0%	11.4%	8.3%	1.6%	6.3%	13.3%	22.4%	16.6%	3.6%
Residence in Metropolitan Area									
Residing in a Metropolitan Statistical Area, %	81.5%	79.3%	75.7%	64.2%	62.5%	95.0%	26.6%	86.7%	92.5%
Distance									
Mile from Closest VA Medical Center, mean	28.72	49.66	37.95	58.05	64.90	15.14	32.57	22.72	215.74
SD	*55.48*	*70.17*	*54.33*	*45.38*	*36.09*	*23.90*	*39.23*	*35.28*	*28.18*
Distance from closest VA Medical Center, %									
0 to 15 miles	52.9%	54.6%	64.2%	39.3%	13.2%	41.6%	42.6%	61.2%	62.3%
15 to 30 miles	15.5%	10.8%	21.9%	12.4%	22.9%	28.1%	27.4%	22.2%	35.6%
30 to 45 miles	9.7%	3.4%	4.4%	6.4%	28.6%	25.6%	29.0%	12.8%	1.9%
45 to 60 miles	7.4%	3.1%	3.5%	12.4%	12.4%	3.3%	0.8%	3.7%	0.2%
60 plus miles	14.4%	28.1%	5.9%	29.5%	22.9%	1.5%	0.2%	0.1%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	9.84	9.11	10.99	13.90	10.85	6.85	9.80	8.58	8.45
SD	*11.95*	*11.53*	*13.11*	*18.15*	*14.69*	*6.33*	*15.53*	*9.19*	*10.47*
Distance to closest VA Service Site, %									
0 to 15 miles	79.4%	85.5%	93.5%	59.1%	48.5%	85.4%	94.8%	94.1%	99.7%
15 to 30 miles	13.6%	8.3%	4.5%	18.1%	42.7%	13.7%	5.2%	5.8%	0.3%
30 to 45 miles	5.1%	3.6%	1.5%	13.8%	8.8%	0.8%	0.0%	0.0%	0.0%
45 plus miles	1.9%	2.6%	0.5%	9.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Schizophrenic Patients	94395	2859	588	190	160	908	263	445	305
Hospital Based Utilization									
Patients with some Hospital Based Utilization, %	27.0%	26.4%	29.9%	18.9%	17.5%	33.8%	22.8%	26.1%	10.8%
Hospital based utilization: Overall									
(All psychiatric and medical hospital bedsections)									
Inpatient stays, mean	1.85	2.02	1.95	1.97	1.82	2.12	1.97	2.09	1.58
SD	*1.45*	*1.71*	*1.67*	*1.28*	*1.44*	*1.73*	*1.48*	*2.04*	*1.41*
Average LOS, mean	17.65	8.52	11.54	5.96	8.20	6.49	11.23	9.56	5.83
SD	*42.51*	*14.46*	*22.32*	*5.40*	*6.07*	*5.56*	*27.05*	*9.70*	*6.17*
Cumulative DOS, mean	28.76	16.61	21.10	13.72	15.96	13.79	17.55	18.66	13.76
SD	*53.29*	*23.10*	*29.71*	*15.34*	*17.98*	*16.34*	*28.26*	*21.99*	*35.34*
Cumulative DOS, %									
1 to 7	35.1%	41.4%	38.6%	50.0%	35.7%	44.6%	38.3%	31.9%	60.6%
8 to 14	20.7%	24.9%	18.2%	11.1%	35.7%	26.4%	23.3%	32.8%	27.3%
15 to 44	29.0%	25.7%	30.1%	33.3%	17.9%	24.4%	30.0%	25.0%	6.1%
45 to 89	9.0%	6.5%	9.7%	5.6%	10.7%	3.9%	6.7%	8.6%	3.0%
90 to 179	3.4%	1.2%	2.8%	0.0%	0.0%	0.7%	0.0%	1.7%	0.0%
180 to 359	1.5%	0.4%	0.6%	0.0%	0.0%	0.0%	1.7%	0.0%	3.0%
360+	1.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	3.8%	0.3%	0.6%	0.0%	0.0%	0.0%	1.7%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	249.93	236.50	274.00	0.00	0.00	0.00	199.00	0.00	0.00
SD	*96.37*	*53.03*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	2.5%	0.3%	0.6%	0.0%	0.0%	0.0%	1.7%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.78	236.50	274.00	0.00	0.00	0.00	199.00	0.00	0.00
SD	*75.28*	*53.03*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.65	1.24	1.05	2.17	4.54	0.54	2.83	1.16	2.36
SD	*4.66*	*6.39*	*6.92*	*6.30*	*13.31*	*2.81*	*11.76*	*5.11*	*7.94*
Cumulative DOS at Other Stations	2.06	2.19	1.09	4.22	5.54	0.97	9.83	1.64	2.39
SD	*8.11*	*7.69*	*6.92*	*8.64*	*13.21*	*4.70*	*13.95*	*5.87*	*7.94*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Schizophrenic Patients	94395	2859	588	190	160	908	263	445	305
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)									
Pts. with non-psych hospital stays, %	11.8%	13.7%	13.8%	17.9%	13.8%	16.6%	14.1%	10.6%	6.6%
Inpatient stays, mean	0.71	0.85	0.63	1.78	1.29	0.80	1.10	0.81	0.85
SD	*1.11*	*1.24*	*0.85*	*1.27*	*1.15*	*1.24*	*1.36*	*1.55*	*1.03*
Average LOS, mean	8.26	5.99	8.22	5.55	6.64	4.15	11.38	4.32	4.91
SD	*16.10*	*17.39*	*30.51*	*5.25*	*5.10*	*3.30*	*31.96*	*4.76*	*6.21*
Cumulative Days of Stay, mean	6.10	5.12	4.79	11.33	9.39	3.86	10.23	3.47	4.70
SD	*19.61*	*15.40*	*22.18*	*13.48*	*13.76*	*8.99*	*26.75*	*7.44*	*10.94*
Cumulative Days of Stay, %									
0	56.2%	48.1%	54.0%	5.6%	21.4%	50.8%	38.3%	59.5%	39.4%
1 to 7	24.8%	33.9%	34.7%	52.8%	35.7%	35.5%	26.7%	23.3%	42.4%
8 to 14	8.1%	9.5%	6.8%	8.3%	28.6%	7.5%	15.0%	11.2%	12.1%
15 to 44	8.5%	7.1%	3.4%	30.6%	10.7%	5.2%	16.7%	6.0%	3.0%
45 to 89	1.7%	1.1%	0.6%	2.8%	3.6%	1.0%	1.7%	0.0%	3.0%
90 to 179	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	0.2%	0.3%	0.6%	0.0%	0.0%	0.0%	1.7%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.4%	0.3%	0.6%	0.0%	0.0%	0.0%	1.7%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	225.13	236.50	274.00	0.00	0.00	0.00	199.00	0.00	0.00
SD	*88.92*	*53.03*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.3%	0.6%	0.0%	0.0%	0.0%	1.7%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	285.12	236.50	274.00	0.00	0.00	0.00	199.00	0.00	0.00
SD	*70.56*	*53.03*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.10*	*0.22*	*0.09*	*0.50*	*0.61*	*0.06*	*0.18*	*0.11*	*2.15*
SD	*1.58*	*1.96*	*0.66*	*2.36*	*2.54*	*0.54*	*1.10*	*1.03*	*7.96*
Other station cumulative DOS, mean	0.47	0.57	0.09	1.83	1.61	0.13	2.52	0.35	2.18
SD	*3.45*	*3.15*	*0.66*	*6.60*	*3.45*	*0.97*	*5.98*	*2.36*	*7.95*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Schizophrenic Patients	94395	2859	588	190	160	908	263	445	305
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)									
Pts. with psych hospital stays, %	17.7%	16.2%	20.1%	3.2%	6.3%	21.8%	13.3%	18.4%	4.3%
Inpatient stays, mean	1.14	1.17	1.32	0.19	0.54	1.32	0.87	1.28	0.73
SD	*1.37*	*1.55*	*1.60*	*0.47*	*0.96*	*1.64*	*0.91*	*1.67*	*1.48*
Average LOS, mean	23.15	10.27	12.82	13.92	12.03	8.00	9.60	12.33	7.24
SD	*51.08*	*9.72*	*11.09*	*9.27*	*6.96*	*6.60*	*15.13*	*10.63*	*6.07*
Cumulative Days of Stay, mean	22.66	11.49	16.31	2.39	6.57	9.93	7.32	15.19	9.06
SD	*51.43*	*19.38*	*22.45*	*6.33*	*13.59*	*15.53*	*13.22*	*21.80*	*34.88*
Cumulative Days of Stay, %									
0	34.4%	38.9%	33.0%	83.3%	64.3%	35.5%	41.7%	29.3%	60.6%
1 to 7	17.5%	18.5%	17.0%	2.8%	7.1%	22.1%	26.7%	14.7%	18.2%
8 to 14	14.7%	18.5%	13.1%	8.3%	14.3%	20.8%	15.0%	27.6%	15.2%
15 to 44	21.2%	18.1%	25.0%	5.6%	10.7%	18.2%	15.0%	19.0%	3.0%
45 to 89	6.9%	5.0%	10.2%	0.0%	3.6%	2.6%	1.7%	8.6%	0.0%
90 to 179	2.8%	0.8%	1.7%	0.0%	0.0%	0.7%	0.0%	0.9%	0.0%
180 to 359	1.4%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.0%
360+	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	250.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*97.20*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	2.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*76.47*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.55	1.03	0.96	1.67	3.93	0.49	2.65	1.04	0.21
SD	4.34	6.01	6.60	5.98	12.93	2.76	11.75	5.01	0.86
Other station cumulative DOS, mean	1.59	1.62	0.99	2.39	3.93	0.84	7.32	1.28	0.21
SD	7.30	6.90	6.61	6.33	12.93	4.62	13.22	5.13	0.86

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Schizophrenic Patients	94395	2859	588	190	160	908	263	445	305
Other 24 hour institutional care									
Patients with some Community Based 24 hour care, %	8.0%	5.1%	3.2%	6.3%	3.1%	2.8%	22.8%	5.6%	0.0%
Residential Rehabilitation									
Patients with some residential rehab. care, %	1.6%	0.5%	1.5%	0.0%	0.0%	0.0%	0.4%	0.7%	0.0%
Number stays, mean	*1.12*	*1.31*	*1.44*	*0.00*	*0.00*	*0.00*	*1.00*	*1.00*	*0.00*
SD	*0.37*	*0.63*	*0.73*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	36.26	31.86	38.57	0.00	0.00	0.00	8.00	19.67	0.00
SD	*45.44*	*31.60*	*36.05*	*0.00*	*0.00*	*0.00*	*0.00*	*9.07*	*0.00*
Cumulative DOS, mean	39.67	43.23	55.00	0.00	0.00	0.00	8.00	19.67	0.00
SD	*48.06*	*42.89*	*47.11*	*0.00*	*0.00*	*0.00*	*0.00*	*9.07*	*0.00*
Cumulative Days of Stay, %									
1 to 7	14.0%	15.4%	22.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
8 to 14	14.7%	15.4%	0.0%	0.0%	0.0%	0.0%	100.0%	33.3%	0.0%
15 to 44	46.4%	38.5%	33.3%	0.0%	0.0%	0.0%	0.0%	66.7%	0.0%
45 to 89	13.8%	7.7%	11.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	8.9%	23.1%	33.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	0.0%	0.0%	100.0%	100.0%	0.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.2%	7.7%	11.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	180.59	117.00	117.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*80.43*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	2.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	246.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*77.24*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.84	0.62	0.00	0.00	0.00	0.00	8.00	0.00	0.00
SD	*5.37*	*2.22*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.24	0.62	0.00	0.00	0.00	0.00	8.00	0.00	0.00
SD	*10.31*	*2.22*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Schizophrenic Patients	94395	2859	588	190	160	908	263	445	305
Domiciliary and Vocational									
Patients with some dom/voc care, %	2.3%	2.0%	0.3%	0.0%	0.0%	0.4%	19.4%	0.0%	0.0%
Number stays, mean	1.12	1.12	1.50	0.00	0.00	1.00	1.12	0.00	0.00
SD	*0.37*	*0.33*	*0.71*	*0.00*	*0.00*	*0.00*	*0.33*	*0.00*	*0.00*
Average LOS, mean	94.48	84.51	12.00	0.00	0.00	14.25	92.86	0.00	0.00
SD	*108.97*	*83.79*	*4.24*	*0.00*	*0.00*	*6.85*	*84.76*	*0.00*	*0.00*
Cumulative DOS, mean	100.96	96.30	19.50	0.00	0.00	14.25	105.75	0.00	0.00
SD	*111.44*	*99.42*	*14.85*	*0.00*	*0.00*	*6.85*	*100.99*	*0.00*	*0.00*
Cumulative Days of Stay, %									
1 to 7	7.9%	3.5%	0.0%	0.0%	0.0%	25.0%	2.0%	0.0%	0.0%
8 to 14	6.7%	12.3%	50.0%	0.0%	0.0%	25.0%	9.8%	0.0%	0.0%
15 to 44	31.5%	21.1%	50.0%	0.0%	0.0%	50.0%	17.6%	0.0%	0.0%
45 to 89	17.3%	28.1%	0.0%	0.0%	0.0%	0.0%	31.4%	0.0%	0.0%
90 to 179	17.7%	21.1%	0.0%	0.0%	0.0%	0.0%	23.5%	0.0%	0.0%
180 to 359	9.4%	10.5%	0.0%	0.0%	0.0%	0.0%	11.8%	0.0%	0.0%
360+	9.5%	3.5%	0.0%	0.0%	0.0%	0.0%	3.9%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	0.0%	100.0%	100.0%	0.0%	0.0%
Dom. patients with 100+ day Dom. stay, %	32.0%	28.1%	0.0%	0.0%	0.0%	0.0%	31.4%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	234.98	220.94	0.00	0.00	0.00	0.00	220.94	0.00	0.00
SD	*102.95*	*106.05*	*0.00*	*0.00*	*0.00*	*0.00*	*106.05*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	20.9%	15.8%	0.0%	0.0%	0.0%	0.0%	17.6%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	291.61	296.56	0.00	0.00	0.00	0.00	296.56	0.00	0.00
SD	*80.75*	*77.23*	*0.00*	*0.00*	*0.00*	*0.00*	*77.23*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.18	1.28	19.50	0.00	0.00	8.50	0.00	0.00	0.00
SD	*7.65*	*5.20*	*14.85*	*0.00*	*0.00*	*10.63*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.16	1.68	19.50	0.00	0.00	14.25	0.00	0.00	0.00
SD	*12.59*	*5.63*	*14.85*	*0.00*	*0.00*	*6.85*	*0.00*	*0.00*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Schizophrenic Patients	94395	2859	588	190	160	908	263	445	305
Nursing Home Care									
Patients with some nursing home care, %	4.7%	2.8%	1.4%	6.3%	3.1%	2.3%	4.9%	4.9%	0.0%
Number stays, mean	1.20	1.28	1.38	1.00	1.00	1.19	1.15	1.64	0.00
SD	*0.56*	*0.69*	*0.74*	*0.00*	*0.00*	*0.40*	*0.38*	*1.09*	*0.00*
Average LOS, mean	143.54	83.88	74.10	200.00	98.00	63.26	85.04	39.90	0.00
SD	*137.46*	*113.07*	*70.12*	*150.42*	*149.14*	*94.00*	*123.23*	*60.37*	*0.00*
Cumulative DOS, mean	156.00	97.36	85.75	200.00	98.00	69.29	102.15	69.41	0.00
SD	*139.76*	*120.44*	*71.17*	*150.42*	*149.14*	*95.48*	*142.12*	*97.80*	*0.00*
Cumulative Days of Stay, %									
1 to 7	6.8%	12.3%	0.0%	8.3%	0.0%	14.3%	23.1%	13.6%	0.0%
8 to 14	6.5%	7.4%	12.5%	0.0%	0.0%	4.8%	7.7%	13.6%	0.0%
15 to 44	20.5%	34.6%	25.0%	8.3%	80.0%	47.6%	30.8%	31.8%	0.0%
45 to 89	14.1%	17.3%	25.0%	25.0%	0.0%	14.3%	7.7%	22.7%	0.0%
90 to 179	15.1%	7.4%	25.0%	8.3%	0.0%	4.8%	7.7%	4.5%	0.0%
180 to 359	14.7%	13.6%	12.5%	25.0%	0.0%	14.3%	15.4%	9.1%	0.0%
360+	22.5%	7.4%	0.0%	25.0%	20.0%	0.0%	7.7%	4.5%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%
NH patients with 100+ day NH stay, %	48.0%	23.5%	25.0%	58.3%	20.0%	19.0%	23.1%	9.1%	0.0%
Cumul. DOS, patients with a 100+ day NH stay, mean	282.12	294.42	176.50	312.57	364.00	249.25	345.67	327.50	0.00
SD	*94.85*	*79.01*	*53.03*	*74.89*	*0.00*	*78.46*	*26.73*	*53.03*	*0.00*
NH patients with 150+ day NH stay, %	39.8%	21.0%	12.5%	58.3%	20.0%	14.3%	23.1%	9.1%	0.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	312.43	311.29	214.00	312.57	364.00	278.00	345.67	327.50	0.00
SD	*72.26*	*64.27*	*0.00*	*74.89*	*0.00*	*65.38*	*26.73*	*53.03*	*0.00*
Other VISN cumulative DOS, mean	0.44	1.27	0.00	0.00	8.60	0.05	0.00	2.68	0.00
SD	*5.99*	*6.61*	*0.00*	*0.00*	*19.23*	*0.22*	*0.00*	*8.79*	*0.00*
Other station cumulative DOS, mean	1.19	1.65	0.00	0.00	8.60	0.05	2.38	2.68	0.00
SD	*9.07*	*7.39*	*0.00*	*0.00*	*19.23*	*0.22*	*8.60*	*8.79*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Schizophrenic Patients	94395	2859	588	190	160	908	263	445	305
Outpatient utilization									
(reported for those with some outpatient care)									
Patients with some outpatient care, %	98.3%	99.6%	100.0%	96.3%	98.8%	100.0%	99.2%	100.0%	100.0%
annual visit days, mean	27.64	24.05	31.64	16.96	13.94	20.81	29.11	27.33	19.46
SD	*38.39*	*27.75*	*39.49*	*14.86*	*12.27*	*20.28*	*31.48*	*30.36*	*16.90*
Outpatient visit days, %									
1-12	42.6%	41.6%	36.9%	49.2%	60.8%	44.5%	37.2%	33.5%	43.6%
13-24	25.7%	27.3%	25.3%	27.9%	27.2%	26.1%	28.0%	29.9%	30.2%
25-36	11.8%	12.9%	13.9%	14.2%	6.3%	13.8%	8.0%	15.1%	11.5%
37-48	5.9%	6.7%	6.1%	2.7%	2.5%	7.0%	7.7%	8.1%	8.5%
49+	14.0%	11.5%	17.7%	6.0%	3.2%	8.6%	19.2%	13.5%	6.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	74.5%	71.7%	44.6%	94.5%	88.0%	83.3%	88.5%	50.8%	83.6%
Mean PC visit days, among those with some PC	3.73	4.14	3.76	4.03	4.96	3.67	5.92	3.24	4.71
SD	3.83	4.42	6.83	3.86	4.00	3.02	6.03	2.94	4.23
Average number clinic stops per visit day, mean	1.45	1.47	1.47	1.52	1.38	1.53	1.58	1.38	1.33
SD	*0.45*	*0.44*	*0.42*	*0.51*	*0.49*	*0.46*	*0.50*	*0.34*	*0.31*
annual clinic stops (psych & non-psych), mean	41.32	36.55	50.63	24.28	19.73	31.85	48.20	38.30	27.00
SD	*65.29*	*48.35*	*74.25*	*20.57*	*23.56*	*34.12*	*57.04*	*44.47*	*25.81*
annual non-psych. clinic stops, mean	19.07	17.78	16.50	15.62	14.81	19.31	25.20	16.16	14.52
SD	*26.86*	*20.99*	*20.48*	*14.59*	*14.33*	*23.55*	*28.87*	*17.03*	*14.54*
annual psych. clinic stops (groupings below), mean	22.25	18.78	34.13	8.66	4.92	12.54	23.00	22.14	12.48
SD	*50.83*	*38.18*	*63.46*	*13.02*	*12.51*	*17.99*	*41.35*	*37.59*	*19.91*
1. general psych. clinic stops, mean	9.04	13.17	26.01	7.62	3.66	8.37	13.17	13.61	10.35
SD	*15.89*	*26.54*	*48.89*	*12.22*	*5.29*	*11.42*	*19.23*	*16.54*	*17.72*
2. psych. case management clinic stops, mean	2.76	1.21	2.83	0.00	0.01	1.97	0.00	0.00	0.00
SD	*16.59*	*9.73*	*18.09*	*0.00*	*0.16*	*9.00*	*0.06*	*0.05*	*0.00*
3. psych. day treatment clinic stops, mean	4.94	1.08	0.00	0.00	0.00	0.00	0.01	6.90	0.00
SD	*29.07*	*11.85*	*0.06*	*0.00*	*0.00*	*0.07*	*0.12*	*29.32*	*0.00*
4. substance abuse clinic stops, mean	2.71	1.79	1.07	0.57	1.09	1.42	7.92	0.88	1.45
SD	*17.49*	*9.02*	*5.41*	*3.27*	*9.03*	*6.28*	*20.51*	*5.85*	*9.68*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Schizophrenic Patients	94395	2859	588	190	160	908	263	445	305
5. psych. vocational clinic stops, mean	2.11	1.04	4.21	0.00	0.00	0.02	1.63	0.07	0.01
SD	*18.38*	*10.87*	*23.29*	*0.00*	*0.00*	*0.18*	*5.94*	*1.29*	*0.11*
6. PTSD clinic stops, mean	0.37	0.31	0.42	0.44	0.00	0.31	0.03	0.24	0.52
SD	*3.86*	*2.78*	*2.82*	*2.49*	*0.00*	*3.45*	*0.28*	*2.40*	*3.03*
7. psych. homeless clinic stops, mean	0.39	0.27	0.21	0.01	0.16	0.38	0.25	0.44	0.09
SD	*2.98*	*1.63*	*1.85*	*0.07*	*1.19*	*1.71*	*1.32*	*2.16*	*0.60*
Other VISN OP visit days, mean	0.30	0.46	0.42	0.13	0.72	0.42	0.95	0.41	0.42
SD	2.12	2.48	2.27	0.55	3.16	2.49	4.29	1.68	1.97
Other station OP visit days, mean	0.82	0.79	0.64	0.24	0.97	0.63	2.57	0.54	0.60
SD	3.70	3.17	3.07	0.80	3.26	2.86	6.16	1.93	2.10

Table 4G: FY03 Schizophrenic Patients, Pharmacy Utilization, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Schizophrenic Patients	94395	2859	588	190	160	908	263	445	305
Among all patients in the registry									
Pts. with any outpatient prescriptions, %	94.9%	95.1%	94.2%	94.2%	95.6%	95.5%	93.9%	94.8%	97.4%
Patients with any oral antipsychotic fills, %*	78.7%	73.7%	68.4%	74.7%	81.3%	76.3%	66.2%	79.6%	69.2%
Among pts. receiving any antipsychotic medication:									
Received only conventional antipsychotics, %	15.4%	15.8%	11.7%	33.8%	8.5%	18.2%	16.1%	6.2%	23.7%
Received some atypical antipsychotics, %	84.6%	84.2%	88.3%	66.2%	91.5%	81.8%	83.9%	93.8%	76.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %									
Aripiprazole	1.5%	2.7%	6.2%	1.4%	0.0%	0.9%	3.4%	3.1%	2.8%
Clozapine	3.1%	1.6%	3.2%	0.7%	0.0%	2.3%	0.0%	0.8%	0.0%
Olanzapine	35.7%	33.7%	30.6%	19.7%	60.0%	29.7%	32.2%	40.1%	36.0%
Quetiapine	21.7%	19.8%	21.1%	28.9%	22.3%	15.9%	21.3%	25.1%	12.3%
Risperidone	36.8%	39.2%	38.6%	25.4%	30.0%	42.1%	46.6%	45.8%	28.9%
Ziprasidone	5.9%	7.2%	10.7%	2.1%	1.5%	6.5%	5.2%	9.0%	8.5%
Patients receiving only one kind** of antipsychotic, %	70.8%	71.4%	70.4%	75.4%	66.9%	72.0%	66.7%	68.9%	79.1%
Concurrent use of 2 or more antipsychotics, % ***	15.6%	12.4%	10.4%	14.1%	10.8%	12.6%	12.6%	16.7%	8.1%
Among pts receiving just one antipsychotic:									
Antipsychotic fills, mean	8.10	7.60	5.71	9.61	7.72	8.28	6.99	7.76	7.60
SD	*5.37*	*4.83*	*4.26*	*4.47*	*4.14*	*5.57*	*4.28*	*4.14*	*4.21*
Antipsychotic Medication Possession Ratio, mean	0.83	0.81	0.85	0.84	0.82	0.76	0.74	0.89	0.75
SD	*0.33*	*0.32*	*0.28*	*0.30*	*0.32*	*0.33*	*0.35*	*0.31*	*0.31*
Antipsychotic Med Possession Ratio <= 0.80, %	37.1%	37.7%	33.5%	28.4%	40.0%	41.2%	47.4%	29.1%	45.9%
Antipsychotic Med Possession Ratio <= 0.50, %	18.0%	18.5%	11.3%	18.6%	17.5%	23.2%	21.6%	11.9%	24.2%

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 4G: FY03 Schizophrenic Patients, Cost, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Schizophrenic Patients	94395	2859	588	190	160	908	263	445	305
Total Costs (in thousands $$)	$1,637,013	$34,021	$8,433	$2,365	$1,683	$10,582	$3,651	$5,499	$1,808
Station % of VISN		100.0%	24.8%	7.0%	4.9%	31.1%	10.7%	16.2%	5.3%
Psych vs. Non-Psych Costs									
Psych	34.5%	31.8%	46.3%	10.5%	14.9%	32.5%	17.9%	37.6%	14.3%
Non-Psych	65.5%	68.2%	53.7%	89.5%	85.1%	67.5%	82.1%	62.4%	85.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use									
Per Patient	$21,945	$13,869	$16,656	$13,073	$13,497	$13,645	$12,526	$14,684	$1,859
Per Day of Stay	$763	$835	$790	$953	$845	$990	$714	$787	$135
Mean Outpatient Costs, Pts with some Outpatient use									
Per Patient	$7,323	$6,503	$8,206	$5,178	$5,544	$6,011	$6,952	$7,031	$4,823
Per Visit Day	$265	$270	$259	$305	$398	$289	$239	$257	$248
By Cost Center									
1 Med	$1,399	$1,277	$1,420	$1,763	$1,146	$1,564	$1,483	$995	$149
2 Surg	$470	$404	$364	$423	$754	$516	$186	$493	$11
3 Psych	$4,062	$1,986	$3,201	$291	$462	$2,534	$1,189	$2,339	$41
4 Psych Res Rehab Treatment Program	$217	$35	$154	$0	$0	$0	$7	$18	$0
5 Non-VA	$230	$376	$340	$891	$1,269	$172	$169	$97	$854
6 LTC Domiciliary	$302	$197	$18	$0	$0	$7	$2,082	$0	$0
7 LTC Intermediate Care	$166	$43	$0	$0	$175	$0	$303	$0	$46
8 LTC Nursing Home	$2,633	$821	$118	$3,912	$1,129	$613	$1,279	$1,037	$0
9 Contract Nursing Home	$664	$281	$520	$179	$110	$237	$286	$347	$5
10 OPC Med/Surg	$930	$813	$854	$744	$610	$926	$1,160	$640	$506
11 OPC Psych	$1,916	$1,795	$3,435	$1,010	$1,101	$1,248	$1,291	$2,308	$804
12 OPC Home Based Treatment	$933	$603	$462	$475	$753	$1,002	$422	$250	$360
13 OPC Support	$1,243	$1,106	$1,190	$924	$1,054	$1,100	$1,626	$926	$915
14 OPC Fee	$130	$153	$31	$133	$31	$171	$351	$186	$196
15 OPC Pharmacy	$2,047	$2,007	$2,234	$1,702	$1,926	$1,565	$2,049	$2,721	$2,042
TOTAL	$17,342	$11,900	$14,341	$12,446	$10,520	$11,654	$13,883	$12,357	$5,929
Mean % Patient Costs at Other Stations	3.6%	4.3%	2.4%	3.6%	5.5%	3.1%	14.1%	3.3%	4.0%
SD	*12.4%*	*13.4%*	*10.1%*	*11.4%*	*14.8%*	*11.4%*	*22.1%*	*11.9%*	*13.3%*
Mean % Patient Costs at Other VISNs	1.3%	2.4%	1.8%	2.1%	3.4%	1.9%	4.7%	2.2%	2.7%
SD	*7.5%*	*10.1%*	*8.7%*	*9.1%*	*11.8%*	*8.8%*	*14.8%*	*9.7%*	*11.2%*

Table 1H: FY03 Bipolar Patients, Demographics, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Bipolar Patients	73964	3408	585	227	181	1361	346	532	176
Age, %									
<35	7.9%	8.2%	7.0%	7.0%	11.0%	9.4%	6.4%	7.1%	8.0%
>=35 and <50	36.3%	34.5%	32.1%	34.8%	29.8%	33.5%	38.4%	35.7%	42.6%
>=50 and <65	40.3%	43.0%	42.6%	42.3%	46.4%	43.6%	44.5%	43.8%	32.4%
>=65 and <80	13.3%	12.7%	17.1%	13.7%	10.5%	11.4%	10.1%	12.2%	15.3%
>=80	2.2%	1.6%	1.2%	2.2%	2.2%	2.1%	0.6%	1.1%	1.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	52.26	52.22	53.28	53.08	51.34	51.98	51.62	52.13	51.89
SD	*12.50*	*12.13*	*12.28*	*12.35*	*12.44*	*12.39*	*10.75*	*11.63*	*12.82*
Gender									
Male, %	88.2%	85.6%	83.6%	86.8%	86.7%	85.2%	89.6%	86.3%	82.4%
Female, %	11.8%	14.4%	16.4%	13.2%	13.3%	14.8%	10.4%	13.7%	17.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %									
Hispanic white	2.8%	6.2%	14.9%	5.7%	4.4%	2.9%	1.7%	6.0%	13.6%
Hispanic black	0.3%	0.3%	0.0%	0.0%	0.0%	0.5%	0.0%	0.2%	1.1%
American indian	0.3%	0.6%	0.9%	0.0%	0.0%	0.7%	0.3%	0.8%	0.6%
Black	10.4%	4.0%	2.2%	3.5%	5.0%	5.4%	1.4%	4.5%	2.8%
Asian	0.2%	0.2%	0.0%	0.0%	0.0%	0.1%	0.0%	0.6%	0.6%
White	62.5%	63.1%	53.3%	63.4%	73.5%	62.4%	69.4%	77.4%	35.2%
Race unknown	23.5%	25.6%	28.7%	27.3%	17.1%	28.0%	27.2%	10.5%	46.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status									
Never married	21.0%	18.7%	17.5%	13.7%	14.6%	20.1%	19.9%	19.3%	18.9%
Married	37.7%	38.1%	41.4%	51.3%	42.7%	33.6%	32.2%	40.5%	45.1%
Divorced/Separated	37.9%	39.6%	36.7%	31.0%	38.8%	42.6%	44.4%	37.6%	33.7%
Widowed	3.4%	3.6%	4.3%	4.0%	3.9%	3.6%	3.5%	2.6%	2.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Bipolar Patients	73964	3408	585	227	181	1361	346	532	176
Registry Pts. History of VA Utilization									
Years since first use in prior five years, mean	4.2	4.21	4.25	4.28	4.12	4.17	4.20	4.25	4.23
SD	*1.3*	*1.30*	*1.26*	*1.22*	*1.40*	*1.32*	*1.27*	*1.29*	*1.32*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.1%	24.0%	23.2%	22.6%	17.4%	24.7%	31.0%	24.1%	16.1%
SD	*29.2%*	*28.2%*	*26.1%*	*27.3%*	*23.7%*	*28.5%*	*32.7%*	*28.8%*	*22.2%*
Years with OP use / Years since first use, %	96.7%	97.1%	97.7%	96.8%	96.5%	96.5%	97.2%	98.1%	96.8%
SD	*10.5%*	*10.1%*	*9.1%*	*12.2%*	*11.2%*	*10.9%*	*9.5%*	*7.8%*	*9.8%*
Psychosis Diagnoses in Prior Fiscal Year									
Had Psychosis Diagnosis in FY01, %	65.0%	63.8%	65.1%	69.2%	50.8%	60.5%	66.2%	70.9%	66.5%
Among Patients With Psychoses in FY01									
Psychosis Category: Schizophrenia, %	3.8%	3.6%	5.2%	1.9%	3.3%	3.6%	3.1%	2.4%	5.1%
Psychosis Category: Bipolar Disorder, %	94.8%	94.9%	93.4%	96.8%	94.6%	95.1%	91.7%	97.1%	94.0%
Psychosis Category: Other Psychosis, %	1.4%	1.6%	1.3%	1.3%	2.2%	1.2%	5.2%	0.5%	0.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %									
Dementia	1.7%	1.7%	2.4%	1.3%	2.2%	1.8%	2.0%	0.4%	2.3%
Post Traumatic Stress Disorder	21.3%	29.6%	27.0%	18.5%	27.1%	34.0%	29.8%	31.4%	15.9%
Depression	44.5%	50.9%	49.4%	45.8%	56.9%	56.1%	59.5%	38.5%	36.4%
Other Anxiety Disorder	16.3%	18.3%	16.9%	12.8%	21.0%	17.0%	19.7%	26.1%	10.2%
Substance Abuse or Dependence	29.8%	26.9%	23.1%	17.6%	11.0%	28.4%	40.8%	27.6%	27.8%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Bipolar Patients	73964	3408	585	227	181	1361	346	532	176
Medical Comorbidities, %									
No medical comorbidities	15.4%	12.6%	12.5%	9.7%	15.5%	13.0%	10.1%	11.1%	19.3%
Anemia	5.6%	5.2%	7.2%	3.1%	5.0%	4.3%	8.4%	3.9%	6.3%
Arthritis	42.4%	45.7%	41.2%	49.8%	44.2%	45.6%	49.4%	48.3%	41.5%
Cancer	6.2%	7.0%	5.3%	8.8%	6.1%	8.0%	5.8%	7.3%	5.7%
Cerebrovascular Disease	3.8%	3.2%	2.6%	3.5%	2.8%	3.6%	3.8%	3.0%	1.7%
Chronic Neurologic Disorder	14.8%	16.6%	17.3%	19.8%	14.9%	16.2%	18.8%	15.8%	12.5%
Chronic Obstructive Pulmonary Disease	16.0%	16.7%	17.1%	19.4%	20.4%	16.2%	20.5%	13.5%	13.6%
Chronic Viral Infection	9.6%	9.6%	8.5%	11.5%	8.3%	9.0%	12.7%	10.9%	5.7%
Coronary Artery Disease	16.8%	24.4%	18.8%	19.8%	19.3%	34.5%	20.5%	15.2%	11.9%
Diabetes	17.4%	15.6%	16.2%	15.0%	18.2%	16.2%	12.1%	14.5%	17.6%
Digestive System Disease	43.2%	44.7%	42.1%	49.8%	42.0%	44.6%	53.8%	44.5%	33.0%
Hypertension	38.5%	36.8%	40.7%	47.1%	44.8%	34.6%	31.5%	37.2%	28.4%
Injury and Poisoning	19.9%	25.5%	25.3%	25.1%	11.0%	27.8%	28.9%	25.4%	17.6%
Liver Disease	3.8%	3.8%	3.2%	2.2%	1.7%	4.2%	5.8%	4.3%	2.3%
Other Endocrine	10.0%	12.5%	12.8%	15.0%	8.8%	11.2%	13.6%	16.0%	8.5%
Peripheral Vascular Disease	3.0%	3.3%	2.1%	2.6%	4.4%	4.0%	4.3%	2.4%	2.8%
GAF scores									
Lowest inpatient GAF score, mean	39.59	41.66	43.05	46.43	46.67	38.47	46.03	31.32	0.00
SD	*14.06*	*12.85*	*21.97*	*5.56*	*5.77*	*8.80*	*10.05*	*11.04*	*0.00*
Mean outpatient GAF score	53.41	52.25	53.28	57.30	65.09	47.20	51.02	54.04	60.74
SD	*10.75*	*11.20*	*9.40*	*7.76*	*10.11*	*9.84*	*9.50*	*12.48*	*7.52*
At least 1 IP GAF, among pts with MH bedsections, %	39.1%	25.4%	27.1%	11.1%	12.5%	16.5%	63.6%	31.9%	0.0%
At least 1 OP GAF, among pts with MH clinic stops, %	81.5%	82.5%	80.5%	97.1%	88.0%	78.2%	77.5%	90.1%	84.9%
Mortality rates									
died in FY02, %	1.5%	1.5%	2.4%	2.2%	1.1%	1.3%	2.0%	0.6%	1.7%
Age-and-gender-adjusted Standardized Mortality Ratio	1.07	1.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Bipolar Patients	73964	3408	585	227	181	1361	346	532	176
Service Connection (SC)									
Non-SC	55.9%	52.3%	50.9%	62.1%	51.4%	52.9%	64.5%	44.4%	40.3%
SC 0 - 29%	10.0%	10.3%	9.9%	10.1%	14.4%	10.4%	9.2%	9.2%	12.5%
SC 30 - 69%	13.4%	11.9%	10.6%	7.9%	13.3%	12.0%	8.4%	15.2%	15.9%
SC 70 - 99%	8.9%	11.7%	16.2%	9.3%	11.0%	10.9%	8.7%	11.5%	14.2%
SC 100%	11.8%	13.8%	12.3%	10.6%	9.9%	13.9%	9.2%	19.7%	17.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %									
Complex*	12.2%	8.6%	6.7%	7.5%	4.4%	7.0%	20.2%	10.5%	4.0%
Basic vested, Cat A*	80.3%	85.1%	84.6%	80.6%	89.5%	88.5%	72.5%	83.1%	92.0%
Basic Non-vested, Cat A*	0.9%	0.4%	0.0%	0.0%	0.6%	0.4%	0.9%	0.6%	0.0%
Basic, Cats C and N	6.6%	6.0%	8.7%	11.9%	5.5%	4.1%	6.4%	5.8%	4.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded									
Patient eligibility category, %									
Cat A (SC or low income)	93.2%	94.0%	91.3%	87.7%	94.5%	95.9%	93.6%	94.0%	96.0%
Cat C (NSC and higher income)	5.9%	5.0%	5.0%	11.0%	5.5%	4.0%	6.1%	4.1%	4.0%
Non-Veteran	0.9%	1.1%	3.8%	1.3%	0.0%	0.1%	0.3%	1.9%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %									
BASIC 1. Non-reliant Care	0.1%	0.1%	0.2%	0.0%	0.0%	0.1%	0.3%	0.0%	0.0%
2. Basic Medical	15.2%	17.1%	17.3%	21.1%	29.8%	14.5%	11.6%	20.3%	18.8%
3. Mental Health	40.5%	38.7%	37.8%	40.1%	42.0%	40.3%	34.7%	34.4%	46.0%
4. Heart / Lung / GI	6.9%	8.4%	10.4%	12.3%	7.7%	7.5%	6.9%	8.5%	7.4%
5. Oncology / Infectious Disease	4.3%	5.1%	2.6%	7.0%	7.7%	5.5%	5.5%	4.9%	5.1%
6. Multiple Medical	20.7%	22.0%	25.1%	11.9%	8.3%	25.1%	20.8%	21.4%	18.8%
COMPLEX 7. Specialized Care	2.2%	2.5%	1.0%	1.8%	0.6%	3.0%	1.4%	5.1%	1.1%
8. Support Care	2.1%	1.6%	0.9%	0.9%	1.1%	1.2%	6.9%	0.8%	0.6%
9. Chronic Mental	6.8%	3.6%	4.4%	2.6%	1.7%	2.4%	10.4%	2.6%	2.3%
10. Critically Ill	1.1%	0.9%	0.3%	2.2%	1.1%	0.4%	1.4%	2.1%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Bipolar Patients	73964	3408	585	227	181	1361	346	532	176
Substance Dependence and Abuse									
Any dx of alcohol / drug dependence or abuse, %	29.8%	26.9%	23.1%	17.6%	11.0%	28.4%	40.8%	27.6%	27.8%
Homelessness									
Homelessness indicated in FY02, %	13.8%	12.4%	9.1%	5.7%	5.0%	12.4%	27.5%	13.2%	6.8%
Residence in Metropolitan Area									
Residing in a Metropolitan Statistical Area, %	79.3%	75.9%	68.5%	64.3%	59.7%	92.9%	21.4%	82.5%	88.1%
Distance									
Mile from Closest VA Medical Center, mean	34.15	41.03	51.12	52.28	67.10	18.56	26.33	27.01	211.28
SD	*73.16*	*58.41*	*62.37*	*43.29*	*39.73*	*29.24*	*36.23*	*36.87*	*27.13*
Distance from closest VA Medical Center, %									
0 to 15 miles	46.2%	57.2%	52.5%	38.8%	14.9%	70.6%	65.0%	64.3%	0.0%
15 to 30 miles	17.2%	11.2%	9.7%	4.0%	1.1%	18.1%	6.6%	8.5%	0.0%
30 to 45 miles	10.6%	3.4%	1.7%	2.2%	14.4%	2.8%	4.3%	3.8%	0.6%
45 to 60 miles	8.5%	3.6%	5.1%	6.2%	11.0%	1.2%	2.9%	5.6%	0.0%
60 plus miles	17.4%	24.6%	30.9%	48.9%	58.6%	7.2%	21.1%	17.9%	99.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.09	9.86	13.05	14.00	12.23	8.12	7.65	9.74	9.71
SD	*13.59*	*12.08*	*14.99*	*18.49*	*15.87*	*8.28*	*12.15*	*9.45*	*14.09*
Distance to closest VA Service Site, %									
0 to 15 miles	76.3%	84.4%	72.6%	70.5%	65.2%	93.4%	87.9%	84.0%	85.2%
15 to 30 miles	15.4%	8.6%	13.5%	10.6%	20.4%	3.8%	7.5%	11.1%	9.1%
30 to 45 miles	5.7%	3.5%	7.9%	7.5%	9.9%	1.0%	2.0%	3.2%	0.6%
45 plus miles	2.7%	3.5%	6.0%	11.5%	4.4%	1.8%	2.6%	1.7%	5.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3H: FY03 Bipolar Patients, Utilization, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Bipolar Patients	73964	3408	585	227	181	1361	346	532	176
Hospital Based Utilization									
Patients with some Hospital Based Utilization, %	25.4%	24.5%	23.6%	26.0%	14.4%	27.2%	28.3%	22.4%	13.6%
Hospital based utilization: Overall									
(All psychiatric and medical hospital bedsections)									
Inpatient stays, mean	1.80	1.79	1.67	1.69	2.08	1.79	2.11	1.67	1.63
SD	*1.41*	*1.45*	*1.42*	*1.10*	*1.62*	*1.53*	*1.69*	*1.12*	*1.01*
Average LOS, mean	9.79	6.91	7.82	7.75	7.34	6.07	6.98	7.90	6.95
SD	*17.76*	*7.65*	*8.76*	*14.17*	*5.78*	*4.79*	*5.32*	*10.61*	*5.47*
Cumulative DOS, mean	17.09	12.54	13.99	14.83	14.85	11.02	13.61	13.26	11.42
SD	*27.94*	*17.88*	*19.58*	*39.10*	*15.29*	*13.26*	*11.65*	*17.67*	*10.57*
Cumulative DOS, %									
1 to 7	44.7%	53.0%	58.7%	61.0%	38.5%	53.8%	38.8%	55.5%	50.0%
8 to 14	21.9%	19.7%	10.1%	22.0%	23.1%	23.8%	24.5%	11.8%	20.8%
15 to 44	25.9%	24.0%	24.6%	11.9%	34.6%	20.5%	32.7%	29.4%	29.2%
45 to 89	5.3%	2.6%	5.1%	3.4%	3.8%	1.6%	4.1%	1.7%	0.0%
90 to 179	1.5%	0.6%	1.4%	0.0%	0.0%	0.3%	0.0%	1.7%	0.0%
180 to 359	0.5%	0.1%	0.0%	1.7%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	1.0%	0.1%	0.0%	1.7%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	203.75	294.00	0.00	294.00	0.00	0.00	0.00	0.00	0.00
SD	*79.71*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.6%	0.1%	0.0%	1.7%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	251.69	294.00	0.00	294.00	0.00	0.00	0.00	0.00	0.00
SD	*73.28*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.67	1.10	0.36	0.31	2.62	0.63	3.11	1.96	0.46
SD	*4.53*	*6.21*	*2.01*	*1.22*	*10.08*	*3.78*	*8.70*	*11.48*	*1.86*
Cumulative DOS at Other Stations	1.97	2.40	0.43	2.88	6.00	0.95	9.82	2.41	0.46
SD	*7.12*	*8.21*	*2.10*	*10.62*	*12.73*	*4.71*	*11.84*	*11.64*	*1.86*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Bipolar Patients	73964	3408	585	227	181	1361	346	532	176
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)									
Pts. with non-psych hospital stays, %	11.7%	13.5%	13.7%	24.2%	12.2%	12.1%	16.8%	11.8%	9.1%
Inpatient stays, mean	0.72	0.85	0.85	1.53	1.42	0.69	1.04	0.76	0.79
SD	*1.10*	*1.12*	*1.05*	*1.13*	*1.27*	*1.12*	*1.32*	*0.90*	*0.72*
Average LOS, mean	6.20	5.18	5.07	7.88	5.24	4.61	5.26	4.10	6.10
SD	*10.70*	*6.88*	*5.75*	*14.63*	*3.57*	*5.09*	*3.78*	*4.10*	*6.36*
Cumulative Days of Stay, mean	4.64	4.62	4.45	13.88	7.38	3.25	5.31	3.36	4.42
SD	*13.49*	*12.78*	*8.30*	*39.23*	*8.22*	*7.00*	*7.77*	*6.33*	*5.96*
Cumulative Days of Stay, %									
0	54.1%	45.0%	42.0%	6.8%	15.4%	55.4%	40.8%	47.1%	33.3%
1 to 7	30.1%	37.4%	42.8%	57.6%	50.0%	31.4%	32.7%	40.3%	41.7%
8 to 14	7.4%	9.4%	5.1%	20.3%	19.2%	7.0%	16.3%	5.9%	20.8%
15 to 44	7.0%	7.8%	10.1%	10.2%	15.4%	5.9%	10.2%	6.7%	4.2%
45 to 89	1.1%	0.4%	0.0%	3.4%	0.0%	0.3%	0.0%	0.0%	0.0%
90 to 179	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	0.1%	0.1%	0.0%	1.7%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.2%	0.1%	0.0%	1.7%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	187.03	294.00	0.00	294.00	0.00	0.00	0.00	0.00	0.00
SD	*73.96*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.1%	0.0%	1.7%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.06	294.00	0.00	294.00	0.00	0.00	0.00	0.00	0.00
SD	*75.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.15*	*0.17*	*0.19*	*0.02*	*0.08*	*0.19*	*0.41*	*0.06*	*0.00*
SD	*2.03*	*1.76*	*1.07*	*0.13*	*0.39*	*2.29*	*2.14*	*0.47*	*0.00*
Other station cumulative DOS, mean	0.50	0.58	0.26	1.93	2.08	0.31	1.51	0.13	0.00
SD	*3.25*	*3.71*	*1.24*	*10.42*	*5.69*	*2.55*	*3.81*	*0.63*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Bipolar Patients	73964	3408	585	227	181	1361	346	532	176
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)									
Pts. with psych hospital stays, %	16.8%	13.6%	12.0%	4.0%	4.4%	17.4%	15.9%	13.5%	7.4%
Inpatient stays, mean	1.08	0.94	0.83	0.17	0.65	1.11	1.07	0.91	0.83
SD	*1.27*	*1.32*	*1.33*	*0.42*	*1.41*	*1.40*	*1.48*	*1.11*	*1.01*
Average LOS, mean	12.15	8.61	11.08	5.83	12.73	6.98	8.47	11.55	8.85
SD	*21.36*	*8.53*	*10.68*	*4.62*	*6.66*	*4.56*	*6.09*	*15.04*	*6.26*
Cumulative Days of Stay, mean	12.44	7.92	9.54	0.95	7.46	7.78	8.31	9.90	7.00
SD	*25.57*	*14.22*	*18.64*	*2.82*	*15.29*	*12.59*	*11.55*	*17.75*	*9.90*
Cumulative Days of Stay, %									
0	34.1%	44.4%	49.3%	84.7%	69.2%	35.9%	43.9%	39.5%	45.8%
1 to 7	24.8%	24.9%	21.7%	10.2%	3.8%	30.3%	22.4%	26.9%	20.8%
8 to 14	16.7%	12.6%	7.2%	3.4%	7.7%	17.6%	10.2%	10.9%	12.5%
15 to 44	19.0%	15.6%	15.9%	1.7%	15.4%	14.9%	20.4%	19.3%	20.8%
45 to 89	3.7%	2.2%	5.1%	0.0%	3.8%	1.1%	3.1%	2.5%	0.0%
90 to 179	1.2%	0.4%	0.7%	0.0%	0.0%	0.3%	0.0%	0.8%	0.0%
180 to 359	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	201.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*78.85*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	248.87	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*70.96*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.52	0.93	0.17	0.29	2.54	0.44	2.70	1.90	0.46
SD	4.00	5.88	1.72	1.22	10.09	2.97	8.09	11.43	1.86
Other station cumulative DOS, mean	1.48	1.82	0.17	0.95	3.92	0.65	8.31	2.29	0.46
SD	6.29	7.28	1.72	2.82	12.02	3.88	11.55	11.59	1.86

Table 3H: FY03 Bipolar Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501	504	519	644	649	678	756
			New Mexico	*Amarillo*	*W. Texas*	*Phoenix*	*N. Arizona*	*S. Arizona*	*El Paso*
Bipolar Patients	73964	3408	585	227	181	1361	346	532	176
Other 24 hour institutional care									
Patients with some Community Based 24 hour care, %	8.1%	5.5%	1.7%	2.6%	2.8%	2.3%	29.5%	6.6%	0.0%
Residential Rehabilitation									
Patients with some residential rehab. care, %	2.6%	0.7%	1.2%	0.0%	1.1%	0.1%	0.9%	2.1%	0.0%
Number stays, mean	*1.12*	*1.00*	*1.00*	*0.00*	*1.00*	*1.00*	*1.00*	*1.00*	*0.00*
SD	*0.38*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	33.17	33.76	62.14	0.00	26.00	28.50	26.33	20.09	0.00
SD	*32.92*	*46.77*	*83.67*	*0.00*	*21.21*	*9.19*	*26.86*	*6.91*	*0.00*
Cumulative DOS, mean	36.42	33.76	62.14	0.00	26.00	28.50	26.33	20.09	0.00
SD	*35.54*	*46.77*	*83.67*	*0.00*	*21.21*	*9.19*	*26.86*	*6.91*	*0.00*
Cumulative Days of Stay, %									
1 to 7	10.4%	8.0%	0.0%	0.0%	0.0%	0.0%	33.3%	9.1%	0.0%
8 to 14	11.3%	20.0%	28.6%	0.0%	50.0%	0.0%	0.0%	18.2%	0.0%
15 to 44	53.1%	60.0%	42.9%	0.0%	50.0%	100.0%	33.3%	72.7%	0.0%
45 to 89	18.3%	4.0%	0.0%	0.0%	0.0%	0.0%	33.3%	0.0%	0.0%
90 to 179	5.8%	4.0%	14.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.0%	4.0%	14.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	0.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.3%	4.0%	14.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	167.40	242.00	242.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*69.53*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	4.0%	14.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	224.60	242.00	242.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*70.59*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.28	9.08	1.57	0.00	26.00	28.50	26.33	2.55	0.00
SD	*6.79*	*15.65*	*4.16*	*0.00*	*21.21*	*9.19*	*26.86*	*8.44*	*0.00*
Other station cumulative DOS, mean	3.71	9.08	1.57	0.00	26.00	28.50	26.33	2.55	0.00
SD	*10.96*	*15.65*	*4.16*	*0.00*	*21.21*	*9.19*	*26.86*	*8.44*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Bipolar Patients	73964	3408	585	227	181	1361	346	532	176
Domiciliary and Vocational									
Patients with some dom/voc care, %	4.2%	3.0%	0.0%	0.0%	0.0%	0.4%	27.7%	0.0%	0.0%
Number stays, mean	1.14	1.10	0.00	0.00	0.00	1.17	1.09	0.00	0.00
SD	*0.38*	*0.33*	*0.00*	*0.00*	*0.00*	*0.41*	*0.33*	*0.00*	*0.00*
Average LOS, mean	80.47	72.10	0.00	0.00	0.00	13.58	75.76	0.00	0.00
SD	*77.50*	*57.86*	*0.00*	*0.00*	*0.00*	*12.61*	*57.63*	*0.00*	*0.00*
Cumulative DOS, mean	88.84	77.58	0.00	0.00	0.00	14.17	81.54	0.00	0.00
SD	*82.55*	*60.91*	*0.00*	*0.00*	*0.00*	*12.12*	*60.55*	*0.00*	*0.00*
Cumulative Days of Stay, %									
1 to 7	6.1%	5.9%	0.0%	0.0%	0.0%	50.0%	3.1%	0.0%	0.0%
8 to 14	5.6%	3.9%	0.0%	0.0%	0.0%	16.7%	3.1%	0.0%	0.0%
15 to 44	28.2%	26.5%	0.0%	0.0%	0.0%	33.3%	26.0%	0.0%	0.0%
45 to 89	21.0%	27.5%	0.0%	0.0%	0.0%	0.0%	29.2%	0.0%	0.0%
90 to 179	26.2%	27.5%	0.0%	0.0%	0.0%	0.0%	29.2%	0.0%	0.0%
180 to 359	10.5%	8.8%	0.0%	0.0%	0.0%	0.0%	9.4%	0.0%	0.0%
360+	2.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	0.0%	100.0%	100.0%	0.0%	0.0%
Dom. patients with 100+ day Dom. stay, %	32.1%	23.5%	0.0%	0.0%	0.0%	0.0%	25.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	184.30	158.17	0.00	0.00	0.00	0.00	158.17	0.00	0.00
SD	*76.03*	*59.40*	*0.00*	*0.00*	*0.00*	*0.00*	*59.40*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.5%	6.9%	0.0%	0.0%	0.0%	0.0%	7.3%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	236.94	232.71	0.00	0.00	0.00	0.00	232.71	0.00	0.00
SD	*71.03*	*49.32*	*0.00*	*0.00*	*0.00*	*0.00*	*49.32*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.76	2.64	0.00	0.00	0.00	5.67	2.45	0.00	0.00
SD	*9.43*	*11.48*	*0.00*	*0.00*	*0.00*	*9.83*	*11.60*	*0.00*	*0.00*
Other station cumulative DOS, mean	4.27	3.14	0.00	0.00	0.00	14.17	2.45	0.00	0.00
SD	*15.65*	*11.89*	*0.00*	*0.00*	*0.00*	*12.12*	*11.60*	*0.00*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Bipolar Patients	73964	3408	585	227	181	1361	346	532	176
Nursing Home Care									
Patients with some nursing home care, %	2.1%	2.1%	0.5%	2.6%	1.7%	1.7%	2.9%	4.7%	0.0%
Number stays, mean	1.22	1.24	1.00	1.33	1.00	1.13	1.10	1.44	0.00
SD	*0.55*	*0.55*	*0.00*	*0.52*	*0.00*	*0.34*	*0.32*	*0.77*	*0.00*
Average LOS, mean	86.89	57.64	24.00	248.75	33.67	41.59	52.80	35.39	0.00
SD	*110.58*	*92.41*	*19.29*	*124.88*	*12.34*	*74.79*	*51.59*	*70.84*	*0.00*
Cumulative DOS, mean	98.25	66.64	24.00	300.00	33.67	45.35	55.30	43.84	0.00
SD	*116.77*	*99.24*	*19.29*	*101.12*	*12.34*	*75.11*	*50.70*	*70.69*	*0.00*
Cumulative Days of Stay, %									
1 to 7	10.5%	17.1%	33.3%	0.0%	0.0%	21.7%	20.0%	16.0%	0.0%
8 to 14	10.7%	8.6%	0.0%	0.0%	0.0%	8.7%	0.0%	16.0%	0.0%
15 to 44	30.2%	42.9%	66.7%	0.0%	100.0%	52.2%	30.0%	40.0%	0.0%
45 to 89	16.4%	15.7%	0.0%	0.0%	0.0%	8.7%	30.0%	24.0%	0.0%
90 to 179	12.3%	4.3%	0.0%	16.7%	0.0%	0.0%	20.0%	0.0%	0.0%
180 to 359	10.2%	7.1%	0.0%	50.0%	0.0%	8.7%	0.0%	0.0%	0.0%
360+	9.8%	4.3%	0.0%	33.3%	0.0%	0.0%	0.0%	4.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%
NH patients with 100+ day NH stay, %	27.9%	15.7%	0.0%	100.0%	0.0%	8.7%	20.0%	4.0%	0.0%
Cumul. DOS, patients with a 100+ day NH stay, mean	261.88	270.27	0.00	300.00	0.00	265.50	139.00	364.00	0.00
SD	*97.21*	*104.97*	*0.00*	*101.12*	*0.00*	*98.29*	*28.28*	*0.00*	*0.00*
NH patients with 150+ day NH stay, %	22.1%	12.9%	0.0%	83.3%	0.0%	8.7%	10.0%	4.0%	0.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	296.07	305.89	0.00	339.80	0.00	265.50	159.00	364.00	0.00
SD	*76.98*	*76.84*	*0.00*	*30.02*	*0.00*	*98.29*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.47	0.09	0.00	0.00	0.00	0.00	0.00	0.24	0.00
SD	*5.60*	*0.72*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*1.20*	*0.00*
Other station cumulative DOS, mean	1.51	0.37	0.00	0.00	6.67	0.00	0.00	0.24	0.00
SD	*9.89*	*2.49*	*0.00*	*0.00*	*11.55*	*0.00*	*0.00*	*1.20*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Bipolar Patients	73964	3408	585	227	181	1361	346	532	176
Outpatient utilization									
(reported for those with some outpatient care)									
Patients with some outpatient care, %	99.6%	99.9%	100.0%	99.1%	100.0%	99.9%	100.0%	99.8%	100.0%
annual visit days, mean	24.20	21.81	22.82	16.85	14.06	20.90	30.36	23.18	18.86
SD	*30.37*	*21.54*	*23.11*	*14.45*	*11.16*	*18.61*	*29.48*	*23.72*	*21.74*
Outpatient visit days, %									
1-12	43.1%	40.5%	40.9%	48.4%	55.2%	40.6%	33.5%	33.7%	47.2%
13-24	26.8%	30.0%	28.2%	34.2%	32.0%	28.8%	26.3%	34.7%	30.1%
25-36	12.4%	13.7%	13.0%	8.0%	7.2%	15.8%	11.3%	16.4%	10.2%
37-48	6.4%	7.0%	7.9%	4.9%	3.9%	6.8%	9.5%	7.3%	5.7%
49+	11.4%	8.9%	10.1%	4.4%	1.7%	8.0%	19.4%	7.9%	6.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	80.8%	80.8%	63.2%	94.2%	91.7%	86.7%	94.8%	63.7%	88.6%
Mean PC visit days, among those with some PC	3.83	4.21	4.23	4.12	4.31	4.04	5.56	3.38	4.35
SD	3.42	4.21	4.13	2.66	3.08	3.61	4.59	2.80	3.34
Average number clinic stops per visit day, mean	1.50	1.49	1.42	1.60	1.46	1.54	1.69	1.37	1.30
SD	*0.46*	*0.41*	*0.37*	*0.50*	*0.56*	*0.37*	*0.47*	*0.33*	*0.29*
annual clinic stops (psych & non-psych), mean	37.58	33.39	32.78	26.28	22.64	32.22	55.81	32.03	24.64
SD	*53.68*	*36.96*	*34.45*	*25.32*	*30.10*	*31.34*	*62.06*	*34.35*	*27.93*
annual non-psych. clinic stops, mean	19.81	19.80	17.79	18.30	15.57	21.70	25.07	17.84	13.65
SD	*22.87*	*20.70*	*18.78*	*16.06*	*15.17*	*24.04*	*21.78*	*16.56*	*13.04*
annual psych. clinic stops (groupings below), mean	17.77	13.59	14.99	7.98	7.07	10.52	30.74	14.19	10.99
SD	*40.95*	*24.91*	*25.05*	*14.43*	*18.17*	*12.97*	*48.77*	*26.37*	*22.46*
1. general psych. clinic stops, mean	7.61	8.65	10.35	5.47	3.75	7.55	15.43	8.37	8.05
SD	*12.69*	*12.12*	*16.53*	*7.55*	*3.18*	*7.35*	*18.77*	*10.63*	*16.10*
2. psych. case management clinic stops, mean	0.65	0.20	0.44	0.00	0.00	0.32	0.01	0.00	0.00
SD	*8.45*	*3.04*	*5.38*	*0.00*	*0.00*	*3.27*	*0.13*	*0.00*	*0.00*
3. psych. day treatment clinic stops, mean	1.57	0.17	0.00	0.00	0.00	0.00	0.02	1.09	0.00
SD	*15.80*	*5.20*	*0.00*	*0.00*	*0.00*	*0.03*	*0.29*	*13.15*	*0.00*
4. substance abuse clinic stops, mean	4.64	2.49	0.97	1.87	3.20	1.62	11.70	0.91	0.97
SD	*21.97*	*11.31*	*5.01*	*10.91*	*16.77*	*7.37*	*25.28*	*4.78*	*4.43*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Bipolar Patients	73964	3408	585	227	181	1361	346	532	176
5. psych. vocational clinic stops, mean	1.91	1.00	2.38	0.00	0.00	0.04	3.31	1.18	1.08
SD	*15.13*	*9.54*	*14.60*	*0.00*	*0.00*	*0.39*	*11.45*	*13.70*	*14.32*
6. PTSD clinic stops, mean	0.80	0.67	0.55	0.56	0.02	0.45	0.01	2.05	0.64
SD	*5.71*	*3.90*	*2.85*	*2.12*	*0.23*	*3.26*	*0.16*	*7.38*	*2.82*
7. psych. homeless clinic stops, mean	0.54	0.31	0.28	0.00	0.09	0.33	0.25	0.57	0.13
SD	*3.97*	*1.83*	*2.33*	*0.07*	*0.53*	*1.44*	*1.33*	*2.95*	*0.67*
Other VISN OP visit days, mean	0.48	0.60	0.37	0.46	0.90	0.42	1.58	0.71	0.33
SD	2.80	2.84	1.73	1.66	3.05	1.99	5.98	2.96	1.85
Other station OP visit days, mean	1.14	1.00	0.45	0.82	1.47	0.66	3.51	0.94	0.56
SD	4.45	3.66	1.85	3.39	3.64	2.51	7.80	3.31	2.09

Table 4H: FY03 Bipolar Patients, Pharmacy Utilization, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Bipolar Patients	73964	3408	585	227	181	1361	346	532	176
Among all patients in the registry									
Pts. with any outpatient prescriptions, %	96.9%	97.7%	97.8%	98.2%	97.8%	97.6%	98.3%	97.4%	97.2%
Patients with any oral antipsychotic fills, %*	46.0%	37.0%	36.1%	33.5%	43.1%	32.8%	38.4%	48.1%	34.7%
Among pts. receiving any antipsychotic medication:									
Received only conventional antipsychotics, %	7.6%	11.6%	13.7%	11.8%	5.1%	16.6%	9.0%	5.1%	8.2%
Received some atypical antipsychotics, %	92.4%	88.4%	86.3%	88.2%	94.9%	83.4%	91.0%	94.9%	91.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %									
Aripiprazole	0.9%	0.7%	2.4%	0.0%	0.0%	0.2%	0.0%	1.2%	0.0%
Clozapine	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Olanzapine	40.7%	33.9%	37.4%	35.5%	51.3%	26.2%	25.6%	41.8%	39.3%
Quetiapine	34.1%	30.8%	27.0%	43.4%	41.0%	24.2%	22.6%	45.7%	18.0%
Risperidone	31.0%	35.8%	30.8%	13.2%	26.9%	41.7%	58.6%	26.6%	37.7%
Ziprasidone	4.7%	2.8%	6.2%	0.0%	1.3%	1.6%	0.0%	2.3%	13.1%
Patients receiving only one kind** of antipsychotic, %	77.4%	79.9%	82.5%	86.8%	71.8%	80.7%	82.7%	75.0%	82.0%
Concurrent use of 2 or more antipsychotics, % ***	5.5%	3.0%	3.8%	2.6%	1.3%	1.8%	1.5%	6.3%	1.6%
Among pts receiving just one antipsychotic:									
Antipsychotic fills, mean	6.09	5.42	4.73	7.05	5.21	5.31	5.49	5.35	6.74
SD	*4.43*	*4.11*	*3.67*	*4.44*	*4.12*	*4.13*	*4.41*	*3.90*	*4.44*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5H: FY03 Bipolar Patients, Cost, VISN 18

	All VISNs	VISN 18	501	504	519	644	649	678	756
			New Mexico	*Amarillo*	*W. Texas*	*Phoenix*	*N. Arizona*	*S. Arizona*	*El Paso*
Bipolar Patients	73964	3408	585	227	181	1361	346	532	176
Total Costs (in thousands $$)	$907,650	$33,170	$5,827	$2,555	$1,661	$12,221	$4,767	$5,163	$976
Station % of VISN		100.0%	17.6%	7.7%	5.0%	36.8%	14.4%	15.6%	2.9%
Psych vs. Non-Psych Costs									
Psych	33.4%	28.4%	33.0%	13.5%	21.2%	31.8%	26.1%	28.5%	19.8%
Non-Psych	66.6%	71.6%	67.0%	86.5%	78.8%	68.2%	73.9%	71.5%	80.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use									
Per Patient	$15,075	$11,421	$14,103	$10,425	$11,521	$11,055	$12,750	$11,054	$361
Per Day of Stay	$882	$911	$1,008	$703	$776	$1,003	$937	$834	$32
Mean Outpatient Costs, Pts with some Outpatient use									
Per Patient	$6,520	$5,771	$6,173	$5,413	$5,966	$5,373	$6,980	$6,014	$4,662
Per Visit Day	$269	$265	$270	$321	$424	$257	$230	$259	$247
By Cost Center									
1 Med	$1,060	$1,032	$941	$1,759	$844	$1,109	$1,165	$941	$0
2 Surg	$459	$446	$792	$590	$502	$328	$629	$315	$0
3 Psych	$2,315	$1,317	$1,594	$361	$309	$1,569	$1,817	$1,217	$49
4 Psych Res Rehab Treatment Program	$298	$55	$106	$0	$103	$26	$101	$71	$0
5 Non-VA	$176	$256	$161	$757	$1,131	$88	$177	$139	$834
6 LTC Domiciliary	$455	$235	$0	$0	$0	$7	$2,286	$0	$0
7 LTC Intermediate Care	$96	$9	$0	$0	$24	$20	$0	$0	$0
8 LTC Nursing Home	$778	$520	$68	$2,423	$298	$294	$607	$971	$0
9 Contract Nursing Home	$142	$99	$126	$1	$0	$170	$16	$49	$0
10 OPC Med/Surg	$1,111	$1,058	$1,158	$1,077	$748	$1,123	$1,336	$897	$454
11 OPC Psych	$1,781	$1,445	$1,690	$1,161	$1,640	$1,286	$1,773	$1,553	$1,049
12 OPC Home Based Treatment	$532	$474	$372	$516	$680	$600	$400	$250	$381
13 OPC Support	$1,309	$1,181	$1,221	$941	$1,228	$1,192	$1,483	$1,080	$931
14 OPC Fee	$115	$134	$28	$114	$72	$140	$307	$115	$253
15 OPC Pharmacy	$1,645	$1,473	$1,703	$1,555	$1,598	$1,028	$1,681	$2,107	$1,593
TOTAL	$12,272	$9,733	$9,960	$11,257	$9,177	$8,980	$13,778	$9,705	$5,545
Mean % Patient Costs at Other Stations	4.8%	5.3%	2.7%	5.5%	6.8%	3.7%	15.7%	5.4%	4.5%
SD	*13.9%*	*14.9%*	*10.1%*	*14.9%*	*15.6%*	*13.0%*	*22.7%*	*14.9%*	*12.6%*
Mean % Patient Costs at Other VISNs	2.0%	3.0%	2.3%	2.8%	3.3%	2.4%	5.4%	3.9%	2.5%
SD	*9.0%*	*11.4%*	*9.5%*	*10.2%*	*11.1%*	*10.6%*	*15.3%*	*12.9%*	*10.1%*

Table 2I: FY03 Other Psychosis Patients, Demographics, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Other Psychosis Patients	49401	2209	433	131	73	607	226	578	161
Age, %									
<35	2.2%	2.0%	2.5%	0.8%	5.5%	2.1%	0.9%	1.9%	1.2%
>=35 and <50	12.5%	12.0%	12.0%	3.1%	12.3%	12.7%	22.1%	7.6%	18.0%
>=50 and <65	22.1%	22.0%	27.7%	20.6%	27.4%	21.7%	32.3%	15.9%	13.7%
>=65 and <80	36.7%	36.7%	32.6%	34.4%	42.5%	37.2%	31.0%	41.7%	35.4%
>=80	26.5%	27.3%	25.2%	41.2%	12.3%	26.2%	13.7%	32.9%	31.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	68.22	68.43	66.96	73.50	64.30	67.80	62.91	71.49	69.20
SD	*15.13*	*15.01*	*15.32*	*13.33*	*15.59*	*14.94*	*14.76*	*14.20*	*15.10*
Gender									
Male, %	96.0%	95.1%	95.2%	95.4%	97.3%	94.4%	96.0%	94.8%	96.3%
Female, %	4.0%	4.9%	4.8%	4.6%	2.7%	5.6%	4.0%	5.2%	3.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %									
Hispanic white	3.9%	10.7%	23.8%	10.7%	8.2%	4.3%	3.1%	10.6%	12.4%
Hispanic black	0.3%	0.3%	0.2%	0.0%	0.0%	0.5%	0.0%	0.2%	0.6%
American indian	0.2%	1.1%	2.5%	0.8%	0.0%	1.2%	0.9%	0.5%	0.0%
Black	15.5%	4.5%	2.3%	5.3%	5.5%	5.9%	3.5%	4.5%	5.0%
Asian	0.4%	0.2%	0.0%	0.0%	0.0%	0.3%	0.0%	0.3%	0.6%
White	48.2%	55.0%	37.4%	60.3%	74.0%	52.1%	71.7%	69.7%	23.6%
Race unknown	31.5%	28.2%	33.7%	22.9%	12.3%	35.7%	20.8%	14.2%	57.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status									
Never married	13.4%	11.3%	11.9%	6.9%	13.7%	12.6%	13.7%	8.2%	15.0%
Married	52.0%	53.5%	51.5%	61.1%	57.5%	52.8%	38.1%	56.5%	63.8%
Divorced/Separated	22.5%	23.6%	24.9%	14.5%	19.2%	23.1%	39.8%	22.2%	13.1%
Widowed	12.0%	11.7%	11.6%	17.6%	9.6%	11.6%	8.4%	13.1%	8.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Other Psychosis Patients	49401	2209	433	131	73	607	226	578	161
Registry Pts. History of VA Utilization									
Years since first use in prior five years, mean	4.0	4.04	4.15	4.43	4.18	3.84	4.20	3.98	4.12
SD	*1.4*	*1.41*	*1.37*	*1.15*	*1.29*	*1.52*	*1.25*	*1.40*	*1.41*
Yrs with 24-hour institutional use / yrs since 1st use, %	24.1%	28.6%	27.5%	26.4%	21.0%	29.3%	41.1%	30.3%	9.6%
SD	*27.8%*	*29.2%*	*28.3%*	*28.9%*	*27.8%*	*29.0%*	*30.5%*	*29.5%*	*17.3%*
Years with OP use / Years since first use, %	96.9%	97.4%	98.4%	94.9%	97.3%	97.4%	96.1%	97.7%	98.0%
SD	*10.4%*	*9.6%*	*6.8%*	*17.9%*	*8.9%*	*9.3%*	*11.0%*	*8.6%*	*7.4%*
Psychosis Diagnoses in Prior Fiscal Year									
Had Psychosis Diagnosis in FY01, %	33.8%	32.4%	39.0%	17.6%	19.2%	29.8%	18.1%	38.1%	41.6%
Among Patients With Psychoses in FY01									
Psychosis Category: Schizophrenia, %	9.4%	10.6%	16.0%	8.7%	14.3%	11.6%	19.5%	4.5%	9.0%
Psychosis Category: Bipolar Disorder, %	3.8%	5.3%	2.4%	4.3%	21.4%	9.9%	14.6%	2.7%	0.0%
Psychosis Category: Other Psychosis, %	86.9%	84.1%	81.7%	87.0%	64.3%	78.5%	65.9%	92.7%	91.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %									
Dementia	20.6%	25.3%	30.5%	21.4%	32.9%	28.3%	18.1%	19.7%	29.2%
Post Traumatic Stress Disorder	13.4%	16.5%	25.2%	6.9%	28.8%	16.0%	27.9%	7.4%	14.3%
Depression	37.7%	44.0%	39.3%	37.4%	56.2%	44.8%	58.0%	44.1%	33.5%
Other Anxiety Disorder	12.0%	13.5%	14.5%	9.2%	19.2%	13.0%	20.4%	12.1%	8.7%
Substance Abuse or Dependence	15.7%	19.1%	18.0%	9.2%	15.1%	18.5%	46.0%	13.7%	16.1%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Other Psychosis Patients	49401	2209	433	131	73	607	226	578	161
Medical Comorbidities, %									
No medical comorbidities	8.3%	7.0%	6.5%	1.5%	5.5%	7.6%	7.5%	7.4%	9.3%
Anemia	14.2%	16.4%	18.7%	13.7%	20.5%	14.3%	15.0%	18.9%	11.8%
Arthritis	39.1%	45.1%	49.7%	41.2%	43.8%	38.6%	50.0%	47.4%	46.0%
Cancer	14.0%	15.9%	11.3%	17.6%	11.0%	15.8%	15.9%	19.9%	14.9%
Cerebrovascular Disease	16.4%	15.1%	13.6%	13.7%	12.3%	16.5%	15.9%	16.4%	9.9%
Chronic Neurologic Disorder	20.8%	23.9%	25.9%	27.5%	20.5%	22.7%	24.3%	24.0%	20.5%
Chronic Obstructive Pulmonary Disease	17.9%	20.2%	21.2%	38.9%	21.9%	19.4%	22.6%	15.7%	17.4%
Chronic Viral Infection	5.9%	5.8%	8.1%	3.8%	6.8%	5.6%	10.6%	4.0%	1.9%
Coronary Artery Disease	33.0%	37.8%	31.6%	38.2%	35.6%	47.6%	31.9%	37.2%	28.6%
Diabetes	23.4%	22.1%	24.5%	23.7%	17.8%	23.1%	20.8%	18.9%	26.1%
Digestive System Disease	42.9%	47.4%	50.1%	51.1%	52.1%	41.8%	63.7%	45.3%	41.0%
Hypertension	54.9%	52.1%	52.2%	63.4%	57.5%	49.8%	47.8%	53.8%	49.1%
Injury and Poisoning	19.4%	26.0%	27.9%	21.4%	27.4%	27.0%	32.7%	24.4%	16.8%
Liver Disease	3.8%	4.9%	6.0%	5.3%	2.7%	5.3%	7.1%	3.1%	5.0%
Other Endocrine	9.5%	12.4%	12.0%	17.6%	11.0%	11.2%	9.3%	14.4%	11.2%
Peripheral Vascular Disease	7.8%	7.1%	7.2%	8.4%	1.4%	9.7%	4.9%	5.9%	5.6%
GAF scores									
Lowest inpatient GAF score, mean	37.71	41.22	47.60	30.00	0.00	48.53	45.13	28.07	0.00
SD	*14.78*	*14.92*	*24.54*	*0.00*	*0.00*	*16.64*	*9.16*	*10.12*	*0.00*
Mean outpatient GAF score	48.43	49.00	47.20	52.23	54.14	45.12	48.06	51.01	52.11
SD	*11.56*	*11.84*	*10.64*	*11.15*	*10.94*	*12.18*	*10.74*	*12.26*	*10.84*
At least 1 IP GAF, among pts with MH bedsections, %	36.3%	28.0%	16.7%	0.0%	0.0%	17.4%	57.1%	46.5%	0.0%
At least 1 OP GAF, among pts with MH clinic stops, %	74.8%	71.7%	71.2%	96.6%	85.5%	57.6%	63.9%	82.0%	80.7%
Mortality rates									
died in FY02, %	6.2%	7.3%	6.7%	13.7%	4.1%	6.4%	7.5%	8.1%	5.6%
Age-and-gender-adjusted Standardized Mortality Ratio	1.21	1.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Other Psychosis Patients	49401	2209	433	131	73	607	226	578	161
Service Connection (SC)									
Non-SC	63.3%	59.3%	54.0%	68.7%	56.2%	60.6%	61.5%	61.9%	49.7%
SC 0 - 29%	10.4%	10.4%	8.8%	11.5%	12.3%	11.4%	11.9%	10.0%	8.1%
SC 30 - 69%	10.8%	11.5%	9.7%	10.7%	21.9%	10.0%	10.6%	12.6%	14.3%
SC 70 - 99%	6.4%	7.3%	10.6%	3.1%	4.1%	6.9%	4.0%	6.1%	13.7%
SC 100%	9.1%	11.6%	16.9%	6.1%	5.5%	11.0%	11.9%	9.3%	14.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %									
Complex*	15.0%	18.8%	14.5%	7.6%	9.6%	15.7%	40.3%	25.3%	1.9%
Basic vested, Cat A*	74.8%	72.9%	78.8%	83.2%	80.8%	76.4%	56.6%	62.8%	90.7%
Basic Non-vested, Cat A*	0.8%	0.5%	0.0%	0.8%	0.0%	0.7%	0.4%	0.3%	1.2%
Basic, Cats C and N	9.4%	7.9%	6.7%	8.4%	9.6%	7.2%	2.7%	11.6%	6.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded									
Patient eligibility category, %									
Cat A (SC or low income)	90.1%	91.2%	92.4%	91.6%	87.7%	92.4%	96.0%	86.7%	93.8%
Cat C (NSC and higher income)	9.4%	7.9%	5.5%	7.6%	12.3%	7.4%	4.0%	11.8%	6.2%
Non-Veteran	0.6%	0.9%	2.1%	0.8%	0.0%	0.2%	0.0%	1.6%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %									
BASIC 1. Non-reliant Care	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%
2. Basic Medical	12.0%	23.1%	24.2%	30.5%	26.0%	23.1%	15.5%	21.8%	28.0%
3. Mental Health	36.4%	23.3%	22.6%	17.6%	37.0%	23.6%	14.2%	22.0%	39.8%
4. Heart / Lung / GI	6.3%	12.4%	12.0%	25.2%	15.1%	12.5%	4.0%	12.5%	13.0%
5. Oncology / Infectious Disease	3.6%	3.6%	4.6%	4.6%	5.5%	3.3%	4.0%	2.8%	3.1%
6. Multiple Medical	20.2%	18.8%	21.9%	14.5%	6.8%	21.7%	22.1%	15.7%	14.3%
COMPLEX 7. Specialized Care	3.4%	5.9%	5.8%	0.8%	1.4%	5.8%	3.5%	10.2%	1.2%
8. Support Care	2.6%	6.4%	4.4%	2.3%	5.5%	5.8%	19.9%	6.1%	0.6%
9. Chronic Mental	13.1%	2.0%	2.1%	0.0%	2.7%	1.5%	7.5%	1.2%	0.0%
10. Critically Ill	2.2%	4.4%	2.3%	4.6%	0.0%	2.6%	9.3%	7.8%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Other Psychosis Patients	49401	2209	433	131	73	607	226	578	161
Substance Dependence and Abuse									
Any dx of alcohol / drug dependence or abuse, %	15.7%	19.1%	18.0%	9.2%	15.1%	18.5%	46.0%	13.7%	16.1%
Homelessness									
Homelessness indicated in FY02, %	7.1%	10.0%	7.2%	1.5%	5.5%	8.9%	37.6%	7.8%	0.6%
Residence in Metropolitan Area									
Residing in a Metropolitan Statistical Area, %	76.7%	75.7%	73.4%	61.8%	60.3%	90.8%	15.5%	85.6%	91.9%
Distance									
Mile from Closest VA Medical Center, mean	35.80	43.62	41.39	46.40	67.24	22.38	20.76	25.42	213.99
SD	*82.41*	*63.39*	*56.28*	*42.31*	*50.26*	*33.79*	*31.22*	*36.60*	*25.41*
Distance from closest VA Medical Center, %									
0 to 15 miles	45.8%	56.7%	58.7%	43.5%	20.5%	63.5%	69.5%	66.4%	0.0%
15 to 30 miles	16.6%	12.1%	9.7%	3.1%	2.7%	22.9%	8.4%	10.7%	0.0%
30 to 45 miles	10.9%	3.2%	2.1%	5.3%	12.3%	3.0%	6.6%	2.1%	0.6%
45 to 60 miles	8.8%	3.4%	4.4%	6.1%	8.2%	1.7%	2.2%	4.5%	0.0%
60 plus miles	17.9%	24.6%	25.2%	42.0%	56.2%	8.9%	13.3%	16.3%	99.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.89	10.03	12.30	16.17	9.50	9.31	7.55	9.09	8.69
SD	*14.24*	*12.32*	*14.81*	*19.76*	*12.21*	*9.88*	*9.98*	*9.86*	*14.10*
Distance to closest VA Service Site, %									
0 to 15 miles	73.5%	83.9%	74.8%	66.4%	72.6%	90.3%	84.1%	87.0%	91.9%
15 to 30 miles	16.6%	9.1%	14.1%	9.2%	17.8%	4.8%	11.5%	9.5%	3.7%
30 to 45 miles	7.0%	3.4%	5.8%	9.9%	9.6%	2.1%	3.5%	1.4%	1.2%
45 plus miles	3.0%	3.5%	5.3%	14.5%	0.0%	2.8%	0.9%	2.1%	3.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Other Psychosis Patients	49401	2209	433	131	73	607	226	578	161
Hospital Based Utilization									
Patients with some Hospital Based Utilization, %	30.2%	34.5%	34.4%	39.7%	30.1%	39.0%	45.1%	31.1%	13.0%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)									
Inpatient stays, mean	1.82	1.85	1.72	1.87	1.36	1.95	2.17	1.76	1.33
SD	*1.40*	*1.28*	*1.24*	*1.17*	*0.85*	*1.38*	*1.59*	*1.05*	*0.66*
Average LOS, mean	9.37	6.65	7.24	6.87	9.49	6.30	7.29	6.08	4.63
SD	*15.01*	*8.87*	*15.34*	*7.57*	*10.60*	*5.27*	*6.77*	*6.76*	*2.00*
Cumulative DOS, mean	16.06	12.02	11.77	12.88	13.82	12.27	15.86	9.86	6.95
SD	*22.72*	*15.76*	*18.43*	*14.66*	*17.77*	*13.35*	*23.66*	*10.24*	*6.61*
Cumulative DOS, %									
1 to 7	42.1%	49.8%	54.4%	50.0%	54.5%	48.1%	32.4%	53.9%	81.0%
8 to 14	23.4%	24.0%	18.8%	21.2%	18.2%	21.9%	34.3%	28.9%	4.8%
15 to 44	27.8%	23.3%	22.8%	23.1%	18.2%	27.4%	30.4%	16.1%	14.3%
45 to 89	5.2%	2.4%	3.4%	5.8%	9.1%	2.1%	1.0%	1.1%	0.0%
90 to 179	1.2%	0.3%	0.0%	0.0%	0.0%	0.4%	1.0%	0.0%	0.0%
180 to 359	0.2%	0.3%	0.7%	0.0%	0.0%	0.0%	1.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	0.7%	0.3%	0.7%	0.0%	0.0%	0.0%	1.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	185.56	196.00	181.00	0.00	0.00	0.00	211.00	0.00	0.00
SD	*75.86*	*21.21*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.3%	0.3%	0.7%	0.0%	0.0%	0.0%	1.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	241.58	196.00	181.00	0.00	0.00	0.00	211.00	0.00	0.00
SD	*74.51*	*21.21*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.37	0.35	0.05	0.33	0.45	0.32	0.86	0.38	0.14
SD	*3.13*	*2.07*	*0.42*	*2.09*	*1.26*	*1.80*	*3.87*	*1.90*	*0.65*
Cumulative DOS at Other Stations	1.24	1.36	0.07	1.10	1.45	0.46	7.08	0.55	0.38
SD	*5.73*	*5.62*	*0.45*	*4.72*	*3.33*	*2.74*	*12.56*	*2.42*	*1.24*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Other Psychosis Patients	49401	2209	433	131	73	607	226	578	161
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)									
Pts. with non-psych hospital stays, %	21.7%	27.1%	25.6%	39.7%	24.7%	28.8%	34.5%	26.0%	9.3%
Inpatient stays, mean	1.27	1.38	1.23	1.85	1.14	1.30	1.57	1.45	0.90
SD	*1.36*	*1.30*	*1.23*	*1.18*	*0.94*	*1.32*	*1.69*	*1.15*	*0.77*
Average LOS, mean	7.86	6.04	6.26	6.72	7.75	6.03	7.07	5.13	3.69
SD	*11.97*	*9.35*	*17.30*	*7.33*	*7.83*	*6.03*	*7.36*	*5.60*	*1.43*
Cumulative Days of Stay, mean	9.61	8.20	7.01	12.31	9.86	7.81	11.20	7.14	3.62
SD	*16.99*	*14.54*	*16.43*	*13.99*	*14.83*	*12.46*	*22.59*	*9.25*	*4.18*
Cumulative Days of Stay, %									
0	28.2%	21.5%	25.5%	0.0%	18.2%	26.2%	23.5%	16.7%	28.6%
1 to 7	35.5%	43.4%	46.3%	50.0%	45.5%	40.5%	28.4%	48.9%	61.9%
8 to 14	15.8%	18.6%	13.4%	23.1%	18.2%	16.0%	23.5%	23.9%	4.8%
15 to 44	17.1%	14.5%	13.4%	21.2%	13.6%	15.2%	22.5%	9.4%	4.8%
45 to 89	2.8%	1.6%	0.7%	5.8%	4.5%	1.7%	1.0%	1.1%	0.0%
90 to 179	0.5%	0.1%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%
180 to 359	0.1%	0.3%	0.7%	0.0%	0.0%	0.0%	1.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.3%	0.7%	0.0%	0.0%	0.0%	1.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	178.07	196.00	181.00	0.00	0.00	0.00	211.00	0.00	0.00
SD	*75.21*	*21.21*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.3%	0.7%	0.0%	0.0%	0.0%	1.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	240.47	196.00	181.00	0.00	0.00	0.00	211.00	0.00	0.00
SD	*75.05*	*21.21*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.18*	*0.17*	*0.05*	*0.33*	*0.09*	*0.18*	*0.26*	*0.17*	*0.00*
SD	*1.94*	*1.17*	*0.41*	*2.09*	*0.43*	*1.36*	*1.19*	*1.09*	*0.00*
Other station cumulative DOS, mean	0.60	0.54	0.05	0.52	0.59	0.32	2.41	0.22	0.24
SD	*3.61*	*3.01*	*0.41*	*2.36*	*2.36*	*2.47*	*6.54*	*1.24*	*1.09*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Other Psychosis Patients	49401	2209	433	131	73	607	226	578	161
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)									
Pts. with psych hospital stays, %	10.8%	10.2%	11.1%	0.8%	6.8%	14.2%	15.5%	7.4%	4.3%
Inpatient stays, mean	0.55	0.47	0.49	0.02	0.23	0.65	0.60	0.31	0.43
SD	*1.03*	*0.94*	*0.92*	*0.14*	*0.43*	*1.14*	*1.09*	*0.65*	*0.75*
Average LOS, mean	12.47	8.19	9.18	30.00	17.40	6.62	7.89	9.02	7.33
SD	*19.53*	*6.95*	*7.43*	*0.00*	*17.29*	*3.70*	*5.46*	*9.13*	*5.08*
Cumulative Days of Stay, mean	6.45	3.83	4.77	0.58	3.95	4.46	4.67	2.72	3.33
SD	*17.76*	*9.37*	*11.38*	*4.16*	*10.61*	*9.04*	*11.64*	*7.26*	*7.05*
Cumulative Days of Stay, %									
0	64.2%	70.5%	67.8%	98.1%	77.3%	63.7%	65.7%	76.1%	66.7%
1 to 7	12.7%	13.8%	13.4%	0.0%	9.1%	16.9%	14.7%	12.8%	23.8%
8 to 14	9.6%	6.8%	7.4%	0.0%	4.5%	9.3%	9.8%	4.4%	0.0%
15 to 44	10.7%	8.0%	8.7%	1.9%	4.5%	9.7%	8.8%	6.7%	9.5%
45 to 89	2.1%	0.8%	2.7%	0.0%	4.5%	0.4%	0.0%	0.0%	0.0%
90 to 179	0.5%	0.1%	0.0%	0.0%	0.0%	0.0%	1.0%	0.0%	0.0%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	182.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*78.98*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*77.61*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.19	0.19	0.01	0.00	0.36	0.14	0.60	0.22	0.14
SD	2.40	1.72	0.08	0.00	1.22	1.20	3.72	1.58	0.65
Other station cumulative DOS, mean	0.64	0.82	0.02	0.58	0.86	0.15	4.67	0.33	0.14
SD	4.34	4.81	0.18	4.16	2.57	1.22	11.64	2.11	0.65

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Other Psychosis Patients	49401	2209	433	131	73	607	226	578	161
Other 24 hour institutional care									
Patients with some Community Based 24 hour care, %	10.1%	16.8%	8.5%	6.9%	4.1%	12.2%	54.4%	21.8%	0.0%
Residential Rehabilitation									
Patients with some residential rehab. care, %	1.0%	0.6%	0.0%	0.0%	0.0%	0.2%	0.9%	1.9%	0.0%
Number stays, mean	*1.13*	*1.00*	*0.00*	*0.00*	*0.00*	*1.00*	*1.00*	*1.00*	*0.00*
SD	*0.45*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	30.41	21.29	0.00	0.00	0.00	42.00	23.50	19.00	0.00
SD	*33.22*	*9.82*	*0.00*	*0.00*	*0.00*	*0.00*	*13.44*	*7.59*	*0.00*
Cumulative DOS, mean	33.30	21.29	0.00	0.00	0.00	42.00	23.50	19.00	0.00
SD	*35.32*	*9.82*	*0.00*	*0.00*	*0.00*	*0.00*	*13.44*	*7.59*	*0.00*
Cumulative Days of Stay, %									
1 to 7	15.1%	14.3%	0.0%	0.0%	0.0%	0.0%	0.0%	18.2%	0.0%
8 to 14	12.1%	14.3%	0.0%	0.0%	0.0%	0.0%	50.0%	9.1%	0.0%
15 to 44	54.3%	71.4%	0.0%	0.0%	0.0%	100.0%	50.0%	72.7%	0.0%
45 to 89	11.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	5.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%	0.0%
Res Rehab pts with 100+ day Res Rehab stay, %	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	181.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*69.09*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	235.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*52.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.38	5.36	0.00	0.00	0.00	42.00	16.50	0.00	0.00
SD	*7.57*	*13.73*	*0.00*	*0.00*	*0.00*	*0.00*	*23.33*	*0.00*	*0.00*
Other station cumulative DOS, mean	4.16	6.36	0.00	0.00	0.00	42.00	23.50	0.00	0.00
SD	*12.59*	*13.82*	*0.00*	*0.00*	*0.00*	*0.00*	*13.44*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Other Psychosis Patients	49401	2209	433	131	73	607	226	578	161
Domiciliary and Vocational									
Patients with some dom/voc care, %	1.7%	3.7%	0.0%	0.0%	0.0%	0.0%	35.4%	0.2%	0.0%
Number stays, mean	1.13	1.10	0.00	0.00	0.00	0.00	1.10	1.00	0.00
SD	*0.36*	*0.30*	*0.00*	*0.00*	*0.00*	*0.00*	*0.30*	*0.00*	*0.00*
Average LOS, mean	79.24	77.01	0.00	0.00	0.00	0.00	77.91	5.00	0.00
SD	*81.39*	*51.23*	*0.00*	*0.00*	*0.00*	*0.00*	*50.91*	*0.00*	*0.00*
Cumulative DOS, mean	86.42	82.89	0.00	0.00	0.00	0.00	83.86	5.00	0.00
SD	*85.00*	*54.40*	*0.00*	*0.00*	*0.00*	*0.00*	*54.03*	*0.00*	*0.00*
Cumulative Days of Stay, %									
1 to 7	7.5%	6.2%	0.0%	0.0%	0.0%	0.0%	5.0%	100.0%	0.0%
8 to 14	6.2%	2.5%	0.0%	0.0%	0.0%	0.0%	2.5%	0.0%	0.0%
15 to 44	29.8%	14.8%	0.0%	0.0%	0.0%	0.0%	15.0%	0.0%	0.0%
45 to 89	19.6%	25.9%	0.0%	0.0%	0.0%	0.0%	26.3%	0.0%	0.0%
90 to 179	23.7%	46.9%	0.0%	0.0%	0.0%	0.0%	47.5%	0.0%	0.0%
180 to 359	10.4%	3.7%	0.0%	0.0%	0.0%	0.0%	3.8%	0.0%	0.0%
360+	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	0.0%	0.0%	100.0%	100.0%	0.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	21.0%	0.0%	0.0%	0.0%	0.0%	21.3%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	193.84	147.18	0.00	0.00	0.00	0.00	147.18	0.00	0.00
SD	*79.91*	*66.39*	*0.00*	*0.00*	*0.00*	*0.00*	*66.39*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.8%	4.9%	0.0%	0.0%	0.0%	0.0%	5.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	240.95	244.75	0.00	0.00	0.00	0.00	244.75	0.00	0.00
SD	*71.71*	*76.47*	*0.00*	*0.00*	*0.00*	*0.00*	*76.47*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.61	0.67	0.00	0.00	0.00	0.00	0.61	5.00	0.00
SD	*8.79*	*5.47*	*0.00*	*0.00*	*0.00*	*0.00*	*5.48*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.31	0.67	0.00	0.00	0.00	0.00	0.61	5.00	0.00
SD	*11.83*	*5.47*	*0.00*	*0.00*	*0.00*	*0.00*	*5.48*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Other Psychosis Patients	49401	2209	433	131	73	607	226	578	161
Nursing Home Care									
Patients with some nursing home care, %	7.7%	12.9%	8.5%	6.9%	4.1%	12.0%	21.2%	20.1%	0.0%
Number stays, mean	1.29	1.30	1.27	1.00	1.00	1.22	1.31	1.40	0.00
SD	*0.65*	*0.59*	*0.45*	*0.00*	*0.00*	*0.51*	*0.62*	*0.68*	*0.00*
Average LOS, mean	54.03	45.48	36.32	136.22	44.67	47.15	71.52	29.56	0.00
SD	*70.27*	*60.65*	*48.66*	*104.92*	*37.45*	*73.81*	*72.05*	*28.98*	*0.00*
Cumulative DOS, mean	64.81	54.92	41.43	136.22	44.67	54.49	86.65	40.32	0.00
SD	*79.26*	*66.74*	*50.16*	*104.92*	*37.45*	*76.53*	*81.80*	*42.97*	*0.00*
Cumulative Days of Stay, %									
1 to 7	10.9%	12.6%	21.6%	11.1%	0.0%	11.0%	14.6%	10.3%	0.0%
8 to 14	15.2%	15.4%	13.5%	11.1%	33.3%	26.0%	6.3%	12.9%	0.0%
15 to 44	34.5%	36.4%	43.2%	0.0%	33.3%	31.5%	20.8%	46.6%	0.0%
45 to 89	16.5%	17.8%	5.4%	11.1%	33.3%	13.7%	18.8%	24.1%	0.0%
90 to 179	13.0%	11.2%	13.5%	22.2%	0.0%	12.3%	22.9%	4.3%	0.0%
180 to 359	8.1%	5.9%	2.7%	44.4%	0.0%	2.7%	16.7%	1.7%	0.0%
360+	1.8%	0.7%	0.0%	0.0%	0.0%	2.7%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%
NH patients with 100+ day NH stay, %	17.8%	13.3%	13.5%	55.6%	0.0%	13.7%	27.1%	4.3%	0.0%
Cumul. DOS, patients with a 100+ day NH stay, mean	207.27	194.45	146.60	211.00	0.00	209.80	197.92	186.00	0.00
SD	*81.27*	*77.30*	*35.77*	*68.83*	*0.00*	*101.36*	*63.33*	*100.93*	*0.00*
NH patients with 150+ day NH stay, %	11.0%	7.7%	5.4%	44.4%	0.0%	8.2%	16.7%	1.7%	0.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	250.81	240.32	183.50	236.75	0.00	263.50	231.13	271.50	0.00
SD	*70.60*	*69.14*	*17.68*	*43.55*	*0.00*	*98.30*	*51.74*	*122.33*	*0.00*
Other VISN cumulative DOS, mean	0.34	0.08	0.00	1.00	4.33	0.00	0.02	0.00	0.00
SD	*5.11*	*0.93*	*0.00*	*3.00*	*7.51*	*0.00*	*0.14*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.02	0.17	0.00	1.00	4.33	0.36	0.02	0.00	0.00
SD	*7.62*	*1.80*	*0.00*	*3.00*	*7.51*	*3.04*	*0.14*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Other Psychosis Patients	49401	2209	433	131	73	607	226	578	161
Outpatient utilization									
(reported for those with some outpatient care)									
Patients with some outpatient care, %	99.7%	99.5%	100.0%	96.9%	100.0%	99.5%	99.6%	99.8%	99.4%
annual visit days, mean	19.52	21.32	23.13	14.16	14.15	18.11	34.02	22.33	16.05
SD	*24.21*	*20.79*	*24.75*	*10.94*	*9.93*	*16.46*	*29.61*	*19.47*	*12.67*
Outpatient visit days, %									
1-12	49.1%	42.3%	40.9%	60.6%	56.2%	46.5%	24.4%	38.1%	49.4%
13-24	27.0%	28.7%	28.9%	23.6%	31.5%	29.1%	28.0%	28.1%	33.1%
25-36	11.5%	13.4%	12.2%	11.0%	6.8%	13.6%	12.9%	16.5%	10.6%
37-48	5.4%	6.7%	7.6%	3.1%	4.1%	6.0%	8.9%	8.1%	3.1%
49+	7.0%	8.8%	10.4%	1.6%	1.4%	4.8%	25.8%	9.2%	3.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	86.5%	87.6%	79.9%	96.1%	93.2%	89.7%	94.2%	83.9%	95.0%
Mean PC visit days, among those with some PC	4.04	4.70	5.23	4.24	4.37	4.08	6.51	4.40	4.72
SD	3.94	3.70	4.50	2.50	2.39	3.29	4.57	3.44	2.80
Average number clinic stops per visit day, mean	1.55	1.56	1.49	1.82	1.52	1.54	1.83	1.51	1.37
SD	*0.52*	*0.50*	*0.50*	*0.59*	*0.61*	*0.48*	*0.62*	*0.42*	*0.28*
annual clinic stops (psych & non-psych), mean	30.45	33.79	34.33	24.94	23.34	27.86	63.60	34.59	21.69
SD	*40.44*	*36.63*	*39.17*	*19.70*	*28.94*	*26.73*	*60.76*	*32.56*	*16.95*
annual non-psych. clinic stops, mean	22.67	25.63	26.06	22.52	16.66	23.01	30.75	30.17	17.43
SD	*25.36*	*25.22*	*28.97*	*17.84*	*12.73*	*21.28*	*22.84*	*30.07*	*14.37*
annual psych. clinic stops (groupings below), mean	7.77	8.16	8.27	2.43	6.68	4.85	32.85	4.42	4.26
SD	*27.43*	*23.98*	*24.12*	*5.33*	*18.47*	*12.52*	*52.13*	*14.15*	*6.73*
1. general psych. clinic stops, mean	3.20	4.19	4.03	1.35	2.86	3.13	13.81	2.85	2.84
SD	*7.61*	*8.91*	*7.87*	*2.05*	*3.02*	*4.90*	*19.34*	*6.04*	*4.40*
2. psych. case management clinic stops, mean	0.14	0.20	0.58	0.00	0.00	0.31	0.00	0.00	0.00
SD	*3.20*	*4.21*	*8.72*	*0.00*	*0.00*	*3.13*	*0.00*	*0.00*	*0.00*
3. psych. day treatment clinic stops, mean	0.60	0.01	0.00	0.00	0.00	0.00	0.00	0.05	0.00
SD	*8.52*	*0.40*	*0.00*	*0.00*	*0.00*	*0.00*	*0.07*	*0.78*	*0.00*
4. substance abuse clinic stops, mean	2.24	2.19	0.86	0.34	3.70	0.77	14.63	0.57	0.32
SD	*17.04*	*11.78*	*5.94*	*2.32*	*18.05*	*8.72*	*27.56*	*4.04*	*1.73*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 18, continued

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Other Psychosis Patients	49401	2209	433	131	73	607	226	578	161
5. psych. vocational clinic stops, mean	0.74	0.92	1.80	0.00	0.00	0.01	4.04	0.56	0.00
SD	*9.63*	*8.72*	*15.03*	*0.00*	*0.00*	*0.11*	*12.97*	*7.03*	*0.00*
6. PTSD clinic stops, mean	0.56	0.35	0.57	0.64	0.00	0.33	0.03	0.11	1.06
SD	*5.11*	*2.72*	*3.57*	*3.55*	*0.00*	*2.64*	*0.33*	*0.77*	*5.28*
7. psych. homeless clinic stops, mean	0.27	0.25	0.37	0.07	0.12	0.20	0.33	0.29	0.01
SD	*2.81*	*2.00*	*3.38*	*0.71*	*0.69*	*1.05*	*1.30*	*2.17*	*0.08*
Other VISN OP visit days, mean	0.31	0.49	0.39	0.45	0.86	0.28	1.88	0.28	0.24
SD	2.01	2.34	1.82	2.08	2.45	1.40	5.24	1.50	1.71
Other station OP visit days, mean	0.72	0.99	0.47	0.76	1.37	0.61	4.82	0.42	0.45
SD	3.19	3.59	1.98	2.68	2.81	2.23	8.43	1.81	1.92

Table 4I FY03 Other Psychosis Patients, Pharmacy Utilization, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Other Psychosis Patients	49401	2209	433	131	73	607	226	578	161
Among all patients in the registry									
Pts. with any outpatient prescriptions, %	94.7%	94.2%	94.0%	93.1%	98.6%	92.2%	94.7%	95.0%	97.5%
Patients with any oral antipsychotic fills, %*	41.4%	36.3%	39.0%	38.9%	56.2%	31.3%	31.4%	37.2%	39.8%
Among pts. receiving any antipsychotic medication:									
Received only conventional antipsychotics, %	9.2%	12.9%	12.4%	37.3%	2.4%	18.4%	8.5%	6.0%	12.5%
Received some atypical antipsychotics, %	90.8%	87.1%	87.6%	62.7%	97.6%	81.6%	91.5%	94.0%	87.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %									
Aripiprazole	0.7%	0.4%	0.6%	0.0%	0.0%	0.5%	1.4%	0.0%	0.0%
Clozapine	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Olanzapine	27.8%	25.8%	30.2%	19.6%	46.3%	24.7%	18.3%	20.0%	37.5%
Quetiapine	29.2%	27.5%	30.8%	37.3%	17.1%	23.2%	28.2%	31.6%	15.6%
Risperidone	46.2%	46.9%	35.5%	9.8%	56.1%	48.9%	60.6%	57.2%	45.3%
Ziprasidone	3.6%	3.2%	6.5%	2.0%	0.0%	1.6%	0.0%	1.9%	10.9%
Patients receiving only one kind** of antipsychotic, %	78.8%	78.3%	78.7%	86.3%	78.0%	75.3%	77.5%	79.5%	76.6%
Concurrent use of 2 or more antipsychotics, % ***	5.1%	4.0%	4.7%	2.0%	2.4%	3.2%	2.8%	6.0%	1.6%
Among pts receiving just one antipsychotic:									
Antipsychotic fills, mean	5.21	4.96	4.74	5.93	3.78	5.11	4.33	4.85	6.06
SD	*4.06*	*3.88*	*3.74*	*4.00*	*3.39*	*4.23*	*3.42*	*3.75*	*4.04*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5I: FY03 Other Psychosis Patients, Cost, VISN 18

	All VISNs	VISN 18	501 *New Mexico*	504 *Amarillo*	519 *W. Texas*	644 *Phoenix*	649 *N. Arizona*	678 *S. Arizona*	756 *El Paso*
Other Psychosis Patients	49401	2209	433	131	73	607	226	578	161
Total Costs (in thousands $$)	$692,791	$32,610	$5,719	$2,403	$921	$8,742	$5,846	$8,112	$866
Station % of VISN		100.0%	17.5%	7.4%	2.8%	26.8%	17.9%	24.9%	2.7%
Psych vs. Non-Psych Costs									
Psych	16.6%	11.2%	14.9%	2.6%	12.0%	14.1%	11.9%	7.8%	8.9%
Non-Psych	83.4%	88.8%	85.1%	97.4%	88.0%	85.9%	88.1%	92.2%	91.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use									
Per Patient	$16,509	$13,429	$13,565	$20,796	$12,702	$14,470	$12,543	$11,937	$335
Per Day of Stay	$1,028	$1,117	$1,152	$1,614	$919	$1,179	$791	$1,211	$48
Mean Outpatient Costs, Pts with some Outpatient use									
Per Patient	$6,046	$5,987	$6,449	$5,413	$5,683	$4,756	$7,870	$6,735	$4,637
Per Visit Day	$310	$281	$279	$382	$402	$263	$231	$302	$289
By Cost Center									
1 Med	$2,712	$2,866	$2,744	$5,245	$3,526	$3,588	$3,662	$2,057	$26
2 Surg	$779	$901	$781	$2,890	$233	$764	$549	$1,157	$0
3 Psych	$1,494	$872	$1,142	$120	$69	$1,298	$1,451	$504	$17
4 Psych Res Rehab Treatment Program	$103	$32	$0	$0	$0	$41	$59	$54	$0
5 Non-VA	$203	$487	$291	$1,299	$2,302	$534	$604	$60	$725
6 LTC Domiciliary	$183	$309	$0	$0	$0	$0	$3,019	$1	$0
7 LTC Intermediate Care	$276	$139	$0	$0	$454	$17	$1,166	$0	$0
8 LTC Nursing Home	$1,672	$2,264	$735	$2,789	$63	$2,101	$6,751	$2,617	$0
9 Contract Nursing Home	$578	$933	$1,067	$755	$292	$1,326	$773	$863	$2
10 OPC Med/Surg	$1,281	$1,261	$1,519	$1,229	$775	$1,053	$1,717	$1,327	$719
11 OPC Psych	$831	$787	$829	$352	$1,448	$731	$1,622	$595	$459
12 OPC Home Based Treatment	$730	$771	$886	$531	$711	$708	$422	$1,042	$439
13 OPC Support	$1,493	$1,450	$1,725	$1,322	$1,041	$1,252	$1,746	$1,451	$1,333
14 OPC Fee	$231	$349	$58	$438	$155	$186	$1,061	$531	$105
15 OPC Pharmacy	$1,460	$1,342	$1,432	$1,376	$1,553	$803	$1,267	$1,777	$1,554
TOTAL	$14,024	$14,762	$13,209	$18,345	$12,621	$14,402	$25,867	$14,035	$5,379
Mean % Patient Costs at Other Stations	3.3%	4.7%	2.2%	3.8%	7.7%	3.8%	16.8%	2.9%	4.0%
SD	*11.9%*	*14.1%*	*8.5%*	*10.9%*	*16.8%*	*12.6%*	*23.6%*	*11.8%*	*13.5%*
Mean % Patient Costs at Other VISNs	1.3%	2.3%	1.8%	1.6%	4.5%	2.0%	4.6%	2.1%	1.5%
SD	*7.5%*	*9.6%*	*7.8%*	*7.0%*	*12.1%*	*8.8%*	*13.2%*	*10.3%*	*8.5%*

Table 1F: FY03 Psychosis Patients, Demographics, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Entire Population	217760	6150	779	347	2347	402	1631	644
Psychosis Diagnosis Group, %								
Schizophrenia	43.3%	33.0%	28.6%	32.0%	37.4%	40.8%	27.8%	30.9%
Bipolar Disorder	34.0%	44.4%	41.5%	51.3%	46.3%	34.6%	43.2%	46.7%
Other Psychoses	22.7%	22.6%	29.9%	16.7%	16.3%	24.6%	29.0%	22.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age, %								
<35	4.9%	6.8%	5.8%	6.9%	7.9%	6.2%	5.8%	7.3%
>=35 and <50	29.3%	30.7%	27.5%	32.0%	35.5%	24.4%	27.2%	28.7%
>=50 and <65	38.1%	38.1%	38.0%	40.9%	39.1%	43.5%	34.3%	38.8%
>=65 and <80	19.7%	16.7%	19.3%	14.7%	12.9%	18.7%	21.0%	16.3%
>=80	8.2%	7.8%	9.5%	5.5%	4.6%	7.2%	11.6%	8.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	56.89	55.37	57.21	54.07	52.85	56.37	58.00	55.74
SD	*14.35*	*14.50*	*14.81*	*13.54*	*13.39*	*13.79*	*15.57*	*14.56*
Gender								
Male, %	92.7%	92.1%	92.9%	88.5%	90.5%	92.5%	94.0%	93.6%
Female, %	7.3%	7.9%	7.1%	11.5%	9.5%	7.5%	6.0%	6.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %								
Hispanic white	4.8%	5.4%	0.9%	1.7%	9.4%	5.0%	4.2%	1.4%
Hispanic black	0.4%	0.1%	0.0%	0.9%	0.1%	0.0%	0.1%	0.2%
American indian	0.3%	0.6%	0.8%	0.0%	0.4%	0.0%	0.6%	1.9%
Black	18.6%	5.1%	0.1%	2.3%	10.9%	0.5%	1.9%	2.5%
Asian	0.5%	0.3%	0.0%	0.0%	0.4%	0.0%	0.3%	0.2%
White	54.9%	70.9%	59.4%	81.8%	61.8%	88.1%	78.9%	80.7%
Race unknown	20.5%	17.7%	38.8%	13.3%	17.0%	6.5%	14.1%	13.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status								
Never married	28.5%	24.2%	23.0%	19.1%	31.9%	17.7%	18.5%	18.8%
Married	35.3%	36.8%	39.1%	40.6%	30.0%	42.8%	43.4%	35.9%
Divorced/Separated	30.8%	34.5%	32.7%	36.5%	34.8%	34.6%	32.4%	39.7%
Widowed	5.4%	4.5%	5.2%	3.8%	3.2%	5.0%	5.7%	5.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Entire Population	217760	6150	779	347	2347	402	1631	644
Registry Pts. History of VA Utilization								
Years since first use in prior five years, mean	4.33	4.31	4.22	4.27	4.41	4.44	4.24	4.23
SD	*1.24*	1.24	1.32	1.24	1.17	1.09	1.29	1.29
Yrs with 24-hour institutional use / yrs since 1st use, %	25.9%	24.5%	21.3%	18.5%	23.5%	26.5%	23.5%	36.8%
SD	*29.7%*	28.5%	27.0%	25.1%	28.2%	28.5%	26.8%	33.5%
Years with OP use / Years since first use, %	96.7%	97.0%	97.0%	97.5%	96.7%	98.4%	97.4%	96.2%
SD	*11.4%*	9.9%	9.0%	8.9%	10.6%	7.1%	9.3%	11.8%
Psychosis Diagnoses in Prior Fiscal Year								
Had Psychosis Diagnosis in FY01, %	65.3%	65.2%	57.1%	63.1%	71.4%	64.7%	61.4%	63.5%
Among Patients With Psychoses in FY01								
Psychosis Category: Schizophrenia, %	54.1%	43.0%	42.9%	43.4%	44.7%	52.7%	38.0%	42.1%
Psychosis Category: Bipolar Disorder, %	33.9%	45.3%	43.1%	50.7%	47.0%	33.8%	45.3%	45.5%
Psychosis Category: Other Psychosis, %	12.0%	11.7%	13.9%	5.9%	8.4%	13.5%	16.7%	12.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %								
Dementia	6.2%	4.0%	4.2%	4.9%	3.4%	3.0%	4.6%	4.7%
Post Traumatic Stress Disorder	15.4%	18.3%	13.4%	22.2%	21.6%	19.7%	15.9%	15.5%
Depression	34.8%	38.0%	33.8%	46.4%	30.8%	51.2%	42.2%	46.1%
Other Anxiety Disorder	12.0%	13.2%	10.1%	15.9%	9.8%	17.2%	17.8%	14.0%
Substance Abuse or Dependence	23.3%	23.5%	18.0%	23.9%	24.9%	33.3%	19.1%	30.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Entire Population	217760	6150	779	347	2347	402	1631	644
Medical Comorbidities, %								
No medical comorbidities	15.2%	14.5%	15.7%	17.6%	17.0%	13.4%	11.1%	11.8%
Anemia	8.2%	6.2%	5.3%	4.0%	5.3%	6.7%	7.9%	6.8%
Arthritis	36.2%	40.9%	37.4%	37.2%	38.2%	45.3%	43.0%	48.9%
Cancer	7.9%	8.5%	8.6%	6.1%	7.8%	7.7%	10.5%	7.3%
Cerebrovascular Disease	6.7%	5.3%	6.2%	3.7%	3.2%	6.5%	7.6%	6.4%
Chronic Neurologic Disorder	15.1%	16.6%	15.5%	18.4%	14.9%	12.7%	18.8%	20.0%
Chronic Obstructive Pulmonary Disease	16.7%	16.9%	20.3%	18.4%	15.2%	17.9%	16.3%	18.8%
Chronic Viral Infection	8.4%	8.8%	7.1%	6.9%	9.9%	5.0%	9.6%	8.7%
Coronary Artery Disease	19.5%	18.0%	21.2%	13.5%	13.5%	16.9%	23.5%	20.2%
Diabetes	20.0%	16.2%	17.2%	18.7%	13.5%	19.7%	18.3%	16.1%
Digestive System Disease	43.5%	48.7%	38.9%	40.9%	48.7%	43.8%	54.3%	54.0%
Hypertension	43.2%	38.0%	35.6%	31.4%	35.8%	35.3%	44.0%	38.7%
Injury and Poisoning	17.9%	22.4%	20.4%	23.9%	20.6%	21.4%	24.1%	27.2%
Liver Disease	3.6%	4.1%	4.6%	2.0%	2.9%	3.5%	5.6%	5.3%
Other Endocrine	8.6%	10.0%	9.8%	12.4%	9.9%	10.4%	9.7%	9.9%
Peripheral Vascular Disease	4.1%	3.2%	3.7%	4.3%	2.4%	2.7%	3.6%	4.2%
GAF scores								
Lowest inpatient GAF score, mean	37.72	38.06	45.91	41.73	33.56	34.34	30.54	44.01
SD	*14.39*	*11.74*	*7.69*	*7.20*	*10.47*	*12.74*	*12.89*	*8.76*
Mean outpatient GAF score	50.52	47.02	55.40	50.15	48.17	44.83	41.26	52.01
SD	*11.04*	*10.35*	*9.26*	*10.89*	*9.41*	*8.35*	*9.84*	*9.36*
At least 1 IP GAF, among pts with MH bedsections, %	38.4%	30.5%	18.4%	22.7%	22.9%	40.4%	17.4%	62.0%
At least 1 OP GAF, among pts with MH clinic stops, %	80.0%	81.4%	50.0%	61.4%	87.0%	95.6%	82.2%	86.9%
Mortality rates								
died in FY02, %	3.1%	2.7%	3.0%	0.9%	2.4%	3.7%	2.9%	3.6%
Age-and-gender-adjusted Standardized Mortality Ratio	1.32	1.29	1.25	0.49	1.51	1.80	1.04	1.67

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 19, continued

	All VISNs	VISN 19	436	442	554	575	660	666
			Montana	*Cheyenne*	*Denver*	*Grand Junct*	*Salt Lake*	*Sheridan*
Entire Population	217760	6150	779	347	2347	402	1631	644
Service Connection (SC)								
Non-SC	51.0%	49.6%	54.6%	50.1%	38.7%	62.2%	54.9%	61.3%
SC 0 - 29%	8.7%	9.0%	10.8%	9.2%	8.1%	7.2%	9.4%	10.4%
SC 30 - 69%	10.8%	11.2%	10.5%	9.8%	12.1%	9.7%	12.0%	8.9%
SC 70 - 99%	7.3%	7.2%	7.3%	6.1%	7.9%	6.0%	7.7%	5.1%
SC 100%	22.1%	23.0%	16.8%	24.8%	33.3%	14.9%	16.1%	14.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %								
Complex*	17.3%	16.9%	5.6%	7.2%	21.5%	16.9%	12.3%	30.9%
Basic vested, Cat A*	76.6%	76.3%	83.8%	85.9%	74.3%	77.9%	79.6%	60.2%
Basic Non-vested, Cat A*	1.0%	1.1%	1.2%	1.4%	1.7%	0.7%	0.5%	0.5%
Basic, Cats C and N	5.1%	5.6%	9.4%	5.5%	2.5%	4.5%	7.6%	8.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded								
Patient eligibility category, %								
Cat A (SC or low income)	94.6%	94.2%	90.6%	94.5%	97.2%	95.5%	92.4%	91.0%
Cat C (NSC and higher income)	4.7%	5.3%	8.6%	4.0%	2.7%	3.7%	7.2%	7.8%
Non-Veteran	0.6%	0.5%	0.8%	1.4%	0.0%	0.7%	0.4%	1.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %								
BASIC 1. Non-reliant Care	0.1%	0.1%	0.0%	0.3%	0.1%	0.0%	0.0%	0.2%
2. Basic Medical	16.7%	16.4%	31.1%	19.6%	12.8%	12.2%	14.1%	18.8%
3. Mental Health	36.3%	36.7%	34.8%	43.2%	38.8%	43.0%	36.2%	25.6%
4. Heart / Lung / GI	7.7%	8.0%	12.2%	6.6%	5.1%	6.2%	10.9%	8.2%
5. Oncology / Infectious Disease	3.9%	4.2%	3.9%	4.0%	4.1%	3.0%	5.5%	2.3%
6. Multiple Medical	18.0%	17.6%	12.5%	19.0%	17.6%	18.7%	21.0%	14.0%
COMPLEX 7. Specialized Care	2.6%	2.5%	0.4%	2.0%	3.2%	1.7%	3.0%	2.0%
8. Support Care	2.8%	2.4%	3.1%	0.0%	2.8%	3.2%	2.1%	2.0%
9. Chronic Mental	9.6%	10.7%	1.7%	4.0%	14.4%	9.7%	6.5%	23.3%
10. Critically Ill	2.2%	1.3%	0.5%	1.2%	1.2%	2.2%	0.7%	3.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Entire Population	217760	6150	779	347	2347	402	1631	644
Substance Dependence and Abuse								
Any dx of alcohol / drug dependence or abuse, %	23.3%	23.5%	18.0%	23.9%	24.9%	33.3%	19.1%	30.0%
Homelessness								
Homelessness indicated in FY02, %	11.5%	9.8%	4.6%	10.7%	9.4%	4.5%	12.8%	12.6%
Residence in Metropolitan Area								
Residing in a Metropolitan Statistical Area, %	79.7%	71.2%	31.7%	79.3%	89.0%	66.5%	79.2%	32.8%
Distance								
Mile from Closest VA Medical Center, mean	32.17	47.89	89.71	36.80	38.88	24.02	41.23	67.83
SD	*68.58*	*56.49*	*75.75*	*33.48*	*45.16*	*33.66*	*55.34*	*60.86*
Distance from closest VA Medical Center, %								
0 to 15 miles	49.0%	47.7%	15.8%	36.0%	55.9%	65.0%	55.0%	33.7%
15 to 30 miles	16.3%	4.9%	0.5%	2.9%	4.6%	2.0%	9.4%	2.6%
30 to 45 miles	10.3%	7.0%	2.6%	16.7%	2.1%	10.8%	11.4%	11.6%
45 to 60 miles	8.1%	6.9%	11.7%	28.0%	5.7%	9.5%	2.5%	3.7%
60 plus miles	16.2%	33.5%	69.4%	16.4%	31.7%	12.8%	21.7%	48.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.73	11.59	16.57	12.65	8.07	14.68	12.52	13.52
SD	*13.09*	*16.64*	*20.90*	*20.24*	*10.97*	*22.75*	*16.61*	*18.75*
Distance to closest VA Service Site, %								
0 to 15 miles	77.0%	79.0%	63.3%	77.8%	86.9%	72.3%	80.7%	69.7%
15 to 30 miles	14.9%	9.9%	16.2%	5.5%	8.9%	12.8%	8.6%	9.8%
30 to 45 miles	5.7%	5.0%	8.1%	9.2%	2.0%	5.0%	3.6%	13.7%
45 plus miles	2.4%	6.1%	12.5%	7.5%	2.2%	10.0%	7.1%	6.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3F: FY03 Psychosis Patients, Utilization, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Entire Population	217760	6150	779	347	2347	402	1631	644
Hospital Based Utilization								
Patients with some Hospital Based Utilization, %	27.2%	27.2%	23.2%	18.2%	22.8%	35.3%	28.0%	46.1%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)								
Inpatient stays, mean	1.83	1.77	1.86	1.54	1.58	1.80	1.86	1.97
SD	*1.43*	*1.35*	*1.54*	*0.93*	*1.15*	*1.22*	*1.43*	*1.54*
Average LOS, mean	13.07	12.90	7.05	9.47	13.60	6.26	8.07	26.52
SD	*30.84*	*19.44*	*5.33*	*9.36*	*18.21*	*5.15*	*8.16*	*33.45*
Cumulative DOS, mean	21.85	22.14	13.61	15.46	21.71	11.13	14.94	45.82
SD	*40.46*	*33.01*	*15.51*	*18.42*	*31.67*	*10.89*	*17.35*	*53.45*
Cumulative DOS, %								
1 to 7	39.9%	39.7%	45.9%	46.0%	40.4%	52.8%	45.2%	18.5%
8 to 14	21.8%	19.8%	27.6%	20.6%	16.5%	19.7%	22.1%	17.2%
15 to 44	27.7%	27.6%	20.4%	23.8%	29.8%	25.4%	26.8%	31.3%
45 to 89	6.9%	8.5%	5.5%	9.5%	9.9%	2.1%	5.3%	15.5%
90 to 179	2.3%	3.8%	0.6%	0.0%	2.8%	0.0%	0.7%	14.8%
180 to 359	0.9%	0.6%	0.0%	0.0%	0.6%	0.0%	0.0%	2.4%
360+	0.6%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	2.1%	2.3%	0.0%	0.0%	1.1%	0.0%	0.0%	11.1%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	237.76	165.03	0.00	0.00	206.33	0.00	0.00	157.52
SD	*95.14*	*60.74*	*0.00*	*0.00*	*71.69*	*0.00*	*0.00*	*56.57*
Hospital patients who had a 150+ day hosp. stay, %	1.3%	0.5%	0.0%	0.0%	0.4%	0.0%	0.0%	2.4%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	290.80	239.11	0.00	0.00	271.50	0.00	0.00	229.86
SD	*77.65*	*68.13*	*0.00*	*0.00*	*82.73*	*0.00*	*0.00*	*67.81*
Cumulative DOS at Other VISNs	0.59	0.59	0.54	0.52	0.64	0.23	0.54	0.81
SD	*4.28*	*3.47*	*3.16*	*3.79*	*3.64*	*1.64*	*3.54*	*3.79*
Cumulative DOS at Other Stations	1.83	2.76	3.28	12.89	1.76	0.70	1.73	4.67
SD	*7.27*	*9.29*	*8.01*	*18.19*	*8.57*	*2.91*	*7.46*	*11.21*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Entire Population	217760	6150	779	347	2347	402	1631	644
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)								
Pts. with non-psych hospital stays, %	14.0%	15.4%	20.3%	14.1%	10.3%	16.7%	15.9%	26.9%
Inpatient stays, mean	0.85	0.90	1.59	1.14	0.64	0.75	0.89	1.00
SD	*1.20*	*1.17*	*1.58*	*0.98*	*0.90*	*1.01*	*1.09*	*1.36*
Average LOS, mean	7.54	6.92	6.83	7.11	5.52	4.06	6.07	11.28
SD	*13.36*	*9.09*	*5.02*	*7.56*	*7.33*	*3.95*	*8.07*	*14.54*
Cumulative Days of Stay, mean	6.52	6.39	11.27	9.02	3.68	3.14	5.34	10.90
SD	*17.31*	*13.59*	*14.99*	*14.52*	*8.22*	*5.87*	*10.64*	*22.21*
Cumulative Days of Stay, %								
0	48.5%	43.3%	12.7%	22.2%	54.9%	52.8%	43.0%	41.8%
1 to 7	29.2%	32.5%	43.1%	44.4%	30.7%	33.1%	35.1%	22.2%
8 to 14	9.8%	11.5%	22.7%	15.9%	6.2%	8.5%	11.8%	14.1%
15 to 44	10.2%	10.5%	16.6%	11.1%	7.5%	5.6%	9.0%	16.5%
45 to 89	1.8%	1.9%	4.4%	6.3%	0.7%	0.0%	0.9%	4.0%
90 to 179	0.4%	0.3%	0.6%	0.0%	0.0%	0.0%	0.2%	1.0%
180 to 359	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.7%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	206.57	175.00	0.00	0.00	0.00	0.00	0.00	175.00
SD	*85.33*	*69.30*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*69.30*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	268.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*74.94*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.14	0.15	0.24	0.43	0.13	0.06	0.16	0.10
SD	*1.82*	*1.61*	*2.77*	*3.40*	*0.98*	*0.44*	*1.83*	*0.74*
Other station cumulative DOS, mean	0.51	0.90	1.71	6.44	0.22	0.37	0.41	1.45
SD	*3.43*	*4.42*	*5.41*	*13.68*	*1.52*	*2.13*	*2.56*	*5.30*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Entire Population	217760	6150	779	347	2347	402	1631	644
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)								
Pts. with psych hospital stays, %	15.8%	15.0%	4.9%	6.3%	14.5%	22.1%	15.5%	27.8%
Inpatient stays, mean	0.98	0.87	0.28	0.40	0.95	1.04	0.97	0.97
SD	*1.28*	*1.17*	*0.60*	*0.61*	*1.15*	*1.18*	*1.32*	*1.18*
Average LOS, mean	17.54	19.04	7.97	16.39	19.25	7.77	10.12	39.55
SD	*38.98*	*25.59*	*6.74*	*15.71*	*21.78*	*5.71*	*7.93*	*41.36*
Cumulative Days of Stay, mean	15.33	15.75	2.34	6.44	18.04	7.99	9.60	34.92
SD	*38.37*	*31.98*	*6.83*	*14.11*	*31.89*	*11.06*	*15.54*	*53.40*
Cumulative Days of Stay, %								
0	41.8%	44.9%	79.0%	65.1%	36.3%	37.3%	44.5%	39.7%
1 to 7	18.6%	15.2%	9.4%	9.5%	16.1%	28.2%	18.9%	6.4%
8 to 14	14.1%	11.5%	7.2%	7.9%	12.5%	14.8%	13.8%	8.1%
15 to 44	17.8%	18.4%	3.9%	14.3%	23.2%	17.6%	18.6%	19.5%
45 to 89	4.7%	6.0%	0.6%	3.2%	8.4%	2.1%	3.7%	11.1%
90 to 179	1.7%	3.3%	0.0%	0.0%	2.8%	0.0%	0.4%	12.8%
180 to 359	0.8%	0.5%	0.0%	0.0%	0.6%	0.0%	0.0%	2.0%
360+	0.5%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	1.8%	2.2%	0.0%	0.0%	1.1%	0.0%	0.0%	10.4%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.50	160.70	0.00	0.00	203.67	0.00	0.00	152.39
SD	*96.26*	*59.87*	*0.00*	*0.00*	*75.09*	*0.00*	*0.00*	*54.04*
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.2%	0.5%	0.0%	0.0%	0.4%	0.0%	0.0%	2.4%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	291.18	231.89	0.00	0.00	271.50	0.00	0.00	220.57
SD	*78.31*	*68.82*	*0.00*	*0.00*	*82.73*	*0.00*	*0.00*	*67.10*
Other VISN cumulative DOS, mean	0.45	0.44	0.29	0.10	0.51	0.17	0.38	0.71
SD	*3.83*	*3.07*	*1.57*	*0.53*	*3.52*	*1.59*	*3.02*	*3.72*
Other station cumulative DOS, mean	1.32	1.87	1.57	6.44	1.54	0.33	1.33	3.22
SD	*6.36*	*8.16*	*6.35*	*14.11*	*8.45*	*2.04*	*6.65*	*10.17*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Entire Population	217760	6150	779	347	2347	402	1631	644
Other 24 hour institutional care								
Patients with some other 24 hour institutional care, %	8.5%	4.8%	3.2%	2.6%	3.2%	5.2%	3.4%	17.5%
Residential Rehab (rep. for those w/ res rehab care)								
Patients with some residential rehab. care, %	1.8%	2.1%	0.3%	1.4%	0.6%	0.2%	1.3%	12.9%
Number stays, mean	1.12	1.09	1.00	1.20	1.13	1.00	1.05	1.10
SD	*0.38*	*0.29*	*0.00*	*0.45*	*0.35*	*0.00*	*0.21*	*0.30*
Average LOS, mean	34.01	38.66	27.50	15.20	31.90	21.00	22.84	45.96
SD	*38.25*	*23.29*	*0.71*	*12.81*	*15.28*	*0.00*	*9.01*	*24.53*
Cumulative DOS, mean	37.28	41.55	27.50	15.80	36.73	21.00	23.45	49.36
SD	*40.79*	*26.18*	*0.71*	*12.15*	*22.86*	*0.00*	*8.80*	*27.21*
Cumulative Days of Stay, %								
1 to 7	12.3%	6.3%	0.0%	40.0%	13.3%	0.0%	4.5%	3.6%
8 to 14	12.7%	7.0%	0.0%	20.0%	0.0%	0.0%	22.7%	3.6%
15 to 44	50.7%	57.8%	100.0%	40.0%	60.0%	100.0%	72.7%	53.0%
45 to 89	15.8%	23.4%	0.0%	0.0%	20.0%	0.0%	0.0%	32.5%
90 to 179	7.0%	5.5%	0.0%	0.0%	6.7%	0.0%	0.0%	7.2%
180 to 359	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.3%	1.6%	0.0%	0.0%	0.0%	0.0%	0.0%	2.4%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	175.66	107.00	0.00	0.00	0.00	0.00	0.00	107.00
SD	*75.56*	*2.83*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*2.83*
Res Rehab patients with 150+ day Res Rehab stay, %	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	237.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*73.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.12	1.49	0.00	3.80	11.40	0.00	0.00	0.01
SD	*6.40*	*7.69*	*0.00*	*5.76*	*20.08*	*0.00*	*0.00*	*0.11*
Other station cumulative DOS, mean	3.58	5.77	27.50	15.20	36.73	21.00	1.23	0.11
SD	*10.93*	*14.70*	*0.71*	*12.99*	*22.86*	*0.00*	*3.68*	*0.88*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Entire Population	217760	6150	779	347	2347	402	1631	644
Domiciliary and Vocational								
(reported for those with some dom/voc care)								
Patients with some dom/voc care, %	2.8%	0.3%	0.3%	0.0%	0.4%	0.0%	0.2%	0.8%
Number stays, mean	1.13	1.11	1.00	0.00	1.11	0.00	1.33	1.00
SD	*0.38*	*0.32*	*0.00*	*0.00*	*0.33*	*0.00*	*0.58*	*0.00*
Average LOS, mean	85.20	23.11	4.50	0.00	24.39	0.00	36.83	20.00
SD	*90.51*	*21.08*	*2.12*	*0.00*	*22.83*	*0.00*	*16.13*	*22.28*
Cumulative DOS, mean	92.74	25.74	4.50	0.00	26.11	0.00	48.33	20.00
SD	*94.18*	*23.39*	*2.12*	*0.00*	*22.66*	*0.00*	*24.01*	*22.28*
Cumulative Days of Stay, %								
1 to 7	6.9%	31.6%	100.0%	0.0%	22.2%	0.0%	0.0%	40.0%
8 to 14	6.1%	5.3%	0.0%	0.0%	11.1%	0.0%	0.0%	0.0%
15 to 44	29.6%	42.1%	0.0%	0.0%	55.6%	0.0%	33.3%	40.0%
45 to 89	19.5%	21.1%	0.0%	0.0%	11.1%	0.0%	66.7%	20.0%
90 to 179	22.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	10.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	5.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	31.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	203.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*90.08*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	18.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	259.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*79.66*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.54	25.74	4.50	0.00	26.11	0.00	48.33	20.00
SD	*8.76*	*23.39*	*2.12*	*0.00*	*22.66*	*0.00*	*24.01*	*22.28*
Other station cumulative DOS, mean	3.75	25.74	4.50	0.00	26.11	0.00	48.33	20.00
SD	*14.14*	*23.39*	*2.12*	*0.00*	*22.66*	*0.00*	*24.01*	*22.28*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Entire Population	217760	6150	779	347	2347	402	1631	644
Nursing Home Care								
(reported for those with some nursing home care)								
Patients with some nursing home care, %	4.5%	2.5%	2.7%	1.2%	2.2%	5.0%	1.8%	4.5%
Number stays, mean	1.24	1.20	1.24	1.00	1.15	1.40	1.23	1.10
SD	*0.60*	*0.58*	*0.70*	*0.00*	*0.41*	*0.82*	*0.77*	*0.31*
Average LOS, mean	99.56	115.26	52.94	214.00	146.07	50.80	60.26	192.86
SD	*118.68*	*125.74*	*79.10*	*168.11*	*138.75*	*43.07*	*76.85*	*138.08*
Cumulative DOS, mean	111.19	130.37	56.57	214.00	161.63	72.70	78.67	209.48
SD	*123.23*	*133.85*	*78.12*	*168.11*	*144.98*	*68.07*	*103.67*	*143.55*
Cumulative Days of Stay, %								
1 to 7	9.0%	7.7%	9.5%	0.0%	1.9%	15.0%	13.3%	6.9%
8 to 14	10.6%	7.1%	4.8%	0.0%	11.5%	0.0%	10.0%	3.4%
15 to 44	27.5%	26.3%	52.4%	25.0%	19.2%	25.0%	40.0%	6.9%
45 to 89	15.4%	16.7%	19.0%	0.0%	13.5%	30.0%	13.3%	17.2%
90 to 179	13.8%	12.8%	9.5%	25.0%	17.3%	20.0%	3.3%	10.3%
180 to 359	11.4%	13.5%	0.0%	25.0%	9.6%	10.0%	16.7%	27.6%
360+	12.4%	16.0%	4.8%	25.0%	26.9%	0.0%	3.3%	27.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	33.0%	38.5%	9.5%	75.0%	53.8%	20.0%	20.0%	58.6%
Cumul. DOS, patients with a 100+ day NH stay, mean	263.62	278.55	255.00	274.33	272.00	186.50	264.67	319.41
SD	*97.17*	*97.29*	*154.15*	*143.35*	*108.81*	*41.32*	*85.48*	*64.43*
NH patients with 150+ day NH stay, %	25.7%	28.8%	4.8%	50.0%	36.5%	5.0%	16.7%	58.6%
Cumul. DOS, patients with a 150+ day NH stay, mean	299.88	319.49	364.00	357.00	338.26	158.00	256.80	319.41
SD	*76.08*	*69.79*	*0.00*	*9.90*	*55.73*	*0.00*	*93.11*	*64.43*
Other VISN cumulative DOS, mean	0.41	0.38	0.00	0.00	0.29	0.00	1.40	0.10
SD	*5.60*	*3.57*	*0.00*	*0.00*	*2.08*	*0.00*	*7.67*	*0.56*
Other station cumulative DOS, mean	1.17	0.54	0.00	0.00	0.48	0.00	1.40	0.59
SD	*8.68*	*3.81*	*0.00*	*0.00*	*2.48*	*0.00*	*7.67*	*2.64*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Entire Population	217760	6150	779	347	2347	402	1631	644
Outpatient utilization								
(reported for those with some outpatient care)								
Patients with some outpatient care, %	99.1%	99.3%	100.0%	99.4%	98.9%	100.0%	99.9%	98.0%
annual visit days, mean	24.61	23.79	13.40	23.30	26.99	25.46	24.65	21.86
SD	*33.05*	*25.95*	*11.69*	*23.88*	*28.29*	*31.37*	*26.77*	*21.01*
Outpatient visit days, %								
1-12	44.2%	41.0%	60.5%	38.3%	36.6%	44.0%	38.3%	39.9%
13-24	26.4%	26.6%	25.3%	28.1%	25.0%	26.9%	28.3%	29.0%
25-36	11.9%	13.4%	9.4%	12.2%	15.2%	9.5%	13.9%	13.8%
37-48	5.9%	7.3%	3.0%	10.7%	8.1%	7.5%	7.3%	7.9%
49+	11.5%	11.6%	1.9%	10.7%	15.0%	12.2%	12.2%	9.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	79.4%	82.8%	89.0%	85.2%	75.0%	88.6%	84.7%	93.8%
Mean PC visit days, among those with some PC	3.84	3.93	3.80	7.02	3.36	3.84	2.96	6.56
SD	3.72	5.48	3.04	16.00	2.71	6.56	2.60	6.42
Average number clinic stops per visit day, mean	1.49	1.42	1.43	1.40	1.39	1.46	1.43	1.43
SD	*0.47*	*0.37*	*0.36*	*0.32*	*0.39*	*0.37*	*0.36*	*0.37*
annual clinic stops (psych & non-psych), mean	37.56	34.45	18.91	33.10	39.88	34.80	35.75	30.80
SD	*56.64*	*43.99*	*16.74*	*33.25*	*54.38*	*41.46*	*41.51*	*30.63*
annual non-psych. clinic stops, mean	20.14	19.34	15.50	22.32	18.67	17.76	20.70	22.41
SD	*25.25*	*21.57*	*14.27*	*25.87*	*20.74*	*19.45*	*24.33*	*22.29*
annual psych. clinic stops (groupings below), mean	17.42	15.11	3.41	10.78	21.20	17.03	15.06	8.39
SD	*43.44*	*32.25*	*6.57*	*14.07*	*41.59*	*31.15*	*29.98*	*15.54*
1. general psych. clinic stops, mean	7.22	7.29	2.75	8.28	11.41	7.49	4.07	5.37
SD	*13.49*	*14.44*	*5.07*	*9.28*	*20.92*	*9.95*	*5.69*	*8.02*
2. psych. case management clinic stops, mean	1.44	2.41	0.00	0.00	3.56	7.50	1.71	1.04
SD	*12.10*	*12.51*	*0.08*	*0.00*	*14.58*	*25.34*	*9.45*	*7.67*
3. psych. day treatment clinic stops, mean	2.80	1.58	0.00	0.03	0.56	0.00	5.09	0.10
SD	*21.66*	*7.51*	*0.07*	*0.59*	*3.96*	*0.05*	*13.09*	*1.35*
4. substance abuse clinic stops, mean	3.26	2.43	0.53	1.00	4.91	0.94	0.90	1.34
SD	*19.07*	*16.56*	*2.90*	*6.00*	*25.99*	*4.98*	*4.56*	*5.94*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Entire Population	217760	6150	779	347	2347	402	1631	644
5. psych. vocational clinic stops, mean	1.73	0.49	0.00	0.00	0.03	0.00	1.77	0.06
SD	*15.65*	*8.24*	*0.04*	*0.00*	*0.29*	*0.05*	*15.87*	*1.01*
6. PTSD clinic stops, mean	0.56	0.56	0.03	1.03	0.36	1.46	0.90	0.26
SD	*4.85*	*3.65*	*0.61*	*4.22*	*3.42*	*5.34*	*4.40*	*2.44*
7. psych. homeless clinic stops, mean	0.41	0.34	0.04	0.43	0.30	0.03	0.62	0.27
SD	*3.32*	*2.12*	*0.42*	*2.30*	*1.76*	*0.55*	*3.23*	*1.31*
Other VISN OP visit days, mean	0.36	0.49	0.39	0.52	0.48	0.21	0.45	0.94
SD	*2.35*	2.59	1.79	2.02	2.70	1.11	2.51	3.84
Other station OP visit days, mean	0.91	1.01	0.63	1.71	0.68	0.38	0.54	3.90
SD	*3.87*	3.74	2.12	3.43	3.28	1.46	2.79	7.23

Table 4F: FY03 Psychosis Patients, Pharmacy Utilization, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Entire Population	217760	6150	779	347	2347	402	1631	644
Among all patients in the registry								
Pts. with any outpatient prescriptions, %	95.5%	95.5%	95.1%	97.1%	93.9%	96.3%	97.1%	96.7%
Patients with any oral antipsychotic fills, %*	59.2%	56.7%	53.8%	57.9%	55.7%	64.7%	54.6%	63.2%
Among patients receiving antipsychotics:								
Received only conventional antipsychotics, %	12.3%	9.4%	6.9%	10.4%	13.0%	13.1%	5.8%	4.9%
Received some atypical antipsychotics, %	87.7%	90.6%	93.1%	89.6%	87.0%	86.9%	94.2%	95.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %								
Aripiprazole	1.2%	1.9%	0.7%	2.0%	1.4%	1.2%	0.8%	7.6%
Clozapine	1.8%	3.0%	1.0%	1.5%	3.5%	0.4%	4.8%	1.5%
Olanzapine	35.8%	42.3%	37.0%	39.3%	39.2%	40.0%	44.2%	56.3%
Quetiapine	26.2%	28.9%	32.0%	26.9%	25.6%	15.0%	32.8%	38.1%
Risperidone	36.7%	32.7%	37.7%	32.3%	33.8%	43.8%	28.1%	27.3%
Ziprasidone	5.2%	5.1%	3.8%	8.0%	5.2%	0.8%	7.1%	2.7%
Patients receiving only one kind** of antipsychotic, %	73.8%	69.8%	73.3%	72.6%	71.0%	66.2%	70.0%	62.4%
Concurrent use of 2 or more antipsychotics, % ***	11.3%	14.9%	12.6%	13.9%	16.1%	20.4%	11.3%	18.4%
Among pts receiving just one antipsychotic:								
Antipsychotic fills, mean	7.06	6.21	5.59	5.23	5.57	7.07	7.39	6.35
SD	*5.06*	*5.08*	*4.06*	*4.05*	*4.98*	*4.66*	*5.79*	*4.86*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5F: FY03 Psychosis Patients, Cost, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Entire Population	217760	6150	779	347	2347	402	1631	644
Total Costs (in thousands $$)	$3,237,460	$86,914	$6,656	$3,939	$34,895	$5,464	$21,310	$14,649
Station % of VISN		100.0%	7.7%	4.5%	40.1%	6.3%	24.5%	16.9%
Psych vs. Non-Psych Costs								
Psych	30.3%	31.8%	14.6%	24.7%	33.3%	30.5%	28.8%	42.9%
Non-Psych	69.7%	68.2%	85.4%	75.3%	66.7%	69.5%	71.2%	57.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use								
Per Patient	$18,395	$18,316	$14,662	$14,886	$20,626	$14,679	$16,027	$22,367
Per Day of Stay	$842	$827	$1,077	$963	$950	$1,318	$1,073	$488
Mean Outpatient Costs, Pts with some Outpatient use								
Per Patient	$6,757	$6,957	$4,396	$7,428	$7,188	$6,828	$7,644	$7,319
Per Visit Day	$275	$292	$328	$319	$266	$268	$310	$335
Mean Patient Costs, By Cost Center								
1 Med	$1,582	$1,378	$2,320	$972	$975	$1,356	$1,610	$1,352
2 Surg	$536	$562	$583	$800	$413	$624	$677	$621
3 Psych	$2,886	$3,042	$504	$931	$3,305	$3,205	$2,194	$8,343
4 Psych Res Rehab Treatment Program	$218	$174	$16	$45	$66	$6	$95	$1,130
5 Non-VA	$205	$210	$151	$138	$247	$157	$157	$356
6 LTC Domiciliary	$327	$12	$2	$0	$16	$0	$13	$20
7 LTC Intermediate Care	$167	$231	$12	$72	$82	$0	$252	$1,214
8 LTC Nursing Home	$1,785	$903	$322	$990	$1,253	$977	$19	$2,475
9 Contract Nursing Home	$467	$710	$238	$20	$1,399	$440	$409	$67
10 OPC Med/Surg	$1,071	$929	$516	$1,208	$862	$851	$1,335	$547
11 OPC Psych	$1,624	$1,455	$740	$1,878	$1,650	$934	$1,566	$1,424
12 OPC Home Based Treatment	$751	$793	$377	$547	$757	$1,140	$902	$1,062
13 OPC Support	$1,322	$1,415	$867	$1,466	$1,325	$1,723	$1,559	$1,823
14 OPC Fee	$148	$329	$431	$144	$342	$446	$232	$428
15 OPC Pharmacy	$1,778	$1,990	$1,467	$2,142	$2,177	$1,733	$2,045	$1,886
TOTAL	$14,867	$14,132	$8,544	$11,352	$14,868	$13,592	$13,066	$22,747
Mean % Patient Costs at Other Stations	3.9%	4.5%	6.0%	12.0%	2.9%	3.2%	2.2%	11.6%
SD	*12.8%*	*13.8%*	*16.7%*	*21.2%*	*11.1%*	*11.1%*	*9.2%*	*19.6%*
Mean % Patient Costs at Other VISNs	1.5%	2.1%	2.6%	2.7%	2.1%	1.7%	1.5%	2.8%
SD	*8.0%*	*9.2%*	*9.9%*	*10.5%*	*9.7%*	*8.5%*	*7.4%*	*10.6%*

Table 1G: FY03 Schizophrenic Patients, Demographics, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Schizophrenic Patients	94395	2028	223	111	878	164	453	199
Age, %								
<35	3.9%	5.3%	3.6%	2.7%	5.0%	3.7%	6.0%	10.1%
>=35 and <50	32.5%	33.9%	33.2%	35.1%	34.5%	29.3%	35.5%	31.7%
>=50 and <65	44.6%	46.1%	51.1%	48.6%	45.2%	53.7%	43.5%	42.7%
>=65 and <80	15.7%	12.6%	10.8%	11.7%	12.8%	12.2%	12.8%	14.1%
>=80	3.3%	2.1%	1.3%	1.8%	2.5%	1.2%	2.2%	1.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	54.59	52.96	52.84	53.26	53.08	53.80	52.74	52.19
SD	*11.97*	*11.41*	*10.23*	*10.12*	*11.60*	*10.24*	*11.87*	*12.39*
Gender								
Male, %	94.6%	94.6%	94.2%	98.2%	93.8%	97.6%	93.8%	95.8%
Female, %	5.4%	5.4%	5.8%	1.8%	6.2%	2.4%	6.2%	4.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %								
Hispanic white	6.9%	7.6%	1.3%	2.7%	12.2%	5.5%	6.6%	1.0%
Hispanic black	0.6%	0.2%	0.0%	1.8%	0.2%	0.0%	0.0%	0.0%
American indian	0.3%	0.6%	0.9%	0.0%	0.2%	0.0%	0.7%	3.0%
Black	26.5%	7.2%	0.4%	4.5%	13.2%	0.0%	3.1%	5.0%
Asian	0.8%	0.2%	0.0%	0.0%	0.3%	0.0%	0.2%	0.5%
White	52.4%	73.5%	70.0%	85.6%	62.6%	90.9%	83.4%	81.9%
Race unknown	12.5%	10.6%	27.4%	5.4%	11.2%	3.7%	6.0%	8.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status								
Never married	42.4%	40.4%	47.3%	25.0%	47.8%	23.8%	34.1%	36.4%
Married	24.6%	22.1%	21.8%	34.3%	17.6%	35.4%	26.6%	14.1%
Divorced/Separated	29.5%	34.7%	26.8%	38.0%	32.1%	38.4%	37.3%	43.9%
Widowed	3.5%	2.9%	4.1%	2.8%	2.5%	2.4%	2.0%	5.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Schizophrenic Patients	94395	2028	223	111	878	164	453	199
Registry Pts. History of VA Utilization								
Years since first use in prior five years, mean	4.6	4.61	4.55	4.57	4.65	4.66	4.60	4.55
SD	*1.0*	*0.97*	*1.05*	*0.92*	*0.94*	*0.85*	*0.96*	*1.11*
Yrs with 24-hour institutional use / yrs since 1st use, %	27.3%	26.6%	19.8%	15.1%	25.4%	29.7%	25.1%	47.2%
SD	*30.9%*	*30.3%*	*27.0%*	*22.3%*	*30.0%*	*30.4%*	*27.3%*	*35.8%*
Years with OP use / Years since first use, %	96.7%	97.0%	97.8%	98.3%	96.6%	98.7%	97.4%	95.0%
SD	*12.4%*	*10.7%*	*7.4%*	*7.0%*	*11.8%*	*7.1%*	*9.3%*	*14.4%*
Psychosis Diagnoses in Prior Fiscal Year								
Had Psychosis Diagnosis in FY01, %	82.2%	85.4%	85.2%	86.5%	85.1%	83.5%	85.7%	86.9%
Among Patients With Psychoses in FY01								
Psychosis Category: Schizophrenia, %	94.8%	95.3%	94.7%	93.8%	96.4%	93.4%	95.4%	93.1%
Psychosis Category: Bipolar Disorder, %	2.6%	2.8%	3.7%	4.2%	2.1%	2.2%	2.8%	4.6%
Psychosis Category: Other Psychosis, %	2.5%	1.9%	1.6%	2.1%	1.5%	4.4%	1.8%	2.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %								
Dementia	2.3%	1.8%	0.4%	5.4%	2.1%	0.6%	0.9%	3.5%
Post Traumatic Stress Disorder	11.9%	12.4%	8.1%	13.5%	13.7%	22.0%	8.4%	12.6%
Depression	25.7%	25.2%	22.9%	30.6%	20.4%	43.9%	25.2%	30.7%
Other Anxiety Disorder	8.7%	7.4%	5.8%	8.1%	4.8%	15.2%	8.8%	11.1%
Substance Abuse or Dependence	22.3%	21.7%	12.6%	17.1%	21.5%	34.1%	19.4%	30.7%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Schizophrenic Patients	94395	2028	223	111	878	164	453	199
Medical Comorbidities, %								
No medical comorbidities	18.7%	18.2%	18.8%	21.6%	20.2%	15.2%	14.6%	18.1%
Anemia	7.1%	5.1%	4.0%	1.8%	5.6%	6.1%	5.5%	4.0%
Arthritis	29.7%	32.1%	31.4%	28.8%	28.9%	40.2%	34.2%	36.7%
Cancer	6.1%	6.6%	6.3%	3.6%	6.8%	7.9%	6.0%	8.0%
Cerebrovascular Disease	3.8%	2.4%	0.4%	1.8%	1.5%	4.3%	3.3%	5.0%
Chronic Neurologic Disorder	12.4%	12.3%	11.7%	11.7%	10.3%	11.6%	15.7%	15.1%
Chronic Obstructive Pulmonary Disease	16.5%	18.5%	18.8%	18.9%	18.0%	21.3%	16.3%	22.6%
Chronic Viral Infection	8.7%	8.3%	7.2%	3.6%	7.4%	6.7%	11.3%	10.6%
Coronary Artery Disease	14.6%	11.6%	12.6%	14.4%	10.4%	13.4%	12.4%	11.1%
Diabetes	20.3%	16.9%	22.0%	20.7%	14.8%	20.7%	17.0%	14.6%
Digestive System Disease	44.1%	47.9%	42.6%	37.8%	47.6%	43.9%	53.0%	52.3%
Hypertension	40.7%	34.2%	37.2%	28.8%	34.5%	32.9%	34.2%	33.7%
Injury and Poisoning	15.5%	18.9%	17.5%	17.1%	17.7%	15.2%	22.3%	22.6%
Liver Disease	3.2%	3.2%	5.8%	1.8%	1.7%	3.7%	4.0%	5.0%
Other Endocrine	6.9%	8.7%	9.0%	7.2%	10.0%	10.4%	7.3%	5.5%
Peripheral Vascular Disease	2.9%	2.5%	3.1%	3.6%	2.4%	0.6%	2.4%	3.5%
GAF scores								
Lowest inpatient GAF score, mean	36.19	35.97	45.00	42.50	32.51	32.29	27.36	41.70
SD	*14.35*	*10.68*	*4.08*	*3.54*	*9.30*	*10.23*	*12.43*	*8.23*
Mean outpatient GAF score	48.84	44.33	52.94	47.61	45.94	41.95	38.00	49.21
SD	*10.59*	*9.46*	*9.23*	*10.94*	*8.76*	*6.38*	*7.97*	*8.83*
At least 1 IP GAF, among pts with MH bedsections, %	38.5%	29.2%	16.7%	33.3%	18.7%	38.3%	15.2%	66.7%
At least 1 OP GAF, among pts with MH clinic stops, %	80.5%	83.9%	45.4%	55.5%	89.8%	97.4%	87.0%	87.2%
Mortality rates								
died in FY02, %	2.7%	2.6%	1.3%	0.0%	2.8%	3.0%	2.2%	4.5%
Age-and-gender-adjusted Standardized Mortality Ratio	1.68	1.91	0.00	0.00	0.00	0.00	0.00	0.00

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Schizophrenic Patients	94395	2028	223	111	878	164	453	199
Service Connection (SC)								
Non-SC	40.8%	39.7%	45.7%	42.3%	30.6%	53.0%	43.0%	52.8%
SC 0 - 29%	6.8%	6.2%	7.6%	7.2%	5.6%	6.7%	4.9%	9.0%
SC 30 - 69%	8.8%	7.4%	8.5%	6.3%	6.4%	11.0%	8.8%	5.0%
SC 70 - 99%	6.6%	5.2%	6.3%	3.6%	4.2%	6.7%	7.1%	4.0%
SC 100%	37.0%	41.5%	31.8%	40.5%	53.2%	22.6%	36.2%	29.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %								
Complex*	22.5%	25.9%	4.9%	7.2%	32.3%	22.6%	21.0%	45.2%
Basic vested, Cat A*	74.7%	71.5%	90.1%	91.0%	65.4%	75.0%	76.2%	53.8%
Basic Non-vested, Cat A*	1.2%	1.0%	0.4%	0.9%	1.6%	0.6%	0.9%	0.0%
Basic, Cats C and N	1.7%	1.5%	4.5%	0.9%	0.7%	1.8%	2.0%	1.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded								
Patient eligibility category, %								
Cat A (SC or low income)	98.2%	98.2%	95.5%	99.1%	98.9%	98.2%	98.0%	98.5%
Cat C (NSC and higher income)	1.4%	1.5%	3.6%	0.9%	1.1%	1.8%	1.5%	0.5%
Non-Veteran	0.5%	0.3%	0.9%	0.0%	0.0%	0.0%	0.4%	1.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %								
BASIC 1. Non-reliant Care	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
2. Basic Medical	16.7%	12.9%	31.4%	19.8%	10.8%	7.9%	8.4%	11.6%
3. Mental Health	36.3%	37.9%	38.6%	52.3%	36.3%	41.5%	40.4%	27.1%
4. Heart / Lung / GI	7.7%	5.2%	12.1%	4.5%	3.1%	5.5%	6.0%	5.5%
5. Oncology / Infectious Disease	3.9%	3.3%	4.9%	0.9%	3.3%	3.7%	4.2%	0.5%
6. Multiple Medical	18.0%	14.8%	8.1%	15.3%	14.0%	18.9%	20.1%	10.1%
COMPLEX 7. Specialized Care	2.6%	1.2%	0.0%	0.9%	1.4%	1.2%	1.8%	1.0%
8. Support Care	2.8%	2.3%	1.3%	0.0%	2.8%	1.8%	2.0%	3.0%
9. Chronic Mental	9.6%	20.9%	2.7%	5.4%	26.2%	18.3%	17.0%	37.2%
10. Critically Ill	2.2%	1.5%	0.9%	0.9%	1.9%	1.2%	0.2%	4.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Schizophrenic Patients	94395	2028	223	111	878	164	453	199
Substance Dependence and Abuse								
Any dx of alcohol / drug dependence or abuse, %	22.3%	21.7%	12.6%	17.1%	21.5%	34.1%	19.4%	30.7%
Homelessness								
Homelessness indicated in FY02, %	12.0%	10.1%	4.5%	6.3%	7.4%	6.7%	17.2%	16.6%
Residence in Metropolitan Area								
Residing in a Metropolitan Statistical Area, %	81.5%	72.6%	37.7%	74.8%	87.0%	71.3%	80.6%	29.6%
Distance								
Mile from Closest VA Medical Center, mean	28.72	46.82	85.94	43.01	45.19	22.30	35.94	57.28
SD	*55.48*	*53.93*	*59.99*	*38.17*	*51.34*	*33.79*	*51.13*	*61.03*
Distance from closest VA Medical Center, %								
0 to 15 miles	52.9%	49.6%	16.6%	32.4%	54.4%	68.3%	58.7%	38.2%
15 to 30 miles	15.5%	3.7%	0.4%	1.8%	3.0%	2.4%	8.2%	2.5%
30 to 45 miles	9.7%	7.1%	4.5%	12.6%	1.4%	9.1%	11.7%	19.6%
45 to 60 miles	7.4%	6.7%	11.2%	29.7%	5.0%	9.8%	2.9%	2.5%
60 plus miles	14.4%	33.0%	67.3%	23.4%	36.2%	10.4%	18.5%	37.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	9.84	10.20	13.64	12.93	6.64	13.39	11.30	15.35
SD	*11.95*	*15.72*	*18.40*	*21.20*	*9.40*	*22.60*	*15.59*	*20.54*
Distance to closest VA Service Site, %								
0 to 15 miles	79.4%	82.1%	68.2%	79.3%	90.5%	75.0%	82.6%	66.8%
15 to 30 miles	13.6%	7.8%	13.5%	2.7%	6.4%	12.2%	8.8%	5.0%
30 to 45 miles	5.1%	5.3%	10.3%	9.0%	1.5%	3.7%	2.6%	21.6%
45 plus miles	1.9%	4.8%	8.1%	9.0%	1.6%	9.1%	6.0%	6.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Schizophrenic Patients	94395	2028	223	111	878	164	453	199
Hospital Based Utilization								
Patients with some Hospital Based Utilization, %	27.0%	26.4%	18.4%	9.9%	22.1%	39.0%	28.0%	49.7%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)								
Inpatient stays, mean	1.85	1.83	1.54	1.36	1.68	1.81	1.87	2.24
SD	*1.45*	*1.36*	*0.81*	*0.50*	*1.14*	*1.30*	*1.39*	*1.85*
Average LOS, mean	17.65	16.61	8.30	12.05	15.17	7.67	10.78	36.64
SD	*42.51*	*24.47*	*8.17*	*14.12*	*17.91*	*5.68*	*10.49*	*43.47*
Cumulative DOS, mean	28.76	28.70	13.12	18.55	26.04	13.67	18.93	63.76
SD	*53.29*	*39.77*	*13.67*	*24.73*	*33.68*	*12.88*	*18.58*	*63.82*
Cumulative DOS, %								
1 to 7	35.1%	32.8%	48.8%	45.5%	33.5%	46.9%	37.0%	9.1%
8 to 14	20.7%	18.1%	24.4%	18.2%	18.6%	18.8%	18.1%	14.1%
15 to 44	29.0%	30.8%	19.5%	18.2%	29.4%	29.7%	37.8%	31.3%
45 to 89	9.0%	11.2%	7.3%	18.2%	13.9%	4.7%	7.1%	16.2%
90 to 179	3.4%	6.0%	0.0%	0.0%	4.1%	0.0%	0.0%	24.2%
180 to 359	1.5%	0.9%	0.0%	0.0%	0.5%	0.0%	0.0%	4.0%
360+	1.2%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	1.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	3.8%	4.1%	0.0%	0.0%	2.1%	0.0%	0.0%	18.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	249.93	164.05	0.00	0.00	173.75	0.00	0.00	161.89
SD	*96.37*	*60.69*	*0.00*	*0.00*	*45.13*	*0.00*	*0.00*	*64.52*
Hospital patients who had a 150+ day hosp. stay, %	2.5%	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	4.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.78	238.75	0.00	0.00	0.00	0.00	0.00	238.75
SD	*75.28*	*86.08*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*86.08*
Cumulative DOS at Other VISNs	0.65	0.78	0.20	0.00	0.77	0.02	0.92	1.44
SD	*4.66*	*3.81*	*0.95*	*0.00*	*3.17*	*0.13*	*4.67*	*5.50*
Cumulative DOS at Other Stations	2.06	3.15	3.66	16.45	2.57	0.70	2.24	5.37
SD	*8.11*	*10.39*	*9.01*	*25.50*	*10.12*	*3.25*	*8.68*	*12.41*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Schizophrenic Patients	94395	2028	223	111	878	164	453	199
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)								
Pts. with non-psych hospital stays, %	11.8%	12.3%	15.2%	8.1%	8.5%	15.2%	11.5%	27.1%
Inpatient stays, mean	0.71	0.70	1.17	1.09	0.61	0.55	0.58	0.89
SD	*1.11*	*1.01*	*0.86*	*0.70*	*1.04*	*0.83*	*0.86*	*1.22*
Average LOS, mean	8.26	8.19	7.47	5.28	5.72	4.49	7.69	14.73
SD	*16.10*	*12.72*	*7.19*	*8.10*	*5.38*	*3.57*	*11.60*	*21.89*
Cumulative Days of Stay, mean	6.10	5.80	9.41	7.45	3.73	2.63	3.99	12.54
SD	*19.61*	*15.38*	*12.39*	*15.38*	*8.63*	*5.94*	*9.05*	*29.31*
Cumulative Days of Stay, %								
0	56.2%	53.5%	17.1%	18.2%	61.3%	60.9%	59.1%	45.5%
1 to 7	24.8%	26.3%	46.3%	54.5%	23.7%	31.3%	22.8%	21.2%
8 to 14	8.1%	9.9%	19.5%	18.2%	6.2%	4.7%	11.0%	14.1%
15 to 44	8.5%	8.0%	12.2%	0.0%	7.7%	3.1%	6.3%	13.1%
45 to 89	1.7%	1.7%	4.9%	9.1%	1.0%	0.0%	0.8%	3.0%
90 to 179	0.5%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	2.0%
180 to 359	0.2%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	1.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.4%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	2.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	225.13	175.00	0.00	0.00	0.00	0.00	0.00	175.00
SD	*88.92*	*69.30*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*69.30*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	285.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*70.56*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.10*	*0.13*	*0.02*	*0.00*	*0.19*	*0.02*	*0.10*	*0.17*
SD	*1.58*	*1.06*	*0.16*	*0.00*	*1.37*	*0.13*	*0.98*	*1.07*
Other station cumulative DOS, mean	0.47	0.65	0.83	5.36	0.41	0.52	0.40	0.91
SD	*3.45*	*3.57*	*4.18*	*15.90*	*2.34*	*2.92*	*2.67*	*2.93*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Schizophrenic Patients	94395	2028	223	111	878	164	453	199
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)								
Pts. with psych hospital stays, %	17.7%	17.7%	5.4%	2.7%	15.8%	28.7%	20.3%	33.2%
Inpatient stays, mean	1.14	1.13	0.37	0.27	1.07	1.27	1.29	1.35
SD	*1.37*	*1.25*	*0.62*	*0.47*	*1.02*	*1.31*	*1.34*	*1.59*
Average LOS, mean	23.15	21.59	10.17	40.67	20.17	8.94	12.06	48.09
SD	*51.08*	*28.44*	*9.86*	*28.92*	*21.01*	*6.27*	*9.00*	*48.30*
Cumulative Days of Stay, mean	22.66	22.90	3.71	11.09	22.30	11.05	14.94	51.22
SD	*51.43*	*38.98*	*8.43*	*22.98*	*33.78*	*13.26*	*18.10*	*65.38*
Cumulative Days of Stay, %								
0	34.4%	33.0%	70.7%	72.7%	28.4%	26.6%	27.6%	33.3%
1 to 7	17.5%	15.9%	12.2%	0.0%	17.0%	28.1%	22.0%	1.0%
8 to 14	14.7%	11.2%	7.3%	0.0%	13.4%	15.6%	11.8%	6.1%
15 to 44	21.2%	24.4%	9.8%	18.2%	23.7%	25.0%	32.3%	22.2%
45 to 89	6.9%	9.1%	0.0%	9.1%	12.9%	4.7%	6.3%	12.1%
90 to 179	2.8%	5.4%	0.0%	0.0%	4.1%	0.0%	0.0%	21.2%
180 to 359	1.4%	0.7%	0.0%	0.0%	0.5%	0.0%	0.0%	3.0%
360+	1.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	1.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	3.7%	0.0%	0.0%	2.1%	0.0%	0.0%	16.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	250.18	160.55	0.00	0.00	169.75	0.00	0.00	158.25
SD	*97.20*	*62.38*	*0.00*	*0.00*	*50.14*	*0.00*	*0.00*	*66.32*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.04
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.10	238.75	0.00	0.00	0.00	0.00	0.00	238.75
SD	*76.47*	*86.08*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*86.08*
Other VISN cumulative DOS, mean	0.55	0.65	0.17	0.00	0.58	0.00	0.82	1.27
SD	4.34	3.66	0.95	0.00	2.87	0.00	4.52	5.41
Other station cumulative DOS, mean	1.59	2.51	2.83	11.09	2.16	0.19	1.83	4.46
SD	7.30	9.69	8.28	22.98	9.88	1.50	7.47	12.20

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Schizophrenic Patients	94395	2028	223	111	878	164	453	199
Other 24 hour institutional care								
Patients with some Community Based 24 hour care, %	8.0%	4.7%	2.2%	0.9%	3.9%	4.9%	2.6%	17.6%
Residential Rehabilitation								
Patients with some residential rehab. care, %	1.6%	1.3%	0.4%	0.0%	0.3%	0.6%	0.2%	10.1%
Number stays, mean	*1.12*	*1.15*	*1.00*	*0.00*	*1.00*	*1.00*	*1.00*	*1.20*
SD	*0.37*	*0.37*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.41*
Average LOS, mean	36.26	44.42	28.00	0.00	36.00	21.00	29.00	48.45
SD	*45.44*	*25.31*	*0.00*	*0.00*	*6.93*	*0.00*	*0.00*	*27.46*
Cumulative DOS, mean	39.67	50.38	28.00	0.00	36.00	21.00	29.00	56.20
SD	*48.06*	*30.34*	*0.00*	*0.00*	*6.93*	*0.00*	*0.00*	*32.28*
Cumulative Days of Stay, %								
1 to 7	14.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
8 to 14	14.7%	3.8%	0.0%	0.0%	0.0%	0.0%	0.0%	5.0%
15 to 44	46.4%	61.5%	100.0%	0.0%	100.0%	100.0%	100.0%	50.0%
45 to 89	13.8%	19.2%	0.0%	0.0%	0.0%	0.0%	0.0%	25.0%
90 to 179	8.9%	15.4%	0.0%	0.0%	0.0%	0.0%	0.0%	20.0%
180 to 359	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.2%	3.8%	0.0%	0.0%	0.0%	0.0%	0.0%	5.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	180.59	105.00	0.00	0.00	0.00	0.00	0.00	105.00
SD	*80.43*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	2.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	246.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*77.24*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*5.37*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.24	6.35	28.00	0.00	36.00	21.00	0.00	0.40
SD	*10.31*	*13.00*	*0.00*	*0.00*	*6.93*	*0.00*	*0.00*	*1.79*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Schizophrenic Patients	94395	2028	223	111	878	164	453	199
Domiciliary and Vocational								
Patients with some dom/voc care, %	2.3%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	0.5%
Number stays, mean	1.12	1.50	0.00	0.00	0.00	0.00	2.00	1.00
SD	*0.37*	*0.71*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	94.48	27.25	0.00	0.00	0.00	0.00	34.50	20.00
SD	*108.97*	*10.25*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS, mean	100.96	44.50	0.00	0.00	0.00	0.00	69.00	20.00
SD	*111.44*	*34.65*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative Days of Stay, %								
1 to 7	7.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
8 to 14	6.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	31.5%	50.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%
45 to 89	17.3%	50.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%
90 to 179	17.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	9.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	9.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	0.0%	0.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	234.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*102.95*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	20.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	291.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*80.75*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.18	44.50	0.00	0.00	0.00	0.00	69.00	20.00
SD	*7.65*	*34.65*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.16	44.50	0.00	0.00	0.00	0.00	69.00	20.00
SD	*12.59*	*34.65*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Schizophrenic Patients	94395	2028	223	111	878	164	453	199
Nursing Home Care								
Patients with some nursing home care, %	4.7%	3.3%	1.8%	0.9%	3.5%	4.3%	2.2%	7.0%
Number stays, mean	1.20	1.18	1.00	1.00	1.19	1.43	1.20	1.07
SD	*0.56*	*0.42*	*0.00*	*0.00*	*0.48*	*0.53*	*0.42*	*0.27*
Average LOS, mean	143.54	183.42	143.25	350.00	214.87	36.43	61.70	273.79
SD	*137.46*	*141.60*	*156.75*	*0.00*	*138.92*	*22.77*	*51.71*	*112.62*
Cumulative DOS, mean	156.00	202.90	143.25	350.00	238.55	54.14	89.00	286.21
SD	*139.76*	*144.49*	*156.75*	*0.00*	*138.12*	*38.80*	*109.25*	*110.34*
Cumulative Days of Stay, %								
1 to 7	6.8%	1.5%	0.0%	0.0%	0.0%	0.0%	10.0%	0.0%
8 to 14	6.5%	1.5%	0.0%	0.0%	3.2%	0.0%	0.0%	0.0%
15 to 44	20.5%	17.9%	50.0%	0.0%	6.5%	42.9%	50.0%	0.0%
45 to 89	14.1%	14.9%	0.0%	0.0%	12.9%	42.9%	10.0%	14.3%
90 to 179	15.1%	13.4%	25.0%	0.0%	16.1%	14.3%	10.0%	7.1%
180 to 359	14.7%	17.9%	0.0%	100.0%	16.1%	0.0%	10.0%	35.7%
360+	22.5%	32.8%	25.0%	0.0%	45.2%	0.0%	10.0%	42.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	48.0%	61.2%	50.0%	100.0%	77.4%	0.0%	20.0%	85.7%
Cumul. DOS, patients with a 100+ day NH stay, mean	282.12	301.24	255.00	350.00	294.71	0.00	273.00	322.67
SD	*94.85*	*91.31*	*154.15*	*0.00*	*100.49*	*0.00*	*130.11*	*64.48*
NH patients with 150+ day NH stay, %	39.8%	50.7%	25.0%	100.0%	58.1%	0.0%	20.0%	85.7%
Cumul. DOS, patients with a 150+ day NH stay, mean	312.43	335.29	364.00	350.00	348.22	0.00	273.00	322.67
SD	*72.26*	*54.60*	*0.00*	*0.00*	*35.96*	*0.00*	*130.11*	*64.48*
Other VISN cumulative DOS, mean	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*5.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.19	0.15	0.00	0.00	0.32	0.00	0.00	0.00
SD	*9.07*	*1.22*	*0.00*	*0.00*	*1.80*	*0.00*	*0.00*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Schizophrenic Patients	94395	2028	223	111	878	164	453	199
Outpatient utilization								
(reported for those with some outpatient care)								
Patients with some outpatient care, %	98.3%	98.2%	100.0%	99.1%	97.2%	100.0%	99.8%	95.0%
annual visit days, mean	27.64	27.91	12.44	17.25	31.37	34.76	31.87	21.39
SD	*38.39*	*31.29*	*10.39*	*15.12*	*31.56*	*40.66*	*35.97*	*22.91*
Outpatient visit days, %								
1-12	42.6%	39.5%	62.8%	32.0%	33.4%	40.2%	35.2%	42.9%
13-24	25.7%	23.2%	25.6%	28.7%	21.6%	18.3%	23.5%	30.7%
25-36	11.8%	12.5%	7.6%	11.2%	13.6%	11.0%	14.2%	10.1%
37-48	5.9%	8.4%	2.7%	11.8%	11.4%	8.5%	6.0%	6.9%
49+	14.0%	16.4%	1.3%	16.3%	20.0%	22.0%	21.2%	9.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	74.5%	79.9%	87.9%	78.2%	73.0%	89.0%	80.8%	92.1%
Mean PC visit days, among those with some PC	3.73	3.68	3.67	6.05	3.32	3.99	2.60	5.79
SD	3.83	4.37	2.85	6.53	2.76	9.30	1.81	5.36
Average number clinic stops per visit day, mean	1.45	1.38	1.41	1.38	1.34	1.41	1.38	1.47
SD	*0.45*	*0.36*	*0.35*	*0.36*	*0.36*	*0.36*	*0.31*	*0.45*
annual clinic stops (psych & non-psych), mean	41.32	39.08	17.62	24.31	43.92	46.18	45.29	30.09
SD	*65.29*	*48.61*	*15.20*	*22.48*	*53.03*	*54.47*	*54.31*	*32.56*
annual non-psych. clinic stops, mean	19.07	17.54	14.28	16.19	17.59	18.29	18.27	19.57
SD	*26.86*	*19.21*	*12.61*	*16.30*	*20.37*	*23.11*	*18.07*	*20.44*
annual psych. clinic stops (groupings below), mean	22.25	21.53	3.34	8.12	26.33	27.89	27.02	10.52
SD	*50.83*	*37.68*	*5.51*	*9.62*	*40.55*	*41.15*	*44.70*	*19.79*
1. general psych. clinic stops, mean	9.04	8.86	3.00	7.14	13.20	11.08	4.33	6.11
SD	*15.89*	*17.14*	*5.13*	*7.74*	*23.68*	*12.71*	*5.86*	*9.62*
2. psych. case management clinic stops, mean	2.76	6.23	0.01	0.00	8.20	14.82	5.56	2.47
SD	*16.59*	*19.73*	*0.13*	*0.00*	*21.58*	*34.34*	*16.64*	*12.59*
3. psych. day treatment clinic stops, mean	4.94	3.07	0.00	0.00	1.18	0.00	11.23	0.21
SD	*29.07*	*11.21*	*0.00*	*0.00*	*5.73*	*0.00*	*20.08*	*2.26*
4. substance abuse clinic stops, mean	2.71	1.90	0.20	0.42	3.49	0.98	0.74	1.16
SD	*17.49*	*13.79*	*1.31*	*3.48*	*20.44*	*5.70*	*3.94*	*4.87*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Schizophrenic Patients	94395	2028	223	111	878	164	453	199
5. psych. vocational clinic stops, mean	2.11	0.90	0.00	0.00	0.01	0.00	3.94	0.02
SD	*18.38*	*11.52*	*0.07*	*0.00*	*0.15*	*0.00*	*23.96*	*0.23*
6. PTSD clinic stops, mean	0.37	0.34	0.00	0.15	0.13	1.85	0.46	0.20
SD	*3.86*	*2.60*	*0.00*	*0.95*	*1.82*	*6.73*	*2.03*	*2.12*
7. psych. homeless clinic stops, mean	0.39	0.34	0.04	0.42	0.24	0.01	0.77	0.42
SD	*2.98*	*2.17*	*0.43*	*2.10*	*1.52*	*0.08*	*3.68*	*1.81*
Other VISN OP visit days, mean	0.30	0.47	0.36	0.21	0.36	0.12	0.54	1.40
SD	2.12	2.62	1.68	1.06	2.25	0.66	2.87	4.93
Other station OP visit days, mean	0.82	0.94	0.57	1.08	0.62	0.23	0.62	4.19
SD	3.70	3.63	1.87	2.67	3.04	0.91	2.97	7.44

Table 4G: FY03 Schizophrenic Patients, Pharmacy Utilization, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Schizophrenic Patients	94395	2028	223	111	878	164	453	199
Among all patients in the registry								
Pts. with any outpatient prescriptions, %	94.9%	94.9%	96.4%	96.4%	92.8%	97.0%	96.5%	96.0%
Patients with any oral antipsychotic fills, %*	78.7%	80.3%	85.7%	82.0%	75.6%	81.1%	83.4%	86.4%
Among pts. receiving any antipsychotic medication:								
Received only conventional antipsychotics, %	15.4%	10.9%	8.9%	15.4%	15.2%	12.8%	4.5%	6.4%
Received some atypical antipsychotics, %	84.6%	89.1%	91.1%	84.6%	84.8%	87.2%	95.5%	93.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %								
Aripiprazole	1.5%	2.5%	1.0%	2.2%	1.7%	1.5%	1.1%	11.0%
Clozapine	3.1%	6.1%	1.6%	2.2%	6.8%	0.8%	11.4%	3.5%
Olanzapine	35.7%	44.2%	37.2%	46.2%	41.9%	30.1%	46.6%	65.7%
Quetiapine	21.7%	20.7%	23.6%	16.5%	19.7%	15.0%	21.4%	26.7%
Risperidone	36.8%	35.3%	42.4%	30.8%	33.1%	52.6%	31.0%	34.3%
Ziprasidone	5.9%	6.6%	4.7%	9.9%	5.7%	1.5%	11.1%	4.7%
Patients receiving only one kind** of antipsychotic, %	70.8%	63.4%	69.6%	67.0%	66.0%	54.9%	63.8%	50.6%
Concurrent use of 2 or more antipsychotics, % ***	15.6%	23.9%	18.3%	23.1%	23.9%	33.8%	19.3%	33.1%
Among pts receiving just one antipsychotic:								
Antipsychotic fills, mean	8.10	7.57	6.85	5.95	6.53	8.48	9.91	7.79
SD	*5.37*	*5.95*	*4.31*	*3.99*	*5.92*	*4.23*	*6.87*	*6.05*
Antipsychotic Medication Possession Ratio, mean	0.83	0.91	0.87	0.90	0.93	0.84	0.92	0.89
SD	*0.33*	*0.31*	*0.31*	*0.28*	*0.30*	*0.30*	*0.33*	*0.36*
Antipsychotic Med Possession Ratio <= 0.80, %	37.1%	27.0%	30.9%	24.6%	23.1%	29.9%	30.7%	30.1%
Antipsychotic Med Possession Ratio <= 0.50, %	18.0%	11.7%	14.6%	14.0%	10.0%	16.4%	8.8%	19.2%

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 4G: FY03 Schizophrenic Patients, Cost, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Schizophrenic Patients	94395	2028	223	111	878	164	453	199
Total Costs (in thousands $$)	$1,637,013	$34,081	$1,813	$986	$15,646	$2,609	$7,018	$6,009
Station % of VISN		100.0%	5.3%	2.9%	45.9%	7.7%	20.6%	17.6%
Psych vs. Non-Psych Costs								
Psych	34.5%	35.4%	14.6%	22.8%	30.8%	38.3%	39.3%	49.7%
Non-Psych	65.5%	64.6%	85.4%	77.2%	69.2%	61.7%	60.7%	50.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use								
Per Patient	$21,945	$21,594	$14,072	$11,672	$22,835	$17,501	$18,738	$29,688
Per Day of Stay	$763	$752	$1,072	$629	$877	$1,280	$990	$466
Mean Outpatient Costs, Pts with some Outpatient use								
Per Patient	$7,323	$7,736	$4,457	$6,543	$7,910	$8,121	$9,123	$7,865
Per Visit Day	$265	$277	$358	$379	$252	$234	$286	$368
By Cost Center								
1 Med	$1,399	$1,029	$1,628	$480	$976	$1,107	$962	$987
2 Surg	$470	$434	$465	$45	$259	$847	$730	$372
3 Psych	$4,062	$4,244	$495	$631	$3,811	$4,876	$3,561	$13,411
4 Psych Res Rehab Treatment Program	$217	$114	$35	$0	$26	$15	$18	$949
5 Non-VA	$230	$251	$110	$147	$355	$46	$116	$485
6 LTC Domiciliary	$302	$8	$0	$0	$0	$0	$30	$12
7 LTC Intermediate Care	$166	$200	$26	$27	$112	$0	$144	$1,172
8 LTC Nursing Home	$2,633	$1,973	$779	$1,065	$2,992	$386	$0	$5,120
9 Contract Nursing Home	$664	$957	$139	$0	$1,605	$512	$827	$217
10 OPC Med/Surg	$930	$706	$466	$811	$693	$762	$930	$416
11 OPC Psych	$1,916	$1,701	$694	$1,397	$1,676	$1,217	$2,532	$1,610
12 OPC Home Based Treatment	$933	$1,191	$346	$465	$1,181	$1,879	$1,542	$1,221
13 OPC Support	$1,243	$1,202	$698	$1,037	$1,100	$1,925	$1,261	$1,578
14 OPC Fee	$130	$260	$375	$98	$295	$220	$176	$298
15 OPC Pharmacy	$2,047	$2,536	$1,878	$2,675	$2,742	$2,118	$2,662	$2,346
TOTAL	$17,342	$16,805	$8,132	$8,879	$17,820	$15,909	$15,491	$30,195
Mean % Patient Costs at Other Stations	3.6%	4.2%	6.1%	7.7%	2.6%	2.9%	2.7%	11.6%
SD	*12.4%*	*13.2%*	*17.1%*	*17.5%*	*10.2%*	*11.0%*	*10.6%*	*19.5%*
Mean % Patient Costs at Other VISNs	1.3%	2.1%	3.0%	2.2%	1.7%	1.3%	2.1%	3.5%
SD	*7.5%*	*9.4%*	*11.4%*	*10.0%*	*8.5%*	*7.7%*	*9.5%*	*10.9%*

Table 1H: FY03 Bipolar Patients, Demographics, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Bipolar Patients	73964	2732	323	178	1086	139	705	301
Age, %								
<35	7.9%	10.3%	10.2%	11.8%	12.1%	9.4%	8.2%	8.3%
>=35 and <50	36.3%	37.8%	36.5%	32.6%	42.4%	31.7%	35.2%	34.9%
>=50 and <65	40.3%	40.2%	42.1%	42.7%	37.2%	41.0%	40.6%	45.8%
>=65 and <80	13.3%	10.1%	9.9%	10.1%	7.5%	16.5%	13.5%	9.0%
>=80	2.2%	1.6%	1.2%	2.8%	0.8%	1.4%	2.6%	2.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	52.26	50.57	51.02	51.13	48.77	52.44	52.27	51.38
SD	*12.50*	*12.14*	*11.87*	*12.85*	*11.57*	*12.66*	*12.90*	*11.14*
Gender								
Male, %	88.2%	88.1%	89.5%	80.9%	86.1%	84.2%	91.9%	90.9%
Female, %	11.8%	11.9%	10.5%	19.1%	13.9%	15.8%	8.1%	9.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %								
Hispanic white	2.8%	3.7%	0.6%	0.0%	6.4%	2.2%	3.5%	1.0%
Hispanic black	0.3%	0.1%	0.0%	0.0%	0.1%	0.0%	0.1%	0.3%
American indian	0.3%	0.7%	0.9%	0.0%	0.6%	0.0%	0.6%	2.0%
Black	10.4%	3.8%	0.0%	1.1%	8.0%	0.7%	1.4%	1.3%
Asian	0.2%	0.3%	0.0%	0.0%	0.6%	0.0%	0.3%	0.0%
White	62.5%	71.6%	56.3%	80.3%	65.4%	89.9%	77.4%	82.7%
Race unknown	23.5%	19.8%	42.1%	18.5%	19.1%	7.2%	16.6%	12.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status								
Never married	21.0%	19.0%	16.2%	17.7%	25.3%	14.4%	15.4%	11.4%
Married	37.7%	38.4%	43.0%	41.7%	33.1%	42.4%	40.7%	43.1%
Divorced/Separated	37.9%	39.8%	38.6%	38.3%	39.6%	37.4%	40.4%	42.8%
Widowed	3.4%	2.7%	2.2%	2.3%	2.0%	5.8%	3.6%	2.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Bipolar Patients	73964	2732	323	178	1086	139	705	301
Registry Pts. History of VA Utilization								
Years since first use in prior five years, mean	4.2	4.22	4.17	4.13	4.29	4.36	4.15	4.12
SD	*1.3*	*1.29*	*1.34*	*1.35*	*1.24*	*1.12*	*1.34*	*1.32*
Yrs with 24-hour institutional use / yrs since 1st use, %	25.1%	22.9%	19.8%	19.8%	21.9%	21.6%	22.6%	32.8%
SD	*29.2%*	*27.5%*	*26.9%*	*27.4%*	*26.7%*	*26.5%*	*26.9%*	*31.1%*
Years with OP use / Years since first use, %	96.7%	97.0%	96.6%	97.7%	97.0%	98.6%	96.9%	96.1%
SD	*10.5%*	*9.6%*	*9.6%*	*8.6%*	*9.2%*	*5.9%*	*10.3%*	*11.6%*
Psychosis Diagnoses in Prior Fiscal Year								
Had Psychosis Diagnosis in FY01, %	65.0%	65.7%	59.4%	60.7%	71.8%	65.5%	62.8%	60.1%
Among Patients With Psychoses in FY01								
Psychosis Category: Schizophrenia, %	3.8%	2.4%	3.1%	1.9%	2.1%	6.6%	1.1%	4.4%
Psychosis Category: Bipolar Disorder, %	94.8%	96.7%	94.3%	98.1%	97.7%	92.3%	97.5%	94.5%
Psychosis Category: Other Psychosis, %	1.4%	0.9%	2.6%	0.0%	0.3%	1.1%	1.4%	1.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %								
Dementia	1.7%	0.7%	0.0%	0.0%	0.7%	0.0%	0.7%	2.0%
Post Traumatic Stress Disorder	21.3%	24.4%	19.8%	28.7%	27.8%	21.6%	23.1%	18.9%
Depression	44.5%	46.2%	42.1%	57.3%	35.7%	58.3%	51.9%	62.5%
Other Anxiety Disorder	16.3%	18.3%	13.9%	23.0%	13.6%	20.1%	26.4%	16.9%
Substance Abuse or Dependence	29.8%	29.8%	25.4%	29.2%	30.7%	41.0%	24.7%	38.5%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Bipolar Patients	73964	2732	323	178	1086	139	705	301
Medical Comorbidities, %								
No medical comorbidities	15.4%	14.9%	16.4%	16.9%	16.4%	14.4%	13.0%	11.6%
Anemia	5.6%	4.2%	2.5%	4.5%	3.9%	2.9%	5.5%	4.3%
Arthritis	42.4%	47.0%	44.9%	43.3%	43.6%	50.4%	49.8%	56.1%
Cancer	6.2%	6.6%	5.3%	6.2%	7.1%	3.6%	7.7%	5.6%
Cerebrovascular Disease	3.8%	3.1%	2.2%	2.2%	2.3%	2.9%	5.0%	3.0%
Chronic Neurologic Disorder	14.8%	17.1%	16.1%	20.2%	16.5%	12.2%	16.9%	21.6%
Chronic Obstructive Pulmonary Disease	16.0%	15.1%	18.3%	18.5%	12.0%	12.2%	16.9%	17.9%
Chronic Viral Infection	9.6%	10.6%	8.4%	10.1%	11.8%	4.3%	11.6%	9.6%
Coronary Artery Disease	16.8%	14.6%	15.2%	12.4%	11.5%	12.9%	19.6%	15.3%
Diabetes	17.4%	13.7%	11.1%	15.2%	10.7%	17.3%	17.0%	16.9%
Digestive System Disease	43.2%	49.8%	39.0%	45.5%	49.2%	42.4%	56.0%	54.8%
Hypertension	38.5%	34.8%	30.3%	31.5%	33.1%	33.1%	40.3%	35.9%
Injury and Poisoning	19.9%	24.1%	20.4%	27.0%	22.6%	24.5%	25.0%	29.6%
Liver Disease	3.8%	4.8%	3.7%	2.8%	3.7%	2.2%	7.8%	5.3%
Other Endocrine	10.0%	10.3%	9.3%	14.6%	9.7%	10.8%	10.2%	11.3%
Peripheral Vascular Disease	3.0%	2.5%	2.5%	4.5%	2.0%	1.4%	2.7%	2.7%
GAF scores								
Lowest inpatient GAF score, mean	39.59	40.52	48.75	42.38	35.36	37.77	30.27	46.23
SD	*14.06*	*11.95*	*2.50*	*8.07*	*11.17*	*14.87*	*14.34*	*7.83*
Mean outpatient GAF score	53.41	49.77	57.90	52.00	50.51	49.26	44.24	54.52
SD	*10.75*	*10.20*	*8.65*	*10.29*	*9.28*	*8.27*	*10.12*	*8.83*
At least 1 IP GAF, among pts with MH bedsections, %	39.1%	32.0%	12.5%	21.4%	25.3%	44.0%	18.9%	61.5%
At least 1 OP GAF, among pts with MH clinic stops, %	81.5%	82.2%	54.3%	66.7%	87.4%	96.3%	83.1%	87.2%
Mortality rates								
died in FY02, %	1.5%	1.2%	1.2%	0.6%	1.4%	0.7%	0.7%	2.3%
Age-and-gender-adjusted Standardized Mortality Ratio	1.07	1.07	0.00	0.00	0.00	0.00	0.00	0.00

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Bipolar Patients	73964	2732	323	178	1086	139	705	301
Service Connection (SC)								
Non-SC	55.9%	50.9%	53.9%	49.4%	41.6%	68.3%	55.3%	63.8%
SC 0 - 29%	10.0%	10.4%	11.5%	12.4%	9.7%	7.2%	11.5%	10.0%
SC 30 - 69%	13.4%	14.9%	12.4%	12.4%	16.8%	10.8%	15.9%	12.3%
SC 70 - 99%	8.9%	8.7%	10.2%	6.7%	10.0%	5.8%	8.1%	6.0%
SC 100%	11.8%	15.0%	12.1%	19.1%	21.9%	7.9%	9.2%	8.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %								
Complex*	12.2%	10.7%	4.0%	7.3%	12.2%	7.9%	6.1%	26.6%
Basic vested, Cat A*	80.3%	82.1%	86.1%	83.7%	82.6%	84.9%	86.2%	64.1%
Basic Non-vested, Cat A*	0.9%	1.3%	1.5%	1.1%	2.2%	0.0%	0.6%	0.3%
Basic, Cats C and N	6.6%	5.9%	8.4%	7.9%	2.9%	7.2%	7.1%	9.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded								
Patient eligibility category, %								
Cat A (SC or low income)	93.2%	94.1%	91.6%	92.1%	97.1%	92.8%	92.9%	90.4%
Cat C (NSC and higher income)	5.9%	5.2%	7.1%	5.1%	2.9%	5.8%	6.7%	7.6%
Non-Veteran	0.9%	0.7%	1.2%	2.8%	0.0%	1.4%	0.4%	2.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %								
BASIC 1. Non-reliant Care	0.1%	0.1%	0.0%	0.6%	0.1%	0.0%	0.0%	0.3%
2. Basic Medical	15.2%	14.8%	25.1%	16.3%	12.6%	9.4%	12.3%	18.6%
3. Mental Health	40.5%	41.1%	41.5%	39.9%	44.3%	52.5%	39.6%	28.6%
4. Heart / Lung / GI	6.9%	7.1%	10.5%	8.4%	5.2%	6.5%	8.9%	5.3%
5. Oncology / Infectious Disease	4.3%	4.6%	3.4%	6.2%	3.8%	2.2%	6.8%	4.0%
6. Multiple Medical	20.7%	21.6%	15.5%	21.3%	21.8%	21.6%	26.2%	16.6%
COMPLEX 7. Specialized Care	2.2%	2.0%	0.9%	2.8%	2.5%	2.2%	1.4%	2.3%
8. Support Care	2.1%	1.0%	1.2%	0.0%	0.9%	2.2%	0.9%	1.7%
9. Chronic Mental	6.8%	7.1%	1.9%	4.5%	8.3%	2.2%	3.1%	21.6%
10. Critically Ill	1.1%	0.6%	0.0%	0.0%	0.6%	1.4%	0.7%	1.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Bipolar Patients	73964	2732	323	178	1086	139	705	301
Substance Dependence and Abuse								
Any dx of alcohol / drug dependence or abuse, %	29.8%	29.8%	25.4%	29.2%	30.7%	41.0%	24.7%	38.5%
Homelessness								
Homelessness indicated in FY02, %	13.8%	11.5%	5.3%	12.9%	11.4%	2.2%	15.0%	13.6%
Residence in Metropolitan Area								
Residing in a Metropolitan Statistical Area, %	79.3%	73.1%	30.7%	82.0%	92.0%	61.3%	79.3%	36.2%
Distance								
Mile from Closest VA Medical Center, mean	34.15	44.68	85.15	34.21	31.49	26.17	39.82	74.81
SD	*73.16*	*50.59*	*54.59*	*30.63*	*37.17*	*34.80*	*53.86*	*59.95*
Distance from closest VA Medical Center, %								
0 to 15 miles	46.2%	48.4%	16.4%	37.6%	59.3%	60.6%	54.6%	29.6%
15 to 30 miles	17.2%	5.8%	0.3%	2.8%	6.0%	0.7%	10.8%	3.0%
30 to 45 miles	10.6%	6.8%	1.2%	18.0%	2.4%	13.1%	12.2%	7.0%
45 to 60 miles	8.5%	7.6%	12.7%	28.1%	6.6%	11.7%	2.0%	4.7%
60 plus miles	17.4%	31.4%	69.3%	13.5%	25.7%	13.9%	20.4%	55.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.09	11.88	17.15	11.78	8.94	16.58	12.48	13.34
SD	*13.59*	*16.86*	*21.40*	*19.54*	*11.68*	*25.11*	*16.67*	*19.06*
Distance to closest VA Service Site, %								
0 to 15 miles	76.3%	78.5%	62.8%	79.8%	84.5%	68.6%	81.4%	70.4%
15 to 30 miles	15.4%	10.8%	17.3%	5.6%	10.8%	13.9%	8.1%	12.3%
30 to 45 miles	5.7%	4.6%	7.4%	7.9%	2.3%	5.8%	3.8%	9.0%
45 plus miles	2.7%	6.1%	12.4%	6.7%	2.4%	11.7%	6.7%	8.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3H: FY03 Bipolar Patients, Utilization, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Bipolar Patients	73964	2732	323	178	1086	139	705	301
Hospital Based Utilization								
Patients with some Hospital Based Utilization, %	25.4%	26.0%	18.6%	23.0%	23.4%	26.6%	25.8%	45.2%
Hospital based utilization: Overall								
(All psychiatric and medical hospital bedsections)								
Inpatient stays, mean	1.80	1.70	1.70	1.61	1.54	1.78	1.86	1.82
SD	*1.41*	*1.32*	*1.44*	*1.07*	*1.22*	*1.29*	*1.46*	*1.30*
Average LOS, mean	9.79	12.09	6.27	8.64	13.00	3.85	6.90	23.20
SD	*17.76*	*18.65*	*3.97*	*7.97*	*19.81*	*2.27*	*6.06*	*28.56*
Cumulative DOS, mean	17.09	20.13	11.30	14.49	19.93	7.22	13.50	38.51
SD	*27.94*	*32.02*	*14.61*	*16.78*	*32.80*	*6.94*	*17.82*	*47.58*
Cumulative DOS, %								
1 to 7	44.7%	43.4%	48.3%	48.8%	45.3%	73.0%	49.5%	19.9%
8 to 14	21.9%	18.9%	33.3%	17.1%	13.8%	10.8%	23.1%	19.1%
15 to 44	25.9%	27.0%	15.0%	26.8%	30.3%	16.2%	22.5%	35.3%
45 to 89	5.3%	6.5%	1.7%	7.3%	7.5%	0.0%	3.3%	12.5%
90 to 179	1.5%	3.7%	1.7%	0.0%	2.4%	0.0%	1.6%	11.8%
180 to 359	0.5%	0.6%	0.0%	0.0%	0.8%	0.0%	0.0%	1.5%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	1.0%	2.1%	0.0%	0.0%	0.8%	0.0%	0.0%	9.6%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	203.75	167.73	0.00	0.00	271.50	0.00	0.00	151.77
SD	*79.71*	*64.49*	*0.00*	*0.00*	*82.73*	*0.00*	*0.00*	*47.02*
Hospital patients who had a 150+ day hosp. stay, %	0.6%	0.7%	0.0%	0.0%	0.8%	0.0%	0.0%	2.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	251.69	239.40	0.00	0.00	271.50	0.00	0.00	218.00
SD	*73.28*	*61.04*	*0.00*	*0.00*	*82.73*	*0.00*	*0.00*	*48.07*
Cumulative DOS at Other VISNs	0.67	0.42	0.55	0.00	0.49	0.22	0.37	0.47
SD	*4.53*	*2.67*	*2.01*	*0.00*	*3.19*	*1.00*	*2.87*	*2.27*
Cumulative DOS at Other Stations	1.97	2.82	4.58	11.95	1.32	0.49	2.26	3.47
SD	*7.12*	*8.87*	*8.79*	*16.19*	*7.80*	*1.89*	*8.68*	*7.27*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Bipolar Patients	73964	2732	323	178	1086	139	705	301
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)								
Pts. with non-psych hospital stays, %	11.7%	14.0%	15.2%	18.5%	10.8%	10.8%	13.6%	23.9%
Inpatient stays, mean	0.72	0.83	1.33	1.20	0.59	0.65	0.87	0.91
SD	*1.10*	*1.14*	*1.46*	*1.08*	*0.75*	*0.98*	*1.24*	*1.37*
Average LOS, mean	6.20	5.63	5.90	6.82	4.81	2.64	4.61	8.23
SD	*10.70*	*5.90*	*4.14*	*6.62*	*5.97*	*2.19*	*4.49*	*7.59*
Cumulative Days of Stay, mean	4.64	4.86	8.07	8.59	3.06	1.92	4.38	7.12
SD	*13.49*	*10.22*	*13.01*	*12.86*	*6.81*	*3.88*	*10.82*	*12.47*
Cumulative Days of Stay, %								
0	54.1%	46.2%	18.3%	19.5%	53.9%	59.5%	47.3%	47.1%
1 to 7	30.1%	33.2%	43.3%	46.3%	34.3%	29.7%	35.7%	20.6%
8 to 14	7.4%	10.6%	25.0%	14.6%	5.1%	8.1%	11.0%	13.2%
15 to 44	7.0%	8.9%	11.7%	14.6%	6.3%	2.7%	5.5%	16.9%
45 to 89	1.1%	0.8%	0.0%	4.9%	0.4%	0.0%	0.0%	2.2%
90 to 179	0.3%	0.3%	1.7%	0.0%	0.0%	0.0%	0.5%	0.0%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	187.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*73.96*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.15*	*0.07*	*0.10*	*0.00*	*0.08*	*0.05*	*0.05*	*0.07*
SD	*2.03*	*0.54*	*0.57*	*0.00*	*0.66*	*0.23*	*0.45*	*0.55*
Other station cumulative DOS, mean	0.50	0.96	2.10	6.05	0.10	0.05	0.37	1.54
SD	*3.25*	*4.05*	*4.32*	*11.64*	*0.71*	*0.23*	*1.67*	*4.72*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Bipolar Patients	73964	2732	323	178	1086	139	705	301
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)								
Pts. with psych hospital stays, %	16.8%	15.2%	5.0%	7.9%	14.5%	18.0%	15.7%	30.2%
Inpatient stays, mean	1.08	0.88	0.37	0.41	0.94	1.14	0.99	0.90
SD	*1.27*	*1.15*	*0.71*	*0.67*	*1.31*	*1.13*	*1.25*	*0.85*
Average LOS, mean	12.15	18.18	7.80	14.04	18.82	4.55	9.00	34.47
SD	*21.36*	*25.30*	*5.22*	*9.41*	*24.04*	*2.02*	*6.74*	*37.62*
Cumulative Days of Stay, mean	12.44	15.27	3.23	5.90	16.86	5.30	9.12	31.39
SD	*25.57*	*31.31*	*8.65*	*12.61*	*33.26*	*6.19*	*15.41*	*47.24*
Cumulative Days of Stay, %								
0	34.1%	41.5%	73.3%	65.9%	37.8%	32.4%	39.0%	33.1%
1 to 7	24.8%	18.5%	11.7%	9.8%	18.1%	45.9%	24.2%	9.6%
8 to 14	16.7%	12.4%	10.0%	7.3%	11.0%	10.8%	16.5%	12.5%
15 to 44	19.0%	18.9%	3.3%	14.6%	24.0%	10.8%	17.0%	22.1%
45 to 89	3.7%	4.8%	1.7%	2.4%	5.9%	0.0%	2.2%	9.6%
90 to 179	1.2%	3.4%	0.0%	0.0%	2.4%	0.0%	1.1%	11.8%
180 to 359	0.4%	0.6%	0.0%	0.0%	0.8%	0.0%	0.0%	1.5%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.8%	2.1%	0.0%	0.0%	0.8%	0.0%	0.0%	9.6%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	201.69	161.87	0.00	0.00	271.50	0.00	0.00	145.00
SD	*78.85*	*59.91*	*0.00*	*0.00*	*82.73*	*0.00*	*0.00*	*36.14*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.02
Cumul. DOS, patients with a 150+ day hosp. stay, mean	248.87	226.40	0.00	0.00	271.50	0.00	0.00	196.33
SD	*70.96*	*61.89*	*0.00*	*0.00*	*82.73*	*0.00*	*0.00*	*29.14*
Other VISN cumulative DOS, mean	0.52	0.35	0.45	0.00	0.41	0.16	0.31	0.40
SD	4.00	2.62	1.95	0.00	3.13	0.99	2.84	2.22
Other station cumulative DOS, mean	1.48	1.86	2.48	5.90	1.22	0.43	1.88	1.93
SD	6.29	7.85	8.32	12.61	7.79	1.89	8.31	5.71

Table 3H: FY03 Bipolar Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Bipolar Patients	73964	2732	323	178	1086	139	705	301
Other 24 hour institutional care								
Patients with some Community Based 24 hour care, %	8.1%	4.3%	1.9%	2.8%	2.4%	0.7%	3.4%	18.3%
Residential Rehabilitation								
Patients with some residential rehab. care, %	2.6%	3.1%	0.3%	2.8%	1.0%	0.0%	2.4%	17.3%
Number stays, mean	*1.12*	*1.09*	*1.00*	*1.20*	*1.18*	*0.00*	*1.06*	*1.08*
SD	*0.38*	*0.29*	*0.00*	*0.45*	*0.40*	*0.00*	*0.24*	*0.27*
Average LOS, mean	33.17	35.86	27.00	15.20	27.86	0.00	21.26	44.48
SD	*32.92*	*22.33*	*0.00*	*12.81*	*13.83*	*0.00*	*9.66*	*23.40*
Cumulative DOS, mean	36.42	38.37	27.00	15.80	34.45	0.00	22.06	46.92
SD	*35.54*	*24.86*	*0.00*	*12.15*	*25.33*	*0.00*	*9.54*	*25.40*
Cumulative Days of Stay, %								
1 to 7	10.4%	9.3%	0.0%	40.0%	18.2%	0.0%	5.9%	5.8%
8 to 14	11.3%	8.1%	0.0%	20.0%	0.0%	0.0%	29.4%	1.9%
15 to 44	53.1%	58.1%	100.0%	40.0%	54.5%	0.0%	64.7%	57.7%
45 to 89	18.3%	20.9%	0.0%	0.0%	18.2%	0.0%	0.0%	30.8%
90 to 179	5.8%	3.5%	0.0%	0.0%	9.1%	0.0%	0.0%	3.8%
180 to 359	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.3%	1.2%	0.0%	0.0%	0.0%	0.0%	0.0%	1.9%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	167.40	109.00	0.00	0.00	0.00	0.00	0.00	109.00
SD	*69.53*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	224.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*70.59*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.28	1.48	0.00	3.80	9.73	0.00	0.00	0.02
SD	*6.79*	*6.43*	*0.00*	*5.76*	*15.67*	*0.00*	*0.00*	*0.14*
Other station cumulative DOS, mean	3.71	5.93	27.00	15.20	34.45	0.00	1.59	0.02
SD	*10.96*	*15.08*	*0.00*	*12.99*	*25.33*	*0.00*	*4.14*	*0.14*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Bipolar Patients	73964	2732	323	178	1086	139	705	301
Domiciliary and Vocational								
Patients with some dom/voc care, %	4.2%	0.5%	0.6%	0.0%	0.6%	0.0%	0.1%	1.3%
Number stays, mean	1.14	1.00	1.00	0.00	1.00	0.00	1.00	1.00
SD	*0.38*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	80.47	15.62	4.50	0.00	15.33	0.00	22.00	20.00
SD	*77.50*	*16.00*	*2.12*	*0.00*	*11.98*	*0.00*	*0.00*	*25.73*
Cumulative DOS, mean	88.84	15.62	4.50	0.00	15.33	0.00	22.00	20.00
SD	*82.55*	*16.00*	*2.12*	*0.00*	*11.98*	*0.00*	*0.00*	*25.73*
Cumulative Days of Stay, %								
1 to 7	6.1%	46.2%	100.0%	0.0%	33.3%	0.0%	0.0%	50.0%
8 to 14	5.6%	7.7%	0.0%	0.0%	16.7%	0.0%	0.0%	0.0%
15 to 44	28.2%	38.5%	0.0%	0.0%	50.0%	0.0%	100.0%	25.0%
45 to 89	21.0%	7.7%	0.0%	0.0%	0.0%	0.0%	0.0%	25.0%
90 to 179	26.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	10.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	2.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	184.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*76.03*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	236.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*71.03*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.76	15.62	4.50	0.00	15.33	0.00	22.00	20.00
SD	*9.43*	*16.00*	*2.12*	*0.00*	*11.98*	*0.00*	*0.00*	*25.73*
Other station cumulative DOS, mean	4.27	15.62	4.50	0.00	15.33	0.00	22.00	20.00
SD	*15.65*	*16.00*	*2.12*	*0.00*	*11.98*	*0.00*	*0.00*	*25.73*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Bipolar Patients	73964	2732	323	178	1086	139	705	301
Nursing Home Care								
Patients with some nursing home care, %	2.1%	0.8%	0.9%	0.0%	0.9%	0.7%	0.9%	1.0%
Number stays, mean	1.22	1.17	1.00	0.00	1.20	1.00	1.17	1.33
SD	*0.55*	*0.39*	*0.00*	*0.00*	*0.42*	*0.00*	*0.41*	*0.58*
Average LOS, mean	86.89	40.54	18.67	0.00	32.40	158.00	22.00	87.50
SD	*110.58*	*46.07*	*13.80*	*0.00*	*23.72*	*0.00*	*14.27*	*88.49*
Cumulative DOS, mean	98.25	53.17	18.67	0.00	39.90	158.00	28.00	147.33
SD	*116.77*	*77.75*	*13.80*	*0.00*	*37.44*	*0.00*	*24.92*	*187.31*
Cumulative Days of Stay, %								
1 to 7	10.5%	17.4%	33.3%	0.0%	0.0%	0.0%	33.3%	33.3%
8 to 14	10.7%	8.7%	0.0%	0.0%	20.0%	0.0%	0.0%	0.0%
15 to 44	30.2%	43.5%	66.7%	0.0%	50.0%	0.0%	50.0%	0.0%
45 to 89	16.4%	17.4%	0.0%	0.0%	20.0%	0.0%	16.7%	33.3%
90 to 179	12.3%	8.7%	0.0%	0.0%	10.0%	100.0%	0.0%	0.0%
180 to 359	10.2%	4.3%	0.0%	0.0%	0.0%	0.0%	0.0%	33.3%
360+	9.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	27.9%	13.0%	0.0%	0.0%	10.0%	100.0%	0.0%	33.3%
Cumul. DOS, patients with a 100+ day NH stay, mean	261.88	215.67	0.00	0.00	130.00	158.00	0.00	359.00
SD	*97.21*	*124.92*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
NH patients with 150+ day NH stay, %	22.1%	8.7%	0.0%	0.0%	0.0%	100.0%	0.0%	33.3%
Cumul. DOS, patients with a 150+ day NH stay, mean	296.07	258.50	0.00	0.00	0.00	158.00	0.00	359.00
SD	*76.98*	*142.13*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.47	2.61	0.00	0.00	1.50	0.00	7.00	1.00
SD	*5.60*	*9.15*	*0.00*	*0.00*	*4.74*	*0.00*	*17.15*	*1.73*
Other station cumulative DOS, mean	1.51	2.61	0.00	0.00	1.50	0.00	7.00	1.00
SD	*9.89*	*9.15*	*0.00*	*0.00*	*4.74*	*0.00*	*17.15*	*1.73*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Bipolar Patients	73964	2732	323	178	1086	139	705	301
Outpatient utilization								
(reported for those with some outpatient care)								
Patients with some outpatient care, %	99.6%	99.9%	100.0%	100.0%	100.0%	100.0%	100.0%	99.3%
annual visit days, mean	24.20	23.24	14.09	26.34	25.81	18.49	23.37	23.84
SD	*30.37*	*23.20*	*12.63*	*21.28*	*26.88*	*18.86*	*21.89*	*20.70*
Outpatient visit days, %								
1-12	43.1%	38.9%	60.7%	35.1%	36.6%	48.9%	34.0%	34.4%
13-24	26.8%	27.9%	23.8%	35.1%	25.6%	29.5%	32.3%	28.8%
25-36	12.4%	15.0%	9.6%	12.3%	17.7%	9.4%	14.9%	16.4%
37-48	6.4%	7.6%	3.1%	8.8%	6.5%	7.2%	9.2%	10.0%
49+	11.4%	10.7%	2.8%	8.8%	13.6%	5.0%	9.5%	10.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	80.8%	82.9%	87.6%	87.6%	76.5%	86.3%	84.0%	94.0%
Mean PC visit days, among those with some PC	3.83	3.99	3.67	6.47	3.31	3.15	3.13	7.11
SD	3.42	4.00	3.12	4.75	2.51	2.89	2.95	7.03
Average number clinic stops per visit day, mean	1.50	1.43	1.44	1.43	1.43	1.47	1.43	1.41
SD	*0.46*	*0.37*	*0.38*	*0.31*	*0.39*	*0.31*	*0.36*	*0.33*
annual clinic stops (psych & non-psych), mean	37.58	34.12	19.73	38.11	39.41	26.35	33.34	33.52
SD	*53.68*	*42.72*	*17.58*	*33.21*	*56.55*	*25.18*	*32.58*	*30.24*
annual non-psych. clinic stops, mean	19.81	19.45	14.86	24.25	19.17	16.01	19.40	24.30
SD	*22.87*	*20.55*	*14.14*	*22.49*	*21.41*	*16.63*	*20.41*	*22.50*
annual psych. clinic stops (groupings below), mean	17.77	14.67	4.87	13.86	20.25	10.33	13.94	9.21
SD	*40.95*	*30.62*	*7.92*	*16.85*	*42.70*	*14.61*	*21.95*	*14.68*
1. general psych. clinic stops, mean	7.61	8.21	3.67	10.07	11.92	6.59	5.28	6.17
SD	*12.69*	*14.23*	*5.39*	*10.58*	*20.19*	*7.31*	*6.23*	*7.49*
2. psych. case management clinic stops, mean	0.65	0.56	0.00	0.00	0.92	0.96	0.32	0.53
SD	*8.45*	*5.38*	*0.06*	*0.00*	*7.09*	*7.85*	*3.69*	*4.51*
3. psych. day treatment clinic stops, mean	1.57	1.07	0.01	0.06	0.25	0.01	3.70	0.06
SD	*15.80*	*4.93*	*0.11*	*0.82*	*2.67*	*0.08*	*8.58*	*0.72*
4. substance abuse clinic stops, mean	4.64	3.28	1.02	1.63	6.11	1.43	1.37	1.80
SD	*21.97*	*19.14*	*4.21*	*7.84*	*29.20*	*5.59*	*5.69*	*7.33*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Bipolar Patients	73964	2732	323	178	1086	139	705	301
5. psych. vocational clinic stops, mean	1.91	0.34	0.00	0.00	0.03	0.01	1.23	0.11
SD	*15.13*	*6.71*	*0.00*	*0.00*	*0.29*	*0.08*	*13.13*	*1.45*
6. PTSD clinic stops, mean	0.80	0.75	0.05	1.60	0.46	1.37	1.38	0.32
SD	*5.71*	*4.24*	*0.89*	*5.56*	*3.60*	*3.37*	*5.95*	*2.64*
7. psych. homeless clinic stops, mean	0.54	0.39	0.06	0.49	0.35	0.00	0.69	0.28
SD	*3.97*	*2.14*	*0.53*	*2.72*	*1.99*	*0.00*	*2.98*	*1.19*
Other VISN OP visit days, mean	0.48	0.55	0.47	0.66	0.51	0.32	0.52	0.87
SD	2.80	2.56	1.98	2.36	2.29	1.50	2.79	3.72
Other station OP visit days, mean	1.14	1.20	0.78	2.01	0.70	0.53	0.68	4.56
SD	4.45	4.04	2.42	3.80	2.98	1.70	3.29	7.88

Table 4H: FY03 Bipolar Patients, Pharmacy Utilization, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Bipolar Patients	73964	2732	323	178	1086	139	705	301
Among all patients in the registry								
Pts. with any outpatient prescriptions, %	96.9%	97.4%	97.8%	97.8%	97.0%	97.1%	97.9%	97.3%
Patients with any oral antipsychotic fills, %*	46.0%	47.0%	48.3%	45.5%	43.6%	49.6%	45.7%	60.8%
Among pts. receiving any antipsychotic medication:								
Received only conventional antipsychotics, %	7.6%	7.9%	4.5%	7.4%	10.5%	10.1%	7.8%	3.3%
Received some atypical antipsychotics, %	92.4%	92.1%	95.5%	92.6%	89.5%	89.9%	92.2%	96.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %								
Aripiprazole	0.9%	1.2%	0.6%	1.2%	1.3%	1.4%	0.3%	3.3%
Clozapine	0.2%	0.2%	0.6%	0.0%	0.2%	0.0%	0.0%	0.0%
Olanzapine	40.7%	40.9%	38.5%	40.7%	38.6%	60.9%	38.5%	45.9%
Quetiapine	34.1%	39.3%	43.6%	37.0%	33.3%	14.5%	44.7%	51.9%
Risperidone	31.0%	27.2%	27.6%	27.2%	31.4%	29.0%	25.5%	18.6%
Ziprasidone	4.7%	3.5%	2.6%	7.4%	4.0%	0.0%	4.7%	0.5%
Patients receiving only one kind** of antipsychotic, %	77.4%	76.2%	78.2%	74.1%	76.6%	79.7%	74.5%	76.0%
Concurrent use of 2 or more antipsychotics, % ***	5.5%	6.8%	7.7%	7.4%	8.0%	4.3%	5.6%	5.5%
Among pts receiving just one antipsychotic:								
Antipsychotic fills, mean	6.09	5.31	4.92	4.85	4.85	6.36	5.90	5.60
SD	*4.43*	*4.15*	*3.64*	*4.18*	*3.96*	*4.55*	*4.53*	*4.02*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5H: FY03 Bipolar Patients, Cost, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Bipolar Patients	73964	2732	323	178	1086	139	705	301
Total Costs (in thousands $$)	$907,650	$33,096	$2,357	$2,186	$13,631	$1,270	$7,945	$5,707
Station % of VISN		100.0%	7.1%	6.6%	41.2%	3.8%	24.0%	17.2%
Psych vs. Non-Psych Costs								
Psych	33.4%	36.3%	22.2%	29.8%	41.0%	27.5%	29.7%	44.8%
Non-Psych	66.6%	63.7%	77.8%	70.2%	59.0%	72.5%	70.3%	55.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use								
Per Patient	$15,075	$16,746	$12,160	$15,882	$19,987	$9,095	$13,491	$19,413
Per Day of Stay	$882	$832	$1,076	$1,096	$1,003	$1,260	$999	$504
Mean Outpatient Costs, Pts with some Outpatient use								
Per Patient	$6,520	$6,810	$4,757	$8,303	$6,949	$5,940	$7,042	$7,496
Per Visit Day	$269	$293	$338	$315	$269	$321	$301	$314
By Cost Center								
1 Med	$1,060	$1,025	$1,258	$1,283	$792	$618	$1,255	$1,114
2 Surg	$459	$568	$462	$1,130	$587	$179	$445	$748
3 Psych	$2,315	$2,759	$539	$1,244	$3,295	$1,624	$1,783	$6,909
4 Psych Res Rehab Treatment Program	$298	$250	$14	$88	$86	$0	$165	$1,500
5 Non-VA	$176	$212	$181	$159	$192	$277	$242	$248
6 LTC Domiciliary	$455	$10	$4	$0	$13	$0	$5	$34
7 LTC Intermediate Care	$96	$138	$4	$71	$19	$0	$233	$588
8 LTC Nursing Home	$778	$157	$19	$0	$194	$499	$45	$371
9 Contract Nursing Home	$142	$190	$59	$0	$425	$0	$55	$0
10 OPC Med/Surg	$1,111	$1,008	$506	$1,499	$988	$877	$1,306	$688
11 OPC Psych	$1,781	$1,645	$1,081	$2,412	$1,847	$891	$1,569	$1,590
12 OPC Home Based Treatment	$532	$539	$360	$506	$472	$420	$553	$1,012
13 OPC Support	$1,309	$1,522	$912	$1,736	$1,459	$1,663	$1,651	$1,908
14 OPC Fee	$115	$322	$564	$185	$277	$591	$192	$480
15 OPC Pharmacy	$1,645	$1,771	$1,334	$1,966	$1,906	$1,498	$1,771	$1,768
TOTAL	$12,272	$12,114	$7,296	$12,279	$12,552	$9,138	$11,269	$18,960
Mean % Patient Costs at Other Stations	4.8%	5.4%	7.5%	14.1%	3.1%	3.6%	2.8%	12.8%
SD	*13.9%*	*14.8%*	*18.1%*	*22.8%*	*11.8%*	*11.3%*	*10.0%*	*19.8%*
Mean % Patient Costs at Other VISNs	2.0%	2.4%	3.0%	2.9%	2.4%	2.3%	1.7%	2.9%
SD	*9.0%*	*9.5%*	*9.7%*	*10.8%*	*10.2%*	*9.6%*	*7.1%*	*10.4%*

Table 2I: FY03 Other Psychosis Patients, Demographics, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Other Psychosis Patients	49401	1390	233	58	383	99	473	144
Age, %								
<35	2.2%	2.3%	1.7%	0.0%	2.6%	6.1%	2.1%	1.4%
>=35 and <50	12.5%	11.7%	9.4%	24.1%	18.0%	6.1%	7.4%	11.8%
>=50 and <65	22.1%	22.2%	19.7%	20.7%	30.5%	30.3%	16.3%	18.8%
>=65 and <80	36.7%	35.6%	40.3%	34.5%	28.7%	32.3%	40.0%	34.7%
>=80	26.5%	28.1%	28.8%	20.7%	20.1%	25.3%	34.2%	33.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	68.22	68.32	69.98	64.61	63.89	66.15	71.57	69.77
SD	*15.13*	*15.12*	*14.30*	*16.15*	*15.55*	*15.75*	*13.93*	*15.00*
Gender								
Male, %	96.0%	96.1%	96.6%	93.1%	95.0%	96.0%	97.3%	82.9%
Female, %	4.0%	3.9%	3.4%	6.9%	5.0%	4.0%	2.7%	17.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %								
Hispanic white	3.9%	5.3%	0.9%	5.2%	11.5%	8.1%	2.7%	2.8%
Hispanic black	0.3%	0.1%	0.0%	1.7%	0.0%	0.0%	0.0%	0.0%
American indian	0.2%	0.3%	0.4%	0.0%	0.3%	0.0%	0.4%	0.0%
Black	15.5%	4.5%	0.0%	1.7%	13.6%	1.0%	1.5%	1.4%
Asian	0.4%	0.2%	0.0%	0.0%	0.3%	0.0%	0.4%	0.0%
White	48.2%	65.6%	53.6%	79.3%	49.6%	80.8%	76.7%	75.0%
Race unknown	31.5%	24.0%	45.1%	12.1%	24.8%	10.1%	18.2%	20.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status								
Never married	13.4%	10.9%	9.5%	12.3%	14.7%	12.1%	8.3%	9.8%
Married	52.0%	54.9%	50.0%	49.1%	49.5%	55.6%	63.5%	51.0%
Divorced/Separated	22.5%	23.7%	30.2%	28.1%	27.6%	24.2%	15.7%	27.3%
Widowed	12.0%	10.5%	10.3%	10.5%	8.2%	8.1%	12.5%	11.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Other Psychosis Patients	49401	1390	233	58	383	99	473	144
Registry Pts. History of VA Utilization								
Years since first use in prior five years, mean	4.0	4.07	3.96	4.16	4.17	4.18	4.02	4.03
SD	*1.4*	*1.39*	*1.47*	*1.34*	*1.34*	*1.31*	*1.41*	*1.40*
Yrs with 24-hour institutional use / yrs since 1st use, %	24.1%	24.4%	25.2%	21.8%	23.3%	27.8%	23.2%	29.0%
SD	*27.8%*	*27.0%*	*26.7%*	*23.4%*	*27.2%*	*27.1%*	*26.1%*	*31.0%*
Years with OP use / Years since first use, %	96.9%	97.3%	96.8%	95.6%	96.2%	97.8%	98.2%	98.2%
SD	*10.4%*	*9.2%*	*9.6%*	*12.9%*	*10.8%*	*8.4%*	*7.5%*	*6.9%*
Psychosis Diagnoses in Prior Fiscal Year								
Had Psychosis Diagnosis in FY01, %	33.8%	34.9%	27.0%	25.9%	38.9%	32.3%	36.2%	38.2%
Among Patients With Psychoses in FY01								
Psychosis Category: Schizophrenia, %	9.4%	6.8%	7.9%	20.0%	8.7%	9.4%	3.5%	5.5%
Psychosis Category: Bipolar Disorder, %	3.8%	6.8%	6.3%	6.7%	6.0%	3.1%	6.4%	12.7%
Psychosis Category: Other Psychosis, %	86.9%	86.4%	85.7%	73.3%	85.2%	87.5%	90.1%	81.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %								
Dementia	20.6%	13.7%	13.7%	19.0%	14.1%	11.1%	14.0%	11.8%
Post Traumatic Stress Disorder	13.4%	14.9%	9.4%	19.0%	22.2%	13.1%	12.3%	12.5%
Depression	37.7%	40.7%	32.6%	43.1%	40.5%	53.5%	44.2%	33.3%
Other Anxiety Disorder	12.0%	11.7%	9.0%	8.6%	10.2%	16.2%	13.5%	11.8%
Substance Abuse or Dependence	15.7%	13.7%	12.9%	20.7%	16.2%	21.2%	10.4%	11.1%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Other Psychosis Patients	49401	1390	233	58	383	99	473	144
Medical Comorbidities, %								
No medical comorbidities	8.3%	8.3%	11.6%	12.1%	11.5%	9.1%	4.9%	3.5%
Anemia	14.2%	11.7%	10.3%	6.9%	8.9%	13.1%	13.7%	16.0%
Arthritis	39.1%	41.7%	32.6%	34.5%	44.1%	46.5%	41.2%	50.7%
Cancer	14.0%	14.8%	15.5%	10.3%	12.3%	13.1%	19.0%	9.7%
Cerebrovascular Disease	16.4%	14.0%	17.2%	12.1%	9.7%	15.2%	15.6%	15.3%
Chronic Neurologic Disorder	20.8%	21.9%	18.5%	25.9%	21.1%	15.2%	24.7%	23.6%
Chronic Obstructive Pulmonary Disease	17.9%	18.0%	24.5%	17.2%	17.8%	20.2%	15.4%	15.3%
Chronic Viral Infection	5.9%	6.1%	5.2%	3.4%	10.2%	3.0%	4.9%	4.2%
Coronary Artery Disease	33.0%	34.2%	37.8%	15.5%	26.1%	28.3%	40.0%	43.1%
Diabetes	23.4%	20.2%	21.0%	25.9%	18.3%	21.2%	21.6%	16.7%
Digestive System Disease	42.9%	47.9%	35.2%	32.8%	49.9%	45.5%	52.9%	54.9%
Hypertension	54.9%	49.6%	41.2%	36.2%	46.2%	42.4%	59.0%	51.4%
Injury and Poisoning	19.4%	24.2%	23.2%	27.6%	21.7%	27.3%	24.5%	28.5%
Liver Disease	3.8%	4.1%	4.7%	0.0%	3.7%	5.1%	4.0%	5.6%
Other Endocrine	9.5%	11.2%	11.2%	15.5%	10.2%	10.1%	11.2%	13.2%
Peripheral Vascular Disease	7.8%	5.7%	6.0%	5.2%	3.4%	8.1%	6.1%	8.3%
GAF scores								
Lowest inpatient GAF score, mean	37.71	35.22	43.33	35.00	30.73	34.23	35.60	39.23
SD	*14.78*	*11.99*	*15.28*	*0.00*	*10.67*	*14.38*	*9.16*	*12.05*
Mean outpatient GAF score	48.43	43.93	50.83	48.16	45.42	42.51	38.30	49.21
SD	*11.56*	*10.49*	*8.70*	*12.15*	*9.67*	*8.82*	*9.57*	*10.05*
At least 1 IP GAF, among pts with MH bedsections, %	36.3%	29.3%	30.0%	20.0%	27.9%	41.2%	18.0%	50.0%
At least 1 OP GAF, among pts with MH clinic stops, %	74.8%	72.0%	45.2%	56.5%	75.8%	89.9%	70.4%	84.8%
Mortality rates								
died in FY02, %	6.2%	5.9%	6.9%	3.4%	4.2%	9.1%	6.8%	4.9%
Age-and-gender-adjusted Standardized Mortality Ratio	1.21	1.15	0.00	0.00	0.00	0.00	0.00	0.00

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Other Psychosis Patients	49401	1390	233	58	383	99	473	144
Service Connection (SC)								
Non-SC	63.3%	61.3%	63.9%	67.2%	48.8%	68.7%	65.8%	68.1%
SC 0 - 29%	10.4%	10.4%	12.9%	3.4%	9.4%	8.1%	10.6%	13.2%
SC 30 - 69%	10.8%	9.5%	9.9%	8.6%	11.7%	6.1%	9.1%	6.9%
SC 70 - 99%	6.4%	7.3%	4.3%	8.6%	10.2%	5.1%	7.6%	4.9%
SC 100%	9.1%	11.4%	9.0%	12.1%	19.8%	12.1%	7.0%	6.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %								
Complex*	15.0%	16.1%	8.6%	6.9%	23.0%	20.2%	13.3%	20.1%
Basic vested, Cat A*	74.8%	71.9%	74.7%	82.8%	71.0%	72.7%	72.9%	61.1%
Basic Non-vested, Cat A*	0.8%	0.9%	1.3%	3.4%	0.8%	2.0%	0.0%	1.4%
Basic, Cats C and N	9.4%	11.2%	15.5%	6.9%	5.2%	5.1%	13.7%	17.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded								
Patient eligibility category, %								
Cat A (SC or low income)	90.1%	88.6%	84.5%	93.1%	94.0%	94.9%	86.3%	81.9%
Cat C (NSC and higher income)	9.4%	11.2%	15.5%	6.9%	5.7%	4.0%	13.5%	18.1%
Non-Veteran	0.6%	0.2%	0.0%	0.0%	0.3%	1.0%	0.2%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %								
BASIC 1. Non-reliant Care	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
2. Basic Medical	25.3%	24.9%	39.1%	29.3%	17.8%	23.2%	22.2%	29.2%
3. Mental Health	25.6%	26.5%	21.9%	36.2%	29.0%	32.3%	27.1%	17.4%
4. Heart / Lung / GI	12.5%	14.0%	14.6%	5.2%	9.7%	7.1%	18.6%	18.1%
5. Oncology / Infectious Disease	3.8%	4.6%	3.4%	3.4%	6.8%	3.0%	4.9%	1.4%
6. Multiple Medical	17.6%	13.9%	12.4%	19.0%	13.8%	14.1%	14.0%	13.9%
COMPLEX 7. Specialized Care	4.7%	5.3%	0.0%	1.7%	9.1%	2.0%	6.6%	2.8%
8. Support Care	4.8%	5.4%	7.3%	0.0%	7.8%	7.1%	4.0%	1.4%
9. Chronic Mental	2.2%	3.1%	0.4%	0.0%	4.7%	6.1%	1.5%	7.6%
10. Critically Ill	3.3%	2.4%	0.9%	5.2%	1.3%	5.1%	1.3%	8.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Other Psychosis Patients	49401	1390	233	58	383	99	473	144
Substance Dependence and Abuse								
Any dx of alcohol / drug dependence or abuse, %	15.7%	13.7%	12.9%	20.7%	16.2%	21.2%	10.4%	11.1%
Homelessness								
Homelessness indicated in FY02, %	7.1%	6.0%	3.9%	12.1%	8.1%	4.0%	5.3%	4.9%
Residence in Metropolitan Area								
Residing in a Metropolitan Statistical Area, %	76.7%	65.6%	27.5%	79.3%	85.4%	65.7%	77.6%	29.9%
Distance								
Mile from Closest VA Medical Center, mean	35.80	55.77	99.63	32.89	45.37	23.92	48.39	67.81
SD	*82.41*	*69.02*	*107.32*	*31.09*	*47.53*	*31.97*	*60.55*	*60.83*
Distance from closest VA Medical Center, %								
0 to 15 miles	45.8%	43.7%	14.2%	37.9%	49.3%	65.7%	52.0%	36.1%
15 to 30 miles	16.6%	5.0%	0.9%	5.2%	4.7%	3.0%	8.7%	2.1%
30 to 45 miles	10.9%	7.3%	2.6%	20.7%	2.9%	10.1%	9.9%	10.4%
45 to 60 miles	8.8%	5.8%	10.7%	24.1%	4.4%	6.1%	2.7%	3.5%
60 plus miles	17.9%	38.3%	71.7%	12.1%	38.6%	15.2%	26.6%	47.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.89	13.04	18.55	14.78	8.89	14.18	13.74	11.34
SD	*14.24*	*17.36*	*22.19*	*20.67*	*11.87*	*19.36*	*17.39*	*15.01*
Distance to closest VA Service Site, %								
0 to 15 miles	73.5%	75.5%	59.2%	69.0%	85.1%	72.7%	78.0%	72.2%
15 to 30 miles	16.6%	11.0%	17.2%	10.3%	9.4%	12.1%	9.1%	11.1%
30 to 45 miles	7.0%	5.5%	6.9%	13.8%	2.6%	6.1%	4.0%	12.5%
45 plus miles	3.0%	8.0%	16.7%	6.9%	2.9%	9.1%	8.9%	4.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Other Psychosis Patients	49401	1390	233	58	383	99	473	144
Hospital Based Utilization								
Patients with some Hospital Based Utilization, %	30.2%	30.7%	34.3%	19.0%	22.5%	41.4%	31.1%	43.1%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)								
Inpatient stays, mean	1.82	1.81	2.15	1.45	1.51	1.78	1.83	1.85
SD	*1.40*	*1.39*	*1.83*	*0.69*	*0.89*	*1.06*	*1.42*	*1.42*
Average LOS, mean	9.37	9.59	6.98	10.00	11.81	6.25	7.19	17.67
SD	*15.01*	*11.08*	*4.23*	*8.91*	*13.14*	*5.42*	*7.61*	*17.87*
Cumulative DOS, mean	16.06	17.22	15.59	16.00	17.23	10.71	13.27	33.23
SD	*22.72*	*22.32*	*16.90*	*18.76*	*20.97*	*9.41*	*15.06*	*38.83*
Cumulative DOS, %								
1 to 7	42.1%	42.2%	42.5%	36.4%	41.9%	43.9%	46.9%	30.6%
8 to 14	23.4%	23.4%	25.0%	36.4%	19.8%	29.3%	24.5%	17.7%
15 to 44	27.8%	24.6%	25.0%	18.2%	29.1%	26.8%	22.4%	22.6%
45 to 89	5.2%	8.4%	7.5%	9.1%	8.1%	0.0%	6.1%	21.0%
90 to 179	1.2%	1.2%	0.0%	0.0%	1.2%	0.0%	0.0%	6.5%
180 to 359	0.2%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	1.6%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	0.7%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	3.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	185.56	155.50	0.00	0.00	0.00	0.00	0.00	155.50
SD	*75.86*	*65.76*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*65.76*
Hospital patients who had a 150+ day hosp. stay, %	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	241.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*74.51*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.37	0.65	0.70	3.00	0.80	0.56	0.42	0.55
SD	*3.13*	*4.12*	*4.38*	*9.00*	*5.48*	*2.90*	*3.12*	*2.95*
Cumulative DOS at Other Stations	1.24	2.18	2.11	12.82	1.22	0.90	0.65	6.16
SD	*5.73*	*8.44*	*6.70*	*18.31*	*6.67*	*3.14*	*3.64*	*15.47*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Other Psychosis Patients	49401	1390	233	58	383	99	473	144
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)								
Pts. with non-psych hospital stays, %	21.7%	22.8%	32.2%	12.1%	12.8%	27.3%	23.7%	32.6%
Inpatient stays, mean	1.27	1.28	1.99	1.00	0.84	1.17	1.17	1.37
SD	*1.36*	*1.33*	*1.86*	*0.89*	*0.94*	*1.18*	*1.00*	*1.48*
Average LOS, mean	7.86	7.48	7.14	10.86	6.91	4.45	6.57	12.00
SD	*11.97*	*8.67*	*4.29*	*10.70*	*11.59*	*4.88*	*8.33*	*10.98*
Cumulative Days of Stay, mean	9.61	9.67	14.61	12.18	5.36	5.05	7.70	16.58
SD	*16.99*	*15.44*	*16.93*	*19.85*	*10.61*	*6.83*	*11.34*	*24.52*
Cumulative Days of Stay, %								
0	28.2%	25.8%	6.3%	36.4%	43.0%	34.1%	23.8%	24.2%
1 to 7	35.5%	38.9%	41.3%	27.3%	36.0%	39.0%	44.9%	27.4%
8 to 14	15.8%	15.0%	22.5%	18.2%	9.3%	14.6%	13.6%	16.1%
15 to 44	17.1%	16.2%	22.5%	9.1%	10.5%	12.2%	15.6%	21.0%
45 to 89	2.8%	4.0%	7.5%	9.1%	1.2%	0.0%	2.0%	9.7%
90 to 179	0.5%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	1.6%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	178.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.21*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	240.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.05*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.18*	*0.31*	*0.46*	*2.45*	*0.13*	*0.12*	*0.35*	*0.05*
SD	*1.94*	*2.87*	*4.14*	*8.14*	*0.72*	*0.78*	*3.05*	*0.38*
Other station cumulative DOS, mean	0.60	1.11	1.86	9.00	0.13	0.44	0.45	2.11
SD	*3.61*	*5.75*	*6.60*	*18.87*	*0.72*	*1.53*	*3.28*	*8.51*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Other Psychosis Patients	49401	1390	233	58	383	99	473	144
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)								
Pts. with psych hospital stays, %	10.8%	10.6%	4.3%	8.6%	11.2%	17.2%	10.6%	15.3%
Inpatient stays, mean	0.55	0.53	0.16	0.45	0.67	0.61	0.66	0.48
SD	*1.03*	*0.99*	*0.46*	*0.52*	*0.85*	*0.89*	*1.32*	*0.78*
Average LOS, mean	12.47	15.27	5.60	8.40	17.84	9.29	9.05	34.98
SD	*19.53*	*17.19*	*3.09*	*6.95*	*14.60*	*6.14*	*7.75*	*29.14*
Cumulative Days of Stay, mean	6.45	7.55	0.98	3.82	11.87	5.66	5.57	16.65
SD	*17.76*	*18.49*	*3.31*	*6.21*	*20.19*	*9.60*	*11.59*	*35.13*
Cumulative Days of Stay, %								
0	64.2%	65.6%	87.5%	54.5%	50.0%	58.5%	66.0%	64.5%
1 to 7	12.7%	8.9%	6.3%	18.2%	8.1%	12.2%	9.5%	8.1%
8 to 14	9.6%	10.5%	5.0%	18.2%	15.1%	17.1%	12.2%	1.6%
15 to 44	10.7%	10.1%	1.3%	9.1%	19.8%	12.2%	8.8%	9.7%
45 to 89	2.1%	4.2%	0.0%	0.0%	5.8%	0.0%	3.4%	12.9%
90 to 179	0.5%	0.5%	0.0%	0.0%	1.2%	0.0%	0.0%	1.6%
180 to 359	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	1.6%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.4%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	3.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	182.44	153.50	0.00	0.00	0.00	0.00	0.00	153.50
SD	*78.98*	*68.59*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*68.59*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*77.61*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.19	0.33	0.24	0.55	0.67	0.44	0.07	0.50
SD	2.40	2.93	1.51	1.21	5.45	2.81	0.70	2.94
Other station cumulative DOS, mean	0.64	1.07	0.25	3.82	1.09	0.46	0.20	4.05
SD	4.34	6.32	1.51	6.21	6.65	2.81	1.44	13.57

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Other Psychosis Patients	49401	1390	233	58	383	99	473	144
Other 24 hour institutional care								
Patients with some Community Based 24 hour care, %	10.1%	6.2%	6.0%	5.2%	3.9%	12.1%	4.0%	16.0%
Residential Rehabilitation								
Patients with some residential rehab. care, %	1.0%	1.2%	0.0%	0.0%	0.3%	0.0%	0.8%	7.6%
Number stays, mean	*1.13*	*1.00*	*0.00*	*0.00*	*1.00*	*0.00*	*1.00*	*1.00*
SD	*0.45*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	30.41	44.31	0.00	0.00	64.00	0.00	28.00	48.45
SD	*33.22*	*23.72*	*0.00*	*0.00*	*0.00*	*0.00*	*2.94*	*26.02*
Cumulative DOS, mean	33.30	44.31	0.00	0.00	64.00	0.00	28.00	48.45
SD	*35.32*	*23.72*	*0.00*	*0.00*	*0.00*	*0.00*	*2.94*	*26.02*
Cumulative Days of Stay, %								
1 to 7	15.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
8 to 14	12.1%	6.3%	0.0%	0.0%	0.0%	0.0%	0.0%	9.1%
15 to 44	54.3%	50.0%	0.0%	0.0%	0.0%	0.0%	100.0%	36.4%
45 to 89	11.7%	43.8%	0.0%	0.0%	100.0%	0.0%	0.0%	54.5%
90 to 179	5.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	100.0%	0.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	181.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*69.09*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	235.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*52.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.38	4.00	0.00	0.00	64.00	0.00	0.00	0.00
SD	*7.57*	*16.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	4.16	4.00	0.00	0.00	64.00	0.00	0.00	0.00
SD	*12.59*	*16.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Other Psychosis Patients	49401	1390	233	58	383	99	473	144
Domiciliary and Vocational								
Patients with some dom/voc care, %	1.7%	0.3%	0.0%	0.0%	0.8%	0.0%	0.2%	0.0%
Number stays, mean	1.13	1.25	0.00	0.00	1.33	0.00	1.00	0.00
SD	*0.36*	*0.50*	*0.00*	*0.00*	*0.58*	*0.00*	*0.00*	*0.00*
Average LOS, mean	79.24	45.38	0.00	0.00	42.50	0.00	54.00	0.00
SD	*81.39*	*26.30*	*0.00*	*0.00*	*31.43*	*0.00*	*0.00*	*0.00*
Cumulative DOS, mean	86.42	49.25	0.00	0.00	47.67	0.00	54.00	0.00
SD	*85.00*	*21.05*	*0.00*	*0.00*	*25.48*	*0.00*	*0.00*	*0.00*
Cumulative Days of Stay, %								
1 to 7	7.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
8 to 14	6.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	29.8%	50.0%	0.0%	0.0%	66.7%	0.0%	0.0%	0.0%
45 to 89	19.6%	50.0%	0.0%	0.0%	33.3%	0.0%	100.0%	0.0%
90 to 179	23.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	10.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	100.0%	0.0%	100.0%	0.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	193.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*79.91*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	240.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*71.71*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.61	49.25	0.00	0.00	47.67	0.00	54.00	0.00
SD	*8.79*	*21.05*	*0.00*	*0.00*	*25.48*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.31	49.25	0.00	0.00	47.67	0.00	54.00	0.00
SD	*11.83*	*21.05*	*0.00*	*0.00*	*25.48*	*0.00*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Other Psychosis Patients	49401	1390	233	58	383	99	473	144
Nursing Home Care								
Patients with some nursing home care, %	7.7%	4.7%	6.0%	5.2%	2.9%	12.1%	3.0%	8.3%
Number stays, mean	1.29	1.23	1.36	1.00	1.00	1.42	1.29	1.08
SD	*0.65*	*0.76*	*0.84*	*0.00*	*0.00*	*1.00*	*1.07*	*0.29*
Average LOS, mean	54.03	72.11	34.48	168.67	55.55	50.24	75.63	124.79
SD	*70.27*	*89.27*	*27.90*	*173.38*	*56.30*	*41.77*	*101.56*	*125.31*
Cumulative DOS, mean	64.81	83.65	39.93	168.67	55.55	76.42	93.00	135.50
SD	*79.26*	*98.65*	*27.34*	*173.38*	*56.30*	*79.28*	*118.26*	*131.02*
Cumulative Days of Stay, %								
1 to 7	10.9%	10.6%	7.1%	0.0%	9.1%	25.0%	7.1%	8.3%
8 to 14	15.2%	12.1%	7.1%	0.0%	27.3%	0.0%	21.4%	8.3%
15 to 44	34.5%	28.8%	50.0%	33.3%	27.3%	16.7%	28.6%	16.7%
45 to 89	16.5%	18.2%	28.6%	0.0%	9.1%	25.0%	14.3%	16.7%
90 to 179	13.0%	13.6%	7.1%	33.3%	27.3%	16.7%	0.0%	16.7%
180 to 359	8.1%	12.1%	0.0%	0.0%	0.0%	16.7%	28.6%	16.7%
360+	1.8%	4.5%	0.0%	33.3%	0.0%	0.0%	0.0%	16.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	17.8%	24.2%	0.0%	66.7%	27.3%	25.0%	28.6%	33.3%
Cumul. DOS, patients with a 100+ day NH stay, mean	207.27	232.19	0.00	236.50	137.67	196.00	260.50	299.75
SD	*81.27*	*91.78*	*0.00*	*180.31*	*19.14*	*44.93*	*80.41*	*76.24*
NH patients with 150+ day NH stay, %	11.0%	13.6%	0.0%	33.3%	9.1%	0.0%	21.4%	33.3%
Cumul. DOS, patients with a 150+ day NH stay, mean	250.81	273.33	0.00	364.00	159.00	0.00	246.00	299.75
SD	*70.60*	*87.06*	*0.00*	*0.00*	*0.00*	*0.00*	*91.85*	*76.24*
Other VISN cumulative DOS, mean	0.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*5.11*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.02	0.21	0.00	0.00	0.00	0.00	0.00	1.17
SD	*7.62*	*1.72*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*4.04*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Other Psychosis Patients	49401	1390	233	58	383	99	473	144
Outpatient utilization								
(reported for those with some outpatient care)								
Patients with some outpatient care, %	99.7%	99.9%	100.0%	98.3%	100.0%	100.0%	100.0%	99.3%
annual visit days, mean	19.52	18.97	13.35	25.47	20.56	19.85	19.67	18.37
SD	*24.21*	*21.29*	*11.51*	*39.00*	*22.36*	*23.06*	*21.09*	*18.50*
Outpatient visit days, %								
1-12	49.1%	47.6%	57.9%	33.4%	44.1%	43.4%	47.6%	47.6%
13-24	27.0%	29.2%	27.0%	21.6%	31.1%	37.4%	26.8%	27.3%
25-36	11.5%	11.5%	10.7%	13.6%	11.5%	7.1%	12.3%	13.3%
37-48	5.4%	5.3%	3.0%	11.4%	5.5%	6.1%	5.7%	4.9%
49+	7.0%	6.5%	1.3%	20.0%	7.8%	6.1%	7.6%	7.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	86.5%	86.7%	91.8%	91.2%	75.2%	90.9%	89.4%	95.8%
Mean PC visit days, among those with some PC	4.04	4.16	4.08	10.29	3.57	4.53	3.03	6.42
SD	3.94	8.42	3.10	36.29	3.10	4.32	2.62	6.27
Average number clinic stops per visit day, mean	1.55	1.44	1.42	1.35	1.41	1.51	1.49	1.40
SD	*0.52*	*0.38*	*0.34*	*0.25*	*0.42*	*0.43*	*0.38*	*0.35*
annual clinic stops (psych & non-psych), mean	30.45	28.45	19.00	34.42	32.19	27.80	30.23	26.07
SD	*40.44*	*38.37*	*16.95*	*45.68*	*50.20*	*28.94*	*37.67*	*28.30*
annual non-psych. clinic stops, mean	22.67	21.70	17.54	28.12	19.68	19.33	24.95	22.19
SD	*25.36*	*26.02*	*15.69*	*43.30*	*19.52*	*16.20*	*32.91*	*23.90*
annual psych. clinic stops (groupings below), mean	7.77	6.76	1.46	6.30	12.51	8.46	5.28	3.88
SD	*27.43*	*23.85*	*4.66*	*8.65*	*39.07*	*22.78*	*15.51*	*8.53*
1. general psych. clinic stops, mean	3.20	3.23	1.24	4.89	5.98	2.82	2.02	2.71
SD	*7.61*	*8.73*	*4.13*	*5.85*	*14.62*	*4.06*	*3.83*	*5.97*
2. psych. case management clinic stops, mean	0.14	0.59	0.00	0.00	0.73	4.56	0.12	0.20
SD	*3.20*	*6.50*	*0.00*	*0.00*	*5.92*	*20.51*	*1.83*	*2.19*
3. psych. day treatment clinic stops, mean	0.60	0.46	0.00	0.00	0.03	0.00	1.30	0.03
SD	*8.52*	*3.90*	*0.00*	*0.00*	*0.57*	*0.00*	*6.58*	*0.42*
4. substance abuse clinic stops, mean	2.24	1.53	0.15	0.16	4.70	0.19	0.36	0.59
SD	*17.04*	*14.57*	*1.12*	*0.94*	*27.23*	*1.52*	*2.82*	*3.34*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 19, continued

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Other Psychosis Patients	49401	1390	233	58	383	99	473	144
5. psych. vocational clinic stops, mean	0.74	0.19	0.00	0.00	0.05	0.00	0.50	0.01
SD	*9.63*	*4.42*	*0.00*	*0.00*	*0.49*	*0.00*	*7.55*	*0.08*
6. PTSD clinic stops, mean	0.56	0.51	0.03	0.96	0.59	0.96	0.60	0.24
SD	*5.11*	*3.66*	*0.39*	*2.74*	*5.19*	*4.99*	*3.06*	*2.43*
7. psych. homeless clinic stops, mean	0.27	0.23	0.02	0.26	0.27	0.12	0.38	0.06
SD	*2.81*	*2.03*	*0.16*	*0.77*	*1.57*	*1.11*	*3.10*	*0.42*
Other VISN OP visit days, mean	0.31	0.41	0.31	0.68	0.64	0.20	0.25	0.48
SD	2.01	2.61	1.61	2.23	4.24	1.07	1.46	1.92
Other station OP visit days, mean	0.72	0.71	0.49	2.02	0.74	0.44	0.27	2.15
SD	3.19	3.21	1.88	3.45	4.41	1.78	1.49	4.95

Table 4I FY03 Other Psychosis Patients, Pharmacy Utilization, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Other Psychosis Patients	49401	1390	233	58	383	99	473	144
Among all patients in the registry								
Pts. with any outpatient prescriptions, %	94.7%	92.9%	90.1%	96.6%	87.7%	93.9%	96.6%	96.5%
Patients with any oral antipsychotic fills, %*	41.4%	41.1%	30.9%	50.0%	44.1%	58.6%	40.4%	36.1%
Among pts. receiving any antipsychotic medication:								
Received only conventional antipsychotics, %	9.2%	8.4%	6.9%	3.4%	11.2%	17.2%	5.2%	5.8%
Received some atypical antipsychotics, %	90.8%	91.6%	93.1%	96.6%	88.8%	82.8%	94.8%	94.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %								
Aripiprazole	0.7%	1.8%	0.0%	3.4%	0.6%	0.0%	1.0%	11.5%
Clozapine	0.1%	0.2%	0.0%	3.4%	0.0%	0.0%	0.0%	0.0%
Olanzapine	27.8%	39.8%	33.3%	13.8%	30.2%	37.9%	49.2%	61.5%
Quetiapine	29.2%	28.9%	29.2%	31.0%	26.6%	15.5%	35.1%	26.9%
Risperidone	46.2%	37.7%	47.2%	51.7%	43.2%	41.4%	26.7%	34.6%
Ziprasidone	3.6%	4.0%	4.2%	3.4%	6.5%	0.0%	3.1%	3.8%
Patients receiving only one kind** of antipsychotic, %	78.8%	73.4%	72.2%	86.2%	75.1%	75.9%	74.9%	53.8%
Concurrent use of 2 or more antipsychotics, % ***	5.1%	7.7%	8.3%	3.4%	8.3%	8.6%	5.2%	15.4%
Among pts receiving just one antipsychotic:								
Antipsychotic fills, mean	5.21	4.95	3.92	4.40	4.32	5.61	5.64	5.61
SD	*4.06*	*3.75*	*3.37*	*3.75*	*3.11*	*4.94*	*3.90*	*3.42*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5I: FY03 Other Psychosis Patients, Cost, VISN 19

	All VISNs	VISN 19	436 *Montana*	442 *Cheyenne*	554 *Denver*	575 *Grand Junct*	660 *Salt Lake*	666 *Sheridan*
Other Psychosis Patients	49401	1390	233	58	383	99	473	144
Total Costs (in thousands $$)	$692,791	$19,737	$2,486	$768	$5,618	$1,585	$6,348	$2,933
Station % of VISN		100.0%	12.6%	3.9%	28.5%	8.0%	32.2%	14.9%
Psych vs. Non-Psych Costs								
Psych	16.6%	18.1%	7.3%	12.9%	21.8%	19.9%	15.9%	25.3%
Non-Psych	83.4%	81.9%	92.7%	87.1%	78.2%	80.1%	84.1%	74.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use								
Per Patient	$16,509	$16,811	$16,841	$14,388	$17,533	$15,312	$16,826	$17,157
Per Day of Stay	$1,028	$976	$1,080	$899	$1,017	$1,430	$1,268	$516
Mean Outpatient Costs, Pts with some Outpatient use								
Per Patient	$6,046	$6,128	$3,838	$6,403	$6,260	$5,932	$7,127	$6,225
Per Visit Day	$310	$323	$287	$251	$304	$299	$362	$339
By Cost Center								
1 Med	$2,712	$2,580	$4,457	$955	$1,490	$2,803	$2,760	$2,355
2 Surg	$779	$737	$862	$1,233	$274	$879	$972	$697
3 Psych	$1,494	$1,847	$463	$541	$2,173	$2,660	$1,497	$4,334
4 Psych Res Rehab Treatment Program	$103	$112	$0	$0	$100	$0	$65	$604
5 Non-VA	$203	$147	$149	$58	$153	$170	$69	$402
6 LTC Domiciliary	$183	$20	$0	$0	$64	$0	$8	$0
7 LTC Intermediate Care	$276	$460	$11	$158	$193	$0	$385	$2,578
8 LTC Nursing Home	$1,672	$809	$307	$3,888	$273	$2,626	$0	$3,215
9 Contract Nursing Home	$578	$1,368	$582	$118	$3,688	$941	$537	$0
10 OPC Med/Surg	$1,281	$1,102	$577	$1,074	$892	$964	$1,767	$431
11 OPC Psych	$831	$723	$311	$1,162	$1,031	$525	$636	$822
12 OPC Home Based Treatment	$730	$710	$429	$830	$594	$927	$811	$948
13 OPC Support	$1,493	$1,516	$965	$1,457	$1,460	$1,471	$1,708	$1,984
14 OPC Fee	$231	$442	$299	$109	$634	$618	$343	$501
15 OPC Pharmacy	$1,460	$1,625	$1,257	$1,661	$1,649	$1,427	$1,862	$1,496
TOTAL	$14,024	$14,200	$10,669	$13,243	$14,667	$16,010	$13,420	$20,369
Mean % Patient Costs at Other Stations	3.3%	3.4%	4.0%	13.5%	2.6%	3.1%	1.0%	9.1%
SD	*11.9%*	*12.3%*	*13.7%*	*21.8%*	*11.0%*	*11.2%*	*5.7%*	*19.1%*
Mean % Patient Costs at Other VISNs	1.3%	1.6%	1.7%	2.9%	2.3%	1.6%	0.8%	1.8%
SD	*7.5%*	*8.6%*	*8.6%*	*10.6%*	*10.5%*	*8.2%*	*5.3%*	*10.5%*

Table 1F: FY03 Psychosis Patients, Demographics, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Entire Population	217760	9549	356	1130	1941	1011	3235	784	333	759
Psychosis Diagnosis Group, %										
Schizophrenia	43.3%	35.9%	24.7%	24.0%	39.8%	36.8%	39.0%	31.4%	42.9%	36.0%
Bipolar Disorder	34.0%	41.1%	39.3%	58.1%	32.1%	38.7%	40.5%	44.1%	41.1%	43.1%
Other Psychoses	22.7%	23.0%	36.0%	18.0%	28.1%	24.5%	20.5%	24.5%	15.9%	20.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age, %										
<35	4.9%	6.3%	7.3%	5.9%	5.4%	4.2%	8.0%	6.8%	6.3%	4.0%
>=35 and <50	29.3%	32.0%	34.0%	32.1%	30.1%	27.9%	34.8%	27.3%	31.5%	34.3%
>=50 and <65	38.1%	40.4%	37.6%	40.4%	40.8%	42.1%	40.1%	39.8%	41.4%	40.4%
>=65 and <80	19.7%	15.0%	14.6%	14.3%	16.5%	17.3%	12.8%	18.4%	15.9%	15.2%
>=80	8.2%	6.3%	6.5%	7.2%	7.3%	8.5%	4.4%	7.8%	4.8%	6.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	56.89	54.79	53.96	54.99	55.86	57.02	52.99	56.20	54.61	55.39
SD	*14.35*	*13.75*	*14.18*	*13.89*	*14.12*	*13.72*	*13.24*	*14.38*	*13.54*	*13.03*
Gender										
Male, %	92.7%	91.6%	88.5%	91.1%	92.7%	93.9%	90.0%	91.3%	94.0%	94.6%
Female, %	7.3%	8.4%	11.5%	8.9%	7.3%	6.1%	10.0%	8.7%	6.0%	5.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %										
Hispanic white	4.8%	1.2%	2.0%	1.0%	1.1%	0.6%	1.2%	0.9%	1.2%	1.8%
Hispanic black	0.4%	0.2%	0.3%	0.2%	0.3%	0.1%	0.2%	0.0%	0.6%	0.3%
American indian	0.3%	0.8%	0.0%	0.8%	0.9%	0.9%	1.0%	0.6%	0.6%	0.8%
Black	18.6%	6.6%	6.5%	0.6%	4.0%	0.8%	14.4%	1.9%	0.6%	4.2%
Asian	0.5%	0.8%	0.3%	0.2%	0.9%	0.0%	1.6%	0.4%	0.3%	0.4%
White	54.9%	66.8%	44.9%	65.0%	65.0%	82.4%	63.4%	62.5%	77.5%	78.4%
Race unknown	20.5%	23.5%	46.1%	32.2%	27.8%	15.2%	18.2%	33.7%	19.2%	14.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status										
Never married	28.5%	25.4%	19.4%	14.5%	31.3%	23.1%	27.4%	21.1%	24.5%	29.2%
Married	35.3%	32.7%	40.2%	41.2%	30.1%	34.2%	31.1%	37.1%	33.5%	23.1%
Divorced/Separated	30.8%	37.2%	36.5%	40.1%	33.3%	37.4%	37.4%	36.0%	37.5%	43.0%
Widowed	5.4%	4.7%	4.0%	4.2%	5.3%	5.4%	4.1%	5.8%	4.5%	4.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Entire Population	217760	9549	356	1130	1941	1011	3235	784	333	759
Registry Pts. History of VA Utilization										
Years since first use in prior five years, mean	4.33	4.34	4.32	4.36	4.30	4.41	4.33	4.42	4.36	4.30
SD	*1.24*	1.23	1.21	1.24	1.26	1.18	1.25	1.10	1.25	1.22
Yrs with 24-hour institutional use / yrs since 1st use, %	25.9%	26.6%	22.8%	27.2%	25.8%	25.9%	26.5%	20.8%	24.6%	37.6%
SD	*29.7%*	29.1%	25.4%	27.9%	27.8%	28.9%	29.1%	24.9%	28.9%	36.3%
Years with OP use / Years since first use, %	96.7%	97.1%	95.4%	98.0%	97.1%	97.3%	96.7%	97.7%	98.4%	96.5%
SD	*11.4%*	10.0%	11.8%	8.3%	9.9%	9.3%	10.9%	8.9%	7.0%	10.5%
Psychosis Diagnoses in Prior Fiscal Year										
Had Psychosis Diagnosis in FY01, %	65.3%	64.5%	58.1%	63.5%	63.1%	64.5%	65.7%	65.9%	65.8%	64.8%
Among Patients With Psychoses in FY01										
Psychosis Category: Schizophrenia, %	54.1%	45.6%	31.4%	33.2%	53.2%	45.9%	47.3%	40.2%	54.3%	44.3%
Psychosis Category: Bipolar Disorder, %	33.9%	42.7%	50.7%	59.6%	33.8%	43.1%	40.9%	47.2%	36.5%	42.3%
Psychosis Category: Other Psychosis, %	12.0%	11.7%	17.9%	7.3%	13.0%	11.0%	11.8%	12.6%	9.1%	13.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %										
Dementia	6.2%	4.0%	3.9%	2.7%	6.7%	4.8%	3.2%	2.3%	3.6%	3.3%
Post Traumatic Stress Disorder	15.4%	22.0%	16.0%	26.8%	18.3%	20.6%	26.1%	16.1%	13.8%	20.9%
Depression	34.8%	36.6%	26.4%	38.9%	34.2%	39.8%	38.9%	27.3%	24.3%	45.1%
Other Anxiety Disorder	12.0%	12.8%	10.7%	13.7%	15.2%	15.5%	11.2%	11.0%	7.8%	13.7%
Substance Abuse or Dependence	23.3%	28.0%	22.5%	31.1%	25.1%	25.4%	29.4%	20.0%	23.1%	41.5%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Entire Population	217760	9549	356	1130	1941	1011	3235	784	333	759
Medical Comorbidities, %										
No medical comorbidities	15.2%	16.6%	17.7%	12.8%	17.7%	13.9%	19.1%	12.6%	21.0%	13.8%
Anemia	8.2%	7.3%	5.9%	7.0%	11.2%	6.1%	6.1%	8.9%	4.2%	5.0%
Arthritis	36.2%	37.6%	36.0%	43.6%	34.3%	38.8%	36.9%	37.4%	26.4%	44.7%
Cancer	7.9%	7.0%	7.6%	7.5%	9.1%	6.8%	5.7%	7.7%	5.4%	6.3%
Cerebrovascular Disease	6.7%	5.0%	4.5%	4.4%	6.9%	6.1%	4.0%	6.4%	3.0%	3.6%
Chronic Neurologic Disorder	15.1%	15.5%	14.0%	19.6%	14.5%	14.1%	15.0%	16.6%	13.2%	16.5%
Chronic Obstructive Pulmonary Disease	16.7%	16.6%	14.6%	16.5%	13.7%	20.7%	15.6%	21.0%	17.1%	19.4%
Chronic Viral Infection	8.4%	10.1%	9.3%	8.4%	9.4%	11.4%	9.9%	7.8%	7.2%	17.7%
Coronary Artery Disease	19.5%	17.0%	18.3%	26.5%	17.6%	18.1%	13.0%	21.2%	15.3%	13.0%
Diabetes	20.0%	16.5%	16.9%	14.9%	17.7%	18.0%	16.0%	18.5%	17.4%	13.6%
Digestive System Disease	43.5%	43.9%	41.9%	48.7%	40.9%	44.6%	43.5%	48.9%	36.9%	44.3%
Hypertension	43.2%	36.4%	31.2%	38.4%	34.9%	41.2%	36.2%	35.3%	41.1%	33.7%
Injury and Poisoning	17.9%	20.8%	17.7%	24.6%	24.1%	20.7%	18.7%	25.1%	14.1%	15.8%
Liver Disease	3.6%	3.6%	2.0%	4.4%	2.7%	5.0%	3.6%	4.8%	2.4%	2.2%
Other Endocrine	8.6%	9.9%	8.4%	11.2%	10.1%	10.0%	9.6%	12.0%	7.2%	8.8%
Peripheral Vascular Disease	4.1%	3.2%	4.2%	3.5%	2.8%	3.4%	2.9%	4.2%	2.1%	3.3%
GAF scores										
Lowest inpatient GAF score, mean	37.72	28.01	36.31	31.23	16.79	11.12	27.52	36.38	45.58	37.27
SD	*14.39*	*17.55*	*7.80*	*6.26*	*21.50*	*17.46*	*9.20*	*15.19*	*7.72*	*19.07*
Mean outpatient GAF score	50.52	46.52	51.23	43.79	45.35	48.09	45.26	49.85	45.56	50.20
SD	*11.04*	*10.36*	*10.34*	*8.80*	*10.46*	*10.44*	*10.89*	*6.87*	*9.11*	*10.88*
At least 1 IP GAF, among pts with MH bedsections, %	38.4%	48.2%	13.0%	16.8%	8.0%	91.8%	59.8%	7.0%	84.0%	93.6%
At least 1 OP GAF, among pts with MH clinic stops, %	80.0%	67.4%	51.6%	87.8%	5.6%	94.4%	83.2%	90.9%	59.8%	76.2%
Mortality rates										
died in FY02, %	3.1%	2.8%	4.5%	3.8%	3.5%	3.7%	1.9%	4.1%	1.5%	1.4%
Age-and-gender-adjusted Standardized Mortality Ratio	1.32	1.49	2.44	1.98	1.59	1.65	1.18	1.87	0.82	0.75

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 20, Continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Entire Population	217760	9549	356	1130	1941	1011	3235	784	333	759
Service Connection (SC)										
Non-SC	51.0%	47.8%	45.8%	48.8%	47.4%	52.1%	41.9%	48.9%	57.7%	62.1%
SC 0 - 29%	8.7%	8.9%	9.8%	9.6%	10.1%	7.5%	8.4%	7.5%	7.8%	10.5%
SC 30 - 69%	10.8%	10.6%	15.7%	13.6%	9.3%	8.2%	11.2%	11.2%	5.7%	9.1%
SC 70 - 99%	7.3%	9.9%	10.7%	11.2%	8.4%	8.4%	11.7%	11.1%	7.8%	5.5%
SC 100%	22.1%	22.8%	18.0%	16.7%	24.7%	23.7%	26.9%	21.3%	21.0%	12.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %										
Complex*	17.3%	16.4%	14.9%	9.5%	16.4%	10.4%	18.2%	8.9%	7.5%	39.3%
Basic vested, Cat A*	76.6%	80.0%	80.6%	86.2%	79.7%	84.7%	78.9%	87.4%	88.9%	58.4%
Basic Non-vested, Cat A*	1.0%	0.6%	0.3%	0.4%	0.7%	0.5%	0.6%	0.8%	0.6%	0.5%
Basic, Cats C and N	5.1%	3.0%	4.2%	3.9%	3.2%	4.5%	2.2%	2.9%	3.0%	1.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded										
Patient eligibility category, %										
Cat A (SC or low income)	94.6%	96.9%	95.2%	96.0%	96.5%	95.5%	97.7%	97.1%	97.0%	98.2%
Cat C (NSC and higher income)	4.7%	3.0%	4.5%	4.0%	3.2%	4.4%	2.2%	2.7%	3.0%	1.8%
Non-Veteran	0.6%	0.1%	0.3%	0.0%	0.3%	0.1%	0.2%	0.3%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %										
BASIC 1. Non-reliant Care	0.1%	0.1%	0.0%	0.0%	0.2%	0.1%	0.0%	0.1%	0.3%	0.1%
2. Basic Medical	16.7%	14.2%	18.0%	15.1%	13.0%	13.5%	12.8%	20.9%	20.1%	11.9%
3. Mental Health	36.3%	38.6%	39.3%	39.8%	37.2%	44.4%	38.1%	39.4%	40.5%	32.7%
4. Heart / Lung / GI	7.7%	6.1%	9.3%	7.2%	6.3%	7.3%	4.4%	9.6%	11.1%	3.0%
5. Oncology / Infectious Disease	3.9%	4.8%	3.1%	4.1%	4.7%	4.1%	5.8%	4.8%	3.9%	3.7%
6. Multiple Medical	18.0%	19.7%	15.4%	24.3%	22.2%	20.3%	20.5%	16.2%	16.5%	9.4%
COMPLEX 7. Specialized Care	2.6%	2.4%	4.8%	1.9%	3.7%	1.3%	2.7%	0.8%	0.9%	1.6%
8. Support Care	2.8%	3.0%	3.1%	1.7%	2.4%	1.8%	3.4%	2.0%	2.4%	7.4%
9. Chronic Mental	9.6%	10.1%	6.7%	4.9%	9.0%	6.5%	11.3%	5.0%	2.7%	30.2%
10. Critically Ill	2.2%	0.9%	0.3%	1.0%	1.3%	0.8%	0.9%	1.1%	1.5%	0.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 20, Continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Entire Population	217760	9549	356	1130	1941	1011	3235	784	333	759
Substance Dependence and Abuse										
Any dx of alcohol / drug dependence or abuse, %	23.3%	28.0%	22.5%	31.1%	25.1%	25.4%	29.4%	20.0%	23.1%	41.5%
Homelessness										
Homelessness indicated in FY02, %	11.5%	15.8%	14.0%	6.1%	12.7%	15.1%	17.6%	16.1%	20.4%	29.8%
Residence in Metropolitan Area										
Residing in a Metropolitan Statistical Area, %	79.7%	74.3%	58.7%	65.9%	82.8%	42.6%	90.9%	63.1%	39.0%	71.5%
Distance										
Mile from Closest VA Medical Center, mean	32.17	83.76	1457.56	31.71	25.54	44.04	19.73	26.08	52.99	64.37
SD	*68.58*	*276.56*	*130.24*	*39.57*	*29.79*	*47.89*	*62.75*	*31.57*	*86.68*	*58.46*
Distance from closest VA Medical Center, %										
0 to 15 miles	49.0%	50.6%	0.3%	47.4%	62.6%	27.7%	67.3%	57.9%	27.0%	9.9%
15 to 30 miles	16.3%	12.2%	0.0%	21.3%	6.6%	7.1%	19.2%	10.1%	3.3%	0.9%
30 to 45 miles	10.3%	7.2%	0.0%	7.7%	10.0%	10.3%	4.1%	12.2%	17.7%	2.2%
45 to 60 miles	8.1%	9.4%	0.0%	6.7%	7.0%	24.3%	3.0%	2.6%	16.2%	35.0%
60 plus miles	16.2%	20.7%	99.7%	16.8%	13.9%	30.6%	6.3%	17.2%	35.7%	51.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.73	13.94	31.64	15.92	10.33	12.23	12.61	22.72	14.45	10.59
SD	*13.09*	*28.56*	*99.99*	*18.48*	*12.71*	*14.89*	*26.83*	*26.53*	*20.37*	*10.09*
Distance to closest VA Service Site, %										
0 to 15 miles	77.0%	74.1%	71.1%	57.9%	81.9%	65.6%	81.4%	58.8%	70.0%	77.2%
15 to 30 miles	14.9%	15.1%	13.5%	27.6%	12.3%	27.3%	9.1%	11.1%	11.7%	19.6%
30 to 45 miles	5.7%	4.8%	5.6%	7.8%	1.9%	3.8%	3.9%	12.8%	9.6%	2.1%
45 plus miles	2.4%	6.1%	9.8%	6.7%	4.0%	3.3%	5.7%	17.3%	8.7%	1.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3F: FY03 Psychosis Patients, Utilization, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Entire Population	217760	9549	356	1130	1941	1011	3235	784	333	759
Hospital Based Utilization										
Patients with some Hospital Based Utilization, %	27.2%	26.8%	18.3%	30.5%	27.7%	28.5%	28.2%	23.6%	23.7%	19.9%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)										
Inpatient stays, mean	1.83	1.77	1.52	1.93	1.81	1.89	1.70	1.51	1.65	1.87
SD	*1.43*	*1.26*	*1.02*	*1.44*	*1.32*	*1.36*	*1.18*	*0.87*	*1.17*	*1.41*
Average LOS, mean	13.07	9.07	7.24	5.36	7.60	9.45	11.70	6.86	5.10	11.65
SD	*30.84*	*17.15*	*6.46*	*4.22*	*7.14*	*8.66*	*24.27*	*4.78*	*4.64*	*30.35*
Cumulative DOS, mean	21.85	15.36	10.89	10.32	14.20	17.09	18.74	10.07	8.24	19.45
SD	*40.46*	*23.55*	*10.18*	*10.63*	*17.49*	*17.07*	*31.03*	*8.54*	*8.55*	*36.33*
Cumulative DOS, %										
1 to 7	39.9%	43.9%	53.8%	53.6%	47.1%	35.8%	37.5%	53.0%	64.6%	37.1%
8 to 14	21.8%	25.4%	16.9%	24.9%	23.5%	23.6%	28.8%	22.2%	24.1%	25.2%
15 to 44	27.7%	25.0%	29.2%	19.7%	23.8%	34.0%	25.1%	23.8%	11.4%	29.8%
45 to 89	6.9%	4.3%	0.0%	1.7%	5.2%	5.2%	5.6%	1.1%	0.0%	6.0%
90 to 179	2.3%	1.0%	0.0%	0.0%	0.4%	1.4%	2.0%	0.0%	0.0%	0.7%
180 to 359	0.9%	0.4%	0.0%	0.0%	0.0%	0.0%	0.9%	0.0%	0.0%	0.7%
360+	0.6%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	2.1%	0.8%	0.0%	0.0%	0.2%	0.0%	1.9%	0.0%	0.0%	1.3%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	237.76	198.00	0.00	0.00	135.00	0.00	190.88	0.00	0.00	290.00
SD	*95.14*	*73.27*	*0.00*	*0.00*	*0.00*	*0.00*	*65.80*	*0.00*	*0.00*	*104.65*
Hospital patients who had a 150+ day hosp. stay, %	1.3%	0.5%	0.0%	0.0%	0.0%	0.0%	1.2%	0.0%	0.0%	1.3%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	290.80	229.92	0.00	0.00	0.00	0.00	219.00	0.00	0.00	290.00
SD	*77.65*	*69.02*	*0.00*	*0.00*	*0.00*	*0.00*	*61.38*	*0.00*	*0.00*	*104.65*
Cumulative DOS at Other VISNs	0.59	0.62	0.37	0.26	0.33	0.42	0.41	0.37	0.10	4.75
SD	*4.28*	*3.84*	*1.72*	*1.47*	*2.75*	*2.41*	*3.00*	*2.42*	*0.90*	*11.25*
Cumulative DOS at Other Stations	1.83	1.76	2.05	0.64	1.07	1.58	0.64	0.81	2.10	14.69
SD	*7.27*	*6.39*	*5.79*	*3.16*	*5.10*	*4.65*	*4.14*	*2.93*	*5.02*	*14.67*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Entire Population	217760	9549	356	1130	1941	1011	3235	784	333	759
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)										
Pts. with non-psych hospital stays, %	14.0%	13.5%	14.0%	17.9%	15.0%	14.6%	11.8%	14.0%	11.4%	8.3%
Inpatient stays, mean	0.85	0.81	1.12	1.03	0.95	0.78	0.67	0.92	0.73	0.54
SD	*1.20*	*1.14*	*0.94*	*1.34*	*1.31*	*1.02*	*1.04*	*1.01*	*1.21*	*0.79*
Average LOS, mean	7.54	6.01	7.28	4.33	4.89	7.32	6.05	5.53	3.80	14.43
SD	*13.36*	*13.14*	*7.00*	*3.42*	*5.69*	*10.22*	*7.42*	*4.37*	*2.91*	*51.26*
Cumulative Days of Stay, mean	6.52	4.78	7.98	4.71	4.88	5.47	4.09	5.05	2.77	6.85
SD	*17.31*	*12.50*	*9.44*	*8.25*	*10.69*	*11.26*	*9.40*	*7.53*	*5.15*	*34.47*
Cumulative Days of Stay, %										
0	48.5%	49.8%	23.1%	41.4%	45.8%	48.6%	58.0%	40.5%	51.9%	58.3%
1 to 7	29.2%	32.3%	40.0%	40.6%	35.0%	31.3%	25.9%	37.3%	35.4%	32.5%
8 to 14	9.8%	9.3%	16.9%	9.0%	11.0%	10.1%	8.0%	11.9%	10.1%	3.3%
15 to 44	10.2%	7.7%	20.0%	8.4%	7.4%	8.7%	7.0%	9.7%	2.5%	3.3%
45 to 89	1.8%	0.7%	0.0%	0.6%	0.6%	1.0%	1.0%	0.5%	0.0%	0.7%
90 to 179	0.4%	0.2%	0.0%	0.0%	0.2%	0.3%	0.1%	0.0%	0.0%	0.7%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.7%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.1%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	1.3%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	206.57	231.00	0.00	0.00	135.00	0.00	0.00	0.00	0.00	279.00
SD	*85.33*	*118.90*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*120.21*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	268.22	279.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	279.00
SD	*74.94*	*120.21*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*120.21*
Other VISN cumulative DOS, mean	0.14	0.06	0.03	0.07	0.07	0.02	0.03	0.10	0.00	0.32
SD	*1.82*	*0.78*	*0.17*	*0.55*	*1.16*	*0.16*	*0.49*	*0.94*	*0.00*	*1.48*
Other station cumulative DOS, mean	0.51	0.38	1.18	0.31	0.13	0.67	0.06	0.42	0.96	2.09
SD	*3.43*	*1.96*	*4.25*	*1.68*	*1.37*	*2.49*	*0.55*	*1.60*	*2.56*	*4.49*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Entire Population	217760	9549	356	1130	1941	1011	3235	784	333	759
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)										
Pts. with psych hospital stays, %	15.8%	16.0%	6.5%	16.4%	14.8%	18.2%	18.6%	11.0%	15.0%	14.5%
Inpatient stays, mean	0.98	0.95	0.40	0.90	0.86	1.10	1.04	0.58	0.91	1.32
SD	*1.28*	*1.17*	*0.61*	*1.23*	*1.11*	*1.33*	*1.15*	*0.75*	*0.98*	*1.44*
Average LOS, mean	17.54	11.50	7.22	6.32	10.44	11.02	14.97	8.81	6.04	10.32
SD	*38.98*	*19.24*	*5.99*	*4.64*	*7.97*	*6.96*	*29.06*	*5.47*	*5.80*	*7.56*
Cumulative Days of Stay, mean	15.33	10.58	2.91	5.62	9.32	11.61	14.65	5.02	5.47	12.60
SD	*38.37*	*21.61*	*6.32*	*9.27*	*16.07*	*14.93*	*31.02*	*7.35*	*8.26*	*14.77*
Cumulative Days of Stay, %										
0	41.8%	40.3%	64.6%	46.4%	46.4%	36.1%	33.9%	53.5%	36.7%	27.2%
1 to 7	18.6%	20.3%	23.1%	26.1%	18.4%	15.6%	19.2%	20.0%	40.5%	18.5%
8 to 14	14.1%	18.4%	6.2%	18.3%	14.9%	18.4%	22.0%	14.1%	13.9%	23.2%
15 to 44	17.8%	16.6%	6.2%	8.1%	15.8%	26.0%	17.7%	12.4%	8.9%	27.2%
45 to 89	4.7%	3.3%	0.0%	1.2%	4.3%	3.5%	4.5%	0.0%	0.0%	4.0%
90 to 179	1.7%	0.7%	0.0%	0.0%	0.2%	0.3%	1.8%	0.0%	0.0%	0.0%
180 to 359	0.8%	0.3%	0.0%	0.0%	0.0%	0.0%	0.9%	0.0%	0.0%	0.0%
360+	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	1.8%	0.7%	0.0%	0.0%	0.0%	0.0%	1.9%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.50	190.88	0.00	0.00	0.00	0.00	190.88	0.00	0.00	0.00
SD	*96.26*	*65.80*	*0.00*	*0.00*	*0.00*	*0.00*	*65.80*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.2%	0.4%	0.0%	0.0%	0.0%	0.0%	1.2%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	291.18	219.00	0.00	0.00	0.00	0.00	219.00	0.00	0.00	0.00
SD	*78.31*	*61.38*	*0.00*	*0.00*	*0.00*	*0.00*	*61.38*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.45	0.55	0.34	0.19	0.26	0.40	0.38	0.27	0.10	4.44
SD	*3.83*	*3.74*	*1.63*	*1.37*	*2.50*	*2.40*	*2.88*	*2.16*	*0.90*	*11.26*
Other station cumulative DOS, mean	1.32	1.38	0.86	0.33	0.93	0.91	0.58	0.39	1.14	12.60
SD	*6.36*	*5.98*	*3.33*	*2.71*	*4.91*	*4.08*	*4.02*	*2.44*	*4.57*	*14.77*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Entire Population	217760	9549	356	1130	1941	1011	3235	784	333	759
Other 24 hour institutional care										
Patients with some other 24 hour institutional care, %	8.5%	9.6%	7.9%	9.0%	5.2%	7.1%	7.4%	5.0%	14.7%	37.9%
Residential Rehab (rep. for those w/ res rehab care)										
Patients with some residential rehab. care, %	1.8%	1.8%	0.3%	4.9%	0.4%	3.2%	0.8%	0.3%	9.0%	2.5%
Number stays, mean	1.12	1.05	1.00	1.02	1.00	1.00	1.07	1.00	1.17	1.05
SD	*0.38*	*0.25*	*0.00*	*0.13*	*0.00*	*0.00*	*0.27*	*0.00*	*0.46*	*0.23*
Average LOS, mean	34.01	24.57	26.00	17.75	18.86	25.69	38.22	32.00	21.08	29.76
SD	*38.25*	*28.11*	*0.00*	*5.75*	*12.89*	*8.24*	*66.48*	*16.97*	*13.46*	*9.61*
Cumulative DOS, mean	37.28	25.54	26.00	18.00	18.86	25.69	40.41	32.00	23.80	30.47
SD	*40.79*	*28.64*	*0.00*	*5.89*	*12.89*	*8.24*	*66.97*	*16.97*	*16.42*	*8.80*
Cumulative Days of Stay, %										
1 to 7	12.3%	9.2%	0.0%	9.1%	28.6%	6.3%	11.1%	0.0%	13.3%	0.0%
8 to 14	12.7%	11.0%	0.0%	12.7%	14.3%	6.3%	11.1%	0.0%	13.3%	10.5%
15 to 44	50.7%	75.7%	100.0%	78.2%	57.1%	87.5%	63.0%	100.0%	66.7%	84.2%
45 to 89	15.8%	3.5%	0.0%	0.0%	0.0%	0.0%	11.1%	0.0%	6.7%	5.3%
90 to 179	7.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.2%	0.6%	0.0%	0.0%	0.0%	0.0%	3.7%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.3%	0.6%	0.0%	0.0%	0.0%	0.0%	3.7%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	175.66	364.00	0.00	0.00	0.00	0.00	364.00	0.00	0.00	0.00
SD	*75.56*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.9%	0.6%	0.0%	0.0%	0.0%	0.0%	3.7%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	237.86	364.00	0.00	0.00	0.00	0.00	364.00	0.00	0.00	0.00
SD	*73.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.12	1.45	0.00	0.00	0.00	0.00	3.19	0.00	0.00	8.68
SD	*6.40*	*7.64*	*0.00*	*0.00*	*0.00*	*0.00*	*12.68*	*0.00*	*0.00*	*15.84*
Other station cumulative DOS, mean	3.58	5.79	26.00	0.00	18.86	0.00	7.44	32.00	0.00	30.47
SD	*10.93*	*12.65*	*0.00*	*0.00*	*12.89*	*0.00*	*15.56*	*16.97*	*0.00*	*8.80*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Entire Population	217760	9549	356	1130	1941	1011	3235	784	333	759
Domiciliary and Vocational										
(reported for those with some dom/voc care)										
Patients with some dom/voc care, %	2.8%	4.6%	5.9%	0.0%	0.6%	0.3%	3.7%	0.1%	0.0%	37.5%
Number stays, mean	1.13	1.10	1.10	0.00	1.09	1.00	1.09	1.00	0.00	1.11
SD	*0.38*	*0.33*	*0.30*	*0.00*	*0.30*	*0.00*	*0.32*	*0.00*	*0.00*	*0.34*
Average LOS, mean	85.20	132.83	87.31	0.00	33.23	28.67	29.83	6.00	0.00	185.29
SD	*90.51*	*120.62*	*58.76*	*0.00*	*20.75*	*28.29*	*23.92*	*0.00*	*0.00*	*118.72*
Cumulative DOS, mean	92.74	140.50	91.81	0.00	37.73	28.67	33.31	6.00	0.00	195.21
SD	*94.18*	*121.56*	*57.66*	*0.00*	*28.54*	*28.29*	*29.03*	*0.00*	*0.00*	*116.80*
Cumulative Days of Stay, %										
1 to 7	6.9%	3.6%	0.0%	0.0%	9.1%	33.3%	9.9%	100.0%	0.0%	0.4%
8 to 14	6.1%	3.4%	4.8%	0.0%	9.1%	0.0%	9.9%	0.0%	0.0%	0.4%
15 to 44	29.6%	25.6%	23.8%	0.0%	45.5%	33.3%	64.5%	0.0%	0.0%	8.4%
45 to 89	19.5%	14.3%	28.6%	0.0%	27.3%	33.3%	9.1%	0.0%	0.0%	14.7%
90 to 179	22.9%	19.7%	33.3%	0.0%	9.1%	0.0%	6.6%	0.0%	0.0%	24.9%
180 to 359	10.1%	20.4%	9.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	30.9%
360+	5.0%	13.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	20.4%
Total	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	31.6%	49.1%	33.3%	0.0%	0.0%	0.0%	5.0%	0.0%	0.0%	71.6%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	203.50	242.45	159.57	0.00	0.00	0.00	133.67	0.00	0.00	248.50
SD	*90.08*	*93.98*	*34.89*	*0.00*	*0.00*	*0.00*	*10.80*	*0.00*	*0.00*	*93.46*
Dom. patients with 150+ day Dom. stay, %	18.0%	36.7%	14.3%	0.0%	0.0%	0.0%	0.8%	0.0%	0.0%	55.4%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	259.61	281.19	195.00	0.00	0.00	0.00	150.00	0.00	0.00	283.66
SD	*79.66*	*75.59*	*14.93*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*74.82*
Other VISN cumulative DOS, mean	1.54	0.61	0.00	0.00	1.09	0.00	0.41	6.00	0.00	0.71
SD	*8.76*	*5.33*	*0.00*	*0.00*	*3.62*	*0.00*	*3.24*	*0.00*	*0.00*	*6.25*
Other station cumulative DOS, mean	3.75	2.37	0.00	0.00	37.73	28.67	2.02	6.00	0.00	1.03
SD	*14.14*	*10.76*	*0.00*	*0.00*	*28.54*	*28.29*	*9.92*	*0.00*	*0.00*	*6.79*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Entire Population	217760	9549	356	1130	1941	1011	3235	784	333	759
Nursing Home Care										
(reported for those with some nursing home care)										
Patients with some nursing home care, %	4.5%	3.5%	2.0%	4.2%	4.3%	3.7%	3.0%	4.6%	6.0%	0.4%
Number stays, mean	1.24	1.25	1.29	1.19	1.32	1.19	1.12	1.31	1.70	1.33
SD	*0.60*	*0.59*	*0.49*	*0.45*	*0.68*	*0.40*	*0.36*	*0.58*	*1.22*	*0.58*
Average LOS, mean	99.56	53.55	53.50	27.58	28.91	56.07	92.84	50.54	34.35	21.33
SD	*118.68*	*76.51*	*66.50*	*43.18*	*27.53*	*78.70*	*107.17*	*63.22*	*51.74*	*10.02*
Cumulative DOS, mean	111.19	63.79	96.43	34.06	38.54	65.00	102.12	63.47	48.00	25.00
SD	*123.23*	*85.30*	*139.81*	*60.96*	*41.08*	*84.69*	*111.87*	*75.40*	*57.14*	*5.20*
Cumulative Days of Stay, %										
1 to 7	9.0%	11.1%	14.3%	20.8%	15.5%	5.4%	4.1%	8.3%	20.0%	0.0%
8 to 14	10.6%	16.0%	14.3%	22.9%	14.3%	16.2%	15.5%	19.4%	5.0%	0.0%
15 to 44	27.5%	38.6%	42.9%	41.7%	45.2%	45.9%	27.8%	30.6%	45.0%	100.0%
45 to 89	15.4%	13.9%	0.0%	10.4%	13.1%	8.1%	17.5%	22.2%	10.0%	0.0%
90 to 179	13.8%	9.0%	0.0%	0.0%	10.7%	13.5%	10.3%	8.3%	15.0%	0.0%
180 to 359	11.4%	8.4%	28.6%	2.1%	1.2%	8.1%	16.5%	11.1%	5.0%	0.0%
360+	12.4%	3.0%	0.0%	2.1%	0.0%	2.7%	8.2%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	33.0%	16.6%	28.6%	4.2%	7.1%	18.9%	30.9%	16.7%	10.0%	0.0%
Cumul. DOS, patients with a 100+ day NH stay, mean	263.62	227.80	300.50	305.50	140.50	213.57	246.40	207.50	171.00	0.00
SD	*97.17*	*85.94*	*21.92*	*78.49*	*34.97*	*87.61*	*86.61*	*75.91*	*67.88*	*0.00*
NH patients with 150+ day NH stay, %	25.7%	11.1%	28.6%	4.2%	1.2%	10.8%	24.7%	8.3%	5.0%	0.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	299.88	272.08	300.50	305.50	187.00	273.00	272.83	269.67	219.00	0.00
SD	*76.08*	*67.96*	*21.92*	*78.49*	*0.00*	*63.07*	*75.61*	*33.50*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.41	0.41	19.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*5.60*	*7.41*	*51.03*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.17	1.08	19.29	0.10	0.70	1.03	0.36	0.28	0.00	25.00
SD	*8.68*	*8.75*	*51.03*	*0.72*	*6.44*	*4.36*	*3.55*	*1.67*	*0.00*	*5.20*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Entire Population	217760	9549	356	1130	1941	1011	3235	784	333	759
Outpatient utilization										
(reported for those with some outpatient care)										
Patients with some outpatient care, %	99.1%	99.7%	98.9%	99.9%	99.9%	99.6%	99.6%	99.9%	100.0%	99.9%
annual visit days, mean	24.61	26.12	17.59	19.81	30.16	18.21	29.81	24.62	14.34	30.70
SD	*33.05*	*30.83*	*16.27*	*18.67*	*38.51*	*18.35*	*32.67*	*22.86*	*15.49*	*39.07*
Outpatient visit days, %										
1-12	44.2%	39.3%	45.5%	46.1%	36.0%	46.6%	35.6%	35.2%	61.6%	35.2%
13-24	26.4%	26.3%	30.1%	26.9%	25.8%	30.7%	24.5%	28.4%	21.9%	26.6%
25-36	11.9%	13.7%	16.5%	13.2%	13.8%	11.6%	13.6%	16.7%	7.8%	15.6%
37-48	5.9%	7.2%	4.5%	6.6%	7.9%	5.8%	8.0%	7.3%	4.2%	6.6%
49+	11.5%	13.5%	3.4%	7.3%	16.3%	5.4%	18.3%	12.4%	4.5%	16.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	79.4%	77.3%	84.9%	87.7%	75.9%	87.7%	67.3%	87.7%	81.4%	78.5%
Mean PC visit days, among those with some PC	3.84	4.17	4.12	4.36	3.11	4.10	4.31	6.26	3.87	3.88
SD	3.72	4.42	3.50	5.15	3.12	3.88	4.30	6.47	4.66	3.44
Average number clinic stops per visit day, mean	1.49	1.42	1.26	1.56	1.35	1.37	1.45	1.50	1.34	1.33
SD	*0.47*	*0.39*	*0.23*	*0.49*	*0.33*	*0.43*	*0.39*	*0.38*	*0.39*	*0.26*
annual clinic stops (psych & non-psych), mean	37.56	37.01	22.63	29.60	40.99	24.47	43.69	37.33	19.00	40.35
SD	*56.64*	*44.27*	*22.59*	*27.35*	*51.86*	*24.85*	*50.20*	*36.95*	*21.58*	*49.83*
annual non-psych. clinic stops, mean	20.14	19.16	15.86	17.98	20.06	15.67	19.95	23.10	11.10	20.84
SD	*25.25*	*21.97*	*16.13*	*17.14*	*26.32*	*16.32*	*21.94*	*21.64*	*12.01*	*26.75*
annual psych. clinic stops (specific groupings below), mean	17.42	17.85	6.77	11.62	20.93	8.80	23.73	14.24	7.90	19.51
SD	*43.44*	*34.69*	*12.49*	*17.21*	*43.20*	*15.66*	*39.49*	*27.49*	*17.03*	*39.06*
1. general psych. clinic stops, mean	7.22	7.12	4.97	6.56	8.72	6.98	6.50	8.30	5.01	7.38
SD	*13.49*	*11.24*	*6.69*	*10.62*	*12.18*	*10.20*	*10.70*	*16.49*	*10.24*	*7.38*
2. psych. case management clinic stops, mean	1.44	1.61	0.00	0.80	3.06	0.07	1.82	3.26	0.00	0.00
SD	*12.10*	*11.53*	*0.05*	*4.88*	*15.94*	*0.87*	*13.36*	*14.20*	*0.00*	*0.04*
3. psych. day treatment clinic stops, mean	2.80	3.34	0.01	0.03	5.35	0.00	4.45	0.01	0.05	9.30
SD	*21.66*	*19.11*	*0.22*	*0.57*	*24.72*	*0.03*	*20.12*	*0.15*	*0.84*	*34.71*
4. substance abuse clinic stops, mean	3.26	3.86	0.28	3.12	1.38	0.73	8.08	2.21	1.28	1.97
SD	*19.07*	*16.01*	*1.80*	*9.65*	*8.79*	*4.64*	*24.60*	*9.89*	*5.41*	*6.75*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Entire Population	217760	9549	356	1130	1941	1011	3235	784	333	759
5. psych. vocational clinic stops, mean	1.73	0.72	0.95	0.00	1.60	0.28	0.87	0.00	0.64	0.11
SD	*15.65*	*8.13*	*9.75*	*0.00*	*12.24*	*3.48*	*9.40*	*0.00*	*4.20*	*0.93*
6. PTSD clinic stops, mean	0.56	0.82	0.08	0.92	0.39	0.48	1.61	0.33	0.05	0.04
SD	*4.85*	*4.87*	*0.67*	*4.96*	*2.56*	*3.09*	*7.22*	*2.22*	*0.46*	*0.46*
7. psych. homeless clinic stops, mean	0.41	0.46	0.40	0.19	0.63	0.25	0.46	0.46	0.86	0.58
SD	*3.32*	*2.34*	*1.41*	*1.19*	*3.04*	*1.46*	*2.44*	*1.84*	*3.67*	*2.05*
Other VISN OP visit days, mean	0.36	0.46	0.38	0.34	0.35	0.48	0.39	0.37	0.20	1.49
SD	*2.35*	2.50	1.56	1.90	2.22	2.15	2.30	1.83	1.45	5.01
Other station OP visit days, mean	0.91	0.99	0.59	0.58	0.62	1.55	0.60	0.63	0.91	4.00
SD	*3.87*	3.71	2.03	2.44	2.86	3.55	2.94	2.30	2.56	8.26

Table 4F: FY03 Psychosis Patients, Pharmacy Utilization, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Entire Population	217760	9549	356	1130	1941	1011	3235	784	333	759
Among all patients in the registry										
Pts. with any outpatient prescriptions, %	95.5%	96.1%	93.5%	97.8%	95.9%	96.5%	95.9%	95.7%	96.7%	96.3%
Patients with any oral antipsychotic fills, %*	59.2%	57.6%	51.4%	42.7%	58.9%	58.5%	61.6%	52.7%	63.7%	63.0%
Among patients receiving antipsychotics:										
Received only conventional antipsychotics, %	12.3%	11.1%	6.6%	15.1%	15.3%	9.1%	10.6%	7.3%	12.7%	6.3%
Received some atypical antipsychotics, %	87.7%	88.9%	93.4%	84.9%	84.7%	90.9%	89.4%	92.7%	87.3%	93.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %										
Aripiprazole	1.2%	2.7%	0.5%	0.4%	4.8%	2.7%	2.8%	1.5%	0.0%	2.3%
Clozapine	1.8%	1.7%	0.5%	1.9%	3.8%	0.5%	1.8%	0.2%	0.5%	0.4%
Olanzapine	35.8%	36.8%	59.6%	27.7%	36.5%	32.5%	35.8%	36.6%	41.5%	45.4%
Quetiapine	26.2%	28.1%	10.4%	37.5%	29.1%	34.7%	23.6%	34.1%	19.3%	32.4%
Risperidone	36.7%	34.8%	30.6%	34.6%	22.3%	38.7%	38.8%	39.5%	35.4%	40.6%
Ziprasidone	5.2%	7.2%	8.2%	2.9%	9.7%	5.4%	7.7%	5.8%	1.9%	8.8%
Patients receiving only one kind** of antipsychotic, %	73.8%	72.2%	79.2%	70.6%	73.6%	72.8%	72.2%	72.9%	75.5%	65.1%
Concurrent use of 2 or more antipsychotics, % ***	11.3%	11.6%	8.2%	12.6%	10.1%	11.0%	12.6%	10.2%	13.2%	11.9%
Among pts receiving just one antipsychotic:										
Antipsychotic fills, mean	7.06	6.21	4.01	5.59	7.43	7.19	5.31	6.91	7.71	6.03
SD	*5.06*	*4.98*	*2.81*	*4.21*	*5.60*	*4.43*	*5.10*	*4.64*	*4.79*	*3.98*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5F: FY03 Psychosis Patients, Cost, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Entire Population	217760	9549	356	1130	1941	1011	3235	784	333	759
Total Costs (in thousands $$)	$3,237,460	$129,226	$6,877	$12,262	$27,467	$10,872	$46,404	$8,715	$3,420	$13,210
Station % of VISN		100.0%	5.3%	9.5%	21.3%	8.4%	35.9%	6.7%	2.6%	10.2%
Psych vs. Non-Psych Costs										
Psych	30.3%	28.2%	8.5%	21.7%	29.8%	31.2%	32.6%	23.9%	26.5%	26.3%
Non-Psych	69.7%	71.8%	91.5%	78.3%	70.2%	68.8%	67.4%	76.1%	73.5%	73.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use										
Per Patient	$18,395	$13,789	$2,672	$9,149	$17,496	$12,359	$15,030	$12,160	$13,341	$13,459
Per Day of Stay	$842	$898	$245	$886	$1,233	$723	$802	$1,207	$1,619	$692
Mean Outpatient Costs, Pts with some Outpatient use										
Per Patient	$6,757	$7,104	$10,688	$6,226	$7,787	$5,437	$7,598	$6,568	$5,009	$6,587
Per Visit Day	$275	$272	$608	$314	$258	$298	$255	$267	$349	$215
Mean Patient Costs, By Cost Center										
1 Med	$1,582	$1,243	$178	$1,713	$1,443	$861	$1,366	$1,536	$1,171	$251
2 Surg	$536	$514	$179	$354	$1,191	$348	$435	$223	$326	$117
3 Psych	$2,886	$1,941	$130	$726	$2,207	$2,312	$2,432	$1,110	$1,669	$2,309
4 Psych Res Rehab Treatment Program	$218	$286	$40	$962	$17	$228	$248	$70	$952	$254
5 Non-VA	$205	$446	$5,112	$162	$270	$415	$246	$278	$104	$346
6 LTC Domiciliary	$327	$774	$2,072	$0	$29	$8	$283	$3	$0	$7,469
7 LTC Intermediate Care	$167	$69	$0	$56	$0	$474	$0	$122	$0	$24
8 LTC Nursing Home	$1,785	$475	$117	$425	$450	$426	$604	$571	$844	$40
9 Contract Nursing Home	$467	$701	$919	$232	$765	$267	$1,163	$644	$196	$16
10 OPC Med/Surg	$1,071	$1,130	$853	$1,277	$1,417	$902	$1,210	$720	$569	$931
11 OPC Psych	$1,624	$1,873	$1,516	$1,632	$2,013	$1,043	$2,243	$1,546	$1,057	$2,266
12 OPC Home Based Treatment	$751	$741	$905	$975	$889	$457	$733	$703	$366	$548
13 OPC Support	$1,322	$1,237	$1,456	$1,192	$1,423	$861	$1,284	$1,100	$1,019	$1,261
14 OPC Fee	$148	$300	$2,993	$216	$178	$197	$196	$220	$250	$159
15 OPC Pharmacy	$1,778	$1,805	$2,844	$928	$1,859	$1,955	$1,901	$2,271	$1,749	$1,414
TOTAL	$14,867	$13,533	$19,316	$10,851	$14,151	$10,753	$14,344	$11,116	$10,269	$17,405
Mean % Patient Costs at Other Stations	3.9%	4.7%	3.3%	3.4%	3.5%	8.1%	2.2%	4.0%	6.1%	16.0%
SD	*12.8%*	*13.9%*	*11.0%*	*11.4%*	*12.6%*	*16.7%*	*9.3%*	*13.1%*	*15.8%*	*23.6%*
Mean % Patient Costs at Other VISNs	1.5%	1.9%	1.8%	2.1%	1.4%	2.4%	1.4%	2.2%	0.7%	4.3%
SD	*8.0%*	*8.7%*	*7.7%*	*9.0%*	*7.1%*	*9.4%*	*7.4%*	*10.0%*	*4.4%*	*14.0%*

Table 1G: FY03 Schizophrenic Patients, Demographics, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Schizophrenic Patients	94395	3427	88	271	772	372	1262	246	143	273
Age, %										
<35	3.9%	5.0%	8.0%	5.5%	4.9%	3.2%	5.8%	5.3%	4.2%	3.3%
>=35 and <50	32.5%	34.1%	38.6%	36.2%	34.6%	33.3%	34.6%	30.9%	32.9%	31.9%
>=50 and <65	44.6%	46.6%	43.2%	48.0%	46.8%	49.5%	44.4%	47.6%	50.3%	49.1%
>=65 and <80	15.7%	12.1%	9.1%	8.9%	11.7%	11.3%	12.8%	14.2%	11.9%	13.9%
>=80	3.3%	2.1%	1.1%	1.5%	2.1%	2.7%	2.5%	2.0%	0.7%	1.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	54.59	53.16	50.81	52.45	53.14	53.87	53.06	53.47	52.56	54.24
SD	*11.97*	*11.29*	*10.83*	*10.58*	*11.25*	*10.69*	*11.74*	*11.82*	*10.05*	*10.91*
Gender										
Male, %	94.6%	94.2%	90.9%	91.5%	93.9%	97.3%	93.3%	95.1%	97.2%	96.3%
Female, %	5.4%	5.8%	9.1%	8.5%	6.1%	2.7%	6.7%	4.9%	2.8%	3.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %										
Hispanic white	6.9%	1.3%	2.3%	1.8%	0.9%	0.8%	1.2%	1.2%	2.1%	1.8%
Hispanic black	0.6%	0.2%	0.0%	0.0%	0.4%	0.3%	0.2%	0.0%	0.7%	0.0%
American indian	0.3%	0.9%	0.0%	1.1%	1.2%	0.3%	1.1%	0.8%	0.0%	0.7%
Black	26.5%	9.0%	10.2%	1.5%	6.5%	1.3%	17.5%	3.3%	1.4%	3.3%
Asian	0.8%	1.3%	1.1%	0.4%	1.2%	0.0%	2.5%	0.4%	0.7%	0.7%
White	52.4%	72.7%	50.0%	73.1%	72.9%	88.7%	65.8%	68.3%	83.9%	87.2%
Race unknown	12.5%	14.6%	36.4%	22.1%	17.0%	8.6%	11.7%	26.0%	11.2%	6.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status										
Never married	42.4%	42.1%	38.4%	26.2%	48.7%	41.8%	42.9%	36.4%	38.3%	44.6%
Married	24.6%	20.0%	27.9%	25.1%	15.7%	19.7%	21.7%	21.1%	24.8%	13.3%
Divorced/Separated	29.5%	34.5%	30.2%	46.1%	32.3%	36.4%	32.2%	36.0%	34.0%	38.0%
Widowed	3.5%	3.4%	3.5%	2.6%	3.3%	2.2%	3.2%	6.6%	2.8%	4.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Schizophrenic Patients	94395	3427	88	271	772	372	1262	246	143	273
Registry Pts. History of VA Utilization										
Years since first use in prior five years, mean	4.6	4.61	4.40	4.59	4.61	4.66	4.61	4.59	4.62	4.62
SD	*1.0*	0.98	1.21	1.03	1.00	0.91	0.99	0.93	0.98	0.91
Yrs with 24-hour institutional use / yrs since 1st use, %	27.3%	27.2%	22.9%	27.6%	26.0%	25.8%	26.8%	20.4%	23.0%	43.2%
SD	*30.9%*	29.8%	26.5%	28.9%	27.9%	28.4%	29.4%	25.2%	28.4%	38.8%
Years with OP use / Years since first use, %	96.7%	97.6%	98.9%	98.4%	97.8%	96.7%	97.3%	98.6%	99.0%	96.8%
SD	*12.4%*	9.3%	4.5%	7.6%	8.6%	10.7%	10.4%	7.0%	4.5%	10.0%
Psychosis Diagnoses in Prior Fiscal Year										
Had Psychosis Diagnosis in FY01, %	82.2%	83.4%	76.1%	88.9%	83.4%	82.3%	82.5%	86.6%	85.3%	82.1%
Among Patients With Psychoses in FY01										
Psychosis Category: Schizophrenia, %	94.8%	93.6%	92.5%	92.5%	94.9%	94.1%	92.2%	95.8%	94.3%	94.2%
Psychosis Category: Bipolar Disorder, %	2.6%	3.3%	6.0%	5.0%	2.8%	2.3%	3.7%	1.4%	2.5%	3.6%
Psychosis Category: Other Psychosis, %	2.5%	3.2%	1.5%	2.5%	2.3%	3.6%	4.1%	2.8%	3.3%	2.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %										
Dementia	2.3%	1.3%	0.0%	1.1%	2.2%	2.2%	0.8%	0.0%	1.4%	1.1%
Post Traumatic Stress Disorder	11.9%	14.1%	8.0%	19.2%	13.5%	12.1%	15.6%	10.2%	9.1%	14.3%
Depression	25.7%	25.5%	12.5%	29.2%	22.0%	30.6%	26.2%	18.7%	17.5%	35.5%
Other Anxiety Disorder	8.7%	9.6%	6.8%	11.8%	12.8%	10.2%	7.9%	7.7%	4.2%	10.6%
Substance Abuse or Dependence	22.3%	26.1%	13.6%	33.9%	24.5%	22.8%	26.9%	19.5%	16.8%	38.5%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Schizophrenic Patients	94395	3427	88	271	772	372	1262	246	143	273
Medical Comorbidities, %										
No medical comorbidities	18.7%	20.1%	28.4%	17.7%	21.8%	17.5%	20.0%	14.2%	24.5%	22.0%
Anemia	7.1%	6.2%	5.7%	4.8%	8.4%	5.9%	5.6%	8.5%	0.7%	5.1%
Arthritis	29.7%	30.1%	23.9%	36.9%	25.5%	34.9%	30.8%	28.5%	18.9%	35.5%
Cancer	6.1%	5.7%	8.0%	4.8%	6.5%	4.8%	5.7%	6.5%	2.1%	5.5%
Cerebrovascular Disease	3.8%	2.3%	3.4%	1.1%	3.1%	2.7%	2.3%	2.4%	2.1%	0.7%
Chronic Neurologic Disorder	12.4%	13.8%	6.8%	19.9%	11.5%	11.8%	13.7%	12.6%	13.3%	20.5%
Chronic Obstructive Pulmonary Disease	16.5%	17.1%	10.2%	15.5%	14.1%	20.7%	17.0%	22.0%	16.1%	20.9%
Chronic Viral Infection	8.7%	10.1%	8.0%	8.5%	11.0%	12.6%	9.0%	9.3%	7.7%	13.9%
Coronary Artery Disease	14.6%	12.6%	12.5%	17.3%	12.2%	13.4%	11.9%	13.4%	10.5%	11.7%
Diabetes	20.3%	16.1%	18.2%	13.3%	15.3%	19.4%	16.2%	16.7%	19.6%	13.6%
Digestive System Disease	44.1%	44.8%	45.5%	52.8%	40.8%	45.4%	45.6%	52.8%	38.5%	38.8%
Hypertension	40.7%	32.9%	29.5%	32.8%	30.1%	35.2%	34.2%	32.5%	42.0%	28.6%
Injury and Poisoning	15.5%	17.2%	14.8%	25.5%	18.8%	16.4%	16.3%	18.3%	12.6%	12.1%
Liver Disease	3.2%	3.1%	3.4%	4.4%	1.7%	7.0%	2.6%	4.1%	2.1%	2.6%
Other Endocrine	6.9%	7.6%	6.8%	8.1%	6.6%	9.4%	7.6%	9.3%	7.0%	7.0%
Peripheral Vascular Disease	2.9%	2.1%	2.3%	1.8%	1.3%	1.9%	2.4%	4.1%	0.7%	2.6%
GAF scores										
Lowest inpatient GAF score, mean	36.19	26.40	27.50	31.18	12.92	12.87	26.40	43.33	43.33	34.13
SD	*14.35*	*16.26*	*3.54*	*6.48*	*18.72*	*17.62*	*8.29*	*7.64*	*8.56*	*17.17*
Mean outpatient GAF score	48.84	44.08	46.81	40.16	42.96	45.84	43.02	47.66	43.12	47.55
SD	*10.59*	*9.68*	*11.56*	*6.88*	*10.41*	*9.60*	*10.18*	*6.14*	*5.51*	*10.74*
At least 1 IP GAF, among pts with MH bedsections, %	38.5%	49.3%	0.0%	18.2%	8.1%	93.3%	63.7%	6.9%	85.7%	92.5%
At least 1 OP GAF, among pts with MH clinic stops, %	80.5%	66.8%	56.8%	91.2%	4.7%	95.4%	86.3%	88.8%	61.5%	78.7%
Mortality rates										
died in FY02, %	2.7%	2.3%	5.7%	2.6%	2.2%	4.0%	1.7%	2.8%	0.7%	2.2%
Age-and-gender-adjusted Standardized Mortality Ratio	1.68	1.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Schizophrenic Patients	94395	3427	88	271	772	372	1262	246	143	273
Service Connection (SC)										
Non-SC	40.8%	41.0%	38.6%	44.6%	39.5%	43.5%	36.3%	39.8%	50.3%	56.8%
SC 0 - 29%	6.8%	6.8%	4.5%	4.8%	8.7%	6.7%	6.1%	5.7%	3.5%	10.3%
SC 30 - 69%	8.8%	6.1%	9.1%	5.9%	6.6%	5.9%	6.2%	4.1%	2.1%	7.7%
SC 70 - 99%	6.6%	6.9%	5.7%	10.0%	5.4%	4.6%	8.4%	8.5%	7.0%	3.7%
SC 100%	37.0%	39.2%	42.0%	34.7%	39.8%	39.2%	43.0%	41.9%	37.1%	21.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %										
Complex*	22.5%	22.5%	17.0%	14.4%	22.8%	13.7%	25.9%	14.6%	7.0%	42.5%
Basic vested, Cat A*	74.7%	75.5%	80.7%	83.0%	75.0%	85.8%	72.1%	82.5%	90.9%	55.7%
Basic Non-vested, Cat A*	1.2%	0.9%	1.1%	1.1%	0.9%	0.3%	0.8%	1.6%	1.4%	1.1%
Basic, Cats C and N	1.7%	1.1%	1.1%	1.5%	1.3%	0.3%	1.2%	1.2%	0.7%	0.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded										
Patient eligibility category, %										
Cat A (SC or low income)	98.2%	98.8%	98.9%	98.5%	98.6%	99.7%	98.7%	98.8%	99.3%	99.3%
Cat C (NSC and higher income)	1.4%	1.0%	1.1%	1.5%	1.0%	0.3%	1.2%	0.8%	0.7%	0.7%
Non-Veteran	0.5%	0.2%	0.0%	0.0%	0.4%	0.0%	0.2%	0.4%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %										
BASIC 1. Non-reliant Care	0.1%	0.2%	0.0%	0.0%	0.4%	0.0%	0.0%	0.4%	0.7%	0.4%
2. Basic Medical	15.2%	10.9%	15.9%	10.0%	8.4%	11.0%	10.1%	18.3%	21.0%	8.4%
3. Mental Health	40.5%	40.9%	45.5%	43.5%	41.1%	48.1%	37.6%	41.9%	48.3%	37.7%
4. Heart / Lung / GI	6.9%	4.3%	2.3%	5.9%	3.6%	5.9%	4.1%	5.3%	7.0%	1.5%
5. Oncology / Infectious Disease	4.3%	4.2%	5.7%	2.6%	4.3%	2.4%	5.2%	5.3%	3.5%	2.9%
6. Multiple Medical	20.7%	17.0%	13.6%	23.6%	19.4%	18.8%	17.1%	14.2%	12.6%	6.6%
COMPLEX 7. Specialized Care	2.2%	1.8%	8.0%	1.8%	3.0%	1.6%	1.4%	0.0%	0.7%	0.7%
8. Support Care	2.1%	2.5%	2.3%	0.7%	1.8%	0.5%	3.6%	2.0%	1.4%	4.0%
9. Chronic Mental	6.8%	17.6%	6.8%	11.8%	17.1%	11.0%	20.0%	12.2%	4.2%	37.7%
10. Critically Ill	1.1%	0.6%	0.0%	0.0%	0.9%	0.5%	0.9%	0.4%	0.7%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Schizophrenic Patients	94395	3427	88	271	772	372	1262	246	143	273
Substance Dependence and Abuse										
Any dx of alcohol / drug dependence or abuse, %	22.3%	26.1%	13.6%	33.9%	24.5%	22.8%	26.9%	19.5%	16.8%	38.5%
Homelessness										
Homelessness indicated in FY02, %	12.0%	16.8%	11.4%	4.1%	13.7%	16.9%	18.1%	21.1%	20.3%	28.2%
Residence in Metropolitan Area										
Residing in a Metropolitan Statistical Area, %	81.5%	78.8%	68.2%	64.2%	88.2%	43.5%	92.5%	72.4%	44.1%	78.8%
Distance										
Mile from Closest VA Medical Center, mean	28.72	63.21	1437.49	34.60	20.24	40.55	15.46	20.04	50.05	67.37
SD	*55.48*	*229.03*	*170.42*	*41.17*	*26.00*	*29.99*	*38.25*	*28.05*	*38.04*	*89.56*
Distance from closest VA Medical Center, %										
0 to 15 miles	52.9%	35.5%	1.1%	43.9%	71.6%	30.4%	75.7%	67.5%	24.5%	7.7%
15 to 30 miles	15.5%	11.7%	0.0%	22.5%	4.7%	7.0%	15.1%	8.5%	4.2%	0.4%
30 to 45 miles	9.7%	12.8%	0.0%	7.4%	9.5%	10.8%	2.6%	11.0%	18.2%	0.7%
45 to 60 miles	7.4%	14.3%	0.0%	5.5%	5.1%	25.3%	1.9%	0.8%	18.2%	38.8%
60 plus miles	14.4%	25.7%	98.9%	20.7%	9.2%	26.6%	4.8%	12.2%	35.0%	52.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	9.84	11.59	20.53	15.38	8.63	11.07	11.03	17.86	14.40	9.47
SD	*11.95*	*23.54*	*72.51*	*17.24*	*10.70*	*11.83*	*27.47*	*23.95*	*22.53*	*9.74*
Distance to closest VA Service Site, %										
0 to 15 miles	79.4%	66.9%	75.0%	56.1%	86.8%	68.3%	86.8%	67.9%	70.6%	83.2%
15 to 30 miles	13.6%	19.8%	12.5%	29.2%	9.7%	25.8%	6.6%	9.3%	13.3%	14.7%
30 to 45 miles	5.1%	12.0%	6.8%	8.1%	1.2%	3.8%	2.3%	11.0%	9.1%	1.1%
45 plus miles	1.9%	1.3%	5.7%	6.6%	2.3%	2.2%	4.3%	11.8%	7.0%	1.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Schizophrenic Patients	94395	3427	88	271	772	372	1262	246	143	273
Hospital Based Utilization										
Patients with some Hospital Based Utilization, %	27.0%	25.4%	15.9%	28.0%	25.9%	28.5%	27.3%	19.9%	18.2%	19.8%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)										
Inpatient stays, mean	1.85	1.77	1.50	2.18	1.77	1.93	1.67	1.41	1.54	2.00
SD	*1.45*	*1.25*	*0.85*	*1.61*	*1.27*	*1.38*	*1.10*	*0.79*	*0.90*	*1.65*
Average LOS, mean	17.65	10.04	8.64	6.07	9.89	9.47	11.35	6.86	4.62	14.86
SD	*42.51*	*17.97*	*6.36*	*3.57*	*8.50*	*7.62*	*19.11*	*4.56*	*3.02*	*49.05*
Cumulative DOS, mean	28.76	17.43	12.64	13.01	18.80	17.44	18.72	10.14	8.08	22.70
SD	*53.29*	*25.48*	*10.32*	*12.23*	*22.61*	*17.01*	*28.06*	*9.88*	*9.95*	*49.94*
Cumulative DOS, %										
1 to 7	35.1%	40.2%	50.0%	43.4%	39.5%	32.1%	37.7%	57.1%	73.1%	37.0%
8 to 14	20.7%	24.4%	21.4%	30.3%	21.5%	23.6%	26.4%	20.4%	15.4%	24.1%
15 to 44	29.0%	27.5%	28.6%	23.7%	29.0%	37.7%	26.4%	20.4%	11.5%	27.8%
45 to 89	9.0%	6.1%	0.0%	2.6%	9.0%	4.7%	6.4%	2.0%	0.0%	9.3%
90 to 179	3.4%	1.5%	0.0%	0.0%	1.0%	1.9%	2.6%	0.0%	0.0%	0.0%
180 to 359	1.5%	0.2%	0.0%	0.0%	0.0%	0.0%	0.6%	0.0%	0.0%	0.0%
360+	1.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	3.8%	0.9%	0.0%	0.0%	0.5%	0.0%	1.7%	0.0%	0.0%	1.9%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	249.93	183.75	0.00	0.00	135.00	0.00	161.83	0.00	0.00	364.00
SD	*96.37*	*90.96*	*0.00*	*0.00*	*0.00*	*0.00*	*63.52*	*0.00*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	2.5%	0.2%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	1.9%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.78	315.50	0.00	0.00	0.00	0.00	267.00	0.00	0.00	364.00
SD	*75.28*	*68.59*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.65	0.53	0.00	0.29	0.59	0.34	0.23	0.84	0.00	3.06
SD	*4.66*	*3.37*	*0.00*	*1.79*	*4.13*	*1.70*	*1.41*	*4.25*	*0.00*	*8.67*
Cumulative DOS at Other Stations	2.06	1.82	1.64	0.45	1.63	1.69	0.35	1.06	1.00	15.24
SD	*8.11*	*6.75*	*6.15*	*2.04*	*7.04*	*5.66*	*1.81*	*4.40*	*2.37*	*15.49*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Schizophrenic Patients	94395	3427	88	271	772	372	1262	246	143	273
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)										
Pts. with non-psych hospital stays, %	11.8%	11.1%	11.4%	12.9%	10.5%	13.2%	12.1%	9.3%	4.9%	8.1%
Inpatient stays, mean	0.71	0.66	1.07	0.68	0.60	0.69	0.71	0.63	0.27	0.56
SD	*1.11*	*0.98*	*1.07*	*0.88*	*0.99*	*0.92*	*1.05*	*0.81*	*0.45*	*0.95*
Average LOS, mean	8.26	6.98	9.95	4.04	5.92	6.51	6.37	5.34	3.29	22.36
SD	*16.10*	*19.55*	*6.74*	*2.59*	*7.49*	*8.27*	*6.59*	*4.58*	*2.14*	*76.66*
Cumulative Days of Stay, mean	6.10	4.52	9.86	2.74	3.90	4.16	4.68	3.88	0.88	10.04
SD	*19.61*	*15.62*	*9.88*	*4.35*	*11.79*	*7.70*	*10.45*	*8.55*	*1.82*	*49.81*
Cumulative Days of Stay, %										
0	56.2%	56.3%	28.6%	53.9%	59.5%	53.8%	55.7%	53.1%	73.1%	59.3%
1 to 7	24.8%	27.7%	21.4%	32.9%	27.0%	29.2%	25.5%	36.7%	23.1%	29.6%
8 to 14	8.1%	7.9%	28.6%	10.5%	7.5%	6.6%	9.0%	4.1%	3.8%	1.9%
15 to 44	8.5%	7.0%	21.4%	2.6%	5.5%	10.4%	8.4%	4.1%	0.0%	5.6%
45 to 89	1.7%	0.8%	0.0%	0.0%	0.0%	0.0%	1.4%	2.0%	0.0%	1.9%
90 to 179	0.5%	0.1%	0.0%	0.0%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.4%	0.2%	0.0%	0.0%	0.5%	0.0%	0.0%	0.0%	0.0%	1.9%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	225.13	249.50	0.00	0.00	135.00	0.00	0.00	0.00	0.00	364.00
SD	*88.92*	*161.93*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.9%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	285.12	364.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	364.00
SD	*70.56*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.10*	*0.04*	*0.00*	*0.03*	*0.13*	*0.04*	*0.00*	*0.06*	*0.00*	*0.07*
SD	*1.58*	*0.90*	*0.00*	*0.16*	*1.84*	*0.24*	*0.00*	*0.43*	*0.00*	*0.54*
Other station cumulative DOS, mean	0.47	0.36	1.64	0.18	0.23	0.63	0.02	0.10	0.50	2.57
SD	*3.45*	*2.29*	*6.15*	*1.03*	*2.08*	*2.59*	*0.21*	*0.51*	*1.68*	*6.09*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Schizophrenic Patients	94395	3427	88	271	772	372	1262	246	143	273
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)										
Pts. with psych hospital stays, %	17.7%	16.7%	6.8%	20.3%	17.6%	20.2%	16.8%	11.8%	14.7%	14.7%
Inpatient stays, mean	1.14	1.11	0.43	1.50	1.17	1.25	0.96	0.78	1.27	1.44
SD	*1.37*	*1.23*	*0.51*	*1.60*	*1.25*	*1.37*	*1.07*	*0.77*	*1.08*	*1.55*
Average LOS, mean	23.15	11.89	6.50	6.95	12.31	11.30	14.93	8.13	4.82	9.47
SD	*51.08*	*15.62*	*6.41*	*3.82*	*8.91*	*7.57*	*23.35*	*4.01*	*3.18*	*8.60*
Cumulative Days of Stay, mean	22.66	12.91	2.79	10.28	14.90	13.28	14.05	6.27	7.19	12.67
SD	*51.43*	*21.80*	*5.19*	*12.70*	*21.19*	*16.29*	*27.54*	*7.18*	*10.41*	*14.37*
Cumulative Days of Stay, %										
0	34.4%	34.0%	57.1%	27.6%	32.0%	29.2%	38.6%	40.8%	19.2%	25.9%
1 to 7	17.5%	19.8%	35.7%	27.6%	19.5%	16.0%	15.7%	22.4%	57.7%	18.5%
8 to 14	14.7%	19.5%	0.0%	23.7%	16.0%	21.7%	20.0%	24.5%	11.5%	24.1%
15 to 44	21.2%	20.5%	7.1%	18.4%	23.5%	28.3%	18.0%	12.2%	11.5%	27.8%
45 to 89	6.9%	4.8%	0.0%	2.6%	8.5%	3.8%	4.9%	0.0%	0.0%	3.7%
90 to 179	2.8%	1.1%	0.0%	0.0%	0.5%	0.9%	2.3%	0.0%	0.0%	0.0%
180 to 359	1.4%	0.2%	0.0%	0.0%	0.0%	0.0%	0.6%	0.0%	0.0%	0.0%
360+	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	0.7%	0.0%	0.0%	0.0%	0.0%	1.7%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	250.18	161.83	0.00	0.00	0.00	0.00	161.83	0.00	0.00	0.00
SD	*97.20*	*63.52*	*0.00*	*0.00*	*0.00*	*0.00*	*63.52*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	2.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.10	267.00	0.00	0.00	0.00	0.00	267.00	0.00	0.00	0.00
SD	*76.47*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.55	0.48	0.00	0.26	0.46	0.30	0.23	0.78	0.00	2.98
SD	4.34	3.24	0.00	1.76	3.71	1.67	1.41	4.06	0.00	8.68
Other station cumulative DOS, mean	1.59	1.46	0.00	0.26	1.40	1.06	0.33	0.96	0.50	12.67
SD	7.30	6.11	0.00	1.76	6.74	5.15	1.78	4.22	1.82	14.37

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Schizophrenic Patients	94395	3427	88	271	772	372	1262	246	143	273
Other 24 hour institutional care										
Patients with some other 24 hour institutional care, %	8.0%	7.9%	4.5%	5.5%	4.0%	5.9%	5.5%	4.5%	9.8%	38.1%
Residential Rehabilitation										
Patients with some residential rehab. care, %	1.6%	1.5%	0.0%	3.7%	0.6%	3.0%	0.7%	0.0%	7.0%	1.8%
Number stays, mean	*1.12*	*1.02*	*0.00*	*1.00*	*1.00*	*1.00*	*1.11*	*0.00*	*1.00*	*1.00*
SD	*0.37*	*0.14*	*0.00*	*0.00*	*0.00*	*0.00*	*0.33*	*0.00*	*0.00*	*0.00*
Average LOS, mean	36.26	28.78	0.00	17.60	18.20	26.27	60.56	0.00	17.00	33.60
SD	*45.44*	*49.48*	*0.00*	*5.13*	*14.81*	*8.55*	*114.45*	*0.00*	*9.35*	*4.72*
Cumulative DOS, mean	39.67	29.10	0.00	17.60	18.20	26.27	62.33	0.00	17.00	33.60
SD	*48.06*	*49.45*	*0.00*	*5.13*	*14.81*	*8.55*	*113.79*	*0.00*	*9.35*	*4.72*
Cumulative Days of Stay, %										
1 to 7	14.0%	12.0%	0.0%	10.0%	40.0%	9.1%	11.1%	0.0%	10.0%	0.0%
8 to 14	14.7%	10.0%	0.0%	10.0%	0.0%	0.0%	11.1%	0.0%	30.0%	0.0%
15 to 44	46.4%	76.0%	0.0%	80.0%	60.0%	90.9%	66.7%	0.0%	60.0%	100.0%
45 to 89	13.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	8.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.5%	2.0%	0.0%	0.0%	0.0%	0.0%	11.1%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.2%	2.0%	0.0%	0.0%	0.0%	0.0%	11.1%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	180.59	364.00	0.00	0.00	0.00	0.00	364.00	0.00	0.00	0.00
SD	*80.43*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	2.8%	2.0%	0.0%	0.0%	0.0%	0.0%	11.1%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	246.24	364.00	0.00	0.00	0.00	0.00	364.00	0.00	0.00	0.00
SD	*77.24*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.84	0.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.60
SD	*5.37*	*3.96*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*12.52*
Other station cumulative DOS, mean	3.24	5.82	0.00	0.00	18.20	0.00	3.56	0.00	0.00	33.60
SD	*10.31*	*12.45*	*0.00*	*0.00*	*14.81*	*0.00*	*10.67*	*0.00*	*0.00*	*4.72*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Schizophrenic Patients	94395	3427	88	271	772	372	1262	246	143	273
Domiciliary and Vocational										
Patients with some dom/voc care, %	2.3%	3.6%	2.3%	0.0%	0.0%	0.0%	1.6%	0.4%	0.0%	37.4%
Number stays, mean	1.12	1.12	1.00	0.00	0.00	0.00	1.10	1.00	0.00	1.13
SD	*0.37*	*0.37*	*0.00*	*0.00*	*0.00*	*0.00*	*0.31*	*0.00*	*0.00*	*0.39*
Average LOS, mean	94.48	180.64	30.00	0.00	0.00	0.00	31.60	6.00	0.00	214.53
SD	*108.97*	*135.16*	*2.83*	*0.00*	*0.00*	*0.00*	*30.08*	*0.00*	*0.00*	*126.28*
Cumulative DOS, mean	100.96	191.74	30.00	0.00	0.00	0.00	35.25	6.00	0.00	227.42
SD	*111.44*	*134.87*	*2.83*	*0.00*	*0.00*	*0.00*	*33.03*	*0.00*	*0.00*	*123.02*
Cumulative Days of Stay, %										
1 to 7	7.9%	1.6%	0.0%	0.0%	0.0%	0.0%	5.0%	100.0%	0.0%	0.0%
8 to 14	6.7%	1.6%	0.0%	0.0%	0.0%	0.0%	10.0%	0.0%	0.0%	0.0%
15 to 44	31.5%	19.2%	100.0%	0.0%	0.0%	0.0%	70.0%	0.0%	0.0%	7.8%
45 to 89	17.3%	8.8%	0.0%	0.0%	0.0%	0.0%	5.0%	0.0%	0.0%	9.8%
90 to 179	17.7%	20.0%	0.0%	0.0%	0.0%	0.0%	10.0%	0.0%	0.0%	22.5%
180 to 359	9.4%	23.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	28.4%
360+	9.5%	25.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	31.4%
Total	100.0%	100.0%	100.0%	0.0%	0.0%	0.0%	100.0%	100.0%	0.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.0%	63.2%	0.0%	0.0%	0.0%	0.0%	5.0%	0.0%	0.0%	76.5%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	234.98	276.39	0.00	0.00	0.00	0.00	150.00	0.00	0.00	278.01
SD	*102.95*	*93.02*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*92.49*
Dom. patients with 150+ day Dom. stay, %	20.9%	52.8%	0.0%	0.0%	0.0%	0.0%	5.0%	0.0%	0.0%	63.7%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	291.61	304.42	0.00	0.00	0.00	0.00	150.00	0.00	0.00	306.80
SD	*80.75*	*73.44*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*71.41*
Other VISN cumulative DOS, mean	1.18	0.94	0.00	0.00	0.00	0.00	0.00	6.00	0.00	1.09
SD	*7.65*	*7.47*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*8.25*
Other station cumulative DOS, mean	3.16	1.63	0.00	0.00	0.00	0.00	2.95	6.00	0.00	1.36
SD	*12.59*	*8.63*	*0.00*	*0.00*	*0.00*	*0.00*	*9.09*	*0.00*	*0.00*	*8.67*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Schizophrenic Patients	94395	3427	88	271	772	372	1262	246	143	273
Nursing Home Care										
Patients with some nursing home care, %	98.3%	99.6%	96.6%	100.0%	99.9%	99.2%	99.4%	100.0%	100.0%	100.0%
Number stays, mean	1.20	1.17	1.00	1.00	1.15	1.27	1.07	1.30	2.00	1.00
SD	*0.56*	*0.53*	*0.00*	*0.00*	*0.46*	*0.47*	*0.26*	*0.48*	*2.00*	*0.00*
Average LOS, mean	143.54	82.21	13.00	60.20	37.86	54.32	131.00	83.15	8.50	22.00
SD	*137.46*	*97.43*	*11.31*	*106.43*	*31.80*	*65.97*	*119.98*	*72.20*	*7.77*	*0.00*
Cumulative DOS, mean	156.00	90.58	13.00	60.20	43.15	63.91	138.91	102.60	28.50	22.00
SD	*139.76*	*101.78*	*11.31*	*106.43*	*38.05*	*67.15*	*123.13*	*92.84*	*47.68*	*0.00*
Cumulative Days of Stay, %										
1 to 7	6.8%	11.7%	50.0%	40.0%	11.1%	9.1%	4.7%	0.0%	75.0%	0.0%
8 to 14	6.5%	5.8%	0.0%	0.0%	11.1%	18.2%	2.3%	0.0%	0.0%	0.0%
15 to 44	20.5%	33.0%	50.0%	40.0%	44.4%	27.3%	25.6%	40.0%	0.0%	100.0%
45 to 89	14.1%	17.5%	0.0%	0.0%	22.2%	18.2%	18.6%	20.0%	0.0%	0.0%
90 to 179	15.1%	12.6%	0.0%	0.0%	11.1%	18.2%	11.6%	20.0%	25.0%	0.0%
180 to 359	14.7%	14.6%	0.0%	20.0%	0.0%	9.1%	25.6%	20.0%	0.0%	0.0%
360+	22.5%	4.9%	0.0%	0.0%	0.0%	0.0%	11.6%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	48.0%	28.2%	0.0%	20.0%	11.1%	9.1%	46.5%	40.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day NH stay, mean	282.12	229.72	0.00	250.00	122.33	229.00	252.45	191.75	0.00	0.00
SD	*94.85*	*87.02*	*0.00*	*0.00*	*21.73*	*0.00*	*85.64*	*82.93*	*0.00*	*0.00*
NH patients with 150+ day NH stay, %	39.8%	19.4%	0.0%	20.0%	0.0%	9.1%	37.2%	20.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	312.43	274.80	0.00	250.00	0.00	229.00	281.13	259.50	0.00	0.00
SD	*72.26*	*63.65*	*0.00*	*0.00*	*0.00*	*0.00*	*69.05*	*40.31*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*5.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.19	1.03	0.00	1.00	2.19	1.82	0.00	0.00	0.00	22.00
SD	*9.07*	*6.48*	*0.00*	*2.24*	*11.35*	*6.03*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Schizophrenic Patients	94395	3427	88	271	772	372	1262	246	143	273
Outpatient utilization										
(reported for those with some outpatient care)										
Patients with some outpatient care, %	98.3%	99.6%	96.6%	100.0%	99.9%	99.2%	99.4%	100.0%	100.0%	100.0%
annual visit days, mean	27.64	31.66	16.61	24.11	38.50	18.62	34.80	31.22	14.88	36.95
SD	*38.39*	*39.42*	*15.51*	*23.58*	*50.78*	*18.59*	*38.65*	*31.45*	*16.94*	*49.53*
Outpatient visit days, %										
1-12	42.6%	37.9%	47.1%	44.3%	34.1%	46.9%	33.7%	33.7%	62.9%	37.0%
13-24	25.7%	23.8%	31.8%	21.4%	23.0%	29.8%	22.2%	26.4%	19.6%	24.9%
25-36	11.8%	12.0%	14.1%	12.9%	11.7%	11.7%	12.4%	9.8%	9.1%	12.8%
37-48	5.9%	6.7%	3.5%	7.4%	7.9%	5.1%	7.6%	6.5%	3.5%	4.0%
49+	14.0%	19.7%	3.5%	14.0%	23.3%	6.5%	24.2%	23.6%	4.9%	21.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	74.5%	73.1%	76.5%	85.2%	70.9%	85.4%	64.8%	87.0%	82.5%	70.7%
Mean PC visit days, among those with some PC	3.73	3.99	3.88	5.18	2.74	3.86	4.01	6.02	4.03	4.05
SD	3.83	4.74	3.89	6.52	2.67	3.90	4.03	8.32	5.33	4.10
Average number clinic stops per visit day, mean	1.45	1.36	1.22	1.46	1.30	1.31	1.39	1.47	1.27	1.30
SD	*0.45*	*0.35*	*0.18*	*0.37*	*0.28*	*0.32*	*0.37*	*0.47*	*0.33*	*0.24*
annual clinic stops (psych & non-psych), mean	41.32	43.18	20.55	34.72	50.49	24.18	49.00	47.07	18.37	46.37
SD	*65.29*	*54.33*	*20.77*	*34.81*	*66.37*	*23.80*	*56.51*	*52.06*	*20.94*	*60.78*
annual non-psych. clinic stops, mean	19.07	16.90	12.91	18.89	16.50	13.93	18.09	20.71	10.34	15.88
SD	*26.86*	*20.31*	*13.90*	*19.44*	*23.43*	*15.27*	*19.94*	*22.43*	*11.54*	*21.16*
annual psych. clinic stops (groupings below), mean	22.25	26.27	7.65	15.83	33.99	10.25	30.91	26.36	8.03	30.49
SD	*50.83*	*46.38*	*10.60*	*21.04*	*59.34*	*14.01*	*48.06*	*41.26*	*16.62*	*54.12*
1. general psych. clinic stops, mean	9.04	9.27	6.64	8.80	10.84	9.01	7.93	16.26	5.76	8.14
SD	*15.89*	*14.30*	*8.42*	*12.65*	*14.26*	*12.23*	*13.18*	*26.28*	*10.34*	*7.59*
2. psych. case management clinic stops, mean	2.76	4.00	0.00	2.46	6.82	0.17	4.29	9.27	0.00	0.00
SD	*16.59*	*18.44*	*0.00*	*8.58*	*23.76*	*1.43*	*20.76*	*23.69*	*0.00*	*0.06*
3. psych. day treatment clinic stops, mean	4.94	7.99	0.01	0.06	12.29	0.00	9.79	0.02	0.10	20.03
SD	*29.07*	*29.35*	*0.11*	*0.63*	*36.61*	*0.05*	*29.82*	*0.26*	*1.25*	*49.35*
4. substance abuse clinic stops, mean	2.71	3.16	0.44	3.72	1.04	0.54	6.30	0.96	0.94	1.71
SD	*17.49*	*13.67*	*2.75*	*10.54*	*5.99*	*3.67*	*20.70*	*5.14*	*5.30*	*4.23*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Schizophrenic Patients	94395	3427	88	271	772	372	1262	246	143	273
5. psych. vocational clinic stops, mean	2.11	1.17	0.01	0.00	2.52	0.14	1.52	0.00	0.64	0.05
SD	*18.38*	*11.29*	*0.11*	*0.00*	*16.23*	*1.57*	*13.41*	*0.00*	*3.96*	*0.35*
6. PTSD clinic stops, mean	0.37	0.43	0.12	0.68	0.27	0.09	0.79	0.10	0.00	0.05
SD	*3.86*	*3.82*	*0.78*	*4.35*	*2.16*	*1.10*	*5.62*	*1.47*	*0.00*	*0.50*
7. psych. homeless clinic stops, mean	0.39	0.48	0.39	0.12	0.74	0.29	0.41	0.68	0.59	0.42
SD	*2.98*	*2.43*	*1.57*	*0.92*	*3.25*	*1.48*	*2.39*	*2.42*	*3.10*	*1.63*
Other VISN OP visit days, mean	0.30	0.34	0.33	0.43	0.25	0.33	0.30	0.41	0.11	0.76
SD	2.12	2.09	1.22	2.79	2.48	1.49	1.73	1.86	0.67	2.96
Other station OP visit days, mean	0.82	0.77	0.49	0.61	0.43	1.36	0.51	0.61	0.57	2.66
SD	3.70	3.16	1.58	2.99	2.78	3.34	2.65	2.35	1.97	5.84

Table 4G: FY03 Schizophrenic Patients, Pharmacy Utilization, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Schizophrenic Patients	94395	3427	88	271	772	372	1262	246	143	273
Among all patients in the registry										
Pts. with any outpatient prescriptions, %	94.9%	95.4%	90.9%	98.9%	95.7%	96.0%	95.2%	93.9%	96.5%	93.8%
Patients with any oral antipsychotic fills, %*	78.7%	82.2%	76.1%	85.6%	83.7%	84.1%	81.5%	75.6%	83.9%	82.4%
Among pts. receiving any antipsychotic medication:										
Received only conventional antipsychotics, %	15.4%	14.2%	9.0%	14.7%	19.3%	12.1%	14.3%	6.5%	15.0%	8.9%
Received some atypical antipsychotics, %	84.6%	85.8%	91.0%	85.3%	80.7%	87.9%	85.7%	93.5%	85.0%	91.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %										
Aripiprazole	1.5%	3.9%	1.5%	0.4%	6.7%	3.8%	4.0%	2.7%	0.0%	3.1%
Clozapine	3.1%	3.3%	1.5%	3.4%	6.7%	1.0%	3.3%	0.5%	0.8%	0.9%
Olanzapine	35.7%	35.3%	61.2%	26.7%	35.4%	34.5%	34.3%	38.2%	32.5%	40.4%
Quetiapine	21.7%	24.0%	4.5%	34.1%	24.9%	29.1%	20.6%	29.6%	17.5%	24.4%
Risperidone	36.8%	35.3%	26.9%	39.7%	20.1%	40.9%	37.4%	43.5%	41.7%	49.3%
Ziprasidone	5.9%	8.3%	6.0%	3.9%	10.8%	6.1%	8.4%	7.5%	2.5%	12.9%
Patients receiving only one kind** of antipsychotic, %	70.8%	68.3%	82.1%	63.4%	68.9%	69.3%	68.5%	70.4%	73.3%	61.3%
Concurrent use of 2 or more antipsychotics, % ***	15.6%	17.1%	11.9%	21.6%	14.4%	16.0%	18.4%	17.2%	16.7%	18.2%
Among pts receiving just one antipsychotic:										
Antipsychotic fills, mean	8.10	7.42	4.58	6.33	9.16	8.18	6.25	8.58	9.25	6.56
SD	*5.37*	*5.55*	*3.07*	*4.60*	*6.09*	*4.30*	*5.95*	*4.40*	*4.74*	*4.08*
Antipsychotic Medication Possession Ratio, mean	0.83	0.86	0.84	0.88	0.86	0.85	0.84	0.88	0.84	0.89
SD	*0.33*	*0.32*	*0.30*	*0.31*	*0.29*	*0.30*	*0.35*	*0.31*	*0.32*	*0.35*
Antipsychotic Med Possession Ratio <= 0.80, %	37.1%	32.3%	39.6%	31.7%	29.9%	32.1%	33.7%	31.5%	31.8%	31.9%
Antipsychotic Med Possession Ratio <= 0.50, %	18.0%	15.1%	11.3%	14.1%	13.4%	15.3%	17.4%	11.3%	18.8%	11.7%

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 4G: FY03 Schizophrenic Patients, Cost, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Schizophrenic Patients	94395	3427	88	271	772	372	1262	246	143	273
Total Costs (in thousands $$)	$1,637,013	$51,324	$1,701	$2,964	$11,933	$4,155	$20,984	$3,095	$1,168	$5,324
Station % of VISN		100.0%	3.3%	5.8%	23.2%	8.1%	40.9%	6.0%	2.3%	10.4%
Psych vs. Non-Psych Costs										
Psych	34.5%	31.8%	8.1%	31.1%	37.8%	33.1%	31.4%	30.9%	37.3%	25.9%
Non-Psych	65.5%	68.2%	91.9%	68.9%	62.2%	66.9%	68.6%	69.1%	62.7%	74.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use										
Per Patient	$21,945	$15,504	$1,209	$7,971	$19,887	$13,465	$17,212	$11,787	$12,052	$11,702
Per Day of Stay	$763	$889	$96	$613	$1,058	$772	$919	$1,162	$1,492	$515
Mean Outpatient Costs, Pts with some Outpatient use										
Per Patient	$7,323	$7,996	$12,942	$7,314	$8,682	$6,067	$8,424	$8,223	$5,019	$7,194
Per Visit Day	$265	$253	$779	$303	$226	$326	$242	$263	$337	$195
By Cost Center										
1 Med	$1,399	$972	$192	$881	$727	$972	$1,445	$980	$292	$175
2 Surg	$470	$555	$0	$106	$1,160	$230	$659	$91	$0	$138
3 Psych	$4,062	$2,409	$0	$1,248	$3,265	$2,635	$2,602	$1,277	$1,899	$2,002
4 Psych Res Rehab Treatment Program	$217	$189	$0	$718	$30	$212	$166	$0	$617	$196
5 Non-VA	$230	$428	$4,881	$213	$314	$295	$297	$263	$43	$665
6 LTC Domiciliary	$302	$777	$232	$0	$0	$0	$138	$8	$0	$9,030
7 LTC Intermediate Care	$166	$37	$0	$0	$0	$314	$0	$0	$0	$35
8 LTC Nursing Home	$2,633	$419	$0	$104	$238	$140	$810	$389	$299	$44
9 Contract Nursing Home	$664	$1,230	$1,522	$353	$1,053	$352	$2,140	$1,351	$0	$23
10 OPC Med/Surg	$930	$930	$625	$1,150	$1,093	$709	$1,020	$559	$513	$781
11 OPC Psych	$1,916	$2,346	$1,566	$2,154	$2,576	$1,056	$2,612	$2,614	$1,144	$3,057
12 OPC Home Based Treatment	$933	$1,035	$773	$1,925	$1,284	$464	$1,076	$969	$350	$536
13 OPC Support	$1,243	$1,119	$1,207	$1,073	$1,181	$802	$1,221	$1,169	$838	$1,018
14 OPC Fee	$130	$246	$3,143	$199	$146	$211	$168	$174	$184	$143
15 OPC Pharmacy	$2,047	$2,286	$5,186	$813	$2,391	$2,776	$2,272	$2,738	$1,990	$1,658
TOTAL	$17,342	$14,976	$19,329	$10,938	$15,457	$11,168	$16,628	$12,582	$8,170	$19,502
Mean % Patient Costs at Other Stations	3.6%	3.9%	2.9%	3.1%	3.1%	7.0%	1.7%	3.8%	3.1%	13.0%
SD	*12.4%*	*12.9%*	*9.0%*	*10.9%*	*12.8%*	*16.1%*	*7.9%*	*12.9%*	*11.9%*	*22.3%*
Mean % Patient Costs at Other VISNs	1.3%	1.5%	1.5%	2.0%	0.9%	2.0%	1.2%	2.7%	0.2%	2.6%
SD	*7.5%*	*7.5%*	*5.7%*	*9.3%*	*5.7%*	*9.0%*	*6.4%*	*10.5%*	*1.7%*	*11.0%*

Table 1H: FY03 Bipolar Patients, Demographics, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Bipolar Patients	73964	3929	140	656	623	391	1309	346	137	327
Age, %										
<35	7.9%	9.1%	11.4%	7.8%	8.5%	6.1%	10.9%	10.7%	10.2%	5.8%
>=35 and <50	36.3%	37.4%	42.9%	38.0%	34.8%	31.7%	39.7%	33.5%	35.0%	41.3%
>=50 and <65	40.3%	42.1%	37.9%	43.9%	40.9%	47.3%	40.6%	43.6%	39.4%	42.2%
>=65 and <80	13.3%	9.6%	6.4%	8.8%	12.8%	12.5%	7.2%	11.3%	12.4%	9.2%
>=80	2.2%	1.8%	1.4%	1.5%	2.9%	2.3%	1.6%	0.9%	2.9%	1.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	52.26	51.05	48.97	51.06	52.26	53.14	49.70	51.37	52.16	51.70
SD	*12.50*	*11.90*	*11.52*	*11.33*	*13.21*	*11.53*	*11.58*	*12.02*	*13.45*	*10.65*
Gender										
Male, %	88.2%	87.6%	82.9%	89.2%	88.0%	90.0%	85.3%	86.1%	89.8%	92.7%
Female, %	11.8%	12.4%	17.1%	10.8%	12.0%	10.0%	14.7%	13.9%	10.2%	7.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %										
Hispanic white	2.8%	1.1%	1.4%	0.9%	1.6%	0.3%	1.5%	0.9%	0.0%	0.9%
Hispanic black	0.3%	0.2%	0.0%	0.3%	0.3%	0.0%	0.2%	0.0%	0.7%	0.3%
American indian	0.3%	0.8%	0.0%	0.8%	1.0%	1.8%	0.8%	0.3%	0.7%	0.6%
Black	10.4%	4.3%	6.4%	0.3%	2.2%	0.3%	9.3%	1.7%	0.0%	4.3%
Asian	0.2%	0.4%	0.0%	0.2%	0.5%	0.0%	0.8%	0.3%	0.0%	0.3%
White	62.5%	66.4%	45.7%	64.6%	59.1%	84.4%	65.5%	60.4%	75.2%	77.4%
Race unknown	23.5%	26.7%	46.4%	32.9%	35.3%	13.3%	21.8%	36.4%	23.4%	16.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status										
Never married	21.0%	17.1%	13.8%	11.9%	21.2%	14.1%	17.9%	17.2%	16.1%	21.4%
Married	37.7%	37.4%	42.0%	43.8%	36.8%	36.9%	36.4%	38.4%	36.5%	27.5%
Divorced/Separated	37.9%	42.5%	41.3%	41.5%	38.6%	43.8%	42.9%	42.7%	43.8%	48.0%
Widowed	3.4%	3.1%	2.9%	2.9%	3.4%	5.1%	2.8%	1.7%	3.6%	3.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Bipolar Patients	73964	3929	140	656	623	391	1309	346	137	327
Registry Pts. History of VA Utilization										
Years since first use in prior five years, mean	4.2	4.23	4.41	4.33	4.12	4.35	4.17	4.35	4.13	4.18
SD	*1.3*	1.29	1.14	1.24	1.39	1.21	1.32	1.13	1.43	1.29
Yrs with 24-hour institutional use / yrs since 1st use, %	25.1%	26.3%	24.0%	27.4%	24.0%	28.1%	25.5%	20.1%	25.6%	37.6%
SD	*29.2%*	28.9%	26.6%	28.1%	27.3%	30.4%	29.0%	24.4%	28.4%	34.0%
Years with OP use / Years since first use, %	96.7%	97.1%	95.0%	97.8%	97.0%	98.2%	96.5%	97.4%	97.7%	96.8%
SD	*10.5%*	9.8%	12.1%	8.3%	10.0%	7.4%	10.9%	9.5%	8.7%	9.5%
Psychosis Diagnoses in Prior Fiscal Year										
Had Psychosis Diagnosis in FY01, %	65.0%	65.7%	70.0%	64.8%	64.4%	71.6%	64.8%	69.9%	59.1%	62.7%
Among Patients With Psychoses in FY01										
Psychosis Category: Schizophrenia, %	3.8%	2.6%	2.0%	2.4%	3.5%	3.2%	2.7%	1.2%	2.5%	2.4%
Psychosis Category: Bipolar Disorder, %	94.8%	96.5%	98.0%	97.2%	95.0%	96.8%	96.5%	98.8%	93.8%	95.6%
Psychosis Category: Other Psychosis, %	1.4%	0.9%	0.0%	0.5%	1.5%	0.0%	0.8%	0.0%	3.7%	2.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %										
Dementia	1.7%	1.5%	1.4%	0.3%	3.7%	1.8%	0.8%	0.3%	2.2%	2.4%
Post Traumatic Stress Disorder	21.3%	28.4%	19.3%	33.2%	20.5%	30.7%	33.2%	22.0%	19.0%	26.6%
Depression	44.5%	42.4%	26.4%	42.4%	43.0%	46.0%	44.7%	31.8%	27.7%	52.3%
Other Anxiety Disorder	16.3%	14.7%	12.1%	14.9%	17.2%	19.9%	12.8%	11.8%	9.5%	17.1%
Substance Abuse or Dependence	29.8%	33.0%	27.9%	35.1%	29.2%	32.5%	33.1%	24.6%	32.8%	47.1%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Bipolar Patients	73964	3929	140	656	623	391	1309	346	137	327
Medical Comorbidities, %										
No medical comorbidities	15.4%	17.1%	15.0%	13.4%	18.0%	15.6%	21.1%	14.7%	21.2%	10.1%
Anemia	5.6%	5.7%	4.3%	5.0%	10.0%	3.6%	5.0%	5.2%	5.1%	5.2%
Arthritis	42.4%	42.7%	44.3%	46.5%	38.7%	44.8%	40.3%	44.2%	32.8%	51.7%
Cancer	6.2%	5.8%	4.3%	6.3%	8.0%	5.1%	4.5%	6.1%	8.0%	5.5%
Cerebrovascular Disease	3.8%	3.0%	1.4%	2.1%	4.7%	3.3%	3.1%	1.7%	2.9%	2.1%
Chronic Neurologic Disorder	14.8%	14.6%	15.0%	20.0%	13.2%	12.5%	13.8%	13.6%	12.4%	14.4%
Chronic Obstructive Pulmonary Disease	16.0%	15.7%	17.9%	15.5%	13.0%	20.7%	14.1%	18.5%	16.1%	17.7%
Chronic Viral Infection	9.6%	11.2%	8.6%	9.5%	8.8%	13.6%	11.3%	8.4%	6.6%	21.7%
Coronary Artery Disease	16.8%	14.4%	15.0%	23.2%	14.9%	13.6%	10.5%	15.9%	16.8%	9.8%
Diabetes	17.4%	14.4%	15.7%	14.0%	16.9%	14.8%	13.1%	15.6%	14.6%	13.5%
Digestive System Disease	43.2%	42.4%	41.4%	45.9%	37.4%	44.0%	40.9%	44.2%	34.3%	51.4%
Hypertension	38.5%	33.4%	27.9%	34.6%	31.0%	39.1%	33.2%	28.6%	37.2%	35.5%
Injury and Poisoning	19.9%	21.7%	17.9%	22.4%	25.2%	21.7%	20.0%	26.6%	17.5%	18.3%
Liver Disease	3.8%	3.6%	1.4%	5.5%	2.4%	3.1%	4.1%	4.9%	1.5%	1.5%
Other Endocrine	10.0%	11.1%	10.0%	11.1%	13.8%	10.5%	11.0%	11.6%	7.3%	8.9%
Peripheral Vascular Disease	3.0%	1.9%	2.1%	1.8%	2.7%	2.6%	1.5%	2.6%	0.7%	1.5%
GAF scores										
Lowest inpatient GAF score, mean	39.59	29.49	41.00	31.90	23.00	9.83	29.17	29.00	47.22	39.50
SD	*14.06*	*18.81*	*7.07*	*6.02*	*25.69*	*17.31*	*9.30*	*18.81*	*6.42*	*20.47*
Mean outpatient GAF score	53.41	49.35	55.00	45.64	47.45	51.47	48.54	52.09	48.37	53.54
SD	*10.75*	*10.17*	*8.95*	*9.02*	*10.67*	*10.41*	*10.76*	*6.31*	*10.68*	*9.83*
At least 1 IP GAF, among pts with MH bedsections, %	39.1%	47.4%	28.6%	16.5%	8.1%	91.6%	54.8%	9.1%	76.2%	96.2%
At least 1 OP GAF, among pts with MH clinic stops, %	81.5%	72.0%	53.2%	86.5%	6.0%	96.5%	84.7%	95.5%	59.1%	76.8%
Mortality rates										
died in FY02, %	1.5%	1.6%	1.4%	2.1%	1.8%	1.5%	1.3%	1.4%	2.9%	1.5%
Age-and-gender-adjusted Standardized Mortality Ratio	1.07	1.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Bipolar Patients	73964	3929	140	656	623	391	1309	346	137	327
Service Connection (SC)										
Non-SC	55.9%	49.8%	43.6%	48.6%	49.0%	56.3%	44.8%	50.6%	62.8%	62.4%
SC 0 - 29%	10.0%	10.1%	10.7%	11.1%	10.9%	6.6%	9.8%	9.5%	10.2%	11.6%
SC 30 - 69%	13.4%	13.7%	24.3%	16.6%	12.0%	9.5%	14.5%	13.9%	8.8%	10.7%
SC 70 - 99%	8.9%	12.2%	12.1%	12.8%	12.2%	11.0%	14.2%	12.7%	9.5%	5.5%
SC 100%	11.8%	14.2%	9.3%	10.8%	15.9%	16.6%	16.7%	13.3%	8.8%	9.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %										
Complex*	12.2%	12.2%	10.7%	6.4%	12.2%	8.2%	11.6%	5.2%	7.3%	40.7%
Basic vested, Cat A*	80.3%	84.4%	83.6%	90.9%	84.4%	85.7%	85.4%	91.3%	87.6%	57.5%
Basic Non-vested, Cat A*	0.9%	0.3%	0.0%	0.2%	0.2%	0.5%	0.5%	0.3%	0.0%	0.3%
Basic, Cats C and N	6.6%	3.1%	5.7%	2.6%	3.2%	5.6%	2.5%	3.2%	5.1%	1.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded										
Patient eligibility category, %										
Cat A (SC or low income)	93.2%	96.9%	94.3%	97.4%	96.8%	94.4%	97.5%	96.8%	94.9%	98.5%
Cat C (NSC and higher income)	5.9%	3.0%	5.7%	2.6%	2.9%	5.4%	2.4%	2.9%	5.1%	1.5%
Non-Veteran	0.9%	0.1%	0.0%	0.0%	0.3%	0.3%	0.1%	0.3%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %										
BASIC 1. Non-reliant Care	0.1%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%
2. Basic Medical	13.8%	12.2%	15.7%	13.3%	11.1%	8.7%	11.8%	18.2%	15.3%	8.9%
3. Mental Health	36.7%	43.2%	46.4%	44.1%	44.0%	49.6%	43.2%	45.7%	38.7%	30.6%
4. Heart / Lung / GI	5.9%	5.6%	10.7%	5.8%	5.5%	6.4%	4.0%	7.5%	15.3%	2.4%
5. Oncology / Infectious Disease	2.7%	5.3%	2.1%	4.6%	4.8%	5.1%	6.3%	5.2%	5.1%	5.5%
6. Multiple Medical	17.2%	21.5%	14.3%	25.9%	22.5%	21.7%	23.1%	18.2%	18.2%	11.9%
COMPLEX 7. Specialized Care	3.9%	2.2%	0.7%	2.0%	3.7%	1.3%	2.4%	1.4%	0.7%	1.8%
8. Support Care	3.3%	2.0%	0.7%	0.8%	1.6%	1.3%	1.5%	0.3%	2.9%	10.4%
9. Chronic Mental	13.7%	7.0%	8.6%	3.0%	5.3%	5.6%	6.6%	2.3%	1.5%	28.1%
10. Critically Ill	2.6%	1.0%	0.7%	0.6%	1.6%	0.0%	1.1%	1.2%	2.2%	0.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Bipolar Patients	73964	3929	140	656	623	391	1309	346	137	327
Substance Dependence and Abuse										
Any dx of alcohol / drug dependence or abuse, %	29.8%	33.0%	27.9%	35.1%	29.2%	32.5%	33.1%	24.6%	32.8%	47.1%
Homelessness										
Homelessness indicated in FY02, %	13.8%	16.0%	12.9%	7.9%	11.7%	16.6%	17.5%	16.8%	23.4%	31.5%
Residence in Metropolitan Area										
Residing in a Metropolitan Statistical Area, %	79.3%	72.4%	53.6%	67.5%	81.1%	43.7%	89.6%	59.8%	38.0%	67.6%
Distance										
Mile from Closest VA Medical Center, mean	34.15	84.17	1466.48	30.70	27.10	49.16	23.70	27.99	59.22	61.82
SD	*73.16*	*273.71*	*110.70*	*38.96*	*29.68*	*66.94*	*79.66*	*32.50*	*127.41*	*28.53*
Distance from closest VA Medical Center, %										
0 to 15 miles	46.2%	47.0%	0.0%	50.0%	59.2%	23.8%	60.1%	55.8%	28.5%	11.9%
15 to 30 miles	17.2%	13.5%	0.0%	19.5%	6.9%	5.1%	23.0%	9.5%	1.5%	0.9%
30 to 45 miles	10.6%	7.8%	0.0%	8.1%	10.3%	11.8%	5.2%	12.7%	18.2%	2.4%
45 to 60 miles	8.5%	10.3%	0.0%	5.9%	8.7%	26.6%	4.5%	3.8%	14.6%	34.9%
60 plus miles	17.4%	21.4%	100.0%	16.5%	14.9%	32.7%	7.1%	18.2%	37.2%	49.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.09	15.26	31.16	16.18	11.23	13.19	14.30	24.63	15.02	10.84
SD	*13.59*	*29.69*	*98.29*	*19.06*	*13.43*	*17.72*	*30.44*	*27.77*	*19.27*	*10.19*
Distance to closest VA Service Site, %										
0 to 15 miles	76.3%	70.5%	69.3%	58.7%	79.5%	62.9%	77.1%	56.1%	70.1%	75.2%
15 to 30 miles	15.4%	16.5%	14.3%	26.4%	13.0%	28.9%	10.6%	11.0%	8.0%	22.0%
30 to 45 miles	5.7%	6.0%	7.1%	8.1%	2.6%	4.3%	5.7%	13.9%	9.5%	1.8%
45 plus miles	2.7%	7.1%	9.3%	6.9%	5.0%	3.8%	6.7%	19.1%	12.4%	0.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3H: FY03 Bipolar Patients, Utilization, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Bipolar Patients	73964	3929	140	656	623	391	1309	346	137	327
Hospital Based Utilization										
Patients with some Hospital Based Utilization, %	25.4%	25.7%	12.9%	29.3%	25.8%	28.4%	26.2%	20.8%	28.5%	22.3%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)										
Inpatient stays, mean	1.80	1.69	1.39	1.72	1.60	1.88	1.70	1.53	1.51	1.77
SD	*1.41*	*1.21*	*0.85*	*1.24*	*1.14*	*1.34*	*1.29*	*0.79*	*0.91*	*1.17*
Average LOS, mean	9.79	8.62	7.13	5.15	5.92	9.57	12.28	6.73	4.99	9.31
SD	*17.76*	*18.09*	*7.92*	*4.55*	*5.36*	*9.37*	*29.34*	*4.89*	*3.66*	*8.18*
Cumulative DOS, mean	17.09	13.97	10.50	8.98	9.68	17.85	18.80	10.00	7.36	16.27
SD	*27.94*	*22.94*	*12.63*	*10.28*	*11.11*	*18.65*	*34.15*	*8.22*	*6.52*	*18.00*
Cumulative DOS, %										
1 to 7	44.7%	47.4%	61.1%	60.9%	56.5%	34.2%	37.6%	54.2%	64.1%	38.4%
8 to 14	21.9%	26.5%	16.7%	24.0%	24.2%	26.1%	30.9%	19.4%	28.2%	26.0%
15 to 44	25.9%	21.4%	22.2%	13.0%	16.8%	32.4%	23.9%	25.0%	7.7%	28.8%
45 to 89	5.3%	3.4%	0.0%	2.1%	2.5%	5.4%	4.4%	1.4%	0.0%	5.5%
90 to 179	1.5%	0.9%	0.0%	0.0%	0.0%	1.8%	1.7%	0.0%	0.0%	1.4%
180 to 359	0.5%	0.4%	0.0%	0.0%	0.0%	0.0%	1.2%	0.0%	0.0%	0.0%
360+	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	1.0%	0.7%	0.0%	0.0%	0.0%	0.0%	2.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	203.75	212.86	0.00	0.00	0.00	0.00	212.86	0.00	0.00	0.00
SD	*79.71*	*68.48*	*0.00*	*0.00*	*0.00*	*0.00*	*68.48*	*0.00*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.6%	0.7%	0.0%	0.0%	0.0%	0.0%	2.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	251.69	212.86	0.00	0.00	0.00	0.00	212.86	0.00	0.00	0.00
SD	*73.28*	*68.48*	*0.00*	*0.00*	*0.00*	*0.00*	*68.48*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.67	0.88	1.28	0.25	0.17	0.65	0.61	0.32	0.21	6.55
SD	*4.53*	*4.97*	*3.14*	*1.38*	*1.12*	*3.34*	*4.28*	*1.55*	*1.28*	*13.86*
Cumulative DOS at Other Stations	1.97	1.93	2.17	0.82	0.68	1.39	0.67	0.90	2.49	15.01
SD	*7.12*	*6.70*	*4.66*	*3.92*	*2.53*	*3.94*	*4.38*	*2.66*	*4.30*	*15.70*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Bipolar Patients	73964	3929	140	656	623	391	1309	346	137	327
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)										
Pts. with non-psych hospital stays, %	11.7%	11.4%	8.6%	15.2%	13.8%	11.3%	8.9%	10.1%	16.8%	9.2%
Inpatient stays, mean	0.72	0.68	0.94	0.85	0.88	0.62	0.50	0.75	0.85	0.56
SD	*1.10*	*1.03*	*1.00*	*1.19*	*1.20*	*0.99*	*0.90*	*0.90*	*1.01*	*0.75*
Average LOS, mean	6.20	5.00	6.52	3.93	3.53	8.28	6.07	3.88	4.03	5.30
SD	*10.70*	*7.46*	*9.12*	*3.16*	*2.96*	*13.20*	*9.79*	*2.85*	*3.11*	*8.48*
Cumulative Days of Stay, mean	4.64	3.56	6.28	3.70	3.36	5.29	3.07	2.89	3.62	3.22
SD	*13.49*	*8.89*	*11.06*	*8.14*	*5.87*	*14.11*	*8.62*	*4.22*	*6.07*	*11.12*
Cumulative Days of Stay, %										
0	54.1%	55.8%	33.3%	47.9%	46.6%	60.4%	66.2%	51.4%	41.0%	58.9%
1 to 7	30.1%	31.4%	44.4%	41.1%	37.3%	21.6%	22.7%	37.5%	43.6%	32.9%
8 to 14	7.4%	7.4%	11.1%	5.7%	9.9%	9.9%	6.1%	6.9%	12.8%	5.5%
15 to 44	7.0%	4.5%	11.1%	4.2%	6.2%	5.4%	4.1%	4.2%	2.6%	1.4%
45 to 89	1.1%	0.6%	0.0%	1.0%	0.0%	1.8%	0.6%	0.0%	0.0%	0.0%
90 to 179	0.3%	0.3%	0.0%	0.0%	0.0%	0.9%	0.3%	0.0%	0.0%	1.4%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	187.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*73.96*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.15*	*0.09*	*0.06*	*0.07*	*0.06*	*0.00*	*0.05*	*0.22*	*0.00*	*0.44*
SD	*2.03*	*0.79*	*0.24*	*0.52*	*0.50*	*0.00*	*0.61*	*1.46*	*0.00*	*1.83*
Other station cumulative DOS, mean	0.50	0.41	0.06	0.39	0.12	0.41	0.08	0.63	1.38	1.96
SD	*3.25*	*1.79*	*0.24*	*2.05*	*0.82*	*1.57*	*0.69*	*2.18*	*3.17*	*3.55*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Bipolar Patients	73964	3929	140	656	623	391	1309	346	137	327
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)										
Pts. with psych hospital stays, %	16.8%	17.0%	5.0%	17.5%	13.8%	21.2%	19.9%	12.7%	15.3%	15.9%
Inpatient stays, mean	1.08	1.00	0.44	0.87	0.71	1.26	1.20	0.78	0.67	1.21
SD	*1.27*	*1.13*	*0.62*	*1.06*	*0.82*	*1.24*	*1.26*	*0.83*	*0.81*	*1.29*
Average LOS, mean	12.15	10.75	8.14	6.09	8.37	10.07	14.37	9.53	6.10	11.21
SD	*21.36*	*21.33*	*6.87*	*5.14*	*6.39*	*6.32*	*32.92*	*6.33*	*5.38*	*7.37*
Cumulative Days of Stay, mean	12.44	10.41	4.22	5.28	6.32	12.56	15.73	7.11	3.74	13.05
SD	*25.57*	*22.29*	*9.42*	*8.34*	*10.62*	*13.91*	*34.16*	*8.60*	*5.31*	*16.53*
Cumulative Days of Stay, %										
0	34.1%	33.7%	61.1%	40.1%	46.6%	25.2%	23.9%	38.9%	46.2%	28.8%
1 to 7	24.8%	26.0%	22.2%	33.9%	23.6%	21.6%	25.1%	25.0%	35.9%	17.8%
8 to 14	16.7%	20.7%	5.6%	18.8%	17.4%	20.7%	25.7%	15.3%	12.8%	23.3%
15 to 44	19.0%	16.2%	11.1%	6.3%	10.6%	28.8%	19.0%	20.8%	5.1%	24.7%
45 to 89	3.7%	2.5%	0.0%	1.0%	1.9%	3.6%	3.5%	0.0%	0.0%	5.5%
90 to 179	1.2%	0.5%	0.0%	0.0%	0.0%	0.0%	1.5%	0.0%	0.0%	0.0%
180 to 359	0.4%	0.4%	0.0%	0.0%	0.0%	0.0%	1.2%	0.0%	0.0%	0.0%
360+	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.8%	0.7%	0.0%	0.0%	0.0%	0.0%	2.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	201.69	212.86	0.00	0.00	0.00	0.00	212.86	0.00	0.00	0.00
SD	*78.85*	*68.48*	*0.00*	*0.00*	*0.00*	*0.00*	*68.48*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.5%	0.7%	0.0%	0.0%	0.0%	0.0%	2.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	248.87	212.86	0.00	0.00	0.00	0.00	212.86	0.00	0.00	0.00
SD	*70.96*	*68.48*	*0.00*	*0.00*	*0.00*	*0.00*	*68.48*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.52	0.79	1.22	0.18	0.11	0.65	0.56	0.10	0.21	6.11
SD	4.00	4.86	2.98	1.28	1.01	3.34	4.08	0.59	1.28	13.89
Other station cumulative DOS, mean	1.48	1.53	2.11	0.44	0.57	0.97	0.59	0.28	1.10	13.05
SD	6.29	6.42	4.56	3.39	2.31	3.73	4.11	1.63	3.40	16.53

Table 3H: FY03 Bipolar Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Bipolar Patients	73964	3929	140	656	623	391	1309	346	137	327
Other 24 hour institutional care										
Patients with some other 24 hour institutional care, %	8.1%	9.5%	7.1%	9.3%	3.7%	6.1%	7.3%	2.0%	17.5%	39.8%
Residential Rehabilitation										
Patients with some residential rehab. care, %	2.6%	2.7%	0.7%	6.7%	0.2%	4.1%	1.2%	0.6%	11.7%	3.7%
Number stays, mean	*1.12*	*1.05*	*1.00*	*1.02*	*1.00*	*1.00*	*1.06*	*1.00*	*1.13*	*1.08*
SD	*0.38*	*0.21*	*0.00*	*0.15*	*0.00*	*0.00*	*0.25*	*0.00*	*0.34*	*0.29*
Average LOS, mean	33.17	23.00	26.00	18.16	13.00	25.63	26.88	32.00	25.06	28.46
SD	*32.92*	*11.06*	*0.00*	*5.42*	*0.00*	*8.43*	*14.95*	*16.97*	*15.42*	*11.56*
Cumulative DOS, mean	36.42	23.84	26.00	18.48	13.00	25.63	29.56	32.00	26.31	29.58
SD	*35.54*	*12.42*	*0.00*	*5.58*	*0.00*	*8.43*	*20.77*	*16.97*	*15.33*	*10.59*
Cumulative Days of Stay, %										
1 to 7	10.4%	7.4%	0.0%	6.8%	0.0%	6.3%	12.5%	0.0%	12.5%	0.0%
8 to 14	11.3%	12.0%	0.0%	13.6%	100.0%	6.3%	12.5%	0.0%	6.3%	16.7%
15 to 44	53.1%	75.9%	100.0%	79.5%	0.0%	87.5%	56.3%	100.0%	75.0%	75.0%
45 to 89	18.3%	4.6%	0.0%	0.0%	0.0%	0.0%	18.8%	0.0%	6.3%	8.3%
90 to 179	5.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	167.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*69.53*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	224.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*70.59*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.28	1.81	0.00	0.00	0.00	0.00	5.38	0.00	0.00	9.17
SD	*6.79*	*8.93*	*0.00*	*0.00*	*0.00*	*0.00*	*16.31*	*0.00*	*0.00*	*17.66*
Other station cumulative DOS, mean	3.71	5.50	26.00	0.00	13.00	0.00	8.50	32.00	0.00	29.58
SD	*10.96*	*12.73*	*0.00*	*0.00*	*0.00*	*0.00*	*17.37*	*16.97*	*0.00*	*10.59*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Bipolar Patients	73964	3929	140	656	623	391	1309	346	137	327
Domiciliary and Vocational										
Patients with some dom/voc care, %	4.2%	5.3%	5.7%	0.0%	0.6%	0.8%	4.7%	0.0%	0.0%	39.8%
Number stays, mean	1.14	1.10	1.00	0.00	1.25	1.00	1.08	0.00	0.00	1.11
SD	*0.38*	*0.33*	*0.00*	*0.00*	*0.50*	*0.00*	*0.33*	*0.00*	*0.00*	*0.34*
Average LOS, mean	80.47	117.55	96.13	0.00	39.63	28.67	30.16	0.00	0.00	165.00
SD	*77.50*	*112.87*	*60.32*	*0.00*	*12.63*	*28.29*	*23.14*	*0.00*	*0.00*	*116.35*
Cumulative DOS, mean	88.84	123.85	96.13	0.00	52.00	28.67	33.40	0.00	0.00	173.09
SD	*82.55*	*112.99*	*60.32*	*0.00*	*33.14*	*28.29*	*28.77*	*0.00*	*0.00*	*113.88*
Cumulative Days of Stay, %										
1 to 7	6.1%	4.3%	0.0%	0.0%	0.0%	33.3%	11.3%	0.0%	0.0%	0.8%
8 to 14	5.6%	3.4%	0.0%	0.0%	0.0%	0.0%	9.7%	0.0%	0.0%	0.8%
15 to 44	28.2%	27.1%	25.0%	0.0%	50.0%	33.3%	61.3%	0.0%	0.0%	10.0%
45 to 89	21.0%	16.9%	25.0%	0.0%	25.0%	33.3%	11.3%	0.0%	0.0%	18.5%
90 to 179	26.2%	20.8%	37.5%	0.0%	25.0%	0.0%	6.5%	0.0%	0.0%	26.9%
180 to 359	10.5%	17.9%	12.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	27.7%
360+	2.4%	9.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	15.4%
Total	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	0.0%	0.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.1%	43.5%	37.5%	0.0%	0.0%	0.0%	4.8%	0.0%	0.0%	64.6%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	184.30	228.49	161.67	0.00	0.00	0.00	130.00	0.00	0.00	234.39
SD	*76.03*	*94.38*	*38.66*	*0.00*	*0.00*	*0.00*	*11.27*	*0.00*	*0.00*	*94.69*
Dom. patients with 150+ day Dom. stay, %	16.5%	29.0%	12.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	45.4%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	236.94	279.15	206.00	0.00	0.00	0.00	0.00	0.00	0.00	280.39
SD	*71.03*	*73.21*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*73.20*
Other VISN cumulative DOS, mean	1.76	0.74	0.00	0.00	3.00	0.00	0.81	0.00	0.00	0.71
SD	*9.43*	*5.19*	*0.00*	*0.00*	*6.00*	*0.00*	*4.51*	*0.00*	*0.00*	*5.68*
Other station cumulative DOS, mean	4.27	2.99	0.00	0.00	52.00	28.67	3.00	0.00	0.00	1.07
SD	*15.65*	*12.50*	*0.00*	*0.00*	*33.14*	*28.29*	*12.80*	*0.00*	*0.00*	*6.34*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Bipolar Patients	73964	3929	140	656	623	391	1309	346	137	327
Nursing Home Care										
Patients with some nursing home care, %	99.6%	99.8%	99.3%	99.8%	99.8%	100.0%	99.8%	99.7%	100.0%	100.0%
Number stays, mean	1.22	1.22	1.50	1.06	1.33	1.00	1.10	1.60	1.44	1.00
SD	*0.55*	*0.44*	*0.71*	*0.24*	*0.59*	*0.00*	*0.30*	*0.55*	*0.53*	*0.00*
Average LOS, mean	86.89	53.46	82.25	17.97	30.67	73.80	103.88	22.60	54.28	31.00
SD	*110.58*	*80.49*	*85.21*	*13.01*	*28.76*	*108.23*	*121.65*	*14.61*	*73.32*	*0.00*
Cumulative DOS, mean	98.25	62.30	153.50	19.67	43.00	73.80	108.10	41.80	67.56	31.00
SD	*116.77*	*85.75*	*185.97*	*16.31*	*47.02*	*108.23*	*121.41*	*33.39*	*76.35*	*0.00*
Cumulative Days of Stay, %										
1 to 7	10.5%	8.9%	0.0%	22.2%	5.6%	0.0%	4.8%	0.0%	11.1%	0.0%
8 to 14	10.7%	19.0%	0.0%	22.2%	16.7%	20.0%	19.0%	40.0%	11.1%	0.0%
15 to 44	30.2%	43.0%	50.0%	50.0%	55.6%	60.0%	28.6%	20.0%	33.3%	100.0%
45 to 89	16.4%	7.6%	0.0%	5.6%	5.6%	0.0%	4.8%	40.0%	11.1%	0.0%
90 to 179	12.3%	11.4%	0.0%	0.0%	11.1%	0.0%	23.8%	0.0%	22.2%	0.0%
180 to 359	10.2%	6.3%	50.0%	0.0%	5.6%	20.0%	4.8%	0.0%	11.1%	0.0%
360+	9.8%	3.8%	0.0%	0.0%	0.0%	0.0%	14.3%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	27.9%	16.5%	50.0%	0.0%	11.1%	20.0%	33.3%	0.0%	22.2%	0.0%
Cumul. DOS, patients with a 100+ day NH stay, mean	261.88	226.85	285.00	0.00	150.00	267.00	250.71	0.00	171.00	0.00
SD	*97.21*	*93.06*	*0.00*	*0.00*	*52.33*	*0.00*	*107.66*	*0.00*	*67.88*	*0.00*
NH patients with 150+ day NH stay, %	22.1%	11.4%	50.0%	0.0%	5.6%	20.0%	23.8%	0.0%	11.1%	0.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	296.07	268.89	285.00	0.00	187.00	267.00	292.40	0.00	219.00	0.00
SD	*76.98*	*80.09*	*0.00*	*0.00*	*0.00*	*0.00*	*98.87*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.47	1.71	67.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*5.60*	*15.19*	*95.46*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.51	2.54	67.50	0.00	0.00	0.00	1.67	0.00	0.00	31.00
SD	*9.89*	*15.97*	*95.46*	*0.00*	*0.00*	*0.00*	*7.64*	*0.00*	*0.00*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Bipolar Patients	73964	3929	140	656	623	391	1309	346	137	327
Outpatient utilization										
(reported for those with some outpatient care)										
Patients with some outpatient care, %	99.6%	99.8%	99.3%	99.8%	99.8%	100.0%	99.8%	99.7%	100.0%	100.0%
annual visit days, mean	24.20	23.75	18.24	19.31	25.61	19.57	26.93	22.24	13.88	29.41
SD	*30.37*	*25.06*	*18.17*	*17.04*	*26.56*	*20.31*	*28.83*	*17.74*	*14.79*	*32.38*
Outpatient visit days, %										
1-12	43.1%	39.3%	41.7%	43.8%	36.2%	44.8%	38.1%	35.4%	61.3%	28.4%
13-24	26.8%	27.7%	33.1%	29.9%	28.5%	30.4%	24.1%	30.1%	23.4%	30.3%
25-36	12.4%	14.7%	19.4%	13.3%	14.6%	12.5%	14.5%	18.0%	7.3%	18.3%
37-48	6.4%	7.5%	2.9%	7.0%	8.5%	6.4%	8.2%	9.0%	2.9%	8.0%
49+	11.4%	10.7%	2.9%	6.0%	12.2%	5.9%	15.1%	7.5%	5.1%	15.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	80.8%	77.4%	89.2%	86.7%	76.4%	86.7%	66.1%	85.8%	78.1%	80.4%
Mean PC visit days, among those with some PC	3.83	4.00	4.03	4.01	2.87	4.14	4.12	5.42	3.70	3.95
SD	3.42	4.10	3.08	5.02	2.94	3.69	4.08	4.72	4.41	3.16
Average number clinic stops per visit day, mean	1.50	1.44	1.29	1.54	1.36	1.36	1.47	1.49	1.40	1.35
SD	*0.46*	*0.40*	*0.26*	*0.50*	*0.32*	*0.45*	*0.40*	*0.30*	*0.44*	*0.24*
annual clinic stops (psych & non-psych), mean	37.58	34.28	23.68	28.39	35.56	26.19	40.64	33.07	19.55	39.87
SD	*53.68*	*38.40*	*24.83*	*24.56*	*39.28*	*28.21*	*47.34*	*26.80*	*22.60*	*44.14*
annual non-psych. clinic stops, mean	19.81	18.89	15.35	16.36	19.99	15.78	19.62	21.28	11.19	24.85
SD	*22.87*	*21.89*	*14.00*	*15.62*	*27.16*	*16.11*	*22.24*	*19.01*	*11.68*	*30.97*
annual psych. clinic stops (groupings below), mean	17.77	15.39	8.34	12.02	15.57	10.41	21.02	11.79	8.36	15.02
SD	*40.95*	*25.86*	*16.15*	*15.88*	*25.26*	*19.83*	*33.29*	*16.73*	*17.48*	*25.49*
1. general psych. clinic stops, mean	7.61	7.23	5.55	6.81	9.59	7.53	6.62	6.10	5.01	8.50
SD	*12.69*	*9.82*	*6.20*	*10.60*	*11.56*	*9.80*	*9.71*	*6.38*	*10.88*	*7.70*
2. psych. case management clinic stops, mean	0.65	0.36	0.01	0.34	0.99	0.01	0.22	0.78	0.00	0.00
SD	*8.45*	*4.03*	*0.08*	*3.00*	*7.75*	*0.09*	*3.15*	*4.57*	*0.00*	*0.00*
3. psych. day treatment clinic stops, mean	1.57	0.80	0.00	0.03	0.81	0.00	1.14	0.00	0.02	3.44
SD	*15.80*	*8.51*	*0.00*	*0.63*	*8.10*	*0.00*	*8.46*	*0.05*	*0.26*	*21.17*
4. substance abuse clinic stops, mean	4.64	4.99	0.27	3.56	1.98	1.22	10.14	3.90	1.81	2.03
SD	*21.97*	*18.91*	*1.56*	*9.75*	*12.38*	*6.24*	*28.93*	*13.12*	*6.06*	*7.41*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Bipolar Patients	73964	3929	140	656	623	391	1309	346	137	327
5. psych. vocational clinic stops, mean	1.91	0.45	2.00	0.00	1.06	0.53	0.41	0.00	0.32	0.12
SD	*15.13*	*5.13*	*14.97*	*0.00*	*8.50*	*5.21*	*3.43*	*0.00*	*1.62*	*0.87*
6. PTSD clinic stops, mean	0.80	1.06	0.12	1.04	0.53	0.84	1.97	0.63	0.10	0.03
SD	*5.71*	*5.11*	*0.86*	*4.51*	*3.01*	*4.19*	*7.38*	*3.06*	*0.63*	*0.50*
7. psych. homeless clinic stops, mean	0.54	0.49	0.33	0.25	0.59	0.28	0.55	0.45	1.09	0.70
SD	*3.97*	*2.42*	*1.16*	*1.39*	*2.79*	*1.67*	*2.82*	*1.64*	*4.06*	*2.36*
Other VISN OP visit days, mean	0.48	0.59	0.47	0.29	0.47	0.59	0.47	0.41	0.34	2.20
SD	2.80	2.95	1.95	1.45	2.20	2.48	2.81	2.14	2.13	6.38
Other station OP visit days, mean	1.14	1.19	0.65	0.58	0.76	1.75	0.70	0.70	1.25	5.21
SD	4.45	4.25	2.09	2.31	2.94	3.75	3.37	2.48	3.00	9.86

Table 4H: FY03 Bipolar Patients, Pharmacy Utilization, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Bipolar Patients	73964	3929	140	656	623	391	1309	346	137	327
Among all patients in the registry										
Pts. with any outpatient prescriptions, %	96.9%	97.1%	95.0%	97.7%	96.3%	96.7%	96.9%	97.4%	96.4%	99.1%
Patients with any oral antipsychotic fills, %*	46.0%	43.0%	40.7%	27.0%	41.3%	47.3%	46.4%	45.7%	48.2%	56.0%
Among pts. receiving any antipsychotic medication:										
Received only conventional antipsychotics, %	7.6%	7.9%	8.8%	15.3%	8.6%	4.3%	8.6%	7.6%	7.6%	1.6%
Received some atypical antipsychotics, %	92.4%	92.1%	91.2%	84.7%	91.4%	95.7%	91.4%	92.4%	92.4%	98.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %										
Aripiprazole	0.9%	1.2%	0.0%	0.6%	2.3%	1.1%	1.6%	0.6%	0.0%	0.5%
Clozapine	0.2%	0.1%	0.0%	0.6%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%
Olanzapine	40.7%	41.3%	64.9%	28.2%	42.4%	31.4%	41.0%	35.4%	62.1%	53.6%
Quetiapine	34.1%	34.3%	12.3%	42.4%	36.6%	44.9%	26.4%	44.3%	19.7%	42.1%
Risperidone	31.0%	29.1%	24.6%	28.2%	17.9%	33.5%	33.3%	32.3%	22.7%	28.4%
Ziprasidone	4.7%	6.0%	14.0%	2.8%	8.6%	3.2%	7.1%	5.7%	0.0%	4.9%
Patients receiving only one kind** of antipsychotic, %	77.4%	77.0%	75.4%	78.0%	81.7%	76.8%	78.4%	73.4%	78.8%	67.8%
Concurrent use of 2 or more antipsychotics, % ***	5.5%	5.6%	7.0%	5.1%	4.3%	5.9%	5.9%	4.4%	7.6%	6.0%
Among pts receiving just one antipsychotic:										
Antipsychotic fills, mean	6.09	5.22	3.72	5.04	5.83	6.20	4.44	5.78	6.19	5.83
SD	*4.43*	*4.21*	*2.34*	*3.91*	*4.40*	*4.53*	*4.16*	*4.34*	*4.04*	*3.90*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5H: FY03 Bipolar Patients, Cost, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Bipolar Patients	73964	3929	140	656	623	391	1309	346	137	327
Total Costs (in thousands $$)	$907,650	$46,731	$2,248	$6,627	$7,470	$4,083	$15,768	$3,210	$1,598	$5,727
Station % of VISN		100.0%	4.8%	14.2%	16.0%	8.7%	33.7%	6.9%	3.4%	12.3%
Psych vs. Non-Psych Costs										
Psych	33.4%	30.4%	12.4%	23.5%	28.9%	37.3%	37.2%	29.6%	21.8%	26.7%
Non-Psych	66.6%	69.6%	87.6%	76.5%	71.1%	62.7%	62.8%	70.4%	78.2%	73.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use										
Per Patient	$15,075	$11,912	$1,677	$8,262	$13,008	$12,130	$13,511	$11,628	$13,019	$13,462
Per Day of Stay	$882	$853	$160	$920	$1,344	$680	$719	$1,163	$1,769	$827
Mean Outpatient Costs, Pts with some Outpatient use										
Per Patient	$6,520	$6,560	$8,872	$5,911	$7,272	$5,466	$6,911	$5,909	$4,971	$6,784
Per Visit Day	$269	$276	$486	$306	$284	$279	$257	$266	$358	$231
By Cost Center										
1 Med	$1,060	$964	$0	$1,444	$1,205	$639	$958	$785	$1,567	$298
2 Surg	$459	$371	$1	$329	$761	$271	$312	$298	$710	$157
3 Psych	$2,315	$1,725	$215	$646	$1,396	$2,533	$2,270	$1,336	$1,429	$2,551
4 Psych Res Rehab Treatment Program	$298	$458	$102	$1,359	$5	$305	$324	$157	$1,213	$389
5 Non-VA	$176	$362	$4,111	$122	$279	$481	$161	$299	$196	$198
6 LTC Domiciliary	$455	$790	$2,147	$0	$38	$22	$348	$0	$0	$7,081
7 LTC Intermediate Care	$96	$54	$0	$4	$0	$408	$0	$121	$0	$26
8 LTC Nursing Home	$778	$367	$297	$280	$405	$45	$558	$161	$1,103	$31
9 Contract Nursing Home	$142	$255	$374	$17	$640	$273	$220	$229	$477	$0
10 OPC Med/Surg	$1,111	$1,169	$912	$1,238	$1,493	$1,033	$1,243	$725	$582	$1,106
11 OPC Psych	$1,781	$1,893	$1,775	$1,727	$2,069	$1,367	$2,213	$1,407	$1,118	$2,130
12 OPC Home Based Treatment	$532	$511	$910	$691	$568	$423	$385	$512	$350	$547
13 OPC Support	$1,309	$1,144	$1,253	$1,013	$1,361	$877	$1,182	$994	$865	$1,394
14 OPC Fee	$115	$250	$1,798	$179	$195	$207	$179	$180	$368	$199
15 OPC Pharmacy	$1,645	$1,580	$2,161	$1,054	$1,575	$1,559	$1,693	$2,073	$1,687	$1,408
TOTAL	$12,272	$11,894	$16,055	$10,103	$11,990	$10,443	$12,046	$9,279	$11,665	$17,513
Mean % Patient Costs at Other Stations	4.8%	5.4%	3.7%	3.6%	4.1%	8.5%	2.5%	4.1%	9.1%	20.1%
SD	*13.9%*	*14.9%*	*11.6%*	*11.7%*	*13.1%*	*16.6%*	*10.0%*	*13.3%*	*18.3%*	*25.7%*
Mean % Patient Costs at Other VISNs	2.0%	2.4%	2.7%	2.0%	2.2%	2.7%	1.7%	2.3%	1.4%	6.1%
SD	*9.0%*	*10.0%*	*10.5%*	*9.0%*	*9.4%*	*9.8%*	*8.3%*	*10.6%*	*6.5%*	*16.6%*

Table 2I: FY03 Other Psychosis Patients, Demographics, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Other Psychosis Patients	49401	2193	128	203	546	248	664	192	53	159
Age, %										
<35	2.2%	3.3%	2.3%	0.5%	2.6%	2.4%	6.3%	1.6%	1.9%	1.3%
>=35 and <50	12.5%	18.9%	21.1%	7.9%	18.3%	13.7%	25.3%	11.5%	18.9%	23.9%
>=50 and <65	22.1%	27.8%	33.6%	19.2%	32.1%	23.0%	30.9%	22.9%	22.6%	22.0%
>=65 and <80	36.7%	29.3%	27.3%	39.4%	27.5%	33.9%	23.8%	36.5%	35.8%	29.6%
>=80	26.5%	20.7%	15.6%	33.0%	19.6%	27.0%	13.7%	27.6%	20.8%	23.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	68.22	64.01	61.58	71.05	63.81	67.86	59.36	68.43	66.44	64.97
SD	*15.13*	*16.01*	*15.62*	*13.93*	*15.59*	*15.23*	*16.31*	*14.32*	*15.83*	*15.90*
Gender										
Male, %	96.0%	94.8%	93.0%	96.6%	96.5%	94.8%	92.6%	95.8%	96.2%	95.6%
Female, %	4.0%	5.2%	7.0%	3.4%	3.5%	5.2%	7.4%	4.2%	3.8%	4.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %										
Hispanic white	3.9%	1.0%	2.3%	0.0%	0.7%	0.8%	0.8%	0.5%	1.9%	3.8%
Hispanic black	0.3%	0.2%	0.8%	0.0%	0.2%	0.0%	0.3%	0.0%	0.0%	0.6%
American indian	0.2%	0.7%	0.0%	0.5%	0.5%	0.4%	0.9%	1.0%	1.9%	1.3%
Black	15.5%	7.0%	3.9%	0.5%	2.6%	0.8%	18.4%	0.5%	0.0%	5.7%
Asian	0.4%	0.8%	0.0%	0.0%	0.9%	0.0%	1.7%	0.5%	0.0%	0.0%
White	48.2%	58.5%	40.6%	55.7%	60.4%	69.8%	54.7%	58.9%	66.0%	65.4%
Race unknown	31.5%	31.7%	52.3%	43.3%	34.6%	28.2%	23.3%	38.5%	30.2%	23.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status										
Never married	13.4%	14.4%	12.6%	7.4%	18.3%	9.3%	16.6%	8.9%	9.4%	19.0%
Married	52.0%	44.1%	46.5%	54.7%	42.6%	51.6%	38.4%	55.2%	49.1%	31.0%
Divorced/Separated	22.5%	31.9%	35.4%	27.6%	28.7%	28.6%	36.7%	24.0%	30.2%	41.1%
Widowed	12.0%	9.5%	5.5%	10.3%	10.4%	10.5%	8.3%	12.0%	11.3%	8.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Other Psychosis Patients	49401	2193	128	203	546	248	664	192	53	159
Registry Pts. History of VA Utilization										
Years since first use in prior five years, mean	4.0	4.11	4.16	4.14	4.06	4.13	4.08	4.34	4.25	4.01
SD	*1.4*	1.37	1.27	1.43	1.35	1.40	1.42	1.22	1.33	1.42
Yrs with 24-hour institutional use / yrs since 1st use, %	24.1%	26.0%	21.3%	26.0%	27.6%	22.4%	27.8%	22.7%	27.0%	26.1%
SD	*27.8%*	28.0%	23.3%	25.5%	28.0%	26.7%	29.0%	25.5%	31.4%	33.1%
Years with OP use / Years since first use, %	96.9%	96.2%	93.5%	98.2%	96.2%	96.7%	95.7%	97.1%	98.5%	95.3%
SD	*10.4%*	11.2%	14.3%	9.1%	11.4%	9.3%	11.7%	9.9%	7.9%	13.0%
Psychosis Diagnoses in Prior Fiscal Year										
Had Psychosis Diagnosis in FY01, %	33.8%	32.7%	32.8%	25.1%	32.8%	26.6%	35.8%	32.3%	30.2%	39.6%
Among Patients With Psychoses in FY01										
Psychosis Category: Schizophrenia, %	9.4%	8.8%	2.4%	9.8%	14.5%	3.0%	10.1%	1.6%	12.5%	3.2%
Psychosis Category: Bipolar Disorder, %	3.8%	6.3%	11.9%	3.9%	8.4%	4.5%	5.5%	3.2%	6.3%	6.3%
Psychosis Category: Other Psychosis, %	86.9%	84.9%	85.7%	86.3%	77.1%	92.4%	84.5%	95.2%	81.3%	90.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %										
Dementia	20.6%	13.0%	9.4%	12.8%	16.5%	13.7%	12.7%	8.9%	13.2%	8.8%
Post Traumatic Stress Disorder	13.4%	22.8%	18.0%	16.3%	22.5%	17.3%	31.9%	13.0%	13.2%	20.8%
Depression	37.7%	43.5%	35.9%	40.9%	41.4%	43.5%	51.4%	30.2%	34.0%	46.5%
Other Anxiety Disorder	12.0%	14.5%	11.7%	12.3%	16.3%	16.5%	14.3%	13.5%	13.2%	11.9%
Substance Abuse or Dependence	15.7%	22.3%	22.7%	14.3%	21.4%	18.1%	27.1%	12.5%	15.1%	35.2%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Other Psychosis Patients	49401	2193	128	203	546	248	664	192	53	159
Medical Comorbidities, %										
No medical comorbidities	8.3%	10.3%	13.3%	4.4%	11.5%	6.0%	13.7%	6.8%	11.3%	7.5%
Anemia	14.2%	12.0%	7.8%	16.3%	16.7%	10.5%	9.0%	16.1%	11.3%	4.4%
Arthritis	39.1%	40.3%	35.2%	43.3%	41.6%	35.1%	41.9%	36.5%	30.2%	45.9%
Cancer	14.0%	11.3%	10.9%	15.3%	14.1%	12.5%	7.8%	12.0%	7.5%	9.4%
Cerebrovascular Disease	16.4%	12.9%	8.6%	16.3%	14.7%	15.7%	9.2%	19.8%	5.7%	11.3%
Chronic Neurologic Disorder	20.8%	19.8%	18.0%	18.2%	20.1%	20.2%	19.9%	27.1%	15.1%	13.8%
Chronic Obstructive Pulmonary Disease	17.9%	17.6%	14.1%	21.2%	13.9%	20.6%	16.1%	24.5%	22.6%	20.1%
Chronic Viral Infection	5.9%	8.2%	10.9%	4.9%	7.7%	6.0%	9.0%	4.7%	7.5%	15.7%
Coronary Artery Disease	33.0%	28.6%	25.8%	49.3%	28.4%	32.3%	20.0%	40.6%	24.5%	22.0%
Diabetes	23.4%	20.9%	17.2%	19.7%	22.0%	21.0%	21.4%	26.0%	18.9%	13.8%
Digestive System Disease	42.9%	45.2%	39.8%	52.2%	45.1%	44.4%	44.4%	52.1%	39.6%	39.0%
Hypertension	54.9%	47.4%	35.9%	58.1%	46.3%	53.6%	45.6%	51.0%	49.1%	39.0%
Injury and Poisoning	19.4%	24.8%	19.5%	30.5%	30.2%	25.4%	20.6%	31.3%	9.4%	17.0%
Liver Disease	3.8%	4.1%	1.6%	1.0%	4.4%	5.2%	4.7%	5.7%	5.7%	3.1%
Other Endocrine	9.5%	11.4%	7.8%	15.8%	10.8%	10.1%	10.4%	16.1%	7.5%	11.9%
Peripheral Vascular Disease	7.8%	7.0%	7.8%	10.8%	5.1%	6.9%	6.8%	7.3%	9.4%	8.2%
GAF scores										
Lowest inpatient GAF score, mean	37.71	27.75	35.00	26.67	14.17	10.15	26.40	45.00	46.67	37.88
SD	*14.78*	*16.77*	*7.07*	*7.64*	*20.40*	*17.66*	*10.01*	*0.00*	*8.29*	*18.39*
Mean outpatient GAF score	48.43	43.50	49.27	41.98	45.70	44.40	42.09	45.61	45.88	46.01
SD	*11.56*	*10.29*	*8.53*	*8.64*	*9.91*	*9.85*	*10.65*	*7.61*	*13.32*	*11.43*
At least 1 IP GAF, among pts with MH bedsections, %	36.3%	48.1%	10.0%	13.3%	7.6%	88.5%	63.6%	0.0%	100.0%	88.9%
At least 1 OP GAF, among pts with MH clinic stops, %	74.8%	56.8%	43.8%	86.9%	6.8%	86.6%	72.6%	78.1%	53.8%	67.3%
Mortality rates										
died in FY02, %	6.2%	5.8%	7.0%	10.8%	7.1%	6.5%	3.3%	10.4%	0.0%	0.0%
Age-and-gender-adjusted Standardized Mortality Ratio	1.21	1.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Other Psychosis Patients	49401	2193	128	203	546	248	664	192	53	159
Service Connection (SC)										
Non-SC	63.3%	54.8%	53.1%	54.7%	56.8%	58.5%	46.8%	57.3%	64.2%	70.4%
SC 0 - 29%	10.4%	10.2%	12.5%	11.3%	11.2%	10.1%	9.9%	6.3%	13.2%	8.8%
SC 30 - 69%	10.8%	11.9%	10.9%	14.3%	10.1%	9.7%	14.0%	15.6%	7.5%	8.2%
SC 70 - 99%	6.4%	10.4%	12.5%	7.9%	8.4%	10.1%	13.1%	11.5%	5.7%	8.8%
SC 100%	9.1%	12.6%	10.9%	11.8%	13.6%	11.7%	16.1%	9.4%	9.4%	3.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %										
Complex*	15.0%	14.5%	18.0%	12.8%	12.3%	8.9%	16.7%	8.3%	9.4%	30.8%
Basic vested, Cat A*	74.8%	79.2%	77.3%	75.4%	81.0%	81.5%	79.1%	86.5%	86.8%	64.8%
Basic Non-vested, Cat A*	0.8%	0.6%	0.0%	0.5%	0.9%	0.8%	0.6%	0.5%	0.0%	0.0%
Basic, Cats C and N	9.4%	5.7%	4.7%	11.3%	5.9%	8.9%	3.6%	4.7%	3.8%	4.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded										
Patient eligibility category, %										
Cat A (SC or low income)	90.1%	93.9%	93.8%	88.2%	93.4%	91.1%	96.2%	95.3%	96.2%	95.6%
Cat C (NSC and higher income)	9.4%	5.9%	5.5%	11.8%	6.6%	8.9%	3.5%	4.7%	3.8%	4.4%
Non-Veteran	0.6%	0.1%	0.8%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %										
BASIC 1. Non-reliant Care	0.1%	0.1%	0.0%	0.0%	0.2%	0.0%	0.2%	0.0%	0.0%	0.0%
2. Basic Medical	12.0%	23.2%	21.9%	28.1%	21.8%	24.6%	20.0%	29.2%	30.2%	23.9%
3. Mental Health	36.4%	26.7%	27.3%	21.2%	24.0%	30.6%	29.2%	25.0%	24.5%	28.3%
4. Heart / Lung / GI	6.3%	10.1%	12.5%	13.3%	11.0%	10.9%	5.7%	18.8%	11.3%	6.9%
5. Oncology / Infectious Disease	3.6%	4.7%	2.3%	4.4%	5.1%	4.8%	6.2%	3.6%	1.9%	1.3%
6. Multiple Medical	20.2%	20.7%	18.0%	20.2%	25.6%	20.2%	22.0%	15.1%	22.6%	8.8%
COMPLEX 7. Specialized Care	3.4%	3.8%	7.0%	2.0%	4.8%	0.8%	5.4%	0.5%	1.9%	2.5%
8. Support Care	2.6%	5.6%	6.3%	5.9%	4.2%	4.4%	6.8%	5.2%	3.8%	6.9%
9. Chronic Mental	13.1%	3.9%	4.7%	1.5%	1.8%	1.2%	4.1%	0.5%	1.9%	21.4%
10. Critically Ill	2.2%	1.3%	0.0%	3.4%	1.5%	2.4%	0.5%	2.1%	1.9%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Other Psychosis Patients	49401	2193	128	203	546	248	664	192	53	159
Substance Dependence and Abuse										
Any dx of alcohol / drug dependence or abuse, %	15.7%	22.3%	22.7%	14.3%	21.4%	18.1%	27.1%	12.5%	15.1%	35.2%
Homelessness										
Homelessness indicated in FY02, %	7.1%	13.8%	17.2%	3.0%	12.5%	10.1%	17.0%	8.3%	13.2%	28.9%
Residence in Metropolitan Area										
Residing in a Metropolitan Statistical Area, %	76.7%	70.8%	57.8%	63.1%	77.1%	39.3%	90.4%	57.3%	28.3%	67.3%
Distance										
Mile from Closest VA Medical Center, mean	35.80	115.14	1461.61	31.13	31.25	41.17	20.02	30.40	44.80	64.49
SD	*82.41*	*339.54*	*117.16*	*39.34*	*33.50*	*29.60*	*62.02*	*33.13*	*36.96*	*29.65*
Distance from closest VA Medical Center, %										
0 to 15 miles	45.8%	46.4%	0.0%	43.8%	53.7%	30.0%	65.5%	49.5%	30.2%	9.4%
15 to 30 miles	16.6%	13.2%	0.0%	25.6%	9.0%	10.5%	19.7%	13.0%	5.7%	1.9%
30 to 45 miles	10.9%	7.4%	0.0%	6.9%	10.4%	7.3%	5.0%	13.0%	15.1%	4.4%
45 to 60 miles	8.8%	8.4%	0.0%	10.8%	7.7%	19.0%	2.3%	2.6%	15.1%	28.9%
60 plus miles	17.9%	24.6%	100.0%	12.8%	19.2%	33.2%	7.5%	21.9%	34.0%	55.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.89	15.26	39.82	15.78	11.70	12.49	12.30	25.52	13.15	12.00
SD	*14.24*	*33.06*	*116.71*	*18.27*	*14.16*	*14.03*	*15.41*	*26.67*	*17.01*	*10.36*
Distance to closest VA Service Site, %										
0 to 15 miles	73.5%	71.6%	70.3%	57.6%	77.7%	66.0%	79.4%	52.1%	67.9%	71.1%
15 to 30 miles	16.6%	16.9%	13.3%	29.6%	15.0%	27.1%	10.8%	13.5%	17.0%	23.3%
30 to 45 miles	7.0%	4.3%	3.1%	6.4%	2.0%	2.8%	3.3%	13.0%	11.3%	4.4%
45 plus miles	3.0%	7.2%	13.3%	6.4%	5.3%	4.0%	6.5%	21.4%	3.8%	1.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Other Psychosis Patients	49401	2193	128	203	546	248	664	192	53	159
Hospital Based Utilization										
Patients with some Hospital Based Utilization, %	30.2%	31.1%	25.8%	37.9%	32.2%	28.6%	33.6%	33.3%	26.4%	15.1%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)										
Inpatient stays, mean	1.82	1.88	1.61	2.21	2.06	1.82	1.76	1.56	2.21	1.88
SD	*1.40*	*1.35*	*1.17*	*1.63*	*1.49*	*1.40*	*1.13*	*1.01*	*1.93*	*1.51*
Average LOS, mean	9.37	8.47	6.72	5.19	6.54	9.26	11.37	7.00	6.29	11.53
SD	*15.01*	*14.42*	*5.70*	*3.92*	*6.17*	*9.06*	*22.83*	*4.89*	*8.39*	*14.61*
Cumulative DOS, mean	16.06	14.78	10.36	11.03	13.10	15.37	18.70	10.09	11.00	21.79
SD	*22.72*	*21.68*	*8.82*	*9.28*	*14.07*	*14.49*	*30.52*	*7.89*	*10.68*	*42.25*
Cumulative DOS, %										
1 to 7	42.1%	43.3%	51.5%	45.5%	47.2%	43.7%	37.2%	48.4%	50.0%	33.3%
8 to 14	23.4%	25.2%	15.2%	22.1%	25.0%	19.7%	29.1%	26.6%	28.6%	25.0%
15 to 44	27.8%	27.1%	33.3%	32.5%	24.4%	31.0%	25.1%	25.0%	21.4%	37.5%
45 to 89	5.2%	3.5%	0.0%	0.0%	3.4%	5.6%	6.3%	0.0%	0.0%	0.0%
90 to 179	1.2%	0.4%	0.0%	0.0%	0.0%	0.0%	1.3%	0.0%	0.0%	0.0%
180 to 359	0.2%	0.4%	0.0%	0.0%	0.0%	0.0%	0.9%	0.0%	0.0%	4.2%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	0.7%	0.7%	0.0%	0.0%	0.0%	0.0%	1.8%	0.0%	0.0%	4.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	185.56	200.00	0.00	0.00	0.00	0.00	196.00	0.00	0.00	216.00
SD	*75.86*	*56.45*	*0.00*	*0.00*	*0.00*	*0.00*	*64.36*	*0.00*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.3%	0.6%	0.0%	0.0%	0.0%	0.0%	1.3%	0.0%	0.0%	4.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	241.58	217.00	0.00	0.00	0.00	0.00	217.33	0.00	0.00	216.00
SD	*74.51*	*48.19*	*0.00*	*0.00*	*0.00*	*0.00*	*59.01*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.37	0.34	0.03	0.23	0.18	0.17	0.39	0.08	0.00	3.13
SD	*3.13*	*2.05*	*0.17*	*1.39*	*1.57*	*1.31*	*2.34*	*0.63*	*0.00*	*5.62*
Cumulative DOS at Other Stations	1.24	1.41	2.15	0.38	0.78	1.72	1.03	0.50	3.07	12.46
SD	*5.73*	*5.35*	*6.34*	*1.55*	*4.11*	*4.01*	*5.96*	*1.45*	*9.10*	*8.49*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Other Psychosis Patients	49401	2193	128	203	546	248	664	192	53	159
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)										
Pts. with non-psych hospital stays, %	21.7%	20.9%	21.9%	33.0%	22.7%	22.2%	17.2%	27.1%	15.1%	6.9%
Inpatient stays, mean	1.27	1.21	1.24	1.84	1.42	1.17	0.86	1.34	1.29	0.46
SD	*1.36*	*1.39*	*0.87*	*1.71*	*1.58*	*1.12*	*1.19*	*1.13*	*2.13*	*0.51*
Average LOS, mean	7.86	6.19	6.66	5.07	5.16	7.28	5.61	6.73	3.60	23.45
SD	*11.97*	*10.59*	*6.04*	*4.04*	*5.63*	*9.13*	*5.46*	*4.79*	*3.16*	*57.15*
Cumulative Days of Stay, mean	9.61	6.94	8.12	9.17	7.37	7.72	4.77	8.38	3.93	10.75
SD	*16.99*	*12.34*	*8.38*	*9.83*	*12.29*	*10.51*	*8.71*	*8.50*	*5.84*	*39.53*
Cumulative Days of Stay, %										
0	28.2%	32.7%	15.2%	13.0%	29.5%	22.5%	48.9%	18.8%	42.9%	54.2%
1 to 7	35.5%	39.3%	45.5%	46.8%	42.0%	49.3%	31.4%	37.5%	35.7%	37.5%
8 to 14	15.8%	13.8%	15.2%	15.6%	15.9%	15.5%	9.4%	23.4%	14.3%	0.0%
15 to 44	17.1%	13.2%	24.2%	24.7%	10.8%	11.3%	9.4%	20.3%	7.1%	4.2%
45 to 89	2.8%	0.9%	0.0%	0.0%	1.7%	1.4%	0.9%	0.0%	0.0%	0.0%
90 to 179	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	4.2%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	4.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	178.07	194.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	194.00
SD	*75.21*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	4.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	240.47	194.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	194.00
SD	*75.05*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.18*	*0.06*	*0.03*	*0.10*	*0.01*	*0.01*	*0.06*	*0.00*	*0.00*	*0.50*
SD	*1.94*	*0.56*	*0.17*	*0.80*	*0.11*	*0.12*	*0.63*	*0.00*	*0.00*	*1.72*
Other station cumulative DOS, mean	0.60	0.36	1.61	0.25	0.05	1.14	0.07	0.42	0.64	1.42
SD	*3.61*	*1.74*	*4.44*	*1.08*	*0.46*	*3.32*	*0.65*	*1.33*	*1.91*	*2.34*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Other Psychosis Patients	49401	2193	128	203	546	248	664	192	53	159
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)										
Pts. with psych hospital stays, %	10.8%	13.0%	7.8%	7.4%	12.1%	10.5%	19.4%	6.8%	15.1%	11.3%
Inpatient stays, mean	0.55	0.68	0.36	0.36	0.64	0.65	0.90	0.22	0.93	1.42
SD	*1.03*	*1.08*	*0.65*	*0.93*	*1.10*	*1.30*	*1.05*	*0.45*	*1.07*	*1.67*
Average LOS, mean	12.47	12.49	7.00	5.83	9.29	13.28	16.23	7.88	9.10	9.66
SD	*19.53*	*20.62*	*5.70*	*3.00*	*6.90*	*6.70*	*29.38*	*5.22*	*10.40*	*5.39*
Cumulative Days of Stay, mean	6.45	7.84	2.24	1.86	5.73	7.65	13.93	1.72	7.07	11.04
SD	*17.76*	*19.96*	*4.50*	*4.27*	*10.98*	*13.79*	*31.11*	*4.21*	*10.05*	*9.44*
Cumulative Days of Stay, %										
0	64.2%	58.2%	69.7%	80.5%	62.5%	63.4%	42.2%	79.7%	42.9%	25.0%
1 to 7	12.7%	12.8%	18.2%	5.2%	12.5%	5.6%	15.7%	12.5%	21.4%	20.8%
8 to 14	9.6%	13.6%	9.1%	11.7%	11.4%	9.9%	19.3%	4.7%	21.4%	20.8%
15 to 44	10.7%	12.2%	3.0%	2.6%	11.9%	18.3%	15.2%	3.1%	14.3%	33.3%
45 to 89	2.1%	2.5%	0.0%	0.0%	1.7%	2.8%	5.4%	0.0%	0.0%	0.0%
90 to 179	0.5%	0.4%	0.0%	0.0%	0.0%	0.0%	1.3%	0.0%	0.0%	0.0%
180 to 359	0.1%	0.3%	0.0%	0.0%	0.0%	0.0%	0.9%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.4%	0.6%	0.0%	0.0%	0.0%	0.0%	1.8%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	182.44	196.00	0.00	0.00	0.00	0.00	196.00	0.00	0.00	0.00
SD	*78.98*	*64.36*	*0.00*	*0.00*	*0.00*	*0.00*	*64.36*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.2%	0.4%	0.0%	0.0%	0.0%	0.0%	1.3%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.42	217.33	0.00	0.00	0.00	0.00	217.33	0.00	0.00	0.00
SD	*77.61*	*59.01*	*0.00*	*0.00*	*0.00*	*0.00*	*59.01*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.19	0.28	0.00	0.13	0.16	0.15	0.33	0.08	0.00	2.63
SD	2.40	1.98	0.00	1.14	1.56	1.31	2.26	0.63	0.00	5.60
Other station cumulative DOS, mean	0.64	1.05	0.55	0.13	0.74	0.58	0.96	0.08	2.43	11.04
SD	4.34	5.05	3.13	1.14	4.09	2.53	5.93	0.63	9.09	9.44

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Other Psychosis Patients	49401	2193	128	203	546	248	664	192	53	159
Other 24 hour institutional care										
Patients with some other 24 hour institutional care, %	10.1%	12.4%	10.9%	12.8%	8.4%	10.5%	11.1%	10.9%	20.8%	34.0%
Residential Rehabilitation										
Patients with some residential rehab. care, %	1.0%	0.7%	0.0%	0.5%	0.2%	2.0%	0.3%	0.0%	7.5%	1.3%
Number stays, mean	*1.13*	*1.20*	*0.00*	*1.00*	*1.00*	*1.00*	*1.00*	*0.00*	*1.75*	*1.00*
SD	*0.45*	*0.56*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.96*	*0.00*
Average LOS, mean	30.41	21.76	0.00	1.00	28.00	24.60	28.50	0.00	15.33	28.00
SD	*33.22*	*10.47*	*0.00*	*0.00*	*0.00*	*8.62*	*6.36*	*0.00*	*10.81*	*1.41*
Cumulative DOS, mean	33.30	25.87	0.00	1.00	28.00	24.60	28.50	0.00	30.75	28.00
SD	*35.32*	*16.57*	*0.00*	*0.00*	*0.00*	*8.62*	*6.36*	*0.00*	*30.29*	*1.41*
Cumulative Days of Stay, %										
1 to 7	15.1%	13.3%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	25.0%	0.0%
8 to 14	12.1%	6.7%	0.0%	0.0%	0.0%	20.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	54.3%	73.3%	0.0%	0.0%	100.0%	80.0%	100.0%	0.0%	50.0%	100.0%
45 to 89	11.7%	6.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	25.0%	0.0%
90 to 179	5.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	181.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*69.09*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	235.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*52.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.38	1.80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	13.50
SD	*7.57*	*6.97*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*19.09*
Other station cumulative DOS, mean	4.16	7.80	0.00	0.00	28.00	0.00	16.50	0.00	0.00	28.00
SD	*12.59*	*13.44*	*0.00*	*0.00*	*0.00*	*0.00*	*23.33*	*0.00*	*0.00*	*1.41*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Other Psychosis Patients	49401	2193	128	203	546	248	664	192	53	159
Domiciliary and Vocational										
Patients with some dom/voc care, %	1.7%	5.0%	8.6%	0.0%	1.3%	0.0%	5.9%	0.0%	0.0%	33.3%
Number stays, mean	1.13	1.09	1.18	0.00	1.00	0.00	1.10	0.00	0.00	1.08
SD	*0.36*	*0.29*	*0.40*	*0.00*	*0.00*	*0.00*	*0.31*	*0.00*	*0.00*	*0.27*
Average LOS, mean	79.24	107.23	91.32	0.00	29.57	0.00	28.41	0.00	0.00	178.78
SD	*81.39*	*101.36*	*60.18*	*0.00*	*24.39*	*0.00*	*22.17*	*0.00*	*0.00*	*98.34*
Cumulative DOS, mean	86.42	113.61	99.91	0.00	29.57	0.00	32.18	0.00	0.00	187.47
SD	*85.00*	*103.41*	*57.02*	*0.00*	*24.39*	*0.00*	*27.99*	*0.00*	*0.00*	*98.10*
Cumulative Days of Stay, %										
1 to 7	7.5%	4.5%	0.0%	0.0%	14.3%	0.0%	10.3%	0.0%	0.0%	0.0%
8 to 14	6.2%	5.5%	9.1%	0.0%	14.3%	0.0%	10.3%	0.0%	0.0%	0.0%
15 to 44	29.8%	30.0%	9.1%	0.0%	42.9%	0.0%	66.7%	0.0%	0.0%	5.7%
45 to 89	19.6%	15.5%	36.4%	0.0%	28.6%	0.0%	7.7%	0.0%	0.0%	15.1%
90 to 179	23.7%	17.3%	36.4%	0.0%	0.0%	0.0%	5.1%	0.0%	0.0%	24.5%
180 to 359	10.4%	21.8%	9.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	43.4%
360+	2.9%	5.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	11.3%
Total	100.0%	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%	0.0%	0.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	43.6%	36.4%	0.0%	0.0%	0.0%	5.1%	0.0%	0.0%	79.2%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	193.84	212.77	158.00	0.00	0.00	0.00	131.00	0.00	0.00	221.88
SD	*79.91*	*78.44*	*37.83*	*0.00*	*0.00*	*0.00*	*2.83*	*0.00*	*0.00*	*79.02*
Dom. patients with 150+ day Dom. stay, %	16.8%	32.7%	18.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	64.2%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	240.95	242.00	189.50	0.00	0.00	0.00	0.00	0.00	0.00	245.09
SD	*71.71*	*68.00*	*16.26*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*68.70*
Other VISN cumulative DOS, mean	1.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*8.79*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.31	2.03	0.00	0.00	29.57	0.00	0.00	0.00	0.00	0.30
SD	*11.83*	*9.33*	*0.00*	*0.00*	*24.39*	*0.00*	*0.00*	*0.00*	*0.00*	*2.20*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Other Psychosis Patients	49401	2193	128	203	546	248	664	192	53	159
Nursing Home Care										
Patients with some nursing home care, %	99.7%	99.8%	100.0%	100.0%	100.0%	99.6%	99.7%	100.0%	100.0%	99.4%
Number stays, mean	1.29	1.33	1.33	1.32	1.44	1.19	1.21	1.24	1.86	2.00
SD	*0.65*	*0.68*	*0.58*	*0.56*	*0.82*	*0.40*	*0.48*	*0.62*	*1.46*	*0.00*
Average LOS, mean	54.03	33.92	61.33	27.98	21.91	52.76	36.09	41.66	23.50	11.00
SD	*70.27*	*46.47*	*83.74*	*36.77*	*22.01*	*80.85*	*30.95*	*61.62*	*10.10*	*0.00*
Cumulative DOS, mean	64.81	46.17	114.00	39.20	33.28	63.48	50.39	50.00	34.00	22.00
SD	*79.26*	*66.43*	*174.95*	*69.83*	*40.66*	*91.06*	*61.89*	*69.09*	*19.38*	*0.00*
Cumulative Days of Stay, %										
1 to 7	10.9%	12.0%	0.0%	16.0%	23.1%	4.8%	3.0%	14.3%	0.0%	0.0%
8 to 14	15.2%	21.3%	33.3%	28.0%	15.4%	14.3%	30.3%	23.8%	0.0%	0.0%
15 to 44	34.5%	40.0%	33.3%	36.0%	41.0%	52.4%	30.3%	28.6%	85.7%	100.0%
45 to 89	16.5%	14.7%	0.0%	16.0%	10.3%	4.8%	24.2%	19.0%	14.3%	0.0%
90 to 179	13.0%	5.3%	0.0%	0.0%	10.3%	14.3%	0.0%	4.8%	0.0%	0.0%
180 to 359	8.1%	5.3%	33.3%	0.0%	0.0%	4.8%	12.1%	9.5%	0.0%	0.0%
360+	1.8%	1.3%	0.0%	4.0%	0.0%	4.8%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	17.8%	8.7%	33.3%	4.0%	2.6%	23.8%	9.1%	9.5%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day NH stay, mean	207.27	224.46	316.00	361.00	176.00	199.80	196.00	239.00	0.00	0.00
SD	*81.27*	*82.98*	*0.00*	*0.00*	*0.00*	*102.48*	*9.00*	*72.12*	*0.00*	*0.00*
NH patients with 150+ day NH stay, %	11.0%	5.3%	33.3%	4.0%	0.0%	9.5%	9.1%	4.8%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	250.81	268.88	316.00	361.00	0.00	298.00	196.00	290.00	0.00	0.00
SD	*70.60*	*73.35*	*0.00*	*0.00*	*0.00*	*93.34*	*9.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*5.11*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.02	0.33	0.00	0.00	0.00	0.86	0.00	0.48	0.00	22.00
SD	*7.62*	*2.45*	*0.00*	*0.00*	*0.00*	*3.93*	*0.00*	*2.18*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Other Psychosis Patients	49401	2193	128	203	546	248	664	192	53	159
Outpatient utilization										
(reported for those with some outpatient care)										
Patients with some outpatient care, %	99.7%	99.8%	100.0%	100.0%	100.0%	99.6%	99.7%	100.0%	100.0%	99.4%
annual visit days, mean	19.52	21.74	17.52	15.71	23.56	15.46	26.03	20.43	14.09	22.59
SD	*24.21*	*22.64*	*14.60*	*14.85*	*25.72*	*13.99*	*25.47*	*14.84*	*13.19*	*28.18*
Outpatient visit days, %										
1-12	49.1%	41.5%	48.4%	55.7%	38.6%	49.0%	34.1%	37.0%	58.5%	46.2%
13-24	27.0%	27.8%	25.8%	24.6%	26.9%	32.4%	29.8%	27.6%	24.5%	22.2%
25-36	11.5%	14.7%	14.8%	13.3%	15.9%	10.1%	13.9%	23.4%	5.7%	14.6%
37-48	5.4%	7.1%	7.0%	3.9%	7.3%	5.7%	8.6%	5.2%	9.4%	8.2%
49+	7.0%	9.0%	3.9%	2.5%	11.2%	2.8%	13.6%	6.8%	1.9%	8.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	86.5%	83.9%	85.9%	94.1%	82.4%	92.7%	74.6%	92.2%	86.8%	88.0%
Mean PC visit days, among those with some PC	4.04	4.71	4.37	4.39	3.81	4.36	5.15	7.96	3.87	3.50
SD	3.94	4.46	3.73	3.20	3.66	4.12	4.97	6.15	3.24	2.89
Average number clinic stops per visit day, mean	1.55	1.48	1.26	1.77	1.42	1.47	1.51	1.56	1.35	1.37
SD	*0.52*	*0.44*	*0.23*	*0.58*	*0.39*	*0.53*	*0.43*	*0.38*	*0.37*	*0.32*
annual clinic stops (psych & non-psych), mean	30.45	32.27	22.87	26.66	33.76	22.17	39.64	32.53	19.28	30.94
SD	*40.44*	*34.46*	*21.23*	*23.62*	*37.00*	*20.15*	*41.39*	*25.36*	*20.93*	*37.08*
annual non-psych. clinic stops, mean	22.67	23.15	18.39	21.96	25.16	18.10	24.13	29.43	12.94	21.13
SD	*25.36*	*23.98*	*19.12*	*17.91*	*28.34*	*17.83*	*24.35*	*23.80*	*13.97*	*24.60*
annual psych. clinic stops (groupings below), mean	7.77	9.13	4.48	4.70	8.60	4.07	15.51	3.10	6.34	9.80
SD	*27.43*	*22.09*	*8.07*	*13.19*	*22.51*	*7.44*	*29.21*	*9.04*	*17.22*	*24.24*
1. general psych. clinic stops, mean	3.20	3.58	3.25	2.79	4.76	3.07	3.57	2.04	2.94	3.76
SD	*7.61*	*6.22*	*5.46*	*5.57*	*8.06*	*5.19*	*5.46*	*4.93*	*7.90*	*4.78*
2. psych. case management clinic stops, mean	0.14	0.12	0.00	0.06	0.09	0.00	0.30	0.03	0.00	0.00
SD	*3.20*	*2.38*	*0.00*	*0.84*	*2.05*	*0.06*	*3.86*	*0.36*	*0.00*	*0.00*
3. psych. day treatment clinic stops, mean	0.60	0.66	0.03	0.00	0.72	0.00	0.90	0.00	0.00	2.91
SD	*8.52*	*8.06*	*0.35*	*0.00*	*9.51*	*0.00*	*7.53*	*0.00*	*0.00*	*18.60*
4. substance abuse clinic stops, mean	2.24	2.90	0.18	0.90	1.16	0.24	7.38	0.77	0.85	2.31
SD	*17.04*	*13.38*	*1.14*	*7.61*	*6.98*	*2.38*	*21.69*	*6.88*	*3.58*	*8.62*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 20, continued

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Other Psychosis Patients	49401	2193	128	203	546	248	664	192	53	159
5. psych. vocational clinic stops, mean	0.74	0.48	0.42	0.00	0.90	0.11	0.55	0.00	1.49	0.16
SD	*9.63*	*6.45*	*4.12*	*0.00*	*8.75*	*1.60*	*8.04*	*0.00*	*7.86*	*1.54*
6. PTSD clinic stops, mean	0.56	0.99	0.01	0.86	0.41	0.49	2.46	0.08	0.08	0.03
SD	*5.11*	*5.78*	*0.09*	*6.81*	*2.53*	*2.99*	*9.19*	*0.52*	*0.55*	*0.26*
7. psych. homeless clinic stops, mean	0.27	0.38	0.48	0.10	0.52	0.14	0.36	0.19	0.98	0.62
SD	*2.81*	*2.03*	*1.56*	*0.74*	*3.02*	*0.98*	*1.54*	*1.17*	*4.02*	*1.98*
Other VISN OP visit days, mean	0.31	0.43	0.30	0.37	0.35	0.52	0.40	0.24	0.06	1.27
SD	2.01	2.18	1.26	1.69	1.82	2.39	2.13	1.05	0.41	4.38
Other station OP visit days, mean	0.72	0.96	0.59	0.57	0.72	1.50	0.60	0.56	0.96	3.82
SD	3.19	3.42	2.24	2.02	2.85	3.52	2.53	1.89	2.65	7.88

Table 4I FY03 Other Psychosis Patients, Pharmacy Utilization, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Other Psychosis Patients	49401	2193	128	203	546	248	664	192	53	159
Among all patients in the registry										
Pts. with any outpatient prescriptions, %	94.7%	95.5%	93.8%	96.6%	95.6%	97.2%	94.9%	94.8%	98.1%	95.0%
Patients with any oral antipsychotic fills, %*	41.4%	45.1%	46.1%	36.5%	44.1%	37.5%	53.9%	35.9%	49.1%	44.0%
Among pts. receiving any antipsychotic medication:										
Received only conventional antipsychotics, %	9.2%	8.0%	1.7%	16.2%	11.6%	8.6%	3.6%	8.7%	15.4%	10.0%
Received some atypical antipsychotics, %	90.8%	92.0%	98.3%	83.8%	88.4%	91.4%	96.4%	91.3%	84.6%	90.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %										
Aripiprazole	0.7%	1.5%	0.0%	0.0%	2.5%	2.2%	1.1%	0.0%	0.0%	4.3%
Clozapine	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Olanzapine	27.8%	33.3%	52.5%	29.7%	33.2%	28.0%	31.0%	34.8%	30.8%	40.0%
Quetiapine	29.2%	29.3%	15.3%	36.5%	32.4%	33.3%	27.7%	23.2%	26.9%	32.9%
Risperidone	46.2%	42.9%	40.7%	33.8%	32.8%	41.9%	52.0%	44.9%	38.5%	44.3%
Ziprasidone	3.6%	6.0%	5.1%	0.0%	7.9%	7.5%	6.7%	1.4%	3.8%	5.7%
Patients receiving only one kind** of antipsychotic, %	78.8%	74.9%	79.7%	75.7%	77.6%	76.3%	72.1%	78.3%	76.9%	70.0%
Concurrent use of 2 or more antipsychotics, % ***	5.1%	6.0%	5.1%	2.7%	5.0%	4.3%	7.5%	4.3%	11.5%	7.1%
Among pts receiving just one antipsychotic:										
Antipsychotic fills, mean	5.21	4.83	3.62	5.02	5.08	6.13	4.34	5.31	4.90	5.02
SD	*4.06*	*3.79*	*2.82*	*3.59*	*3.98*	*4.00*	*3.46*	*4.59*	*4.44*	*3.72*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5I: FY03 Other Psychosis Patients, Cost, VISN 20

	All VISNs	VISN 20	463 *Alaska*	531 *Boise*	648 *Portland*	653 *Roseburg*	663 *Seattle*	668 *Spokane*	687 *Walla Walla*	692 *White City*
Other Psychosis Patients	49401	2193	128	203	546	248	664	192	53	159
Total Costs (in thousands $$)	$692,791	$31,171	$2,928	$2,670	$8,065	$2,634	$9,652	$2,409	$653	$2,160
Station % of VISN		100.0%	9.4%	8.6%	25.9%	8.4%	31.0%	7.7%	2.1%	6.9%
Psych vs. Non-Psych Costs										
Psych	16.6%	18.9%	5.8%	6.9%	18.9%	18.7%	27.7%	7.3%	18.9%	26.0%
Non-Psych	83.4%	81.1%	94.2%	93.1%	81.1%	81.3%	72.3%	92.7%	81.1%	74.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use										
Per Patient	$16,509	$14,377	$3,836	$12,523	$18,885	$11,064	$13,991	$13,043	$16,630	$17,400
Per Day of Stay	$1,028	$973	$370	$1,136	$1,441	$720	$748	$1,292	$1,512	$798
Mean Outpatient Costs, Pts with some Outpatient use										
Per Patient	$6,046	$6,687	$11,163	$5,787	$7,110	$4,449	$7,389	$5,633	$5,080	$5,132
Per Visit Day	$310	$308	$637	$368	$302	$288	$284	$276	$360	$227
By Cost Center										
1 Med	$2,712	$2,168	$363	$3,694	$2,727	$1,043	$2,018	$3,600	$2,516	$286
2 Surg	$779	$708	$498	$767	$1,725	$648	$254	$258	$212	$0
3 Psych	$1,494	$1,596	$128	$289	$1,635	$1,477	$2,426	$490	$1,665	$2,341
4 Psych Res Rehab Treatment Program	$103	$129	$0	$6	$12	$131	$252	$0	$1,178	$77
5 Non-VA	$203	$625	$6,366	$224	$199	$489	$319	$258	$29	$105
6 LTC Domiciliary	$183	$741	$3,256	$0	$60	$0	$432	$0	$0	$5,587
7 LTC Intermediate Care	$276	$144	$0	$298	$0	$817	$0	$278	$0	$0
8 LTC Nursing Home	$1,672	$756	$0	$1,322	$802	$1,454	$302	$1,544	$1,643	$49
9 Contract Nursing Home	$578	$673	$1,100	$768	$500	$132	$1,166	$486	$0	$38
10 OPC Med/Surg	$1,281	$1,371	$945	$1,572	$1,790	$987	$1,506	$916	$684	$831
11 OPC Psych	$831	$1,097	$1,199	$625	$1,151	$514	$1,600	$428	$662	$1,187
12 OPC Home Based Treatment	$730	$692	$991	$626	$696	$500	$766	$707	$448	$568
13 OPC Support	$1,493	$1,587	$1,850	$1,928	$1,836	$923	$1,605	$1,203	$1,906	$1,402
14 OPC Fee	$231	$473	$4,196	$358	$204	$160	$281	$349	$122	$103
15 OPC Pharmacy	$1,460	$1,456	$1,982	$678	$1,433	$1,346	$1,609	$2,029	$1,258	$1,008
TOTAL	$14,024	$14,214	$22,874	$13,155	$14,771	$10,621	$14,536	$12,547	$12,324	$13,583
Mean % Patient Costs at Other Stations	3.3%	4.5%	3.2%	3.4%	3.2%	9.1%	2.5%	4.0%	6.1%	12.9%
SD	*11.9%*	*13.4%*	*11.5%*	*11.5%*	*11.9%*	*17.8%*	*10.1%*	*13.0%*	*17.0%*	*19.8%*
Mean % Patient Costs at Other VISNs	1.3%	1.7%	0.9%	2.4%	1.1%	2.5%	1.4%	1.5%	0.1%	3.7%
SD	*7.5%*	*7.7%*	*4.4%*	*9.0%*	*5.9%*	*9.2%*	*7.4%*	*7.9%*	*0.4%*	*12.2%*

Table 1F: FY03 Psychosis Patients, Demographics, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Entire Population	217760	9292	250	1035	847	2351	2450	883	1476
Psychosis Diagnosis Group, %									
Schizophrenia	43.3%	43.9%	72.0%	52.2%	42.0%	45.6%	45.0%	26.3%	40.0%
Bipolar Disorder	34.0%	33.0%	8.4%	23.9%	27.7%	36.5%	33.8%	42.7%	33.8%
Other Psychoses	22.7%	23.2%	19.6%	24.0%	30.2%	17.9%	21.2%	31.0%	26.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age, %									
<35	4.9%	5.1%	3.2%	4.4%	5.9%	6.3%	4.3%	4.8%	4.9%
>=35 and <50	29.3%	29.3%	26.4%	32.5%	31.6%	30.3%	27.6%	23.9%	30.8%
>=50 and <65	38.1%	41.2%	35.6%	40.6%	32.9%	39.7%	42.1%	44.1%	46.4%
>=65 and <80	19.7%	16.8%	22.4%	15.7%	20.1%	16.1%	18.3%	17.2%	12.9%
>=80	8.2%	7.6%	12.4%	6.9%	9.4%	7.5%	7.6%	10.1%	4.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	56.89	56.20	59.60	55.57	56.93	55.57	56.81	57.75	54.70
SD	*14.35*	*14.01*	*15.65*	*13.87*	*14.98*	*14.21*	*13.87*	*14.32*	*12.67*
Gender									
Male, %	92.7%	91.9%	92.8%	92.4%	92.7%	90.4%	92.2%	91.3%	93.1%
Female, %	7.3%	8.1%	7.2%	7.6%	7.3%	9.6%	7.8%	8.7%	6.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %									
Hispanic white	4.8%	4.7%	1.2%	1.6%	11.2%	4.0%	6.6%	1.5%	3.7%
Hispanic black	0.4%	0.2%	0.0%	0.1%	0.1%	0.2%	0.3%	0.1%	0.4%
American indian	0.3%	0.5%	0.8%	0.7%	1.3%	0.5%	0.5%	0.1%	0.4%
Black	18.6%	12.8%	3.2%	5.5%	9.0%	21.4%	10.3%	2.0%	18.3%
Asian	0.5%	6.6%	60.8%	28.0%	0.2%	2.2%	2.9%	0.2%	2.9%
White	54.9%	52.3%	13.2%	30.5%	50.4%	60.4%	56.7%	63.6%	48.5%
Race unknown	20.5%	22.9%	20.8%	33.5%	27.7%	11.4%	22.7%	32.4%	25.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status									
Never married	28.5%	34.4%	24.1%	40.6%	26.4%	32.0%	36.0%	20.8%	45.7%
Married	35.3%	28.7%	59.8%	26.1%	35.4%	32.4%	26.3%	35.0%	15.9%
Divorced/Separated	30.8%	32.0%	6.0%	29.7%	33.4%	31.2%	32.7%	37.3%	34.3%
Widowed	5.4%	4.8%	10.0%	3.6%	4.9%	4.4%	5.0%	6.9%	4.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Entire Population	217760	9292	250	1035	847	2351	2450	883	1476
Registry Pts. History of VA Utilization									
Years since first use in prior five years, mean	4.33	4.30	4.05	4.38	4.37	4.29	4.27	4.23	4.34
SD	*1.24*	1.26	1.57	1.20	1.19	1.26	1.30	1.31	1.20
Yrs with 24-hour institutional use / yrs since 1st use, %	25.9%	22.3%	9.5%	21.1%	25.0%	15.9%	30.2%	23.3%	20.2%
SD	*29.7%*	27.7%	18.3%	26.6%	27.3%	23.4%	31.6%	27.6%	25.7%
Years with OP use / Years since first use, %	96.7%	97.0%	96.8%	97.0%	97.1%	97.3%	96.3%	97.9%	96.9%
SD	*11.4%*	10.3%	11.8%	9.3%	9.7%	9.4%	12.5%	7.6%	10.1%
Psychosis Diagnoses in Prior Fiscal Year									
Had Psychosis Diagnosis in FY01, %	65.3%	65.4%	69.6%	70.9%	64.1%	63.2%	68.2%	60.0%	63.4%
Among Patients With Psychoses in FY01									
Psychosis Category: Schizophrenia, %	54.1%	53.7%	85.6%	62.5%	53.0%	56.5%	54.6%	34.2%	46.3%
Psychosis Category: Bipolar Disorder, %	33.9%	32.5%	6.9%	23.8%	28.9%	33.2%	32.9%	51.3%	33.4%
Psychosis Category: Other Psychosis, %	12.0%	13.8%	7.5%	13.6%	18.0%	10.2%	12.5%	14.5%	20.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %									
Dementia	6.2%	4.5%	1.2%	6.9%	5.7%	3.1%	5.3%	7.0%	2.2%
Post Traumatic Stress Disorder	15.4%	16.6%	6.0%	12.8%	14.4%	16.0%	17.6%	15.2%	22.8%
Depression	34.8%	35.4%	12.8%	25.1%	33.1%	33.3%	38.6%	40.5%	42.5%
Other Anxiety Disorder	12.0%	10.1%	5.2%	7.5%	10.5%	7.9%	10.1%	13.5%	14.3%
Substance Abuse or Dependence	23.3%	25.2%	0.8%	26.3%	27.0%	16.7%	27.6%	28.1%	35.3%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Entire Population	217760	9292	250	1035	847	2351	2450	883	1476
Medical Comorbidities, %									
No medical comorbidities	15.2%	16.9%	33.6%	21.0%	18.3%	16.4%	13.8%	11.9%	19.3%
Anemia	8.2%	9.0%	0.4%	7.6%	9.3%	10.3%	9.3%	9.2%	8.5%
Arthritis	36.2%	35.5%	35.2%	29.0%	30.9%	37.6%	33.7%	43.1%	37.9%
Cancer	7.9%	7.9%	1.6%	5.3%	7.4%	6.8%	9.7%	10.9%	7.8%
Cerebrovascular Disease	6.7%	6.5%	6.8%	6.6%	8.4%	7.4%	5.6%	6.6%	5.1%
Chronic Neurologic Disorder	15.1%	12.4%	7.6%	11.1%	14.5%	12.1%	11.8%	17.8%	11.4%
Chronic Obstructive Pulmonary Disease	16.7%	17.1%	10.0%	15.0%	12.8%	18.1%	19.6%	20.8%	14.4%
Chronic Viral Infection	8.4%	11.0%	1.2%	9.0%	9.7%	10.5%	10.0%	11.6%	17.1%
Coronary Artery Disease	19.5%	16.5%	14.0%	13.2%	17.4%	17.2%	16.6%	19.5%	15.9%
Diabetes	20.0%	18.1%	20.8%	17.6%	20.0%	18.0%	21.2%	16.5%	13.1%
Digestive System Disease	43.5%	40.6%	12.4%	36.9%	39.0%	40.7%	44.3%	49.3%	37.7%
Hypertension	43.2%	40.2%	21.6%	35.9%	39.9%	43.2%	43.3%	43.7%	34.8%
Injury and Poisoning	17.9%	17.4%	12.8%	18.9%	15.5%	14.9%	17.4%	20.7%	20.5%
Liver Disease	3.6%	3.7%	2.8%	5.8%	2.2%	3.8%	3.6%	5.0%	2.4%
Other Endocrine	8.6%	9.1%	1.6%	6.2%	10.6%	8.9%	11.9%	10.2%	6.3%
Peripheral Vascular Disease	4.1%	3.8%	0.8%	3.4%	4.0%	3.9%	3.8%	6.7%	2.7%
GAF scores									
Lowest inpatient GAF score, mean	37.72	33.21	24.50	35.88	35.92	35.58	30.09	44.82	36.83
SD	*14.39*	*14.95*	*3.54*	*9.43*	*15.07*	*19.22*	*14.79*	*8.13*	*14.59*
Mean outpatient GAF score	50.52	50.34	52.16	49.96	51.22	48.86	49.92	56.28	49.32
SD	*11.04*	*10.45*	--	*9.75*	*11.75*	*9.02*	*11.93*	*8.25*	*9.21*
At least 1 IP GAF, among pts with MH bedsections, %	38.4%	23.2%	11.8%	18.8%	17.4%	10.4%	30.7%	14.0%	23.9%
At least 1 OP GAF, among pts with MH clinic stops, %	80.0%	84.3%	68.4%	93.4%	88.7%	77.5%	82.4%	87.5%	88.0%
Mortality rates									
died in FY02, %	3.1%	2.6%	1.2%	2.8%	2.8%	2.3%	3.1%	3.3%	2.1%
Age-and-gender-adjusted Standardized Mortality Ratio	1.32	1.24	0.42	1.42	1.17	1.11	1.39	1.33	1.23

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Entire Population	217760	9292	250	1035	847	2351	2450	883	1476
Service Connection (SC)									
Non-SC	51.0%	49.8%	12.8%	44.6%	51.2%	45.0%	53.1%	58.8%	55.4%
SC 0 - 29%	8.7%	8.1%	4.8%	10.1%	10.9%	8.1%	7.1%	7.1%	7.7%
SC 30 - 69%	10.8%	10.0%	16.0%	10.9%	10.7%	11.7%	7.3%	10.4%	9.2%
SC 70 - 99%	7.3%	8.5%	9.2%	6.2%	7.6%	11.2%	6.7%	9.4%	8.7%
SC 100%	22.1%	23.7%	57.2%	28.1%	19.6%	23.9%	25.8%	14.3%	19.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %									
Complex*	17.3%	15.6%	3.2%	12.0%	9.2%	11.9%	28.1%	9.1%	13.1%
Basic vested, Cat A*	76.6%	79.3%	96.4%	84.3%	87.2%	81.5%	65.6%	85.5%	83.5%
Basic Non-vested, Cat A*	1.0%	1.2%	0.0%	1.7%	0.4%	2.3%	0.9%	0.6%	0.5%
Basic, Cats C and N	5.1%	3.9%	0.4%	1.9%	3.2%	4.3%	5.4%	4.9%	2.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded									
Patient eligibility category, %									
Cat A (SC or low income)	94.6%	95.8%	99.6%	98.0%	96.8%	95.4%	94.2%	95.1%	97.0%
Cat C (NSC and higher income)	4.7%	3.3%	0.0%	2.0%	3.0%	3.7%	4.4%	4.0%	2.3%
Non-Veteran	0.6%	0.8%	0.4%	0.0%	0.2%	0.8%	1.4%	0.9%	0.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %									
BASIC 1. Non-reliant Care	0.1%	0.6%	15.2%	0.2%	0.1%	0.4%	0.1%	0.0%	0.0%
2. Basic Medical	15.2%	15.2%	7.6%	15.7%	21.3%	20.7%	9.0%	19.5%	11.5%
3. Mental Health	40.5%	38.0%	57.2%	43.9%	39.9%	38.5%	33.1%	38.6%	36.6%
4. Heart / Lung / GI	6.9%	6.8%	2.0%	6.6%	6.7%	9.1%	5.6%	6.9%	6.2%
5. Oncology / Infectious Disease	4.3%	5.2%	0.4%	2.7%	5.4%	5.6%	4.4%	5.0%	8.7%
6. Multiple Medical	20.7%	18.6%	14.4%	18.9%	17.4%	13.9%	19.6%	21.0%	23.9%
COMPLEX 7. Specialized Care	2.2%	2.9%	0.0%	2.9%	1.4%	3.1%	2.9%	2.8%	4.0%
8. Support Care	2.1%	2.3%	0.0%	1.8%	2.8%	3.1%	2.7%	1.6%	1.5%
9. Chronic Mental	6.8%	8.1%	3.2%	5.9%	3.1%	4.3%	17.6%	3.5%	6.1%
10. Critically Ill	1.1%	2.3%	0.0%	1.4%	1.9%	1.4%	4.9%	1.1%	1.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Entire Population	217760	9292	250	1035	847	2351	2450	883	1476
Substance Dependence and Abuse									
Any dx of alcohol / drug dependence or abuse, %	23.3%	25.2%	0.8%	26.3%	27.0%	16.7%	27.6%	28.1%	35.3%
Homelessness									
Homelessness indicated in FY02, %	11.5%	14.6%	1.2%	17.2%	14.0%	7.3%	13.3%	12.8%	30.3%
Residence in Metropolitan Area									
Residing in a Metropolitan Statistical Area, %	79.7%	87.9%	89.6%	70.0%	98.2%	94.9%	95.8%	67.5%	82.2%
Distance									
Mile from Closest VA Medical Center, mean	32.17	31.87	24.35	54.77	20.04	36.70	22.60	22.19	36.97
SD	*68.58*	*47.45*	*21.14*	*79.17*	*22.24*	*43.82*	*20.57*	*30.20*	*65.53*
Distance from closest VA Medical Center, %									
0 to 15 miles	49.0%	53.8%	47.9%	65.2%	57.3%	46.2%	48.4%	58.0%	62.7%
15 to 30 miles	16.3%	15.7%	16.7%	4.9%	10.4%	25.7%	19.1%	14.0%	5.6%
30 to 45 miles	10.3%	11.1%	7.3%	0.0%	15.8%	9.4%	19.2%	11.3%	5.2%
45 to 60 miles	8.1%	6.2%	26.0%	0.0%	10.4%	0.9%	9.3%	9.4%	8.1%
60 plus miles	16.2%	13.3%	2.1%	29.9%	6.1%	17.8%	4.0%	7.2%	18.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.73	8.71	5.08	7.72	9.73	9.29	7.46	15.37	6.20
SD	*13.09*	*11.08*	*5.83*	*6.73*	*9.86*	*8.97*	*5.71*	*24.87*	*8.89*
Distance to closest VA Service Site, %									
0 to 15 miles	76.98%	85.27%	88.54%	87.92%	74.14%	82.77%	93.67%	72.48%	87.33%
15 to 30 miles	14.88%	10.96%	11.46%	10.20%	21.72%	13.23%	5.80%	13.82%	8.54%
30 to 45 miles	5.72%	2.45%	0.00%	1.88%	3.54%	3.40%	0.41%	4.08%	3.25%
45 plus miles	2.42%	1.32%	0.00%	0.00%	0.59%	0.60%	0.12%	9.63%	0.88%
Total	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%

Table 3F: FY03 Psychosis Patients, Utilization, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Entire Population	217760	9292	250	1035	847	2351	2450	883	1476
Hospital Based Utilization									
Patients with some Hospital Based Utilization, %	27.2%	23.3%	8.0%	21.8%	25.9%	14.3%	33.0%	26.2%	22.2%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)									
Inpatient stays, mean	1.83	1.88	1.75	2.05	1.84	1.62	2.01	1.72	1.85
SD	*1.43*	*1.50*	*1.16*	*1.90*	*1.48*	*1.09*	*1.59*	*1.32*	*1.47*
Average LOS, mean	13.07	10.64	14.08	9.03	6.59	7.65	13.07	8.26	12.99
SD	*30.84*	*16.42*	*9.62*	*9.65*	*6.26*	*9.18*	*14.29*	*8.71*	*31.68*
Cumulative DOS, mean	21.85	19.93	30.95	18.70	12.89	12.91	26.00	14.22	21.03
SD	*40.46*	*28.02*	*46.15*	*23.78*	*17.07*	*17.14*	*30.50*	*17.19*	*38.55*
Cumulative DOS, %									
1 to 7	39.9%	41.5%	20.0%	43.4%	52.1%	51.2%	30.5%	47.2%	47.4%
8 to 14	21.8%	18.8%	30.0%	14.6%	23.7%	20.2%	15.5%	24.2%	20.5%
15 to 44	27.7%	28.0%	35.0%	32.3%	17.4%	24.4%	35.5%	22.1%	21.4%
45 to 89	6.9%	8.6%	10.0%	7.1%	5.9%	3.3%	13.8%	6.1%	5.8%
90 to 179	2.3%	2.5%	0.0%	2.7%	0.9%	0.9%	4.1%	0.4%	3.1%
180 to 359	0.9%	0.6%	5.0%	0.0%	0.0%	0.0%	0.6%	0.0%	1.8%
360+	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	2.1%	0.9%	0.0%	0.4%	0.0%	0.3%	0.7%	0.4%	3.1%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	237.76	178.58	0.00	158.00	0.00	104.00	186.50	124.00	188.80
SD	*95.14*	*52.24*	*0.00*	*0.00*	*0.00*	*0.00*	*54.06*	*0.00*	*51.77*
Hospital patients who had a 150+ day hosp. stay, %	1.3%	0.5%	0.0%	0.4%	0.0%	0.0%	0.4%	0.0%	2.1%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	290.80	209.45	0.00	158.00	0.00	0.00	217.33	0.00	213.43
SD	*77.65*	*42.55*	*0.00*	*0.00*	*0.00*	*0.00*	*52.73*	*0.00*	*40.00*
Cumulative DOS at Other VISNs	0.59	0.59	5.25	0.30	0.20	0.68	0.54	0.52	0.85
SD	*4.28*	*4.21*	*19.12*	*2.29*	*1.23*	*5.53*	*3.40*	*4.43*	*4.09*
Cumulative DOS at Other Stations	1.83	2.55	5.45	0.96	1.14	8.07	1.26	1.25	2.83
SD	*7.27*	*9.42*	*19.08*	*4.32*	*6.40*	*15.84*	*6.66*	*5.51*	*9.97*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Entire Population	217760	9292	250	1035	847	2351	2450	883	1476
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)									
Pts. with non-psych hospital stays, %	14.0%	11.8%	1.2%	11.2%	11.5%	9.9%	13.8%	12.9%	13.4%
Inpatient stays, mean	0.85	0.79	0.15	0.79	0.67	1.05	0.63	0.81	0.99
SD	*1.20*	*1.08*	*0.37*	*1.06*	*1.01*	*1.05*	*0.96*	*1.27*	*1.25*
Average LOS, mean	7.54	7.61	10.33	9.56	6.07	5.19	8.07	4.81	10.84
SD	*13.36*	*17.16*	*6.11*	*12.31*	*6.44*	*4.67*	*12.77*	*3.72*	*34.54*
Cumulative Days of Stay, mean	6.52	6.04	1.55	7.40	4.89	5.88	5.53	4.24	8.83
SD	*17.31*	*17.01*	*4.27*	*16.43*	*13.26*	*9.38*	*16.23*	*9.06*	*28.32*
Cumulative Days of Stay, %									
0	48.5%	49.4%	85.0%	48.7%	55.7%	31.0%	58.2%	50.6%	39.4%
1 to 7	29.2%	31.3%	5.0%	27.9%	28.8%	44.9%	25.2%	31.2%	38.2%
8 to 14	9.8%	8.7%	5.0%	8.8%	7.3%	11.9%	6.6%	13.0%	8.9%
15 to 44	10.2%	8.0%	5.0%	11.1%	5.9%	11.0%	6.9%	3.5%	10.1%
45 to 89	1.8%	2.1%	0.0%	3.1%	1.8%	1.2%	2.7%	1.7%	1.5%
90 to 179	0.4%	0.3%	0.0%	0.4%	0.5%	0.0%	0.2%	0.0%	0.6%
180 to 359	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	1.2%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.4%	0.0%	0.4%	0.0%	0.0%	0.2%	0.0%	1.8%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	206.57	195.56	0.00	158.00	0.00	0.00	214.50	0.00	195.50
SD	*85.33*	*58.74*	*0.00*	*0.00*	*0.00*	*0.00*	*74.25*	*0.00*	*63.18*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.3%	0.0%	0.4%	0.0%	0.0%	0.2%	0.0%	1.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	268.22	216.14	0.00	158.00	0.00	0.00	214.50	0.00	231.50
SD	*74.94*	*48.74*	*0.00*	*0.00*	*0.00*	*0.00*	*74.25*	*0.00*	*38.34*
Other VISN cumulative DOS, mean	0.14	0.13	0.00	0.01	0.00	0.21	0.07	0.37	0.23
SD	*1.82*	*1.68*	*0.00*	*0.13*	*0.00*	*1.71*	*0.90*	*3.96*	*1.63*
Other station cumulative DOS, mean	0.51	0.70	0.00	0.35	0.72	2.02	0.29	0.79	0.55
SD	*3.43*	*4.43*	*0.00*	*2.61*	*6.08*	*6.41*	*3.70*	*4.42*	*2.96*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Entire Population	217760	9292	250	1035	847	2351	2450	883	1476
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)									
Pts. with psych hospital stays, %	15.8%	13.9%	6.8%	12.9%	15.6%	5.7%	23.8%	14.6%	11.0%
Inpatient stays, mean	0.98	1.09	1.60	1.26	1.17	0.57	1.38	0.90	0.86
SD	*1.28*	*1.45*	*1.31*	*1.76*	*1.60*	*0.92*	*1.56*	*1.12*	*1.31*
Average LOS, mean	17.54	13.25	14.74	8.52	6.94	12.55	15.75	11.81	14.88
SD	*38.98*	*15.58*	*10.10*	*6.46*	*6.29*	*13.26*	*14.72*	*13.99*	*26.49*
Cumulative Days of Stay, mean	15.33	13.89	29.40	11.30	8.00	7.03	20.46	9.98	12.20
SD	*38.37*	*24.24*	*46.98*	*18.62*	*13.76*	*15.90*	*27.55*	*16.70*	*29.34*
Cumulative Days of Stay, %									
0	41.8%	40.5%	15.0%	41.2%	39.7%	60.1%	27.9%	44.2%	50.2%
1 to 7	18.6%	17.6%	15.0%	22.1%	27.4%	14.6%	13.8%	20.8%	18.0%
8 to 14	14.1%	12.3%	25.0%	9.3%	17.8%	7.4%	13.2%	12.6%	12.2%
15 to 44	17.8%	21.4%	30.0%	21.2%	10.5%	15.5%	30.8%	18.2%	13.8%
45 to 89	4.7%	6.1%	10.0%	4.9%	4.6%	1.8%	10.5%	3.9%	2.8%
90 to 179	1.7%	1.9%	0.0%	1.3%	0.0%	0.6%	3.3%	0.4%	2.4%
180 to 359	0.8%	0.3%	5.0%	0.0%	0.0%	0.0%	0.4%	0.0%	0.6%
360+	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	1.8%	0.5%	0.0%	0.0%	0.0%	0.3%	0.5%	0.4%	1.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.50	161.20	0.00	0.00	0.00	104.00	171.50	120.00	175.50
SD	*96.26*	*43.17*	*0.00*	*0.00*	*0.00*	*0.00*	*47.60*	*0.00*	*35.41*
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.2%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.9%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	291.18	194.50	0.00	0.00	0.00	0.00	223.00	0.00	185.00
SD	*78.31*	*35.41*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*36.59*
Other VISN cumulative DOS, mean	0.45	0.46	5.25	0.29	0.20	0.47	0.47	0.15	0.62
SD	*3.83*	*3.79*	*19.12*	*2.28*	*1.23*	*5.28*	*3.22*	*1.55*	*3.49*
Other station cumulative DOS, mean	1.32	1.85	5.45	0.61	0.42	6.06	0.97	0.46	2.28
SD	*6.36*	*8.22*	*19.08*	*3.43*	*2.16*	*14.75*	*5.43*	*2.98*	*9.43*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358	459	570	612	640	654	662
			Manila	*Honolulu*	*Fresno*	*N.California*	*Palo Alto*	*Sierra Nevada*	*San Francisco*
Entire Population	217760	9292	250	1035	847	2351	2450	883	1476
Other 24 hour institutional care									
Patients with some other 24 hour institutional care, %	8.5%	6.6%	0.0%	2.4%	4.1%	5.3%	14.2%	4.0%	3.0%
Residential Rehab (rep. for those w/ res rehab care)									
Patients with some residential rehab. care, %	1.8%	0.4%	0.0%	0.1%	0.4%	0.1%	1.0%	0.2%	0.1%
Number stays, mean	1.12	1.06	0.00	1.00	1.00	1.00	1.08	1.00	1.00
SD	*0.38*	*0.24*	*0.00*	*0.00*	*0.00*	*0.00*	*0.28*	*0.00*	*0.00*
Average LOS, mean	34.01	54.37	0.00	60.00	48.00	64.67	56.48	45.00	5.00
SD	*38.25*	*29.46*	*0.00*	*0.00*	*25.98*	*1.15*	*31.93*	*25.46*	*0.00*
Cumulative DOS, mean	37.28	55.85	0.00	60.00	48.00	64.67	58.58	45.00	5.00
SD	*40.79*	*28.58*	*0.00*	*0.00*	*25.98*	*1.15*	*30.58*	*25.46*	*0.00*
Cumulative Days of Stay, %									
1 to 7	12.3%	8.8%	0.0%	0.0%	0.0%	0.0%	8.3%	0.0%	100.0%
8 to 14	12.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	50.7%	26.5%	0.0%	0.0%	33.3%	0.0%	29.2%	50.0%	0.0%
45 to 89	15.8%	55.9%	0.0%	100.0%	66.7%	100.0%	50.0%	50.0%	0.0%
90 to 179	7.0%	8.8%	0.0%	0.0%	0.0%	0.0%	12.5%	0.0%	0.0%
180 to 359	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.3%	8.8%	0.0%	0.0%	0.0%	0.0%	12.5%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	175.66	113.33	0.00	0.00	0.00	0.00	113.33	0.00	0.00
SD	*75.56*	*14.98*	*0.00*	*0.00*	*0.00*	*0.00*	*14.98*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	237.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*73.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.12	0.94	0.00	0.00	0.00	0.00	0.00	13.50	5.00
SD	*6.40*	*4.68*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*19.09*	*0.00*
Other station cumulative DOS, mean	3.58	12.74	0.00	0.00	48.00	64.67	0.00	45.00	5.00
SD	*10.93*	*24.63*	*0.00*	*0.00*	*25.98*	*1.15*	*0.00*	*25.46*	*0.00*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358	459	570	612	640	654	662
			Manila	*Honolulu*	*Fresno*	*N.California*	*Palo Alto*	*Sierra Nevada*	*San Francisco*
Entire Population	217760	9292	250	1035	847	2351	2450	883	1476
Domiciliary and Vocational									
(reported for those with some dom/voc care)									
Patients with some dom/voc care, %	2.8%	0.6%	0.0%	0.0%	0.2%	0.0%	1.8%	0.9%	0.2%
Number stays, mean	1.13	1.05	0.00	0.00	1.00	0.00	1.07	1.00	1.00
SD	*0.38*	*0.23*	*0.00*	*0.00*	*0.00*	*0.00*	*0.25*	*0.00*	*0.00*
Average LOS, mean	85.20	46.68	0.00	0.00	45.00	0.00	54.95	17.00	5.67
SD	*90.51*	*39.37*	*0.00*	*0.00*	*4.24*	*0.00*	*40.30*	*16.11*	*2.52*
Cumulative DOS, mean	92.74	50.32	0.00	0.00	45.00	0.00	59.66	17.00	5.67
SD	*94.18*	*44.80*	*0.00*	*0.00*	*4.24*	*0.00*	*46.21*	*16.11*	*2.52*
Cumulative Days of Stay, %									
1 to 7	6.9%	12.3%	0.0%	0.0%	0.0%	0.0%	4.5%	37.5%	66.7%
8 to 14	6.1%	12.3%	0.0%	0.0%	0.0%	0.0%	11.4%	12.5%	33.3%
15 to 44	29.6%	33.3%	0.0%	0.0%	50.0%	0.0%	34.1%	37.5%	0.0%
45 to 89	19.5%	17.5%	0.0%	0.0%	50.0%	0.0%	18.2%	12.5%	0.0%
90 to 179	22.9%	24.6%	0.0%	0.0%	0.0%	0.0%	31.8%	0.0%	0.0%
180 to 359	10.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	5.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	100.0%	0.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	31.6%	12.3%	0.0%	0.0%	0.0%	0.0%	15.9%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	203.50	136.14	0.00	0.00	0.00	0.00	136.14	0.00	0.00
SD	*90.08*	*21.56*	*0.00*	*0.00*	*0.00*	*0.00*	*21.56*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	18.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	259.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*79.66*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.54	3.70	0.00	0.00	21.00	0.00	0.43	17.00	4.67
SD	*8.76*	*9.97*	*0.00*	*0.00*	*29.70*	*0.00*	*2.86*	*16.11*	*4.16*
Other station cumulative DOS, mean	3.75	4.60	0.00	0.00	45.00	0.00	0.43	17.00	5.67
SD	*14.14*	*11.54*	*0.00*	*0.00*	*4.24*	*0.00*	*2.86*	*16.11*	*2.52*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Entire Population	217760	9292	250	1035	847	2351	2450	883	1476
Nursing Home Care									
(reported for those with some nursing home care)									
Patients with some nursing home care, %	4.5%	5.6%	0.0%	2.3%	3.5%	5.2%	11.5%	2.9%	2.8%
Number stays, mean	1.24	1.54	0.00	1.21	2.87	1.32	1.57	1.31	1.29
SD	*0.60*	*1.28*	*0.00*	*0.51*	*2.67*	*0.77*	*1.31*	*0.55*	*0.56*
Average LOS, mean	99.56	75.00	0.00	100.33	24.35	58.62	88.38	44.64	73.57
SD	*118.68*	*96.86*	*0.00*	*101.05*	*61.70*	*71.70*	*107.52*	*55.53*	*103.17*
Cumulative DOS, mean	111.19	92.40	0.00	115.79	43.27	73.16	107.31	55.65	92.95
SD	*123.23*	*107.22*	*0.00*	*113.82*	*64.10*	*88.63*	*115.29*	*66.62*	*120.76*
Cumulative Days of Stay, %									
1 to 7	9.0%	14.3%	0.0%	8.3%	33.3%	18.0%	11.4%	23.1%	7.3%
8 to 14	10.6%	9.5%	0.0%	8.3%	10.0%	11.5%	9.3%	11.5%	4.9%
15 to 44	27.5%	25.0%	0.0%	25.0%	26.7%	23.8%	23.5%	26.9%	36.6%
45 to 89	15.4%	17.9%	0.0%	8.3%	16.7%	19.7%	17.1%	15.4%	26.8%
90 to 179	13.8%	14.7%	0.0%	25.0%	10.0%	13.9%	15.7%	15.4%	7.3%
180 to 359	11.4%	12.6%	0.0%	25.0%	3.3%	12.3%	14.2%	7.7%	4.9%
360+	12.4%	5.9%	0.0%	0.0%	0.0%	0.8%	8.9%	0.0%	12.2%
Total	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	33.0%	27.1%	0.0%	41.7%	6.7%	23.0%	32.4%	15.4%	17.1%
Cumul. DOS, patients with a 100+ day NH stay, mean	263.62	243.41	0.00	225.00	222.50	202.96	252.63	192.75	346.57
SD	*97.17*	*89.07*	*0.00*	*94.60*	*154.86*	*85.63*	*85.52*	*37.77*	*42.66*
NH patients with 150+ day NH stay, %	25.7%	21.2%	0.0%	25.0%	3.3%	11.5%	28.1%	15.4%	17.1%
Cumul. DOS, patients with a 150+ day NH stay, mean	299.88	271.27	0.00	280.67	332.00	266.07	268.01	192.75	346.57
SD	*76.08*	*77.26*	*0.00*	*75.98*	*0.00*	*65.86*	*78.97*	*37.77*	*42.66*
Other VISN cumulative DOS, mean	0.41	0.36	0.00	0.00	0.00	0.63	0.00	1.88	1.49
SD	*5.60*	*4.76*	*0.00*	*0.00*	*0.00*	*6.97*	*0.00*	*9.61*	*9.37*
Other station cumulative DOS, mean	1.17	1.30	0.00	0.00	0.67	2.00	0.61	2.15	4.61
SD	*8.68*	*8.45*	*0.00*	*0.00*	*2.66*	*12.18*	*5.03*	*9.65*	*15.07*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Entire Population	217760	9292	250	1035	847	2351	2450	883	1476
Outpatient utilization									
(reported for those with some outpatient care)									
Patients with some outpatient care, %	99.1%	99.3%	98.8%	99.7%	99.9%	99.8%	97.9%	100.0%	99.6%
annual visit days, mean	24.61	25.72	8.14	24.11	21.00	23.28	28.95	21.11	33.92
SD	*33.05*	*32.42*	*8.06*	*31.25*	*22.57*	*28.91*	*30.05*	*25.88*	*47.17*
Outpatient visit days, %									
1-12	44.2%	40.2%	77.3%	44.0%	44.8%	41.1%	32.6%	47.0%	35.4%
13-24	26.4%	27.3%	18.6%	28.6%	27.4%	28.8%	27.4%	27.9%	25.2%
25-36	11.9%	13.1%	3.2%	10.9%	13.4%	14.0%	14.1%	11.2%	14.1%
37-48	5.9%	6.8%	0.4%	5.3%	5.9%	6.4%	9.5%	5.4%	6.7%
49+	11.5%	12.6%	0.4%	11.1%	8.5%	9.8%	16.4%	8.5%	18.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	79.4%	80.6%	97.6%	81.4%	80.1%	81.3%	85.1%	71.0%	74.8%
Mean PC visit days, among those with some PC	3.84	4.12	4.36	4.94	4.33	3.81	4.28	3.23	4.10
SD	3.72	3.91	4.08	4.74	3.46	3.79	4.17	3.13	3.39
Average number clinic stops per visit day, mean	1.49	1.38	3.01	1.29	1.38	1.30	1.28	1.50	1.42
SD	*0.47*	*0.49*	*1.13*	*0.33*	*0.35*	*0.29*	*0.30*	*0.49*	*0.50*
annual clinic stops (psych & non-psych), mean	37.56	35.97	22.51	31.77	32.00	31.63	37.51	30.22	51.35
SD	*56.64*	*50.05*	*20.10*	*43.66*	*45.16*	*44.83*	*40.57*	*35.85*	*78.36*
annual non-psych. clinic stops, mean	20.14	18.64	21.61	12.91	19.24	19.24	19.86	16.03	20.44
SD	*25.25*	*20.63*	*19.33*	*16.28*	*19.05*	*19.36*	*24.40*	*15.36*	*21.63*
annual psych. clinic stops (groupings below), mean	17.42	17.33	0.90	18.86	12.76	12.39	17.65	14.19	30.91
SD	*43.44*	*41.12*	*1.30*	*36.83*	*34.74*	*37.83*	*28.74*	*29.97*	*67.13*
1. general psych. clinic stops, mean	7.22	8.38	0.87	8.73	6.14	8.34	12.02	5.95	6.25
SD	*13.49*	*15.76*	*1.27*	*16.52*	*9.22*	*20.65*	*17.11*	*8.04*	*8.92*
2. psych. case management clinic stops, mean	1.44	0.48	0.00	0.01	0.00	0.00	0.94	0.01	1.43
SD	*12.10*	*5.61*	*0.00*	*0.28*	*0.00*	*0.10*	*7.86*	*0.16*	*9.73*
3. psych. day treatment clinic stops, mean	2.80	3.09	0.02	5.62	0.02	1.40	2.75	6.61	4.72
SD	*21.66*	*17.09*	*0.25*	*21.12*	*0.62*	*14.61*	*14.18*	*27.35*	*19.36*
4. substance abuse clinic stops, mean	3.26	3.82	0.00	1.68	6.21	2.42	1.27	1.13	12.59
SD	*19.07*	*26.51*	*0.00*	*7.06*	*31.35*	*24.92*	*6.43*	*4.60*	*51.34*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Entire Population	217760	9292	250	1035	847	2351	2450	883	1476
5. psych. vocational clinic stops, mean	1.73	0.53	0.00	1.52	0.01	0.00	0.28	0.00	1.77
SD	*15.65*	*7.44*	*0.00*	*14.21*	*0.21*	*0.05*	*3.09*	*0.03*	*13.68*
6. PTSD clinic stops, mean	0.56	0.64	0.00	0.97	0.04	0.18	0.35	0.40	2.20
SD	*4.85*	*5.59*	*0.00*	*8.52*	*0.52*	*1.94*	*3.38*	*4.39*	*10.28*
7. psych. homeless clinic stops, mean	0.41	0.41	0.01	0.24	0.34	0.05	0.09	0.09	1.94
SD	*3.32*	*3.41*	*0.13*	*1.23*	*1.49*	*0.34*	*0.92*	*0.44*	*8.14*
Other VISN OP visit days, mean	0.36	0.34	0.16	0.24	0.39	0.27	0.38	0.43	0.44
SD	*2.35*	2.18	0.80	1.75	2.52	1.74	2.55	1.79	2.57
Other station OP visit days, mean	0.91	0.92	0.18	0.30	0.74	0.97	1.11	0.87	1.19
SD	*3.87*	3.54	0.81	1.88	3.13	3.45	4.15	2.63	4.31

Table 4F: FY03 Psychosis Patients, Pharmacy Utilization, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Entire Population	217760	9292	250	1035	847	2351	2450	883	1476
Among all patients in the registry									
Pts. with any outpatient prescriptions, %	95.5%	95.1%	80.8%	94.0%	97.2%	95.9%	95.7%	97.1%	93.5%
Patients with any oral antipsychotic fills, %*	59.2%	59.8%	61.6%	62.2%	60.1%	60.2%	63.6%	49.9%	56.5%
Among patients receiving antipsychotics:									
Received only conventional antipsychotics, %	12.3%	10.2%	26.6%	10.9%	9.8%	11.7%	7.8%	7.0%	10.7%
Received some atypical antipsychotics, %	87.7%	89.8%	73.4%	89.1%	90.2%	88.3%	92.2%	93.0%	89.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %									
Aripiprazole	1.2%	1.0%	0.0%	1.2%	0.4%	0.1%	1.5%	0.0%	2.3%
Clozapine	1.8%	2.0%	0.0%	1.7%	1.6%	1.5%	3.9%	0.2%	1.0%
Olanzapine	35.8%	47.8%	29.9%	38.4%	44.8%	51.2%	55.4%	43.1%	43.2%
Quetiapine	26.2%	23.9%	15.6%	26.4%	29.7%	23.2%	22.3%	32.4%	19.8%
Risperidone	36.7%	29.9%	35.1%	36.5%	31.6%	25.7%	26.8%	28.8%	36.1%
Ziprasidone	5.2%	4.2%	0.6%	6.2%	1.2%	1.8%	2.8%	10.9%	8.5%
Patients receiving only one kind** of antipsychotic, %	73.8%	74.1%	62.3%	75.5%	73.7%	77.8%	71.7%	74.8%	73.0%
Concurrent use of 2 or more antipsychotics, % ***	11.3%	11.5%	33.1%	10.9%	9.2%	11.7%	12.3%	7.0%	10.2%
Among pts receiving just one antipsychotic:									
Antipsychotic fills, mean	7.06	7.47	5.17	8.40	6.37	6.93	8.87	6.22	6.84
SD	*5.06*	*5.31*	*2.73*	*5.15*	*4.24*	*5.15*	*6.14*	*4.50*	*4.68*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5F: FY03 Psychosis Patients, Cost, VISN 21

	All VISNs	VISN 21	358	459	570	612	640	654	662
			Manila	*Honolulu*	*Fresno*	*N.California*	*Palo Alto*	*Sierra Nevada*	*San Francisco*
Entire Population	217760	9292	250	1035	847	2351	2450	883	1476
Total Costs (in thousands $$)	$3,237,460	$154,632	$579	$14,857	$9,661	$27,072	$64,851	$10,136	$27,470
Station % of VISN		100.0%	0.4%	9.6%	6.2%	17.5%	41.9%	6.6%	17.8%
Psych vs. Non-Psych Costs									
Psych	30.3%	33.0%	17.9%	42.8%	35.4%	18.3%	34.8%	31.2%	38.2%
Non-Psych	69.7%	67.0%	82.1%	57.2%	64.6%	81.7%	65.2%	68.8%	61.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use									
Per Patient	$18,395	$22,058	$4,136	$12,792	$16,166	$15,314	$31,183	$16,003	$22,128
Per Day of Stay	$842	$1,107	$134	$684	$1,255	$1,186	$1,199	$1,125	$1,052
Mean Outpatient Costs, Pts with some Outpatient use									
Per Patient	$6,757	$7,777	$1,845	$7,655	$5,429	$6,649	$8,693	$5,791	$11,711
Per Visit Day	$275	$302	$227	$318	$259	$286	$300	$274	$345
Mean Patient Costs, By Cost Center									
1 Med	$1,582	$1,304	$0	$53	$907	$806	$2,403	$1,471	$1,496
2 Surg	$536	$668	$0	$120	$356	$507	$1,111	$610	$903
3 Psych	$2,886	$3,175	$331	$2,621	$2,917	$876	$6,782	$2,106	$2,503
4 Psych Res Rehab Treatment Program	$218	$145	$0	$95	$115	$45	$371	$56	$59
5 Non-VA	$205	$497	$164	$2,291	$63	$446	$201	$482	$126
6 LTC Domiciliary	$327	$85	$0	$0	$20	$0	$303	$28	$2
7 LTC Intermediate Care	$167	$158	$0	$0	$0	$0	$599	$0	$2
8 LTC Nursing Home	$1,785	$2,232	$0	$1,341	$1,026	$1,104	$5,445	$732	$1,289
9 Contract Nursing Home	$467	$659	$0	$202	$581	$1,093	$747	$203	$568
10 OPC Med/Surg	$1,071	$1,129	$345	$451	$877	$926	$1,340	$920	$1,977
11 OPC Psych	$1,624	$2,323	$84	$3,517	$1,121	$1,237	$2,435	$1,476	$4,605
12 OPC Home Based Treatment	$751	$838	$306	$927	$731	$625	$1,086	$451	$1,088
13 OPC Support	$1,322	$1,487	$1,047	$731	$1,145	$1,788	$1,754	$1,017	$1,647
14 OPC Fee	$148	$234	$27	$347	$137	$238	$164	$133	$414
15 OPC Pharmacy	$1,778	$1,709	$14	$1,660	$1,411	$1,825	$1,729	$1,795	$1,934
TOTAL	$14,867	$16,641	$2,318	$14,355	$11,407	$11,515	$26,470	$11,479	$18,611
Mean % Patient Costs at Other Stations	3.9%	4.6%	2.6%	1.8%	3.9%	7.7%	3.1%	5.2%	4.6%
SD	*12.8%*	*14.5%*	*11.8%*	*8.9%*	*12.7%*	*19.6%*	*10.6%*	*14.3%*	*14.0%*
Mean % Patient Costs at Other VISNs	1.5%	1.5%	1.8%	1.1%	1.4%	1.5%	1.1%	2.3%	2.0%
SD	*8.0%*	*7.9%*	*9.8%*	*6.4%*	*6.8%*	*8.1%*	*6.4%*	*9.6%*	*9.9%*

Table 1G: FY03 Schizophrenic Patients, Demographics, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Schizophrenic Patients	94395	4075	180	540	356	1073	1103	232	591
Age, %									
<35	3.9%	4.0%	2.2%	3.1%	6.2%	4.4%	3.8%	4.7%	3.6%
>=35 and <50	32.5%	31.5%	28.9%	35.6%	37.9%	33.9%	27.9%	27.2%	28.9%
>=50 and <65	44.6%	46.7%	38.3%	44.8%	39.3%	45.2%	49.0%	57.3%	49.7%
>=65 and <80	15.7%	14.6%	26.7%	14.1%	13.8%	13.7%	16.0%	8.2%	13.7%
>=80	3.3%	3.1%	3.9%	2.4%	2.8%	2.8%	3.3%	2.6%	4.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	54.59	54.42	57.85	53.71	52.92	53.79	55.21	53.21	55.10
SD	*11.97*	*11.84*	*13.60*	*11.58*	*12.17*	*11.66*	*11.82*	*10.67*	*11.79*
Gender									
Male, %	94.6%	94.2%	98.3%	95.2%	93.0%	93.9%	93.9%	94.4%	93.6%
Female, %	5.4%	5.8%	1.7%	4.8%	7.0%	6.1%	6.1%	5.6%	6.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %									
Hispanic white	6.9%	5.8%	0.6%	1.1%	13.5%	4.8%	9.0%	2.6%	4.2%
Hispanic black	0.6%	0.3%	0.0%	0.0%	0.3%	0.3%	0.5%	0.4%	0.5%
American indian	0.3%	0.6%	1.1%	0.6%	2.2%	0.7%	0.2%	0.4%	0.2%
Black	26.5%	16.9%	2.8%	6.5%	11.8%	29.1%	14.1%	4.3%	21.7%
Asian	0.8%	10.3%	70.0%	35.0%	0.3%	3.1%	4.4%	0.4%	3.7%
White	52.4%	49.2%	11.1%	23.3%	49.4%	54.5%	59.0%	75.0%	46.2%
Race unknown	12.5%	16.9%	14.4%	33.5%	22.5%	7.5%	13.0%	16.8%	23.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status									
Never married	42.4%	49.0%	27.4%	55.4%	42.1%	44.9%	53.5%	37.1%	57.9%
Married	24.6%	20.4%	63.7%	19.1%	20.2%	23.9%	16.4%	18.5%	9.9%
Divorced/Separated	29.5%	27.7%	5.0%	23.6%	33.7%	28.6%	27.3%	40.9%	28.3%
Widowed	3.5%	2.9%	3.9%	1.9%	3.9%	2.6%	2.7%	3.4%	3.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Schizophrenic Patients	94395	4075	180	540	356	1073	1103	232	591
Registry Pts. History of VA Utilization									
Years since first use in prior five years, mean	4.6	4.56	4.38	4.57	4.53	4.54	4.65	4.59	4.46
SD	*1.0*	1.05	1.38	1.06	1.10	1.05	0.93	1.03	1.12
Yrs with 24-hour institutional use / yrs since 1st use, %	27.3%	22.4%	8.7%	19.7%	27.6%	15.6%	30.8%	23.9%	21.2%
SD	*30.9%*	28.1%	17.8%	26.9%	28.7%	23.8%	32.0%	26.9%	25.8%
Years with OP use / Years since first use, %	96.7%	97.5%	98.8%	97.5%	97.7%	98.2%	97.1%	98.0%	96.5%
SD	*12.4%*	9.5%	7.6%	8.1%	8.5%	7.7%	11.3%	7.8%	11.2%
Psychosis Diagnoses in Prior Fiscal Year									
Had Psychosis Diagnosis in FY01, %	82.2%	81.4%	83.3%	84.8%	80.6%	80.5%	84.6%	79.7%	74.5%
Among Patients With Psychoses in FY01									
Psychosis Category: Schizophrenia, %	94.8%	93.4%	98.0%	96.3%	94.4%	93.3%	93.1%	92.4%	89.5%
Psychosis Category: Bipolar Disorder, %	2.6%	2.5%	0.0%	1.1%	1.7%	2.8%	2.9%	5.4%	3.0%
Psychosis Category: Other Psychosis, %	2.5%	4.0%	2.0%	2.6%	3.8%	3.9%	4.0%	2.2%	7.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %									
Dementia	2.3%	1.5%	0.0%	2.6%	0.6%	1.2%	2.2%	0.9%	1.4%
Post Traumatic Stress Disorder	11.9%	11.4%	2.2%	9.3%	12.4%	13.0%	11.7%	12.1%	12.0%
Depression	25.7%	25.3%	10.0%	17.0%	30.1%	25.7%	26.4%	32.8%	29.3%
Other Anxiety Disorder	8.7%	6.7%	5.6%	5.4%	8.7%	5.2%	6.3%	12.1%	8.5%
Substance Abuse or Dependence	22.3%	21.5%	1.1%	25.0%	28.1%	15.3%	22.9%	30.6%	25.5%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Schizophrenic Patients	94395	4075	180	540	356	1073	1103	232	591
Medical Comorbidities, %									
No medical comorbidities	18.7%	20.4%	33.9%	25.7%	24.7%	18.1%	15.7%	16.4%	23.2%
Anemia	7.1%	7.4%	0.6%	5.2%	5.1%	8.7%	8.5%	6.9%	8.8%
Arthritis	29.7%	27.8%	31.7%	20.7%	25.3%	32.0%	24.4%	36.2%	30.3%
Cancer	6.1%	6.6%	0.6%	4.6%	5.1%	5.4%	8.9%	9.1%	8.0%
Cerebrovascular Disease	3.8%	4.0%	6.7%	3.5%	2.8%	5.1%	3.0%	2.6%	5.1%
Chronic Neurologic Disorder	12.4%	9.1%	7.8%	8.7%	11.2%	8.9%	8.3%	13.8%	8.6%
Chronic Obstructive Pulmonary Disease	16.5%	17.7%	11.1%	13.5%	12.4%	18.9%	21.9%	22.4%	15.1%
Chronic Viral Infection	8.7%	10.6%	0.0%	7.6%	11.2%	11.4%	9.8%	15.1%	14.2%
Coronary Artery Disease	14.6%	12.3%	12.2%	7.8%	10.7%	13.2%	12.8%	10.3%	15.6%
Diabetes	20.3%	19.9%	25.6%	18.0%	17.7%	19.4%	23.4%	17.7%	16.2%
Digestive System Disease	44.1%	39.7%	11.1%	34.6%	38.5%	41.8%	45.1%	50.4%	35.5%
Hypertension	40.7%	37.9%	25.0%	33.3%	31.5%	42.2%	41.8%	36.2%	35.7%
Injury and Poisoning	15.5%	14.3%	8.3%	15.0%	13.8%	12.9%	14.6%	15.5%	17.4%
Liver Disease	3.2%	3.4%	2.2%	5.0%	0.8%	3.6%	3.4%	6.5%	2.5%
Other Endocrine	6.9%	7.9%	1.7%	4.1%	7.9%	8.2%	11.2%	10.3%	5.9%
Peripheral Vascular Disease	2.9%	2.5%	1.1%	1.9%	2.5%	2.5%	2.7%	3.0%	2.5%
GAF scores									
Lowest inpatient GAF score, mean	36.19	30.67	--	36.13	32.73	33.18	27.00	46.25	33.50
SD	*14.35*	*15.00*	--	*10.00*	*16.21*	*20.96*	*14.09*	*7.91*	*12.70*
Mean outpatient GAF score	48.84	47.93	--	48.20	47.91	47.02	47.00	54.15	47.65
SD	*10.59*	*9.96*	--	*9.16*	*10.56*	*8.00*	*11.78*	*6.77*	*9.15*
At least 1 IP GAF, among pts with MH bedsections, %	38.5%	24.9%	7.7%	21.3%	23.4%	14.7%	30.9%	14.6%	25.8%
At least 1 OP GAF, among pts with MH clinic stops, %	80.5%	85.3%	68.2%	93.9%	91.0%	79.3%	85.3%	89.4%	85.6%
Mortality rates									
died in FY02, %	2.7%	2.4%	1.7%	2.4%	2.2%	2.0%	3.0%	3.0%	2.4%
Age-and-gender-adjusted Standardized Mortality Ratio	1.68	1.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Schizophrenic Patients	94395	4075	180	540	356	1073	1103	232	591
Service Connection (SC)									
Non-SC	40.8%	39.7%	4.4%	39.1%	39.0%	36.6%	41.5%	50.9%	49.4%
SC 0 - 29%	6.8%	6.3%	6.1%	8.9%	8.1%	5.9%	5.7%	3.4%	5.9%
SC 30 - 69%	8.8%	7.5%	13.3%	9.3%	10.4%	8.5%	3.8%	6.9%	7.8%
SC 70 - 99%	6.6%	7.4%	7.2%	4.4%	10.1%	10.1%	5.3%	9.1%	6.8%
SC 100%	37.0%	39.1%	68.9%	38.3%	32.3%	39.0%	43.6%	29.7%	30.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %									
Complex*	22.5%	19.2%	3.3%	11.7%	11.0%	13.1%	37.3%	9.5%	17.3%
Basic vested, Cat A*	74.7%	78.3%	96.1%	85.4%	87.6%	83.3%	60.7%	88.4%	80.2%
Basic Non-vested, Cat A*	1.2%	1.3%	0.0%	2.4%	0.6%	2.7%	0.5%	0.4%	0.5%
Basic, Cats C and N	1.7%	1.2%	0.6%	0.6%	0.8%	0.8%	1.5%	1.7%	2.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded									
Patient eligibility category, %									
Cat A (SC or low income)	98.2%	98.7%	99.4%	99.4%	99.2%	99.1%	98.3%	98.3%	97.8%
Cat C (NSC and higher income)	1.4%	0.8%	0.0%	0.6%	0.6%	0.7%	0.8%	1.3%	1.5%
Non-Veteran	0.5%	0.5%	0.6%	0.0%	0.3%	0.2%	0.9%	0.4%	0.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %									
BASIC 1. Non-reliant Care	0.2%	0.5%	8.3%	0.2%	0.0%	0.5%	0.0%	0.0%	0.0%
2. Basic Medical	13.3%	12.8%	4.4%	13.1%	15.2%	19.9%	6.4%	16.8%	11.2%
3. Mental Health	38.5%	41.1%	67.8%	47.8%	47.5%	40.0%	33.6%	41.4%	39.1%
4. Heart / Lung / GI	5.8%	5.9%	1.1%	5.6%	5.3%	8.1%	3.8%	6.0%	7.8%
5. Oncology / Infectious Disease	3.6%	4.3%	0.0%	1.7%	6.2%	5.6%	3.2%	6.0%	6.3%
6. Multiple Medical	16.1%	16.0%	15.0%	20.0%	14.9%	12.8%	15.7%	20.3%	18.4%
COMPLEX 7. Specialized Care	1.9%	1.4%	0.0%	1.1%	0.8%	1.6%	1.5%	0.9%	2.4%
8. Support Care	2.3%	2.1%	0.0%	1.5%	3.4%	3.0%	1.9%	1.7%	1.7%
9. Chronic Mental	15.7%	13.4%	3.3%	7.6%	5.1%	7.3%	29.5%	6.0%	10.7%
10. Critically Ill	2.6%	2.3%	0.0%	1.5%	1.7%	1.3%	4.4%	0.9%	2.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Schizophrenic Patients	94395	4075	180	540	356	1073	1103	232	591
Substance Dependence and Abuse									
Any dx of alcohol / drug dependence or abuse, %	22.3%	21.5%	1.1%	25.0%	28.1%	15.3%	22.9%	30.6%	25.5%
Homelessness									
Homelessness indicated in FY02, %	12.0%	14.7%	0.6%	17.6%	16.0%	7.2%	12.9%	19.4%	30.6%
Residence in Metropolitan Area									
Residing in a Metropolitan Statistical Area, %	81.5%	90.6%	89.3%	73.7%	98.3%	96.6%	97.0%	75.9%	83.9%
Distance									
Mile from Closest VA Medical Center, mean	28.72	29.32	25.49	50.53	18.41	32.76	19.79	18.65	33.04
SD	*55.48*	*44.46*	*20.49*	*78.85*	*23.21*	*40.39*	*18.44*	*29.00*	*51.42*
Distance from closest VA Medical Center, %									
0 to 15 miles	52.9%	56.9%	44.0%	68.8%	62.6%	48.3%	51.9%	65.5%	65.8%
15 to 30 miles	15.5%	17.2%	18.7%	4.9%	9.0%	28.1%	22.1%	12.9%	5.6%
30 to 45 miles	9.7%	10.0%	8.0%	0.0%	13.8%	9.2%	17.4%	8.6%	5.1%
45 to 60 miles	7.4%	4.4%	28.0%	0.0%	9.3%	0.4%	5.7%	5.6%	6.8%
60 plus miles	14.4%	11.6%	1.3%	26.3%	5.3%	14.1%	2.8%	7.3%	16.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	9.84	7.75	5.21	7.37	8.62	8.69	6.93	11.98	6.05
SD	*11.95*	*8.77*	*6.05*	*6.27*	*9.30*	*7.86*	*5.04*	*21.25*	*8.60*
Distance to closest VA Service Site, %									
0 to 15 miles	79.4%	88.1%	86.7%	88.9%	79.5%	84.5%	95.9%	79.3%	87.8%
15 to 30 miles	13.6%	9.3%	13.3%	9.6%	16.6%	12.7%	3.6%	10.8%	8.1%
30 to 45 miles	5.1%	1.9%	0.0%	1.5%	3.4%	2.6%	0.4%	2.2%	3.4%
45 plus miles	1.9%	0.7%	0.0%	0.0%	0.6%	0.2%	0.1%	7.8%	0.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Schizophrenic Patients	94395	4075	180	540	356	1073	1103	232	591
Hospital Based Utilization									
Patients with some Hospital Based Utilization, %	27.0%	22.9%	7.8%	20.7%	26.7%	14.4%	32.6%	26.3%	23.5%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)									
Inpatient stays, mean	1.85	1.92	1.71	2.14	1.93	1.62	2.03	1.66	1.90
SD	*1.45*	*1.52*	*0.99*	*1.61*	*1.61*	*1.05*	*1.61*	*1.17*	*1.69*
Average LOS, mean	17.65	11.74	13.81	9.58	6.84	8.90	15.25	8.45	12.10
SD	*42.51*	*15.76*	*7.25*	*8.54*	*6.80*	*11.83*	*16.47*	*7.76*	*25.12*
Cumulative DOS, mean	28.76	22.56	24.86	21.08	14.61	14.44	30.19	14.90	21.51
SD	*53.29*	*29.31*	*20.15*	*24.50*	*20.35*	*17.15*	*33.84*	*16.13*	*35.99*
Cumulative DOS, %									
1 to 7	35.1%	39.0%	14.3%	37.5%	52.6%	51.3%	26.7%	47.5%	48.2%
8 to 14	20.7%	15.4%	35.7%	11.6%	20.0%	14.9%	13.6%	21.3%	15.8%
15 to 44	29.0%	30.1%	35.7%	38.4%	16.8%	27.9%	35.8%	21.3%	23.0%
45 to 89	9.0%	11.9%	14.3%	9.8%	8.4%	5.2%	17.8%	9.8%	8.6%
90 to 179	3.4%	3.0%	0.0%	2.7%	2.1%	0.6%	5.0%	0.0%	2.9%
180 to 359	1.5%	0.6%	0.0%	0.0%	0.0%	0.0%	1.1%	0.0%	1.4%
360+	1.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	3.8%	0.7%	0.0%	0.0%	0.0%	0.6%	0.8%	0.0%	2.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	249.93	178.86	0.00	0.00	0.00	104.00	193.33	0.00	189.33
SD	*96.37*	*41.32*	*0.00*	*0.00*	*0.00*	*0.00*	*27.75*	*0.00*	*32.72*
Hospital patients who had a 150+ day hosp. stay, %	2.5%	0.4%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	2.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.78	197.75	0.00	0.00	0.00	0.00	223.00	0.00	189.33
SD	*75.28*	*31.57*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*32.72*
Cumulative DOS at Other VISNs	0.65	0.51	1.50	0.49	0.25	0.44	0.39	0.11	1.20
SD	*4.66*	*3.27*	*5.61*	*3.18*	*1.50*	*2.66*	*2.73*	*0.90*	*5.60*
Cumulative DOS at Other Stations	2.06	2.58	1.50	0.87	1.44	9.34	0.93	0.97	2.31
SD	*8.11*	*8.67*	*5.61*	*4.49*	*8.92*	*14.80*	*4.65*	*3.58*	*8.23*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Schizophrenic Patients	94395	4075	180	540	356	1073	1103	232	591
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)									
Pts. with non-psych hospital stays, %	11.8%	10.5%	0.6%	9.1%	9.8%	9.1%	12.4%	9.9%	14.6%
Inpatient stays, mean	0.71	0.70	0.07	0.71	0.47	0.95	0.58	0.59	0.99
SD	*1.11*	*1.04*	*0.27*	*1.13*	*0.74*	*1.02*	*0.96*	*1.02*	*1.27*
Average LOS, mean	8.26	6.30	5.00	9.57	4.56	4.77	7.38	5.28	5.47
SD	*16.10*	*6.99*	*0.00*	*10.41*	*5.87*	*3.92*	*8.31*	*4.77*	*4.88*
Cumulative Days of Stay, mean	6.10	4.92	0.36	6.41	3.24	5.25	4.79	4.00	5.70
SD	*19.61*	*11.36*	*1.34*	*12.39*	*13.51*	*10.09*	*11.83*	*10.77*	*9.54*
Cumulative Days of Stay, %									
0	56.2%	54.1%	92.9%	56.3%	63.2%	36.4%	61.9%	62.3%	38.1%
1 to 7	24.8%	29.5%	7.1%	21.4%	30.5%	45.5%	23.1%	24.6%	38.8%
8 to 14	8.1%	6.6%	0.0%	6.3%	2.1%	10.4%	5.6%	6.6%	9.4%
15 to 44	8.5%	7.3%	0.0%	13.4%	2.1%	5.8%	6.4%	3.3%	12.2%
45 to 89	1.7%	2.4%	0.0%	2.7%	1.1%	1.9%	3.1%	3.3%	1.4%
90 to 179	0.5%	0.1%	0.0%	0.0%	1.1%	0.0%	0.0%	0.0%	0.0%
180 to 359	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	225.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*88.92*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	285.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*70.56*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.10*	*0.10*	*0.00*	*0.02*	*0.00*	*0.14*	*0.09*	*0.00*	*0.26*
SD	*1.58*	*1.21*	*0.00*	*0.19*	*0.00*	*1.69*	*1.22*	*0.00*	*1.69*
Other station cumulative DOS, mean	0.47	0.56	0.00	0.31	0.96	1.28	0.24	0.85	0.42
SD	*3.45*	*4.17*	*0.00*	*3.12*	*8.73*	*5.93*	*1.90*	*3.07*	*2.15*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Schizophrenic Patients	94395	4075	180	540	356	1073	1103	232	591
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)									
Pts. with psych hospital stays, %	17.7%	14.7%	7.2%	13.9%	18.0%	6.3%	24.7%	17.7%	11.2%
Inpatient stays, mean	1.14	1.21	1.64	1.43	1.45	0.67	1.44	1.07	0.91
SD	*1.37*	*1.49*	*1.08*	*1.53*	*1.77*	*1.00*	*1.57*	*1.05*	*1.50*
Average LOS, mean	23.15	15.68	14.49	9.63	8.07	15.55	18.69	10.09	21.41
SD	*51.08*	*19.34*	*7.07*	*7.19*	*7.38*	*16.65*	*17.74*	*8.41*	*38.56*
Cumulative Days of Stay, mean	22.66	17.64	24.50	14.67	11.37	9.19	25.41	10.90	15.81
SD	*51.43*	*28.24*	*20.57*	*21.43*	*17.32*	*16.38*	*32.72*	*14.21*	*36.27*
Cumulative Days of Stay, %									
0	34.4%	35.9%	7.1%	33.0%	32.6%	55.8%	24.4%	32.8%	52.5%
1 to 7	17.5%	16.5%	7.1%	23.2%	26.3%	13.0%	12.2%	27.9%	15.1%
8 to 14	14.7%	10.7%	35.7%	8.9%	17.9%	4.5%	11.7%	14.8%	7.2%
15 to 44	21.2%	25.0%	35.7%	25.0%	14.7%	23.4%	32.5%	19.7%	15.8%
45 to 89	6.9%	8.7%	14.3%	8.0%	8.4%	2.6%	13.3%	4.9%	5.0%
90 to 179	2.8%	2.7%	0.0%	1.8%	0.0%	0.6%	5.0%	0.0%	2.9%
180 to 359	1.4%	0.5%	0.0%	0.0%	0.0%	0.0%	0.8%	0.0%	1.4%
360+	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	0.7%	0.0%	0.0%	0.0%	0.6%	0.8%	0.0%	2.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	250.18	176.43	0.00	0.00	0.00	104.00	192.00	0.00	185.00
SD	*97.20*	*42.08*	*0.00*	*0.00*	*0.00*	*0.00*	*29.61*	*0.00*	*36.59*
Hosp. Pts. with a 150+ day psych hosp.stay, %	2.2%	0.4%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	2.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.10	194.50	0.00	0.00	0.00	0.00	223.00	0.00	185.00
SD	*76.47*	*35.41*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*36.59*
Other VISN cumulative DOS, mean	0.55	0.42	1.50	0.47	0.25	0.29	0.30	0.11	0.94
SD	4.34	2.86	5.61	3.17	1.50	2.07	2.28	0.90	4.88
Other station cumulative DOS, mean	1.59	2.02	1.50	0.55	0.48	8.06	0.69	0.11	1.88
SD	7.30	7.58	5.61	3.27	2.08	14.26	3.93	0.90	7.58

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Schizophrenic Patients	94395	4075	180	540	356	1073	1103	232	591
Other 24 hour institutional care									
Patients with some other 24 hour institutional care, %	8.0%	5.9%	0.0%	2.2%	1.7%	4.8%	12.0%	4.3%	4.7%
Residential Rehabilitation									
Patients with some residential rehab. care, %	1.6%	0.1%	0.0%	0.0%	0.0%	0.1%	0.3%	0.4%	0.0%
Number stays, mean	*1.12*	*1.00*	*0.00*	*0.00*	*0.00*	*1.00*	*1.00*	*1.00*	*0.00*
SD	*0.37*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	36.26	73.40	0.00	0.00	0.00	66.00	79.33	63.00	0.00
SD	*45.44*	*24.64*	*0.00*	*0.00*	*0.00*	*0.00*	*32.87*	*0.00*	*0.00*
Cumulative DOS, mean	39.67	73.40	0.00	0.00	0.00	66.00	79.33	63.00	0.00
SD	*48.06*	*24.64*	*0.00*	*0.00*	*0.00*	*0.00*	*32.87*	*0.00*	*0.00*
Cumulative Days of Stay, %									
1 to 7	14.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
8 to 14	14.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	46.4%	20.0%	0.0%	0.0%	0.0%	0.0%	33.3%	0.0%	0.0%
45 to 89	13.8%	60.0%	0.0%	0.0%	0.0%	100.0%	33.3%	100.0%	0.0%
90 to 179	8.9%	20.0%	0.0%	0.0%	0.0%	0.0%	33.3%	0.0%	0.0%
180 to 359	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%	0.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.2%	20.0%	0.0%	0.0%	0.0%	0.0%	33.3%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	180.59	109.00	0.00	0.00	0.00	0.00	109.00	0.00	0.00
SD	*80.43*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	2.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	246.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*77.24*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*5.37*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.24	25.80	0.00	0.00	0.00	66.00	0.00	63.00	0.00
SD	*10.31*	*35.34*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Schizophrenic Patients	94395	4075	180	540	356	1073	1103	232	591
Domiciliary and Vocational									
Patients with some dom/voc care, %	2.3%	0.3%	0.0%	0.0%	0.0%	0.0%	0.7%	1.7%	0.2%
Number stays, mean	1.12	1.08	0.00	0.00	0.00	0.00	1.13	1.00	1.00
SD	*0.37*	*0.28*	*0.00*	*0.00*	*0.00*	*0.00*	*0.35*	*0.00*	*0.00*
Average LOS, mean	94.48	36.58	0.00	0.00	0.00	0.00	50.44	16.50	6.00
SD	*108.97*	*30.31*	*0.00*	*0.00*	*0.00*	*0.00*	*28.22*	*21.33*	*0.00*
Cumulative DOS, mean	100.96	43.31	0.00	0.00	0.00	0.00	61.38	16.50	6.00
SD	*111.44*	*47.44*	*0.00*	*0.00*	*0.00*	*0.00*	*51.77*	*21.33*	*0.00*
Cumulative Days of Stay, %									
1 to 7	7.9%	23.1%	0.0%	0.0%	0.0%	0.0%	0.0%	50.0%	100.0%
8 to 14	6.7%	7.7%	0.0%	0.0%	0.0%	0.0%	0.0%	25.0%	0.0%
15 to 44	31.5%	30.8%	0.0%	0.0%	0.0%	0.0%	50.0%	0.0%	0.0%
45 to 89	17.3%	23.1%	0.0%	0.0%	0.0%	0.0%	25.0%	25.0%	0.0%
90 to 179	17.7%	15.4%	0.0%	0.0%	0.0%	0.0%	25.0%	0.0%	0.0%
180 to 359	9.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	9.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.0%	7.7%	0.0%	0.0%	0.0%	0.0%	12.5%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	234.98	175.00	0.00	0.00	0.00	0.00	175.00	0.00	0.00
SD	*102.95*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	20.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	291.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*80.75*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.18	5.54	0.00	0.00	0.00	0.00	0.00	16.50	6.00
SD	*7.65*	*13.20*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*21.33*	*0.00*
Other station cumulative DOS, mean	3.16	5.54	0.00	0.00	0.00	0.00	0.00	16.50	6.00
SD	*12.59*	*13.20*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*21.33*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Schizophrenic Patients	94395	4075	180	540	356	1073	1103	232	591
Nursing Home Care									
Patients with some nursing home care, %	4.7%	5.4%	0.0%	2.2%	1.7%	4.7%	11.1%	2.2%	4.6%
Number stays, mean	1.20	1.56	0.00	1.08	2.83	1.30	1.72	1.20	1.33
SD	*0.56*	*1.35*	*0.00*	*0.29*	*2.86*	*0.79*	*1.57*	*0.45*	*0.62*
Average LOS, mean	143.54	93.18	0.00	147.83	86.42	75.32	97.75	57.30	89.49
SD	*137.46*	*104.12*	*0.00*	*117.56*	*126.81*	*80.88*	*106.97*	*66.37*	*120.80*
Cumulative DOS, mean	156.00	113.99	0.00	156.17	109.50	93.84	121.20	62.20	110.56
SD	*139.76*	*112.18*	*0.00*	*117.41*	*116.69*	*100.64*	*112.46*	*64.21*	*132.51*
Cumulative Days of Stay, %									
1 to 7	6.8%	11.3%	0.0%	8.3%	16.7%	20.0%	9.0%	0.0%	7.4%
8 to 14	6.5%	6.3%	0.0%	8.3%	0.0%	6.0%	6.6%	20.0%	3.7%
15 to 44	20.5%	19.4%	0.0%	0.0%	16.7%	18.0%	19.7%	20.0%	29.6%
45 to 89	14.1%	17.6%	0.0%	16.7%	16.7%	18.0%	14.8%	40.0%	25.9%
90 to 179	15.1%	22.1%	0.0%	25.0%	33.3%	18.0%	25.4%	20.0%	11.1%
180 to 359	14.7%	15.8%	0.0%	41.7%	16.7%	18.0%	15.6%	0.0%	3.7%
360+	22.5%	7.7%	0.0%	0.0%	0.0%	2.0%	9.0%	0.0%	18.5%
Total	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	48.0%	36.5%	0.0%	58.3%	33.3%	32.0%	40.2%	20.0%	22.2%
Cumul. DOS, patients with a 100+ day NH stay, mean	282.12	235.63	0.00	233.29	222.50	205.31	234.35	171.00	344.83
SD	*94.85*	*89.83*	*0.00*	*87.41*	*154.86*	*85.41*	*87.15*	*0.00*	*46.46*
NH patients with 150+ day NH stay, %	39.8%	27.5%	0.0%	41.7%	16.7%	18.0%	32.0%	20.0%	22.2%
Cumul. DOS, patients with a 150+ day NH stay, mean	312.43	267.66	0.00	266.00	332.00	267.00	256.97	171.00	344.83
SD	*72.26*	*77.27*	*0.00*	*74.86*	*0.00*	*60.46*	*79.82*	*0.00*	*46.46*
Other VISN cumulative DOS, mean	0.44	0.62	0.00	0.00	0.00	1.54	0.00	0.00	2.26
SD	*5.99*	*6.54*	*0.00*	*0.00*	*0.00*	*10.89*	*0.00*	*0.00*	*11.54*
Other station cumulative DOS, mean	1.19	1.34	0.00	0.00	0.00	1.58	0.75	0.00	4.67
SD	*9.07*	*8.68*	*0.00*	*0.00*	*0.00*	*10.89*	*5.15*	*0.00*	*16.68*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Schizophrenic Patients	94395	4075	180	540	356	1073	1103	232	591
Outpatient utilization									
(reported for those with some outpatient care)									
Patients with some outpatient care, %	98.3%	99.2%	98.9%	99.8%	99.7%	99.9%	97.8%	100.0%	99.2%
annual visit days, mean	27.64	26.97	8.83	25.11	20.19	25.30	33.00	26.86	30.29
SD	*38.39*	*34.29*	*8.19*	*32.68*	*22.78*	*34.00*	*35.87*	*34.55*	*40.40*
Outpatient visit days, %									
1-12	42.6%	40.9%	76.4%	44.2%	48.5%	40.7%	30.5%	46.6%	39.6%
13-24	25.7%	25.8%	19.1%	25.6%	22.3%	28.2%	26.6%	22.0%	26.1%
25-36	11.8%	13.0%	3.4%	13.4%	15.5%	14.3%	13.7%	9.5%	12.1%
37-48	5.9%	6.5%	0.6%	5.2%	7.3%	5.5%	9.2%	7.3%	5.6%
49+	14.0%	13.8%	0.6%	11.7%	6.5%	11.4%	20.0%	14.7%	16.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	74.5%	79.7%	98.9%	80.7%	74.9%	80.2%	84.7%	59.9%	73.2%
Mean PC visit days, among those with some PC	3.73	4.08	4.69	4.94	3.93	3.70	4.22	2.84	3.88
SD	3.83	4.14	4.13	4.83	3.23	3.48	4.85	3.16	3.52
Average number clinic stops per visit day, mean	1.45	1.38	3.10	1.28	1.32	1.30	1.27	1.45	1.33
SD	*0.45*	*0.55*	*1.16*	0.28	0.34	0.31	0.27	0.43	0.46
annual clinic stops (psych & non-psych), mean	41.32	36.94	25.16	32.98	29.84	35.02	42.74	36.25	41.54
SD	*65.29*	*50.55*	*20.99*	*46.25*	*46.68*	*54.28*	*48.40*	*45.21*	*59.43*
annual non-psych. clinic stops, mean	19.07	17.18	24.22	11.42	15.82	17.69	19.23	13.45	17.94
SD	*26.86*	*21.32*	*20.20*	*17.74*	*17.56*	*17.50*	*27.65*	*12.62*	*21.13*
annual psych. clinic stops (groupings below), mean	22.25	19.75	0.94	21.55	14.02	17.32	23.51	22.80	23.61
SD	*50.83*	*41.84*	*1.30*	*38.34*	*37.24*	*47.85*	*35.89*	*40.94*	*49.86*
1. general psych. clinic stops, mean	9.04	10.96	0.92	10.61	7.80	11.64	16.52	7.11	6.32
SD	*15.89*	*20.56*	*1.28*	*18.79*	*10.33*	*28.18*	*21.25*	*9.11*	*9.51*
2. psych. case management clinic stops, mean	2.76	0.89	0.00	0.00	0.00	0.00	1.63	0.02	3.12
SD	*16.59*	*7.79*	*0.00*	*0.04*	*0.00*	*0.15*	*10.39*	*0.24*	*14.52*
3. psych. day treatment clinic stops, mean	4.94	4.36	0.02	6.76	0.05	2.54	4.09	14.87	5.75
SD	*29.07*	*21.19*	*0.30*	*23.36*	*0.96*	*19.94*	*19.94*	*39.70*	*21.01*
4. substance abuse clinic stops, mean	2.71	2.59	0.00	1.75	5.80	2.90	0.91	0.68	5.50
SD	*17.49*	*22.67*	*0.00*	*7.13*	*33.40*	*29.12*	*5.72*	*2.92*	*34.44*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Schizophrenic Patients	94395	4075	180	540	356	1073	1103	232	591
5. psych. vocational clinic stops, mean	2.11	0.36	0.00	1.73	0.00	0.00	0.17	0.00	0.55
SD	*18.38*	*6.17*	*0.00*	*15.38*	*0.00*	*0.06*	*2.17*	*0.07*	*5.90*
6. PTSD clinic stops, mean	0.37	0.33	0.00	0.42	0.04	0.19	0.29	0.00	0.98
SD	*3.86*	*3.18*	*0.00*	*1.79*	*0.57*	*1.84*	*3.61*	*0.07*	*6.00*
7. psych. homeless clinic stops, mean	0.39	0.28	0.00	0.21	0.33	0.04	0.04	0.12	1.37
SD	*2.98*	*2.50*	*0.00*	*1.34*	*1.63*	*0.24*	*0.58*	*0.41*	*6.15*
Other VISN OP visit days, mean	0.30	0.27	0.15	0.23	0.20	0.21	0.25	0.59	0.43
SD	2.12	1.87	0.69	1.98	1.11	1.37	1.77	2.48	2.80
Other station OP visit days, mean	0.82	0.79	0.17	0.27	0.53	0.89	0.90	1.06	1.13
SD	3.70	3.10	0.71	2.06	2.00	2.75	3.60	3.03	4.21

Table 4G: FY03 Schizophrenic Patients, Pharmacy Utilization, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Schizophrenic Patients	94395	4075	180	540	356	1073	1103	232	591
Among all patients in the registry									
Pts. with any outpatient prescriptions, %	94.9%	95.3%	90.0%	93.3%	97.2%	96.2%	96.7%	97.0%	92.7%
Patients with any oral antipsychotic fills, %*	78.7%	78.1%	72.8%	76.7%	84.0%	77.5%	83.9%	76.3%	68.7%
Among pts. receiving any antipsychotic medication:									
Received only conventional antipsychotics, %	15.4%	13.2%	28.2%	15.0%	11.7%	14.8%	9.3%	9.0%	15.0%
Received some atypical antipsychotics, %	84.6%	86.8%	71.8%	85.0%	88.3%	85.2%	90.7%	91.0%	85.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %									
Aripiprazole	1.5%	1.2%	0.0%	1.7%	0.7%	0.1%	1.7%	0.0%	2.7%
Clozapine	3.1%	3.4%	0.0%	2.4%	2.7%	2.5%	6.5%	0.6%	2.0%
Olanzapine	35.7%	47.3%	27.5%	39.4%	45.8%	49.8%	54.7%	45.8%	41.6%
Quetiapine	21.7%	20.4%	15.3%	25.4%	25.8%	18.1%	20.0%	22.6%	17.7%
Risperidone	36.8%	29.6%	36.6%	30.2%	33.1%	27.5%	26.9%	29.4%	34.2%
Ziprasidone	5.9%	4.3%	0.8%	7.0%	2.0%	1.4%	2.5%	15.3%	9.4%
Patients receiving only one kind** of antipsychotic, %	70.8%	71.0%	58.8%	74.6%	69.6%	76.0%	68.1%	70.6%	68.7%
Concurrent use of 2 or more antipsychotics, % ***	15.6%	16.8%	36.6%	13.0%	13.7%	16.6%	17.8%	14.1%	15.5%
Among pts receiving just one antipsychotic:									
Antipsychotic fills, mean	8.10	8.72	5.47	9.38	7.10	7.85	10.63	7.53	8.26
SD	*5.37*	*5.66*	*2.80*	*5.13*	*4.11*	*5.59*	*6.54*	*4.59*	*4.79*
Antipsychotic Medication Possession Ratio, mean	0.83	0.83	0.86	0.83	0.86	0.81	0.89	0.78	0.75
SD	*0.33*	*0.32*	*0.22*	*0.31*	*0.29*	*0.33*	*0.32*	*0.32*	*0.35*
Antipsychotic Med Possession Ratio <= 0.80, %	37.1%	34.2%	28.8%	34.7%	29.1%	39.2%	26.7%	40.0%	42.0%
Antipsychotic Med Possession Ratio <= 0.50, %	18.0%	17.7%	6.8%	16.2%	15.8%	20.3%	12.9%	20.9%	27.1%

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 4G: FY03 Schizophrenic Patients, Cost, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Schizophrenic Patients	94395	4075	180	540	356	1073	1103	232	591
Total Costs (in thousands $$)	$1,637,013	$73,818	$400	$8,117	$4,431	$13,852	$32,099	$3,103	$11,815
Station % of VISN		100.0%	0.5%	11.0%	6.0%	18.8%	43.5%	4.2%	16.0%
Psych vs. Non-Psych Costs									
Psych	34.5%	35.2%	9.5%	48.4%	43.7%	22.2%	38.3%	31.1%	31.6%
Non-Psych	65.5%	64.8%	90.5%	51.6%	56.3%	77.8%	61.7%	68.9%	68.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use									
Per Patient	$21,945	$24,827	$0	$16,642	$18,442	$15,963	$35,414	$16,497	$24,181
Per Day of Stay	$763	$1,101	$0	$789	$1,262	$1,105	$1,173	$1,107	$1,124
Mean Outpatient Costs, Pts with some Outpatient use									
Per Patient	$7,323	$8,018	$1,992	$7,801	$5,156	$6,961	$9,918	$6,587	$10,788
Per Visit Day	$265	$297	$226	$311	$255	$275	$301	$245	$356
By Cost Center									
1 Med	$1,399	$1,195	$0	$6	$452	$683	$2,305	$1,528	$1,819
2 Surg	$470	$582	$0	$144	$324	$431	$950	$701	$858
3 Psych	$4,062	$3,919	$124	$3,302	$4,145	$1,178	$8,303	$2,108	$3,011
4 Psych Res Rehab Treatment Program	$217	$59	$0	$0	$0	$35	$148	$165	$0
5 Non-VA	$230	$546	$126	$1,953	$82	$548	$176	$1,090	$143
6 LTC Domiciliary	$302	$37	$0	$0	$0	$0	$130	$31	$2
7 LTC Intermediate Care	$166	$186	$0	$0	$0	$0	$686	$0	$0
8 LTC Nursing Home	$2,633	$2,492	$0	$1,582	$1,305	$1,369	$5,262	$606	$2,407
9 Contract Nursing Home	$664	$1,147	$0	$259	$999	$1,712	$1,440	$559	$1,056
10 OPC Med/Surg	$930	$921	$340	$328	$700	$791	$1,067	$730	$1,812
11 OPC Psych	$1,916	$2,455	$87	$3,971	$1,292	$1,684	$2,856	$2,047	$3,303
12 OPC Home Based Treatment	$933	$944	$357	$737	$617	$494	$1,442	$299	$1,648
13 OPC Support	$1,243	$1,449	$1,152	$741	$1,053	$1,625	$1,927	$829	$1,456
14 OPC Fee	$130	$217	$20	$260	$110	$283	$116	$61	$433
15 OPC Pharmacy	$2,047	$1,966	$14	$1,750	$1,370	$2,077	$2,294	$2,622	$2,045
TOTAL	$17,342	$18,115	$2,220	$15,032	$12,448	$12,909	$29,102	$13,376	$19,992
Mean % Patient Costs at Other Stations	3.6%	4.3%	1.9%	1.3%	3.2%	8.0%	2.5%	6.3%	4.2%
SD	*12.4%*	*14.4%*	*8.7%*	*7.5%*	*11.6%*	*20.5%*	*9.8%*	*16.1%*	*13.3%*
Mean % Patient Costs at Other VISNs	1.3%	1.3%	1.5%	1.0%	1.0%	1.2%	0.9%	2.6%	1.9%
SD	*7.5%*	*7.3%*	*8.2%*	*6.0%*	*5.8%*	*7.4%*	*5.8%*	*9.8%*	*9.7%*

Table 1H: FY03 Bipolar Patients, Demographics, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Bipolar Patients	73964	3063	21	247	235	857	827	377	499
Age, %									
<35	7.9%	7.8%	9.5%	8.9%	8.5%	10.4%	4.8%	7.2%	7.8%
>=35 and <50	36.3%	33.4%	33.3%	34.0%	42.1%	34.4%	31.2%	31.8%	32.3%
>=50 and <65	40.3%	42.7%	38.1%	43.3%	31.5%	41.2%	42.6%	50.7%	44.9%
>=65 and <80	13.3%	13.6%	14.3%	12.6%	15.7%	12.0%	17.8%	8.8%	12.4%
>=80	2.2%	2.4%	4.8%	1.2%	2.1%	2.0%	3.5%	1.6%	2.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	52.26	52.84	52.19	51.76	52.17	51.59	54.93	52.25	52.88
SD	*12.50*	*12.57*	*14.99*	*12.36*	*12.79*	*12.69*	*12.96*	*11.15*	*12.27*
Gender									
Male, %	88.2%	86.8%	90.5%	84.6%	88.5%	84.2%	87.9%	86.7%	89.6%
Female, %	11.8%	13.2%	9.5%	15.4%	11.5%	15.8%	12.1%	13.3%	10.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %									
Hispanic white	2.8%	3.1%	4.8%	1.6%	8.1%	2.9%	3.9%	1.1%	2.2%
Hispanic black	0.3%	0.1%	0.0%	0.4%	0.0%	0.1%	0.0%	0.0%	0.0%
American indian	0.3%	0.6%	0.0%	1.6%	0.9%	0.4%	0.7%	0.0%	0.8%
Black	10.4%	7.0%	4.8%	3.2%	3.0%	10.7%	5.8%	1.1%	10.8%
Asian	0.2%	1.7%	23.8%	12.6%	0.0%	0.5%	1.0%	0.3%	0.8%
White	62.5%	61.9%	42.9%	48.2%	57.4%	70.5%	60.1%	66.3%	56.5%
Race unknown	23.5%	25.6%	23.8%	32.4%	30.6%	14.9%	28.5%	31.3%	28.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status									
Never married	21.0%	24.4%	28.6%	26.1%	20.1%	22.3%	21.9%	17.8%	38.6%
Married	37.7%	32.1%	52.4%	32.2%	37.6%	37.4%	32.6%	34.2%	17.2%
Divorced/Separated	37.9%	39.6%	14.3%	38.8%	39.3%	37.4%	40.7%	43.8%	40.2%
Widowed	3.4%	3.8%	4.8%	2.9%	3.0%	3.0%	4.9%	4.2%	4.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Bipolar Patients	73964	3063	21	247	235	857	827	377	499
Registry Pts. History of VA Utilization									
Years since first use in prior five years, mean	4.2	4.15	3.81	4.26	4.36	4.09	4.02	4.23	4.25
SD	*1.3*	1.34	1.69	1.26	1.17	1.39	1.42	1.30	1.26
Yrs with 24-hour institutional use / yrs since 1st use, %	25.1%	21.1%	16.9%	23.1%	19.8%	14.2%	27.8%	24.0%	19.8%
SD	*29.2%*	27.0%	21.8%	27.2%	24.0%	21.6%	30.6%	29.1%	26.1%
Years with OP use / Years since first use, %	96.7%	96.7%	95.0%	96.3%	96.2%	96.4%	96.4%	97.4%	97.3%
SD	*10.5%*	10.6%	20.0%	11.2%	11.5%	10.8%	11.3%	8.4%	9.4%
Psychosis Diagnoses in Prior Fiscal Year									
Had Psychosis Diagnosis in FY01, %	65.0%	63.7%	61.9%	72.1%	68.1%	57.1%	65.4%	70.3%	61.3%
Among Patients With Psychoses in FY01									
Psychosis Category: Schizophrenia, %	3.8%	3.3%	0.0%	3.4%	6.3%	3.5%	3.1%	2.3%	2.6%
Psychosis Category: Bipolar Disorder, %	94.8%	94.7%	92.3%	94.4%	93.8%	94.7%	94.6%	96.2%	94.4%
Psychosis Category: Other Psychosis, %	1.4%	2.0%	7.7%	2.2%	0.0%	1.8%	2.2%	1.5%	2.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %									
Dementia	1.7%	1.3%	4.8%	2.4%	0.9%	1.1%	1.7%	1.3%	0.8%
Post Traumatic Stress Disorder	21.3%	23.1%	9.5%	15.0%	19.1%	21.9%	24.8%	21.2%	30.3%
Depression	44.5%	44.1%	14.3%	29.1%	35.3%	41.9%	49.2%	48.8%	48.9%
Other Anxiety Disorder	16.3%	13.3%	9.5%	8.9%	13.6%	10.6%	13.8%	15.6%	17.2%
Substance Abuse or Dependence	29.8%	29.6%	0.0%	26.7%	29.4%	19.6%	31.8%	35.0%	42.1%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Bipolar Patients	73964	3063	21	247	235	857	827	377	499
Medical Comorbidities, %									
No medical comorbidities	15.4%	15.9%	42.9%	19.4%	20.9%	17.4%	12.8%	11.4%	16.4%
Anemia	5.6%	7.4%	0.0%	6.1%	5.1%	7.4%	9.6%	5.8%	7.0%
Arthritis	42.4%	42.4%	38.1%	36.8%	37.0%	43.1%	41.8%	47.7%	43.7%
Cancer	6.2%	7.0%	0.0%	4.0%	6.0%	5.4%	9.6%	8.0%	7.2%
Cerebrovascular Disease	3.8%	4.2%	4.8%	3.2%	6.0%	5.6%	3.7%	2.9%	3.4%
Chronic Neurologic Disorder	14.8%	13.0%	0.0%	11.7%	14.5%	12.6%	13.1%	16.7%	11.2%
Chronic Obstructive Pulmonary Disease	16.0%	16.5%	9.5%	14.2%	11.5%	17.2%	18.1%	18.6%	15.0%
Chronic Viral Infection	9.6%	11.4%	0.0%	12.1%	8.1%	10.6%	9.3%	13.0%	16.8%
Coronary Artery Disease	16.8%	15.1%	9.5%	10.1%	12.3%	14.5%	18.4%	14.6%	15.0%
Diabetes	17.4%	15.1%	4.8%	14.2%	15.3%	14.8%	19.5%	14.6%	9.8%
Digestive System Disease	43.2%	41.7%	9.5%	39.3%	38.7%	38.6%	44.5%	48.0%	41.5%
Hypertension	38.5%	37.2%	4.8%	27.5%	34.0%	37.9%	42.2%	41.4%	31.9%
Injury and Poisoning	19.9%	18.9%	33.3%	21.9%	14.5%	15.3%	19.1%	22.3%	22.0%
Liver Disease	3.8%	3.9%	0.0%	7.7%	3.8%	4.2%	3.0%	5.0%	2.0%
Other Endocrine	10.0%	10.4%	4.8%	9.3%	13.6%	8.5%	12.7%	12.5%	7.8%
Peripheral Vascular Disease	3.0%	3.6%	0.0%	2.4%	2.6%	3.0%	4.6%	5.0%	3.0%
GAF scores									
Lowest inpatient GAF score, mean	39.59	36.02	0.00	34.00	50.00	48.00	34.16	46.38	34.19
SD	*14.06*	*15.29*	*0.00*	*5.48*	*0.00*	*9.08*	*15.69*	*7.05*	*17.44*
Mean outpatient GAF score	53.41	54.17	--	54.50	57.45	51.94	54.50	59.09	51.33
SD	*10.75*	*9.74*	--	*9.82*	*9.42*	*9.09*	*10.48*	*7.41*	*9.14*
At least 1 IP GAF, among pts with MH bedsections, %	39.1%	19.5%	0.0%	11.4%	3.0%	4.5%	30.3%	10.7%	19.7%
At least 1 OP GAF, among pts with MH clinic stops, %	81.5%	85.4%	70.0%	93.6%	86.3%	77.8%	83.5%	91.1%	91.6%
Mortality rates									
died in FY02, %	1.5%	1.5%	0.0%	3.2%	1.3%	0.7%	1.5%	1.3%	2.2%
Age-and-gender-adjusted Standardized Mortality Ratio	1.07	1.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Bipolar Patients	73964	3063	21	247	235	857	827	377	499
Service Connection (SC)									
Non-SC	55.9%	55.6%	14.3%	50.2%	56.6%	49.6%	61.2%	58.9%	58.1%
SC 0 - 29%	10.0%	9.1%	0.0%	8.9%	13.6%	10.7%	7.1%	8.2%	8.4%
SC 30 - 69%	13.4%	12.4%	14.3%	12.6%	11.9%	15.3%	11.0%	11.9%	10.0%
SC 70 - 99%	8.9%	10.3%	23.8%	8.5%	5.1%	13.3%	8.2%	11.9%	10.2%
SC 100%	11.8%	12.6%	47.6%	19.8%	12.8%	11.1%	12.5%	9.0%	13.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %									
Complex*	12.2%	9.5%	4.8%	10.9%	3.8%	4.4%	17.2%	7.7%	9.0%
Basic vested, Cat A*	80.3%	83.1%	95.2%	84.6%	91.5%	86.0%	73.2%	86.7%	86.6%
Basic Non-vested, Cat A*	0.9%	1.0%	0.0%	0.8%	0.0%	2.0%	0.8%	0.8%	0.6%
Basic, Cats C and N	6.6%	6.4%	0.0%	3.6%	4.7%	7.6%	8.8%	4.8%	3.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded									
Patient eligibility category, %									
Cat A (SC or low income)	93.2%	93.5%	100.0%	96.0%	95.3%	92.3%	90.9%	95.2%	96.0%
Cat C (NSC and higher income)	5.9%	5.1%	0.0%	4.0%	4.7%	6.2%	6.7%	3.2%	3.2%
Non-Veteran	0.9%	1.4%	0.0%	0.0%	0.0%	1.5%	2.4%	1.6%	0.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %									
BASIC 1. Non-reliant Care	0.1%	0.3%	14.3%	0.4%	0.0%	0.2%	0.2%	0.0%	0.0%
2. Basic Medical	15.2%	14.4%	9.5%	15.0%	15.3%	20.1%	9.7%	14.9%	11.8%
3. Mental Health	40.5%	41.4%	47.6%	48.2%	47.7%	43.7%	36.4%	43.2%	38.1%
4. Heart / Lung / GI	6.9%	6.9%	4.8%	3.6%	6.8%	9.3%	7.6%	6.1%	4.0%
5. Oncology / Infectious Disease	4.3%	5.8%	0.0%	4.0%	4.7%	6.0%	6.2%	4.2%	7.6%
6. Multiple Medical	20.7%	21.7%	19.0%	17.8%	21.7%	16.2%	22.7%	23.9%	29.5%
COMPLEX 7. Specialized Care	2.2%	2.4%	0.0%	2.4%	0.9%	1.1%	2.5%	2.1%	5.2%
8. Support Care	2.1%	1.4%	0.0%	1.2%	0.4%	1.5%	2.1%	1.3%	0.6%
9. Chronic Mental	6.8%	4.2%	4.8%	6.1%	2.1%	1.4%	8.7%	3.7%	2.2%
10. Critically Ill	1.1%	1.5%	0.0%	1.2%	0.4%	0.5%	3.9%	0.5%	1.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Bipolar Patients	73964	3063	21	247	235	857	827	377	499
Substance Dependence and Abuse									
Any dx of alcohol / drug dependence or abuse, %	29.8%	29.6%	0.0%	26.7%	29.4%	19.6%	31.8%	35.0%	42.1%
Homelessness									
Homelessness indicated in FY02, %	13.8%	13.8%	4.8%	17.8%	11.5%	7.2%	12.9%	14.1%	26.1%
Residence in Metropolitan Area									
Residing in a Metropolitan Statistical Area, %	79.3%	85.2%	100.0%	60.1%	97.4%	93.0%	94.0%	65.8%	77.8%
Distance									
Mile from Closest VA Medical Center, mean	34.15	36.11	7.93	67.22	22.27	41.57	26.62	22.92	44.42
SD	*73.16*	*46.38*	*6.40*	*81.09*	*21.53*	*46.89*	*22.69*	*30.06*	*59.11*
Distance from closest VA Medical Center, %									
0 to 15 miles	46.2%	48.1%	83.3%	56.3%	51.1%	42.4%	42.6%	57.6%	54.3%
15 to 30 miles	17.2%	14.3%	16.7%	3.8%	8.1%	22.5%	15.8%	13.5%	6.4%
30 to 45 miles	10.6%	12.9%	0.0%	0.0%	23.4%	11.4%	21.8%	9.5%	4.6%
45 to 60 miles	8.5%	8.5%	0.0%	0.0%	11.9%	2.0%	13.5%	11.7%	11.4%
60 plus miles	17.4%	16.2%	0.0%	39.9%	5.5%	21.7%	6.3%	7.7%	23.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.09	9.71	3.45	8.47	10.34	10.39	7.95	16.19	6.94
SD	*13.59*	*12.74*	*2.20*	*6.84*	*10.35*	*10.32*	*6.39*	*26.49*	*9.48*
Distance to closest VA Service Site, %									
0 to 15 miles	76.3%	82.7%	100.0%	86.6%	73.2%	78.8%	91.7%	71.9%	85.0%
15 to 30 miles	15.4%	12.2%	0.0%	11.3%	21.3%	14.7%	7.6%	14.1%	10.4%
30 to 45 miles	5.7%	3.3%	0.0%	2.1%	5.1%	5.5%	0.5%	3.4%	3.8%
45 plus miles	2.7%	1.8%	0.0%	0.0%	0.4%	1.1%	0.2%	10.6%	0.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3H: FY03 Bipolar Patients, Utilization, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Bipolar Patients	73964	3063	21	247	235	857	827	377	499
Hospital Based Utilization									
Patients with some Hospital Based Utilization, %	25.4%	21.6%	9.5%	21.5%	20.4%	12.0%	31.2%	24.9%	21.0%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)									
Inpatient stays, mean	1.80	1.84	1.50	2.04	1.50	1.54	2.08	1.68	1.76
SD	*1.41*	*1.45*	*0.71*	*1.52*	*0.83*	*1.14*	*1.69*	*1.42*	*1.16*
Average LOS, mean	9.79	9.66	9.00	8.59	5.83	6.98	12.04	8.16	10.07
SD	*17.76*	*14.94*	*7.07*	*12.07*	*5.74*	*6.28*	*13.41*	*9.15*	*27.27*
Cumulative DOS, mean	17.09	18.07	16.00	18.62	8.19	12.30	24.45	13.94	16.02
SD	*27.94*	*26.15*	*16.97*	*27.52*	*7.56*	*20.53*	*29.02*	*17.27*	*31.40*
Cumulative DOS, %									
1 to 7	44.7%	43.7%	50.0%	49.1%	60.4%	55.3%	29.8%	51.1%	49.5%
8 to 14	21.9%	18.4%	0.0%	15.1%	20.8%	19.4%	17.4%	19.1%	20.0%
15 to 44	25.9%	29.0%	50.0%	28.3%	18.8%	21.4%	37.2%	24.5%	24.8%
45 to 89	5.3%	6.5%	0.0%	3.8%	0.0%	1.9%	11.6%	5.3%	3.8%
90 to 179	1.5%	2.1%	0.0%	3.8%	0.0%	1.9%	3.5%	0.0%	1.0%
180 to 359	0.5%	0.3%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%	1.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	1.0%	0.8%	0.0%	1.9%	0.0%	0.0%	1.2%	0.0%	1.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	203.75	194.60	0.00	158.00	0.00	0.00	179.67	0.00	276.00
SD	*79.71*	*73.19*	*0.00*	*0.00*	*0.00*	*0.00*	*79.98*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.6%	0.6%	0.0%	1.9%	0.0%	0.0%	0.8%	0.0%	1.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	251.69	215.75	0.00	158.00	0.00	0.00	214.50	0.00	276.00
SD	*73.28*	*64.50*	*0.00*	*0.00*	*0.00*	*0.00*	*74.25*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.67	0.72	0.00	0.23	0.00	1.27	0.79	0.77	0.57
SD	*4.53*	*5.08*	*0.00*	*0.95*	*0.00*	*9.22*	*4.06*	*6.12*	*2.35*
Cumulative DOS at Other Stations	1.97	2.55	2.00	1.04	0.19	7.69	1.41	1.57	3.03
SD	*7.12*	*10.21*	*2.83*	*3.59*	*0.91*	*20.18*	*5.45*	*7.27*	*10.10*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Bipolar Patients	73964	3063	21	247	235	857	827	377	499
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)									
Pts. with non-psych hospital stays, %	11.7%	10.5%	0.0%	10.1%	7.7%	7.9%	13.5%	10.9%	11.4%
Inpatient stays, mean	0.72	0.74	0.00	0.68	0.56	0.97	0.67	0.65	0.90
SD	*1.10*	*1.08*	*0.00*	*0.92*	*0.90*	*1.00*	*1.00*	*1.37*	*1.18*
Average LOS, mean	6.20	7.59	0.00	10.69	5.14	5.24	9.12	4.08	9.32
SD	*10.70*	*18.87*	*0.00*	*17.43*	*4.60*	*4.64*	*16.31*	*2.35*	*36.23*
Cumulative Days of Stay, mean	4.64	5.87	0.00	7.94	2.60	5.28	7.00	2.91	6.90
SD	*13.49*	*19.84*	*0.00*	*24.11*	*4.73*	*7.54*	*22.97*	*8.08*	*27.69*
Cumulative Days of Stay, %									
0	54.1%	51.6%	100.0%	52.8%	62.5%	34.0%	56.6%	56.4%	45.7%
1 to 7	30.1%	32.1%	0.0%	28.3%	25.0%	44.7%	26.4%	34.0%	38.1%
8 to 14	7.4%	6.2%	0.0%	9.4%	6.3%	6.8%	5.4%	7.4%	4.8%
15 to 44	7.0%	7.7%	0.0%	5.7%	6.3%	14.6%	7.4%	1.1%	9.5%
45 to 89	1.1%	1.8%	0.0%	1.9%	0.0%	0.0%	3.5%	1.1%	1.0%
90 to 179	0.3%	0.3%	0.0%	1.9%	0.0%	0.0%	0.4%	0.0%	0.0%
180 to 359	0.1%	0.3%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%	1.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.2%	0.6%	0.0%	1.9%	0.0%	0.0%	0.8%	0.0%	1.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	187.03	215.75	0.00	158.00	0.00	0.00	214.50	0.00	276.00
SD	*73.96*	*64.50*	*0.00*	*0.00*	*0.00*	*0.00*	*74.25*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.6%	0.0%	1.9%	0.0%	0.0%	0.8%	0.0%	1.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.06	215.75	0.00	158.00	0.00	0.00	214.50	0.00	276.00
SD	*75.99*	*64.50*	*0.00*	*0.00*	*0.00*	*0.00*	*74.25*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.15*	*0.16*	*0.00*	*0.00*	*0.00*	*0.19*	*0.03*	*0.70*	*0.10*
SD	*2.03*	*2.38*	*0.00*	*0.00*	*0.00*	*0.95*	*0.36*	*6.10*	*1.07*
Other station cumulative DOS, mean	0.50	0.53	0.00	0.42	0.08	1.74	0.12	0.90	0.32
SD	*3.25*	*3.31*	*0.00*	*2.09*	*0.58*	*5.13*	*0.63*	*6.24*	*1.87*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Bipolar Patients	73964	3063	21	247	235	857	827	377	499
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)									
Pts. with psych hospital stays, %	16.8%	13.6%	9.5%	14.2%	14.0%	5.1%	22.4%	14.9%	12.2%
Inpatient stays, mean	1.08	1.10	1.50	1.36	0.94	0.57	1.41	1.03	0.87
SD	*1.27*	*1.38*	*0.71*	*1.53*	*0.89*	*0.89*	*1.66*	*1.18*	*1.03*
Average LOS, mean	12.15	11.29	9.00	7.39	6.22	10.16	13.70	11.10	10.05
SD	*21.36*	*10.33*	*7.07*	*5.52*	*6.17*	*8.17*	*11.70*	*10.98*	*8.81*
Cumulative Days of Stay, mean	12.44	12.19	16.00	10.68	5.58	7.02	17.45	11.02	9.11
SD	*25.57*	*19.22*	*16.97*	*15.60*	*7.58*	*19.41*	*21.29*	*17.11*	*17.97*
Cumulative Days of Stay, %									
0	34.1%	37.3%	0.0%	34.0%	31.3%	57.3%	28.3%	40.4%	41.9%
1 to 7	24.8%	19.5%	50.0%	26.4%	39.6%	17.5%	12.8%	20.2%	23.8%
8 to 14	16.7%	15.2%	0.0%	13.2%	18.8%	12.6%	16.7%	12.8%	16.2%
15 to 44	19.0%	22.3%	50.0%	22.6%	10.4%	9.7%	31.8%	22.3%	16.2%
45 to 89	3.7%	4.7%	0.0%	3.8%	0.0%	1.9%	8.5%	4.3%	1.0%
90 to 179	1.2%	1.1%	0.0%	0.0%	0.0%	1.0%	1.9%	0.0%	1.0%
180 to 359	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.8%	0.2%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	201.69	110.00	0.00	0.00	0.00	0.00	110.00	0.00	0.00
SD	*78.85*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	248.87	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*70.96*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.52	0.56	0.00	0.23	0.00	1.08	0.76	0.06	0.47
SD	4.00	4.51	0.00	0.95	0.00	9.19	4.05	0.52	2.11
Other station cumulative DOS, mean	1.48	2.02	2.00	0.62	0.10	5.95	1.30	0.67	2.70
SD	6.29	9.43	2.83	3.01	0.72	19.16	5.32	3.89	9.84

Table 3H: FY03 Bipolar Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Bipolar Patients	73964	3063	21	247	235	857	827	377	499
Other 24 hour institutional care									
Patients with some other 24 hour institutional care, %	8.1%	4.6%	0.0%	2.4%	0.9%	1.9%	12.1%	2.4%	1.8%
Residential Rehabilitation									
Patients with some residential rehab. care, %	2.6%	0.7%	0.0%	0.4%	0.4%	0.2%	1.9%	0.3%	0.0%
Number stays, mean	*1.12*	*1.10*	*0.00*	*1.00*	*1.00*	*1.00*	*1.13*	*1.00*	*0.00*
SD	*0.38*	*0.30*	*0.00*	*0.00*	*0.00*	*0.00*	*0.34*	*0.00*	*0.00*
Average LOS, mean	33.17	49.83	0.00	60.00	18.00	64.00	50.84	27.00	0.00
SD	*32.92*	*27.07*	*0.00*	*0.00*	*0.00*	*0.00*	*28.98*	*0.00*	*0.00*
Cumulative DOS, mean	36.42	52.24	0.00	60.00	18.00	64.00	54.00	27.00	0.00
SD	*35.54*	*25.85*	*0.00*	*0.00*	*0.00*	*0.00*	*27.29*	*0.00*	*0.00*
Cumulative Days of Stay, %									
1 to 7	10.4%	9.5%	0.0%	0.0%	0.0%	0.0%	12.5%	0.0%	0.0%
8 to 14	11.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	53.1%	23.8%	0.0%	0.0%	100.0%	0.0%	18.8%	100.0%	0.0%
45 to 89	18.3%	61.9%	0.0%	100.0%	0.0%	100.0%	62.5%	0.0%	0.0%
90 to 179	5.8%	4.8%	0.0%	0.0%	0.0%	0.0%	6.3%	0.0%	0.0%
180 to 359	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.3%	4.8%	0.0%	0.0%	0.0%	0.0%	6.3%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	167.40	101.00	0.00	0.00	0.00	0.00	101.00	0.00	0.00
SD	*69.53*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	224.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*70.59*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.28	1.29	0.00	0.00	0.00	0.00	0.00	27.00	0.00
SD	*6.79*	*5.89*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.71	8.24	0.00	0.00	18.00	64.00	0.00	27.00	0.00
SD	*10.96*	*19.77*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358	459	570	612	640	654	662
			Manila	*Honolulu*	*Fresno*	*N.California*	*Palo Alto*	*Sierra Nevada*	*San Francisco*
Bipolar Patients	73964	3063	21	247	235	857	827	377	499
Domiciliary and Vocational									
Patients with some dom/voc care, %	4.2%	0.8%	0.0%	0.0%	0.0%	0.0%	2.4%	0.8%	0.4%
Number stays, mean	1.14	1.00	0.00	0.00	0.00	0.00	1.00	1.00	1.00
SD	*0.38*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	80.47	54.48	0.00	0.00	0.00	0.00	65.60	13.00	5.50
SD	*77.50*	*49.20*	*0.00*	*0.00*	*0.00*	*0.00*	*48.91*	*10.15*	*3.54*
Cumulative DOS, mean	88.84	54.48	0.00	0.00	0.00	0.00	65.60	13.00	5.50
SD	*82.55*	*49.20*	*0.00*	*0.00*	*0.00*	*0.00*	*48.91*	*10.15*	*3.54*
Cumulative Days of Stay, %									
1 to 7	6.1%	16.0%	0.0%	0.0%	0.0%	0.0%	10.0%	33.3%	50.0%
8 to 14	5.6%	4.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	50.0%
15 to 44	28.2%	36.0%	0.0%	0.0%	0.0%	0.0%	35.0%	66.7%	0.0%
45 to 89	21.0%	16.0%	0.0%	0.0%	0.0%	0.0%	20.0%	0.0%	0.0%
90 to 179	26.2%	28.0%	0.0%	0.0%	0.0%	0.0%	35.0%	0.0%	0.0%
180 to 359	10.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	2.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.1%	24.0%	0.0%	0.0%	0.0%	0.0%	30.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	184.30	129.67	0.00	0.00	0.00	0.00	129.67	0.00	0.00
SD	*76.03*	*14.33*	*0.00*	*0.00*	*0.00*	*0.00*	*14.33*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	236.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*71.03*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.76	2.64	0.00	0.00	0.00	0.00	0.95	13.00	4.00
SD	*9.43*	*6.34*	*0.00*	*0.00*	*0.00*	*0.00*	*4.25*	*10.15*	*5.66*
Other station cumulative DOS, mean	4.27	2.76	0.00	0.00	0.00	0.00	0.95	13.00	5.50
SD	*15.65*	*6.31*	*0.00*	*0.00*	*0.00*	*0.00*	*4.25*	*10.15*	*3.54*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Bipolar Patients	73964	3063	21	247	235	857	827	377	499
Nursing Home Care									
Patients with some nursing home care, %	2.1%	3.2%	0.0%	2.0%	0.4%	1.6%	7.7%	1.6%	1.4%
Number stays, mean	1.22	1.30	0.00	1.40	1.00	1.43	1.25	1.33	1.43
SD	*0.55*	*0.78*	*0.00*	*0.89*	*0.00*	*1.09*	*0.76*	*0.52*	*0.53*
Average LOS, mean	86.89	76.06	0.00	41.40	15.00	30.34	97.22	31.67	45.57
SD	*110.58*	*105.99*	*0.00*	*43.73*	*0.00*	*31.97*	*122.54*	*25.99*	*60.67*
Cumulative DOS, mean	98.25	93.63	0.00	88.60	15.00	48.14	111.22	47.83	77.86
SD	*116.77*	*121.77*	*0.00*	*148.63*	*0.00*	*73.60*	*131.68*	*44.39*	*124.63*
Cumulative Days of Stay, %									
1 to 7	10.5%	13.4%	0.0%	0.0%	0.0%	21.4%	10.9%	33.3%	14.3%
8 to 14	10.7%	11.3%	0.0%	20.0%	0.0%	7.1%	12.5%	0.0%	14.3%
15 to 44	30.2%	29.9%	0.0%	60.0%	100.0%	42.9%	25.0%	16.7%	28.6%
45 to 89	16.4%	17.5%	0.0%	0.0%	0.0%	14.3%	18.8%	16.7%	28.6%
90 to 179	12.3%	7.2%	0.0%	0.0%	0.0%	7.1%	6.3%	33.3%	0.0%
180 to 359	10.2%	12.4%	0.0%	20.0%	0.0%	7.1%	14.1%	0.0%	14.3%
360+	9.8%	8.2%	0.0%	0.0%	0.0%	0.0%	12.5%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	27.9%	23.7%	0.0%	20.0%	0.0%	14.3%	29.7%	0.0%	14.3%
Cumul. DOS, patients with a 100+ day NH stay, mean	261.88	294.74	0.00	354.00	0.00	200.00	298.32	0.00	357.00
SD	*97.21*	*82.48*	*0.00*	*0.00*	*0.00*	*114.55*	*78.52*	*0.00*	*0.00*
NH patients with 150+ day NH stay, %	22.1%	19.6%	0.0%	20.0%	0.0%	0.0%	26.6%	0.0%	14.3%
Cumul. DOS, patients with a 150+ day NH stay, mean	296.07	317.05	0.00	354.00	0.00	0.00	312.53	0.00	357.00
SD	*76.98*	*65.77*	*0.00*	*0.00*	*0.00*	*0.00*	*68.26*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.47	0.51	0.00	0.00	0.00	0.00	0.00	8.17	0.00
SD	*5.60*	*4.98*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*20.00*	*0.00*
Other station cumulative DOS, mean	1.51	2.81	0.00	0.00	0.00	7.43	1.25	8.17	5.71
SD	*9.89*	*13.60*	*0.00*	*0.00*	*0.00*	*27.51*	*7.77*	*20.00*	*15.12*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Bipolar Patients	73964	3063	21	247	235	857	827	377	499
Outpatient utilization									
(reported for those with some outpatient care)									
Patients with some outpatient care, %	99.6%	99.3%	95.2%	99.2%	100.0%	99.8%	98.2%	100.0%	99.8%
annual visit days, mean	24.20	24.11	7.60	22.62	21.32	19.80	26.17	21.64	32.74
SD	*30.37*	*27.75*	*7.25*	*30.70*	*23.62*	*19.60*	*23.29*	*24.81*	*42.89*
Outpatient visit days, %									
1-12	43.1%	38.7%	70.0%	46.1%	46.8%	44.0%	31.7%	41.4%	30.1%
13-24	26.8%	29.9%	30.0%	29.8%	27.2%	29.1%	31.0%	32.6%	28.7%
25-36	12.4%	13.3%	0.0%	9.4%	8.9%	12.7%	14.3%	12.5%	17.9%
37-48	6.4%	6.8%	0.0%	5.3%	6.4%	7.3%	8.9%	4.8%	5.4%
49+	11.4%	11.3%	0.0%	9.4%	10.6%	6.9%	14.2%	8.8%	17.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	80.8%	81.3%	90.0%	84.1%	80.0%	83.0%	87.4%	66.6%	78.1%
Mean PC visit days, among those with some PC	3.83	4.00	4.50	4.90	4.27	3.59	4.33	2.94	4.22
SD	3.42	3.50	4.95	4.49	3.63	3.21	3.61	2.60	3.31
Average number clinic stops per visit day, mean	1.50	1.34	2.84	1.28	1.38	1.28	1.26	1.42	1.45
SD	*0.46*	*0.37*	*1.01*	0.31	0.31	0.27	0.27	0.35	0.51
annual clinic stops (psych & non-psych), mean	37.58	33.37	16.90	29.59	32.63	25.97	33.46	30.73	50.77
SD	*53.68*	*42.72*	*12.90*	*41.57*	*47.09*	*28.74*	*30.95*	*35.75*	*69.96*
annual non-psych. clinic stops, mean	19.81	17.87	16.00	12.90	18.37	17.52	19.26	15.22	20.47
SD	*22.87*	*17.65*	*12.56*	*13.15*	*18.10*	*16.59*	*19.35*	*14.25*	*19.89*
annual psych. clinic stops (groupings below), mean	17.77	15.50	0.90	16.69	14.26	8.45	14.20	15.51	30.31
SD	*40.95*	*33.50*	*1.25*	*34.76*	*36.52*	*20.33*	*19.83*	*28.53*	*57.95*
1. general psych. clinic stops, mean	7.61	7.60	0.90	8.29	6.84	6.56	9.51	7.18	6.91
SD	*12.69*	*10.89*	*1.25*	*15.04*	*8.66*	*11.14*	*11.91*	*7.36*	*9.11*
2. psych. case management clinic stops, mean	0.65	0.16	0.00	0.04	0.00	0.00	0.44	0.01	0.25
SD	*8.45*	*2.89*	*0.00*	*0.57*	*0.00*	*0.00*	*4.94*	*0.16*	*3.28*
3. psych. day treatment clinic stops, mean	1.57	2.27	0.00	4.51	0.00	0.34	1.65	5.44	4.25
SD	*15.80*	*13.73*	*0.00*	*19.14*	*0.07*	*4.36*	*6.37*	*25.52*	*18.93*
4. substance abuse clinic stops, mean	4.64	3.50	0.00	0.80	6.98	1.25	1.64	2.00	11.38
SD	*21.97*	*20.41*	*0.00*	*3.88*	*33.65*	*14.25*	*7.55*	*6.38*	*38.06*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Bipolar Patients	73964	3063	21	247	235	857	827	377	499
5. psych. vocational clinic stops, mean	1.91	0.59	0.00	1.38	0.00	0.00	0.32	0.00	2.40
SD	*15.13*	*8.10*	*0.00*	*13.68*	*0.00*	*0.05*	*3.02*	*0.00*	*17.02*
6. PTSD clinic stops, mean	0.80	0.90	0.00	1.30	0.06	0.24	0.46	0.78	3.11
SD	*5.71*	*6.96*	*0.00*	*12.31*	*0.69*	*2.45*	*3.68*	*6.07*	*12.46*
7. psych. homeless clinic stops, mean	0.54	0.44	0.00	0.28	0.37	0.06	0.14	0.11	1.99
SD	*3.97*	*3.52*	*0.00*	*1.14*	*1.44*	*0.34*	*1.22*	*0.55*	*8.26*
Other VISN OP visit days, mean	0.48	0.42	0.20	0.26	0.24	0.30	0.64	0.44	0.43
SD	2.80	2.57	0.70	1.20	1.22	1.96	3.68	1.68	2.79
Other station OP visit days, mean	1.14	1.01	0.25	0.35	0.55	0.86	1.47	0.92	1.15
SD	4.45	3.79	0.72	1.36	1.91	2.97	5.23	2.86	4.28

Table 4H: FY03 Bipolar Patients, Pharmacy Utilization, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Bipolar Patients	73964	3063	21	247	235	857	827	377	499
Among all patients in the registry									
Pts. with any outpatient prescriptions, %	96.9%	96.5%	90.0%	93.3%	97.2%	96.2%	96.7%	97.0%	92.7%
Patients with any oral antipsychotic fills, %*	46.0%	44.0%	52.4%	42.5%	41.3%	46.7%	44.1%	45.9%	39.7%
Among pts. receiving any antipsychotic medication:									
Received only conventional antipsychotics, %	7.6%	4.7%	27.3%	4.8%	1.0%	5.5%	4.9%	2.9%	5.1%
Received some atypical antipsychotics, %	92.4%	95.3%	72.7%	95.2%	99.0%	94.5%	95.1%	97.1%	94.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %									
Aripiprazole	0.9%	0.7%	0.0%	1.0%	0.0%	0.0%	1.4%	0.0%	1.5%
Clozapine	0.2%	0.1%	0.0%	1.0%	0.0%	0.0%	0.3%	0.0%	0.0%
Olanzapine	40.7%	54.6%	27.3%	44.8%	52.6%	56.5%	61.9%	45.1%	53.5%
Quetiapine	34.1%	31.1%	27.3%	29.5%	35.1%	33.8%	25.5%	42.2%	25.8%
Risperidone	31.0%	21.1%	18.2%	33.3%	20.6%	17.0%	18.1%	24.9%	25.8%
Ziprasidone	4.7%	4.7%	0.0%	3.8%	0.0%	3.3%	3.3%	9.2%	9.1%
Patients receiving only one kind** of antipsychotic, %	77.4%	79.5%	90.9%	78.1%	82.5%	80.5%	80.0%	76.9%	77.3%
Concurrent use of 2 or more antipsychotics, % ***	5.5%	4.1%	9.1%	3.8%	4.1%	5.8%	4.1%	1.2%	3.0%
Among pts receiving just one antipsychotic:									
Antipsychotic fills, mean	6.09	6.14	3.20	6.90	5.54	6.05	7.03	5.41	5.36
SD	*4.43*	*4.52*	*1.99*	*4.83*	*4.21*	*4.39*	*4.85*	*4.32*	*4.10*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5H: FY03 Bipolar Patients, Cost, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Bipolar Patients	73964	3063	21	247	235	857	827	377	499
Total Costs (in thousands $$)	$907,650	$44,036	$37	$3,481	$1,830	$6,989	$19,639	$3,768	$8,287
Station % of VISN		100.0%	0.1%	7.9%	4.2%	15.9%	44.6%	8.6%	18.8%
Psych vs. Non-Psych Costs									
Psych	33.4%	34.9%	16.1%	39.5%	37.6%	20.1%	33.8%	40.5%	45.3%
Non-Psych	66.6%	65.1%	83.9%	60.5%	62.4%	79.9%	66.2%	59.5%	54.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use									
Per Patient	$15,075	$20,932	$0	$11,967	$10,859	$12,858	$30,577	$14,919	$19,997
Per Day of Stay	$882	$1,159	$0	$643	$1,326	$1,045	$1,251	$1,071	$1,248
Mean Outpatient Costs, Pts with some Outpatient use									
Per Patient	$6,520	$7,309	$1,482	$7,408	$5,327	$5,767	$7,753	$5,781	$11,511
Per Visit Day	$269	$303	$195	$328	$250	$291	$296	$267	$352
By Cost Center									
1 Med	$1,060	$1,109	$0	$116	$469	$508	$2,365	$1,044	$947
2 Surg	$459	$717	$0	$68	$44	$360	$1,479	$413	$967
3 Psych	$2,315	$2,705	$199	$2,384	$1,705	$677	$5,695	$2,263	$2,295
4 Psych Res Rehab Treatment Program	$298	$236	$0	$400	$57	$80	$624	$31	$30
5 Non-VA	$176	$405	$146	$2,523	$18	$336	$232	$152	$146
6 LTC Domiciliary	$455	$124	$0	$0	$0	$0	$450	$14	$4
7 LTC Intermediate Care	$96	$63	$0	$0	$0	$0	$232	$0	$0
8 LTC Nursing Home	$778	$1,650	$0	$1,254	$45	$273	$4,913	$296	$647
9 Contract Nursing Home	$142	$109	$0	$0	$121	$166	$146	$0	$85
10 OPC Med/Surg	$1,111	$1,186	$265	$461	$857	$935	$1,458	$873	$1,956
11 OPC Psych	$1,781	$2,319	$84	$3,178	$1,220	$962	$2,325	$1,787	$5,229
12 OPC Home Based Treatment	$532	$571	$231	$713	$643	$441	$777	$324	$549
13 OPC Support	$1,309	$1,456	$768	$765	$1,041	$1,697	$1,529	$1,064	$1,782
14 OPC Fee	$115	$222	$42	$560	$113	$173	$202	$122	$309
15 OPC Pharmacy	$1,645	$1,505	$23	$1,670	$1,453	$1,546	$1,322	$1,611	$1,662
TOTAL	$12,272	$14,377	$1,756	$14,092	$7,786	$8,155	$23,747	$9,994	$16,607
Mean % Patient Costs at Other Stations	4.8%	4.9%	7.5%	2.5%	3.3%	7.3%	3.6%	5.7%	4.2%
SD	*13.9%*	*14.5%*	*21.2%*	*10.3%*	*11.1%*	*18.5%*	*11.5%*	*15.0%*	*12.7%*
Mean % Patient Costs at Other VISNs	2.0%	1.9%	3.9%	1.6%	1.4%	2.0%	1.5%	2.9%	1.6%
SD	*9.0%*	*8.6%*	*14.6%*	*7.5%*	*6.9%*	*9.2%*	*7.4%*	*11.3%*	*8.3%*

Table 2I: FY03 Other Psychosis Patients, Demographics, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Other Psychosis Patients	49401	2154	49	248	256	421	520	274	386
Age, %									
<35	2.2%	3.2%	4.1%	2.8%	3.1%	3.1%	4.6%	1.5%	3.1%
>=35 and <50	12.5%	19.3%	14.3%	24.2%	13.3%	12.8%	21.2%	10.2%	31.9%
>=50 and <65	22.1%	28.6%	24.5%	28.6%	25.4%	22.8%	26.7%	23.7%	43.3%
>=65 and <80	36.7%	25.3%	10.2%	22.2%	32.8%	30.6%	24.0%	36.5%	12.4%
>=80	26.5%	23.5%	46.9%	22.2%	25.4%	30.6%	23.5%	28.1%	9.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	68.22	64.32	69.23	63.41	66.87	68.21	63.19	69.16	56.45
SD	*15.13*	*16.41*	*18.89*	*16.65*	*15.67*	*15.93*	*17.07*	*14.33*	*14.15*
Gender									
Male, %	96.0%	94.8%	73.5%	94.0%	96.1%	94.1%	95.4%	94.9%	96.9%
Female, %	4.0%	5.2%	26.5%	6.0%	3.9%	5.9%	4.6%	5.1%	3.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %									
Hispanic white	3.9%	4.9%	2.0%	2.8%	10.9%	4.3%	5.8%	1.1%	4.9%
Hispanic black	0.3%	0.2%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%	0.8%
American indian	0.2%	0.3%	0.0%	0.0%	0.4%	0.0%	0.8%	0.0%	0.3%
Black	15.5%	13.2%	4.1%	5.6%	10.5%	23.8%	9.6%	1.5%	22.8%
Asian	0.4%	6.4%	42.9%	28.2%	0.4%	3.3%	2.9%	0.0%	4.4%
White	48.2%	44.7%	8.2%	28.6%	45.3%	54.6%	46.5%	50.4%	41.7%
Race unknown	31.5%	30.3%	42.9%	34.7%	32.4%	14.0%	34.0%	47.1%	25.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status									
Never married	13.4%	20.9%	10.2%	23.0%	10.2%	18.9%	21.2%	11.3%	36.5%
Married	52.0%	39.8%	49.0%	35.1%	54.5%	43.9%	37.4%	50.0%	23.3%
Divorced/Separated	22.5%	29.5%	6.1%	33.9%	27.5%	25.2%	31.3%	25.2%	36.0%
Widowed	12.0%	9.9%	34.7%	8.1%	7.8%	11.9%	10.1%	13.5%	4.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Other Psychosis Patients	49401	2154	49	248	256	421	520	274	386
Registry Pts. History of VA Utilization									
Years since first use in prior five years, mean	4.0	4.02	2.94	4.09	4.16	4.06	3.83	3.93	4.28
SD	*1.4*	1.40	1.69	1.34	1.28	1.35	1.51	1.46	1.21
Yrs with 24-hour institutional use / yrs since 1st use, %	24.1%	23.7%	9.6%	22.1%	26.0%	20.1%	32.7%	21.6%	19.0%
SD	*27.8%*	27.7%	18.4%	25.3%	27.6%	25.3%	32.1%	26.1%	25.0%
Years with OP use / Years since first use, %	96.9%	96.3%	86.5%	96.4%	97.0%	96.5%	94.3%	98.7%	96.9%
SD	*10.4%*	11.5%	18.4%	9.9%	9.4%	10.7%	16.5%	5.7%	9.0%
Psychosis Diagnoses in Prior Fiscal Year									
Had Psychosis Diagnosis in FY01, %	33.8%	37.4%	22.4%	39.5%	37.5%	31.6%	37.9%	29.2%	49.2%
Among Patients With Psychoses in FY01									
Psychosis Category: Schizophrenia, %	9.4%	12.4%	18.2%	12.2%	7.3%	12.8%	13.7%	5.0%	16.3%
Psychosis Category: Bipolar Disorder, %	3.8%	4.8%	0.0%	2.0%	2.1%	5.3%	5.1%	8.8%	5.8%
Psychosis Category: Other Psychosis, %	86.9%	82.7%	81.8%	85.7%	90.6%	82.0%	81.2%	86.3%	77.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
GAF scores									
Lowest inpatient GAF score, mean	37.71	35.04	22.00	37.00	39.67	25.00	30.70	40.83	43.63
SD	*14.78*	*13.71*	*0.00*	*12.04*	*12.74*	*7.07*	*13.69*	*9.70*	*11.98*
Mean outpatient GAF score	48.43	48.95	--	48.97	49.90	46.54	48.69	52.14	48.90
SD	*11.56*	*10.83*	--	*9.44*	*13.73*	*10.21*	*12.32*	*9.57*	*8.89*
At least 1 IP GAF, among pts with MH bedsections, %	36.3%	25.4%	50.0%	21.7%	20.0%	9.1%	31.0%	18.8%	27.8%
At least 1 OP GAF, among pts with MH clinic stops, %	74.8%	79.6%	68.4%	91.8%	87.1%	69.1%	73.1%	77.2%	86.8%
Mortality rates									
died in FY02, %	6.2%	4.7%	0.0%	3.2%	5.1%	6.4%	5.8%	6.2%	1.6%
Age-and-gender-adjusted Standardized Mortality Ratio	1.21	1.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Other Psychosis Patients	49401	2154	49	248	256	421	520	274	386
Service Connection (SC)									
Non-SC	63.3%	60.4%	42.9%	51.2%	63.3%	57.2%	64.8%	65.3%	60.9%
SC 0 - 29%	10.4%	9.9%	2.0%	14.1%	12.1%	8.3%	9.8%	8.8%	9.6%
SC 30 - 69%	10.8%	11.3%	26.5%	12.9%	10.2%	12.8%	9.0%	11.3%	10.4%
SC 70 - 99%	6.4%	8.1%	10.2%	7.7%	6.3%	9.7%	7.3%	6.2%	9.8%
SC 100%	9.1%	10.3%	18.4%	14.1%	8.2%	11.9%	9.0%	8.4%	9.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %									
Complex*	15.0%	17.5%	2.0%	13.7%	11.7%	23.8%	26.0%	10.6%	12.2%
Basic vested, Cat A*	74.8%	75.7%	98.0%	81.9%	82.8%	67.9%	63.8%	81.4%	84.7%
Basic Non-vested, Cat A*	0.8%	1.2%	0.0%	1.2%	0.4%	2.1%	1.9%	0.4%	0.5%
Basic, Cats C and N	9.4%	5.6%	0.0%	3.2%	5.1%	6.2%	8.3%	7.7%	2.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded									
Patient eligibility category, %									
Cat A (SC or low income)	90.1%	93.8%	100.0%	96.8%	94.9%	92.6%	90.6%	92.3%	96.9%
Cat C (NSC and higher income)	9.4%	5.6%	0.0%	3.2%	4.7%	6.4%	8.5%	7.3%	2.3%
Non-Veteran	0.6%	0.6%	0.0%	0.0%	0.4%	1.0%	1.0%	0.4%	0.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %									
BASIC 1. Non-reliant Care	0.1%	1.1%	40.8%	0.0%	0.4%	0.5%	0.2%	0.0%	0.0%
2. Basic Medical	25.3%	20.7%	18.4%	22.2%	35.2%	24.0%	13.3%	28.1%	11.7%
3. Mental Health	25.6%	27.2%	22.4%	31.0%	22.3%	24.0%	26.7%	29.9%	30.8%
4. Heart / Lung / GI	12.5%	8.4%	4.1%	11.7%	8.6%	10.9%	6.3%	8.8%	6.5%
5. Oncology / Infectious Disease	3.8%	6.2%	2.0%	3.6%	5.1%	4.8%	4.4%	5.1%	13.7%
6. Multiple Medical	17.6%	18.9%	10.2%	17.7%	16.8%	12.1%	23.1%	17.5%	25.1%
COMPLEX 7. Specialized Care	4.7%	6.4%	0.0%	7.3%	2.7%	10.9%	6.3%	5.5%	4.9%
8. Support Care	4.8%	4.1%	0.0%	3.2%	4.3%	6.7%	5.4%	1.8%	2.3%
9. Chronic Mental	2.2%	3.4%	2.0%	2.0%	1.2%	2.4%	6.7%	1.1%	4.1%
10. Critically Ill	3.3%	3.5%	0.0%	1.2%	3.5%	3.8%	7.5%	2.2%	0.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Other Psychosis Patients	49401	2154	49	248	256	421	520	274	386
Substance Dependence and Abuse									
Any dx of alcohol / drug dependence or abuse, %	15.7%	25.9%	0.0%	28.6%	23.4%	14.5%	31.0%	16.4%	41.5%
Homelessness									
Homelessness indicated in FY02, %	7.1%	13.8%	2.0%	15.7%	13.7%	7.8%	15.0%	5.5%	35.2%
Residence in Metropolitan Area									
Residing in a Metropolitan Statistical Area, %	76.7%	86.9%	86.7%	71.7%	98.8%	94.3%	96.0%	62.8%	85.2%
Distance									
Mile from Closest VA Medical Center, mean	35.80	30.56	25.19	51.83	20.27	36.85	22.17	24.19	33.34
SD	*82.41*	*53.59*	*25.97*	*76.98*	*21.40*	*44.85*	*20.30*	*31.22*	*88.15*
Distance from closest VA Medical Center, %									
0 to 15 miles	45.8%	56.0%	53.3%	66.3%	55.5%	48.9%	50.0%	52.2%	68.7%
15 to 30 miles	16.6%	14.9%	6.7%	5.8%	14.5%	26.1%	17.9%	15.7%	4.4%
30 to 45 miles	10.9%	10.5%	6.7%	0.0%	11.7%	5.5%	19.0%	16.1%	6.2%
45 to 60 miles	8.8%	6.3%	26.7%	0.0%	10.5%	0.2%	10.0%	9.5%	6.0%
60 plus miles	17.9%	12.3%	6.7%	27.9%	7.8%	19.2%	3.1%	6.6%	14.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.89	9.05	5.06	7.74	10.71	8.56	7.79	17.11	5.45
SD	*14.24*	*12.19*	*5.83*	*7.53*	*10.02*	*8.46*	*5.84*	*25.21*	*8.50*
Distance to closest VA Service Site, %									
0 to 15 miles	73.5%	83.8%	93.3%	87.1%	67.6%	86.5%	92.1%	67.5%	89.6%
15 to 30 miles	16.6%	12.3%	6.7%	10.4%	29.3%	11.6%	7.5%	16.1%	6.7%
30 to 45 miles	7.0%	2.2%	0.0%	2.5%	2.3%	1.2%	0.4%	6.6%	2.3%
45 plus miles	3.0%	1.8%	0.0%	0.0%	0.8%	0.7%	0.0%	9.9%	1.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Other Psychosis Patients	49401	2154	49	248	256	421	520	274	386
Hospital Based Utilization									
Patients with some Hospital Based Utilization, %	30.2%	26.5%	8.2%	24.6%	29.7%	18.8%	36.7%	27.7%	21.5%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)									
Inpatient stays, mean	1.82	1.86	2.00	1.89	1.96	1.71	1.88	1.82	1.87
SD	*1.40*	*1.55*	*2.00*	*2.58*	*1.61*	*1.11*	*1.38*	*1.31*	*1.45*
Average LOS, mean	9.37	9.98	17.55	8.41	6.77	6.10	10.35	8.22	18.17
SD	*15.01*	*18.87*	*17.54*	*9.32*	*5.90*	*5.47*	*9.69*	*8.98*	*44.11*
Cumulative DOS, mean	16.06	17.77	59.75	14.39	13.70	10.71	20.19	14.03	26.57
SD	*22.72*	*27.65*	*101.02*	*18.01*	*16.55*	*11.09*	*24.14*	*18.09*	*49.14*
Cumulative DOS, %									
1 to 7	42.1%	42.8%	25.0%	49.2%	46.1%	45.6%	38.7%	42.1%	43.4%
8 to 14	23.4%	24.7%	25.0%	19.7%	30.3%	31.6%	16.2%	32.9%	28.9%
15 to 44	27.8%	23.7%	25.0%	24.6%	17.1%	21.5%	32.5%	19.7%	14.5%
45 to 89	5.2%	5.8%	0.0%	4.9%	6.6%	1.3%	9.4%	3.9%	3.6%
90 to 179	1.2%	2.3%	0.0%	1.6%	0.0%	0.0%	3.1%	1.3%	6.0%
180 to 359	0.2%	0.7%	25.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.6%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	0.7%	1.2%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%	7.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	185.56	166.86	0.00	0.00	0.00	0.00	0.00	124.00	174.00
SD	*75.86*	*50.34*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*51.11*
Hospital patients who had a 150+ day hosp. stay, %	0.3%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.6%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	241.58	216.67	0.00	0.00	0.00	0.00	0.00	0.00	216.67
SD	*74.51*	*29.74*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*29.74*
Cumulative DOS at Other VISNs	0.37	0.56	21.00	0.00	0.25	0.39	0.49	0.55	0.61
SD	*3.13*	*4.48*	*42.00*	*0.00*	*1.24*	*2.38*	*3.55*	*3.61*	*2.51*
Cumulative DOS at Other Stations	1.24	2.49	21.00	1.07	1.37	6.10	1.67	1.08	3.43
SD	*5.73*	*9.68*	*42.00*	*4.63*	*4.27*	*10.40*	*10.34*	*4.13*	*12.29*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Other Psychosis Patients	49401	2154	49	248	256	421	520	274	386
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)									
Pts. with non-psych hospital stays, %	21.7%	16.2%	4.1%	16.9%	17.2%	15.7%	17.1%	18.2%	14.2%
Inpatient stays, mean	1.27	0.98	0.50	1.02	0.99	1.35	0.68	1.20	1.10
SD	*1.36*	*1.14*	*0.58*	*1.01*	*1.28*	*1.12*	*0.91*	*1.25*	*1.31*
Average LOS, mean	7.86	9.24	13.00	8.86	7.65	5.76	7.82	5.20	20.82
SD	*11.97*	*23.19*	*5.66*	*10.92*	*7.23*	*5.64*	*13.43*	*4.07*	*52.95*
Cumulative Days of Stay, mean	9.61	8.07	6.50	8.74	8.38	7.89	4.96	6.07	16.53
SD	*16.99*	*20.63*	*8.19*	*14.87*	*15.80*	*9.92*	*11.74*	*8.49*	*44.52*
Cumulative Days of Stay, %									
0	28.2%	38.9%	50.0%	31.1%	42.1%	16.5%	53.4%	34.2%	33.7%
1 to 7	35.5%	33.3%	0.0%	39.3%	28.9%	44.3%	27.7%	32.9%	37.3%
8 to 14	15.8%	15.1%	25.0%	13.1%	14.5%	21.5%	9.9%	25.0%	13.3%
15 to 44	17.1%	9.5%	25.0%	11.5%	10.5%	16.5%	7.3%	6.6%	7.2%
45 to 89	2.8%	2.1%	0.0%	4.9%	3.9%	1.3%	1.0%	1.3%	2.4%
90 to 179	0.5%	0.5%	0.0%	0.0%	0.0%	0.0%	0.5%	0.0%	2.4%
180 to 359	0.1%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.6%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	6.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	178.07	179.40	0.00	0.00	0.00	0.00	0.00	0.00	179.40
SD	*75.21*	*55.19*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*55.19*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.6%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	240.47	216.67	0.00	0.00	0.00	0.00	0.00	0.00	216.67
SD	*75.05*	*29.74*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*29.74*
Other VISN cumulative DOS, mean	*0.18*	*0.17*	*0.00*	*0.00*	*0.00*	*0.38*	*0.09*	*0.26*	*0.34*
SD	*1.94*	*1.33*	*0.00*	*0.00*	*0.00*	*2.38*	*0.67*	*1.25*	*2.07*
Other station cumulative DOS, mean	0.60	1.12	0.00	0.36	0.83	3.82	0.63	0.61	1.05
SD	*3.61*	*5.76*	*0.00*	*1.95*	*3.37*	*8.29*	*7.12*	*2.01*	*4.72*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Other Psychosis Patients	49401	2154	49	248	256	421	520	274	386
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)									
Pts. with psych hospital stays, %	10.8%	12.8%	4.1%	9.3%	13.7%	5.2%	24.2%	11.7%	9.3%
Inpatient stays, mean	0.55	0.88	1.50	0.87	0.97	0.35	1.20	0.62	0.77
SD	*1.03*	*1.45*	*2.38*	*2.23*	*1.68*	*0.73*	*1.37*	*1.07*	*1.28*
Average LOS, mean	12.47	10.94	22.10	6.62	5.56	8.02	12.42	15.27	11.08
SD	*19.53*	*11.87*	*28.43*	*4.42*	*3.25*	*5.44*	*9.42*	*22.03*	*14.77*
Cumulative Days of Stay, mean	6.45	9.70	53.25	5.66	5.32	2.82	15.23	7.96	10.04
SD	*17.76*	*21.29*	*105.17*	*13.63*	*10.62*	*6.26*	*22.45*	*18.02*	*27.54*
Cumulative Days of Stay, %									
0	64.2%	51.6%	50.0%	62.3%	53.9%	72.2%	34.0%	57.9%	56.6%
1 to 7	12.7%	17.2%	25.0%	16.4%	21.1%	13.9%	18.3%	15.8%	15.7%
8 to 14	9.6%	11.4%	0.0%	6.6%	17.1%	6.3%	11.5%	10.5%	15.7%
15 to 44	10.7%	14.6%	0.0%	13.1%	5.3%	7.6%	26.2%	11.8%	7.2%
45 to 89	2.1%	3.5%	0.0%	0.0%	2.6%	0.0%	7.9%	2.6%	1.2%
90 to 179	0.5%	1.6%	0.0%	1.6%	0.0%	0.0%	2.1%	1.3%	3.6%
180 to 359	0.1%	0.2%	25.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.4%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%	1.2%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	182.44	133.50	0.00	0.00	0.00	0.00	0.00	120.00	147.00
SD	*78.98*	*19.09*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*77.61*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.19	0.40	21.00	0.00	0.25	0.01	0.40	0.29	0.28
SD	2.40	4.21	42.00	0.00	1.24	0.11	3.48	2.52	1.49
Other station cumulative DOS, mean	0.64	1.37	21.00	0.70	0.54	2.28	1.04	0.47	2.39
SD	4.34	7.70	42.00	4.04	2.79	5.76	7.58	2.76	11.55

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Other Psychosis Patients	49401	2154	49	248	256	421	520	274	386
Other 24 hour institutional care									
Patients with some other 24 hour institutional care, %	10.1%	10.8%	0.0%	2.8%	10.5%	13.8%	22.3%	5.8%	2.1%
Residential Rehabilitation									
Patients with some residential rehab. care, %	1.0%	0.4%	0.0%	0.0%	0.8%	0.0%	1.0%	0.0%	0.3%
Number stays, mean	*1.13*	*1.00*	*0.00*	*0.00*	*1.00*	*0.00*	*1.00*	*0.00*	*1.00*
SD	*0.45*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	30.41	54.38	0.00	0.00	63.00	0.00	60.80	0.00	5.00
SD	*33.22*	*36.48*	*0.00*	*0.00*	*0.00*	*0.00*	*40.39*	*0.00*	*0.00*
Cumulative DOS, mean	33.30	54.38	0.00	0.00	63.00	0.00	60.80	0.00	5.00
SD	*35.32*	*36.48*	*0.00*	*0.00*	*0.00*	*0.00*	*40.39*	*0.00*	*0.00*
Cumulative Days of Stay, %									
1 to 7	15.1%	12.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%
8 to 14	12.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	54.3%	37.5%	0.0%	0.0%	0.0%	0.0%	60.0%	0.0%	0.0%
45 to 89	11.7%	37.5%	0.0%	0.0%	100.0%	0.0%	20.0%	0.0%	0.0%
90 to 179	5.7%	12.5%	0.0%	0.0%	0.0%	0.0%	20.0%	0.0%	0.0%
180 to 359	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	100.0%	0.0%	100.0%	0.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	2.6%	12.5%	0.0%	0.0%	0.0%	0.0%	20.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	181.33	130.00	0.00	0.00	0.00	0.00	130.00	0.00	0.00
SD	*69.09*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	235.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*52.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.38	0.63	0.00	0.00	0.00	0.00	0.00	0.00	5.00
SD	*7.57*	*1.77*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	4.16	16.38	0.00	0.00	63.00	0.00	0.00	0.00	5.00
SD	*12.59*	*28.83*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Other Psychosis Patients	49401	2154	49	248	256	421	520	274	386
Domiciliary and Vocational									
Patients with some dom/voc care, %	1.7%	0.9%	0.0%	0.0%	0.8%	0.0%	3.1%	0.4%	0.0%
Number stays, mean	1.13	1.11	0.00	0.00	1.00	0.00	1.13	1.00	0.00
SD	*0.36*	*0.32*	*0.00*	*0.00*	*0.00*	*0.00*	*0.34*	*0.00*	*0.00*
Average LOS, mean	79.24	43.34	0.00	0.00	45.00	0.00	43.91	31.00	0.00
SD	*81.39*	*28.50*	*0.00*	*0.00*	*4.24*	*0.00*	*31.02*	*0.00*	*0.00*
Cumulative DOS, mean	86.42	49.63	0.00	0.00	45.00	0.00	51.38	31.00	0.00
SD	*85.00*	*38.18*	*0.00*	*0.00*	*4.24*	*0.00*	*41.45*	*0.00*	*0.00*
Cumulative Days of Stay, %									
1 to 7	7.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
8 to 14	6.2%	26.3%	0.0%	0.0%	0.0%	0.0%	31.3%	0.0%	0.0%
15 to 44	29.8%	31.6%	0.0%	0.0%	50.0%	0.0%	25.0%	100.0%	0.0%
45 to 89	19.6%	15.8%	0.0%	0.0%	50.0%	0.0%	12.5%	0.0%	0.0%
90 to 179	23.7%	26.3%	0.0%	0.0%	0.0%	0.0%	31.3%	0.0%	0.0%
180 to 359	10.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	100.0%	0.0%	100.0%	100.0%	0.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	193.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*79.91*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	240.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*71.71*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.61	3.84	0.00	0.00	21.00	0.00	0.00	31.00	0.00
SD	*8.79*	*11.65*	*0.00*	*0.00*	*29.70*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.31	6.37	0.00	0.00	45.00	0.00	0.00	31.00	0.00
SD	*11.83*	*15.38*	*0.00*	*0.00*	*4.24*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Other Psychosis Patients	49401	2154	49	248	256	421	520	274	386
Nursing Home Care									
Patients with some nursing home care, %	7.7%	9.5%	0.0%	2.8%	9.0%	13.8%	18.3%	5.5%	1.8%
Number stays, mean	1.29	1.62	0.00	1.29	2.96	1.31	1.60	1.33	1.00
SD	*0.65*	*1.37*	*0.00*	*0.49*	*2.72*	*0.68*	*1.20*	*0.62*	*0.00*
Average LOS, mean	54.03	54.81	0.00	61.00	8.57	51.05	70.38	45.61	40.14
SD	*70.27*	*79.06*	*0.00*	*57.59*	*6.93*	*67.51*	*95.65*	*62.26*	*26.09*
Cumulative DOS, mean	64.81	68.42	0.00	66.00	27.22	61.36	86.84	56.60	40.14
SD	*79.26*	*88.17*	*0.00*	*53.80*	*28.62*	*77.87*	*104.92*	*77.47*	*26.09*
Cumulative Days of Stay, %									
1 to 7	10.9%	18.0%	0.0%	14.3%	39.1%	15.5%	14.7%	26.7%	0.0%
8 to 14	15.2%	12.2%	0.0%	0.0%	13.0%	17.2%	10.5%	13.3%	0.0%
15 to 44	34.5%	28.8%	0.0%	42.9%	26.1%	24.1%	27.4%	33.3%	71.4%
45 to 89	16.5%	18.5%	0.0%	0.0%	17.4%	22.4%	18.9%	6.7%	28.6%
90 to 179	13.0%	10.2%	0.0%	42.9%	4.3%	12.1%	9.5%	6.7%	0.0%
180 to 359	8.1%	9.3%	0.0%	0.0%	0.0%	8.6%	12.6%	13.3%	0.0%
360+	1.8%	2.9%	0.0%	0.0%	0.0%	0.0%	6.3%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	17.8%	18.5%	0.0%	28.6%	0.0%	17.2%	24.2%	20.0%	0.0%
Cumul. DOS, patients with a 100+ day NH stay, mean	207.27	228.92	0.00	131.50	0.00	199.80	253.83	200.00	0.00
SD	*81.27*	*82.17*	*0.00*	*9.19*	*0.00*	*91.43*	*75.87*	*42.72*	*0.00*
NH patients with 150+ day NH stay, %	11.0%	15.1%	0.0%	0.0%	0.0%	8.6%	24.2%	20.0%	0.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	250.81	250.32	0.00	0.00	0.00	264.40	253.83	200.00	0.00
SD	*70.60*	*74.45*	*0.00*	*0.00*	*0.00*	*82.35*	*75.87*	*42.72*	*0.00*
Other VISN cumulative DOS, mean	0.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*5.11*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.02	0.54	0.00	0.00	0.87	1.05	0.00	0.47	3.29
SD	*7.62*	*3.60*	*0.00*	*0.00*	*3.02*	*5.68*	*0.00*	*1.81*	*8.69*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Other Psychosis Patients	49401	2154	49	248	256	421	520	274	386
Outpatient utilization									
(reported for those with some outpatient care)									
Patients with some outpatient care, %	99.7%	99.4%	100.0%	100.0%	100.0%	99.8%	97.5%	100.0%	100.0%
annual visit days, mean	19.52	25.66	5.84	23.41	21.82	25.21	24.81	15.51	40.97
SD	*24.21*	*34.76*	*7.59*	*28.52*	*21.30*	*30.04*	*24.54*	*15.70*	*59.69*
Outpatient visit days, %									
1-12	49.1%	41.1%	83.7%	41.5%	37.9%	36.4%	38.7%	55.1%	35.8%
13-24	27.0%	26.5%	12.2%	33.9%	34.8%	29.5%	23.3%	26.3%	19.2%
25-36	11.5%	12.8%	4.1%	7.3%	14.5%	15.7%	14.6%	10.9%	12.2%
37-48	5.4%	7.5%	0.0%	5.6%	3.5%	6.9%	11.0%	4.7%	10.1%
49+	7.0%	12.1%	0.0%	11.7%	9.4%	11.4%	12.4%	2.9%	22.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	86.5%	81.4%	95.9%	80.2%	87.5%	80.5%	82.1%	86.5%	72.8%
Mean PC visit days, among those with some PC	4.04	4.39	3.04	4.95	4.86	4.54	4.32	3.76	4.26
SD	3.94	4.03	3.23	4.82	3.53	5.30	3.35	3.54	3.29
Average number clinic stops per visit day, mean	1.55	1.45	2.74	1.33	1.47	1.34	1.33	1.65	1.51
SD	*0.52*	*0.52*	*1.02*	0.42	0.38	0.30	0.39	0.65	0.52
annual clinic stops (psych & non-psych), mean	30.45	37.87	15.14	31.30	34.43	34.53	32.89	24.40	66.97
SD	*40.44*	*58.02*	*16.87*	*39.78*	*41.06*	*43.98*	*34.10*	*24.43*	*106.56*
annual non-psych. clinic stops, mean	22.67	22.50	14.41	16.17	24.79	26.69	22.19	19.33	24.19
SD	*25.36*	*22.67*	*16.00*	*15.31*	*20.66*	*26.21*	*24.18*	*18.17*	*23.93*
annual psych. clinic stops (groupings below), mean	7.77	15.36	0.73	15.13	9.64	7.85	10.70	5.07	42.77
SD	*27.43*	*48.65*	*1.35*	*35.09*	*28.93*	*34.64*	*19.91*	*14.64*	*94.12*
1. general psych. clinic stops, mean	3.20	4.59	0.69	5.10	3.21	3.54	6.46	3.27	5.28
SD	*7.61*	*8.72*	*1.25*	*11.22*	*7.17*	*6.93*	*10.65*	*7.31*	*7.58*
2. psych. case management clinic stops, mean	0.14	0.13	0.00	0.00	0.00	0.00	0.29	0.00	0.37
SD	*3.20*	*2.96*	*0.00*	*0.00*	*0.00*	*0.00*	*4.67*	*0.00*	*4.46*
3. psych. day treatment clinic stops, mean	0.60	1.83	0.00	4.22	0.00	0.61	1.65	1.24	3.75
SD	*8.52*	*11.71*	*0.00*	*17.46*	*0.00*	*11.60*	*5.82*	*9.83*	*17.16*
4. substance abuse clinic stops, mean	2.24	6.59	0.00	2.40	6.07	3.58	1.44	0.32	24.92
SD	*17.04*	*38.17*	*0.00*	*8.99*	*25.87*	*29.87*	*5.86*	*1.79*	*78.45*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 21, continued

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Other Psychosis Patients	49401	2154	49	248	256	421	520	274	386
5. psych. vocational clinic stops, mean	0.74	0.75	0.00	1.20	0.02	0.00	0.44	0.00	2.81
SD	*9.63*	*8.57*	*0.00*	*11.93*	*0.38*	*0.00*	*4.53*	*0.00*	*16.84*
6. PTSD clinic stops, mean	0.56	0.83	0.00	1.83	0.00	0.02	0.30	0.20	2.89
SD	*5.11*	*6.81*	*0.00*	*12.04*	*0.06*	*0.18*	*2.14*	*3.32*	*12.01*
7. psych. homeless clinic stops, mean	0.27	0.62	0.04	0.27	0.34	0.09	0.11	0.04	2.74
SD	*2.81*	*4.56*	*0.29*	*1.08*	*1.34*	*0.50*	*0.93*	*0.24*	*10.31*
Other VISN OP visit days, mean	0.31	0.37	0.18	0.22	0.79	0.35	0.24	0.27	0.46
SD	2.01	2.14	1.15	1.68	4.20	2.08	1.47	1.12	1.79
Other station OP visit days, mean	0.72	1.03	0.20	0.32	1.22	1.42	1.00	0.63	1.34
SD	3.19	3.93	1.15	1.91	4.82	5.40	3.15	1.77	4.50

Table 4I FY03 Other Psychosis Patients, Pharmacy Utilization, VISN 21

	All VISNs	VISN 21	358 *Manila*	459 *Honolulu*	570 *Fresno*	612 *N.California*	640 *Palo Alto*	654 *Sierra Nevada*	662 *San Francisco*
Other Psychosis Patients	49401	2154	49	248	256	421	520	274	386
Among all patients in the registry									
Pts. with any outpatient prescriptions, %	94.7%	92.7%	44.9%	94.8%	96.5%	94.3%	91.7%	95.3%	92.5%
Patients with any oral antipsychotic fills, %*	41.4%	47.4%	24.5%	50.4%	44.1%	43.7%	51.3%	33.2%	59.6%
Among pts. receiving any antipsychotic medication:									
Received only conventional antipsychotics, %	9.2%	8.2%	8.3%	2.4%	12.4%	10.9%	6.7%	11.0%	7.8%
Received some atypical antipsychotics, %	90.8%	91.8%	91.7%	97.6%	87.6%	89.1%	93.3%	89.0%	92.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %									
Aripiprazole	0.7%	0.7%	0.0%	0.0%	0.0%	0.0%	0.7%	0.0%	2.2%
Clozapine	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Olanzapine	27.8%	40.6%	58.3%	29.6%	35.4%	46.2%	48.7%	34.1%	37.0%
Quetiapine	29.2%	25.3%	8.3%	27.2%	35.4%	23.4%	25.8%	33.0%	18.3%
Risperidone	46.2%	42.4%	33.3%	60.0%	37.2%	36.4%	38.2%	35.2%	48.3%
Ziprasidone	3.6%	3.5%	0.0%	5.6%	0.0%	0.0%	3.4%	5.5%	6.5%
Patients receiving only one kind** of antipsychotic, %	78.8%	76.5%	75.0%	76.0%	77.0%	79.9%	73.0%	79.1%	77.0%
Concurrent use of 2 or more antipsychotics, % ***	5.1%	5.1%	16.7%	9.6%	1.8%	2.7%	4.1%	4.4%	7.0%
Among pts receiving just one antipsychotic:									
Antipsychotic fills, mean	5.21	5.69	4.78	6.49	5.40	4.94	5.93	5.43	5.89
SD	*4.06*	*4.23*	*1.92*	*4.67*	*4.29*	*3.63*	*4.34*	*4.18*	*4.34*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5I: FY03 Other Psychosis Patients, Cost, VISN 21

	All VISNs	VISN 21	358	459	570	612	640	654	662
			Manila	*Honolulu*	*Fresno*	*N.California*	*Palo Alto*	*Sierra Nevada*	*San Francisco*
Other Psychosis Patients	49401	2154	49	248	256	421	520	274	386
Total Costs (in thousands $$)	$692,791	$36,775	$143	$3,259	$3,400	$6,228	$13,113	$3,265	$7,367
Station % of VISN		100.0%	0.4%	8.9%	9.2%	16.9%	35.7%	8.9%	20.0%
Psych vs. Non-Psych Costs									
Psych	16.6%	26.4%	41.8%	32.3%	23.4%	7.9%	27.8%	20.6%	40.8%
Non-Psych	83.4%	73.6%	58.2%	67.7%	76.6%	92.1%	72.2%	79.4%	59.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use									
Per Patient	$16,509	$18,825	$14,040	$6,442	$16,674	$17,244	$24,026	$16,947	$21,384
Per Day of Stay	$1,028	$1,059	$235	$448	$1,217	$1,610	$1,190	$1,208	$805
Mean Outpatient Costs, Pts with some Outpatient use									
Per Patient	$6,046	$7,987	$1,462	$7,583	$5,904	$7,649	$7,592	$5,131	$13,372
Per Visit Day	$310	$311	$250	$324	$271	$303	$306	$331	$326
By Cost Center									
1 Med	$2,712	$1,787	$0	$90	$1,943	$1,727	$2,672	$2,011	$1,713
2 Surg	$779	$761	$0	$119	$685	$997	$867	$804	$889
3 Psych	$1,494	$2,434	$1,146	$1,375	$2,322	$512	$5,286	$1,886	$1,995
4 Psych Res Rehab Treatment Program	$103	$179	$0	$0	$327	$0	$441	$0	$185
5 Non-VA	$203	$534	$311	$2,793	$78	$410	$204	$420	$72
6 LTC Domiciliary	$183	$119	$0	$0	$65	$0	$438	$44	$0
7 LTC Intermediate Care	$276	$242	$0	$0	$0	$0	$996	$0	$7
8 LTC Nursing Home	$1,672	$2,568	$0	$902	$1,537	$2,115	$6,677	$1,439	$407
9 Contract Nursing Home	$578	$516	$0	$278	$422	$1,401	$235	$181	$445
10 OPC Med/Surg	$1,281	$1,439	$397	$709	$1,142	$1,252	$1,732	$1,146	$2,257
11 OPC Psych	$831	$2,079	$74	$2,868	$792	$656	$1,718	$566	$5,790
12 OPC Home Based Treatment	$730	$1,018	$153	$1,554	$972	$1,330	$822	$752	$926
13 OPC Support	$1,493	$1,604	$781	$676	$1,369	$2,387	$1,747	$1,111	$1,764
14 OPC Fee	$231	$281	$47	$324	$198	$256	$205	$210	$519
15 OPC Pharmacy	$1,460	$1,514	$9	$1,453	$1,429	$1,751	$1,179	$1,346	$2,114
TOTAL	$14,024	$17,073	$2,919	$13,141	$13,283	$14,793	$25,217	$11,916	$19,086
Mean % Patient Costs at Other Stations	3.3%	4.9%	3.4%	2.1%	5.5%	8.0%	3.3%	3.7%	5.9%
SD	*11.9%*	*14.7%*	*15.5%*	*10.1%*	*15.4%*	*19.6%*	*10.7%*	*11.3%*	*16.3%*
Mean % Patient Costs at Other VISNs	1.3%	1.6%	2.0%	0.9%	1.8%	1.4%	1.0%	1.3%	2.8%
SD	*7.5%*	*8.0%*	*12.4%*	*5.9%*	*8.0%*	*7.4%*	*5.8%*	*6.2%*	*11.9%*

Table 1F: FY03 Psychosis Patients, Demographics, VISN 22

	All VISNs	VISN 22	593	600	605	664	691
			S.Nevada	*Long Beach*	*Loma Linda*	*San Diego*	*Greater L.A.*
Entire Population	217760	13524	1441	1924	1893	2630	5636
Psychosis Diagnosis Group, %							
Schizophrenia	43.3%	40.8%	32.8%	38.8%	36.5%	36.5%	46.9%
Bipolar Disorder	34.0%	35.7%	47.5%	32.8%	34.6%	35.6%	34.1%
Other Psychoses	22.7%	23.5%	19.6%	28.3%	28.9%	28.0%	19.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age, %							
<35	4.9%	5.7%	6.0%	5.7%	5.4%	7.4%	5.0%
>=35 and <50	29.3%	31.7%	32.3%	28.1%	26.4%	33.2%	33.9%
>=50 and <65	38.1%	37.1%	38.7%	37.5%	39.5%	34.5%	37.0%
>=65 and <80	19.7%	17.6%	17.6%	19.8%	20.0%	16.2%	16.8%
>=80	8.2%	7.8%	5.4%	9.0%	8.7%	8.7%	7.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	56.89	55.96	55.07	57.12	57.40	55.36	55.59
SD	*14.35*	*14.44*	*13.94*	*14.89*	*14.61*	*15.09*	*13.99*
Gender							
Male, %	92.7%	92.2%	89.7%	92.7%	90.5%	89.9%	94.4%
Female, %	7.3%	7.8%	10.3%	7.3%	9.5%	10.1%	5.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %							
Hispanic white	4.8%	6.2%	3.7%	9.0%	6.6%	4.2%	6.6%
Hispanic black	0.4%	0.3%	0.3%	0.1%	0.5%	0.2%	0.3%
American indian	0.3%	0.2%	0.3%	0.1%	0.3%	0.3%	0.2%
Black	18.6%	18.0%	10.5%	16.7%	11.7%	11.2%	25.6%
Asian	0.5%	1.5%	0.9%	1.7%	0.7%	2.1%	1.5%
White	54.9%	45.1%	50.0%	47.2%	51.7%	52.6%	37.3%
Race unknown	20.5%	28.8%	34.2%	25.2%	28.5%	29.3%	28.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status							
Never married	28.5%	36.9%	24.1%	34.8%	26.1%	34.9%	45.7%
Married	35.3%	27.0%	31.6%	28.1%	38.0%	28.4%	21.1%
Divorced/Separated	30.8%	31.2%	38.4%	32.5%	29.8%	32.1%	28.8%
Widowed	5.4%	4.9%	5.9%	4.6%	6.2%	4.7%	4.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 22

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Entire Population	217760	13524	1441	1924	1893	2630	5636
Registry Pts. History of VA Utilization							
Years since first use in prior five years, mean	4.33	4.22	4.21	4.27	4.04	4.17	4.29
SD	*1.24*	1.32	1.31	1.29	1.42	1.36	1.27
Yrs with 24-hour institutional use / yrs since 1st use, %	25.9%	22.1%	18.8%	22.6%	23.3%	21.8%	22.6%
SD	*29.7%*	27.0%	25.0%	26.4%	26.7%	25.9%	28.2%
Years with OP use / Years since first use, %	96.7%	95.9%	96.4%	96.9%	96.8%	96.9%	94.7%
SD	*11.4%*	12.0%	10.8%	9.9%	10.3%	9.9%	14.1%
Psychosis Diagnoses in Prior Fiscal Year							
Had Psychosis Diagnosis in FY01, %	65.3%	62.5%	56.8%	64.3%	60.2%	61.8%	64.4%
Among Patients With Psychoses in FY01							
Psychosis Category: Schizophrenia, %	54.1%	52.8%	45.1%	50.3%	48.5%	48.2%	58.9%
Psychosis Category: Bipolar Disorder, %	33.9%	33.5%	48.2%	32.6%	35.1%	37.5%	28.3%
Psychosis Category: Other Psychosis, %	12.0%	13.6%	6.7%	17.0%	16.4%	14.3%	12.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %							
Dementia	6.2%	6.1%	3.6%	7.8%	8.0%	8.1%	4.5%
Post Traumatic Stress Disorder	15.4%	13.9%	23.6%	9.0%	17.2%	11.6%	13.1%
Depression	34.8%	34.6%	40.7%	30.4%	36.6%	39.1%	31.6%
Other Anxiety Disorder	12.0%	9.3%	12.3%	8.3%	11.9%	9.0%	8.2%
Substance Abuse or Dependence	23.3%	24.6%	17.3%	20.0%	19.8%	20.7%	31.4%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 22

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Entire Population	217760	13524	1441	1924	1893	2630	5636
Medical Comorbidities, %							
No medical comorbidities	15.2%	19.1%	14.5%	19.8%	14.3%	19.4%	21.4%
Anemia	8.2%	7.6%	7.4%	6.3%	9.6%	8.2%	7.1%
Arthritis	36.2%	33.3%	39.9%	30.7%	36.0%	32.1%	32.3%
Cancer	7.9%	7.9%	8.7%	8.0%	8.5%	8.6%	7.2%
Cerebrovascular Disease	6.7%	6.1%	5.6%	7.5%	6.8%	6.1%	5.5%
Chronic Neurologic Disorder	15.1%	13.4%	12.8%	15.4%	14.7%	12.6%	12.8%
Chronic Obstructive Pulmonary Disease	16.7%	14.6%	19.7%	13.0%	16.1%	13.2%	14.1%
Chronic Viral Infection	8.4%	9.7%	9.3%	8.6%	7.8%	10.2%	10.6%
Coronary Artery Disease	19.5%	14.4%	15.6%	14.6%	16.2%	16.1%	12.8%
Diabetes	20.0%	17.0%	19.1%	17.8%	19.3%	16.9%	15.4%
Digestive System Disease	43.5%	39.9%	41.2%	35.7%	43.7%	39.1%	40.2%
Hypertension	43.2%	37.9%	40.0%	38.1%	41.6%	38.1%	35.9%
Injury and Poisoning	17.9%	18.2%	18.9%	18.9%	17.9%	19.2%	17.5%
Liver Disease	3.6%	3.0%	4.0%	3.2%	3.6%	2.4%	2.9%
Other Endocrine	8.6%	8.3%	9.2%	7.3%	8.5%	8.5%	8.2%
Peripheral Vascular Disease	4.1%	2.7%	3.8%	3.0%	3.1%	3.2%	2.1%
GAF scores							
Lowest inpatient GAF score, mean	37.72	35.27	31.44	34.23	27.06	35.77	37.56
SD	*14.39*	*12.78*	*6.87*	*14.95*	*13.18*	*11.37*	*12.07*
Mean outpatient GAF score	50.52	47.67	39.74	54.66	47.69	48.23	47.38
SD	*11.04*	*12.22*	*11.40*	*11.31*	*11.69*	*11.33*	*11.80*
At least 1 IP GAF, among pts with MH bedsections, %	38.4%	35.2%	14.5%	38.8%	29.6%	42.3%	37.0%
At least 1 OP GAF, among pts with MH clinic stops, %	80.0%	70.2%	85.8%	75.2%	84.7%	67.2%	61.6%
Mortality rates							
died in FY02, %	3.1%	2.2%	1.0%	2.6%	3.0%	2.8%	1.8%
Age-and-gender-adjusted Standardized Mortality Ratio	1.32	0.99	0.52	1.05	1.19	1.26	0.87

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 22, continued

	All VISNs	VISN 22	593	600	605	664	691
			S.Nevada	*Long Beach*	*Loma Linda*	*San Diego*	*Greater L.A.*
Entire Population	217760	13524	1441	1924	1893	2630	5636
Service Connection (SC)							
Non-SC	51.0%	56.1%	52.3%	56.7%	49.1%	51.1%	61.6%
SC 0 - 29%	8.7%	9.1%	10.2%	9.3%	8.2%	9.3%	8.9%
SC 30 - 69%	10.8%	10.2%	11.3%	10.8%	12.2%	10.4%	9.0%
SC 70 - 99%	7.3%	6.2%	7.6%	5.6%	8.8%	6.2%	5.2%
SC 100%	22.1%	18.4%	18.5%	17.7%	21.7%	23.0%	15.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %							
Complex*	17.3%	15.3%	5.7%	13.1%	11.4%	11.6%	21.6%
Basic vested, Cat A*	76.6%	77.5%	88.7%	80.3%	82.2%	81.7%	70.1%
Basic Non-vested, Cat A*	1.0%	1.7%	0.8%	0.6%	0.3%	0.6%	3.4%
Basic, Cats C and N	5.1%	5.4%	4.8%	5.9%	6.1%	6.1%	4.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded							
Patient eligibility category, %							
Cat A (SC or low income)	94.6%	94.4%	95.1%	93.9%	93.8%	93.8%	94.9%
Cat C (NSC and higher income)	4.7%	4.4%	4.5%	5.1%	5.3%	4.1%	3.9%
Non-Veteran	0.6%	1.2%	0.3%	1.0%	0.9%	2.1%	1.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %							
BASIC 1. Non-reliant Care	0.1%	0.1%	0.0%	0.1%	0.0%	0.1%	0.1%
2. Basic Medical	16.7%	16.4%	17.8%	15.5%	18.9%	21.7%	13.1%
3. Mental Health	36.3%	38.6%	44.1%	38.9%	38.6%	36.3%	38.2%
4. Heart / Lung / GI	7.7%	6.3%	7.6%	7.0%	8.0%	7.0%	4.8%
5. Oncology / Infectious Disease	3.9%	4.8%	5.3%	5.5%	4.2%	4.9%	4.5%
6. Multiple Medical	18.0%	18.5%	19.5%	20.0%	19.0%	18.4%	17.7%
COMPLEX 7. Specialized Care	2.6%	2.2%	2.2%	2.3%	2.1%	2.7%	2.0%
8. Support Care	2.8%	3.1%	1.1%	4.0%	3.4%	2.2%	3.5%
9. Chronic Mental	9.6%	8.5%	1.9%	5.4%	3.2%	5.8%	14.2%
10. Critically Ill	2.2%	1.6%	0.4%	1.5%	2.7%	0.8%	2.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Entire Population	217760	13524	1441	1924	1893	2630	5636
Substance Dependence and Abuse							
Any dx of alcohol / drug dependence or abuse, %	23.3%	24.6%	17.3%	20.0%	19.8%	20.7%	31.4%
Homelessness							
Homelessness indicated in FY02, %	11.5%	20.6%	12.4%	15.9%	6.0%	12.9%	32.8%
Residence in Metropolitan Area							
Residing in a Metropolitan Statistical Area, %	79.7%	99.5%	98.7%	99.8%	99.7%	98.8%	99.9%
Distance							
Mile from Closest VA Medical Center, mean	32.17	18.51	11.96	12.49	22.39	16.86	21.71
SD	*68.58*	*29.81*	*42.69*	*43.06*	*18.41*	*12.85*	*28.33*
Distance from closest VA Medical Center, %							
0 to 15 miles	49.0%	64.3%	86.9%	80.1%	42.0%	48.1%	68.2%
15 to 30 miles	16.3%	22.8%	4.7%	16.9%	35.5%	46.6%	14.0%
30 to 45 miles	10.3%	4.1%	1.3%	2.2%	10.4%	3.1%	3.8%
45 to 60 miles	8.1%	3.2%	3.5%	0.2%	8.9%	0.8%	3.3%
60 plus miles	16.2%	5.7%	3.5%	0.6%	3.2%	1.4%	10.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.73	5.89	5.61	5.00	9.46	5.65	5.17
SD	*13.09*	*7.43*	*8.89*	*9.13*	*8.87*	*4.87*	*6.42*
Distance to closest VA Service Site, %							
0 to 15 miles	77.0%	94.7%	94.9%	97.0%	86.8%	97.3%	95.2%
15 to 30 miles	14.9%	3.8%	1.9%	2.7%	9.4%	2.1%	3.5%
30 to 45 miles	5.7%	1.2%	2.5%	0.1%	2.8%	0.6%	1.0%
45 plus miles	2.4%	0.4%	0.7%	0.2%	1.0%	0.0%	0.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3F: FY03 Psychosis Patients, Utilization, VISN 22

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Entire Population	217760	13524	1441	1924	1893	2630	5636
Hospital Based Utilization							
Patients with some Hospital Based Utilization, %	27.2%	22.8%	19.8%	24.7%	26.9%	23.8%	21.1%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)							
Inpatient stays, mean	1.83	1.68	1.68	1.64	1.81	1.62	1.66
SD	*1.43*	*1.16*	*1.21*	*1.06*	*1.34*	*1.06*	*1.17*
Average LOS, mean	13.07	13.23	7.06	12.59	6.80	11.56	18.60
SD	*30.84*	*19.62*	*5.24*	*19.19*	*5.84*	*16.15*	*25.23*
Cumulative DOS, mean	21.85	21.69	12.74	20.45	12.94	18.48	29.76
SD	*40.46*	*32.52*	*21.73*	*32.34*	*15.19*	*24.16*	*41.07*
Cumulative DOS, %							
1 to 7	39.9%	40.0%	44.6%	44.2%	49.3%	41.1%	32.5%
8 to 14	21.8%	18.8%	31.9%	15.6%	20.8%	18.2%	16.4%
15 to 44	27.7%	29.4%	21.4%	29.5%	25.9%	32.5%	31.1%
45 to 89	6.9%	7.6%	1.4%	7.2%	3.3%	6.4%	11.6%
90 to 179	2.3%	3.4%	0.0%	2.5%	0.6%	1.4%	6.9%
180 to 359	0.9%	0.8%	0.7%	1.1%	0.0%	0.3%	1.3%
360+	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	2.1%	2.1%	0.7%	1.9%	0.0%	1.0%	4.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	237.76	165.63	241.00	189.89	0.00	161.83	158.42
SD	*95.14*	*55.34*	*15.56*	*42.40*	*0.00*	*48.93*	*56.52*
Hospital patients who had a 150+ day hosp. stay, %	1.3%	0.5%	0.4%	0.8%	0.0%	0.3%	0.6%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	290.80	223.86	230.00	214.25	0.00	198.00	235.86
SD	*77.65*	*67.03*	*0.00*	*42.72*	*0.00*	*57.98*	*88.33*
Cumulative DOS at Other VISNs	0.59	0.59	0.94	0.28	0.32	0.71	0.68
SD	*4.28*	*3.77*	*4.12*	*1.86*	*2.74*	*4.20*	*4.35*
Cumulative DOS at Other Stations	1.83	1.24	1.85	1.06	0.97	1.10	1.34
SD	*7.27*	*5.96*	*8.93*	*4.36*	*6.11*	*4.98*	*6.04*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Entire Population	217760	13524	1441	1924	1893	2630	5636
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)							
Pts. with non-psych hospital stays, %	14.0%	11.2%	10.1%	13.8%	15.4%	11.0%	9.3%
Inpatient stays, mean	0.85	0.75	0.75	0.88	0.87	0.68	0.69
SD	*1.20*	*1.03*	*0.98*	*1.09*	*1.04*	*0.97*	*1.04*
Average LOS, mean	7.54	7.93	6.54	9.80	4.82	6.43	9.92
SD	*13.36*	*12.75*	*8.01*	*15.70*	*4.58*	*9.03*	*16.11*
Cumulative Days of Stay, mean	6.52	6.19	5.27	9.30	4.51	4.71	6.68
SD	*17.31*	*17.49*	*15.02*	*25.25*	*8.10*	*13.01*	*19.03*
Cumulative Days of Stay, %							
0	48.5%	50.9%	48.8%	44.0%	42.8%	53.7%	56.0%
1 to 7	29.2%	28.9%	31.2%	32.4%	37.5%	30.0%	22.8%
8 to 14	9.8%	8.5%	9.8%	6.9%	10.4%	7.5%	8.4%
15 to 44	10.2%	9.5%	9.5%	11.8%	8.6%	7.3%	10.1%
45 to 89	1.8%	1.5%	0.4%	2.9%	0.6%	1.1%	1.9%
90 to 179	0.4%	0.5%	0.0%	1.5%	0.0%	0.2%	0.7%
180 to 359	0.1%	0.2%	0.4%	0.4%	0.0%	0.2%	0.1%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.5%	0.4%	0.8%	0.0%	0.3%	0.6%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	206.57	182.93	220.00	201.75	0.00	163.00	172.57
SD	*85.33*	*68.37*	*0.00*	*46.31*	*0.00*	*50.91*	*88.89*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.1%	0.0%	0.4%	0.0%	0.0%	0.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	268.22	244.00	0.00	211.00	0.00	0.00	277.00
SD	*74.94*	*91.75*	*0.00*	*73.54*	*0.00*	*0.00*	*124.45*
Other VISN cumulative DOS, mean	0.14	0.15	0.49	0.05	0.16	0.12	0.13
SD	*1.82*	*1.67*	*3.33*	*0.67*	*1.92*	*1.13*	*1.45*
Other station cumulative DOS, mean	0.51	0.33	1.08	0.44	0.27	0.21	0.19
SD	*3.43*	*3.10*	*8.17*	*2.63*	*2.07*	*1.82*	*1.57*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Entire Population	217760	13524	1441	1924	1893	2630	5636
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)							
Pts. with psych hospital stays, %	15.8%	13.5%	11.5%	12.5%	14.1%	14.5%	13.6%
Inpatient stays, mean	0.98	0.92	0.93	0.76	0.94	0.94	0.98
SD	*1.28*	*1.11*	*1.10*	*0.98*	*1.34*	*1.06*	*1.07*
Average LOS, mean	17.54	17.59	7.65	15.47	8.94	15.34	24.55
SD	*38.98*	*23.57*	*4.50*	*21.83*	*6.81*	*19.03*	*29.53*
Cumulative Days of Stay, mean	15.33	15.49	7.47	11.16	8.43	13.77	23.08
SD	*38.37*	*29.59*	*15.60*	*24.29*	*14.89*	*22.79*	*38.83*
Cumulative Days of Stay, %							
0	41.8%	41.0%	41.8%	49.5%	47.5%	39.2%	35.7%
1 to 7	18.6%	17.5%	21.8%	17.9%	21.0%	17.2%	15.1%
8 to 14	14.1%	11.9%	22.5%	9.5%	11.6%	12.0%	10.5%
15 to 44	17.8%	20.4%	13.3%	17.7%	16.5%	25.0%	22.4%
45 to 89	4.7%	5.7%	0.4%	4.0%	2.9%	5.3%	9.1%
90 to 179	1.7%	2.9%	0.0%	0.8%	0.4%	1.1%	6.3%
180 to 359	0.8%	0.6%	0.4%	0.6%	0.0%	0.2%	1.0%
360+	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	1.8%	1.7%	0.4%	1.1%	0.0%	0.6%	3.5%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.50	154.46	225.00	180.40	0.00	161.25	149.05
SD	*96.26*	*46.45*	*0.00*	*41.64*	*0.00*	*55.91*	*45.26*
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.2%	0.3%	0.4%	0.4%	0.0%	0.3%	0.4%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	291.18	211.50	225.00	217.50	0.00	198.00	211.80
SD	*78.31*	*59.66*	*0.00*	*4.95*	*0.00*	*57.98*	*83.71*
Other VISN cumulative DOS, mean	0.45	0.44	0.45	0.23	0.17	0.59	0.56
SD	*3.83*	*3.24*	*2.45*	*1.70*	*1.97*	*3.99*	*3.80*
Other station cumulative DOS, mean	1.32	0.91	0.78	0.61	0.71	0.89	1.15
SD	*6.36*	*5.01*	*3.74*	*3.41*	*5.77*	*4.62*	*5.62*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Entire Population	217760	13524	1441	1924	1893	2630	5636
Other 24 hour institutional care							
Patients with some other 24 hour institutional care, %	8.5%	5.9%	1.6%	3.6%	6.9%	3.3%	8.7%
Residential Rehab (rep. for those w/ res rehab care)							
Patients with some residential rehab. care, %	1.8%	0.1%	0.1%	0.0%	0.1%	0.2%	0.1%
Number stays, mean	1.12	1.09	1.00	0.00	2.00	1.00	1.00
SD	*0.38*	*0.30*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	34.01	23.36	33.00	0.00	11.00	17.00	29.00
SD	*38.25*	*15.68*	*0.00*	*0.00*	*0.00*	*14.40*	*17.82*
Cumulative DOS, mean	37.28	24.36	33.00	0.00	22.00	17.00	29.00
SD	*40.79*	*15.15*	*0.00*	*0.00*	*0.00*	*14.40*	*17.82*
Cumulative Days of Stay, %							
1 to 7	12.3%	18.2%	0.0%	0.0%	0.0%	50.0%	0.0%
8 to 14	12.7%	9.1%	0.0%	0.0%	0.0%	0.0%	20.0%
15 to 44	50.7%	63.6%	100.0%	0.0%	100.0%	50.0%	60.0%
45 to 89	15.8%	9.1%	0.0%	0.0%	0.0%	0.0%	20.0%
90 to 179	7.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	175.66	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.56*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	237.86	0.00	0.00	0.00	0.00	0.00	0.00
SD	*73.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.12	24.36	33.00	0.00	22.00	17.00	29.00
SD	*6.40*	*15.15*	*0.00*	*0.00*	*0.00*	*14.40*	*17.82*
Other station cumulative DOS, mean	3.58	24.36	33.00	0.00	22.00	17.00	29.00
SD	*10.93*	*15.15*	*0.00*	*0.00*	*0.00*	*14.40*	*17.82*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Entire Population	217760	13524	1441	1924	1893	2630	5636
Domiciliary and Vocational							
(reported for those with some dom/voc care)							
Patients with some dom/voc care, %	2.8%	2.4%	0.1%	0.4%	0.1%	0.0%	5.7%
Number stays, mean	1.13	1.07	1.00	1.00	1.00	1.00	1.08
SD	*0.38*	*0.28*	*0.00*	*0.00*	*0.00*	*0.00*	*0.29*
Average LOS, mean	85.20	95.08	17.50	38.14	16.50	53.00	97.45
SD	*90.51*	*76.96*	*16.26*	*33.00*	*14.85*	*0.00*	*77.24*
Cumulative DOS, mean	92.74	99.78	17.50	38.14	16.50	53.00	102.32
SD	*94.18*	*80.29*	*16.26*	*33.00*	*14.85*	*0.00*	*80.53*
Cumulative Days of Stay, %							
1 to 7	6.9%	9.1%	50.0%	28.6%	50.0%	0.0%	8.2%
8 to 14	6.1%	3.6%	0.0%	0.0%	0.0%	0.0%	3.8%
15 to 44	29.6%	19.9%	50.0%	28.6%	50.0%	0.0%	19.4%
45 to 89	19.5%	18.7%	0.0%	28.6%	0.0%	100.0%	18.5%
90 to 179	22.9%	31.1%	0.0%	14.3%	0.0%	0.0%	32.0%
180 to 359	10.1%	17.2%	0.0%	0.0%	0.0%	0.0%	17.9%
360+	5.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	31.6%	41.1%	0.0%	0.0%	0.0%	0.0%	42.6%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	203.50	177.97	0.00	0.00	0.00	0.00	177.97
SD	*90.08*	*61.85*	*0.00*	*0.00*	*0.00*	*0.00*	*61.85*
Dom. patients with 150+ day Dom. stay, %	18.0%	23.3%	0.0%	0.0%	0.0%	0.0%	24.1%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	259.61	218.69	0.00	0.00	0.00	0.00	218.69
SD	*79.66*	*52.14*	*0.00*	*0.00*	*0.00*	*0.00*	*52.14*
Other VISN cumulative DOS, mean	1.54	1.11	14.50	4.86	16.50	53.00	0.69
SD	*8.76*	*7.56*	*20.51*	*12.85*	*14.85*	*0.00*	*6.52*
Other station cumulative DOS, mean	3.75	1.83	17.50	38.14	16.50	53.00	0.69
SD	*14.14*	*10.11*	*16.26*	*33.00*	*14.85*	*0.00*	*6.52*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Entire Population	217760	13524	1441	1924	1893	2630	5636
Nursing Home Care							
(reported for those with some nursing home care)							
Patients with some nursing home care, %	4.5%	3.5%	1.4%	3.2%	6.8%	3.2%	3.1%
Number stays, mean	1.24	1.19	1.20	1.21	1.21	1.19	1.17
SD	*0.60*	*0.48*	*0.41*	*0.63*	*0.50*	*0.45*	*0.44*
Average LOS, mean	99.56	88.46	65.48	71.87	50.21	47.53	144.68
SD	*118.68*	*105.14*	*71.42*	*75.35*	*65.25*	*44.82*	*133.84*
Cumulative DOS, mean	111.19	100.12	81.40	85.18	61.32	54.01	158.13
SD	*123.23*	*111.56*	*83.86*	*87.73*	*76.59*	*47.48*	*137.93*
Cumulative Days of Stay, %							
1 to 7	9.0%	9.2%	10.0%	11.3%	9.4%	14.5%	5.7%
8 to 14	10.6%	8.6%	0.0%	3.2%	16.4%	8.4%	5.7%
15 to 44	27.5%	28.3%	30.0%	33.9%	35.9%	22.9%	23.0%
45 to 89	15.4%	20.3%	35.0%	22.6%	18.0%	34.9%	12.6%
90 to 179	13.8%	12.4%	5.0%	11.3%	10.9%	16.9%	12.6%
180 to 359	11.4%	12.4%	20.0%	17.7%	8.6%	2.4%	17.2%
360+	12.4%	8.8%	0.0%	0.0%	0.8%	0.0%	23.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	33.0%	29.3%	20.0%	27.4%	17.2%	9.6%	49.4%
Cumul. DOS, patients with a 100+ day NH stay, mean	263.62	250.54	226.25	213.88	202.86	162.25	279.33
SD	*97.17*	*91.49*	*60.80*	*58.54*	*79.57*	*45.73*	*91.78*
NH patients with 150+ day NH stay, %	25.7%	22.9%	15.0%	22.6%	9.4%	4.8%	42.5%
Cumul. DOS, patients with a 150+ day NH stay, mean	299.88	279.49	230.00	220.64	252.75	193.00	301.64
SD	*76.08*	*80.11*	*73.90*	*54.91*	*67.98*	*41.85*	*77.94*
Other VISN cumulative DOS, mean	0.41	0.51	3.35	0.00	0.66	0.00	0.49
SD	*5.60*	*5.12*	*9.25*	*0.00*	*5.52*	*0.00*	*6.15*
Other station cumulative DOS, mean	1.17	1.45	6.15	2.47	2.20	0.00	0.68
SD	*8.68*	*9.84*	*13.82*	*19.05*	*9.56*	*0.00*	*6.31*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593	600	605	664	691
			S.Nevada	*Long Beach*	*Loma Linda*	*San Diego*	*Greater L.A.*
Entire Population	217760	13524	1441	1924	1893	2630	5636
Outpatient utilization							
(reported for those with some outpatient care)							
Patients with some outpatient care, %	99.1%	99.5%	99.7%	99.9%	99.7%	99.8%	99.1%
annual visit days, mean	24.61	24.37	19.61	25.62	19.74	20.17	28.69
SD	*33.05*	*32.73*	*24.85*	*31.60*	*23.61*	*19.11*	*40.96*
Outpatient visit days, %							
1-12	44.2%	45.0%	49.9%	43.3%	50.1%	44.6%	42.8%
13-24	26.4%	25.5%	27.3%	25.6%	26.8%	27.7%	23.4%
25-36	11.9%	11.9%	11.0%	11.3%	10.7%	12.7%	12.4%
37-48	5.9%	6.4%	4.5%	6.3%	4.2%	7.3%	7.1%
49+	11.5%	11.3%	7.2%	13.6%	8.3%	7.8%	14.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	79.4%	77.4%	89.8%	78.1%	86.8%	73.8%	72.6%
Mean PC visit days, among those with some PC	3.84	4.46	5.00	3.91	4.79	3.50	4.83
SD	3.72	4.48	4.05	4.53	4.88	2.93	4.93
Average number clinic stops per visit day, mean	1.49	1.42	1.33	1.61	1.57	1.40	1.34
SD	*0.47*	*0.46*	*0.30*	*0.61*	*0.53*	*0.43*	*0.38*
annual clinic stops (psych & non-psych), mean	37.56	36.07	26.79	46.44	30.18	28.88	40.25
SD	*56.64*	*57.52*	*37.67*	*85.60*	*36.89*	*29.89*	*63.98*
annual non-psych. clinic stops, mean	20.14	19.20	14.43	25.33	18.30	19.34	18.56
SD	*25.25*	*26.12*	*13.98*	*36.47*	*20.96*	*22.82*	*26.89*
annual psych. clinic stops (groupings below), mean	17.42	16.87	12.35	21.12	11.88	9.54	21.69
SD	*43.44*	*44.22*	*33.19*	*67.91*	*28.16*	*16.18*	*48.80*
1. general psych. clinic stops, mean	7.22	7.26	6.26	7.67	8.38	5.54	7.80
SD	*13.49*	*13.12*	*13.81*	*11.71*	*18.22*	*7.55*	*13.31*
2. psych. case management clinic stops, mean	1.44	0.17	0.55	0.02	0.00	0.17	0.19
SD	*12.10*	*2.46*	*4.53*	*0.16*	*0.05*	*2.71*	*2.42*
3. psych. day treatment clinic stops, mean	2.80	4.65	2.85	8.42	0.00	0.87	7.16
SD	*21.66*	*33.29*	*18.18*	*62.53*	*0.09*	*7.20*	*34.48*
4. substance abuse clinic stops, mean	3.26	2.33	1.27	4.06	2.18	1.58	2.42
SD	*19.07*	*13.66*	*6.88*	*14.70*	*11.81*	*7.28*	*17.01*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Entire Population	217760	13524	1441	1924	1893	2630	5636
5. psych. vocational clinic stops, mean	1.73	1.12	0.00	0.06	0.99	0.15	2.28
SD	*15.65*	*12.63*	*0.03*	*0.80*	*11.72*	*1.70*	*18.26*
6. PTSD clinic stops, mean	0.56	0.65	0.86	0.47	0.16	0.81	0.74
SD	*4.85*	*4.92*	*4.85*	*4.50*	*2.06*	*6.08*	*5.13*
7. psych. homeless clinic stops, mean	0.41	0.66	0.43	0.29	0.17	0.44	1.12
SD	*3.32*	*2.53*	*2.11*	*1.39*	*1.21*	*2.60*	*3.10*
Other VISN OP visit days, mean	0.36	0.34	0.58	0.23	0.27	0.37	0.33
SD	*2.35*	2.04	2.61	1.59	1.74	2.10	2.07
Other station OP visit days, mean	0.91	0.74	0.93	1.07	0.65	0.52	0.72
SD	*3.87*	3.08	3.10	3.88	2.71	2.41	3.15

Table 4F: FY03 Psychosis Patients, Pharmacy Utilization, VISN 22

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Entire Population	217760	13524	1441	1924	1893	2630	5636
Among all patients in the registry							
Pts. with any outpatient prescriptions, %	95.5%	93.1%	97.2%	95.8%	96.2%	97.0%	88.3%
Patients with any oral antipsychotic fills, %*	59.2%	53.9%	52.0%	58.2%	57.5%	54.2%	51.7%
Among patients receiving antipsychotics:							
Received only conventional antipsychotics, %	12.3%	10.8%	10.0%	10.2%	9.6%	12.8%	10.8%
Received some atypical antipsychotics, %	87.7%	89.2%	90.0%	89.8%	90.4%	87.2%	89.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %							
Aripiprazole	1.2%	1.6%	0.7%	2.0%	2.4%	1.8%	1.3%
Clozapine	1.8%	1.6%	0.8%	1.9%	1.4%	1.3%	1.9%
Olanzapine	35.8%	26.9%	46.4%	21.5%	32.2%	21.6%	24.4%
Quetiapine	26.2%	32.7%	31.3%	38.6%	32.4%	30.9%	31.9%
Risperidone	36.7%	41.0%	25.6%	40.3%	39.9%	46.7%	43.0%
Ziprasidone	5.2%	4.5%	5.9%	7.5%	2.5%	4.4%	3.7%
Patients receiving only one kind** of antipsychotic, %	73.8%	74.7%	76.1%	71.6%	73.2%	70.2%	78.4%
Concurrent use of 2 or more antipsychotics, % ***	11.3%	11.4%	8.7%	13.7%	11.3%	17.4%	8.4%
Among pts receiving just one antipsychotic:							
Antipsychotic fills, mean	7.06	5.74	5.54	7.26	5.59	4.29	5.93
SD	*5.06*	*4.46*	*4.05*	*4.92*	*4.10*	*3.52*	*4.67*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5F: FY03 Psychosis Patients, Cost, VISN 22

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Entire Population	217760	13524	1441	1924	1893	2630	5636
Total Costs (in thousands $$)	$3,237,460	$210,472	$16,079	$28,977	$24,916	$37,510	$102,990
Station % of VISN		100.0%	7.6%	13.8%	11.8%	17.8%	48.9%
Psych vs. Non-Psych Costs							
Psych	30.3%	33.9%	28.1%	31.7%	23.4%	36.8%	36.9%
Non-Psych	69.7%	66.1%	71.9%	68.3%	76.6%	63.2%	63.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use							
Per Patient	$18,395	$23,133	$16,682	$26,274	$15,323	$24,219	$26,195
Per Day of Stay	$842	$1,067	$1,310	$1,285	$1,184	$1,311	$880
Mean Outpatient Costs, Pts with some Outpatient use							
Per Patient	$6,757	$7,493	$6,942	$7,006	$5,979	$7,414	$8,350
Per Visit Day	$275	$308	$354	$273	$303	$368	$291
Mean Patient Costs, By Cost Center							
1 Med	$1,582	$1,542	$1,240	$2,398	$1,322	$1,794	$1,283
2 Surg	$536	$588	$369	$1,100	$706	$574	$435
3 Psych	$2,886	$3,147	$1,691	$2,988	$2,092	$3,406	$3,808
4 Psych Res Rehab Treatment Program	$218	$10	$7	$0	$7	$14	$12
5 Non-VA	$205	$145	$496	$62	$217	$169	$47
6 LTC Domiciliary	$327	$401	$5	$19	$2	$5	$952
7 LTC Intermediate Care	$167	$110	$0	$11	$161	$0	$206
8 LTC Nursing Home	$1,785	$1,273	$56	$564	$1,748	$313	$2,114
9 Contract Nursing Home	$467	$891	$371	$915	$943	$588	$1,139
10 OPC Med/Surg	$1,071	$1,288	$1,180	$1,406	$1,121	$1,339	$1,309
11 OPC Psych	$1,624	$2,131	$1,448	$1,783	$982	$1,845	$2,943
12 OPC Home Based Treatment	$751	$799	$784	$514	$600	$723	$1,003
13 OPC Support	$1,322	$1,460	$1,175	$1,609	$1,295	$1,508	$1,516
14 OPC Fee	$148	$99	$182	$30	$166	$159	$51
15 OPC Pharmacy	$1,778	$1,679	$2,153	$1,662	$1,799	$1,826	$1,453
TOTAL	$14,867	$15,563	$11,158	$15,061	$13,162	$14,262	$18,274
Mean % Patient Costs at Other Stations	3.9%	3.4%	5.2%	4.5%	3.4%	2.4%	3.0%
SD	*12.8%*	*11.9%*	*13.9%*	*13.4%*	*11.7%*	*10.1%*	*11.5%*
Mean % Patient Costs at Other VISNs	1.5%	1.5%	3.0%	1.2%	1.1%	1.4%	1.4%
SD	*8.0%*	*7.8%*	*10.7%*	*7.1%*	*6.3%*	*7.5%*	*7.6%*

Table 1G: FY03 Schizophrenic Patients, Demographics, VISN 22

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Schizophrenic Patients	94395	5512	473	747	690	959	2643
Age, %							
<35	3.9%	5.4%	5.9%	5.4%	6.8%	6.8%	4.5%
>=35 and <50	32.5%	35.0%	34.0%	33.5%	31.3%	41.4%	34.2%
>=50 and <65	44.6%	43.7%	43.1%	47.1%	44.3%	41.1%	43.7%
>=65 and <80	15.7%	13.1%	14.4%	11.5%	13.6%	9.4%	14.5%
>=80	3.3%	2.8%	2.5%	2.5%	3.9%	1.4%	3.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	54.59	53.34	53.53	53.11	53.67	51.26	54.05
SD	*11.97*	*11.85*	*12.35*	*11.56*	*12.67*	*10.98*	*11.85*
Gender							
Male, %	94.6%	93.7%	92.6%	92.9%	92.6%	92.0%	95.0%
Female, %	5.4%	6.3%	7.4%	7.1%	7.4%	8.0%	5.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %							
Hispanic white	6.9%	7.8%	4.7%	11.5%	8.4%	5.4%	8.1%
Hispanic black	0.6%	0.3%	0.4%	0.1%	0.7%	0.1%	0.3%
American indian	0.3%	0.2%	0.2%	0.0%	0.3%	0.4%	0.2%
Black	26.5%	25.9%	16.5%	22.9%	18.7%	16.5%	33.8%
Asian	0.8%	2.4%	1.3%	3.3%	1.2%	4.2%	2.1%
White	52.4%	44.8%	54.5%	46.6%	52.8%	53.8%	37.2%
Race unknown	12.5%	18.5%	22.4%	15.5%	18.0%	19.6%	18.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status							
Never married	42.4%	50.4%	31.5%	49.7%	39.7%	52.5%	56.1%
Married	24.6%	17.5%	25.3%	18.0%	27.3%	15.3%	14.2%
Divorced/Separated	29.5%	28.6%	38.4%	29.6%	28.3%	28.8%	26.5%
Widowed	3.5%	3.5%	4.7%	2.7%	4.7%	3.4%	3.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 22

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Schizophrenic Patients	94395	5512	473	747	690	959	2643
Registry Pts. History of VA Utilization							
Years since first use in prior five years, mean	4.6	4.53	4.55	4.59	4.42	4.43	4.56
SD	*1.0*	1.08	1.02	0.98	1.19	1.21	1.03
Yrs with 24-hour institutional use / yrs since 1st use, %	27.3%	24.6%	19.8%	24.5%	24.2%	23.3%	26.0%
SD	*30.9%*	28.6%	25.4%	27.7%	26.9%	27.3%	30.1%
Years with OP use / Years since first use, %	96.7%	96.3%	97.5%	97.8%	97.1%	97.0%	95.2%
SD	*12.4%*	11.9%	8.6%	8.6%	9.9%	9.9%	14.0%
Psychosis Diagnoses in Prior Fiscal Year							
Had Psychosis Diagnosis in FY01, %	82.2%	79.4%	78.0%	82.2%	78.8%	79.9%	78.8%
Among Patients With Psychoses in FY01							
Psychosis Category: Schizophrenia, %	94.8%	94.8%	90.8%	95.3%	95.4%	94.5%	95.3%
Psychosis Category: Bipolar Disorder, %	2.6%	2.7%	6.8%	2.6%	2.4%	2.5%	2.2%
Psychosis Category: Other Psychosis, %	2.5%	2.5%	2.4%	2.1%	2.2%	3.0%	2.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %							
Dementia	2.3%	1.6%	0.6%	1.5%	2.5%	1.0%	1.7%
Post Traumatic Stress Disorder	11.9%	12.2%	22.6%	6.0%	16.1%	6.9%	12.9%
Depression	25.7%	26.2%	31.5%	22.5%	30.0%	29.3%	24.1%
Other Anxiety Disorder	8.7%	6.9%	9.7%	6.4%	9.0%	6.3%	6.1%
Substance Abuse or Dependence	22.3%	25.3%	19.2%	16.6%	20.9%	21.1%	31.5%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 22

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Schizophrenic Patients	94395	5512	473	747	690	959	2643
Medical Comorbidities, %							
No medical comorbidities	18.7%	21.6%	17.3%	26.0%	16.4%	24.2%	21.5%
Anemia	7.1%	6.8%	6.3%	5.1%	8.8%	6.0%	7.1%
Arthritis	29.7%	29.4%	37.8%	26.6%	30.9%	26.4%	29.5%
Cancer	6.1%	6.1%	7.4%	5.8%	6.7%	5.4%	6.0%
Cerebrovascular Disease	3.8%	3.2%	4.0%	3.1%	3.6%	2.7%	3.2%
Chronic Neurologic Disorder	12.4%	11.7%	9.7%	13.9%	14.3%	8.9%	11.8%
Chronic Obstructive Pulmonary Disease	16.5%	15.1%	19.7%	11.4%	16.4%	14.4%	15.2%
Chronic Viral Infection	8.7%	10.2%	7.6%	9.5%	8.1%	10.3%	11.4%
Coronary Artery Disease	14.6%	10.3%	12.5%	8.4%	12.2%	9.4%	10.3%
Diabetes	20.3%	17.5%	19.5%	17.9%	18.6%	17.5%	16.6%
Digestive System Disease	44.1%	40.8%	42.5%	34.1%	48.6%	38.6%	41.1%
Hypertension	40.7%	35.4%	35.1%	32.1%	40.4%	34.5%	35.5%
Injury and Poisoning	15.5%	16.4%	13.7%	15.8%	16.4%	15.7%	17.2%
Liver Disease	3.2%	2.6%	3.8%	2.3%	3.2%	1.8%	2.6%
Other Endocrine	6.9%	6.8%	7.8%	5.6%	7.4%	7.0%	6.8%
Peripheral Vascular Disease	2.9%	1.8%	2.3%	1.5%	1.9%	1.9%	1.7%
GAF scores							
Lowest inpatient GAF score, mean	36.19	34.56	31.88	33.02	23.35	35.92	36.15
SD	*14.35*	*12.40*	*3.76*	*14.46*	*12.50*	*12.00*	*11.41*
Mean outpatient GAF score	48.84	45.70	37.66	53.25	45.47	46.11	45.12
SD	*10.59*	*10.89*	*9.57*	*10.32*	*10.61*	*9.51*	*10.32*
At least 1 IP GAF, among pts with MH bedsections, %	38.5%	36.2%	9.8%	36.3%	27.2%	44.0%	39.2%
At least 1 OP GAF, among pts with MH clinic stops, %	80.5%	73.4%	88.9%	76.3%	89.4%	62.4%	69.8%
Mortality rates							
died in FY02, %	2.7%	2.0%	1.3%	2.5%	2.0%	2.7%	1.6%
Age-and-gender-adjusted Standardized Mortality Ratio	1.68	1.34	0.00	0.00	0.00	0.00	0.00

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 22

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Schizophrenic Patients	94395	5512	473	747	690	959	2643
Service Connection (SC)							
Non-SC	40.8%	46.6%	40.4%	43.9%	32.8%	45.0%	52.7%
SC 0 - 29%	6.8%	7.3%	7.6%	6.0%	5.9%	6.8%	8.2%
SC 30 - 69%	8.8%	9.1%	9.1%	10.4%	12.0%	6.5%	8.9%
SC 70 - 99%	6.6%	5.8%	8.2%	6.4%	8.4%	3.5%	5.2%
SC 100%	37.0%	31.2%	34.7%	33.2%	40.9%	38.2%	24.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %							
Complex*	22.5%	21.7%	5.5%	18.3%	14.2%	13.5%	30.5%
Basic vested, Cat A*	74.7%	74.4%	91.8%	79.5%	83.6%	79.8%	65.5%
Basic Non-vested, Cat A*	1.2%	1.4%	1.3%	0.8%	0.4%	0.9%	2.0%
Basic, Cats C and N	1.7%	2.5%	1.5%	1.3%	1.7%	5.8%	2.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded							
Patient eligibility category, %							
Cat A (SC or low income)	98.2%	97.4%	98.5%	98.5%	98.3%	94.2%	97.7%
Cat C (NSC and higher income)	1.4%	1.2%	1.1%	0.7%	1.4%	0.9%	1.4%
Non-Veteran	0.5%	1.4%	0.4%	0.8%	0.3%	4.9%	0.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %							
BASIC 1. Non-reliant Care	0.1%	0.1%	0.0%	0.0%	0.0%	0.1%	0.2%
2. Basic Medical	16.7%	12.0%	15.6%	9.6%	16.7%	19.6%	7.9%
3. Mental Health	36.3%	40.7%	49.7%	44.7%	42.0%	43.0%	36.7%
4. Heart / Lung / GI	7.7%	4.5%	6.1%	5.4%	6.1%	4.8%	3.5%
5. Oncology / Infectious Disease	3.9%	4.4%	4.2%	5.4%	4.5%	5.0%	4.0%
6. Multiple Medical	18.0%	16.6%	18.8%	16.6%	16.5%	14.1%	17.1%
COMPLEX 7. Specialized Care	2.6%	1.5%	1.3%	2.1%	1.4%	0.9%	1.5%
8. Support Care	2.8%	3.4%	0.8%	5.0%	4.1%	1.3%	4.0%
9. Chronic Mental	9.6%	14.9%	3.4%	10.0%	6.1%	10.3%	22.2%
10. Critically Ill	2.2%	2.0%	0.0%	1.2%	2.6%	0.9%	2.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 22

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Schizophrenic Patients	94395	5512	473	747	690	959	2643
Substance Dependence and Abuse							
Any dx of alcohol / drug dependence or abuse, %	22.3%	25.3%	19.2%	16.6%	20.9%	21.1%	31.5%
Homelessness							
Homelessness indicated in FY02, %	12.0%	20.6%	13.3%	14.3%	6.7%	14.3%	29.7%
Residence in Metropolitan Area							
Residing in a Metropolitan Statistical Area, %	81.5%	99.5%	98.7%	99.7%	99.7%	98.7%	99.9%
Distance							
Mile from Closest VA Medical Center, mean	28.72	16.67	10.02	12.68	20.46	16.45	18.08
SD	*55.48*	*31.78*	*18.98*	*67.85*	*17.81*	*12.50*	*24.21*
Distance from closest VA Medical Center, %							
0 to 15 miles	52.9%	68.6%	86.7%	85.2%	47.8%	48.5%	73.4%
15 to 30 miles	15.5%	21.3%	7.2%	13.0%	33.0%	47.2%	13.7%
30 to 45 miles	9.7%	3.3%	1.3%	1.2%	9.0%	2.4%	3.0%
45 to 60 miles	7.4%	2.4%	1.9%	0.1%	7.0%	0.4%	2.7%
60 plus miles	14.4%	4.4%	3.0%	0.4%	3.2%	1.5%	7.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	9.84	5.33	5.41	4.71	9.26	5.38	4.45
SD	*11.95*	*7.69*	*9.57*	*13.40*	*8.76*	*4.26*	*4.98*
Distance to closest VA Service Site, %							
0 to 15 miles	79.4%	96.3%	95.1%	98.5%	89.0%	98.4%	97.0%
15 to 30 miles	13.6%	2.7%	2.1%	1.3%	7.4%	1.1%	2.4%
30 to 45 miles	5.1%	0.8%	2.1%	0.0%	2.8%	0.4%	0.5%
45 plus miles	1.9%	0.2%	0.6%	0.1%	0.9%	0.0%	0.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 22

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Schizophrenic Patients	94395	5512	473	747	690	959	2643
Hospital Based Utilization							
Patients with some Hospital Based Utilization, %	27.0%	24.1%	19.5%	24.6%	28.3%	23.5%	24.0%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)							
Inpatient stays, mean	1.85	1.67	1.62	1.63	1.78	1.61	1.67
SD	*1.45*	*1.13*	*1.15*	*1.05*	*1.30*	*1.05*	*1.11*
Average LOS, mean	17.65	17.01	6.79	15.78	8.06	14.03	22.66
SD	*42.51*	*25.19*	*4.61*	*24.55*	*7.04*	*22.39*	*29.80*
Cumulative DOS, mean	28.76	27.60	10.84	26.14	15.06	22.75	36.04
SD	*53.29*	*39.12*	*9.68*	*41.25*	*17.54*	*32.01*	*45.63*
Cumulative DOS, %							
1 to 7	35.1%	35.1%	40.2%	41.8%	44.6%	36.4%	29.1%
8 to 14	20.7%	17.1%	38.0%	14.1%	21.0%	17.8%	13.4%
15 to 44	29.0%	30.2%	19.6%	28.8%	27.2%	33.3%	32.1%
45 to 89	9.0%	9.9%	2.2%	8.7%	6.7%	8.9%	12.8%
90 to 179	3.4%	6.2%	0.0%	4.3%	0.5%	2.7%	10.6%
180 to 359	1.5%	1.4%	0.0%	2.2%	0.0%	0.9%	2.1%
360+	1.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	3.8%	3.7%	0.0%	3.8%	0.0%	2.2%	5.8%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	249.93	157.06	0.00	183.86	0.00	168.80	150.41
SD	*96.37*	*48.48*	*0.00*	*36.12*	*0.00*	*51.28*	*49.19*
Hospital patients who had a 150+ day hosp. stay, %	2.5%	0.7%	0.0%	1.1%	0.0%	0.9%	0.8%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.78	215.33	0.00	217.50	0.00	198.00	221.40
SD	*75.28*	*61.28*	*0.00*	*4.95*	*0.00*	*57.98*	*80.41*
Cumulative DOS at Other VISNs	0.65	0.73	0.55	0.22	0.60	1.07	0.83
SD	*4.66*	*4.48*	*2.52*	*1.37*	*3.80*	*5.59*	*5.01*
Cumulative DOS at Other Stations	2.06	1.48	1.07	0.67	1.48	1.92	1.63
SD	*8.11*	*6.88*	*3.76*	*3.07*	*9.17*	*6.95*	*7.17*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Schizophrenic Patients	94395	5512	473	747	690	959	2643
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)							
Pts. with non-psych hospital stays, %	11.8%	9.7%	8.7%	11.4%	13.9%	8.1%	8.8%
Inpatient stays, mean	0.71	0.60	0.66	0.72	0.72	0.48	0.55
SD	*1.11*	*0.94*	*1.07*	*1.07*	*0.93*	*0.86*	*0.90*
Average LOS, mean	8.26	8.59	4.72	10.33	5.29	7.29	10.44
SD	*16.10*	*14.24*	*4.00*	*15.24*	*5.62*	*12.03*	*17.47*
Cumulative Days of Stay, mean	6.10	5.40	3.18	8.85	4.10	3.92	5.63
SD	*19.61*	*17.11*	*5.79*	*28.03*	*8.20*	*15.15*	*16.59*
Cumulative Days of Stay, %							
0	56.2%	60.0%	55.4%	53.8%	50.8%	65.3%	63.3%
1 to 7	24.8%	23.3%	29.3%	28.8%	30.3%	23.1%	18.6%
8 to 14	8.1%	7.1%	7.6%	4.9%	10.3%	5.3%	7.4%
15 to 44	8.5%	7.4%	7.6%	6.5%	8.2%	4.9%	8.4%
45 to 89	1.7%	1.4%	0.0%	3.8%	0.5%	0.9%	1.3%
90 to 179	0.5%	0.6%	0.0%	1.6%	0.0%	0.0%	0.8%
180 to 359	0.2%	0.2%	0.0%	0.5%	0.0%	0.4%	0.2%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.4%	0.6%	0.0%	1.1%	0.0%	0.4%	0.8%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	225.13	160.88	0.00	192.50	0.00	199.00	140.60
SD	*88.92*	*38.54*	*0.00*	*26.16*	*0.00*	*0.00*	*32.42*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	285.12	189.00	0.00	0.00	0.00	0.00	189.00
SD	*70.56*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.10*	*0.13*	*0.23*	*0.02*	*0.23*	*0.11*	*0.13*
SD	*1.58*	*1.55*	*1.82*	*0.22*	*2.22*	*1.03*	*1.63*
Other station cumulative DOS, mean	0.47	0.26	0.32	0.42	0.26	0.34	0.17
SD	*3.45*	*2.12*	*1.86*	*2.72*	*2.24*	*2.58*	*1.70*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Schizophrenic Patients	94395	5512	473	747	690	959	2643
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)							
Pts. with psych hospital stays, %	0.18	0.16	0.13	0.15	0.17	0.17	0.17
Inpatient stays, mean	1.14	1.07	0.96	0.91	1.06	1.13	1.12
SD	*1.37*	*1.14*	*0.90*	*0.98*	*1.38*	*1.11*	*1.14*
Average LOS, mean	23.15	21.90	8.18	19.38	10.38	17.27	29.01
SD	*51.08*	*29.18*	*4.76*	*28.25*	*7.77*	*25.20*	*33.80*
Cumulative Days of Stay, mean	22.66	22.20	7.65	17.29	10.96	18.82	30.41
SD	*51.43*	*37.56*	*8.73*	*34.42*	*17.62*	*30.29*	*45.18*
Cumulative Days of Stay, %							
0	34.4%	32.8%	33.7%	38.6%	41.5%	29.3%	29.5%
1 to 7	17.5%	16.8%	20.7%	19.6%	20.5%	16.9%	14.2%
8 to 14	14.7%	12.1%	31.5%	10.3%	12.8%	14.2%	8.8%
15 to 44	21.2%	23.6%	13.0%	23.4%	18.5%	28.9%	24.8%
45 to 89	6.9%	8.2%	1.1%	4.3%	6.2%	7.6%	11.2%
90 to 179	2.8%	5.4%	0.0%	2.2%	0.5%	2.7%	9.6%
180 to 359	1.4%	1.1%	0.0%	1.6%	0.0%	0.4%	1.7%
360+	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	3.1%	0.0%	2.7%	0.0%	1.8%	5.1%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	250.18	154.12	0.00	180.40	0.00	161.25	149.13
SD	*97.20*	*49.69*	*0.00*	*41.64*	*0.00*	*55.91*	*50.16*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.02	0.01	0.00	0.01	0.00	0.01	0.01
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.10	215.00	0.00	217.50	0.00	198.00	222.25
SD	*76.47*	*65.50*	*0.00*	*4.95*	*0.00*	*57.98*	*92.82*
Other VISN cumulative DOS, mean	0.55	0.60	0.33	0.20	0.37	0.96	0.70
SD	4.34	3.99	1.44	1.36	3.11	5.40	4.38
Other station cumulative DOS, mean	1.59	1.23	0.75	0.25	1.22	1.57	1.46
SD	7.30	6.44	3.16	1.51	8.93	6.44	6.74

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593	600	605	664	691
			S.Nevada	*Long Beach*	*Loma Linda*	*San Diego*	*Greater L.A.*
Schizophrenic Patients	94395	5512	473	747	690	959	2643
Other 24 hour institutional care							
Patients with some other 24 hour institutional care, %	8.0%	6.8%	1.1%	2.9%	5.9%	3.4%	10.3%
Residential Rehabilitation							
Patients with some residential rehab. care, %	1.6%	0.1%	0.2%	0.0%	0.0%	0.1%	0.1%
Number stays, mean	*1.12*	*1.00*	*1.00*	*0.00*	*0.00*	*1.00*	*1.00*
SD	*0.37*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	36.26	32.60	33.00	0.00	0.00	18.00	37.33
SD	*45.44*	*15.37*	*0.00*	*0.00*	*0.00*	*0.00*	*18.23*
Cumulative DOS, mean	39.67	32.60	33.00	0.00	0.00	18.00	37.33
SD	*48.06*	*15.37*	*0.00*	*0.00*	*0.00*	*0.00*	*18.23*
Cumulative Days of Stay, %							
1 to 7	14.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
8 to 14	14.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	46.4%	80.0%	100.0%	0.0%	0.0%	100.0%	66.7%
45 to 89	13.8%	20.0%	0.0%	0.0%	0.0%	0.0%	33.3%
90 to 179	8.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	0.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	180.59	0.00	0.00	0.00	0.00	0.00	0.00
SD	*80.43*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	2.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	246.24	0.00	0.00	0.00	0.00	0.00	0.00
SD	*77.24*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.84	32.60	33.00	0.00	0.00	18.00	37.33
SD	*5.37*	*15.37*	*0.00*	*0.00*	*0.00*	*0.00*	*18.23*
Other station cumulative DOS, mean	3.24	32.60	33.00	0.00	0.00	18.00	37.33
SD	*10.31*	*15.37*	*0.00*	*0.00*	*0.00*	*0.00*	*18.23*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Schizophrenic Patients	94395	5512	473	747	690	959	2643
Domiciliary and Vocational							
Patients with some dom/voc care, %	2.3%	3.0%	0.2%	0.3%	0.3%	0.1%	6.1%
Number stays, mean	1.12	1.08	1.00	1.00	1.00	1.00	1.08
SD	*0.37*	*0.29*	*0.00*	*0.00*	*0.00*	*0.00*	*0.29*
Average LOS, mean	94.48	88.44	6.00	43.00	16.50	53.00	90.61
SD	*108.97*	*74.72*	*0.00*	*32.53*	*14.85*	*0.00*	*75.09*
Cumulative DOS, mean	100.96	91.99	6.00	43.00	16.50	53.00	94.30
SD	*111.44*	*75.36*	*0.00*	*32.53*	*14.85*	*0.00*	*75.64*
Cumulative Days of Stay, %							
1 to 7	7.9%	10.7%	100.0%	0.0%	50.0%	0.0%	9.9%
8 to 14	6.7%	3.0%	0.0%	0.0%	0.0%	0.0%	3.1%
15 to 44	31.5%	20.8%	0.0%	50.0%	50.0%	0.0%	20.4%
45 to 89	17.3%	20.2%	0.0%	50.0%	0.0%	100.0%	19.8%
90 to 179	17.7%	31.5%	0.0%	0.0%	0.0%	0.0%	32.7%
180 to 359	9.4%	13.7%	0.0%	0.0%	0.0%	0.0%	14.2%
360+	9.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.0%	38.1%	0.0%	0.0%	0.0%	0.0%	39.5%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	234.98	170.14	0.00	0.00	0.00	0.00	170.14
SD	*102.95*	*58.32*	*0.00*	*0.00*	*0.00*	*0.00*	*58.32*
Dom. patients with 150+ day Dom. stay, %	20.9%	20.8%	0.0%	0.0%	0.0%	0.0%	21.6%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	291.61	210.23	0.00	0.00	0.00	0.00	210.23
SD	*80.75*	*49.45*	*0.00*	*0.00*	*0.00*	*0.00*	*49.45*
Other VISN cumulative DOS, mean	1.18	0.54	0.00	0.00	16.50	53.00	0.02
SD	*7.65*	*4.61*	*0.00*	*0.00*	*14.85*	*0.00*	*0.31*
Other station cumulative DOS, mean	3.16	1.08	6.00	43.00	16.50	53.00	0.02
SD	*12.59*	*7.00*	*0.00*	*32.53*	*14.85*	*0.00*	*0.31*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Schizophrenic Patients	94395	5512	473	747	690	959	2643
Nursing Home Care							
Patients with some nursing home care, %	4.7%	3.8%	0.6%	2.7%	5.7%	3.2%	4.3%
Number stays, mean	1.20	1.16	1.00	1.15	1.23	1.26	1.12
SD	*0.56*	*0.42*	*0.00*	*0.37*	*0.48*	*0.58*	*0.36*
Average LOS, mean	143.54	131.29	86.67	99.80	72.42	56.54	178.45
SD	*137.46*	*126.34*	*84.23*	*92.18*	*84.09*	*56.54*	*138.26*
Cumulative DOS, mean	156.00	144.40	86.67	114.85	89.21	66.77	191.09
SD	*139.76*	*131.04*	*84.23*	*104.53*	*99.02*	*60.34*	*141.18*
Cumulative Days of Stay, %							
1 to 7	6.8%	6.8%	0.0%	10.0%	10.3%	9.7%	4.4%
8 to 14	6.5%	7.2%	0.0%	0.0%	10.3%	12.9%	6.1%
15 to 44	20.5%	18.4%	33.3%	25.0%	30.8%	16.1%	13.2%
45 to 89	14.1%	17.4%	33.3%	25.0%	15.4%	29.0%	13.2%
90 to 179	15.1%	14.5%	0.0%	10.0%	12.8%	25.8%	13.2%
180 to 359	14.7%	17.9%	33.3%	30.0%	17.9%	6.5%	18.4%
360+	22.5%	17.9%	0.0%	0.0%	2.6%	0.0%	31.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	48.0%	45.4%	33.3%	40.0%	30.8%	16.1%	59.6%
Cumul. DOS, patients with a 100+ day NH stay, mean	282.12	268.23	181.00	225.38	217.83	173.60	290.41
SD	*94.85*	*91.85*	*0.00*	*71.70*	*77.85*	*53.68*	*89.73*
NH patients with 150+ day NH stay, %	39.8%	37.7%	33.3%	35.0%	20.5%	6.5%	52.6%
Cumul. DOS, patients with a 150+ day NH stay, mean	312.43	292.92	181.00	242.57	240.50	227.50	309.83
SD	*72.26*	*79.35*	*0.00*	*56.90*	*80.20*	*21.92*	*76.12*
Other VISN cumulative DOS, mean	0.44	0.66	0.00	0.00	1.44	0.00	0.71
SD	*5.99*	*6.83*	*0.00*	*0.00*	*8.97*	*0.00*	*7.59*
Other station cumulative DOS, mean	1.19	1.30	0.00	0.10	4.62	0.00	0.76
SD	*9.07*	*8.66*	*0.00*	*0.45*	*14.85*	*0.00*	*7.59*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Schizophrenic Patients	94395	5512	473	747	690	959	2643
Outpatient utilization							
(reported for those with some outpatient care)							
Patients with some outpatient care, %	98.3%	99.2%	99.6%	100.0%	99.7%	99.7%	98.6%
annual visit days, mean	27.64	28.04	22.28	27.23	22.08	18.72	34.31
SD	*38.39*	*39.14*	*30.03*	*34.81*	*26.22*	*18.25*	*48.12*
Outpatient visit days, %							
1-12	42.6%	42.1%	49.7%	39.8%	46.2%	47.9%	38.2%
13-24	25.7%	25.6%	24.8%	28.0%	27.2%	27.5%	23.9%
25-36	11.8%	12.0%	10.0%	11.4%	11.3%	11.5%	12.9%
37-48	5.9%	6.4%	4.9%	7.2%	4.1%	6.4%	7.0%
49+	14.0%	14.0%	10.6%	13.7%	11.2%	6.7%	18.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	74.5%	71.8%	86.2%	72.3%	81.3%	66.7%	68.3%
Mean PC visit days, among those with some PC	3.73	4.36	4.65	3.71	4.97	3.31	4.67
SD	3.83	4.39	3.48	3.29	5.72	2.63	4.79
Average number clinic stops per visit day, mean	1.45	1.40	1.31	1.59	1.52	1.36	1.34
SD	*0.45*	*0.45*	*0.30*	*0.61*	*0.46*	*0.43*	*0.39*
annual clinic stops (psych & non-psych), mean	41.32	41.36	30.63	52.43	32.75	26.13	48.00
SD	*65.29*	*69.26*	*45.94*	*105.98*	*40.28*	*28.14*	*74.49*
annual non-psych. clinic stops, mean	19.07	18.48	12.68	24.18	17.79	15.74	19.09
SD	*26.86*	*28.03*	*12.27*	*40.28*	*23.64*	*19.19*	*29.26*
annual psych. clinic stops (groupings below), mean	22.25	22.88	17.95	28.25	14.96	10.38	28.91
SD	*50.83*	*54.39*	*42.71*	*87.25*	*31.10*	*17.65*	*56.63*
1. general psych. clinic stops, mean	9.04	9.21	8.43	10.43	11.92	6.13	9.41
SD	*15.89*	*15.54*	*16.25*	*14.05*	*23.36*	*7.78*	*15.19*
2. psych. case management clinic stops, mean	2.76	0.34	1.33	0.01	0.00	0.35	0.33
SD	*16.59*	*3.63*	*7.45*	*0.13*	*0.08*	*4.15*	*3.34*
3. psych. day treatment clinic stops, mean	4.94	8.71	5.60	14.70	0.01	1.55	12.47
SD	*29.07*	*43.40*	*24.92*	*82.32*	*0.12*	*10.71*	*42.34*
4. substance abuse clinic stops, mean	2.71	1.93	1.47	2.41	2.03	1.37	2.04
SD	*17.49*	*13.82*	*7.22*	*9.87*	*12.06*	*7.01*	*17.51*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Schizophrenic Patients	94395	5512	473	747	690	959	2643
5. psych. vocational clinic stops, mean	2.11	1.54	0.00	0.02	0.68	0.22	2.97
SD	*18.38*	*15.89*	*0.00*	*0.21*	*9.20*	*2.05*	*22.42*
6. PTSD clinic stops, mean	0.37	0.47	0.40	0.20	0.09	0.22	0.75
SD	*3.86*	*3.88*	*3.04*	*3.23*	*1.41*	*2.58*	*4.89*
7. psych. homeless clinic stops, mean	0.39	0.68	0.54	0.25	0.22	0.61	0.97
SD	*2.98*	*2.79*	*2.68*	*1.34*	*1.54*	*3.36*	*3.09*
Other VISN OP visit days, mean	0.30	0.33	0.49	0.20	0.28	0.33	0.34
SD	2.12	2.02	2.11	1.19	1.91	1.87	2.27
Other station OP visit days, mean	0.82	0.69	0.83	0.82	0.54	0.48	0.74
SD	3.70	2.95	2.65	2.91	2.34	2.25	3.36

Table 4G: FY03 Schizophrenic Patients, Pharmacy Utilization, VISN 22

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Schizophrenic Patients	94395	5512	473	747	690	959	2643
Among all patients in the registry							
Pts. with any outpatient prescriptions, %	94.9%	93.4%	96.4%	96.3%	97.2%	97.0%	89.7%
Patients with any oral antipsychotic fills, %*	78.7%	75.8%	75.9%	81.1%	80.3%	80.6%	71.3%
Among pts. receiving any antipsychotic medication:							
Received only conventional antipsychotics, %	15.4%	13.7%	12.3%	14.2%	12.3%	15.3%	13.5%
Received some atypical antipsychotics, %	84.6%	86.3%	87.7%	85.8%	87.7%	84.7%	86.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %							
Aripiprazole	1.5%	1.9%	1.4%	2.5%	2.3%	2.5%	1.4%
Clozapine	3.1%	2.6%	1.7%	3.3%	2.3%	2.3%	2.7%
Olanzapine	35.7%	27.3%	45.1%	23.9%	33.8%	22.8%	25.1%
Quetiapine	21.7%	27.6%	25.9%	28.7%	30.0%	26.4%	27.4%
Risperidone	36.8%	42.0%	30.1%	41.1%	36.6%	47.3%	44.0%
Ziprasidone	5.9%	5.4%	8.1%	10.1%	4.0%	5.3%	3.9%
Patients receiving only one kind** of antipsychotic, %	70.8%	71.7%	74.4%	68.5%	70.0%	63.0%	76.2%
Concurrent use of 2 or more antipsychotics, % ***	15.6%	15.4%	12.8%	18.6%	16.2%	25.0%	10.7%
Among pts receiving just one antipsychotic:							
Antipsychotic fills, mean	8.10	6.58	6.42	8.40	6.40	4.96	6.67
SD	*5.37*	*4.83*	*4.31*	*5.16*	*4.56*	*4.16*	*4.92*
Antipsychotic Medication Possession Ratio, mean	0.83	0.82	0.74	0.78	0.84	0.91	0.81
SD	*0.33*	*0.35*	*0.32*	*0.32*	*0.35*	*0.39*	*0.34*
Antipsychotic Med Possession Ratio <= 0.80, %	37.1%	39.8%	48.8%	42.1%	36.1%	31.5%	41.3%
Antipsychotic Med Possession Ratio <= 0.50, %	18.0%	19.4%	22.6%	22.1%	17.2%	15.5%	19.9%

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 4G: FY03 Schizophrenic Patients, Cost, VISN 22

	All VISNs	VISN 22	593	600	605	664	691
			S.Nevada	*Long Beach*	*Loma Linda*	*San Diego*	*Greater L.A.*
Schizophrenic Patients	94395	5512	473	747	690	959	2643
Total Costs (in thousands $$)	$1,637,013	$104,792	$5,168	$12,818	$10,360	$14,409	$62,037
Station % of VISN		100.0%	4.9%	12.2%	9.9%	13.7%	59.2%
Psych vs. Non-Psych Costs							
Psych	34.5%	38.9%	35.0%	38.5%	26.5%	44.1%	40.2%
Non-Psych	65.5%	61.1%	65.0%	61.5%	73.5%	55.9%	59.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use							
Per Patient	$21,945	$27,004	$14,502	$31,565	$16,996	$26,583	$30,728
Per Day of Stay	$763	$979	$1,338	$1,207	$1,128	$1,169	$853
Mean Outpatient Costs, Pts with some Outpatient use							
Per Patient	$7,323	$8,211	$7,156	$7,280	$6,565	$7,234	$9,461
Per Visit Day	$265	$293	$321	$267	$297	$387	$276
By Cost Center							
1 Med	$1,399	$1,381	$815	$2,552	$1,103	$1,283	$1,260
2 Surg	$470	$444	$166	$688	$866	$379	$338
3 Psych	$4,062	$4,686	$1,840	$4,535	$2,834	$4,576	$5,762
4 Psych Res Rehab Treatment Program	$217	$14	$21	$0	$0	$7	$24
5 Non-VA	$230	$126	$460	$16	$150	$242	$49
6 LTC Domiciliary	$302	$450	$7	$13	$6	$13	$928
7 LTC Intermediate Care	$166	$101	$0	$0	$2	$0	$209
8 LTC Nursing Home	$2,633	$1,986	$0	$209	$1,869	$405	$3,448
9 Contract Nursing Home	$664	$1,680	$491	$1,866	$1,639	$910	$2,130
10 OPC Med/Surg	$930	$1,068	$864	$1,057	$1,044	$1,041	$1,123
11 OPC Psych	$1,916	$2,713	$1,981	$2,065	$1,140	$2,045	$3,680
12 OPC Home Based Treatment	$933	$882	$717	$506	$574	$704	$1,162
13 OPC Support	$1,243	$1,480	$1,159	$1,571	$1,344	$1,176	$1,658
14 OPC Fee	$130	$75	$135	$24	$188	$119	$34
15 OPC Pharmacy	$2,047	$1,927	$2,270	$2,057	$2,256	$2,127	$1,669
TOTAL	$17,342	$19,012	$10,925	$17,159	$15,015	$15,025	$23,472
Mean % Patient Costs at Other Stations	3.6%	3.3%	4.6%	3.9%	3.0%	2.9%	3.0%
SD	*12.4%*	*11.8%*	*12.7%*	*12.7%*	*11.1%*	*11.5%*	*11.6%*
Mean % Patient Costs at Other VISNs	1.3%	1.5%	2.9%	1.2%	1.3%	1.6%	1.3%
SD	*7.5%*	*7.8%*	*10.7%*	*7.1%*	*7.2%*	*8.4%*	*7.3%*

Table 1H: FY03 Bipolar Patients, Demographics, VISN 22

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Bipolar Patients	73964	4830	685	632	655	935	1923
Age, %							
<35	7.9%	8.3%	8.2%	9.2%	7.0%	10.5%	7.4%
>=35 and <50	36.3%	39.3%	39.1%	35.0%	34.3%	38.2%	43.2%
>=50 and <65	40.3%	39.3%	40.1%	41.9%	45.6%	38.2%	36.6%
>=65 and <80	13.3%	11.4%	11.4%	12.5%	11.0%	11.6%	11.1%
>=80	2.2%	1.6%	1.2%	1.4%	2.1%	1.6%	1.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	52.26	51.35	51.17	51.67	52.54	50.75	51.20
SD	*12.50*	*12.14*	*11.94*	*12.43*	*11.97*	*12.57*	*11.94*
Gender							
Male, %	88.2%	89.0%	86.3%	90.0%	85.0%	84.7%	93.0%
Female, %	11.8%	11.0%	13.7%	10.0%	15.0%	15.3%	7.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %							
Hispanic white	2.8%	4.7%	3.2%	6.0%	4.6%	3.4%	5.5%
Hispanic black	0.3%	0.2%	0.0%	0.2%	0.3%	0.3%	0.3%
American indian	0.3%	0.3%	0.4%	0.3%	0.3%	0.2%	0.3%
Black	10.4%	11.9%	7.4%	11.1%	6.6%	6.5%	18.3%
Asian	0.2%	0.9%	0.6%	0.9%	0.8%	1.1%	1.0%
White	62.5%	51.1%	49.9%	57.1%	59.5%	61.5%	41.5%
Race unknown	23.5%	30.8%	38.4%	24.4%	27.9%	27.0%	33.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status							
Never married	21.0%	33.3%	24.4%	33.2%	21.7%	30.5%	41.9%
Married	37.7%	26.3%	29.7%	24.6%	38.7%	27.2%	21.0%
Divorced/Separated	37.9%	37.8%	41.7%	40.3%	36.1%	40.6%	34.7%
Widowed	3.4%	2.6%	4.1%	1.9%	3.5%	1.7%	2.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 22

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Bipolar Patients	73964	4830	685	632	655	935	1923
Registry Pts. History of VA Utilization							
Years since first use in prior five years, mean	4.2	4.18	4.12	4.28	4.09	4.26	4.16
SD	*1.3*	1.33	1.35	1.28	1.37	1.26	1.35
Yrs with 24-hour institutional use / yrs since 1st use, %	25.1%	20.1%	18.7%	20.6%	21.5%	20.9%	19.6%
SD	*29.2%*	25.9%	25.5%	25.6%	26.1%	25.8%	26.1%
Years with OP use / Years since first use, %	96.7%	95.4%	95.8%	96.8%	96.9%	97.2%	93.3%
SD	*10.5%*	12.5%	11.7%	9.7%	10.1%	9.1%	15.2%
Psychosis Diagnoses in Prior Fiscal Year							
Had Psychosis Diagnosis in FY01, %	65.0%	59.7%	56.6%	64.4%	62.7%	65.6%	55.4%
Among Patients With Psychoses in FY01							
Psychosis Category: Schizophrenia, %	3.8%	6.1%	6.2%	4.9%	4.6%	4.1%	8.2%
Psychosis Category: Bipolar Disorder, %	94.8%	92.3%	92.5%	93.9%	92.9%	94.3%	90.3%
Psychosis Category: Other Psychosis, %	1.4%	1.6%	1.3%	1.2%	2.4%	1.6%	1.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %							
Dementia	1.7%	1.1%	0.4%	1.6%	1.7%	1.1%	1.0%
Post Traumatic Stress Disorder	21.3%	17.3%	28.0%	15.0%	19.7%	15.3%	14.5%
Depression	44.5%	42.3%	49.5%	38.1%	45.2%	47.4%	37.7%
Other Anxiety Disorder	16.3%	12.7%	15.3%	12.8%	16.0%	12.3%	10.8%
Substance Abuse or Dependence	29.8%	29.0%	17.7%	27.2%	22.9%	24.0%	38.1%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 22

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Bipolar Patients	73964	4830	685	632	655	935	1923
Medical Comorbidities, %							
No medical comorbidities	15.4%	22.0%	15.2%	21.2%	16.6%	19.6%	27.7%
Anemia	5.6%	5.1%	5.7%	4.0%	5.0%	6.8%	4.5%
Arthritis	42.4%	37.2%	42.0%	36.4%	40.3%	36.4%	35.2%
Cancer	6.2%	6.3%	6.4%	5.5%	6.6%	8.4%	5.4%
Cerebrovascular Disease	3.8%	3.1%	2.9%	3.3%	3.5%	3.4%	2.8%
Chronic Neurologic Disorder	14.8%	11.8%	12.6%	13.0%	12.4%	13.0%	10.3%
Chronic Obstructive Pulmonary Disease	16.0%	14.5%	19.0%	15.0%	16.8%	12.6%	12.7%
Chronic Viral Infection	9.6%	10.5%	11.2%	8.4%	9.0%	12.1%	10.8%
Coronary Artery Disease	16.8%	11.6%	13.6%	11.2%	11.8%	13.9%	9.9%
Diabetes	17.4%	13.7%	17.8%	13.9%	16.8%	14.4%	10.9%
Digestive System Disease	43.2%	39.1%	40.7%	35.8%	42.0%	39.9%	38.2%
Hypertension	38.5%	31.9%	38.4%	31.6%	35.0%	33.4%	27.9%
Injury and Poisoning	19.9%	20.2%	21.5%	21.5%	20.9%	21.1%	18.6%
Liver Disease	3.8%	3.4%	4.4%	3.8%	3.7%	2.5%	3.3%
Other Endocrine	10.0%	8.9%	9.1%	7.6%	8.9%	9.4%	9.0%
Peripheral Vascular Disease	3.0%	2.0%	3.2%	1.9%	1.5%	2.7%	1.4%
GAF scores							
Lowest inpatient GAF score, mean	39.59	36.40	31.06	35.19	25.88	34.71	41.17
SD	*14.06*	*12.97*	*8.09*	*12.50*	*13.49*	*10.78*	*12.83*
Mean outpatient GAF score	53.41	51.22	41.73	57.50	52.06	53.64	51.91
SD	*10.75*	*13.00*	*12.28*	*11.28*	*11.38*	*11.32*	*13.00*
At least 1 IP GAF, among pts with MH bedsections, %	39.1%	31.7%	19.3%	35.4%	25.0%	37.6%	34.5%
At least 1 OP GAF, among pts with MH clinic stops, %	81.5%	66.8%	84.9%	74.2%	83.4%	69.7%	51.4%
Mortality rates							
died in FY02, %	1.5%	1.1%	0.4%	1.1%	1.7%	1.8%	0.7%
Age-and-gender-adjusted Standardized Mortality Ratio	1.07	0.87	0.00	0.00	0.00	0.00	0.00

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Bipolar Patients	73964	4830	685	632	655	935	1923
Service Connection (SC)							
Non-SC	55.9%	61.3%	57.2%	61.4%	55.7%	51.2%	69.5%
SC 0 - 29%	10.0%	10.0%	12.0%	11.2%	9.8%	10.4%	8.7%
SC 30 - 69%	13.4%	11.5%	12.4%	12.5%	13.6%	14.1%	8.8%
SC 70 - 99%	8.9%	6.8%	7.7%	5.5%	8.9%	8.2%	5.6%
SC 100%	11.8%	10.4%	10.7%	9.3%	12.1%	16.0%	7.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %							
Complex*	12.2%	9.8%	4.8%	6.3%	7.9%	9.5%	13.4%
Basic vested, Cat A*	80.3%	81.6%	88.6%	86.6%	84.6%	86.5%	73.9%
Basic Non-vested, Cat A*	0.9%	2.9%	0.3%	0.6%	0.2%	0.4%	6.7%
Basic, Cats C and N	6.6%	5.8%	6.3%	6.5%	7.3%	3.5%	6.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded							
Patient eligibility category, %							
Cat A (SC or low income)	93.2%	94.0%	93.6%	93.4%	92.7%	96.3%	93.8%
Cat C (NSC and higher income)	5.9%	4.7%	6.1%	5.1%	5.8%	3.5%	4.3%
Non-Veteran	0.9%	1.2%	0.3%	1.6%	1.5%	0.2%	1.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %							
BASIC 1. Non-reliant Care	0.1%	0.0%	0.0%	0.2%	0.0%	0.1%	0.0%
2. Basic Medical	15.2%	15.3%	13.9%	16.3%	16.8%	18.3%	13.5%
3. Mental Health	40.5%	44.0%	47.7%	41.3%	42.6%	39.4%	46.2%
4. Heart / Lung / GI	6.9%	5.9%	6.3%	6.6%	7.2%	8.2%	4.0%
5. Oncology / Infectious Disease	4.3%	5.3%	6.3%	5.7%	4.9%	5.1%	5.0%
6. Multiple Medical	20.7%	19.7%	21.0%	23.6%	20.6%	19.4%	17.9%
COMPLEX 7. Specialized Care	2.2%	2.2%	2.5%	0.9%	2.4%	3.9%	1.7%
8. Support Care	2.1%	1.7%	0.7%	1.6%	1.2%	1.1%	2.6%
9. Chronic Mental	6.8%	5.1%	1.5%	3.2%	2.4%	4.2%	8.3%
10. Critically Ill	1.1%	0.7%	0.1%	0.6%	1.8%	0.4%	0.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Bipolar Patients	73964	4830	685	632	655	935	1923
Substance Dependence and Abuse							
Any dx of alcohol / drug dependence or abuse, %	29.8%	29.0%	17.7%	27.2%	22.9%	24.0%	38.1%
Homelessness							
Homelessness indicated in FY02, %	13.8%	27.1%	14.6%	22.9%	7.6%	14.5%	45.7%
Residence in Metropolitan Area							
Residing in a Metropolitan Statistical Area, %	79.3%	99.5%	98.5%	99.8%	99.7%	99.5%	99.7%
Distance							
Mile from Closest VA Medical Center, mean	34.15	18.83	12.88	12.43	23.43	16.38	22.69
SD	*73.16*	*30.74*	*58.46*	*12.01*	*18.93*	*12.05*	*29.43*
Distance from closest VA Medical Center, %							
0 to 15 miles	46.2%	64.2%	88.6%	76.3%	40.2%	51.9%	65.8%
15 to 30 miles	17.2%	21.9%	3.2%	19.0%	35.8%	43.0%	14.6%
30 to 45 miles	10.6%	4.4%	0.9%	3.5%	10.4%	3.0%	4.5%
45 to 60 miles	8.5%	3.5%	3.8%	0.2%	10.1%	1.1%	3.5%
60 plus miles	17.4%	5.9%	3.5%	1.1%	3.5%	1.0%	11.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.09	6.20	5.40	5.21	10.02	5.71	5.74
SD	*13.59*	*7.57*	*8.51*	*4.88*	*9.05*	*5.11*	*7.99*
Distance to closest VA Service Site, %							
0 to 15 miles	76.3%	93.5%	95.6%	95.4%	83.6%	96.9%	93.9%
15 to 30 miles	15.4%	4.5%	1.8%	4.1%	11.8%	2.2%	4.1%
30 to 45 miles	5.7%	1.5%	1.9%	0.3%	3.7%	0.7%	1.4%
45 plus miles	2.7%	0.5%	0.7%	0.2%	0.9%	0.1%	0.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3H: FY03 Bipolar Patients, Utilization, VISN 22

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Bipolar Patients	73964	4830	685	632	655	935	1923
Hospital Based Utilization							
Patients with some Hospital Based Utilization, %	25.4%	19.8%	18.7%	21.7%	24.1%	22.8%	16.5%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)							
Inpatient stays, mean	1.80	1.66	1.77	1.60	1.85	1.56	1.60
SD	*1.41*	*1.18*	*1.37*	*1.03*	*1.53*	*1.02*	*1.05*
Average LOS, mean	9.79	9.70	7.04	9.31	5.69	9.87	12.83
SD	*17.76*	*12.80*	*5.45*	*16.14*	*4.62*	*10.29*	*16.34*
Cumulative DOS, mean	17.09	16.31	14.66	13.85	11.27	14.95	21.45
SD	*27.94*	*25.71*	*30.44*	*19.30*	*13.29*	*16.22*	*33.89*
Cumulative DOS, %							
1 to 7	44.7%	46.4%	50.0%	48.9%	55.1%	46.9%	39.3%
8 to 14	21.9%	20.6%	25.8%	20.4%	19.6%	18.3%	20.8%
15 to 44	25.9%	26.7%	21.9%	24.8%	23.4%	30.5%	28.6%
45 to 89	5.3%	4.4%	0.8%	5.1%	1.3%	3.8%	7.5%
90 to 179	1.5%	1.3%	0.0%	0.7%	0.6%	0.5%	2.8%
180 to 359	0.5%	0.5%	1.6%	0.0%	0.0%	0.0%	0.9%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	1.0%	1.2%	1.6%	0.7%	0.0%	0.0%	2.5%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	203.75	182.91	241.00	159.00	0.00	0.00	171.38
SD	*79.71*	*48.65*	*15.56*	*0.00*	*0.00*	*0.00*	*46.36*
Hospital patients who had a 150+ day hosp. stay, %	0.6%	0.2%	0.8%	0.7%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	251.69	194.50	230.00	159.00	0.00	0.00	0.00
SD	*73.28*	*50.20*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.67	0.64	1.17	0.56	0.24	0.81	0.54
SD	*4.53*	*3.33*	*4.60*	*2.82*	*2.43*	*4.08*	*2.68*
Cumulative DOS at Other Stations	1.97	1.38	2.79	2.24	0.91	0.98	0.95
SD	*7.12*	*6.09*	*12.42*	*6.69*	*3.54*	*4.28*	*3.26*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Bipolar Patients	73964	4830	685	632	655	935	1923
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)							
Pts. with non-psych hospital stays, %	11.7%	9.5%	8.3%	10.9%	13.7%	9.7%	7.9%
Inpatient stays, mean	0.72	0.67	0.59	0.68	0.81	0.56	0.69
SD	*1.10*	*0.87*	*0.78*	*0.79*	*0.95*	*0.78*	*0.94*
Average LOS, mean	6.20	6.56	7.04	9.09	3.81	4.43	8.15
SD	*10.70*	*12.58*	*10.83*	*20.86*	*3.35*	*5.14*	*14.34*
Cumulative Days of Stay, mean	4.64	4.50	5.02	5.58	3.47	2.75	5.51
SD	*13.49*	*13.30*	*20.20*	*16.70*	*6.58*	*7.45*	*13.64*
Cumulative Days of Stay, %							
0	54.1%	52.0%	55.5%	49.6%	43.0%	57.3%	52.5%
1 to 7	30.1%	33.5%	32.0%	33.6%	44.9%	32.9%	28.9%
8 to 14	7.4%	6.4%	3.9%	6.6%	5.7%	5.6%	8.2%
15 to 44	7.0%	6.7%	7.8%	8.0%	5.7%	3.8%	8.2%
45 to 89	1.1%	1.0%	0.0%	1.5%	0.6%	0.5%	1.9%
90 to 179	0.3%	0.2%	0.0%	0.7%	0.0%	0.0%	0.3%
180 to 359	0.1%	0.1%	0.8%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.2%	0.3%	0.8%	0.7%	0.0%	0.0%	0.3%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	187.03	173.00	220.00	159.00	0.00	0.00	140.00
SD	*73.96*	*41.80*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.1%	0.0%	0.7%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.06	159.00	0.00	159.00	0.00	0.00	0.00
SD	*75.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.15*	*0.18*	*0.41*	*0.04*	*0.20*	*0.10*	*0.18*
SD	*2.03*	*1.78*	*3.16*	*0.25*	*2.39*	*0.80*	*1.48*
Other station cumulative DOS, mean	0.50	0.45	1.61	0.53	0.36	0.11	0.23
SD	*3.25*	*4.61*	*11.57*	*2.82*	*2.52*	*0.80*	*1.56*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Bipolar Patients	73964	4830	685	632	655	935	1923
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)							
Pts. with psych hospital stays, %	0.17	0.12	0.13	0.13	0.13	0.15	0.11
Inpatient stays, mean	1.08	0.99	1.18	0.92	1.04	1.00	0.91
SD	*1.27*	*1.16*	*1.28*	*1.11*	*1.54*	*1.09*	*0.94*
Average LOS, mean	12.15	12.12	7.34	9.21	7.49	12.95	16.68
SD	*21.36*	*13.99*	*4.49*	*9.78*	*5.15*	*11.37*	*19.64*
Cumulative Days of Stay, mean	12.44	11.81	9.64	8.28	7.80	12.20	15.94
SD	*25.57*	*22.15*	*21.35*	*13.18*	*13.03*	*16.25*	*30.41*
Cumulative Days of Stay, %							
0	34.1%	36.9%	31.3%	42.3%	44.3%	33.8%	35.2%
1 to 7	24.8%	23.6%	29.7%	24.1%	24.1%	24.4%	20.1%
8 to 14	16.7%	14.9%	21.9%	14.6%	12.7%	12.7%	14.8%
15 to 44	19.0%	20.1%	16.4%	15.3%	17.7%	25.4%	21.4%
45 to 89	3.7%	2.9%	0.0%	3.6%	0.6%	3.3%	4.7%
90 to 179	1.2%	1.4%	0.0%	0.0%	0.6%	0.5%	3.5%
180 to 359	0.4%	0.2%	0.8%	0.0%	0.0%	0.0%	0.3%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.8%	0.9%	0.8%	0.0%	0.0%	0.0%	2.5%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	201.69	157.67	225.00	0.00	0.00	0.00	149.25
SD	*78.85*	*35.34*	*0.00*	*0.00*	*0.00*	*0.00*	*26.43*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.00	0.00	0.01	0.00	0.00	0.00	0.00
Cumul. DOS, patients with a 150+ day hosp. stay, mean	248.87	225.00	225.00	0.00	0.00	0.00	0.00
SD	*70.96*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.52	0.46	0.77	0.53	0.04	0.70	0.36
SD	4.00	2.79	3.43	2.72	0.48	3.97	2.15
Other station cumulative DOS, mean	1.48	0.93	1.18	1.71	0.54	0.87	0.72
SD	6.29	3.98	4.86	5.91	2.54	4.18	2.83

Table 3H: FY03 Bipolar Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593	600	605	664	691
			S.Nevada	*Long Beach*	*Loma Linda*	*San Diego*	*Greater L.A.*
Bipolar Patients	73964	4830	685	632	655	935	1923
Other 24 hour institutional care							
Patients with some other 24 hour institutional care, %	8.1%	4.1%	0.7%	1.7%	3.8%	1.2%	7.7%
Residential Rehabilitation							
Patients with some residential rehab. care, %	2.6%	0.1%	0.0%	0.0%	0.2%	0.2%	0.1%
Number stays, mean	*1.12*	*1.20*	*0.00*	*0.00*	*2.00*	*1.00*	*1.00*
SD	*0.38*	*0.45*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	33.17	11.40	0.00	0.00	11.00	6.50	16.50
SD	*32.92*	*6.80*	*0.00*	*0.00*	*0.00*	*0.71*	*9.19*
Cumulative DOS, mean	36.42	13.60	0.00	0.00	22.00	6.50	16.50
SD	*35.54*	*8.26*	*0.00*	*0.00*	*0.00*	*0.71*	*9.19*
Cumulative Days of Stay, %							
1 to 7	10.4%	40.0%	0.0%	0.0%	0.0%	100.0%	0.0%
8 to 14	11.3%	20.0%	0.0%	0.0%	0.0%	0.0%	50.0%
15 to 44	53.1%	40.0%	0.0%	0.0%	100.0%	0.0%	50.0%
45 to 89	18.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	5.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	167.40	0.00	0.00	0.00	0.00	0.00	0.00
SD	*69.53*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	224.60	0.00	0.00	0.00	0.00	0.00	0.00
SD	*70.59*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.28	13.60	0.00	0.00	22.00	6.50	16.50
SD	*6.79*	*8.26*	*0.00*	*0.00*	*0.00*	*0.71*	*9.19*
Other station cumulative DOS, mean	3.71	13.60	0.00	0.00	22.00	6.50	16.50
SD	*10.96*	*8.26*	*0.00*	*0.00*	*0.00*	*0.71*	*9.19*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Bipolar Patients	73964	4830	685	632	655	935	1923
Domiciliary and Vocational							
Patients with some dom/voc care, %	4.2%	2.7%	0.1%	0.8%	0.0%	0.0%	6.4%
Number stays, mean	1.14	1.07	1.00	1.00	0.00	0.00	1.07
SD	*0.38*	*0.28*	*0.00*	*0.00*	*0.00*	*0.00*	*0.29*
Average LOS, mean	80.47	109.62	29.00	36.20	0.00	0.00	113.23
SD	*77.50*	*79.74*	*0.00*	*36.77*	*0.00*	*0.00*	*79.62*
Cumulative DOS, mean	88.84	116.55	29.00	36.20	0.00	0.00	120.49
SD	*82.55*	*86.25*	*0.00*	*36.77*	*0.00*	*0.00*	*86.12*
Cumulative Days of Stay, %							
1 to 7	6.1%	6.2%	0.0%	40.0%	0.0%	0.0%	4.8%
8 to 14	5.6%	3.1%	0.0%	0.0%	0.0%	0.0%	3.2%
15 to 44	28.2%	17.7%	100.0%	20.0%	0.0%	0.0%	16.9%
45 to 89	21.0%	16.9%	0.0%	20.0%	0.0%	0.0%	16.9%
90 to 179	26.2%	31.5%	0.0%	20.0%	0.0%	0.0%	32.3%
180 to 359	10.5%	23.8%	0.0%	0.0%	0.0%	0.0%	25.0%
360+	2.4%	0.8%	0.0%	0.0%	0.0%	0.0%	0.8%
Total	100.0%	100.0%	100.0%	100.0%	0.0%	0.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.1%	47.7%	0.0%	0.0%	0.0%	0.0%	50.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	184.30	189.66	0.00	0.00	0.00	0.00	189.66
SD	*76.03*	*64.77*	*0.00*	*0.00*	*0.00*	*0.00*	*64.77*
Dom. patients with 150+ day Dom. stay, %	16.5%	29.2%	0.0%	0.0%	0.0%	0.0%	30.6%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	236.94	227.37	0.00	0.00	0.00	0.00	227.37
SD	*71.03*	*54.71*	*0.00*	*0.00*	*0.00*	*0.00*	*54.71*
Other VISN cumulative DOS, mean	1.76	1.80	29.00	6.80	0.00	0.00	1.38
SD	*9.43*	*10.15*	*0.00*	*15.21*	*0.00*	*0.00*	*9.66*
Other station cumulative DOS, mean	4.27	2.93	29.00	36.20	0.00	0.00	1.38
SD	*15.65*	*13.47*	*0.00*	*36.77*	*0.00*	*0.00*	*9.66*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Bipolar Patients	73964	4830	685	632	655	935	1923
Nursing Home Care							
Patients with some nursing home care, %	2.1%	1.4%	0.6%	0.9%	3.7%	1.0%	1.2%
Number stays, mean	1.22	1.24	1.00	1.67	1.25	1.00	1.25
SD	*0.55*	*0.72*	*0.00*	*1.63*	*0.74*	*0.00*	*0.53*
Average LOS, mean	86.89	77.56	27.00	116.67	58.52	49.33	105.84
SD	*110.58*	*86.36*	*24.10*	*66.58*	*75.69*	*51.85*	*106.45*
Cumulative DOS, mean	98.25	93.10	27.00	151.33	71.42	49.33	127.67
SD	*116.77*	*99.08*	*24.10*	*79.14*	*88.31*	*51.85*	*117.75*
Cumulative Days of Stay, %							
1 to 7	10.5%	14.9%	50.0%	0.0%	12.5%	33.3%	8.3%
8 to 14	10.7%	10.4%	0.0%	0.0%	20.8%	0.0%	8.3%
15 to 44	30.2%	23.9%	25.0%	0.0%	33.3%	22.2%	20.8%
45 to 89	16.4%	11.9%	25.0%	33.3%	4.2%	22.2%	8.3%
90 to 179	12.3%	19.4%	0.0%	33.3%	16.7%	22.2%	20.8%
180 to 359	10.2%	16.4%	0.0%	33.3%	12.5%	0.0%	25.0%
360+	9.8%	3.0%	0.0%	0.0%	0.0%	0.0%	8.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	27.9%	32.8%	0.0%	66.7%	25.0%	11.1%	45.8%
Cumul. DOS, patients with a 100+ day NH stay, mean	261.88	213.14	0.00	197.75	194.50	161.00	233.64
SD	*97.21*	*78.70*	*0.00*	*42.66*	*85.89*	*0.00*	*87.95*
NH patients with 150+ day NH stay, %	22.1%	22.4%	0.0%	50.0%	12.5%	11.1%	33.3%
Cumul. DOS, patients with a 150+ day NH stay, mean	296.07	243.93	0.00	177.00	270.67	161.00	269.38
SD	*76.98*	*68.85*	*0.00*	*12.12*	*29.02*	*0.00*	*72.45*
Other VISN cumulative DOS, mean	0.47	0.16	1.75	0.00	0.00	0.00	0.17
SD	*5.60*	*0.98*	*3.50*	*0.00*	*0.00*	*0.00*	*0.82*
Other station cumulative DOS, mean	1.51	2.73	3.25	25.00	0.67	0.00	0.17
SD	*9.89*	*18.41*	*3.77*	*61.24*	*3.27*	*0.00*	*0.82*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593	600	605	664	691
			S.Nevada	*Long Beach*	*Loma Linda*	*San Diego*	*Greater L.A.*
Bipolar Patients	73964	4830	685	632	655	935	1923
Outpatient utilization							
(reported for those with some outpatient care)							
Patients with some outpatient care, %	99.6%	99.7%	99.9%	99.8%	99.5%	99.9%	99.6%
annual visit days, mean	24.20	22.67	19.33	27.48	18.90	21.60	24.08
SD	*30.37*	*27.88*	*23.27*	*33.29*	*21.29*	*20.78*	*31.85*
Outpatient visit days, %							
1-12	43.1%	46.7%	48.8%	43.9%	51.4%	42.8%	47.2%
13-24	26.8%	24.5%	28.1%	22.8%	26.5%	26.8%	21.9%
25-36	12.4%	11.3%	11.4%	10.3%	9.5%	13.7%	11.1%
37-48	6.4%	6.7%	5.3%	6.2%	5.4%	7.5%	7.5%
49+	11.4%	10.8%	6.4%	16.8%	7.2%	9.2%	12.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	80.8%	77.0%	89.9%	78.8%	87.0%	73.4%	70.1%
Mean PC visit days, among those with some PC	3.83	4.39	4.91	3.95	4.46	3.60	4.69
SD	3.42	4.19	3.85	3.60	4.03	3.24	4.91
Average number clinic stops per visit day, mean	1.50	1.42	1.33	1.65	1.59	1.43	1.33
SD	*0.46*	*0.44*	*0.30*	*0.66*	*0.46*	*0.38*	*0.35*
annual clinic stops (psych & non-psych), mean	37.58	33.62	26.40	48.93	29.24	31.39	33.73
SD	*53.68*	*50.90*	*36.05*	*83.80*	*32.92*	*32.98*	*52.33*
annual non-psych. clinic stops, mean	19.81	18.13	14.28	25.40	17.63	20.52	16.10
SD	*22.87*	*22.99*	*13.51*	*33.18*	*16.90*	*25.50*	*21.41*
annual psych. clinic stops (groupings below), mean	17.77	15.49	12.11	23.52	11.60	10.87	17.63
SD	*40.95*	*38.90*	*30.31*	*65.34*	*24.93*	*16.22*	*41.09*
1. general psych. clinic stops, mean	7.61	7.20	6.49	7.67	7.40	6.52	7.56
SD	*12.69*	*11.82*	*14.25*	*9.99*	*12.54*	*8.80*	*12.43*
2. psych. case management clinic stops, mean	0.65	0.08	0.24	0.03	0.00	0.06	0.09
SD	*8.45*	*1.26*	*2.10*	*0.22*	*0.00*	*1.11*	*1.34*
3. psych. day treatment clinic stops, mean	1.57	2.49	1.81	7.36	0.00	0.53	2.93
SD	*15.80*	*28.32*	*13.89*	*59.71*	*0.08*	*3.86*	*27.49*
4. substance abuse clinic stops, mean	4.64	2.95	1.60	6.92	2.62	2.07	2.66
SD	*21.97*	*12.74*	*7.93*	*20.01*	*12.17*	*7.72*	*12.97*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Bipolar Patients	73964	4830	685	632	655	935	1923
5. psych. vocational clinic stops, mean	1.91	0.96	0.00	0.11	1.32	0.08	1.90
SD	*15.13*	*9.74*	*0.00*	*1.06*	*12.66*	*1.03*	*13.46*
6. PTSD clinic stops, mean	0.80	0.92	1.37	0.90	0.09	1.26	0.89
SD	*5.71*	*6.14*	*6.32*	*5.98*	*1.05*	*8.36*	*5.83*
7. psych. homeless clinic stops, mean	0.54	0.85	0.48	0.44	0.18	0.34	1.60
SD	*3.97*	*2.61*	*2.01*	*1.63*	*1.04*	*1.74*	*3.47*
Other VISN OP visit days, mean	0.48	0.42	0.67	0.28	0.28	0.50	0.38
SD	2.80	2.27	3.08	1.59	1.82	2.47	2.16
Other station OP visit days, mean	1.14	0.88	0.96	1.41	0.81	0.68	0.80
SD	4.45	3.35	3.43	4.14	3.34	2.80	3.26

Table 4H: FY03 Bipolar Patients, Pharmacy Utilization, VISN 22

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Bipolar Patients	73964	4830	685	632	655	935	1923
Among all patients in the registry							
Pts. with any outpatient prescriptions, %	96.9%	91.8%	98.5%	96.7%	96.3%	98.2%	83.2%
Patients with any oral antipsychotic fills, %*	46.0%	36.8%	43.4%	44.3%	42.1%	36.5%	30.4%
Among pts. receiving any antipsychotic medication:							
Received only conventional antipsychotics, %	7.6%	6.6%	6.7%	5.4%	6.2%	10.0%	5.5%
Received some atypical antipsychotics, %	92.4%	93.4%	93.3%	94.6%	93.8%	90.0%	94.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %							
Aripiprazole	0.9%	1.3%	0.0%	2.1%	1.1%	1.2%	1.7%
Clozapine	0.2%	0.4%	0.0%	0.4%	0.0%	0.3%	0.9%
Olanzapine	40.7%	33.4%	51.2%	24.6%	39.5%	25.2%	30.6%
Quetiapine	34.1%	42.2%	39.1%	55.7%	38.4%	39.0%	41.0%
Risperidone	31.0%	30.5%	17.2%	26.1%	31.5%	38.4%	34.2%
Ziprasidone	4.7%	3.7%	3.7%	5.0%	1.1%	3.2%	4.6%
Patients receiving only one kind** of antipsychotic, %	77.4%	77.5%	76.8%	75.0%	75.7%	77.7%	79.7%
Concurrent use of 2 or more antipsychotics, % ***	5.5%	6.6%	6.4%	8.2%	6.9%	8.2%	5.0%
Among pts receiving just one antipsychotic:							
Antipsychotic fills, mean	6.09	4.99	4.93	6.61	4.86	3.89	4.99
SD	*4.43*	*3.92*	*3.72*	*4.47*	*3.44*	*2.87*	*4.25*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5H: FY03 Bipolar Patients, Cost, VISN 22

	All VISNs	VISN 22	593	600	605	664	691
			S.Nevada	*Long Beach*	*Loma Linda*	*San Diego*	*Greater L.A.*
Bipolar Patients	73964	4830	685	632	655	935	1923
Total Costs (in thousands $$)	$907,650	$59,210	$7,587	$7,346	$7,357	$11,746	$25,174
Station % of VISN		100.0%	12.8%	12.4%	12.4%	19.8%	42.5%
Psych vs. Non-Psych Costs							
Psych	33.4%	34.7%	30.6%	35.5%	25.0%	38.8%	36.5%
Non-Psych	66.6%	65.3%	69.4%	64.5%	75.0%	61.2%	63.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use							
Per Patient	$15,075	$18,436	$19,015	$17,887	$13,477	$18,883	$20,604
Per Day of Stay	$882	$1,130	$1,297	$1,291	$1,196	$1,263	$961
Mean Outpatient Costs, Pts with some Outpatient use							
Per Patient	$6,520	$7,132	$7,038	$7,199	$5,750	$7,844	$7,266
Per Visit Day	$269	$315	$364	$262	$304	$363	$302
By Cost Center							
1 Med	$1,060	$977	$1,272	$855	$901	$1,081	$888
2 Surg	$459	$538	$373	$1,072	$590	$448	$447
3 Psych	$2,315	$2,126	$1,909	$1,950	$1,760	$2,772	$2,073
4 Psych Res Rehab Treatment Program	$298	$5	$0	$0	$21	$7	$3
5 Non-VA	$176	$166	$454	$55	$348	$116	$62
6 LTC Domiciliary	$455	$520	$5	$44	$0	$0	$1,291
7 LTC Intermediate Care	$96	$45	$0	$0	$103	$0	$79
8 LTC Nursing Home	$778	$568	$16	$262	$1,464	$170	$754
9 Contract Nursing Home	$142	$201	$21	$197	$321	$133	$259
10 OPC Med/Surg	$1,111	$1,316	$1,291	$1,477	$1,153	$1,502	$1,236
11 OPC Psych	$1,781	$2,122	$1,480	$2,176	$1,047	$2,107	$2,706
12 OPC Home Based Treatment	$532	$625	$765	$403	$545	$582	$697
13 OPC Support	$1,309	$1,367	$1,066	$1,599	$1,215	$1,675	$1,300
14 OPC Fee	$115	$93	$165	$32	$155	$123	$51
15 OPC Pharmacy	$1,645	$1,589	$2,260	$1,501	$1,609	$1,847	$1,246
TOTAL	$12,272	$12,259	$11,077	$11,624	$11,232	$12,562	$13,091
Mean % Patient Costs at Other Stations	4.8%	4.0%	5.5%	6.2%	4.4%	2.5%	3.5%
SD	*13.9%*	*12.7%*	*14.5%*	*15.4%*	*13.7%*	*9.3%*	*12.0%*
Mean % Patient Costs at Other VISNs	2.0%	1.8%	2.9%	1.4%	1.2%	1.6%	1.7%
SD	*9.0%*	*8.3%*	*10.2%*	*7.7%*	*6.4%*	*7.0%*	*8.9%*

Table 2I: FY03 Other Psychosis Patients, Demographics, VISN 22

	All VISNs	VISN 22	593	600	605	664	691
			S.Nevada	*Long Beach*	*Loma Linda*	*San Diego*	*Greater L.A.*
Other Psychosis Patients	49401	3182	283	545	548	736	1070
Age, %							
<35	2.2%	2.5%	1.1%	2.0%	1.8%	4.2%	2.1%
>=35 and <50	12.5%	14.5%	13.1%	12.7%	10.9%	16.2%	16.4%
>=50 and <65	22.1%	22.3%	27.6%	19.1%	26.1%	21.2%	21.2%
>=65 and <80	36.7%	35.0%	37.8%	39.4%	38.7%	31.1%	32.8%
>=80	26.5%	25.8%	20.5%	26.8%	22.4%	27.3%	27.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	68.22	67.50	67.10	68.94	67.92	66.56	67.29
SD	*15.13*	*15.58*	*14.34*	*14.97*	*14.44*	*16.79*	*15.85*
Gender							
Male, %	96.0%	94.6%	92.9%	95.4%	94.5%	93.9%	95.2%
Female, %	4.0%	5.4%	7.1%	4.6%	5.5%	6.1%	4.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %							
Hispanic white	3.9%	5.4%	3.5%	9.0%	6.6%	3.5%	4.9%
Hispanic black	0.3%	0.3%	1.1%	0.0%	0.5%	0.3%	0.3%
American indian	0.2%	0.1%	0.0%	0.0%	0.2%	0.3%	0.0%
Black	15.5%	13.4%	7.8%	14.7%	9.1%	10.3%	18.6%
Asian	0.4%	0.6%	1.1%	0.4%	0.2%	0.8%	0.7%
White	48.2%	36.4%	42.8%	36.5%	40.9%	39.8%	29.9%
Race unknown	31.5%	43.7%	43.8%	39.4%	42.5%	45.0%	45.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status							
Never married	13.4%	19.2%	10.7%	16.0%	14.3%	17.6%	26.9%
Married	52.0%	44.4%	46.8%	46.0%	50.5%	46.8%	38.3%
Divorced/Separated	22.5%	25.5%	30.4%	27.6%	24.1%	25.5%	23.9%
Widowed	12.0%	10.8%	12.1%	10.4%	11.2%	10.1%	10.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 22

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Other Psychosis Patients	49401	3182	283	545	548	736	1070
Registry Pts. History of VA Utilization							
Years since first use in prior five years, mean	4.0	3.76	3.86	3.83	3.51	3.71	3.86
SD	*1.4*	1.52	1.51	1.53	1.56	1.53	1.49
Yrs with 24-hour institutional use / yrs since 1st use, %	24.1%	20.3%	16.8%	22.0%	24.4%	20.7%	18.4%
SD	*27.8%*	24.8%	22.9%	24.7%	27.2%	23.8%	24.5%
Years with OP use / Years since first use, %	96.9%	95.9%	95.8%	95.5%	96.1%	96.3%	95.9%
SD	*10.4%*	11.5%	12.2%	12.0%	11.3%	11.1%	11.3%
Psychosis Diagnoses in Prior Fiscal Year							
Had Psychosis Diagnosis in FY01, %	33.8%	37.3%	21.6%	39.8%	33.8%	33.6%	44.7%
Among Patients With Psychoses in FY01							
Psychosis Category: Schizophrenia, %	9.4%	11.7%	16.4%	8.3%	8.1%	14.2%	12.8%
Psychosis Category: Bipolar Disorder, %	3.8%	4.2%	16.4%	2.8%	2.7%	4.9%	3.6%
Psychosis Category: Other Psychosis, %	86.9%	84.1%	67.2%	88.9%	89.2%	81.0%	83.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %							
Dementia	20.6%	21.4%	16.3%	23.7%	22.6%	26.2%	17.7%
Post Traumatic Stress Disorder	13.4%	11.7%	14.5%	6.1%	15.5%	13.2%	10.8%
Depression	37.7%	37.3%	35.0%	32.3%	34.7%	41.3%	39.2%
Other Anxiety Disorder	12.0%	8.4%	9.2%	5.5%	10.6%	8.4%	8.6%
Substance Abuse or Dependence	15.7%	16.7%	13.1%	16.3%	14.8%	16.2%	19.1%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 22

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Other Psychosis Patients	49401	3182	283	545	548	736	1070
Medical Comorbidities, %							
No medical comorbidities	8.3%	10.3%	8.1%	9.7%	8.9%	12.9%	10.0%
Anemia	14.2%	12.7%	13.1%	10.6%	15.9%	12.6%	12.0%
Arthritis	39.1%	34.2%	38.2%	29.7%	37.4%	34.0%	33.9%
Cancer	14.0%	13.6%	16.3%	13.9%	13.1%	12.9%	13.4%
Cerebrovascular Disease	16.4%	15.6%	14.5%	18.3%	14.8%	14.0%	16.0%
Chronic Neurologic Disorder	20.8%	18.8%	18.7%	20.4%	17.9%	16.8%	19.7%
Chronic Obstructive Pulmonary Disease	17.9%	14.2%	21.6%	13.0%	14.8%	12.4%	13.7%
Chronic Viral Infection	5.9%	7.6%	7.4%	7.5%	6.0%	7.6%	8.6%
Coronary Artery Disease	33.0%	25.9%	25.8%	26.8%	26.5%	27.6%	24.0%
Diabetes	23.4%	21.1%	21.6%	22.0%	23.4%	19.2%	20.6%
Digestive System Disease	42.9%	39.7%	39.9%	37.8%	39.6%	38.7%	41.3%
Hypertension	54.9%	51.2%	52.3%	53.9%	50.9%	48.6%	51.4%
Injury and Poisoning	19.4%	18.6%	21.6%	20.2%	16.2%	21.5%	16.2%
Liver Disease	3.8%	3.2%	3.2%	3.7%	4.0%	3.1%	2.6%
Other Endocrine	9.5%	10.0%	12.0%	9.4%	9.5%	9.4%	10.4%
Peripheral Vascular Disease	7.8%	5.5%	7.8%	6.2%	6.4%	5.4%	4.1%
GAF scores							
Lowest inpatient GAF score, mean	37.71	35.30	35.00	35.03	31.83	36.88	36.29
SD	*14.78*	*13.35*	*0.00*	*17.89*	*12.56*	*11.16*	*12.00*
Mean outpatient GAF score	48.43	45.34	37.45	52.52	44.58	43.28	46.31
SD	*11.56*	*12.10*	*11.10*	*12.46*	*12.03*	*10.33*	*11.71*
At least 1 IP GAF, among pts with MH bedsections, %	36.3%	38.9%	5.9%	50.0%	40.0%	46.9%	32.7%
At least 1 OP GAF, among pts with MH clinic stops, %	74.8%	69.9%	81.0%	74.4%	78.6%	70.8%	59.6%
Mortality rates							
died in FY02, %	6.2%	4.3%	2.1%	4.4%	5.7%	4.2%	4.3%
Age-and-gender-adjusted Standardized Mortality Ratio	1.21	0.86	0.00	0.00	0.00	0.00	0.00

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 22, continued

	All VISNs	VISN 22	593	600	605	664	691
			S.Nevada	*Long Beach*	*Loma Linda*	*San Diego*	*Greater L.A.*
Other Psychosis Patients	49401	3182	283	545	548	736	1070
Service Connection (SC)							
Non-SC	63.3%	64.7%	60.4%	68.8%	61.7%	58.7%	69.4%
SC 0 - 29%	10.4%	10.7%	10.2%	11.4%	9.3%	11.3%	10.8%
SC 30 - 69%	10.8%	10.3%	12.4%	9.2%	10.8%	10.7%	9.8%
SC 70 - 99%	6.4%	6.1%	6.4%	4.6%	9.1%	7.1%	4.5%
SC 100%	9.1%	8.2%	10.6%	6.1%	9.1%	12.2%	5.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %							
Complex*	15.0%	12.8%	8.1%	13.9%	12.0%	11.7%	14.6%
Basic vested, Cat A*	74.8%	76.8%	83.7%	74.1%	77.6%	78.3%	74.9%
Basic Non-vested, Cat A*	0.8%	0.6%	1.4%	0.4%	0.2%	0.4%	0.7%
Basic, Cats C and N	9.4%	9.9%	6.7%	11.6%	10.2%	9.6%	9.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded							
Patient eligibility category, %							
Cat A (SC or low income)	90.1%	89.8%	93.3%	88.3%	89.4%	90.1%	89.8%
Cat C (NSC and higher income)	9.4%	9.4%	6.4%	11.2%	9.7%	9.0%	9.4%
Non-Veteran	0.6%	0.8%	0.4%	0.6%	0.9%	1.0%	0.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %							
BASIC 1. Non-reliant Care	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%
2. Basic Medical	25.3%	25.8%	30.7%	22.6%	24.3%	28.8%	25.0%
3. Mental Health	25.6%	26.9%	26.1%	28.1%	29.4%	23.9%	27.3%
4. Heart / Lung / GI	12.5%	9.8%	13.1%	9.5%	11.3%	8.2%	9.3%
5. Oncology / Infectious Disease	3.8%	4.6%	4.9%	5.3%	2.9%	4.6%	4.9%
6. Multiple Medical	17.6%	20.1%	17.0%	20.6%	20.1%	22.8%	18.8%
COMPLEX 7. Specialized Care	4.7%	3.4%	3.2%	4.0%	2.6%	3.7%	3.5%
8. Support Care	4.8%	4.5%	2.5%	5.3%	5.1%	5.0%	4.0%
9. Chronic Mental	2.2%	2.5%	0.7%	1.7%	0.5%	1.9%	5.0%
10. Critically Ill	3.3%	2.3%	1.8%	2.9%	3.8%	1.1%	2.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Other Psychosis Patients	49401	3182	283	545	548	736	1070
Substance Dependence and Abuse							
Any dx of alcohol / drug dependence or abuse, %	15.7%	16.7%	13.1%	16.3%	14.8%	16.2%	19.1%
Homelessness							
Homelessness indicated in FY02, %	7.1%	10.6%	5.7%	9.7%	3.1%	8.8%	17.5%
Residence in Metropolitan Area							
Residing in a Metropolitan Statistical Area, %	76.7%	99.4%	98.9%	99.8%	99.6%	98.1%	100.0%
Distance							
Mile from Closest VA Medical Center, mean	35.80	21.21	12.98	12.32	23.58	17.99	28.93
SD	*82.41*	*24.09*	*20.04*	*9.14*	*18.35*	*14.17*	*33.76*
Distance from closest VA Medical Center, %							
0 to 15 miles	45.8%	57.0%	83.4%	77.4%	36.9%	42.7%	59.9%
15 to 30 miles	16.6%	26.6%	4.2%	19.6%	38.2%	50.4%	13.8%
30 to 45 miles	10.9%	5.1%	2.1%	2.2%	12.1%	4.1%	4.4%
45 to 60 miles	8.8%	3.9%	5.7%	0.4%	9.9%	0.8%	4.2%
60 plus miles	17.9%	7.4%	4.6%	0.4%	2.9%	2.0%	17.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.89	6.38	6.46	5.15	9.04	5.93	5.93
SD	*14.24*	*6.66*	*8.58*	*4.56*	*8.78*	*5.27*	*6.22*
Distance to closest VA Service Site, %							
0 to 15 miles	73.5%	93.7%	92.9%	96.9%	87.9%	96.3%	93.4%
15 to 30 miles	16.6%	4.7%	1.8%	2.9%	9.1%	3.1%	5.1%
30 to 45 miles	7.0%	1.3%	4.6%	0.0%	1.8%	0.5%	1.4%
45 plus miles	3.0%	0.3%	0.7%	0.2%	1.1%	0.0%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 22

	All VISNs	VISN 22	593	600	605	664	691
			S.Nevada	*Long Beach*	*Loma Linda*	*San Diego*	*Greater L.A.*
Other Psychosis Patients	49401	3182	283	545	548	736	1070
Hospital Based Utilization							
Patients with some Hospital Based Utilization, %	30.2%	25.2%	23.0%	28.3%	28.5%	25.7%	22.2%
Hospital based utilization: Overall							
(All psychiatric and medical hospital bedsections)							
Inpatient stays, mean	1.82	1.72	1.58	1.68	1.81	1.69	1.74
SD	*1.40*	*1.21*	*0.93*	*1.09*	*1.18*	*1.10*	*1.43*
Average LOS, mean	9.37	11.18	7.48	11.69	6.35	10.54	15.53
SD	*15.01*	*13.86*	*5.72*	*12.87*	*4.97*	*11.87*	*19.16*
Cumulative DOS, mean	16.06	18.29	11.65	19.53	11.98	17.38	24.14
SD	*22.72*	*25.40*	*10.49*	*28.19*	*13.52*	*19.71*	*33.71*
Cumulative DOS, %							
1 to 7	42.1%	40.3%	40.0%	42.9%	49.4%	40.2%	32.8%
8 to 14	23.4%	19.5%	35.4%	13.0%	21.8%	18.5%	18.5%
15 to 44	27.8%	31.2%	23.1%	34.4%	26.9%	33.9%	31.9%
45 to 89	5.2%	7.4%	1.5%	7.1%	1.3%	6.3%	13.9%
90 to 179	1.2%	1.5%	0.0%	1.9%	0.6%	1.1%	2.5%
180 to 359	0.2%	0.1%	0.0%	0.6%	0.0%	0.0%	0.0%
360+	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	0.7%	0.6%	0.0%	0.6%	0.0%	0.5%	1.3%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	185.56	211.60	0.00	263.00	0.00	127.00	222.67
SD	*75.86*	*102.55*	*0.00*	*0.00*	*0.00*	*0.00*	*126.29*
Hospital patients who had a 150+ day hosp. stay, %	0.3%	0.4%	0.0%	0.6%	0.0%	0.0%	0.8%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	241.58	269.00	0.00	263.00	0.00	0.00	272.00
SD	*74.51*	*93.15*	*0.00*	*0.00*	*0.00*	*0.00*	*131.52*
Cumulative DOS at Other VISNs	0.37	0.31	1.05	0.12	0.06	0.17	0.50
SD	*3.13*	*2.85*	*4.91*	*1.12*	*0.54*	*1.50*	*4.24*
Cumulative DOS at Other Stations	1.24	0.65	1.12	0.46	0.42	0.28	1.08
SD	*5.73*	*3.73*	*4.92*	*2.48*	*1.93*	*1.74*	*5.59*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Other Psychosis Patients	49401	3182	283	545	548	736	1070
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)							
Pts. with non-psych hospital stays, %	21.7%	16.5%	17.0%	20.6%	19.2%	16.4%	13.1%
Inpatient stays, mean	1.27	1.11	1.18	1.25	1.13	1.05	1.04
SD	*1.36*	*1.24*	*1.10*	*1.24*	*1.18*	*1.17*	*1.37*
Average LOS, mean	7.86	8.45	7.52	9.84	5.26	7.38	10.97
SD	*11.97*	*11.14*	*6.34*	*12.05*	*4.32*	*8.90*	*15.50*
Cumulative Days of Stay, mean	9.61	9.53	8.71	13.15	6.08	7.85	11.02
SD	*16.99*	*21.61*	*11.18*	*27.57*	*9.13*	*14.59*	*28.45*
Cumulative Days of Stay, %							
0	28.2%	34.4%	26.2%	27.3%	32.7%	36.0%	41.2%
1 to 7	35.5%	32.9%	32.3%	35.7%	39.1%	34.9%	25.6%
8 to 14	15.8%	13.1%	24.6%	9.7%	15.4%	12.2%	11.3%
15 to 44	17.1%	16.2%	15.4%	21.4%	12.2%	14.3%	17.2%
45 to 89	2.8%	2.4%	1.5%	3.2%	0.6%	2.1%	3.4%
90 to 179	0.5%	0.7%	0.0%	1.9%	0.0%	0.5%	0.8%
180 to 359	0.1%	0.1%	0.0%	0.6%	0.0%	0.0%	0.0%
360+	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.4%	0.0%	0.6%	0.0%	0.5%	0.4%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	178.07	251.67	0.00	263.00	0.00	127.00	365.00
SD	*75.21*	*119.40*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.2%	0.0%	0.6%	0.0%	0.0%	0.4%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	240.47	314.00	0.00	263.00	0.00	0.00	365.00
SD	*75.05*	*72.12*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.18*	*0.16*	*1.03*	*0.12*	*0.02*	*0.16*	*0.06*
SD	*1.94*	*1.71*	*4.91*	*1.12*	*0.24*	*1.50*	*0.73*
Other station cumulative DOS, mean	0.60	0.30	1.11	0.38	0.18	0.18	0.20
SD	*3.61*	*2.06*	*4.92*	*2.33*	*1.14*	*1.52*	*1.19*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Other Psychosis Patients	49401	3182	283	545	548	736	1070
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)							
Pts. with psych hospital stays, %	0.11	0.10	0.06	0.09	0.12	0.11	0.11
Inpatient stays, mean	0.55	0.60	0.40	0.43	0.68	0.64	0.70
SD	*1.03*	*0.92*	*0.79*	*0.75*	*0.99*	*0.91*	*1.01*
Average LOS, mean	12.47	15.87	7.37	16.54	8.38	15.72	21.28
SD	*19.53*	*17.36*	*3.57*	*16.07*	*6.57*	*14.93*	*22.41*
Cumulative Days of Stay, mean	6.45	8.75	2.94	6.38	5.90	9.53	13.13
SD	*17.76*	*17.68*	*6.07*	*13.44*	*12.30*	*16.95*	*23.77*
Cumulative Days of Stay, %							
0	64.2%	59.6%	73.8%	68.8%	58.3%	57.1%	52.5%
1 to 7	12.7%	11.6%	7.7%	10.4%	18.6%	9.5%	10.5%
8 to 14	9.6%	8.1%	10.8%	3.9%	9.0%	8.5%	9.2%
15 to 44	10.7%	15.5%	7.7%	13.0%	12.8%	20.1%	17.2%
45 to 89	2.1%	4.9%	0.0%	3.9%	1.3%	4.8%	9.2%
90 to 179	0.5%	0.4%	0.0%	0.0%	0.0%	0.0%	1.3%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.4%	0.2%	0.0%	0.0%	0.0%	0.0%	0.8%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	182.44	147.00	0.00	0.00	0.00	0.00	147.00
SD	*78.98*	*32.53*	*0.00*	*0.00*	*0.00*	*0.00*	*32.53*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.42	170.00	0.00	0.00	0.00	0.00	170.00
SD	*77.61*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.19	0.14	0.02	0.00	0.04	0.01	0.44
SD	2.40	2.12	0.12	0.00	0.48	0.15	3.86
Other station cumulative DOS, mean	0.64	0.35	0.02	0.08	0.24	0.10	0.88
SD	4.34	2.95	0.12	0.89	1.58	0.86	5.12

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593	600	605	664	691
			S.Nevada	*Long Beach*	*Loma Linda*	*San Diego*	*Greater L.A.*
Other Psychosis Patients	49401	3182	283	545	548	736	1070
Other 24 hour institutional care							
Patients with some other 24 hour institutional care, %	10.1%	7.1%	4.6%	6.6%	11.9%	6.0%	6.4%
Residential Rehabilitation							
Patients with some residential rehab. care, %	1.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
Number stays, mean	*1.13*	*1.00*	*0.00*	*0.00*	*0.00*	*1.00*	*0.00*
SD	*0.45*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Average LOS, mean	30.41	37.00	0.00	0.00	0.00	37.00	0.00
SD	*33.22*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS, mean	33.30	37.00	0.00	0.00	0.00	37.00	0.00
SD	*35.32*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative Days of Stay, %							
1 to 7	15.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
8 to 14	12.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
15 to 44	54.3%	100.0%	0.0%	0.0%	0.0%	100.0%	0.0%
45 to 89	11.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90 to 179	5.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	0.0%	100.0%	0.0%
Res Rehab pts with 100+ day Res Rehab stay, %	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	181.33	0.00	0.00	0.00	0.00	0.00	0.00
SD	*69.09*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	235.83	0.00	0.00	0.00	0.00	0.00	0.00
SD	*52.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.38	37.00	0.00	0.00	0.00	37.00	0.00
SD	*7.57*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	4.16	37.00	0.00	0.00	0.00	37.00	0.00
SD	*12.59*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Other Psychosis Patients	49401	3182	283	545	548	736	1070
Domiciliary and Vocational							
Patients with some dom/voc care, %	1.7%	1.0%	0.0%	0.0%	0.0%	0.0%	3.1%
Number stays, mean	1.13	1.06	0.00	0.00	0.00	0.00	1.06
SD	*0.36*	*0.24*	*0.00*	*0.00*	*0.00*	*0.00*	*0.24*
Average LOS, mean	79.24	71.67	0.00	0.00	0.00	0.00	71.67
SD	*81.39*	*68.26*	*0.00*	*0.00*	*0.00*	*0.00*	*68.26*
Cumulative DOS, mean	86.42	73.39	0.00	0.00	0.00	0.00	73.39
SD	*85.00*	*68.38*	*0.00*	*0.00*	*0.00*	*0.00*	*68.38*
Cumulative Days of Stay, %							
1 to 7	7.5%	12.1%	0.0%	0.0%	0.0%	0.0%	12.1%
8 to 14	6.2%	9.1%	0.0%	0.0%	0.0%	0.0%	9.1%
15 to 44	29.8%	24.2%	0.0%	0.0%	0.0%	0.0%	24.2%
45 to 89	19.6%	18.2%	0.0%	0.0%	0.0%	0.0%	18.2%
90 to 179	23.7%	27.3%	0.0%	0.0%	0.0%	0.0%	27.3%
180 to 359	10.4%	9.1%	0.0%	0.0%	0.0%	0.0%	9.1%
360+	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	0.0%	0.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	30.3%	0.0%	0.0%	0.0%	0.0%	30.3%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	193.84	155.60	0.00	0.00	0.00	0.00	155.60
SD	*79.91*	*56.65*	*0.00*	*0.00*	*0.00*	*0.00*	*56.65*
Dom. patients with 150+ day Dom. stay, %	16.8%	12.1%	0.0%	0.0%	0.0%	0.0%	12.1%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	240.95	210.25	0.00	0.00	0.00	0.00	210.25
SD	*71.71*	*48.42*	*0.00*	*0.00*	*0.00*	*0.00*	*48.42*
Other VISN cumulative DOS, mean	1.61	1.33	0.00	0.00	0.00	0.00	1.33
SD	*8.79*	*7.66*	*0.00*	*0.00*	*0.00*	*0.00*	*7.66*
Other station cumulative DOS, mean	3.31	1.33	0.00	0.00	0.00	0.00	1.33
SD	*11.83*	*7.66*	*0.00*	*0.00*	*0.00*	*0.00*	*7.66*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Other Psychosis Patients	49401	3182	283	545	548	736	1070
Nursing Home Care							
Patients with some nursing home care, %	7.7%	6.1%	4.6%	6.6%	11.9%	5.8%	3.4%
Number stays, mean	1.29	1.21	1.31	1.17	1.18	1.19	1.28
SD	*0.65*	*0.44*	*0.48*	*0.45*	*0.39*	*0.39*	*0.57*
Average LOS, mean	54.03	46.31	72.42	48.88	33.82	40.66	63.61
SD	*70.27*	*57.77*	*78.04*	*57.59*	*39.90*	*31.89*	*88.75*
Cumulative DOS, mean	64.81	55.06	96.92	57.67	40.86	45.79	74.06
SD	*79.26*	*65.09*	*92.48*	*67.50*	*45.60*	*33.08*	*95.53*
Cumulative Days of Stay, %							
1 to 7	10.9%	9.8%	0.0%	13.9%	7.7%	14.0%	8.3%
8 to 14	15.2%	9.3%	0.0%	5.6%	18.5%	7.0%	2.8%
15 to 44	34.5%	40.4%	30.8%	44.4%	40.0%	27.9%	55.6%
45 to 89	16.5%	26.4%	38.5%	19.4%	24.6%	41.9%	13.9%
90 to 179	13.0%	7.8%	7.7%	8.3%	7.7%	9.3%	5.6%
180 to 359	8.1%	5.2%	23.1%	8.3%	1.5%	0.0%	8.3%
360+	1.8%	1.0%	0.0%	0.0%	0.0%	0.0%	5.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	17.8%	10.9%	23.1%	13.9%	6.2%	4.7%	19.4%
Cumul. DOS, patients with a 100+ day NH stay, mean	207.27	210.52	241.33	208.40	170.50	134.50	243.43
SD	*81.27*	*80.56*	*64.66*	*52.78*	*85.85*	*30.41*	*99.04*
NH patients with 150+ day NH stay, %	11.0%	7.3%	15.4%	11.1%	1.5%	2.3%	16.7%
Cumul. DOS, patients with a 150+ day NH stay, mean	250.81	242.71	254.50	215.00	297.00	156.00	262.67
SD	*70.60*	*77.01*	*85.56*	*58.51*	*0.00*	*0.00*	*93.06*
Other VISN cumulative DOS, mean	0.34	0.46	4.62	0.00	0.43	0.00	0.00
SD	*5.11*	*3.64*	*11.27*	*0.00*	*3.47*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.02	1.16	8.46	0.03	1.31	0.00	0.78
SD	*7.62*	*6.12*	*16.76*	*0.17*	*6.45*	*0.00*	*3.14*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Other Psychosis Patients	49401	3182	283	545	548	736	1070
Outpatient utilization							
(reported for those with some outpatient care)							
Patients with some outpatient care, %	99.7%	99.8%	99.6%	100.0%	100.0%	99.9%	99.6%
annual visit days, mean	19.52	20.61	15.83	21.27	17.80	20.23	23.25
SD	*24.21*	*26.12*	*17.47*	*23.58*	*22.56*	*17.84*	*34.22*
Outpatient visit days, %							
1-12	49.1%	47.4%	52.8%	47.3%	53.3%	42.4%	46.2%
13-24	27.0%	26.7%	29.8%	25.5%	26.6%	29.0%	25.0%
25-36	11.5%	12.7%	11.7%	12.3%	11.3%	12.9%	13.8%
37-48	5.4%	5.8%	2.1%	5.1%	2.9%	8.3%	6.8%
49+	7.0%	7.4%	3.5%	9.7%	5.8%	7.3%	8.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	86.5%	87.9%	95.7%	85.3%	93.4%	83.4%	87.3%
Mean PC visit days, among those with some PC	4.04	4.72	5.74	4.10	4.96	3.59	5.33
SD	3.94	4.96	5.11	6.30	4.73	2.85	5.21
Average number clinic stops per visit day, mean	1.55	1.47	1.36	1.61	1.62	1.43	1.37
SD	*0.52*	*0.50*	*0.32*	*0.55*	*0.66*	*0.49*	*0.40*
annual clinic stops (psych & non-psych), mean	30.45	30.66	21.30	35.36	28.07	29.27	33.04
SD	*40.44*	*41.82*	*22.49*	*46.65*	*36.80*	*27.62*	*51.98*
annual non-psych. clinic stops, mean	22.67	22.07	17.73	26.81	19.72	22.51	21.69
SD	*25.36*	*26.95*	*16.94*	*34.57*	*21.72*	*22.96*	*29.22*
annual psych. clinic stops (groupings below), mean	7.77	8.60	3.58	8.55	8.35	6.76	11.34
SD	*27.43*	*27.67*	*14.67*	*26.02*	*27.51*	*13.62*	*36.70*
1. general psych. clinic stops, mean	3.20	3.99	2.06	3.89	5.10	3.53	4.29
SD	*7.61*	*9.20*	*3.71*	*8.59*	*15.64*	*4.58*	*8.31*
2. psych. case management clinic stops, mean	0.14	0.02	0.01	0.01	0.00	0.07	0.01
SD	*3.20*	*0.72*	*0.24*	*0.09*	*0.00*	*1.47*	*0.16*
3. psych. day treatment clinic stops, mean	0.60	0.94	0.80	1.02	0.00	0.41	1.79
SD	*8.52*	*13.74*	*12.75*	*16.85*	*0.00*	*3.98*	*19.03*
4. substance abuse clinic stops, mean	2.24	2.11	0.12	3.01	1.84	1.24	2.92
SD	*17.04*	*14.66*	*0.54*	*12.31*	*11.05*	*7.03*	*21.53*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 22, continued

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Other Psychosis Patients	49401	3182	283	545	548	736	1070
5. psych. vocational clinic stops, mean	0.74	0.64	0.00	0.07	0.99	0.15	1.26
SD	*9.63*	*9.82*	*0.06*	*0.95*	*13.29*	*1.88*	*13.88*
6. PTSD clinic stops, mean	0.56	0.54	0.39	0.35	0.32	1.01	0.47
SD	*5.11*	*4.38*	*2.52*	*3.92*	*3.29*	*5.84*	*4.31*
7. psych. homeless clinic stops, mean	0.27	0.34	0.16	0.17	0.10	0.36	0.59
SD	*2.81*	*1.83*	*0.85*	*1.12*	*0.90*	*2.37*	*2.18*
Other VISN OP visit days, mean	0.31	0.26	0.54	0.19	0.23	0.26	0.22
SD	2.01	1.64	2.06	2.00	1.38	1.83	1.24
Other station OP visit days, mean	0.72	0.63	1.01	1.00	0.59	0.38	0.54
SD	3.19	2.84	2.94	4.64	2.24	2.02	2.29

Table 4I FY03 Other Psychosis Patients, Pharmacy Utilization, VISN 22

	All VISNs	VISN 22	593 *S.Nevada*	600 *Long Beach*	605 *Loma Linda*	664 *San Diego*	691 *Greater L.A.*
Other Psychosis Patients	49401	3182	283	545	548	736	1070
Among all patients in the registry							
Pts. with any outpatient prescriptions, %	94.7%	94.6%	95.1%	94.3%	94.9%	95.7%	93.6%
Patients with any oral antipsychotic fills, %*	41.4%	42.1%	33.2%	42.8%	47.1%	42.3%	41.6%
Among pts. receiving any antipsychotic medication:							
Received only conventional antipsychotics, %	9.2%	7.6%	11.7%	5.6%	7.4%	9.6%	6.5%
Received some atypical antipsychotics, %	90.8%	92.4%	88.3%	94.4%	92.6%	90.4%	93.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %							
Aripiprazole	0.7%	1.1%	0.0%	0.4%	3.9%	0.6%	0.4%
Clozapine	0.1%	0.2%	0.0%	0.0%	0.8%	0.0%	0.2%
Olanzapine	27.8%	16.6%	36.2%	11.6%	20.9%	14.8%	13.7%
Quetiapine	29.2%	36.1%	27.7%	43.8%	31.0%	33.1%	38.9%
Risperidone	46.2%	52.0%	35.1%	55.4%	55.8%	54.0%	50.1%
Ziprasidone	3.6%	2.6%	4.3%	3.9%	0.8%	3.5%	2.0%
Patients receiving only one kind** of antipsychotic, %	78.8%	80.7%	80.9%	75.5%	77.1%	80.1%	85.8%
Concurrent use of 2 or more antipsychotics, % ***	5.1%	5.4%	0.0%	7.3%	5.4%	8.7%	3.4%
Among pts receiving just one antipsychotic:							
Antipsychotic fills, mean	5.21	4.36	4.28	5.36	4.77	3.43	4.30
SD	*4.06*	*3.38*	*3.35*	*4.07*	*3.45*	*2.36*	*3.41*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5I: FY03 Other Psychosis Patients, Cost, VISN 22

	All VISNs	VISN 22	593	600	605	664	691
			S.Nevada	*Long Beach*	*Loma Linda*	*San Diego*	*Greater L.A.*
Other Psychosis Patients	49401	3182	283	545	548	736	1070
Total Costs (in thousands $$)	$692,791	$46,470	$3,323	$8,813	$7,200	$11,356	$15,778
Station % of VISN		100.0%	7.2%	19.0%	15.5%	24.4%	34.0%
Psych vs. Non-Psych Costs							
Psych	16.6%	21.7%	11.9%	18.6%	17.2%	25.5%	24.7%
Non-Psych	83.4%	78.3%	88.1%	81.4%	82.8%	74.5%	75.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use							
Per Patient	$16,509	$22,306	$15,174	$27,415	$15,101	$27,418	$21,610
Per Day of Stay	$1,028	$1,220	$1,303	$1,404	$1,260	$1,577	$895
Mean Outpatient Costs, Pts with some Outpatient use							
Per Patient	$6,046	$6,804	$6,355	$6,408	$5,517	$7,103	$7,582
Per Visit Day	$310	$330	$401	$301	$310	$351	$326
By Cost Center							
1 Med	$2,712	$2,677	$1,875	$3,976	$2,100	$3,364	$2,052
2 Surg	$779	$913	$697	$1,699	$643	$989	$656
3 Psych	$1,494	$2,031	$914	$2,072	$1,555	$2,688	$2,099
4 Psych Res Rehab Treatment Program	$103	$8	$0	$0	$0	$33	$0
5 Non-VA	$203	$144	$658	$132	$145	$141	$16
6 LTC Domiciliary	$183	$136	$0	$0	$0	$0	$404
7 LTC Intermediate Care	$276	$225	$0	$40	$430	$0	$428
8 LTC Nursing Home	$1,672	$1,107	$249	$1,401	$1,936	$374	$1,262
9 Contract Nursing Home	$578	$572	$1,020	$444	$810	$746	$276
10 OPC Med/Surg	$1,281	$1,630	$1,440	$1,800	$1,181	$1,520	$1,899
11 OPC Psych	$831	$1,135	$483	$939	$705	$1,250	$1,550
12 OPC Home Based Treatment	$730	$922	$940	$654	$698	$930	$1,162
13 OPC Support	$1,493	$1,568	$1,465	$1,673	$1,329	$1,727	$1,556
14 OPC Fee	$231	$150	$303	$36	$152	$259	$93
15 OPC Pharmacy	$1,460	$1,386	$1,701	$1,307	$1,452	$1,408	$1,294
TOTAL	$14,024	$14,604	$11,744	$16,171	$13,138	$15,429	$14,746
Mean % Patient Costs at Other Stations	3.3%	2.7%	5.5%	3.5%	2.6%	1.7%	2.3%
SD	*11.9%*	*10.4%*	*14.5%*	*11.4%*	*9.5%*	*8.9%*	*9.9%*
Mean % Patient Costs at Other VISNs	1.3%	1.1%	3.4%	0.8%	0.7%	1.0%	0.9%
SD	*7.5%*	*6.8%*	*11.8%*	*6.2%*	*4.7%*	*6.7%*	*6.0%*

Table 1F: FY03 Psychosis Patients, Demographics, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Entire Population	217760	8500	641	655	672	2153	3340	1039
Psychosis Diagnosis Group, %								
Schizophrenia	43.3%	41.0%	31.2%	36.8%	44.2%	41.4%	44.7%	34.6%
Bipolar Disorder	34.0%	38.1%	37.1%	34.2%	35.9%	30.8%	40.4%	50.4%
Other Psychoses	22.7%	21.0%	31.7%	29.0%	19.9%	27.8%	15.0%	14.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Age, %								
<35	4.9%	4.7%	4.5%	4.6%	4.5%	4.0%	5.5%	4.0%
>=35 and <50	29.3%	29.3%	23.1%	27.0%	27.8%	27.4%	31.2%	33.7%
>=50 and <65	38.1%	38.2%	34.9%	34.4%	38.2%	37.2%	39.2%	41.2%
>=65 and <80	19.7%	20.6%	25.9%	23.5%	21.8%	22.6%	18.9%	15.7%
>=80	8.2%	7.2%	11.5%	10.5%	7.8%	8.9%	5.2%	5.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	56.89	56.75	59.98	58.39	57.15	58.04	55.40	55.12
SD	*14.35*	*14.18*	*15.21*	*15.22*	*14.27*	*14.42*	*13.65*	*13.28*
Gender								
Male, %	92.7%	93.5%	94.2%	93.1%	92.0%	93.6%	93.1%	95.2%
Female, %	7.3%	6.5%	5.8%	6.9%	8.0%	6.4%	6.9%	4.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %								
Hispanic white	4.8%	0.6%	0.2%	0.5%	1.5%	0.4%	0.7%	0.2%
Hispanic black	0.4%	0.1%	0.0%	0.3%	0.0%	0.0%	0.1%	0.0%
American indian	0.3%	0.9%	0.6%	0.6%	5.7%	0.5%	0.2%	1.0%
Black	18.6%	5.6%	5.9%	0.3%	1.2%	5.6%	6.7%	8.2%
Asian	0.5%	0.1%	0.0%	0.2%	0.0%	0.1%	0.0%	0.0%
White	54.9%	70.8%	75.8%	70.4%	79.5%	59.5%	73.9%	75.6%
Race unknown	20.5%	22.0%	17.5%	27.8%	12.2%	34.0%	18.2%	15.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status								
Never married	28.5%	29.2%	29.0%	21.8%	27.5%	31.7%	28.4%	32.1%
Married	35.3%	33.5%	39.7%	44.7%	25.4%	33.3%	33.0%	30.0%
Divorced/Separated	30.8%	32.8%	26.5%	28.9%	40.5%	29.5%	34.7%	34.4%
Widowed	5.4%	4.6%	4.8%	4.6%	6.5%	5.5%	3.9%	3.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Entire Population	217760	8500	641	655	672	2153	3340	1039
Registry Pts. History of VA Utilization								
Years since first use in prior five years, mean	4.33	4.40	4.18	4.32	4.60	4.41	4.40	4.42
SD	*1.24*	1.17	1.33	1.18	1.01	1.14	1.18	1.18
Yrs with 24-hour institutional use / yrs since 1st use, %	25.9%	27.7%	26.3%	22.3%	40.0%	23.0%	27.1%	35.4%
SD	*29.7%*	29.6%	28.8%	27.1%	34.6%	25.8%	*29.1%*	32.8%
Years with OP use / Years since first use, %	96.7%	96.8%	97.6%	98.2%	95.6%	98.0%	96.5%	94.7%
SD	*11.4%*	12.4%	9.0%	7.4%	15.8%	8.6%	*13.2%*	16.7%
Psychosis Diagnoses in Prior Fiscal Year								
Had Psychosis Diagnosis in FY01, %	65.3%	68.8%	64.4%	70.4%	68.9%	65.9%	70.2%	72.1%
Among Patients With Psychoses in FY01								
Psychosis Category: Schizophrenia, %	54.1%	50.2%	40.4%	47.1%	55.3%	52.9%	52.2%	42.9%
Psychosis Category: Bipolar Disorder, %	33.9%	39.6%	43.8%	38.6%	34.3%	33.8%	40.8%	48.6%
Psychosis Category: Other Psychosis, %	12.0%	10.2%	15.7%	14.3%	10.4%	13.4%	7.0%	8.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %								
Dementia	6.2%	5.0%	6.9%	6.1%	4.0%	5.9%	4.7%	2.7%
Post Traumatic Stress Disorder	15.4%	11.3%	7.6%	9.5%	13.4%	9.5%	9.9%	21.6%
Depression	34.8%	34.3%	32.0%	34.7%	34.4%	34.2%	33.1%	39.6%
Other Anxiety Disorder	12.0%	12.6%	11.4%	16.3%	15.6%	10.1%	11.8%	16.5%
Substance Abuse or Dependence	23.3%	27.5%	19.8%	17.9%	35.0%	24.5%	25.6%	45.7%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Entire Population	217760	8500	641	655	672	2153	3340	1039
Medical Comorbidities, %								
No medical comorbidities	15.2%	15.9%	13.7%	17.6%	11.6%	19.5%	15.8%	11.9%
Anemia	8.2%	7.1%	7.3%	7.5%	8.5%	9.3%	5.9%	5.3%
Arthritis	36.2%	34.5%	29.3%	33.6%	44.9%	30.7%	33.9%	40.9%
Cancer	7.9%	7.8%	8.3%	11.5%	7.7%	9.2%	6.8%	6.0%
Cerebrovascular Disease	6.7%	5.9%	6.4%	7.3%	6.1%	7.1%	5.7%	2.9%
Chronic Neurologic Disorder	15.1%	17.1%	18.9%	15.6%	17.9%	18.3%	16.8%	15.0%
Chronic Obstructive Pulmonary Disease	16.7%	17.9%	17.8%	24.4%	25.4%	12.2%	18.5%	18.7%
Chronic Viral Infection	8.4%	5.6%	3.7%	3.1%	10.0%	5.0%	5.4%	7.4%
Coronary Artery Disease	19.5%	19.4%	22.6%	28.2%	22.3%	18.7%	17.3%	18.2%
Diabetes	20.0%	18.8%	15.4%	19.2%	15.8%	20.7%	19.5%	16.0%
Digestive System Disease	43.5%	45.4%	42.6%	42.1%	51.0%	39.0%	47.8%	51.6%
Hypertension	43.2%	38.3%	45.4%	39.2%	34.5%	34.7%	40.0%	37.8%
Injury and Poisoning	17.9%	17.6%	12.2%	14.4%	24.6%	18.0%	17.5%	17.9%
Liver Disease	3.6%	3.6%	3.1%	3.7%	3.7%	3.0%	3.5%	5.5%
Other Endocrine	8.6%	8.8%	11.4%	11.0%	11.0%	7.1%	8.6%	8.5%
Peripheral Vascular Disease	4.1%	4.7%	5.6%	8.5%	5.2%	4.4%	4.0%	3.9%
GAF scores								
Lowest inpatient GAF score, mean	37.72	37.46	22.94	35.41	46.27	44.57	32.26	42.66
SD	*14.39*	*13.46*	*19.01*	*11.52*	*10.91*	*22.75*	*9.93*	*9.51*
Mean outpatient GAF score	50.52	52.62	55.94	56.93	50.63	56.73	50.51	50.56
SD	*11.04*	*11.34*	*10.06*	*13.06*	*10.60*	*12.24*	*10.96*	*7.94*
At least 1 IP GAF, among pts with MH bedsections, %	38.4%	49.0%	17.0%	74.0%	53.2%	25.3%	60.9%	52.8%
At least 1 OP GAF, among pts with MH clinic stops, %	80.0%	81.5%	69.7%	64.2%	77.8%	72.8%	90.6%	88.6%
Mortality rates								
died in FY02, %	3.1%	3.5%	3.6%	4.4%	5.7%	2.7%	3.4%	3.5%
Age-and-gender-adjusted Standardized Mortality Ratio	1.32	1.53	1.16	1.57	2.47	1.06	1.72	1.85

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Entire Population	217760	8500	641	655	672	2153	3340	1039
Service Connection (SC)								
Non-SC	51.0%	52.5%	57.1%	59.5%	57.6%	47.8%	54.1%	46.4%
SC 0 - 29%	8.7%	8.7%	9.2%	8.1%	9.7%	9.3%	8.2%	8.6%
SC 30 - 69%	10.8%	10.2%	9.0%	9.3%	7.7%	12.0%	10.1%	9.2%
SC 70 - 99%	7.3%	7.3%	5.8%	5.2%	5.1%	8.2%	7.7%	8.3%
SC 100%	22.1%	21.3%	18.9%	17.9%	19.9%	22.7%	19.8%	27.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %								
Complex*	17.3%	21.1%	11.7%	11.5%	32.9%	17.0%	21.4%	32.7%
Basic vested, Cat A*	76.6%	71.4%	76.4%	72.4%	60.6%	76.2%	72.1%	62.6%
Basic Non-vested, Cat A*	1.0%	0.7%	1.2%	0.6%	0.3%	0.8%	0.7%	0.6%
Basic, Cats C and N	5.1%	6.8%	10.6%	15.6%	6.3%	6.0%	5.8%	4.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded								
Patient eligibility category, %								
Cat A (SC or low income)	94.6%	92.9%	89.4%	84.1%	93.5%	93.7%	94.0%	95.5%
Cat C (NSC and higher income)	4.7%	6.5%	10.3%	15.6%	4.0%	5.8%	5.7%	4.0%
Non-Veteran	0.6%	0.6%	0.3%	0.3%	2.5%	0.6%	0.4%	0.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %								
BASIC 1. Non-reliant Care	0.1%	0.1%	0.2%	0.0%	0.3%	0.0%	0.0%	0.0%
2. Basic Medical	16.7%	16.4%	25.1%	18.9%	13.7%	12.8%	17.3%	15.8%
3. Mental Health	36.3%	35.8%	35.3%	44.0%	28.4%	40.1%	35.7%	27.0%
4. Heart / Lung / GI	7.7%	7.4%	13.9%	10.4%	7.9%	5.9%	7.2%	4.4%
5. Oncology / Infectious Disease	3.9%	2.6%	2.0%	3.2%	3.0%	2.8%	2.3%	3.0%
6. Multiple Medical	18.0%	16.7%	11.9%	12.1%	13.8%	21.3%	16.0%	17.0%
COMPLEX 7. Specialized Care	2.6%	3.2%	4.7%	1.4%	3.6%	3.5%	2.8%	4.0%
8. Support Care	2.8%	2.7%	1.9%	1.7%	5.4%	3.4%	1.8%	3.8%
9. Chronic Mental	9.6%	11.5%	3.9%	4.1%	18.9%	7.4%	12.9%	19.5%
10. Critically Ill	2.2%	3.7%	1.2%	4.3%	5.1%	2.6%	3.9%	5.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2F: FY03 Psychosis Patients, Patient Characteristics, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Entire Population	217760	8500	641	655	672	2153	3340	1039
Substance Dependence and Abuse								
Any dx of alcohol / drug dependence or abuse, %	23.3%	27.5%	19.8%	17.9%	35.0%	24.5%	25.6%	45.7%
Homelessness								
Homelessness indicated in FY02, %	11.5%	9.3%	11.7%	1.5%	27.1%	5.7%	8.5%	11.2%
Residence in Metropolitan Area								
Residing in a Metropolitan Statistical Area, %	79.7%	57.0%	48.5%	40.7%	25.0%	81.2%	52.1%	58.6%
Distance								
Mile from Closest VA Medical Center, mean	32.17	43.03	75.02	53.46	31.37	36.27	44.24	34.41
SD	*68.58*	*47.58*	*71.92*	*40.72*	*43.62*	*44.51*	*45.31*	*37.34*
Distance from closest VA Medical Center, %								
0 to 15 miles	49.0%	41.3%	30.4%	28.9%	42.9%	53.6%	37.2%	42.7%
15 to 30 miles	16.3%	12.9%	2.5%	4.4%	34.1%	13.2%	11.3%	15.9%
30 to 45 miles	10.3%	5.9%	5.0%	7.8%	2.8%	4.9%	6.0%	8.9%
45 to 60 miles	8.1%	11.4%	14.0%	13.3%	3.4%	4.6%	16.7%	10.9%
60 plus miles	16.2%	28.5%	48.0%	45.6%	16.8%	23.8%	28.8%	21.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	10.73	16.70	28.75	26.44	9.32	12.89	16.05	17.90
SD	*13.09*	*18.33*	*27.39*	*23.89*	*15.58*	*12.63*	*16.91*	*17.40*
Distance to closest VA Service Site, %								
0 to 15 miles	77.0%	60.5%	47.1%	43.6%	76.6%	70.5%	59.4%	51.9%
15 to 30 miles	14.9%	18.1%	8.7%	11.6%	15.9%	19.2%	19.1%	24.0%
30 to 45 miles	5.7%	12.7%	15.1%	17.7%	2.8%	7.1%	15.4%	17.6%
45 plus miles	2.4%	8.6%	29.0%	27.1%	4.6%	3.2%	6.1%	6.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3F: FY03 Psychosis Patients, Utilization, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Entire Population	217760	8500	641	655	672	2153	3340	1039
Hospital Based Utilization								
Patients with some Hospital Based Utilization, %	27.2%	26.4%	24.3%	25.0%	30.5%	26.2%	27.2%	23.3%
Hospital based utilization: Overall (psych & non-psych- for those with hosp.based util.)								
Inpatient stays, mean	1.83	1.80	1.87	1.62	1.79	1.77	1.72	2.26
SD	*1.43*	*1.40*	*1.55*	*1.06*	*1.24*	*1.35*	*1.19*	*2.14*
Average LOS, mean	13.07	7.52	6.34	6.63	11.37	6.95	7.71	6.27
SD	*30.84*	*8.79*	*5.99*	*5.42*	*15.80*	*7.16*	*7.52*	*10.67*
Cumulative DOS, mean	21.85	13.50	12.79	10.51	19.13	12.75	13.10	14.46
SD	*40.46*	*18.26*	*19.09*	*10.18*	*23.53*	*16.11*	*14.55*	*29.76*
Cumulative DOS, %								
1 to 7	39.9%	49.4%	53.2%	51.8%	35.6%	54.1%	47.1%	55.0%
8 to 14	21.8%	22.5%	20.5%	25.6%	24.4%	18.3%	24.3%	23.6%
15 to 44	27.7%	23.2%	21.8%	21.3%	29.3%	21.8%	25.3%	15.3%
45 to 89	6.9%	4.2%	3.2%	1.2%	8.8%	5.5%	3.0%	4.1%
90 to 179	2.3%	0.7%	1.3%	0.0%	2.0%	0.4%	0.3%	1.7%
180 to 359	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	2.1%	0.2%	0.0%	0.0%	1.5%	0.0%	0.0%	0.8%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	237.76	181.40	0.00	0.00	137.00	0.00	0.00	248.00
SD	*95.14*	*104.88*	*0.00*	*0.00*	*30.32*	*0.00*	*0.00*	*165.46*
Hospital patients who had a 150+ day hosp. stay, %	1.3%	0.1%	0.0%	0.0%	0.5%	0.0%	0.0%	0.4%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	290.80	260.00	0.00	0.00	155.00	0.00	0.00	365.00
SD	*77.65*	*148.49*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.59	1.16	0.54	0.09	5.18	0.54	0.80	1.68
SD	*4.28*	*7.53*	*4.11*	*0.70*	*17.31*	*4.52*	*5.12*	*9.92*
Cumulative DOS at Other Stations	1.83	1.72	1.15	1.41	6.45	0.77	0.87	3.66
SD	*7.27*	*8.05*	*5.29*	*4.65*	*17.88*	*4.72*	*5.16*	*10.87*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Entire Population	217760	8500	641	655	672	2153	3340	1039
Hospital based utilization: Non-Psych (non-psych- for those with some hosp.based util.)								
Pts. with non-psych hospital stays, %	14.0%	13.8%	13.3%	15.6%	17.7%	15.6%	13.7%	6.7%
Inpatient stays, mean	0.85	0.85	1.00	0.96	0.92	1.05	0.78	0.38
SD	*1.20*	*1.13*	*1.48*	*1.10*	*1.05*	*1.26*	*1.04*	*0.71*
Average LOS, mean	7.54	5.67	5.21	5.90	6.21	5.16	6.14	4.28
SD	*13.36*	*5.83*	*4.26*	*5.09*	*6.04*	*5.15*	*6.80*	*3.53*
Cumulative Days of Stay, mean	6.52	4.93	5.66	5.71	5.97	5.78	4.79	1.60
SD	*17.31*	*9.50*	*11.04*	*8.60*	*10.45*	*10.60*	*9.31*	*3.73*
Cumulative Days of Stay, %								
0	48.5%	47.8%	45.5%	37.8%	42.0%	40.6%	49.6%	71.1%
1 to 7	29.2%	31.9%	32.1%	35.4%	31.7%	36.9%	30.6%	22.7%
8 to 14	9.8%	10.5%	10.3%	17.7%	16.6%	9.6%	10.1%	4.1%
15 to 44	10.2%	8.8%	9.6%	8.5%	7.8%	11.3%	9.0%	2.1%
45 to 89	1.8%	1.0%	2.6%	0.6%	2.0%	1.4%	0.6%	0.0%
90 to 179	0.4%	0.1%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	206.57	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*85.33*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	268.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*74.94*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.14	0.25	0.32	0.02	0.61	0.42	0.15	0.05
SD	*1.82*	*2.84*	*3.77*	*0.23*	*4.12*	*4.35*	*1.31*	*0.43*
Other station cumulative DOS, mean	0.51	0.58	0.75	0.48	1.63	0.45	0.18	1.39
SD	*3.43*	*3.57*	*4.55*	*2.27*	*6.31*	*4.40*	*1.40*	*3.60*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Entire Population	217760	8500	641	655	672	2153	3340	1039
Hospital based utilization: Psychiatric (psych- for those with some hosp.based util.)								
Pts. with psych hospital stays, %	15.8%	15.1%	13.7%	11.1%	16.2%	12.9%	16.0%	19.2%
Inpatient stays, mean	0.98	0.95	0.87	0.65	0.86	0.72	0.94	1.88
SD	*1.28*	*1.32*	*1.07*	*0.93*	*1.11*	*1.17*	*1.16*	*2.13*
Average LOS, mean	17.54	9.13	7.81	7.58	16.46	9.22	8.89	6.79
SD	*38.98*	*10.51*	*7.73*	*5.90*	*19.93*	*9.08*	*7.91*	*11.71*
Cumulative Days of Stay, mean	15.33	8.57	7.13	4.80	13.16	6.97	8.31	12.86
SD	*38.37*	*17.29*	*14.92*	*8.58*	*23.45*	*14.20*	*13.71*	*29.80*
Cumulative Days of Stay, %								
0	41.8%	42.9%	43.6%	55.5%	46.8%	50.9%	41.3%	17.8%
1 to 7	18.6%	26.4%	27.6%	22.0%	11.2%	26.1%	26.1%	43.8%
8 to 14	14.1%	13.1%	16.0%	10.4%	12.7%	8.2%	14.7%	19.0%
15 to 44	17.8%	14.1%	10.9%	11.6%	22.0%	10.8%	15.4%	13.6%
45 to 89	4.7%	2.9%	1.3%	0.6%	5.4%	3.9%	2.3%	3.7%
90 to 179	1.7%	0.5%	0.6%	0.0%	2.0%	0.2%	0.2%	1.7%
180 to 359	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	1.8%	0.2%	0.0%	0.0%	1.5%	0.0%	0.0%	0.8%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.50	180.60	0.00	0.00	137.00	0.00	0.00	246.00
SD	*96.26*	*105.38*	*0.00*	*0.00*	*30.32*	*0.00*	*0.00*	*168.29*
Hosp. Pts. with a 150+ day psych hosp.stay, %	1.2%	0.1%	0.0%	0.0%	0.5%	0.0%	0.0%	0.4%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	291.18	260.00	0.00	0.00	155.00	0.00	0.00	365.00
SD	*78.31*	*148.49*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.45	0.91	0.22	0.07	4.57	0.12	0.66	1.63
SD	*3.83*	*6.93*	*1.68*	*0.67*	*16.71*	*1.25*	*4.93*	*9.90*
Other station cumulative DOS, mean	1.32	1.14	0.40	0.93	4.81	0.32	0.69	2.26
SD	*6.36*	*7.18*	*2.81*	*4.10*	*16.73*	*1.79*	*4.95*	*10.51*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Entire Population	217760	8500	641	655	672	2153	3340	1039
Other 24 hour institutional care								
Patients with some other 24 hour institutional care, %	8.5%	14.8%	5.6%	8.5%	26.3%	7.0%	15.6%	30.3%
Residential Rehab (rep. for those w/ res rehab care)								
Patients with some residential rehab. care, %	1.8%	2.3%	0.0%	0.2%	2.8%	0.3%	15.6%	9.7%
Number stays, mean	1.12	1.09	0.00	1.00	1.11	1.00	1.08	1.09
SD	*0.38*	*0.30*	*0.00*	*0.00*	*0.32*	*0.00*	*0.33*	*0.29*
Average LOS, mean	34.01	38.46	0.00	1.00	33.29	15.43	31.17	46.52
SD	*38.25*	*26.79*	*0.00*	*0.00*	*19.37*	*13.99*	*30.02*	*23.49*
Cumulative DOS, mean	37.28	40.58	0.00	1.00	34.84	15.43	33.10	49.05
SD	*40.79*	*27.54*	*0.00*	*0.00*	*18.53*	*13.99*	*30.63*	*24.36*
Cumulative Days of Stay, %								
1 to 7	12.3%	8.5%	0.0%	100.0%	5.3%	28.6%	11.3%	5.0%
8 to 14	12.7%	7.5%	0.0%	0.0%	0.0%	28.6%	9.9%	5.9%
15 to 44	50.7%	49.7%	0.0%	0.0%	78.9%	42.9%	60.6%	37.6%
45 to 89	15.8%	31.2%	0.0%	0.0%	15.8%	0.0%	15.5%	47.5%
90 to 179	7.0%	2.5%	0.0%	0.0%	0.0%	0.0%	1.4%	4.0%
180 to 359	1.3%	0.5%	0.0%	0.0%	0.0%	0.0%	1.4%	0.0%
360+	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	4.3%	1.0%	0.0%	0.0%	0.0%	0.0%	2.8%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	175.66	179.50	0.00	0.00	0.00	0.00	179.50	0.00
SD	*75.56*	*64.35*	*0.00*	*0.00*	*0.00*	*0.00*	*64.35*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.9%	0.5%	0.0%	0.0%	0.0%	0.0%	1.4%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	237.86	225.00	0.00	0.00	0.00	0.00	225.00	0.00
SD	*73.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.12	2.56	0.00	1.00	22.37	0.00	0.55	0.44
SD	*6.40*	*10.65*	*0.00*	*0.00*	*26.34*	*0.00*	*3.28*	*3.14*
Other station cumulative DOS, mean	3.58	3.74	0.00	1.00	28.58	15.43	0.69	0.44
SD	*10.93*	*11.81*	*0.00*	*0.00*	*23.74*	*13.99*	*3.46*	*3.14*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Entire Population	217760	8500	641	655	672	2153	3340	1039
Domiciliary and Vocational								
(reported for those with some dom/voc care)								
Patients with some dom/voc care, %	2.8%	6.0%	0.2%	0.2%	18.5%	0.5%	7.8%	11.0%
Number stays, mean	1.13	1.21	1.00	1.00	1.11	1.00	1.31	1.11
SD	*0.38*	*0.51*	*0.00*	*0.00*	*0.34*	*0.00*	*0.63*	*0.31*
Average LOS, mean	85.20	60.45	73.00	1.00	136.29	21.27	30.09	51.41
SD	*90.51*	*77.92*	*0.00*	*0.00*	*119.58*	*19.61*	*27.41*	*37.27*
Cumulative DOS, mean	92.74	67.50	73.00	1.00	145.07	21.27	37.54	56.45
SD	*94.18*	*80.27*	*0.00*	*0.00*	*119.60*	*19.61*	*34.66*	*41.01*
Cumulative Days of Stay, %								
1 to 7	6.9%	12.1%	0.0%	100.0%	3.2%	27.3%	17.3%	7.9%
8 to 14	6.1%	9.4%	0.0%	0.0%	4.0%	9.1%	13.8%	5.3%
15 to 44	29.6%	33.7%	0.0%	0.0%	18.5%	54.5%	39.2%	36.0%
45 to 89	19.5%	20.7%	100.0%	0.0%	18.5%	9.1%	20.8%	23.7%
90 to 179	22.9%	16.0%	0.0%	0.0%	23.4%	0.0%	8.8%	26.3%
180 to 359	10.1%	4.3%	0.0%	0.0%	16.9%	0.0%	0.0%	0.9%
360+	5.0%	3.7%	0.0%	0.0%	15.3%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	31.6%	18.2%	0.0%	0.0%	49.2%	0.0%	3.8%	19.3%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	203.50	200.98	0.00	0.00	241.05	0.00	134.00	120.32
SD	*90.08*	*98.39*	*0.00*	*0.00*	*98.84*	*0.00*	*27.61*	*23.60*
Dom. patients with 150+ day Dom. stay, %	18.0%	9.0%	0.0%	0.0%	34.7%	0.0%	0.8%	0.9%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	259.61	280.59	0.00	0.00	287.67	0.00	163.50	210.00
SD	*79.66*	*79.99*	*0.00*	*0.00*	*77.63*	*0.00*	*17.68*	*0.00*
Other VISN cumulative DOS, mean	1.54	0.99	0.00	0.00	1.14	2.36	0.90	0.94
SD	*8.76*	*7.77*	*0.00*	*0.00*	*9.78*	*6.62*	*7.67*	*5.43*
Other station cumulative DOS, mean	3.75	1.85	73.00	1.00	2.18	21.27	0.92	1.11
SD	*14.14*	*10.16*	*0.00*	*0.00*	*12.86*	*19.61*	*7.67*	*5.72*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Entire Population	217760	8500	641	655	672	2153	3340	1039
Nursing Home Care								
(reported for those with some nursing home care)								
Patients with some nursing home care, %	4.5%	7.5%	5.5%	8.4%	7.4%	6.2%	7.2%	11.8%
Number stays, mean	1.24	1.20	1.23	1.15	1.36	1.17	1.15	1.27
SD	*0.60*	*0.46*	*0.49*	*0.36*	*0.69*	*0.41*	*0.39*	*0.53*
Average LOS, mean	99.56	95.41	42.05	57.04	128.68	29.46	127.07	124.03
SD	*118.68*	*120.48*	*57.21*	*61.57*	*152.62*	*35.21*	*127.23*	*145.25*
Cumulative DOS, mean	111.19	104.47	47.31	64.89	137.32	33.98	137.43	137.26
SD	*123.23*	*123.38*	*58.59*	*70.72*	*149.21*	*40.35*	*130.14*	*146.56*
Cumulative Days of Stay, %								
1 to 7	9.0%	11.3%	11.4%	14.5%	10.0%	12.8%	5.4%	20.3%
8 to 14	10.6%	11.5%	22.9%	9.1%	10.0%	26.3%	4.6%	7.3%
15 to 44	27.5%	28.7%	42.9%	27.3%	34.0%	39.1%	24.7%	19.5%
45 to 89	15.4%	14.6%	5.7%	21.8%	4.0%	15.0%	19.7%	8.1%
90 to 179	13.8%	11.8%	11.4%	20.0%	10.0%	4.5%	15.5%	9.8%
180 to 359	11.4%	9.3%	5.7%	7.3%	6.0%	2.3%	13.4%	12.2%
360+	12.4%	12.8%	0.0%	0.0%	26.0%	0.0%	16.7%	22.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	33.0%	30.2%	14.3%	20.0%	40.0%	3.8%	42.3%	40.7%
Cumul. DOS, patients with a 100+ day NH stay, mean	263.62	269.28	167.80	179.09	302.30	196.00	267.22	297.56
SD	*97.17*	*97.62*	*53.13*	*70.15*	*95.32*	*44.20*	*98.20*	*88.63*
NH patients with 150+ day NH stay, %	25.7%	23.6%	8.6%	9.1%	32.0%	2.3%	33.5%	35.0%
Cumul. DOS, patients with a 150+ day NH stay, mean	299.88	306.37	201.00	238.80	341.75	200.67	302.79	322.47
SD	*76.08*	*75.13*	*36.66*	*59.66*	*53.87*	*37.74*	*76.98*	*66.84*
Other VISN cumulative DOS, mean	0.41	0.30	0.00	0.00	0.00	1.02	0.23	0.00
SD	*5.60*	*4.98*	*0.00*	*0.00*	*0.00*	*10.33*	*2.53*	*0.00*
Other station cumulative DOS, mean	1.17	0.66	0.80	0.00	0.24	1.65	0.23	0.82
SD	*8.68*	*6.16*	*3.36*	*0.00*	*1.70*	*11.21*	*2.53*	*6.53*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Entire Population	217760	8500	641	655	672	2153	3340	1039
Outpatient utilization								
(reported for those with some outpatient care)								
Patients with some outpatient care, %	99.1%	98.6%	100.0%	99.5%	97.2%	99.8%	98.3%	97.1%
annual visit days, mean	24.61	27.37	13.69	15.59	39.75	24.09	30.11	33.71
SD	*33.05*	*36.94*	*15.35*	*22.14*	*52.01*	*24.42*	*42.36*	*40.35*
Outpatient visit days, %								
1-12	44.2%	0.44	62.6%	63.2%	32.8%	41.5%	42.7%	39.6%
13-24	26.4%	0.23	22.8%	20.4%	26.0%	24.8%	23.9%	19.1%
25-36	11.9%	0.11	7.6%	8.0%	12.4%	12.2%	10.9%	10.1%
37-48	5.9%	0.06	3.6%	3.4%	6.4%	7.8%	5.8%	7.8%
49+	11.5%	0.15	3.4%	5.1%	22.4%	13.7%	16.6%	23.3%
Total	100.0%	1.00	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	79.4%	74.6%	87.8%	77.9%	80.9%	66.7%	84.5%	44.5%
Mean PC visit days, among those with some PC	3.84	3.67	3.74	2.85	4.77	3.37	3.84	3.05
SD	3.72	5.88	3.26	3.37	6.32	2.90	7.72	3.23
Average number clinic stops per visit day, mean	1.49	1.68	1.59	1.64	1.56	1.69	1.63	1.98
SD	*0.47*	*0.62*	*0.54*	*0.55*	*0.49*	*0.64*	*0.58*	*0.74*
annual clinic stops (psych & non-psych), mean	37.56	49.28	23.79	25.60	67.44	43.23	53.82	67.12
SD	*56.64*	*75.58*	*33.82*	41.55	*94.93*	*50.64*	*89.15*	*84.01*
annual non-psych. clinic stops, mean	20.14	21.80	15.76	17.73	24.30	22.44	23.70	19.10
SD	*25.25*	*30.71*	*18.92*	*32.38*	*27.68*	*27.67*	*35.66*	*24.85*
annual psych. clinic stops (groupings below), mean	17.42	27.48	8.03	7.87	43.14	20.79	30.12	48.01
SD	*43.44*	*59.52*	*20.16*	*15.48*	*85.60*	*39.23*	*67.85*	*69.73*
1. general psych. clinic stops, mean	7.22	11.53	4.35	6.49	17.64	8.26	10.27	26.46
SD	*13.49*	*22.62*	*6.68*	*13.31*	*29.43*	*13.22*	*20.08*	*39.31*
2. psych. case management clinic stops, mean	1.44	1.50	0.64	0.21	0.01	1.72	2.09	1.42
SD	*12.10*	*9.22*	*3.12*	*1.19*	*0.17*	*10.28*	*11.11*	*8.31*
3. psych. day treatment clinic stops, mean	2.80	4.94	1.20	0.00	0.17	6.67	7.42	1.83
SD	*21.66*	*27.40*	*8.48*	*0.00*	*3.89*	*26.17*	*37.39*	*10.13*
4. substance abuse clinic stops, mean	3.26	5.49	1.36	0.94	9.15	3.27	6.55	10.02
SD	*19.07*	*24.98*	*9.60*	*5.42*	*26.17*	*18.02*	*30.29*	*30.39*

Table 3F: FY03 Psychosis Patients, Utilization, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Entire Population	217760	8500	641	655	672	2153	3340	1039
5. psych. vocational clinic stops, mean	1.73	2.59	0.08	0.00	10.73	0.04	2.68	5.77
SD	*15.65*	*19.53*	*1.43*	*0.00*	*37.69*	*0.38*	*21.73*	*25.30*
6. PTSD clinic stops, mean	0.56	0.97	0.00	0.23	2.21	0.62	0.84	2.40
SD	*4.85*	*7.88*	*0.00*	*1.59*	*13.94*	*3.92*	*6.84*	*14.14*
7. psych. homeless clinic stops, mean	0.41	0.41	0.40	0.01	3.21	0.15	0.18	0.13
SD	*3.32*	*3.41*	*1.91*	*0.08*	*11.02*	*1.32*	*1.30*	*1.00*
Other VISN OP visit days, mean	0.36	0.46	0.24	0.25	1.87	0.29	0.35	0.50
SD	*2.35*	2.94	1.44	2.58	6.59	1.82	2.40	3.30
Other station OP visit days, mean	0.91	1.00	0.70	0.52	2.70	0.68	0.42	2.97
SD	*3.87*	*4.19*	*2.67*	*2.90*	*8.24*	*3.06*	2.63	*6.50*

Table 4F: FY03 Psychosis Patients, Pharmacy Utilization, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Entire Population	217760	8500	641	655	672	2153	3340	1039
Among all patients in the registry								
Pts. with any outpatient prescriptions, %	95.5%	94.5%	96.9%	97.1%	93.1%	93.8%	94.2%	94.6%
Patients with any oral antipsychotic fills, %*	59.2%	57.2%	51.8%	55.7%	58.2%	56.7%	58.9%	56.6%
Among patients receiving antipsychotics:								
Received only conventional antipsychotics, %	12.3%	10.2%	8.1%	10.7%	13.6%	9.7%	10.8%	8.2%
Received some atypical antipsychotics, %	87.7%	89.8%	91.9%	89.3%	86.4%	90.3%	89.2%	91.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %								
Aripiprazole	1.2%	1.1%	1.8%	0.0%	1.8%	0.7%	1.6%	0.0%
Clozapine	1.8%	2.8%	3.0%	3.3%	2.0%	2.7%	2.3%	4.4%
Olanzapine	35.8%	40.3%	54.2%	36.7%	22.0%	43.2%	36.7%	53.1%
Quetiapine	26.2%	26.7%	24.4%	25.8%	44.8%	24.4%	26.3%	22.6%
Risperidone	36.7%	32.2%	22.0%	40.5%	37.6%	28.8%	37.0%	19.9%
Ziprasidone	5.2%	5.3%	2.1%	4.4%	2.3%	6.5%	6.6%	2.9%
Patients receiving only one kind** of antipsychotic, %	73.8%	74.7%	79.5%	70.7%	65.2%	78.2%	72.3%	81.8%
Concurrent use of 2 or more antipsychotics, % ***	11.3%	12.9%	11.4%	20.0%	20.2%	9.3%	14.0%	8.3%
Among pts receiving just one antipsychotic:								
Antipsychotic fills, mean	7.06	7.75	7.58	6.87	5.76	8.75	7.27	8.80
SD	*5.06*	*5.37*	*5.18*	*4.95*	*4.21*	*5.44*	*5.24*	*5.90*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5F: FY03 Psychosis Patients, Cost, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Entire Population	217760	8500	641	655	672	2153	3340	1039
Total Costs (in thousands $$)	$3,237,460	$136,700	$7,171	$7,718	$14,184	$32,572	$57,763	$17,293
Station % of VISN		100.0%	5.2%	5.6%	10.4%	23.8%	42.3%	12.7%
Psych vs. Non-Psych Costs								
Psych	30.3%	28.5%	25.9%	23.1%	31.9%	27.8%	26.7%	36.4%
Non-Psych	69.7%	71.5%	74.1%	76.9%	68.1%	72.2%	73.3%	63.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use								
Per Patient	$18,395	$16,028	$16,363	$14,560	$20,524	$18,381	$13,817	$15,818
Per Day of Stay	$842	$1,187	$1,279	$1,385	$1,073	$1,441	$1,055	$1,094
Mean Outpatient Costs, Pts with some Outpatient use								
Per Patient	$6,757	$7,813	$5,915	$5,618	$9,029	$8,133	$8,286	$7,429
Per Visit Day	$275	$285	$432	$360	$227	$338	$275	$220
Mean Patient Costs, By Cost Center								
1 Med	$1,582	$1,432	$1,378	$1,470	$2,212	$1,935	$1,290	$347
2 Surg	$536	$558	$702	$541	$753	$1,030	$286	$246
3 Psych	$2,886	$2,235	$1,903	$1,635	$3,296	$1,850	$2,184	$3,091
4 Psych Res Rehab Treatment Program	$218	$171	$0	$1	$196	$8	$203	$599
5 Non-VA	$205	$252	$103	$191	$49	$244	$356	$194
6 LTC Domiciliary	$327	$462	$10	$0	$2,234	$11	$534	$586
7 LTC Intermediate Care	$167	$72	$8	$14	$17	$44	$128	$65
8 LTC Nursing Home	$1,785	$2,814	$765	$2,103	$3,497	$1,294	$3,806	$4,042
9 Contract Nursing Home	$467	$381	$404	$235	$78	$598	$365	$258
10 OPC Med/Surg	$1,071	$1,056	$785	$798	$1,412	$1,527	$919	$616
11 OPC Psych	$1,624	$2,349	$990	$1,092	$3,433	$2,363	$2,438	$2,964
12 OPC Home Based Treatment	$751	$690	$506	$387	$583	$709	$917	$297
13 OPC Support	$1,322	$1,315	$1,057	$995	$1,440	$1,428	$1,302	$1,402
14 OPC Fee	$148	$220	$374	$377	$295	$242	$159	$124
15 OPC Pharmacy	$1,778	$2,078	$2,203	$1,943	$1,612	$1,845	$2,407	$1,812
TOTAL	$14,867	$16,082	$11,188	$11,783	$21,107	$15,128	$17,294	$16,644
Mean % Patient Costs at Other Stations	3.9%	3.8%	3.6%	2.9%	7.9%	2.8%	1.7%	10.5%
SD	*12.8%*	*12.3%*	*12.0%*	*11.7%*	*17.6%*	*10.6%*	*8.3%*	*18.6%*
Mean % Patient Costs at Other VISNs	1.5%	1.6%	1.3%	0.5%	5.0%	1.4%	1.4%	1.3%
SD	*8.0%*	*8.2%*	*7.1%*	*3.7%*	*14.3%*	*7.5%*	*7.7%*	*7.9%*

Table 1G: FY03 Schizophrenic Patients, Demographics, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Schizophrenic Patients	94395	3481	200	241	297	891	1492	360
Age, %								
<35	3.9%	4.1%	6.5%	5.0%	2.7%	3.3%	4.4%	3.6%
>=35 and <50	32.5%	31.3%	34.5%	33.6%	26.6%	31.3%	32.1%	28.9%
>=50 and <65	44.6%	44.7%	42.5%	40.2%	43.4%	46.5%	44.4%	46.7%
>=65 and <80	15.7%	16.9%	13.0%	17.8%	22.6%	15.7%	17.0%	16.7%
>=80	3.3%	3.0%	3.5%	3.3%	4.7%	3.3%	2.1%	4.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	54.59	54.73	53.17	54.13	57.10	54.74	54.36	55.51
SD	*11.97*	*12.18*	*12.55*	*12.68*	*12.54*	*11.80*	*12.04*	*12.56*
Gender								
Male, %	94.6%	95.2%	93.5%	95.0%	96.0%	95.8%	94.8%	95.8%
Female, %	5.4%	4.8%	6.5%	5.0%	4.0%	4.2%	5.2%	4.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %								
Hispanic white	6.9%	0.7%	0.0%	0.8%	1.7%	0.3%	1.1%	0.0%
Hispanic black	0.6%	0.1%	0.0%	0.4%	0.0%	0.0%	0.1%	0.0%
American indian	0.3%	1.0%	2.0%	0.8%	4.7%	0.6%	0.3%	1.1%
Black	26.5%	7.4%	4.0%	0.8%	1.3%	6.7%	10.9%	5.3%
Asian	0.8%	0.1%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%
White	52.4%	76.0%	81.5%	82.6%	85.9%	64.0%	76.7%	86.7%
Race unknown	12.5%	14.9%	12.5%	14.5%	6.4%	28.2%	10.9%	6.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status								
Never married	42.4%	46.5%	55.5%	40.3%	43.9%	48.9%	43.8%	52.8%
Married	24.6%	18.7%	15.2%	23.5%	12.8%	18.9%	20.0%	15.8%
Divorced/Separated	29.5%	32.2%	28.3%	34.5%	39.2%	28.9%	33.4%	29.4%
Widowed	3.5%	2.7%	1.0%	1.7%	4.1%	3.3%	2.7%	1.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Schizophrenic Patients	94395	3481	200	241	297	891	1492	360
Registry Pts. History of VA Utilization								
Years since first use in prior five years, mean	4.6	4.65	4.44	4.67	4.75	4.65	4.64	4.74
SD	*1.0*	0.93	1.16	0.86	0.80	0.93	0.95	0.81
Yrs with 24-hour institutional use / yrs since 1st use, %	27.3%	28.5%	23.1%	23.8%	43.2%	21.4%	29.0%	37.5%
SD	*30.9%*	30.6%	27.0%	28.6%	35.7%	24.6%	30.7%	35.0%
Years with OP use / Years since first use, %	96.7%	96.1%	96.4%	98.6%	95.3%	98.0%	95.6%	92.5%
SD	*12.4%*	15.0%	11.2%	6.7%	18.5%	8.6%	16.0%	22.4%
Psychosis Diagnoses in Prior Fiscal Year								
Had Psychosis Diagnosis in FY01, %	82.2%	85.2%	82.0%	89.6%	88.6%	83.1%	84.6%	89.2%
Among Patients With Psychoses in FY01								
Psychosis Category: Schizophrenia, %	94.8%	95.2%	95.7%	96.8%	95.1%	95.8%	94.7%	94.7%
Psychosis Category: Bipolar Disorder, %	2.6%	2.6%	2.4%	1.4%	2.7%	2.2%	3.1%	2.5%
Psychosis Category: Other Psychosis, %	2.5%	2.2%	1.8%	1.9%	2.3%	2.0%	2.2%	2.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %								
Dementia	2.3%	1.7%	2.0%	2.5%	1.3%	1.8%	1.9%	0.6%
Post Traumatic Stress Disorder	11.9%	7.0%	4.5%	5.8%	10.4%	5.8%	6.6%	11.1%
Depression	25.7%	25.5%	21.5%	30.7%	27.9%	25.0%	24.3%	28.6%
Other Anxiety Disorder	8.7%	8.8%	6.5%	14.9%	11.1%	6.5%	9.4%	7.5%
Substance Abuse or Dependence	22.3%	24.2%	20.0%	18.3%	31.6%	22.9%	23.1%	31.7%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Schizophrenic Patients	94395	3481	200	241	297	891	1492	360
Medical Comorbidities, %								
No medical comorbidities	18.7%	19.9%	22.0%	23.7%	15.8%	23.1%	18.4%	18.1%
Anemia	7.1%	5.9%	4.0%	6.2%	8.4%	6.6%	4.9%	6.7%
Arthritis	29.7%	26.1%	19.0%	27.0%	36.4%	21.3%	27.7%	26.4%
Cancer	6.1%	5.5%	3.0%	7.5%	7.1%	5.6%	5.4%	4.7%
Cerebrovascular Disease	3.8%	3.2%	1.5%	5.4%	3.4%	3.1%	3.6%	1.4%
Chronic Neurologic Disorder	12.4%	15.5%	17.0%	12.9%	18.9%	18.9%	13.7%	12.5%
Chronic Obstructive Pulmonary Disease	16.5%	17.1%	14.5%	24.1%	23.2%	11.0%	19.0%	16.1%
Chronic Viral Infection	8.7%	4.5%	4.0%	1.7%	5.7%	4.4%	4.8%	5.0%
Coronary Artery Disease	14.6%	14.4%	10.5%	19.9%	17.2%	12.3%	14.4%	15.8%
Diabetes	20.3%	18.5%	14.5%	16.2%	13.5%	21.3%	18.9%	17.5%
Digestive System Disease	44.1%	46.0%	39.0%	42.3%	42.0%	54.8%	35.9%	46.1%
Hypertension	40.7%	33.8%	36.5%	33.2%	31.0%	27.0%	36.7%	39.2%
Injury and Poisoning	15.5%	14.3%	10.0%	10.4%	21.9%	13.7%	14.1%	15.6%
Liver Disease	3.2%	3.2%	2.0%	1.7%	4.0%	2.4%	3.2%	5.8%
Other Endocrine	6.9%	6.6%	7.5%	7.5%	9.4%	5.8%	6.2%	6.4%
Peripheral Vascular Disease	2.9%	3.1%	3.0%	5.0%	5.4%	2.8%	2.8%	2.2%
GAF scores								
Lowest inpatient GAF score, mean	36.19	34.81	28.00	33.04	45.17	42.82	30.29	40.47
SD	*14.35*	*13.34*	*18.80*	*13.07*	*11.42*	*24.11*	*9.24*	*9.34*
Mean outpatient GAF score	48.84	50.73	54.21	54.46	48.76	55.24	48.42	48.77
SD	*10.59*	*11.08*	*8.00*	*13.37*	*9.30*	*12.49*	*10.36*	*7.18*
At least 1 IP GAF, among pts with MH bedsections, %	38.5%	47.8%	24.1%	76.7%	42.6%	23.1%	61.9%	45.8%
At least 1 OP GAF, among pts with MH clinic stops, %	80.5%	83.1%	67.5%	66.4%	78.0%	75.4%	91.3%	93.0%
Mortality rates								
died in FY02, %	2.7%	3.3%	1.5%	4.1%	5.7%	2.2%	3.0%	5.3%
Age-and-gender-adjusted Standardized Mortality Ratio	1.68	1.99	0.00	0.00	0.00	0.00	0.00	0.00

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Schizophrenic Patients	94395	3481	200	241	297	891	1492	360
Service Connection (SC)								
Non-SC	40.8%	45.4%	49.0%	50.2%	52.5%	40.6%	48.1%	34.7%
SC 0 - 29%	6.8%	6.8%	8.0%	5.4%	6.7%	8.2%	6.4%	4.7%
SC 30 - 69%	8.8%	7.2%	8.0%	6.6%	6.1%	8.4%	7.0%	5.6%
SC 70 - 99%	6.6%	5.8%	3.0%	6.6%	2.7%	6.4%	6.4%	5.6%
SC 100%	37.0%	34.9%	32.0%	31.1%	32.0%	36.4%	32.1%	49.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %								
Complex*	22.5%	26.1%	12.0%	15.4%	40.4%	19.3%	26.9%	42.8%
Basic vested, Cat A*	74.7%	71.0%	82.5%	79.7%	57.6%	78.6%	70.2%	55.0%
Basic Non-vested, Cat A*	1.2%	0.9%	2.5%	1.7%	0.7%	0.7%	0.9%	0.6%
Basic, Cats C and N	1.7%	1.9%	3.0%	3.3%	1.3%	1.5%	2.0%	1.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded								
Patient eligibility category, %								
Cat A (SC or low income)	98.2%	97.8%	97.0%	96.7%	98.0%	98.5%	97.7%	98.1%
Cat C (NSC and higher income)	1.4%	1.9%	2.5%	3.3%	1.3%	1.1%	2.1%	1.9%
Non-Veteran	0.5%	0.3%	0.5%	0.0%	0.7%	0.3%	0.2%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %								
BASIC 1. Non-reliant Care	0.1%	0.0%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%
2. Basic Medical	15.2%	13.2%	24.0%	15.4%	9.8%	9.3%	14.4%	12.8%
3. Mental Health	40.5%	39.2%	42.0%	48.1%	30.6%	47.0%	36.6%	29.7%
4. Heart / Lung / GI	6.9%	5.7%	10.0%	7.1%	3.7%	5.5%	6.1%	2.5%
5. Oncology / Infectious Disease	4.3%	2.1%	2.5%	2.5%	3.7%	2.6%	1.8%	0.6%
6. Multiple Medical	20.7%	13.8%	9.0%	11.6%	11.8%	16.3%	14.1%	11.7%
COMPLEX 7. Specialized Care	2.2%	2.2%	4.5%	1.7%	2.4%	2.1%	2.4%	0.8%
8. Support Care	2.1%	2.4%	1.5%	0.8%	4.0%	2.9%	2.3%	2.2%
9. Chronic Mental	6.8%	17.3%	5.0%	8.7%	27.9%	13.2%	17.4%	30.6%
10. Critically Ill	1.1%	4.2%	1.0%	4.1%	6.1%	1.0%	4.9%	9.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2G: FY03 Schizophrenic Patients, Patient Characteristics, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Schizophrenic Patients	94395	3481	200	241	297	891	1492	360
Substance Dependence and Abuse								
Any dx of alcohol / drug dependence or abuse, %	22.3%	24.2%	20.0%	18.3%	31.6%	22.9%	23.1%	31.7%
Homelessness								
Homelessness indicated in FY02, %	12.0%	9.3%	16.5%	0.8%	30.3%	6.2%	7.9%	7.2%
Residence in Metropolitan Area								
Residing in a Metropolitan Statistical Area, %	81.5%	59.3%	52.5%	44.4%	25.9%	85.0%	53.6%	60.8%
Distance								
Mile from Closest VA Medical Center, mean	28.72	39.37	72.36	49.05	28.20	34.76	40.56	30.27
SD	*55.48*	*45.04*	*69.21*	*40.31*	*41.32*	*44.43*	*42.29*	*35.73*
Distance from closest VA Medical Center, %								
0 to 15 miles	52.9%	44.1%	30.0%	34.0%	45.8%	56.3%	39.3%	46.7%
15 to 30 miles	15.5%	13.8%	2.5%	3.3%	36.0%	12.8%	11.5%	20.8%
30 to 45 miles	9.7%	5.0%	4.0%	7.9%	2.4%	3.8%	5.6%	5.8%
45 to 60 miles	7.4%	11.2%	16.5%	14.9%	1.0%	4.2%	17.0%	7.2%
60 plus miles	14.4%	26.0%	47.0%	39.8%	14.8%	22.9%	26.5%	19.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	9.84	14.95	27.13	24.05	8.21	11.94	14.45	17.17
SD	*11.95*	*17.12*	*26.56*	*22.58*	*14.72*	*11.99*	*16.16*	*16.83*
Distance to closest VA Service Site, %								
0 to 15 miles	79.4%	64.0%	49.0%	48.1%	79.1%	73.8%	62.5%	52.5%
15 to 30 miles	13.6%	17.6%	7.5%	9.5%	14.8%	17.5%	18.8%	26.1%
30 to 45 miles	5.1%	11.4%	16.5%	19.1%	2.0%	6.2%	13.7%	15.0%
45 plus miles	1.9%	7.0%	27.0%	23.2%	4.0%	2.5%	5.0%	6.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Schizophrenic Patients	94395	3481	200	241	297	891	1492	360
Hospital Based Utilization								
Patients with some Hospital Based Utilization, %	27.0%	25.2%	19.0%	21.2%	26.3%	24.1%	27.3%	24.4%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)								
Inpatient stays, mean	1.85	1.81	2.08	1.55	1.87	1.71	1.75	2.34
SD	*1.45*	*1.47*	*2.27*	*0.81*	*1.30*	*1.12*	*1.27*	*2.60*
Average LOS, mean	17.65	8.24	6.44	6.68	12.05	7.65	8.10	8.56
SD	*42.51*	*9.75*	*5.84*	*5.16*	*18.14*	*7.30*	*7.68*	*14.55*
Cumulative DOS, mean	28.76	15.17	14.63	10.65	20.00	14.27	14.13	20.78
SD	*53.29*	*22.09*	*24.42*	*11.13*	*22.05*	*18.80*	*16.12*	*44.78*
Cumulative DOS, %								
1 to 7	35.1%	45.5%	52.6%	56.9%	29.5%	53.0%	42.3%	46.6%
8 to 14	20.7%	23.8%	21.1%	19.6%	23.1%	18.1%	27.3%	26.1%
15 to 44	29.0%	24.7%	21.1%	21.6%	37.2%	20.9%	26.8%	17.0%
45 to 89	9.0%	4.8%	2.6%	2.0%	9.0%	7.0%	3.2%	5.7%
90 to 179	3.4%	1.0%	2.6%	0.0%	1.3%	0.9%	0.5%	3.4%
180 to 359	1.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	1.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	1.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	3.8%	0.3%	0.0%	0.0%	1.3%	0.0%	0.0%	2.3%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	249.93	217.00	0.00	0.00	155.00	0.00	0.00	248.00
SD	*96.37*	*128.73*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*165.46*
Hospital patients who had a 150+ day hosp. stay, %	2.5%	0.2%	0.0%	0.0%	1.3%	0.0%	0.0%	1.1%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.78	260.00	0.00	0.00	155.00	0.00	0.00	365.00
SD	*75.28*	*148.49*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.65	1.29	0.45	0.00	3.77	0.57	1.27	2.00
SD	*4.66*	*7.75*	*1.75*	*0.00*	*11.34*	*5.87*	*7.19*	*12.47*
Cumulative DOS at Other Stations	2.06	1.79	1.16	1.37	5.21	0.75	1.31	4.03
SD	*8.11*	*8.32*	*3.85*	*4.67*	*13.06*	*6.05*	*7.19*	*13.25*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Schizophrenic Patients	94395	3481	200	241	297	891	1492	360
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)								
Pts. with non-psych hospital stays, %	11.8%	11.3%	6.5%	10.4%	11.8%	11.4%	12.7%	8.3%
Inpatient stays, mean	0.71	0.68	0.82	0.71	0.72	0.75	0.67	0.42
SD	*1.11*	*1.01*	*1.92*	*0.90*	*1.01*	*1.08*	*0.93*	*0.67*
Average LOS, mean	8.26	6.16	5.99	5.44	7.14	5.61	6.62	4.72
SD	*16.10*	*6.52*	*4.41*	*3.41*	*7.04*	*6.20*	*7.28*	*4.04*
Cumulative Days of Stay, mean	6.10	4.21	5.21	4.00	5.54	4.37	4.29	1.89
SD	*19.61*	*8.96*	*14.18*	*6.99*	*11.17*	*10.29*	*8.05*	*3.73*
Cumulative Days of Stay, %								
0	56.2%	55.1%	65.8%	51.0%	55.1%	52.6%	53.6%	65.9%
1 to 7	24.8%	26.6%	18.4%	27.5%	23.1%	29.8%	26.3%	26.1%
8 to 14	8.1%	10.6%	10.5%	17.6%	11.5%	7.9%	11.8%	6.8%
15 to 44	8.5%	6.8%	0.0%	3.9%	7.7%	8.8%	7.9%	1.1%
45 to 89	1.7%	0.8%	5.3%	0.0%	2.6%	0.5%	0.5%	0.0%
90 to 179	0.5%	0.1%	0.0%	0.0%	0.0%	0.5%	0.0%	0.0%
180 to 359	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	225.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*88.92*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	285.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*70.56*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.10*	*0.25*	*0.00*	*0.00*	*0.71*	*0.45*	*0.16*	*0.08*
SD	*1.58*	*3.42*	*0.00*	*0.00*	*5.24*	*5.78*	*1.51*	*0.53*
Other station cumulative DOS, mean	0.47	0.55	0.37	0.39	1.78	0.45	0.18	1.57
SD	*3.45*	*4.02*	*2.27*	*1.65*	*7.51*	*5.78*	*1.53*	*3.57*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Schizophrenic Patients	94395	3481	200	241	297	891	1492	360
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)								
Pts. with psych hospital stays, %	17.7%	16.4%	14.5%	12.4%	18.2%	15.0%	16.9%	20.0%
Inpatient stays, mean	1.14	1.14	1.26	0.84	1.15	0.96	1.08	1.92
SD	*1.37*	*1.42*	*1.25*	*0.90*	*1.19*	*1.02*	*1.32*	*2.52*
Average LOS, mean	23.15	9.60	7.55	7.61	14.76	9.28	9.12	9.63
SD	*51.08*	*11.31*	*7.69*	*6.04*	*21.18*	*8.72*	*8.09*	*16.00*
Cumulative Days of Stay, mean	22.66	10.97	9.42	6.65	14.46	9.90	9.84	18.90
SD	*51.43*	*21.37*	*13.62*	*11.05*	*21.25*	*17.14*	*16.15*	*44.90*
Cumulative Days of Stay, %								
0	34.4%	34.9%	23.7%	41.2%	30.8%	37.7%	38.1%	18.2%
1 to 7	17.5%	27.6%	36.8%	33.3%	15.4%	31.6%	24.1%	37.5%
8 to 14	14.7%	14.8%	18.4%	9.8%	17.9%	10.7%	16.0%	18.2%
15 to 44	21.2%	17.9%	18.4%	13.7%	32.1%	13.0%	18.7%	15.9%
45 to 89	6.9%	3.9%	2.6%	2.0%	2.6%	6.5%	2.7%	5.7%
90 to 179	2.8%	0.8%	0.0%	0.0%	1.3%	0.5%	0.5%	3.4%
180 to 359	1.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	1.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	1.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	3.4%	0.3%	0.0%	0.0%	1.3%	0.0%	0.0%	2.3%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	250.18	215.67	0.00	0.00	155.00	0.00	0.00	246.00
SD	*97.20*	*130.08*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*168.29*
Hosp. Pts. with a 150+ day psych hosp.stay, %	2.2%	0.2%	0.0%	0.0%	1.3%	0.0%	0.0%	1.1%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	300.10	260.00	0.00	0.00	155.00	0.00	0.00	365.00
SD	*76.47*	*148.49*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.55	1.03	0.45	0.00	3.06	0.13	1.11	1.92
SD	4.34	6.97	1.75	0.00	10.24	1.08	7.03	12.43
Other station cumulative DOS, mean	1.59	1.24	0.79	0.98	3.42	0.30	1.13	2.47
SD	7.30	7.24	3.21	4.46	10.41	1.87	7.03	13.01

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Schizophrenic Patients	94395	3481	200	241	297	891	1492	360
Other 24 hour institutional care								
Patients with some other 24 hour institutional care, %	8.0%	13.6%	3.0%	5.4%	26.9%	3.3%	16.6%	26.9%
Residential Rehabilitation								
Patients with some residential rehab. care, %	1.6%	1.7%	0.0%	0.0%	1.3%	0.1%	1.9%	7.5%
Number stays, mean	*1.12*	*1.13*	*0.00*	*0.00*	*1.25*	*1.00*	*1.11*	*1.15*
SD	*0.37*	*0.34*	*0.00*	*0.00*	*0.50*	*0.00*	*0.31*	*0.36*
Average LOS, mean	36.26	34.61	0.00	0.00	30.13	10.00	30.50	40.44
SD	*45.44*	*23.35*	*0.00*	*0.00*	*13.85*	*0.00*	*25.37*	*21.60*
Cumulative DOS, mean	39.67	37.72	0.00	0.00	35.00	10.00	33.43	43.59
SD	*48.06*	*23.66*	*0.00*	*0.00*	*12.19*	*0.00*	*26.84*	*20.47*
Cumulative Days of Stay, %								
1 to 7	14.0%	10.0%	0.0%	0.0%	0.0%	0.0%	14.3%	7.4%
8 to 14	14.7%	8.3%	0.0%	0.0%	0.0%	100.0%	10.7%	3.7%
15 to 44	46.4%	50.0%	0.0%	0.0%	75.0%	0.0%	53.6%	44.4%
45 to 89	13.8%	28.3%	0.0%	0.0%	25.0%	0.0%	17.9%	40.7%
90 to 179	8.9%	3.3%	0.0%	0.0%	0.0%	0.0%	3.6%	3.7%
180 to 359	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	6.2%	1.7%	0.0%	0.0%	0.0%	0.0%	3.6%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	180.59	134.00	0.00	0.00	0.00	0.00	134.00	0.00
SD	*80.43*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	2.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	246.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*77.24*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.84	1.72	0.00	0.00	22.00	0.00	0.54	0.00
SD	*5.37*	*8.17*	*0.00*	*0.00*	*25.73*	*0.00*	*2.65*	*0.00*
Other station cumulative DOS, mean	3.24	2.38	0.00	0.00	27.00	10.00	0.89	0.00
SD	*10.31*	*8.61*	*0.00*	*0.00*	*21.65*	*0.00*	*3.19*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Schizophrenic Patients	94395	3481	200	241	297	891	1492	360
Domiciliary and Vocational								
Patients with some dom/voc care, %	2.3%	4.9%	0.0%	0.0%	16.2%	0.3%	7.4%	3.1%
Number stays, mean	1.12	1.23	0.00	0.00	1.04	1.00	1.34	1.00
SD	*0.37*	*0.54*	*0.00*	*0.00*	*0.20*	*0.00*	*0.64*	*0.00*
Average LOS, mean	94.48	65.57	0.00	0.00	166.21	17.33	24.24	52.82
SD	*108.97*	*101.95*	*0.00*	*0.00*	*148.72*	*6.51*	*19.66*	*35.81*
Cumulative DOS, mean	100.96	70.80	0.00	0.00	167.90	17.33	31.68	52.82
SD	*111.44*	*101.48*	*0.00*	*0.00*	*147.54*	*6.51*	*29.04*	*35.81*
Cumulative Days of Stay, %								
1 to 7	7.9%	13.4%	0.0%	0.0%	0.0%	0.0%	20.0%	9.1%
8 to 14	6.7%	12.8%	0.0%	0.0%	6.3%	33.3%	16.4%	0.0%
15 to 44	31.5%	36.6%	0.0%	0.0%	27.1%	66.7%	40.0%	36.4%
45 to 89	17.3%	18.0%	0.0%	0.0%	14.6%	0.0%	18.2%	36.4%
90 to 179	17.7%	8.1%	0.0%	0.0%	12.5%	0.0%	5.5%	18.2%
180 to 359	9.4%	1.7%	0.0%	0.0%	6.3%	0.0%	0.0%	0.0%
360+	9.5%	9.3%	0.0%	0.0%	33.3%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.0%	15.7%	0.0%	0.0%	50.0%	0.0%	0.9%	18.2%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	234.98	273.00	0.00	0.00	293.25	0.00	101.00	116.00
SD	*102.95*	*115.52*	*0.00*	*0.00*	*105.96*	*0.00*	*0.00*	*2.83*
Dom. patients with 150+ day Dom. stay, %	20.9%	11.0%	0.0%	0.0%	39.6%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	291.61	339.68	0.00	0.00	339.68	0.00	0.00	0.00
SD	*80.75*	*58.26*	*0.00*	*0.00*	*58.26*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.18	0.89	0.00	0.00	0.15	0.00	1.33	0.00
SD	*7.65*	*8.12*	*0.00*	*0.00*	*1.01*	*0.00*	*10.12*	*0.00*
Other station cumulative DOS, mean	3.16	1.19	0.00	0.00	0.15	17.33	1.33	0.00
SD	*12.59*	*8.43*	*0.00*	*0.00*	*1.01*	*6.51*	*10.12*	*0.00*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Schizophrenic Patients	94395	3481	200	241	297	891	1492	360
Nursing Home Care								
Patients with some nursing home care, %	4.7%	8.1%	3.0%	5.4%	10.4%	2.8%	9.7%	17.5%
Number stays, mean	1.20	1.19	1.33	1.08	1.35	1.12	1.16	1.22
SD	*0.56*	*0.46*	*0.52*	*0.28*	*0.71*	*0.44*	*0.39*	*0.49*
Average LOS, mean	143.54	148.56	56.42	102.77	169.00	23.58	157.36	186.10
SD	*137.46*	*143.44*	*87.22*	*83.27*	*168.06*	*16.97*	*135.71*	*160.31*
Cumulative DOS, mean	156.00	158.99	62.50	107.46	175.00	26.72	169.81	198.54
SD	*139.76*	*143.18*	*84.59*	*82.44*	*163.00*	*22.49*	*136.58*	*156.43*
Cumulative Days of Stay, %								
1 to 7	6.8%	7.4%	0.0%	7.7%	9.7%	12.0%	4.8%	11.1%
8 to 14	6.5%	4.6%	16.7%	7.7%	6.5%	16.0%	2.1%	3.2%
15 to 44	20.5%	25.1%	66.7%	15.4%	29.0%	60.0%	19.3%	20.6%
45 to 89	14.1%	10.2%	0.0%	7.7%	3.2%	8.0%	16.6%	1.6%
90 to 179	15.1%	14.8%	0.0%	46.2%	9.7%	4.0%	17.9%	9.5%
180 to 359	14.7%	12.7%	16.7%	15.4%	3.2%	0.0%	15.9%	14.3%
360+	22.5%	25.1%	0.0%	0.0%	38.7%	0.0%	23.4%	39.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	48.0%	48.4%	16.7%	46.2%	48.4%	0.0%	53.8%	58.7%
Cumul. DOS, patients with a 100+ day NH stay, mean	282.12	287.66	233.00	174.83	330.53	0.00	275.26	316.19
SD	*94.85*	*95.38*	*0.00*	*63.34*	*78.40*	*0.00*	*97.60*	*83.11*
NH patients with 150+ day NH stay, %	39.8%	39.6%	16.7%	23.1%	45.2%	0.0%	42.8%	50.8%
Cumul. DOS, patients with a 150+ day NH stay, mean	312.43	322.21	233.00	220.67	345.93	0.00	312.42	343.09
SD	*72.26*	*66.70*	*0.00*	*58.18*	*52.83*	*0.00*	*71.71*	*47.68*
Other VISN cumulative DOS, mean	0.44	0.08	0.00	0.00	0.00	0.00	0.17	0.00
SD	*5.99*	*1.43*	*0.00*	*0.00*	*0.00*	*0.00*	*1.99*	*0.00*
Other station cumulative DOS, mean	1.19	0.53	0.00	0.00	0.00	1.64	0.17	1.35
SD	*9.07*	*5.00*	*0.00*	*0.00*	*0.00*	*7.79*	*1.99*	*8.90*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Schizophrenic Patients	94395	3481	200	241	297	891	1492	360
Outpatient utilization								
(reported for those with some outpatient care)								
Patients with some outpatient care, %	98.3%	97.4%	100.0%	99.2%	94.6%	99.8%	96.8%	93.3%
annual visit days, mean	27.64	30.05	11.98	17.68	39.15	24.21	34.74	37.33
SD	*38.39*	*41.97*	*12.17*	*25.15*	*51.79*	*25.49*	*49.41*	*46.76*
Outpatient visit days, %								
1-12	42.6%	43.1%	65.0%	59.4%	33.5%	44.1%	39.8%	38.1%
13-24	25.7%	22.4%	22.0%	21.3%	24.2%	22.7%	22.9%	18.8%
25-36	11.8%	11.0%	9.0%	7.9%	12.1%	9.4%	12.2%	12.2%
37-48	5.9%	6.1%	2.5%	3.3%	7.1%	8.0%	5.7%	6.0%
49+	14.0%	17.5%	1.5%	7.9%	23.1%	15.7%	19.5%	25.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	74.5%	69.4%	83.0%	70.7%	73.3%	57.7%	82.7%	30.7%
Mean PC visit days, among those with some PC	3.73	3.58	3.04	2.60	4.90	3.04	3.90	2.39
SD	3.83	8.30	2.40	2.73	6.68	2.71	11.02	2.63
Average number clinic stops per visit day, mean	1.45	1.60	1.52	1.56	1.49	1.64	1.56	1.82
SD	*0.45*	*0.58*	*0.46*	*0.55*	*0.44*	*0.68*	*0.53*	*0.63*
annual clinic stops (psych & non-psych), mean	41.32	51.63	18.46	27.99	61.04	43.08	59.75	68.02
SD	*65.29*	*82.75*	*21.26*	*45.24*	*83.68*	*53.03*	*101.68*	*88.41*
annual non-psych. clinic stops, mean	19.07	19.76	10.60	17.06	23.14	16.75	23.03	18.22
SD	*26.86*	*33.74*	*11.83*	*30.89*	*32.08*	*21.96*	*42.63*	*25.44*
annual psych. clinic stops (groupings below), mean	22.25	31.87	7.86	10.93	37.90	26.33	36.72	49.79
SD	*50.83*	*63.73*	*13.41*	*18.25*	*74.24*	*42.48*	*75.90*	*73.05*
1. general psych. clinic stops, mean	9.04	14.07	5.61	9.58	19.07	10.78	12.70	32.65
SD	*15.89*	*24.83*	*8.36*	*16.00*	*28.83*	*16.20*	*22.23*	*45.10*
2. psych. case management clinic stops, mean	2.76	2.60	0.98	0.36	0.01	3.70	3.02	2.58
SD	*16.59*	*12.22*	*3.69*	*1.57*	*0.18*	*14.92*	*13.34*	*11.31*
3. psych. day treatment clinic stops, mean	4.94	7.20	0.17	0.00	0.40	9.18	10.36	3.38
SD	*29.07*	*33.92*	*2.26*	*0.00*	*5.93*	*29.60*	*45.47*	*14.21*
4. substance abuse clinic stops, mean	2.71	4.25	0.46	0.85	4.65	2.25	6.68	3.41
SD	*17.49*	*23.90*	*3.87*	*5.39*	*16.98*	*16.38*	*32.17*	*16.85*

Table 3G: FY03 Schizophrenic Patients, Utilization, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Schizophrenic Patients	94395	3481	200	241	297	891	1492	360
5. psych. vocational clinic stops, mean	2.11	2.88	0.17	0.00	10.02	0.03	3.11	7.13
SD	*18.38*	*22.97*	*2.40*	*0.00*	*42.13*	*0.24*	*25.31*	*31.61*
6. PTSD clinic stops, mean	0.37	0.55	0.00	0.14	2.15	0.20	0.60	0.56
SD	*3.86*	*5.81*	*0.00*	*1.21*	*14.08*	*2.04*	*5.62*	*5.05*
7. psych. homeless clinic stops, mean	0.39	0.30	0.48	0.00	1.59	0.20	0.18	0.09
SD	*2.98*	*2.44*	*2.25*	*0.06*	*7.05*	*1.69*	*1.19*	*0.68*
Other VISN OP visit days, mean	0.30	0.40	0.23	0.03	1.56	0.26	0.32	0.46
SD	2.12	2.80	1.59	0.24	6.20	1.90	2.34	3.32
Other station OP visit days, mean	0.82	0.77	0.55	0.27	2.39	0.48	0.41	2.26
SD	3.70	3.92	2.37	0.95	8.57	2.53	2.78	5.84

Table 4G: FY03 Schizophrenic Patients, Pharmacy Utilization, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Schizophrenic Patients	94395	3481	200	241	297	891	1492	360
Among all patients in the registry								
Pts. with any outpatient prescriptions, %	94.9%	92.8%	94.0%	96.7%	91.9%	92.9%	92.8%	89.6%
Patients with any oral antipsychotic fills, %*	78.7%	78.5%	81.0%	81.7%	76.8%	79.5%	77.5%	78.3%
Among pts. receiving any antipsychotic medication:								
Received only conventional antipsychotics, %	15.4%	12.0%	6.2%	11.7%	16.7%	11.3%	12.8%	10.6%
Received some atypical antipsychotics, %	84.6%	88.0%	93.8%	88.3%	83.3%	88.7%	87.2%	89.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %								
Aripiprazole	1.5%	1.4%	1.9%	0.0%	2.2%	1.3%	1.9%	0.0%
Clozapine	3.1%	4.6%	5.6%	5.6%	3.5%	4.2%	3.8%	8.5%
Olanzapine	35.7%	40.3%	56.8%	36.0%	24.6%	43.6%	36.4%	54.3%
Quetiapine	21.7%	22.6%	22.2%	21.8%	34.2%	22.6%	22.4%	15.2%
Risperidone	36.8%	33.7%	23.5%	42.6%	43.4%	28.1%	38.3%	20.2%
Ziprasidone	5.9%	6.7%	1.2%	6.1%	2.6%	8.3%	8.0%	3.9%
Patients receiving only one kind** of antipsychotic, %	70.8%	69.6%	77.2%	64.5%	57.0%	74.0%	67.7%	75.5%
Concurrent use of 2 or more antipsychotics, % ***	15.6%	18.8%	18.5%	27.9%	28.9%	13.1%	20.0%	14.2%
Among pts receiving just one antipsychotic:								
Antipsychotic fills, mean	8.10	9.03	8.79	8.21	6.53	10.19	8.34	10.89
SD	*5.37*	*5.79*	*5.39*	*5.33*	*4.52*	*5.62*	5.75	*6.46*
Antipsychotic Medication Possession Ratio, mean	0.83	0.90	0.84	0.96	0.92	0.86	0.92	0.89
SD	*0.33*	*0.31*	*0.30*	*0.25*	*0.36*	*0.31*	*0.33*	*0.27*
Antipsychotic Med Possession Ratio <= 0.80, %	37.1%	26.3%	28.6%	18.7%	29.5%	29.3%	25.1%	25.3%
Antipsychotic Med Possession Ratio <= 0.50, %	18.0%	12.0%	14.3%	6.5%	13.4%	14.2%	11.1%	10.6%

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 4G: FY03 Schizophrenic Patients, Cost, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Schizophrenic Patients	94395	3481	200	241	297	891	1492	360
Total Costs (in thousands $$)	$1,637,013	$63,052	$2,001	$2,935	$6,873	$12,203	$30,986	$8,054
Station % of VISN		100.0%	3.2%	4.7%	10.9%	19.4%	49.1%	12.8%
Psych vs. Non-Psych Costs								
Psych	34.5%	29.0%	29.7%	27.9%	28.1%	36.6%	25.9%	30.6%
Non-Psych	65.5%	71.0%	70.3%	72.1%	71.9%	63.4%	74.1%	69.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use								
Per Patient	$21,945	$16,755	$17,787	$16,285	$22,194	$17,691	$14,388	$20,418
Per Day of Stay	$763	$1,104	$1,216	$1,529	$1,110	$1,240	$1,018	$982
Mean Outpatient Costs, Pts with some Outpatient use								
Per Patient	$7,323	$8,282	$6,000	$6,085	$9,024	$7,978	$9,138	$7,711
Per Visit Day	$265	$276	$501	$344	$231	$330	$263	$207
By Cost Center								
1 Med	$1,399	$1,180	$942	$984	$1,781	$1,441	$1,159	$389
2 Surg	$470	$379	$448	$448	$665	$495	$230	$389
3 Psych	$4,062	$2,662	$1,989	$2,015	$3,382	$2,333	$2,535	$4,213
4 Psych Res Rehab Treatment Program	$217	$138	$0	$0	$135	$1	$191	$429
5 Non-VA	$230	$256	$105	$131	$76	$277	$296	$358
6 LTC Domiciliary	$302	$377	$0	$0	$2,071	$7	$427	$147
7 LTC Intermediate Care	$166	$60	$0	$0	$16	$6	$122	$49
8 LTC Nursing Home	$2,633	$4,461	$312	$2,345	$6,365	$520	$6,365	$8,472
9 Contract Nursing Home	$664	$537	$211	$221	$111	$658	$598	$729
10 OPC Med/Surg	$930	$786	$455	$652	$1,382	$960	$726	$391
11 OPC Psych	$1,916	$2,597	$985	$1,383	$3,127	$2,680	$2,845	$2,641
12 OPC Home Based Treatment	$933	$840	$393	$317	$510	$918	$1,127	$332
13 OPC Support	$1,243	$1,141	$788	$969	$1,298	$1,012	$1,221	$1,316
14 OPC Fee	$130	$202	$624	$221	$208	$222	$144	$146
15 OPC Pharmacy	$2,047	$2,495	$2,756	$2,492	$2,013	$2,169	$2,782	$2,372
TOTAL	$17,342	$18,113	$10,007	$12,178	$23,140	$13,696	$20,768	$22,372
Mean % Patient Costs at Other Stations	3.6%	2.9%	3.6%	2.4%	6.3%	1.9%	1.7%	7.7%
SD	*12.4%*	*11.2%*	*13.0%*	*10.8%*	*16.8%*	*8.3%*	*8.7%*	*17.0%*
Mean % Patient Costs at Other VISNs	1.3%	1.4%	1.7%	0.1%	4.2%	1.0%	1.5%	0.7%
SD	*7.5%*	*8.1%*	*9.3%*	*1.1%*	*13.2%*	*6.4%*	*8.4%*	*5.9%*

Table 1H: FY03 Bipolar Patients, Demographics, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Bipolar Patients	73964	3238	238	224	241	663	1348	524
Age, %								
<35	7.9%	6.5%	5.0%	5.8%	7.1%	6.5%	7.3%	4.8%
>=35 and <50	36.3%	35.4%	27.3%	35.3%	40.2%	33.2%	35.5%	39.3%
>=50 and <65	40.3%	40.8%	45.8%	43.3%	42.3%	39.4%	39.5%	42.2%
>=65 and <80	13.3%	15.4%	18.5%	14.7%	9.6%	18.6%	15.4%	13.0%
>=80	2.2%	1.9%	3.4%	0.9%	0.8%	2.4%	2.3%	0.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	52.26	53.07	55.38	52.63	50.70	54.17	52.85	52.44
SD	*12.50*	*12.38*	*12.32*	*11.60*	*11.48*	*12.99*	*12.75*	*11.08*
Gender								
Male, %	88.2%	90.3%	91.6%	88.8%	85.9%	89.1%	90.2%	94.1%
Female, %	11.8%	9.7%	8.4%	11.2%	14.1%	10.9%	9.8%	5.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %								
Hispanic white	2.8%	0.5%	0.0%	0.4%	1.2%	0.5%	0.5%	0.2%
Hispanic black	0.3%	0.1%	0.0%	0.4%	0.0%	0.0%	0.1%	0.0%
American indian	0.3%	0.7%	0.0%	0.4%	5.0%	0.6%	0.1%	1.0%
Black	10.4%	3.8%	4.6%	0.0%	1.2%	3.9%	2.4%	9.4%
Asian	0.2%	0.1%	0.0%	0.4%	0.0%	0.2%	0.1%	0.0%
White	62.5%	71.9%	82.8%	76.3%	78.0%	60.0%	73.7%	72.5%
Race unknown	23.5%	23.0%	12.6%	21.9%	14.5%	34.8%	23.0%	17.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status								
Never married	21.0%	18.1%	21.2%	11.6%	15.0%	21.5%	16.3%	21.1%
Married	37.7%	39.8%	41.5%	48.2%	32.6%	39.4%	41.5%	34.9%
Divorced/Separated	37.9%	38.9%	33.5%	37.1%	50.2%	34.9%	39.5%	40.6%
Widowed	3.4%	3.2%	3.8%	3.1%	2.1%	4.2%	2.7%	3.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Bipolar Patients	73964	3238	238	224	241	663	1348	524
Registry Pts. History of VA Utilization								
Years since first use in prior five years, mean	4.2	4.31	4.35	4.37	4.51	4.35	4.24	4.33
SD	*1.3*	1.23	1.15	1.18	1.12	1.18	1.28	1.27
Yrs with 24-hour institutional use / yrs since 1st use, %	25.1%	27.3%	28.9%	23.5%	38.9%	21.8%	25.2%	34.8%
SD	*29.2%*	29.1%	29.7%	25.8%	34.1%	25.6%	27.7%	32.0%
Years with OP use / Years since first use, %	96.7%	97.1%	97.9%	97.6%	96.0%	97.7%	97.2%	95.7%
SD	*10.5%*	10.5%	8.5%	9.0%	13.6%	9.5%	10.2%	12.3%
Psychosis Diagnoses in Prior Fiscal Year								
Had Psychosis Diagnosis in FY01, %	65.0%	71.1%	76.9%	80.8%	65.6%	73.2%	69.3%	68.7%
Among Patients With Psychoses in FY01								
Psychosis Category: Schizophrenia, %	3.8%	2.5%	4.4%	2.8%	2.5%	3.9%	1.7%	1.7%
Psychosis Category: Bipolar Disorder, %	94.8%	96.8%	95.1%	96.7%	96.2%	95.1%	97.6%	98.1%
Psychosis Category: Other Psychosis, %	1.4%	0.7%	0.5%	0.6%	1.3%	1.0%	0.6%	0.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %								
Dementia	1.7%	1.4%	1.7%	1.8%	0.4%	1.4%	1.7%	0.8%
Post Traumatic Stress Disorder	21.3%	16.6%	11.3%	16.1%	18.7%	13.1%	13.6%	30.2%
Depression	44.5%	40.3%	37.0%	36.2%	42.7%	39.1%	40.6%	43.3%
Other Anxiety Disorder	16.3%	16.7%	16.8%	19.6%	22.0%	12.8%	14.8%	22.7%
Substance Abuse or Dependence	29.8%	36.1%	26.9%	25.4%	45.6%	32.0%	30.9%	59.4%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Bipolar Patients	73964	3238	238	224	241	663	1348	524
Medical Comorbidities, %								
No medical comorbidities	15.4%	15.2%	12.2%	18.3%	10.8%	20.4%	15.7%	9.4%
Anemia	5.6%	4.6%	6.7%	4.9%	5.0%	6.5%	3.4%	3.8%
Arthritis	42.4%	41.2%	33.6%	37.5%	52.7%	35.9%	39.5%	51.9%
Cancer	6.2%	6.3%	5.0%	8.0%	6.2%	7.8%	5.8%	5.5%
Cerebrovascular Disease	3.8%	3.2%	2.9%	3.6%	2.5%	4.2%	3.6%	0.8%
Chronic Neurologic Disorder	14.8%	15.9%	18.9%	15.6%	16.6%	14.9%	16.5%	14.3%
Chronic Obstructive Pulmonary Disease	16.0%	17.2%	20.2%	19.6%	22.8%	11.3%	16.7%	20.8%
Chronic Viral Infection	9.6%	7.4%	5.5%	4.5%	18.7%	6.2%	5.9%	9.4%
Coronary Artery Disease	16.8%	16.9%	21.4%	23.2%	21.2%	14.6%	15.1%	17.6%
Diabetes	17.4%	16.9%	16.0%	18.3%	14.1%	18.3%	18.3%	12.8%
Digestive System Disease	43.2%	45.2%	45.0%	42.0%	54.8%	35.9%	46.1%	51.5%
Hypertension	38.5%	36.4%	42.4%	33.0%	33.6%	32.4%	39.5%	33.6%
Injury and Poisoning	19.9%	20.0%	16.8%	14.7%	27.0%	20.2%	20.2%	19.8%
Liver Disease	3.8%	3.6%	2.1%	4.5%	4.1%	3.3%	3.0%	5.7%
Other Endocrine	10.0%	10.7%	16.0%	13.4%	13.3%	7.5%	10.5%	10.3%
Peripheral Vascular Disease	3.0%	3.6%	4.6%	4.5%	3.3%	2.9%	3.3%	4.4%
GAF scores								
Lowest inpatient GAF score, mean	39.59	39.93	19.29	37.80	48.10	46.04	35.17	43.35
SD	*14.06*	*12.33*	*20.00*	*9.94*	*9.31*	*22.43*	*9.86*	*9.49*
Mean outpatient GAF score	53.41	55.16	59.97	58.96	54.14	59.93	53.47	51.91
SD	*10.75*	*10.82*	*7.27*	*12.79*	*10.99*	*11.18*	*10.66*	*8.28*
At least 1 IP GAF, among pts with MH bedsections, %	39.1%	51.3%	15.9%	73.7%	70.5%	20.9%	59.5%	58.3%
At least 1 OP GAF, among pts with MH clinic stops, %	81.5%	83.4%	72.6%	65.9%	80.3%	75.6%	91.6%	86.7%
Mortality rates								
died in FY02, %	1.5%	1.6%	0.8%	0.4%	2.5%	2.1%	1.6%	1.3%
Age-and-gender-adjusted Standardized Mortality Ratio	1.07	1.08	0.00	0.00	0.00	0.00	0.00	0.00

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Bipolar Patients	73964	3238	238	224	241	663	1348	524
Service Connection (SC)								
Non-SC	55.9%	53.8%	53.8%	58.9%	56.4%	48.3%	56.5%	50.6%
SC 0 - 29%	10.0%	10.2%	10.1%	8.9%	12.9%	9.5%	10.1%	10.7%
SC 30 - 69%	13.4%	13.5%	10.5%	13.4%	10.4%	17.9%	13.3%	11.3%
SC 70 - 99%	8.9%	9.5%	7.6%	6.3%	7.5%	10.7%	9.6%	11.3%
SC 100%	11.8%	12.9%	18.1%	12.5%	12.9%	13.6%	10.5%	16.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %								
Complex*	12.2%	17.0%	13.0%	6.7%	28.2%	12.2%	15.7%	27.3%
Basic vested, Cat A*	80.3%	74.5%	78.2%	76.8%	63.9%	79.6%	75.5%	67.7%
Basic Non-vested, Cat A*	0.9%	0.5%	0.8%	0.0%	0.0%	0.6%	0.6%	0.6%
Basic, Cats C and N	6.6%	8.0%	8.0%	16.5%	7.9%	7.5%	8.2%	4.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded								
Patient eligibility category, %								
Cat A (SC or low income)	93.2%	91.9%	92.0%	83.0%	92.1%	92.3%	91.7%	95.6%
Cat C (NSC and higher income)	5.9%	7.1%	8.0%	16.1%	2.9%	6.6%	7.9%	3.4%
Non-Veteran	0.9%	1.0%	0.0%	0.9%	5.0%	1.1%	0.4%	1.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %								
BASIC 1. Non-reliant Care	0.1%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%
2. Basic Medical	15.2%	16.2%	21.0%	14.7%	13.3%	13.1%	17.8%	15.6%
3. Mental Health	40.5%	38.0%	33.2%	51.3%	29.5%	43.3%	40.0%	26.7%
4. Heart / Lung / GI	6.9%	7.0%	15.1%	9.4%	8.7%	5.0%	6.8%	4.6%
5. Oncology / Infectious Disease	4.3%	2.9%	2.1%	3.1%	2.9%	3.0%	2.5%	4.0%
6. Multiple Medical	20.7%	18.9%	15.5%	14.7%	17.0%	23.4%	17.1%	21.8%
COMPLEX 7. Specialized Care	2.2%	3.0%	4.6%	0.9%	3.3%	3.0%	1.9%	6.1%
8. Support Care	2.1%	2.1%	1.3%	1.8%	5.8%	2.1%	0.7%	4.6%
9. Chronic Mental	6.8%	9.9%	6.3%	2.7%	16.2%	5.1%	11.0%	15.3%
10. Critically Ill	1.1%	1.9%	0.8%	1.3%	2.9%	2.0%	2.2%	1.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2H: FY03 Bipolar Patients, Patient Characteristics, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Bipolar Patients	73964	3238	238	224	241	663	1348	524
Substance Dependence and Abuse								
Any dx of alcohol / drug dependence or abuse, %	29.8%	36.1%	26.9%	25.4%	45.6%	32.0%	30.9%	59.4%
Homelessness								
Homelessness indicated in FY02, %	13.8%	11.2%	16.0%	2.7%	30.7%	6.3%	9.6%	13.9%
Residence in Metropolitan Area								
Residing in a Metropolitan Statistical Area, %	79.3%	55.7%	51.7%	42.6%	24.9%	80.5%	51.9%	55.5%
Distance								
Mile from Closest VA Medical Center, mean	34.15	45.44	73.21	52.11	31.79	41.09	46.82	38.20
SD	*73.16*	*49.22*	*75.35*	*40.45*	*45.53*	*47.39*	*47.67*	*39.24*
Distance from closest VA Medical Center, %								
0 to 15 miles	46.2%	39.3%	35.7%	29.6%	42.3%	48.0%	36.2%	40.5%
15 to 30 miles	17.2%	12.4%	2.1%	5.8%	34.4%	15.1%	10.3%	11.6%
30 to 45 miles	10.6%	6.4%	5.5%	7.2%	2.5%	5.0%	6.3%	10.1%
45 to 60 miles	8.5%	12.4%	10.5%	11.2%	6.2%	4.5%	17.6%	13.4%
60 plus miles	17.4%	29.5%	46.2%	46.2%	14.5%	27.3%	29.6%	24.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.09	17.44	27.92	26.95	9.71	13.24	16.95	18.72
SD	*13.59*	*18.71*	*27.56*	*24.49*	*15.94*	*12.66*	*17.32*	*18.28*
Distance to closest VA Service Site, %								
0 to 15 miles	76.3%	59.1%	49.6%	43.0%	76.8%	68.3%	58.7%	51.3%
15 to 30 miles	15.4%	18.1%	9.7%	12.1%	14.5%	21.6%	18.0%	21.8%
30 to 45 miles	5.7%	13.8%	14.3%	16.1%	3.3%	6.9%	16.4%	19.7%
45 plus miles	2.7%	9.0%	26.5%	28.7%	5.4%	3.2%	6.9%	7.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3H: FY03 Bipolar Patients, Utilization, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Bipolar Patients	73964	3238	238	224	241	663	1348	524
Hospital Based Utilization								
Patients with some Hospital Based Utilization, %	25.4%	25.0%	30.3%	27.7%	30.3%	22.6%	24.6%	23.5%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)								
Inpatient stays, mean	1.80	1.77	1.79	1.53	1.75	1.75	1.63	2.33
SD	*1.41*	*1.38*	*1.15*	*1.13*	*1.12*	*1.78*	*0.98*	*1.89*
Average LOS, mean	9.79	7.05	6.76	5.97	12.70	6.80	6.95	4.99
SD	*17.76*	*8.62*	*7.05*	*4.93*	*16.59*	*7.51*	*6.98*	*8.05*
Cumulative DOS, mean	17.09	12.50	13.33	9.21	21.16	12.46	11.47	11.36
SD	*27.94*	*16.64*	*20.19*	*10.03*	*26.42*	*17.37*	*13.15*	*15.76*
Cumulative DOS, %								
1 to 7	44.7%	54.7%	52.8%	56.5%	37.0%	59.3%	55.6%	57.7%
8 to 14	21.9%	20.0%	20.8%	25.8%	19.2%	14.7%	19.6%	24.4%
15 to 44	25.9%	20.3%	20.8%	16.1%	30.1%	20.0%	21.8%	13.0%
45 to 89	5.3%	4.3%	4.2%	1.6%	11.0%	6.0%	2.7%	4.1%
90 to 179	1.5%	0.6%	1.4%	0.0%	2.7%	0.0%	0.3%	0.8%
180 to 359	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	1.0%	0.2%	0.0%	0.0%	2.7%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	203.75	128.00	0.00	0.00	128.00	0.00	0.00	0.00
SD	*79.71*	*36.77*	*0.00*	*0.00*	*36.77*	*0.00*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	251.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*73.28*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.67	1.36	0.90	0.23	8.15	0.55	0.43	1.65
SD	*4.53*	*8.12*	*5.90*	*1.14*	*21.77*	*3.11*	*2.44*	*8.78*
Cumulative DOS at Other Stations	1.97	2.00	1.63	1.82	9.07	0.94	0.53	3.37
SD	*7.12*	*8.58*	*7.05*	*5.32*	*21.67*	*3.36*	*2.61*	*9.86*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Bipolar Patients	73964	3238	238	224	241	663	1348	524
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)								
Pts. with non-psych hospital stays, %	11.7%	11.4%	16.4%	13.8%	16.6%	11.6%	11.4%	5.3%
Inpatient stays, mean	0.72	0.68	0.79	0.65	0.81	0.87	0.67	0.33
SD	*1.10*	*0.97*	*1.01*	*0.83*	*0.97*	*1.21*	*0.90*	*0.73*
Average LOS, mean	6.20	4.81	5.21	4.37	5.03	4.73	5.02	3.56
SD	*10.70*	*5.09*	*5.00*	*3.42*	*4.43*	*5.52*	*5.60*	*3.32*
Cumulative Days of Stay, mean	4.64	3.57	4.42	3.34	4.22	4.77	3.63	1.19
SD	*13.49*	*8.72*	*8.92*	*7.75*	*8.44*	*11.26*	*8.84*	*3.53*
Cumulative Days of Stay, %								
0	54.1%	54.6%	45.8%	50.0%	45.2%	48.7%	53.8%	77.2%
1 to 7	30.1%	31.9%	34.7%	38.7%	35.6%	36.0%	32.6%	17.9%
8 to 14	7.4%	7.2%	9.7%	8.1%	13.7%	6.0%	7.3%	2.4%
15 to 44	7.0%	5.3%	8.3%	1.6%	4.1%	7.3%	5.7%	2.4%
45 to 89	1.1%	0.9%	1.4%	1.6%	1.4%	2.0%	0.3%	0.0%
90 to 179	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	187.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*73.96*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.99*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.15*	*0.26*	*0.65*	*0.05*	*0.92*	*0.31*	*0.12*	*0.05*
SD	*2.03*	*2.43*	*5.54*	*0.38*	*4.28*	*2.41*	*1.00*	*0.40*
Other station cumulative DOS, mean	0.50	0.55	1.18	0.27	1.53	0.31	0.17	1.02
SD	*3.25*	*3.06*	*6.24*	*0.85*	*5.13*	*2.41*	*1.14*	*3.37*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Bipolar Patients	73964	3238	238	224	241	663	1348	524
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)								
Pts. with psych hospital stays, %	16.8%	16.4%	18.5%	17.0%	18.3%	13.0%	15.6%	20.6%
Inpatient stays, mean	1.08	1.10	1.00	0.89	0.95	0.88	0.95	2.00
SD	*1.27*	*1.40*	*1.11*	*1.04*	*1.08*	*1.70*	*1.03*	*1.90*
Average LOS, mean	12.15	8.48	8.08	7.34	18.48	8.79	8.22	5.25
SD	*21.36*	*9.95*	*8.46*	*6.09*	*19.38*	*8.94*	*7.44*	*8.53*
Cumulative Days of Stay, mean	12.44	8.93	8.92	5.87	16.95	7.69	7.83	10.17
SD	*25.57*	*15.55*	*18.83*	*7.50*	*26.92*	*14.83*	*11.85*	*15.62*
Cumulative Days of Stay, %								
0	34.1%	34.6%	38.9%	38.7%	39.7%	42.7%	36.6%	12.2%
1 to 7	24.8%	33.5%	29.2%	29.0%	12.3%	32.7%	34.1%	50.4%
8 to 14	16.7%	13.7%	18.1%	17.7%	11.0%	7.3%	12.4%	22.0%
15 to 44	19.0%	14.5%	11.1%	14.5%	24.7%	14.0%	14.5%	11.4%
45 to 89	3.7%	3.1%	1.4%	0.0%	9.6%	3.3%	2.4%	3.3%
90 to 179	1.2%	0.5%	1.4%	0.0%	2.7%	0.0%	0.0%	0.8%
180 to 359	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.8%	0.2%	0.0%	0.0%	2.7%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	201.69	128.00	0.00	0.00	128.00	0.00	0.00	0.00
SD	*78.85*	*36.77*	*0.00*	*0.00*	*36.77*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	248.87	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*70.96*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.52	1.10	0.25	0.18	7.23	0.24	0.31	1.60
SD	4.00	7.63	2.12	1.08	21.09	2.02	2.17	8.78
Other station cumulative DOS, mean	1.48	1.46	0.44	1.55	7.53	0.63	0.36	2.35
SD	6.29	7.95	3.42	5.18	21.03	2.43	2.28	9.45

Table 3H: FY03 Bipolar Patients, Utilization, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Bipolar Patients	73964	3238	238	224	241	663	1348	524
Other 24 hour institutional care								
Patients with some other 24 hour institutional care, %	8.1%	14.7%	5.5%	2.7%	27.8%	5.1%	13.9%	32.1%
Residential Rehabilitation								
Patients with some residential rehab. care, %	2.6%	3.4%	0.0%	0.4%	4.6%	0.5%	2.4%	11.6%
Number stays, mean	*1.12*	*1.06*	*0.00*	*1.00*	*1.09*	*1.00*	*1.09*	*1.05*
SD	*0.38*	*0.28*	*0.00*	*0.00*	*0.30*	*0.00*	*0.38*	*0.22*
Average LOS, mean	33.17	41.00	0.00	1.00	35.45	7.33	33.33	48.46
SD	*32.92*	*28.92*	*0.00*	*0.00*	*24.30*	*10.97*	*36.75*	*22.47*
Cumulative DOS, mean	36.42	42.20	0.00	1.00	36.36	7.33	35.00	49.54
SD	*35.54*	*28.77*	*0.00*	*0.00*	*23.43*	*10.97*	*36.90*	*22.12*
Cumulative Days of Stay, %								
1 to 7	10.4%	7.3%	0.0%	100.0%	9.1%	66.7%	9.1%	1.6%
8 to 14	11.3%	6.4%	0.0%	0.0%	0.0%	0.0%	6.1%	8.2%
15 to 44	53.1%	48.6%	0.0%	0.0%	72.7%	33.3%	66.7%	36.1%
45 to 89	18.3%	36.7%	0.0%	0.0%	18.2%	0.0%	15.2%	54.1%
90 to 179	5.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	1.0%	0.9%	0.0%	0.0%	0.0%	0.0%	3.0%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.3%	0.9%	0.0%	0.0%	0.0%	0.0%	3.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	167.40	225.00	0.00	0.00	0.00	0.00	225.00	0.00
SD	*69.53*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.9%	0.0%	0.0%	0.0%	0.0%	3.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	224.60	225.00	0.00	0.00	0.00	0.00	225.00	0.00
SD	*70.59*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.28	2.94	0.00	1.00	26.09	0.00	0.73	0.15
SD	*6.79*	*12.37*	*0.00*	*0.00*	*30.53*	*0.00*	*4.18*	*1.15*
Other station cumulative DOS, mean	3.71	3.39	0.00	1.00	28.45	7.33	0.73	0.15
SD	*10.96*	*12.65*	*0.00*	*0.00*	*29.27*	*10.97*	*4.18*	*1.15*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Bipolar Patients	73964	3238	238	224	241	663	1348	524
Domiciliary and Vocational								
Patients with some dom/voc care, %	4.2%	8.6%	0.4%	0.4%	24.9%	0.8%	8.8%	18.1%
Number stays, mean	1.14	1.20	1.00	1.00	1.17	1.00	1.30	1.12
SD	*0.38*	*0.50*	*0.00*	*0.00*	*0.42*	*0.00*	*0.64*	*0.32*
Average LOS, mean	80.47	57.69	73.00	1.00	113.64	25.40	34.87	52.85
SD	*77.50*	*58.34*	*0.00*	*0.00*	*85.35*	*27.84*	*31.63*	*38.53*
Cumulative DOS, mean	88.84	66.14	73.00	1.00	127.32	25.40	43.16	58.81
SD	*82.55*	*63.62*	*0.00*	*0.00*	*89.29*	*27.84*	*39.22*	*42.67*
Cumulative Days of Stay, %								
1 to 7	6.1%	11.4%	0.0%	100.0%	5.0%	40.0%	15.3%	8.4%
8 to 14	5.6%	7.5%	0.0%	0.0%	1.7%	0.0%	11.9%	6.3%
15 to 44	28.2%	31.1%	0.0%	0.0%	13.3%	40.0%	39.0%	32.6%
45 to 89	21.0%	21.4%	100.0%	0.0%	20.0%	20.0%	21.2%	22.1%
90 to 179	26.2%	22.5%	0.0%	0.0%	33.3%	0.0%	12.7%	29.5%
180 to 359	10.5%	5.7%	0.0%	0.0%	25.0%	0.0%	0.0%	1.1%
360+	2.4%	0.4%	0.0%	0.0%	1.7%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	32.1%	21.1%	0.0%	0.0%	51.7%	0.0%	6.8%	21.1%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	184.30	161.31	0.00	0.00	193.58	0.00	137.63	120.75
SD	*76.03*	*64.01*	*0.00*	*0.00*	*70.87*	*0.00*	*28.41*	*24.76*
Dom. patients with 150+ day Dom. stay, %	16.5%	7.9%	0.0%	0.0%	31.7%	0.0%	1.7%	1.1%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	236.94	224.14	0.00	0.00	231.26	0.00	163.50	210.00
SD	*71.03*	*59.88*	*0.00*	*0.00*	*60.77*	*0.00*	*17.68*	*0.00*
Other VISN cumulative DOS, mean	1.76	1.19	0.00	0.00	2.23	0.80	0.75	1.13
SD	*9.43*	*8.25*	*0.00*	*0.00*	*14.00*	*1.79*	*5.86*	*5.94*
Other station cumulative DOS, mean	4.27	2.28	73.00	1.00	3.62	25.40	0.78	1.34
SD	*15.65*	*11.50*	*0.00*	*0.00*	*17.45*	*27.84*	*5.87*	*6.24*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Bipolar Patients	73964	3238	238	224	241	663	1348	524
Nursing Home Care								
Patients with some nursing home care, %	2.1%	3.9%	5.0%	2.2%	2.5%	4.1%	3.5%	5.5%
Number stays, mean	1.22	1.20	1.08	1.20	1.00	1.15	1.15	1.41
SD	*0.55*	*0.51*	*0.29*	*0.45*	*0.00*	*0.46*	*0.47*	*0.68*
Average LOS, mean	86.89	67.27	39.79	36.60	130.00	35.27	100.72	46.54
SD	*110.58*	*99.53*	*48.63*	*21.08*	*145.22*	*48.32*	*119.28*	*96.33*
Cumulative DOS, mean	98.25	76.00	40.92	45.80	130.00	39.26	110.26	63.24
SD	*116.77*	*106.05*	*48.12*	*32.92*	*145.22*	*49.52*	*124.30*	*113.83*
Cumulative Days of Stay, %								
1 to 7	10.5%	17.5%	25.0%	0.0%	0.0%	14.8%	4.3%	44.8%
8 to 14	10.7%	11.9%	16.7%	20.0%	0.0%	22.2%	6.4%	10.3%
15 to 44	30.2%	33.3%	33.3%	40.0%	50.0%	37.0%	36.2%	20.7%
45 to 89	16.4%	14.3%	8.3%	20.0%	16.7%	18.5%	19.1%	3.4%
90 to 179	12.3%	9.5%	16.7%	20.0%	0.0%	3.7%	12.8%	6.9%
180 to 359	10.2%	6.3%	0.0%	0.0%	16.7%	3.7%	8.5%	6.9%
360+	9.8%	7.1%	0.0%	0.0%	16.7%	0.0%	12.8%	6.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	27.9%	19.0%	16.7%	0.0%	33.3%	3.7%	29.8%	17.2%
Cumul. DOS, patients with a 100+ day NH stay, mean	261.88	269.88	133.00	0.00	312.50	244.00	276.57	294.00
SD	*97.21*	*98.29*	*39.60*	*0.00*	*72.83*	*0.00*	*103.71*	*86.86*
NH patients with 150+ day NH stay, %	22.1%	15.9%	8.3%	0.0%	33.3%	3.7%	23.4%	17.2%
Cumul. DOS, patients with a 150+ day NH stay, mean	296.07	296.50	161.00	0.00	312.50	244.00	311.82	294.00
SD	*76.98*	*82.82*	*0.00*	*0.00*	*72.83*	*0.00*	*84.02*	*86.86*
Other VISN cumulative DOS, mean	0.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*5.60*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other station cumulative DOS, mean	1.51	0.28	0.75	0.00	0.00	0.37	0.00	0.55
SD	*9.89*	*1.70*	*1.86*	*0.00*	*0.00*	*1.57*	*0.00*	*2.97*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Bipolar Patients	73964	3238	238	224	241	663	1348	524
Outpatient utilization								
(reported for those with some outpatient care)								
Patients with some outpatient care, %	99.6%	99.5%	100.0%	100.0%	98.8%	99.7%	99.4%	99.2%
annual visit days, mean	24.20	27.47	17.03	16.68	45.93	22.31	28.12	33.32
SD	*30.37*	*35.58*	*19.80*	*21.25*	*57.63*	*20.83*	*37.87*	*37.26*
Outpatient visit days, %								
1-12	43.1%	44.0%	58.4%	58.9%	30.3%	41.6%	44.8%	38.5%
13-24	26.8%	23.1%	21.0%	21.9%	25.6%	26.2%	23.5%	18.7%
25-36	12.4%	10.6%	9.2%	9.4%	10.9%	14.2%	9.6%	9.8%
37-48	6.4%	6.8%	4.6%	5.4%	7.1%	7.0%	6.4%	9.0%
49+	11.4%	15.4%	6.7%	4.5%	26.1%	11.0%	15.7%	24.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	80.8%	75.5%	85.3%	79.0%	84.5%	70.5%	85.4%	46.3%
Mean PC visit days, among those with some PC	3.83	3.56	4.07	2.92	4.14	3.28	3.68	3.09
SD	3.42	3.26	3.32	2.40	4.45	2.58	3.37	3.04
Average number clinic stops per visit day, mean	1.50	1.75	1.67	1.67	1.63	1.74	1.66	2.14
SD	*0.46*	*0.65*	*0.61*	*0.51*	*0.50*	*0.63*	*0.60*	*0.80*
annual clinic stops (psych & non-psych), mean	37.58	52.28	32.08	27.74	83.75	41.43	52.33	71.35
SD	*53.68*	*77.66*	*47.11*	*42.45*	*112.80*	*49.50*	*83.64*	*85.10*
annual non-psych. clinic stops, mean	19.81	21.21	18.71	18.47	23.72	20.31	22.92	19.15
SD	*22.87*	*25.89*	*21.58*	*32.90*	*21.00*	*23.09*	*27.88*	*23.99*
annual psych. clinic stops (groupings below), mean	17.77	31.06	13.37	9.27	60.03	21.12	29.41	52.20
SD	*40.95*	*63.03*	*29.48*	*16.34*	*101.93*	*39.49*	*65.77*	*70.27*
1. general psych. clinic stops, mean	7.61	12.23	5.63	7.34	20.21	8.33	9.73	25.08
SD	*12.69*	*22.83*	*6.74*	*14.28*	*30.50*	*10.70*	*19.71*	*35.92*
2. psych. case management clinic stops, mean	0.65	1.08	0.84	0.14	0.02	0.62	1.76	0.89
SD	*8.45*	*7.63*	*3.75*	*0.99*	*0.20*	*5.95*	*10.13*	*6.46*
3. psych. day treatment clinic stops, mean	1.57	4.24	3.00	0.00	0.01	6.10	6.19	1.19
SD	*15.80*	*24.76*	*13.53*	*0.00*	*0.09*	*25.55*	*32.86*	*7.85*
4. substance abuse clinic stops, mean	4.64	8.27	3.22	1.29	16.45	4.76	7.55	16.13
SD	*21.97*	*29.10*	*15.18*	*6.18*	*35.03*	*20.19*	*30.88*	*38.10*

Table 3H: FY03 Bipolar Patients, Utilization, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Bipolar Patients	73964	3238	238	224	241	663	1348	524
5. psych. vocational clinic stops, mean	1.91	3.09	0.06	0.00	15.00	0.06	2.73	5.12
SD	*15.13*	*19.03*	*0.79*	*0.00*	*39.43*	*0.59*	*19.75*	*21.02*
6. PTSD clinic stops, mean	0.80	1.46	0.00	0.48	2.34	0.96	1.13	3.62
SD	*5.71*	*9.57*	*0.00*	*2.36*	*12.98*	*4.70*	*7.97*	*17.04*
7. psych. homeless clinic stops, mean	0.54	0.62	0.62	0.01	5.99	0.11	0.18	0.18
SD	*3.97*	*4.58*	*2.24*	*0.12*	*15.27*	*0.84*	*1.28*	*1.24*
Other VISN OP visit days, mean	0.48	0.54	0.33	0.37	2.66	0.29	0.34	0.58
SD	2.80	3.26	1.69	2.44	8.00	1.63	2.35	3.57
Other station OP visit days, mean	1.14	1.32	1.11	0.77	3.58	0.88	0.39	3.57
SD	4.45	4.76	3.57	2.84	9.03	3.61	2.41	7.25

Table 4H: FY03 Bipolar Patients, Pharmacy Utilization, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Bipolar Patients	73964	3238	238	224	241	663	1348	524
Among all patients in the registry								
Pts. with any outpatient prescriptions, %	96.9%	96.9%	98.7%	98.2%	94.6%	96.4%	96.7%	97.5%
Patients with any oral antipsychotic fills, %*	46.0%	44.2%	43.7%	49.1%	51.5%	41.8%	43.7%	43.5%
Among pts. receiving any antipsychotic medication:								
Received only conventional antipsychotics, %	7.6%	7.6%	7.7%	8.2%	8.9%	7.2%	7.8%	6.6%
Received some atypical antipsychotics, %	92.4%	92.4%	92.3%	91.8%	91.1%	92.8%	92.2%	93.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %								
Aripiprazole	0.9%	0.9%	2.9%	0.0%	1.6%	0.0%	1.4%	0.0%
Clozapine	0.2%	0.3%	1.0%	0.9%	0.0%	0.4%	0.2%	0.0%
Olanzapine	40.7%	45.0%	65.4%	45.5%	20.2%	50.2%	40.6%	53.9%
Quetiapine	34.1%	34.1%	23.1%	33.6%	62.9%	27.4%	33.8%	32.5%
Risperidone	31.0%	24.5%	12.5%	30.9%	26.6%	22.7%	29.9%	14.0%
Ziprasidone	4.7%	3.6%	1.9%	2.7%	2.4%	5.1%	4.6%	1.3%
Patients receiving only one kind** of antipsychotic, %	77.4%	81.1%	80.8%	77.3%	75.0%	83.0%	79.6%	87.7%
Concurrent use of 2 or more antipsychotics, % ***	5.5%	5.3%	2.9%	11.8%	8.9%	5.1%	4.8%	3.1%
Among pts receiving just one antipsychotic:								
Antipsychotic fills, mean	6.09	6.63	7.37	6.32	5.25	7.28	6.33	7.06
SD	*4.43*	*4.49*	*5.04*	*4.32*	*3.82*	*4.74*	4.30	*4.56*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5H: FY03 Bipolar Patients, Cost, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Bipolar Patients	73964	3238	238	224	241	663	1348	524
Total Costs (in thousands $$)	$907,650	$44,491	$3,007	$2,275	$4,795	$8,929	$18,318	$7,167
Station % of VISN		100.0%	6.8%	5.1%	10.8%	20.1%	41.2%	16.1%
Psych vs. Non-Psych Costs								
Psych	33.4%	35.9%	35.3%	34.6%	42.0%	33.1%	32.3%	45.3%
Non-Psych	66.6%	64.1%	64.7%	65.4%	58.0%	66.9%	67.7%	54.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use								
Per Patient	$15,075	$14,487	$16,302	$12,422	$18,969	$18,503	$12,082	$13,377
Per Day of Stay	$882	$1,159	$1,223	$1,349	$896	$1,485	$1,054	$1,178
Mean Outpatient Costs, Pts with some Outpatient use								
Per Patient	$6,520	$7,668	$6,572	$5,782	$9,879	$7,829	$7,723	$7,623
Per Visit Day	$269	$279	$386	$347	$215	$351	$275	$229
By Cost Center								
1 Med	$1,060	$921	$1,357	$894	$1,348	$1,477	$771	$219
2 Surg	$459	$457	$720	$412	$621	$882	$294	$160
3 Psych	$2,315	$2,251	$2,855	$2,132	$3,776	$1,827	$1,901	$2,761
4 Psych Res Rehab Treatment Program	$298	$240	$0	$3	$301	$4	$238	$723
5 Non-VA	$176	$215	$143	$140	$24	$185	$323	$127
6 LTC Domiciliary	$455	$679	$28	$1	$2,920	$16	$701	$1,016
7 LTC Intermediate Care	$96	$52	$21	$0	$5	$99	$67	$10
8 LTC Nursing Home	$778	$1,112	$386	$437	$1,143	$887	$1,468	$1,086
9 Contract Nursing Home	$142	$187	$551	$355	$0	$286	$148	$12
10 OPC Med/Surg	$1,111	$1,058	$874	$831	$1,326	$1,559	$941	$783
11 OPC Psych	$1,781	$2,685	$1,601	$1,379	$4,576	$2,629	$2,492	$3,433
12 OPC Home Based Treatment	$532	$563	$511	$380	$566	$404	$802	$248
13 OPC Support	$1,309	$1,312	$1,247	$1,125	$1,659	$1,314	$1,232	$1,464
14 OPC Fee	$115	$149	$230	$177	$253	$166	$122	$103
15 OPC Pharmacy	$1,645	$1,861	$2,109	$1,890	$1,377	$1,732	$2,089	$1,535
TOTAL	$12,272	$13,740	$12,634	$10,157	$19,894	$13,468	$13,589	$13,678
Mean % Patient Costs at Other Stations	4.8%	4.9%	5.4%	4.7%	10.5%	4.0%	1.5%	11.8%
SD	*13.9%*	*13.7%*	*13.7%*	*14.6%*	*19.2%*	*12.9%*	*7.8%*	*18.8%*
Mean % Patient Costs at Other VISNs	2.0%	1.8%	1.3%	1.0%	7.1%	1.7%	1.2%	1.9%
SD	*9.0%*	*8.7%*	*6.1%*	*5.9%*	*16.6%*	*8.2%*	*6.8%*	*9.3%*

Table 2I: FY03 Other Psychosis Patients, Demographics, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Other Psychosis Patients	49401	1781	203	190	134	599	500	155
Age, %								
<35	2.2%	2.8%	2.0%	2.6%	3.7%	2.3%	3.6%	2.6%
>=35 and <50	12.5%	14.3%	6.9%	8.9%	8.2%	15.0%	16.6%	25.8%
>=50 and <65	22.1%	20.7%	14.8%	16.3%	19.4%	21.0%	23.2%	25.2%
>=65 and <80	36.7%	37.0%	47.3%	41.1%	41.8%	37.2%	34.2%	22.6%
>=80	26.5%	25.2%	29.1%	31.1%	26.9%	24.4%	22.4%	23.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
mean age	68.22	67.39	72.07	70.58	68.75	67.21	65.40	63.30
SD	*15.13*	*15.69*	*13.51*	*15.08*	*15.12*	*15.40*	*15.93*	*17.66*
Gender								
Male, %	96.0%	95.8%	98.0%	95.8%	94.0%	95.2%	95.8%	97.4%
Female, %	4.0%	4.2%	2.0%	4.2%	6.0%	4.8%	4.2%	2.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Race / Ethnicity, %								
Hispanic white	3.9%	0.4%	0.5%	0.0%	1.5%	0.3%	0.4%	0.6%
Hispanic black	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
American indian	0.2%	0.9%	0.0%	0.5%	9.0%	0.2%	0.2%	0.6%
Black	15.5%	5.6%	9.4%	0.0%	0.7%	5.7%	5.8%	11.0%
Asian	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
White	48.2%	58.7%	62.1%	47.9%	67.9%	52.3%	66.2%	60.0%
Race unknown	31.5%	34.4%	28.1%	51.6%	20.9%	41.6%	27.4%	27.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Marital Status								
Never married	13.4%	15.7%	13.0%	10.6%	12.9%	17.8%	15.1%	21.3%
Married	52.0%	50.9%	61.0%	67.2%	40.9%	47.5%	48.9%	46.5%
Divorced/Separated	22.5%	22.7%	16.5%	12.2%	26.5%	24.4%	25.6%	25.2%
Widowed	12.0%	10.7%	9.5%	10.1%	19.7%	10.3%	10.4%	7.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Other Psychosis Patients	49401	1781	203	190	134	599	500	155
Registry Pts. History of VA Utilization								
Years since first use in prior five years, mean	4.0	4.05	3.74	3.83	4.40	4.13	4.09	3.98
SD	*1.4*	1.37	1.56	1.33	1.16	1.31	1.37	1.42
Yrs with 24-hour institutional use / yrs since 1st use, %	24.1%	26.7%	26.1%	18.5%	34.6%	26.9%	25.7%	32.1%
SD	*27.8%*	28.2%	29.4%	26.3%	32.0%	27.5%	27.1%	29.3%
Years with OP use / Years since first use, %	96.9%	97.7%	98.6%	98.5%	95.8%	98.3%	97.2%	97.2%
SD	*10.4%*	8.8%	6.1%	5.9%	12.3%	7.7%	9.6%	10.9%
Psychosis Diagnoses in Prior Fiscal Year								
Had Psychosis Diagnosis in FY01, %	33.8%	32.8%	3.0%	4.7%	4.8%	11.3%	9.3%	16.2%
Among Patients With Psychoses in FY01								
Psychosis Category: Schizophrenia, %	9.4%	9.2%	3.0%	4.7%	4.8%	11.3%	9.3%	16.2%
Psychosis Category: Bipolar Disorder, %	3.8%	2.2%	4.5%	0.0%	0.0%	1.0%	3.3%	4.4%
Psychosis Category: Other Psychosis, %	86.9%	88.5%	92.4%	95.3%	95.2%	87.6%	87.3%	79.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Psychiatric Comorbidities, %								
Dementia	20.6%	17.9%	17.7%	15.8%	16.4%	17.2%	21.2%	14.2%
Post Traumatic Stress Disorder	13.4%	9.9%	6.4%	6.3%	10.4%	10.9%	9.4%	16.8%
Depression	37.7%	40.5%	36.5%	37.9%	33.6%	42.4%	39.0%	52.3%
Other Anxiety Disorder	12.0%	12.4%	9.9%	14.2%	14.2%	12.5%	10.8%	16.1%
Substance Abuse or Dependence	15.7%	18.2%	11.3%	8.4%	23.1%	18.7%	18.6%	32.3%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Other Psychosis Patients	49401	1781	203	190	134	599	500	155
Medical Comorbidities, %								
No medical comorbidities	8.3%	9.4%	7.4%	8.9%	3.7%	13.2%	8.2%	6.5%
Anemia	14.2%	14.1%	11.3%	12.1%	14.9%	16.4%	15.4%	7.1%
Arthritis	39.1%	38.6%	34.5%	37.4%	50.0%	39.1%	37.6%	37.4%
Cancer	14.0%	15.1%	17.2%	20.5%	11.9%	16.0%	13.4%	10.3%
Cerebrovascular Disease	16.4%	16.3%	15.3%	14.2%	18.7%	16.2%	17.8%	13.5%
Chronic Neurologic Disorder	20.8%	22.6%	20.7%	18.9%	17.9%	21.4%	27.2%	23.2%
Chronic Obstructive Pulmonary Disease	17.9%	20.6%	18.2%	30.5%	35.1%	15.0%	21.6%	17.4%
Chronic Viral Infection	5.9%	4.5%	1.5%	3.2%	3.7%	4.7%	5.8%	6.5%
Coronary Artery Disease	33.0%	33.8%	36.0%	44.7%	35.8%	32.7%	32.0%	25.8%
Diabetes	23.4%	22.6%	15.8%	24.2%	23.9%	22.4%	24.6%	23.2%
Digestive System Disease	42.9%	45.0%	43.3%	42.1%	52.2%	43.4%	46.0%	47.1%
Hypertension	54.9%	50.7%	57.6%	54.2%	44.0%	48.6%	51.4%	49.0%
Injury and Poisoning	19.4%	19.5%	8.9%	18.9%	26.1%	21.9%	20.4%	16.8%
Liver Disease	3.8%	4.5%	5.4%	5.3%	2.2%	3.7%	5.6%	3.9%
Other Endocrine	9.5%	9.5%	9.9%	12.6%	10.4%	8.3%	10.2%	7.1%
Peripheral Vascular Disease	7.8%	9.7%	9.4%	17.9%	8.2%	8.5%	9.6%	6.5%
GAF scores								
Lowest inpatient GAF score, mean	37.71	37.32	18.00	31.33	43.88	45.27	30.85	43.63
SD	*14.78*	*15.57*	*24.04*	*11.02*	*13.19*	*22.08*	*10.51*	*9.64*
Mean outpatient GAF score	48.43	50.72	49.61	59.23	45.74	54.36	47.53	49.76
SD	*11.56*	*12.26*	*14.22*	*11.20*	*10.47*	*12.33*	*12.04*	*7.42*
At least 1 IP GAF, among pts with MH bedsections, %	36.3%	45.8%	6.7%	60.0%	36.4%	36.8%	61.1%	47.4%
At least 1 OP GAF, among pts with MH clinic stops, %	74.8%	71.0%	67.1%	52.2%	69.9%	62.9%	82.7%	84.6%
Mortality rates								
died in FY02, %	6.2%	7.4%	8.9%	9.5%	11.2%	4.2%	9.2%	6.5%
Age-and-gender-adjusted Standardized Mortality Ratio	1.21	1.48	0.00	0.00	0.00	0.00	0.00	0.00

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Other Psychosis Patients	49401	1781	203	190	134	599	500	155
Service Connection (SC)								
Non-SC	63.3%	64.0%	69.0%	72.1%	70.9%	57.9%	65.6%	59.4%
SC 0 - 29%	10.4%	9.9%	9.4%	10.5%	10.4%	10.9%	8.6%	10.3%
SC 30 - 69%	10.8%	10.1%	8.4%	7.9%	6.7%	10.9%	11.2%	11.0%
SC 70 - 99%	6.4%	6.3%	6.4%	2.1%	6.0%	8.0%	6.4%	4.5%
SC 100%	9.1%	9.8%	6.9%	7.4%	6.0%	12.4%	8.2%	14.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA Patient Class, %								
Complex*	15.0%	18.7%	9.9%	12.1%	24.6%	18.7%	20.4%	27.7%
Basic vested, Cat A*	74.8%	66.5%	68.5%	57.9%	61.2%	68.9%	68.8%	62.6%
Basic Non-vested, Cat A*	0.8%	0.6%	0.5%	0.0%	0.0%	1.2%	0.2%	0.6%
Basic, Cats C and N	9.4%	14.2%	21.2%	30.0%	14.2%	11.2%	10.6%	9.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded								
Patient eligibility category, %								
Cat A (SC or low income)	90.1%	85.2%	78.8%	69.5%	85.8%	88.0%	89.0%	89.0%
Cat C (NSC and higher income)	9.4%	14.3%	20.7%	30.5%	11.9%	11.7%	10.4%	11.0%
Non-Veteran	0.6%	0.5%	0.5%	0.0%	2.2%	0.3%	0.6%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
VERA 10 Price Groups, %								
BASIC 1. Non-reliant Care	0.1%	0.2%	0.0%	0.0%	0.7%	0.2%	0.2%	0.0%
2. Basic Medical	25.3%	23.1%	31.0%	28.4%	23.1%	17.7%	24.4%	23.2%
3. Mental Health	25.6%	25.3%	31.0%	30.0%	21.6%	26.4%	21.8%	21.9%
4. Heart / Lung / GI	12.5%	11.3%	16.3%	15.8%	15.7%	7.7%	11.8%	8.4%
5. Oncology / Infectious Disease	3.8%	3.0%	1.5%	4.2%	1.5%	2.8%	3.0%	5.2%
6. Multiple Medical	17.6%	18.4%	10.3%	9.5%	12.7%	26.5%	18.4%	13.5%
COMPLEX 7. Specialized Care	4.7%	5.6%	4.9%	1.6%	6.7%	6.0%	6.8%	4.5%
8. Support Care	4.8%	4.4%	3.0%	2.6%	7.5%	5.5%	3.4%	4.5%
9. Chronic Mental	2.2%	2.9%	0.0%	0.0%	3.7%	1.3%	5.0%	8.4%
10. Critically Ill	3.3%	5.9%	2.0%	7.9%	6.7%	5.8%	5.2%	10.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 2I: FY03 Other Psychosis Patients, Patient Characteristics, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Other Psychosis Patients	49401	1781	203	190	134	599	500	155
Substance Dependence and Abuse								
Any dx of alcohol / drug dependence or abuse, %	15.7%	18.2%	11.3%	8.4%	23.1%	18.7%	18.6%	32.3%
Homelessness								
Homelessness indicated in FY02, %	7.1%	5.8%	2.0%	1.1%	13.4%	4.3%	7.4%	11.0%
Residence in Metropolitan Area								
Residing in a Metropolitan Statistical Area, %	76.7%	54.7%	40.9%	33.7%	23.1%	76.5%	48.0%	63.9%
Distance								
Mile from Closest VA Medical Center, mean	35.80	45.83	79.77	60.65	37.65	33.21	48.25	31.19
SD	*82.41*	*48.90*	*70.53*	*40.79*	*44.65*	*40.82*	*46.75*	*33.09*
Distance from closest VA Medical Center, %								
0 to 15 miles	45.8%	39.6%	24.6%	21.6%	37.3%	55.6%	33.6%	41.3%
15 to 30 miles	16.6%	12.2%	3.0%	4.2%	29.1%	11.5%	13.2%	18.7%
30 to 45 miles	10.9%	6.7%	5.4%	8.4%	4.5%	6.3%	6.2%	11.6%
45 to 60 miles	8.8%	10.1%	15.8%	13.7%	3.7%	5.2%	13.6%	11.0%
60 plus miles	17.9%	31.4%	51.2%	52.1%	25.4%	21.4%	33.4%	17.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Miles from Closest VA Service Site, mean	11.89	18.79	31.30	28.88	11.08	13.91	18.39	16.83
SD	*14.24*	*19.57*	*27.95*	*24.63*	*16.66*	*13.43*	*17.55*	*15.50*
Distance to closest VA Service Site, %								
0 to 15 miles	73.5%	56.4%	42.4%	38.4%	70.9%	67.9%	52.4%	52.3%
15 to 30 miles	16.6%	19.1%	8.9%	13.7%	20.9%	19.2%	22.6%	26.5%
30 to 45 miles	7.0%	13.3%	14.8%	17.9%	3.7%	8.7%	17.8%	16.8%
45 plus miles	3.0%	11.2%	34.0%	30.0%	4.5%	4.2%	7.2%	4.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Other Psychosis Patients	49401	1781	203	190	134	599	500	155
Hospital Based Utilization								
Patients with some Hospital Based Utilization, %	30.2%	31.0%	22.7%	26.8%	40.3%	33.2%	34.2%	20.0%
Hospital based utilization: Overall (All psychiatric and medical hospital bedsections)								
Inpatient stays, mean	1.82	1.82	1.80	1.78	1.70	1.86	1.84	1.74
SD	*1.40*	*1.30*	*1.39*	*1.19*	*1.33*	*1.20*	*1.38*	*1.48*
Average LOS, mean	9.37	7.09	5.59	7.39	8.60	6.31	8.25	4.82
SD	*15.01*	*7.23*	*4.06*	*6.18*	*9.92*	*6.67*	*8.04*	*3.45*
Cumulative DOS, mean	16.06	12.31	10.43	11.96	15.13	11.33	13.81	8.81
SD	*22.72*	*12.85*	*10.64*	*9.32*	*21.31*	*11.15*	*12.89*	*10.05*
Cumulative DOS, %								
1 to 7	42.1%	47.8%	54.3%	41.2%	42.6%	51.3%	42.1%	67.7%
8 to 14	23.4%	24.3%	19.6%	31.4%	33.3%	21.1%	26.3%	12.9%
15 to 44	27.8%	24.8%	23.9%	27.5%	16.7%	24.1%	28.7%	19.4%
45 to 89	5.2%	2.9%	2.2%	0.0%	5.6%	3.5%	2.9%	0.0%
90 to 179	1.2%	0.2%	0.0%	0.0%	1.9%	0.0%	0.0%	0.0%
180 to 359	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	185.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.86*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hospital patients who had a 150+ day hosp. stay, %	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	241.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*74.51*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Cumulative DOS at Other VISNs	0.37	0.67	0.07	0.00	3.20	0.49	0.40	0.90
SD	*3.13*	*6.12*	*0.44*	*0.00*	*17.42*	*3.67*	*2.00*	*5.03*
Cumulative DOS at Other Stations	1.24	1.18	0.39	0.94	4.70	0.67	0.49	3.71
SD	*5.73*	*6.67*	*2.25*	*3.72*	*18.15*	*3.90*	*2.14*	*6.69*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Other Psychosis Patients	49401	1781	203	190	134	599	500	155
Hospital based utilization: Non-Psych (Non-Psych hospital bedsections)								
Pts. with non-psych hospital stays, %	21.7%	22.9%	16.3%	24.2%	32.8%	26.0%	23.2%	7.7%
Inpatient stays, mean	1.27	1.36	1.48	1.61	1.37	1.52	1.23	0.48
SD	*1.36*	*1.35*	*1.62*	*1.28*	*1.10*	*1.35*	*1.37*	*0.72*
Average LOS, mean	7.86	5.95	4.91	7.19	6.55	5.07	6.85	4.88
SD	*11.97*	*5.67*	*3.22*	*6.38*	*6.39*	*4.10*	*7.28*	*2.47*
Cumulative Days of Stay, mean	9.61	8.08	7.98	10.29	8.96	8.07	8.20	2.42
SD	*16.99*	*10.66*	*10.97*	*9.35*	*11.36*	*10.08*	*11.89*	*4.40*
Cumulative Days of Stay, %								
0	28.2%	26.3%	28.3%	9.8%	18.5%	21.6%	32.2%	61.3%
1 to 7	35.5%	40.2%	39.1%	39.2%	38.9%	45.2%	36.8%	32.3%
8 to 14	15.8%	15.2%	10.9%	29.4%	27.8%	14.1%	11.7%	3.2%
15 to 44	17.1%	16.8%	19.6%	21.6%	13.0%	17.1%	18.1%	3.2%
45 to 89	2.8%	1.4%	2.2%	0.0%	1.9%	2.0%	1.2%	0.0%
90 to 179	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	178.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.21*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	240.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*75.05*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	*0.18*	*0.23*	*0.07*	*0.00*	*0.06*	*0.47*	*0.15*	*0.00*
SD	*1.94*	*2.32*	*0.44*	*0.00*	*0.41*	*3.66*	*1.30*	*0.00*
Other station cumulative DOS, mean	0.60	0.66	0.39	0.80	1.56	0.57	0.22	2.35
SD	*3.61*	*3.51*	*2.25*	*3.62*	*5.97*	*3.81*	*1.50*	*4.38*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Other Psychosis Patients	49401	1781	203	190	134	599	500	155
Hospital based utilization: Psychiatric (All Psychiatric hospital bedsections)								
Pts. with psych hospital stays, %	10.8%	10.1%	7.4%	2.6%	8.2%	9.5%	14.4%	12.3%
Inpatient stays, mean	0.55	0.46	0.33	0.18	0.33	0.34	0.61	1.26
SD	*1.03*	*0.84*	*0.47*	*0.59*	*0.85*	*0.58*	*0.88*	*1.71*
Average LOS, mean	12.47	9.58	7.53	9.27	16.79	9.72	10.08	4.78
SD	*19.53*	*9.33*	*5.68*	*3.91*	*16.17*	*10.21*	*8.52*	*4.01*
Cumulative Days of Stay, mean	6.45	4.24	2.46	1.67	6.17	3.27	5.61	6.39
SD	*17.76*	*10.28*	*4.77*	*5.87*	*20.09*	*8.18*	*9.72*	*10.66*
Cumulative Days of Stay, %								
0	64.2%	67.6%	67.4%	90.2%	79.6%	71.4%	57.9%	38.7%
1 to 7	12.7%	14.1%	17.4%	2.0%	3.7%	15.1%	15.2%	35.5%
8 to 14	9.6%	9.6%	10.9%	2.0%	7.4%	6.0%	16.4%	9.7%
15 to 44	10.7%	7.2%	4.3%	5.9%	3.7%	6.0%	9.4%	16.1%
45 to 89	2.1%	1.3%	0.0%	0.0%	3.7%	1.5%	1.2%	0.0%
90 to 179	0.5%	0.2%	0.0%	0.0%	1.9%	0.0%	0.0%	0.0%
180 to 359	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	182.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*78.98*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*77.61*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	0.19	0.45	0.00	0.00	3.15	0.03	0.25	0.90
SD	2.40	5.66	0.00	0.00	17.43	0.35	1.42	5.03
Other station cumulative DOS, mean	0.64	0.51	0.00	0.14	3.15	0.10	0.27	1.35
SD	4.34	5.73	0.00	0.98	17.43	0.88	1.44	5.67

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Other Psychosis Patients	49401	1781	203	190	134	599	500	155
Other 24 hour institutional care								
Patients with some other 24 hour institutional care, %	10.1%	17.3%	8.4%	19.5%	22.4%	14.5%	17.4%	32.3%
Residential Rehabilitation								
Patients with some residential rehab. care, %	1.0%	1.7%	0.0%	0.0%	3.0%	0.5%	2.0%	8.4%
Number stays, mean	*1.13*	*1.07*	*0.00*	*0.00*	*1.00*	*1.00*	*1.00*	*1.15*
SD	*0.45*	*0.25*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.38*
Average LOS, mean	30.41	36.93	0.00	0.00	30.50	25.33	25.90	50.08
SD	*33.22*	*24.90*	*0.00*	*0.00*	*7.00*	*14.36*	*15.02*	*30.76*
Cumulative DOS, mean	33.30	40.40	0.00	0.00	30.50	25.33	25.90	58.08
SD	*35.32*	*30.52*	*0.00*	*0.00*	*7.00*	*14.36*	*15.02*	*37.85*
Cumulative Days of Stay, %								
1 to 7	15.1%	10.0%	0.0%	0.0%	0.0%	0.0%	10.0%	15.4%
8 to 14	12.1%	10.0%	0.0%	0.0%	0.0%	33.3%	20.0%	0.0%
15 to 44	54.3%	53.3%	0.0%	0.0%	100.0%	66.7%	60.0%	30.8%
45 to 89	11.7%	16.7%	0.0%	0.0%	0.0%	0.0%	10.0%	30.8%
90 to 179	5.7%	10.0%	0.0%	0.0%	0.0%	0.0%	0.0%	23.1%
180 to 359	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 100+ day Res Rehab stay, mean	181.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*69.09*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Res Rehab patients with 150+ day Res Rehab stay, %	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cum. DOS, pts w/ 150+ day Res Rehab stay, mean	235.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	*52.07*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.38	2.83	0.00	0.00	12.50	0.00	0.00	2.69
SD	*7.57*	*8.20*	*0.00*	*0.00*	*14.64*	*0.00*	*0.00*	*8.32*
Other station cumulative DOS, mean	4.16	7.77	0.00	0.00	30.50	25.33	0.00	2.69
SD	*12.59*	*13.55*	*0.00*	*0.00*	*7.00*	*14.36*	*0.00*	*8.32*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Other Psychosis Patients	49401	1781	203	190	134	599	500	155
Domiciliary and Vocational								
Patients with some dom/voc care, %	1.7%	3.3%	0.0%	0.0%	11.9%	0.5%	6.4%	5.2%
Number stays, mean	1.13	1.19	0.00	0.00	1.13	1.00	1.25	1.13
SD	*0.36*	*0.47*	*0.00*	*0.00*	*0.34*	*0.00*	*0.57*	*0.35*
Average LOS, mean	79.24	58.62	0.00	0.00	131.47	18.33	32.54	32.38
SD	*81.39*	*79.11*	*0.00*	*0.00*	*119.79*	*15.82*	*30.44*	*14.63*
Cumulative DOS, mean	86.42	64.32	0.00	0.00	143.19	18.33	36.94	33.38
SD	*85.00*	*82.29*	*0.00*	*0.00*	*121.65*	*15.82*	*31.94*	*12.89*
Cumulative Days of Stay, %								
1 to 7	7.5%	11.9%	0.0%	0.0%	6.3%	33.3%	15.6%	0.0%
8 to 14	6.2%	8.5%	0.0%	0.0%	6.3%	0.0%	12.5%	0.0%
15 to 44	29.8%	37.3%	0.0%	0.0%	12.5%	66.7%	37.5%	75.0%
45 to 89	19.6%	25.4%	0.0%	0.0%	25.0%	0.0%	28.1%	25.0%
90 to 179	23.7%	8.5%	0.0%	0.0%	18.8%	0.0%	6.3%	0.0%
180 to 359	10.4%	5.1%	0.0%	0.0%	18.8%	0.0%	0.0%	0.0%
360+	2.9%	3.4%	0.0%	0.0%	12.5%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	11.9%	0.0%	0.0%	37.5%	0.0%	3.1%	0.0%
Cumul. DOS, patients with a 100+ day Dom. stay, mean	193.84	257.57	0.00	0.00	277.50	0.00	138.00	0.00
SD	*79.91*	*91.88*	*0.00*	*0.00*	*82.43*	*0.00*	*0.00*	*0.00*
Dom. patients with 150+ day Dom. stay, %	16.8%	8.5%	0.0%	0.0%	31.3%	0.0%	0.0%	0.0%
Cumul. DOS, patients with a 150+ day Dom. stay, mean	240.95	304.40	0.00	0.00	304.40	0.00	0.00	0.00
SD	*71.71*	*55.37*	*0.00*	*0.00*	*55.37*	*0.00*	*0.00*	*0.00*
Other VISN cumulative DOS, mean	1.61	0.37	0.00	0.00	0.00	7.33	0.00	0.00
SD	*8.79*	*2.86*	*0.00*	*0.00*	*0.00*	*12.70*	*0.00*	*0.00*
Other station cumulative DOS, mean	3.31	1.71	0.00	0.00	2.88	18.33	0.00	0.00
SD	*11.83*	*7.71*	*0.00*	*0.00*	*11.50*	*15.82*	*0.00*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Other Psychosis Patients	49401	1781	203	190	134	599	500	155
Nursing Home Care								
Patients with some nursing home care, %	7.7%	12.7%	8.4%	19.5%	9.7%	13.5%	9.4%	20.0%
Number stays, mean	1.29	1.20	1.29	1.16	1.54	1.19	1.13	1.23
SD	*0.65*	*0.44*	*0.59*	*0.37*	*0.78*	*0.39*	*0.34*	*0.43*
Average LOS, mean	54.03	44.54	38.57	43.73	31.94	29.34	59.97	70.37
SD	*70.27*	*54.87*	*53.46*	*48.27*	*37.11*	*34.33*	*60.62*	*84.57*
Cumulative DOS, mean	64.81	52.07	46.47	52.51	50.85	34.47	64.70	81.97
SD	*79.26*	*63.26*	*57.86*	*65.23*	*62.54*	*41.36*	*65.72*	*91.35*
Cumulative Days of Stay, %								
1 to 7	10.9%	12.8%	5.9%	18.9%	15.4%	12.3%	8.5%	16.1%
8 to 14	15.2%	19.9%	29.4%	8.1%	23.1%	30.9%	10.6%	12.9%
15 to 44	34.5%	30.5%	41.2%	29.7%	38.5%	33.3%	29.8%	16.1%
45 to 89	16.5%	20.4%	5.9%	27.0%	0.0%	16.0%	29.8%	25.8%
90 to 179	13.0%	9.3%	11.8%	10.8%	15.4%	4.9%	10.6%	12.9%
180 to 359	8.1%	6.6%	5.9%	5.4%	7.7%	2.5%	10.6%	12.9%
360+	1.8%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	3.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	17.8%	13.7%	11.8%	13.5%	23.1%	4.9%	19.1%	25.8%
Cumul. DOS, patients with a 100+ day NH stay, mean	207.27	187.61	170.00	184.20	154.33	184.00	183.00	213.63
SD	*81.27*	*59.93*	*55.15*	*85.02*	*41.36*	*40.55*	*51.15*	*72.55*
NH patients with 150+ day NH stay, %	11.0%	8.0%	5.9%	5.4%	0.0%	2.5%	14.9%	19.4%
Cumul. DOS, patients with a 150+ day NH stay, mean	250.81	218.83	209.00	266.00	0.00	179.00	203.29	236.17
SD	*70.60*	*53.57*	*0.00*	*70.71*	*0.00*	*5.66*	*36.27*	*70.22*
Other VISN cumulative DOS, mean	0.34	0.73	0.00	0.00	0.00	1.67	0.66	0.00
SD	*5.11*	*8.18*	*0.00*	*0.00*	*0.00*	*13.22*	*4.52*	*0.00*
Other station cumulative DOS, mean	1.02	1.02	1.12	0.00	0.92	2.09	0.66	0.00
SD	*7.62*	*8.59*	*4.61*	*0.00*	*3.33*	*13.70*	*4.52*	*0.00*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Other Psychosis Patients	49401	1781	203	190	134	599	500	155
Outpatient utilization								
(reported for those with some outpatient care)								
Patients with some outpatient care, %	99.7%	99.7%	100.0%	99.5%	100.0%	99.8%	99.6%	98.7%
annual visit days, mean	19.52	22.06	11.46	11.66	30.03	25.88	22.03	27.09
SD	*24.21*	*27.29*	*10.94*	*18.41*	*39.11*	*26.29*	*27.50*	*34.13*
Outpatient visit days, %								
1-12	49.1%	47.4%	65.0%	73.0%	35.8%	37.5%	45.8%	47.1%
13-24	27.0%	25.7%	25.6%	17.5%	30.6%	26.3%	28.3%	21.6%
25-36	11.5%	10.8%	4.4%	6.3%	15.7%	14.2%	10.8%	6.5%
37-48	5.4%	5.5%	3.4%	1.1%	3.7%	8.4%	4.2%	7.8%
49+	7.0%	10.6%	1.5%	2.1%	14.2%	13.7%	10.8%	17.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	86.5%	82.9%	95.6%	85.7%	90.3%	75.9%	87.3%	68.6%
Mean PC visit days, among those with some PC	4.04	3.98	4.00	3.02	5.59	3.85	4.11	3.60
SD	3.94	4.39	3.71	4.65	8.05	3.34	4.07	4.03
Average number clinic stops per visit day, mean	1.55	1.71	1.56	1.72	1.61	1.71	1.75	1.82
SD	*0.52*	*0.59*	*0.49*	*0.59*	*0.53*	*0.58*	*0.64*	*0.62*
annual clinic stops (psych & non-psych), mean	30.45	39.37	19.33	20.04	51.88	45.47	40.67	50.75
SD	*40.44*	*53.34*	*21.12*	*34.71*	*77.21*	*48.17*	*57.62*	*67.24*
annual non-psych. clinic stops, mean	22.67	26.76	17.39	17.69	27.77	33.27	27.74	20.86
SD	*25.36*	*32.13*	*20.26*	*33.71*	*28.05*	*35.71*	*31.68*	*26.40*
annual psych. clinic stops (groupings below), mean	7.77	12.61	1.94	2.35	24.11	12.20	12.93	29.88
SD	*27.43*	*38.62*	*4.41*	*6.86*	*69.80*	*31.72*	*39.83*	*56.75*
1. general psych. clinic stops, mean	3.20	5.42	1.62	1.58	10.07	4.43	4.63	17.56
SD	*7.61*	*15.65*	*2.91*	*3.16*	*27.67*	*9.34*	*11.39*	*34.48*
2. psych. case management clinic stops, mean	0.14	0.16	0.09	0.10	0.00	0.00	0.30	0.63
SD	*3.20*	*2.66*	*0.68*	*0.74*	*0.00*	*0.00*	*3.99*	*5.39*
3. psych. day treatment clinic stops, mean	0.60	1.89	0.10	0.00	0.00	3.56	2.23	0.57
SD	*8.52*	*14.77*	*1.41*	*0.00*	*0.00*	*20.45*	*16.20*	*4.16*
4. substance abuse clinic stops, mean	2.24	2.85	0.06	0.63	5.61	3.13	3.47	3.77
SD	*17.04*	*17.23*	*0.63*	*4.41*	*20.28*	*17.70*	*21.71*	*16.80*

Table 3I: FY03 Other Psychosis Patients, Utilization, VISN 23, continued

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Other Psychosis Patients	49401	1781	203	190	134	599	500	155
5. psych. vocational clinic stops, mean	0.74	1.14	0.00	0.00	4.60	0.02	1.27	5.00
SD	*9.63*	*11.58*	*0.00*	*0.00*	*19.62*	*0.20*	*14.27*	*22.97*
6. PTSD clinic stops, mean	0.56	0.87	0.00	0.05	2.13	0.88	0.75	2.28
SD	*5.11*	*7.87*	*0.00*	*0.40*	*15.34*	*4.92*	*6.76*	*16.30*
7. psych. homeless clinic stops, mean	0.27	0.24	0.06	0.00	1.68	0.12	0.21	0.07
SD	*2.81*	*2.32*	*0.73*	*0.00*	*7.30*	*1.10*	*1.61*	*0.58*
Other VISN OP visit days, mean	0.31	0.42	0.15	0.37	1.10	0.35	0.47	0.31
SD	2.01	2.58	0.85	3.97	3.98	1.90	2.71	2.09
Other station OP visit days, mean	0.72	0.86	0.37	0.56	1.78	0.76	0.54	2.48
SD	3.19	3.49	1.29	4.26	5.53	3.09	2.77	4.84

Table 4I FY03 Other Psychosis Patients, Pharmacy Utilization, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Other Psychosis Patients	49401	1781	203	190	134	599	500	155
Among all patients in the registry								
Pts. with any outpatient prescriptions, %	94.7%	93.6%	97.5%	96.3%	93.3%	92.3%	91.8%	96.1%
Patients with any oral antipsychotic fills, %*	41.4%	39.1%	32.5%	30.5%	29.1%	39.4%	44.0%	50.3%
Among pts. receiving any antipsychotic medication:								
Received only conventional antipsychotics, %	9.2%	8.6%	13.6%	12.1%	10.3%	8.1%	8.2%	3.8%
Received some atypical antipsychotics, %	90.8%	91.4%	86.4%	87.9%	89.7%	91.9%	91.8%	96.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Any use of atypical neuroleptics, %								
Aripiprazole	0.7%	0.3%	0.0%	0.0%	0.0%	0.0%	0.9%	0.0%
Clozapine	0.1%	0.6%	0.0%	0.0%	0.0%	0.8%	0.0%	2.6%
Olanzapine	27.8%	31.0%	30.3%	22.4%	12.8%	33.9%	28.2%	46.2%
Quetiapine	29.2%	27.5%	31.8%	24.1%	48.7%	26.3%	27.3%	20.5%
Risperidone	46.2%	42.2%	33.3%	51.7%	38.5%	38.1%	49.5%	35.9%
Ziprasidone	3.6%	3.3%	4.5%	1.7%	0.0%	2.5%	4.5%	3.8%
Patients receiving only one kind** of antipsychotic, %	78.8%	82.1%	83.3%	79.3%	82.1%	85.2%	77.3%	87.2%
Concurrent use of 2 or more antipsychotics, % ***	5.1%	5.2%	7.6%	8.6%	5.1%	2.5%	7.3%	2.6%
Among pts receiving just one antipsychotic:								
Antipsychotic fills, mean	5.21	5.76	5.15	4.17	4.13	6.68	4.94	7.40
SD	*4.06*	*4.36*	*3.90*	*3.47*	*3.23*	*4.56*	3.65	*5.54*
Antipsychotic Medication Possession Ratio, mean	--	--	--	--	--	--	--	--
SD	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.80, %	--	--	--	--	--	--	--	--
Antipsychotic Med Possession Ratio <= 0.50, %	--	--	--	--	--	--	--	--

* Prescription data do not include the use of depot antipsychotics, which are received by 15-20% of schizophrenia patients.

** Concurrence of at least 60 days overlap in FY for a pair of antipsychotics.

*** In FY02 typical antipsychotics were disaggregated, further restricting the criteria for pts with just 1 type of AP. This slightly decreased reported MPRs.

Table 5I: FY03 Other Psychosis Patients, Cost, VISN 23

	All VISNs	VISN 23	437 *Fargo*	438 *Sioux Falls*	568 *Fort Meade*	618 *Minneapolis*	636 *Omaha*	656 *St Cloud*
Other Psychosis Patients	49401	1781	203	190	134	599	500	155
Total Costs (in thousands $$)	$692,791	$29,157	$2,163	$2,508	$2,517	$11,439	$8,459	$2,072
Station % of VISN		100.0%	7.4%	8.6%	8.6%	39.2%	29.0%	7.1%
Psych vs. Non-Psych Costs								
Psych	16.6%	16.0%	9.2%	7.2%	22.9%	14.4%	17.6%	27.9%
Non-Psych	83.4%	84.0%	90.8%	92.8%	77.1%	85.6%	82.4%	72.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mean Hospital Costs, Pts with some Hospital use								
Per Patient	$16,509	$17,138	$15,283	$15,436	$20,215	$19,035	$15,818	$12,444
Per Day of Stay	$1,028	$1,392	$1,465	$1,291	$1,336	$1,680	$1,145	$1,413
Mean Outpatient Costs, Pts with some Outpatient use								
Per Patient	$6,046	$7,179	$5,061	$4,832	$7,531	$8,698	$7,330	$6,150
Per Visit Day	$310	$325	$442	$415	$251	$336	$333	$227
By Cost Center								
1 Med	$2,712	$2,852	$1,832	$2,766	$4,722	$3,178	$3,079	$685
2 Surg	$779	$1,090	$931	$812	$1,182	$1,988	$432	$205
3 Psych	$1,494	$1,370	$701	$566	$2,242	$1,157	$1,899	$1,599
4 Psych Res Rehab Treatment Program	$103	$109	$0	$0	$143	$24	$144	$577
5 Non-VA	$203	$311	$54	$327	$37	$261	$627	$39
6 LTC Domiciliary	$183	$232	$0	$0	$1,361	$14	$399	$153
7 LTC Intermediate Care	$276	$133	$0	$49	$39	$40	$308	$289
8 LTC Nursing Home	$1,672	$2,688	$1,656	$3,761	$1,377	$2,895	$2,473	$3,749
9 Contract Nursing Home	$578	$431	$422	$112	$148	$856	$257	$0
10 OPC Med/Surg	$1,281	$1,577	$1,006	$942	$1,631	$2,336	$1,437	$573
11 OPC Psych	$831	$1,254	$278	$386	$2,055	$1,597	$1,080	$2,133
12 OPC Home Based Treatment	$730	$628	$613	$483	$779	$734	$598	$380
13 OPC Support	$1,493	$1,660	$1,099	$875	$1,359	$2,172	$1,736	$1,393
14 OPC Fee	$231	$381	$297	$811	$563	$358	$304	$145
15 OPC Pharmacy	$1,460	$1,655	$1,767	$1,310	$1,143	$1,487	$2,145	$1,447
TOTAL	$14,024	$16,371	$10,656	$13,200	$18,781	$19,097	$16,918	$13,365
Mean % Patient Costs at Other Stations	3.3%	3.4%	1.4%	1.4%	6.5%	2.8%	2.1%	12.6%
SD	*11.9%*	*11.8%*	*7.8%*	*8.2%*	*16.0%*	*10.6%*	*8.7%*	*20.6%*
Mean % Patient Costs at Other VISNs	1.3%	1.4%	0.8%	0.2%	3.0%	1.4%	1.7%	0.9%
SD	*7.5%*	*7.5%*	*5.7%*	*2.1%*	*11.3%*	*8.0%*	*8.0%*	*6.1%*