

Table 3E: FY01 Patients w/ Other Psychoses, Utilization, by VISN

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Other Psychoses	32380	1360	713	1199	1287	909	1574	1900	3060	1731	1129	987
Hospital Based Utilization												
Patients with some Hospital Based Utilization, %	36.2%	31.8%	36.2%	29.6%	35.4%	41.5%	37.0%	36.5%	28.7%	41.9%	39.0%	40.5%
Hospital based utilization: Overall												
(psych & non-psych- for those with some hosp.util.)												
Inpatient stays, mean	1.88	1.95	1.79	1.79	1.78	2.10	1.97	1.94	1.91	2.03	1.96	2.05
SD	1.44	1.54	1.36	1.36	1.26	1.73	1.62	1.40	1.51	1.63	1.53	1.59
Average LOS, mean	11.58	12.66	10.23	15.30	13.14	16.23	11.80	13.41	9.85	9.10	11.83	11.60
SD	20.77	22.98	13.52	27.31	26.97	38.10	19.20	24.03	13.97	16.93	18.27	19.96
Cumulative DOS, mean	20.30	24.03	17.79	27.19	20.98	29.29	21.90	24.98	17.79	17.44	20.21	21.80
SD	31.74	42.51	29.29	42.06	37.04	53.52	31.14	39.97	24.12	24.90	24.26	32.04
Cumulative DOS, %												
1 to 7	37.5%	35.8%	35.7%	35.5%	36.3%	34.7%	32.9%	32.3%	41.4%	42.1%	32.5%	36.0%
8 to 14	23.2%	24.2%	25.2%	19.7%	24.2%	20.7%	23.7%	24.0%	22.3%	21.5%	24.3%	21.8%
15 to 44	29.0%	28.9%	32.9%	30.1%	30.3%	30.2%	31.6%	29.4%	27.3%	28.3%	32.0%	29.3%
45 to 89	7.2%	5.5%	4.7%	7.0%	5.9%	7.7%	9.1%	9.7%	6.7%	5.8%	8.2%	9.5%
90 to 179	2.2%	3.7%	0.8%	5.9%	2.2%	3.4%	1.7%	3.2%	1.9%	2.2%	2.7%	2.5%
180 to 359	0.7%	1.6%	0.4%	1.7%	1.1%	2.9%	0.9%	1.0%	0.3%	0.0%	0.2%	1.0%
360+	0.1%	0.2%	0.4%	0.0%	0.0%	0.3%	0.2%	0.4%	0.0%	0.1%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	1.6%	3.0%	0.8%	2.3%	2.4%	4.5%	1.2%	2.7%	0.9%	0.6%	1.4%	1.8%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	196.16	205.38	241.00	212.25	207.64	232.12	216.43	203.37	156.13	201.50	134.83	186.43
SD	76.84	86.04	172.53	65.31	97.78	81.28	74.21	82.55	30.16	110.83	38.14	59.63
Hospital patients who had a 150+ day hosp. stay, %	0.9%	1.8%	0.4%	1.7%	1.3%	3.7%	0.7%	1.3%	0.2%	0.3%	0.2%	1.0%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.25	245.00	363.00	225.50	278.67	235.43	255.50	243.67	168.50	269.00	208.00	225.75
SD	71.57	86.18	0.00	60.93	75.38	74.06	75.03	92.05	23.33	134.35	0.00	42.44
Cumulative DOS at Other VISNs	0.75	0.51	0.73	0.33	0.41	0.70	0.25	0.79	0.47	0.51	0.66	0.30
SD	5.10	4.26	6.05	2.16	3.13	5.45	1.53	6.41	4.33	3.38	6.87	2.00
Cumulative DOS at Other Stations	1.71	2.08	0.73	1.72	2.00	2.33	1.21	2.26	0.79	0.85	2.32	1.62
SD	7.13	8.80	6.05	8.27	5.63	10.07	4.11	9.00	4.83	4.69	9.06	4.82

Table 3E: FY01 Patients w/ Other Psychoses, Utilization, by VISN

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Other Psychoses	32380	1270	736	356	1889	3432	1657	1586	782	1351	1619	1853
Hospital Based Utilization												
Patients with some Hospital Based Utilization, %	36.2%	44.7%	39.4%	45.5%	39.0%	35.6%	36.6%	40.0%	39.1%	37.7%	33.2%	30.7%
Hospital based utilization: Overall												
(psych & non-psych- for those with some hosp.util.)												
Inpatient stays, mean	1.88	1.94	2.00	1.93	1.86	1.71	1.84	1.80	1.82	1.75	1.92	1.70
SD	1.44	1.43	1.38	1.34	1.41	1.28	1.45	1.31	1.25	1.24	1.59	1.28
Average LOS, mean	11.58	12.53	7.63	8.06	10.60	11.64	17.31	7.87	10.43	9.86	10.55	12.29
SD	20.77	19.83	6.75	7.32	21.46	13.84	35.80	10.41	17.29	20.27	17.35	16.91
Cumulative DOS, mean	20.30	22.93	15.46	16.09	17.74	19.49	25.86	13.55	18.55	16.95	18.89	19.93
SD	31.74	33.74	16.94	18.62	27.77	25.26	41.76	18.17	28.17	31.55	27.77	29.06
Cumulative DOS, %												
1 to 7	37.5%	33.1%	40.3%	42.0%	42.1%	38.0%	31.1%	44.6%	38.2%	41.6%	38.4%	37.4%
8 to 14	23.2%	22.9%	24.8%	24.1%	24.8%	21.4%	23.2%	27.0%	24.5%	28.4%	22.0%	19.0%
15 to 44	29.0%	31.7%	27.2%	25.9%	25.0%	28.1%	31.1%	24.4%	31.0%	23.9%	29.6%	33.7%
45 to 89	7.2%	8.6%	6.9%	6.8%	5.0%	10.8%	9.4%	2.7%	4.2%	3.3%	8.2%	7.2%
90 to 179	2.2%	2.6%	0.7%	1.2%	2.4%	1.4%	3.5%	1.1%	1.0%	1.6%	1.3%	2.3%
180 to 359	0.7%	1.1%	0.0%	0.0%	0.7%	0.3%	1.2%	0.2%	1.0%	1.0%	0.6%	0.4%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%	0.0%	0.0%	0.2%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital patients with a 100+ day hospital stay, %	1.6%	1.8%	0.0%	0.0%	1.9%	0.7%	3.5%	0.2%	1.0%	2.2%	0.9%	1.4%
Cumul. DOS, patients with a 100+ day hosp. stay, mean	196.16	202.50	0.00	0.00	164.00	181.33	196.38	161.00	210.00	193.09	196.40	186.50
SD	76.84	69.92	0.00	0.00	48.71	73.25	88.22	0.00	60.51	75.80	85.91	80.47
Hospital patients who had a 150+ day hosp. stay, %	0.9%	1.1%	0.0%	0.0%	1.1%	0.2%	1.6%	0.2%	1.0%	1.2%	0.4%	0.7%
Cumul. DOS, patients with a 150+ day hosp. stay, mean	239.25	233.17	0.00	0.00	196.75	222.00	265.30	161.00	210.00	243.33	287.50	240.50
SD	71.57	68.71	0.00	0.00	37.95	74.96	78.78	0.00	60.51	66.15	24.75	83.44
Cumulative DOS at Other VISNs	0.75	0.21	0.43	0.90	4.00	0.32	0.36	1.06	0.87	0.96	0.44	0.53
SD	5.10	1.90	3.23	5.79	9.98	2.53	2.61	8.67	4.89	4.91	5.06	3.89
Cumulative DOS at Other Stations	1.71	2.18	1.34	0.90	4.11	0.96	0.94	1.93	1.67	2.04	2.56	1.12
SD	7.13	7.49	5.38	5.79	10.09	4.21	5.05	9.41	7.71	6.33	9.92	5.36

Table 3E: FY01 Patients w/ Other Psychoses, Utilization, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Other Psychoses	32380	1360	713	1199	1287	909	1574	1900	3060	1731	1129	987
<u>Hospital based utilization: Non-Psych</u>												
(non-psych- for those with some hosp.based util.)												
Pts. with non-psych hospital stays, %	24.7%	22.1%	26.9%	20.0%	25.3%	29.4%	24.6%	23.7%	22.0%	30.2%	25.5%	27.7%
Inpatient stays, mean	1.23	1.26	1.24	1.14	1.25	1.36	1.21	1.18	1.39	1.39	1.25	1.47
SD	1.37	1.45	1.18	1.25	1.29	1.53	1.48	1.32	1.40	1.45	1.43	1.70
Average LOS, mean	10.42	11.69	8.44	13.86	13.26	15.70	11.17	12.59	10.28	8.36	10.64	9.16
SD	19.85	20.82	8.40	24.83	33.24	37.82	15.45	22.19	15.26	12.60	14.58	12.70
Cumulative Days of Stay, mean	11.97	14.19	10.45	14.89	14.60	18.22	12.89	14.38	13.69	10.98	12.03	12.61
SD	24.74	32.56	17.25	29.15	36.07	42.90	23.57	29.83	23.40	18.38	19.07	22.99
Cumulative Days of Stay, %												
0	31.8%	30.5%	25.6%	32.4%	28.4%	29.2%	33.6%	34.9%	23.1%	27.9%	34.5%	31.8%
1 to 7	30.0%	31.6%	30.2%	27.9%	31.2%	28.4%	27.8%	26.3%	32.0%	33.5%	23.9%	26.8%
8 to 14	15.1%	14.1%	18.6%	13.0%	13.8%	14.3%	12.2%	14.1%	17.9%	15.7%	15.0%	16.0%
15 to 44	17.4%	16.9%	22.9%	18.6%	21.3%	19.4%	18.5%	15.9%	20.2%	17.8%	19.5%	18.3%
45 to 89	4.1%	3.9%	1.9%	4.8%	2.6%	4.8%	6.2%	5.9%	4.8%	4.0%	5.7%	6.0%
90 to 179	1.3%	2.3%	0.4%	3.1%	1.5%	2.1%	1.4%	2.0%	1.6%	1.1%	1.4%	0.8%
180 to 359	0.4%	0.5%	0.4%	0.3%	1.1%	1.6%	0.3%	0.9%	0.3%	0.0%	0.0%	0.5%
360+	0.0%	0.2%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day non-psych hosp.stay, %	0.9%	1.4%	0.0%	0.8%	2.2%	2.9%	0.9%	1.9%	0.8%	0.4%	0.7%	0.3%
Cumul. DOS, pts with a 100+ day hosp. stay, mean	183.74	205.83	0.00	181.67	213.30	223.09	165.20	167.23	157.57	145.33	109.67	225.00
SD	69.74	90.96	0.00	88.84	99.45	84.34	52.31	45.98	32.28	28.50	3.06	0.00
Hosp. Pts. with a 150+ day non-psych hosp.stay, %	0.5%	1.2%	0.0%	0.6%	1.3%	2.4%	0.3%	0.6%	0.2%	0.1%	0.0%	0.3%
Cumul. DOS, pts with a 150+ day hosp. stay, mean	221.52	219.00	0.00	216.00	277.17	218.78	221.00	192.00	168.50	174.00	0.00	225.00
SD	64.88	95.09	0.00	93.34	74.45	71.32	8.49	24.08	23.33	0.00	0.00	0.00
Other VISN cumulative DOS, mean	0.40	0.37	0.37	0.20	0.30	0.38	0.11	0.13	0.30	0.14	0.31	0.12
SD	3.66	4.04	5.14	1.68	2.85	4.70	1.02	1.48	3.37	1.05	4.24	1.16
Other station cumulative DOS, mean	0.87	1.28	0.37	0.80	1.20	0.92	0.40	1.00	0.51	0.29	1.22	1.00
SD	4.88	6.73	5.14	5.12	4.67	6.71	2.06	5.70	3.80	1.69	5.87	3.73

Table 3E: FY01 Patients w/ Other Psychoses, Utilization, by VISN (continued)

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Other Psychoses	32380	1270	736	356	1889	3432	1657	1586	782	1351	1619	1853
<u>Hospital based utilization: Non-Psych</u>												
(non-psych- for those w/ some hosp.based util.)												
Pts. with non-psych hospital stays, %	24.7%	29.9%	28.4%	32.6%	28.0%	22.3%	23.2%	32.0%	28.3%	22.9%	19.9%	18.4%
Inpatient stays, mean	1.23	1.15	1.46	1.38	1.31	1.06	1.07	1.42	1.26	1.05	1.04	1.00
SD	1.37	1.25	1.49	1.47	1.46	1.26	1.29	1.33	1.26	1.28	1.24	1.20
Average LOS, mean	10.42	11.15	7.15	6.96	11.58	10.14	10.73	7.33	7.30	10.84	8.63	10.53
SD	19.85	19.79	5.96	8.04	27.76	14.23	19.71	10.88	11.80	29.46	18.31	16.66
Cumulative Days of Stay, mean	11.97	12.35	10.61	9.59	12.60	10.28	10.46	9.95	9.24	10.21	9.00	10.73
SD	24.74	26.42	14.96	14.59	26.71	18.10	20.65	16.30	14.73	28.92	22.73	25.33
Cumulative Days of Stay, %												
0	31.8%	33.1%	27.9%	28.4%	28.2%	37.3%	36.6%	19.9%	27.8%	39.2%	40.0%	40.1%
1 to 7	30.0%	29.2%	27.6%	38.3%	32.7%	27.6%	26.5%	38.6%	34.6%	32.4%	28.7%	27.6%
8 to 14	15.1%	14.3%	19.7%	14.2%	17.6%	12.4%	15.2%	21.8%	16.7%	12.5%	14.3%	10.5%
15 to 44	17.4%	16.9%	21.0%	14.8%	15.6%	16.8%	17.0%	17.0%	19.3%	11.6%	13.0%	16.5%
45 to 89	4.1%	4.8%	3.1%	3.7%	3.5%	5.2%	4.0%	1.6%	1.3%	2.0%	3.4%	3.9%
90 to 179	1.3%	1.1%	0.7%	0.6%	1.6%	0.7%	0.7%	1.1%	0.3%	1.8%	0.2%	1.1%
180 to 359	0.4%	0.7%	0.0%	0.0%	0.7%	0.1%	0.2%	0.0%	0.0%	0.4%	0.4%	0.4%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. w/ a 100+ day non-psych hosp.stay, %	0.9%	0.9%	0.0%	0.0%	1.9%	0.4%	0.3%	0.2%	0.3%	1.8%	0.6%	1.1%
Cumul. DOS, pts w/ a 100+ day hosp. stay, mean	183.74	199.40	0.00	0.00	162.50	150.40	208.50	161.00	166.00	188.89	246.00	196.33
SD	69.74	79.92	0.00	0.00	47.33	33.43	130.81	0.00	0.00	79.08	73.98	80.45
Hosp. Pts. w/ a 150+ day non-psych hosp.stay, %	0.5%	0.4%	0.0%	0.0%	1.1%	0.2%	0.2%	0.2%	0.3%	1.0%	0.4%	0.5%
Cumul. DOS, pts w/ a 150+ day hosp. stay, mean	221.52	271.50	0.00	0.00	194.13	171.00	301.00	161.00	166.00	234.00	287.50	253.67
SD	64.88	36.06	0.00	0.00	37.23	20.07	0.00	0.00	0.00	79.71	24.75	77.57
Other VISN cumulative DOS, mean	0.40	0.04	0.20	0.17	2.64	0.11	0.20	0.69	0.11	0.57	0.34	0.18
SD	3.66	0.47	1.61	1.55	6.73	1.34	2.23	7.95	0.68	4.33	5.01	1.98
Other station cumulative DOS, mean	0.87	0.65	0.81	0.17	2.72	0.38	0.32	1.20	0.62	1.16	1.48	0.49
SD	4.88	3.29	3.69	1.55	6.89	2.40	2.77	8.45	2.57	5.23	7.38	3.05

Table 3E: FY01 Patients w/ Other Psychoses, Utilization, by VISN (continued)

Patients w/ Other Psychoses	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
	32380	1360	713	1199	1287	909	1574	1900	3060	1731	1129	987
<u>Hospital based utilization: Psychiatric</u>												
(psych- for those with some hosp.based util.)												
Pts. with psych hospital stays, %	14.8%	13.2%	11.5%	11.8%	12.6%	16.7%	16.2%	16.6%	9.2%	16.0%	18.2%	16.6%
Inpatient stays, mean	0.65	0.69	0.55	0.66	0.53	0.74	0.77	0.76	0.52	0.64	0.71	0.59
SD	1.12	1.15	1.20	1.17	0.93	1.41	1.28	1.15	1.08	1.26	1.08	0.91
Average LOS, mean	13.89	16.13	14.37	19.07	13.05	17.37	12.99	15.15	8.20	11.04	13.25	17.31
SD	24.08	32.37	24.66	32.94	16.53	41.20	25.02	29.49	9.04	23.36	21.56	32.66
Cumulative Days of Stay, mean	8.33	9.86	7.34	12.30	6.38	11.07	9.01	10.60	4.10	6.46	8.19	9.19
SD	22.85	30.15	26.29	32.92	14.94	36.70	22.83	30.42	11.05	19.17	18.07	24.83
Cumulative Days of Stay, %												
0	59.1%	58.4%	68.2%	60.3%	64.4%	59.7%	56.3%	54.4%	68.1%	61.8%	53.2%	59.0%
1 to 7	14.5%	12.0%	11.2%	11.5%	10.3%	16.2%	13.6%	13.9%	16.5%	16.4%	16.6%	16.3%
8 to 14	10.5%	14.5%	7.0%	8.5%	13.4%	8.8%	12.3%	12.6%	7.9%	8.3%	13.2%	8.0%
15 to 44	12.0%	10.9%	10.1%	13.2%	8.1%	10.1%	13.9%	14.7%	5.9%	11.3%	13.9%	11.5%
45 to 89	2.8%	1.6%	2.7%	2.8%	3.1%	2.9%	3.3%	3.0%	1.4%	1.2%	2.3%	3.3%
90 to 179	0.8%	1.8%	0.4%	2.8%	0.7%	1.1%	0.3%	0.9%	0.2%	0.8%	0.7%	1.5%
180 to 359	0.3%	0.7%	0.4%	0.8%	0.0%	1.3%	0.2%	0.1%	0.0%	0.0%	0.2%	0.5%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.4%	0.0%	0.1%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.6%	1.6%	0.8%	1.4%	0.2%	1.6%	0.3%	0.9%	0.1%	0.1%	0.7%	1.5%
Cumul. DOS, pts with a 100+ day hosp. stay, mean	202.42	196.29	238.50	207.40	142.00	240.67	278.00	277.83	146.00	364.00	160.00	165.00
SD	85.19	91.21	169.00	66.92	0.00	86.39	121.62	96.85	0.00	0.00	41.57	59.75
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.4%	0.7%	0.4%	1.1%	0.0%	1.3%	0.3%	0.7%	0.0%	0.1%	0.2%	0.8%
Cumul. DOS, pts with a 150+ day hosp. stay, mean	254.00	280.33	358.00	223.50	0.00	259.20	278.00	283.40	0.00	364.00	208.00	211.67
SD	77.60	71.40	0.00	65.14	0.00	82.17	121.62	107.20	0.00	0.00	0.00	45.50
Other VISN cumulative DOS, mean	0.35	0.13	0.36	0.13	0.11	0.32	0.14	0.67	0.17	0.37	0.35	0.18
SD	3.41	1.38	3.22	1.38	1.33	2.79	1.03	6.25	2.70	3.12	3.75	1.65
Other station cumulative DOS, mean	0.84	0.79	0.36	0.93	0.79	1.41	0.80	1.27	0.29	0.56	1.10	0.62
SD	5.08	5.80	3.22	6.12	3.43	7.54	3.59	6.97	3.00	3.88	5.46	3.07

Table 3E: FY01 Patients w/ Other Psychoses, Utilization, by VISN (continued)

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Other Psychoses	32380	1270	736	356	1889	3432	1657	1586	782	1351	1619	1853
<u>Hospital based utilization: Psychiatric</u> (psych- for those with some hosp.based util.)												
Pts. with psych hospital stays, %	14.8%	19.3%	13.9%	18.3%	14.3%	16.1%	17.0%	10.2%	15.2%	18.4%	16.1%	15.3%
Inpatient stays, mean	0.65	0.79	0.54	0.55	0.55	0.65	0.77	0.39	0.56	0.70	0.89	0.70
SD	1.12	1.35	0.95	0.86	0.93	1.03	1.25	0.81	0.88	0.93	1.52	1.04
Average LOS, mean	13.89	15.42	9.11	11.71	9.64	14.17	25.47	9.42	16.37	9.73	12.72	13.84
SD	24.08	21.71	9.70	9.61	10.64	15.24	47.01	8.21	22.99	10.08	15.20	16.56
Cumulative Days of Stay, mean	8.33	10.58	4.84	6.50	5.15	9.22	15.40	3.59	9.31	6.75	9.89	9.20
SD	22.85	25.29	11.46	12.96	12.03	20.28	39.40	9.79	26.06	14.93	20.08	18.29
Cumulative Days of Stay, %												
0	59.1%	56.9%	64.8%	59.9%	63.4%	54.9%	53.5%	74.4%	61.1%	51.4%	51.4%	50.1%
1 to 7	14.5%	11.3%	18.6%	12.3%	16.1%	15.9%	10.7%	10.7%	10.5%	16.5%	17.1%	17.9%
8 to 14	10.5%	10.9%	6.6%	13.6%	9.1%	10.9%	11.7%	7.1%	11.1%	17.6%	9.3%	9.5%
15 to 44	12.0%	15.8%	7.6%	10.5%	9.4%	12.4%	15.3%	6.5%	13.1%	13.3%	16.8%	18.6%
45 to 89	2.8%	3.5%	2.4%	3.7%	1.8%	5.0%	4.9%	1.1%	2.9%	0.8%	4.1%	3.0%
90 to 179	0.8%	1.2%	0.0%	0.0%	0.3%	0.7%	2.5%	0.2%	0.3%	0.2%	1.1%	0.9%
180 to 359	0.3%	0.4%	0.0%	0.0%	0.0%	0.2%	0.8%	0.0%	1.0%	0.2%	0.2%	0.0%
360+	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hosp. Pts. with a 100+ day psych hosp.stay, %	0.6%	0.9%	0.0%	0.0%	0.0%	0.3%	3.1%	0.0%	0.7%	0.4%	0.4%	0.4%
Cumul. DOS, pts w/ a 100+ day hosp. stay, mean	202.42	199.80	0.00	0.00	0.00	179.75	191.05	0.00	232.00	179.50	122.00	146.00
SD	85.19	74.04	0.00	0.00	0.00	76.34	88.63	0.00	66.47	96.87	11.31	46.67
Hosp. Pts. with a 150+ day psych hosp.stay, %	0.4%	0.7%	0.0%	0.0%	0.0%	0.0%	1.5%	0.0%	0.7%	0.2%	0.0%	0.2%
Cumul. DOS, pts w/ a 150+ day hosp. stay, mean	254.00	214.00	0.00	0.00	0.00	261.33	0.00	232.00	248.00	0.00	179.00	
SD	77.60	77.23	0.00	0.00	0.00	82.49	0.00	66.47	0.00	0.00	0.00	0.00
Other VISN cumulative DOS, mean	0.35	0.17	0.24	0.73	1.40	0.22	0.16	0.37	0.76	0.39	0.10	0.35
SD	3.41	1.82	2.20	5.53	7.51	1.91	1.38	3.48	4.69	2.31	0.73	3.28
Other station cumulative DOS, mean	0.84	1.53	0.53	0.73	1.48	0.59	0.62	0.73	1.06	0.88	1.08	0.63
SD	5.08	6.59	3.34	5.53	7.58	3.29	4.27	4.28	7.21	3.72	6.56	4.29

Table 3E: FY01 Patients w/ Other Psychoses, Utilization, by VISN (cointinued)

Patients w/ Other Psychoses	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
	32380	1360	713	1199	1287	909	1574	1900	3060	1731	1129	987
Other 24 hour institutional care												
Patients w/ some other 24 hour institutional care, %	12.4%	8.2%	24.0%	7.4%	22.8%	19.6%	11.1%	7.8%	8.7%	10.2%	16.6%	10.5%
<u>Residential Rehabilitation</u> (reported for those with some res rehab care)												
Patients with some residential rehab. care, %	1.2%	0.3%	3.9%	0.4%	1.2%	1.8%	1.3%	0.1%	1.0%	0.8%	2.5%	2.1%
Number stays, mean	1.13	1.00	1.32	1.20	1.00	1.13	1.10	1.00	1.10	1.07	1.11	1.33
SD	0.38	0.00	0.55	0.45	0.00	0.34	0.30	0.00	0.31	0.27	0.42	0.48
Average LOS, mean	28.50	107.00	23.03	151.40	17.00	31.88	26.71	7.00	38.95	15.64	13.98	26.26
SD	30.74	113.06	17.29	122.47	8.14	29.68	10.64	0.00	21.06	9.18	5.02	16.46
Cumulative DOS, mean	32.03	107.00	29.29	165.80	17.00	34.31	30.14	7.00	42.37	16.14	15.36	37.62
SD	33.99	113.06	27.62	114.79	8.14	29.43	17.35	0.00	23.59	8.86	7.03	31.92
Cumulative Days of Stay, %												
1 to 7	11.1%	25.0%	10.7%	0.0%	12.5%	6.3%	4.8%	100.0%	0.0%	7.1%	7.1%	14.3%
8 to 14	17.4%	0.0%	25.0%	0.0%	25.0%	31.3%	9.5%	0.0%	6.7%	71.4%	46.4%	4.8%
15 to 44	54.4%	0.0%	50.0%	20.0%	62.5%	25.0%	71.4%	0.0%	60.0%	21.4%	46.4%	52.4%
45 to 89	12.2%	25.0%	10.7%	0.0%	0.0%	31.3%	14.3%	0.0%	30.0%	0.0%	0.0%	19.0%
90 to 179	4.1%	25.0%	3.6%	60.0%	0.0%	6.3%	0.0%	0.0%	3.3%	0.0%	0.0%	9.5%
180 to 359	0.8%	25.0%	0.0%	20.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.1%	50.0%	3.6%	60.0%	0.0%	6.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumu. DOS, pts w/ 100+ day Res Rehab stay, mean	166.33	188.00	146.00	214.00	0.00	118.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	72.31	104.65	0.00	122.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Res Rehab pts with 150+ day Res Rehab stay, %	1.3%	25.0%	0.0%	40.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumu. DOS, pts w/ 150+ day Res Rehab stay, mean	221.80	262.00	0.00	256.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SD	86.51	0.00	0.00	140.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other VISN cumulative DOS, mean	1.11	0.00	0.00	8.60	0.06	0.56	0.00	7.00	0.00	6.07	0.68	0.00
SD	6.12	0.00	0.00	19.23	0.25	2.25	0.00	0.00	0.00	12.80	3.59	0.00
Other station cumulative DOS, mean	4.53	12.50	0.00	37.40	9.13	5.25	5.62	7.00	1.47	6.07	2.04	2.29
SD	12.97	25.00	0.00	62.43	10.07	9.46	14.27	0.00	8.03	12.80	5.20	6.61

Table 3E: FY01 Patients w/ Other Psychoses, Utilization, by VISN (cointinued)

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Other Psychoses	32380	1270	736	356	1889	3432	1657	1586	782	1351	1619	1853
Other 24 hour institutional care												
Pts w/ some other 24 hour institutional care, %	12.4%	16.5%	21.1%	16.9%	11.1%	8.4%	12.8%	17.3%	11.3%	15.6%	13.0%	10.7%
<u>Residential Rehabilitation</u>												
(reported for those with some res rehab care)												
Patients with some residential rehab. care, %	1.2%	3.5%	2.0%	0.0%	0.2%	1.3%	1.4%	0.4%	1.0%	1.0%	2.7%	0.1%
Number stays, mean	1.13	1.16	1.07	0.00	1.33	1.07	1.09	1.33	1.00	1.14	1.14	1.00
SD	0.38	0.47	0.26	0.00	0.58	0.33	0.29	0.82	0.00	0.36	0.35	0.00
Average LOS, mean	28.50	31.79	28.97	0.00	29.33	24.08	29.00	24.61	35.25	30.21	21.90	16.00
SD	30.74	26.08	27.39	0.00	18.15	12.44	35.23	8.65	23.82	33.91	13.07	0.00
Cumulative DOS, mean	32.03	36.82	31.20	0.00	46.00	25.32	30.61	35.17	35.25	33.21	24.49	16.00
SD	33.99	33.97	29.10	0.00	46.86	13.41	35.18	30.37	23.82	34.32	15.62	0.00
Cumulative Days of Stay, %												
1 to 7	11.1%	15.6%	26.7%	0.0%	0.0%	13.6%	13.0%	0.0%	12.5%	7.1%	14.0%	0.0%
8 to 14	17.4%	6.7%	20.0%	0.0%	0.0%	13.6%	4.3%	16.7%	12.5%	7.1%	16.3%	0.0%
15 to 44	54.4%	53.3%	20.0%	0.0%	66.7%	70.5%	73.9%	66.7%	50.0%	71.4%	58.1%	100.0%
45 to 89	12.2%	17.8%	33.3%	0.0%	0.0%	2.3%	0.0%	0.0%	25.0%	7.1%	11.6%	0.0%
90 to 179	4.1%	4.4%	0.0%	0.0%	33.3%	0.0%	8.7%	16.7%	0.0%	7.1%	0.0%	0.0%
180 to 359	0.8%	2.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
360+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Res Rehab pts with 100+ day Res Rehab stay, %	3.1%	4.4%	0.0%	0.0%	0.0%	0.0%	8.7%	0.0%	0.0%	7.1%	0.0%	0.0%
Cumul. DOS, pts w/ 100+ day C.C. stay, mean	166.33	147.00	0.00	0.00	0.00	0.00	137.50	0.00	0.00	145.00	0.00	0.00
SD	72.31	50.91	0.00	0.00	0.00	0.00	20.51	0.00	0.00	0.00	0.00	0.00
Res Rehab pts w/ 150+ day Res Rehab stay, %	1.3%	2.2%	0.0%	0.0%	0.0%	0.0%	4.3%	0.0%	0.0%	0.0%	0.0%	0.0%
Cumul. DOS, pts w/ 150+ day C.C. stay, mean	221.80	183.00	0.00	0.00	0.00	0.00	152.00	0.00	0.00	0.00	0.00	0.00
SD	86.51	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other VISN cumulative DOS, mean	1.11	0.00	4.47	0.00	10.33	0.68	1.65	5.33	4.00	0.00	0.77	0.00
SD	6.12	0.00	17.30	0.00	11.06	2.52	7.92	13.06	11.31	0.00	5.03	0.00
Other station cumulative DOS, mean	4.53	8.60	4.73	0.00	10.33	1.86	2.78	5.33	16.38	4.43	1.42	0.00
SD	12.97	15.49	17.24	0.00	11.06	5.32	8.87	13.06	19.68	11.28	6.16	0.00

Table 3E: FY01 Patients w/ Other Psychoses, Utilization, by VISN (continued)

Patients w/ Other Psychoses	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
	32380	1360	713	1199	1287	909	1574	1900	3060	1731	1129	987
<u>Domiciliary and Vocational</u>												
(reported for those with some dom/voc care)												
Patients with some dom/voc care, %	2.3%	1.0%	2.9%	3.6%	3.8%	5.1%	2.1%	1.9%	0.4%	0.9%	5.1%	0.1%
Number stays, mean	1.16	1.15	1.52	1.35	1.12	1.09	1.09	1.14	1.00	1.56	1.19	1.00
SD	0.43	0.38	0.60	0.65	0.33	0.28	0.29	0.42	0.00	1.03	0.48	0.00
Average LOS, mean	71.94	93.96	74.77	44.86	43.33	82.17	49.52	46.49	79.08	72.67	34.43	50.00
SD	77.18	84.00	60.28	52.35	47.56	79.82	70.70	62.40	74.80	52.05	25.41	0.00
Cumulative DOS, mean	80.56	102.38	108.10	61.95	49.29	87.13	52.79	49.39	79.08	116.31	40.59	50.00
SD	83.26	82.94	73.37	74.36	51.94	83.15	72.03	61.98	74.80	101.34	32.53	0.00
Cumulative Days of Stay, %												
1 to 7	6.9%	15.4%	9.5%	18.6%	2.0%	6.5%	21.2%	5.6%	16.7%	0.0%	3.4%	0.0%
8 to 14	6.7%	7.7%	4.8%	2.3%	8.2%	6.5%	12.1%	19.4%	25.0%	6.3%	6.9%	0.0%
15 to 44	35.3%	7.7%	14.3%	39.5%	61.2%	23.9%	33.3%	30.6%	8.3%	31.3%	60.3%	0.0%
45 to 89	18.8%	23.1%	14.3%	18.6%	8.2%	28.3%	12.1%	33.3%	0.0%	12.5%	20.7%	100.0%
90 to 179	20.7%	23.1%	38.1%	11.6%	16.3%	21.7%	18.2%	8.3%	41.7%	25.0%	8.6%	0.0%
180 to 359	8.7%	23.1%	19.0%	9.3%	4.1%	10.9%	0.0%	0.0%	8.3%	25.0%	0.0%	0.0%
360+	2.8%	0.0%	0.0%	0.0%	0.0%	2.2%	3.0%	2.8%	0.0%	0.0%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	46.2%	52.4%	20.9%	14.3%	30.4%	18.2%	8.3%	50.0%	50.0%	6.9%	0.0%
Cumul. DOS, pts with a 100+ day Dom. stay, mean	188.20	178.17	165.64	183.00	152.86	185.86	172.00	193.67	147.67	197.50	127.75	0.00
SD	78.74	49.14	43.57	77.41	39.83	82.44	96.20	147.51	31.30	79.32	34.64	0.00
Dom. patients with 150+ day Dom. stay, %	14.8%	30.8%	19.0%	7.0%	6.1%	17.4%	6.1%	2.8%	16.7%	12.5%	0.0%	0.0%
Cumul. DOS, pts with a 150+ day Dom. stay, mean	239.75	205.50	191.00	255.33	188.33	233.13	267.00	364.00	183.50	306.00	0.00	0.00
SD	74.14	29.24	35.83	33.25	30.89	80.71	137.18	0.00	26.16	45.25	0.00	0.00
Other VISN cumulative DOS, mean	3.80	0.00	7.29	9.42	1.22	3.26	1.39	1.31	0.00	2.81	1.17	50.00
SD	20.40	0.00	18.63	28.10	8.43	9.95	4.26	5.68	0.00	9.77	5.99	0.00
Other station cumulative DOS, mean	5.72	0.00	7.29	12.44	7.39	7.02	1.39	1.50	1.17	2.81	3.90	50.00
SD	21.80	0.00	18.63	28.19	12.14	15.73	4.26	5.75	4.04	9.77	10.88	0.00

Table 3E: FY01 Patients w/ Other Psychoses, Utilization, by VISN (continued)

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Other Psychoses	32380	1270	736	356	1889	3432	1657	1586	782	1351	1619	1853
<u>Domiciliary and Vocational</u>												
(reported for those with some dom/voc care)												
Patients with some dom/voc care, %	2.3%	3.7%	5.4%	5.3%	0.8%	1.3%	3.3%	2.0%	0.1%	7.3%	1.4%	2.3%
Number stays, mean	1.16	1.04	1.25	1.16	1.38	1.16	1.07	1.06	1.00	1.11	1.18	1.02
SD	0.43	0.20	0.54	0.50	0.50	0.43	0.26	0.25	0.00	0.37	0.39	0.15
Average LOS, mean	71.94	106.28	62.35	38.43	71.94	53.14	111.21	76.58	14.00	107.35	56.73	79.00
SD	77.18	99.75	63.24	26.40	53.76	58.13	110.65	53.34	0.00	100.03	51.54	70.30
Cumulative DOS, mean	80.56	106.66	74.45	46.68	103.25	59.77	115.89	84.90	14.00	116.81	61.95	80.67
SD	83.26	99.38	70.29	42.02	89.15	61.27	114.59	69.24	0.00	104.98	51.60	70.98
Cumulative Days of Stay, %												
1 to 7	6.9%	4.3%	5.0%	10.5%	0.0%	11.6%	0.0%	0.0%	0.0%	4.0%	13.6%	9.3%
8 to 14	6.7%	10.6%	7.5%	5.3%	6.3%	4.7%	5.5%	3.2%	100.0%	4.0%	0.0%	0.0%
15 to 44	35.3%	23.4%	30.0%	57.9%	18.8%	51.2%	25.5%	41.9%	0.0%	30.3%	27.3%	37.2%
45 to 89	18.8%	12.8%	25.0%	10.5%	25.0%	7.0%	30.9%	9.7%	0.0%	18.2%	36.4%	16.3%
90 to 179	20.7%	29.8%	27.5%	15.8%	37.5%	20.9%	16.4%	35.5%	0.0%	19.2%	18.2%	25.6%
180 to 359	8.7%	14.9%	2.5%	0.0%	6.3%	4.7%	9.1%	9.7%	0.0%	17.2%	4.5%	11.6%
360+	2.8%	4.3%	2.5%	0.0%	6.3%	0.0%	12.7%	0.0%	0.0%	7.1%	0.0%	0.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Dom. patients with 100+ day Dom. stay, %	28.6%	46.8%	20.0%	10.5%	37.5%	23.3%	38.2%	38.7%	0.0%	42.4%	13.6%	30.2%
Cumul. DOS, pts w/ 100+ day Dom. stay, mean	188.20	192.95	177.63	140.00	187.33	156.50	230.71	155.00	0.00	217.40	165.67	178.31
SD	78.74	79.84	87.52	49.50	92.82	47.40	110.54	57.65	0.00	85.14	38.37	32.93
Dom. patients with 150+ day Dom. stay, %	14.8%	27.7%	7.5%	5.3%	12.5%	7.0%	23.6%	9.7%	0.0%	31.3%	9.1%	23.3%
Cumul. DOS, pts w/ 150+ day Dom. stay, mean	239.75	238.69	260.67	175.00	285.00	215.67	300.69	219.67	0.00	245.74	180.50	188.90
SD	74.14	74.11	95.38	0.00	113.14	44.38	79.34	47.59	0.00	77.62	40.31	30.04
Other VISN cumulative DOS, mean	3.80	0.11	0.10	0.00	67.50	1.51	1.76	2.23	14.00	2.51	8.14	0.93
SD	20.40	0.73	0.63	0.00	96.25	9.02	9.19	8.69	0.00	15.56	19.95	6.10
Other station cumulative DOS, mean	5.72	3.19	0.25	0.00	67.50	3.05	5.31	3.81	14.00	4.20	8.14	1.28
SD	21.80	16.08	1.13	0.00	96.25	11.10	15.07	12.07	0.00	17.63	19.95	6.46

Table 3E: FY01 Patients w/ Other Psychoses, Utilization, by VISN (continued)

Patients w/ Other Psychoses	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
	32380	1360	713	1199	1287	909	1574	1900	3060	1731	1129	987
<u>Nursing Home Care</u>												
(reported for those with some nursing home care)												
Patients with some nursing home care, %	9.2%	7.1%	18.1%	3.5%	18.0%	13.9%	8.0%	5.8%	7.4%	8.6%	9.8%	8.3%
Number stays, mean	1.32	1.42	1.45	1.21	1.31	1.21	1.17	1.16	1.29	1.29	1.30	1.17
SD	0.69	0.75	0.77	0.47	0.64	0.48	0.41	0.42	0.57	0.71	0.68	0.41
Average LOS, mean	56.09	76.65	54.50	65.90	72.46	46.54	56.57	77.32	64.12	38.07	74.40	75.72
SD	71.76	103.07	79.60	81.56	84.75	56.81	72.60	85.97	83.70	34.32	87.02	95.70
Cumulative DOS, mean	67.41	93.93	68.89	80.62	83.15	55.52	65.63	88.80	77.13	45.55	83.63	81.99
SD	80.65	114.67	88.17	97.04	89.57	69.02	84.79	98.76	91.88	44.82	91.58	96.53
Cumulative Days of Stay, %												
1 to 7	9.4%	12.5%	10.1%	16.7%	7.8%	7.9%	11.1%	8.1%	12.0%	7.4%	9.9%	13.4%
8 to 14	14.3%	8.3%	10.9%	9.5%	12.1%	18.3%	21.4%	20.7%	13.8%	16.1%	10.8%	12.2%
15 to 44	33.3%	31.3%	41.1%	21.4%	28.0%	42.1%	29.4%	13.5%	27.6%	42.3%	30.6%	25.6%
45 to 89	20.3%	18.8%	16.3%	23.8%	19.8%	14.3%	15.1%	26.1%	17.8%	23.5%	13.5%	19.5%
90 to 179	13.0%	10.4%	10.1%	16.7%	19.8%	11.1%	11.9%	14.4%	15.6%	8.7%	20.7%	13.4%
180 to 359	7.8%	10.4%	9.3%	7.1%	9.9%	5.6%	10.3%	15.3%	9.8%	1.3%	11.7%	12.2%
360+	2.0%	8.3%	2.3%	4.8%	2.6%	0.8%	0.8%	1.8%	3.6%	0.7%	2.7%	3.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	17.4%	22.9%	17.8%	21.4%	28.0%	14.3%	18.3%	27.0%	18.7%	5.4%	29.7%	24.4%
Cumul. DOS, pts with a 100+ day NH stay, mean	212.68	279.86	232.70	229.33	199.68	190.83	217.87	227.07	242.17	182.25	200.27	223.40
SD	86.51	94.26	87.42	107.43	84.31	91.18	88.01	86.31	83.08	81.15	81.90	93.59
NH patients with 150+ day NH stay, %	10.5%	16.7%	11.6%	9.5%	15.9%	7.1%	13.5%	20.7%	14.2%	2.7%	15.3%	18.3%
Cumul. DOS, pts with a 150+ day NH stay, mean	261.44	327.13	285.07	313.50	246.73	266.22	247.59	254.13	270.16	228.50	260.76	263.20
SD	74.39	49.24	57.92	97.70	77.17	68.07	81.35	77.40	72.90	91.34	67.48	71.37
Other VISN cumulative DOS, mean	2.96	0.00	0.10	0.00	0.00	0.48	0.00	0.42	0.31	0.00	0.23	0.00
SD	19.80	0.00	1.14	0.00	0.00	3.91	0.00	4.37	3.13	0.00	1.82	0.00
Other station cumulative DOS, mean	3.46	0.00	0.10	0.14	0.54	2.73	0.11	0.42	0.61	0.00	1.88	0.22
SD	20.46	0.00	1.14	0.93	3.61	20.43	1.25	4.37	4.65	0.00	8.51	1.99

Table 3E: FY01 Patients w/ Other Psychoses, Utilization, by VISN (continued)

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Other Psychoses	32380	1270	736	356	1889	3432	1657	1586	782	1351	1619	1853
<u>Nursing Home Care</u>												
(reported for those with some nursing home care)												
Patients with some nursing home care, %	9.2%	10.1%	14.3%	12.4%	10.2%	5.9%	8.9%	15.3%	10.1%	7.5%	9.3%	8.6%
Number stays, mean	1.32	1.30	1.37	1.18	1.41	1.41	1.21	1.29	1.16	1.31	1.63	1.35
SD	0.69	0.57	0.65	0.45	0.73	0.87	0.51	0.61	0.49	0.58	1.42	0.60
Average LOS, mean	56.09	51.94	34.20	72.22	38.29	44.39	64.00	37.20	80.05	35.38	69.48	53.56
SD	71.76	67.50	39.31	66.90	36.97	59.57	68.39	47.30	82.76	40.06	93.09	62.19
Cumulative DOS, mean	67.41	60.55	47.65	86.00	52.09	53.19	75.14	45.23	86.72	45.59	88.06	69.13
SD	80.65	71.62	58.44	86.30	56.18	62.70	78.95	52.85	87.70	51.84	104.84	74.87
Cumulative Days of Stay, %												
1 to 7	9.4%	9.4%	13.3%	4.5%	9.4%	8.9%	8.8%	8.2%	7.6%	7.8%	9.3%	6.9%
8 to 14	14.3%	14.1%	15.2%	13.6%	14.6%	18.3%	10.9%	17.3%	8.9%	19.6%	12.7%	7.5%
15 to 44	33.3%	29.7%	41.9%	22.7%	35.9%	35.1%	30.6%	44.0%	30.4%	44.1%	29.3%	32.7%
45 to 89	20.3%	31.3%	15.2%	22.7%	21.9%	21.3%	19.0%	19.3%	20.3%	13.7%	20.7%	32.7%
90 to 179	13.0%	7.8%	9.5%	25.0%	13.5%	10.9%	19.7%	7.4%	16.5%	11.8%	11.3%	10.7%
180 to 359	7.8%	5.5%	3.8%	11.4%	4.7%	5.0%	9.5%	3.3%	13.9%	2.9%	10.7%	7.5%
360+	2.0%	2.3%	1.0%	0.0%	0.0%	0.5%	1.4%	0.4%	2.5%	0.0%	6.0%	1.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
NH patients with 100+ day NH stay, %	17.4%	12.5%	9.5%	29.5%	8.9%	9.9%	25.2%	7.8%	31.6%	8.8%	26.0%	13.8%
Cumul. DOS, pts with a 100+ day NH stay, mean	212.68	214.56	193.40	191.54	189.35	201.25	183.84	189.68	198.60	172.00	233.49	225.05
SD	86.51	92.91	72.65	85.62	72.39	83.56	79.28	73.32	69.38	63.20	96.62	83.38
NH patients with 150+ day NH stay, %	10.5%	8.6%	3.8%	15.9%	4.2%	5.4%	11.6%	3.7%	19.0%	3.9%	16.0%	9.4%
Cumul. DOS, pts with a 150+ day NH stay, mean	261.44	257.45	246.25	250.86	233.63	265.00	249.24	230.11	238.80	227.25	281.63	259.67
SD	74.39	79.81	87.01	74.14	70.91	56.34	72.03	82.24	61.67	54.40	89.10	75.23
Other VISN cumulative DOS, mean	2.96	0.00	0.00	0.36	27.07	0.25	0.17	0.00	39.89	1.03	0.07	0.33
SD	19.80	0.00	0.00	2.41	49.76	2.59	2.06	0.00	75.20	5.41	0.74	3.42
Other station cumulative DOS, mean	3.46	0.80	2.19	0.36	26.09	0.40	0.17	0.72	40.33	1.56	1.71	0.91
SD	20.46	4.93	15.47	2.41	47.91	3.29	2.06	5.89	75.06	6.30	12.16	6.08

Table 3E: FY01 Patients w/ Other Psychoses, Utilization, by VISN (continued)

Patients w/ Other Psychoses	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
	32380	1360	713	1199	1287	909	1574	1900	3060	1731	1129	987
<u>Outpatient utilization</u>												
(reported for those with some outpatient care)												
Patients with some outpatient care, %	99.5%	99.4%	98.5%	99.8%	98.5%	99.2%	99.4%	99.6%	99.6%	99.8%	99.5%	99.3%
annual visit days, mean	21.31	27.59	30.37	24.62	17.84	23.28	16.93	19.24	19.35	16.10	22.80	18.49
SD	27.85	37.15	35.03	34.67	25.58	29.38	20.22	21.62	22.34	15.77	30.80	22.58
Outpatient visit days, %												
1-12	46.5%	39.1%	33.8%	47.0%	53.4%	42.9%	52.1%	49.0%	45.1%	50.5%	43.6%	52.7%
13-24	27.5%	25.3%	25.5%	24.1%	26.3%	26.7%	29.4%	26.5%	31.5%	30.9%	27.5%	24.9%
25-36	12.1%	15.2%	14.7%	11.9%	9.9%	13.5%	10.4%	12.2%	12.5%	11.9%	13.3%	10.0%
37-48	5.5%	7.3%	10.7%	4.8%	5.4%	6.8%	3.7%	5.5%	5.1%	3.0%	6.2%	6.2%
49+	8.3%	13.1%	15.4%	12.1%	5.0%	10.1%	4.4%	6.8%	5.8%	3.7%	9.3%	6.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Outpatients who had some Primary Care (PC)	79.7%	77.1%	79.3%	77.1%	77.4%	77.4%	80.8%	81.1%	87.3%	81.4%	79.4%	80.0%
Mean PC visit days, among those with some PC	3.93	3.98	4.23	3.25	3.68	4.97	4.00	4.07	4.21	3.48	4.11	3.42
SD	3.39	3.59	3.73	3.03	3.07	4.64	3.52	3.12	3.18	2.77	3.74	2.72
Average number clinic stops per visit day, mean	1.58	1.47	1.52	1.48	1.54	1.63	1.67	1.59	1.54	1.70	1.48	1.58
SD	0.55	0.50	0.46	0.44	0.51	0.48	0.57	0.48	0.51	0.59	0.47	0.50
annual clinic stops (psych & non-psych), mean	33.75	41.03	46.18	37.25	26.60	39.11	28.38	31.33	29.77	26.51	35.29	29.59
SD	47.09	59.82	59.37	59.86	35.68	53.35	35.65	40.85	36.64	26.60	48.91	36.90
annual non-psych. clinic stops, mean	23.10	24.59	29.31	23.92	19.53	28.13	22.29	21.97	23.57	22.37	21.27	20.81
SD	26.61	28.92	30.35	28.42	22.19	28.93	24.07	23.46	26.65	22.04	25.95	25.65
annual psych. clinic stops (groupings below), mean	10.65	16.44	16.86	13.33	7.06	10.99	6.08	9.37	6.20	4.14	14.02	8.78
SD	34.34	47.96	48.91	43.25	25.90	37.23	23.11	27.37	20.78	12.92	38.54	23.35
1. general psych. clinic stops, mean	4.11	6.04	5.25	3.64	3.19	3.44	2.91	4.04	3.35	2.78	4.66	3.36
SD	9.72	14.33	9.63	7.26	5.90	10.35	6.43	8.34	6.46	4.97	7.50	8.65
2. psych. case management clinic stops, mean	0.20	1.51	0.96	0.33	0.01	0.03	0.06	0.24	0.05	0.00	0.19	0.08
SD	4.52	14.16	8.01	4.28	0.28	0.83	0.91	5.15	1.70	0.04	3.25	1.25
3. psych. day treatment clinic stops, mean	1.00	3.54	3.78	1.07	0.16	0.14	0.53	1.01	0.50	0.31	0.79	1.56
SD	12.62	22.72	31.16	11.75	4.78	1.99	14.75	13.66	7.06	9.59	8.30	10.42

Table 3E: FY01 Patients w/ Other Psychoses, Utilization, by VISN (continued)

Patients w/ Other Psychoses	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
	32380	1270	736	356	1889	3432	1657	1586	782	1351	1619	1853
<u>Outpatient utilization</u>												
(reported for those with some outpatient care)												
Patients with some outpatient care, %	99.5%	99.6%	99.7%	99.4%	99.5%	99.7%	99.4%	99.5%	99.4%	99.4%	98.9%	99.8%
annual visit days, mean	21.31	31.61	23.61	20.25	19.36	17.46	19.46	20.69	20.20	24.98	26.83	23.61
SD	27.85	48.15	30.11	22.47	24.89	22.06	23.58	19.20	22.42	27.76	38.66	30.56
Outpatient visit days, %												
1-12	46.5%	41.6%	44.7%	45.5%	50.6%	53.2%	49.5%	40.1%	47.9%	38.6%	42.4%	42.9%
13-24	27.5%	25.4%	27.7%	28.8%	26.6%	27.5%	26.6%	29.5%	23.9%	26.8%	25.7%	28.7%
25-36	12.1%	11.8%	9.1%	12.1%	10.8%	9.7%	11.4%	16.5%	14.9%	14.5%	13.2%	11.4%
37-48	5.5%	5.8%	6.4%	6.2%	4.4%	4.0%	5.3%	7.0%	5.5%	8.2%	5.9%	6.4%
49+	8.3%	15.4%	12.1%	7.3%	7.7%	5.6%	7.2%	7.0%	7.7%	11.9%	12.9%	10.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Pts. with some OP primary care , %	79.7%	77.5%	70.6%	79.1%	82.0%	77.7%	77.8%	84.3%	78.1%	73.8%	77.0%	80.6%
OP visit days with primary care clinic stops, mean	3.93	4.22	3.37	3.79	3.50	3.10	3.99	4.55	4.12	4.37	4.19	4.56
SD	3.39	3.63	2.64	2.57	3.53	2.36	3.29	3.47	3.79	4.21	3.67	4.02
Average number clinic stops per visit day, mean	1.58	1.62	1.88	1.86	1.64	1.60	1.73	1.56	1.48	1.51	1.49	1.52
SD	0.55	0.56	0.71	0.66	0.59	0.55	0.71	0.50	0.47	0.42	0.60	0.49
annual clinic stops (psych & non-psych), mean	33.75	51.93	48.40	39.34	32.49	27.17	32.18	32.27	30.36	37.23	39.41	36.09
SD	47.09	81.20	74.69	51.15	45.07	34.23	40.41	32.23	37.20	42.42	61.67	50.76
annual non-psych. clinic stops, mean	23.10	26.74	28.36	27.71	20.78	19.61	25.10	25.72	22.37	22.71	21.33	24.63
SD	26.61	28.16	46.88	27.35	23.48	21.75	27.19	26.16	27.57	24.80	25.49	31.60
annual psych. clinic stops (groupings below), mean	10.65	25.19	20.04	11.64	11.71	7.57	7.08	6.56	7.99	14.52	18.07	11.46
SD	34.34	70.22	52.17	37.95	33.13	22.30	23.90	17.98	21.81	30.33	51.60	34.35
1. general psych. clinic stops, mean	4.11	5.62	8.16	5.17	4.54	3.41	3.03	3.93	4.23	4.82	5.15	4.79
SD	9.72	14.17	20.34	12.91	17.05	5.75	7.94	7.26	10.03	8.24	9.19	10.21
2. psych. case management clinic stops, mean	0.20	0.47	0.09	0.30	0.01	0.05	0.08	0.04	1.11	0.19	0.09	0.01
SD	4.52	9.70	1.77	4.15	0.30	0.55	3.40	1.13	9.27	3.03	2.86	0.15
3. psych. day treatment clinic stops, mean	1.00	2.00	2.83	2.77	0.33	0.47	0.35	0.25	0.50	0.68	2.32	1.09
SD	12.62	16.16	24.13	25.39	4.54	8.84	5.61	7.63	5.99	6.89	16.82	13.98

Table 3E: FY01 Patients w/ Other Psychoses, Utilization, by VISN (continued)

Patients w/ Other Psychoses	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11	
	32380	1360	713	1199	1287	909	1574	1900	3060	1731	1129	987	
	<i>SD</i>	12.62	22.72	31.16	11.75	4.78	1.99	14.75	13.66	7.06	9.59	8.30	10.42
4. substance abuse clinic stops, mean		3.35	2.31	2.41	5.07	3.22	5.01	0.98	1.52	1.08	0.59	6.92	2.01
	<i>SD</i>	22.13	14.04	12.21	32.05	23.87	27.89	6.24	8.08	10.59	4.67	30.74	10.79
5. psych. vocational clinic stops, mean		0.83	1.73	2.20	1.59	0.08	1.65	1.10	0.77	0.34	0.04	0.46	0.57
	<i>SD</i>	9.94	14.93	20.97	14.95	1.28	12.82	11.95	8.05	6.39	0.50	5.37	8.01
6. PTSD clinic stops, mean		0.72	0.84	1.73	0.93	0.22	0.35	0.29	1.59	0.25	0.30	0.56	0.88
	<i>SD</i>	5.73	5.07	9.73	6.48	1.69	2.95	2.16	9.63	2.98	2.72	3.60	8.07
7. psych. homeless clinic stops, mean		0.38	0.47	0.44	0.69	0.17	0.37	0.19	0.19	0.19	0.11	0.44	0.33
	<i>SD</i>	3.23	6.59	3.75	4.91	1.14	2.19	1.68	1.73	1.47	0.92	2.51	1.78
Other VISN OP visit days, mean		0.37	0.23	0.60	0.59	0.43	0.47	0.33	0.29	0.23	0.29	0.36	0.29
	<i>SD</i>	2.37	1.41	3.64	4.64	2.68	3.03	2.07	1.89	1.49	1.88	2.03	1.73
Other station OP visit days, mean		1.28	1.19	0.60	1.15	1.41	1.30	0.86	1.04	0.46	0.44	1.36	1.16
	<i>SD</i>	5.46	4.79	3.64	6.08	4.10	6.68	3.14	3.67	2.23	2.16	4.58	3.66

Table 3E: FY01 Patients w/ Other Psychoses, Utilization, by VISN (continued)

Patients w/ Other Psychoses	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
	32380	1270	736	356	1889	3432	1657	1586	782	1351	1619	1853
4. substance abuse clinic stops, mean	3.35	13.75	5.09	2.47	4.91	1.75	1.64	1.09	1.49	5.54	8.36	3.45
	SD	22.13	58.94	21.49	15.57	18.25	14.46	10.51	6.51	9.88	20.36	41.37
5. psych. vocational clinic stops, mean	0.83	1.86	1.81	0.51	0.91	0.33	1.23	0.59	0.02	1.30	0.67	0.88
	SD	9.94	16.59	13.43	7.12	11.81	3.69	11.62	8.38	0.28	10.18	9.04
6. PTSD clinic stops, mean	0.72	0.67	1.45	0.37	0.88	1.14	0.37	0.38	0.39	1.04	0.68	0.78
	SD	5.73	5.64	9.41	2.30	6.45	8.16	3.03	2.66	3.31	5.02	4.82
7. psych. homeless clinic stops, mean	0.38	0.82	0.62	0.05	0.14	0.39	0.37	0.26	0.20	0.94	0.77	0.47
	SD	3.23	6.96	5.01	0.28	1.32	3.32	2.54	1.73	1.46	4.09	4.74
Other VISN OP visit days, mean	0.37	0.24	0.67	0.33	0.29	0.29	0.47	0.49	0.49	0.71	0.35	0.42
	SD	2.37	1.68	3.30	1.79	2.05	1.79	2.62	2.28	2.16	3.46	2.01
Other station OP visit days, mean	1.28	1.47	1.45	0.33	5.94	0.70	0.72	0.91	2.81	1.41	1.10	0.82
	SD	5.46	4.58	4.72	1.79	15.03	3.01	3.34	3.09	8.24	5.02	3.71