



IN01.22
Bio-hazard warning sign.

Sign Face Size:
229mm H x 229mm W
(9" H x 9" W)



Sign Size

229 mm H x 229 mm W
(9" H x 9" W)

Description

Laser Warning Sign

Sign Use & Application

Caution information regarding lasers. Sign is to be installed on the doors to all rooms where lasers are used.

Message Configuration

(Refer to layout drawing for lettering sizes and dimensions)

Sign Components

Acrylic Plaque

Graphic Process

Silkscreened.

Colors

Type & Symbol: Black - T4
Background: Yellow - B8

Typography



Helvetica Medium


Mounting

Double sided foam tape or silastic adhesive.

Installation


Centered on door, 1575 mm (63") to top of sign.





IN01.23
Occupational exposure
area warning sign.

Sign Face Size:
229mm H x 229mm W
(9" H x 9" W)



Sign Size

229 mm H x 229 mm W
(9" H x 9" W)

Description

Occupational Exposure Area
Warning Sign

Sign Use & Application

Caution information regarding occupational exposure. Sign is to be installed on doors to all rooms where there is occupational exposure.

Message Configuration

(Refer to layout drawing for lettering sizes and dimensions)

Sign Components

Acrylic Plaque

Graphic Process

Silkscreened.

Colors

Type: Black - T4
Background: Yellow - B8

Typography


Helvetica Medium


Mounting

Double sided foam tape or silastic adhesive.

Installation


Centered on door, 1575 mm (63") to top of sign.





IN01.24
Occupational exposure
area warning sign.

Sign Face Size:
229mm H x 229mm W
(9" H x 9" W)



Sign Size

152 mm H x 508 mm W
(6" H x 20" W)

Description

Consent to Inspection Sign

Sign Use & Application

Consent to inspection sign that is required to be placed at the entrance of a building.

Message Configuration

(Refer to layout drawing for lettering sizes and dimensions)

Sign Components

Acrylic Plaque

Graphic Process

Silkscreened.

Colors

For background & type colors, refer to VA Standard Color Chart.

Typography



Helvetica Medium

Mounting



Double sided foam tape or silastic adhesive.

Installation



Sign can be coordinated to be placed with other signs, IN02.2 and IN02.3 that are required at the entrance.



IN02.1
Consent to inspection
sign.



Sign Face Size:
152mm H x 508mm W
(6" H x 20" W)



Sign Size

152 mm H x 508 mm W
(6" H x 20" W)

Description

No Smoking Sign

Sign Use & Application

No smoking sign that is required to be placed at the entrance of a building.

Message Configuration

(Refer to layout drawing for lettering sizes and dimensions)

Sign Components

Acrylic Plaque

Graphic Process

Silkscreened.

Colors

For background & type colors, refer to VA Standard Color Chart.

Typography



Helvetica Medium


Mounting

Double sided foam tape or silastic adhesive.


Installation

Sign can be coordinated to be placed with other signs, IN02.1 and IN02.3 that are required at the entrance.






IN02.2
No smoking sign.



Sign Face Size:
152mm H x 508mm W
(6" H x 20" W)



Sign Size

305 mm H x 508 mm W
(12" H x 20" W)

Description

Firearms and Dangerous Weapons
Warning Sign

Sign Use & Application

No firearms or dangerous weapons
sign that is required to be placed at
the entrance of a building.

Message Configuration

*(Refer to layout drawing for lettering
sizes and dimensions)*

Sign Components

Acrylic Plaque

Graphic Process

Silkscreened.

Colors

For background & type colors, refer
to VA Standard Color Chart.

Typography



Helvetica Medium

Mounting




Double sided foam tape or silastic
adhesive.

Installation

Sign can be coordinated to be placed
with other signs, IN02.1 and IN02.2
that are required at the entrance.



IN02.3
Firearms & dangerous
weapons warning sign.



Sign Size

229 mm H x 229 mm W
(9" H x 9" W)

Description

Business Hours Sign

Sign Use & Application

Hours of operation sign that is required to be placed at the entrance of a building.

Message Configuration

(Refer to layout drawing for lettering sizes and dimensions)

Sign Components

Acrylic Plaque

Graphic Process

Surface applied vinyl.

Colors

For background & type colors, refer to VA Standard Color Chart.

Typography



Helvetica Medium


Mounting

Double sided foam tape or silastic adhesive.

Installation


On wall, 1575 mm (63") to top of sign, at the building entrance.





IN02.4
Business hours sign.

Sign Face Size:
229mm H x 229mm W
(9" H x 9" W)



Sign Size

76 mm H x 229 mm W
(3" H x 9" W)

Description

Room Number Sign

Sign Use & Application

Sign is to be placed on all rooms that require identification.

Message Configuration

(Refer to layout drawing for lettering sizes and dimensions)

Sign Components

Sliding Rail Back; Etched Sign Plaque; Aluminum Top Accent Bar; End Cap

Graphic Process

Tactile room number with accompanying Braille.

Colors

For background, type and accent bar colors, refer to VA Standard Color Chart

Type Style

Helvetica Medium
Grade 2 Braille

Mounting

Double sided foam tape, silastic adhesive or screw.

Installation


Knob side of door, 1575 mm (63") to top of sign and 50 mm (2") over from door frame.


Recommendations

This sign is to be used for all rooms, but can also be used to identify corridors and alcoves as necessary. Do not use on exterior and stairwell doors.




Layout A





IN03
Room number sign.

Sign Face Size:
76mm H x 229mm W
(3" H x 9" W)



Sign Size

152 mm H x 229 mm W
(6" H x 9" W)

Description

Room Identification Sign

Sign Use & Application

This sign always has a Type IN03 as its top sign component. Use this sign to identify the occupant or activity within a room.

Message Configuration

(Refer to layout drawing for lettering sizes and dimensions)

Layout A is suggested for department identification. Layout B for rooms and departments with long words or names. Layout C for rooms with a common name but need specific identification.

Sign Components

Sliding Rail Back; Copy Panel; Accent Bar; End Caps

Graphic Process

Surface applied vinyl.

Colors

For background, type and accent bar colors, refer to VA Standard Color Chart

Type Style & Size

Helvetica Medium

Lettering size is adaptable to allow messages to fit on to the sign. Refer to various layouts for reference.

Mounting

Double sided foam tape, silastic adhesive or screw.

Installation

Knob side of door, 1500 mm (60") to top of sign and 50 mm (2") over from door frame.

Recommendations

It is recommended that this particular sign type become the "building standard" for identification of all rooms.




Layout A




Layout B



Layout C




SIGN TYPE 03




Message Layout A

IN04.1
Room identification sign.


Sign Face Size:
152mm H x 229mm W
(6" H x 9" W)



Message Layout B



Message Layout C



Sign Size

76 mm H x 229 mm W
(3" H x 9" W)

Description

Secondary Room Identification Sign

Sign Use & Application

This sign always has a Type 03 as its top sign component. Use this sign to secondary rooms or rooms that have short names.

Message Configuration

(Refer to layout drawing for lettering sizes and dimensions)

Layout A is suggested for short titles. Layout B is for longer names or titles. Layout C is specific identification by number or letter.

Sign Components

Sliding Rail Back; Copy Panel; Top Accent Bar; End Caps

Graphic Process

Surface applied vinyl.

Colors

For background, type and accent bar colors, refer to VA Standard Color Chart

Typography

Helvetica Medium

Mounting


Double sided foam tape, silastic adhesive or screw.

Installation

Knob side of door, 1500 mm (60") to top of sign and 50 mm (2") over from door frame.

Recommendations

This sign is for rooms that do not require long or large text.




Layout A




Layout B



Layout C






SIGN TYPE 03



IN04.2
Secondary room
identification sign.

Sign Face Size:
76mm H x 229mm W
(3" H x 9" W)



Sign Size

- IN05.1 152 mm x 229 mm
(6" x 9")
- IN05.2 76 mm x 229 mm
(3" x 9")

Description

Patient Room Identification Sign

Sign Use & Application

This sign always has a type IN03 as its top component. Use this sign to identify the occupant's of a patient room.

Message Configuration

(Refer to layout drawings for lettering sizes and dimensions)

Paper inserts with patient's names are prepared and removed by each Medical Center based upon occupancy of the room.

Sign Components

Sliding Rail Back; Top Accent Bar; Polycarbonate Cover; Paper or Film Copy Insert; Extruded Insert Holder; Copy Panel; End Caps

Graphic Process

Inserts to be provided by hospital

Colors

For background and accent bar colors, refer to VA Standard Color Chart

Mounting


Double sided foam tape, silastic adhesive or screw.

Installation


Knob side of door, 1500 mm (60") to top of sign and 50 mm (2") over from door frame.

Recommendations

It is recommended that this sign type be used for patient rooms.





IN05.1




IN05.2 Layout A



IN05.2 Layout B









IN05.1–IN05.2
Patient room
identification room.

IN05.1
Sign Face Size:
152mm H x 229mm W
(6" H x 9" W)

IN05.2
Sign Face Size:
76mm H x 229mm W
(3" H x 9" W)



Sign Size

- IN05.3 203 mm x 229 mm
(8" x 9")
- IN05.4 254 mm x 229 mm
(10" x 9")

Description

Patient Room Identification Sign with Picture

Sign Use & Application

This sign always has a Type 03 as its top sign component. Use this sign on patient rooms in a Nursing Home.

Message Configuration

(Refer to layout drawing for lettering sizes and dimensions)

Insert messages and pictures are patient's name and photograph. They are prepared and removed by the Medical Center based upon occupancy of the room.

Sign Components

Sliding Rail Back; Polycarbonate Cover, Extruded Insert Holder, Paper or Film Insert, Photo Holder (to accept Polaroid picture); Top Accent Bar; End Caps

Graphic Process

Inserts provided by hospital.

Colors

For background and accent bar colors, refer to VA Standard Color Chart

Typography

Helvetica Medium

Mounting


Double sided foam tape, silastic adhesive or screw.

Installation


Knob side of door, 1500 mm (60") to top of sign and 50 mm (2") over from door frame.

Recommendations




This sign is for use in a Nursing Home where photos of the patient will help the patient identify their particular room.




IN05.3



IN05.4






IN05.3


IN05.3-IN05.4
Patient room
identification room.

IN05.3
Sign Face Size:
203mm H x 229mm W
(8" H x 9" W)

IN05.4
Sign Face Size:
254mm H x 229mm W
(10" H x 9" W)



IN05.4



Sign Size

- IN06.1 127 mm x 229 mm (5" x 9")
- IN06.2 229 mm x 229 mm (9" x 9")
- IN06.3 279 mm x 229 mm (11" x 9")

Description

Patient Bed Sign

Sign Use & Application

Use this sign above patient beds to identify the bed and the patient.

Message Configuration

(Refer to layout drawing for lettering sizes and dimensions)

Insert names are prepared and removed based upon occupancy of the room. Selection of the text to appear behind the slider is to be selected by nursing at a medical center, based on their particular needs.

Sign Components

Sliding Rail Back; Polycarbonate Cover, Extruded Insert Holder, Paper or Film Copy Insert, Slider; Top Accent Bar; End Caps

Graphic Process

Vinyl text.

Name inserts provided by hospital. Text behind slider is second surface applied.

Colors

For background, type and accent bar colors, refer to VA Standard Color Chart

Typography

Helvetica Medium

Mounting


Double sided foam tape, silastic adhesive or screw.

Installation


On headwall above bed.

Recommendations


This sign is for use in patient rooms and is to be coordinated with the needs and function with nursing services.






IN06.1




IN06.3



IN06.2




SIGN TYPE IN22.1



IN06.1

IN06.1-IN06.3
Patient bed sign.


IN06.1
Sign Face Size:
127mm H x 229mm W
(5" H x 9" W)




IN06.2

IN06.2
Sign Face Size:
229mm H x 229mm W
(9" H x 9" W)

IN06.3
Sign Face Size:
279mm H x 229mm W
(11" H x 9" W)



IN06.3



Sign Size

- IN07.1 152 mm x 229 mm
(6" x 9")
- IN07.2 76 mm x 229 mm
(3" x 9")
- IN07.3 152 mm x 229 mm
(6" x 9")

Description

Conference / Meeting Room Sign

Sign Use & Application

This sign always has a Type 03 as its top sign component. Use this sign for conference rooms, meeting rooms. This type of sign can also be used for exam rooms, treatment rooms, and offices where the occupants may be conducting patient interviews.

Message Configuration

(Refer to layout drawing for lettering sizes and dimensions)

IN07.1, Layout A is for conference rooms, Layout B is for exam or treatment rooms. IN07.3 Insert messages are prepared and removed based upon occupancy of the room. Selection of the text to appear behind the slider is to be determined by the medical center.

Sign Components

Sliding Rail Back; Polycarbonate Cover, Extruded Insert Holder, Paper or Film Copy Insert, Slider; Top Accent Bar; End Caps

Graphic Process

Surface applied vinyl. IN07.3 name inserts provided by hospital. Text behind slider is second surface applied.

Colors

For background, type and accent bar colors, refer to VA Standard Color Chart

Typography

Helvetica Medium

Mounting



Double sided foam tape, silastic adhesive or screw.

Installation

Knob side of door, 1500 mm (60") to top of sign and 50 mm (2") over from door frame.

Recommendations


This sign is for use on rooms where and indication is needed in the hallway that the room is occupied or an activity is taking place in the room which should not be disturbed.




IN07.1 (Layout A)






IN07.1 (Layout B)




IN07.2



IN07.3






IN07.1 (Layout A)

IN07.1–IN07.3
Conference / Meeting
room sign.


IN07.1
Sign Face Size:
152mm H x 229mm W
(6" H x 9" W)




IN07.1 (Layout B)

IN07.2
Sign Face Size:
76mm H x 229mm W
(3" H x 9" W)


IN07.3
Sign Face Size:
152mm H x 229mm W
(6" H x 9" W)



IN07.2



IN07.3



Sign Size

229 mm H x 229 mm W
(9" H x 9" W)

Description

Prohibit, Instructional & Control Signs

Sign Use & Application

Use these signs to inform in a bold manner.

Message Configuration

(Refer to layout drawing for lettering sizes and dimensions)

Sign Components

Acrylic plaque.

Graphic Process

Silkscreened or surface applied vinyl.

Colors

Type: Black T4
Symbol: Red T6 and Black T4
Background: White B7

Typography

Helvetica Medium

Mounting

Double sided foam tape or silastic adhesive.

Installation

On wall or door 1575 mm (63") to top of sign and on door, center.

Recommendations


This sign is for use when a strong communication of information is necessary. IN08.4 should be used carefully as it may have a negative reaction on the part of patients and visitors.



IN08.1





IN08.2




IN08.3







IN08.4





IN08.1–IN08.4
Prohibit/
Instructional signs.

Sign Face Size:
229mm H x 229mm W
(9" H x 9" W)



Sign Size

229 mm H x 229 mm W
(9" H x 9" W)

Description

Pictogram & Symbol Signs

Sign Use & Application

Use these signs to inform with a symbol as well as text.

Message Configuration


(Refer to layout drawing for lettering sizes and dimensions)

Sign Components

Etched sign plaque face laminated to acrylic backing plaque.

Graphic Process

Tactile symbol and text with accompanying Braille.



Colors

Type: White
Background: VA Standard Color

Typography

Helvetica Medium
Grade 2 Braille

Mounting

Double sided foam tape or silastic adhesive.

Installation

On wall or door 1575 mm (63") to top of sign and on door, center.

Recommendations

These signs are for use on restrooms or stair doors or under a Type 03 sign.

IN09.1




IN09.2




IN09.3



IN09.4





IN09.5




IN09.6



IN09.7







IN09.1–IN09.7
Pictogram & symbol
signs.

Sign Face Size:
229mm H x 229mm W
(9" H x 9" W)

- IN09.1
- IN09.2
- IN09.3
- IN09.4
- IN09.5
- IN09.6
- IN09.7



ARROW: Refer to
standards for arrow
positioning relative to
text.

Sign Size

229 mm H x 229 mm W
(9" H x 9" W)

Description

Pictogram & Symbol Signs

Sign Use & Application

Use these signs to inform with a symbol as well as text.

Message Configuration

(Refer to layout drawing for lettering sizes and dimensions)

Sign Components

Acrylic plaque.

Graphic Process

Silkscreened or surface applied vinyl.

Colors

For background and type colors, refer to VA Standard Color Chart

Typography

Helvetica Medium

Mounting


Double sided foam tape or silastic adhesive.

Installation

On wall or door 1575 mm (63") to top of sign and on door, center.

Recommendations


These signs are for use when a symbol will help communicate. If needed, other symbols are available which have been used in the past: EKG, ENT, Eye, Foot Clinic, Laboratory, X-Ray, Nuclear Medicine, Occupational Therapy, Pharmacy, Physical Therapy.




IN09.8



IN09.9




IN09.10




IN09.11




IN09.12





IN09.13





IN09.8-IN09.13
Pictogram & symbol
signs.

Sign Face Size:
229mm H x 229mm W
(9" H x 9" W)



ARROW: Refer to
standards for arrow
positioning relative to
text.

Sign Size

229 mm H x 229 mm W
(38" H x 26" W)

Description

Sign Frame

Sign Use & Application

Use this sign to hold 24" x 36" vertical patient's rights poster

Sign Components

Extruded aluminum frame with glass face.

Colors

Frame: P1, Dark Bronze Anodize

Mounting



Mechanically mount


Installation

On wall

Recommendations

This sign is used to hold patient's rights poster






IN10.1
Frame sign.

IN10.1
Sign Face Size:
965mm H x 660mm W
(238" H x 26" W)

IN10.1



Sign Size

- IN10.2 547 mm x 407 mm
(21 1/2" x 16")
- IN10.3 457 mm x 305 mm
(18" x 12")
- IN10.4 305 mm x 457 mm
(12" x 18")
- IN10.5 305 mm x 242 mm
(12" x 9 1/2")
- IN10.6 242 mm x 305 mm
(9 1/2" x 12")

Description

Pocket Signs

Sign Use & Application

Use these signs to hold posters, fire alarm bell schedules, maps or other information sheets.

- 10.2 14" x 20" paper poster
- 10.3 11" x 17" paper, vertical
- 10.4 11" x 17" paper, horizontal
- 10.5 8 1/2" x 11" paper, vertical
- 10.6 8 1/2" x 11" paper, horizontal



Sign Components

Acrylic plaque.

Colors

For border colors, refer to VA Standard Color Chart

Mounting

Double sided foam tape or silastic adhesive.


Installation

On wall

Recommendations

These signs are for use to hold papers and posters vertically or horizontally.

IN10.2




IN10.3



IN10.4




IN10.5




IN10.6




IN10.4
IN10.5
IN10.6





IN10.2
IN10.3





IN10.2-IN10.6
Pocket sign.






IN10.2
Sign Face Size:
533mm H x 406mm W
(21" H x 16" W)

IN10.3
Sign Face Size:
457mm H x 305mm W
(18" H x 12" W)

IN10.4
Sign Face Size:
305mm H x 457mm W
(12" H x 18" W)

IN10.5
Sign Face Size:
305mm H x 242mm W
(12" H x 9.5" W)

IN10.6
Sign Face Size:
242mm H x 305mm W
(9.5" H x 12" W)



Sign Size

- IN011.1 229 mm x 229 mm (9" x 9")
- IN011.2 381 mm x 381 mm (15" x 15")
- IN011.3 508 mm x 508 mm (20" x 20")

Description

Informational / Instructional Sign

Sign Use & Application

Use this sign to communicate miscellaneous information.

Message Configuration

(Refer to layout drawing for lettering sizes and dimensions)

Layouts relate to the size and importance of message.

Sign Components

Sliding Rail Back; Copy Panel; Top Accent Bar; End Caps

Graphic Process

Surface applied vinyl.

Colors

For background, type and accent bar colors, refer to VA Standard Color Chart

Typography

Helvetica Medium

Mounting


Double sided foam tape, silastic adhesive or screw.

Installation

On wall

Recommendations


These sign are for use to present brief general messages. Text should be limited to as few a words as possible. Long messages are generally not read.





IN11.1




IN11.2




IN11.3







IN11.1-IN11.3
Informational/
Instructional sign.



IN11.1
Sign Face Size:
229mm H x 229mm W
(9" H x 9" W)

IN11.2
Sign Face Size:
381mm H x 381mm W
(15" H x 15" W)

IN11.3
Sign Face Size:
508mm H x 508mm W
(20" H x 20" W)



Sign Size

- IN12.1 152 mm x 229 mm
(6" x 9")
- IN12.2 229 mm x 229 mm
(9" x 9")
- IN12.3 76 mm x 229 mm
(3" x 9")

Description

Desk, Counter Sign

Sign Use & Application

Use this sign for messages to be communicated at counters and desks.

Message Configuration

(Refer to layout drawing for lettering sizes and dimensions)

IN12.1 is for titles or titles with a short informational text. IN12.2 is for long titles or titles with a long informational text. IN12.3 is suggested for use as a desk plaque with and individuals name.

Sign Components

Sliding Rail Back; Copy Panel; Top Accent Bar; End Caps, Extruded Aluminum Mounting Bracket

Graphic Process

Surface applied vinyl.

Colors

For background, type and accent bar colors, refer to VA Standard Color Chart

Typography

Helvetica Medium

Mounting

Freestanding.

Installation

On counter or desk.

Recommendations

This sign is for use if information does not require long or large text and needs to be removed or relocated based on the function of the counter.



IN12.1




IN12.2



IN12.3






IN12.1

IN12.1-IN12.3
Desk / counter top
informational sign.


IN12.1
Sign Face Size:
152mm H x 229mm W
(6" H x 9" W)

IN12.2
Sign Face Size:
229mm H x 229mm W
(9" H x 9" W)

IN12.3
Sign Face Size:
76mm H x 229mm W
(3" H x 9" W)



IN12.2



IN12.3

Sign Size

229 mm H x 305 mm W
(9" H x 12" W)

Description

Perpendicular (flag) Mount Sign

Sign Use & Application

Use this sign for messages to be communicated in corridors on the wall, above doors.

Message Configuration

(Refer to layout drawing for lettering sizes and dimensions)

Layout A is for symbols and title / informational text. Layout B is for directional information. Layout C is for a department name.

Sign Components

Sliding Rail Back; Copy Panel; Top Accent Bar; End Caps, Extruded Aluminum Bracket



Graphic Process

Surface applied vinyl.

Colors

For background, type and accent bar colors, refer to VA Standard Color Chart

Typography

Helvetica Medium Condensed

Mounting



Wall mount with screws.


Installation

Install on wall above the height of doors, 2100 mm (84") minimum to bottom of sign.

Recommendations




This sign is for use when the service or department is a high traffic area or the service or department is hard to find.





IN13
Flag mounted sign.

Sign Face Size:
229mm H x 305mm W
(9" H x 1'-0"W)



ARROW: Refer to standards for arrow positioning relative to text.