



CLINICAL PROCEDURES USER MANUAL

Version 1.0

April 2004

Department of Veterans Affairs
VistA Health Systems Design and Development

Revision History

Description	Date
Originally released.	April 2004
Patch MD*1*2 released.	July 2004

¹ Patch MD*1*2 July 2004 Patch 2 release added.

Table of Contents

1. Introduction.....	1-1
Intended Audience	1-6
Related Manuals.....	1-6
Product Benefits	1-6
2. Working with CP User	2-1
Opening CP User.....	2-1
Defining CP User Icons	2-1
Selecting a Patient.....	2-2
Defining the Parts of the Main CP User Window	2-3
3. Clinical Procedures Process, Part 1	3-1
Ordering a Consult Procedure in CPRS.....	3-1
Check in a new study	3-8
Updating study status to correct errors	3-14
4. Clinical Procedures Process, Part 2	4-1
Completing the Procedure	4-1
Entering the interpretation into the TIU Note.....	4-1
Entering Encounter Information	4-7
Signing Off.....	4-12
Viewing Clinical Procedures Results	4-14
Linking Consent Forms and Images to CP Documents	4-19
25. Viewing the Reports.....	5-1
Abnormal	5-3
Brief Report	5-7
Full Captioned.....	5-8
Full Report	5-13
Procedures (local only)	5-18
Procedures.....	5-21
Configuring the Medicine Report to Display in CPRS.....	5-23
6. Glossary	6-1
7. Index.....	7-1

² Patch MD*1*2 July 2004 New chapter added.

Table of Contents

1. Introduction

Clinical Procedures (CP) is a new VistA package that provides features that can be used across clinical departments, such as general medicine, cardiology, pulmonary, women's health, neurology, and rehabilitation medicine. CP is a conduit for passing patient results, using HL7 messaging, between the vendor and VistA. Patient test results are displayed in the Computerized Patient Record System (CPRS). CP includes three modules, which are CP User, CP Manager, and CP Gateway.

CP User is the primary application that clinicians use. For example, you can place an order for a procedure, such as an EKG, through the Consults tab or Orders tab in CPRS, or Order Entry. Then you can use CP User to check in a patient and initiate the actual procedure. If the procedure is performed on a bi-directional instrument, the patient demographics are automatically transmitted to the instrument. When the procedure is complete, the result is transmitted back to VistA Imaging and attached to a TIU note/document that is associated with the original procedure order.

If the procedure is performed on a uni-directional instrument, you use CP User to match the instrument results to the requested procedure. The TIU note is created when the instrument results are submitted to VistA Imaging. Standard Consults functionality is used to complete and sign the TIU note. The main purpose of CP User is to link the results from the automated instrument to the procedure ordered through Consults in CPRS.

System managers and clinical application coordinators use CP Manager. The main purpose of this application is to add and edit automated instruments and procedures in the CP database. CP Manager is also used to configure the site files and required system parameters.


CP Gateway manages the flow of information from the instrument interfaces to CPRS. CP Gateway polls the system regularly for new data from instruments and processes this data into usable attachments for the VistA Imaging system.


Topics discussed in this chapter are:

- [Intended Audience](#)
- [Related Manuals](#)
- [Product Benefits](#)


The following pages contain flowcharts explaining the bi-directional and uni-directional Clinical Procedures process flow.


Clinical Procedures Bi-Directional Interface Process Flow:





Clinical Procedures Uni-Directional Interface Process Flow:





Intended Audience

This User Manual is intended for use by clinicians, physicians, nurses, technicians, TSO, and IRMS. End users should be familiar with the following:

- Windows operating systems
- CPRS functionality

Related Manuals

Here is a list of related manuals that you may find helpful:

Clinical Procedures Installation Guide
Clinical Procedures Technical Manual and Package Security Guide
Clinical Procedures Implementation Guide
Clinical Procedures Release Notes
CPRS User Manual
Consult/Request Tracking User Manual
Consult/Request Tracking Technical Manual
Text Integration Utilities (TIU) Implementation Guide
Text Integration Utilities (TIU) User Manual
VistA Imaging System (Clinical) User Manual

You can locate these manuals in the [VistA Documentation Library \(VDL\)](#). Select **Clinical** from the VDL web page, select the package you want, and then select the manuals. For example, you can select CPRS on the left side of the page. The list of CPRS manuals is displayed.

Product Benefits

- **Common User Interface**

Clinicians can use CPRS to enter, review, interpret, and sign CP orders. CP documents in TIU obey Authorization Subscription Utility (ASU) Business Rules. The update users functionality currently used by Consults determines which users are allowed to access or edit CP documents.

- **Integration**

Clinicians order procedures in CPRS. Orders are processed through the Consult/Request Tracking Package (Consults) and data is interpreted, entered, and displayed through CPRS. Final results of the CP procedure are displayed by VistA Imaging. Ordering, viewing, reviewing, interpreting, and signing the CP medical record is accessed through one location, the CPRS Consults tab. You use CP User to check in patients. CP User also links the result from the automated instrument to the procedure ordered through Consults.

- **Variety of Accepted File Types**

CP is able to accept data/final result report files from automated instruments. The supported imaging file types are the following:

.txt	Text files
.rtf	Rich text files
.jpg	JPEG Images
.jpeg	JPEG Images
.bmp	Bitmap Images
.tiff	TIFF Graphics (group 3 and group 4 compressed and uncompressed types)
.pdf	Portable Document Format
.html	Hypertext Markup Language

.DOC (Microsoft Word files) are not supported. Be sure to convert .doc files to .rtf or to .pdf format.

- **Links to Other Packages**

CP interfaces with packages such as Computerized Patient Record System (CPRS), Consult/Request Tracking package, Text Integration Utility package (TIU), and VistA Imaging.

- **Interface Between CP and Imaging**

Certain images such as consent forms and report objects are acquired, processed, stored, transmitted, and displayed by the VistA Imaging package. This interface between CP and Imaging replaces the existing capture interface between Medicine 2.3 and VistA Imaging.

- **Inpatient and Outpatient Workloads**

The Hospital Location, where the procedure is performed, is defined in the CP Definition file (#702.01). The hospital location determines which Encounter Form is presented to the end user. CPRS and TIU parameters allow for the configuration of TIU software to display the electronic encounter form and prompt users to enter workload data. The data is then passed to the Patient Care Encounter software (PCE) for inpatients and outpatients.

2. Working with CP User

This chapter describes how to get started with CP User.

Topics discussed in this chapter are:

- [Opening CP User](#)
- [Defining CP User Icons](#)
- [Selecting a Patient](#)
- [Defining the Parts of the Main CP User Window](#)

Opening CP User

With CP User, the result from the automated medical device is linked to the procedure that was ordered through the Consults tab.

- Double-click **CP User** on your desktop. If you are not currently logged into the VistA system, you need to enter your access and verify codes. Click **OK**. The main CP User window is displayed.

Defining CP User Icons

Select **View > Use Toolbar**.



Open Patient – Opens a new patient record.



Refresh Patient - Refreshes the currently selected patient's information.



Check-in New Study - Checks-in a patient and opens a new study.



Open Study - Opens a currently selected study.



Delete Study - Deletes a currently selected study.



Help - Provides on-line help for this package.



Clinical Procedures Home Page - Goes to the Clinical Procedures Home Page on the Web.

Selecting a Patient

1. Open **CP User**.
2. Select **File > Open Patient**. The main CP User screen lets you select a patient that has a consult procedure ordered. You can choose **Patient**, **Team**, **Clinic**, or **Ward**.
 - Choose **Patient** if you want to select a patient by name, complete SSN, or first initial of the last name and the last four digits of the SSN.
 - Choose **Team** if you want to select a patient from a specific team list defined in the OE/RR List file (#100.21).
 - Choose **Clinic** if you want to select a patient from selected clinic appointments for a predetermined clinic and date.
 - Choose **Ward** if you want to select a patient from selected MAS wards.




Fig. 2-1

3. Double-click the patient's name. A confirmation screen is displayed, which shows additional information about the selected patient. See Figure 2-1. If you select a sensitive patient, a sensitive patient window is displayed indicating that the patient's information should only be accessed on a need to know basis.
4. Click **OK**. Figure 2-2, the main CP User window is displayed.

Defining the Parts of the Main CP User Window

In this main window, you can select a treating specialty from the left and view a list of procedures within that treating specialty on the right. Click the column headers to sort them in ascending or descending order.




Fig. 2-2

The status column displays New, Submitted, Error, Ready to Complete, Pending Instrument Data, and Complete. Here is a description of each status type in (Fig. 2-2).

- **New** - (The New status is only available with VistA Imaging.) A study has been requested by VistA Imaging and needs to be checked-in and submitted to an instrument. Example: You scanned in a consent form through the VistA Imaging Capture Workstation. A new CP Study record is created along with a TIU document.

- Submitted - This study has been submitted to the VistA Imaging Background Processor. The study report waits in the Imaging Background Processor queue to be copied or processed and placed on the VistA Imaging server. A study in this status is not accessible until VistA Imaging returns a status of Complete or Error and logs any errors encountered in the submission process.
- Error - This study has encountered an error while being submitted to VistA Imaging. The error may have been caused when the TIU note was created, when a visit was created, when the results were linked to the procedure, or when the attachments were sent to the VistA Imaging server. Error messages are logged with the study and can be reviewed by opening the study in an error status.
- Complete - This study has successfully created a TIU note for interpretation and images have been sent to VistA Imaging for the selected consult procedure order. If any attachments were included, they have been successfully copied to the VistA Imaging server.
- Pending Instrument Data – (This status is only valid for bi-directional instruments that have not returned results.) The procedure request has been submitted to a bi-directional instrument and is waiting for the instrument to return the results. Studies in this status should not be opened until the instrument has returned the results, assigned them to the study, and marked the study as Ready to Complete.
 - If the “Auto Submit to VistA Imaging” checkbox is selected for the associated procedure in CP Manager, the study goes to Complete.
 - If the “Auto Submit to VistA Imaging” checkbox is not selected for the associated procedure in CP Manager, the study goes to Ready to Complete.
- Ready to Complete –
When a study is done on a uni-directional instrument, the status displays as Ready to Complete.

When a study is submitted to a bi-directional instrument, the study remains in Pending Instrument Data status and changes to Ready to Complete after the study has received the data from the instrument. (Auto Submit to VistA Imaging is not selected.)

In the Ready to Complete status, you can open the study, view the Consult/Procedure order, and manually submit instrument results and external attachments to VistA Imaging.

A study can be deleted when it has a status of “Pending Instrument Data” and the user has the MD Manager key. A study should be deleted only if the study was sent to the wrong instrument, or if the patient was unable to complete the procedure. Select **File > Delete Study** and click **Delete**. A cancel order is sent to the device. If that device is not working, you must manually delete the order from the device. Refer to the manual for your specific instrument for instructions on deleting an order.

3. Clinical Procedures Process, Part 1

This chapter describes the process to follow for ordering clinical procedures. (Although you can order several types of procedures in CPRS, you must follow the steps in this chapter to order clinical procedures.) This chapter uses the example of ordering a colonoscopy test to describe the Clinical Procedures ordering process. Be sure to follow the **required** steps in sequential order. You can do the optional steps as needed.

1. [Order a consult procedure in CPRS](#). Required
2. [Check in a new study](#). Required
3. [Update study status to correct errors](#). Optional

Ordering a Consult Procedure in CPRS

This section describes how to order a CP procedure, such as a study, a test, or an invasive intervention, such as a surgical or medical procedure, through CPRS. Keep in mind that you can only order a Clinical Procedure as a procedure order and not as a consult request.

In addition to becoming familiar with the CPRS ordering process, you can learn about the interpreter, which is the new user role within ASU that supports CP. The interpreter is a new User Role created by ASU that defines a user who can interpret (sign-off or verify) the procedure's final report. Clinical application coordinators define interpreters in the Consults package.

If you are an interpreter for a specific procedure, you can receive an alert when the procedure results are ready for review. Additional comments can be added if necessary along with the Procedure Summary code and the electronic signature. The following example describes how to order a colonoscopy procedure through the CPRS Consults tab.

1. Logon to CPRS. The Patient Selection window is displayed, Figure 3-1.




Fig. 3-1

2. Select a patient. Notice that Clark Kent is the selected patient. The Cover Sheet window is displayed, Figure 3-2.

VistA CPRS in use by: Hood, Marlie [DHCPSEVER1-9100-DEV-DEV]

File Edit View Tools Help

KENT, CLARK **4AS 400-2** Primary Care Team Unassign Remote Postings
 444-66-9999 Dec 25, 1941 (59) Provider: HOOD, MARLIE Attending: Welby, Marcus Data WA

Active Problems	Allergies / Adverse Reactions	Postings
\$ Uterine Tumor-Antepartum \$ Screen For Hypertension \$ Tooth Devel/Erup Dis Nos \$ Benign Neoplasm Heart	Kryptonite	Allergies Clinical Warning Jan 06,00

Active Medications	Clinical Reminders	Due Date
No active medications found	No reminders due	

Recent Lab Results	Vitals	Appointments/Visits/Admissions
No orders found.	T 98 F Feb 03 P 84 Feb 03 R 20 Feb 03 BP 185/140/110 Apr 0 PN 99 Feb 08	May 09,01 11:30 Cardiac Clinic Inpatient Sep 21,00 08:00 Prosthetics Canceled

Fig. 3-2

3. Click the **Consults tab** at the bottom of the window, Figure 3-3.




Fig. 3-3

4. If you want to review an existing Consult or procedure, select one in the list from the upper left panel. The lower left panel contains any supporting documents for the selected consult or procedure, and the larger right panel contains the order details.
5. Click **New Procedure** on the left side of the Consults tab. You can also order a clinical procedure from the Orders tab. Since Clark Kent is an inpatient, the Order a Procedure window, Figure 3-5, is displayed. Go to step 7 to order the procedure.

(If you were to select an outpatient, Figure 3-4 displays so you can enter a location. Go to step 6.)




Fig. 3-4

6. For Outpatients, select either the **Clinic Appointments** or **New Visit** tab.
 - Select **Clinic Appointments** if the patient already has an appointment through Scheduling.
 - Select **New Visit** if an appointment has not been made through Scheduling, and then select a location from the list of Visit Locations. The Encounter Location is filled in automatically.
 - If the patient had existing admissions, these are displayed under the Hospital Admissions tab.
 - Go to step 7 to order the procedure.




Fig. 3-5

7. To order the colonoscopy procedure, select Colonoscopy from the Procedure dropdown list, Figure 3-5.
 - Complete the appropriate fields.
 - Click **Accept Order**.
 - Click **Quit**.

8. To sign the consult procedures, select **File > Review/Sign Changes**. Figure 3-6 is displayed.
 - Click the appropriate check box to select the colonoscopy.
 - Enter your electronic signature code.
 - Click **Sign** to return to the Consults tab. At this point, the procedure order is completed.




Fig. 3-6

9. Click the **Orders tab** to review the ordered procedures. These procedure orders appear on the Active Orders sheet (Fig. 3-7).

Vista CPRS in use by: Hood,Marlie (DHCPSEVER1-9100-DEV-DEV)

File Edit View Action Options Tools Help

KENT,CLARK **4AS 400-2** Primary Care Team Unassign Remote Postings
 444-66-9999 Dec 25,1941 (59) Provider: HOOD,MARLIE Attending: Welby,Marcus Data WA

Order Sheet Active Orders (includes Pending & Recent Activity) - ALL SERVICES

Service	Order	Start / Stop	Provider	Nrs	Clk	Chart
	MRI OF HEAD	Start: 09/10/99	Taylor,C			
Consults	GASTROENTEROLOGY Cons Bedside	Start: 06/21/01 16:12	Demoss,C			
	PARACENTESIS Cons Bedside	Start: 04/24/01 14:33	Reznik,C			
	Consult: DENTAL, TEST		Rega,A			
Procedur	PULMONARY FUNCTION TEST	Start: 08/17/01 09:52	Hood,M			
	PULMONARY Proc Bedside					
	COLONOSCOPY GASTROENTEROLOGY	Start: 08/17/01 09:52	Hood,M			
	Proc Bedside					
	PROCEDURE ENDOSCOPY Proc Bedside	Start: 08/13/01 16:53	Ackerman,N			
	ELECTROCARDIOGRAM CARDIOLOGY	Start: 07/10/01 08:25	Ackerman,N			
	Proc Bedside					
	ELECTROCARDIOGRAM EKG ISC Proc	Start: 07/09/01 11:08	Ackerman,N			
	Bedside					
	CATHETERIZATION CARDIOLOGY	Start: 07/09/01 11:08	Ackerman,N			
	CLINIC Proc Bedside					
	CATHETERIZATION CARDIOLOGY	Start: 06/25/01 10:51	Ackerman,N			
	CLINIC Proc Bedside					
	PROCEDURE ENDOSCOPY Proc Bedside	Start: 06/21/01 16:15	Demoss,C			
	COLONOSCOPY GASTROENTEROLOGY	Start: 06/06/01 13:43	Ackerman,N			
	Proc Bedside					
	PULMONARY FUNCTION TEST	Start: 06/06/01 13:40	Ackerman,N			
	PULMONARY Proc Bedside					
	BONE MARRROW ASPIRATE	Start: 04/19/01 15:12	D... ..			

Cover Sheet / Problems / Meds / Orders / Notes / Consults / D/C Summ / Labs / Reports

Fig. 3-7

Check in a new study

Checking in a new study is the next step in the Clinical Procedures process. You need to check in a new study in CP User after a procedure has been ordered. (Keep in mind that the CP check-in is not related to the Scheduling check-in process.)

If you want to link multiple results to one procedure, you can check in multiple studies for the same procedure that you ordered through Consults. In this way, you do not have to order multiple procedure requests. In this example, the colonoscopy procedure was ordered and a new study for the colonoscopy procedure is being checked in.

1. To check in a new study, first logon to **CP User** and select the patient. Refer to [Selecting a Patient, 2-2](#).
2. Choose **File > Check in New Study** to check in the patient.




Fig. 3-8

3. Select a Consult procedure order for the selected patient. See Figure 3-8. The Clinical Procedure column lists the consult procedure orders. Notice that the colonoscopy procedure is selected.

Note: You can only select from Clinical Procedure request orders that are in the Pending (p), Scheduled (s), Partial Results (pr), Complete (c), and Active (a) statuses. Discontinue (d) and Cancel statuses are excluded.

4. Depending on the consult procedure you selected, the appropriate instruments for that procedure are displayed. Click the appropriate instrument if more than one is listed, or click **No Instrument** if no instrument is associated with this procedure. OLYMPUS is the appropriate instrument in this case and is selected.
5. You must associate each CP study with a PCE visit, which is the hospital location where the procedure is performed. Required.

For the majority of TIU notes created through CP, the visit association is completed in the background. If a visit has already been recorded but the note wasn't linked (standalone visits, such as telephone or walk-in visits), you can select a visit from the Clinical Procedures Check In edit screen (Fig. 3-8).

To link the CP study to the visit, select information from the Outpatients Visits tab on Figure 3-8. You can also select the New Visit tab and enter NOW for the date and time.

6. Click **Check-In**. The main CP User window, Figure 3-9, is displayed.




Fig. 3-9

7. If the study is checked-in for an instrument with a uni-directional interface, the status is Ready to Complete. If the study is checked-in for an instrument supported by a bi-directional interface, the status is Pending Instrument Data. (Notice on Figure 3-9, the colonoscopy status for 3/25 and 3/26 is Pending Instrument Data.)
8. At this point, the clinician performs the procedure on the instrument and transmits the results back to VistA.

If the instrument is bi-directional and the Auto Submit to VistA Imaging checkbox is selected for the procedure in CP Manager, the study status changes from Pending Instrument Data to Complete. This occurs after the result has been transmitted to VistA, matched to the study, and copied over to VistA Imaging successfully. The study is ready for interpretation. At this time, the CP process is complete and attachments cannot be associated with this study. See [Clinical Procedures Process, Part 2](#).

If the instrument is uni-directional or if the instrument is bi-directional and the Auto Submit to VistA Imaging checkbox is not selected, the study status is Ready to Complete. Go to the next step (9) to manually complete the CP process.

9. Open the study (Figure 3-9) and add the instrument results and/or external attachments. You can only open studies that have an Error, Complete, Ready to Complete, or New status. When a study is in the Ready to Complete or New status, you can open the study and finish entering any data that was missed. An example of missed data is an external attachment that was not associated with the study.
 - Open this study and add results and/or external attachments. Click **Open Study** or select **File > Open Study**. Figure 3-10 is displayed.
 - Click **+Results** to select and submit the result to Vista Imaging. Only results for the patient and instrument used for the procedure are displayed. To select multiple results, hold down the CTRL key. To select a range of results, highlight the initial result, hold down the Shift key, and then click the last result, Figure 3-11.
 - You can also click **+Files** (Figure 3-10) to add additional attachments from the External Attachment Directory. If the External Attachment Directory has not been defined for this procedure, the last directory that was accessed may be displayed. You can browse for other attachments to link to the study.

Note: If the system parameter **Allow Non-Instrument Attachments** was not selected in CP Manager, **+Files** does not appear on the Clinical Procedures Study screen, you are not permitted to associate additional attachments with the procedure.

10. Submit the study. The images are copied to the RAID and the TIU document is created and associated with the procedure order.




Fig. 3-10




Fig. 3-11

- From Figure 3-10, click the magnifying glass under TIU Note to view the TIU Note for that study if it is available. The magnifying glass for the TIU document is unavailable if the result has not been submitted to Vista imaging. Once the result is copied to Vista Imaging, you can view the TIU document of the study before or after the interpretation has been entered, Figure 3-12.




Fig. 3-12

12. From Figure 3-10, you can also click the magnifying glass under Consult to view the Consult report for that study.




Fig. 3-13

Updating study status to correct errors

If you open a study in the Error status and have the MD MANAGER key, the Update Study Status window is displayed. You must have the MD Manager key to access the Update Study Status menu option. See your clinical application coordinator or IRM for access to Update Study Status.

You can use Update Study Status to change the status of any study. Be careful when changing the status of a study. With Update Study Status, you can force a status change of a study if a problem occurs that you cannot fix with the Open a Study option.

1. Select **File > Update Study Status**, Fig. 3-14.
2. Select the status you want to change and click **OK**.
3. After you change the status, choose **File > Open a Study** and click **Submit** to resubmit the study.




Fig. 3-14

4. Clinical Procedures Process, Part 2

This chapter describes the process to follow for completing clinical procedures. (This chapter uses the example of completing a colonoscopy to describe the Clinical Procedures process.) Be sure to follow the **required** steps in sequential order. You can do the optional steps as needed.

4. [Complete the Procedure](#). Required
 - a. [Enter an Interpretation into the TIU note](#). Required
 - b. [Enter Encounter information](#). Required for workload counts
 - c. [Sign off](#). Required
5. [View Clinical Procedures results](#). Optional
6. [Link consent forms and images to Clinical Procedures documents](#). Optional

Completing the Procedure

To complete the procedure, you need to enter the interpretation into the TIU note, enter encounter information, and sign off. In this example, the colonoscopy study is being completed.

Entering the interpretation into the TIU Note

1. Logon to **CPRS**. The Patient Selection screen is displayed, Figure 4-1.




Fig. 4-1

2. In the Notifications box at the bottom of the screen, patients are listed with “Procedure ready for interpretation”.
 - Click **Process Info** if you want to process an informational alert (see left column under Notifications, Fig. 4-1).
 - Click **Process All** if you want to process all of the items listed.
 - Click **Process** if you want to process an item through the Consults tab.
 - Click **Remove** if you want to remove an item from the list.
 - Click **Forward** if you want to forward the item to another person.

As part of this example, the patient, Clark Kent, is selected. To view results through Consults, click **Process**. The Consults tab is displayed.




Fig. 4-2

Note the image and note document within the Related Documents window (Fig. 4-2).

The consult procedure now has a status of partial results (pr). The CP document has the TIU note title.

3. Click the CP title in the Related Documents window. The CP document is displayed in the right window, Fig. 4-3.




Fig. 4-3

The Author is not defined, Figure 4-3. This note is automatically created when the instrument result is sent and submitted and an author does not exist. The Interpreter who is interpreting the result is the default Author. The status of the document is always UNDICTATED when the results are ready for interpretation.

4. To select the results that you want to interpret, choose **Action > Consult Results > Complete/Update Results**, Figure 4-4.




Fig. 4-4

Note: To interpret the result, select the Complete/Update Results option. The **Enter Required Fields** dialog box is displayed, Figure 4-5. The interpreter’s name displays by default in the Author field.




Fig. 4-5

5. Select the appropriate **Procedure Summary Code** from the list (Fig. 4-5). The Procedure Summary Codes include Abnormal, Normal, Borderline, and Incomplete.
6. Enter a **Procedure Date/Time**. Depending on the instrument, the Procedure Date/Time is passed in the HL7 message from the instrument. As the interpreter, you can accept the default. If the instrument does not pass the Procedure Date/Time, the interpreter has to enter a Procedure Date/Time.

The Procedure Summary Code and Procedure Date/Time are required fields for the initial note that you are editing.

If you close the **Enter Required Fields** dialog box without entering the requested information, CPRS prompts the interpreter again.

Any subsequent note created on the same procedure after this initial note does not require the Procedure Summary Code and Procedure Date/Time fields. The fields are optional on subsequent notes.




Fig 4-6

7. Enter an interpretation in the space on the right side of the screen for the highlighted (current) consult procedure (Fig. 4-6).

Entering Encounter Information

You can now enter encounter form information.

8. To enter the encounter information and complete the consult procedure, you must select **Action > Consult Results > Sign Note Now**.

You can also select the **Encounter** drawer (Fig. 4-6) to directly enter encounter information.




Fig. 4-7

This window (Fig. 4-7) asks if you want to enter encounter information now. (Fig. 4-7 is displayed depending on how CPRS parameters are set. See the Implementation Guide for information on defining CPRS parameters.)

9. Click **Yes** to enter encounter information, or click **No** to skip this step. If you choose No, you can enter the information at a later time. In this example, the Yes button is clicked and encounter information is entered.




Fig. 4-8

Figure 4-8 allows you to verify the primary provider for this encounter form.

10. Click **Yes**.

CPRS brings up the Encounter Form that was set up for the Hospital Location, where the procedure was performed. The **Visit Type** tab is displayed.

11. Enter appropriate information for visit type. For example, in Figure 4-9, the following information was entered:

Type of Visit. Established Patient

Section Name. Intermediate Exam 11-19 Min.

Visit Related to Service Connected Condition. Yes

Current providers for this encounter. Gaddie, Marlie

Encounter Form for GI LAB (Feb 20,2002@09:00)

Visit Type | Diagnoses | Procedures | Vitals | Immunizations | Skin Tests | Patient Ed | Health Factors | Exams

Type of Visit

NEW PATIENT
ESTABLISHED PATIENT
CONSULTATIONS

Section Name

<input type="checkbox"/> Brief Exam	1-5 Min	99211
<input type="checkbox"/> Limited Exam	6-10 Min	99212
<input checked="" type="checkbox"/> Intermediate Exam	11-19 Min	99213
<input type="checkbox"/> Extended Exam	20-30 Min	99214
<input type="checkbox"/> Comprehensive Exam	31+ Min	99215

Service Connection & Rated Disabilities

Service Connected: 50%
PTERYGIUM (10% NSC)

Yes No Visit Related To

<input checked="" type="checkbox"/>	<input type="checkbox"/>	Service Connected Condition
<input type="checkbox"/>	<input type="checkbox"/>	Agent Orange Exposure
<input type="checkbox"/>	<input type="checkbox"/>	Ionizing Radiation Exposure
<input type="checkbox"/>	<input type="checkbox"/>	Environmental Contaminants
<input type="checkbox"/>	<input type="checkbox"/>	MST
<input type="checkbox"/>	<input type="checkbox"/>	Head and/or Neck Cancer

Available providers

Gaddie,Marlie
Dayon,Rufino
Demoss,Carl E
Eichelberger,Nancy L
Gaddie,Marlie
Gohlinghorst,Sue Bacc
Hicks,Brent
Kreuz,Sheri
Krieg,Jean
Lang,Barbara Jean

Add

Remove

Primary

Current providers for this encounter

GADDIE,MARLIE

OK Cancel

Fig. 4-9

12. Click the **Diagnoses** tab.




Fig. 4-10

13. Enter appropriate information for diagnoses. See Figure 4-10.

14. Click the **Procedures** tab.

Fig. 4-11

15. Enter appropriate procedure information. See Figure 4-11.

16. Click the **Exams** tab.




Fig. 4-12

17. Enter appropriate exam information. (See Fig. 4-12.) Click **OK** to return to the Consults tab.

Signing Off

18. To complete the consult procedure, select **Action > Consult Results > Sign Note Now**.




Fig. 4-13

19. Enter your electronic signature to sign the TIU note and complete the consult procedure.

20. Click **OK**.




Fig. 4-14

- The consult procedure now has a status of complete (Fig. 4-14).
- The procedure location (GI LAB in Fig. 4-14) is used for workload reporting.
- The workload for the procedure goes through the standard TIU interface with PCE (Patient Care Encounter).

Even though the consult is complete, you can still attach additional files and studies to the same order.

Viewing Clinical Procedures Results

You can go to VistA Imaging to view results. If you as the interpreter did not interpret the result right after the procedure was performed, you may want to view the results before you enter an interpretation. In the colonoscopy example, the interpretation was entered in Fig. 4-6.

1. Logon to CPRS.
2. Select **Tools > VistA Imaging Display**, Fig. 4-15. The patient's Abstract list is displayed, Fig. 4-16.




Fig. 4-15




Fig. 4-16

Note: VistA Imaging accepts procedure results in .bmp, .jpg, .jpeg, .html, .pdf, .rft, .tiff, and .txt formats.

1. Select **View > Clinical Procedures** to view Clinical Procedures document titles. The list of CP documents for the patient is displayed. (Fig. 4-17).




Fig. 4-17




Fig. 4-18

2. Click a document title, and then click the camera icon to display the associated images for that CP document, Figure 4-18.




Fig. 4-19

3. Double-click the abstract to open the result file, (Fig. 4-19)
4. In the screen where the CP documents are listed, Figure 4-18, click the CP title, and then click the report icon next to the camera. The TIU Note is displayed, Fig. 4-20.




Fig. 4-20

Fig. 4-20 is an example of a document that has been interpreted and signed.

If you launch Imaging Display before the document is interpreted, the Author field is undefined and the status is UNDICTIONATED. Some users may want to view the results before interpreting.

Linking Consent Forms and Images to CP Documents

As the interpreter, you can link a consent form or other images to CP documents by using VistA Imaging Capture. VistA Imaging Capture software can capture clinical images or scanned documents and attach them to Clinical Procedures. Refer to the VistA Imaging 3.0 MAG*3.0*7 Patch Document at the following website:

<http://vaww.va.gov/imaging/3.0patches.htm>

5. ³Viewing the Reports

After installing the Medicine patch MC*2.3*39 and the Clinical Procedures (CP) patch MD*1.0*2, you can view the CP interpretations, which are TIU documents, along with Medicine reports on the Computerized Patient Record System (CPRS) Reports tab.

Four changes are introduced with patches MC*2.3*39 and MD*1*2.

- On the CPRS Reports tab the Medicine folder has been renamed Medicine/CP.
- The CP procedure interpretations have been added to the list of Medicine procedures for viewing and displaying on the CPRS Reports tab.
 - Only completed and signed CP procedures are displayed for CP reports.
 - Unless you are a Subspecialty or a Manager key holder within the Medicine package, only released and verified Medicine procedures are displayed for Medicine reports. However, if the View All field for a specific procedure in the Procedure/Subspecialty (#697.2) file is set to Yes, then all Medicine procedures of that type display.
 - If you are a Subspecialty key holder within the Medicine package you can view all statuses of Medicine procedures for that subspecialty.
 - If you are a Manager key holder within the Medicine package you can view all statuses of Medicine procedures.
- The Medicine View file (#690.2) controls which fields are displayed in the Medicine reports except for the PFT reports. Because of the numerous background calculations in the PFT report, this report remains unchanged.
- You can configure the Medicine Report to display in CPRS. See [Configuring the Medicine Report to Display in CPRS](#).

The difference between a Medicine Report and a CP Report is that all CP interpretations have a consult number associated with them. The interpretation is the TIU document. Medicine reports may have a consult procedure request number depending on whether the report was associated with a consult request or not. Another difference is that the Medicine report displays the discrete data entered through the Medicine package.

You can print these reports by first viewing the report, opening the File menu and clicking Print. Then select a Windows printer to print the report.

The Abnormal, Full Captioned, Full Report, Procedures (local only) and Procedures reports display a message at the end of each procedure, which indicates if there are images associated with that procedure. The text is as follows:

NOTE: Images are associated with this procedure. Please use Imaging Display to view the images.
--

³ Patch MD*1*2 July 2004 Viewing the Reports chapter added.

Viewing the Reports

After installing MD*1.0*2, your Medicine/CP folder will look similar to the following. (Click on a report to view the new format):

Clinical Reports

Medicine/CP

[Abnormal](#)

[Brief Report](#)

[Full Captioned](#)

[Full Report](#)

[Procedures \(local only\)](#)

[Procedures](#)

Some of these reports are also located under the Health Summary folder:

Health Summary

Adhoc Report

Medicine Abnormal Brief [MEDA]

Medicine Brief Report [MEDB]

Medicine Full Captioned [MEDC]

Medicine Full Report [MEDF]

Medicine Summary [MEDS] – This is a listing of procedure headings that fall within a specified date range.

The Procedures (local only) report can also be found under the list of Available Reports.

Abnormal

This report shows all Medicine and CP interpretations that have a Procedure Summary Code of Abnormal. The name of the report, selected date range and maximum number of occurrences (Max/site) appear above the report.

Medicine/CP Abnormal [From: May 4,2003 to May 3,2004] Max/site: 10

Printed for data from 05/04/2003 to 05/03/2004 05/03/2004 13:16
 ***** CONFIDENTIAL SUMMARY pg. 1 *****
 TEST,PATIENT 125-43-2111 3AS DOB: 02/03/1943

----- MEDA - Med Abnormal -----

 COLONOSCOPY APR 16,2004@15:38 ABNORMAL

APPOINTMENT DATE/TIME: 4/16/04@15:38
 MEDICAL PATIENT: TEST,PATIENT
 PROTOCOL: STOMACH TEST
 EGD SIMPLE PRIMARY EXAM: Y
 LAB OR XRAY: LAB
 OCCULT BLOOD:
 SPECIMEN COLLECTION:
 INDICATION COMMENT: TESTING

LOCATION EVALUATED:
 COLON ASCENDING
 GROSS: ABSENCE
 MEASUREMENT:
 IMPRESSION:

FELLOW:
 SUMMARY: ABNORMAL
 PRIMARY DIAGNOSIS:
 PROCEDURE SUMMARY: TESTING THE PROCEDURE

INSTRUMENT:
 SCOPE 1
 ENDOSCOPIST: DEMO,CP
 WHERE PERFORMED:
 WARD/CLINIC: GI LAB
 TIME STARTED: 0600
 TIME COMPLETED: 1000
 URGENCY OF PROCEDURE: ELECTIVE
 PREPARATION DIET: CLEAR LIQUIDS
 DIET COMMENT:
 ENEMAS: PHOSPHASODA
 COMMON BILE DUCT SIZE (mm):
 PANCREATIC DUCT SIZE (mm):
 DEPTH OF INSERTION:
 POST-PROC INSTRUMENT CLEANSING:
 SECOND FELLOW:

INSTRUCTIONS TO PATIENT:

 PULMONARY FUNCTION TEST MAR 16,2004@13:40 ABNORMAL

Viewing the Reports

SEX: M AGE: 61 90 in/160 lb AMBIENT: 35C/600T
 RACE: WHITE, NOT OF HISPANIC ORIGIN TECH: SMITH, JOE
 SMOKER CURRENT BRONCHODILATOR USE EFFORT: GOOD

CONSULT DX:

COUGH
 ASTHMA
 INTERSTITIAL LUNG DISEASE

VOLUMES.....

	UNITS	PRED	ACTUAL	%PRED	PREV1	PREV2	CI
INERT GAS DILUTION					6/30/03	6/6/02	
(NOTES): TEST INERT GAS							
TLC	L	10.53	9.00	85.5	5.00	8.00	9.09
VC	L	7.76	3.00	38.7	7.00	7.00	
FRC	L	4.38	4.00	91.4	3.00	6.50	U 5.42
RV	L	2.80	5.00	178.3	4.00	4.00	U 3.68
RV/TLC	%		56				

BODY BOX					6/30/03	6/6/02	
(NOTES): TEST BODY BOX							
TLC	L	10.53	3.00	28.5	7.00	9.90	9.09
VC	L	7.76	2.00	25.8	6.00	7.00	
FRC	L	4.38	4.00	91.4	4.00	6.00	U 5.42
RV	L	2.80	5.00	178.3	2.00	5.00	U 3.68
RV/TLC	%		167				

NITROGEN WASH OUT					6/6/02	5/31/02	
(NOTES): TEST NITROGEN WASH OUT							
TLC	L	10.53	7.00	66.5	6.00	7.00	9.09
VC	L	7.76	4.00	51.5	5.50	6.00	
FRC	L	4.38	3.00	68.6	4.00	4.00	U 5.42
RV	L	2.80	2.00	71.3	3.00	3.00	U 3.68
RV/TLC	%		29				

X-RAY PLANIMETRY					6/6/02	5/30/02	
(NOTES): TEST X-RAY							
TLC	L	10.53	5.00	47.5	7.00	9.00	9.09
VC	L	7.76	4.00	51.5	6.40	6.00	
FRC	L	4.38	7.00	160.0	3.00	4.00	U 5.42
RV	L	2.80	8.00	285.2	1.00	5.00	U 3.68
RV/TLC	%		160				

FLOWS.....

MACHINE: FLOW TURBINE

STANDARD STUDY					6/6/02	5/30/02	
(NOTES): TEST STANDARD							
FVC	L	7.76	4.30	55.4	8.00	9.00	
FEV1	L	5.79	2.20	38.0	6.00	4.00	4.94
PF	L/SEC	10.986	3.200	29.1	5.000	5.000	8.02
FEF25-75	L/SEC	4.478	4.500	100.5	4.000	15.000	2.81
MVV	L/MIN	211.72	3.00	1.4	4.00	10.00	163.87
FEV1/FVC	%		51				

AFTER INHALATION CHALLENGE 6/6/02 5/31/02

(NOTES): AFTER INHALATION										
FVC	L	7.76	7.00	90.2	8.00	9.00				
FEV1	L	5.79	4.00	69.1	7.00	8.00	4.94			
PF	L/SEC	10.986	3.000	27.3	6.000	7.000	8.02			
FEF25-75	L/SEC	4.478	5.000	111.6	5.000	10.000	2.81			
MVV	L/MIN	211.72	3.00	1.4	4.00	50.00	163.87			
FEV1/FVC	%		57							
AFTER EXERCISE					6/6/02	5/31/02				
FVC	L	7.76	5.00	64.4	8.00	9.90				
FEV1	L	5.79	3.00	51.9	7.00	8.00	4.94			
PF	L/SEC	10.986	2.000	18.2	6.000	7.000	8.02			
FEV1/FVC	%		60							
DIFFUSION.....										
METHOD: STEADY STATE										
DLCO-SB	L	37.16	33.00	88.8	6/30/03	6/6/02				
Corr DLCO for HB & COHB:		37.16	32.55	87.6	45.00	50.00	29.18			
BLOOD GASES.....										
STUDY TYPE	pH	pCO2	pO2	O2HB	COHB	MHB	HB	Fio2	A-aO2	QS/QT
(NORMAL)	7.36-7.44	36-44	80-100	>88%	<3%	<2%			<22	
100% O2 STUDY	7.000	0.0	0.0	4.0%	0.0%	0.0%	3.0	0.500	277	
PATIENT TEMPERATURE (C): 35										
MAX EXERCISE	8.000	44.0	3.0	53.0%	33.0%	23.0%	15.4	0.343	132	
PATIENT TEMPERATURE (C): 30										
(NOTES): TEST QS										
SUPPLEMENTAL	8.000	9.0	0.0	67.0%	0.0%	56.0%	0.0	0.900	486	
PATIENT TEMPERATURE (C): 32										
POST EXERCISE	7.456	99.0	345.0	78.0%	45.0%	45.0%	15.1	1.000	84	0.52
PATIENT TEMPERATURE (C): 33										
(NOTES): TEST QS										
SPECIAL STUDIES.....										
MAXIMUM PRESSURES					6/30/03	6/6/02				
(NOTES): 44										
PiMAX	cmH2O		5.00		99.00	68.00				
MECHANICS					6/30/03	6/6/02				
Raw	cmH2O/L/S		4.00		15.00	10.00				
SGaw	L/S/cmH2O		0.30		0.30	0.20				
Cst	4cmH2O		0.50		1.00	0.40				
SMALL AIRWAY					6/30/03	6/6/02				
Cdyn	L/cmH2O		0.40		1.00	0.45				
FEF50 He-Air	L/Sec		45.00		45.00	56.00				
VISOV	L		3.00		5.00	5.00				
CV	L		5.00		4.00	5.00				
CV/VC	%		2.50							
CV/TLC	%		1.67							
VISOV/CV	%		0.60							
EXERCISE					6/30/03	6/6/02				
(NOTES): fgdgrdgtgdg										

Viewing the Reports

VEmax(BTPS)	L	44.00	90.00	90.00
BR	L	34.00	50.00	50.00
VD/VT MAX	L	0.70		0.43
VERest(BTPS)	ml/beat	3.00	35.00	30.00
EKG		ABNORMAL		
Wmax	wrpm/min	2.00	100.00	245.00
WRI/WRT	watts/min	3.00	35.00	40.00
Max Speed	mph	15.00	20.00	15.00
TOTAL TIME	min	100.00	100.00	600.00
Exercise Testing Mode: BIKE ERGOMETER				
REASON(S) FOR STOPPING:				
		Patient cannot work on Bike Treadmill anymore. he will work on something different such as a Cardioglizer.		
INTERPRETATION:				
COMMENTS AND RECOMMENDATIONS:				
INTERPRETED BY:				
		SMITH,JOE		
PREDICTED VALUE FORMULAS USED				
TLC		.078*HT-7.3	BOREN & KORY '66	
VC		.06*HT-(.0214*AGE)-4.65	CRAPO '81	
FRC		.032*HT-2.94	BOREN & KOREY '66	
RV		.019*HT+(.0115*AGE)-2.24	BOREN & KORY '66	
FVC		.06*HT-(.0214*AGE)-4.65	CRAPO '81	
FEV1		.0414*HT-(.0244*AGE)-2.190	CRAPO '81	
PF		3.9*HT-(3*AGE)-49.36/60	FERRIS '64	
FEF25-75		.0204*HT-(.038*AGE)+2.133	CRAPO '81	
MVV		1.356*HT-(1.26*AGE)-21.4	BOREN & KOREY '66	
DLCO-SB		12.9113-(.229*AGE)+(.1672*HT)	MILLER '83	
COHB CORR.		ACT*(1+(COHB/100))	MORRIS '85	
HB CORR.		HB+10.22/(1.7*HB)*ACT	COTES '72	
NOTE: HT=height,WT=weight,ACT=actual measurement value				
*** END ***** CONFIDENTIAL SUMMARY pg. 1 *****				

Brief Report

This report lists all procedures (Medicine and CP) that fall within a specified date range and the maximum number of occurrences (Max/site). The name of the report, selected date range and maximum number of occurrences (Max/site) appear above the report. These procedures are listed according to Consult Number, Completed Procedures, Date/Time Performed and Procedure Code (also known as Procedure Summary Code).

Medicine/CP Brief Report [From: May 4,2003 to May 3,2004] Max/site: 10

Printed for data from 05/04/2003 to 05/03/2004				05/03/2004 13:22
***** CONFIDENTIAL SUMMARY pg. 1 *****				
TEST,PATIENT	125-43-2111	3AS		DOB: 02/03/1943
----- MEDB - Med Brief Report -----				
CONSULT NUMBER	COMPLETED PROCEDURES	DATE/TIME PERFORMED	PROCEDURE CODE	
-----	-----	-----	-----	
	COLONOSCOPY	APR 16,2004@15:38	ABNORMAL	
	PULMONARY FUNCTION TEST	MAR 30,2004@13:43		
	PULMONARY FUNCTION TEST	MAR 16,2004@13:40	ABNORMAL	
	ELECTROPHYSIOLOGY	JUN 30,2003@10:40	ABNORMAL	
	PULMONARY FUNCTION TEST	JUN 30,2003@09:37	NORMAL	
*** END *****				CONFIDENTIAL SUMMARY pg. 1 *****

Full Captioned

This report shows all Medicine and CP reports within a specified date range and the maximum number of occurrences (Max/site). The name of the report, selected date range and maximum number of occurrences (Max/site) appear above the report. Fields that do not contain data within the Medicine reports do not display.

Medicine/CP Full Captioned [From: May 20,2003 to May 19,2004] Max/site: 10

```

Printed for data from 05/20/2003 to 05/19/2004                                05/19/2004 14:54
***** CONFIDENTIAL SUMMARY pg. 1 *****
TEST,PATIENT      125-43-2111          3AS                                DOB: 02/03/1943
----- MEDC - Med Full Captioned -----
-----
                COLONOSCOPY                                APR 16,2004@15:38      ABNORMAL
-----
APPOINTMENT DATE/TIME:   4/16/04@15:38
MEDICAL PATIENT:        TEST,PATIENT
PROTOCOL:                STOMACH TEST
EGD SIMPLE PRIMARY EXAM:  Y
LAB OR XRAY:             LAB
INDICATION COMMENT:      TESTING

LOCATION EVALUATED:
  COLON ASCENDING
  GROSS: ABSENCE
SUMMARY:                  ABNORMAL
PROCEDURE SUMMARY:        TESTING THE PROCEDURE

INSTRUMENT:
  SCOPE 1
ENDOSCOPIST:             DEMO,CP
WARD/CLINIC:             GI LAB
TIME STARTED:            0600
TIME COMPLETED:         1000
URGENCY OF PROCEDURE:    ELECTIVE
PREPARATION DIET:        CLEAR LIQUIDS
ENEMAS:                  PHOSPHASODA
-----
                PULMONARY FUNCTION TEST                    MAR 30,2004@13:43
-----
SEX: M  AGE: 61          85 in/167 lb          AMBIENT: 35C/600T
RACE: WHITE, NOT OF HISPANIC ORIGIN          TECH: SMITH,JOE
NON-SMOKER                                CURRENT BRONCHODILATOR USE          EFFORT: GOOD

CONSULT DX:
          COUGH
.....
          UNITS      PRED      ACTUAL      %PRED      PREV1      PREV2      CI
VOLUMES.....
          BODY BOX
          TLC          L          9.54      2.00      21.0      3.00      7.00      8.10
    
```

VC	L	7.00	3.00	42.9	2.00	6.00		
FRC	L	3.97	4.00	100.8	4.00	4.00	U	5.01
RV	L	2.56	5.00	195.0	5.00	2.00	U	3.44
RV/TLC	%		250					
INTERPRETATION:								
COMMENTS AND RECOMMENDATIONS:								
INTERPRETED BY:								
PREDICTED VALUE FORMULAS USED								
TLC		.078*HT-7.3			BOREN & KORY '66			
VC		.06*HT-(.0214*AGE)-4.65			CRAPO '81			
FRC		.032*HT-2.94			BOREN & KOREY '66			
RV		.019*HT+(.0115*AGE)-2.24			BOREN & KORY '66			
FVC		.06*HT-(.0214*AGE)-4.65			CRAPO '81			
FEV1		.0414*HT-(.0244*AGE)-2.190			CRAPO '81			
PF		3.9*HT-(3*AGE)-49.36/60			FERRIS '64			
FEF25-75		.0204*HT-(.038*AGE)+2.133			CRAPO '81			
MVV		1.356*HT-(1.26*AGE)-21.4			BOREN & KOREY '66			
DLCO-SB		12.9113-(.229*AGE)+(.1672*HT)			MILLER '83			
COHB CORR.		ACT*(1+(COHB/100))			MORRIS '85			
HB CORR.		HB+10.22/(1.7*HB)*ACT			COTES '72			
NOTE: HT=height,WT=weight,ACT=actual measurement value								

PULMONARY FUNCTION TEST			MAR 16,2004@13:40			ABNORMAL		

SEX:	M	AGE:	61	90 in/160 lb	AMBIENT: 35C/600T			
RACE:	WHITE, NOT OF HISPANIC ORIGIN				TECH: SMITH,JOE			
SMOKER		CURRENT BRONCHODILATOR USE			EFFORT: GOOD			
CONSULT DX:								
	COUGH							
	ASTHMA							
	INTERSTITIAL LUNG DISEASE							
.....								
	UNITS	PRED	ACTUAL	%PRED	PREV1	PREV2	CI	
VOLUMES.....								
INERT GAS DILUTION					6/30/03	6/6/02		
(NOTES): TEST INERT GAS								
TLC	L	10.53	9.00	85.5	5.00	8.00		9.09
VC	L	7.76	3.00	38.7	7.00	7.00		
FRC	L	4.38	4.00	91.4	3.00	6.50	U	5.42
RV	L	2.80	5.00	178.3	4.00	4.00	U	3.68
RV/TLC	%		56					
BODY BOX					6/30/03	6/6/02		
(NOTES): TEST BODY BOX								
TLC	L	10.53	3.00	28.5	7.00	9.90		9.09
VC	L	7.76	2.00	25.8	6.00	7.00		
FRC	L	4.38	4.00	91.4	4.00	6.00	U	5.42
RV	L	2.80	5.00	178.3	2.00	5.00	U	3.68
RV/TLC	%		167					
NITROGEN WASH OUT					6/6/02	5/31/02		
(NOTES): TEST NITROGEN WASH OUT								

Viewing the Reports

TLC	L	10.53	7.00	66.5	6.00	7.00	9.09			
VC	L	7.76	4.00	51.5	5.50	6.00				
FRC	L	4.38	3.00	68.6	4.00	4.00	U 5.42			
RV	L	2.80	2.00	71.3	3.00	3.00	U 3.68			
RV/TLC	%		29							
X-RAY PLANIMETRY					6/6/02	5/30/02				
(NOTES): TEST X-RAY										
TLC	L	10.53	5.00	47.5	7.00	9.00	9.09			
VC	L	7.76	4.00	51.5	6.40	6.00				
FRC	L	4.38	7.00	160.0	3.00	4.00	U 5.42			
RV	L	2.80	8.00	285.2	1.00	5.00	U 3.68			
RV/TLC	%		160							
	UNITS	PRED	ACTUAL	%PRED	PREV1	PREV2	CI			
FLOWS.....										
MACHINE: FLOW TURBINE										
STANDARD STUDY					6/6/02	5/30/02				
(NOTES): TEST STANDARD										
FVC	L	7.76	4.30	55.4	8.00	9.00				
FEV1	L	5.79	2.20	38.0	6.00	4.00	4.94			
PF	L/SEC	10.986	3.200	29.1	5.000	5.000	8.02			
FEF25-75	L/SEC	4.478	4.500	100.5	4.000	15.000	2.81			
MVV	L/MIN	211.72	3.00	1.4	4.00	10.00	163.87			
FEV1/FVC	%		51							
AFTER INHALATION CHALLENGE					6/6/02	5/31/02				
(NOTES): AFTER INHALATION										
FVC	L	7.76	7.00	90.2	8.00	9.00				
FEV1	L	5.79	4.00	69.1	7.00	8.00	4.94			
PF	L/SEC	10.986	3.000	27.3	6.000	7.000	8.02			
FEF25-75	L/SEC	4.478	5.000	111.6	5.000	10.000	2.81			
MVV	L/MIN	211.72	3.00	1.4	4.00	50.00	163.87			
FEV1/FVC	%		57							
AFTER EXERCISE					6/6/02	5/31/02				
FVC	L	7.76	5.00	64.4	8.00	9.90				
FEV1	L	5.79	3.00	51.9	7.00	8.00	4.94			
PF	L/SEC	10.986	2.000	18.2	6.000	7.000	8.02			
FEV1/FVC	%		60							
DIFFUSION.....										
METHOD: STEADY STATE										
DLCO-SB L					6/30/03	6/6/02				
		37.16	33.00	88.8	45.00	50.00	29.18			
Corr DLCO for HB & COHB:										
		37.16	32.55	87.6						
BLOOD GASES.....										
STUDY TYPE	pH	pCO2	pO2	O2HB	COHB	MHB	HB	FiO2	A-aO2	QS/QT
(NORMAL)	7.36-7.44	36-44	80-100	>88%	<3%	<2%			<22	
100% O2 STUDY	7.000	0.0	0.0	4.0%	0.0%	0.0%	3.0	0.500	277	
PATIENT TEMPERATURE (C): 35										
MAX EXERCISE	8.000	44.0	3.0	53.0%	33.0%	23.0%	15.4	0.343	132	
PATIENT TEMPERATURE (C): 30										
(NOTES): TEST QS										
SUPPLEMENTAL	8.000	9.0	0.0	67.0%	0.0%	56.0%	0.0	0.900	486	
PATIENT TEMPERATURE (C): 32										

POST EXERCISE	7.456	99.0	345.0	78.0%	45.0%	45.0%	15.1	1.000	84	0.52
PATIENT TEMPERATURE (C): 33										
(NOTES): TEST QS										
	UNITS		ACTUAL				PREV1		PREV2	
SPECIAL STUDIES.....										
MAXIMUM PRESSURES							6/30/03		6/6/02	
(NOTES): 44										
PiMAX	cmH2O		5.00				99.00		68.00	
MECHANICS							6/30/03		6/6/02	
Raw	cmH20/L/S		4.00				15.00		10.00	
SGaw	L/S/cmH20		0.30				0.30		0.20	
Cst	4cmH20		0.50				1.00		0.40	
SMALL AIRWAY							6/30/03		6/6/02	
Cdyn	L/cmH20		0.40				1.00		0.45	
FEF50 He-Air	L/Sec		45.00				45.00		56.00	
VISOV	L		3.00				5.00		5.00	
CV	L		5.00				4.00		5.00	
CV/VC	%		2.50							
CV/TLC	%		1.67							
VISOV/CV	%		0.60							
EXERCISE							6/30/03		6/6/02	
(NOTES): fgdgrdgtgdg										
VEmax(BTPS)	L		44.00				90.00		90.00	
BR	L		34.00				50.00		50.00	
VD/VT MAX	L		0.70						0.43	
VERest(BTPS)	ml/beat		3.00				35.00		30.00	
EKG			ABNORMAL							
Wmax	wrpm/min		2.00				100.00		245.00	
WRI/WRT	watts/min		3.00				35.00		40.00	
Max Speed	mph		15.00				20.00		15.00	
TOTAL TIME	min		100.00				100.00		600.00	
Exercise Testing Mode: BIKE ERGOMETER										
REASON(S) FOR STOPPING:										
Patient cannot work on Bike Treadmill anymore. he will work on something different such as a Cardioglider.										
INTERPRETATION:										
COMMENTS AND RECOMMENDATIONS:										
INTERPRETED BY:										
SMITH,JOE										
PREDICTED VALUE FORMULAS USED										
TLC		.078*HT-7.3					BOREN & KORY '66			
VC		.06*HT-(.0214*AGE)-4.65					CRAPO '81			
FRC		.032*HT-2.94					BOREN & KOREY '66			
RV		.019*HT+(.0115*AGE)-2.24					BOREN & KORY '66			
FVC		.06*HT-(.0214*AGE)-4.65					CRAPO '81			
FEV1		.0414*HT-(.0244*AGE)-2.190					CRAPO '81			
PF		3.9*HT-(3*AGE)-49.36/60					FERRIS '64			
FEF25-75		.0204*HT-(.038*AGE)+2.133					CRAPO '81			

Viewing the Reports

```
MVV          1.356*HT-(1.26*AGE)-21.4      BOREN & KOREY '66
DLCO-SB      12.9113-(.229*AGE)+(.1672*HT) MILLER '83
COHB CORR.   ACT*(1+(COHB/100))           MORRIS '85
HB CORR.     HB+10.22/(1.7*HB)*ACT        COTES '72
NOTE: HT=height,WT=weight,ACT=actual measurement value
*** END ***** CONFIDENTIAL SUMMARY pg. 1 *****
```

Full Report

This report shows all Medicine and CP reports within a specified date range and the maximum number of occurrences (Max/site). The name of the report, selected date range and maximum number of occurrences (Max/site) appear above the report. All data fields, including null values, are displayed.

Medicine/CP Full Report [From: May 20,2003 to May 19,2004] Max/site: 10

```

Printed for data from 05/20/2003 to 05/19/2004                                05/19/2004 13:25
***** CONFIDENTIAL SUMMARY pg. 1 *****
TEST,PATIENT      125-43-2111          3AS                                DOB: 02/03/1943

----- MEDF - Med Full Report -----

-----
                                COLONOSCOPY                                APR 16,2004@15:38      ABNORMAL
-----

APPOINTMENT DATE/TIME:   4/16/04@15:38
MEDICAL PATIENT:        TEST,PATIENT
PROTOCOL:               STOMACH TEST
EGD SIMPLE PRIMARY EXAM:  Y
LAB OR XRAY:           LAB
OCCULT BLOOD:
SPECIMEN COLLECTION:
INDICATION COMMENT:     TESTING

LOCATION EVALUATED:
  COLON ASCENDING
  GROSS: ABSENCE
  MEASUREMENT:
  IMPRESSION:

FELLOW:
SUMMARY:                ABNORMAL
PRIMARY DIAGNOSIS:
PROCEDURE SUMMARY:     TESTING THE PROCEDURE

INSTRUMENT:
  SCOPE 1
ENDOSCOPIST:          DEMO,CP
WHERE PERFORMED:
WARD/CLINIC:          GI LAB
TIME STARTED:         0600
TIME COMPLETED:       1000
URGENCY OF PROCEDURE:  ELECTIVE
PREPARATION DIET:     CLEAR LIQUIDS
DIET COMMENT:
ENEMAS:               PHOSPHASODA
COMMON BILE DUCT SIZE (mm):
PANCREATIC DUCT SIZE (mm):
DEPTH OF INSERTION:
POST-PROC INSTRUMENT CLEANSING:
SECOND FELLOW:

INSTRUCTIONS TO PATIENT:

-----
                                PULMONARY FUNCTION TEST                                MAR 30,2004@13:43

```

Viewing the Reports

SEX: M AGE: 61 85 in/167 lb AMBIENT: 35C/600T
 RACE: WHITE, NOT OF HISPANIC ORIGIN TECH: JACKSON, SARAH
 NON-SMOKER CURRENT BRONCHODILATOR USE EFFORT: GOOD

CONSULT DX:

COUGH

	UNITS	PRED	ACTUAL	%PRED	PREV1	PREV2	CI
VOLUMES.....							
BODY BOX					3/16/04	6/30/03	
TLC	L	9.54	2.00	21.0	3.00	7.00	8.10
VC	L	7.00	3.00	42.9	2.00	6.00	
FRC	L	3.97	4.00	100.8	4.00	4.00	U 5.01
RV	L	2.56	5.00	195.0	5.00	2.00	U 3.44
RV/TLC	%		250				

INTERPRETATION:

COMMENTS AND RECOMMENDATIONS:

INTERPRETED BY:

	PREDICTED VALUE FORMULAS USED	
TLC	.078*HT-7.3	BOREN & KORY '66
VC	.06*HT-(.0214*AGE)-4.65	CRAPO '81
FRC	.032*HT-2.94	BOREN & KOREY '66
RV	.019*HT+(.0115*AGE)-2.24	BOREN & KORY '66
FVC	.06*HT-(.0214*AGE)-4.65	CRAPO '81
FEV1	.0414*HT-(.0244*AGE)-2.190	CRAPO '81
PF	3.9*HT-(3*AGE)-49.36/60	FERRIS '64
FEF25-75	.0204*HT-(.038*AGE)+2.133	CRAPO '81
MVV	1.356*HT-(1.26*AGE)-21.4	BOREN & KOREY '66
DLCO-SB	12.9113-(.229*AGE)+(1.1672*HT)	MILLER '83
COHB CORR.	ACT*(1+(COHB/100))	MORRIS '85
HB CORR.	HB+10.22/(1.7*HB)*ACT	COTES '72

NOTE: HT=height, WT=weight, ACT=actual measurement value

PULMONARY FUNCTION TEST MAR 16, 2004@13:40 ABNORMAL

SEX: M AGE: 61 90 in/160 lb AMBIENT: 35C/600T
 RACE: WHITE, NOT OF HISPANIC ORIGIN TECH: SMITH, JOE
 SMOKER CURRENT BRONCHODILATOR USE EFFORT: GOOD

CONSULT DX:

COUGH
 ASTHMA
 INTERSTITIAL LUNG DISEASE

	UNITS	PRED	ACTUAL	%PRED	PREV1	PREV2	CI
VOLUMES.....							
INERT GAS DILUTION					6/30/03	6/6/02	
(NOTES): TEST INERT GAS							

TLC	L	10.53	9.00	85.5	5.00	8.00	9.09
VC	L	7.76	3.00	38.7	7.00	7.00	
FRC	L	4.38	4.00	91.4	3.00	6.50	U 5.42
RV	L	2.80	5.00	178.3	4.00	4.00	U 3.68
RV/TLC	%		56				
BODY BOX					6/30/03	6/6/02	
(NOTES): TEST BODY BOX							
TLC	L	10.53	3.00	28.5	7.00	9.90	9.09
VC	L	7.76	2.00	25.8	6.00	7.00	
FRC	L	4.38	4.00	91.4	4.00	6.00	U 5.42
RV	L	2.80	5.00	178.3	2.00	5.00	U 3.68
RV/TLC	%		167				
NITROGEN WASH OUT					6/6/02	5/31/02	
(NOTES): TEST NITROGEN WASH OUT							
TLC	L	10.53	7.00	66.5	6.00	7.00	9.09
VC	L	7.76	4.00	51.5	5.50	6.00	
FRC	L	4.38	3.00	68.6	4.00	4.00	U 5.42
RV	L	2.80	2.00	71.3	3.00	3.00	U 3.68
RV/TLC	%		29				
X-RAY PLANIMETRY					6/6/02	5/30/02	
(NOTES): TEST X-RAY							
TLC	L	10.53	5.00	47.5	7.00	9.00	9.09
VC	L	7.76	4.00	51.5	6.40	6.00	
FRC	L	4.38	7.00	160.0	3.00	4.00	U 5.42
RV	L	2.80	8.00	285.2	1.00	5.00	U 3.68
RV/TLC	%		160				
	UNITS	PRED	ACTUAL	%PRED	PREV1	PREV2	CI
FLOWS.....							
MACHINE: FLOW TURBINE							
STANDARD STUDY					6/6/02	5/30/02	
(NOTES): TEST STANDARD							
FVC	L	7.76	4.30	55.4	8.00	9.00	
FEV1	L	5.79	2.20	38.0	6.00	4.00	4.94
PF	L/SEC	10.986	3.200	29.1	5.000	5.000	8.02
FEF25-75	L/SEC	4.478	4.500	100.5	4.000	15.000	2.81
MVV	L/MIN	211.72	3.00	1.4	4.00	10.00	163.87
FEV1/FVC	%		51				
AFTER INHALATION CHALLENGE					6/6/02	5/31/02	
(NOTES): AFTER INHALATION							
FVC	L	7.76	7.00	90.2	8.00	9.00	
FEV1	L	5.79	4.00	69.1	7.00	8.00	4.94
PF	L/SEC	10.986	3.000	27.3	6.000	7.000	8.02
FEF25-75	L/SEC	4.478	5.000	111.6	5.000	10.000	2.81
MVV	L/MIN	211.72	3.00	1.4	4.00	50.00	163.87
FEV1/FVC	%		57				
AFTER EXERCISE					6/6/02	5/31/02	
FVC	L	7.76	5.00	64.4	8.00	9.90	
FEV1	L	5.79	3.00	51.9	7.00	8.00	4.94
PF	L/SEC	10.986	2.000	18.2	6.000	7.000	8.02
FEV1/FVC	%		60				
DIFFUSION.....							
METHOD: STEADY STATE							
					6/30/03	6/6/02	

Viewing the Reports

DLCO-SB	L	37.16	33.00	88.8	45.00	50.00	29.18			
Corr DLCO for HB & COHB:		37.16	32.55	87.6						
BLOOD GASES.....										
STUDY TYPE	pH	pCO2	pO2	O2HB	COHB	MHB	HB	FiO2	A-aO2	QS/QT
(NORMAL)	7.36-7.44	36-44	80-100	>88%	<3%	<2%			<22	
100% O2 STUDY	7.000	0.0	0.0	4.0%	0.0%	0.0%	3.0	0.500	277	
PATIENT TEMPERATURE (C): 35										
MAX EXERCISE	8.000	44.0	3.0	53.0%	33.0%	23.0%	15.4	0.343	132	
PATIENT TEMPERATURE (C): 30										
(NOTES): TEST QS										
SUPPLEMENTAL	8.000	9.0	0.0	67.0%	0.0%	56.0%	0.0	0.900	486	
PATIENT TEMPERATURE (C): 32										
POST EXERCISE	7.456	99.0	345.0	78.0%	45.0%	45.0%	15.1	1.000	84	0.52
PATIENT TEMPERATURE (C): 33										
(NOTES): TEST QS										
SPECIAL STUDIES.....										
UNITS					ACTUAL		PREV1		PREV2	
MAXIMUM PRESSURES										
(NOTES): 44										
PiMAX	cmH2O		5.00		99.00		68.00	6/30/03	6/6/02	
MECHANICS										
Raw	cmH2O/L/S		4.00		15.00		10.00	6/30/03	6/6/02	
SGaw	L/S/cmH2O		0.30		0.30		0.20			
Cst	4cmH2O		0.50		1.00		0.40			
SMALL AIRWAY										
Cdyn	L/cmH2O		0.40		1.00		0.45	6/30/03	6/6/02	
FEF50 He-Air	L/Sec		45.00		45.00		56.00			
VISOV	L		3.00		5.00		5.00			
CV	L		5.00		4.00		5.00			
CV/VC	%		2.50							
CV/TLC	%		1.67							
VISOV/CV	%		0.60							
EXERCISE										
(NOTES): fgdgrdgtgd										
VEmax(BTPS)	L		44.00		90.00		90.00	6/30/03	6/6/02	
BR	L		34.00		50.00		50.00			
VD/VT MAX	L		0.70				0.43			
VERest(BTPS)	ml/beat		3.00		35.00		30.00			
EKG			ABNORMAL							
Wmax	wrpm/min		2.00		100.00		245.00			
WRI/WRT	watts/min		3.00		35.00		40.00			
Max Speed	mph		15.00		20.00		15.00			
TOTAL TIME	min		100.00		100.00		600.00			
Exercise Testing Mode: BIKE ERGOMETER										
REASON(S) FOR STOPPING:										
Patient cannot work on Bike Treadmill anymore. he will work on something different such as a Cardioglider.										
INTERPRETATION:										

COMMENTS AND RECOMMENDATIONS:

INTERPRETED BY:

SMITH, JOE

PREDICTED VALUE FORMULAS USED

TLC	$.078*HT-7.3$	BOREN & KORY '66
VC	$.06*HT-(.0214*AGE)-4.65$	CRAPO '81
FRC	$.032*HT-2.94$	BOREN & KOREY '66
RV	$.019*HT+(.0115*AGE)-2.24$	BOREN & KORY '66
FVC	$.06*HT-(.0214*AGE)-4.65$	CRAPO '81
FEV1	$.0414*HT-(.0244*AGE)-2.190$	CRAPO '81
PF	$3.9*HT-(3*AGE)-49.36/60$	FERRIS '64
FEF25-75	$.0204*HT-(.038*AGE)+2.133$	CRAPO '81
MVV	$1.356*HT-(1.26*AGE)-21.4$	BOREN & KOREY '66
DLCO-SB	$12.9113-(.229*AGE)+(.1672*HT)$	MILLER '83
COHB CORR.	$ACT*(1+(COHB/100))$	MORRIS '85
HB CORR.	$HB+10.22/(1.7*HB)*ACT$	COTES '72

NOTE: HT=height, WT=weight, ACT=actual measurement value

*** END ***** CONFIDENTIAL SUMMARY pg. 1 *****

Procedures (local only)

This report component lists all Medicine and CP procedures for a selected patient in CPRS. The Procedures (local only) list contains the following column elements: Procedure Date/Time, Medicine Procedure Name, and Report Status (also known as the Procedure Summary Code).

Medicine/CP Procedures (local only)				
Procedure Date/Time	Medicine Procedure Name	Report Status	[+]	↑
04/16/2004 15:38	COLONOSCOPY	ABNORMAL	[+]	↓
03/30/2004 13:43	PULMONARY FUNCTION TEST		[+]	
03/16/2004 13:40	PULMONARY FUNCTION TEST	ABNORMAL	[+]	
07/23/2003 09:00	BRONC W/BRONC WASHING	NORMAL	[+]	
06/30/2003 10:40	ELECTROPHYSIOLOGY	ABNORMAL	[+]	
06/30/2003 09:37	PULMONARY FUNCTION TEST	NORMAL	[+]	↓

The Procedure Date/Time column lists the procedures in chronological order. Both the Medicine and CP procedures are listed together. After you select the procedure that you want to view, the report is displayed in the lower-right portion of your screen. If you see an interpretation (TIU document), then you are viewing a CP procedure, otherwise you are viewing a Medicine procedure.

Here is an example of a CP Report.

```

Pg. 1
HINES VAMC
SPIROMETRY, PRE and POST
TEST,PATIENT 125-43-2111 DOB: FEB 3,1943 (61) 3AS
-----

TITLE: HISTORICAL PROCEDURE REPORT
DATE OF NOTE: JUL 03, 2003@13:46 ENTRY DATE: JUL 03, 2003@13:46:22
AUTHOR: JACKSON,SARAH EXP COSIGNER:
URGENCY: STATUS: COMPLETED

PROCEDURE SUMMARY CODE: Abnormal
DATE/TIME PERFORMED: JUL 03, 2003@13:45

TEST

/es/ SARAH JACKSON
MEDICAL SPECIALIST
Signed: 03/12/2004 11:04
-----

TITLE: PFT
DATE OF NOTE: JUL 03, 2003@13:53 ENTRY DATE: JUL 03, 2003@13:53
AUTHOR: EXP COSIGNER:
URGENCY: STATUS: UNDICTATED

PROCEDURE SUMMARY CODE:
DATE/TIME PERFORMED: JUL 03, 2003@13:45

```

TITLE: PFT
DATE OF NOTE: JUL 03, 2003@14:34:32 ENTRY DATE: JUL 03, 2003@14:34:32
AUTHOR: EXP COSIGNER:
URGENCY: STATUS: UNDICTATED

PROCEDURE SUMMARY CODE:
DATE/TIME PERFORMED: JUL 03, 2003@13:45

=====
NOTE: Images are associated with this procedure.
Please use Imaging Display to view the images.

Viewing the Reports

Here is an example of a Medicine Report.

```
Pg. 1                HINES VAMC                05/03/04 13:30
                ELECTROPHYSIOLOGY REPORT - RELEASED ON-LINE VERIFIED
TEST,PATIENT      125-43-2111                DOB: FEB 3,1943  (61) 3AS
-----
DATE/TIME:       6/30/03@10:40
MEDICAL PATIENT: TEST,PATIENT
WARD/CLINIC:    CARDIAC CLINIC
CARDIAC DX:     AORTIC STENOSIS
REASON FOR STUDY:  AGINA PROBLEMS.

SYMPTOM:
  UNSTABLE ANGINA

RISK FACTOR:
  CARDIOMEGALY (X-RAY)

ARRHYTHMIA DX:
  HEART BLOCK-MOBITZ II

HX:
  This is the HX text.

-----
                R e p o r t   R e l e a s e   S t a t u s

Current          Date      Person Who
Report           Status   Last Changed          Date of      Report
Status          Changed The Status          Entry        Version
=====
RELEASED ON-LINE VERIFIED
                6/30/03  NA JACKSONS                6/30/03                1 of 1
```

Procedures

This report component lists Medicine and CP procedures for a selected patient visiting your facility, who is typically seen at another facility. You can view a patient's data from a remote facility, which is called remote data viewing.

Medicine/CP Procedures [From: Aug 12,2000 to May 18,2003] Max/site:10			
Procedure Date/Time	Medicine Procedure Name	Summary	Detailed Report
12/04/2002 09:00	BRONC W/BRONC WASHING	No Summary	: ...
09/10/2002 12:00	ECG	No Summary	: ...
05/29/2002 11:08	ECHO	No Summary	: ...
07/19/2002 17:00	LAPARASCOPY	No Summary	Protocol: ...
05/28/2002 14:00	PULMONARY PROCEDURES	No Summary	: ...
05/28/2002 14:00	SPIROMETRY, PRE and POST	No Summary	: ...
05/28/2002 14:00	SPIROMETRY, PRE and POST	No Summary	: ...

The procedures are listed in chronological order within a specified date range and a maximum number of occurrences (Max/site). The name of the report, selected date range and maximum number of occurrences (Max/site) appear above the procedure list.

Procedure Date/Time	09/02/2003 16:30
Medicine Procedure Name	ECHO
Summary	No Summary
Detailed Report	:

TITLE: ECHO EXAM	
DATE OF NOTE: MAR 05, 2002@08:53 ENTRY	
DATE: MAR 05, 2002@08:53:14	
AUTHOR: JACKSON, SARAH	EXP COSIGNER:
URGENCY: COMPLETED	STATUS:
PROCEDURE SUMMARY CODE: Abnormal	
DATE/TIME PERFORMED: MAR 04, 2002@12:21	
test	
/es/ TEST JACKSONS	
MEDICAL SPECIALIST	
Signed: 03/05/2002 12:06	

TITLE: ECHO EXAM	

Viewing the Reports

```
DATE OF NOTE: SEP 02, 2003@15:48:49  ENTRY
DATE: SEP 02, 2003@15:48:49
AUTHOR:                                EXP COSIGNER:
URGENCY:                                STATUS:
UNDICTATED
PROCEDURE SUMMARY CODE:
DATE/TIME PERFORMED: SEP 02, 2003@16:30

=====

Facility: SUPPORT ISC
=====
```

Configuring the Medicine Report to Display in CPRS

The Medicine View file (#690.2) controls which fields are displayed in the Medicine reports. You can add and delete fields in the procedure type view template, which is located in the Medicine View file. When you edit the template, the Medicine reports within the Procedures (local only), Medicine/CP tree listing and the Health Summary reports are affected.

If the report does not display, be sure the procedure that you want to display is entered in the PROCEDURE field for the appropriate template.

You can use FileMan to add fields to the Medicine View file. The following are examples of adding a multiple field and a single field to a print template.

- Here is an example of how to add field #37.1, which is a sub-file (multiple field) to the Full GI Medicine View entry.

VA FileMan 22.0

Select OPTION: **1** ENTER OR EDIT FILE ENTRIES

INPUT TO WHAT FILE: HEALTH SUMMARY COMPONENT// **690.2** MEDICINE VIEW
(36 entries)

EDIT WHICH FIELD: ALL// **<RET>**

Select MEDICINE VIEW PRINT VIEW TEMPLATE NAME: **Full GI**
ENDOSCOPY/CONSULT

PRINT VIEW TEMPLATE NAME: Full GI// **<RET>**

PRIMARY FILE: ENDOSCOPY/CONSULT// **<RET>**

Select FIELD NUMBER: 203// **<RET>**

FIELD NUMBER: 203// **<RET>**

ORDER ENTRY USAGE: UNKNOWN// **<RET>**

ASTM: **<RET>**

VALUE TYPE: **<RET>**

UNITS: **<RET>**

RANGES: **<RET>**

SEG: **<RET>**

PIECE: **<RET>**

CODING METHOD: **<RET>**

Select FIELD NUMBER: **37.1**

Are you adding '37.1' as a new FIELD NUMBER (the 46TH for this MEDICINE VIEW)? No// **y** (Yes)

FIELD NUMBER ASTM: **<RET>**

ORDER ENTRY USAGE: **<RET>**

ASTM: **<RET>**

VALUE TYPE: **<RET>**

UNITS: **<RET>**

RANGES: **<RET>**

SEG: **<RET>**

Viewing the Reports

```
PIECE: <RET>
CODING METHOD: <RET>
Select FIELD NUMBER: <RET>
Select SUB-FILE: 699.19// <RET>
SUB-FILE: 699.19// <RET>
Select SUB-FIELD: .01// <RET>
SUB-FIELD: .01// <RET>
ORDER ENTRY USAGE: <RET>
ASTM: <RET>
VALUE TYPE: <RET>
UNITS: <RET>
RANGES: <RET>
SEG: <RET>
PIECE: <RET>
CODING: <RET>
Select SUB-FIELD: <RET>
Select SUB-FILE: 699.04
Are you adding '699.04' as a new SUB-FILE (the 23RD for this MEDICINE
VIEW)? No// Y (Yes)
Select SUB-FIELD: .01
Are you adding '.01' as a new SUB-FIELD (the 1ST for this SUB-FILE)? No// Y
(Yes)
SUB-FIELD ASTM: <RET>
ORDER ENTRY USAGE: <RET>
ASTM: <RET>
VALUE TYPE: <RET>
UNITS: <RET>
RANGES: <RET>
SEG: <RET>
PIECE: <RET>
CODING: <RET>
Select SUB-FIELD: <RET>
Select SUB-FILE: <RET>
Select PROCEDURE: GEN// ?
Answer with PROCEDURE
Choose from:
COL
EGD
ERC
GEN
GIENDO
LAP
LV PARAC
PARAC
VAS

You may enter a new PROCEDURE, if you wish

Answer with PROCEDURE/SUBSPECIALTY NAME, or GLOBAL LOCATION, or
TYPE OF PROCEDURE, or PRINT NAME
Do you want the entire 83-Entry PROCEDURE/SUBSPECIALTY List? N (No)
Select PROCEDURE: GEN// <RET>
Type: Full// <RET>

Select MEDICINE VIEW PRINT VIEW TEMPLATE NAME: <RET>
```

- Here is an example of how to add a single field #204.5 to the Full GI Medicine View file (#690.2).

```

Select MEDICINE VIEW PRINT VIEW TEMPLATE NAME:      Full GI
ENDOSCOPY/CONSULT
PRINT VIEW TEMPLATE NAME: Full GI// <RET>
PRIMARY FILE: ENDOSCOPY/CONSULT// <RET>
Select FIELD NUMBER: 37.1// <RET>
  FIELD NUMBER: 37.1// <RET>
  ORDER ENTRY USAGE: <RET>
  ASTM: <RET>
  VALUE TYPE: <RET>
  UNITS: <RET>
  RANGES: <RET>
  SEG: <RET>
  PIECE: <RET>
  CODING METHOD: <RET>
Select FIELD NUMBER: 204.5
Are you adding '204.5' as a new FIELD NUMBER (the 47TH for this MEDICINE
VIEW)? No// Y (Yes)
  FIELD NUMBER ASTM: <RET>
  ORDER ENTRY USAGE: <RET>
  ASTM: <RET>
  VALUE TYPE: <RET>
  UNITS: <RET>
  RANGES: <RET>
  SEG: <RET>
  PIECE: <RET>
  CODING METHOD: <RET>
Select FIELD NUMBER: <RET>
Select SUB-FILE: 699.04// <RET>
  SUB-FILE: 699.04// <RET>
  Select SUB-FIELD: .01// <RET>
    SUB-FIELD: .01// <RET>
    ORDER ENTRY USAGE: <RET>
    ASTM: <RET>
    VALUE TYPE: <RET>
    UNITS: <RET>
    RANGES: <RET>
    SEG: <RET>
    PIECE: <RET>
    CODING: <RET>
  Select SUB-FIELD: <RET>
Select SUB-FILE: <RET>
Select PROCEDURE: GEN// <RET>
Type: Full// <RET>

Select MEDICINE VIEW PRINT VIEW TEMPLATE NAME: <RET>

```


6. Glossary

Access Code A unique sequence of characters known by and assigned only to the user, the system manager and/or designated alternate(s). The access code (in conjunction with the verify code) is used by the computer to identify authorized users.

Action A functional process that a clinician or clerk uses in the TIU computer program. For example, “Edit” and “Search” are actions. Protocol is another name for Action.

ADP Coordinator/ADPAC/Application Coordinator Automated Data Processing Application Coordinator. The person responsible for implementing a set of computer programs (application package) developed to support a specific functional area such as clinical procedures, PIMS, etc.

Application A system of computer programs and files that have been specifically developed to meet the requirements of a user or group of users.

Archive The process of moving data to some other storage medium, usually a magnetic tape, and deleting the information from active storage in order to free-up disk space on the system.

ASU Authorization/Subscription Utility, an application that allows sites to associate users with user classes, allowing them to specify the level of authorization needed to sign or order specific document types and orderables. ASU is distributed with TIU in this version; eventually it will probably become independent, to be used by many VistA packages.

Attachments Attachments are files or images stored on a network share that can be linked to the CP study. CP is able to accept data/final result report files from automated instruments. The file types that can be used as attachments are the following:

.txt	Text files
.rtf	Rich text files
.jpg	JPEG Images
.jpeg	JPEG Images
.bmp	Bitmap Images
.tiff	TIFF Graphics (group 3 and group 4 compressed and uncompressed types)
.pdf	Portable Document Format
.html	Hypertext Markup Language

.DOC (Microsoft Word files) are not supported. Be sure to convert .doc files to .rtf or to .pdf format.

⁴ Patch MD*1*2 July 2004 Chapter number changed from 5 to 6.

Background Processing Simultaneous running of a "job" on a computer while working on another job. Examples would be printing of a document while working on another, or the software might do automatic saves while you are working on something else.

Backup Procedures The provisions made for the recovery of data files and program libraries and for restart or replacement of ADP equipment after the occurrence of a system failure.

Boilerplate Text A pre-defined TIU template that can be filled in for Titles, Speeding up the entry process. TIU exports several Titles with boilerplate text which can be modified to meet specific needs; sites can also create their own.

Browse Lookup the file folder for a file that you would like to select and attach to the study. (e.g., clicking the "...” button to start a lookup).

Bulletin A canned message that is automatically sent by MailMan to a user when something happens to the database.

Business Rule Part of ASU, Business Rules authorize specific users or groups of users to perform specified actions on documents in particular statuses (e.g., an unsigned TIU note may be edited by a provider who is also the expected signer of the note).

Class Part of Document Definitions, Classes group documents. For example, "CLINICAL PROCEDURES" is a class with many kinds of Clinical Procedures notes under it. Classes may be subdivided into other Classes or Document Classes. Besides grouping documents, Classes also store behavior which is then inherited by lower level entries.

Consult Referral of a patient by the primary care physician to another hospital service/ specialty, to obtain a medical opinion based on patient evaluation and completion of any procedures, modalities, or treatments the consulting specialist deems necessary to render a medical opinion.

Contingency Plan A plan that assigns responsibility and defines procedures for use of the backup/restart/recovery and emergency preparedness procedures selected for the computer system based on risk analysis for that system.

CP Clinical Procedures.

CP Definition CP Definitions are procedures within Clinical Procedures.

| ⁵CP Procedure A procedure who's data is stored in the Clinical Procedures package.

CP Study A CP study is a process created to link the procedure result from the medical device or/and to link the attachments browsed from a network share to the procedure order.

⁵ Patch MD*1*2 July 2004 New Glossary term added.

CPRS Computerized Patient Record System. A comprehensive VistA program, which allows clinicians and others to enter and view orders, Progress Notes and Discharge Summaries (through a link with TIU), Problem List, view results, reports (including health summaries), etc.

Data Dictionary A description of file structure and data elements within a file.

Device A hardware input/output component of a computer system (e.g., CRT, printer).

Document Class Document Classes are categories that group documents (Titles) with similar characteristics together. For example, Cardiology notes might be a Document Class, with Echo notes, ECG notes, etc. as Titles under it. Or maybe the Document Class would be Endoscopy Notes, with Colonoscopy notes, etc. under that Document Class.

Document Definition Document Definition is a subset of TIU that provides the building blocks for TIU, by organizing the elements of documents into a hierarchy structure. This structure allows documents (Titles) to inherit characteristics (such as signature requirements and print characteristics) of the higher levels, Class and Document Class. It also allows the creation and use of boilerplate text and embedded objects.

Edit Used to change/modify data typically stored in a file.

Field A data element in a file.

File The M construct in which data is stored for retrieval at a later time. A computer record of related information.

File Manager or FileMan Within this manual, FileManager or FileMan is a reference to VA FileMan. FileMan is a set of M routines used to enter, edit, print, and sort/search related data in a file, a database.

File Server A machine where shared software is stored.

Gateway The software that performs background processing for Clinical Procedures.

Global An M term used when referring to a file stored on a storage medium, usually a magnetic disk.

GUI Graphical User Interface - a Windows-like screen that uses pull-down menus, icons, pointer devices, and other metaphor-type elements that can make a computer program more understandable, easier to use, allow multi-processing (more than one window or process available at once), etc.

Interpreter Interpreter is a user role exported with USR*1*19 to support the Clinical Procedures Class. The role of the Interpreter is to interpret the results of a clinical procedure. Users who are authorized to interpret the results of a clinical procedure are sent a notification when an instrument report and/or images for a CP request are available for interpretation. Business rules are used to determine what actions an interpreter can perform on a document of a specified class, but the interpreter themselves are defined by the Consults application. These individuals are 'clinical update users' for a given consult service.

IRMS Information Resource Management Service.

Kernel A set of software utilities. These utilities provide data processing support for the application packages developed within the VA. They are also tools used in configuring the local computer site to meet the particular needs of the hospital. The components of this operating system include: MenuMan, TaskMan, Device Handler, Log-on/Security, and other specialized routines.

LAYGO An acronym for Learn As You Go. A technique used by VA FileMan to acquire new information as it goes about its normal procedure. It permits a user to add new data to a file.

M Formerly known as MUMPS or the Massachusetts (General Hospital) Utility Multi-Programming System. This is the programming language used to write all VistA applications.

MailMan An electronic mail, teleconferencing, and networking system.

| **⁶Medicine Procedure** A procedure who's data is stored in the Medicine package.

Menu A set of options or functions available to users for editing, formatting, generating reports, etc.

Module A component of a software application that covers a single topic or a small section of a broad topic.

Namespace A naming convention followed in the VA to identify various applications and to avoid duplication. It is used as a prefix for all routines and globals used by the application.

Network Server Share A machine that is located on the network where shared files are stored.

Notebook This term refers to a GUI screen containing several tabs or pages.

OI Office of Information, formerly known as Chief Information Office Field Office, Information Resource Management Field Office, and Information Systems Center.

⁶ Patch MD*1*2 July 2004 New Glossary term added.

Option A functionality that is invoked by the user. The information defined in the option is used to drive the menu system. Options are created, associated with others on menus, or given entry/exit actions.

Package Otherwise known as an application. A set of M routines, files, documentation and installation procedures that support a specific function within VistA.

Page This term refers to a tab on a GUI screen or notebook.

Password A protected word or string of characters that identifies or authenticates a user, a specific resource, or an access type (synonymous with Verify Code).

Pointer A special data type of VA FileMan that takes its value from another file. This is a method of joining files together and avoiding duplication of information.

Procedure Request Any procedure (EKG, Stress Test, etc.) which may be ordered from another service/specialty without first requiring formal consultation.

Program A set of M commands and arguments, created, stored, and retrieved as a single unit in M.

Queuing The scheduling of a process/task to occur at a later time. Queuing is normally done if a task uses up a lot of computer resources.

RAID Redundant Array of Inexpensive Drives. Imaging uses this to store images.

| ⁷Remote Data Viewing The act of viewing a patient's data from a remote facility.

Result A consequence of an order. Refers to evaluation or status results. When you use the Complete Request (CT) action on a consult or request, you are transferred to TIU to enter the results.

<RET> Carriage return.

Routine A set of M commands and arguments, created, stored, and retrieved as a single unit in M.

Security Key A function which unlocks specific options and makes them accessible to an authorized user.

Sensitive Information Any information which requires a degree of protection and which should be made available only to authorized users.

⁷ Patch MD*1*2 July 2004 New Glossary term added.

Site Configurable A term used to refer to features in the system that can be modified to meet the needs of each site.

Software A generic term referring to a related set of computer programs. Generally, this refers to an operating system that enables user programs to run.

Status Symbols Codes used in order entry and Consults displays to designate the status of the order.

Task Manager or TaskMan A part of Kernel which allows programs or functions to begin at specified times or when devices become available. See Queuing.

Title Titles are definitions for documents. They store the behavior of the documents which use them.

TIU Text Integration Utilities.

User A person who enters and/or retrieves data in a system, usually utilizing a CRT.

User Class User Classes are the basic components of the User Class hierarchy of ASU (Authorization/Subscription Utility) which allows sites to designate who is authorized to do what to documents or other clinical entities.

User Role User Role identifies the role of the user with respect to the document in question (e.g., Author/Dictator, Expected Signer, Expected Cosigner, Attending Physician, etc.).

Utility An M program that assists in the development and/or maintenance of a computer system.

Verify Code A unique security code which serves as a second level of security access. Use of this code is site specific; sometimes used interchangeably with a password.

VistA Veterans Health Information Systems and Technology Architecture.

Workstation A personal computer running the Windows 9x or NT operating system.

7. Index

B

benefits, 1-6

C

checking in
 studies, 3-8
complete
 status, 2-4
consent forms
 linking, 4-19
consult procedures
 ordering, 3-1
CP process, 3-1, 4-1
CP results
 viewing, 4-14
CP User, 2-1
 Icons, 2-1
 opening, 2-1
 selecting a patient, 2-2
CPRS
 ordering a consult procedure, 3-1

D

defining the CP User window, 2-3
deleting
 study, 2-5

E

encounter information, 4-7
errors
 status, 2-4
 updating, 3-14

F

file types, 1-7

G

Glossary, 6-1

H

hospital location, 1-7

I

images
 displaying, 4-14
imaging
 capture, 4-19
 display, 4-14
imaging file types, 1-7
intended audience, 1-6
interpretations
 entering, 4-1
introduction, 1-1

M

Medicine/CP Reports, 5-1
 Abnormal, 5-3
 Brief Report, 5-7
 Configuring, 5-23
 Full Captioned, 5-8
 Full Report, 5-13
 Procedures, 5-21
 Procedures (local only), 5-18

N

new
 status, 2-3

O

ordering
 consult procedures, 3-1

P

patient
 selecting, 2-2
 selecting in CP User, 2-2
pending instrument data
 status, 2-4
process flow diagrams, 1-2

R

ready to complete
 status, 2-4
related manuals, 1-6

S

sign off, 4-12
status
 complete, 2-4

⁸ Patch MD*1*2 July 2004 Chapter number changed from 6 to 7 and new entries added.

Index

- error, 2-4
 - types of, 2-3
- study
 - checking in, 3-8
 - completing, 4-1
 - deleting, 2-5
 - fixing errors, 3-14
 - submitting, 3-10
 - updating status, 3-14
- study status
 - types of, 2-3
- submitted
 - status, 2-4
- submitting
 - studies, 3-10

T

- TIU
 - entering interpretations, 4-1

V

- viewing results, 4-14

W

- workload reporting, 1-7