

Action Codes—Individual Messages

The following table lists all of the possible message action codes that you can perform after reading a particular message. All of these action codes are available when using any of the three message readers (i.e., the Detailed Full Screen, Summary Full Screen, or Classic message readers):

Action Code	Action Description
A	Answer—The "Answer" command issues a <i>new</i> message to send to the sender of the original message.
B	Backup—Back up to the original text of the message or to a particular response.
BR	Print to the Browser.
C	Copy—Create a copy of a message.
D	Delete—Delete a message by moving it to your "WASTE" basket.
E	Edit—Edit a message you sent.
F	Forward—Forward a message to different recipients.
H	Headerless Print—Print a message without print or header information (i.e., no Subject and From lines).
HG	Help: Group Information
HU	Help: User Information
I	Ignore—Ignore the message and leave it in the current mail basket.
IM	Include Message. Include responses from another message or any COMBINATION of its responses in your message.
IN	Information Only—Toggle whether a message, sent by you, is Information Only, depending on current setting. Recipients <i>can't</i> respond to these messages.
K	Priority Replies Toggle—Toggle whether or not all future replies to this priority message are received as priority or ordinary, depending on the current setting.

Table 3: Action Codes—Messages

Table 3 (continued):

Action Code	Action Description
L	Later—Have the message made "new" in your mailbox at a specified later date and time.
N	New/Un New Toggle—Toggle a message to be new or <i>not</i> new, depending on the current setting.
P	Print—Print a message to a specified device.
Q	Query—Obtain general recipient information on a message.
Q xxx	Query Recipient(s) xxx—Obtain information on a specified recipient of a message, where "xxx" represents the name of the recipient.
QD	Query Detailed—Obtain detailed recipient information on a message.
QN	Query Network—Obtain network and detailed recipient information on a message.
R	Reply—Compose and send a reply to a message.
RI	Reply and Include responses—Compose and send a reply to a message with previous responses included in your reply.
S	Save—Save a message to an existing mail basket or to a new basket that you create on the fly.
T	Terminate—Terminate a message by putting it in your "WASTE" basket and stop receiving any future replies to that message.
V	Vaporize Date Edit—Set a specified date and time to vaporize (delete) a message from your mail basket.
W	Write—Send a <i>new</i> message while reading another message.
X	Extract KIDS or PackMan Messages—Provides a list of specific actions you can perform on these types of messages (for IRM personnel or developers).
^	Exit the Message (up-arrow, "^" Shift-6 key on most keyboards)—Acts like the Ignore action code.

Table 3: Action Codes—Messages (continued)



Please remember that not all action codes are available with every message. Some action codes are only available when certain conditions exist.



Each action code is described in greater detail below.

