

**Patient Information Management System (PIMS)
Software Version 5.3**

**Patient Registration, Admission, Discharge, Transfer,
and Appointment Scheduling**

Technical Manual



April 2024

**Department of Veterans Affairs (VA)
Office of Information and Technology (OIT)
Enterprise Program Management Office (EPMO)**

Revision History

Date	Revision	Description	Author
4/2024	0.158	SD*5.3*876 - Added new and modified routines Patch SD*5.3*875 Routines Section 3.5.134	GovernmentCIO
4/2024	0.157	SD*5.3*876 - Added new and modified routines Patch SD*5.3*876 <u>Section 3.5.133</u>	Booz Allen Hamilton
4/2024	0.156	DG*5.3*1111 – Added new and modified routines Patch DG*5.3*1111 to <u>Section 3.5.132</u>	Booz Allen Hamilton
4/2024	0.155	DG*5.3*1107 – Added new and modified routines Patch DG*5.3*1107 Routines to <u>Section 3.5.131</u>	Booz Allen Hamilton
4/2024	0.154	SD*5.3*863 - Added new and modified routines Patch SD*5.3*863 Routines <u>Section 3.5.130</u>	GovernmentCIO
3/2024	0.153	SD*5.3*874 – Added new and modified routines Patch SD*5.3*874 Routines <u>Section 3.5.129</u>	GovernmentCIO
3/2024	0.152	SD*5.3*873 – Added new and modified routines Patch SD*5.3*873 Routines <u>Section 3.5.128</u>	GovernmentCIO
3/2024	0.151	SD*5.3*871 – Added new and modified routines Patch SD*5.3*871 Routines <u>Section 3.5.127</u>	GovernmentCIO
2/2024	0.150	SD*5.3*869 – Added new and modified routines Patch SD*5.3*869 Routines Section 3.5.126	GovernmentCIO
2/2024	0.149	SD*5.3*867 – Added new and modified routines Patch SD*5.3*867 Routines to Section 3.5.125	GovernmentCIO
1/2024	0.148	SD*5.3*866 – Added new and modified routines to Section 3.5.124	GovernmentCIO
1/2024	0.147	DG*5.3*1109 – Added new and modified routines to Section 3.5.123	Booz Allen Hamilton
1/2024	0.146	SD*5.3*864 - Added new and modified routines to Section 3.5.122	GovernmentCIO
12/2023	0.145	DG*5.3*1095 – Added new and modified routines Patch DG*5.3*1095 Description and Routines to Section 3.5.121 RELEASE 1	Booz Allen Hamilton

Date	Revision	Description	Author
12/2023	0.144	SD*5.3*861 - Added new and modified routines Patch SD*5.3*861 Routines to Section 3.5.120	GovernmentCIO
12/2023	0.143	DG*5.3*1103 – Added new and modified routines Patch DG*5.3*1103 Routines to Section 3.5.119; Updated the following sections to include TERA: Section 12.2.5 SVC^VADPT , Section 12.3 Alpha Subscripts , Section 15.6.8 ZEL—VA-Specific Patient Eligibility Segment , and Section 15.9.14 Table SD008—Outpatient Classification Type .	Booz Allen Hamilton
12/2023	0.142	SD*5.3*859 - Added new and modified routines Patch SD*5.3*859 Routines to Section 3.5.118	Booz Allen Hamilton
12/2023	0.141	SD*5.3*870 - Added new and modified routines Patch SD*5.3*870 Routines to Section 3.5.117	GovernmentCIO
11/2023	0.140	SD*5.3*868 - Added new and modified routines Patch SD*5.3*868 Routines to Section 3.5.116	GovernmentCIO
10/2023	0.139	SD*5.3*860 - Added new and modified routines Patch SD*5.3*860 Routines to Section 3.5.115	GovernmentCIO
10/2023	0.138	DG*5.3*1098 – Added new and modified routines Patch DG*5.3*1098 Routines to Section 3.5.114; Added new value 29 for WORLD WAR II to Table 165: Table VA04—Eligibility	Booz Allen Hamilton
10/2023	0.137	SD*5.3*857 - Added new and modified routines Patch SD*5.3*857 Routines to Section 3.5.113	GovernmentCIO
9/2023	0.136	SD*5.3*856 - Added new and modified routines Patch SD*5.3*856 Routines to Section 3.5.112	GovernmentCIO
9/2023	0.135	SD*5.3*853 - Added new and modified routines Patch SD*5.3*853 Routines to Section 3.5.111	GovernmentCIO
8/2023	0.134	SD*5.3*851 - Added new and modified routines Patch SD*5.3*851 Routines to Section 3.5.110	GovernmentCIO

Date	Revision	Description	Author
8/2023	0.133	SD*5.3*858 - Added new and modified routines Patch SD*5.3*858 Routines to Section 3.5.109	Booz Allen Hamilton
8/2023	0.132	SD*5.3*847 - Added new and modified routines Patch SD*5.3*847 Routines to Section 3.5.108	GovernmentCIO
7/2023	0.131	SD*5.3*846 - Added new and modified routines Patch SD*5.3*846 Routines to Section 3.5.107	GovernmentCIO
7/2023	0.130	DG*5.3*1093 – Added new and modified routines Patch DG*5.3*1093 Routines to Section 3.5.106; Updated Table VA08—Religion and Table 0006—Religion with new value for entry 28 and additional entries 84 – 89	Booz Allen Hamilton
7/2023	0.129	SD*5.3*845 - Added new and modified routines to Patch SD*5.3*845 Routines to Section 3.5.105	GovernmentCIO
6/2023	0.128	SD*5.3*844 - Added new and modified routines to Patch SD*5.3*844 Routines to Section 3.5.104	GovernmentCIO
6/2023	0.127	SD*5.3*843 - Added new and modified routines to Patch SD*5.3*843 Routines to Section 3.5.103	GovernmentCIO
6/2023	0.126	SD*5.3*852 - Added new and modified routines to Patch SD*5.3*852 Routines to Section 3.5.102	GovernmentCIO
5/2023	0.125	SD*5.3*832 - Added new and modified routines to Patch SD*5.3*832 Routines to Section 3.5.101	Booz Allen Hamilton
5/2023	0.124	SD*5.3*842 - Added new and modified routines to Patch SD*5.3*842 Routines to Section 3.5.100	GovernmentCIO
4/2023	0.123	SD*5.3*848 – Added modified routines Patch SD*5.3*848 Routines to Section 3.5.99	Booz Allen Hamilton
4/2023	0.122	DG*5.3*1090 – Added new and modified routines Patch DG*5.3*1090 Routines to Section 3.5.98	Booz Allen Hamilton
4/2023	0.121	SD*5.3*839 - Added new and modified routine Patch SD*5.3*839 Routines to Section 3.5.97	GovernmentCIO

Date	Revision	Description	Author
3/2023	0.120	SD*5.3*840 - Added new and modified routine Patch SD*5.3*840 Routines to Section 3.5.96	GovernmentCIO
3/2023	0.119	SD*5.3*838 - Added new and modified routine Patch SD*5.3*838 Routines to Section 3.5.95	GovernmentCIO
3/2023	0.118	SD*5.3*837 - Added new and modified routine Patch SD*5.3*837 Routines to Section 3.5.94	GovernmentCIO
3/2023	0.117	SD*5.3*836 - Added new and modified routine Patch SD*5.3*836 Routines to Section 3.5.93	GovernmentCIO
2/2023	0.116	DG*5.3*964 - Added new and modified routines to Patch DG*5.3*964 Routines to Section 3.5.92, new Namespace Conventions to Section 1.1, new files to File List in Section 4.2, and VistA Audit Solution (VAS) has been added as Section 25	GovernmentCIO/Booz Allen Hamilton
2/2023	0.114	SD*5.3*835- Added new and modified routine Patch SD*5.3*835 Routines to Section 3.5.91	GovernmentCIO
1/2023	0.113	SD*5.3*833- Added new and modified routine Patch SD*5.3*833 to Section 3.5.90	GovernmentCIO
1/2023	0.112	SD*5.3*831- Added new and modified routine Patch SD*5.3*831 Routines to Section 3.5.89	GovernmentCIO
12/2022	0.111	SD*5.3*828- Added new and modified routines Patch SD*5.3*828 Routines to Section 3.5.88	GovernmentCIO
12/2022	0.110	DG*5.3*1082 – Added Section 3.5.87 Patch DG*5.3*1082 Routines: Updates DATA GROUP [3] – POS, Eligibility Code(s), modifies three VHAPs; adds entries in MAS ELIGIBILITY CODE (#8.1) and ELIGIBILITY CODE (#8) files; modifies the PRESUMPTIVE PSYCHOSIS CATEGORY (#.5601) field in the PATIENT (#2) and CATEGORY CHANGES (#33.12) file and subfile; adds a new PRESUMPTIVE PSYCHOSIS HISTORY (#33.2) file; modifies ELIGIBILITY STATUS DATA, SCREEN	Booz Allen Hamilton

Date	Revision	Description	Author
		<7> screen DATA GROUP [3]; modifies template DG LOAD EDIT SCREEN 7 (#420) in the INPUT TEMPLATE (#.402); post install routine will send HL7/Z07 message to VES; Patch IVM*2.0*208: HL7 ORU/ORF-Z11 PROCESSING. Added Value 28 PRESUMPTIVE PSYCHOSIS HISTORY to Table 165: Table VA04—Eligibility	
12/2022	0.109	SD*5.3*821- Added new and modified routines to Patch SD*5.3*821 Routines section 3.5.86	GovernmentCIO
12/2022	0.108	SD*5.3*827- Added new and modified routines to Patch SD*5.3*827 Routines Section 3.5.85	GovernmentCIO
11/2022	0.107	SD*5.3*826 - Added new and modified routines to Patch SD*5.3*826 Routines Section 3.5.84	GovernmentCIO
10/2022	0.106	SD*5.3*817 - Added new and modified routines to Patch SD*5.3*817 Routines Section 3.5.83	GovernmentCIO
10/2022	0.105	SD*5.3*825 - Added new and modified routines to Patch SD*5.3*825 Routines Section 3.5.82	GovernmentCIO
09/2022	0.104	SD*5.3*824 - Added new and modified routines to Patch SD*5.3*824 Routines Section 3.5.81	GovernmentCIO
09/2022	0.103	SD*5.3*823 - Added new and modified routines to Patch SD*5.3*823 Routines Section 3.5.80	GovernmentCIO
09/2022	0.102	DG*5.3*1081 – Added Section 3.5.79 Patch DG*5.3*1081 Routines: Updates Data Group 1 on INELIGIBLE/MISSING DATA SCREEN <10>; modifies VHAPs and adds CLINICAL EVALUATION entry in HEALTH BENEFITS PLAN file; adds CLINICAL EVALUATION code to VistA MAS ELIGIBILITY CODE and ELIGIBILITY CODE files; updates INEL REASON UNSPECIFIED entry in INCONSISTENT DATA ELEMENTS file; sets to UNEDITABLE and updates LONG DESCRIPTION of 6 fields in PATIENT file; updates LONG DESCRIPTION field for 3 entries in the HEALTH BENEFIT PLAN	Booz Allen Hamilton

Date	Revision	Description	Author
		file; exports modified routines DGRP10, DGRPV, DGRPC, DG531081P and DGLOCK1. Added note to Section 12.2.3 ELIG^VADPT to indicate values that will be obsolete after patch DG*5.3*1081 is installed. Updated Section 15.9.18 Table VA04 – Eligibility to include new value 27 CLINICAL EVALUATION.	
08/2022	0.101	SD*5.3*820 - Added new and modified routines to Patch SD*5.3*820 Routines Section 3.5.78	GovernmentCIO
08/2022	0.100	DG*5.3*1064 – Added Section 3.5.77 Patch DG*5.3*1064 Routines: Added Group 6 with prompts; modified ICR #10061 and #7109 for VADPT to include new entries in DEM and DEMUPD components; added six fields to the PATIENT (#2) file; updated VistA to receive patient Indian attestation information from ES in the ZPD segment of the HL7 ORU/ORF~Z11 message; exported modified routines DGENELA2, DGENPTA1, DGENUPLA, DGMTSC4, DGMTSC4V, DGMTSCC, DGMTSCR, DGRP2, DGRPD, DGRPDB, DGRPE, DGRPH, DGRPV, VADPT0, VADPT1 and VAFHLZPD. Updated Section 12.2 Callable Entry Points in VADPT with guidance for format of data in return array, updated Section 12.2.1 DEM^VADPT and Section 12.2.2 DEMUPD^VADPT with new entries for INDIAN SELF IDENTIFICATION, INDIAN START DATE, INDIAN ATTESTATION DATE and INDIAN END DATE and added VADEM(15) and VADMO(15), which are set to null to avoid issues with groups that are only looking for root nodes.	Booz Allen Hamilton
08/2022	0.99	SD*5.3*819 - Added new and modified routines to Patch SD*5.3*819 Routines Section 3.5.76	GovernmentCIO
07/2022	0.98	SD*5.3*818 - Added new and modified routines to Patch SD*5.3*818 Routines Section 3.5.75	GovernmentCIO

Date	Revision	Description	Author
07/2022	0.97	<p>DG*5.3*1075 – Added Section 3.5.74 Patch DG*5.3*1075 Routines:</p> <ul style="list-style-type: none"> Added Pre/Post install routine DG531075P Modified routines DGLOCK1, DGREG.INT, DGRP3.INT, DGRP6EF.INT, DGRP7.INT, DGRP7CP.INT, DGRPCE.INT, DGRPCE1.INT <p>Updated Table VA04—Eligibility to include COMPACT ACT ELIGIBLE, SPECIAL TX AUTHORITY CARE and HUD-VASH</p> <p>Corrected Table VA0022—Radiation Exposure Method to include H/N AND ATMOSPHERIC TESTING, UNDERGROUND NUCLEAR TESTING, EXPOSURE AT NUCLEAR FACILITY, and OTHER</p>	Booz Allen Hamilton
06/2022	0.96	SD*5.3*812 - TMP TOOLBOX,CLINIC AVAILABILITY REPORT Section 3.5.73	GovernmentCIO
06/2022	0.95	SD*5.3*816 - Added new and modified routines to Patch SD*5.3*816 Routines Section 3.5.72	GovernmentCIO
06/2022	0.94	DG*5.3*1071 – added modified routines to Patch DG*5.3*1071 Routines Section 3.5.71 and Section 12.2.1 and 12.2.2 DEM^VADPT and DEMUPD^VADPT updated #14 Sexual Orientation with Status, Date Created, Date Last Updated and Note.	VA MPI Team
05/2022	0.93	SD*5.3*815 - Added new and modified routines to Patch SD*5.3*815 Routines Section 3.5.70	GovernmentCIO
05/2022	0.92	SD*5.3*814 - Added new and modified routines to Patch SD*5.3*814 Routines Section 3.5.69	GovernmentCIO
04/2022	0.91	SD*5.3*813 - Added new and modified routines to Patch SD*5.3*813 Routines Section 3.5.68	GovernmentCIO
04/2022	0.90	SD*5.3*809 - Added new and modified routines to Patch SD*5.3*809 Routines Section 3.5.67	GovernmentCIO

Date	Revision	Description	Author
03/2022	0.89	SD*5.3*807 - Added new and modified routines to Patch SD*5.3*807 Routines Section 3.5.66	GovernmentCIO
03/2022	0.88	SD*5.3*805 - Added new and modified routines to Patch SD*5.3*805 Routines Section 3.5.65	GovernmentCIO
02/2022	0.87	<p>DG*5.3*1067 – Added Section 3.5.64 Patch DG*5.3*1067 Routines:</p> <ul style="list-style-type: none"> Added new PATIENT CONTACT RELATION file (12.11); added five new fields to the PATIENT file (#2) that contain pointers to the new PATIENT CONTACT RELATION file (#12.11); exported modified routines: DG531067P, DGDDC, DGDDDTM, DGREG, DGRP3, DGRPD1, DGRPE, DGRPSKN, VADPT1, and VAFHLZCT. Patch IVM*2.0*204, included in the Host File for this build, contains a pre-install routine, PRE^IVM20204P, which deletes entries from the IVM DEMOGRAPHIC UPLOAD FIELDS file (#301.92) for the Next of Kin processing. <p>Updated Table 88: File List to include PATIENT CONTACT RELATION file (#12.11).</p> <p>Updated Section 12.2.7 for Modified ICR #10061 in the OAD^VADPT tag for the addition of RELATIONSHIP TYPE fields in the output array and new node in the array for the relocation of the RELATIONSHIP TO PATIENT fields.</p>	Liberty ITS
02/2022	0.86	SD*5.3*804 - Added new and modified routines to Patch SD*5.3*804 Routines Section 3.5.63	GovernmentCIO
01/2022	0.85	SD*5.3*803 - Added new and modified routines to Patch SD*5.3*803 Routines Section 3.5.62	GovernmentCIO
12/2021	0.84	SD*5.3*801 - Added new and modified routines to Patch SD*5.3*801 Routines Section 3.5.61	GovernmentCIO

Date	Revision	Description	Author
12/2021	0.83	SD*5.3*780 – Added new HL7 records to communicate non-clinic days to TMP	Liberty ITS
12/2021	0.82	SD*5.3*800 - Added new and modified routines to Patch SD*5.3*800 Routines Section 3.5.59	GovernmentCIO
11/2021	0.81	DG*5.3*1059 – added modified routines to Patch DG*5.3*1059 Section 3.5.58 and section 4.2 Files: SEXUAL ORIENTATION TYPES file #47.77, PRONOUN TYPES file #47.78, Section 12.2.1 and 12.2.2 DEM^VADPT and DEMUPD^VADPT updates #13 was missing from documentation, #14 added with patch for Sexual Orientation, Sexual Orientation Description, Pronoun, Pronoun Description, Self-Identified Gender	VA MPI Team
11/2021	0.80	SD*5.3*799 - Added new and modified routines to Patch SD*5.3*799 Routines Section 3.5.57	GovernmentCIO
11/2021	0.79	DG*5.3*1065 – Added modified routine DGUAMWS to Section 3.5.56 Patch DG*5.3*1065 Routines.	Liberty ITS
10/2021	0.78	SD*5.3*797 - Added new and modified routines to Patch SD*5.3*797 Routines Section 3.5.55	GovernmentCIO
10/2021	0.77	SD*5.3*779 – Updates Added new routines to Section 3.5.54 Patch SD*5.3*779 Routines	Liberty ITS
10/2021	0.76	SD*5.3*773 – Added new Patch SD*5.3*773 to Routines Section	TMP PMO Team
10/2021	0.75	DG*5.3*1061 Updates: Added Section 3.5.52 Patch DG*5.3*1061 Routines: Modified ICR #10061 for VADPT with new component “CAI” for downstream applications to retrieve the COMPACT Act Indicator. Modified routines DGENELA, DGLOCK1, DGRP7, DGRPD, and VADPT. Also added DG531061P, which added entries into ELIGIBILITY CODE file (#8). Added Section 12.2.20 for CAI^VADPT, new callable entry point in VADPT for COMPACT Act eligibility determination.	Liberty ITS

Date	Revision	Description	Author
10/2021	0.74	SD*5.3*796 - Added new and modified routines to Patch SD*5.3*796 Routines Section 3.5.51	GovernmentCIO
09/2021	0.73	DG*5.3*1056 Updates: Changed “patient’s permanent address” to “patient’s mailing address” and changed “permanent mailing address” to “mailing address” where this address is referenced. Added Section 3.5.50 Patch DG*5.3*1056 Routines.	Liberty ITS
09/2021	0.72	SD*5.3*794 - Added new and modified routines to Patch SD*5.3*794 Routines Section 3.5.49	GovernmentCIO
09/2021	0.71	DG*5.3*1045 – Added modified routines DGENUPL7, DGEN, DGENA1A, DGENA6, DGREG, DCRPC, and DGENA2 to Section 3.5.48 Patch DG*5.3*1045 Routines	Liberty ITS
09/2021	0.70	SD*5.3*792 - Added new and modified routines to Patch SD*5.3*792 Routines Section 3.5.47	GovernmentCIO
08/2021	0.69	DG*5.3*1047 – Added new and modified routines to Patch DG*5.3*1047 Routines Section 3.5.46.	Liberty ITS
08/2021	0.68	SD*5.3*790 - Added new and modified routines to Patch SD*5.3*790 Routines Section 3.5.45	GovernmentCIO
07/2021	0.67	SD*5.3*788 - Added new and modified routines to Patch SD*5.3*788 Routines Section 3.5.44	GovernmentCIO
07/2021	0.66	SD*5.3*785 – Added new and modified routines to Patch SD*5.3*785 Routines Section 3.5.43	GovernmentCIO
06/2021	0.65	DG*5.3*1044 Updates: Changed “AIR FORCE – ACTIVE DUTY” to “USAF, USSF – ACTIVE DUTY” in Section 15.9.24 Table VA11—Period of Service Added Section 3.5.42 Patch DG*5.3*1044 Routines: Modified routines DGRPMS, DGRPE, DGRP61 and added post-install routine DG531044P to re-compile templates.	Liberty ITS

Date	Revision	Description	Author
06/2021	0.64	DG*5.3*1027 Updates: Added new and modified routines to Section 3.5.41 Patch DG*5.3*1027 Routines Modified "ENROLLMENT APPLICATION DATE" to "APPLICATION DATE" in Table 145	Liberty ITS
06/2021	0.63	DG*5.3*1035 – Added new and modified routines to Patch DG*5.3*1035 Routines Section 3.5.40	Liberty ITS
06/2021	0.62	SD*5.3*784 – Added new and modified routines to Patch SD*5.3*784 Routines Section 3.5.39	GovernmentCIO
05/2021	0.61	SD*5.3*781 - Added new and modified routines to Patch SD*5.3*781 Routines Section 3.5.38.	GovernmentCIO
04/2021	0.60	DG*5.3*1034 – Added new and modified routines to Patch DG*5.3*1034 Routines Section 3.5.37	Liberty ITS
04/2021	0.59	DG*5.3*1018 Updates: <ul style="list-style-type: none"> Added BLUE WATER NAVY to Section 15.9.32 Table VA0046 – Agent Orange Exposure Location. Added missing updates related to patch DG*5.3*993: <ul style="list-style-type: none"> Added PATIENT REGISTRATION ONLY REASON to Section 4.2 File List Added Section 15.9.33 Table VA0047 – PATIENT REGISTRATION ONLY REASON	Liberty ITS
03/2021	0.58	DG*5.3*1029 – Added new and modified routines to Patch DG*5.3*1029 Routines Section 3.5.36.	Liberty ITS
02/2021	0.57	Added missing patch entries: DG*5.3*1025 – Added new and modified routines to Patch DG*5.3*1025 Routines Section 3.5.35. DG*5.3*1016 – Added new and modified routines to Patch DG*5.3*1016 Routines Section 3.5.34.	Liberty ITS

Date	Revision	Description	Author
		<p>DG*5.3*977 – Added new and modified routines to Patch DG*5.3*977 Routines Section 3.5.33.</p> <p>DG*5.3*952 – Added new and modified routines to Patch DG*5.3*952 Routines Section 3.5.32.</p>	
02/2021	0.56	<p>DG*5.3*1046 Updates:</p> <p>Merged duplicate copies of this manual into a single file to serve as a baseline for updates to the document moving forward.</p>	Liberty ITS
12/2020	0.55	<p>DG*5.3*1014 Updates:</p> <ul style="list-style-type: none"> Added new routines VAFHLZCE, DGRP1152A, DGRP1152U; DGADDVAL, DGADDLST, and DGUAMWS and modified routines IVMPTRN8, DGENUPL1, DGENUPLB, DGENUPL7, DGRPH, DGDEP, DGDEPE, DGR111, DGR113, DGR1131, DGR114, DGRP1, DGRP11B, DGRP2, DGRP6, DGRP61, DGRP62, DGRPCF, DGRPU, DPTLK, DGRP6EF, DGRP6CL, DGREGAED, DGREGRED, and DGREDTED to Section 3.5.31 Patch DG*5.3*1014 Routines. <p>Added Section 3.5.31.1 HWSC Configuration.</p>	Liberty ITS
12/2020	0.54	<p>Updates: Merged missing content from the PIMS Technical Manual (i.e., PIMS_Technical_Manual.docx/.pdf) into this manual (i.e., adt_pims_tm.docx/.pdf) so there will only be one PIMS Technical Manual going forward:</p> <ul style="list-style-type: none"> Changed references from VistA Scheduling Enhancement (VSE) to VistA Scheduling Graphical User Interface (VS GUI) throughout. Added (missing) Section 3.5.30, “Patch SD*5.3*756 Routines.” Added (missing) File #409.88 entry to Table 88 and Table 108. <p>Added (missing) Patch SD*5.2*756 option entry to Table 93.</p>	VDIF Development Team

Date	Revision	Description	Author
12/2020	0.53	<p>Updates:</p> <ul style="list-style-type: none"> Merged two divergent versions of this same document back into a single document to keep all edits/changes in sync. Updated entire document to follow current documentation standards and style guidelines. Updated all styles and formatting throughout. Corrected document to be Section 508 conformant. Updated organizational references and acronyms. Renamed this document to match current naming conventions: adt_pims_tm.docx/pdf. This is the <i>unredacted</i> version of this document that can be uploaded to internal Anonymous directories, other VA internal repositories, and Intranet sites only accessible behind the VA firewall. <p>Created a mirror document named adt_pims_tm_r.docx/pdf. In accordance with the current VA Software Document Library (VDL) redaction requirements, all personal identifiable information (PII) and sensitive information (e.g., DFN, IPs, ports, names, Intranet links, etc.) have been replaced with a "REDACTED" placeholder.</p>	VDIF Development Team
12/2020	0.52	Updates for VS GUI R1.7.2.1 with associated VistA patch SD*5.3*756.	Liberty ITS
12/2020	0.51	<p>DG*5.3*1020 Updates:</p> <p>Table 2: Updated name of background job from "DG PTF ICD CODE NOTIFIER" to "DG EVENT NOTIFIER."</p>	VDIF Development Team
09/2020	0.50	Updates for numerous VistA patches and releases, as requested by HSP.	AbleVets GovernmentCIP Liberty ITS
09/2020	0.49	Approved by HSP for VS GUI R1.7.1. Added updates made in August 2020 (0.45 below) to the correct document version.	Liberty ITS

Date	Revision	Description	Author
09/2020	0.48	DG*5.3*1015 Updates: Added modified routines DGENA2 , DGENACL2 , and DGENDD to Section 3.5.18.	Liberty ITS
08/2020	0.47	DG*5.3*993 Updates: <ul style="list-style-type: none"> Added new routine to Section 3.5.17 and to Section 3.5, "New and Modified Routines." Modified ZEN : VA-Specific Enrollment Segment Table 145 to include SEQ 11 – 19.	Liberty ITS
08/2020	0.46	DG*5.3*997 Updates: Added new routines DGRP11A and DGRP11B , and modified routines DGRPE , DGRPH , DGRPP , DGRPP1 , DGRPU , DGRPV , VAFHLFNC , and VAFHLZCT to Section 3.5.16.	Liberty ITS
08/2020	0.45	Updates for numerous VS GUI releases with their associated VistA patches, as requested by HSP.	AbleVets
06/2020	0.44	DG*5.3*932 Updates: Table 2: Added DG PTF ICD CODE NOTIFIER to the list of background jobs.	CPRS VA TW
05/2020	0.43	DG*5.3*996 Updates: <ul style="list-style-type: none"> Added modified routine VADPT to Section 3.5, "New and Modified Routines." Added PREFERRED NAME field to Table 109, "Supported References." Removed VADM(14) The PREFERRED NAME of the patient (e.g., "PREFERRED NAME") from Section 12.2.1, "DEM^VADPT". Added Section 12.2.2, "DEMUPD^VADPT." Added DEMUPD^VADPT call to Table 111, "Alpha Subscripts."	Liberty ITS
01/2020	0.42	DG*5.3*952 Updates: <ul style="list-style-type: none"> Changes for Emergent OTHER THAN HONORABLE eligibility patients in Section 12.2.3. 	REDACTED

Date	Revision	Description	Author
		<ul style="list-style-type: none"> Added EXPANDED MH CARE NON-ENROLLEE code to the Table 165. Added new alpha subscript VAEL("OTH") to Table 111.	
01/2020	0.41	DG*5.3*985 Updates: Added modified routines DGR111 , DGRP1 , DGRPD1 , DGRPE , DGRPH , and DGRPV to Section 3.5, "New and Modified Routines."	VA OIT
12/2019	0.40	DG*5.3*972 Updates: Added modified routine DGRPDB to Section 3.5, "New and Modified Routines."	VA OIT
10/2019	0.39	DG*5.3*982 Updates: Added modified routines DGENACL2 and DGENA2 to Section 3.5, "New and Modified Routines."	VA OIT
06/2019	0.38	Reviewed proppsed changes.	VA OIT
06/2019	0.37	SD*5.3*707 Updates: <ul style="list-style-type: none"> Added Section 3.5.11, "Patch SD*5.3*707 Routines." Added Section 23. Updated Pages: 22, 256-265.	VA OIT
05/2019	0.36	DG*5.3*941 Updates: <ul style="list-style-type: none"> Reintroduced updates dated 12/2018 that were inadvertently removed from manual. Updated VADPT routine to include Residential Address: VAPA(30) – VAPA(39) added to Section 12.2.6, ADD^VADPT and Table 111, "Alpha Subscripts."	VA OIT
03/2019	0.35	DG*5.3*951 Updates: <ul style="list-style-type: none"> Added Section 3.5.1, "Patch DG*5.3*951 Routines." Added PRF HL7 REQUEST LOG (#26.22) file to Sections 4.2 and 11.6. Added Section 22, "HL7 Interface Specification for Patient Record Flags (PRF)." 	VA OIT
10/2018	0.34	DG*5.3*958 Updates:	VA OIT

Date	Revision	Description	Author
		Added Section 3.5.2 for a modified routine.	
10/2018	0.33	SD*5.3*640 Updates for ACRP and APM HL7 Shutdown <ul style="list-style-type: none"> Added notations regarding the ACRP and APM transmissions. Related menu options that are being disabled. See pages 2, 3, 172.	VA OIT
09/2018	0.32	DG*5.3*960 Updates: Added Section 3.5.3, "Patch DG*5.3*960 Routines."	VA OIT
02/2018	0.31	DG*5.3*933 Updates: <ul style="list-style-type: none"> Demographics Native Domain Standardization. Added Section 24, "Appendix A."	CTT DM NDS Team
11/2017	0.30	DG*5.3*935 Updates: Added check in MSDS^VADPT4 to prevent returning a Military Service Episode (MSE) with a Future Discharge Date (FDD) to any downstream applications (p 92).	VA OIT
03/2017	0.29	DG*5.3*903 - Increase Engagement in My HealtheVet (IEMHV) Updates: <ul style="list-style-type: none"> Added Section 3.5.10. Updated Section 4.1 with ^DGMHV global. Updated Section 4.2 with new files 390.01, 390.02, 390.03, and 390.4.	VA OIT
09/2015	0.28	DG*5.3*884 - ICD-10 PTF Modifications Updates: <ul style="list-style-type: none"> Updated title page, footers, and made various formatting changes. Corrected headings in Section 2. Added new Input templates to Section 3.3.1.	VA OIT PD, ICD-10 PTF Modifications Team
07/2015	0.27	SD*5.3*622 Updates: Added Section 3.5.9 for Patch SD*5.3*622 Routines (released in December 2014).	VA OIT
06/2015	0.26	SD*5.3*624 Updates:	VA OIT

Date	Revision	Description	Author
		Removed HL7 instructions due to patch SD*5.3*624 (Table 1 and Sections 15.10-18).	
07/2014	0.25	SD*5.3*586 - ICD-10 Remediation Updates: <ul style="list-style-type: none"> Updated Title Page and Revision History. Updated ICD9 reference to generic ICD (p.12). Updated the DG1 - Diagnosis Information Segment table (p.200). 	VA OIT
11/2013	0.24	DG*5.3*869 Updates: <ul style="list-style-type: none"> Added Missing Patient, Patient Record Flag (PRF) - Patch Updates section (Section 2.4) and Patch DG*5.3*869 Routines Section 3.5.4. Added Patch DG*5.3*869 Features page 22. Added List of Tables. 	VA OIT
04/2013	0.23	SD*5.3*588 High Risk Mental Health Proactive Report patch Updates; exported the following: <ul style="list-style-type: none"> Updated the “Implementation and Maintenance” section Eligibility/ID Maintenance Menu with current information and four new SD parameters. Updated “Routines” section: new and modified SD routines. Updated “Exported Options” section: two new SD and two modified SD options. Updated “Callable Routines/Entry Points/Application Program Interfaces” sections with SD routine information. Updated “External Relationships” section with the Scheduling Reports required patch information. DG*5.3*849 – DGPF New Cat 1 Flag and Conversion & Supporting Reports patch. <ul style="list-style-type: none"> Updated “Implementation and Maintenance” section with PRF NATIONAL FLAG (#26.15) file new entry. 	VA OIT

Date	Revision	Description	Author
		<ul style="list-style-type: none"> Updated “Routines” section with new DG routines. Updated “Exported Options” section with new Convert Local option HRMH PRF to National Action [DGPF LOCAL TO NATIONAL CONVERT] option. Updated “Reference Material” section with SD and DG manual releases. Corrected existing reference manuals names. 	
12/2012	0.22	SD*5.3*589 Minor Updates: Added 404.61: MH PCMM STOP CODES file to file list.	VA OIT
05/2012	0.21	Updated API List.	VA OIT
05/2012	0.20	<p>Phase I - Patches included in the High Risk Mental Health (HRMH) Project:</p> <ul style="list-style-type: none"> Patch DG*5.3*836 - HRMH-VISTA CHANGES FOR NATIONAL REMINDER & FLAG. This is a Registration patch containing Patient Record Flag APIs. DGPFAPIH and DGPFAPIU are new routines. Patch SD*5.3*578 – HIGH RISK MENTAL HEALTH NO SHOW REPORT. This is a Scheduling patch with a new nightly run and Ad-hoc Missed Appt Report option. Added two new Scheduling reports that identify no-show “high risk for suicide” patients that missed their MH appointments. SDMHAD, SDMHAD1, SDMHNS, and SDMHNS1 are new routines. SD MH NO SHOW NIGHTLY BGJ and No Show Nightly Background Job are being added to the Background Job Options. Glossary of Terms added. 	VA OIT
01/2011	0.19	DG*5.3*754 – ESR 3.1 Updates:	VA OIT

Date	Revision	Description	Author
		Removed the Confidential Address Phone Number from the HL7 PID Segment Tables.	
05/2010	0.18	DG*5.3*754 – ESR 3.1 Updates: <ul style="list-style-type: none"> Updated “Alpha Subscripts” section. Added ADD^VADPT (29) & “CPN”. Added OPD^VADPT (8) & “WP”. 	VA OIT
11/2009	0.17	DG*5.3*754 – ESR 3.1 Updates: <ul style="list-style-type: none"> Updated “VADPT Variables” section. Added ADD^VADPT (Conf. Phone Number, OPD^VADPT (Patient’s Phone Number (Work)). Added SEQ 13 to the PID - Patient Identification Segment. 	VA OIT
03/2009	0.16	DG*5.3*688 and SD*5.3*441 Updates: <ul style="list-style-type: none"> Enrollment VistA Changes Release 2 (EVC R2). Added additional Value of “O” for “Other” to Table 179: Table VA0046— Agent Orange Exposure Location. Removed Unknown value. Changed Environmental Contaminants to SW Asia Conditions. Added entries to Part 5 of the “Callable Entry Points in VADPT” section. SVC^VADPT modified to add VASV (14) and VASV (14,1) to the VASV array for project SHAD. Added alpha subscripts to “ADD^VADPT” section. Added alpha subscripts to SVC^VADPT to reflect the alpha translation. Replaced HL7 Control Segment - 2.3.6 PID-Patient Identification Segment table - with referral to MPI site on VDL. 	VA OIT
01/2009	0.15	Name Change Update: Austin Automation Center (AAC) to Austin Information Technology Center (AITC).	VA OIT
07/2008	0.14	DG*5.3*763 – Hold Debt to DMC: <ul style="list-style-type: none"> Added ENROLLMENT RATED DISABILITY UPLOAD AUDIT file to 	VA OIT

Date	Revision	Description	Author
		<p>the “Files” section (File List) and “Security” section (VA FileMan Access Codes).</p> <ul style="list-style-type: none"> Added DGEN RD UPLOAD AUDIT PURGE background job option. 	
07/2008	0.13	DG*5.3*779 Updates: Added DGEN NEACL MGT RPT1BK background job option.	VA OIT
06/2008	0.12	DG*5.3*782 Updates: Updated RELIGION file.	VA OIT
06/2008	0.11	DG*5.3*644 Updates: Home Telehealth enhancements.	VA OIT
01/2008	0.10	SD*5.3*253, SD*5.3*275, SD*5.3*283, SD*5.3*285, SD*5.3*301, SD*5.3*310, SD*5.3*316, SD*5.3*347, SD*5.3*508 Updates: Added/Updated Scheduling Application Programming Interfaces (APIs) section.	VA OIT
06/2007	0.9	DG*5.3*707 Updates: Added “HL7 Generic PID,EVN,PV1 Segment Builder established by MPI” to the “HL7 Interface Specifications” section.	VA OIT
11/2006	0.8	DG*5.3*650 Updates: Added two new Files - #26.19 and #26.21.	VA OIT
10/2006	0.7	DG*5.3*689 OEF/OIF Enhancements: Updated “SVC^VADPT Variable Segment” section.	VA OIT
04/2006	0.6	DG*5.3*692 Enhancement: Updated HL7 Interface Spec for Transmission of Ambulatory Care Data.	VA OIT
03/2006	0.5	DG*5.3*687 Maintenance: Removed PTF Archive/Purge function.	VA OIT
08/2005	0.4	DG*5.3*624 - (10-10EZ 3.0) Updates: Deleted DGRPT 10-10T REGISTRATION input template in the “Compiled Template Routines” section.	VA OIT
08/2005	0.3	DG*5.3*666 Enhancement: Added Background Job Option.	VA OIT
11/2004	0.2	Manual updated to comply with SOP 192-352 Displaying Sensitive Data.	VA OIT

Date	Revision	Description	Author
11/2004	0.1	DG*5.3*415 Updates: Race and Ethnicity Addition to VADPT variable section (patch released in 2003, change omitted in error).	VA OIT

Table of Contents

Revision History	ii
List of Figures.....	xxxiv
List of Tables.....	xxxv
Orientation.....	xli
1 Introduction and Software Purpose	1
1.1 Namespace Conventions.....	2
1.2 SACC Exemptions/Non-Standard Code	4
1.3 Primary Care Management Module (PCMM) Overview	4
2 Implementation and Maintenance.....	6
2.1 Eligibility ID/Maintenance Menu.....	7
2.2 Station Number (Time Sensitive) Enter/Edit (D ^VASITE0)	9
2.3 New SD Parameters	10
2.4 Patient Record Flag (PRF) NATIONAL FLAG (#26.15) File	10
2.5 Patch DG*5.3*869—Missing Patient, Patient Record Flag Features	11
3 Routines.....	12
3.1 Routines To Map	12
3.2 Callable Routines	12
3.3 Compiled Template Routines.....	13
3.3.1 Input Templates	13
3.3.2 Print Templates.....	15
3.3.3 Compiled Cross-Reference Routines.....	15
3.4 Routine List	16
3.5 New and Modified Routines	16
3.5.1 Patch DG*5.3*951 Routines.....	16
3.5.2 Patch DG*5.3*958 Routines.....	17
3.5.3 Patch DG*5.3*960 Routines.....	17
3.5.4 Patch DG*5.3*869 Routines.....	18
3.5.5 Patch SD*5.3*588 Routines	18
3.5.6 Patch DG*5.3*849 Routines.....	18
3.5.7 Patch SD*5.3*578 Routines	19
3.5.8 Patch DG*5.3*836 Routines.....	21
3.5.9 Patch SD*5.3*622 Routines	22
3.5.10 Patch DG*5.3*903 Routines.....	23
3.5.11 Patch SD*5.3*707 Routines	25
3.5.12 Patch DG*5.3*982 Routines.....	25
3.5.13 Patch DG*5.3*972 Routine	25
3.5.14 Patch DG*5.3*985 Routines.....	26
3.5.15 Patch DG*5.3*996 Routines.....	26
3.5.16 Patch DG*5.3*997 Routines.....	26

3.5.17	Patch DG*5.3*993 Routines.....	27
3.5.18	Patch DG*5.3*1015 Routines.....	28
3.5.19	Patch SD*5.3*722 Routines.....	28
3.5.20	Patch SD*5.3*723 Routines.....	29
3.5.21	Patch SD*5.3*731 Routines.....	29
3.5.22	Patch SD*5.3*734 Routines.....	30
3.5.23	Patch SD*5.3*686 Routines.....	30
3.5.24	Patch SD*5.3*740 Routines.....	31
3.5.25	Patch SD*5.3*744 Routines.....	31
3.5.26	Patch SD*5.3*737 Routines.....	31
3.5.27	Patch SD*5.3*694 Routines.....	32
3.5.28	Patch SD*5.3*762 Routines:.....	33
3.5.29	Patch SD*5.3*745 Routines.....	33
3.5.30	Patch SD*5.3*756 Routines.....	34
3.5.31	Patch DG*5.3*1014 Routines.....	35
3.5.31.1	HWSC Configuration.....	37
3.5.32	Patch DG*5.3*952 Routines.....	39
3.5.33	Patch DG*5.3*977 Routines.....	40
3.5.34	Patch DG*5.3*1016 Routines.....	41
3.5.35	Patch DG*5.3*1025 Routines.....	41
3.5.36	Patch DG*5.3*1029 Routines.....	42
3.5.37	Patch DG*5.3*1034 Routines.....	42
3.5.38	Patch SD*5.3*781 Routines.....	42
3.5.39	Patch SD*5.3*784 Routines.....	43
3.5.40	Patch DG*5.3*1035 Routines.....	45
3.5.41	Patch DG*5.3*1027 Routines.....	45
3.5.42	Patch DG*5.3*1044 Routines.....	46
3.5.43	Patch SD*5.3*785 Routines.....	46
3.5.44	Patch SD*5.3*788 Routines.....	47
3.5.45	Patch SD*5.3*790 Routines.....	48
3.5.46	Patch DG*5.3*1047 Routines.....	49
3.5.47	Patch SD*5.3*792 Routines.....	50
3.5.48	Patch DG*5.3*1045 Routines.....	51
3.5.49	Patch SD*5.3*794 Routines.....	51
3.5.50	Patch DG*5.3*1056 Routines.....	52
3.5.51	Patch SD*5.3*796 Routines.....	52
3.5.52	Patch DG*5.3*1061 Routines.....	54
3.5.53	Patch SD*5.3*773 Routines.....	54
3.5.54	Patch SD*5.3*779 Routines.....	56
3.5.55	Patch SD*5.3*797 Routines.....	56
3.5.56	Patch DG*5.3*1065 Routines.....	58

3.5.57	Patch SD*5.3*799 Routines	58
3.5.58	Patch DG*5.3*1059 Routines.....	59
3.5.59	Patch SD*5.3*800 Routines	60
3.5.60	Patch SD*5.3*780 Routines	61
3.5.61	Patch SD*5.3*801 Routines	62
3.5.62	Patch SD*5.3*803 Routines	63
3.5.63	Patch SD*5.3*804 Routines	64
3.5.64	Patch DG*5.3*1067 Routines.....	66
3.5.65	Patch SD*5.3*805 Routines	67
3.5.66	Patch SD*5.3*807 Routines	69
3.5.67	Patch SD*5.3*809 Routines	70
3.5.68	Patch SD*5.3*813 Routines	74
3.5.69	Patch SD*5.3*814 Routines	75
3.5.70	Patch SD*5.3*815 Routines	77
3.5.71	Patch DG*5.3*1071 Routines.....	78
3.5.72	Patch SD*5.3*816 Routines	79
3.5.73	Patch SD*5.3*812 Routines	80
3.5.74	Patch DG*5.3*1075 Routines.....	81
3.5.75	Patch SD*5.3*818 Routines	82
3.5.76	Patch SD*5.3*819 Routines	85
3.5.77	Patch DG*5.3*1064 Routines.....	86
3.5.78	Patch SD*5.3*820 Routines	87
3.5.79	Patch DG*5.3*1081 Routines.....	89
3.5.80	Patch SD*5.3*823 Routines	90
3.5.81	Patch SD*5.3*824 Routines	93
3.5.82	Patch SD*5.3*825 Routines	95
3.5.83	Patch SD*5.3*817 Routines	97
3.5.84	Patch SD*5.3*826 Routines	98
3.5.85	Patch SD*5.3*827 Routines	100
3.5.87	Patch DG*5.3*1082 Routines.....	103
3.5.88	Patch SD*5.3*828 Routines	104
3.5.89	Patch SD*5.3*831 Routines	106
3.5.90	Patch SD*5.3*833 Routines	107
3.5.91	Patch SD*5.3*835 Routines	108
3.5.92	Patch DG*5.3*964 Routines.....	110
3.5.93	Patch SD*5.3*836 Routines	110
3.5.94	Patch SD*5.3*837 Routines	112
3.5.95	Patch SD*5.3*838 Routines	113
3.5.96	Patch SD*5.3*840 Routines	115
3.5.97	Patch SD*5.3*839 Routines	117
3.5.98	Patch DG*5.3*1090 Routines.....	117

3.5.99	Patch SD*5.3*848 Routines	120
3.5.100	Patch SD*5.3*842 Routines	120
3.5.101	Patch SD*5.3*832 Routines	123
3.5.102	Patch SD*5.3*852 Routines	123
3.5.103	Patch SD*5.3*843 Routines	124
3.5.104	Patch SD*5.3*844 Routines	126
3.5.105	Patch SD*5.3*845 Routines	128
3.5.106	Patch DG*5.3*1093 Routines.....	129
3.5.107	Patch SD*5.3*846 Routines	131
3.5.108	Patch SD*5.3*847 Routines	133
3.5.109	Patch SD*5.3*858 Routines	135
3.5.110	Patch SD*5.3*851 Routines	135
3.5.111	Patch SD*5.3*853 Routines	137
3.5.112	Patch SD*5.3*856 Routines	139
3.5.113	Patch SD*5.3*857 Routines	142
3.5.114	Patch DG*5.3*1098 Routines.....	143
3.5.115	Patch SD*5.3*860 Routines	145
3.5.116	Patch SD*5.3*868 Routines	147
3.5.117	Patch SD*5.3*870 Routines	147
3.5.118	Patch SD*5.3*859 Routines	148
3.5.119	Patch DG*5.3*1103 Routines.....	149
3.5.120	Patch SD*5.3*861 Routines	150
3.5.121	Patch DG*5.3*1095 Description and Routines.....	153
3.5.122	Patch SD*5.3*864 Routines	153
3.5.123	Patch DG*5.3*1109 Routines.....	157
3.5.124	Patch SD*5.3*866 Routines	158
3.5.125	Patch SD*5.3*867 Routines	161
3.5.126	Patch SD*5.3*869 Routines	163
3.5.127	Patch SD*5.3*871 Routines	167
3.5.128	Patch SD*5.3*873 Routines	172
3.5.129	Patch SD*5.3*874 Routines	174
3.5.130	Patch SD*5.3*863 Routines	177
3.5.131	Patch DG*5.3*1107 Routines.....	178
3.5.132	Patch DG*5.3*1111 Routines.....	179
3.5.133	Patch SD*5.3*876 Routines	180
3.5.134	Patch SD*5.3*875 Routines	180
4	Files.....	185
4.1	Globals and Files	185
4.2	File List.....	187

5	Files and Templates in the PIMS Package	194
5.1	File Flow (Relationships between files).....	194
5.2	Templates	194
5.3	VA FileMan Functions.....	195
6	Exported Options	197
6.1	Menu Diagrams	197
6.2	Exported Protocols	198
6.3	Exported Options	198
6.4	Exported Remote Procedures.....	198
6.5	Exported HL7 Applications for Ambulatory Care Reporting	199
6.6	Exported HL7 Applications for Inpatient Reporting to National Patient Care Database	199
6.7	Exported HL7 Applications for Home Telehealth Care Database	199
6.8	Exported Scheduling Options	200
6.8.1	Patch SD*5.3*588 Options.....	200
6.8.2	Exported DG Option.....	200
6.8.3	New Options	201
7	Archiving and Purging.....	203
7.1	Archiving.....	203
7.2	Purging.....	203
7.3	ADT Module	203
7.4	ACRP Database Conversion Option	203
7.5	HL7 Purger	204
8	Callable Routines, Entry Points, and Application Programming Interfaces	205
8.1	^SDMHAD	205
8.2	^SDMHAD1	207
8.3	^SDMHNS	210
8.4	^SDMHNS1	212
8.5	^SDAMQ.....	215
8.6	EN^SDMHPRO.....	216
8.7	^SDMHPRO1.....	218
8.8	EN^SDMHAP	221
8.9	EN^SDMHAP1.....	223
8.10	VistA Scheduling (VS) Remote Procedure Calls (RPCs)	226
9	External/Internal Relations	227
9.1	External Relations.....	227
10	DBIA Agreements.....	230
10.1	DBIA Agreements—Custodial Package	230
10.2	DBIA Agreements—Subscriber Package	230
10.3	Internal Relations	230

10.4	Package-Wide Variables	230
10.5	VADPT Variables	231
10.5.1	Scheduling Variables	231
10.5.2	Patient Record Flag Variables	233
10.5.2.1	Integration Agreement Applicable	233
10.5.2.2	DGPFAPIH	237
10.5.2.3	DGPFAPIU	238
10.6	VAUTOMA	238
10.7	VAFMON	239
10.8	AIT	239
11	How To Generate Online Documentation	240
11.1	XINDEX	240
11.2	Inquire to Option File	241
11.3	Print Options File	241
11.4	List File Attributes	242
11.5	Security	243
11.5.1	General Security	243
11.5.2	Security Keys	243
11.5.3	Legal Requirements	243
11.6	VA FileMan Access Codes	244
12	VADPT Variables	253
12.1	Supported References	253
12.2	Callable Entry Points in VADPT	255
12.2.1	DEM^VADPT	255
12.2.2	DEMUPD^VADPT	258
12.2.3	ELIG^VADPT	262
12.2.4	MB^VADPT	264
12.2.5	SVC^VADPT	265
12.2.6	ADD^VADPT	270
12.2.7	OAD^VADPT	274
12.2.8	INP^VADPT	276
12.2.9	IN5^VADPT	277
12.2.10	OPD^VADPT	282
12.2.11	REG^VADPT	284
12.2.12	SDE^VADPT	285
12.2.13	SDA^VADPT	285
12.2.14	PID^VADPT	287
12.2.15	PID^VADPT6	287
12.2.16	ADM^VADPT2	287
12.2.17	KVAR^VADPT	288

12.2.18	KVA^VADPT	288
12.2.19	Combinations	288
12.2.20	CAI^VADPT	289
12.3	Alpha Subscripts.....	290
13	Scheduling Application Programming Interfaces (APIs).....	295
13.1	Special Features.....	297
13.2	Error Codes	299
13.3	External Data Source	299
13.3.1	Example	299
13.4	Application Programming Interface—SDAPI.....	301
13.4.1	SDAPI—Examples.....	304
13.4.1.1	By Clinic	304
13.4.1.2	By Patient	305
13.4.1.3	By Patient and Clinic	306
13.4.1.4	By Neither Patient Nor Clinic	307
13.4.1.5	By Clinic with “Sort” Filter Defined	308
13.4.2	SDAPI—Data Fields.....	310
13.4.3	Available Data Filters	315
13.4.4	Input—Other Array Entries	318
13.4.5	Other Array Entries	322
13.4.6	SDAPI—Error Codes	323
13.4.7	SDAPI—Constraints.....	324
13.5	Application Programming Interface—GETAPPT	325
13.5.1	GETAPPT Examples.....	327
13.6	Application Programming Interface—NEXTAPPT	328
13.7	Application Programming Interface—GETPLIST	330
13.8	Application Programming Interface—PATAPPT	332
13.9	Error Codes	334
14	Data Fields.....	335
14.1	Available Data Fields	335
14.2	Filters	337
14.2.1	Valid Appointment Status Filters	337
14.2.2	Valid Patient Status Filters	337
14.2.3	Valid Patient Status and Appointment Status Filter Combinations	338
14.3	Application Programming Interface—SDIMO	339
14.4	Configuring Bar Code Label Printers for Print Patient Label Option....	341
14.4.1	Hardware Setup	342
14.4.2	Software Setup	342
14.5	Control Code Overview.....	342
14.5.1	Patient Label Print Routine Control Code Use	343

14.5.2	Label Printer Setup Examples.....	343
14.5.3	Zebra Label Printer	344
14.5.3.1	Example 1—Control Codes Setup for Horizontal Labels	344
14.5.3.2	Example 2—Control Codes Setup for Vertical Labels	345
14.6	Intermec Label Printer	345
14.6.1	Example 1—Control Codes Setup for Horizontal Labels.....	346
14.6.2	Example 2—Control Codes Setup for Vertical Labels.....	346
15	HL7 Interface Specification for Transmission of Ambulatory Care Data	347
15.1	Assumptions	348
15.1.1	Message Content	348
15.1.2	Data Capture and Transmission	348
15.1.3	Background Messages.....	348
15.1.4	Batch Messages and Acknowledgements.....	348
15.1.5	VA MailMan Lower Level Protocol	349
15.2	HL7 Control Segments.....	349
15.3	Message Definitions	349
15.4	Segment Table Definitions	350
15.5	Message Control Segments	350
15.5.1	MSH—Message Header Segments	351
15.5.2	BHS—Batch Header Segment.....	352
15.5.3	BTS—Batch Trailer Segment.....	354
15.5.4	MSA—Message Acknowledgment Segment.....	355
15.5.5	EVN—Event Type Segment.....	356
15.6	PID—Patient Identification Segment	357
15.6.1	PD1—Patient Additional Demographic Segment	357
15.6.2	PV1—Patient Visit Segment	358
15.6.3	PV2—Patient Visit - Additional Information Segment.....	361
15.6.4	DG1—Diagnosis Information Segment	363
15.6.5	PR1—Procedure Information Segment.....	364
15.6.6	ROL—Role Segment	366
15.6.7	ZPD—VA-Specific Patient Information Segment	368
15.6.8	ZEL—VA-Specific Patient Eligibility Segment	369
15.6.9	VA-Specific Income Segment	370
15.6.10	ZCL—VA-Specific Outpatient Classification Segment	371
15.6.11	ZSC—VA-Specific Stop Code Segment.....	371
15.6.12	ZSP—VA-Specific Service Period Segment	372
15.6.13	ZEN—VA-Specific Enrollment Segment	372
15.7	Purpose.....	374
15.8	Trigger Events and Message Definitions	374
15.8.1	Update Patient Information (A08).....	374
15.8.2	Delete a Patient Record (A23)	375

15.9 Supported and User-Defined HL7 Tables.....	376
15.9.1 Table 0001—Sex	376
15.9.2 Table 0002—Marital Status.....	376
15.9.3 Table 0003—Event Type Code	376
15.9.4 Table 0008—Acknowledgment Code.....	377
15.9.5 Table 0023—Admit Source (User Defined)	377
15.9.6 Table 0051—Diagnosis Code (User Defined)	377
15.9.7 Table 0069—Hospital Service (User Defined)	378
15.9.8 Table 0076—Message Type	379
15.9.9 Table 0088—Procedure Code (User Defined)	379
15.9.10 Table 0115—Servicing Facility (User Defined)	379
15.9.11 Table 0133—Procedure Practitioner Type (User Defined).....	380
15.9.12 Table 0136—Yes/No Indicator	380
15.9.13 Table SD001—Service Indicator (Stop Code).....	381
15.9.14 Table SD008—Outpatient Classification Type	381
15.9.15 Table SD009—Purpose of Visit	382
15.9.16 Table VA01—Yes/No	383
15.9.17 Table VA02—Current Means Test Status	384
15.9.18 Table VA04—Eligibility	384
15.9.19 Table VA05—Disability Retirement from Military	385
15.9.20 Table VA06—Eligibility Status.....	386
15.9.21 Table VA07—Race	386
15.9.22 Table VA08—Religion.....	386
15.9.23 Table VA10—Means Test Indicator	390
15.9.24 Table VA11—Period of Service	391
15.9.25 Table VA12—Type of Insurance	392
15.9.26 Table VA0015—Enrollment Status	393
15.9.27 Table VA0016—Reason Canceled/Declined	393
15.9.28 Table VA0021—Enrollment Priority	394
15.9.29 Table VA0022—Radiation Exposure Method.....	394
15.9.30 Table VA0023—Prisoner of War Location	395
15.9.31 Table VA0024—Source of Enrollment	395
15.9.32 Table VA0046—Agent Orange Exposure Location.....	395
15.9.33 Table VA0047 — PATIENT REGISTRATION ONLY REASON	396
15.9.34 Table NPCD 001—National Patient Care Database Error Codes	397
15.10 HL7 Interface Specification for the Transmission of PCMM Primary Care Data	397
15.11 Assumptions	397
15.12 Message Definitions	397
15.13 Segment Table Definitions	397
15.14 Message Control Segments	397

16	HL7 Message Transactions	397
17	Supported and User-Defined HL7 Tables	398
17.1	Table 0001—Sex	398
17.2	Table 0002—Marital Status	398
17.3	Table 0003—Event Type Code	398
17.4	Table 0005—Race	399
17.5	Table 0006—Religion	399
17.6	Table 0076—Message Type	402
18	HL7 Interface Specification for VIC Card VistA to NCMD	402
18.1	Assumptions	403
18.2	Message Content	403
18.3	Data Capture and Transmission	403
18.4	VA TCP/IP Lower Level Protocol	404
18.4.1	Message Definitions	404
18.4.2	Segment Table Definitions	404
18.4.3	Message Control Segments	405
18.4.4	MSH—Message Header Segment	405
18.4.5	MSA—Message Acknowledgement Segment	407
18.4.6	PID—Patient Identification Segment	407
18.4.7	ORC—Common Order Segment	409
18.4.8	RQD—Requisition Detail Segment	410
18.4.9	NTE—Notes and Comments Segment	411
18.5	Trigger Events and Message Definitions	412
18.6	ORM—General Order Message (Event O01)	412
18.6.1	Sample Message	412
18.7	ORR—General Order Response Message Response to Any ORM (Event O02)	412
18.7.1	Sample Messages	413
18.8	Supported and User Defined HL7 Tables	413
18.8.1	Table 0003—Event Type Code	413
18.8.2	Table 0008—Acknowledgment Code	414
18.8.3	Table 0076—Message Type	414
18.8.4	Table 0119—Order Control Codes	414
19	HL7 Generic PID, EVN, PV1 Segment Builder Established by MPI	415
19.1	Integration Agreement (IA) #3630	415
19.1.1	Custodial Package	415
19.2	API: BLDEVN^VAFCQRY	416
19.3	API: BLDPD1^VAFCQRY	416
19.4	API: BLDPID^VAFCQRY	417

20	HL7 Interface Specification for Home Telehealth (HTH)	418
20.1	Assumptions	418
20.2	Message Content	418
20.3	Data Capture and Transmission	418
21	VA TCP/IP Lower Level Protocol	420
21.1	HL7 CONTROL SEGMENTS	420
21.2	Message Definitions	420
21.3	Segment Table Definitions	420
21.4	Message Control Segments	421
21.4.1	MSH—Message Header Segment	421
21.4.2	EVN—Event Type Segment	423
21.4.3	PID—Patient Identification Segment	425
21.4.4	PD1—Patient Additional Demographic Segment	426
21.4.5	PV1—Patient Visit Segment	427
21.4.6	MSA—Message Acknowledgement Segment	429
22	HL7 Interface Specification for Patient Record Flags (PRF)	429
23	HL7 Interface Specification for Community Care Referrals and Authorization (CCRA) Scheduling Actions	430
23.1	Assumptions	430
23.2	Message Content	430
23.3	HL7 Protocols	430
23.4	HL7 Application Parameters	431
23.5	HL7 Messaging Segments	431
23.5.1	SCH—Schedule Activity Information Segment	431
23.5.2	PID—Patient Information Segment	433
23.5.3	PV1—Patient Visit Segment	435
23.5.4	RGS—Resource Group Segment	437
23.5.5	AIS—Appointment Information Segment	438
23.5.6	AIG—Appointment Insurance Segment	439
23.5.7	AIL—Appointment Location Segment	440
23.5.8	AIP—Appointment Provider Segment	441
24	Appendix A—Demographics Domain Native Domain Standardization (NDS)	442
24.1	Introduction	442
24.2	New Functionality	443
24.3	Options and Build Components	444
24.4	Modified and New Routines	446
24.4.1	Routine Information	446
25	VistA Audit Solution (VAS)	446
25.1	VAS Web Service Components	447

25.2	VAS Options	447
25.3	VAS Parameters	448
25.4	VAS Routines	449
25.5	VAS Data Dictionaries	449
26	Glossary.....	451
27	Military Time Conversion Table	454
28	Alphabetical Index of PIMS Terms.....	455

List of Figures

Figure 1:	Sample HELP Text.....	xli
Figure 2:	ELIGIBILITY CODE ENTER/EDIT Option—System Dialogue and User Responses (boldface)	8
Figure 3:	Printing SCRPWDATA Function Data	195
Figure 4:	\$\$OUTPTPR^SDUTL3—Routine Documentation.....	231
Figure 5:	\$\$OUTPTTM^SDUTL3—Routine Documentation.....	231
Figure 6:	\$\$OUTPTAP^SDUTL3—Routine Documentation	231
Figure 7:	INPTPR^SDUTL3—Routine Documentation.....	231
Figure 8:	INPTTM^SDUTL3—Routine Documentation	232
Figure 9:	How to Access Integration Agreements	233
Figure 10:	Inquire to an Integration Control Registration	236
Figure 11:	Sample Code	300
Figure 12:	Sample Code Using the API: Data Layer	300
Figure 13:	Sample Code Using the API: Business Layer	300
Figure 14:	SDAPI Example—By Clinic	304
Figure 15:	SDAPI Example—By Patient.....	305
Figure 16:	SDAPI Example—By Patient and Clinic.....	306
Figure 17:	SDAPI Example—By Neither Patient Nor Clinic.....	307
Figure 18:	SDAPI Example—By Clinic with “Sort” Filter Defined: Get Patient DFN, Name, and Appointment Status	308
Figure 19:	SDAPI Example—By Clinic with “Sort” Filter Defined: Get Patient DFN, Name, and Appointment Comments	309
Figure 20:	Sample of Other Array Entries	320
Figure 21:	Sample PATIENT DFN, ARRAY(4).....	321
Figure 22:	Sample PRIMARY STOP CODE, ARRAY(13)	321
Figure 23:	Sample DATE APPOINTMENT MADE, ARRAY(16).....	321
Figure 24:	Sample ARRAY("FLDS").....	322
Figure 25:	Sample Label	341
Figure 26:	Zebra Label Printer Example—Control Codes Setup for Horizontal Labels.....	344
Figure 27:	Zebra Label Printer Example—Control Codes Setup for Vertical Labels ...	345
Figure 28:	Control Codes Setup for Horizontal Labels	346

Figure 29: Control Codes Setup for Vertical Labels	346
Figure 30: Sample ORM~O01 Message Sent to NCMD	412
Figure 31: General Order Response (ORR~O02) Message—Success: General Order Message (ORM~O01)	413
Figure 32: General Order Response (ORR~O02) Message—Failure: General Order Message (ORM~O01)	413
Figure 33: Accessing the Master File Association [DGMF AMAIN] and Master File Reports [DGMF RMAIN] Options	444
Figure 34: Build Components	445
Figure 35: Routine Second Line	446
Figure 36: Checksums	446
Figure 37: VAS Web Server	447
Figure 38: VAS Web Service	447
Figure 39: VAS Options	447
Figure 40: VAS Parameters	448
Figure 41: VAS Routines	449
Figure 42: VAS Data Dictionaries	449

List of Tables

Table 1: Reference Materials Table	xli
Table 2: Background Job Options	2
Table 3: New SD Parameters	10
Table 4: Patient Record Flag files	10
Table 5: Callable Routines	12
Table 6: Input Templates	13
Table 7: Print Templates	15
Table 8: Compiled Cross-Reference Routines	15
Table 9: Patch DG*5.3*951 Routines	16
Table 10: Patch DG*5.3*958 Routines	17
Table 11: Patch DG*5.3*960 Routines	17
Table 12: Patch DG*5.3*869 Routines	18
Table 13: Patch SD*5.3*588 Routines	18
Table 14: Patch DG*5.3*849 Routines	18
Table 15: Patch SD*5.3*722 Routines	29
Table 16: Patch SD*5.3*723 Routines	29
Table 17: Patch SD*5.3*731 Routines	29
Table 18: Patch SD*5.3*734 Routines	30
Table 19: Patch SD*5.3*686 Routines	30
Table 20: Patch SD*5.3*740 Routines	31
Table 21: Patch SD*5.3*744 Routines	31

Table 22: Patch SD*5.3*737 Routines	31
Table 23: Patch SD*5.3*694 Routines	32
Table 24: Patch SD*5.3*762 Routines	33
Table 25: Patch SD*5.3*745 Routines	34
Table 26: Patch SD*5.3*756 Routines	35
Table 27: Patch SD*5.3*781 Routines	43
Table 28: Patch SD*5.3*784 Routines	44
Table 29: Patch SD*5.3*785 Routines	47
Table 30: Patch SD*5.3*788 Routines	48
Table 31: Patch SD*5.3*790 Routines	49
Table 32: Patch SD*5.3*792 Routines	51
Table 33: Patch SD*5.3*794 Routines	52
Table 34: Patch SD*5.3*796 Routines	54
Table 35: Patch SD*5.3*797 Routines	57
Table 36: Patch SD*5.3*799 Routines	59
Table 37: Patch SD*5.3*800 Routines	61
Table 38: Patch SD*5.3*780 Routines	62
Table 39: Patch SD*5.3*801 Routines	63
Table 40: Patch SD*5.3*803 Routines	64
Table 41: Patch SD*5.3*804 Routines	65
Table 42: SDEC CONSULT PID HISTORY FILE	67
Table 43: Patch SD*5.3*805 Routines	68
Table 44: Patch SD*5.3*807 Routines	70
Table 45: Patch SD*5.3*809 Routines	73
Table 46: Patch SD*5.3*813 Routines	75
Table 47: Patch SD*5.3*814 Routines	76
Table 48: Patch SD*5.3*815 Routines	78
Table 49: Patch SD*5.3*816 Routines	80
Table 50: Patch SD*5.3*812 Routines	81
Table 51: Patch SD*5.3*818 Routines	84
Table 52: Patch SD*5.3*819 Routines	86
Table 53: Patch SD*5.3*820 Routines	88
Table 54: Patch SD*5.3*823 Routines	92
Table 55: Patch SD*5.3*824 Routines	94
Table 56: Patch SD*5.3*825 Routines	96
Table 57: Patch SD*5.3*817 Routines	98
Table 58: Patch SD*5.3*826 Routines	99
Table 59: Patch SD*5.3*827 Routines	101
Table 60: Patch SD*5.3*821 Routines	103
Table 61: Patch SD*5.3*828 Routines	105
Table 62: Patch SD*5.3*831 Routines	107

Table 63: Patch SD*5.3*833 Routines	108
Table 64: Patch SD*5.3*835 Routines	109
Table 65: Patch SD*5.3*836 Routines	112
Table 66: Patch SD*5.3*837 Routines	113
Table 67: Patch SD*5.3*838 Routines	115
Table 68: Patch SD*5.3*839 Routines	117
Table 69: Patch SD*5.3*848 Routines	120
Table 70: Patch SD*5.3*842 Routines	122
Table 71: Patch SD*5.3*832 Routines	123
Table 72: Patch SD*5.3*852 Routines	124
Table 73: Patch SD*5.3*843 Routines	125
Table 74: Patch SD*5.3*844 Routines	127
Table 75: Patch SD*5.3*845 Routines	129
Table 76: Patch SD*5.3*846 Routines	133
Table 77: Patch SD*5.3*847 Routines	134
Table 78: Patch SD*5.3*858 Routines	135
Table 79: Patch SD*5.3*851 Routines	137
Table 80: Patch SD*5.3*853 Routines	139
Table 81: Patch SD*5.3*856 Routines	142
Table 82: Patch SD*5.3*857 Routines	143
Table 83: Patch SD*5.3*860 Routines	146
Table 84: Patch SD*5.3*868 Routines	147
Table 85: Patch SD*5.3*870 Routines	148
Table 86: Patch SD*5.3*859 Routines	149
Table 87: Patch SD*5.3*861 Routines	152
Table 88: Patch SD*5.3*864 Routines	157
Table 89: Patch SD*5.3*866 Routines	161
Table 90: Patch SD*5.3*867 Routines	163
Table 91: Patch SD*5.3*869 Routines	166
Table 92: Patch SD*5.3*871 Routines	171
Table 93: Patch SD*5.3*873 Routines	174
Table 94: Patch SD*5.3*874 Routines	177
Table 95: Patch SD*5.3*863 Routines	178
Table 96: Patch SD*5.3*876 Routines	180
Table 94: Patch SD*5.3*875 Routines	184
Table 97: File List.....	187
Table 98: VA FileMan Functions	195
Table 99: Exported Scheduling Options	200
Table 100: Modified Scheduling Options.....	200
Table 101: New DG Option	200
Table 102: Exported VistA Scheduling (VS) Options	201

Table 103: ADT and Scheduling Module Options	203
Table 104: ^SDMHAD Routine.....	205
Table 105: ^SDMHAD1 Routine.....	208
Table 106: ^SDMHNS Routine.....	210
Table 107: ^SDMHNS1 Routine.....	213
Table 108: ^SDAMQ Routine	215
Table 109: EN^SDMHPRO Routine	216
Table 110: EN^SDMHPRO1 Routine	218
Table 111: EN^SDMHAP Routine.....	221
Table 112: EN^SDMHAP1 Routine	223
Table 113: Minimum Version Baseline	228
Table 114: Ambulatory Care Reporting Project Elements	229
Table 115: DGPFAPIH APIs	237
Table 116: DGPFAPIU API	238
Table 117: VA FileMan Access Codes	244
Table 118: Supported References	253
Table 119: Call Combinations	288
Table 120: Alpha Subscripts	290
Table 121: Special Features	297
Table 122: Scheduling Replacement API Error Codes.....	299
Table 123: Filters	302
Table 124: Available Appointment Data Fields.....	310
Table 125: Available Data Filters	315
Table 126: Input—Other Array Entries	318
Table 127: Other Array Entries.....	322
Table 128: SDAPI—Error Codes.....	323
Table 129: Error Codes	334
Table 130: Available Data Fields.....	335
Table 131: Valid Appointment Status Filters	337
Table 132: Valid Patient Status Filters	337
Table 133: Status Filter Combinations	338
Table 134: Filter Key	339
Table 135: SDIMO API Return Values	340
Table 136: Patient Label Print Routine Control Codes	342
Table 137: MSH—Message Header Segments	351
Table 138: BHS—Batch Header Segment	352
Table 139: BTS—Batch Trailer Segment	354
Table 140: MSA—Message Acknowledgement Segment	355
Table 141: EVN—Event Type Segment	356
Table 142: PD1—Patient Additional Demographic Segment	357
Table 143: PV1—Patient Visit Segment.....	358

Table 144: PV2—Patient Visit - Additional Information Segment	361
Table 145: DG1—Diagnosis Information Segment	363
Table 146: PR1—Procedure Information Segment	364
Table 147: ROL—Role Segment.....	366
Table 148: ZPD—VA-Specific Patient Information Segment.....	368
Table 149: ZEL—VA-Specific Patient Eligibility Segment	369
Table 150: VA-Specific Income Segment.....	370
Table 151: ZCL—VA-Specific Outpatient Classification Segment.....	371
Table 152: ZSC—VA-Specific Stop Code Segment.....	371
Table 153: ZSP—VA-Specific Service Period Segment.....	372
Table 154: ZEN—VA-Specific Enrollment Segment.....	372
Table 155: A08 Codes and Descriptions	374
Table 156: A23 Codes and Descriptions	375
Table 157: Table 0001—Sex.....	376
Table 158: Table 0002—Marital Status	376
Table 159: Table 0003—Event Type Code	376
Table 160: Table 0008—Acknowledgment Code	377
Table 161: Table 0023—Admit Source (User Defined)	377
Table 162: Table 0051—Diagnosis Code (User Defined)	377
Table 163: Table 0069—Hospital Service (User Defined).....	378
Table 164: Table 0076—Message Type	379
Table 165: Table 0088—Procedure Code (User Defined).....	379
Table 166: Table 0115—Servicing Facility (User Defined).....	379
Table 167: Table 0133—Procedure Practitioner Type (User Defined)	380
Table 168: Table 0136—Yes/No Indicator	380
Table 169: Table SD001—Service Indicator (Stop Code)	381
Table 170: Table SD008—Outpatient Classification Type	381
Table 171: Table SD009—Purpose of Visit.....	382
Table 172: Table VA01—Yes/No	383
Table 173: Table VA02—Current Means Test Status	384
Table 174: Table VA04—Eligibility	384
Table 175: Table VA05—Disability Retirement from Military	385
Table 176: Table VA06—Eligibility Status	386
Table 177: Table VA07—Race.....	386
Table 178: Table VA08—Religion	386
Table 179: Table VA10—Means Test Indicator.....	390
Table 180: Table VA11—Period of Service	391
Table 181: Table VA12—Type of Insurance	392
Table 182: Table VA0015—Enrollment Status.....	393
Table 183: Table VA0016—Reason Canceled/Declined.....	393
Table 184: Table VA0021—Enrollment Priority	394

Table 185: Table VA0022—Radiation Exposure Method.....	394
Table 186: Table VA0023—Prisoner of War Location.....	395
Table 187: Table VA0024—Source of Enrollment.....	395
Table 188: Table VA0046—Agent Orange Exposure Location	395
Table 189: Table VA0047— PATIENT REGISTRATION ONLY REASON Values	396
Table 190: Table NPCD 001—National Patient Care Database Error Codes	397
Table 191: Table 0001—Sex.....	398
Table 192: Table 0002—Marital Status	398
Table 193: Table 0003—Event Type Code	398
Table 194: Table 0005—Race	399
Table 195: Table 0006—Religion.....	399
Table 196: Table 0076—Message Type	402
Table 197: MSH—Message Header Segment	405
Table 198: MSA—Message Acknowledgement Segment.....	407
Table 199: PID—Patient Identification Segment	407
Table 200: ORC—Common Order Segment.....	409
Table 201: RQD—Requisition Detail Segment.....	410
Table 202: NTE—Notes and Comments Segment.....	411
Table 203: Table 0003—Event Type Code	413
Table 204: Table 0008—Acknowledgment Code	414
Table 205: Table 0076—Message Type	414
Table 206: Table 0119—Order Control Codes.....	414
Table 207: MSH—Message Header Segment	421
Table 208: EVN—Event Type Segment.....	423
Table 209: PID—Patient Identification Segment	425
Table 210: PDI—Patient Additional Demographic Segment	426
Table 211: PVI—Patient Visit Segment.....	427
Table 212: MSA—Message Acknowledgement Segment.....	429
Table 213: SCH—Schedule Activity Information Segment.....	431
Table 214: PID—Patient Information Segment	433
Table 215: PV1—Patient Visit Segment.....	435
Table 216: RGS—Resource Group Segment	437
Table 217: AIS—Appointment Information Segment.....	438
Table 218: AIG—Appointment Insurance Segment	439
Table 219: AIL—Appointment Location Segment	440
Table 220: AIP—Appointment Provider Segment	441
Table 221: Glossary	451
Table 222: Military Time Conversion Table	454

Orientation

On-line Help System

When the format of a response is specific, there usually is a HELP message provided for that prompt. HELP messages provide lists of acceptable responses or format requirements which provide instruction on how to respond.

A HELP message can be requested by typing a "?" or "??". The HELP message appears under the prompt, then the prompt is repeated. For example, at the following prompt:

Figure 1: Sample HELP Text

```
Sort by TREATING SPECIALTY:
enter "?" and the HELP message would appear.
Sort by TREATING SPECIALTY?
CHOOSE FROM:
SURGERY
CARDIOLOGY
12  PSYCHIATRY
Sort by TREATING SPECIALTY:
```

For some prompts, the system lists the possible answers from which to choose. Any time choices appear with numbers, the system usually accepts the number or the name.

A HELP message may not be available for every prompt. If a "?" or "??" is entered at a prompt that does not have a HELP message, the system repeats the prompt.

Acronyms

VA Acronym Lookup website (VA Intranet site)

Reference Materials

The manuals listed in [Table 1](#) are available from the [VA Software Document Library \(VDL\)](#):

Table 1: Reference Materials Table

Documentation Name	File Name	Location
High Risk Mental Health Patient Project Installation and Setup Guide	PXRM_2_24_IG.PDF	VDL Anonymous Directories
PIMS Technical Manual	PIMSTM.PDF	VDL Anonymous Directories
PIMS Scheduling User Manual - Outputs Menu	PIMsSchOutput.PDF	VDL Anonymous Directories
PIMS Scheduling User Manual - Menus, Intro & Orientation, etc.	PIMsSchIntro.PDF	VDL Anonymous Directories

Documentation Name	File Name	Location
Patient Record Flag User Guide	PatRecFlagUG.PDF	VDL Anonymous Directories
Scheduling and Registration Installation and Setup Guide	SDDG_Install_Review.PDF	VDL Anonymous Directories
High Risk Mental Health Patient Project Installation and Setup Guide	PXRM_2_18_IG.PDF PXRM_2_18_IG.doc	VDL Clinical Reminders website Anonymous Directories
Scheduling Patch 578 Installation and Setup Guide	SD_5_3_578_IG.PDF	Anonymous Directories
Registration Patch 836 Installation and Setup Guide	DG_5_3_836_IG.PDF	Anonymous Directories

1 Introduction and Software Purpose

The VistA PIMS package provides a comprehensive range of software supporting the administrative functions of patient registration, admission, discharge, transfer, and appointment scheduling.. Its functions apply throughout a patient's inpatient and/or outpatient stay from registration, eligibility and Means Testing through discharge with on-line transmission of PTF (Patient Treatment File) data and/or NPCDB (National Patient Care Database) data to the Austin Information Technology Center (AITC; formerly the Austin Automation Center [AAC]). The ADT module aids in recovery of cost of care by supplying comprehensive PTF/RUG-II options and Means Test options.

The ADT and Scheduling modules of PIMS are fully integrated with the VA FileMan, thus allowing ad hoc reports to be extracted by non-programmer personnel. ADT is integrated with V. 2.1 of the Fee Basis software allowing Fee personnel to register patients through a select Fee option.

Related manuals include the PIMS User Manual, the PIMS Release Notes, which describe version specific changes to the PIMS package, and PIMS Installation Guide.

Several features have been designed into the PIMS package to maximize efficiency and maintain control over user access of specified sensitive patient records. The Consistency Checker reduces entry of inaccurate information by warning the user about incompatible or missing data. The Patient Sensitivity function allows a level of security to be assigned to certain records within a database in order to maintain control over unauthorized access. The Patient Lookup screens user access of these sensitive records, as well as providing for more efficient and faster retrieval of patient entries.

Tracking and calculation of data is performed transparently by the system to provide a variety of reports which assist in day-to-day operations as well as provide management with the necessary information to analyze workload and promote quality of care. Highlights include the following:

- Automation of the Daily Gains and Losses Sheet and Bed Status Report
- Inpatient Listings
- Seriously Ill Listings
- Bed Availability Reports
- AMIS Reporting
- Disposition Reporting
- Generic code sheets for reporting AMIS segments
- Automation of Appointment Status Update

Notifications for PIMS can be displayed for admissions, death discharges, deaths, and unscheduled (1010) visits. The notifications (ADMISSION, DECEASED, and UNSCHEDULED (1010) VISIT) is displayed for patients who are defined as members of a list in the OE/RR LIST (#100.21) file. The recipients of the notifications would need to be defined as

users in the same OE/RR LIST entry. The notifications appear as "alerts" when the user is prompted to select an option from a menu.

REF: For more information concerning OR notifications, see the [CPRS documentation on the VA Software Document Library \(VDL\)](#).

1.1 Namespace Conventions

The namespaces assigned to the PIMS package are **DG**, **DPT**, **SD**, **SC**, and **VA**.

Table 2: Background Job Options

Option Name	Suggested Run Frequency	Device Required	Remarks
DG G&L RECALCULATION AUTO	Nightly	NO	<i>Recommended to run @ 9PM.</i>
DG PRE-REGISTER NIGHT JOB	Nightly	NO	Run during off hours. Set to NULL device for MSM sites.
DG PTF BACKGROUND JOB	Nightly	NO	Run during off hours.
DG EVENT NOTIFIER	15 minutes	NO	-
DG RUG BACKGROUND JOB	Daily	YES	-
DG RUG SEMI ANNUAL - TASKED	*	YES	*Queued in advance to run on 10/1 and 4/1.
DG SENSITIVE RCDS RPT-TASK	Nightly	NO	Run after midnight.
DGEN NEACL MGT RPT1BK	Daily	YES	-
DGEN RD UPLOAD AUDIT PURGE	Daily or Weekly	NO	Purges entries from the ENROLLMENT RATED DISABILITY, UPLOAD AUDIT (#390) file after 365 days.
DGPF BACKGROUND PROCESSING	Daily	NO	Run during off hours.
DGQE BACKGROUND PROCESSING	Nightly	NO	Run during off hours.
SCDX AMBCAR NIGHTLY XMIT NOTE: This option has been placed out of order with patch SD*5.3*640, since	Nightly	NO	Collects workload information and sends it to NPCDB in Austin via HL7 messages.

Option Name	Suggested Run Frequency	Device Required	Remarks
ACRP transmission has been discontinued.			
SCENI IEMM SUMMARY BULLETIN	Nightly	NO	Run after nightly transmission to Austin.
SCRPW APM TASK JOB NOTE: This option has been placed out of order with patch SD*5.3*640 since APM transmission has been discontinued.	Monthly	NO	Runs on the 15th of the current month after hours. Generates info rolled up to AITC (formerly AAC) Additional Performance Monitors (TIU).
OPTION NAME	SUGGESTED RUN FREQUENCY	DEVICE REQUIRED	REMARKS.
SDAM BACKGROUND JOB	Nightly	NO	-
SDEC IDX REFRESH	Daily	NO	This option prepares the ^XTMP("SDEC","IDX" global and should be scheduled to run daily @ 2 AM.
SDOQM PM NIGHTLY JOB NOTE: This option has been placed out of order with patch SD*5.3*640, since APM transmission has been discontinued.	As directed	YES	Suggested run time @ 2 AM.
VAFC BATCH UPDATE	30 minutes	NO	Transmits changes to key patient demographical data.
VAFH PIVOT PURGE	Weekly	NO	Purges entries greater than 1.5 years old from ADT/HL7 PIVOT (#391.71) file.
SDEC IDX REFRESH	Daily	No	This option prepares the ^XTMP("SDEC","IDX" global and should be scheduled to run daily @ 2 AM.

Option Name	Suggested Run Frequency	Device Required	Remarks
DG VAS EXPORT	300 seconds	No	Looks at the ^DGAUDIT global for entries if there are entries it processes the entries to the VAS REST API via the DG VAS WEB SERVICE.

1.2 SACC Exemptions/*Non-Standard Code*

The following are the steps you may take to obtain the Standards and Conventions Committee (SACC) exemptions for the PIMS package.

1. FORUM.
2. DBA Menu.
3. SACC Exemptions Menu.
4. Display Exemptions for a Package Option.
5. Select SACC Exemptions package: ADT SD.

1.3 Primary Care Management Module (PCMM) Overview

The Primary Care Management Module (PCMM) was developed to assist VA facilities in implementing primary care. It supports both primary care teams and *non*-primary care teams. PCMM's functionality is divided into **eight** areas:

- Setup & Define Team
- Assign Staff to Positions in Teams
- Assign Patient to Team
- Assign Patient to Practitioner via Team Position and Enroll in a Clinic
- Reports/Outputs/Mail Messages
- Tools to Ease Startup Process of Primary Care
- Other Changes to Scheduling Package
- Application Program Interface (API) calls.

PCMM uses a Graphical User Interface (GUI) to control the startup, setup, and assignment functions. To use the functionality in the PCMM, a site needs a Microsoft Windows workstation which has a connection to VistA (either LAN or serial connection) for each location where a patient or staff member is assigned to a team. A typical site wants one workstation for each team,

one for the PIMS ADPAC, plus one for the manager in charge of primary care. Existing Scheduling functionality continues to be useable from “roll-and-scroll” terminals.

2 Implementation and Maintenance

This section of the PIMS Technical Manual provides information to assist technical support staff with the implementation and maintenance of the software. This section should include information regarding the entry of required site-specific data, including where applicable.

The PIMS package can be tailored specifically to meet the needs of the various sites. Instructions are found in the User Manual under the ADT Module, Supervisor ADT and the Scheduling Module, Supervisor. A variety of options are included in these sections allowing each site to define its own configuration. The ADT portion of the PIMS package functions around the parameters defined through the **MAS Parameter Entry/Edit** option while the Scheduling portion parameters are defined through the **Scheduling Parameters** option.

A great many other options are included in these Supervisor sections, which assist in site configuration and maintenance functions. Among them are options that do the following:

- Allow for specification of mail groups to receive certain bulletins.
- Definition of devices.
- Designation of transmission routers.
- Entry/Edit of Means Test data.
- Ward setup.
- Clinic setup.

All configurations can be modified at any time as the site's needs change.

The SCHEDULING PARAMETERS (#404.91) file can be used to modify the behavior of PCMM. The USE USR CLASS FUNCTIONALITY? (#801) field can be used to turn on/off the user class functionality provided by the Authorizations/ Subscriptions software. This functionality allows certain staff members/users (especially clinicians) to be classified in a very specific manner (e.g., cardiologist), and yet the software can determine that the staff member is a member of a more general class (e.g., provider).

If a site has A/S installed prior to the PCMM installation, PCMM defaults to use the user class functionality:

- Sites that have *not* populated the USR CLASS MEMBERSHIP (#8930.3) file for their potential team members should have this parameter set to **NO**.
- Sites that have fully populated the USR CLASS MEMBERSHIP (#8930.3) file should set this parameter to **YES**, because the assignment of staff members to teams is less error-prone and faster than the unscreened selection from the NEW PERSON (#200) file.

The CHECK PC TEAM AT DISCHARGE? (#802) field can be used to turn off the PCMM functionality, which, upon inpatient discharge, checks the patient's primary care assignments:

- If the patient has current primary care data, it is displayed.
- If the patient does *not* have a current primary care team assignment, the user is prompted to assign the patient to a primary care team.

The ENABLE AUTOLINK FUNCTIONALITY? (#803) field should be turned off until OE/RR is installed. Although there is no harm in allowing users to add/edit auto link data, this is not usable until OE/RR is installed. The auto link functionality was added for use by OE/RR teams.

2.1 Eligibility ID/Maintenance Menu

The **Eligibility/ID Maintenance Menu** provides the options needed to accommodate VA/DOD sharing agreement requirements with regard to Patient Identification Number. For most medical centers, the PT ID is the social security number of the patient and the SHORT ID is the last **four digits** of the patient's social security number. For those sites with DOD sharing agreements using VA/DOD software developed by the Dallas Office of Information Field Office (OIFO), the PT ID is determined by the ID number given that patient by the military.

For most sites, each eligibility simply needs to be associated with the VA STANDARD format. This association was first accomplished during the post-init of MAS V. 5.0.

Other than The **Primary Eligibility ID Reset (All Patients)** option, the remaining **six** options would only be used by DOD sites using VA/DOD software developed by the Dallas OIFO. They should *not* be run without Central Office and/or DOD approval/direction.

NOTE: If you feel your site needs to use these options, contact your local OIFO for guidance.

The following is a brief description of each option and its use:

- **PRIMARY ELIGIBILITY ID RESET (ALL PATIENTS)**—This option sets / resets the IDs associated with each patient's primary eligibility code. This utility is called when first installing the new eligibility data structure. It runs automatically as part of the PIMS clean-up routine process.

The option can be executed multiple times with no harmful effects. It should be run during non-peak hours, preferably over a weekend. A MailMan message is sent to the user when the job is completed showing the start and completion date/time.

- **ELIGIBILITY CODE ENTER/EDIT**—This option allows the user to enter/edit eligibility codes used by the site. It should be run for all ELIGIBILITY file entries to associate each entry with an MAS Eligibility code and an Identification Format.

Figure 2: ELIGIBILITY CODE ENTER/EDIT Option—System Dialogue and User Responses (boldface)

```
Select ELIGIBILITY CODE NAME: MARINE CORPS
ARE YOU ADDING 'MARINE CORPS' AS A NEW ELIGIBILITY CODE (THE
5TH)? YES
ELIGIBILITY CODE MAS ELIGIBILITY CODE: OTHER FEDERAL AGENCY      4
NAME: MARINE CORPS// <Enter>
ABBREVIATION: MC
```

Enter abbreviated Eligibility Code name for output in limited space.

```
PRINT NAME: MARINE CORPS
```

Null response for active; 1 - YES for inactive.

```
INACTIVE: <Enter>
MAS ELIGIBILITY CODE: OTHER FEDERAL AGENCY// <Enter>
ID FORMAT: DOD

AGENCY: ARMY Select SYNONYM: <Enter>
```

- **ID FORMAT ENTER/EDIT**—This option allows the user to enter/edit identification (ID) formats with description.
- **RESET ALL IDS FOR A PATIENT**—This option is used to reset the corresponding IDs for all eligibilities for a single patient. The patient's eligibilities is listed as the ID is reset. This utility would be used if, for some reason, a patient's ID got corrupted.
- **RESET ALL IDS FOR ALL PATIENTS**—This option resets all IDs corresponding to each of the patient's eligibilities. The option should be executed during non-peak hours. When the job is completed, a MailMan message is generated to the user showing the start and completion date/time.
- **SPECIFIC ELIGIBILITY ID RESET (ALL PATIENTS)**—After prompting for an eligibility code and queue-to-run time, this option updates the IDs for all patients having

the selected eligibility. This utility would allow a site to update their database with the new value if the ID FORMAT field in the ELIGIBILITY CODE file changed.

The option should be run during off hours. When the job is completed, a MailMan message is generated to the user showing the start and completion date/time.

- **SPECIFIC ID FORMAT RESET**—This option prompts for an ID format; then, all patients that have eligibility codes associated with that ID format have their IDs reset. The utility allows sites to update their database if the DEFAULT LONG ID VALUE CODE field in the IDENTIFICATION FORMAT file was modified. This option should be executed during off hours. When the job is completed, a MailMan message is sent to the user showing the start and completion date/time.

2.2 Station Number (Time Sensitive) Enter/Edit (D ^VASITE0)

The STATION NUMBER (TIME SENSITIVE) (#389.9) file is used to hold the time sensitive station number data. This file was initially populated by the post-init routine for MAS V. 5.2. One entry was created for each medical center division with an effective date of **Jan 1, 1980**. It is *not* necessary to modify this data unless the station number for a division changes or a new division is added.

Entering a new medical center division name through the **Supervisor ADT Menu** of the ADT module of PIMS automatically creates a new entry in this file. New divisions *cannot* be added through this routine entry point.

The Station Number (Time Sensitive) Enter/Edit routine entry point is used to change an existing station number or enter a new station number for a new division. If you are changing a station number for a division, you should enter a new effective date and the new station number for that division.

Once a new division has been added, you should select the new division and enter the effective date and new station number. The IS PRIMARY DIVISION field should be set to **YES** for the division where the station number has no suffix. Only one division can be primary at any given time.

2.3 New SD Parameters

New SD parameters were exported by patch SD*5.3*588 - High Risk Mental Health Proactive Report, and added to the following files:

Table 3: New SD Parameters

New SD Parameters	Files
SD MH PROACTIVE DAYS PARAMETERS - Stores the number of days to list future appointments for the High Risk MH Proactive Nightly Report [SD MH NO SHOW NIGHTLY BGJ].	PARAMETER (#8989.5)
SD MH NO SHOW DAYS PARAMETERS- Stores the number of days to list future appointments for the High Risk MH No-Show Nightly Report [SD MH NO SHOW NIGHTLY BGJ].	PARAMETER (#8989.5)
SD MH PROACTIVE DAYS PARAMETER - The default value for is 30 . This value can be changed, within the range of 1 to 30 , by using the Edit Parameter Values [XPAR EDIT PARAMETER] option.	PARAMETER DEFINITION (#8989.51)
SD MH NO SHOW DAYS PARAMETER - The default value for is 30 . This value can be changed, within the range of 1 to 30 , by using the Edit Parameter Values [XPAR EDIT PARAMETER] option.	PARAMETER DEFINITION (#8989.51)

2.4 Patient Record Flag (PRF) NATIONAL FLAG (#26.15) File

The new national flag data entry (MISSING PATIENT) is placed in the PRF NATIONAL FLAG (#26.15) file by the DG*5.3*869 DG NEW CAT 1 FLAG patch.

The new national flag data entry (HIGH RISK FOR SUICIDE) is placed in the PRF NATIONAL FLAG (#26.15) file by the DG*5.3*849 DGPF NEW CAT1 FLAG AND CONVERSION patch:

Table 4: Patient Record Flag files

File Number	File Name	New Data Entry
26.15	PRF NATIONAL FLAG	HIGH RISK FOR SUICIDE
26.15	PRF NATIONAL FLAG	URGENT ADDRESS AS FEMALE (see note)
26.15	PRF NATIONAL FLAG	MISSING PATIENT
26.15	PRF NATIONAL FLAG	BEHAVIORAL

NOTE: The URGENT ADDRESS AS FEMALE PRF updates are *not* included in the PIMS Manual updates.

REF: For information on this patch update, see the *VDL – ADT - USH LEGAL SOLUTION – CATEGORY I Patient Record Flag (PRF) Installation Guide*.

2.5 Patch DG*5.3*869—Missing Patient, Patient Record Flag Features

Patch DG*5.3*869 features:

- Creates National Category I MISSING PATIENT, Patient Record Flag.
- Creates **DGPF MISSING PT FLAG REVIEW** mail group.
- Updates File #.84 (Field #4), Dialog Number 261132-Patient has local ICN, to change the message that is displayed when there is an attempt by a user to assign any National, CAT I PRF to the record of a patient that does not have a National ICN. This component updates the Text (field #4) to not reference any specific National, Category I PRF (i.e., BEHAVIORAL) to be assigned.
- Updates the following reports to reflect the new Missing Patient, Patient Record Flag (***REF:** See the Record Flag Reports Menu section for more details on each report):
 - Assignment Action Not Linked Report
 - Flag Assignment Report
 - Patient Assignments Report
 - Assignments Due For Review Report
 - Assignments Approved by Report

3 Routines

This section provides a list of routines or instruct the user how/where to find this information online:

3.1 Routines To Map

Routine mapping is not required with VMS/Cache systems.

3.2 Callable Routines

Table 5: Callable Routines

Callable Routine	Description
\$\$GETACT^DGPFAP	Obtain active Patient Record Flag assignments.
\$\$INSTPCTM^SCAPMC	Institution & team for pt's pc team.
\$\$PRCL^SCAPMC	Practitioners for a Clinic.
\$\$PRPT^SCAPMC	Practitioners for a Patient.
\$\$PRTM^SCAPMC	Practitioners for a Team.
\$\$PTTM^SCAPMC	Patients for a Team.
\$\$SITE^VASITE	Obtain Station Number Information.
\$\$TMPT^SCAPMC	Teams for a Patient.
DGINPW	Obtain Inpatient Status.
DGPMLOS	Obtain Length of Stay by Admission.
\$\$GETALL^SCAPMCA	Return assignment information.
\$\$OUTPTAP^SDUTL3	Return associate pc provider information.
\$\$OUTPTRP^SDUTL3	Return primary care provider information.
\$\$DATA2PTF^DGAPI	Send data to PTF.
CPTINFO^DGAPI	Get CPTs from PTF.
PTFINFOR^DGAPI	Delete CPTs from PTF.
\$\$DELCPT^DGAPI	Get Prof Serv Dates from PTF.
\$\$DELPOV^DGAPI	Delete POVs from PTF.
ICDINFO^DGAPI	Get ICDs from PTF.
\$\$SDAPI^SDAMA301	Get Appointments.
GETAPPT^SDAMA201	Get Appointments for a Patient.
NEXTAPPT^SDAMA201	Get Next Appointment (1 Appointment) for a Patient.
GETPLIST^SDAMA202	Get Appointments for a Clinic.
\$\$PATAPPT^SDAMA204	Does Patient Have Any Appointments?

Callable Routine	Description
\$\$\$DIMO^SDAMA203	Scheduling API for IMO.
SDOE	ACRP Interface Toolkit.
SDQ	ACRP Interface Toolkit.
SDUTL3	Utility to enter and view primary care fields.
\$\$COMMANUM^VAFCADT2	Build a list of numbers separated by comma.
VACPT	Display CPT Copyright Information.
VADATE	Generic Date Routine.
VADPT	Obtain Patient Information.
VALM	List Manager.
BLDPID^VAFCQRY	Builds the PID HL7 segment.
\$\$EVN^VAFHLEVN	Builds the EVN HL7 segment.
\$\$EN^VAFHLPD1	Builds the PD1 HL7 segment.
\$\$SITE^VASITE	Returns the institution and station numbers.
VAFMON	Obtain Income or Dependent Information.
VATRAN	Establish VA Data Transmission System (VADATS) Transmission Variables.
VATREDIT	Enter/Edit TRANSMISSION ROUTERS file.
VAUQWK	Quick Lookup for Patient Data.
VAUTOMA	Generic One, Many, All Routine.

REF: For entry points, see the “[Callable Routines, Entry Points, and Application Programming Interfaces](#)” section.

3.3 Compiled Template Routines

It is *recommended* you recompile the following templates at **4000** bytes.

3.3.1 Input Templates

Table 6: Input Templates

File #	Template Name	Routines
2	DG CONSISTENCY CHECKER	DGRPXC*
	DG LOAD EDIT SCREEN 7	DGRPXX7*
	DGRP COLLATERAL REGISTER	DGRPXCR*

File #	Template Name	Routines
	SDM1	SDM1T*
40.8	DGTS	DGXTS
44	SDB	SDBT*
45	DG PTF CREATE PTF ENTRY	DGPTXC*
	DG PTF POST CREATE	DGPTXCA*
	DG 101	DGPTX1*
	DG 401	DGPTX4*
	DG401-10P	DGX4*
	DG 501	DGPTX5*
	DG501-10D	DGX5*
	DG 501F	DGX5F*
	DG501F-10D	DGX5FD*
	DG601-10P	DGX6*
	DG 701	DGPTX7*
	DG701-10D	DGX7*
45.5	DG PTF ADD MESSAGE	DGPTXMS*
46.1	DG801	DGPTX8*
405	DGPM ADMIT	DGPMX1*
	DGPM TRANSFER	DGPMX2*
	DGPM DISCHARGE	DGPMX3*
	DGPM CHECK-IN LODGER	DGPMX4*
	DGPM LODGER CHECK-OUT	DGPMX5*
	DGPM SPECIALTY TRANSFER	DGPMX6*
	DGPM ASIH ADMIT	DGPMXA*
408.21	DGMT ENTER/EDIT ANNUAL INCOME	DGMTXI
	DGMT ENTER/EDIT EXPENSES	DGMTXE
	DGRP ENTER/EDIT ANNUAL	
	INCOME	DGRPXIS
	DGRP ENTER/EDIT MON BENEFITS	DGRPXMB
408.22	DGMT ENTER/EDIT DEPENDENTS	DGMTXD
	DGMT ENTER/EDIT MARITAL STATUS	DGMTXM
408.31	DGMT ENTER/EDIT COMPLETION	DGMTXC

File #	Template Name	Routines
409.5	SDAMBT	SDXA*
	SDXACSE	SDXACSE*
409.68	SD ENCOUNTER ENTRY	SDAMXOE*
	SD ENCOUNTER LOG	SDAMXLG
409.98	SDEC HELP PANE	SDECSTNG HELPLINK

3.3.2 Print Templates

Table 7: Print Templates

File #	Template Name	Routines
45	DG PTF PT BRIEF LIST	DGPTXB*
45.86	DGPT QUICK PROFILE	DGPTXCP*
409.65	SDAMVLD	SDAMXLD
44	SDEC MISSING RESOURCE	SDEC MISSING RESOURCE
409.84	SDEC NULL RESOURCE	SDEC NULL RESOURCE
409.97	SDEC AUDIT DATE PRINT	SDEC PRINT AUDIT REPORT

3.3.3 Compiled Cross-Reference Routines

Table 8: Compiled Cross-Reference Routines

File #	Template Name	Routines
45	PTF	DGPTXX*
405	PATIENT MOVEMENT	DGPMXX*
408.21	INDIVIDUAL ANNUAL INCOME	DGMTXX1*
408.22	INCOME RELATION	DGMTXX2*
408.31	ANNUAL MEANS TEST	DGMTXX3*

3.4 Routine List

The following are the steps you can take to obtain a listing of the routines contained in the PIMS package.

1. Programmer Options Menu.
2. Routine Tools Menu.
3. First Line Routine Print Option.
4. Routine Selector:
 - **DG*** (ADT)
 - **SD* SC*** (Scheduling)

3.5 New and Modified Routines

3.5.1 Patch DG*5.3*951 Routines

Table 9 lists the new and modified routines exported by patch DG*5.3*951, SHRPE ENHANCEMENTS FOR PATIENT RECORD FLAGS.

NOTE: Not all routines can or should be used. Please refer to the outstanding Integration Agreement before attempting to use these routines.

Table 9: Patch DG*5.3*951 Routines

New DG Routines	Modified DG Routines
DGPFDBRS	DGPFAA
DGPFHLF	DGPFAA1
DGPFHLT	DGPFAA2
DGPFHLT1	DGPFAA3
DGPFHLT2	DGPFAAH
DGPFHLT3	DGPFAAH1
DGPFHLT4	DGPFAP1
DGPFHLM	DGPFHLQ
DGPFMA5	DGPFHLQ4
DGPFDRB	DGPFHLR
DGPFDRB1	DGPFHLU
DGPFTR	DGPFHLU1
DGPFTR1	DGPFHLU2
DGPFUT6	DGPFHLU3

New DG Routines	Modified DG Routines
DGPFUT61	DGPFHLU4
DGPFUT62	DGPFHLUT
DGPFUT64	DGPFLMA2
DGPFLMA3	DGPFLMA4
DGPFLMU1	DGPFUT
DGPFUT3	DGPFUT4

3.5.2 Patch DG*5.3*958 Routines

The **DGOREL1** routine was modified by patch DG*5.3*958. This patch changed the **Religion List for Inpatients** [DG RELIGION LIST] option in the **Inpatient/Lodger Report Menu** [DG INPATIENT REPORTS] to display only the **last four digits** of a patient's Social Security Number (SSN). Previously, the full SSN had displayed in this report.

Table 10: Patch DG*5.3*958 Routines

New DG Routines	Modified DG Routines
There are no new routines with this patch.	DGOREL1

3.5.3 Patch DG*5.3*960 Routines

The new and modified routines in [Table 11](#) were exported by patch DG*5.3*960 – PATIENT RECORD FLAG REPORTS.

NOTE: Not all routines can or should be used. Please refer to the outstanding Integration Agreement before attempting to use these routines.

Table 11: Patch DG*5.3*960 Routines

New DG Routines	Modified DG Routines
DGPFAAH2	DGPFLMT
DGPFUT63	DGPFLMT1
DGPFUT7	DGPFRAL
	DGPFRAL1
	DGPFRFA
	DGPFRFA1

3.5.4 Patch DG*5.3*869 Routines

Table 12 lists the new and modified routines that were exported with patch DG*5.3*869, DGPF NEW PATIENT RECORD FLAG – MISSING PATIENT.

NOTE: Not all routines can or should be used. Please refer to the outstanding Integration Agreement before attempting to use these routines.

Table 12: Patch DG*5.3*869 Routines

New DG Routines	Modified DG Routines
DG53869P	There are no modified routines with this patch.

3.5.5 Patch SD*5.3*588 Routines

Table 13 lists the new and modified routines that were exported by patch SD*5.3*588, HIGH RISK MENTAL HEALTH PROACTIVE REPORT.

NOTE: Not all routines can or should be used. Please refer to the outstanding Integration Agreement before attempting to use these routines.

Table 13: Patch SD*5.3*588 Routines

New SD Routines	Modified SD Routines
SDMHAP	SDAMQ
SDMHAP1	SDMHAD
SDMHPRO	SDMHAD1
SDMHPRO1	SDMHNS
	SDMHNS1

3.5.6 Patch DG*5.3*849 Routines

Table 14 lists the **DG** routines that were exported with patch DG*5.3*849, DGPF NEW CAT1 FLAG AND CONVERSION.

NOTE: Not all routines can or should be used. Please refer to the outstanding Integration Agreement before attempting to use these routines.

Table 14: Patch DG*5.3*849 Routines

New DG Routines	Modified DG Routines
DG53849P	There are no modified routines in this patch.

New DG Routines	Modified DG Routines
DGPFCNR	
DGPFCNV	

3.5.7 Patch SD*5.3*578 Routines

Patch SD*5.3*578 includes the following new and modified routines.

NOTE: Not all routines can or should be used. Please refer to the outstanding Integration Agreement before attempting to run these routines.

- **SDMHAD**—This is the **High Risk Mental Health AD Hoc No show Report** entry point that the user can run to display the report. This report displays all patients that did *not* show up for their scheduled appointment for a Mental Health clinic. It lists:
 - Patient contact information.
 - Next of Kin.
 - Emergency contact.
 - Clinic default provider.
 - Future scheduled appointments.
 - Results of attempts to contact the no showed patients.

The user is asked for:

- Various sort criteria
 - Date range
 - Divisions to display (one, many, all)
 - Sort by Clinic, Reminder Location or Stop Codes (one, many, all)
- **^SDMHAD1**—This is the print routine for the **High Risk Mental Health AD HOC No Show Report**. The report lists the patient that no showed for the mental health appointment, the date the of the appointment, the clinic and stop code. It also lists the contact information for the patient, the Next of Kin, emergency contacts, clinic provider, future scheduled appointments and results of efforts in contacting the patient.
 - **^SDMHNS**—This is the **High Risk Mental Health No show Report** entry point that is called by the scheduling background job. This report displays all patients that did *not* show up for their scheduled appointment for a Mental Health clinic. It lists the following:
 - Patient contact information.
 - Next of Kin.

- Emergency contact.
- Clinic default provider.
- Future scheduled appointments.
- Results of attempts to contact the no showed patients.

The user is *not* asked any sort criteria. The report lists for the:

- Day before the background job run.
- All the divisions in the facility and mental health clinics in the facility.

The report is sent via email to those persons that are in the **SD MH NO SHOW NOTIFICATION** mail group.

- **^SDMHNS1**—This is the print routine for the **High Risk Mental Health No Show Report** run from the scheduling nightly background job. The report lists the following:
 - Patient that no showed for the mental health appointment.
 - Date the of the appointment.
 - Clinic.
 - Stop code
 - Patient Contact information .
 - Next of Kin.
 - Emergency contacts.
 - Clinic provider.
 - Future scheduled appointments.
 - Results of efforts in contacting the patient.

The report is sent via email to those persons that are in the **SD MH NO SHOW NOTIFICATION** mail group.

- **SDAMQ** modified.

^SDAMQ G STARTQ:'\$\$SWITCH

```
N SDSTART,SDFIN
K ^TMP("SDSTATS", $J)
S SDSTART=$$NOW^SDAMU D ADD^SDAMQ1
D EN^SDAMQ3(SDBEG,SDEND) ; appointments
D EN^SDAMQ4(SDBEG,SDEND) ; add/edits
D EN^SDAMQ5(SDBEG,SDEND) ; dispositions
D EN^SDMHNS ;High Risk Mental Health NO Show report
S SDFIN=$$NOW^SDAMU D UPD^SDAMQ1(SDBEG,SDEND,SDFIN,.05)
D BULL^SDAMQ1
```

3.5.8 Patch DG*5.3*836 Routines

Patch DG*5.3*836, Registration Patient Record Flag patch, provides new interfaces used by the Scheduling and Reminder patches to determine the High Risk for Suicide flag status on a specified date:

- **GETINF^DGPFAPIH—DGPFAPIH** is both a routine and API integration agreement. The **DGPFAPIH** routine implements the two application programming interface call points for retrieving Patient Record Flag information:
 - One call point is for a specific patient and record.
 - The second call point is for a list of patients with a specific, active, Patient Record Flag.

This API obtains the Patient Record Flag assignment information and status for the specified patient, patient record flag and date range. The return data is provided in an array using the target root specified by the user or in the default array variable **DGPFAPI1**. The DATE/TIME (#.02) field of the PRF ASSIGNMENT HISTORY (#26.14) file entry determines whether the entry falls within the specified date range. If no date range is specified, all entries are returned.

- **GETLST^DGPFAPIH**—This API retrieves a list of patients active at some point within a specified date range for a specified Patient Record Flag. The date range is required for this API; though, the same date can be entered to specify a single date. The return data is provided in an array using the target root specified by the user or in the default array variable **DGPFAPI2**. The DATE/TIME (#.02) field of the PRF ASSIGNMENT HISTORY (#26.14) file entry determines whether the entry falls within the specified date range.
- **BLDMAIN^DGPFAPIH**—This API builds the main return array for the specified patient. The array contains the PRF assignment data retrieved from the appropriate Local or National assignment file.
- **BLDHIST^DGPFAPIH**—This API collects and builds the return array containing the PRF assignment history data.
- **ACTIVE^DGPFAPIU**—The **DGPFAPIU** routine provides support utilities and functions for the new Application Programming Interface calls.

This procedure checks if the Patient Record Flag was active at any point during the specified date range. The procedure accepts a date range parameter which specifies whether “A”ll dates or only a “S”pecified date range is to be checked.

The PRF ASSIGNMENT HISTORY (#26.14) file was *not* designed for this type of date interaction so the algorithm in this procedure has to make a number of assumptions when interpreting the dates and PRF actions. While there can only be one “New Assignment” entry, it is possible to have multiple “Continue,” “Inactivate,” and “Reactivate” action entries. In addition, the “Entered In Error” action can pose additional issues with determining a status during a specific date range.

- **CHKDATE^DGPFAPU**—Checks for valid start and end dates. Sets up the **DGRANGE** parameter with the validated dates and sets **DGRANGE** top element to “A” for all dates, or “S” for a specific range of dates.
- **CHKDFN^DGPFAPU**—This function checks for a valid patient by checking the DFN in the PATIENT (#2) file. If a valid patient is found, the patient name is returned; otherwise, the error text from the **DIQ** call is returned.
- **ASGNDATE^DGPFAPU**—Gets the initial Assignment Date/Time of the Patient Record Flag by looking for the “NEW ASSIGNMENT” action in the PRF ASSIGNMENT HISTORY (#26.14) file.
- **GETFLAG^DGPFAPU**—This function gets the variable pointer value for the Patient Record Flag passed in. The PRF is passed in as a text value:
 - If the optional flag category is passed in, only that category is checked for the PRF.
 - If no category is passed in, then first the National category is checked.

3.5.9 Patch SD*5.3*622 Routines

- **START^SDCP**—This API initializes the **SDPRTTOF** variable that is a flag to indicate whether or not to print the Top of Form (TOF) header or not. Telephone Extension has been added to the Clinic Profile and this variable helps to ensure that the Header prints one time per Clinic.
- **PRT^SDCP**—This API prints the new TELEPHONE EXTENSION field from HOSPITAL LOCATION file on the Clinic Profile and also sets the **SDPRTTOF** variable mentioned above back to **1** so that Header can print for next Clinic that gets output.
- **TOF^SDCP**—This API checks if **SDPRTTOF** is flagged with a **1**, and, if so, allows the printing of the Header. It also resets **SDPRTTOF** to **0** to prevent excessive printing of TOF.
- **WRAPP^SDLT**—This API now has logic to re-format the Clinic Name so that it lines up with Telephone, Location, and Default Provider information.
- **FORM^SDLT**—This API now prints new TELEPHONE EXTENSION field from HOSPITAL LOCATION file in addition to TELEPHONE, LOCATION & DEFAULT PROVIDER information from the same file. It checks the PRINT DEFAULT PROVIDER? and PRINT CLINIC LOCATION? fields from the LETTER file before printing the LOCATION & DEFAULT PROVIDER.
- **TST^SDLT**—This API does some new formatting of the other TESTS that have been scheduled for the patient.
- **M^SDM0**—This API displays the Desired Date for the appointment that has been entered by the user when an appointment is scheduled. A **3-second** delay occurs during the display.
- **D^SDM0**—This API now displays the Clinic Name with the Scheduling Grid.

- **LET^SDM1A**—This API prints the Pre-Appointment Letter after a single appointment is scheduled if the user chooses to do so AND there is a Pre-Appointment letter assigned to the Clinic.
- **S1^SDMM1**—This API files the Desired Date entered by the user in the 1st Appointment when Multi-Booking occurs and for subsequent appointments that recur either Daily or Weekly it stores Desired Date as the Appointment Date.
- **OVR^SDNACT**—This API saves off the Inactivation Date for the Clinic for use in Mail Delivery (see below).
- **MAIL^SDNACT**—This API sends mail to all members of the new **SD CLINIC INACTIVATE REMINDER** mail group that gets created with the post install routine **SD53622P** for this patch.

3.5.10 Patch DG*5.3*903 Routines

Patch DG*5.3*903 addresses NSR # 20150314 - Increase Engagement in My HealtheVet (IEMHV). The **Preregister a Patient** [DGPRE PRE-REGISTER OPTION] option, in the Vista Registration V. 5.3 package, was enhanced to display a message alerting the registration clerk to engage with the selected patient regarding the patient's registration status for My HealtheVet. The clerk should document that status, any registration assistance rendered, or the Veteran's desire to be excluded from My HealtheVet registration. Recent assistance with the patient's My HealtheVet registration is displayed within the alert/reminder.

There is no interface with My HealtheVet. This is only a mechanism to engage directly with the patient to encourage him/her to register for My HealtheVet.

The MAS PARAMETERS (#43) file and the **MAS Parameter Entry/Edit** [DG PARAMETER ENTRY] option were enhanced to allow for this new functionality to be disabled/enabled. This functionality is turned off automatically during the post install for this patch.

The following new routines are being added to support PATCH DG*5.3*903:

- **DG903PST**—Post install routine which does the following:
 - Adds entry 315 in INCONSISTENT DATA ELEMENTS (#38.6) file.
 - Disables Increase Veteran Engagement in My HealtheVet Prompts in the MAS PARAMETERS (#43) file.
- **DGMHV**:
 - **EN API**—Entry Point for Alert, Socialization, and My HealtheVet Engagement field editing screen. This functionality is only executed if the **ENABLE MY HEALTHEVET PROMPTS?** (#1100.07) field in the MAS PARAMETERS (#43) file is set to **YES** (internal value 1).
 - **MAIN API**—Main Entry Point for My HealtheVet socialization text/action.

- **SOCIAL API**—My HealtheVet Engagement talking point/socialization text action. Display My HealtheVet socialization canned text, prompt for patient response, display and prompt for clerk action.
- **DGMHVAC:**
 - **EN API**—Entry point for My HealtheVet Engagement screen.
 - **MAIN API**—Main Driver for My HealtheVet Engagement screen.
 - **ENROLLQ API**—Prompt for "My HealtheVet Registered".
 - **AUTHENQ API**—Prompt for "My HealtheVet Authenticated".
 - **OPTINQ API**—Prompt for "Opted in for My HealtheVet Secure Messaging".
 - **ENROLL API**—My HealtheVet Register processing.
 - **AUTHENT API**—Authenticated My HealtheVet account status processing.
 - **SECMSG API**—Secure Messaging processing.
 - **MHVOK API**—Check patient's MHV registration information to determine if the alert should be activated or deactivated.
- **DGMVUTL**—Contains numerous APIs used by the other listed routines.

The following existing routines are being updated to support PATCH DG*5.3*903:

- **DGPARG - PREREG subroutine**—Updated to display value of the ENABLE MY HEALTHEVET PROMPTS?" (#1100.07) field in the MAS PARAMETERS (#43) file.
- **DGPARG1**—Updated to allow the edit of the ENABLE MY HEALTHEVET PROMPTS? (#1100.07) field in the MAS PARAMETERS (#43) file.
- **DGPARG1 - DIREDT API**—Updated to include the new "Increase Engagement in My HealtheVet" prompts to display and prompt for updates from the clerk.
- **DGRPC - EN API**—Updated to include the new 315 Consistency Check for "Increase Engagement in My HealtheVet"
- **DGRPC3**—Added 315 subroutine to include the new 315 Consistency Check Editing functionality.
- **DGRPCE1**—Updated to include 315 Consistency Check Editing functionality when necessary "Increase Engagement in My HealtheVet" data fields have *not* been updated.

3.5.11 Patch SD*5.3*707 Routines

Patch SD*5.3*707 adds functionality to schedule, cancel, or update appointments for Community Care Consults using the HealthShare Referral Manager (HSRM) software. HSRM sends the appointment action as an HL7 message. The appointment action is filed in VistA using the VistA Scheduling Enhancement APIs.

The following are new routines as part of this patch:

- **SDCCRCOR**—Contains utilities used to parse the data in the HL7 message.
- **SDCCRGAP**—Contains utilities to lookup the appointment data in the VistA appointment files.
- **SDCCRSCU**—Contains utilities to lookup appointment data in the VistA appointment files.
- **SDCCRSEN**—Main routine called to process the appointment message from HSRM.
- **SDPRE707**—Pre-Install routine to check for the HL Logical link and create the link if it does *not* exist on the VistA system.

3.5.12 Patch DG*5.3*982 Routines

Patch DG*5.3*982 includes modifications and updates to VistA Registration, Eligibility & Enrollment (REE)-related to keeping patients on the **New Enrollee Appointment Request (NEAR) Call List** option [DGEN NEACL MGT RPT1] for appointments, unless the patient has a Primary Care Appointment. It also includes adding a display message to the **Management Edit** option [DGEN NEACL REQUEST MGT EDIT] in the **New Enrollee Appointment Request (NEAR) Management Menu** [DGEN NEACL REQUEST MGT MENU].

The following modified routines are exported by patch DG*5.3*982:

- **DGENACL2**
- **DGENA2**

3.5.13 Patch DG*5.3*972 Routine

Patch DG*5.3*972 addresses NSR #20120809 regarding Public Law 112-154. Users shall be able to view a patient's current Camp Lejeune eligibility from the **Eligibility Inquiry for Patient Billing** option on the **Admissions/Discharges/Transfers (ADT) Manager** menu and/or the **Registration** sub-menu.

The following modified routine is exported by patch DG*5.3*972:

DGRPDB

3.5.14 Patch DG*5.3*985 Routines

Patch DG*5.3*985 includes modifications and updates to VistA REE related to adding the PREFERRED NAME (#.2405) field to the **PATIENT DEMOGRAPHIC DATA SCREEN** <1> screen.

The following modified routines are exported by patch DG*5.3*985:

- **DGR111**
- **DGRP1**
- **DGRPD1**
- **DGRPE**
- **DGRPH**
- **DGRPV**

3.5.15 Patch DG*5.3*996 Routines

Patch DG*5.3*996 includes modifications and updates to VistA REE related to adding the PREFERRED NAME to a demographic API. A new demographics API, **DEMUPD VADPT**, is included in Integration Control Registration (ICR) 7109. A new tag, **DEMUPD**, which adds the patient's PREFERRED NAME to the patient's basic demographic information and stores this data in the **VADEMO** array, has been added to the **VADPT** routine. ICR 7109 is in addition to, and does not replace, ICR 10061.

3.5.16 Patch DG*5.3*997 Routines

Patch DG*5.3*997 includes new routines: **DGRP11A** and **DGRP11B**, and modifications to routines: **DGRPE**, **DGRPH**, **DGRPP**, **DGRPP1**, **DGRPU**, and **DGRPV** to accommodate the newly added Caregiver data screens. This includes creating and modifying routines for the newly created <11.5> and <11.5.1> screens, plus the need to accommodate the new screen ^**jump** flow controls, and lastly to adjust the text in the HELP and INVALID ENTRY...VALID SCREEN #s message in response to the end of page prompts.

This patch also includes modifications to routines **VAFHLFNC** and **VAFHLZCT** to send foreign address fields in the **ZCT** segment when sending the **Z07** message.

3.5.17 Patch DG*5.3*993 Routines

Patch DG*5.3*997 contains modifications to VistA REE to separate patient registration from enrollment of Veterans for VHA healthcare. The questions beginning with the “DO YOU WANT TO ENROLL?” prompt have been moved from the end of the patient registration screens to the beginning of registration after a new patient has been added to the PATIENT (#2) file. The answer to the “DO YOU WANT TO ENROLL?” prompt is kept in the **DGENRYN** variable that is now used in several routines downstream from **DGREG**.

- **DGREG**—This routine is called when the **DG REGISTER PATIENT** option is selected. It now asks the “DO YOU WANT TO ENROLL?” questions.
- **DPTLK**—This is the patient lookup program. It has been changed to disallow the creation of a new patient for the following:
 - The use of double-quotes (“).
 - The use of **DG LOAD PATIENT DATA**.
 - The use of **DG ADMIT PATIENT**.
- **EN1^DGEN**—This existing API has been changed to use the **DGENRYN** variable to determine whether the patient should be enrolled.
- **ENRPAT^DGEN**—This API now passes the **DGENRYN** variable to **ENROLL^DGEN**.
- **ENROLL^DGEN**—Is now passed the **DGENRYN** variable, and passes it on to **CREATE^DGENA6**.
- **CREATE^DGENA6**—Is now passed the **DGENRYN** variable, and passes it on to **PRIORITY^DGENELA4**. Also, the variable is stored in the PT APPLIED FOR ENROLLMENT (#.14) field, which is a new field that this patch introduced in the PATIENT ENROLLMENT (#27.11) file.
- **PRIORITY^DGENELA4**—Is now passed the **DGENRYN** variable, and passes it on to **PRI^DGENELA4**.
- **PRI^DGENELA4**—Is now passed the **DGENRYN** variable, and uses it to return a priority group of **NULL** if the patient is *not* being enrolled.
- **AUTOUPD^DGENA2**—This API is called from cross-references in many fields in the PATIENT (#2) file. This patch changes the API to retrieve the new PT APPLIED FOR ENROLLMENT field, and passes it to **CREATE^DGENA6** as specified above.
- **EDIT^DGENA1A**—This API updates the new enrollment record. It has been changed to add the new PT APPLIED FOR ENROLLMENT (#.14) field.
- **EN^DG993BO**—This routine will be used if there is a need to back out the patch.
- **DGENUPL2**—This routine is modified to include **ZEN** segment Fields **16** to **19** in the **DGENR** array.
- **DGENUPL8**—This routine is modified to include “**REGISTRATION ONLY**” status in current and previous enrollments.

- **VAFHLZEN**—Creation of **ZEN** segment is enhanced to populate new sequence numbers **16**, **17**, **18** and **19** with values of:
 - **PT APPLIED FOR ENROLLMENT?**
 - **REGISTRATION ONLY REASON**
 - **REGISTRATION ONLY DATE**
 - **SOURCE OF REGISTRATION**

The fields listed are located in the PATIENT ENROLLMENT (#27.11) file.

- **DGENA1**—This routine is modified to retrieve Fields **16** to **19** from **ZEN** segment and store them in the PATIENT (#2) file.
- **DGENA**—This routine is modified to enhance the **DGENR** array to include:
 - **PT APPLIED FOR ENROLLMENT?**
 - **REGISTRATION ONLY REASON**
 - **REGISTRATION ONLY DATE**
 - **SOURCE OF REGISTRATION**

The fields listed are located in the PATIENT ENROLLMENT (#27.11) file.

3.5.18 Patch DG*5.3*1015 Routines

Patch DG*5.3*1015 includes modifications to **DGENA2** and **DGENACL2** to reverse the Primary Care Appointment change to the **NEAR Call List** [DGEN NEACL MGT RPT1] option and **NEAR Tracking Report** [DGEN NEACL MGT RPT2] option introduced in DG*5.3*982. The requirement to only remove and update a patient on these reports if the patient has a Primary Care Appointment has been removed.

In addition, **DGENDD** was modified to fix a defect in the **VERIFY FIELDS** option of the **UTILITY FUNCTIONS** in VA FileMan.

3.5.19 Patch SD*5.3*722 Routines

Patch SD*5.3*722 addresses a problem where a large background job can be created that takes several hours to complete and consumes gigabytes of **^TMP** global storage. If enough **^TMP** global space is consumed, an M **FILEFULL** error results, which stops VistA from working.

Table 15: Patch SD*5.3*722 Routines

New SD Routines	Modified SD Routines
SD722PST	SDEC01B
	SDEC02
	SDEC26
	SDEC50
	SDEC55A

3.5.20 Patch SD*5.3*723 Routines

Patch SD*5.3*723 addresses a problem where the code that populated the Pending Appointments list could encounter a SUBSCRIPT error in a certain inconsistent data scenario and caused the VistA Scheduling Graphical User Interface (VS GUI) to crash.

Table 16: Patch SD*5.3*723 Routines

New SD Routines	Modified SD Routines
SDECDATA	SDEC50
	SDVSIT2

3.5.21 Patch SD*5.3*731 Routines

Patch SD*5.3*731 enhances the appointment correcting routine used by the following options:

- **Manually Fix Appointments with No Resource** [SDEC NO RES APPT FIX]
- **Automatically Fix Appointments with No Resource** [SDEC NO RES APPT AUTOFIX]

It also addresses an issue with the **SDEC EP WAIT LIST** Remote Procedure Call (RPC) to strip time from the Clinically Indicated Date (CID) if it is present. This patch also adds a new option **Appointments with no resource report** [SDEC NO RES APPT REPORT].

Table 17: Patch SD*5.3*731 Routines

New SD Routines	Modified SD Routines
There are no new routines with this patch.	SDECDATA
	SDECEPT

3.5.22 Patch SD*5.3*734 Routines

Patch SD*5.3*734 addresses an issue that was occurring when the VA Online Scheduling (VAOS) Attempted to send future date/time to the DESIRED DATE OF APPOINTMENT (#.2) field. The fix allows schedulers to cancel VAOS appointments from the VistA Scheduling (VS) graphical user interface (GUI) calendar without error.

Table 18: Patch SD*5.3*734 Routines

New SD Routines	Modified SD Routines
There are no new routines with this patch.	SDEC55A

3.5.23 Patch SD*5.3*686 Routines

Patch SD*5.3*686 contains the VistA components necessary to support the VS GUI release 1.6.0.

Table 19: Patch SD*5.3*686 Routines

New SD Routines	Modified SD Routines
SD686PST	SDAM2
SDEC01C	SDCNSLT
SDEC07C	SDEC
SDECAUD	SDEC07
	SDEC07A
	SDEC51
	SDEC57
	SDECAR1
	SDECAR1A
	SDECAR2
	SDECCON
	SDECLK
	SDECAR1A

3.5.24 Patch SD*5.3*740 Routines

Patch SD*5.3*740 addresses issues within Scheduling Remote Procedure Calls (RPCs) where the Massachusetts General Hospital Utility Multi-Programming System (MUMPS or M) Standard Programming Commands **TSTART**, **TCOMMIT**, and **TROLLBACK** are currently being used. It also addresses an argumentless **LOCK** command.

Table 20: Patch SD*5.3*740 Routines

New SD Routines	Modified SD Routines
There are no new routines with this patch.	SDEC07
	SDEC08
	SDEC29
	SDEC31

3.5.25 Patch SD*5.3*744 Routines

Patch SD*5.3*744 addresses an issue encountered after Patch SD*5.3*722. This patch corrects the problem of appointment processing in VistA Scheduling (VS) Graphical User Interface (GUI) *not* invoking the event driver protocol (**SDAM APPOINTMENT EVENTS**) that legacy VistA does.

Table 21: Patch SD*5.3*744 Routines

New SD Routines	Modified SD Routines
There are no new routines with this patch.	SDEC07B
	SDEC08

3.5.26 Patch SD*5.3*737 Routines

Patch SD*5.3*737 addresses issues that VistA Scheduling (VS) Graphical User Interface (GUI) experiences due to software incompatibilities with Veterans Point of Service (VPS) Kiosks, **Cancel Clinic Availability** [SDCANCELS] option and with missing data from appointments made by applications other than VS GUI.

Table 22: Patch SD*5.3*737 Routines

New SD Routines	Modified SD Routines
There are no new routines with this patch.	SDCNSLT
	SDEC50

3.5.27 Patch SD*5.3*694 Routines

Patch SD*5.3*694 contains the VistA components necessary to support the VS GUI release 1.7.0.

Table 23: Patch SD*5.3*694 Routines

New SD Routines	Modified SD Routines
SD694PO	SDEC01
SDECDATE	SDEC02
SDECSTNG	SDEC05
	SDEC06
	SDEC07
	SDEC07A
	SDEC07B
	SDEC07C
	SDEC08
	SDEC12
	SDEC25
	SDEC25B
	SDEC27
	SDEC31
	SDEC33
	SDEC34
	SDEC38
	SDEC40
	SDEC47
	SDEC48
	SDEC49
	SDEC50
	SDEC52A
	SDEC55A
	SDEC57
	SDECAPI
	SDECAR

New SD Routines	Modified SD Routines
	SDECAR1
	SDECAR2
	SDECCAP
	SDECEP
	SDECEPT
	SDECIDX
	SDECWL
	SDECWL2
	SDM1A
	SDROUT0

3.5.28 Patch SD*5.3*762 Routines:

VS GUI Release 1.7.0 has been incremented to VS GUI Release 1.7.0.1. PATCH SD*5.3*762 updates the version number in the SDEC SETTINGS (#409.98) file to match the GUI version.

Table 24: Patch SD*5.3*762 Routines

New SD Routines	Modified SD Routines
SDEC762P	There are no modified routines with this patch.

3.5.29 Patch SD*5.3*745 Routines

VS GUI Release 1.7.1: PATCH SD*5.3*745 addressed multiple enhancements including:

- Accept a flag to *not* reopen appointment request when flag is “2”.
- View the CPRS Consult tab details via VS GUI.
- Display contact information on the Request Management Grid on VS GUI.
- New background job to Disposition Open CPRS Return to Clinic (RTC) Orders Scheduled in VistA.
- Update Patient Indicated Date (PID) when rescheduling an appointment that was cancelled by the patient or no-showed.

This patch also corrected a SACC compliance issue of using “...” structure during parameter passing.

Table 25: Patch SD*5.3*745 Routines

New SD Routines	Modified SD Routines
SDEC08A	SDEC
SDECRTCF	SDEC08
	SDEC50
	SDEC51
	SDEC52
	SDEC52A
	SDEC53
	SDECAR
	SDECAR1
	SDECAR1A
	SDECAR2
	SDECWL
	SDECWL1
	SDECWL2

3.5.30 Patch SD*5.3*756 Routines

Patch SD*5.3*756 supports VS GUI Release 1.7.2 R2. The patch addresses multiple enhancements:

- When a scheduler creates a video appointment, Virtual Care Manager (VCM) launches in a new browser window from the VS GUI.
- New picklist of static comments (hashtags) that can be added to the free text CANCELLATION REMARKS (#17) field in the PATIENT (#2) file.
- New COVID-19 priority column on the Request Management (RM) Grid.

SD*5.3*756 also removes the Electronic Wait List (EWL) menu option in the VS GUI. VA has mandated sunseting the EWL. This change represents the first step in removing EWL functionality from the VS GUI.

Table 26: Patch SD*5.3*756 Routines

New SD Routines	Modified SD Routines
SDECVVC	SDEC
SDEC756P	SDEC08
	SDEC08A
	SDEC45
	SDEC51
	SDECAR1A
	SDECSTNG

3.5.31 Patch DG*5.3*1014 Routines

This patch includes new routine VAFHLZCE to build the VA-Specific Community Care Eligibility Segment (ZCE) with five fields. Data is retrieved from the PATIENT (#2) file, subfile (#2.191). Modified routine IVMPTRN8 to include ZCE segments returned from VAFHLZCE in the ORU/ORF-Z07 HL7 message; modified routine DGENUPL1 to take ZCE segment(s) in ORU/ORF-Z11 and initiate validations; modified routine DGENUPLB to parse and validate four fields in the ZCE segments and store the fields in an array for storing in the PATIENT (#2) file; and modified routine DGENUPL7 to store the validated four fields retrieved from the ZCE segments in the PATIENT (#2) file, sub-file (#2.191).

This patch also added new routine DGRP1152A for functionality to add, edit, and remove Community Care Programs, and new routine DGRP1152U for help text. This patch modified routine DGRPH to add functionality for Collateral Programs.

This patch also modified routines to add standardized patient data to screen banners and to add the PREFERRED NAME (#.2405) field from the PATIENT (#2) file to the NAME (#.01) field prompt of the PATIENT (#2) file: DGDEP, DGDEPE, DGR111, DGR113, DGR1131, DGR114, DGRP1, DGRP11B, DGRP2, DGRP6, DGRP61, DGRP62, DGRPCF, DGRPU, DPTLK, DGRP6EF and DGRP6CL.

Routines DGREGAED, DGREGRED, DGREDTED were modified to call the Universal Address Module (UAM) Address Validation code. The UAM Address Validation code is contained in 3 new routines: DGADDVAL, DGADDLST, and DGUAMWS.

DGUAMWS invokes the UAM Address Validation web service and returns any address candidates in an array. DGADDLST uses the list template DGEN ADDR VALID to display the address candidates to the user for selection. DGADDVAL is the driver routine that calls DGUAMWS and, if any results are returned, calls DGADDLST for display and selection of the validated address.

NOTE: When running the ^XINDEX routine, sites will encounter an XINDEX error after the installation of this patch. Routine DGUAMWS uses HealtheVet Web Services Client (HWSC). It calls a Cache Class to parse the eXtensible Markup Language (XML) document returned by the

web service call. A Standards and Exemptions (SAC) Exemption (ID 20200806-01) was approved on 08/06/2020.

The errors reported by XINDEX are:

```
DGUAMWS      * * 198 Lines, 11474 Bytes, Checksum: B105727101
              S DGHTTPREQ.SSLCheckServerIdentity = 0
EN+24         S - Vendor specific code is restricted.
EN+24         F - Unrecognized argument in SET command.
EN+24         F - UNDEFINED COMMAND (rest of line not checked).
              D DGHTTPREQ.EntityBody.Write(DGJSON) ; places the entire json
              string into EntityBody
EN+28         S - Vendor specific code is restricted.
              F DGHEADER="Accept","ContentType" D
              DGHTTPREQ.SetHeader(DGHEADER,"application/json")
EN+29         S - Vendor specific code is restricted.
              D DGHTTPREQ.SetHeader("ContentType","application/json")
EN+30         S - Vendor specific code is restricted.
              S DGHTTPRESP=DGHTTPREQ.HttpResponse
EN+35         S - Vendor specific code is restricted.
              S DGDATA=DGHTTPRESP.Data.ReadLine() ; reads json string
              response from the data stream.
EN+36         S - Vendor specific code is restricted.
              Q DGSTAT_"^"_$RSPMSG(DGHTTPRESP.StatusCode,.DGRESPMSG)
EN+44         S - Vendor specific code is restricted.
              N DGERRCODE S DGERRCODE=DGRESPERR.code
ERRRSPMSG+4  S - Vendor specific code is restricted.
```

3.5.31.1 HWSC Configuration

The UAM Address Validation web server DG UAM AV SERVER and two services, DG UAM AV VALIDATE and DG UAM AV CANDIDATE, are configured by a post-install routine. This routine creates entries in the HWSC configuration files to define these.

Example:

Web Server Manager		Aug 13, 2020@08:31:46	Page: 1 of 1
Web Server Manager		Aug 13, 2020@08:31:46	Page: 1 of 1
HWSC Web Server Manager			
Version: 1.0 Build: 9			
ID	Web Server Name	IP Address or Domain Name:Port	
1	*DG UAM AV SERVER	REDACTED:443 (SSL)	
2	*DST GET ID SERVER	REDACTED:443 (SSL)	
3	*PCMMR	REDACTED:80	
4	*PCMMR TEST	REDACTED:10100	
5	PSO WEB SERVER	:80	
6	*VIAA VISTA TRIGGER SERVER	:REDACTED (SSL)	
Legend: *Enabled			
AS	Add Server	TS	(Test Server)
ES	Edit Server	WS	Web Service Manager
DS	Delete Server	CK	Check Web Service Availability
EP	Expand Entry	LK	Lookup Key Manager
Select Action:Quit// WS Web Service Manager			
Web Service Manager		Aug 14, 2020@07:19:44	Page: 1 of 1
Web Service Manager		Aug 14, 2020@07:19:44	Page: 1 of 1
HWSC Web Service Manager			
Version: 1.0 Build: 9			
ID	Web Service Name	Type	URL Context Root
1	CDS WEB SERVICE	REST	cds-wsclient/cds-service
2	DG UAM AV CANDIDATE	REST	services/address_validation/v2/cand...
3	DG UAM AV VALIDATE	REST	services/address_validation/v1/vali...
4	DST GET ID SERVICE	REST	vs/v2/consultFactor
5	PCMM-R GET PC INFO REST	REST	pcmmr_web/ws/patientSummary
6	PSO ERX WEB SERVICE	REST	/INB-ERX/
7	VIAA VISTA TRIGGER SERVIC	REST	esb/assettrax/services/vistatrigger
Enter ?? for more actions			
AS	Add Service		
ES	Edit Service		
DS	Delete Service		
EP	Expand Entry		
Select Action:Quit//			
Select OPTION NAME:			

If the following errors are seen in the error log when using the UAM Service, the server settings should be reverified. Please refer to the DG_53_P1014.KID Deployment, Installation, Back-out, and Rollback Guide for detailed instructions on verifying that the post-install routine set up the server and associated services correctly.

```
WRONG PORT NUMBER OR ENDPOINT (IP)
Process ID: 1302 (1302)                AUG 26, 2020 08:43:45
UCI/VOL: [DEVV00:DEVROTTSVR]
$ZA: 0                                $ZB: \013
Current $IO: /dev/pts/22                Current $ZIO: REDACTED^17^44^/dev/
pts/22
$ZE= <ENDOFFILE>
Last Global Ref: ^%qCacheMsg("%ObjectErrors","en",6059)
S @%ZTERRT@("LINE")=$STACK(%2,"MCODE")

WRONG SSL CONFIGURATION OR SERVER NOT SET UP
Process ID: 1302 (1302)                AUG 26, 2020 08:51:10
UCI/VOL: [DEVV00:DEVROTTSVR]
$ZA: 0                                $ZB: \013
Current $IO: /dev/pts/22                Current $ZIO: REDACTED^17^44^/dev/
pts/22
$ZE= <WRITE>zSend+186^%Net.HttpRequest.1
Last Global Ref: ^%qCacheMsg("%ObjectErrors","en",6085)

SERVICES NOT SET UP CORRECTLY
Process ID: 23364 (23364)              AUG 26, 2020 15:07:17
UCI/VOL: [DEVV00:DEVROTTSVR]
$ZA: 0                                $ZB: \013
Current $IO: /dev/pts/12                Current $ZIO: REDACTED^28^99^/dev/
pts/12
$ZE= <ECODETRAP>zforceError+3^xobw.error.DialogError.1
Last Global Ref: ^XOB(18.02,"B","MPI_PSIM_EXECUTE",0)
set $ECODE=",UXOBW," }
```


3.5.32 Patch DG*5.3*952 Routines

This patch implements VistA modifications to assist the Department of Veterans Affairs (VA) in addressing the high rate of suicides among the nation's Veterans; specifically, former service members that have an administrative discharge of Other Than Honorable (OTH) needing emergent mental healthcare services. The patch implements the special eligibility for the population that falls into the OTH-EMERGENT (OTH-90) category.

The following modified routines are exported by patch DG*5.3*952:

DGENA
DGENA1A
DGENELA
DGENELA1
DGENELA4
DGENU
DGENUPL
DGENUPL1
DGENUPL4
DGENUPL5
DGENUPL7
DGENUPL8
DGENUPLA
DGENUPLB
DGRP7
DGRPC
DGRPC3
DGRPCE
DGRPCE1
DGRPE1
VADPT0
VADPT4
VAFHLZE1

The following new routines are exported by DG*5.3*952:

DGOTHBTN
DGOTHD
DGOTHD1

DGOTHD2
DGO THEL
DGOTHINQ
DGOTHMG1
DGOTHMG2
DGOTHMGT
DGOTHRP1
DGOTHRP2
DGOTHRP3
DGOTHRP4
DGOTHRP5
DGOTHRP6
DGOTHRPT
DGOTHUT1
VAFHLZTE

3.5.33 Patch DG*5.3*977 Routines

The patch implements the special eligibility for the population that falls into OTH-EXTENDED category and also implements a new PRESUMPTIVE PSYCHOSIS indicator prompt and database field to capture patients seen under the Presumptive Psychosis authority.

The following modified routines are exported by patch DG*5.3*977:

DGENUPL7
DGENUPLB
DGOTHBTN
DGOTHD
DGOTHD1
DGO THEL
DGOTHMG2
DGOTHRP1
DGOTHRP2
DGOTHRP3
DGOTHRP5
DGOTHRP6
DGOTHRPT

DGRP7

VAFHLZTE

The following new routines are exported by DG*5.3*977:

DGOTHMST

DGPPRP1

DGPPRP2

DGPPRP3

DGPPRP4

DGPPRP5

DGPPSYCH

3.5.34 Patch DG*5.3*1016 Routines

The patch:

- Provides changes for 'Reevaluate Eligibility' Mailman messages that are sent for patients registered as 'OTH' patients.
- Provides a fix to ensure that the Patient Inquiry (OTH) [DG OTH PATIENT INQUIRY] option displays an ACTIVE OTH status if the patient transitions from OTH Emergent to OTH Extended and displays the correct current Primary Eligibility.

The following modified routines are exported by patch DG*5.3*1016:

DGOTHD1

DGOTHINQ

DGOTHMST

DGRP7

3.5.35 Patch DG*5.3*1025 Routines

This patch introduces reports to identify Former Service Members whose Primary Eligibility changed from EXPANDED MH CARE NON-ENROLLEE to a new Primary Eligibility with a verified eligibility status. These patients are no longer treated under the Other Than Honorable (OTH) authority (VHA Directive 1601A.02).

The following new routines are exported by DG*5.3*1025:

DGOTHFS2

DGOTHFSM

3.5.36 Patch DG*5.3*1029 Routines

This patch implements the code to provide data to the CPRS application in order to:

- Identify patients eligible for Presumptive Psychosis (PP) benefits and display details about their status.
- Identify patients with inactive PRF records and list the history of the PRF changes.

The following new routines are exported by DG*5.3*1029:

DGOTHBT2

DGPPAPI

3.5.37 Patch DG*5.3*1034 Routines

This patch includes modifications and updates to Former OTH Patient Eligibility Change Report and Former OTH Patient Detail Reports to include patient's Episodes of Care (Outpatient, Inpatient, and Prescriptions).

Additionally, this patch introduces a new report that would help identify veterans that registered for Presumptive Psychosis benefits.

The following modified routines are exported by DG*5.3*1034:

DGOTHFS2

DGOTHFSM

The following new routines are exported by DG*5.3*1034:

DGFSMOUT

DGOTHFS3

DGOTHFS4

DGPPRRP1

DGPPRRPT

3.5.38 Patch SD*5.3*781 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.5 and patch SD*5.3*781 includes several enhancements and defect corrections.

There is no direct link between VS contact attempts and VS appointment requests. A congressional reporting mandate requires that a direct link be established so that contact attempts can be accurately reported. This patch accomplishes this by linking VS contact attempts to the appointment request.

Also corrected in this patch is the issue occurring in production due to the Data File Number (DFN) being assigned to an external value of the Patient Name. When cancelling an appointment with a note and the patient has only a last name the code updating the note into the patient appointment continually errors out.

The release contains an enhancement to record the system performing scheduling actions (e.g. VistA, VS GUI, VA Online Scheduling (VAOS)) and the software version of that system.

The release also contains an enhancement to Contact Attempts code and lays the backend groundwork for VIDEO VISIT WEB SERVICE (VVS) enhancements.

Defects corrected in the release include correcting an issue where inactivate/reactivated dates were improperly excluding clinics from displaying in the VS GUI; fixes an issue where spaces in clinic group search would cause the VS GUI to crash; corrects a bug in SDEC RECGET; and fixes the login screen so the 's' isn't cut off from 'Affairs'.

Additionally, the release contains various 508 fixes.

The following modified routines are exported by SD*5.3*781:

Table 27: Patch SD*5.3*781 Routines

New SD Routines	Modified SD Routines
	SDEC08
SDECVVS	SDEC1
	SDEC32
	SDEC63
	SDECAR1A
	SDECCON
	SDNACT
	SDNACT1
	SDREACT

3.5.39 Patch SD*5.3*784 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.6 and SD*5.3*784 include various enhancements and defect fixes. The release enables users to make and cancel Video Visit Service (VVS) appointments from the Graphical User Interface (GUI).

Additionally, new Remote Procedure Calls (RPCs) were added to return a smaller subset of data related to open appointment requests. These RPCs will have less overhead and increase the responsiveness of the Vista Scheduling (VS) GUI. The following existing RPCs will be the basis for the new, more streamlined RPCs: SDEC ARGET, SDEC REGET, SDEC RECGET.

It also addresses an issue with the SDECRMG RMG Remote Procedure Call (RPC) code to allow for more than 200 records. There needs to be a new field in the SDEC SETTINGS (#409.98) file to store the max number of appointment requests to be sent to the RM Grid. The MAX RECS ACCUMULATED (#5) was added to the SDEC SETTINGS (#409.98) file.

The patch also adds a following new RPCs:

Remote Procedure Name	New/Modified/Deleted
-----	-----
SDEC GET ICN	New
SDEC GET PATIENT APPT REQ	New
SDEC GET PATIENT APPT REQ JSON	New
SDEC GET PATIENT CONSULTS	New
SDEC GET PATIENT CONSULTS JSON	New
SDEC GET PATIENT RECALLS	New
SDEC GET PATIENT RECALLS JSON	New

Furthermore, enhancements to the Request Management (RM) grid were made in the VS GUI, including the ability to disable initial RM grid load in user preferences, and changing the cursor displayed when hovering over the RM grid resize area.

The following modified routines are exported by SD*5.3*784:

Table 28: Patch SD*5.3*784 Routines

New SD Routines	Modified SD Routines
SDEC51B	SDEC1
SDEC52C	SDECIDX
SDEC52CJSON	SDECVVS
SDECAR4	
SDECCONSJSON	

3.5.40 Patch DG*5.3*1035 Routines

This patch includes modifications and updates to the Former OTH Patient Eligibility Change Report, Former OTH Patient Detail Reports, Presumptive Psychosis Reconciliation Report to include prescription Partial Fill.

Additionally, this patch introduces a new report that generates a report of an individual patient treated under Presumptive Psychosis authority within the user specified date range. This would help identify veterans that registered for Presumptive Psychosis benefits.

This patch also adds any localized messaging text to the OTH button in CPRS if it is populated for the patient.

The following modified routines are exported by DG*5.3*1035:

DGFSMOUT

DGOTHBT2

DGOTHBTN

DGOTHFS2

DGOTHFS3

DGOTHFS4

DGOTHFSM

DGPPRRP1

DGPPRRPT

The following new routines are exported by DG*5.3*1035:

DGPPDRP1

DGPPDRPT

DGPPDRX

DGPPOHUT

3.5.41 Patch DG*5.3*1027 Routines

This patch modifies routines DGREG and DGCOL to no longer the display the list of reasons, from the PATIENT REGISTRATION ONLY REASON (#408.43) file, before the SELF-REPORTED REGISTRATION ONLY REASON prompt in the DG REGISTER PATIENT and DG COLLATERAL PATIENT options.

This patch also modifies routine DGEN1 to disable the Enroll Patient (EP) Action protocol DGEN PATIENT ENROLLMENT option. A message is displayed instructing the user to use the Enrollment System to complete the patient's enrollment.

In addition, the following modified routines are exported by patch DG*5.3*1027:

DGCOL

DGDIS

DGEN

DGEN1

DGENA1

DGENA1A

DGENA3

DGENUPL2

DGENUPL7

DGREG

DGRPC

DGRPCF

DGRPP

The following new routines are exported by patch DG*5.3*1027:

DG531027P

DGREGEWS

3.5.42 Patch DG*5.3*1044 Routines

Patch DG*5.3*1044 adds new branch of service, SPACE FORCE, to the BRANCH OF SERVICE file (#23) and changes the name of the entry AIR FORCE--ACTIVE DUTY in the PERIOD OF SERVICE file (#21) to USAF, USSF – ACTIVE DUTY.

This patch modifies routines CMP^DGRP61, CMP^DGRPE, and VALCOM^DGRPMS to allow all service components to display at the SERVICE COMPONENT: prompt when the Military Service Episode has a BRANCH OF SERVICE of SPACE FORCE.

In addition, the post-install routine, DG531044P, is created to re-compile templates associated with the modification to the NUMBER field (#.001) of the BRANCH OF SERVICE file (#23). This field has been modified to accept an additional entry.

3.5.43 Patch SD*5.3*785 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.7.4 and SD*5.3*785 include various enhancements and defect fixes.

The release includes Remote Procedure Call (RPC) updates to optimize Request Management (RM) grid functionality, pending Return to Clinic (RTC) Order Cleanup Option enhancements, enhancements to PtCSch Workflow, enhancements to APPT workflow, and addresses an issue where recalls being cancelled by the clinic would not return the request to the RM grid.

The release also addresses the patient letter to remove (Mr/Ms) titles and 508 issue fixes.

The patch also adds the following RPCs:

SDEC GET APPT REQ BY IEN JSON
 SDEC GET PAT CONSULT BY IEN
 SDEC GET PATIENT CONSULT JSON
 SDEC GET PATIENT DEMOG
 SDEC GET PATIENT RECALL BY IEN
 SDEC GET RECALL BY IEN JSON

The patch updates the following existing RPCs:

SDEC GET PATIENT RECALLS
 SDEC GET PATIENT RECALLS JSON

The patch adds or updates the following routines:

Table 29: Patch SD*5.3*785 Routines

New SD Routines	Modified SD Routines
SDEC28L	SDEC07
SDECRRCLEANUP	SDCE08
	SDEC1
	SDEC28
	SDEC40
	SDEC51B
	SDEC52C
	SDEC52CJSON
	SDECAR4
	SDECCON
	SDECCONSJSON
	SDECRTCF
	SDECVVS

3.5.44 Patch SD*5.3*788 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.8.2 and SD*5.3*788 include various enhancements and defect fixes.

Defects corrected in the release include, correcting an issue where the Loading Dialog has duplicate wording, and updating the display icon on the Time Slot Viewer to display correct icons when collapsed and expanded.

Additional fixes include recall and Multiple Return to Clinic (MRTC) fixes, "Waitlist" tool tip fix, formalizing JSON Return Object, and a User Preference fix that will allow the data in the Request Management (RM) Grid to match the User Preference setting.

The patch also adds the following RPCs:

SDES EDIT CHECK-IN STEP
SDES GET APPT
SDES GET APPT CHECK-IN STEP
SDES GET APPT CHECK-IN STEPS
SDES GET APPTS BY CLINIC
SDES GET APPTS BY PATIENT
SDES GET APPTS BY RESOURCE
SDES GET CHECK-IN STEP
SDES GET CHECK-IN STEPS
SDES SET APPT CHECK-IN STEP
SDES SET CHECK-IN STEP

The patch adds or updates the following routines:

Table 30: Patch SD*5.3*788 Routines

New SD Routines	Modified SD Routines
SDECRTCF2	SDEC07
SDES	SDEC52CJSON
SDESAPPT	SDECAR4
SDESAPPTDATA	SDECCONSJSON
SDESCKNSTEP	SDECVVS
SDESCLINICDATA	
SDESJSON	
SDESPATIENTDATA	

3.5.45 Patch SD*5.3*790 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.9 and SD*5.3*790 include various enhancements and defect fixes.

This release addresses several defects, including parent Multiple Return to Clinics (MRTC)s returning to the Request Management (RM) grid when a user closes a child request, the GUI crashing when taking an action on an appointment with no resource, the Patient Indicated Date (PID) not updating appropriately when changed during Cancel by Patient, clinic name truncation on clinic search for clinics with an abbreviation that matches the clinic name, and issues with Contact Attempt (CA) calculation for reopened Patient Center Scheduling (PtCSch) requests.

This release also begins Veterans Scheduling Interoperability Platform (VSIP) changes in VS GUI and VSE for clinical staff. Additionally, the release ensures that appointments cannot be created without a resource, and that requests are only reopened when certain cancellation reasons are used.

Lastly, the release includes several Remote Procedure Call (RPC) updates to improve efficiency and provide returns in JSON format.

The patch also adds the following RPCs:

SDEC GET RECALLRMV BY DFN JSON
SDES CLINIC RSC SEARCH JSON

The patch updates the following existing RPCs:

SDEC APPDEL

The patch adds or updates the following routines:

Table 31: Patch SD*5.3*790 Routines

New SD Routines	Modified SD Routines
SDEC52CRMVJSON	SDEC
SDECRECREQ	SDEC07
SDES01C	SDEC08
SDES25	SDEC50
SDES30	SDEC55A
SDESAPPTUTIL	SDECUTL
SDESSEARCH	SDECVVS
	SDES
	SDESCKNSTEP
	SDRRCLR

3.5.46 Patch DG*5.3*1047 Routines

This patch includes modifications and updates to the billing of Former Other Than Honorable (OTH) Patient Eligibility Change Report to include the Military Sexual Trauma (MST) column and Presumptive Psychosis Detail Report to update the header of the released prescription section.

This patch introduces the new report Potential Presumptive Psychosis Patient Report [DG POTEN PRESUMPT PSYCHOSIS] to identify patients who have been registered in VistA using the Presumptive Psychosis (PP) 'workaround' process since 38 United States Code (USC) 1702 was passed on 3/14/2013. The report is to be used by Registration/Enrollment users to identify PP patients without PP category and select the PP category for them.

Additionally, this patch implements two modifications to support benefits provided by the Deborah Sampson Act for all Former Service Members (FSM) including those eligible for OTH benefits. Per the Deborah Sampson Act, FSMs who experienced MST are eligible for the full range of MST-related care, both mental health and other medical care.

The following modified routines are exported by DG*5.3*1047:

DGOTHBT2

DGOTHBTN

DGOTHFS4

DGOTHFSM

DGPPDRX

The following new routines are exported by DG*5.3*1047:

DGPOTEN

3.5.47 Patch SD*5.3*792 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.10 and SD*5.3*792 include various enhancements and defect fixes, including fixes for: comments and provider information not correctly being carried over from a canceled/no-showed recall appointment to the new appointment request, the appointment type displaying incorrectly when viewing a new appointment request from a cancelled/no-showed recall appointment, an issue with Contact Attempt (CA) coloring on appointment requests created from cancelled/no-showed recall appointments, and an issue where the user would need to manually refresh the GUI after undoing 'no-show' to get the appointment back to 'scheduled'.

Additional defects resolved include column order not being kept in the User Preferences, and an error in the Create Video Visit window where the required field Patient Integration Control Number (ICN) was missing in pre-production environments.

Enhancements in this release include updates to the code to reopen an appointment request only when certain cancellation reasons are used, open an appointment request when a recall appointment is no-showed, disable the 'Create video visit' button when a Video Visit Service (VVS) appointment already exists, disable the edit button when a VVS appointment does not exist, add 'Failure to Respond' as a disposition reason for SDEC requests, and display most recent CheckIn step status in the pending appointments list and time slot viewer in VS GUI. Patch SD*5.3*792 contains a post-install routine to correct Recall appointments with the incorrect provider, and updates Scheduling code so that appointments cannot be created without a resource.

The patch adds the following RPC:

SDS GET INSURANCE VERIFY REQ

The patch updates the following existing RPCs:

SDS CLINIC RSC SEARCH JSON

SDS EDIT CHECK-IN STEP

SDS GET APPT

SDS GET APPT CHECK-IN STEP

SDS GET APPT CHECK-IN STEPS

SDS GET APPTS BY CLINIC

SDS GET APPTS BY PATIENT

SDS GET APPTS BY RESOURCE

SDS GET CHECK-IN STEP

SDS GET CHECK-IN STEPS

SDES SET APPT CHECK-IN STEP

SDES SET CHECK-IN STEP

The patch adds or updates the following routines:

Table 32: Patch SD*5.3*792 Routines

New SD Routines	Modified SD Routines
SDESPATRPC	SDEC08
	SDEC28
	SDEC31
	SDEC50
	SDECAR
	SDECRECREQ
	SDECVVS
	SDES
	SDESCKNSTEP
	SDM1A

3.5.48 Patch DG*5.3*1045 Routines

Patch DG*5.3*1045 modifies the routine DGENUPL7 to not trigger an ORU-Z07 HL7 message when the ENROLLMENT STATUS (#.04) field in the PATIENT ENROLLMENT (#27.11) file is NOT ELIGIBLE;INELIGIBLE DATE and the SOURCE OF ENROLLMENT (#.03) field in the PATIENT ENROLLMENT (#27.11) file is VAMC.

Routine DGEN is modified to retrieve the Ineligible Reason and set the Enrollment Status to 20 (NOT ELIGIBLE;INELIGIBLE DATE) if the Ineligible Date and Ineligible Reason are populated in the patient record. DGENA1A is modified to set the Enrollment Status to 20 for Registration Only Patients when the Ineligible Date is blank. DGENA6 is modified to set the Enrollment Status to “Registration Only” when the Ineligible Date is blank. DGREG is modified with logic to correctly create a patient enrollment record for Ineligible Date.

The consistency checker routine DGRPC is modified to set the Appointment Request fields to null if there is no Ineligible Date.

Routine DGENA2 is modified to retain the existing value for the PT APPLIED FOR ENROLLMENT? (#.14) field in the PATIENT ENROLLMENT (#27.11) file when a new enrollment record is created.

3.5.49 Patch SD*5.3*794 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.11 includes several defect corrections and enhancements. This version fixes an issue where undoing a 'no-show' on a Consult was leaving the request in the Request Management (RM) grid, improves the RM grid so that requests with bad or missing data are excluded when loading requests to the RM grid, rather

than ALL appointment requests in the case that one of the requests has missing or bad data, resolves a benign error that occurs when canceling a consult, and addresses an issue with redundant data on no-show for consults/procedures. This release also adds check-in steps completed to the Expand Entry view of an appointment, and adds logic so that if there are two cancelled appointments at the same date/time for the same patient, only the newest cancelled appointment will have Expand Entry available, and if there is a cancelled and scheduled appointment at the same date and time, then only the scheduled appointment will have Expand Entry available.

The patch adds the following RPCs:

SDES DISPOSITION APPT REQ
 SDES GET APPT REQ BY IEN
 SDES GET APPT REQ BY PATIENT
 SDES SET APPT REQ CREATE
 SDES SET APPT REQ UPDATE

The patch updates the following existing RPCs:

SDEC EP DEMOGRAPHICS

The patch adds or updates the following routines:

Table 33: Patch SD*5.3*794 Routines

New SD Routines	Modified SD Routines
SDESAPTREQSET	SDEC31
SDESARCLOSE	SDECEPT
SDESARGET	SDES
	SDESJSON

3.5.50 Patch DG*5.3*1056 Routines

Patch DG*5.3*1056 removes the word “permanent” from the following fields of the PATIENT file (#2): COUNTRY field (#.1173), TEMPORARY PHONE NUMBER field (#.1219), and CONFIDENTIAL ADDR COUNTRY field (#.14116).

DG*5.3*1056 updates the DG ADDRESS UPDATE entry in the OPTION file (#19) to replace “(P) permanent address” with “(M) mailing address”.

DG*5.3*1056 removes the word “permanent” from displays and prompts in the following routines: DGADDUT2, DGADDUTL, DGFFPLM1, DGREGCP1, DGRP1, DGRPCADD, DGRPD, DGRPE, DGRPH, DGRSTBAD.

3.5.51 Patch SD*5.3*796 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.12 and SD*5.3*796 includes several defect corrections and enhancements. This release implements a Check-In window and indicators on the Check-In screen to display an insurance change, and pre-Check-In and

e-Check-In completion, ensures the "REQUESTOR" field shows "PROVIDER" and the "REQUESTED BY" field shows the Provider Name for "CONSULTS" and "PROCEDURES", a post-install routine to clean up Clinically Indicated Date (CID)/Preferred Date, a post-install routine correcting the provider on appointments scheduled from requests opened as a result of cancelled Recall appointments, and a post-install routine to clear old User Preferences. The release also ensures the Patient Indicated Date (PID) of appointments completed through VistA Scheduling are the day the appointment is created, so that the PID and associated metrics are accurate. Additionally, the release enables printing of a patient's medication list, modifies so that control characters are excluded from the patient input search field so that the Remote Procedure Call (RPC) works normally, and finally, creates an E-Check-In "Allowed" field in VistA for clinic setup supporting improved Veteran Check-In experience.

This version corrects an issue where the Video Visit Service (VVS) appointment ID field was not deleted from the SDEC APPOINTMENT (#409.84) file when cancelling a VVS appointment, a tabbing fix on Make Appointment (APPT) Request screen resulting in a skipped PID field, and lastly, corrects a defect where the GUI crashes when a user tries to load the clinic schedule of a clinic for a scheduled appointment after the clinic's reactivation date.

The patch adds the following fields to the HOSPITAL LOCATION (#44) file:

DATA ELEMENT	NAME TITLE	GLOBAL LOCATION	DATA TYPE
44,20	E-CHECKIN ALLOWED	0;26 SET (Required)	
	'1' FOR YES; '0' FOR NO; LAST EDITED: SEP 01, 2021 HELP-PROMPT: 1 stands for E-Checkin Allowed and 0 stands for E-Checkin not allowed. DESCRIPTION: This field will determine if E-Checkin is allowed for the clinic.		
44,21	PRE-CHECKIN ALLOWED	0;27 SET (Required)	
	'1' FOR YES; '0' FOR NO; LAST EDITED: SEP 01, 2021 HELP-PROMPT: 1 stands for PRE-Checkin allowed and 0 stands for PRE-Checkin not allowed. DESCRIPTION: This field will determine if PRE-Checkin is allowed for this clinic.		

The patch updates the following Input Template for the HOSPITAL LOCATION (#44) file: SDB.

The patch updates the following routines:

Table 34: Patch SD*5.3*796 Routines

New SD Routines	Modified SD Routines
	SDEC08
	SDEC32
	SDEC52B
	SDM0

3.5.52 Patch DG*5.3*1061 Routines

Patch DG*5.3*1061 modifies ICR #10061 for VADPT to include a new component “CAI” for downstream applications to retrieve the COMPACT Act Indicator. The indicator, returned in array VA(“CAI”), is “1” (COMPACT Act Eligible) if the patient is enrolled or if the patient record contains the COMPACT ACT ELIGIBLE eligibility.

The patch also adds 'SPECIAL TX AUTHORITY CARE' and 'COMPACT ACT ELIGIBLE' to the MAS ELIGIBILITY CODE file (#8.1).

The following modified routines are exported by patch DG*5.3*1061:

- **DGENELA**
- **DGLOCK1**
- **DGRP7**
- **DGRPD**
- **VADPT**

In addition, the post-install routine, DG531061P, is created to add 'SPECIAL TX AUTHORITY CARE' and 'COMPACT ACT ELIGIBLE' to the ELIGIBILITY CODE file (#8).

3.5.53 Patch SD*5.3*773 Routines

The Telehealth Management Platform (TMP) project employs patch SD*5.3*773 to apply enhancements and defect corrections.

This patch includes two enhancements for time zone computation.

- Time zones are now always computed from the Institution (#4) file.
- If a specific Clinic points to an Institution entry that does not contain time zone information, the time zone will be derived from the Parent Facility of that Institution.

When Telehealth Management Platform (TMP) sends an appointment transaction to Vista, Vista will not send that transaction back to TMP as a new transaction.

This patch exports the new menu, Telehealth Management Toolbox [SD TELE TOOLS] which contains the below new options. The new menu can be found under the Supervisor Menu [SDSUP] menu.

- Telehealth Inquiries [SD TELE INQ]. This option allows the user to inquire using the Clinic, Medical Center Division, Institution, Patient, List Telehealth Stop Codes, and Telehealth Stop Code Lookup.
- Telehealth Stop Code Add/Edit [SD TELE STOP CODE]. This is a rename to the existing option, EDIT TELE HEALTH STOP CODES [SD EDIT TELE HEALTH STOP CODES]. Also, this patch fixes the <UNDEFINED> error generated when trying to exit using the "^" when the stop code already exists in file SD TELE HEALTH STOP CODE FILE (#40.6).
- SD TELE STOP CODE [SD TELE CLN UPDATE]. This option allows sending Clinic Update Health Level 7 (HL7) messages (Message type: MFN~M05) to TMP for clinics with valid tele health stop codes either by finding all clinics having the selected Stop Code or by directly selecting the clinic.

This patch removes the writing of the text "LDP" to the current device while sending Clinic Update HL7 messages.

This patch will correct an issue where the secondary stop code associated with a clinic is not evaluated as a TMP stop code.

The date range for the Return to Clinic(RTC)/Consult HL7 query will be increased from allowing the past 1 year to allowing the past 2 years.

In addition, the following modified routines are exported by patch SD*5.3*773:

SDHL7APT

SDHL7APU

SDHL7CON

SDHLAPT2

SDTMBUS

SDTMPHLA

SDTMPHLB

The following new routines are exported by patch SD*5.3*773:

SDTMPEDT

SDTMPUT0

SDTMPUT1

3.5.54 Patch SD*5.3*779 Routines

The Telehealth Management Platform (TMP) project employs patch SD*5.3*779 to apply enhancements. This patch includes the following features:

- This patch displays the DEFAULT PROVIDER field (#16) and the PROVIDER multiple (#2600) of the HOSPITAL LOCATION file (#44) under Clinic inquire of the Telehealth Inquiries [SD TELE INQ] option
- This patch includes a new option called the Provider Add/Edit [SD PROVIDER ADD/EDIT] to allow editing of the default provider and provider multiple fields which are needed in Telehealth management platform. The new option will be located under the Telehealth Management Toolbox [SD TELE TOOLS] menu.
- This patch adds the description field for the following menu options which was exported by SD*5.3*773 patch:
 - Telehealth Management Toolbox [SD TELE TOOLS]
 - Telehealth Inquiries [SD TELE INQ]
 - VistA-Telehealth Clinic Update [SD TELE CLN UPDATE]

In addition, the following modified routines are exported by patch SD*5.3*779:

SDTMPEDT

SDTMPUT0

3.5.55 Patch SD*5.3*797 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.13 and SD*5.3*797 includes several defect corrections and enhancements. The release updates the SDES Remote Procedure Call (RPCs) to follow standard naming convention and creates a new RPC based on SDEC SEARCH Video Visit Service (VVS) PROVIDERS RPC to return JSON. Additionally, the release creates a "Block and Move" RPC and adds a "Block and Move" cancellation reason in preparation for future Block and Move functionality, updates routine SDECAR to allow accepting either the old Disposition code (1 or 2 characters) or the new Disposition pointer value and improves GUI handling of bad JSON returns and logs more data about the error that occurred for better debugging.

This release also addresses several defects including an issue with tabbing on the Patient Centered Scheduling (PtCSch) Request window where it skips the Clinic field and the PtCSch Provider field name, and fixes a defect when a provider has a -1 in their phone number (e.g. 304123-1234) resulting in the provider not showing up in the Provider Search when making a VVS appointment.

The patch adds the following RPCs:
SDEC GETVVSMMAKEINFO JSON

SDEC SEARCH VVS PROVIDERS JSON
SDES MAKE APPT BLOCK AND MOVE

The patch updates the following existing RPCs:
SDES SEARCH CLINIC

The patch updates the following routines:

Table 35: Patch SD*5.3*797 Routines

New SD Routines	Modified SD Routines
SDECPRVSRCHJSON	SDEC08
SDECVVSJSON	SDEC1
SDESBLKANDMOVE	SDEC32
	SDEC52B
	SDECAR
	SDES
	SDESJSON
	SDM0

3.5.56 Patch DG*5.3*1065 Routines

Patch DG*5.3*1065 modifies routine DGUAMWS, which invokes the UAM Address Validation Service, to retrieve the API Key from the DG UAM API KEY parameter instance in the PARAMETERS file (#8989.5) and place the key in the message header.

3.5.57 Patch SD*5.3*799 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.14.1 and SD*5.3*799 includes several defect corrections and enhancements. This release adds a Demographics indicator on the VS GUI check-in window that will be exposed in a future release, adds new Remote Procedure Calls (RPC) to Add, Modify, View/Get, and Remove a clinic from HOSPITAL LOCATION file (44), a new PRC to return patient demographics with residential address and cell phone, with city and state separated, in JSON format, and adds clinic name and Internal Entry Number (IEN) to Video Visit Service (VVS) create/edit requests. Additionally, the release modifies SDES RPCs to accept an Enterprise Appointment Scheduling (EAS) transaction ID, adds EAS Tracking number field to SDEC files, improves Single Sign-On Internal (SSOi) certificate selection on login, fixes an issue where no-showing an Multiple Return to Clinic (MRTC) appointment resulted in a "stuck" MRTC child request, and fixes an issue on initial Request Management (RM) Grid load where requests were displayed with missing data, corrects a data issue causing an error message for certain appointment requests.

This release also corrects an issue where no-showing MRTC appointment resulted in a "stuck" MRTC child request.

The patch adds the following RPCs:

SDES CREATE CLINIC
SDES EDIT CLINIC
SDES GET CLINIC INFO
SDES GET PATIENT REGISTRATION: 1606-LAB
SDES INACTIVATE/ZZ CLINIC

The patch updates the following existing RPCs:

SDEC APPADD:VSE-1581
SDEC APPDEL
SDEC RECSET
SDES DISPOSITION APPT REQ
SDES MAKE APPT BLOCK AND MOVE
SDES SET APPT REQ CREATE
SDES SET APPT REQ UPDATE

The patch updates the following routines:

Table 36: Patch SD*5.3*799 Routines

New SD Routines	Modified SD Routines
SDESCLINICSET	SDEC
SDESCLINICSET2	SDEC07
SDESGETREGA	SDEC08
SDESINACTCLINIC	SDEC52A
SDESRTVCLN	SDEC52CJSON
	SDEC52CRMVJSON
	SDECAR2
	SDES
	SDESAPTREQSET
	SDESARCLOSE
	SDESARGET
	SDESBLKANDMOVE
	SDESJSON
	SDRRISRU

3.5.58 Patch DG*5.3*1059 Routines

The VA MPI team in support of Identity Management released patch DG*5.3*1059 with the following enhancements:

1. Two new files in support of the new fields in the PATIENT file (#2). These two files came with data entries:

.SEXUAL ORIENTATION TYPES (#47.77)

.PRONOUN TYPES (#47.78)

2. Five new fields being added to the PATIENT file (#2):

SEXUAL ORIENTATION (#.025) - Multiple / AVAFC202501 (Pointer to NEW File #47.77)

SEXUAL ORIENTATION DESCRIPTION (#.0251) - Free Text / AVAFC0251

PRONOUN (#.2406) - Multiple / AVAFC2240601 (Pointer to NEW File #47.78)

PRONOUN DESCRIPTION (#.24061) - Free Text / AVAFC24061

INDIVIDUAL TAX ID (#991.11) - NUMBER (9000000000 - 9999999999) /

AVAFC99111

3. Adding new 'AVAFC' X-REF to now allow MVI to monitor theses existing fields for changes:

.RESIDENTIAL ADDRESS [LINE 1] (#.1151) - AVAFC1151

.RESIDENTIAL ADDRESS [LINE 2] (#.1152) - AVAFC1152
 .RESIDENTIAL ADDRESS [LINE 3] (#.1153) - AVAFC1153
 .RESIDENTIAL CITY (#.1154) - AVAFC1154
 .RESIDENTIAL STATE (#.1155) - AVAFC1155
 .RESIDENTIAL ZIP+4 (#.1156) - AVAFC1156
 .RESIDENTIAL PROVINCE (#.11571) - AVAFC11571
 .RESIDENTIAL POSTAL CODE (#.11572) - AVAFC11572
 .RESIDENTIAL COUNTRY (#.11573) - AVAFC11573

4. Modification of the DEMUPD^VADPT and DEM^VADPT to include the new fields related to sexual orientation and gender identity (SOGI).
5. Modification of the Patient Inquiry [DG PATIENT INQUIRY] option to always display gender and label residential and correspondence address fields correctly.
6. Modification of the Remote Procedure calls [VAFC REMOTE PDAT] and [VAFC REMOTE AUDIT] to ensure that lines exceeding 255 characters are not being truncated,
7. Enhancement to the HL7 version 2.4 PID and OBX segment builders to handle the new fields added in this patient, as well as both residential and correspondence address fields

Routines modified in DG*5.3*1059:

DGRPD
 VADPT0
 VADPT1
 VAFCHFS
 VAFCPDAT
 VAFCPTED
 VAFCQRY
 VAFCQRY1
 VAFCSB
 VAFCTR

3.5.59 Patch SD*5.3*800 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.15 and SD*5.3*800 includes several defect corrections and enhancements. This release includes new Remote Procedure Calls (RPCs) to Add, View/Get, and Delete clinic availability in the HOSPITAL LOCATION file (44), a new SDEC RPC for Patient Registration, implements new JSON mapping model on APPT request Low-code Software Development (LSD) services, includes a change to wrap Veteran Point of Service (VPS) Patient Registration PRC in SDEC RPC, and includes a front-end fix for orphaned child Multiple Return to Clinics (MRTC).

Additionally, this release adds Title to VVS Provider Search results, addresses Provider Search dialog cosmetic cleanup, updates SDEC Settings VA Video Connect (VVC) stop codes to include 648 and 679, and remove 225, and updates VVS Provider Search to display email addresses. The release also ensures patients are checked in if e-check-in is complete, updates Video Visit Service (VVS) provider search to display email address, updates EAS tracking ID to

Check-in RPCs to accept and store EAS Transaction ID for each check-in step, and remediates 508 issues.

Lastly, the release corrects a defect where providers with matching names returned incorrect data in VVS provider search, and corrects a defect so that eligibility displays for appointments in currently inactive clinics.

The patch adds the following RPCs:
SDEC EDIT PAT PRE-REGISTRATION
SDES CANCEL CLIN AVAILABILITY
SDES CREATE CLIN AVAILABILITY
SDES GET CLIN AVAILABILITY

The patch updates the following existing RPCs:
SDES MAKE APPT BLOCK AND MOVE
SDES SET APPT CHECK-IN STEP

The patch updates the following routines:

Table 37: Patch SD*5.3*800 Routines

New SD Routines	Modified SD Routines
SDECUPDPATPREREG	SDEC1
SDESBLKANDMOVE1	SDEC25
SDESCCAVAIL	SDECPRVSRCHJSON
SDESCLINICAVAIL	SDECVVS
SDESCLNSETAVAIL	SDES
	SDESBLKANDMOVE
	SDESCKNSTEP
	SDESJSON

3.5.60 Patch SD*5.3*780 Routines

1. If the secondary stop code for the clinic is equal to 444, 445, 446 or 447, the APPOINTMENT TYPE (#9.5) field in the PATIENT (#2) file will be set equal to 1 (Compensation & Pension). Currently, the Appointment Type defaults to 9 (Regular) for all appointments.
2. This patch includes functionality to send holidays, non-clinic days and blocked hours from VistA to TMP. TMP users will see unavailable clinic days and hours in TMP without having to refer to VistA.

3. In addition, this patch adds the capability to restore cancelled clinic availability for both cancelled days and cancelled hours. If clinic availability is restored in VistA, TMP will see that the availability has been restored in TMP without having to refer to VistA.
4. This patch moves the location of Telehealth Management Toolbox [SD TELE TOOLS] menu from the Supervisor Menu [SDSUP] to the Scheduling Manager's Menu [SDMGR] so that the SDSUP key is not required to access it. A new key, SDTOOL, is added to secure these items in the Telehealth Management Toolbox menu: Telehealth Stop Code Add/Edit [SD TELE STOP CODE], VistA-Telehealth Clinic Update [SD TELE CLN UPDATE] and Provider Add/Edit [SD PROVIDER ADD/EDIT] .
5. This patch adds a prompt for the clinic default provider email address in Telehealth Management Toolbox - Provider Add/Edit menu option.
6. This patch adds the STATION NUMBER (#99) field from the INSTITUTION (#4) file for a clinic to the HL7 record for a new or cancelled appointment and blocked days and blocked hours. This information improves identification of the correct clinic.
7. The HL7 system converts special characters to escape sequences at the TMP side. This caused a replacement of ("|", "~", "\", "&") with (\F, \R, \E, \T) respectively in the clinic name. This patch fixes this issue. Example: If the clinic name is (RAVI 692 & 442), this would have been received at the TMP side as (RAVI 692 \T 442). Now it will be received correctly as (RAVI 692 & 442).

Table 38: Patch SD*5.3*780 Routines

New SD Routines	Modified SD Routines
SD53P780	SDC
SDTMPHLC	SDD0
	SDHL7APT
	SDHL7APU
	SDTMPEDT
	SDTMPHLA
	SDUNC

3.5.61 Patch SD*5.3*801 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.16.2 and SD*5.3*801 includes several defect corrections and enhancements. This release introduces "Block and Move" functionality, adds "Preferred Gender" field to Patient Information section of the VS GUI, updates VistA (roll and scroll) to reopen the appointment request when an appointment is cancelled.

Additionally, the release updates the GUI to log VA Video Connect (VVC) errors, updates patient information Remote Procedure Call (RPC) to return preferred gender, adds SDES User Profile RPC, includes a change to store Security Token Storage (STS) token so the user does not

need to log in every time a web service is called, adds in SDES RPCs to prepare for future integrations, and remediates 508 findings in the Add Clinic Group form.

The release also corrects three defects. The first defect is where the Request Management (RM) Grid does not refresh after adding appointment request comments. The second defect is where the Video Visit Services (VSS) facility was being assigned incorrectly for integrated sites. The third defect was logic that removed the VVS Appointment ID.

The patch adds the following RPCs:
SDES CANCEL APPT
SDES GET USRPROFILE

The patch updates the following existing RPCs:
SDEC GETREGA

The patch updates the following routines:

Table 39: Patch SD*5.3*801 Routines

New SD Routines	Modified SD Routines
SDESCANCELAPPT	SDCNP0
SDESCLINICUTIL	SDEC07
SDESUTIL	SDEC08
	SDEC09
	SDECVVS
	SDECVVSJSON
	SDES
	SDESBLKANDMOVE
	SDESBLKANDMOVE1
	SDESGETUD
	SDESJSON

3.5.62 Patch SD*5.3*803 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.17.2 and SD*5.3*803 includes several defect corrections and enhancements. The release addresses a front-end fix to midnight timestamp conversion of cancel datetime, adds Arizona time zone to VA Video Connect (VVC) time zone options, updates established. Additionally, the release creates SDES Remote Procedure Calls (RPCs) to Create, Read, Update, and Delete RECALL requests, adds SDEC RPC to return a user's station ID, creates an SDES RPC to edit availability for a clinic in HOSPITAL LOCATION file (44), adds additional logic to the MBAA APPOINTMENT MAKE

RPC, and addresses 508 fixes to Clinics and Users Message form, Clinic Groups Message form, and Print Letter form.

The release also addresses a fix for when pending Return To Clinic (RTC) Order Cleanup Tool incorrectly dispositions pending orders, and updates Veterans Health Information Systems and Technology Architecture (VistA) so that a user cannot cancel an appointment in "checked-in" status.

The patch adds the following RPCs:

SDEC GET STATION ID JSON
SDES DISPOSITION PTCSCH REQ
SDES EDIT CLINIC AVAILABILITY
SDES EDIT RECALL REQ
SDES GET RECALL BY IEN
SDES GET RECALLS BY DFN

The patch updates the following existing RPCs:

SDES CANCEL CLIN AVAILABILITY
SDES CREATE RECALL REQ
SDES GET CLINIC INFO
SDES GET USRPROFILE
SDES INACTIVATE/ZZ CLINIC

The patch updates the following routines:

Table 40: Patch SD*5.3*803 Routines

New SD Routines	Modified SD Routines
SDECDUZ	SDCNP0
SDESDISPRECALL	SDEC1
SDESGETRECALL	SDEC50
SDESUPDRECREQ	SDECRTCF
	SDES
	SDESBLKANDMOVE
	SDESBLKANDMOVE1
	SDESCLNSETAVAIL
	SDESJSON

3.5.63 Patch SD*5.3*804 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.18.1 and SD*5.3*804 includes several defect corrections and enhancements. The release updates the demographics indicator use Check-in Integration Point (CHIP) web services, updates SDES GET PATIENT

REGISTRATION Remote Procedure Call (RPC) to reformat JSON returns, assigns SDES RPCs to the correct menu options, adds RPC wrapper to send null SDIEN, updates SDEC GET STATIONID JSON, SDEC GETVVSMMAKEINFO to return station number, and updates SDES CANCEL RPC to not remove the Video Visit Service (VVS) link from file 409.84. Additionally, the release adds logging of VVS web service calls when cancelling an appointment, and updates VistA roll and scroll to move injected code for deleting VVSID to after SDCAN.

The release addresses several defects; fixes VVS Provider search termination date issue, fixes crashing of VS GUI if web service to cancel VVS appointment fails, a correction to remove VVS ID from appointment after VVS appointment is cancelled and fixes the Personal Identity Verification (PIV) login help link on the login window. The release also addresses VVS appointments converting to incorrect time zones, includes a change so that VVS Appointment cancellation during Block and Move/Drag and Drop and a change so that VVS ID is removed from VistA AFTER the VVS appointment is cancelled. The Insurance Verification Logic was updated to work correctly for insurance policies that didn't have an expiration date. The Block and Move logic was updated to store the cancellation reason Block and Move on the appointment that was cancelled during this process.

The patch updates the following existing RPC:
SDES CREATE CLINIC

The patch updates the following routines:

Table 41: Patch SD*5.3*804 Routines

New SD Routines	Modified SD Routines
	SDCNP0
	SDECDUZ
	SDECPRVSRCHJSON
	SDECVVS
	SDECVVSJSON
	SDES
	SDESBLKANDMOVE
	SDESBLKANDMOVE1
	SDESCANCELAPPT
	SDESGETREGA
	SDESPATRPC

3.5.64 Patch DG*5.3*1067 Routines

Patch DG*5.3*1067 modifies ICR #10061 for the Callable Entry Point OAD^VADPT. The new RELATIONSHIP TYPE is added to the output array in the tenth node (e.g., VAOA(10)="HUSBAND"), replacing the RELATIONSHIP TO PATIENT. The RELATIONSHIP TO PATIENT is moved to the new 12th node of the output array (e.g., VAOA(12)="Ex-husband").

DG*5.3*1067 adds five new fields to the PATIENT file (#2). These fields will contain pointers to the new PATIENT CONTACT RELATION file (#12.11):

- K-RELATIONSHIP TYPE (#.224)
- K2-RELATIONSHIP TYPE (#.2104)
- E-RELATIONSHIP TYPE (#.3309)
- E2-RELATIONSHIP TYPE (#.331015)
- D-RELATIONSHIP TYPE (#.34015)

Patch DG*5.3*1067 includes updates adding the new Relation Type and Relation Note prompts to the **EMERGENCY CONTACT DATA, SCREEN <3>** screen.

The following modified routines are exported by patch DG*5.3*1067:

- DG531067P – Post install routine for VHAP renames, modify Parameter Definitions
- DGDDC – Insure new Next of Kin fields are cleaned up when the contact is deleted
- DGDDDTTM – Trigger Date/Time Cross References
- DGREG – Logic added to handle new Registration Only Reasons
- DGRP3 – Emergency Contact Data, Screen 3 modifications
- DGRPD1 – Update to the Patient Inquiry option
- DGRPE – Updated to handle Emergency Contact Data, Screen 3 processing
- DGRRPSKN – Modifications for the Remote Procedure Call (RPC) Patient Services Contact Information
- VADPT1 – Additional fields added to VADPT API
- VAFHLZCT – Add Relationship Types to the ZCT segment

Patch IVM*2.0*204, included in the Host File for this build, contains a pre-install routine, PRE^IVM20204P, which deletes entries from the IVM DEMOGRAPHIC UPLOAD FIELDS file (#301.92) for the Next of Kin processing.

3.5.65 Patch SD*5.3*805 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.19.1 and SD*5.3*805 includes several defect corrections and enhancements including an update to the VS GUI Help section on the Tasks tab, an update to the Pending Appointment Letter and the Reports Tab in order to be 508 compliant, a series of new Create, Read, Update or Delete (CRUD) Remote Procedure Calls (RPC) to maintain appointments in the HOSPITAL LOCATION (#44) file, an update to the VS GUI to allow users to modify the Patient Indicated Date (PID) when rescheduling an appointment that was cancelled by patient or no-showed, and an update to all the SDES name spaced RPCs to accept the optional Enterprise Appointment Services (EAS) number.

Additionally, the release includes an update to the SDES Get User Profile RPC to receive Security ID (SECID) instead of VA Person ID (VPID), and an update to the code to include a time zone utility and adjust a field name from FacilityCode to StationID to support future work on Video Visit Service (VVS) time zone conversion.

The patch adds the following File:
SDEC CONSULT PID HISTORY FILE

Table 42: SDEC CONSULT PID HISTORY FILE

File Number		GLOBAL	READ	WRITE	LAYGO	DATA DICTIONARY	DELETE
409.87		^SDEC(409.87	D	D	D	@	@

The patch adds the following RPCs:
SDES CANCEL APPT #44
SDES CREATE APPT #44
SDES EDIT APPT #44
SDES EDIT FILE 44 APPT
SDES GET APPT #44

The patch updates the following existing RPC:
SDES CANCEL APPT
SDES CANCEL CLIN AVAILABILITY
SDES CREATE APPT BLK AND MOVE
SDES CREATE APPT REQ
SDES CREATE CLIN AVAILABILITY
SDES CREATE CLINIC
SDES CREATE RECALL REQ
SDES DISPOSITION APPT REQ
SDES DISPOSITION RECALL REQ
SDES EDIT APPT REQ
SDES EDIT CHECK-IN STEP
SDES EDIT CLINIC

SDES EDIT CLINIC AVAILABILITY
 SDES EDIT RECALL REQ
 SDES GET APPT BY IEN
 SDES GET APPT CHECK-IN STEP
 SDES GET APPT CHECK-IN STEPS
 SDES GET APPT REQ BY IEN
 SDES GET APPT REQ BY PATIENT
 SDES GET APPTS BY CLINIC
 SDES GET APPTS BY PATIENT
 SDES GET APPTS BY RESOURCE
 SDES GET CHECK-IN STEP
 SDES GET CHECK-IN STEPS
 SDES GET CLIN AVAILABILITY
 SDES GET CLINIC INFO
 SDES GET INSURANCE VERIFY REQ
 SDES GET PATIENT REGISTRATION
 SDES GET RECALL BY IEN
 SDES GET RECALLS BY DFN
 SDES GET USRPROFILE
 SDES INACTIVATE/ZZ CLINIC
 SDES SET APPT CHECK-IN STEP
 SDES SET CHECK-IN STEP

Table 43: Patch SD*5.3*805 Routines

New SD Routines	Modified SD Routines
SDEC07PID	SDAMUTDT
SDESAPTREQ44	SDEC
SDESCANCELAPPT44	SDEC07
SDESGETCLINAPPT	SDEC08
	SDEC31
	SDECAR
	SDECAR2
	SDECAR4
	SDECCONSJSON
	SDECDATE
	SDECDUZ
	SDECRECREQ
	SDECVVS
	SDECVVSJSON

New SD Routines	Modified SD Routines
	SDES
	SDESAPPT
	SDESAPTREQSET
	SDESARCLOSE
	SDESARGET
	SDESBLKANDMOVE
	SDESCANCELAPPT
	SDESCCAVAIL
	SDESCKNSTEP
	SDESCLINICAVAIL
	SDESCLINICSET
	SDESCLNSETAVAIL
	SDESDISPRECALL
	SDESGETRECALL
	SDESGETREGA
	SDESGETUD
	SDESINACTCLINIC
	SDESJSON
	SDESPATRPC
	SDESRTVCLN
	SDESUPDRECREQ
	SDESUTIL

3.5.66 Patch SD*5.3*807 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.20.0 and SD*5.3*807 make several defect corrections and enhancements, including updates to the Tasks Tab in the Appointment Calendar, the Patient Information and Patient Eligibility forms to make them 508 compliant. The calculation of "inactive" in the SDEC RESOURCE file was updated so that a clinic with a future inactivation date and future reactivation date is considered "active." The SDES GET APPTS BY PATIENT RPC was updated to return the Appt Type string in addition to the IEN. The SDEC GETVVSMMAKEINFO JSON RPC was updated to return a single offset for a time zone to resolve an issue with VVS appointments converting to incorrect time zones. The logic for the Insurance Verification Process was updated to review the past 6 months for any accepted insurance in the Insurance Verification Processor file (#355.33). The SDES GET

USRPROFILE RPC was added to the SDECRPC Menu option. The SDES SET APPT CHECK-IN STEP RPC was updated to comply with the latest business rules. Several of the SDES name spaced RPCs were updated to pass back an empty JSON array, not an empty string when no matching data was found. The new SDES GET PATCH NUMBER RPC was created to pass back the latest installed Scheduling patch number. The SDES GET USER PROFILE RPC BY DUZ was created to return a user's current profile information. Fixes null reference exception when using Trace Log Viewer search. Adds "Philippines" as an option to the VVS time zone dropdown, fixes an issue where a user was unable to update the PID on a consult which was previously no-showed, and Creates a READ RPC for the Credit Stop File.

The patch adds the following RPCs:

SDES GET PATCH NUMBER
SDES GET STOPCD DETAIL

The patch updates the following existing RPC:

SDEC EDIT PAT PRE-REGISTRATION
SDEC GETVVSMAKEINFO JSON
SDES GET USER PROFILE BY DUZ

Table 44: Patch SD*5.3*807 Routines

New SD Routines	Modified SD Routines
SDESGETSTOPCODE	SDEC03
SDESGETUDDUZ	SDEC1
SDESPATCHINFO	SDECCONSJSON
	SDECVVSJSON
	SDES
	SDES01C
	SDESAPPT
	SDESBLKANDMOVE
	SDESCKNSTEP
	SDESJSON
	SDESPATRPC
	SDESRTVCLN

3.5.67 Patch SD*5.3*809 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.21.0 and SD*5.3*809 includes several defect corrections and enhancements including updates to the Calendar Appointment Selected Item, Edit Appointment and View Appointment forms to make them 508 compliant. The VS GUI was also updated to alert schedulers when a veteran is ineligible for

care, and to show timestamp of last demographics change in patient info window. The SDES GET PAT APPT BY IEN #2 and SDES GET PAT APPTS BY DFN #2 RPCs were created to return a single appt by and to return a list of appts by DFN respectively. Four new RPCs were created to Create, Read, Update and Delete appointments in the PATIENT (#2) file. The CONTACT TYPE (#1) field in the DATE/TIME of CONTACT (#3) multiple in the SDEC CONTACT (#409.86) file was updated to include the following additional contact types: E:EMAIL, T:TEXT and S:SECURE MESSAGING. These new contact types will not be available in the GUI as well. The VS GUI was updated to store the entered date of the appointment for the disposition date. Improvements were made to the VS GUI to update the Special Needs/Preferences based on discovery findings and input from the Business Owners. A fix was included when returning the STATUS field for future appointments that were cancelled while the patient was in an inpatient status. The SDES name spaced RPCs were updated to utilize the ISO 8601 time standard. A Remote Application entry was deployed for use by external application needing to access VistA. The SDEC EP DEMOGRAPHICS RPC to work to not allow Expanded Entry for Inpatient Cancelled appointments that have an overlaid appointment within the patient file. The VS GUI was updated to display the patient's preferred name. The SDES GET PATIENT REGISTRATION and SDEC GETREGA RPCs were updated to set the DATE CHANGED (#1) field in the PRE-REGISTRATION AUDIT (#41.41). The SDESPATRPC routine was updated to include the latest business logic related to insurance verification and to use a more efficient x-ref to expedite it processing. The Video Visit functionality was updated to return more details in any error messages displayed to the user. The SDES GET USRPROFILE and the SDES GET USER PROFILE BY DUZ RPCs were updated to return all divisions a user is assigned to or the value in VistA system wide variable DUZ(2) if there are no divisions assigned to the user. The VS GUI was updated to include the time zone when displaying clinic information. The Clinic Edit Log Report [SD CLINIC EDIT LOG] was updated to 30 characters for the Clinic Name and the before and after data. The new RPC SDES GET APPTS BY CLINIC LIST was created to return a list of APPTS by clinic. The SDES GET APPTS BY CLINIC RPC was updated to accept multiple clinic IENs.

The patch adds the following RPCs:

- SDES CANCEL APPT #2
- SDES CREATE APPT #2
- SDES EDIT APPT #2
- SDES GET APPTS BY CLINIC LIST
- SDES GET PAT APPT BY IEN #2
- SDES GET PAT APPTS BY DFN #2

The patch updates the following existing RPC:

- SDEC FAPPTGET
- SDEC GETREGA
- SDEC RESOURCE
- SDES CANCEL APPT #44
- SDES CANCEL CLIN AVAILABILITY
- SDES CREATE APPT #44
- SDES CREATE APPT REQ
- SDES CREATE RECALL REQ

SDES DISPOSITION APPT REQ
SDES EDIT APPT #44
SDES EDIT APPT REQ
SDES EDIT CLINIC AVAILABILITY
SDES EDIT RECALL REQ
SDES GET APPT #44
SDES GET APPT REQ BY IEN
SDES GET APPT REQ BY PATIENT
SDES GET CLIN AVAILABILITY
SDES GET PATCH NUMBER
SDES GET PATIENT REGISTRATION
SDES GET RECALL BY IEN
SDES GET RECALLS BY DFN
SDES GET USER PROFILE BY DUZ
SDES GET USRPROFILE

Table 45: Patch SD*5.3*809 Routines

New SD Routines	Modified SD Routines
SDESAPPTREQ2	SD44AUDI
SDESCANCELAPPT2	SDAMUTDT
SDESGETPATAPPT	SDEC01A
	SDEC09
	SDEC50
	SDEC53
	SDECEPT
	SDES
	SDESAPPT
	SDESAPPTREQ44
	SDESAPPTREQSET
	SDESARCLOSE
	SDESARGET
	SDESCANCELAPPT44
	SDESCCAVAIL
	SDESCLINICAVAIL
	SDESCLNSETAVAIL
	SDESGETRECALL
	SDESGETREGA
	SDESGETUD
	SDESGETUDDUZ
	SDESJSON
	SDESPATRPC
	SDESUPDRECREQ
	SDM1A

3.5.68 Patch SD*5.3*813 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.22.0 and SD*5.3*813 includes several defect corrections and enhancements including updates to the Calendar Appointment Selected Item to make them 508 compliant. The tabbing logic on the Cancel Appointment dialog box was updated to follow the necessary business flow. The tabbing on the Temporary Address was updated to follow the necessary business flow. The new SDES CREATE APPT #409.84 RPC was created to add new appointments to the SDEC APPOINTMENT (#409.84) file. The new SDES EDIT APPT #409.84 RPC was created to allow editing of the Notes and Appointment Length fields in the SDEC APPOINTMENT (#409.84) file. The User Preferences in the VS GUI was updated to account for new CA columns for text, email, secure messaging. The VS GUI was updated to allow for the printing of a patient-friendly appointment based on input from the PI Planning board. Several RPCs were updated to include CA counts for text message, secure messaging, and email. The VS GUI was updated to include the time zone information for all the Patient letters and to the Expand Entry screen. The SDES GET CLINIC INFO RPC was updated to return the time zone information. A new tool tip was added to the clinic calendar noting instances where the time zone could not be determined for a selected clinic and info on how to submit a YourIT ticket to remedy this situation. The VS GUI was updated to not store the certificate information if the selected certificate fails the authentication process. The ISO 8601 to FileMan conversion API was updated to return and error when an invalid ISO 8601 formatted date is passed in. The main entry point routine for the SDES* name spaced RPCs was updated to include additional Quit statements were added to prevent unwanted code execution. Logic was added to the SDES CREATE CLIN RPC logic to create a corresponding entry in the SDEC RESOURCE (#409.831) file.

The patch adds the following RPCs:

- SDES CREATE APPT #409.84
- SDES EDIT APPT #409.84
- SDES PRINT PATIENT APPTS

The patch updates the following existing RPC:

- SDEC ARGET
- SDEC GET PATIENT APPT REQ JSON
- SDEC GET PATIENT CONSULT JSON
- SDEC GET PATIENT RECALLS JSON
- SDEC GET RECALLRMV BY DFN JSON
- SDEC RECGET
- SDEC REQGET

Table 46: Patch SD*5.3*813 Routines

New SD Routines	Modified SD Routines
SDESAPPTEDIT	SDAMUTDT
SDESAPPTREQ40984	SDEC40
SDESPRINTPATAPPT	SDEC51
	SDEC52
	SDEC52CJSON
	SDEC52CRMVJSON
	SDECAR1
	SDECAR1A
	SDECAR4
	SDECCONSJSON
	SDECEPT
	SDES
	SDESARGET
	SDESCCAVAIL
	SDESCLINICSET2
	SDESGETRECALL
	SDESJSON
	SDESRTVCLN

3.5.69 Patch SD*5.3*814 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.23.0 and SD*5.3*814 includes several defect corrections and enhancements including updates to the Calendar Appointment Item Context Menus were updated to be 508 compliant. The VS GUI was updated to display the information correctly when a Recall is viewed or edited and the FASTING button has been selected. The new SDES GET MISSION ACT ELIG RPC was created to determine whether a patient is mission act eligible and the VS GUI was updated to display the Mission Act eligibility on various screens within the application. The VS GUI was updated to utilize the user's division when calling demographics web service. \$G commands were placed around all input parameters within the DO statements of the SDES routine to help prevent undefined variable errors. The VS GUI was updated to prevent the hijacking of the Ctrl+P control function that is shared among numerous applications. The SDUNC routine was updated to quit out if the user enters an ^ at the RESTORE WHICH PERIOD?: prompt. The SDESGETUD and SDESGETUDDUZ routines were updated to return the ID / IEN of Division and name. The VS

GUI Disposition logic was updated to present display a message to the user in a dialog window if the minimum number of contact attempts have not been made for the request. The \$\$FMTISO function was updated to account for Eastern European Time zones. The SDEC1 and SDEC46 routines were updated to return the institution name so the VS GUI can display the default institution assigned to the VistA instance a user is logged into in the top center of the VS GUI application. The Return Value Type field for the SDEC EDIT PAT PRE-REGISTRATION RPC was changed from array to single value. This release includes creation of wrapper SDES RPCs to add an appointment and view an appointment. The release also includes a new RPC that accepts a list of patient DFNs and returns insurance indicators. SDES CREATE APPT #409.84 RPC and SDES CREATE APPT #44 were updated to adhere to SDES established standards. SDECDATE was updated to correct an issue where trailing alpha characters were not passed for date validation. The VS GUI was updated to display VVC appointment start time in human readable format.

The patch adds the following RPCs:

SDEC GET INSTITUTION
 SDES CREATE APPOINTMENTS
 SDES GET APPTS BY CLIN IEN
 SDES GET APPTS BY PATIENT DFN
 SDES GET INSURANCE VERIFY LIST
 SDES GET MISSION ACT ELIG

The patch updates the following existing RPC:

SDEC EDIT PAT PRE-REGISTRATION

Table 47: Patch SD*5.3*814 Routines

New SD Routines	Modified SD Routines
SDESCREATEAPPT	SDEC1
SDESCREATEAPPT2	SDEC46
SDESCREATEAPPT44	SDECDATE
SDESCRTAPPTWRAP	SDES
SDESGETAPPTWRAP	SDESAPPTDATA
SDESMISSIONELG	SDESGETREGA
	SDESGETUD
	SDESGETUDDUZ
	SDESJSON
	SDESPATRPC
	SDESUTIL
	SDUNC

3.5.70 Patch SD*5.3*815 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.24.1 and SD*5.3*815 includes several defect corrections and enhancements including updates to the New SDES GET CONSULTS BY IEN RPC was created to get a single consult request by IEN and multiple consult requests by DFN. Improves error handling for calls to demographics web service-address as well as improvements to an incorrect certificate is selected. The VS GUI was updated to Clear patient appointment records on refresh thereby eliminating the duplicate information in the RM Grid. Additional cancellation reasons were added to support VEText Veteran's Choice Proposal. The new SDES GET APPT BY REQ/APPT TYPE RPC was created to return appointment object when given request IEN and appointment type of Consult or Appointment. The new SDES GET APPT REQ LIST BY DFN RPC was created as a wrapper around several RPCs to return one large request object. Refinements were made to the wrapper RPC around SDES GET APPTS BY DFN #2 and SDES GET APPTS BY CLINIC #44 to return an appointment object. A new "Atlantic" time zone was created so that appointments scheduled in Puerto Rico from VS GUI are scheduled at the correct time. A disposition warning was added for contact attempts on MRTC/RTC when "Removed/No Longer Necessary" is selected. The SDEC STOP CODE FILE (#409.89) file was created to store the stop codes that indicate Primary Care/Mental Health for Mission Act. A SDES Wrapper RPC was created to return a single appointment by IEN. The SDES CREATE APPT REQ was updated to accept stop code number for "service" rather than IEN of stop code. A new field for patient comments was added to the SDEC APPT REQUEST (#409.85) file. The RETURN VALUE TYPE field for the SDES DISPOSITION RECALL REQ RPC was updated to be ARRAY. The input parameter naming convention was standardized for all SDES name spaced RPCs. The VS GUI was updated to Hide the system cancellation reasons from the user. The SDES GET APPT REQ BY PATIENT, SDES GET APPT REQ BY IEN, SDES GET APPTS BY RESOURCE, SDES GET APPTS BY IEN, SDES GET APPTS BY PATIENT and SDES GET APPTS BY RESOURCE RPCs were updated to include the Provider SECID in their JSON return object. The release adds patient self-cancel disposition reason for appointment requests. Additionally, the release fixes an issue where parent request was not removed from RM Grid when dispositioning MRTC and RTC requests.

The patch adds the following RPCs:

- SDES GET APPT BY REQ/APPT TYPE
- SDES GET APPT REQ LIST BY DFN
- SDES GET APPTS BY CLIN IEN 2
- SDES GET APPTS BY IEN
- SDES GET APPTS BY PATIENT DFN2
- SDES GET CONSULTS BY DFN
- SDES GET CONSULTS BY IEN

The patch updates the following existing RPC:

- SDEC RECDSET
- SDES CANCEL APPT
- SDES CREATE APPT REQ
- SDES DISPOSITION APPT REQ
- SDES DISPOSITION RECALL REQ

SDES EDIT APPT REQ
 SDES EDIT RECALL REQ
 SDES GET APPT REQ BY IEN
 SDES GET APPT REQ BY PATIENT
 SDES GET APPTS BY PATIENT
 SDES GET APPTS BY RESOURCE
 SDES GET RECALL BY IEN
 SDES GET RECALLS BY DFN
 SDES SET APPT CHECK-IN STEP

Table 48: Patch SD*5.3*815 Routines

New SD Routines	Modified SD Routines
SDESGETAPPTREQ	SDEC52A
SDESGETAPPTWRAP2	SDECAR
SDESGETAPPTWRAP3	SDECRECREQ
SDESGETCONSULTS	SDES
SDESGETREQWRAPPR	SDESAPPT
	SDESAPPTDATA
	SDESAPTREQSET
	SDESARCLOSE
	SDESDISPRECALL
	SDESGETRECALL
	SDESJSON
	SDESMISSIONELG

3.5.71 Patch DG*5.3*1071 Routines

The VA MPI team in support of Identity Management released patch DG*5.3*1071 with the following enhancements:

1. Four new fields with cross-references (X-REF) being added to the SEXUAL ORIENTATION (#2.025) multiple in the PATIENT file (#2):
 - . STATUS (#.02) - SET OF CODES / AUDITED / AVAFC202502
Sorting X-REF: AHIST
 - . DATE CREATED (#.03) - DATE / AVAFC202503
Lookup/Sorting X-REFs: G202501 / G202503
Sorting X-REF: AHIST
 - . DATE LAST UPDATED (#.04) - DATE / AUDITED / AVAFC202504
Lookup/Sorting X-REFs: G202502 / G202504

- Sorting X-REF: AHIST
- . NOTE (#.05) - POINTER / AUDITED
(*Pointer to the TIU DOCUMENT (#8925) file)
Sorting X-REF: AHIST
- . TYPE OF UPDATE (#.06) - SET OF CODES
Sorting X-REF: AHIST

2. Modification of the DEMUPD^VADPT and DEM^VADPT to include the new additional Sexual Orientation fields.
3. Modification of the Patient Inquiry [DG PATIENT INQUIRY] and [RG EXCEPTION TF INQUIRY] options to display the additional Sexual Orientation fields.
4. Enhancement to the HL7 version 2.4 OBX segment builders to handle the new additional Sexual Orientation fields added for a patient.
5. New Application Programming Interface (API) was created to allow adding/updating/validation of the Sexual Orientation fields in the multiple for the patient's record. [Private ICR #7323 created in FORUM]
6. Modification of the [RG EXCEPTION TF INQUIRY] option to display the Work and Cell phone numbers for the patient if applicable.
7. Modification of the [RG EXCEPTION TF INQUIRY] option to display the Correspondence and Foreign residential address information correctly/completely.

Routines added in DG*5.3*1071:

DG1071P
VAFCPAI

Routines modified in DG*5.3*1071:

DGRPD
VADPT1
VAFCPDAT
VAFCPDAT
VAFCPTED
VAFCSB
VAFCTR

3.5.72 Patch SD*5.3*816 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.25.0 and SD*5.3*816 includes several defect corrections and enhancements including adding locking logic to processes that update Consult records and to return notification that an order is locked by another user and that no updates can be made until the existing uses releases the order. The VS GUI was updated to allow clerk to indicate when demographics are verified. All error messages returned to the VS GUI were moved from a routine based structure to a file-based structure. The Appointment calendar in the VS GUI was streamlined based on 508 guidelines to increase the efficiency of users interfacing with assistive technologies. The VS GUI was updated to be more user friendly by staggering the launching of various screens which will increase the overall speed

of the application. Existing SDES name spaced RPCs that are not to be used were identified and will be deleted by the patch. The new RPCs SDES GET APPT CHECK-IN STEP2 and SDES GET APPT CHECK-IN STEPS 2 were created and utilize ISO 8601 dates. These RPCs will replace SDES GET APPT CHECK-IN STEP and SDES GET APPT CHECK-IN STEPS respectively.

The patch adds the following RPCs:

SDES GET APPT CHECK-IN STEP 2
SDES GET APPT CHECK-IN STEPS 2

The patch updates the following existing RPC:

SDES GET CLIN AVAILABILITY

The patch deletes the following existing RPCs:

SDES CANCEL APPT
SDES CANCEL APPT #2
SDES CANCEL APPT #44
SDES CREATE APPT #2
SDES CREATE APPT #409.84
SDES CREATE APPT #44
SDES EDIT APPT #2
SDES EDIT APPT #409.84
SDES EDIT APPT #44
SDES GET APPT #44

Table 49: Patch SD*5.3*816 Routines

New SD Routines	Modified SD Routines
SDES2	SDEC07
SDESCHECKINSTP	SDEC07C
	SDESCLINICAVAIL
	SDESCRTAPPTWRAP
	SDESJSON
	SDESPATRPC
	SDESUTIL

3.5.73 Patch SD*5.3*812 Routines

The Telehealth Management Platform (TMP) project employs patch SD*5.3*812 to apply enhancements. This patch includes the following features:

- Display Clinic Availability Report [SD DISPLAY AVAIL REPORT] link has been added to this menu for the convenience of TMP users.

- This patch adds a new TMP inquiry under the Telehealth Inquiries [SD TELE INQ] option. The new inquiry is to allow users to view the entries of the STATION NUMBER (TIME SENSITIVE) file (#389.9).

Table 50: Patch SD*5.3*812 Routines

New SD Routines	Modified SD Routines
SD53P812	SDHL7CON
SDTMPSTN	SDTMPHLA
	SDTMPUT0
	SDUNC

3.5.74 Patch DG*5.3*1075 Routines

Added Pre/Post install routine DG531075P: A new parameter DG PATCH DG*5.3*1075 ACTIVE is added to the PARAMETER DEFINITION (#8989.51) file. A timestamp value of August 3rd, 2022, 17:00 is stored in this parameter indicating when the new Housing and Urban Development – Veterans Affairs Supportive Housing (HUD-VASH) eligibility code will be active. This routine also modifies the Server Host (endpoint) and Port Number for the DG EE SUMMARY SERVER web server.

The following routines are exported by patch DG*5.3*1075:

- DGLOCK1 – Block entry in PRIMARY ELIGIBILITY CODE prompt
Prevents the entry of HUD-VASH eligibility code in the PRIMARY ELIGIBILITY CODE prompt on the ELIGIBILITY STATUS DATA, SCREEN <7>.
- DGREG.INT – Fix line 1 for SAC compliance
Added spacing after initials on Routine Name line of routine.
- DGRP3.INT – SAC compliance
Correct second line of routine for SAC compliance, remove extraneous slashes.
- DGRP6EF.INT – Changes for Environmental Factors screens
Updates A/O Exposure processing on the ENVIRONMENTAL FACTORS screen.
- DGRP7.INT – Change displayed output
The “Aid & Attendance”, “Housebound”, and the “VA Pension” prompts, on the ENVIRONMENTAL FACTORS screen for example, now display NO instead of UNANSWERED for non-Veterans.
- DGRP7CP.INT – Change displayed answers for non-Veterans
The “Aid & Attendance”, “Housebound”, and the “VA Pension” prompts now display NO instead of UNANSWERED or NULL for non-Veterans.
- DGRPCE.INT – Add default responses
The RECEIVING A&A BENEFITS? field (#.36205), RECEIVING HOUSEBOUND BENEFITS? field (#36215), RECEIVING A VA PENSION? field (#.36235), of the PATIENT file (#2), prompt’s defaults are set to NO only for non-Veterans.
- DGRPCE1.INT – Limit additional prompts based on response

If “RADIATION EXPOSURE INDICATED?” field (#.32103) is not YES no additional prompts will display. In addition, “RADIATION EXPOSURE METHOD” field (#.3212) is changed to a required field.

3.5.75 Patch SD*5.3*818 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.26.1 and SD*5.3*818 includes several defect corrections and enhancements including an update that will allow the calendar to open when the Request Management (RM) grid contains more than 25 requests, and an update to prevent a child appointment that was removed from being able to be scheduled. A new RPC was created to return all national flags and the fugitive felon flag and return this info in a JavaScript Object Notation (JSON) object to the calling application. An update was made to the SDES CREATE CLIN AVAILABILITY RPC to prevent a division by zero error when the length of appointment field is not defined.

Several existing RPCs were updated to return the Institution station number and Scheduled Date of Appointment in the returned JSON object. Several existing RPCs were updated to include a secondary stop code as an input parameter and to store this information in the related file entries. The SDES DISPOSITION APPT REQ RPC was updated so that when called by veteran-facing scheduling services (VAOS, EAS) the Disposition by field will be set to the calling application DUZ value. Several existing RPCs were updated to include the Internal Entry Number (IEN) for the selected Disposition Reason. The new patient's comments field was added to the SDEC APPT REQUEST (#409.85) file to store the patient's three choices for appointment date preferences. The SDES GET USER PROFILE BY DUZ RPC was updated to include the station ID for each division. The VS GUI was updated to default the desired appointment date to the original desired date if it is null. The VS GUI was updated to display the patient's Self-Identified Gender in the patient info window. The SDEC PTLOOOKRS RPC and the SDEC28 and SDUTLPTADD routines were updated to retrieve and return all the patient addresses. The VS GUI was updated to display text in the time slot viewer showing the status of the slot: Available, Overbook, or Unavailable.

The Short Cut key ctrl+5 was added to the VS GUI to allow users to navigate to the calendar. The RECALL REMINDER REMOVED (#5.1) field was added the SDEC APPOINTMENT (#409.84) file and is a pointer value to the RECALL REMINDERS REMOVED (#403.56) file. The VS GUI was updated to display the updated message text for patients who are eligible for MISSION Act Wait Time. The VS GUI was updated to offset the start time of the appointment (in clinic's time zone) from the patient's time zone before calling the create VVS service. The Medical Center DIVISION (#3.5) field in HOSPITAL LOCATION (#44) was updated to be a required field. The VS GUI was updated to allow user to cancel out of loading a sensitive patient record. The SDES CREATE APPT REQ RPC was refactored to increase efficiency and to apply the latest coding standards. The VS GUI was updated to trim timeslots from the calendar view that cannot be scheduled (e.g. Nights and weekends) and to prevent unusable space from taking up the viewport. The VS GUI was updated to ensure that the Originating User is set to the Logged In user for a new appointment being added. The SDECVVS and SDESUTIL routines were updated to identify and pass back the correct time zone information based on the context of the create video appointment pop-up window. The RPC SDES GET MISSION ACT ELIG RPC was updated to correct the logic to determine MISSION ACT eligibility. A new VistA utility was

created to standardize the conversion of the return data in to a standardized JSON object. The DG SENSITIVE RECORD ACCESS and DG SENSITIVE RECORD BULLETIN were added to the SDESRPC option to help prevent users from accessing their own records if they don't have the DG RECORD ACCESS security key and to allow for the necessary access auditing.

The patch adds the following RPCs:

- SDES CANCEL APPOINTMENT
- SDES GET APPT REQ BY PAT ALL
- SDES GET APPT REQ BY PAT OPEN
- SDES GET PATIENT FLAGS

The patch updates the following existing RPC:

- SDEC GET PATIENT RECALLS JSON
- SDEC GET RECALL BY IEN JSON
- SDES CREATE APPT REQ
- SDES EDIT APPT REQ
- SDES GET APPT REQ BY IEN
- SDES GET APPT REQ BY PATIENT
- SDES GET APPT REQ LIST BY DFN
- SDES GET APPTS BY PATIENT
- SDES GET APPTS BY RESOURCE
- SDES GET MISSION ACT ELIG
- SDES GET USER PROFILE BY DUZ

Table 51: Patch SD*5.3*818 Routines

New SD Routines	Modified SD Routines
SDESBUILDJSON	SDEC52CJSON
SDESCANCELAPPTS	SDECVVS
	SDES
	SDES2
	SDESAPTREQSET
	SDESARCLOSE
	SDESCLNSETAVAIL
	SDESGETAPPTREQ
	SDESGETREQWRAPPR
	SDESGETUDDUZ
	SDESMISSIONELG
	SDESPATFLAGS
	SDESUTIL
	SDRRISRU

3.5.76 Patch SD*5.3*819 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.27.1 and SD*5.3*819 includes several defect corrections and enhancements including updating the SDES GET USRPROFILE Remote Procedure Call (RPC) to include the user's security keys and menu options. The Enterprise Appointment Services (EAS) validation was updated in the RPCs to address a reported maximum number error. The VS GUI was updated with keyboard shortcuts to allow the user to open the appointment Context with keyboard input. Four new RPCs in the SDES name space were created and will return JSON output for all privileged users, delete all privileged users, add one privileged user and to delete one privileged user. A new field was added in the SDEC APPT REQUEST (#409.85) file to store the Modality. The User Preferences in the VS GUI was updated to include a "Day" view which can be selected as the default view when opening the VS GUI. The VS GUI was updated to add the Scheduler_OnLoaded to announce to the user that "the calendar is loading" as the calendar loads, sorts and displays the calendar. The VS GUI was updated to allow JAWS to read calendar view mode on pressing the defined hotkey. Four new SDES RPCs were created to search for the following letter types: No-show, Pre-Appointment, Clinic Cancellation, Appointment Cancellation. The SDES SEARCH PROVIDERS RPC was created and will return provider data in a JSON formatted object. The new SDES SEARCH PRIVILEGED USER RPC was created and it returns a list of ACTIVE users from the NEW PERSON (#200) File. The new SDES GET DIVISION LIST RPC was created to return a list of division, given search the search text provided. The method to allow VSE-CS to bypass the Vista Instance Selection in SSOi login was causing unexpected results in other applications that use the same login. The cookie that VSE-CS uses will no longer overwrite or prevent other apps from properly logging in within the same browser session. Five additional RPCs were added to the SDECRPC option.

The patch adds the following RPCs:

- SDES ADD PRIV USER
- SDES DELETE PRIV USER
- SDES DELETE PRIV USERS
- SDES GET DIVISION LIST
- SDES GET LETTER BY IEN
- SDES GET LETTER TYPES
- SDES GET LETTERS BY TYPE
- SDES READ PRIV USERS
- SDES SEARCH PRIVILEGED USER
- SDES SEARCH PROVIDERS

The patch updates the following existing RPC:

- SDES CREATE APPT REQ
- SDES EDIT APPT REQ

Table 52: Patch SD*5.3*819 Routines

New SD Routines	Modified SD Routines
SDESARSETDESC	SDEC07
SDESGETDIVISION	SDEC08
SDESGETLETTERS	SDES
SDESINPUTVALUTL	SDES2
SDESLOC	SDESAPPT
SDESPRIVUSRSRCH	SDESAPPTREQ40984
SDESPROVSEARCH	SDESAPTREQSET
	SDESARCLOSE
	SDESBKANDMOVE
	SDESCANCELAPPT
	SDESCCAVAIL
	SDESCKNSTEP
	SDESDISPRECALL
	SDESGETAPPTREQ
	SDESGETUD

3.5.77 Patch DG*5.3*1064 Routines

Patch DG*5.3*1064 adds Group 6 to the PATIENT DATA, SCREEN <2>. Group 6 consists of the following prompts: “Indian:”, “Start Date:”, “Attestation Date:” and “End Date:”.

It modifies ICR #10061 and #7109 for VADPT to include new entries in the “DEM” and “DEMUPD” component arrays. Node 15, subnodes 1-4, will contain Indian Attestation responses from PATIENT DATA, SCREEN <2>, Group 6.

Six additional fields are added to the PATIENT (#2) file:

- INDIAN SELF IDENTIFICATION (#.571)
- INDIAN START DATE (#.572)
- INDIAN ATTESTATION DATE (#.573)
- INDIAN END DATE (#.574)
- INDIAN SELF IDENT CHANGE DT/TM (#.575)
- INDIAN SELF IDENT CHANGE USER (#.576)

This patch updates VistA to receive patient Indian attestation information from ES in the ZPD segment of the HL7 ORU/ORF-Z11 message.

The following modified routines are exported by patch DG*5.3*1064:

- DGENELA2
- DGENPTA1

- DGENUPLA
- DGMTSC4
- DGMTSC4V
- DGMTSCC
- DGMTSCR
- DGRP2
- DGRPD
- DGRPDB
- DGRPE
- DGRPH
- DGRPV
- VADPT0
- VADPT1
- VAFHLZPD

3.5.78 Patch SD*5.3*820 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.28.0 and SD*5.3*820 includes several defect corrections and enhancements including updates to the Availability Selection window in the VS GUI to be 508 compliant. SDES RPCs were updated to so that "null" status is never sent back for an appointment. The post-install routine was deployed to correct MRTC child request sequence numbers and MRTC intervals. The post-install routine will also identify and clean up data created by VetLink so that both the CHECKIN and CHECK IN TIME ENTERED fields will both be populated. The VS GUI was updated to pull the same interval number and store the child request sequence number in the new child request field. The SDES GET CLINIC INFO RPC was updated to include the CHAR4 data in the return JSON Object. The SDESCHKAPPTOVP routine was created to check for overlapping appointments. Routines supporting EAS validation were updated to perform a character based comparison. The RPC SDES GET USRPROFILE RPC was updated to be more descriptive. The SDES GET APPTS BY CLINIC LIST RPC was updated to include 3 additional fields. The SDEC APPADD RPC was updated to include logic to check for a lock on the appointment level of the file.

The patch adds the following RPCs:

No new RPC were added

The patch updates the following existing RPC:

SDES GET USRPROFILE

Table 53: Patch SD*5.3*820 Routines

New SD Routines	Modified SD Routines
SDESCHKAPPTOVP	SDEC07C
	SDECAR2
	SDES2
	SDESAPPT
	SDESAPPTDATA
	SDESAPTREQSET
	SDESARCLOSE
	SDESBKANDMOVE
	SDESCANCELAPPTS
	SDESCCAVAIL
	SDESCKNSTEP
	SDESCLINICAVAIL
	SDESCLINICSET
	SDESCLNSETAVAIL
	SDESDISPRECALL
	SDESGETAPPTWRAP2
	SDESGETCONSULTS
	SDESGETRECALL
	SDESGETREGA
	SDESGETREQWRAPPR
	SDESGETUD
	SDESINACTCLINIC
	SDESMISSIONELG
	SDESPATRPC
	SDESPRINTPATAPPT
	SDESRTVCLN
	SDESUPDRECREQ
	SDESUTIL

3.5.79 Patch DG*5.3*1081 Routines

Patch DG*5.3*1081 changes DATA GROUP 1 on the INELIGIBLE/MISSING DAT SCREEN <10> to UNEDITABLE. The TWX prompts, “TWX Source:”, “TWX City:”, and “TWX State:” are removed.

It modifies the VHA Profile (VHAP) LONG DESCRIPTION of VETERAN RESTRICTED MED BENEFITS, NON VETERAN OTHER RESTRICTED MED BENEFITS and INELIGIBLE entries in HEALTH BENEFITS PLAN file (#25.11).

Adds a new entry, CLINICAL EVALUATION, to the VistA MAS ELIGIBILITY CODE file (#8.1) and ELIGIBILITY CODE (#8).

Sets the field USE FOR Z07 CHECK: to NO for the INEL REASON UNSPECIFIED entry in the INCONSISTENT DATA ELEMENTS file (#38.6).

Six fields in the PATIENT file (#2) are made UNEDITABLE and their LONG DESCRIPTION fields are updated to indicate this change:

- INELIGIBLE DATE (#2,.152)
- INELIGIBLE TWX SOURCE (#2,.1651)
- INELIGIBLE TWX CITY field (#2.1653)
- INELIGIBLE TWX STATE (#2.1654)
- INELIGIBLE VARO DECISION (#2.1656)
- INELIGIBLE REASON field (#2.307)

Updates the LONG DESCRIPTION field in three entries in the HEALTH BENEFIT PLAN (#25.11) file:

- VETERAN RESTRICTED MED BENEFITS (#222)
- NON VETERAN OTHER RESTRICTED MED BENEFITS (#223)
- INELIGIBLE (#290)

The following modified routines are exported by patch DG*5.3*1081:

- DGRP10
- DGRPV
- DGRPC
- DG531081P
- DGLOCK1

3.5.80 Patch SD*5.3*823 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.29.0 and SD*5.3*823 includes several defect corrections and enhancements including updates to the VS GUI for 508 compliance, refactoring several SDES name spaced RPCs to performance, maintainability and to match current coding standards. The new RPC SDES CREATE VET REQ SCHED APPT was created to create an appointment request on the fly and then make the appointment. The new SDES CREATE WALKIN APPT and SDEC CREATE WALKIN APPT JSON RPCs were created to automatically create an appointment request when a walk-in appointment is scheduled, and the VS GUI was updated to call these two RPCs. Several SDEC name spaced RPCs that return full SSN were updated to only return last 4 of SSN. The VS GUI was updated to utilize the newly updated RPCs which only return the last 4 digits of the SSN. The SDES GET CLINIC INFO was updated to include both active and inactive clinics as well as the inactivation and reactivation dates and the Division in the return JSON object. The SDES REACTIVATE CLINIC RPC was created to reactivate a previously inactivated clinic. Several SDES name spaced RPCs that return the clinic data were updated to return additional clinic data and both the internal and external values for existing fields. The VS GUI was updated to VistA field names in the patient info in the top left of the main screen and in the edit patient info window. Several SDES name spaced RPCs that return full SSN were updated to only return last 4 of SSN. The VS GUI scheduling calendar was updated to allow navigation with keyboard controls. A hashing utility was created using key fields in the HOSPITAL LOCATION (#44) file to create a unique Clinic ID number for each clinic. The SDES CREATE APPT REQ RPC was modified to make the clinic IEN optional and will now use the Primary or Secondary stop codes to uniquely identify the clinic IEN. The VS GUI was updated to allow users who are not privileged users for a clinic to be able to check-in/undo check-in appointments in prohibited access clinics. The VS GUI Day View was updated to minimize timeslots visible to schedule appointments. The SDES SEARCH RECALL CLINICS RPC was created to perform the recall clinic search and to return the request data in a JSON Object. The SDES SEARCH RECALL PROVIDERS RPC was created using the existing business rules for the SDES SEARCH PROVIDERS RPC but searches the RECALL REMINDERS PROVIDERS (#403.54) file. The output for the patient friendly appointment list was updated to include the date/time stamp. The AMIS REPORTING STOP CODE were added to the return JSON object for four get appointment request RPCs. The SDECAR2 routine was updated to fix the issue with MRTC being stuck in pending status.

The patch adds the following RPCs:

- SDES CREATE RECALL REQ 2
- SDES CREATE VET REQ SCHED APPT
- SDES CREATE WALKIN APPT
- SDES EDIT RECALL REQ 2
- SDES GET ALL CLINIC HASHES
- SDES GET APPT BY REQ/APPT TYP2
- SDES GET APPTS BY CLIN IEN 3
- SDES GET APPTS BY IEN 2
- SDES GET APPTS BY PATIENT DFN3
- SDES GET CLINIC INFO2
- SDES GET CLINIC STORED HASH
- SDES GET PATIENT REGISTRATION2
- SDES REACTIVATE CLINIC

SDES SEARCH RECALL CLINICS
SDES SEARCH RECALL PROVIDERS
SDES UPDATE CLINIC HASH

The patch updates the following existing RPC:

SDEC ARGET
SDEC CREATE WALKIN APPT JSON
SDEC EP DEMOGRAPHICS
SDEC EP PT INFO
SDEC GET PATIENT DEMOG
SDEC GETREGA
SDEC PTLOOKRS
SDEC RECGET
SDEC REQGET
SDES CREATE APPT REQ
SDES EDIT APPT REQ
SDES GET APPT BY REQ/APPT TYPE
SDES GET APPT REQ BY IEN
SDES GET APPT REQ BY PAT ALL
SDES GET APPT REQ BY PAT OPEN
SDES GET APPT REQ BY PATIENT
SDES GET APPTS BY CLIN IEN 2
SDES GET APPTS BY CLINIC LIST
SDES GET APPTS BY IEN
SDES GET APPTS BY PATIENT DFN2
SDES GET CLIN AVAILABILITY
SDES GET CLINIC INFO

Table 54: Patch SD*5.3*823 Routines

New SD Routines	Modified SD Routines
SDESAPPT3	SDEC09
SDESCREATEAPPREQ	SDEC28
SDESCRTWALKIN	SDEC28L
SDESEDITAPPTREQ	SDECAR2
SDESEDITAPPTREQ2	SDECEPT
SDESGETAPPTWRAP4	SDECPTCX
SDESGETAPPTWRAP5	SDECU3
SDESGETREGA1	SDECVVS
SDESHASHCLIN	SDES2
SDESPATIENTDATA2	SDESAPPT
SDESREACTVTCLIN	SDESAPPTDATA
SDESRECCLINSRCH	SDESCLINICAVAIL
SDESRECPROVSRCH	SDESCLINICDATA
SDESREQAPPCREATE	SDESCREATEAPPT
SDESRTVCLN2	SDESCREATEAPPT2
SDESUPDRECREQ2	SDESCREATEAPPT44
	SDESCRTAPPTWRAP
	SDESGETAPPTREQ
	SDESGETAPPTWRAP3
	SDESGETREGA
	SDESGETREQWRAPPR
	SDESINPUTVALUTL
	SDESPATRPC
	SDESRTVCLN
	SDESUTIL

3.5.81 Patch SD*5.3*824 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.30.1 and SD*5.3*824 includes several defect corrections and enhancements including updates to refactoring several SDES name spaced RPCs for performance, maintainability and to match current coding standards. The daily schedule in the VS GUI was updated to allow the display the type of appointment information when hovering over an individual item. New RPCs have been created to support the process of cancelling clinic availability. Updates were made to the VS GUI to address some issues related to the Arizona time zone. The SDES EDIT CLINIC RPC was updated to accept a hash from the calling application and compare it to the latest hash for this clinic and then determines is a warning message should be returned of if the edit can occur. The RM Grid was updated to allow navigation with keyboard controls. The last column label in the patient search pop-up was updated to show as Birth Sex. The appointment slots in the VS GUI were updated to remove the isOpen code so context menu opens on first right click. The SDES GET APPTS BY CLINIC LIST RPC was updated to return the specified JSON formatted object. All SDES RPCs that currently return the patient DFN were updated to also return the ICN. The SDEC CRSCHED was updated to return the REQUEST TYPE (#4) field from the RECALL REMINDERS (#403.5) file. The clinic hashing routine was modified to include its own build of the needed fields without having to call SDES GET CLINIC INFO. The new SDES SEARCH CLINIC ATTRIBUTES RPC was created to allow clinic searches with the return of a minimal set of clinic attributes.

The patch adds the following RPCs:

- SDES CANCEL CLIN PRECAN LIST
- SDES GET APPTS BY CLIN LIST2
- SDES PRINT APPT LETTER
- SDES PRINT APPT LETTERS
- SDES SEARCH CLINIC ATTRIBUTES

The patch updates the following existing RPCs:

- SDEC CRSCHED
- SDES CANCEL CLIN AVAILABILITY
- SDES EDIT CLINIC
- SDES GET APPT BY REQ/APPT TYP2
- SDES GET APPT REQ BY IEN
- SDES GET APPT REQ BY PAT ALL
- SDES GET APPT REQ BY PAT OPEN
- SDES GET APPT REQ BY PATIENT
- SDES GET APPT REQ LIST BY DFN
- SDES GET APPTS BY CLIN IEN 2
- SDES GET APPTS BY CLIN IEN 3
- SDES GET APPTS BY CLINIC LIST
- SDES GET APPTS BY IEN 2
- SDES GET APPTS BY PATIENT DFN2
- SDES GET APPTS BY PATIENT DFN3
- SDES GET APPTS BY RESOURCE
- SDES GET CLINIC STORED HASH

SDES GET CONSULTS BY DFN
 SDES GET CONSULTS BY IEN
 SDES GET INSURANCE VERIFY LIST
 SDES GET PATIENT REGISTRATION
 SDES GET PATIENT REGISTRATION2
 SDES GET RECALL BY IEN
 SDES GET RECALLS BY DFN

Table 55: Patch SD*5.3*824 Routines

New SD Routines	Modified SD Routines
SDESAPPT4	SDEC02
SDESAPPTLETTERS	SDES
SDESCCAVAIL2	SDESAPPT
SDESCLINPRECAN	SDESAPPT3
SDESCLNSEARCH	SDESCCAVAIL
	SDESCLINICSET
	SDESGETAPPTREQ
	SDESGETAPPTWRAP3
	SDESGETAPPTWRAP5
	SDESGETCONSULTS
	SDESGETRECALL
	SDESGETREGA
	SDESGETREGA1
	SDESHASHCLIN
	SDESINPUTVALUTL
	SDESPATIENTDATA2
	SDESPATRPC
	SDESUTIL

3.5.82 Patch SD*5.3*825 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.31.2 and SD*5.3*825 includes several defect corrections and enhancements including updating several SDES RPCs to include STATION NUMBER into the JSON object. The SDEC RESCE and supporting routine were updated to document and utilize the eCheck-in Allowed, Pre-Checkin Allowed, and time zone. The SDES GET CLINIC INFO2 and supporting routine were updated to accept a new input parameter which will trigger an update to the CLINIC HASH after the updates have been made. The SDES GET CLINIC INFO2 RPC and supporting routine were updated to document and return the station number of the institution associated with the division. Logic was added to the VS GUI to check the "DISPLAY CLIN APPT TO PATIENTS" property of a clinic to check if the clinic is able to print appointments. The routine supporting the Cancel Clinic Availability option was updated to allow the output to be directed to a printer. The SDES CREATE CLINIC and SDES EDIT CLINIC were updated to accept the Primary AMIS Stop Code and the Credit AMIS Stop Code and additional validation logic was also added. The SDES ADDEDIT CLINIC GRP RPC was added to create or edit clinic groups in the SDEC RESOURCE GROUP (#409.832) file. To better support the appointment dispositioning process two new error messages were added to the SDES ERROR CODES (#409.93) file and the SDESARCLOSE routine was updated to utilize these two new messages. The SDES name spaced RPCs were reviewed and updated to prevent a FileMan date from being returned in their JSON object. The SDEC28L routine was updated to restrict lookup to 30 characters to prevent <SUBSCRIPT> error for extremely long values. The VS GUI Expanded Entry screen was updated to correct the typo: "Radiattion". Two comments fields were added to the return JSON object for several of the RPCs that return appointment request data. The SDES CANCEL CLIN PRECAN LIST RPC was updated to utilize the latest business rules in SDESGETAPPTWRAP4. Routine SDESCCAVAIL was updated to properly reference the correct template in the HOSPITAL LOCATION file (#44). Updates were made to the VS GUI for 508 compliance and the developers verified that the VA.VSE.CS.Presentation.MVC/ could be safely removed from the VS GUI, and they have removed it from the source code.

The patch adds the following RPCs:

- SDES ADDEDIT CLINIC GRP
- SDES GET VISTA DEVICES
- SDES PRINT APPT LETTER VISTA
- SDES PRINT APPT LETTERS VISTA
- SDES SEARCH CLINIC GRP

The patch updates the following existing RPCs:

- SDEC RESCE
- SDES CANCEL CLIN PRECAN LIST
- SDES CREATE CLINIC
- SDES EDIT CLINIC
- SDES GET APPT BY IEN
- SDES GET APPT BY REQ/APPT TYP2
- SDES GET APPT BY REQ/APPT TYPE
- SDES GET APPT REQ BY IEN
- SDES GET APPT REQ BY PAT ALL

SDES GET APPT REQ BY PAT OPEN
 SDES GET APPT REQ BY PATIENT
 SDES GET APPT REQ LIST BY DFN
 SDES GET APPTS BY CLIN IEN
 SDES GET APPTS BY CLIN IEN 2
 SDES GET APPTS BY CLIN IEN 3
 SDES GET APPTS BY CLINIC
 SDES GET APPTS BY CLINIC LIST
 SDES GET APPTS BY IEN
 SDES GET APPTS BY IEN 2
 SDES GET APPTS BY PATIENT
 SDES GET APPTS BY PATIENT DFN
 SDES GET APPTS BY PATIENT DFN2
 SDES GET APPTS BY PATIENT DFN3
 SDES GET APPTS BY RESOURCE
 SDES GET CLINIC INFO2

Table 56: Patch SD*5.3*825 Routines

New SD Routines	Modified SD Routines
SDESADDRG	SDEC01C
SDESAPPTLETTERS	SDEC28L
SDESCLNGRP	SDES
SDESGETDEVICES	SDES2
	SDESARCLOSE
	SDESCCAVAIL
	SDESCLINICDATA
	SDESCLINICSET
	SDESCLINPRECAN
	SDESGETAPPTREQ
	SDESGETAPPTWRAP3
	SDESGETAPPTWRAP5
	SDESGETREQWRAPPR
	SDESRTVCLN2
	SDESUTIL

3.5.83 Patch SD*5.3*817 Routines

The Telehealth Management Platform (TMP) project employs patch SD*5.3*817 to apply enhancements. This patch includes the following features:

- View list of Providers before choosing a Default Provider in Telehealth Management Toolbox

This patch enhances the Provider Add/Edit [SD PROVIDER ADD/EDIT] option to display the entries of the PROVIDER multiple field (#2600) after clinic selection prompt.

- Search for patients with the same ICN in Telehealth Management Toolbox

This patch enhances the Telehealth Toolbox to provide an ICN lookup for schedulers. This inquiry will display a patient inquiry based on the ICN, and will display a message when more than one patient is using the same ICN number.

- INC22342953 Fix issue causing VistA update to incorrectly disposition Appointment Requests

This patch will correct an issue with filing appointment requests on VistA, when TMP sends over an appointment that is not associated with a Consult nor Return To Clinic (RTC). It will now correctly disposition the appointment request in VistA. This action will close the appointment request that prevents it from appearing in VistA Schedule Enhancement (VSE), as an available request.

- Add DOD ID to Telehealth Management Toolbox Inquiries

This patch adds the DOD ID field to the list of fields listed under Patient and ICN Inquiries of the Telehealth Inquiries [SD TELE INQ] option.

- Default Provider bulk update in the Telehealth Management Toolbox

This patch carries a new option named the Default Provider Bulk Update [SD DEFAULT PROVIDER UPDATE] to provide the ability to search for clinics by Clinic code/name, Stop Code, or Provider and then bulk update the DEFAULT PROVIDER field (#16) of the HOSPITAL LOCATION file (#44) for dedicated clinics.

- VAATG Link having Messages for SD IFS EVENT DRIVER not processing

This patch has corrected an issue in routine SDHL7APT, where it was erroneously placing outbound HL7 messages into the Sites main Multi-Listener queue. These messages are all associated with protocol SD TMP SEND INTRAFACILITY and will never be sent nor should they be sent and can be purged from this HL7 queue.

Table 57: Patch SD*5.3*817 Routines

New SD Routines	Modified SD Routines
SDTMPUT2	SDHL7APT
	SDTMPEDT
	SDTMPUT0

3.5.84 Patch SD*5.3*826 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.32.2 and SD*5.3*826 includes several defect corrections and enhancements including updates the SDES CREATE APPT REQ, SDES EDIT APPT REQ and the SDES CREATE VET REQ SCHED APPT RPCs to accept the Appointment Type Name as an input parameter. The patient search field in the VS GUI was updated to be limited to 30 characters. The SDES SEARCH PRIVILEGED USER and SDES SEARCH PROVIDER RPCs were updated to not return an error when there is no data to return based on the input parameters provided. The VS GUI was updated to allow the user to view a veteran's appointment request including details that will assist in the scheduling of an appointment. The VS GUI was updated to allow the user to right click on the request in the RM grid and open the context menu which will allow the user to view, add contact attempts on the request or to disposition the request. The new SDES ADD CLNGRP ITEM RPC was created to add a clinic to a clinic group. The new SDES READ CLINIC GROUP RPC was created to read a single clinic group. The new SDES DELETE CLNGRP ITEM RPC was created to remove a clinic from a clinic group. The new SDES CHECKOUT RPC was created to Check-Out a veteran for an appointment. The new SDES DELETE CLINIC GROUP RPC was created to remove an entire clinic group. Logic was added to the SDEC826P post install routine to clean up data that occurred after the VPS*1*21 installation. The SDES GET CLIN AVAILABILITY RPC was updated to not return an error message when the clinic had no defined availability for the date specified. The SDES ADDEDIT CLINIC GRP RPC was updated to limit clinic group name to a maximum of 30 characters. The SDES GET CLIN AVAILABILITY was updated to allow the date combinations noted in the ticket. The hashed value for the remote application entry was updated and the SDES CREATE APPT REQ RPC was updated to accept AMIS Primary and Secondary stop codes and added additional validation checks appropriate for the AMIS based codes. The routine that supports the SDEC GET APPT REQ BY IEN JSON RPC was updated to return the patient comments. The SDES GET MISSION ACT ELG RPC was updated to include VETERAN request type. The SDES GET MISSION ACT ELG RPC was updated to include the input parameter "CLINIC" and modified the SDESMISSIONELG routine to accept and validate the CLINIC input parameter. The calendar display for the group view and provider schedules view in the VS GUI was updated to display all availability for clinics in a group even when the clinics don't have the same stop a start or end times. The VS GUI was updated to include VETERAN in the display the SERVICE/SPECIALTY information in the RM grid and in the View Request window.

The patch adds the following RPCs:

SDES ADD CLNGRP ITEM
SDES CHECKOUT
SDES DELETE CLINIC GROUP

SDES DELETE CLNGRP ITEM
SDES READ CLINIC GROUP

The patch updates the following existing RPCs:

SDES CREATE APPT REQ
SDES CREATE VET REQ SCHED APPT
SDES EDIT APPT REQ
SDES GET CLIN AVAILABILITY
SDES GET MISSION ACT ELG

Table 58: Patch SD*5.3*826 Routines

New SD Routines	Modified SD Routines
SDESADDDEL CGI	SDECAR4
SDESCHECKOUT	SDES
SDESRTNRG	SDES2
SDESVALUTIL	SDESADDRG
	SDESCLINICAVAIL
	SDESCREATEAPPREQ
	SDESCREATEAPPT
	SDESCREATEAPPT2
	SDESCRTAPPTWRAP
	SDESEDITAPPTREQ
	SDESEDITAPPTREQ2
	SDESMISSIONELG
	SDESPRIVUSRSRCH
	SDESPROVSEARCH
	SDESREQAPPCREATE

3.5.85 Patch SD*5.3*827 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.33.1 and SD*5.3*827 includes several defect corrections and enhancements including updates to the Tasks tab and to the DateTimePickers to be 508 compliant. The SDES GET APPTS BY IEN2 and SDES GET APPT BY REQ/APPT TYP2 RPCs were updated to store pointer linking the appointment to the video visit appointment. The SDES GET APPT BY PATIENT, SDES GET APPT BY IEN and SDES GET APPT BY RESOURCE RPCs were updated to return the Appt Request PATIENT-ENTERED COMMENTS field for the associated request. The VS GUI was updated so that on the onselect event when the user single clicks a record it will clear out the patient in context. The SDES CHECKIN RPC was created and is used to check in a single appointment. The SDES CANCEL CHECKIN RPC was created and is used to cancel a check-in for a single appointment. A new splash screen with the supplied message was added to the VS GUI 1.7.33.1. to Enable Notifications of Changes in Application Behavior. The SDES CREATE APPOINTMENTS RPC was updated to allow the user to schedule in the past. The SDES CREATE CLINIC RPC was updated to calculate and store a hash value upon new clinic creation. The VS GUI was updated to only display non-expired authentication certificates. The new SDES GET TIU DOC BY CONTEXT RPC was created and returns the same data as with TIU DOCUMENTS BY CONTEXT but with the additional elements. The SDES GET CLIN AVAILABILITY RPC was updated to accept either an ISO 8601 timestamp for the from date and to date or just a date (YYYY-MM-DD). If just a date is passed in, the software will default to the 1st minute of the from date and the last minute of the to date. The VS GUI was updated to require a double-click to put request in context and the splash page notification of changes in application behavior. The VS GUI was updated to clear the previous request from context when a user tabs or clicks on record in the RM grid. The patient information screen in VS GUI was updated by renaming the existing Gender Identity label to Birth Sex. The SDEC CON and SDEC AR1A were updated to retrieve the contact attempts for appointment request equals to 'VETERAN'. The SDVATS security key was created and deployed by this patch and will be utilized by future software updates.

The patch adds the following RPCs:

- SDES CANCEL CHECKIN
- SDES CHECKIN
- SDES GET TIU DOC BY CONTEXT

The patch updates the following existing RPCs:

- SDES GET APPT BY REQ/APPT TYP2
- SDES GET APPTS BY IEN 2
- SDES GET CLIN AVAILABILITY

Table 59: Patch SD*5.3*827 Routines

New SD Routines	Modified SD Routines
SDESCANCHECKIN	SDEC52
SDESCHECKIN	SDEC52B
SDESGETTIUDOC	SDECAR1A
	SDECCON
	SDESAPPTDATA
	SDESCHECKOUT
	SDESCLINICAVAIL
	SDESCLINICSET2
	SDESCREATEAPPT
	SDESCREATEAPPT2
	SDESCREATEAPPT44
	SDESCRTAPPTWRAP
	SDESINPUTVALUTL
	SDESPATIENTDATA2
	SDESRECPROVSRCH
	SDESRTVCLN2

3.5.86 Patch SD*5.3*821 Routines

The Telehealth Management Platform (TMP) project employs patch SD*5.3*821 to apply enhancements. This patch includes the following features:

Add CHAR4 to Telehealth Management Toolbox - Clinic Inquiry

This patch enhances the Telehealth Toolbox Clinic Inquiry to add the CHAR4 value and description for the clinic.

Improve the default appointment length.

Modified the previous scheme to stop reliance on the array element variable and use the length variable SDECLEN that is passed into the SDEC Add Appointment API. In the event that variable is also

null, which is not likely, then the appointment length is obtained from the SDEC APPOINTMENT file (#409.84).

Add Stop Codes 497 and 498

This patch adds the newly released stop code 497 and 498 to the SD TELEHEALTH STOP CODE FILE (#40.6) so they can be assigned to Telehealth VistA clinics. The post-install routine SD53P821 will add the new Stop Codes.

Appointment Availability

A new queuing process is being added to the messaging between VistA and TMP. Clinic schedule changes will be queued and evaluated before being

sent to TMP. If a schedule change results in a transaction to block a clinic and to unblock that same clinic, both of those transactions will be cancelled and not sent. Also, logic will be applied to make certain that all transactions are sent in the correct sequential order.

A report called Clinic Schedule Queuing Report has been added under the Telehealth Inquiries [SD TELE INQ] option to display the results of the queuing process.

Waiting for Response Vista Integration error

Code variable protection has been added, so when an Interfacility HL7 is being generated to the Provider site, then any variables stepped on by this process, will not affect those variables that belong with the Patient site appointment process. One HL7 protocol for TMP has been altered to match VA standards to ensure the ACK is returned correctly to TMP.

Add DEA Information to Telehealth Management Toolbox - Medical Center Division Inquiry

This patch adds the 'Facility DEA Number' and the 'Facility DEA Expiration Date' fields to the Medical Center Division inquiry under the Telehealth Inquiries [SD TELE INQ] option.

The Facility Exp. Date displays in FileMan format

This patch changes the display of Facility Expiration Date field from FileMan format to external format. This change will be reflected in the Medical Center Division and the Institution inquiries of the Telehealth Inquiries [SD TELE INQ] option.

Add VistA Clinic Special Instructions to the Clinic Inquiry

This patch adds the 'Clinic Special Instructions' field to the Clinic inquiry under the Telehealth Inquiries [SD TELE INQ] option.

Table 60: Patch SD*5.3*821 Routines

New SD Routines	Modified SD Routines
SD53P821	SDB
SDTMPPRC	SDHL7APT
SDTMPUTL	SDTMPHLA
	SDTMPHLC
	SDTMPUTO

3.5.87 Patch DG*5.3*1082 Routines

Patch DG*5.3*1082 changes DATA GROUP 3 on the ELIGIBILITY STATUS DATA, SCREEN <7>. The PRESUMPTIVE PSYCHOSIS prompts are no longer displayed. The **Presumptive Psychosis:** label will display when populated and will not be editable in VistA.

In the HEALTH BENEFIT PLAN (#25.11) file, DG*5.3*1082 modifies the VHA Profile (VHAP) LONG DESCRIPTION of RESTRICTED EXAMINATION ONLY (#224), VETERAN RESTRICTED MED BENEFITS (#222), and NON VETERAN OTHER RESTRICTED MED BENEFITS (#223) entries and the LONG DESCRIPTION (#.04), SHORT DESCRIPTION (#.03) and the COVERAGE CODE (#.05) fields of the PRESUMPTIVE (38 USC 1702-38 CFR 17.109) (#135), and the CLINICAL EVALUATION (#308) entries.

DG*5.3*1082 modifies the DG LOAD EDIT SCREEN 7 entry in the INPUT TEMPLATE (#.402) file to remove the PRESUMPTIVE PSYCHOSIS? and PRESUMPTIVE PSYCHOSIS CATEGORY: prompts from the ELIGIBILITY STATUS DATA, SCREEN <7> screen in DATA GROUP [3].

DG*5.3*1082 adds the new PRESUMPTIVE PSYCHOSIS ELIGIBLE eligibility code to the MAS ELIGIBILITY CODE (#8.1) file.

DG*5.3*1082 adds the new PRESUMPTIVE PSYCHOSIS ELIGIBLE eligibility code to the ELIGIBILITY CODE (#8) file.

A post install routine, DG531082P, will send an HL7/Z07 message to VES for each VistA patient with a non-null value in PRESUMPTIVE PSYCHOSIS CATEGORY field (Field #.5601) of the PATIENT file (File #2).

The following modified/created routines are exported by patch DG*5.3*1082:

- DGLOCK1 – Prevents PRESUMPTIVE PSYCHOSIS ELIGIBLE eligibility as a primary eligibility code
- DGPPSYCH – Comments out obsolete YN API tag code and adds new PT API tag code to update PATIENT (#2) file field PRESUMPTIVE PSYCHOSIS CATEGORY (#.5601) and PRESUMPTIVE PSYCHOSIS CATEGORY (#33.1) file
- DG531082P– Post install routine for VHAP updates and send HL7/Z07 messages for current presumptive psychosis patients
- DGENUPL7 – File the Health Factor Segment (ZHF) data
- DGENUPL1 – Parses the HL7 ZHF segments
- DGENUPLB – Process ZHF segment

- VAFHLZHF – Create generic HL7 Enrollment (ZHF) segment
- DGRP7 – Removes the check for Veterans to have the Presumptive Psychosis field displayed

Patch IVM*2.0*208, included in the DG*5.3*1082 Host File, creates the new optional ZHF segment of the Health Level 7 (HL7) ORF/ORU-Z07 message to send Presumptive Psychosis data. It includes routine IVMPTRN8. This routine creates the optional ZHF segment.

3.5.88 Patch SD*5.3*828 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.34.1 and SD*5.3*828 includes several defect corrections and enhancements including creating VVS RPCs in the SDES menu option and updates to the VS GUI to address multiple 508 issues. The new SDES GET APPTS BY CLINIEN LIST was created to return the full Appointment Object. The new SDES GET APPT BY APPT IEN RPC was created to have a name that better represents what the RPC does. The SDES GET APPT REQ BY IEN RPC was updated to correctly return the Entered By name and IEN. The SDES CANCEL APPOINTMENT RPC was modified to process and update the corresponding files when an appointment request is cancelled. The SDES GET APPTS BY RPCS were updated to return the clinic institution station number along with the clinic IEN. The SDES EDIT CLINIC RPC was modified to update the diagnosis codes based on the list of diagnosis codes that are passed into the RPC. A check for the status of the diagnosis code was added and the default diagnosis code will be updated as well. The VS GUI was updated to correct this errant behavior in the clinic appointment window. The IS THIS A PBSP CLINIC? (#9.1) field was added to the HOSPITAL LOCATION (#44) to record whether the clinic is a PROVIDER BASED SCHEDULING PROFILE CLINIC (PBSP). The SDES GET CLIN AVAILABILITY RPC was updated to not allow an end date less than the start date. The KIDS build for SD*5.3*828 was configured to delete the specified list of RPCs during the patch installation. New SDES VVS RPCs were created and copy the existing SDEC VVS RPCs functionality. The SDES GET CLINIC INFO 2 was updated to return privileged user list in the JSON object. The SDES UPDATE CLINIC HASH RPC was updated to include the list of privileged user as part of the data to send into the HASHing algorithm. The Cancellation box on the Cancel Appointment screen was updated to have a fixed height and to include a scroll bar ease of use. The SDBUILD security key was created. This new key is needed in VistA for future use with CCM and future lock down of Set Up A Clinic option.

The patch adds the following RPCs:

SDES GET APPT BY APPT IEN
 SDES GET APPTS BY CLINIEN LIST
 SDES GETVVSMAKEINFO JSON
 SDES SEARCH VVS PROVIDERS JSON
 SDES SPACEBAR VVS PRO
 SDES VVC APPT
 SDES VVS DELETE ID
 SDES VVS GET ID

SDES VVS SAVE ID

The patch updates the following existing RPCs:
SDES GET CLINIC INFO2

The patch deletes the following existing RPCs:
SDES GET APPT BY IEN
SDES GET APPT CHECK-IN STEP
SDES GET APPT CHECK-IN STEPS
SDES GET APPTS BY CLIN IEN
SDES GET APPTS BY CLINIC
SDES GET APPTS BY IEN
SDES GET APPTS BY PATIENT
SDES GET APPTS BY PATIENT DFN
SDES GET PAT APPT BY IEN #2
SDES GET PAT APPTS BY DFN #2

Table 61: Patch SD*5.3*828 Routines

New SD Routines	Modified SD Routines
SDESPRVSRCHJSON	SDESAPPT4
SDESVVC	SDESCANCELAPPTS
SDESVVSJSON	SDESCLINICAVAIL
	SDESCLINICDATA
	SDESCLINICSET2
	SDESCREATEAPPT
	SDESCRTAPPTWRAP
	SDESGETAPPTREQ
	SDESHASHCLIN
	SDESINPUTVALUTL
	SDESRTVCLN2
	SDESVVS

3.5.89 Patch SD*5.3*831 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.35.0 and SD*5.3*831 includes several defect corrections and enhancements including the new SDES GET PATIENT PREF RPC was created to return the needed patient preferences data in JSON format. The new SDES GET PATIENT WARD RPC was created to return the ward that the patient is currently assigned to in JSON format. The VS GUI has been updated to always send the properly formatted phone number to VPatch SD*5.3*831 Routines. The SDES UNDO CHECKOUT RPC was created to undo a check out and to reset the necessary fields back to their prior state. The National Flags, Fugitive Felon Flag and the Local Flags have been added to the return JSON object for the SDES GET PAT FLAGS RPC. The new SDES GET PATIENT PREF RPC was created to return the needed patient preferences data in JSON format. The new SDES GET PATIENT WARD RPC was created to return the ward that the patient is currently assigned to in JSON format. The new SDES NOSHOW RPC was created to update the status of appointments as NO-SHOW. The new VALIDATEAMIS^SDESUTIL utility was created to validate AMIS Stop Codes. The Contact Attempt RPCs were re-written to the new SDES RPC standards. The new SDES GET CLINICS BY CLIN LIST RPC was created and will allow for the processing of up to 50 clinics based on the list of clinic IENs passed in. The corresponding clinics details will be returned in JSON format. The SDES STUCK ORDER CLEANUP option was created and added to the SDSUP menu. The VS GUI was updated to de-activate the duration dropdown feature thereby preventing them from being able to extend the timeslots for fixed timeslot clinics. The VS GUI was updated to interpret | as a line break as it processes the Patient Comment field. The scroll bar feature will be enabled when the data in the Patient Comment field cannot be fully displayed within the window. The SERVICE CONNECTED PERCENTAGE (#14) field from the SDEC APPT REQUEST (#409.85) file was added to the SDES GET APPT REQ BY* RPCs. The SDES PCESAVE RPC was removed from the SDES RPC option and from the REMOTE PROCEDURE (#8994) file. The VS GUI was checked and updated to ensure the display and scroll bars are set to the top of the display boxes.

The patch adds the following RPCs:

- SDES GET APPTS BY CLIN IEN 3
- SDES GET CANCELS
- SDES GET CLINICS BY CLIN LIST
- SDES GET PATIENT PREF
- SDES GET PATIENT WARD
- SDES NOSHOW

The patch updates the following existing RPCs:

- SDEC EDITAPPT
- SDES GET APPT BY REQ/APPT TYP2
- SDES GET APPTS BY CLIN LIST2
- SDES GET APPTS BY IEN 2
- SDES GET APPTS BY PATIENT DFN3
- SDES GET APPTS BY RESOURCE

The patch deletes the following existing RPCs:

- SDES PCESAVE

Table 62: Patch SD*5.3*831 Routines

New SD Routines	Modified SD Routines
SDESGETCANCMT	SDCODEL
SDESGETCLINSIEN	SDEC26
SDESGETPRFGAPS	SDES2
SDESNOSHOW	SDESCLINICAVAIL
SDESORDCLEAN	SDESCLINICDATA
SDESUNDOCHECKOUT	SDESCLINICSET
	SDESGETAPPTREQ
	SDESGETREQWRAPPR
	SDESPATFLAGS
	SDESUTIL

3.5.90 Patch SD*5.3*833 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.36.0 and SD*5.3*833 includes several defect corrections and enhancements including the creation of the new SDES PATIENT SEARCH Remote Procedure Call (RPC) which returns a JavaScript Object Notation (JSON) object and was added to the SDESRPC option. Older outdated RPCs were deleted now that they have newer, more updated RPCs to replace them. The VS GUI and corresponding Veterans Health Information Systems and Technology Architecture (VistA) routines were updated to correct the indexing of the list of Multiple Return To Clinics (MRTCs). The Video Visit Service (VVS) and Video Visit Clinic (VVC) related RPCs were updated to return their data in JSON format. The SDES GET CLINIC INFO2 and SDES GET CLINICS BY CLIN LIST RPCs were updated to include the TIMEZONE EXCEPTION (#802) field from the INSTITUTION (#4) file in their return JSON Object. The VS GUI was updated to handle patient searches where the gender field is empty without causing a hard error. The SDES GET CLINIC INFO2 and SDES GET CLINICS BY CLIN LIST RPCs were updated to return both the Internal Entry Number (IEN) and the AMIS REPORTING STOP CODE (#1) fields for both the Primary and Credit Stop codes associated with a clinic. The SDES CREATE APPT REQ RPC logic was updated to prevent errors when setting the priority to FUTURE. The SDES GET APPT REQ BY TYPE VET RPC was created to only return appointment requests of sub-type "VETERAN" in a JSON object. The SDESGETAPPTREQ routine was updated to properly handle appointments that have contact attempts without a contact type. The SDESCLNSETAVAIL routine was updated to allow for time slot values up to 26.

The patch adds the following RPCs:

SDES DELETE VVS ID
SDES GET APPT REQ BY TYPE VET

SDES GET VVS APPT
 SDES GET VVS ID
 SDES PATIENT SEARCH
 SDES SAVE VVS ID

The patch updates the following existing RPCs:

SDES CREATE CLIN AVAILABILITY
 SDES EDIT CLINIC AVAILABILITY
 SDES GET CLINIC INFO2
 SDES GET CLINICS BY CLIN LIST
 SDES SPACEBAR VVS PRO

The patch deletes the following existing RPCs:

SDES CREATE RECALL REQ
 SDES EDIT RECALL REQ
 SDES GET APPT BY REQ/APPT TYPE
 SDES GET APPTS BY CLIN IEN 2
 SDES GET CLINIC INFO
 SDES GET PATIENT REGISTRATION
 SDES VVC APPT
 SDES VVS DELETE ID
 SDES VVS GET ID
 SDES VVS SAVE ID

Table 63: Patch SD*5.3*833 Routines

New SD Routines	Modified SD Routines
SDESPATSEARCH	SDECAR
	SDECAR4
	SDESCLNSETAVAIL
	SDESCREATEAPPREQ
	SDESGETAPPTREQ
	SDESRTVCLN2
	SDESVVC
	SDESVVS

3.5.91 Patch SD*5.3*835 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.37.0 and SD*5.3*835 includes several defect corrections and enhancements including creating the new SDES CONTACT ADD/UPDATE and SDES CONTACT DISPLAY Remote Procedure Calls (RPC) were created to support the contact attempts logic in the SDES* namespaced RPCs and these two RPCs were added to the SDESRPC option. The SDEC RETURN MENTAL HEALTHJSON RPC was created to return if the stop code IEN is a Mental Health Specialty. The SDEC GET

REQ BY TYPE VET JSON RPC was created to return only appointment requests of sub-type "VETERAN". This RPC was added to the SDEC RPC option. The VS GUI was updated to utilize the new DEC GET REQ BY TYPE VET JSON RPC which returns a list of Veteran requests which will then be displayed to the user. The SDES EDIT CLINIC AVAILABILITY RPC was updated to include the appropriate checks which will prevent the changing of the clinic start and end times if already scheduled appointments will fall outside of the new clinic start and end times. The SDES GET APPTREQ BY INST RPC was created and returns all open Appointment Requests from the SDEC APPT REQUEST (#409.85) file for all the Clinics under a given Institution. The logic supporting the SDES GET APPT REQ BY TYPE VET RPC was updated to return an updated JSON object with data that is consistent with the other existing Request Management (RM) grid RPCs. The logic supporting the calculation of the MISSION Act eligibility in routine SDESMISSIONELG was updated to match the revised business rules.

The patch adds the following RPCs:

SDEC GET REQ BY TYPE VET JSON
 SDEC RETURN MENTAL HEALTH JSON
 SDES CONTACT ADD/UPDATE
 SDES CONTACT DISPLAY
 SDES GET APPTREQ BY INST

The patch updates the following existing RPCs:

There were no existing RPCs modified by the patch.

The patch deletes the following existing RPCs:

There were no existing RPCs deleted by the patch.

Table 64: Patch SD*5.3*835 Routines

New SD Routines	Modified SD Routines
SDESCONSULTUPD	SDECAR4
SDESCONCONTACTS	SDESCANCELAPPTS
SDESGETAREQINST	SDESCLINICSET
SDESGETMHCODE	SDESCREATEAPPREQ
SDESRECALLREQ	SDESMISSIONELG
	SDESNOSHOW
	SDESVALUTIL

3.5.92 Patch DG*5.3*964 Routines

Patch DG*5.3*964 includes new routines DGAUDIT, DGAUDIT1, DGAUDIT2, DGAUDI,3 and DGAUDITP.A

Routines DGAUDIT and DGAUDIT1 process entries in the DG VAS QUEUE file (#46.3), using the DG VAS WEB SERVICE entry in the WEB SERVICE file (#18.02) to send the records to the VAS REST API defined by the DG VAS WEB SERVER entry in the WEB SERVER file (#18.12).

Routines DGSEC and DGSEC4 were modified to invoke VistA Audit Solution (VAS) subroutines that add an entry in the DG VAS QUEUE file (#46.3).

This patch implements the VistA Audit Solution (VAS) product that is designed to capture create, read, update, and delete (CRUD) operations on Personally Identifiable Information (PII) and Protected Health Information (PHI). VAS utilizes an external database storage system in the Veterans Affairs Enterprise Cloud (VAEC) Amazon Web Services (AWS) Cloud.

Modified Routine:

DGSEC

DGSEC4-

New Routines:

DGAUDIT

DGAUDIT1

DGAUDIT2

DGAUDIT3

DGAUDITP

Options:

Display VAS Parameters [DG VAS DISPLAY]

Export new AUDIT records to external archive [DG VAS EXPORT]

VistA Audit Solution (VAS) options [DG VAS MENU]

Modify VAS Parameters [DG VAS MODIFY]

3.5.93 Patch SD*5.3*836 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.38.0 and SD*5.3*836 includes several defect corrections and enhancements including the retirement of the SDES GET APPTS BY CLINIC LIST and SDES GET APPTS BY PATIENT DFN2 Remote Procedure Calls (RPCs). The new SDES GET CLINIC ORIGINAL AVAIL RPC was created to return an unmodified version of a clinic's appointment slots. Unlike, SDEC APPTSLOTS which

decrements the availability to indicate that appointments have been made, this RPC will only return the original, unmodified copy of the days schedule. Checks for locks were added to the SDECAR routine which is called when the VS GUI sends Health Level-7 (HL7) messages to update an order. Additional fields were added to the returned JSON object for the SDES SEARCH CLINIC RPC. The code supporting the SDES CHECKOUT and SDES UNDO CHECKOUT RPCs was updated by removing the check for the SD SUPERVISOR key. The new SDES GET CLINIC STOPCD RPC was created and was added to the SDESRPC option. The new SDES GET CANCEL REASONS RPC was created and was added to the SDESRPC option. The new SDES GET COMP/PEN 2507 RPC was created and was added to the SDESRPC option. The new SDES SET COMP/PEN AMIE TRKNG RPC was created and was added to the SDESRPC option. The VS GUI logic was updated to look for error codes being returned from RPC calls and displayed that error message to the disposition process. The SDES SEARCH RECALL CLINICS RPC was updated return a list of recall clinics to assist schedulers when creating a recall request. SDES GET APPT CHECK-IN STEPS was retired as part of patch SD*5.3*828; however, GUI is still calling it. We need to have GUI call SDES GET APPT CHECK-IN STEPS 2 instead. The SDEC GET REQ BY TYPE VET JSON RPC was updated to send back an empty JSON object when there is no matching data for the input criteria. The SDES GET APPTS BY CLINIEN LIST and SDES GET APPTS BY CLINLIST2 RPCs were updated return back today's appointment based on the clinic's time zone. The SDBUILD security key was added to the SDBUILD menu option. The SDES CREATE CLINIC and SDES EDIT CLINIC RPCs were updated to include the telephone extension in their returned JSON object. The SDES GET CLINIC INFO2 RPC was updated to include the telephone extension in their returned JSON object.

The patch adds the following RPCs:

- SDES GET CANCEL REASONS
- SDES GET CLINIC ORIGINAL AVAIL
- SDES GET CLINIC STOPCD
- SDES GET COMP/PEN 2507

The patch updates the following existing RPCs:

- SDES CREATE CLINIC
- SDES EDIT CLINIC
- SDES GET APPTS BY CLIN LIST2
- SDES GET APPTS BY CLINIEN LIST
- SDES GET CLINIC INFO2
- SDES SEARCH CLINIC
- SDES SEARCH RECALL CLINICS

The patch deletes the following existing RPCs:

- SDES GET APPTS BY CLINIC LIST
- SDES GET APPTS BY PATIENT DFN2

Table 65: Patch SD*5.3*836 Routines

New SD Routines	Modified SD Routines
SDESCANCELRSNS	SDES01C
SDESCLINDAILYSCH	SDESCHECKOUT
SDESCOMPPEN	SDESCLINICSET
SDESGETSTOPCD	SDESRTVCLN2
SDESSEARCHRCLN	SDESUNDOCHECKOUT
	SDESUTIL

3.5.94 Patch SD*5.3*837 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.39.0 and SD*5.3*837 includes several defect corrections and enhancements including updates to the SDEC APPSLOTS RPC to only set the AVAILABILITY DATE when the date has been set via an established business process. The routines containing the business logic for the SDEC ARCLOSE RPC were updated so that the Parent request is closed and the Order is updated to "Discontinued"/"Completed". The logic for the SDES CANCEL APPOINTMENT RPC was updated to include key business logic from the SDECCAP CAN RPC. The VS GUI was updated to display a message to the user stating the record is locked when ARCLose is called and returns a -1. Three cancellation related fields were added to the SDES GET APPTS BY IEN2 RPC. Several SDES* RPCs were updated to include the WALKIN (#.13) field in their returned JSON object. The SDESCREATEAPPREQ routine was updated to remove the outdated code. The SDES01C routine was re-written to optimize efficiency and maintainability and to adhere to the latest VST standards. The SDEC SETTINGS file (#409.98) has been updated to remove the Scheduling Manager (SM) from the HELP LINK TEXT (#1) multiple. The new SDES PROVIDER CLINIC SEARCH will return the clinics that a provider is associated with. The new SDES GET CANCMTS RPC returns list of cancellation comments (hash tag, type and text) from the SDEC CANCELLATION COMMENT file (#409.88). The SDESCREATEAPPREQ routine was updated to add an entry to the MULT APPTS MADE (#409.852) multiple when a child request is created and to update the MRTC CALC PREF DATES (#409.851) multiple with the Patient Preferred Date passed in. The SDES CREATE APPOINTMENT to correctly identify which MRTC MULT APPT MADE sub-file IEN to update and update record with the appointment IEN.

The patch adds the following RPCs:
SDES GET ALL CANCEL COMMENTS
SDES GET CLINICS BY PROVIDER

The patch updates the following existing RPCs:
SDEC ARCLOSE
SDES GET APPTS BY CLIN IEN 3
SDES GET APPTS BY CLIN LIST2

SDES GET APPTS BY CLINIEN LIST
 SDES GET APPTS BY IEN 2
 SDES GET APPTS BY PATIENT DFN3

The patch deletes the following existing RPCs:
 There were no existing RPCs deleted by the patch.

Table 66: Patch SD*5.3*837 Routines

New SD Routines	Modified SD Routines
SDESGETALLCANCOM	SDEC07C
SDESPROVCLINSRCH	SDEC57
	SDECAR
	SDES01C
	SDESAPPTDATA
	SDESCANCELAPPTS
	SDESCOMPEN
	SDESCONTRACTS
	SDESCREATEAPPREQ
	SDESEDITAPPTREQ
	SDESGETAPPTREQ
	SDESGETCONSULTS
	SDESGETRECALL

3.5.95 Patch SD*5.3*838 Routines

VistA Scheduling patch SD*5.3*838 includes several defect corrections and enhancements including the new SDES GET CLINIC ORIGINAL AVAIL Remote Procedure Call (RPC) which returns the full schedule for all clinic Internal Entry Numbers (IEN) passed in and returns the associated data in a JavaScript Object Notation (JSON) format. The new SDES GET MISSION ACT AVAIL RPC will return Mission Act availability given a primary stop code, secondary stop codes, beginning date and ending date. The new SDES READ CLINIC GROUP RPC will return Clinic IENs associated with any providers assigned to the Clinic Group as a resource. The SDES SAVE VVS ID RPC was re-written to only accept the appointment IEN and the VVS ID and then update just the corresponding appointment. Get Appointment RPCs were updated to include the Eligibility of Visit, RequestType and RequestIEN to the returned appointment JSON object. The code was also optimized to efficiency. The new SDES GET APPTS BY IENS RPC was created to return the appointment information for the passed in list of appointment IENs. The new SDES GET APPT REQS BY IENS RPC was created to return the appointment request information for the passed in list of appointment request IENs.

The new SDES CANCEL APPOINTMENT 2 RPC was created and will accept the cancellation reason NAME instead of the cancellation reason IEN. It will then cancel the associated appointments in the SDEC APPOINTMENT (#409.84) file, the HOSPITAL LOCATION (#44) file and the PATIENT (#2) file. Several get appoint request related RPCs were updated to return the CURRENT STATUS (#23) field from the SDEC APPT REQUEST (#409.85) file. The SDES PATIENT SEARCH RPC was updated to return the DATE OF DEATH (#.351) field from the PATIENT (#2) file.

The patch adds the following RPCs:

- SDES CANCEL APPOINTMENT 2
- SDES GET APPT REQS BY IENS
- SDES GET APPTS BY IENS
- SDES GET AVAIL BY CLIN LIST
- SDES GET MISSION ACT AVAIL

The patch updates the following existing RPCs:

- SDES GET APPT BY APPT IEN
- SDES GET APPT BY REQ/APPT TYP2
- SDES GET APPT REQ BY IEN
- SDES GET APPT REQ BY PAT ALL
- SDES GET APPT REQ BY PAT OPEN
- SDES GET APPT REQ BY PATIENT
- SDES GET APPT REQ BY TYPE VET
- SDES GET APPTS BY CLIN IEN 3
- SDES GET APPTS BY CLIN LIST2
- SDES GET APPTS BY CLINIEN LIST
- SDES GET APPTS BY PATIENT DFN3
- SDES PATIENT SEARCH
- SDES READ CLINIC GROUP
- SDES SAVE VVS ID

The patch deletes the following existing RPCs:

There were no existing RPCs deleted by the patch.

Table 67: Patch SD*5.3*838 Routines

New SD Routines	Modified SD Routines
SDESCANAPPT2	SDESAPPTDATA
SDESGETAPPTSIEN	SDESGETAPPTREQ
SDESGETCLNSCHEDS	SDESGETAPPTWRAP5
SDESGETREQSIEN	SDESGETCLINAPPT
SDESMISSIONAVL	SDESGETREQWRAPPR
	SDESPATSEARCH
	SDESRTNRG
	SDESUTIL
	SDESVVS

3.5.96 Patch SD*5.3*840 Routines

SD*5.3*840 provides Fiscal Year 2023 Mid-Year updates to the CLINIC STOP (#40.7) file as requested by the Office of Finance, Managerial Cost Accounting Office (MCAO).

*** IMPORTANT NOTE ***

This patch is being released with a compliance date of April 1, 2023 and should be installed as close to Close of Business (COB) on March 31, 2023 as possible, but not after April 1, 2023. Early installation of this patch could result in transmission of incorrect Stop Codes that will result in errors from Austin. Coordination with the MAS (Medical Administration Service) PAS (Program Application Specialist)/ADPAC (Automated Data Processing Application Coordinator) is imperative as SD*5.3*840 will cause changes to the CLINIC STOP (#40.7) file. Testing can be done in a site's mirror account before installation in production to verify changes. SD*5.3*840 modifies and creates Stop Codes effective April 1, 2023; therefore, installing early may modify certain Stop Codes that may currently be in use at your site. It is advised that clinics with Stop Codes assigned that will incur restriction date/type changes should be corrected as soon as possible after installation. Please keep in mind that new Stop Codes should not be assigned in MAS/Scheduling until April 1, 2023 as the Patient Care Encounters (PCE) bearing FY23 Mid-Year Stop Codes will not be accepted in Austin until that date. All other MAS Stop Code changes should be made as early as possible on April 1, 2023.

Instructions for the FY23 Mid-Year Stop Code Patch:

SD*5.3*840 makes changes to the CLINIC STOP (#40.7) file as of April 1, 2023. No clinic can be created using any new Stop Codes contained in the patch until after this patch is implemented.

Scheduling & Patch Installer should coordinate to perform the following sequence:

1. Patch Installer installs the patch late on March 31 or early on April 1, 2023.
2. Scheduling staff: Run the Non-Conforming Clinics Stop Code Report [SD CLN STOP CODE REP] to list those clinics that need changes in the HOSPITAL LOCATION (#44) file for FY23 Mid-Year.
3. Scheduling staff: Make changes in the HOSPITAL LOCATION (#44) file so that the clinics will have the correct Stop Codes in place for April 1st clinic appointments.

MCA Staff:

1. Before April 1 (prior to installation of the patch) run Option 2: Create DSS Clinic Stop Code File [ECXSCLOAD] from the Setup for DSS Clinic Information menu [ECX SETUP CLINIC].
2. Follow normal procedures to run the DSS CLI Extract for March 2023. It is the create and edit, not the 'approve', that changes the values included in the CLI extract. Perform normal AUDITS for the CLI Extract.
3. DO NOT make changes for April clinics at this time.
4. Between April 13-30, 2023 after auditing and receiving confirmation of successful deblocking of the transmitted March CLI Extract, proceed with FY23 Mid-Year Stop Code changes to the DSS Clinics and Stop Codes Worksheet:
 - a. After the March extract has been run, transmitted and is considered final (in your mind, no re-run/re-transmit needed), you may run Option 2 CREATE DSS Clinic Stop Code File [ECXSCLOAD]. This option creates local entries in the CLINICS AND STOP CODES (#728.44) file and compares this file to the HOSPITAL LOCATION (#44) file to see if there are any differences since the last time the file was reviewed.
 - b. After Option 2 has completed, use the Option 3: Clinics and DSS Stop Codes Print [ECXSCLIST]. This option produces a worksheet of (A) All Clinics, (C) Active, (I) Inactive, or only the (U) Unreviewed Clinics that are awaiting approval.
 - c. Run Option 7: Clinic & Stop Codes Validity Report [ECX STOP CODE VALIDITY]. This step will check that all Stop Codes conform. Note: a 'blank' output indicates there are no problems with Stop Code and credit stop validity.
 - d. Update for FY23 Mid-Year as needed using Option 4: Enter/Edit Clinic Parameters [ECXSCEDIT] option.
 - e. Approve changes using Option 5: Approve Reviewed DSS Clinic Worksheet [ECXSCAPPROV] option. Finalize all Stop Code changes on the worksheet to be ready to run the April DSS CLI Extract.
 - f. MCA teams with questions, please log a ticket through the VHA Office of Finance Managerial Cost Accounting Office Help Desk at:
<https://mcaapp.vha.med.va.gov/MCAOHelpDesk/Default.aspx>

3.5.97 Patch SD*5.3*839 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.39.1 and SD*5.3*839 includes several defect corrections and enhancements including updating the VS GUI to re-activate the logic for VS GUI to account for VA loaned devices. The SDESAPPTDATA routine was updated to prevent the patient internal entry number from being set to null. The SDES GET APPT REQ BY PAT ALL RPC was updated to accept an optional start and end date to use to limit the data returned. The SDES GET COMP/PEN 2507 RPC was updated to return all date related data in ISO 8601 format. The VS GUI was updated to always release the existing patient context when switching between patients in the calendar view.

The patch adds the following RPCs:
There were no RPCs added by the patch.

The patch updates the following existing RPCs:
SDES GET APPT REQ BY PAT ALL
SDES GET COMP/PEN 2507

The patch deletes the following existing RPCs:
There were no existing RPCs deleted by the patch.

Table 68: Patch SD*5.3*839 Routines

New SD Routines	Modified SD Routines
SDESGETAPPTREQ2	SDES2
	SDESAPPTDATA
	SDESCOMPPEN
	SDESGETAPPTREQ

3.5.98 Patch DG*5.3*1090 Routines

Patch DG*5.3*1090 changes DATA GROUP 3, Exposure Factors, on the **MILITARY SERVICE DATA, SCREEN <6>**. On the **ENVIRONMENTAL FACTORS** sub-screen the **A/O Exp.** and **ION Rad.** have been made uneditable.

Patch DG*5.3*1090 adds the following additional values to the AGENT ORANGE EXPOSURE LOCATION field (#.3213) list of SET values in the PATIENT file (#2): T:THAILAND(U.S. OR ROYAL THAI MIL BASE), L:LAOS, C:CAMBODIA(MIMOT OR KREK,KAMPONG CHAM), G:GUAM, AMERICAN SAMOA, OR TERRITORIAL WATERS, J:JOHNSTON ATOLL

Patch DG*5.3*1090 adds the following additional values to the AGENT ORANGE EXPOSURE LOCATION field (#50.22) list of SET values in the PATIENT ENROLLMENT file (#27.11): T:THAILAND(U.S. OR ROYAL THAI MIL BASE), L:LAOS, C:CAMBODIA(MIMOT OR KREK,KAMPONG CHAM), G:GUAM, AMERICAN SAMOA, OR TERRITORIAL WATERS, J:JOHNSTON ATOLL

Patch DG*5.3*1090 adds to the list of SET values for the RADIATION EXPOSURE METHOD field (Field #.3212) of the PATIENT file (#2) the following: 8: ENEWETAK, 9: EXPOS IN PALOMARES B52, 10: THULE AFB B52.

Patch DG*5.3*1090 replaces the DESCRIPTION for the RADIATION EXPOSURE METHOD field (#.3212) of the PATIENT file (#2) with the following text:

This field represents the method by which the exposure to ionizing radiation occurred.

- 2) Hiroshima/Nagasaki - if the Veteran was exposed to ionizing radiation as a POW or while serving in Hiroshima and/or Nagasaki, Japan from August 6, 1945 through July 1, 1946.
- 3) Atmos Nuclr Testing - if exposure occurred at an atmospheric nuclear device test site (e.g. the Pacific Islands, NM or NV).
- 4) H/N and Atmos Testing - if exposure occurred as a POW in Hiroshima or Nagasaki AND at an atmospheric nuclear device test site.
- 5) Undergrd Nuclr Testing - if exposure occurred while at Longshot, Milrow, or Cannikin underground nuclear tests at Amchitka Island, AK prior to January 1, 1974.
- 6) Expos at Nuclr Facility - if exposure occurred while at Department of Energy plants at Paducah, KY, Portsmouth, OH or the K25 area at Oak Ridge, TN for at least 250 days before February 1, 1992.
- 7) Other - a method that does not fit any of the other categories.
- 8) Enewetak - if exposure occurred during cleanup of Enewetak Atoll, from January 1, 1977, through December 31, 1980.
- 9) Expos in Palomares B52 - if exposure occurred during cleanup of the Air Force B-52 bomber carrying nuclear weapons off the coast of Palomares, Spain, from January 17, 1966, through March 31, 1967.
- 10) Thule AFB B52 - if exposure occurred during the response to the fire onboard an Air Force B-52 bomber carrying nuclear weapons near Thule Air Force Base in Greenland from January 21, 1968, to September 25, 1968.

Only Veterans exposed by methods #2, 3, 4, 8, 9, or 10 are eligible for copayment exemption or enrollment in priority 6 based on their Ionizing Radiation exposure.

Only Veterans Health Administration Enrollment System users may enter/edit this field.

Patch DG*5.3*1090 adds to the list of SET values for the RADIATION EXPOSURE METHOD field (#76) in the PATIENT ENROLLMENT file (#27.11): 8: ENEWETAK, 9: EXPOS IN PALOMARES B52, 10: THULE AFB B52.

Patch DG*5.3*1090 uses the following abbreviations for the new AGENT ORANGE EXPOSURE LOCATION displays on the ENVIRONMENTAL FACTORS sub-screen, of DATA GROUP [3] of the MILITARY SERVICE DATA, SCREEN <6>: THAILAND(U.S. OR ROYAL THAI MIL BASE):(THLD), LAOS:(LAOS), CAMBODIA(MIMOT OR KREK,KAMPONG CHAM):(CAMB), GUAM, AMERICAN SAMOA, OR TERRITORIAL WATERS:(GUAM), JOHNSTON ATOLL:(JHST)

Patch DG*5.3*1090 displays the entire text of the AGENT ORANGE EXPOSURE LOCATION field on the Patient Enrollment and Patient Enrollment History screens.

Patch DG*5.3*1090 modifies the CHECK/DON'T CHECK field (#5) and USE FOR Z07 CHECK field (#6) in the INCONSISTENT DATA ELEMENTS file (#38.6) for entries 25 AO CLAIMED W/OUT VIETNAM POS and 507 RAD EXPOSURE METHOD INVALID.

The following modified/created routines are exported by patch DG*5.3*1090:

- DGCV – PACT Act - additional check added for special enrollment period
- DGCVRPT – Changed dates to from 11/11/1998 to 09/30/2013 used in calculating the CV End date
- DGENEGT1 – Additional AGENT ORANGE EXPOSURE LOCATION names added - T=THAILAND(U.S. OR ROYAL THAI MIL BASE), L=LAOS, C=CAMBODIA(MIMOT OR KREK,KAMPONG CHAM), G=GUAM, AMERICAN SAMOA, OR TERRITORIAL WATERS and J=JOHNSTON ATOLL
- DGENELA4 – add additional values for RADIATION EXPOSURE METHOD field (#27.11,76) for PRIORITY 6; 8 for ENEWETAK, 9 for EXPOS IN PALOMARES B52, 10 for THULE AFB B52. Add additional values for AGENT ORANGE EXPOSURE LOCATION: - T=THAILAND(U.S. OR ROYAL THAI MIL BASE), L=LAOS, C=CAMBODIA(MIMOT OR KREK,KAMPONG CHAM), G=GUAM, AMERICAN SAMOA, OR TERRITORIAL WATERS and J=JOHNSTON ATOLL.
- DGENL1 – Remove **A/O Exp Loc:** label and shift AGENT ORANGE EXPOSURE LOCATION 17 to the left
- DGENUPLA – Add additional Radiation Exposure codes
- DGRP6EF.INT – Changes for ENVIRONMENTAL FACTORS screen, making A/O Exp. and ION Rad. un-editable.
- VADPT4 – Modify the RADIATION EXPOSURE METHOD (#2,.3212) to get updated field definitions
- VAFHLZE1 – Modify to accommodate two-digit Radiation Exposure Methods

3.5.99 Patch SD*5.3*848 Routines

This is an emergency patch that fixes an issue identified with Intra-facility appointments for patient side appointment not correctly pointing to the SDEC APPT REQUEST (#409.85) entry.

Table 69: Patch SD*5.3*848 Routines

New SD Routines	Modified SD Routines
N/A	SDHL7APT

3.5.100 Patch SD*5.3*842 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.40.1 and SD*5.3*842 includes several defect corrections and enhancements including retiring the obsolete SDES GET APPTS BY IEN 2 RPC. The SDESGETREQWRAPPR routine, which supports several Remote Procedure Calls (RPC), was updated to add Stop Code and Security ID (SecID) into the returned JavaScript Object Notation (JSON) object. The SDES GET CONSULTS BY DFN and SDES GET CONSULT BY IEN RPC were updated to include the listed elements in their JSON return object. The SDES PATIENT SEARCH RPC was updated to return a Boolean indicating whether the patient demographics need updating. The SDES CANCEL APPOINTMENTS and SDES CANCEL APPOINTMENT 2 RPC were updated to remove the appointment Internal Entry Number (IEN) from the MRTC APPT MADE sub-file when an appointment is being cancelled for a child appointment and the clinic appointment slot will be incremented when an appointment is cancelled for clinic. The SDES GET APPT REQ LIST BY DFN, SDES GET RECALLS BY DFN and SDES GET RECALL BY IEN RPCs were updated to include the additional fields listed in their return JSON object. The SDES CREATE RECALL REQ 2 RPC was updated to accept the reminder appointment type name, i.e. "FOLLOW-UP", "YEARLY EXAM", etc. instead of recall appt type IEN. The new CANCELLED NOT RE-OPENED disposition reason was added to the SDEC DISPOSITION REASON (#409.853) file. The SD*5.3*842 post install routine will review cancelled appointments since the SD*5.3*627 patch was installed (approx. 6/2017). As needed, disposition information will be added to the corresponding Appointment Request in the SDEC APPT REQUEST (#409.85) file. The RPCs supporting both the VS GUI and the SDES* RPCs were updated to add the needed Disposition data to the appointment request based on the cancelation data in the corresponding appointment. The SDES CREATE APPOINTMENTS RPC was updated to make the SDEC RESOURCE parameter optional. If the SDEC RESOURCE is not passed in, the software will find the corresponding Resource from the SDEC RESOURCE (#409.831) file. The SDES GET APPT TYPES RPC was created, and it will return the types of appointments that are available in the APPOINTMENT TYPE (#409.1) file. The SDES GET SPEC NEEDS AND PREFS RPC was created and will return the special needs and preferences associated with a patient. The new SDES GET CONSULT DETAILS RPC was created to return the details associated with a consult request. The SDES GET PATIENT INQUIRY RPC was created to return a report known as a patient inquiry. This report includes details about the patient and associated appointment

data. The SDES PATIENT SEARCH RPC was modified to pass back a Boolean indicating whether the patient demographics need to be updated or not. The new MISSION ACT ELIGIBLE (#2.1) field was created to store an indicator as to whether this appointment is a Mission Act appointment. The new SDES GET AVAIL BY STOP CODE RPC was created and will return clinic availability given a primary stop code, secondary stop codes, beginning date and ending date. The SDES GET MISSION ACT ELIG RPC was updated to return if an appointment is Mission Act Eligible across multiple clinics with the same stop code. The VS GUI was updated to utilize the updated Mission Act Availability RPCs and will now display a notice to the user when they try to schedule an appointment that is Mission Act eligible and there is not available in the selected clinic. If the user clicks on the pop up, they will be able to view a listing of the first 10 available appointment slots from clinics matching the primary and secondary stop codes of the clinic associated with the appointment request (starting with newest created clinics first). The SDEC07 routine was updated to populate the new MISSION ACT ELIGIBLE (#2.1) field in the SDEC APPOINTMENT (#409.84) file when the appointment is Mission Act eligible. The SDES EDIT CLINIC AVAILABILITY RPC was updated to not require times and slots as input parameters. The SDES GET MISSION ACT ELIG RPC was updated to quit out without logging an error when the PID and selected appointment date are both within the Wait Time Standard. When this occurs, the VS GUI will not display the availability pop-up. The SDES842P post install will review existing data since the release of SD*5.3*824 and will report on pending appointments that do not match the patient on the request. The SDES GET MISSION ACT ELIG RPC was updated to include the primary and secondary AMIS stop code names and numbers in its JSON return object. In addition the RPC was updated to only look at clinics in the same institution. The VS GUI was updated to display an alert and the associated Primary and Secondary AMIS Stop Code name and number to the user if the Appointment is Wait Time Eligible. The new SDES GET MISSION ACT ELIG FEDT RPC was created and will calculate whether patient is mission act eligible based on the file entry date of the appointment request, PID, selected appointment date, and clinic ID. This new RPC was added to both the SDECRPC and the SDESRPC options. The date input parameter was added to the call to H^SDEC57 to prevent undefined errors. The X and Y variables were newed in GETIEN^SDEC51 to prevent them from leaking out and causing issues in the downstream processing. The VS GUI was updated to not display a message if the PID is outside the wait time standard.

The patch adds the following RPCs:

- SDES GET APPT TYPES
- SDES GET AVAIL BY STOP CODE
- SDES GET CONSULT DETAILS
- SDES GET MISSION ACT ELIG FEDT
- SDES GET PATIENT INQUIRY
- SDES GET SPEC NEEDS AND PREFS

The patch updates the following existing RPCs:

- SDES CREATE APPOINTMENTS
- SDES CREATE CLIN AVAILABILITY
- SDES CREATE RECALL REQ 2
- SDES EDIT CLINIC AVAILABILITY

SDES EDIT RECALL REQ 2
 SDES GET APPT REQ LIST BY DFN
 SDES GET APPT REQS BY IENS
 SDES GET CONSULTS BY DFN
 SDES GET CONSULTS BY IEN
 SDES GET MISSION ACT ELIG
 SDES GET RECALL BY IEN
 SDES GET RECALLS BY DFN
 SDES PATIENT SEARCH

The patch deletes the following existing RPCs:

SDES GET APPTS BY IEN 2

Table 70: Patch SD*5.3*842 Routines

New SD Routines	Modified SD Routines
SDESGETAPPTTYPE	SDEC07
SDESGETAVAILSC	SDEC08
SDESGETCONDETAIL	SDEC51
SDESGETPATINQUIR	SDEC57
SDESNEEDSPREFS	SDESCANAPPT2
	SDESCANCELAPPTS
	SDESCLNSETAVAIL
	SDESCREATEAPPT
	SDESGETCONSULTS
	SDESGETRECALL
	SDESGETREQWRAPPR
	SDESMISSIONELG
	SDESPATSEARCH
	SDESUPDRECREQ2

3.5.101 Patch SD*5.3*832 Routines

This is an mandatory patch that improves display of some fields when no value is found in Clinic & Institution Inquires. It corrects an issue identified with Intra-facility appointments for patient side appointment not correctly pointing to the APPOINTMENT REQUEST file (#409.85) entry. It corrects a cross-index lookup.

Table 71: Patch SD*5.3*832 Routines

New SD Routines	Modified SD Routines
SD53P832	SDESC08
	SDTMPUT0

SD53P832 adds a new entry to SD TELE HEALTH STOP CODE FILE (#40.6)

SDESC08 was corrected to use the appropriate variable to look up the cancel reson code in CANCELLATION REASONS (#409.2)

SDTMPUT0 was modified to improve the display of some fields when no value found in Clinic & Institution Inquires

3.5.102 Patch SD*5.3*852 Routines

The SDES852P post install routine will run and identify cancelled appointments that did not re-open their corresponding consult request. These requests will be re-opened, and a report will be generated so that these re-opened consult requests can be scheduled.

The patch adds the following RPCs:

N/A

The patch updates the following existing RPCs:

N/A

The patch deletes the following existing RPCs:

N/A

The patch adds the following Options:

N/A

The patch updates the following existing Menus:

N/A

Table 72: Patch SD*5.3*852 Routines

New SD Routines	Modified SD Routines
SDES852P – Post Install Routine only. Not a part of the normal Scheduling software.	N/A

3.5.103 Patch SD*5.3*843 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.41.1 and SD*5.3*843 includes several defect corrections and enhancements including updating the SDES CREATE APPOINTMENTS Remote Procedure Call (RPC) to include a check on the current status of the corresponding appointment request or request/consult and it will now allow for the creations of a new appointment if the status of Closed, Discontinued or Complete. When trying to schedule an appointment the lock on the clinic was removed and the logic that sets or removes entries in the three associated files was revised to allow for better tracking and cleanup of the three files. The Supervisor Menu [SDSUP] menu was updated to include options to search for open requests for Veterans with a Date of Death on or before 12/31/2020 and the Date of Death was entered on or before 12/31/2021. Users should have the option to see a report of requests meeting this criteria, and the option to close open requests meeting this criteria. The SDES CREATE VET REQ SCHED APPT RPC was updated to correctly set the institution information and the linked appointment institution number. The VS GUI was updated to include a check for control characters in the Comments field. If the comments include control characters, a message will be displayed to the user noting invalid comment character entry and the user will be returned to the comments field to re-enter the comments. The RM Grid in the VS GUI was updated to remove the Date column and to re-size the remaining data for better readability. The Supervisor Menu [SDSUP] menu was updated to include the Open Veteran Requests Report [SDES OPEN VET REQUESTS RPT] option. The SDES CREATE APPOINTMENT RPC was updated to set the MISSION ACT ELIGIBLE (#2.1) field as the appointment is created. The SDES GET PATIENT FLAGS RPC was updated to returns all national and local flags for a patient, as well as the fugitive felon flag when set. The SDES PATIENT SEARCH RPC was updated to check the PRF ASSIGNMENT (#26.13) file for flags for a patient and if flags exist, it pulls the corresponding flag data from the PRF NATIONAL FLAG (#26.15) and the PRF LOCAL FLAG (#26.11) files. The SDES EDIT CLINIC AVAILABILITY RPC was updated to return an error if the required DATES field is not passed in. The Request JSON object was updated to include the EAS Tracking Number for all Request types. The SDES GET MISSION ACT ELIG RPC definition was updated to call directly into GETMISSIONELG^SDESMISSIONELG routine. Additional lock logic was added to the SDEC APPADD RPC to determine when the RPC is being called by the Computerized Patient Record System (CPRS) application. Additional validation logic was added to appointment type being passed into the SDEC APPADD RPC. The SDES CREATE APPT BLK AND MOVE RPC was updated to allow recall appointments to be block and moved.

The patch adds the following RPCs:
N/A

The patch updates the following existing RPCs:
 SDES GET MISSION ACT ELIG
 SDES GET PATIENT FLAGS
 SDES PATIENT SEARCH

The patch deletes the following existing RPCs:
 N/A

The patch adds the following Options:
 SDEC DECEASED RECORD CLEANUP
 SDEC DECEASED RECORD MENU
 SDEC DECEASED RECORD REPORT
 SDES OPEN VET REQUESTS RPT

The patch updates the following existing Menus:
 SDMGR
 SDSUP

Table 73: Patch SD*5.3*843 Routines

New SD Routines	Modified SD Routines
SDECDTHCLNUP2	SDB1
SDESOPENVETREQS	SDEC07
	SDECAR
	SDESBKANDMOVE
	SDESCLNSETAVAIL
	SDESCREATEAPPREQ
	SDESCREATEAPPT
	SDESCRTAPPTWRAP
	SDESGETREQWRAPPR
	SDESPATFLAGS
	SDESPATSEARCH
	SDESREQAPPCREATE

3.5.104 Patch SD*5.3*844 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.42.0 includes several defect corrections and enhancements including an update to re-activate the Veterans Affairs (VA) loaned device logic that was de-activated in an earlier release. The VS GUI was updated send the appointment link for VA Video Connect (VVC) appointments to both the patients and the providers when the user selects "Resend Link". The new SDES CHECK ORDER LOCK Remote Procedure Call (RPC) was created and will return a flag when an appointment request is currently locked. The VS GUI was updated to call the new SDES CHECK ORDER LOCK RPC to determine if an appointment request is currently locked. When it is, the Block and Move and Drag and Drop functionality will not be enabled. A post install routine to search all requests in the SDEC APPT REQUEST (#409.85) file and for appointment requests for clinics that have Community Care Consult (669) for their Primary or Secondary Stop Code and close these requests with the disposition reason of REMOVED/NON-VA CARE. The new SDES GET RESOURCE BY CLINIC RPC was created to return the resource(s) for a specified clinic. The new SDES GET RESOURCE BY DUZ RPC was created to return the resource(s) for the NEW PERSON (#200) Internal Entry Number (IEN) passed in. The SDES PATIENT SEARCH RPC was updated to accept a partial patient name of 1 or 2 characters. The SDES GET PATIENT FLAGS and SDES PATIENT SEARCH RPCs were updated to include the APPROVED BY (#.05) field which is in the PRF ASSIGNMENT HISTORY (#26.14) file. The Assignment Status will not be returned after all because the code is set up right now to only pass back flags that have an active status. The SDRRINQ routine was updated to include "inactive" recall reminders from the RECALL REMINDERS REMOVED (#403.56) file when the DELETE DATE (#201), DELETE CLERK (#202) and DELETE REASON (#203) fields are not present. The SDES GET APPTS BY PATIENT DFN3, SDES GET APPTS BY IENS, SDES GET APPT BY APPT IEN, SDES GET APPTs BY CLIN LIST2 and the SDES GET APPTS BY CLINIEN LIST RPCs were updated to include the request fields in their returned JavaScript Object Notation (JSON) object. The SDEC APPSDGET RPC was updated to use the MAX # DAYS FOR FUTURE BOOKING (#2002) field when determining the future booking day limit for the clinic. The SDES CREATE APPT REQ RPC was updated to make the Request Date field optional. If the Request Date is not passed into the RPC, it will be defaulted to the current date. The SDES GET MISSION ACT ELIG RPC was updated by adding \$G statements to the incoming parameters to prevent the RPC from erroring out. The new SDES GET HOLIDAYS RPC was created and it returns holidays from the HOLIDAY file (#40.5). The new AUTOMATED CANCELLATION cancellation reason was added to the CANCELLATION REASONS (#409.2) file. The VS GUI was updated to filter out the new AUTOMATED CANCELLATION cancellation reason so it can't be displayed to the users. The SDESCANAPPT2 and SDESCANCELAPPTS routines were updated to synchronize their input parameter lists with the actual parameters that can be passed in. The SDES CANCEL APPOINTMENT2 RPC was updated to use the existing SDEC logic. This RPC will be updated again in the future by moving the latest business rules into the SDES* name spaced routines.

The patch adds the following RPCs:

SDES CHECK ORDER LOCK

SDES GET HOLIDAYS
 SDES GET RESOURCE BY CLINIC
 SDES GET RESOURCE BY DUZ

The patch updates the following existing RPCs:

SDES CREATE APPT REQ
 SDES GET APPT BY APPT IEN
 SDES GET APPTS BY CLIN LIST2
 SDES GET APPTS BY CLINIEN LIST
 SDES GET APPTS BY IENS
 SDES GET APPTS BY PATIENT DFN3
 SDES GET PATIENT FLAGS
 SDES GET RESOURCE BY CLINIC
 SDES GET RESOURCE BY DUZ

The patch deletes the following existing RPCs:

N/A

The patch adds the following Options:

SDEC DECEASED RECORD CLEANUP
 SDEC DECEASED RECORD MENU
 SDEC DECEASED RECORD REPORT
 SDES OPEN VET REQUESTS RPT

The patch updates the following existing Menus:

N/A

Table 74: Patch SD*5.3*844 Routines

New SD Routines	Modified SD Routines
SDESCHECKLOCK	SDEC55A
SDESGETRESOURCE	SDESCANAPPT2
SDESHOLIDAY	SDESCANCELAPPTS
	SDESCLINICDATA
	SDESCREATEAPPREQ
	SDEMISSIONELG
	SDESPATFLAGS
	SDESPATSEARCH
	SDRRINQ

3.5.105 Patch SD*5.3*845 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.43.0 includes several defect corrections and enhancements including the creation of the new SDES GET APPT REQS BY IENS2 which has its JavaScript Object Notation (JSON) object to be indexed by an integer, that contains each request array. Errors are now returned in an array of error strings like the other SDES* RPCs. The SCR PW3 routine was updated to include an additional input parameter for the appointment sub-file. Several RPCs were updated to include additional clinic data in their returned JSON objects. The SDES SEARCH RECALL PROVIDERS RPC was updated to return the RECALL REMINDERS PROVIDERS (#403.54) IEN in a new field in its JSON return. The SDES DISPLAY CONTACT and SDES ADD/UPDATE CONTACT RPCs were updated to have the CONTACT("CLINIC") input variable as optional. The SYSTEM USE ONLY (#6) field was added to the CANCELLATION REASONS (#409.2) file and the existing cancellation reasons were updated to populate this field based on input from the Business Office. The SDEC CANREAS and SDES GET CANCEL REASONS RPCs were modified to return the new SYSTEM USE ONLY (#6) field. The VS GUI was updated to read the new SYSTEM USE ONLY (#6) field to determine whether to display the cancellation reason. The SDES EDIT APPT REQ RPC was updated to accept an Automated Medical Information System (AMIS) stop code but to store the Internal Entry Number (IEN) for the AMIS stop code in the SDEC APPT REQUEST (#409.85) file. The logic supporting the SDES GET MISSION ACT ELIG RPC was updated to not return an error when the Patient Indicated Date (PID) is outside of the Wait Time Standard (WTS). The new SDES CREATE SPEC NEEDS PREFS RPC will create special needs and preferences for a given patient. The new SDES EDIT SPEC NEEDS PREFS will edit special needs and preferences for a given patient. The supporting logic for the SDES CANCEL APPOINTMENT 2 RPC was updated to re-open the Parent PRTC if the cancellation reason allows the reopening of the child request.

The patch adds the following RPCs:

- SDES ADD/UPDATE CONTACT
- SDES CREATE SPEC NEEDS PREFS
- SDES DISPLAY CONTACT
- SDES EDIT SPEC NEEDS PREFS
- SDES GET APPT REQS BY IENS2

The patch updates the following existing RPCs:

- SDEC CANREAS
- SDES GET APPT REQ BY IEN
- SDES GET APPT REQ BY PAT ALL
- SDES GET APPT REQ BY PAT OPEN
- SDES GET APPT REQ BY TYPE VET
- SDES GET APPT REQ LIST BY DFN
- SDES GET CANCEL REASONS
- SDES GET RECALL BY IEN
- SDES GET RECALLS BY DFN

SDES SEARCH RECALL PROVIDERS

The patch deletes the following existing RPCs:

N/A

The patch adds the following Options:

N/A

The patch updates the following existing Menus:

N/A

Table 75: Patch SD*5.3*845 Routines

New SD Routines	Modified SD Routines
SDESCRTNEEDPREFS	SCRPW3
SDESEDITNEEDPREF	SDEC45
SDESGREQSIENS	SDESCANAPPT2
	SDESCANCELRSNS
	SDESCONTRACTS
	SDESEDITAPPTREQ
	SDESGETAPPTREQ
	SDESGETRECALL
	SDESMISSIONELG
	SDESRECPROVSRCH
	SDESUTIL

3.5.106 Patch DG*5.3*1093 Routines

Patch DG*5.3*1093 adds five new entries to the RELIGION file (#13):

- AFRICAN AMERICAN EPISCOPAL (code 84)
- BUDDHISM, OTHER (code 85)
- EVANGELICAL (code 86)
- HOLINESS CHURCHES (code 87)
- CATHOLIC (NON-ROMAN CATHOLIC) (code 88)

Patch DG*5.3*1093 changes the NAME field (#.01) of the existing entry with a CODE field (#3) of 28 in the RELIGION file (#13). It is changed from UNITARIAN-UNIVERSALISM to UNITARIAN-UNIVERSALIST. A separate entry was created for UNITARIAN-UNIVERSALISM (code 89) to use to capture the UNITARIAN-UNIVERSALISM (code 28) which was replaced by UNITARIAN-UNIVERSALIST (Code 28).

Patch DG*5.3*1093 modifies the file description of the RELIGION file (#13). The "currently contains 84 entries" phrase is changed to "currently contains 90 entries". Also, the typo "affects" is changed to "effects":

DESCRIPTION: The RELIGION file currently contains **90** entries. These entries are determined by VACO MAS. This file should not be added to nor should entries in it be altered or deleted by the facility. Entry, edit or deletion of these entries could have severe negative **effects** on the performance of the MAS module.

In the DG*5.3*1093 patch, the INDIAN SELF IDENTIFICATION field (#.571) and the INDIAN ATTESTATION DATE field (#.573) of the PATIENT file (#2) have the triggers removed which queued an ORU-Z07 HL7 message to be sent to VES.

Patch DG*5.3*1093 sets the Write Authority flag in the INDIAN SELF IDENTIFICATION (#.571) and the INDIAN ATTESTATION DATE (#.573) fields of the PATIENT file (#2).

Patch DG*5.3*1093 removes all Indian Attestation data from patients' records in the PATIENT file (#2).

Patch DG*5.3*1093 modifies the PATIENT DATA, SCREEN <2> screen to prevent the entry of data in group 6, the Indian Attestation data. Also, the <6> Indian Attestation group is made read-only.

Patch DG*5.3*1093 modifies the HL7 ORU/ORF Z07 message. The Indian Attestation-related fields in the ZPD segment will contain NULL values.

The following modified routines are exported by patch DG*5.3*1093:

- DG531093P
- DGENPTA1
- DGRP2
- DGRPE1
- DGRPV
- VAFHLZPD

3.5.107 Patch SD*5.3*846 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.44.0 includes several defect corrections and enhancements including removing the old obsolete SDES CANCEL APPOINTMENT Remote Procedure Call (RPC) which has been replaced by the SDES CANCEL APPOINTMENT 2 RPC. The SDES GET DIVISION LIST RPC was updated to make the INP parameter optional and to return additional data from each division's institution. The new SDES GET APPTS BY IENS2 RPC was created to return an updated JavaScript Object Notation (JSON) object that matches the standard format of the other SDES name spaced RPCs. The SDES CREATE APPT REQ RPC was updated to validate the Provider Internal Entry Number (IEN) based on the same validation logic of other SDES RPCs which accept the Provider IEN as an input parameter. The VS GUI was updated to prevent user from being able to schedule appointments outside of the defined availability for the clinic. The SDES CREATE WALKIN APPT RPC was updated to accept the appt type name instead of the appt type IEN. The SDES CREATE LAST SELECTED PAT RPC will store the patient in ^DISV against the user. This will allow the last selected patient by the user to be accessed in the future. The SDES GET LAST SELECTED PAT RPC was created and will return the patient that was last selected by a user. The SDES EDIT CLINIC RPC was updated to use the add and delete Privileged User logic from the SDES ADD PRIV USER and SDES DELETE PRIV USER RPCs. An existing bug with the IEN to use during the updates was also identified and corrected. The SDES846P post install routine will include logic to identify active clinic with Privileged Users that are not properly DINUMed. These entries will be corrected. The Recall request screen in the VS GUI was updated to display "Invalid character(s) detected" message when the comments entered include special or control characters. The VS GUI was updated to correctly calculate the Patient Indicated Date (PID) based on the currently business rules provided by the Business Office. The SDES EDIT APPT REQ RPC was updated to address the issues related to the PRIORITY, REQUESTED BY, COMMENTS, and Appt Request Type. A check was also added to make the PRIORITY (#10) field required. The SDES846P post install was updated to include logic to clean up appointments that were erroneously attached to the wrong request. The SDEC EP DEMOGRAPHICS RPC was updated to return the PATIENT COMMENTS (#4) field from the SDEC APPOINTMENT (#409.84) file. The new SDES GET PATIENT CMMTS RPC was created to return the PATIENT COMMENTS (#4) field from the SDEC APPOINTMENT (#409.84) file. The VS GUI was updated to display the Patient comments on the Expand Entry screen under the Other category. The following RPCs were updated to return the PATIENT COMMENTS (#4) field from the SDEC APPOINTMENT (#409.84) file in their returned JSON objects. The new SDES EDIT APPOINTMENT RPC will allow editing of the note tied to the appointment. The logic supporting the Wait Time calculation was updated based on the latest business rules. The new SDES GET DISPOSITION REASONS RPC will return the list of disposition reasons from the DISPOSITION REASON (#409.853) file. No input parameters are required. Data returned from the call will be in JSON format. The SDES PATIENT SEARCH RPC was updated to return the requested data elements in the returned JSON object. The SDES846P post install routine was updated to include logic to clean up encounters left open after the appointment was closed based on the business rules provided by the Business Owners. The SDES PATIENT SEARCH RPC was updated to operate correctly when the patient's last name is

only two letters long. The SD*5.3*846 post install routine will utilize the SD*5.3*627 Compliance Date 5/5/2017 as the start date for the cleanup. It will only run at sites when the data cleanup was not run successfully during the installation of the SD*5.3*842 patch.

The patch adds the following RPCs:

SDES CREATE LAST SELECTED PAT
SDES EDIT APPOINTMENT
SDES GET APPTS BY IENS2
SDES GET DISPOSITION REASONS
SDES GET LAST SELECTED PAT
SDES GET PATIENT CMMTS

The patch updates the following existing RPCs:

SDEC EP DEMOGRAPHICS
SDES CREATE WALKIN APPT
SDES GET APPT BY REQ/APPT TYP2
SDES GET APPTS BY CLIN IEN 3
SDES GET APPTS BY CLIN LIST2
SDES GET APPTS BY CLINIEN LIST
SDES GET APPTS BY IENS
SDES GET APPTS BY PATIENT DFN3
SDES GET APPTS BY RESOURCE
SDES GET DIVISION LIST
SDES PATIENT SEARCH

The patch deletes the following existing RPCs:

SDES CANCEL APPOINTMENT

The patch adds the following Options:

N/A

The patch updates the following existing Menus:

N/A

Table 76: Patch SD*5.3*846 Routines

New SD Routines	Modified SD Routines
SDES846PENC	SDECEPT
SDES846PRE	SDESAPPTDATA
SDESEDITAPPT	SDESCLINICSET2
SDESGETAPPTSIN2	SDESCREATEAPPREQ
SDESGETDISPREASN	SDESCREATEAPPT
SDESGETSTOREDPAT	SDESCRTWALKIN
SDESPATCOMMTS	SDESEDITAPPTREQ
SDESSTOREPATIENT	SDESGETDIVISION
	SDESMISSIONELG
	SDESPATSEARCH

3.5.108 Patch SD*5.3*847 Routines

VistA Scheduling patch SD*5.3*847 includes several defect corrections and enhancements including updating the SDES GET APPT* Remote Procedure Calls (RPCs) to include the STATUS (#.17) field from the SDEC APPOINTMENT (#409.84) file in their JavaScript Object Notation (JSON) object. The SDEC APPADD and SDES CREATE APPOINTMENTS RPCs were updated to ensure that the patient on the Appointment matches the patient on the associated Appointment Request. The SDES CANCEL APPOINTMENT2 RPC was modified to update all the same data elements that are currently supported by the SDEC APPDEL RPC. The SDES CREATE APPOINTMENTS RPC was updated to remove the array field 20. The RPC was updated to store the note from APPTARRAY(11) into the NOTE (#1) field in the SDEC APPOINTMENT (#409.84) file. The logic was also updated to store the Disposition related data into the DATE DISPOSITIONED (#19), DISPOSITIONED BY (#20) and DISPOSITION (#21) fields in the SDEC APPT REQUEST (#409.85) file. The following SDES* routines were updated to include the PIDDATE logic: SDESCANAPPT2, SDESRECALLREQ, SDESCREATEAPPT, SDESCREATEAPPREQ, SDESCRTAPPTWRAP, SDESNOSHOW, SDESGETAPPTREQ, SDESGETCONSULTS. The logic supporting the following RPCs was updated to address the issues related to the letter counts and dates: SDES GET APPT REQ BY IEN, SDES GET APPT REQ BY PAT ALL, SDES GET APPT REQ BY PAT OPEN, SDES GET APPT REQ BY PATIENT, SDES GET APPT REQ BY TYPE VET, SDES GET APPT REQ LIST BY DFN, SDES GET APPT REQ BY IENS2, SDES GET APPT REQS BY IENS.

The patch adds the following RPCs:

N/A

The patch updates the following existing RPCs:

SDES CREATE APPOINTMENTS

SDES GET APPT BY APPT IEN
 SDES GET APPTS BY CLIN IEN 3
 SDES GET APPTS BY CLIN LIST2
 SDES GET APPTS BY CLINIEN LIST
 SDES GET APPTS BY IENS2
 SDES GET APPTS BY PATIENT DFN3
 SDES GET APPTS BY RESOURCE

The patch deletes the following existing RPCs:
 N/A

The patch adds the following Options:
 N/A

The patch updates the following existing Menus:
 N/A

Table 77: Patch SD*5.3*847 Routines

New SD Routines	Modified SD Routines
	SDEC07
	SDESAPPTDATA
	SDESCANAPPT2
	SDESCLINICDATA
	SDESCREATEAPPREQ
	SDESCREATEAPPT
	SDESCRTAPPTWRAP
	SDESEDITAPPTREQ
	SDESGETAPPTREQ
	SDESGETAPPTREQ2
	SDESGETCONSULTS
	SDESGETPATAPPT
	SDESGETREQWRAPPR
	SDESGREQSIENS
	SDESNOSHOW
	SDESRECALLREQ

3.5.109 Patch SD*5.3*858 Routines

VistA Scheduling patch SD*5.3*858 includes the following defect correction:

- o TMP-2393: Stop sending MRTCs to TMP until we can handle MRTCs correctly.

Various errors were observed by sites surrounding TMP making appointments against Multi Return To Clinic (MRTC) Request records.

The errors were filing incorrectly on the VistA side causing remaining children requests to be orphaned and not usable or allowing the scheduling against the Parent MRTC by mistake.

This patch will halt the returning of MRTC Requests to TMP for their use and selecting while making an appointment pending a future patch to correct all the issues discovered with TMP using MRTCs.

Table 78: Patch SD*5.3*858 Routines

New SD Routines	Modified SD Routines
	SDHL7CON

3.5.110 Patch SD*5.3*851 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.45.0 includes the following defect corrections and enhancements:

A variable wasn't be newed and was leaking in the SDES DISPLAY CONTACT which was causing the contacts attempts to be returned on the wrong appointment request.

The SDES GET CLINIC INFO2 and SDES GET CLINICS BY CLIN LIST RPCs were updated to include the clinic status in their returned JSON object.

The following RPC were updated to return the PID CHANGE ALLOWED field (#49) from the SDES APPT REQUEST file (#409.85).

SDES GET APPTREQ BY INST
SDES GET APPT REQ BY IEN
SDES GET APPT REQ BY PAT ALL
SDES GET APPT REQ BY PAT OPEN
SDES GET APPT REQ LIST BY DFN
SDES GET APPT REQS BY IENS

The SDES SEARCH CLINIC ATTRIBUTES RPC was updated to return the clinic abbreviation field (#1) and the PROVIDER subfield (#.01) from the PROVIDER multiple (#44.1) in the HOSPITAL LOCATION file (#44).

The Resource Status was backwards and has now been updated to return the following: Status = 1:"INACTIVE", otherwise the RPC will return 0.

The logic associated with cancelling an appointment was updated to prevent storing the PID in the PID field (#1) of the SDEC CONSULT PID HISTORY file (#409.87).

The VS GUI was updated to prevent the user from being able to edit the PID for the Edit Request when the prior appt was canceled by patient or no-showed. On the Cancellation screen the user selects canceled by patient, the PID field is inactivated to prevent editing. On the Create appointment screen if prior appointment was canceled by patient or no-showed, the PID field is inactivated to prevent editing.

The VS GUI provides a report of the first 200 veteran requests. Many/most sites have more than this. The patient comments in the VistA Open Veteran Request reports wraps in almost every case, and there is not programmatic way to prevent this other than limiting the character counts, which is not doable. The solution proposed by the business office is to remove the patient comments column from the report. Also, determine why the PID field on this report is coming back blank for so many requests in production.

The appointment slot calculation logic in the SDES CANCEL APPOINTMENT2 and SDES CREATE APPOINTMENTS RPCs was updated to the SDES* coding standards.

The Patient Info screen in the VS GUI was updated to change the "Permanent Address" label to "Mailing Address".

The logic to review the patient appointment in the SDES GET APPTS BY PATIENT DFN3 RPC was updated to prevent null subscript errors.

The patch adds the following RPCs:

N/A

The patch updates the following existing RPCs:

SDES GET APPT REQ BY IEN
SDES GET APPT REQ BY PAT ALL
SDES GET APPT REQ BY PAT OPEN
SDES GET APPT REQ BY PATIENT
SDES GET APPT REQ BY TYPE VET
SDES GET APPT REQ LIST BY DFN
SDES GET APPT REQS BY IENS
SDES GET APPT REQS BY IENS2
SDES GET CLINIC INFO2
SDES GET CLINICS BY CLIN LIST
SDES GET CONSULTS BY DFN
SDES GET CONSULTS BY IEN
SDES SEARCH CLINIC ATTRIBUTES

The patch deletes the following existing RPCs:

N/A

The patch adds the following Options:

N/A

The patch updates the following existing Menus:

N/A

Table 79: Patch SD*5.3*851 Routines

New SD Routines	Modified SD Routines
	SDEC07
	SDEC08
	SDES01C
	SDESCANAPPT2
	SDESCLNSEARCH
	SDESCONTRACTS
	SDESCREATEAPPT
	SDESCREATEAPPT44
	SDESGETAPPTREQ
	SDESGETAPPTWRAP5
	SDESGETREQWRAPPR
	SDESOPENVETREQS
	SDESRTVCLN2
	SDESUTIL

3.5.111 Patch SD*5.3*853 Routines

VistA Scheduling patch SD*5.3*853 includes several defect corrections and enhancements including:

The new SDES2 CREATE CLINIC Remote Procedure Call (RPC) was created and will accept two arrays as input: SDCONTEXT and SDCLINIC.

The new SDES2 EDIT CLINIC RPC was created and will accept two arrays as input: SDCONTEXT and SDCLINIC.

The new SDES BLOCK AND MOVE RPC was created to accept the Clinic IEN and to utilize only code in the SDES namespace.

The new SDES2 GET PATIENT MED LIST RPC was created to return the medication list for the selected patient.

The new SDES2 GET REQUESTS BY INST was created to return all open appointment requests (up to 200 per request type). If the station number is passed in, only records for that station/institution will be returned.

The SDEC CREATE WALKIN APPT JSON RPC was updated to address issues with appointments occurring between 12a-1am.

The new SDES2 GET HOLIDAYS RPC was created and returns the Holidays from the HOLIDAY file (#40.5). Start date and end date may be passed, but are optional.

The SDES GET PATIENT REGISTRATION2 RPC was updated to utilize the GETELIGIBILITY^SDESPATSEARCH utility to return the PRIMARY ELIGIBILITY CODE (#.361) and the PATIENT ELIGIBILITIES multiple (#361) from the PATIENT file (#2).

The new SDES GET PATREG BY DFNICN RPC was created to look up each of the patient Data File Number (DFNs) and Integration Control Number (ICNs) specified and return their registration data ** (as if SDES GET PATIENT REGISTRATION2 was called). At least one DFN or one ICN is required, and a combination of DFNs and ICNs may be given.

The SDES CHECKOUT RPC was updated to track additional errors internally, which allows it to correctly track the IEN of the record it needs to either lock or unlock.

The SDES GET PATIENT REGISTRATION2 RPC was updated to return the DATE OF DEATH field (#.351) from the PATIENT file (#2).

The VistA Scheduling (VS) Graphical User Interface (GUI) was updated so that when the appointment begin time is adjusted, the corresponding appointment end time is adjusted by the same amount.

The patch adds the following RPCs:

- SDES BLOCK AND MOVE
- SDES GET PATREG BY DFNICN
- SDES2 CREATE CLINIC
- SDES2 EDIT CLINIC
- SDES2 GET HOLIDAYS
- SDES2 GET PATIENT MED LIST
- SDES2 GET REQUESTS BY INST

The patch updates the following existing RPCs:

- SDES GET PATIENT REGISTRATION2

The patch deletes the following existing RPCs:
N/A

The patch adds the following Options:
N/A

The patch updates the following existing Menus:
N/A

Table 80: Patch SD*5.3*853 Routines

New SD Routines	Modified SD Routines
SDES2CLINUT	SDESCHECKOUT
SDES2CREATECLIN	SDESCREATEAPPT
SDES2EDITCLIN	SDESGETREGA1
SDES2GETHOLIDAYS	SDESNOSHOW
SDES2GETMEDLIST	SDESRECALLREQ
SDES2GREQSINST	
SDES2JSON	
SDES2UTIL	
SDES2VAL2	
SDES2VAL200	
SDES2VAL44	
SDES2VAL44A	
SDES2VALCONTEXT	
SDES2VALCRTCLIN1	
SDES2VALISODTTM	
SDES2VALUTIL	
SDESBLOCKANDMOVE	
SDESGETREGA2	

3.5.112 Patch SD*5.3*856 Routines

SD*5.3*856 provides Fiscal Year 2024 Year updates to the CLINIC STOP file (#40.7) as requested by the Office of Finance, Managerial Cost Accounting Office (MCAO).

*** IMPORTANT NOTE ***

* This patch is being released with a compliance date of October 1, *

* 2023 and should be installed as close to Close of Business (COB) on *

* September 30, 2023 as possible, but not after October 1, 2023. Early *

* installation of this patch could result in transmission of incorrect *

* Stop Codes that will result in errors from Austin. Coordination with *

* the MAS (Medical Administration Service) PAS (Program Application *

* Specialist)/ADPAC (Automated Data Processing Application Coordinator) *

* is imperative as SD*5.3*856 will cause changes to the CLINIC STOP *

* file (#40.7). Testing can be done in a site's mirror account before *

* installation in production to verify changes. SD*5.3*856 modifies and *

* creates Stop Codes effective October 1, 2023; therefore, installing *

* early may modify certain Stop Codes that may currently be in use at *

* your site. It is advised that clinics with Stop Codes assigned that *

* will incur restriction date/type changes should be corrected as soon *

* as possible after installation. Please keep in mind that new Stop *

* Codes should not be assigned in MAS/Scheduling until October 1, 2023 *

* as the Patient Care Encounters (PCE) bearing FY24 Mid-Year Stop Codes *

* will not be accepted in Austin until that date. All other MAS Stop *

* Code changes should be made as early as possible on October 1, 2023. *

Instructions for the FY24 Year Stop Code Patch:

SD*5.3*856 makes changes to the CLINIC STOP (#40.7) file as of October 1, 2023. No clinic can be created using any new Stop Codes contained in the patch until after this patch is implemented.

Scheduling & Patch Installer should coordinate to perform the following sequence:

1. Patch Installer installs the patch late on September 30 or early on October 1, 2023.
2. Scheduling staff: Run the Non-Conforming Clinics Stop Code Report [SD CLN STOP CODE REP] to list those clinics that need changes in the HOSPITAL LOCATION file (#44) for FY24.
3. Scheduling staff: Make changes in the HOSPITAL LOCATION file (#44) so that the clinics will have the correct Stop Codes in place for October 1st clinic appointments.

MCA Staff:

1. Before October 1 (prior to installation of the patch) run Option 2: Create DSS Clinic Stop Code File [ECXSCLOAD] from the Setup for DSS Clinic Information menu [ECX SETUP CLINIC].

2. Follow normal procedures to run the DSS CLI Extract for September 2023. It is the create and edit, not the 'approve', that changes the values included in the CLI extract. Perform normal AUDITS for the CLI Extract.
3. DO NOT make changes for October clinics at this time.
4. Between September 13-30, 2023 after auditing and receiving confirmation of successful deblocking of the transmitted March CLI Extract, proceed with FY23 Mid-Year Stop Code changes to the DSS Clinics and Stop Codes Worksheet:
 - a. After the September extract has been run, transmitted and is considered final (in your mind, no re-run/re-transmit needed), you may run Option 2 CREATE DSS Clinic Stop Code File [ECXSCLOAD]. This option creates local entries in the CLINICS AND STOP CODES file (#728.44) and compares this file to the HOSPITAL LOCATION file (#44) to see if there are any differences since the last time the file was reviewed.
 - b. After Option 2 has completed, use the Option 3: Clinics and DSS Stop Codes Print [ECXSCLIST]. This option produces a worksheet of (A) All Clinics, (C) Active, (I) Inactive, or only the (U) Unreviewed Clinics that are awaiting approval.
 - c. Run Option 7: Clinic & Stop Codes Validity Report [ECX STOP CODE VALIDITY]. This step will check that all Stop Codes conform. Note: a 'blank' output indicates there are no problems with Stop Code and credit stop validity.
 - d. Update for FY24 as needed using Option 4: Enter/Edit Clinic Parameters [ECXSCEdit] option.
 - e. Approve changes using Option 5: Approve Reviewed DSS Clinic Worksheet [ECXSAPPROV] option. Finalize all Stop Code changes on the worksheet to be ready to run the October DSS CLI Extract.
 - f. MCA teams with questions, please log a ticket through the VHA Office of Finance Managerial Cost Accounting Office Help Desk at:
<https://mcaapp.vha.med.va.gov/MCAOHelpDesk/Default.aspx>

The patch adds the following RPCs:

N/A

The patch updates the following existing RPCs:

N/A

The patch deletes the following existing RPCs:

N/A

The patch adds the following Options:

N/A

The patch updates the following existing Menus:

N/A

Table 81: Patch SD*5.3*856 Routines

New SD Routines	Modified SD Routines
N/A	N/A

3.5.113 Patch SD*5.3*857 Routines

VistA Scheduling patch SD*5.3*857 includes several defect corrections and enhancements including:

The SDES GET APPT REQS BY IENS, SDES CONTACT ADD/UPDATE, SDES CONTACT DISPLAY, and SDES GET APPTS BY IENS Remote Procedure Calls (RPC) will be removed from the site during the installation of the patch.

The SDBUILD option was updated to remove the prompt for START TIME FOR AUTO REBOOK and MAX# DAYS FOR AUTO-REBOOK. The ALLOWABLE CONSECUTIVE NO-SHOWS prompt was set to default to zero.

The SDES EDIT CLINIC RPC was updated to prevent editing the LENGTH OF APP'T field. The code supporting the Display Increment Per Hour and the Hour Clinic Display Begins fields were updated to the latest programming standards.

The SDESGETCONSULTS routine was updated by correcting a misspelled input parameter that was resulting in a leaking variable.

The VistA Scheduling (VS) Graphical User Interface (GUI) was updated to correctly display contacts attempts that have comments that contain a semicolon.

The VS GUI was updated to look for device name as opposed to just the Boolean since it includes non-applicable device types.

The Primary and Credit stop code validators used by the SDES2 CREATE CLINIC RPC were updated to only allow for active Primary or Credit stop codes. The Length of Appointment, Division, Default Appointment Type, and Principal Clinic field validators were updated to always store a validated entry.

The Primary and Credit stop code validators used by the SDES2 EDIT CLINIC RPC were updated to only allow for active Primary or Credit stop codes. The Clinic Hash value was added as an input parameter. The Division, Default Appointment Type, and Principal Clinic field validators were updated to always store a validated entry.

The patch adds the following RPCs:

N/A

The patch updates the following existing RPCs:

SDES2 EDIT CLINIC

SDES EDIT CLINIC

The patch deletes the following existing RPCs:

SDES CONTACT ADD/UPDATE

SDES CONTACT DISPLAY

SDES GET APPT REQS BY IENS

SDES GET APPTS BY IENS

The patch adds the following Options:

N/A

The patch updates the following existing Menus:

N/A

Table 82: Patch SD*5.3*857 Routines

New SD Routines	Modified SD Routines
N/A	SDES2CLINUT
	SDES2EDITCLIN
	SDES2UTIL
	SDES2VAL44
	SDES2VAL44A
	SDES2VALCRTCLIN1
	SDESCLINICSET
	SDESGETCONSULTS

3.5.114 Patch DG*5.3*1098 Routines

Patch DG*5.3*1098 sets the INACTIVE field to YES of the WORLD WAR I eligibility code entries in the MAS ELIGIBILITY CODE (#8.1) and ELIGIBILITY CODE (#8) files.

Patch DG*5.3*1098 modifies the field value for the LONG DESCRIPTION field (#.04) in the HEALTH BENEFIT PLAN file (#25.11) for VHAP plan code VETERAN FULL MED BENEFITS TX GMT AND RX COPAY REQ 6 (#240) and VETERAN FULL MED BENEFITS TX AND RX COPAY REQ 6 (#281).

Patch DG*5.3*1098 adds the WORLD WAR II eligibility code to the MAS ELIGIBILITY CODE (#8.1) file.

Patch DG*5.3*1098 prevents users from adding the new WORLD WAR II eligibility code in DATA GROUP [3] in the PRIMARY ELIGIBILITY CODE prompt on the ELIGIBILITY STATUS DATA, SCREEN <7>.

Patch DG*5.3*1098 allows user to add the new WORLD WAR II eligibility code in DATA GROUP [3] in the PATIENT ELIGIBILITIES prompt on the ELIGIBILITY STATUS DATA, SCREEN <7> for patients matching the following criteria:

- Patient is a Veteran
- Patient has a Military Service Episode that includes any period from December 07, 1941 through December 31, 1946
- Patient's birthdate is prior to January 01, 1933

Patch DG*5.3*1098 adds the new entry "UNCHARACTERIZED" to the TYPE OF DISCHARGE file (#25).

Patch DG*5.3*1098 modifies existing entries in the INCONSISTENT DATA ELEMENTS file (#38.6). The DATE OF DEATH IN THE FUTURE (#16), THE DATE OF DEATH IS BEFORE THE DATE OF BIRTH (#308) and CLAIM FOLDER NUMBER INVALID (#406) the USE FOR Z07 CHECK field (#6) is changed from YES to NO.

Patch DG*5.3*1098 modifies the input template [DG LOAD EDIT SCREEN 7] of the ELIGIBILITY DATA, SCREEN <7>, Group [1] to no longer display the labels "Claim Number:" and "Folder Loc.:" when the CLAIM NUMBER field (#.313) and the CLAIM FOLDER LOCATION field (#.314) from the PATIENT file (#2) are both null.

Patch DG*5.3*1098 modifies the Enrollment Priority algorithm so that the system shall assign Priority Group 6 to a Veteran with the World War II Eligibility Code, unless the Veteran otherwise qualifies for Priority Group 1, 2, 3, 4, or 5.

NOTE: For additional information on the Enrollment Priority Algorithm, please see the 'PIMS Version 5.3 ADT Module User Manual' located on the Veteran Affairs (VA) Software Document Library.

The following modified routines are exported by patch DG*5.3*1098:

- DG531098P
- DGLOCK1
- DGENELA4
- DGRP7
- DGRPC
- DGRPC3

3.5.115 Patch SD*5.3*860 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.48.1 and patch SD*5.3*860 includes several defect corrections and enhancements including:

Logic was added to the SDES860P post install to update clinics whose E-CHECKIN ALLOWED (#20) or PRE-CHECKIN ALLOWED (#21) fields are undefined to No.

The new SDES2 ADD CONTACT ATTEMPT and SDES2 ADD CONTACT ATTEMPTS RPCs were created to replace the SDES ADD/UPDATE CONTACT and SDES DISPLAY CONTACT RPCs.

The SDES GET CLINIC ORIGINAL AVAIL Remote Procedure Call (RPC) was updated to correct two known issues related to clinic availability.

The VS GUI was updated to display pertinent information about the patient's eligibility when a patient is loaded into context.

The SDES SEARCH CLINIC ATTRIBUTES RPC was updated to note that the minimum length of the SEARCHSTRING Input Parameter is two characters.

The SDES GET APPT BY APPT IEN, SDES GET APPTS BY CLIN IEN 3, SDES GET APPTS BY IENS 2 and the SDES GET APPTS BY PATIENT DFN3 were updated to return the Appointment Types, Request Types and AMIS Stop codes.

The SDES CREATE CLINIC and SDES EDIT CLINIC RPCs were updated to return an error when an inactive Primary or Credit Stop Code is passed in.

The SDES2 GET HOLIDAYS RPC definition was updated to note that the SDCONTEXT array includes the User SECID element.

The SDES2 CREATE CLINIC RPC's definition was updated to match the SDES2 EDIT CLINIC RPC definition on the fields that they have in common.

The SDES2 EDIT CLINIC RPC's definition was updated to match the SDES2 EDIT CREATE RPC definition on the fields that they have in common.

The logic that processes and stored the multiple fields for the SDES2 CREATE CLINIC RPC was updated to correctly identify when the multiples were passed in.

The patch adds the following RPCs:

SDES2 ADD CONTACT ATTEMPT
SDES2 GET CONTACT ATTEMPTS

The patch updates the following existing RPCs:

SDES GET APPT BY APPT IEN

SDES GET APPTS BY CLIN IEN 3
 SDES GET APPTS BY IENS2
 SDES GET APPTS BY PATIENT DFN3
 SDES SEARCH CLINIC ATTRIBUTES
 SDES2 CREATE CLINIC
 SDES2 EDIT CLINIC
 SDES2 GET HOLIDAYS
 SDES2 GET REQUESTS BY INST

The patch deletes the following existing RPCs:
 N/A

The patch adds the following Options:
 N/A

The patch updates the following existing Menus:
 N/A

Table 83: Patch SD*5.3*860 Routines

New SD Routines	Modified SD Routines
SDES2CONTACTS	SDES2CREATECLIN
	SDES2VALCONTEXT
	SDES2VALCRTCLIN1
	SDESAPPTDATA
	SDESCLINDAILYSCH
	SDESCLINICDATA
	SDESCLINICSET

3.5.116 Patch SD*5.3*868 Routines

VistA Scheduling is being updated so that the SDES CREATE CLIN AVAILABILITY and SDES EDIT CLINIC AVAILABLITY Remote Procedure Calls (RPCs) will return a new date field when a pattern could not be set indefinitely. The new date field will provide the first date the new pattern could not be implemented.

The patch adds the following RPCs:
N/A

The patch updates the following existing RPCs:
SDES CREATE CLIN AVAILABILITY
SDES EDIT CLINIC AVAILABILITY

The patch deletes the following existing RPCs:
N/A

The patch adds the following Options:
N/A

The patch updates the following existing Menus:
N/A

Table 84: Patch SD*5.3*868 Routines

New SD Routines	Modified SD Routines
	SDESCLNSETAVAIL

3.5.117 Patch SD*5.3*870 Routines

VistA Scheduling is being updated with the new SDES2 SEARCH CLINIC ATTRIBUTES RPC which was based on the SDES2 SEARCH CLINIC ATTRIBUTES. It will now accept a Boolean input parameter in the CLINIC array. This Boolean operates as follows:

- If the Boolean is true the SDES SEARCH CLINIC ATTRIBUTES RPC returns both active and inactive clinics.
- If the Boolean is false the SDES SEARCH CLINIC ATTRIBUTES RPC returns only active clinics.
- If the Boolean is missing the SDES SEARCH CLINIC ATTRIBUTES RPC returns only active clinics.

The SDES2 SEARCH CLINIC ATTRIBUTES RPC was updated to include these additional fields in the returned JSON object:

TYPE (#2)
TYPE EXTENSION (#2.1)
OCCASION OF SERVICE CLINIC? (#50.01)

The patch adds the following RPCs:
N/A

The patch updates the following existing RPCs:
SDES2 SEARCH CLINIC ATTRIBUTES

The patch deletes the following existing RPCs:
N/A

The patch adds the following Options:
SDESRPC

The patch updates the following existing Menus:
N/A

Table 85: Patch SD*5.3*870 Routines

New SD Routines	Modified SD Routines
SDES2CLNSEARCH	
SDES2UTIL1	
SDES2VAL4	

3.5.118 Patch SD*5.3*859 Routines

This patch will perform Stop Code maintenance in Scheduling in accordance with the MCAU FY24 (October 2023) updates. These changes need to be moved into the SD TELE HEALTH STOP CODE File (#40.6)

This patch corrects the code that displays special instructions. It also initializes all clinic fields to prevent errors.

This patch fixes the <UNDEFINED>SCH+20^SDHL7APU error that occurred when TMP scheduler is missing email address.

The provider, clinic and stop code options of the Default Provider Update were corrected to stop updating clinics and stop codes that should not be updated.

This patch updates the logic on the 'Provider Add/Edit' and the 'Default Provider Bulk Update' options to prevent user from editing Provider Information if the associated clinic is currently inactive.

The TMP application is sending the cancelation reason to VistA, but VistA is not receiving it properly. Updated several routines to make sure it is received and recorded on the VistA appointment.

This patch makes changes to prevent VSE from classifying TMP appointments as Multiple Return To Clinic (MRTC) orders when cancelling the patient side appointment in VSE.

As a result of this error, the SDEC APPT REQUEST (#409.85) file has corrupted data In the PARENT REQUEST field (#43.8) This patch implements a clean-up routine for the parent data.

When sending a Cancel Appointment to VistA from TMP, the Cancel Reason field was null, causing an error. This is a required field and caused the related undefined error. This patch implements a change to send back a Negative acknowledgement error message to TMP and quit gracefully.

Table 86: Patch SD*5.3*859 Routines

New SD Routines	Modified SD Routines
SDHL7APT	SD53P859
SDHL7APU	
SDTMP08	
SDTMPEDT	
SDTMPUT0	
SDTMPUT2	

3.5.119 Patch DG*5.3*1103 Routines

Patch DG*5.3*1103 adds a new field to the PATIENT file (File #2) to indicate whether the patient claims exposure to Toxic Exposure Risk Activity (TERA), field named TOXIC EXPOSURE RISK ACTIVITY (#.32116).

Patch DG*5.3*1103 adds **TERA:** as a new Group <6> on the ENVIRONMENTAL FACTORS sub-screen displayed when the Environment Factors group [3] on the MILITARY SERVICE DATA, SCREEN <6> is selected.

Patch DG*5.3*1103 adds the TOXIC EXPOSURE RISK ACTIVITY field to the SVC Component of the VADPT routine, service information for a patient, supported by ICR 10061.

Patch DG*5.3*1103 adds TERA to the list of Alpha Subscripts returned in the VASV array when VAHOW is set to 1.

Patch DG*5.3*1103 modifies the Enrollment Priority algorithm to assign Priority Group 6 to a patient with the TOXIC EXPOSURE RISK ACTIVITY field (#2,.32116) equal to 1, YES, when recalculating Priority Group values unless the Veteran qualifies for a higher Priority Group.

Patch DG*5.3*1103 updates the SVC^VADPT service information entry point, adds the new TOXIC EXPOSURE RISK ACTIVITY (#.32116) field to the 15th node of the VASV array.

Patch DG*5.3*1103 receives the TERA data from VES and stores the received TERA data.

The following modified routines are exported by patch DG*5.3*1103:

- VADPT
- VADPT0
- VADPT4
- DGRP6EF
- DGENUPL
- DGENUPLA
- DGENPTA1
- DGENELA4

3.5.120 Patch SD*5.3*861 Routines

VistA Scheduling patch SD*5.3*861 includes several defect corrections and enhancements including:

The new RPC - SDES GET APPTREQ BY INST2 was created to retrieve appointment requests for Consults(#123) and Recall Reminders(#403.5) and Appointment Requests(#409.85). Not more than 100 records for each type.

The SDES2 GET HELP LINKS RPC was created and will return data from the SDEC SETTINGS file (#409.98), HELP LINK TEXT subfield (#409.981).

The VS GUI was updated to enable the check-out option on the screens where it is displayed.

The Validate Appointment Type logic was updated to check for either an IEN or a Recall reminders appointment type name.

The new GETSTOREDPATIENT routine was created to support the patient search return functionality for the SDES2 GET LAST SELECTED PAT RPC.

The new SDES2 EDIT PAT PRE-REG updates patient pre-registration and associated files when a Vetlink Kiosk pre-register event occurs.

Logic was added to the resend VVC link module in the VS GUI to log all calls to the VSE Trace Log.

The SDES2 GET APPTS BY CLIN LIST2 was created utilizing the SDES2* coding standards and utilizing a call to the latest SUMMARY2 logic.

The logic supporting the following RPCs were updated to return both the Stop Codes and the IENs for the Stop Codes in the Appointment Requests:

SDES GET APPT REQ BY IEN

SDES GET APPT REQ BY PAT ALL

SDES GET APPT REQ BY PAT OPEN
SDES GET APPT REQ BY PATIENT
SDES GET APPT REQ BY TYPE VET
SDES GET APPT REQ LIST BY DFN
SDES GET APPT REQS BY IENS2
SDES GET APPTREQ BY INST

The SDES2 GET PATIENT EP RPC was create based off of the existing logic of the older SDEC EP PT INFO and supports the new SDES2 coding standards.

The SDES REACTIVATE CLINIC RPC was updated to include an additional check for the existence of a pre-existing clinic with the user specified clinic name preceded by ZZ.

The SDES SEARCH CLINIC ATTRIBUTES RPC was updated to include the C cross reference, based on the ABBREVIATION (#1) field, for clinic searches.

The VS GUI was updated to use dashes as opposed to underscores for Time zones. Example: HAWAII_ALEUTIAN will now be HAWAII-ALEUTIAN.

The SDES2VALUTIL routine was updated to force any alpha-numeric string passed into a string.

The GETAPPT44 and BUILDCLINAPPTARY line tags in routine SDESGETAPPTWRAP5 were updated to only set the DFN variable after the appointments have been correctly linked to the patient.

The new SDES2 RESTORE CLIN AVAIL RPC was created and will allow the restoration of clinic availability. If the day was a full day cancel, will restore full day. If time periods (partial) day cancellation were cancelled, then the RPC will restore a partial day for the time period start time sent in.

The new SDES2 GET EXPANDED ENTRY RPC returns the expanded entry fields associated with the appointment/patient.

The VS GUI was updated to remove the max-width set on the appointment day slots. The day will now expand to accommodate any number of appointments added.

The SDES2 GET PATIENT MED LIST RPC was updated to have the same SDCONTEXT array as all the other SDES2 RPCs. The DFN of the patient for Med List retrieval was added to the PARAMS input array.

The patch adds the following RPCs:
SDES GET APPTREQ BY INST2

SDES2 EDIT PAT PRE-REG
 SDES2 GET EXPANDED ENTRY
 SDES2 GET HELP LINKS
 SDES2 GET LAST SELECTED PAT
 SDES2 GET PATIENT EP
 SDES2 REACTIVATE CLINIC
 SDES2 RESTORE CLIN AVAIL
 SDES2 SEARCH CLINIC ATTRIBUTES

The patch updates the following existing RPCs:

SDES CREATE RECALL REQ 2
 SDES2 GET PATIENT MED LIST

The patch deletes the following existing RPCs:

N/A

The patch adds the following Options:

N/A

The patch updates the following existing Menus:

N/A

Table 87: Patch SD*5.3*861 Routines

New SD Routines	Modified SD Routines
SDES2EDITPREREG	SDB1
SDES2EPT	SDES2GETMEDLIST
SDES2GETEXPENTRY	SDES2VALUTIL
SDES2GETLINKS	SDESGETAPPTREQ
SDES2GETSTORDPAT	SDESGETAPPTREQ2
SDES2REACTTCLIN	SDESGETAPPTWRAP5
SDES2RSTCAVAIL	SDESUPDRECREQ2
SDES2UTIL1	
SDESGETAREQINST2	

3.5.121 Patch DG*5.3*1095 Description and Routines

DG*5.3*1095 includes updates that will display administrative eligibility for Comprehensive Prevention, Access to Care, and Treatment (COMPACT) Act as well as a break fix for a hanging comma in Admission, Discharge, Transfer/Registration (ADT REG).

The menu options DG REGISTER PATIENT, DG LOAD PATIENT DATA, FBCH ENTER REQUEST and DG PATIENT INQUIRY show ELIGIBLE, NOT ELIGIBLE, or UNDETERMINED as administrative eligibility statuses. In addition, the PTF Screen 101 will also display these 3 stat

The following modified routines are exported by patch DG*5.3*1095:

- DG531095P
- DGPTF1
- DGREGEEWS
- DGRPD

3.5.122 Patch SD*5.3*864 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.51.1 and patch SD*5.3*864 includes several defect corrections and enhancements including:

The new SDES2 INACTIVATE CLINIC Remote Procedure Call (RPC) was created and will accept a future deactivation date which will be used to inactivate the clinic in the HOSPITAL LOCATION file (#44) and the corresponding entry in the SDEC RESOURCE file (#409.831).

The SDES2 CREATE SPEC NEEDS PREFS RPC was created and will store the USER DUZ coming in on the SDECONTEXT array instead of the value stored in DUZ that holds user proxy information.

The SDECAR1A routine was updated to properly new variables so they won't be inadvertently in the symbol table during subsequent calls to subroutines within the routine.

The SDES CREATE RECALL REQ 2 RPC was updated to include a check on the length of appointment to verify that it is between 10 and 120 minutes. In addition, this field was made to be an optional input parameter.

The new SDES2 PATIENT SEARCH RPC was created. The SDCONTEXT input array will accept the requesting user's Internal Entry Number (IEN) and the RPC will validate and store the user's IEN for auditing purposes.

The VS GUI was updated so that the first click is registered and then locks the selection so that following clicks are ignored.

The SCMSVUT3 was updated to recognize the new Agent Orange locations in its validation.

The new SDES2 GET APPT TYPES BY DFN RPC will return the active appointment types for a patient specified by the DFN.

An additional check was added to the SDESCANAPPT2 routine to quit out if the flag to re-open the corresponding appointment request is not defined.

The SDESAPPTDATA was updated to return the Date of Birth, Last 4 Social Security Number (SSN), and the Date of Death in the Appointment Object.

The new SDES2 GET VVC STOP CODES RPC was created to return the VA Video Connect (VVC) Stop Code information from the SDEC SETTINGS (#409.98) File.

The SDES CREATE APPT REQ RPC was updated to make the PRIORITY input parameter a required field and will return an appropriate error if PRIORITY is not passed in.

The SDES GET APPTYPES RPC was updated to only return Active appointment types.

The SDES GET CLIN AVAILABILITY RPC was updated to identify timeslots that start at midnight and to return the slot as starting at 1 minute after midnight along with the time zone offset.

Example: "2023-10-03T00:01-0400"

The VS GUI was updated to check for defined availability for a selected clinic and date. If there is no defined availability, the message <clinic name> NO AVAILABILITY will be displayed in the Clinic Schedules portion of the window.

The SDES CREATE CLINIC and SDES EDIT CLINIC RPCs were updated to return a more specific inactive stop code error message noting whether the inactive stop code was for a primary or secondary stop code.

The SDES GET CLINIC INFO2 RPC was updated to include the Provider IEN in its returned JavaScript Object Notation (JSON) object.

The definition of the SDES DISPOSITION APPT REQ RPC was updated and the DISPBY input parameter now says "User IEN that is dispositioning the request."

The new SDES2 CREATE LAST SELECTED PAT RPC will store the patient in the FUNCTION file (#.5) against the user. This will allow the last selected patient by the user to be accessed at a later time.

The SDES CREATE APPOINTMENTS RPC was updated to pull the Patient Indicated Date (PID) from the associated appointment request when it is not sent in as an input parameter.

The SDES CANCEL APPOINTMENT 2 RPC was updated to store the internal value "O" for the CURRENT STATUS field (#23).

The SDES UNDO NOSHOW RPC was updated to store the internal value "O" for the CURRENT STATUS field (#23) in the SDEC APPT REQUEST file (#409.85).

The SDES NOSHOW RPC was updated to store the internal value "O" for the CURRENT STATUS field (#23) in the SDEC APPT REQUEST file (#409.85).

The SDCANCEL OPTION was updated so that when the user inadvertently enters a day of the week that is not defined as having availability, the software will not create a "ST" node for that date.

The GETPROIEN Tag of SDESVVS routine was updated to return the provider information from the PROVIDER multiple (#44.1) and the default provider will have a flag of "1".

The new SDES2 GET RECALL DELETE REASON RPC will return the set of codes from the DELETE REASON (#203) from RECALL REMINDERS REMOVED file (#403.56).

The error messages for SDES2 RESTORE CLIN AVAIL were updated to return "Invalid Date" or "Missing Date".

The SDES2 REACTIVATE CLINIC RPC was updated to not allow reactivation of the clinic until Reactivation Date > Inactivation Date.

The SDES GET MISSION ACT ELIG RPC was updated to support the Wait Time Standard calculations as follows:

- Primary Care T+19 days to equal 20 days.

- Specialty Care T+27 days to equal 28 days.

The SDES2 EDIT CLINIC RPC was updated to allow editing of length of appointment.

The SDES2 CREATE CLINIC RPC was modified to allow length of appointment values that are divisible by either 10 or 15, allowing appointment length values of 20, 40, 45, etc.

The routine supporting the SDES GET CLINICS BY CLIN LIST RPC was updated to kill off the local array used to hold the JSON object for each clinic after that clinic in the clinic list is processed.

The patch adds the following RPCs:

- SDES2 CREATE LAST SELECTED PAT

- SDES2 CREATE SPEC NEEDS PREFS

- SDES2 EDIT SPEC NEEDS PREFS

- SDES2 GET APPT TYPES BY DFN

- SDES2 GET RECALL DELETE REASON

- SDES2 GET SPEC NEEDS PREFS

SDES2 GET VVC STOP CODES
SDES2 INACTIVATE CLINIC
SDES2 PATIENT SEARCH

The patch updates the following existing RPCs:

SDES CREATE APPT REQ
SDES DISPOSITION APPT REQ
SDES GET APPT TYPES
SDES GET CLINIC INFO2
SDES2 EDIT CLINIC

The patch deletes the following existing RPCs:

N/A

The patch adds the following Options:

N/A

The patch updates the following existing Menus:

N/A

Table 88: Patch SD*5.3*864 Routines

New SD Routines	Modified SD Routines
SDES2APPTYPES	SCMSVUT3
SDES2CREATESNAPS	SDC
SDES2EDITSNAPS	SDECAR1A
SDES2GETSNAPS	SDECVVS
SDES2GETVVCCODES	SDES2EDITCLIN
SDES2INACTCLIN	SDES2REACTTCLIN
SDES2PATSEARCH	SDES2RSTCAVAIL
SDES2RECLDIPREAS	SDES2UTIL
SDES2STOREPAT	SDES2VAL44
	SDESAPPTDATA
	SDESCANAPPT2
	SDESCLINICAVAIL
	SDESCLINICSET
	SDESCREATEAPPREQ
	SDESCRTAPPTWRAP
	SDESEDITAPPTREQ
	SDESGETAPPTTYPE
	SDESGETCLINSIEN
	SDESMISSIONELG
	SDESNOSHOW
	SDESRTVCLN2
	SDESUPDRECREQ2

3.5.123 Patch DG*5.3*1109 Routines

Patch DG*5.3*1109 modifies thirteen VHA Profiles (VHAP) of the HEALTH BENEFIT PLAN file (#25.11).

Patch DG*5.3*1109 modifies twenty-six entries in the INCONSISTENT DATA ELEMENTS file (#38.6).

Patch DG*5.3*1109 adds a new entry, SERVICE ACT, in the MAS ELIGIBILITY CODE file (#8.1).

Patch DG*5.3*1109 adds a new entry, SERVICE ACT, in the ELIGIBILITY CODE file (#8).

Patch DG*5.3*1109 modifies the Enrollment Priority algorithm to assign an eligible Combat Veteran, outside the 10 year (or 5 year for those Veterans with a Service Separation Date prior to October 01, 2013) eligibility period, Priority Group 8c, regardless of Financial criteria, unless the Veteran qualifies for a better Priority Group.

Patch DG*5.3*1109 modifies routine DGENA5 to avoid UNDEFINED errors during creation of the ZCD segment of the Health Level 7 (HL7) ORU/ORF~Z07 message.

- DG531109P
- DGENELA4
- DGLOCK1
- DGRPC3
- DGENA5

3.5.124 Patch SD*5.3*866 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.52.0 and patch SD*5.3*866 includes several defect corrections and enhancements including:

The new SDES GET CLINIC INFO3 RPC was created to file Special Instructions in the order in which they were entered when additional Special Instructions are entered.

The VS GUI was updated so if the patient has a home phone stored in the database, this phone number will be displayed when the contact attempts information is viewed.

The returned JSON object for the SDES BLOCK AND MOVE RPC was updated to conform to the established JSON formatting.

The SDES SEARCH CLINIC ATTRIBUTES RPC was updated to accept an optional Length of appointment input parameter. When the optional length of appointment input parameter is sent in, the RPC will screen out clinics that don't have a matching length of appointment field (#1912).

The new SDES2 CREATE RECALL REQUEST RPC was created and will contain the USER DUZ in the SDCONTEXT array. The USER DUZ will be stored on any new Recall Request that is created.

The new SDES2 EDIT RECALL REQUEST RPC was created and will contain the USER DUZ in the SDCONTEXT array. The USER DUZ will be stored when editing and existing recall request.

The new SDES2 DISPOSITION APPT REQ RPC was created and will contain the USER DUZ in the SDCONTEXT array. The USER DUZ will be used when dispositioning any appointment request.

The new SDES2 DISPOSITION RECALL REQ RPC was created and will contain the USER DUZ in the SDCONTEXT array. The USER DUZ will be used when dispositioning any recall request.

The new SDES2 CREATE APPOINTMENT RPC was created and will contain the USER DUZ in the SDCONTEXT array. The USER DUZ will be used when creating new appointment requests.

The new SDES2 CHECKIN RPC was created and will contain the USER DUZ in the SDCONTEXT array. The USER DUZ will be used when checking in a patient.

The VS GUI was updated so that when a user navigates away from the currently Selected request, the clinic drop down list for the calendar will clear so that appointments won't accidentally be booked into an incorrect clinic.

The SDES READ CLINIC GROUP RPC was updated to return the CLINIC IEN or PROVIDER IEN based on the RESOURCE TYPE. The return JSON object description was also updated to document all the fields.

The VS GUI was updated so that each time a new patient is selected, the clinic field for the old patient is cleared out and refreshed based on the newly selected patient.

The new SDES2 GET PATIENT INFO RPC was created and will return assorted patient information based on the DFN.

The SDES CREATE WALKIN APPT RPC was updated to utilize the latest SDES CHECKIN Code and it will utilize the time zone associated with the clinic to populate the CHECKIN field (#.03).

The new SDES2 CHECK CLIN AVAIL DEFINED RPC was created and will return a flag of 1 if availability has been defined in the past for a given clinic and a 0 if availability has never been defined. If a clinic currently doesn't have availability, but availability has been defined in the past, the result is 1.

The SDES2 EDIT CLINIC was updated to allow for the editing of the SCHEDULE ON HOLIDAYS? (#1918.5) field.

The VS GUI was updated to default to the patient when only one patient is returned from a patient search.

The VS GUI was updated so that correctly disposition and appointment when cancelling an appointment in Pending Appointments using a reason that will return the Appointment Request to the RM Grid.

The SDES2 GET LAST SELECTED PAT RPC was updated to use the USER DUZ from the SDCONTEXT Input array to prevent the issue where the user is marked as sensitive when coming from "Load Last Selected" button.

The VS GUI was updated to automatically close the eligibility window when the user performs a patient search and then selects a patient.

The new SDES2 GET CANCELLED SLOTS RPC was created and will return cancelled slots within a given timeframe for a given clinic in JSON format.

The SDES2 EDIT CLINIC logic was updated to allow the removal of the 'default' designation from both provider and diagnosis code.

The validation logic for the Service field was updated to save the correct code for Neurology. This update applies to both the SDES2 CREATE CLINIC and SDES2 EDIT CLINIC RPCs.

The patch adds the following RPCs:

- SDES GET CLINIC INFO3
- SDES2 CHECK CLIN AVAIL DEFINED
- SDES2 CHECKIN
- SDES2 CREATE APPOINTMENT
- SDES2 CREATE RECALL REQUEST
- SDES2 DISPOSITION APPT REQ
- SDES2 DISPOSITION RECALL REQ
- SDES2 EDIT RECALL REQUEST
- SDES2 GET CANCELLED SLOTS
- SDES2 GET PATIENT INFO
- SDES2 GET RESOURCE GROUP

The patch updates the following existing RPCs:

- SDES BLOCK AND MOVE
- SDES2 EDIT CLINIC
- SDES2 GET LAST SELECTED PAT
- SDES2 PATIENT SEARCH
- SDES2 SEARCH CLINIC ATTRIBUTES

The patch deletes the following existing RPCs:

N/A

The patch adds the following Options:

N/A

The patch updates the following existing Menus:

N/A

Table 89: Patch SD*5.3*866 Routines

New SD Routines	Modified SD Routines
SDES2APPTUTIL	SDECAPI
SDES2ARCLOSE	SDES2CLINUT
SDES2CHECKIN	SDES2EDITCLIN
SDES2CHKCAVAIL	SDES2GETSTORDPAT
SDES2CREATEAPPT	SDES2PATSEARCH
SDES2DISPRECALL	SDES2VAL44
SDES2GETCANSLOTS	SDES2VALISODTTM
SDES2GETPATINFO	SDES2VALUTIL
SDES2GETRESGROUP	SDESBLOCKANDMOVE
SDES2RECLLREQ	SDESCRTWALKIN
SDES2SEARCHCLNAT	SDRRISRU
SDESRTVCLN3	

3.5.125 Patch SD*5.3*867 Routines

VistA Scheduling (VS) patch SD*5.3*867 includes several defect corrections and enhancements including:

The following new SDES2 Remote Procedure Calls (RPCs) were created from their SDES version:

SDES2 CREATE APPT REQ
 SDES2 EDIT APPT REQ
 SDES2 GET APPTS CLINIEN LIST
 SDESS APPT CHECKOUT
 SDES2 CREATE VET REQ AND APPT

These new SDES RPCs include a new input array parameter that contains Audit information. When storing DUZ into audit fields, the new audit array input value, USER DUZ, will be used. This value, USER DUZ, will also be used to determine if a patient is sensitive for the user.

The new SDES2 GET RESOURCE IEN RPC was created and if given a Resource Type and IEN, will return the SDEC RESOURCE (#409.831) IEN.

The SDES2 GET PATIENT EP RPC was updated to return all dates in ISO format.

The SDES GET APPT REQ LIST BY DFN, SDES GET CONSULTS BY DFN and the SDES GET CONSULTS BY IEN RPCs were updated to return the stop codes for consults and procedures.

The logic in the SDES01C routine was updated to so that all clinics are returned regardless of no abbreviation or too long of an abbreviation.

The SDES CREATE APPT REQ RPC definition was updated to show an example of successful RPC in JSON format.

The SDES GET CLINIC INFO2 RPC was updated to return the Resource IEN in the returned JSON object.

The SDES GET CANCEL REASONS RPC was updated to return back the REOPEN UPON CANCELLATION field so that VSA can determine whether or not to reopen the appointment request.

A new RPC SDSE2 GET EXPAND ENTRY 2 was created to add the diagnosis code as a child element to Diagnosis whereas before it was being formatted as its own array

The SDAMUTDT routine was updated to properly identify a "zero offset" clinic so that it doesn't return an error.

The SDES Block and Move functionality was updated to properly block the original clinic's appointment slot so that another appointment does not get booked in that slot.

The logic supporting the SDES2 GET RESOURCE GROUP RPC was updated to reference the INACTIVE field (#.02) in the SDEC RESOURCE file (#409.831) instead of the INACTIVATED DATE/TIME field (#.021) field.

The patch adds the following RPCs:

- SDES2 CREATE VET REQ AND APPT
- SDES2 GET APPTS CLINIEN LIST
- SDES2 GET EXPANDED ENTRY 2

The patch updates the following existing RPCs:

- SDES CREATE APPT REQ
- SDES GET APPT REQ LIST BY DFN
- SDES GET CANCEL REASONS
- SDES GET CLINIC INFO2
- SDES GET CONSULTS BY DFN
- SDES GET CONSULTS BY IEN
- SDES SEARCH CLINIC
- SDES2 GET PATIENT EP

The patch deletes the following existing RPCs:
N/A

The patch adds the following Options:
N/A

The patch updates the following existing Menus:
N/A

Table 90: Patch SD*5.3*867 Routines

New SD Routines	Modified SD Routines
SDES2APPTCLNLST	SDAMUTDT
SDES2CRTVETAPPT	SDES01C
SDES2GETRESIEN	SDES2EPT
SDES2GETXPENTRY2	SDES2GETRESGROUP
SDES2PATDATA	SDESBLOCKANDMOVE
SDES2SETCHECKOUT	SDESCANCELRSNS
	SDESCHECKOUT
	SDESGETCONSULTS
	SDESRTVCLN2

3.5.126 Patch SD*5.3*869 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.53.0 and patch SD*5.3*869 includes several defect corrections and enhancements including:

The SDES CREATE CLINIC, SDES EDIT CLINIC, SDES GET HOLIDAYS and SDES CLINIC RSC SEARCH JSON Remote Procedure Calls (RPCs) have been replaced by newer RPCs and will be deleted at the sites.

The new SDES2 QUERY APPT REQUESTS RPC allows the user to query appointment requests, consults and recall requests. The query supports multiple filter criteria such as patient(s), clinic(s)/service(s), request types, origination date, priority group, PID date, wait time, and urgency (consults only).

The new SDES2 CREATE APPT REQ creates new appointment requests in the SDEC APPT REQUEST file (#409.85).

The new SDES2 EDIT APPT REQ RPC allows the editing of an appointment request in the SDEC APPT REQUEST file (#409.85).

The new SDES2 GET APPTS BY CLIN LIST2 RPC accepts an array of clinic IENs and returns appointments for today. Today is defined by clinic's time zone.

The new SDES2 CREATE WALKIN APPT RPC creates appointment request, appointment, and does check-in for walk-in appointments.

The new SDES2 SET APPT CHECKIN RPC will set the Status for the patient in the CHECK-IN STEP STATUS multiple (#409.843) in the SDEC APPOINTMENT file (#409.84).

The new SDES2 SET CHECK-IN STEP RPC will create a new status in the SDEC CHECK-IN STEP STATUS file (#409.842).

The new SDES2 CANCEL APPOINTMENT RPC will cancel appointments in the SDEC APPOINTMENT (#409.84), HOSPITAL LOCATION (# 44) and PATIENT (#2) files.

The new SDES2 CANCEL CLINIC AVAIL RPC will cancel clinic availability for the specified clinic and time period.

The validation logic for the SDES CREATE APPT REQ RPC was updated to send back an error if the DFN on both the child request and parent request don't match.

Wrapped Request and Response calls in VVS logic in a block to capture and log exceptions to the trace log.

The VS GUI was updated to display the Timezone for both the Patient and for the Provider on the View Video Visit and Edit Video Visit windows.

The logic supporting the SDES2 EDIT CLINIC RPC was updated to allow for the removal of inactive diagnostic codes.

The SDES CREATE APPOINTMENTS RPC and SDEC APPADD RPC were updated to correctly validate and identify the provider or default provider.

The new SDES2 GET PATIENT CLIN STATUS RPC returns whether a patient is "NEW" or "ESTABLISHED" within a clinic.

The SDES ADD CLNGRP ITEM and SDES SEARCH PROVIDERS RPCs were updated to fix typos in their definition.

The new SDES2 CREATE PROVIDER RESOURCE RPC allows the creation of a Provider Resource.

The new SDES2 EDIT PROVIDER RESOURCE RPC allows the Provider Resource Hospital location to be modified.

The logic supporting the SDES CHECKOUT RPC was updated to comply with the latest SAC standards.

The VS GUI was updated to display all of the information stored for a behavioral flag.

The new PBSP ID field (#200) was added to store the Provider Based Scheduling Profile ID which uniquely identifies that this clinic supports Provider Based Scheduling Profile and the ID of the primary Provider associated with this clinic.

The new SDES2 GET ELIGIBILITY CODES RPC returns the Eligibility Code information if an Eligibility Code Name is sent in - or - all Eligibility Code information if no Name is sent in.

The logic supporting the SDES2 CHECK CLIN AVAIL DEFINED RPC was updated to return an appropriate error message and not generate a hard error when no Clinic IEN is passed into the RPC.

The code supporting the SDES2 CREATE APPOINTMENT RPC was updated to pass in the clinic IEN to the ISO date converter to correctly pick up the timezone offset associated with the clinic.

The returned JSON object for the SDES2 CREATE APPOINTMENT RPC was updated to match current JSON standards.

The logic supporting the SDES2 GET RESOURCE GROUP RPC was updated to reference the INACTIVE field (#.02) in the SDEC RESOURCE file (#409.831) instead of the INACTIVATED DATE/TIME field (#.021) field.

The patch adds the following RPCs:

- SDES2 CANCEL APPOINTMENT
- SDES2 CANCEL CLINIC AVAIL
- SDES2 CREATE APPT REQ
- SDES2 CREATE PROVIDER RESOURCE
- SDES2 CREATE WALKIN APPT
- SDES2 EDIT APPT REQ
- SDES2 EDIT PROVIDER RESOURCE
- SDES2 GET APPTS BY CLIN LIST
- SDES2 GET ELIGIBILITY CODES
- SDES2 GET PATIENT CLIN STATUS
- SDES2 QUERY APPT REQUESTS
- SDES2 SET APPT CHECKIN
- SDES2 SET CHECK-IN STEP

The patch updates the following existing RPCs:
 SDES ADD CLNGRP ITEM
 SDES SEARCH PROVIDERS

The patch deletes the following existing RPCs:
 SDES CLINIC RSC SEARCH JSON
 SDES CREATE CLINIC
 SDES EDIT CLINIC
 SDES GET HOLIDAYS

The patch adds the following Options:
 N/A

The patch updates the following existing Menus:
 N/A

Table 91: Patch SD*5.3*869 Routines

New SD Routines	Modified SD Routines
SDES2APPTCKNSTEP	SDEC07
SDES2CANCELAPPT	SDES2CHKCAVAIL
SDES2CANCLNAVAIL	SDES2CREATEAPPT
SDES2CKNSTEP	SDES2CRTVETAPPT
SDES2CLINICLIST	SDES2PATDATA
SDES2CRTAPREQ	SDES2VAL44A
SDES2CRTPRVRES	SDESCHECKOUT
SDES2CRTWALKIN	SDESCREATEAPPREQ
SDES2EDITAPREQ	SDESCREATEAPPT
SDES2EDITPRVRES	
SDES2GETELIGCD	
SDES2GETPATSTAT	
SDES2QRYAPREQS	
SDES2QRYAPREQSA	
SDES2QRYAPREQSB	

3.5.127 Patch SD*5.3*871 Routines

VistA Scheduling (VS) Graphical User Interface (GUI) Release 1.7.54.0 and patch SD*5.3*871 includes several defect corrections and enhancements including:

The SDD routine was updated to include the ENDDATE variable to the list of variables to save when queueing the routine. Also the \$N was replaced with a \$O for SAC compliance.

The appointment object was updated to include:

1. A flag if the appointment was created from an MRTC request.
2. An inpatient flag if the user is an inpatient at the moment the RPC is called.
3. Prevent subscript errors when the DFN variables is used.

The new SDES2 UNDO NO-SHOW RPC will undo a no-show that has been applied to an appointment.

The new SDES2 NO-SHOW RPC will set an appointment into a no-show status.

The new SDES2 BLOCK AND MOVE RPC allows the user to block and move an appointment. This will block the availability in the slot the appointment was originally in and move it to a new clinic.

The new SDES2 GET VIDEO VISIT PROV RPC gets the video visit provider from the ^TMP(DUZ,"SDECPROIEN") that is stored from the GETPROINFO^SDESVVS TAG.

The new SDES2 GET INFO FOR VIDEO VISIT RPC will get patient info, default provider info, and system info needed to make a Video Visit Service (VVS) appointment in JSON format.

The new SDES2 GET RECALL BY IEN and SDES2 GET RECALLS BY DFN RPC were created. SDES2 GET RECALL BY IEN returns a single recall based on the IEN passed in from the RECALL REMINDERS file (#403.5). SDES2 GET RECALLS BY DFN returns a list of RECALL REMINDER file (#403.5) requests based on PATIENT file (#2) DFN passed to the RPC.

The routines that support the filing of the MRTC CALC PREF DATE were updated to store the MRTC CALC PREF DATE on the parent MRTC request rather than the child MRTC request so that the child MRTC requests PID can be recalculated correctly.

The \$\$GET44RECORDIENS function in SDESCANCELAPPTS was revised to update and filter past cancelled appointments when retrieving the IENS string from file 44 for an appointment.

The SDAM Background job, which normally runs in the early hours of each day was updated to create appointments for the prior day to prevent these appointments from showing as Action Required.

The new SDES2 GET SCHEDULING USERS RPC returns back a list of users with the SDECZMENU and SDECZMGR keys.

The SDES UPDATE CLINIC HASH, SDES2 CREATE CLINIC and SDES2 EDIT CLINIC RPCs were updated to include the fields to support Provider Based Scheduling Profiles (PBSP).

The SDES CANCEL CLIN AVAILABILITY RPC was updated to prevent erroneous clinic availability from being created when a user tries to cancel availability on a day when the clinic does not meet.

The VS GUI was updated to accurately place a patient into context when the user navigates to this patient using the Tab, Arrow and Enter keys.

The following RPCs were updated to incorporate the new fields to support Provider Based Scheduling Profile (PBSP).

SDES GET ALL CLINIC HASHES
SDES GET APPT BY APPT IEN
SDES GET APPTS BY CLIN IEN 3
SDES GET APPTS BY IENS2
SDES GET APPTS BY PATIENT DFN3
SDES GET APPTS BY RESOURCE
SDES GET CLINIC INFO2
SDES GET CLINIC INFO3
SDES GET CLINICS BY CLIN LIST
SDES GET CLINICS BY PROVIDER
SDES GET VVS APPT
SDES SEARCH CLINIC
SDES SEARCH CLINIC GRP
SDES SEARCH RECALL CLINICS
SDES2 CREATE CLINIC
SDES2 EDIT CLINIC
SDES2 GET APPTS BY CLIN LIST
SDES2 SEARCH CLINIC ATTRIBUTES

The SDES2 CREATE PROVIDER RESOURCE RPC was updated to no longer require the clinic IEN when creating a new provider resource.

The SDES2 GET RESOURCE IEN RPC was updated to return the IEN for the Resource in the "Resource" element of the JSON object.

The SDES2 SET APPT CHECKIN RPC was updated accept the appointment IEN in the "APPOINTMENT IEN" element of the second input array.

The SDES2APPTUTIL routine was updated to prevent undefined error for variable CLINICIEN.

The SDES2 GET PATIENT CLIN STATUS RPC definition was updated to note the correct line tag of GETPATIENTSTATUS.

The SDES2 CANCEL APPOINTMENT and SDES2 CREATE WALKIN APPT RPC definitions and their code were updated to utilize the "ACHERON AUDIT ID" in place of the EAS input parameter.

The SDES2 CREATE VET REQ AND APPT RPC definition was updated to remove the mention of EAS as an input parameter value.

The patch adds the following RPCs:

- SDES2 BLOCK AND MOVE
- SDES2 GET APPT BY APPT IEN
- SDES2 GET APPTS BY APPT IENS
- SDES2 GET APPTS BY CLINIC IEN
- SDES2 GET APPTS BY PATIENT DFN
- SDES2 GET INFO FOR VIDEO VISIT
- SDES2 GET RECALL BY IEN
- SDES2 GET RECALLS BY DFN
- SDES2 GET SCHEDULING USERS
- SDES2 GET VIDEO VISIT PROV
- SDES2 NO-SHOW
- SDES2 UNDO NO-SHOW

The patch updates the following existing RPCs:

- SDES GET ALL CLINIC HASHES
- SDES GET APPTS BY RESOURCE
- SDES GET CLINIC INFO2
- SDES GET CLINIC INFO3
- SDES GET CLINIC STORED HASH
- SDES GET CLINICS BY CLIN LIST
- SDES GET CLINICS BY PROVIDER
- SDES SEARCH CLINIC
- SDES SEARCH RECALL CLINICS
- SDES2 CREATE CLINIC
- SDES2 CREATE VET REQ AND APPT
- SDES2 CREATE WALKIN APPT
- SDES2 EDIT CLINIC
- SDES2 GET APPTS BY CLIN LIST
- SDES2 GET PATIENT CLIN STATUS
- SDES2 SEARCH CLINIC ATTRIBUTES
- SDES2 SET APPT CHECKIN

The patch deletes the following existing RPCs:

N/A

The patch adds the following Options:

N/A

The patch updates the following existing Menus:

N/A

Table 92: Patch SD*5.3*871 Routines

New SD Routines	Modified SD Routines
SDD	SDES01C
SDES2BLDAPPT2	SDES2APPTCKNSTEP
SDES2BLDAPPT44	SDES2APPTUTIL
SDES2BLDAPPTOBJ	SDES2CANCELAPPT
SDES2BLOCKMOVE	SDES2CLNSEARCH
SDES2GETAPPTRPCS	SDES2CREATECLIN
SDES2GETRECALL	SDES2CRTAPREQ
SDES2GETSCDUSRS	SDES2CRTPRVRES
SDES2GETSTATUS	SDES2CRTWALKIN
SDES2NOSHOW	SDES2EDITAPREQ
SDES2SPACEBAR	SDES2EDITCLIN
SDES2UNDONOSHOW	SDES2GETRESIEN
SDES2VVSJSON	SDES2VAL44
SDESCRTAPPREQVAL	SDES2VALCRTCLIN1
	SDESCANAPPT2
	SDESCANCELAPPTS
	SDESCCAVAIL
	SDESCLINICDATA
	SDESCREATEAPPREQ
	SDESEEDITAPPTREQ
	SDESHASHCLIN
	SDESPROVCLINSRCH
	SDESRTVCLN2
	SDESRTVCLN3
	SDESSEARCHRCLN

3.5.128 Patch SD*5.3*873 Routines

VistA Scheduling (VS) patch SD*5.3*873 includes several defect corrections and enhancements including:

The SDES2 GET APPTS BY CLN RES IEN Remote Procedure Call (RPC) will return back the appointment for a given clinic resource for a given time range.

The new SDES2 GET PATIENT REGISTRATION RPC will accept a Patient IEN (DFN) and returns patient registration information in JSON format.

The following RPCs were re-written into the SDES2 namespace:

- SDES2 GET APPT REQ BY DFN
- SDES2 GET APPT REQ BY IEN
- SDES2 GET CONSULTS BY DFN
- SDES2 GET CONSULT BY IEN
- SDES2 GET APPT REQ LIST BY DFN

The following existing RPCs were updated to return the SensitiveRecord field:

- SDES2 GET RECALLS BY DFN
- SDES2 GET RECALL BY IEN

The routines supporting the Multiple Return To Clinic (MRTC) child appointment functionality were updated to so that when a user cancels an MRTC child appointment and edits the PID which already exists on another child appointment request within the MRTC so that multiple appointments don't get booked on the same day.

The following RPCs were updated to return the child sequence field:

- SDES GET APPT REQ BY PATIENT
- SDES GET APPT REQ BY PAT ALL
- SDES GET APPT REQ BY PAT OPEN
- SDES GET APPT REQ BY IEN
- SDES GET APPT REQ BY TYPE VET
- SDES2 CANCEL APPOINTMENT
- SDES2 GET APPT REQ BY DFN
- SDES2 GET APPT REQ BY IEN

The SDES2 GET CONTACT ATTEMPTS RPC was updated to quit processing when a request does not have a contact attempt.

The following RPCs were updated to call the new SDES2 version of SDES2 QUERY APPT REQUESTS.

- SDES2 GET APPT REQ BY DFN
- SDES2 GET APPT REQ BY IEN
- SDES2 GET APPT REQ LIST BY DFN
- SDES2 GET CONSULT BY IEN
- SDES2 GET CONSULTS BY DFN

SDES2 GET RECALL BY IEN
SDES2 GET RECALLS BY DFN
SDES2 QUERY APPT REQUESTS

The SDES2 CREATE APPOINTMENT RPC was updated to return the correct Inpatient Flag value: 0:Outpatient, 1:Inpatient

The SDES2 CANCEL CLINIC AVAIL was updated to prevent undefined errors when remarks are not being sent in.

The patch adds the following RPCs:

SDES2 GET APPT REQ BY DFN
SDES2 GET APPT REQ BY IEN
SDES2 GET APPT REQ LIST BY DFN
SDES2 GET APPTS BY CLN RES IEN
SDES2 GET CONSULT BY IEN
SDES2 GET CONSULTS BY DFN
SDES2 GET PATIENT REGISTRATION

The patch updates the following existing RPCs:

SDES2 GET RECALL BY IEN
SDES2 GET RECALLS BY DFN
SDES2 QUERY APPT REQUESTS

Table 93: Patch SD*5.3*873 Routines

New SD Routines	Modified SD Routines
SDES2GETAPPTREQ	SDEC08
SDES2GETCONSULTS	SDES2ARCLOSE
SDES2GETREGS	SDES2CANCELAPPT
SDES2GETREQS	SDES2CANCLNAVAIL
SDESEDITAPREQVAL	SDES2CONTACTS
	SDES2CREATEAPPT
	SDES2EDITAPREQ
	SDES2GETAPPTRPCS
	SDES2GETRECALL
	SDES2QRYAPREQS
	SDES2QRYAPREQSB
	SDES2UTIL1
	SDESCANAPPT2
	SDESEDITAPPTREQ
	SDESGETAPPTREQ
	SDESGETREQWRAPPR

3.5.129 Patch SD*5.3*874 Routines

SD*5.3*874 provides Fiscal Year 2024 Mid-Year updates to the CLINIC STOP file (#40.7) as requested by the Office of Finance, Managerial Cost Accounting Office (MCAO).

***** IMPORTANT NOTE *****

- * This patch is being released with a compliance date of April 1, 2024 *
- * and should be installed as close to Close of Business (COB) on *
- * March 31, 2024 as possible, but not after April 1, 2024. *
- * *
- * Early installation of this patch may modify certain Stop Codes *
- * currently in use at your site and could result in transmission of *
- * incorrect Stop Codes resulting in errors from Austin. *
- * *
- * Coordination with the MAS (Medical Administration Service) PAS *

3. DO NOT make changes for April clinics while still finalizing the March CLI extract.
4. Between April 9-30, 2024, after successfully running, auditing, transmitting, and successfully deblocking the March CLI Extract, proceed with FY24 Mid-Year Stop Code changes to the DSS Clinics and Stop Codes Worksheet:
 - a. After the March extract has been run, transmitted and is considered final (in your mind, no re-run/re-transmit needed), you may run Option 2 CREATE DSS Clinic Stop Code File [ECXSCLOAD]. This option creates local entries in the CLINICS AND STOP CODES file (#728.44) and compares this file to the HOSPITAL LOCATION file (#44) to see if there are any differences since the last time the file was created.

The CREATE adds new clinics to the CLINICS AND STOP CODES (file #728.44) (the file used by the CLI Extract to build the feeder keys), and the Edit option makes changes to this same file.

The changes are effective as soon as they are made. It is a common misunderstanding that the Approval is what makes the change to the clinic feeder key. The only thing the Approval option does is write the date in the Reviewed Date column of the Clinics & DSS Stop Codes Print Report.
 - b. The important part of these instructions is that you should NOT make ANY changes to CLINICS AND STOP CODES (file #728.44) between the time you have run the CLI extract for the month prior to the patch install and the time you are sure you will not have to rerun that month's extract (you have successfully posted DCM). Both the CREATE and EDIT make changes to that file.
 - c. After Option 2 has completed, use the Option 3: Clinics and DSS Stop Codes Print [ECXSCLIST]. This option produces a worksheet of (A) All Clinics, (C) Active, (I) Inactive, or only the (U) Unreviewed Clinics that are awaiting approval.
 - d. Run Option 7: Clinic & Stop Codes Validity Report [ECX STOP CODE VALIDITY]. This step will check that all Stop Codes conform.

Note: a 'blank' output indicates there are no problems with Stop Code and credit stop validity.
 - e. Update for FY24 Mid-Year as needed using Option 4: Enter/Edit Clinic Parameters [ECXSCEDIT] option.

- f. Approve changes using Option 5: Approve Reviewed DSS Clinic Worksheet [ECXSCAPPROV] option. Verify all Stop Code changes on the worksheet to be ready to run the April DSS CLI Extract.
- g. MCA teams with questions, please log a ticket through the VHA Office of Finance Managerial Cost Accounting Office Help Desk at: <https://mcaapp.vha.med.va.gov/MCAOHelpDesk/Default.aspx>

Table 94: Patch SD*5.3*874 Routines

New SD Routines	Modified SD Routines
No Routines deployed, just a post install.	No Routines deployed, just a post install.

3.5.130 Patch SD*5.3*863 Routines

Patch SD*5.3*863 includes several fixes and enhancements including:

- TMP-2533 Update Clinic Inquiry Institution field

In addition to the existing Institution and Station number fields that derived from the MEDICAL CENTER DIVISION file (#40.8), this patch allows printing of additional Institution and Station Number fields derived from the INSTITUTION field (#3) of the HOSPITAL LOCATION file (#44) and renamed the existing Institution/Station fields that are derived based on the MEDICAL CENTER DIVISION file (#40.8).

The original fields are displayed in the screen display with (derived) beside the field name of the Clinic Inquiry of the Telehealth Inquiries [SD TELE INQ] option.

- TMP-2548 Display Date when Default Provider is updated in the Clinic Inquiry

This patch adds the latest date stamp that the default provider was updated and print it on the clinic inquiry screen of the Telehealth Inquiries [SD TELE INQ] option.

- TMP-2539 New Missing Institution Report in Telehealth Management Toolbox

This patch adds a new report Clinics With Institutional Discrepancy [SD INSTITUTION DISCREPANCY] to the TMP Toolbox that displays discrepancies between the INSTITUTION field (#3) in the HOSPITAL LOCATION file (#44) and the INSTITUTION FILE POINTER field (#.07) in the MEDICAL CENTER DIVISION file (#40.8). The clinics can be identified by clinic name or stop code.

- TMP-2596 Fix <UNDEFINED>PROCSIU+352^SDHL7APT *HL("MID") error

This patch fixes the hard error generated due to a missing variable when parsing the incoming HL7 messages and sends back the acknowledge message to TMP.

- TMP-2636/INC30539957 VistA is sending No Appointment Availability for days that should have availability

This patch will add logic to SDTMPHLC that will prevent the sending of No Appointment Availability transactions for days that are not updated in VistA.

- TMP-2652/INC31370218 Fix <SUBSCRIPT>PROCSIU+285^SDHL7APT
^SDEC(409.85,"") bug

This patch will correct code that generated a null subscript error when referencing a Parent IEN in the SDEC APPT REQUEST file (#409.85).

Table 95: Patch SD*5.3*863 Routines

New SD Routines	Modified SD Routines
SDTMPUT3	SDHL7APT
	SDHL7APU
	SDTMPHLC
	SDTMPUT0

3.5.131 Patch DG*5.3*1107 Routines

DG NAME COMPONENT UPDATE stand-alone option.

This option was created for patch DG*5*3*1107 and is used to restore missing Name Component (Field #1.01) of the Patient (File #2) and the Name Component (File #20). This is necessary when a patient name is not updating on Toolkit ADR Compare and is not showing on the EDAT for the MVI. The person assigned the DG NAME COMPONENT UPDATE option will also need to be assigned the DGPNC security key.

The findings of the DG Name Component Update process will be stored in a temp global for 180 ^XTMP("RESULTS") and ^XTMP("CONFIRM")

The option runs the **DGRNCVNC** routine. This routine checks the Patient (File #2) Field #1.01 for missing entries. If the patient's record is part of a Duplicate Record Merge, it skips the record and when a valid record is found, it is placed in a temporary file for processing. The results are sent in a mailman message to the person who runs the option for review. If no records were found, the first message will reflect this result. If records were found and the user decides these are valid records needing updated, they need to run the option again and choose to update the missing name components. A list of the records updated with the resulting pointers to the Name Component (File #20) are placed in another mailman message for validation. The results can be validated by a programmer using global lister, or by a user with FileMan access.

During installation **DGRNCVNCP** routine runs and removes itself after installation. This routine will only display if there are findings. It will let the user know to check their mailman messages if any findings are present.

Note: If there are issues during the execution of the option, Service Now tickets can be forwarded to the HIG team: SPM.Health.HI.HIG for troubleshooting and later escalation if necessary to Tier3 HDSO Dev team.

3.5.132 Patch DG*5.3*1111 Routines

Patch DG*5.3*1111 modifies the Register a Patient [DG REGISTER A PATIENT] option to:

- No longer prompt for the PREFIX (#20,4) field of the NAME COMPONENTS (#20) file during the Enterprise Search prompt Sequence.
- No longer prompt for the DEGREE (#20,6) field of the NAME COMPONENTS (#20) file during the Enterprise Search prompt Sequence.
- No longer display the "Select Admitting Area:" prompt.
- No longer display the "Is the patient currently being followed in a clinic for the same condition?" prompt.
- No longer display the "Is the patient to be examined in the medical center today?" prompt.
- No longer display the TYPE OF BENEFIT APPLIED FOR (#2.101,2) field prompt of the DISPOSITION LOG-IN DATE/TIME (#2.101) file.
- No longer display the TYPE OF CARE APPLIED FOR (#2.101,2.1) field prompt of the DISPOSITION LOG-IN DATE/TIME (#2.101) file.
- No longer display the NEED RELATED TO AN ACCIDENT (#2.101,23) field prompt of the DISPOSITION LOG-IN DATE/TIME (#2.101) file.
- No longer display the NEED RELATED TO OCCUPATION (#2.101,20) field prompt of the DISPOSITION LOG-IN DATE/TIME (#2.101) file.

Patch DG*5.3*1111 modifies the PATIENT DEMOGRAPHIC DATA, SCREEN <1> to:

- No longer prompt for the PREFIX (#20,4) and the DEGREE (#20,6) fields of the NAME COMPONENTS (#20) file in the 'Name, SSN, DOB, Birth Sex' DATA GROUP [1].
- To only display the Pager #: label if the PAGER NUMBER (#.135) field of the PATIENT (#2) file is not NULL in DATA GROUP [4].
- Not to display UNANSWERED in the Pager #: label if the value of the PAGER NUMBER (#.135) field of the PATIENT (#2) file is NULL in DATA GROUP [4].

Patch DG*5.3*1111 modifies PATIENT DATA, SCREEN <2> screen DATA GROUP [1] to no longer prompt for the FATHER'S NAME (#2,.2401) field and the MOTHER'S NAME (#2,.2402) field of the PATIENT (#2) file.

The following modified routines are exported by patch DG*5.3*1111:

- DGENA2
- DGENA3
- DGENA6
- DGENDD

- DGENEGT1
- DGENUPL4
- DGENUPL7
- DGENUPL8
- DGREG
- DGREG0
- DGRP1
- DGRPC
- DGRPC3
- DGRPE
- DGRPE1
- DPTLK7
- DPTNAME

3.5.133 Patch SD*5.3*876 Routines

Patch SD*5.3*876 includes several fixes and enhancements including:

- TMP-2640 Stop Code Update for FY 2024 (April 1 2024)

This patch will add stop code 355 to and delete stop code 656 from the SD TELE HEALTH STOP CODE FILE file (#40.6) in accordance with the MCAO FY24 (April 2024) Updates.

- TMP-2800 Add Description on Institutional Discrepancy Report Option

This patch will add a description to the Clinics With Institutional Discrepancy [SD INSTITUTION DISCREPANCY] option that was inadvertently left out of a prior patch.

Table 96: Patch SD*5.3*876 Routines

New SD Routines	Modified SD Routines
SD53P876	

3.5.134 Patch SD*5.3*875 Routines

VistA Scheduling (VS) patch SD*5.3*875 includes several defect corrections and enhancements including:

The SDES2 SEARCH CLINIC ATTRIBUTES Remote Procedure Call (RPC) was updated to return a new Active Flag field noting whether the providers included in the return are active or inactive and a new Prohibited Clinic field noting whether to associated clinics is prohibited or not.

The new SDES2 BLOCK PBSP SLOTS RPC will accept a date/time representing an appointment in one clinic for a provider profile, then block slots in that particular time range in the other clinics associated with that profile.

All of the RPCs that return the appointment request object as part of their return JavaScript Object Notation (JSON) object were updated to return the last 4 of the SSN.

The SDES GET MISSION ACT AVAIL RPC was updated to include the Provider ID and Clinic Time Zone in its returned JavaScript Object Notation (JSON) object.

The new Provider Based Scheduling Profile (PBSP) cross reference is based on the PBSP ID which uniquely identifies the clinics that are associated with the Provider.

The return JSON object for the SDES GET CLINICS BY CLIN LIST RPC was updated to return any error messages in the proper JSON format.

The return JSON object for the SDES SEARCH CLINIC RPC was updated to include the new ProhibitedClinic flag.

The SDES2 UNDO NOSHOW RPC was updated to close a parent Multiple Return to Clinics (MRTC) request once all child requests are closed.

The SDES2 EDIT CLINIC RPC was updated to allow the Proxy user (SDESOITEAS,SRV) to be able to modify the privileged user.

The wait time calculation for recalls was updated to use the recall date, rather than the file entry date in the SDES2 QUERY APPT REQUESTS RPC.

The SDES2 GET APPTS BY CLINIC IEN RPC was updated to return an error message instead of a hard error when there is no entry in the SDEC RESOURCE file (#409.831) for the associated clinic. In addition, the Resource IEN is not returned in the JSON object.

The SDES2 CREATE APPT REQ RPC was updated so that when an ORDER ID is added to the parent Appointment Request, the same ORDER ID is added to all of the child requests.

The new SDES2 GET URGENCY LIST will return a list of the GMRC URGENCY values from the PROTOCOL file (#101).

The SDES2 QUERY APPT REQUESTS RPC was updated to accept the Automated Medical Information System (AMIS) stop code and convert the AMIS stop code to the stop code Internal Entry Number (IEN) for filtering records. Additional validations were also added and the TotalRecords element was added to the JSON return.

The SDES2 RESTORE CLIN AVAIL RPC was updated to default the STARTHOUR variable to 8 a.m. only when the STARTHOUR is not passed into the RPC.

The SDEC07 routine was updated to get the Provider IEN from the NEW PERSON file (#200) instead of from the RECALL REMINDERS PROVIDERS file (#403.54).

The SDEC08 and SDES2CANCELAPPT routines were returned to their pre VSE-7371 state.

The SDES2 NO-SHOW RPC was updated to return back True when a Recall Appointment is marked as a No Show.

The SDES2 DISPOSITION APPT REQ RPC was updated to store the value from the SDCONTEXT("USER DUZ") input array as the person who Dispositioned the Appointment Request.

The SDES2 CREATE APPOINTMENT RPC was updated to close the parent request when all the child requests are dispositioned.

The CONSULT^SDES2APPTUTIL utility was updated to convert the FileMan date to the .NET date prior to updating the REQUEST/CONSULTATION file (#123).

The following RPCs were updated to save valid percentages sent via the SERVICE CONNECTED PERCENTAGE input parameter regardless of the flag value sent in the SERVICE CONNECTED Input parameter. The RPC descriptions were also updated to explain that the SERVICE CONNECTED input parameter is actually SERVICE CONNECTED PRIORITY.

- SDES CREATE APPT REQ
- SDES EDIT APPT REQ
- SDES2 CREATE APPT REQ
- SDES2 EDIT APPT REQ

The SDES2 CANCEL CLINIC AVAILABILITY RPC was updated to prevent the cancellation of slots beyond the passed in end date and time.

The LENGTH OF APPT field (#.18) in the SDEC APPOINTMENT file (#409.84) was updated to allow for a length up to 240 characters.

The SDES2CREATEAPPT routine was also updated to correctly store data in the next available appointment flag.

The logic supporting the SDES2 BLOCK AND MOVE RPC was completely re-written to support the latest business rules and to comply with the latest coding standards.

The patch adds the following RPCs:

- SDES2 BLOCK PBSP SLOTS
- SDES2 GET URGENCY LIST

The patch updates the following existing RPCs:

SDES CREATE APPT REQ
 SDES EDIT APPT REQ
 SDES GET APPT REQ BY IEN
 SDES GET APPT REQ BY PAT ALL
 SDES GET APPT REQ BY PAT OPEN
 SDES GET APPT REQ BY PATIENT
 SDES GET APPT REQ BY TYPE VET
 SDES GET APPT REQ LIST BY DFN
 SDES GET APPT REQS BY IENS2
 SDES GET APPTREQ BY INST
 SDES GET APPTREQ BY INST2
 SDES GET CLINICS BY CLIN LIST
 SDES GET CONSULTS BY DFN
 SDES GET CONSULTS BY IEN
 SDES GET MISSION ACT AVAIL
 SDES GET RECALL BY IEN
 SDES GET RECALLS BY DFN
 SDES SEARCH CLINIC
 SDES2 BLOCK AND MOVE
 SDES2 CREATE APPT REQ
 SDES2 EDIT APPT REQ
 SDES2 QUERY APPT REQUESTS
 SDES2 SEARCH CLINIC ATTRIBUTES

The patch updates the following Data Dictionary entries:

HOSPITAL LOCATION	PBSP ID
(#44)	(#200)
SDEC APPOINTMENT	LENGTH OF APPT
(#409.84)	(#.18)

Table 97: Patch SD*5.3*875 Routines

New SD Routines	Modified SD Routines
SDES2BLOCKANDMOV	SDEC07
SDES2BLOCKPBSP	SDEC08
SDES2GETURGENCY	SDECHL7
	SDES01C
	SDES2APPTUTIL
	SDES2ARCLOSE
	SDES2CANCELAPPT
	SDES2CANCLNAVAIL
	SDES2CLNSEARCH
	SDES2CREATEAPPT
	SDES2CRTAPREQ
	SDES2EDITAPREQ
	SDES2GETAPPTRPCS
	SDES2NOSHOW
	SDES2QRYAPREQS
	SDES2QRYAPREQSA
	SDES2QRYAPREQSB
	SDES2RSTCAVAIL
	SDES2UNDONOSHOW
	SDES2VAL200
	SDESCREATEAPPREQ
	SDESEEDITAPPTREQ
	SDESGETAPPTREQ
	SDESGETCLINSIEN
	SDESGETCONSULTS
	SDESGETRECALL
	SDESMISSIONAVL
	SDESRECALLREQ

4 Files

This section provides a list of the software files. For each file, include the following:

- File number.
- File name.
- List of any special templates (print, sort, input, edit) that come with the file.
- Brief description of the data or instruct the user how/where to find this information online.
- Indicate what data comes with the files and whether that data overwrites existing data.
- Optionally, include information about file pointer relationships.

4.1 Globals and Files

The main globals used in the PIMS package are: ^DG, ^DPT, ^DGPM, ^SC, and ^SCE.

The main files are:

- PATIENT (#2)
- PATIENT MOVEMENT (#405)
- MAS MOVEMENT TYPE (#405.2)
- PTF (#45)
- CENSUS (#41.9)
- WARD LOCATION (#42)
- HOSPITAL LOCATION (#44)

The PIMS Package also uses globals:

- ^DGSL
- ^DGIN
- ^DGS
- ^DGAM
- ^DGCPT
- ^DGICD9
- ^DGWAIT
- ^DGPR
- ^DGMT
- ^DGPT

- **^DGM**
- **^DGMHV**
- **^DGNT**
- **^DGP**
- **^DGPF**
- **^DGQE**
- **^ICPT**
- **^VA**
- **^VAS**
- **^VAT**
- **^DIC**
- **^SCPT**
- **^SCTM**
- **^SDASF**
- **^SDASE**
- **^SDV**
- **^SD**
- **^SDD**
- **^SDEC**
- **^SDAUDIT**

Journaling of the following globals is mandatory:

- **^DPT**
- **^DGEN**
- **^DGPT**
- **^DGPM**
- **^SDV**
- **^SC**
- **^SCE**
- **^SCTM**
- **^SDD**

Journaling of the following globals is optional:

- ^DGS
- ^DG

Journaling of the following global is *recommended*: ^DGPF.

4.2 File List

Table 98: File List

File Number	File Name	Global
2	PATIENT	^DPT(
5	STATE	^DIC(5,
8	ELIGIBILITY CODE	^DIC(8,
8.1**	MAS ELIGIBILITY CODE	^DIC(8.1,
8.2*	IDENTIFICATION FORMAT	^DIC(8.2,
10*	RACE	^DIC(10,
11**	MARITAL STATUS	^DIC(11,
12.11	PATIENT CONTACT RELATION	^DG(12.11,
13*	RELIGION	^DIC(13,
21**	PERIOD OF SERVICE	^DIC(21,
22**	POW PERIOD	^DIC(22,
23*	BRANCH OF SERVICE	^DIC(23,
25*	TYPE OF DISCHARGE	^DIC(25,
26.11	PRF LOCAL FLAG	^DGPF(26.11,
26.12	PRF LOCAL FLAG HISTORY	^DGPF(26.12,
26.13	PRF ASSIGNMENT	^DGPF(26.13,
26.14	PRF ASSIGNMENT HISTORY	^DGPF(26.14,
26.15	PRF NATIONAL FLAG	^DGPF(26.15,
26.16	PRF TYPE	^DGPF(26.16,
26.17	PRF HL7 TRANSMISSION LOG	^DGPF(26.17,
26.18	PRF PARAMETERS	^DGPF(26.18,
26.19	PRF HL7 QUERY LOG	^DGPF(26.19,
26.21	PRF HL7 EVENT	^DGPF(26.21,

File Number	File Name	Global
26.22	PRF HL7 REQUEST LOG	^DGPF(26.22,
27.11	PATIENT ENROLLMENT	^DGEN(27.11,
27.12	ENROLLMENT QUERY	^DGEN(27.12,
27.14	ENROLLMENT / ELIGIBILITY UPLOAD AUDIT	^DGENA(27.14,
27.15	ENROLLMENT STATUS	^DGEN(27.15,
27.16	ENROLLMENT GROUP THRESHOLD	^DGEN(27.16,
27.17*	CATASTROPHIC DISABILITY REASONS	^DGEN(27.17,
28.11	NOSE AND THROAT RADIUM HISTORY	^DGNT(28.11,
29.11	MST HISTORY	^DGMS(29.11,
30**	DISPOSITION LATE REASON	^DIC(30,
35*	OTHER FEDERAL AGENCY	^DIC(35,
35.1	SHARING AGREEMENT CATEGORY	^DG(35.1,
35.2	SHARING AGREEMENT SUB- CATEGORY	^DG(35.2)
37**	DISPOSITION	^DIC(37,
38.1	DG SECURITY LOG	^DGSL(38.1,
38.5	INCONSISTENT DATA	^DGIN(38.5,
38.6**	INCONSISTENT DATA ELEMENTS	^DGIN(38.6,
39.1*	EMBOSSSED CARD TYPE	^DIC(39.1,
39.2*	EMBOSSING DATA	^DIC(39.2,
39.3	EMBOSSER EQUIPMENT FILE	^DIC(39.3,
39.4	ADT / HL7 TRANSMISSION	^DIC(39.4,
39.6	VIC REQUEST	^DGQE(39.6,
39.7	VIC HL7 TRANSMISSION LOG	^DGQE(39.7,
40.7*	CLINIC STOP	^DIC(40.7,
40.8	MEDICAL CENTER DIVISION	^DG(40.8,
40.9**	LOCATION TYPE	^DIC(40.9
41.1	SCHEDULED ADMISSION	^DGS(41.1,
41.41	PRE-REGISTRATION AUDIT	^DGS(41.41,
41.42	PRE-REGISTRATION CALL LIST	^DGS(41.42,
41.43	PRE-REGISTRATION CALL LOG	^DGS(41.43,
41.9	CENSUS	^DG(41.9,

File Number	File Name	Global
42	WARD LOCATION	^DIC(42,
42.4*	SPECIALTY	^DIC(42.4,
42.5	WAIT LIST	^DGWAIT(
42.55**	PRIORITY GROUPING	^DIC(42.55,
42.6	AMIS 334-341	^DGAM(334,
42.7	AMIS 345&346	^DGAM(345,
43	MAS PARAMETERS	^DG(43,
43.1	MAS EVENT RATES	^DG(43.1,
43.11**	MAS AWARD	^DG(43.11,
43.4**	VA ADMITTING REGULATION	^DIC(43.4,
43.5	G&L CORRECTIONS	^DGS(43.5,
43.61	G&L TYPE OF CHANGE	^DG(43.61,
43.7**	ADT TEMPLATE	^DG(43.7,
44	HOSPITAL LOCATION	^SC(
45	PTF	^DGPT(
45.1**	SOURCE OF ADMISSION	^DIC(45.1,
45.2	PTF TRANSFERRING FACILITY	^DGTF(
45.3*	SURGICAL SPECIALTY	^DIC(45.3,
45.4*	PTF DIALYSIS TYPE	^DG(45.4,
45.5	PTF MESSAGE	^DGM(
45.6*	PLACE OF DISPOSITION	^DIC(45.6,
45.61*	PTF ABUSED SUBSTANCE	^DIC(45.61,
45.64*	PTF AUSTIN ERROR CODES	^DGP(45.64,
45.68	FACILITY SUFFIX	^DIC(45.68,
45.7	FACILITY TREATING SPECIALTY	^DIC(45.7,
45.81*	STATION TYPE	^DIC(45.81,
45.82*	CATEGORY OF BENEFICIARY	^DIC(45.82,
45.83	PTF RELEASE	^DGP(45.83,
45.84	PTF CLOSE OUT	^DGP(45.84,
45.85	CENSUS WORKFILE	^DG(45.85,
45.86*	PTF CENSUS DATE	^DG(45.86,
45.87	PTF TRANSACTION REQUEST LOG	^DGP(45.87,

File Number	File Name	Global
45.88*	PTF EXPANDED CODE CATEGORY	^DIC(45.88,
45.89*	PTF EXPANDED CODE	^DIC(45.89,
45.9	PAF	^DG(45.9,
45.91	RUG-II	^DG(45.91,
46	INPATIENT CPT CODE	^DGCPT(46
46.1	INPATIENT POV	^DGICT9(46.1,
46.3	DG VAS QUEUE	^DGAUDIT(
46.4	DG VAS EXPORT	^DGAUDIT1(
46.5	DG VAS CONFIG	^DGAUDIT2(
47**	MAS FORMS AND SCREENS	^DIC(47,
47.77	SEXUAL ORIENTATION TYPES	^DG(47.77
47.78	PRONOUN TYPES	^DG(47.78
48**	MAS RELEASE NOTES	^DG(48,
48.5**	MAS MODULE	^DG(48.5,
389.9	STATION NUMBER (TIME SENSITIVE)	^VA(389.9,
390	ENROLLMENT RATED DISABILITY UPLOAD AUDIT	^DGRDUA(390,
390.01	MHV SOCIALIZATION	^DGMHV(390.01,
390.02	MHV SOCIALIZATION ACTIONS	^DGMHV(390.02,
390.03	MHV DECLINED REASONS	^DGMHV(390.03,
390.04	MHV ACTION SELECTION	^DGMHV(390.04,
391**	TYPE OF PATIENT	^DG(391,
391.1	AMIS SEGMENT	^DG(391.1,
391.31	HOME TELEHEALTH PATIENT	^DGHT(391.31,
403.35	SCHEDULING USER PREFERENCE	^SCRS(403.35,
403.43*	SCHEDULING EVENT	^SD(403.43,
403.44*	SCHEDULING REASON	^SD(403.44,
403.46*	STANDARD POSITION	^SD(403.46,
403.47*	TEAM PURPOSE	^SD(403.47,
404.41	OUTPATIENT PROFILE	^SCPT(404.41,
404.42	PATIENT TEAM ASSIGNMENT	^SCPT(404.42,
404.43	PATIENT TEAM POSITION ASSIGNMENT	^SCPT(404.43,

File Number	File Name	Global
404.44	PCMM PARAMETER	^SCTM(404.44,
404.45	PCMM SERVER PATCH	^SCTM(404.45,
404.46	PCMM CLIENT PATCH	^SCTM(404.46,
404.471	PCMM HL7 TRANSMISSION LOG	^SCPT(404.471,
404.472	PCMM HL7 ERROR LOG	^SCPT(404.472,
404.48	PCMM HL7 EVENT	^SCPT(404.48,
404.49	PCMM HL7 ID	^SCPT(404.49,
404.51	TEAM	^SCTM(404.51,
404.52	POSITION ASSIGNMENT HISTORY	^SCTM(404.52,
404.53	PRECEPTOR ASSIGNMENT HISTORY	^SCTM(404.53,
404.56	TEAM AUTOLINK	^SCTM(404.56,
404.57	TEAM POSITION	^SCTM(404.57,
404.58	TEAM HISTORY	^SCTM(404.58,
404.59	TEAM POSITION HISTORY	^SCTM(404.59,
404.61	MH PCMM STOP CODES	^SCTM(404.61,
404.91	SCHEDULING PARAMETER	^SD(404.91,
404.92*	SCHEDULING REPORT DEFINITION	^SD(404.92,
404.93*	SCHEDULING REPORT FIELDS DEFINITION	^SD(404.93,
404.94*	SCHEDULING REPORT GROUP	^SD(404.94,
404.95*	SCHEDULING REPORT QUERY TEMPLATE	^SD(404.95,
404.98	SCHEDULING CONVERSION SPECIFICATION	^SD(404.98,
405	PATIENT MOVEMENT	^DGPM(
405.1	FACILITY MOVEMENT TYPE	^DG(405.1,
405.2**	MAS MOVEMENT TYPE	^DG(405.2,
405.3**	MAS MOVEMENT TRANSACTION TYPE	^DG(405.3,
405.4	ROOM-BED	^DG(405.4,
405.5**	MAS OUT-OF-SERVICE	^DG(405.5,
405.6	ROOM-BED DESCRIPTION	^DG(405.6,
406.41**	LODGING REASON	^DG(406.41,
407.5	LETTER	^VA(407.5,

File Number	File Name	Global
407.6**	LETTER TYPE	^VA(407.6,
407.7**	TRANSMISSION ROUTERS	^VAT(407.7,
408	DISCRETIONARY WORKLOAD	^VAT(408,
408.43	PATIENT REGISTRATION ONLY REASON	^DG(408.43,
408.11*	RELATIONSHIP	^DG(408.11,
408.12	PATIENT RELATION	^DGPR(408.12,
408.13	INCOME PERSON	^DGPR(408.13,
408.21	INDIVIDUAL ANNUAL INCOME	^DGMT(408.21,
408.22	INCOME RELATION	^DGMT(408.22,
408.31	ANNUAL MEANS TEST	^DGMT(408.31,
408.32**	MEANS TEST STATUS	^DG(408.32,
408.33**	TYPE OF TEST	^DG(408.33,
408.34**	SOURCE OF INCOME TEST	^DG(408.34,
408.41	MEANS TEST CHANGES	^DG(408.41,
408.42**	MEANS TEST CHANGES TYPE	^DG(408.42,
409.1**	APPOINTMENT TYPE	^SD(409.1,
409.2**	CANCELLATION REASONS	^SD(409.2,
409.41**	OUTPATIENT CLASSIFICATION TYPE	^SD(409.41,
409.42	OUTPATIENT CLASSIFICATION	^SDD(409.42,
409.45**	OUTPATIENT CLASSIFICATION STOP CODE EXCEPTION	^SD(409.45,
409.62**	APPOINTMENT GROUP	^SD(409.62,
409.63**	APPOINTMENT STATUS	^SD(409.63,
409.64	QUERY OBJECT	^SD(409.64,
409.65	APPOINTMENT STATUS UPDATE LOG	^SDD(409.65,
409.66**	APPOINTMENT TRANSACTION TYPE	^SD(409.66
409.67	CLINIC GROUP	^SD(409.67,
409.68	OUTPATIENT ENCOUNTER	^SCE(
409.73	TRANSMITTED OUTPATIENT ENCOUNTER	^SD(409.73,
409.74	DELETED OUTPATIENT ENCOUNTER	^SD(409.74,

File Number	File Name	Global
409.75	TRANSMITTED OUTPATIENT ENCOUNTER ERROR	^SD(409.75,
409.76**	TRANSMITTED OUTPATIENT ENCOUNTER ERROR CODE	^SD(409.76,
409.77	ACRP TRANSMISSION HISTORY	^SD(409.77,
409.81	SDEC APPLICATION	^SDEC(409.81,
409.822	SDEC ACCESS GROUP	^SDEC(409.822,
409.823	SDEC ACCESS TYPE	^SDEC(409.823,
409.824	SDEC ACCESS GROUP TYPE	^SDEC(409.824,
409.831	SDEC RESOURCE	^SDEC(409.831,
409.832	SDEC RESOURCE GROUP	^SDEC(409.832,
409.833	SDEC RESOURCE USER	^SDEC(409.833,
409.834	SDEC ADDITIONAL RESOURCE	^SDEC(409.834,
409.84	SDEC APPOINTMENT	^SDEC(409.84,
409.845	SDEC PREFERENCES AND SPECIAL NEEDS	^SDEC(409.845,
409.85	SDEC APPT REQUEST	^SDEC(409.85,
409.86	SDEC CONTACT	^SDEC(409.86,
409.88	SDEC CANCELLATION COMMENTS	^SDEC(409.88,
409.91	ACRP REPORT TEMPLATE	^SDD(409.91,
409.92	ACRP REPORT TEMPLATE PARAMETER	^SD(409.92,
409.95	PRINT MANAGER CLINIC SETUP	^SD(409.95,
409.96	PRINT MANAGER DIVISION SETUP	^SD(409.96,
409.97	SD AUDIT STATISTICS	^SDAUDIT(
409.98*	SDEC SETTINGS	^SDEC(409.98

*File comes with data.

** File comes with data that overwrites existing data, if specified.

5 Files and Templates in the PIMS Package

The following are the steps you may take to obtain information concerning the files and templates contained in the PIMS package.

5.1 File Flow (Relationships between files)

1. VA FileMan Menu.
2. Data Dictionary Utilities Menu.
3. List File Attributes Option.
4. Enter File #number or range of File numbers.
5. Select Listing Format: **Standard**.
6. You see what files point to the selected file. To see what files to which the selected file points, look for fields that say: “**POINTER TO**”.

5.2 Templates

1. VA FileMan Menu.
2. Print File Entries Option.
3. Output from what File:
 - Print Template
 - Sort Template
 - Input Template
 - List Template
4. Sort by: **Name**.
Start with name:
 - **DG** to **DGZ**, **VA** to **VAZ**, (ADT)
 - **SD** to **SDZ**, **SC** to **SCZ** (scheduling)
5. Within name, sort by: <**Enter**>.
6. First print field: Name

5.3 VA FileMan Functions

Included with the ACRP Reports Menu is the VA FileMan function, **SCRPWDATA**. This function can be used from within the OUTPATIENT ENCOUNTER file to provide any of the data elements in [Table 89](#) as data within VA FileMan output. It may be used to sort or print data.

This function has one argument, which is the name (or acronym) of the data element you want to return. For example, if you want to sort or print a patient's current GAF score, the function could be used as follows.

Figure 3: Printing SCRPWDATA Function Data

```
THEN PRINT FIELD: SCRPWDATA("GAF SCORE (CURRENT)"); "CURRENT GAF SCORE"; L8  
(OR)  
THEN PRINT FIELD: SCRPWDATA("DXGC"); "CURRENT GAF SCORE"; L8
```

VA FileMan function data elements that have multiple values (e.g., procedure codes, diagnoses, etc.) are returned as a single semicolon delimited string, which can be as long as 245 characters. Some data of these elements can be omitted due to truncation to stay within this limit.

[Table 89](#) lists VA FileMan function data elements and their associated acronyms that can be specified as arguments to the **SCRPWDATA** function.

Table 99: VA FileMan Functions

Data Element	Acronym
Category: Ambulatory Procedure	
EVALUATION & MANAGEMENT CODES	APEM
AMBULATORY PROCEDURE (NO E&M CODES)	APAP
ALL AMBULATORY PROCEDURE CODES	APAC
Category: Clinic	
CLINIC NAME	CLCN
CLINIC GROUP	CLCG
CLINIC SERVICE	CLCS
Category: Diagnosis	
PRIMARY DIAGNOSIS	DXPD
SECONDARY DIAGNOSIS	DXSD
ALL DIAGNOSES	DXAD
GAF SCORE (HISTORICAL)	DXGH
GAF SCORE (CURRENT)	DXGC

Data Element	Acronym
Category: Enrollment (Current)	
ENROLLMENT DATE (CURRENT)	ECED
SOURCE OF ENROLLMENT (CURRENT)	ECSE
ENROLLMENT STATUS (CURRENT)	ECES
ENROLLMENT FACILITY RECEIVED (CURRENT)	ECFR
ENROLLMENT PRIORITY (CURRENT)	ECEP
ENROLLMENT EFFECTIVE DATE (CURRENT)	ECEF
Category: Enrollment (Historical)	
ENROLLMENT DATE (HISTORICAL)	EHED
SOURCE OF ENROLLMENT (HISTORICAL)	EHSE
ENROLLMENT STATUS (HISTORICAL)	EHES
ENROLLMENT FACILITY RECEIVED (HISTORICAL)	EHFR
ENROLLMENT PRIORITY (HISTORICAL)	EHEP
ENROLLMENT EFFECTIVE DATE (HISTORICAL)	EHEF
Category: Outpatient Encounter	
PATIENT	OEPA
ORIGINATING PROCESS TYPE	OEOP
APPT. TYPE	OEAT
STATUS	OEST
ELIG. OF ENCOUNTER	PEPW
MEANS TEST (HISTORICAL)	PEMH
MEANS TEST (CURRENT)	PEMC
SC PERCENTAGE	PESP
AGENT ORANGE EXPOSURE	PEAO
IONIZING RADIATION EXPOSURE	PEIR
SW ASIA CONDITIONS EXPOSURE	PEEC
Category: Primary Care	
PC PROVIDER (HISTORICAL)	PCPH
PC TEAM (HISTORICAL)	PCTH
PC PROVIDER (CURRENT)	PCPC
PC TEAM (CURRENT)	PCTC

Data Element	Acronym
Category: Provider	
PRIMARY PROVIDER	PRPP
SECONDARY PROVIDER	PRSP
ALL PROVIDERS	PRAP
PRIMARY PROVIDER PERSON CLASS	PRPC
SECONDARY PROVIDER PERSON CLASS	PRSC
ALL PROVIDERS PERSON CLASS	PRAC
Category: Stop Code	
PRIMARY STOP CODE	SCPC
SECONDARY STOP CODE	SCSC
BOTH STOP CODES	SCBC
CREDIT PAIR	SCCP
Category: V File Element	
EXAMINATION	VFEX
HEALTH FACTOR	VFHF
IMMUNIZATION	VFIM
PATIENT EDUCATION	VFPE
TREATMENTS	VFTR
SKIN TEST	VFST

6 Exported Options

This section provides a list of the options exported with the **software**, indicating distribution of menus to users. Any restrictions on menu distribution are noted. When the option's availability is based on the level of system access requiring permissions the name of the type of access (e.g., security keys and/or roles) and authorization is included.

The following are the steps you may take to obtain information about menus, exported protocols, exported options, exported remote procedures, and exported HL7 applications concerning the PIMS package.

6.1 Menu Diagrams

- Programmers Options.
- Menu Management Menu.
- Display Menus and Options Menu.

- Diagram Menus.
- Select User or Option Name:
 - **O.DG** Manager Menu (ADT).
 - **O.SDMGR** (Scheduling).

6.2 Exported Protocols

- VA FileMan Menu.
- Print File Entries Option.
- Output from what File: **PROTOCOL**.
- Sort by: **Name**.
- Start with name:
 - **DG** to **DGZ**, **VA** to **VAZ** (ADT).
 - **SD** to **SDZ**, **SC** to **SCZ** (Scheduling).
- Within name, sort by: **<Enter>**.
- First print field: **Name**.

6.3 Exported Options

- VA FileMan Menu.
- Print File Entries Option.
- Output from what File: **OPTION**.
- Sort by: **Name**.
- Start with name:
 - **DG** to **DGZ**, **VA** to **VAZ** (ADT).
 - **SD** to **SDZ**, **SC** to **SCZ** (Scheduling).
- Within name, sort by: **<Enter>**.
- First print field: **Name**.

6.4 Exported Remote Procedures

- VA FileMan Menu.
- Print File Entries Option.
- Output from what File: **REMOTE PROCEDURE**

- Sort by: **Name**.
- Start with name:
 - **DG** to **DGZ**, **VA** to **VAZ** (ADT).
 - **SD** to **SDZ**, **SC** to **SCZ** (Scheduling).
- Within name, sort by: **<Enter>**.
- First print field: **Name**.

6.5 Exported HL7 Applications for Ambulatory Care Reporting

- HL7 Main Menu.
- V1.6 Options Menu.
- Interface Workload Option.
- Look for **AMBCARE-DHCP** and **NPCD-AAC***.

*AAC stands for Austin Automation Center. The name of that facility has been changed to Austin Information Technology Center.

6.6 Exported HL7 Applications for Inpatient Reporting to National Patient Care Database

- HL7 Main Menu.
- V1.6 Options Menu.
- Interface Workload Option.
- Look for **VAFC PIMS** and **NPTF**.

6.7 Exported HL7 Applications for Home Telehealth Care Database

DG HOME TELEHEALTH

6.8 Exported Scheduling Options

6.8.1 Patch SD*5.3*588 Options

The following new and modified Scheduling options were exported by the SD*5.3*588 HIGH RISK MENTAL HEALTH PROACTIVE REPORT patch:

Table 100: Exported Scheduling Options

New Scheduling Options	Menu Assignments
High Risk MH Proactive Adhoc Report [SD MH PROACTIVE AD HOC REPORT] Option	Standalone Option
High Risk MH Proactive Nightly Report [SD MH PROACTIVE BGJ REPORT] Run Routine	Standalone Option

Table 101: Modified Scheduling Options

Modified Scheduling Options	Menu Assignments
High Risk MH No-Show Adhoc Report [SD MH NO SHOW AD HOC REPORT] option	Standalone Option
High Risk MH No-Show Nightly Report [SD MH NO SHOW NIGHTLY BGJ] Run Routine	Standalone Option

6.8.2 Exported DG Option

The new **Convert Local HRMH PRF to National Action** [DGPF LOCAL TO NATIONAL CONVERT] option is exported by the DG*5.3*849, DGPF NEW CAT1 FLAG AND CONVERSION patch:

Table 102: New DG Option

New Dg Option	Menu Assignment
Convert Local HRMH PRF to National Action [DGPF LOCAL TO NATIONAL CONVERT] option	Standalone Option

6.8.3 New Options

Table 93 lists several new options and are listed by Patch ID. These options are intended to allow users to identify files with missing pointers to the SDEC RESOURCE file. These options are all assigned to the SD Supervisor menu.

Table 103: Exported VistA Scheduling (VS) Options

Option	Description
Patch SD*5.3*723	
SDEC NO RES APPT AUTO FIX	This option automatically processes entries in the SDEC APPOINTMENT (#409.84) file that do <i>not</i> have a pointer to an SDEC RESOURCE (#409.831) and fixes the link in most cases.
SDEC NO RES APPT FIX	This option allows the user to examine entries in the SDEC APPOINTMENT (#409.84) file that do <i>not</i> have a pointer to an SDEC RESOURCE (#409.831) and find the correct resource for the link.
SDEC NULL RESOURCE	This option scans the SDEC APPOINTMENT (#409.84) file and identifies appointments that do not have the RESOURCE (#409.831) field populated. This condition occurs when an appointment is made in legacy VistA for a clinic (#44) that does <i>not</i> have a resource of the same name assigned to it.
SDEC MISSING RESOURCE	This option lists all HOSPITAL LOCATIONS (#44) and the associated RESOURCES (#409.831). Locations are flagged if they do <i>not</i> have a resource of the same name.
SDEC APPOINTMENT EDIT	Use this option to assign a resource to an appointment that does not have one.
SDEC APPOINTMENT INQUIRY	Option performs VA FileMan inquiry in the APPOINTMENT (#409.84) file.
SDEC ENCOUNTER INQUIRY	VA FileMan encounter inquiry for users without access to VA FileMan.
SDEC RESOURCE CREATE	Use this option to create a resource and assign it to a hospital location.
SDEC RESOURCE EDIT	Use this option to edit a resource to match with a clinic.
SDEC RESOURCE INQUIRY	Performs VA FileMan inquiry into the RESOURCE (#409.831) file.

Option	Description
Patch SD*5.3*731	
SDEC NO RES APPT REPORT	Identifies appointments that do <i>not</i> have the RESOURCE (#409.831) field populated.
Patch SD*5.3*737	
SDEC APPT-ENC STATUS LIST	Lists all patient appointment-encounter-appointment file triples that match user selected status values for each file.
Patch SD*5.3*686	
SDEC NO RES APPT AUTO FIX	Compile audit report for a selected date.
SDEC NO RES APPT FIX	Compile yesterday's audit report.
SDEC NULL RESOURCE	Print VistA Scheduling Audit Report.
SDEC MISSING RESOURCE	This option allows the user to release all appointment request locks held by a selected user.
Patch SD*5.3*694	
SDEC HELP PANE EDIT (LOCAL)	Use this option to enter/edit hyperlinks displayed in the VS GUI help pane.
SDEC SETTINGS REMOTE UPDATE	Used to process changes to the SDEC SETTINGS (#409.98) file.
Patch SD*5.3*756	
SDEC CANCEL COMMENTS - LOCAL	New option to enter/edit standard appointment cancellation comments used by VS GUI. Comments consist of hash tags (abbreviations) and their associated textual equivalent.

7 Archiving and Purging

This section describes the archiving capabilities of the software and any necessary instructions or guidelines:

7.1 Archiving

With the release of PIMS V. 5.3, a new archive / purge option has been created for PTF-related records.

NOTE: For details, see the Release Notes.

7.2 Purging

The PIMS package allows for purging of data associated with log of user access to sensitive records, consistency checker, scheduled admissions, local breakeven data for DRGs, special transaction requests, and scheduling data. Following is a list of the purge options and where the documentation may be found in the user manual.

7.3 ADT Module

Table 104: ADT and Scheduling Module Options

Option Name	Menu Name
ADT Module	
Purge Breakeven Data for a Fiscal Year	PTF
Purge Special Transaction Request Log	PTF
Purge Non-Sensitive Patients from Security Log	Security Officer
Purge Record of User Access from Security Log	Security Officer
Purge Inconsistent Data Elements	Supervisor ADT
Purge Scheduled Admissions	Supervisor ADT
Scheduling Module	
Purge Ambulatory Care Reporting files	Ambulatory Care Reporting
Purge Appointment Status Update Log File	Supervisor
Purge rejections that are past database close-out	Ambulatory Care Reporting
Purge Scheduling Data	Supervisor

7.4 ACRP Database Conversion Option

The purpose of the database conversion is to convert old Scheduling encounter information into the Visit Tracking / Patient Care Encounter (PCE) database. Once you have converted all the data, you may wish to delete the old Scheduling files. A list of the files that can be deleted is

displayed when selecting the **Delete Old Files** action in this option. It is *recommended* you back up these files before deletion.

7.5 HL7 Purger

It is *recommended* that the **Purge Message Text File Entries** [HL PURGE TRANSMISSIONS] option be scheduled to run every day or every other day.

8 Callable Routines, Entry Points, and Application Programming Interfaces

This section lists the callable routines, entry points, and Application Programming Interfaces (APIs) that can be called by other software. Included is a brief description of the functions, required variables, and any restrictions.

8.1 ^SDMHAD

This is the High Risk Mental Health AD Hoc No show Report entry point that the user can run to display the report. This report displays all patients that did *not* show up for their scheduled appointment for a Mental Health clinic. It lists the following:

- Patient contact information.
- Next of Kin.
- Emergency contact.
- Clinic default provider.
- Future scheduled appointments.
- Mental Health Treatment Coordinator.
- Care team.
- Results of attempts to contact the no showed patients.

The user is asked for various sort criteria:

- Date range
- Divisions to display (one, many, all)
- Sort by Clinic, Reminder Location, or Stop Codes (one, many, all).

Table 105: ^SDMHAD Routine

Routine Name	^SDMHAD			
Enhancement Category	<input checked="" type="checkbox"/> New	<input type="checkbox"/> Modify	<input type="checkbox"/> Delete	<input type="checkbox"/> No Change
SRS Traceability				
Related Options	High Risk MH No-Show Adhoc Report [SD MH NO SHOW AD HOC REPORT] option			
Related Routines	Routines “Called By”		Routines “Called”	
	^SDMHNS		NOW^%DTC \$\$GETINF^DGPFAPIH CLOSE^DGUTQ WAIT^DICD	

Routine Name		^SDMHAD				
		LOCLIST^PXRMLOCF \$\$RANGE^SDAMQ ASK2^SDDIV ^SDMHAD1 ^SDMHNS1 ^VADATE PID^VADPT6 FIRST^VAUTOMA PATIENT^VAUTOMA				
Data Dictionary References		^DG(40.8 DIVISION ^DIC(40.7 CLINIC STOP ^DPT(PATIENT ^PXRMD(810.9 REMINDER LOCATION ^SC(HOSPITAL LOCATION ^TMP(^TMP(\$J				
Related Protocols		N/A				
Related Integration Agreements		TBD				
Data Passing		<input type="checkbox"/> Input	<input type="checkbox"/> Output Reference	<input checked="" type="checkbox"/> Both	<input type="checkbox"/> Global Reference	<input type="checkbox"/> Local
Input Attribute Name and Definition		Name: Definition:				
Output Attribute Name and Definition		Name: Definition:				
Current Logic						
N/A						
Modified Logic (Changes are in bold)						
User is asked to choose the date range.						
User is asked to choose the Divisions in the facility (one, many, `all).						
User is asked to choose the sort criteria, by clinic, by Mental Health Clinic Quick List, by stop code (one, many, all).						
If the sort is by the by Mental Health Clinic Quick List (by one, or many) Check API (LOCKLIST^PXRMLOCF) to find the clinics that are associated with the reminder list(s) that were chosen.						

Routine Name	^SDMHAD
<p>Check to see if the division/clinic/stop have been selected and if the clinic and stop code are a valid mental health pair.</p> <ul style="list-style-type: none"> Set ^TMP("SDNSHOW",\$J with the valid choices. <p>Find the patients in the date range that had a no show, no show auto rebook or no action taken appointment for a mental health clinic.</p> <ul style="list-style-type: none"> Loop through the ^TMP("SDNSHOW",\$J global. <p>Within that loop, check the Hospital Location "S" cross-reference to see if the patient has an appointment.</p> <p>In the date range ^SC(clinic,"S",date.</p> <ul style="list-style-type: none"> If there is a match, set up the ^TMP("SDNS", SORT (clinic, reminder location or stop code) global. <p>Call ^SDMHAD1 routine to print the report.</p>	

8.2 ^SDMHAD1

This is the print routine for the **High Risk Mental Health AD HOC No Show Report**. The report lists the following:

- Patient that no showed for the mental health appointment.
- Date the of the appointment.
- Clinic.
- Stop code.
- Contact information for the patient.
- Next of Kin.
- Emergency contacts.
- Clinic provider.
- Future scheduled appointments.
- Mental Health Treatment Coordinator.
- Care team.
- Results of efforts in contacting the patient.

Table 106: ^SDMHAD1 Routine

Routine Name	^SDMHAD1				
Enhancement Category	<input checked="" type="checkbox"/> New	<input type="checkbox"/> Modify	<input type="checkbox"/> Delete	<input type="checkbox"/> No Change	
SRS Traceability					
Related Options	N/A				
Related Routines	Routines “Called By”		Routines “Called”		
	^SDMHAD		C^%DTC \$\$GET1^DIQ ^DIR \$\$HLPHONE^HLFNC \$\$SDAPI^SDAMA301 HEAD^SDMHAD ^VADATE KVAR^VADPT OAD^VADPT PID^VADPT6		
Data Dictionary References	^DIC(40.7 CLINIC STOP ^DPT(PATIENT ^SC(HOSPITAL LOCATION ^TMP(^TMP(\$J ^VA(200 NEW PERSON				
Related Protocols	N/A				
Related Integration Agreements	N/A				
Data Passing	<input type="checkbox"/> Input	<input type="checkbox"/> Output Reference	<input checked="" type="checkbox"/> Both	<input type="checkbox"/> Global Reference	<input type="checkbox"/> Local
Input Attribute Name and Definition	Name: Definition:				
Output Attribute Name and Definition	Name: Definition:				
Current Logic					
N/A					
Modified Logic (Changes are in bold)					
The code loops through the ^TMP(“SDNS”, SORT (clinic, reminder location or stop code) global.					

Routine Name	^SDMHAD1
--------------	----------

- A header prints for each division (alphabetical), which includes the following information:
- **The second line designates how the report is sorted and printed. This example sorts by clinic.

MENTAL HEALTH NO SHOW REPORT			NOV 10,2010@09:34		PAGE 1
BY CLINIC					
PATIENT	PT ID	EVENT D/T	CLINIC	STOP CODE	

DIVISION: ANYSITE1					

If the sort is by the reminder location the following prints:

MENTAL HEALTH NO SHOW REPORT			NOV 10,2010@09:34		PAGE 1
BY REMINDER LOCATION LIST					
PATIENT	PT ID	EVENT D/T	CLINIC	STOP CODE	

DIVISION/REM LOC LIST: ANYSITE1/VA-MH QUERI PC CLINIC STOPS					

- The patient name , ID, date of no showed appointment, clinic and the stop code print.

For each patient listed, the following information if available prints:

- Patient phone numbers for home, office, cell.
- Next of Kin information, contact, relationship to patient and address and phone numbers.
- Emergency contact information, contact, relationship to patient, address and phone numbers.
- Default provider for the clinic they no showed for Mental Health Treatment Coordinator and Care team (in Parenthesis).
- Future scheduled appointments, clinic, date and location of the clinic.
- The results of efforts to contact the patient (information from clinical reminder API).

If there are no patients, the heading prints with no records available.

Routine Name	^SDMHAD1				
10,2010@09:54 PAGE 1					
BY CLINIC					
MENTAL HEALTH NO SHOW REPORT					
NOV					
PATIENT	PT ID	EVENT D/T	CLINIC	STOP CODE	

>>>>> NO RECORDS FOUND <<<<<					

8.3 ^SDMHNS

This is the **High Risk Mental Health No show Report** entry point that is called by the scheduling background job. This report displays all patients that did *not* show up for their scheduled appointment for a Mental Health clinic. It lists the following:

- Patient contact information
- Next of Kin
- Emergency contact
- Clinic default provider
- Future scheduled appointments
- Mental Health Treatment Coordinator
- Care team
- Results of attempts to contact the no showed patients.

The user is *not* asked any sort criteria; the report lists for the day before the background job run, for all the divisions in the facility and mental health clinics in the facility. The report is sent to members of the **SD MH NO SHOW NOTIFICATION** mail group.

Table 107: ^SDMHNS Routine

Routine Name	^SDMHNS			
Enhancement Category	<input checked="" type="checkbox"/> New	<input type="checkbox"/> Modify	<input type="checkbox"/> Delete	<input type="checkbox"/> No Change
SRS Traceability				
Related Options	N/A			
Related Routines	Routines “Called By”		Routines “Called”	
	^SDAMQ		C^%DTC NOW^%DTC	

Routine Name	^SDMHNS				
		HOME^%ZIS XMY^DGMTUTL \$\$LINE^SDMHAD \$\$LINE1^SDMHAD START^SDMHAD \$\$SETSTR^SDMHNS1 SET1^SDMHNS1 ^VADATE ^XMD EN^XUTMDEVQ			
Data Dictionary References	^TMP("SDNS" ^XMB(3.8 MAIL GROUP				
Related Protocols	N/A				
Related Integration Agreements	N/A				
Data Passing	<input type="checkbox"/> Input	<input type="checkbox"/> Output Reference	<input checked="" type="checkbox"/> Both	<input type="checkbox"/> Global Reference	<input type="checkbox"/> Local
Input Attribute Name and Definition	Name: Definition:				
Output Attribute Name and Definition	Name: Definition:				
Current Logic					
N/A					
Modified Logic (Changes are in bold)					
The variable SDXFLG is set to 1 ; this flag is set to 1 when running from the background job.					
The date range is set to T-1 from the date the SD nightly background job is run.					
The Division is set to ALL the divisions in the facility.					
The sort criteria is set All Clinics .					
Call is made to START^SDMHAD .					
Check to see if the division/clinic/stop have been selected and if the clinic and stop code are a valid mental health pair.					
• Set ^TMP("SDNSHOW",\$J with the valid choices					

Routine Name	^SDMHNS
<p>Find the patients in the date range that had a no show appointment, no show auto rebook or no action taken for a mental health clinic</p> <ul style="list-style-type: none"> • Loop through the ^TMP("SDNSHOW",\$J global. <p>Within that loop, check the Hospital Location "S" cross-reference to see if the patient has an appointment.</p> <p>In the date range ^SC(clinic,"S",date.</p> <ul style="list-style-type: none"> • If there is a match, set up the ^TMP("SDNS", SORT (clinic, reminder location or stop code) global. <p>Call to ^SDMHNS1 routine to set up the ^TMP("SDNS",\$J, LINE NUMBER,0) global that hold the data for sending an email message to all persons in the SD MH NO SHOW NOTIFICATION email group.</p> <p>Variables are set up to send the data in a mail message:</p> <ul style="list-style-type: none"> • SDGRP is set to the mail group number for SD MH NO SHOW NOTIFICATION. • XMSUB the subject of the email is set to MN NO SHOW REPORT MESSAGE. • XMTEXT is set to the global containing the data ^TMP("SDNS",\$J, LINE #,0). <p>Call is made to set up and send the mail message D ^XMD the user can print out the email message to a printer for a hard copy through MailMan.</p> <p>The report is almost identical to the AD HOC report, except it has MailMan designation in the heading.</p>	

8.4 ^SDMHNS1

This is the print routine for the **High Risk Mental Health No Show Report** run from the scheduling nightly background job. The report lists the following:

- Patient that no showed for the mental health appointment.
- Date the of the appointment.
- Clinic.
- Stop code.
- Clinic provider.
- Future scheduled appointments for the patient up to **30 days** out.

The report is sent to members of the **SD MH NO SHOW NOTIFICATION** mail group.

Table 108: ^SDMHNS1 Routine

Routine Name	^SDMHNS1				
Enhancement Category	<input checked="" type="checkbox"/> New	<input type="checkbox"/> Modify	<input type="checkbox"/> Delete	<input type="checkbox"/> No Change	
SRS Traceability					
Related Options	N/A				
Related Routines	Routines “Called By”	Routines “Called”			
	^SDMHNS	C^%DTC \$\$GET1^DIQ \$\$HLPHONE^HLFNC \$\$SDAPI^SDAMA301 HEAD^SDMHNS \$\$SETSTR^SDUL1 ^VADATE KVAR^VADPT OAD^VADPT PID^VADPT6			
Data Dictionary References	^DIC(40.7 CLINIC STOP ^DPT(PATIENT ^SC(HOSPITAL LOCATION ^TMP(^TMP("SDNS" ^TMP(\$J ^VA(200 NEW PERSON				
Related Protocols	N/A				
Related Integration Agreements	N/A				
Data Passing	<input type="checkbox"/> Input	<input type="checkbox"/> Output Reference	<input checked="" type="checkbox"/> Both	<input type="checkbox"/> Global Reference	<input type="checkbox"/> Local
Input Attribute Name and Definition	Name: Definition:				
Output Attribute Name and Definition	Name: Definition:				
Current Logic					
N/A					

Routine Name	^SDMHNS1
Modified Logic (Changes are in bold)	
<p>The code loops through the ^TMP("SDNS", Clinic, global.</p> <ul style="list-style-type: none"> A header is set into the ^TMP("SDNS",\$J,LINE #,0) global for each division (alphabetical), which includes the following information: **The second line designates how the report is sorted and printed. The background job only prints the report by clinic. <div style="border: 1px solid black; padding: 10px; margin: 10px 0;"> <pre> MENTAL HEALTH NO SHOW REPORT NOV 10,2010@09:34 PAGE 1 BY CLINIC PATIENT PT ID EVENT D/T CLINIC STOP CODE ***** DIVISION: ANYSITE1 </pre> </div> <p>For each patient listed, the following information, if available, is set into the ^TMP("SDNS",\$J,LINE #,0) global:</p> <ul style="list-style-type: none"> Patient phone numbers for home, office, cell. Next of Kin information, contact, relationship to patient and address and phone numbers. Emergency contact information, contact, relationship to patient, address and phone numbers. Default provider for the clinic they no showed for Mental Health Treatment Coordinator (MHTC) and care team (in parenthesis). Future scheduled appointments, clinic, date and location of the clinic. The results of efforts to contact the patient (information from clinical reminder API). <p>If there are no patients, the heading prints with no records available.</p> <div style="border: 1px solid black; padding: 10px; margin: 10px 0;"> <pre> MENTAL HEALTH NO SHOW REPORT NOV 10,2010@09:54 PAGE 1 BY CLINIC PATIENT PT ID EVENT D/T CLINIC STOP CODE ***** >>>>> NO RECORDS FOUND <<<<< </pre> </div>	

8.5 ^SDAMQ

Table 109: ^SDAMQ Routine

Routine Name	^SDAMQ				
Enhancement Category	<input checked="" type="checkbox"/> New	<input type="checkbox"/> Modify	<input type="checkbox"/> Delete	<input type="checkbox"/> No Change	
SRS Traceability					
Related Options	Nightly job for PM data extract [SDOQM PM NIGHTLY JOB]				
Related Routines	Routines "Called By"		Routines "Called"		
Data Dictionary References	N/A				
Related Protocols	N/A				
Related Integration Agreements	N/A				
Data Passing	<input type="checkbox"/> Input	<input type="checkbox"/> Output Reference	<input checked="" type="checkbox"/> Both	<input type="checkbox"/> Global Reference	<input type="checkbox"/> Local
Input Attribute Name and Definition	Name: Definition:				
Output Attribute Name and Definition	Name: Definition:				
Current Logic					
<pre> START ; G STARTQ: '\$\$\$SWITCH N SDSTART, SDFIN K ^TMP ("SDSTATS", \$J) S SDSTART=\$\$NOW^SDAMU D ADD^SDAMQ1 D EN^SDAMQ3 (SDBEG, SDEND) ; appointments D EN^SDAMQ4 (SDBEG, SDEND) ; add/edits D EN^SDAMQ5 (SDBEG, SDEND) ; dispositions S SDFIN=\$\$NOW^SDAMU D UPD^SDAMQ1 (SDBEG, SDEND, SDFIN, .05) D BULL^SDAMQ1 STARTQ K SDBEG, SDEND, SDAMETH, ^TMP ("SDSTATS", \$J) Q </pre>					
Modified Logic (Changes are in bold)					
<pre> START ; G STARTQ: '\$\$\$SWITCH N SDSTART, SDFIN </pre>					

Routine Name	^SDAMQ
	<pre> ;N SDMHNOSH ; set for no show report K ^TMP("SDSTATS",\$J) S SDSTART=\$\$NOW^SDAMU D ADD^SDAMQ1 D EN^SDAMQ3(SDBEG,SDEND) ; appointments D EN^SDAMQ4(SDBEG,SDEND) ; add/edits D EN^SDAMQ5(SDBEG,SDEND) ; dispositions S SDFIN=\$\$NOW^SDAMU D UPD^SDAMQ1(SDBEG,SDEND,SDFIN,.05) D BULL^SDAMQ1 STARTQ K SDBEG,SDEND,SDAMETH,^TMP("SDSTATS",\$J) Q ; AUTO ; -- nightly job entry point G:'\$\$SWITCH AUTOQ ; -- do yesterday's first S X1=DT,X2=-1 D C^%DTC S (SDOPCDT,SDBEG)=X,SDEND=X+.24,SDAMETH=1 D START D EN^SDMHNS D EN^SDMHPRO </pre>

8.6 EN^SDMHPRO

The **EN^SDMHPRO** routine is the front-end of the proactive background job report and sets up the data to be printed.

Table 110: EN^SDMHPRO Routine

Routine Name	EN^SDMHPRO			
Enhancement Category	<input checked="" type="checkbox"/> New	<input type="checkbox"/> Modify	<input type="checkbox"/> Delete	<input type="checkbox"/> No Change
Requirement Traceability Matrix	N/A			
Related Options	High Risk MH Proactive Nightly Report [SD MH PROACTIVE BGJ REPORT] option			
Related Routines	Routines “Called By”		Routines “Called”	
	^SDAMQ		NOW^%DTC \$\$LINE^SDMHAP \$\$LINE1^SDMHAP START^SDMHAP RET^SDMHAP1 \$\$SETSTR^SDMHPRO1 SET1^SDMHPRO1 XMY^SDUTL2	

Routine Name	EN^SDMHPRO				
		\$\$FMTE^XLFDT ^XMD			
Data Dictionary (DD) References	^TMP(^TMP("SDMHP" ^XMB(3.8				
Related Protocols	N/A				
Related Integration Control Registrations (ICRs)	N/A				
Data Passing	<input type="checkbox"/> Input	<input type="checkbox"/> Output Reference	<input type="checkbox"/> Both	<input type="checkbox"/> Global Reference	<input checked="" type="checkbox"/> Local
Input Attribute Name and Definition	Name: None Definition:				
Output Attribute Name and Definition	Name: None Definition:				
Current Logic					
None					
Modified Logic (Changes are in bold)					
<p>The variable SDXFLG is set to 1; this flag is set to 1 when running from the background job.</p> <p>The date range is set to T from the date the SD nightly background job is run.</p> <p>The Division is set to ALL the divisions in the facility.</p> <p>The sort criteria is set All Clinics.</p> <p>Call is made to START^SDMHPRO.</p> <p>Check to see if the clinics are mental health clinics in the Reminder location file.</p> <ul style="list-style-type: none"> Set ^TMP("SDPRO",\$J with the valid choices. <p>Find the patients in the date range that had an appointment for a mental health clinic.</p> <ul style="list-style-type: none"> Loop through the ^TMP("SDPRO",\$J global. 					

Routine Name	EN^SDMHPRO
<p>Within that loop, check the Hospital Location “S” cross-reference to see if the patient has an appointment.</p> <p>In the date range ^SC(clinic,“S”,date.</p> <ul style="list-style-type: none"> If there is a match, set up the ^TMP(“SDPRO1”, SORT (clinic, reminder location or stop code) global. <p>Call to ^SDMHPRO1 routine to set up the ^TMP(“SDMHP”, \$J, LINE NUMBER,0) global that holds the data for sending an email message to all persons in the SD MH NO SHOW NOTIFICATION email group.</p> <p>Variables are set up to send the data in a mail message:</p> <ul style="list-style-type: none"> SDGRP is set to the mail group number for SD MH NO SHOW NOTIFICATION. XMSUB the subject of the email is set to MN NO SHOW REPORT MESSAGE #. XMTEXT is set to the global containing the data ^TMP(“SDNS”, \$J, LINE #,0). <p>Call is made to set up and send the mail message D ^XMD the user can print out the email message to a printer for a hard copy through MailMan.</p> <p>The report is identical to the AD HOC report, except it has MailMan designation in the heading.</p>	

8.7 ^SDMHPRO1

The ^SDMHPRO1 routine is called by the SDMHPRO routine and is the routine that prints out the **Proactive Background Job** report.

Table 111: EN^SDMHPRO1 Routine

Routine Name	EN^SDMHPRO1			
Enhancement Category	<input checked="" type="checkbox"/> New	<input type="checkbox"/> Modify	<input type="checkbox"/> Delete	<input type="checkbox"/> No Change
Requirement Traceability Matrix	N/A			
Related Options	High Risk MH Proactive Nightly Report [SD MH PROACTIVE BGJ REPORT] option			
Related Routines	Routines “Called By”		Routines “Called”	
	^SDMHPRO		C^%DTC \$\$SDAPI^SDAMA301 COUNT^SDMHPRO HEAD^SDMHPRO	

Routine Name	EN^SDMHPRO1				
			HEAD1^SDMHPRO TOTAL^SDMHPRO \$\$SETSTR^SDUL1 PID^VADPT6 \$\$FMTE^XLFDT		
Data Dictionary (DD) References	^DG(40.8 ^DIC(40.7 ^DPT(^DPT("B" ^SC(^TMP(^TMP("SDMHP" ^TMP("SDPRO1" ^TMP(\$J ^VA(200				
Related Protocols	N/A				
Related Integration Control Registrations (ICRs)	N/A				
Data Passing	<input type="checkbox"/> Input	<input type="checkbox"/> Output Reference	<input type="checkbox"/> Both	<input type="checkbox"/> Global Reference	<input checked="" type="checkbox"/> Local
Input Attribute Name and Definition	Name: None Definition:				
Output Attribute Name and Definition	Name: None Definition:				
Current Logic					
None					
Modified Logic (Changes are in bold)					
<p>The code loops through the ^TMP("SDPRO1" global.</p> <ul style="list-style-type: none"> • A totals page prints out of the unique patients at the beginning of the report. • A header prints for each division (alphabetical), which includes the following information: • The second line designates how the report is sorted and printed. This example, sorts by clinic. • The patient name , ID, date of appointment, clinic. 					

PROACTIVE HIGH RISK REPORT PAGE 1
by CLINIC for Appointments 9/24/11-10/14/11 Run: 10/14/2011@12:39

PATIENT	PT ID	APPT D/T	CLINIC

DIVISION: ANYSITE1			

1 Schedulingpatient, One	0000	10/3/2011 9:00 am	D-PSYCHXXXXXXXXXX
--------------------------	------	-------------------	-------------------

PROACTIVE HIGH RISK REPORT PAGE 2
by CLINIC for Appointments 9/24/11-10/14/11 Run: 10/4/2011@12:39

PATIENT	PT ID	APPT D/T	CLINIC

DIVISION: ANYSITE2			

1 Schedulingpatient, One	0000	9/29/2011 11:00 am	LIZ'S MENTAL HEALTH CLI
		10/3/2011 3:00 pm	LIZ'S MENTAL HEALTH CLI

2 Schedulingpatient, TWO	6666	10/4/2011 10:00 am	LIZ'S MENTAL HEALTH CLI
--------------------------	------	--------------------	-------------------------

PROACTIVE HIGH RISK REPORT PAGE 3
by CLINIC for Appointments 9/24/11-10/14/11 Run: 10/4/2011@12:39

PATIENT	PT ID	APPT D/T	CLINIC

DIVISION: ANYSITE3			

1 Schedulingpatient, One	0000	9/30/2011 11:00 am	MENTAL HEALTH
2 Schedulingpatient, TWO	6666	10/5/2011 10:00 am	MENTAL HEALTH

PROACTIVE HIGH RISK REPORT PAGE 4
by CLINIC for Appointments 9/24/11-10/14/11 Run: 10/4/2011@12:39

Totals Page

Division/Clinic Appointment Totals

Division/Clinic	Unique Patients
ANYSITE1	1
ANYSITE2	2
ANYSITE3	2

If there are no patients, the heading prints with no records available.

PROACTIVE HIGH RISK REPORT PAGE 3
by CLINIC for Appointments 9/24/11-10/14/11 Run: 10/4/2011@12:39

PATIENT	PT ID	APPT D/T	CLINIC

>>>>> NO RECORDS FOUND <<<<<

8.8 EN^SDMHAP

The **EN^SDMHAP** routine is the front-end of the **Proactive Ad Hoc Report** and sets up the data to be printed.

Table 112: EN^SDMHAP Routine

Routine Name	EN^SDMHAP			
Enhancement Category	<input checked="" type="checkbox"/> New	<input type="checkbox"/> Modify	<input type="checkbox"/> Delete	<input type="checkbox"/> No Change
Requirement Traceability 3333Matrix	N/A			
Related Options	High Risk MH No-Show Adhoc Report [SD MH NO SHOW AD HOC REPORT] option			
Related Routines	Routines “Called By”	Routines “Called”		
		C^%DTC NOW^%DTC ^%ZIS ^%ZTLOAD \$\$GETINF^DGPFAPIH \$\$GETFLAG^DGPFAPIU CLOSE^DGUTQ WAIT^DICD D^DIR SWITCH^SDAMU ASK2^SDDIV ^SDMHAP1 HEAD^SDMHPRO ^SDMHPRO1 \$\$SETSTR^SDMHPRO1 SET1^SDMHPRO1 PID^VADPT6 \$\$FDATE^VALM1 FIRST^VAUTOMA \$\$FMTE^XLFDT		

Routine Name	EN^SDMHAP				
Data Dictionary (DD) References	^%ZOSF("TEST" ^DG(40.8 ^DIC(40.7 ^DPT(^PXRMD(810.9 ^SC(^SC("AST" ^TMP(^TMP("SDPRO" ^TMP("SDPRO1"				
Related Protocols	N/A				
Related Integration Control Registrations (ICRs)	N/A				
Data Passing	<input type="checkbox"/> Input	<input type="checkbox"/> Output Reference	<input type="checkbox"/> Both	<input type="checkbox"/> Global Reference	<input checked="" type="checkbox"/> Local
Input Attribute Name and Definition	Name: None Definition:				
Output Attribute Name and Definition	Name: None Definition:				
Current Logic					
None					
Modified Logic (Changes are in bold)					
<p>User is asked to choose the date range.</p> <p>User is asked to choose the Divisions in the facility (one, many, `all).</p> <p>Report sorts by clinic.</p> <p>User are asked to list report by ALL clinics (mental health and <i>not</i> mental health) or Mental Health clinics only.</p> <p>If All clinics the user can choose all the clinics in the facility.</p> <p>If Mental Health clinics only, the user chooses only clinics that have stop codes located in the Reminder Location List VA-MH NO SHOW APPT CLINICS LL.</p> <ul style="list-style-type: none"> Set ^TMP("SDPRO",\$J with the valid choices. 					

Routine Name	EN^SDMHAP
<p>Find the patients in the date range with High Risk for Mental Health patient record flag that have an appointment.</p> <ul style="list-style-type: none"> Loop through the ^TMP("SDPRO",\$J global. <p>Within that loop, check the Hospital Location "S" cross-reference to see if the patient has an appointment.</p> <p>In the date range ^SC(clinic,"S",date.</p> <ul style="list-style-type: none"> If there is a match, set up the ^TMP("SDPRO1", SORT by clinic global. <p>Call ^SDMHAP1 routine to print the report.</p>	

8.9 EN^SDMHAP1

The **EN^SDMHAP1** routine is called by the **SDMHAP** routine and is the routine that prints out the **Proactive Ad Hoc Report**.

Table 113: EN^SDMHAP1 Routine

Routine Name	EN^SDMHAP1			
Enhancement Category	<input checked="" type="checkbox"/> New	<input type="checkbox"/> Modify	<input type="checkbox"/> Delete	<input type="checkbox"/> No Change
Requirement Traceability Matrix	N/A			
Related Options	High Risk MH Proactive Adhoc Report [SD MH PROACTIVE AD HOC REPORT] option			
Related Routines	Routines "Called By"		Routines "Called"	
	^SDMHAP		C^%DTC ^DIR \$\$SDAPI^SDAMA301 HEAD^SDMHAP HEAD1^SDMHAP COUNT^SDMHPRO TOTAL1^SDMHPRO PID^VADPT6 \$\$FMTE^XLFDT	

Routine Name	EN^SDMHAP1				
Data Dictionary (DD) References	^DIC(40.7 ^DPT(^TMP(^TMP(\$J ^VA(200				
Related Protocols	N/A				
Related Integration Control Registrations (ICRs)	N/A				
Data Passing	<input type="checkbox"/> Input	<input type="checkbox"/> Output Reference	<input type="checkbox"/> Both	<input type="checkbox"/> Global Reference	<input checked="" type="checkbox"/> Local
Input Attribute Name and Definition	Name: None Definition:				
Output Attribute Name and Definition	Name: None Definition:				
Current Logic					
None					
Modified Logic (Changes are in bold)					
<p>The code loops through the ^TMP("SDPRO1" global.</p> <ul style="list-style-type: none"> • A header prints for each division (alphabetical), which includes the following information: • The second line designates how the report is sorted and printed. This example, sorts by clinic. • The patient name, ID, date of appointment, and clinic. • A totals page prints out of the unique patients. 					

HIGH RISK MENTAL HEALTH PROACTIVE ADHOC REPORT BY PAGE 1
CLINIC for Appointments 4/4/13-4/14/13 Run: 4/4/2013@15:58

#	PATIENT	PT ID	APPT D/T	CLINIC

DIVISION: ANYSITE1				
1	TESTPATIENT,ONEXXXXX	T1111	4/4/2013@08:00	D-PSYCHXXXXXXXXXXXXXXXXXXXX
			4/5/2013@08:00	D-PSYCHXXXXXXXXXXXXXXXXXXXX
			4/8/2013@08:00	D-PSYCHXXXXXXXXXXXXXXXXXXXX
			4/9/2013@08:00	D-PSYCHXXXXXXXXXXXXXXXXXXXX
			4/10/2013@08:00	D-PSYCHXXXXXXXXXXXXXXXXXXXX
			4/11/2013@08:00	D-PSYCHXXXXXXXXXXXXXXXXXXXX
			4/12/2013@08:00	D-PSYCHXXXXXXXXXXXXXXXXXXXX

HIGH RISK MENTAL HEALTH PROACTIVE ADHOC REPORT BY PAGE 2
CLINIC for Appointments 4/4/13-4/14/13 Run: 4/4/2013@15:58

#	PATIENT	PT ID	APPT D/T	CLINIC

DIVISION: ANYSITE2				
1	TESTPATIENT,TWOXXXX	T0000	4/4/2013@08:00	LIZ'S MENTAL HEALTH CLINICXXX
			4/5/2013@08:00	LIZ'S MENTAL HEALTH CLINICXXX
			4/7/2013@08:00	LIZ'S MENTAL HEALTH CLINICXXX
			4/8/2013@08:00	LIZ'S MENTAL HEALTH CLINICXXX
			4/9/2013@08:00	LIZ'S MENTAL HEALTH CLINICXXX
			4/10/2013@08:00	LIZ'S MENTAL HEALTH CLINICXXX
			4/11/2013@08:00	LIZ'S MENTAL HEALTH CLINICXXX
			4/12/2013@08:00	LIZ'S MENTAL HEALTH CLINICXXX
			4/14/2013@08:00	LIZ'S MENTAL HEALTH CLINICXXX

HIGH RISK MENTAL HEALTH PROACTIVE ADHOC REPORT BY PAGE 3
CLINIC for Appointments 4/4/13-4/14/13 Run: 4/4/2013@15:58

#	PATIENT	PT ID	APPT D/T	CLINIC

DIVISION: ANYSITE3				
1	TESTPATIENT,ONEXXXXX	T1111	4/4/2013@09:00	MENTAL HEALTH
			4/5/2013@09:00	MENTAL HEALTH
			4/8/2013@09:00	MENTAL HEALTH
			4/9/2013@09:00	MENTAL HEALTH
			4/10/2013@09:00	MENTAL HEALTH
			4/11/2013@09:00	MENTAL HEALTH
			4/12/2013@09:00	MENTAL HEALTH

HIGH RISK MENTAL HEALTH PROACTIVE ADHOC REPORT BY PAGE 4
CLINIC for Appointments 4/4/13-4/14/13 Run: 4/4/2013@15:58

Totals Page

Division/Clinic Appointment Totals	
Division/CLinic	Unique Patients
ANYSITE1	1
ANYSITE2	1
ANYSITE3	1

Routine Name	EN^SDMHAP1
If there are no patients the heading will print with no records available.	
<div> <div> HIGH RISK MENTAL HEALTH PROACTIVE ADHOC REPORT BY CLINIC for Appointments 4/4/13-4/14/13 </div> <div> PAGE 4 Run: 4/4/2013@15:58 </div> </div> <div> PATIENT PT ID APPT D/T CLINIC ***** >>>>>> NO RECORDS FOUND <<<<<< </div>	

8.10 VistA Scheduling (VS) Remote Procedure Calls (RPCs)

For more detailed information on or to see a list of VistA Scheduling (VS) Remote Procedure Calls (RPCs), refer to either of the following:

- VS GUI Technical Manuals for any release. VS Technical Manuals can be found on the [Scheduling app on the VA Software Document Library](#).
- REMOTE PROCEDURE (#8994) file within any VistA environment. Searching for “SDEC” within the REMOTE PROCEDURE (#8994) file returns the list of RPCs used by VistA Scheduling (VS).

9 External/Internal Relations

This section explains any special relationships and agreements between the routines and/or files/fields in this software and dependencies. List any routines essential to the software functions, for example:

- Provide information on whether an outpatient facility could function without programs relating to inpatient activity and avoid system failure.
- Specify the version of VA FileMan, Kernel, and other software required to run this software.
- Include a list of Integration Agreements (IA) with instructions for obtaining detailed information for each, or instruct the user how/where to find this information online.

9.1 External Relations

The following minimum package versions are required:

- VA FileMan 21.0 (and higher)
- Kernel 8.0
- Kernel Toolkit 7.3
- VA MailMan 7.1 (and higher)
- CPRS V. 28 (and higher)
- PXRm 2.0.18
- PCE 1.0
- IB 2.0
- IFCAP V. 3.0
- DRG Grouper V. 13.0
- HL7 V. 1.6
- Generic Code Sheet V. 1.5

Sites should verify that all patches to these packages have been installed.

NOTE: For Scheduling Reports to run correctly, patch DG*5.3*836 and DG*5.3*849 need to be installed and reminder location list **VA-MH NO SHOW APPT CLINICS LL** in File #810.9 *must* be current.

If your site is running any of the packages listed in [Table 104](#), you *must* be running the listed version or higher.

Table 114: Minimum Version Baseline

Package	Minimum Version
AMIE	None
CPRS (OR V. 3.0*280)	1.0
Dental	1.2
Dietetics	4.33
Inpatient Meds	None
IVM	2.0
Laboratory	5.2
Mental Health	5.0
Nursing	2.2
Occurrence Screening	2.0
Outpatient Pharmacy	7.0
Patient Funds	3.0
Radiology/Nuclear Medicine	4.5
Record Tracking	2.0
Social Work	3.0
Utilization Review	1.06

NOTE: If you are *not* running one of the packages in [Table 104](#), you do *not* need to install it.

You *must* have all current patches for the following applications installed prior to the installation of PCMM (SD*5.3*41, DG*5.3*84):

- Kernel V. 8.0
- Kernel Toolkit V. 7.3
- VA FileMan V. 21.0 (or higher)
- RPC Broker V. 1.0 (or higher)
- PIMS V. 5.3

You *must* have KIDS Patch 44 (XU*8.0*44) installed prior to loading the VIC software.

CPRS uses the PCMM files and GUI interface.

Table 105 lists all elements that are checked for installation of Ambulatory Care Reporting Project.

Table 115: Ambulatory Care Reporting Project Elements

Element Checked	Check Performed	Required For Install
PCE V. 1.0	Installed	Yes
HL7 V. 1.6	Installed	Yes
XU*8.0*27	Installed	Yes
HL*1.6*8	Installed	Yes
IB*2.0*60	Installed	Yes
REDACTED in DOMAIN (#4.2) file	Entry exists	Yes
SD*5.3*41	Installed	No
RA*4.5*4	Installed	No
LR*5.2*127	Installed	No
SOW*3*42	Installed	No
OPC GENERATION MAIL GROUP (#216) field in the MAS PARAMETER (#43) file	Contains valid Mail Group	No

NOTE: This domain was distributed by patch XM*DBA*99.
 Not installing this patch results in the loss of workload credit.
 Not installing this patch results in the loss of workload credit.

10 DBIA Agreements

The following steps are used to obtain the database integration agreements for the PIMS package.

10.1 DBIA Agreements—Custodial Package

1. FORUM.
2. DBA Menu.
3. Integration Agreements Menu.
4. Custodial Package Menu.
5. Active by Custodial Package Option.
6. Select Package Name: **Registration** or **Scheduling**.

10.2 DBIA Agreements—Subscriber Package

1. FORUM.
2. DBA Menu.
3. Integration Agreements Menu.
4. Subscriber Package Menu.
5. Print Active by Subscriber Package Option.
6. Start with subscriber package:
 - **DG** to **DGZ**, **VA** to **VAZ** (ADT)
 - **SD** to **SDZ**, **SC** to **SCZ** (scheduling)

10.3 Internal Relations

Any PIMS option in File #19 that is a menu option should be able to run independently provided the user has the appropriate keys and VA FileMan access.

In order to use the PCMM client software, the user *must* be assigned the **SC PCMM GUI WORKSTATION** option as either a primary or secondary menu option; unless the user has been assigned the XUPROGMODE security key.

This key, usually given to IRM staff, allows use of the client software without the **SC PCMM GUI WORKSTATION** option being assigned.

10.4 Package-Wide Variables

There are no package-wide variables associated with the PIMS package.

10.5 VADPT Variables

10.5.1 Scheduling Variables

SDUTL3 contains utilities used to display and retrieve data from the CURRENT PC TEAM and CURRENT PC PRACTITIONER fields in the PATIENT (#2) file.

Documentation can also be found in the routine.

Figure 4: \$\$OUTPTPR^SDUTL3—Routine Documentation

```
$$OUTPTPR^SDUTL3(PARM 1) - displays data from CURRENT PC
PRACTITIONER field
Input      PARM 1 The internal entry of the PATIENT file.
Output     CURRENT PC PRACTITIONER in Internal^External format.
           If look-up is unsuccessful, 0 will be returned.
```

Figure 5: \$\$OUTPTTM^SDUTL3—Routine Documentation

```
$$OUTPTTM^SDUTL3(PARM 1) - displays data from CURRENT PC TEAM field.
Input      PARM 1 The internal entry of the PATIENT file.
Output     CURRENT PC TEAM in Internal^External format. If
           look-up is unsuccessful, 0 will be returned.
```

Figure 6: \$\$OUTPTAP^SDUTL3—Routine Documentation

```
$$OUTPTAP^SDUTL3(PARM 1, PARM 2)
Input      PARM 1 The internal entry of the PATIENT file.
Input      PARM 2 The relevant data.
Output     Pointer to File 200^external value of the name.
$$GETALL^SCAPMCA(PARM 1, PARM 2, PARM 3)
```

This tag returns all information on a patient's assignment. Please review the documentation in the **SCAPMCA** routine.

Figure 7: INTPR^SDUTL3—Routine Documentation

```
INTPR^SDUTL3(PARM 1, PARM 2) - stores data in CURRENT PC
PRACTITIONER field.
Input      PARM 1 The internal entry of the PATIENT file.
PARM 2     Pointer to the NEW PERSON file indicating the
           practitioner associated with the patient's care.
Output     SDOKS 1 if data is stored successfully; 0 otherwise
```

Figure 8: INPTTM^SDUTL3—Routine Documentation

INPTTM^SDUTL3(PARM 1, PARM 2) - stores data in CURRENT PC TEAM field.	
Input	PARM 1 The internal entry of the PATIENT file.
	PARM 2 Pointer to the TEAM file indicating the team associated with the patient's care.
Output	SDOKS 1 if data is stored successfully; 0 otherwise

10.5.2 Patient Record Flag Variables

10.5.2.1 Integration Agreement Applicable

Figure 9: How to Access Integration Agreements

```
4903      NAME: PATIENT RECORD FLAG DATA RETRIEVAL
CUSTODIAL PACKAGE: REGISTRATION
SUBSCRIBING PACKAGE: SCHEDULING
      Scheduling requires Patient Record Flag information
      as part of a new missed appointment report supporting
      the High Risk Mental Health Initiative. This report
      needs to be able to determine which patients missing
      a recent appointment have a specified Patient Record
      Flag assigned.
      CLINICAL REMINDERS
      Retrieval of High Risk Mental Health Patient Flag
      information.
      HEALTH SUMMARY
      ADDED 7/19/2011
      USAGE: Controlled Subscri ENTERED: JAN 6,2011
      STATUS: Active EXPIRES:
      DURATION: Till Otherwise Agr VERSION:
      DESCRIPTION: TYPE: Routine
These API's provide a means to retrieve detailed Patient Record Flag
information by patient and patient record flag, and, to retrieve a list of
patients with a specific assigned patient record flag during a specified
date range.

ROUTINE: DGPFAPIH
COMPONENT: GETINF
      This function will return detailed information from the
      Patient Record Flag files for the specified patient and PRF
      flag. A date range for active PR Flags is optional. Data
      array output example:

DGARR("ASSIGNDT") - Date of initial assignment.
      i.e. 3110131.093248^Jan 31, 2011@09:32:48)
DGARR("CATEGORY") - National or Local flag category.
      i.e. II (LOCAL)^II (LOCAL) DGARR("FLAG") - Variable
      pointer to Local/National flag files and flag name.
      i.e. 1;DGPf(26.11,^HIGH RISK FOR SUICIDE
DGARR("FLAGTYPE") - Type of flag usage.
      i.e. 1^BEHAVIORAL DGARR("HIST",n,"ACTION") - Type of
      action for history entry
      i.e. 1^NEW ASSIGNMENT DGARR("HIST",n,"APPRVBY") -
      Person approving the flag assignment
      i.e. 112345^PERSON,STEVE DGARR("HIST",1,"COMMENT",1,0)
      - Comment for record assignment action
      i.e. "New record flag assignment."
DGARR("HIST",n,"DATETIME") - Date/Time of Action
      i.e. 3110131.093248^JAN 31, 2011@09:32:48
DGARR("HIST",n,"TIULINK") - Pointer to the TIU Document file
      (#8925)
      i.e. "^" DGARR("NARR",n,0) - Describes the purpose and
      instructions for the application of the flag.
      i.e. "TEST ENTRY" DGARR("ORIGSITE") - Site that
      initially assigned this flag (Relevant to National flags only)
      i.e. 500^REDACTED DGARR("OWNER") - Site which
      currently "Owns" this flag (Relevant to National flags only)
```

i.e. 500^REDACTED DGARR("REVIEWDT") - Date for next review of record flag assignment
i.e. 3110501^MAY 01, 2011 DGARR("TIUTITLE") - Pointer to the TIU Document Definition file (#8925.1)
i.e. 1309^PATIENT RECORD FLAG CATEGORY II - RESEARCH STUDY

VARIABLES: Input DGDFN
This is the DFN (IEN) for the patient in the PATIENT File (#2). This is a required variable.

VARIABLES: Input DGPRF
Variable pointer to either the PRF LOCAL FLAG File (#26.11) or to the PRF NATIONAL FLAG file (#26.15). This is a required variable.

For National Flags: IEN;DGPF(26.15,
For Local Flags: IEN;DGPF(26.11,
VARIABLES: Input DGSTART
Start date for when to begin search for active PRF flags. This date must be in FM format, i.e. 3110106. This variable is optional, if null, searches will begin with the earliest assigned entry in the PRF ASSIGNMENT HISTORY file (#26.14)

VARIABLES: Input DGEND
End date for the search for active PRF entries. This date must be in FM format, i.e. 3110107. This variable is optional, if null or not passed in, all entries to the end of the PRF ASSIGNMENT HISTORY file (#26.14) will be searched.

VARIABLES: Both DGARR
This variable contains the array name for the return data. This is optional. If an array name is not specified, the return data is returned in local array "DGPFAPI1".

VARIABLES: Output DGRSLT
Return value from the API call. Returns "1" if the API was successful in returning PRF data, returns "0" if the API was unsuccessful in returning PRF data.

COMPONENT: GETLST
This function call returns a list of patients with a specified Patient Record Flag assigned for a specified date range.

DGARR(DFN,n) - Patient Name^VPID^Date of initial assignment^National or Local flag category^flag name

Example:
DGARR(9999955648,0)="EASPATIENT,ONE
A^5000000295V790537^3100201.103713^II (LOCAL)^HIGH RISK FOR SUICIDE"

VARIABLES: Input DGPRF
Variable pointer to either the PRF LOCAL FLAG File (#26.11) or the PRF NATIONAL FLAG File (#26.15). This variable is required.

National: IEN;DGPF(26.15,
Local: IEN;DGPF(26.11,
VARIABLES: Input DGSTART
This is the start date to begin searching for patients with the assigned Patient Record Flag. This date must be in FM format, i.e. 3100110. This variable is optional.

VARIABLES: Input DGEND
This is end date for the search range for patients

with the assigned Patient Record Flag. This date must be in FM format, i.e. 3100112. This variable is optional.

VARIABLES: Both DGARR
 This variable contains the array name where the returned patient information will be placed. This is optional, if an array name is not specified, the data will be returned in a TMP Global, ^TMP("PRFLST")

VARIABLES: Output DGRSLT
 This variable returns a count of the patients placed in the return list.

KEYWORDS: PATIENT RECORD FLAGS

Figure 10: Inquire to an Integration Control Registration

```
Select INTEGRATION CONTROL REGISTRATIONS Option: INQ <Enter> Inquire to an
Integration Control Registration
Select INTEGRATION REFERENCES: DGPFAPIU <Enter>
5491      REGISTRATION      Controlled Subscription      PATIENT RECORD FLAG VARIABLE
POINTER      DGPFAPIU
DEVICE: ;;999 <Enter> SSH VIRTUAL TERMINAL

INTEGRATION REFERENCE INQUIRY #5491                MAY  3,2012  10:27      PAGE 1
-----

      5491      NAME: PATIENT RECORD FLAG VARIABLE POINTER
CUSTODIAL PACKAGE: REGISTRATION
SUBSCRIBING PACKAGE: SCHEDULING
                  CLINICAL REMINDERS
                  HEALTH SUMMARY
                  ADDED 7/19/2011
                  USAGE: Controlled Subscri    ENTERED: JAN 31,2011
                  STATUS: Active                EXPIRES:
                  DURATION: Till Otherwise Agr  VERSION:
                  DESCRIPTION:                  TYPE: Routine
Builds and returns a variable pointer to the Patient Record Flag National
or Local files based on the textual flag name.

      ROUTINE: DGPFAPIU
COMPONENT:  GETFLAG
           Get the variable pointer value for the flag text passed in.
VARIABLES:  Input      DGPRF
                  Name of the Patient Record Flag in the PRF
                  NATIONAL FLAG file, #26.15, or in the PRF LOCAL
                  FLAG file, #26.11. The value passed in must match
                  the NAME field, #.01, and is a free text value.
VARIABLES:  Input      DGCAT
                  Optional File category value. This value is either
                  "N" to lookup the pointer value in the National
                  file, or "L" to lookup the pointer value in the
                  PRF Local file. If null, both the National and
                  Local files will be checked for the pointer value.
VARIABLES:  Output     DGRSLT
                  Returns one of the following values:
                  IEN;DGPF(National or Local File number, i.e.
                  1;DGPF(26.11,

                  Will return "-1;NOT FOUND" If no flag is found
                  matching the test
                  "-1;NOT ACTIVE" If the flag is not
                  currently active.

KEYWORDS:
```

10.5.2.2 DGPFAPIH

Table 116: DGPFAPIH APIs

API	Description
GETINF^DGPFAPIH (Increment 1) DGPFAPIH is both a routine and an API/Integration agreement (#4903)	<p>DGPFAPIH: This routine implements the two Application Programming Interface (API) call points for retrieving Patient Record Flag (PRF) information. One call point is for a specific patient and record and the second call point is for a list of patients with a specific, active, Patient Record Flag.</p> <p>This API obtains the Patient Record Flag assignment information and status for the specified patient, patient record flag and date range. The return data is provided in an array using the target_root specified by the user or in the default array variable DGPFAPI1. The DATE/TIME (#.02) field of the PRF ASSIGNMENT HISTORY (#26.14) file entry determines whether the entry falls within the specified date range. If no date range is specified, all entries are returned.</p>
GETLST^DGPFAPIH (Increment 1)	<p>This API retrieves a list of patients active at some point within a specified date range for a specified Patient Record Flag. The date range is required for this API; though, the same date can be entered to specify a single date. The return data is provided in an array using the target_root specified by the user or in the default array variable DGPFAPI2. The DATE/TIME (#.02) field of the PRF ASSIGNMENT HISTORY (#26.14) file entry determines whether the entry falls within the specified date range.</p>

10.5.2.3 DGPFAPIU

Table 117: DGPFAPIU API

API	Description
DGPFAPIU (Increment 1)	<p>This routine provides support utilities and functions for the new Application Programming Interface calls.</p> <p>This procedure checks if the Patient Record Flag was active at any point during the specified date range. The procedure accepts a date range parameter, which specifies whether “A”ll dates or only a “S”pecified date range is to be checked.</p> <p>The PRF ASSIGNMENT HISTORY (#26.14) file was <i>not</i> designed for this type of date interaction, so the algorithm in this procedure has to make a number of assumptions when interpreting the dates and PRF actions. While there can only be one “New Assignment” entry, it is possible to have multiple “Continue”, “Inactivate”, and “Reactivate” action entries. In addition, the Entered In Error action can pose additional issues with determining a status during a specific date range.</p> <p>REF: See Appendix B for examples of date range and PRF History status entries.</p>
GETFLAG^DGPFAPIU (Increment 1)	<p>This function gets the variable pointer value for the Patient Record Flag passed in. The PRF is passed in as a text value. If the optional flag category is passed in, only that category is checked for the PRF. If no category is passed in, then first the National category is checked in the integration Agreement # 5491.</p>

10.6 VAUTOMA

VAUTOMA is a routine that does a one/many/all prompt; returning the chosen values in a subscripted variable specified by the calling programmer.

Input Variables

- **VAUTSTR**—String that describes what is to be entered.
- **VAUTNI**—Defines if array is sorted alphabetically or numerically.
- **VAUTVB**—Name of the subscripted variable to be returned.
- **VAUTNALL**—Define this variable if you do not want the user to be given the ALL option.

Other variables as required by a call to ^**DIC** (see *VA FileMan Developer’s Guide*).

Output Variables

As defined in **VAUTVB**.

10.7 VAFMON

VAFMON is a routine that returns income or dependent information on a patient.

\$\$INCOME^VAFMON(PARM 1,PARM 2)

- PARM 1—The internal entry of the PATIENT (#2) file.
- PARM 2—The date for which the income is calculated.

\$\$DEP^VAFMON(PARM 1,PARM 2)

- PARM 1—The internal entry of the PATIENT (#2) file.
- PARM 2—The date for which the income is calculated.

10.8 AIT

See the Ambulatory Care Reporting Project Interface Toolkit (AIT). The AIT is a set of programmer tools that provide access to outpatient encounter data.

11 How To Generate Online Documentation

This section describes some of the various methods by which users may secure PIMS technical documentation.

Online technical documentation pertaining to the PIMS software, in addition to that which is located in the help prompts and on the help screens which are found throughout the PIMS package, can be generated by using several Kernel and VA FileMan options.

These include but are not limited to:

- **XINDEX**
- Menu Management: **Inquire Option File**
- **Print Option File**
- VA FileMan: **List File Attributes**

Entering question marks at the "Select ... Option:" prompt can also provide users with valuable technical information. For example:

- A single question mark (?) lists all options that can be accessed from the current option.
- Entering two question marks (??) lists all options accessible from the current one, showing the formal name and lock for each.
- Three question marks (???) displays a brief description for each option in a menu.
- An option name preceded by a question mark (?**OPTION**) shows extended help, if available, for that option.

REF: For a more exhaustive option listing and further information about other utilities that supply online technical information, consult the *VistA Kernel 8.0 and Kernel Toolkit 7.3 Systems Management Guide*.

11.1 XINDEX

The **XINDEX** option analyzes the structure of a routine(s) to determine in part if the routine(s) adheres to VistA Programming Standards. The **XINDEX** output can include the following components:

- Compiled list of errors and warnings
- Routine listing
- Local variables
- Global variables
- Naked globals
- Label references

- External references

By running **XINDEX** for a specified set of routines, the user is afforded the opportunity to discover any deviations from VistA Programming Standards that exist in the selected routine(s) and to see how routines interact with one another, that is, which routines call or are called by other routines.

To run **XINDEX** for the PIMS package, specify the following namespaces at the "routine(s) ?>" prompt: **DG***, **DPT***, **SD***, **VA***, **SC***.

PIMS initialization routines that reside in the UCI in which **XINDEX** is being run, compiled template routines, and local routines found within the PIMS namespaces should be omitted at the "routine(s) ?>" prompt.

To omit routines from selection, preface the namespace with a minus sign (-).

11.2 Inquire to Option File

The **Inquire to Option File** menu manager option provides the following information about a specified option(s):

- Option name
- Menu text
- Option description
- Type of option
- Lock (if any)

In addition, all items on the menu are listed for each menu option.

- **DPT**—Patient File Look-up, Patient Sensitivity
- **SD** and **SC**—Scheduling
- **VA**—Generic utility processing

11.3 Print Options File

The **Print Options File** utility generates a listing of options from the **OPTION (#19)** file. The user can choose to print all of the entries in this file or may elect to specify a single option or range of options.

To obtain a list of PIMS options, the following option namespaces should be specified:

- **DG** to **DGZ**
- **SD** to **SDZ**

11.4 List File Attributes

This VA FileMan **List File Attributes** option allows the user to generate documentation pertaining to files and file structure. Use of this option via the "Standard" format yields the following data dictionary information for a specified file(s):

- File name and description
- Identifiers
- Cross-references
- Files pointed to by the file specified
- Files that point to the file specified
- Input templates
- Print templates
- Sort templates.

In addition, the following applicable data is supplied for each field in the file:

- Field name
- Number
- Title
- Global location
- Description
- Help prompt
- Cross-reference(s)
- Input transform
- Date last edited
- Notes

Using the "**Global Map**" format of this option generates an output that lists the following:

- All cross-references for the file selected
- Global location of each field in the file
- Input templates
- Print templates
- Sort templates

11.5 Security

11.5.1 General Security

Routines that generate statistics for AMIS or NPCDB workload should NOT be locally modified.

11.5.2 Security Keys

The following are the steps to obtain information about the security keys contained in the PIMS package.

1. VA FileMan Menu.
2. Print File Entries Option.
3. Output from what File: **SECURITY KEY**.
4. Sort by: **Name**.
5. Start with name:
 - **DG to DGZ, VA to VAZ (ADT)**
 - **SD to SDZ, SC to SCZ (Scheduling)**
 - VistA Scheduling keys (SDEC):
 - **SDECZMGR**
 - **SDECZMENU**
 - **SDECZ REQUEST**
 - **SDOB**
 - **SDMOB**
 - **PROVIDER**
 - **PSORPH**
 - **ORES**
6. Within name, sort by: **<Enter>**.
7. First print field: **Name**.
8. Then print field: **Description**.

11.5.3 Legal Requirements

The PIMS software package makes use of Current Procedural Terminology (CPT) codes that is an American Medical Association (AMA) copyrighted product. Its use is governed by the terms of the agreement between the Department of Veterans Affairs and the AMA. The CPT copyright notice is displayed for various PIMS users and should not be turned off.

11.6 VA FileMan Access Codes

Table 108 lists the *recommended* VA FileMan Access Codes associated with each file contained in the PIMS package. This list can be used to assist in assigning users appropriate VA FileMan Access Codes.

Table 118: VA FileMan Access Codes

File Number	File Name	DD Access	RD Access	WR Access	DEL Access	LAYGO Access
2	PATIENT	@	d	D	@	D
5	STATE	@	d	@	@	@
8	ELIGIBILITY CODE	@	d	@	@	@
8.1	MAS ELIGIBILITY CODE	@	d	@	@	@
8.2	IDENTIFICATION FORMAT	@	d	@	@	@
10	RACE	@	d	@	@	@
11	MARITAL STATUS	@	d	@	@	@
13	RELIGION	@	d	@	@	@
21	PERIOD OF SERVICE	@	d	@	@	@
22	POW PERIOD	@	d	@	@	@
23	BRANCH OF SERVICE	@	d	@	@	@
25	TYPE OF DISCHARGE	@	d	@	@	@
26.11	PRF LOCAL FLAG	@	@	@	@	@
26.12	PRF LOCAL FLAG HISTORY	@	@	@	@	@
26.13	PRF ASSIGNMENT	@	d	@	@	@
26.14	PRF ASSIGNMENT HISTORY	@	@	@	@	@
26.15	PRF NATIONAL FLAG	@	@	@	@	@
26.16	PRF TYPE	@	@	@	@	@
26.17	PRF HL7 TRANSMISSION LOG	@	@	@	@	@

File Number	File Name	DD Access	RD Access	WR Access	DEL Access	LAYGO Access
26.18	PRF PARAMETERS	@	@	@	@	@
26.19	PRF HL7 QUERY LOG	@	@	@	@	@
26.21	PRF HL7 EVENT	@	@	@	@	@
26.22	PRF HL7 REQUEST LOG FILE	@	@	@	@	@
27.11	PATIENT ENROLLMENT	@	d	@	@	@
27.12	ENROLLMENT QUERY LOG	@		@	@	@
27.14	ENROLLMENT/ELIGIBILITY UPLOAD AUDIT					
27.15	ENROLLMENT STATUS	@	d	@	@	@
27.16	ENROLLMENT GROUP THRESHOLD	@	@	@	@	@
27.17	CATASTROPHIC DISABILITY REASONS	@	@	@	@	@
28.11	NOSE AND THROAT RADIUM HISTORY	@	d	@	@	@
29.11	MST HISTORY					
30	DISPOSITION LATE REASON	@	d	@	@	@
35	OTHER FEDERAL AGENCY	@	d	@	@	@
35.1	SHARING AGREEMENT CATEGORY	@	@	@	@	@
35.2	SHARING AGREEMENT SUB-CATEGORY	@	@	@	@	@
37	DISPOSITION	@	d	@	@	@
38.1	DG SECURITY LOG	@	d	D	@	D
38.5	INCONSISTENT DATA	@	d	@	@	@

File Number	File Name	DD Access	RD Access	WR Access	DEL Access	LAYGO Access
38.6	INCONSISTENT DATA ELEMENTS	@	d	@	@	@
39.1	EMBOSSSED CARD TYPE	@	d	@	@	@
39.2	EMBOSSING DATA	@	d	@	@	@
39.3	EMBOSSER EQUIPMENT FILE	@	d	@	@	@
39.4	ADT/HL7 TRANSMISSION	@	@	@	@	@
39.6	VIC REQUEST	@	@	@	@	@
39.7	VIC HL7 TRANSMISSION LOG	@	@	@	@	@
40.7	CLINIC STOP	@	d	@	@	@
40.8	MEDICAL CENTER DIVISION	@	d	@	@	@
40.9	LOCATION TYPE	@	d	@	@	@
41.1	SCHEDULED ADMISSION	@	d	D	D	D
41.41	PRE-REGISTRATION AUDIT	@	d	D	D	D
41.42	PRE-REGISTRATION CALL LIST	@	d	D	D	D
41.43	PRE-REGISTRATION CALL LOG	@	d	D	D	D
41.9	CENSUS	@	d	@	@	@
42	WARD LOCATION	@	d	D	@	D
42.4	SPECIALTY	@	d	@	@	@
42.5	WAIT LIST	@	d	D	D	D
42.55	PRIORITY GROUPING	@	d	@	@	@
42.6	AMIS 334-341	@	d	D	D	D
42.7	AMIS 345&346	@	d	D	D	D
43	MAS PARAMETERS	@	d	D	@	@

File Number	File Name	DD Access	RD Access	WR Access	DEL Access	LAYGO Access
43.1	MAS EVENT RATES	@	d	D	D	D
43.11	MAS AWARD	@	d	D	D	D
43.4	VA ADMITTING REGULATION	@	d	@	@	@
43.5	G&L CORRECTIONS	@	d	D	D	D
43.61	G&L TYPE OF CHANGE	@	d	@	@	@
43.7	ADT TEMPLATE	@	d	@	@	@
44	HOSPITAL LOCATION	@	d	D	@	D
45	PTF	@	d	D	@	@
45.1	SOURCE OF ADMISSION	@	d	@	@	@
45.2	PTF TRANSFERRING FACILITY	@	d	D	@	D
45.3	SURGICAL SPECIALTY	@	d	@	@	@
45.4	PTF DIALYSIS TYPE	@	d	@	@	@
45.5	PTF MESSAGE	@	d	@	@	@
45.6	PLACE OF DISPOSITION	@	d	@	@	@
45.61	PTF ABUSED SUBSTANCE	@	d	@	@	@
45.64	PTF AUSTIN ERROR CODES	@	d	@	@	@
45.68	FACILITY SUFFIX	@	d	@	@	@
45.7	FACILITY TREATING SPECIALTY	@	d	D	@	D
45.81	STATION TYPE	@	d	@	@	@
45.82	CATEGORY OF BENEFICIARY	@	d	@	@	@
45.83	PTF RELEASE	@	d	@	@	@
45.84	PTF CLOSE OUT	@	d	@	@	@

File Number	File Name	DD Access	RD Access	WR Access	DEL Access	LAYGO Access
45.85	CENSUS WORKFILE	@	d	D	@	@
45.86	PTF CENSUS DATE	@	d	@	@	@
45.87	PTF TRANSACTION REQUEST LOG	@	d	@	@	@
45.88	PTF EXPANDED CODE CATEGORY	@	d	@	@	@
45.89	PTF EXPANDED CODE	@	d	@	@	@
45.9	PAF	@	d	D	D	D
45.91	RUG-II	@	d	@	@	@
46	INPATIENT CPT	@	d	D	#	@
46.1	INPATIENT POV	@	d	D	#	@
47	MAS FORMS AND SCREENS	@	d	D	#	@
48	MAS RELEASE NOTES	@	d	D	@	@
48.5	MAS MODULE	@	d	@	@	@
389.9	STATION NUMBER (TIME SENSITIVE)	@	d	@	@	@
390	ENROLLMENT RATED DISABILITY UPLOAD AUDIT	@	@	@	@	@
391	TYPE OF PATIENT	@	d	@	@	@
391.1	AMIS SEGMENT	@	d	@	@	@
391.31	HOME TELEHEALTH PATIENT	@	@	@	@	@
403.35	SCHEDULING USER PREFERENCE	@	d	@	@	@
403.43	SCHEDULING EVENT	@	d	@	@	@
403.44	SCHEDULING REASON	@	d	@	@	@
403.46	STANDARD POSITION	@	d	@	@	@
403.47	TEAM PURPOSE	@	d	@	@	@

File Number	File Name	DD Access	RD Access	WR Access	DEL Access	LAYGO Access
404.41	OUTPATIENT PROFILE	@	d	@	@	@
404.42	PATIENT TEAM ASSIGNMENT	@	d	@	@	@
404.43	PATIENT TEAM POSITION ASSIGNMENT	@	d	@	@	@
404.44	PCMM PARAMETER	@	@	@	@	@
404.45	PCMM SERVER PATCH	@	@	@	@	@
404.46	PCMM CLIENT PATCH	@	@	@	@	@
404.471	PCMM HL7 TRANSMISSION LOG	@	@	@	@	@
404.472	PCMM HL7 ERROR LOG	@	@	@	@	@
404.48	PCMM HL7 EVENT	@	@	@	@	@
404.49	PCMM HL7 ID	@	@	@	@	@
404.51	TEAM	@	d	@	@	@
404.52	POSITION ASSIGNMENT HISTORY	@	d	@	@	@
404.53	PRECEPTOR ASSIGNMENT HISTORY	@	d	@	@	@
404.56	TEAM AUTOLINK	@	d	@	@	@
404.57	TEAM POSITION	@	d	@	@	@
404.58	TEAM HISTORY	@	d	@	@	@
404.59	TEAM POSITION HISTORY	@	d	@	@	@
404.61	MH PCMM STOP CODES	@	d	@	@	@
404.91	SCHEDULING PARAMETER	@	d	@	@	@
404.92	SCHEDULING REPORT DEFINITION	@	d	@	@	@

File Number	File Name	DD Access	RD Access	WR Access	DEL Access	LAYGO Access
404.93	SCHEDULING REPORT FIELDS DEFINITION	@	d	@	@	@
404.94	SCHEDULING REPORT GROUP	@	d	@	@	@
404.95	SCHEDULING REPORT QUERY TEMPLATE	@	d	@	@	@
404.98	SCHEDULING CONVERSATION SPECIFICATON TEMPLATE	@	d	@	@	@
405	PATIENT MOVEMENT	@	d	@	@	@
405.1	FACILITY MOVEMENT TYPE	@	d	D	@	D
405.2	MAS MOVEMENT TYPE	@	d	@	@	@
405.3	MAS MOVEMENT TRANSACTION TYPE	@	d	@	@	@
405.4	ROOM-BED	@	d	D	@	D
405.5	MAS OUT-OF-SERVICE	@	d	@	@	@
405.6	ROOM-BED DESCRIPTION	@	d	D	@	D
406.41	LODGING REASON	@	d	D	@	D
407.5	LETTER	@	d	D	D	D
407.6	LETTER TYPE	@	d	@	@	@
407.7	TRANSMISSION ROUTERS	@	d	@	@	@
408	DISCRETIONARY WORKLOAD	@	d	@	@	@
408.11	RELATIONSHIP	@	d	@	@	@
408.12	PATIENT RELATION	@	d	@	@	@
408.13	INCOME PERSON	@	d	@	@	@
408.21	INDIVIDUAL ANNUAL INCOME	@	d	@	@	@

File Number	File Name	DD Access	RD Access	WR Access	DEL Access	LAYGO Access
408.22	INCOME RELATION	@	d	@	@	@
408.31	ANNUAL MEANS TEST	@	d	@	@	@
408.32	MEANS TEST STATUS	@	d	@	@	@
408.33	TYPE OF TEST	@	d	@	@	@
408.34	SOURCE OF INCOME TEST	@	d	@	@	@
408.41	MEANS TEST CHANGES	@	d	@	@	@
408.42	MEANS TEST CHANGES TYPE	@	d	@	@	@
409.1	APPOINTMENT TYPE	@	d	@	@	@
409.2	CANCELLATION REASONS	@	d	@	@	@
409.41	OUTPATIENT CLASSIFICATION TYPE	@	d	@	@	@
409.42	OUTPATIENT CLASSIFICATION	@	d	D	D	D
409.45	OUTPATIENT CLASSIFICATION STOP CODE EXCEPTION	@	d	@	@	@
409.62	APPOINTMENT GROUP	@	d	@	@	@
409.63	APPOINTMENT STATUS	@	d	@	@	@
409.64	QUERY OBJECT	@	d	@	@	@
409.65	APPOINTMENT STATUS UPDATE LOG	@	d	@	@	@
409.66	APPOINTMENT TRANSACTION TYPE	@	d	@	@	@
409.67	CLINIC GROUP	@		D	@	D

File Number	File Name	DD Access	RD Access	WR Access	DEL Access	LAYGO Access
409.68	OUTPATIENT ENCOUNTER	@	d	@	@	@
409.73	TRANSMITTED OUTPATIENT ENCOUNTER	@	d	@	@	@
409.74	DELETED OUTPATIENT ENCOUNTER	@	d	@	@	@
409.75	TRANSMITTED OUTPATIENT ENCOUNTER ERROR	@	d	@	@	@
409.76	TRANSMITTED OUTPATIENT ENCOUNTER ERROR CODE	@	d	@	@	@
409.77	ACRP TRANSMISSION HISTORY	@	d	@	@	@
409.86	SDEC CONTACT	@	@	@	@	@
409.88	SDEC CANCELLATION	@		@	@	@
409.91	ACRP REPORT TEMPLATE	@		@	@	@
409.92	ACRP REPORT TEMPLATE PARAMETER	@		@	@	@
409.97	SD Audit Statistics	@	@	@	@	@
409.98*	SDEC SETTINGS	@	@	@	@	@

12 VADPT Variables

VADPT is a utility routine designed to provide a central point where a programmer can obtain information concerning a patient's record. Supported entry points are provided, which return demographics, inpatient status, eligibility information, etc.

Access to patient information is not limited to using the supported entry points in **VADPT**. Integration agreements can be established through the DBA between PIMS and other packages to reference information. Additionally, several data elements are supported without an integration agreement.

12.1 Supported References

Table 109 lists references to patient information (PATIENT [#2] file) that are supported without an integration agreement. All nationally distributed cross-references on these fields are also supported.

Table 119: Supported References

Field Name	Field #	Global Location	Type of Access
NAME	(#.01)	0;1	Read
PREFERRED NAME	(#.2405)	.24;5	Read
SEX	(#.02)	0;2	Read
DATE OF BIRTH	(#.03)	0;3	Read
AGE	(#.033)	N/A	Read
MARITAL STATUS	(#.05)	0;5	Read
RACE	(#.06)	0;6	Read
OCCUPATION	(#.07)	0;7	Read
RELIGIOUS PREFERENCE	(#.08)	0;8	Read
DUPLICATE STATUS	(#.081)	0;18	
PATIENT MERGED TO	(#.082)	0;19	
CHECK FOR DUPLICATE	(#.083)	0;20	
SOCIAL SECURITY NUMBER	(#.09)	0;9	Read
REMARKS	(#.091)	0;10	Read
PLACE OF BIRTH [CITY]	(#.092)	0;11	Read

Field Name	Field #	Global Location	Type of Access
PLACE OF BIRTH [STATE]	(#.093)	0;12	Read
WHO ENTERED PATIENT	(#.096)	0;15	Read
DATE ENTERED INTO FILE	(#.097)	0;16	Read
WARD LOCATION	(#.1)	.1;1	Read
ROOM-BED	(#.101)	.101;1	Read
CURRENT MOVEMENT	(#.102)	.102;1	Read
TREATING SPECIALTY	(#.103)	.103;1	Read
PROVIDER	(#.104)	.104;1	Read
ATTENDING PHYSICIAN	(#.1041)	.1041;1	Read
CURRENT ADMISSION	(#.105)	.105;1	Read
LAST DMMS EPISODE NUMBER	(#.106)	.106;1	Read
LODGER WARD LOCATION	(#.107)	.107;1	Read
CURRENT ROOM	(#.108)	.108;1	Read
CONFIDENTIAL PHONE NUMBER	(#.1315)	.1315	Read
CURRENT MEANS TEST STATUS	(#.14)	0;14	Read
DATE OF DEATH	(#.351)	.35;1	Read
DEATH ENTERED BY	(#.352)	.35;2	Read
PRIMARY LONG ID	(#.363)	.36;3	
PRIMARY SHORT ID	(#.364)	.36;4	
CURRENT PC PRACTITIONER	(#404.01)	PC;1	Read
CURRENT PC TEAM	(#404.02)	PC;2	Read
LAST MEANS TEST	(#999.2)	N/A	Read

12.2 Callable Entry Points in VADPT

The format of the data in the return array should be as follows.

- The root node must always be defined.
- Unless returning multiple value data, fields should be set in the root node in a caret-delimited string.
- Lower level subscripts may contain additional data fields as needed.
- If returning data in a multiple, the root node of the multiple should contain the number of subentries being returned.

Singular data values:

- $VADM(s1) = \text{field1}^{\wedge}\text{field2}^{\wedge}\text{field3}...$
- $VADM(s1,s2) = \text{field1}^{\wedge}\text{field2}^{\wedge}\text{field3}...$

Data in a multiple:

- $VADM(s1,s2) = \text{number of subentries}$
- $VADM(s1,s2,1.n) = \text{The } n\text{th repetition of the entry}$

Example:

- $VADM(99) = \text{field1}^{\wedge}\text{field2}^{\wedge}\text{field3}...$
- $VADM(99,1) = 3$
- $VADM(99,1,1) = \text{field1}^{\wedge}\text{field2}$
- $VADM(99,1,2) = \text{field1}^{\wedge}\text{field2}^{\wedge}\text{field3}$
- $VADM(99,1,3) = \text{field1}$
- $VADM(99,2) = \text{field1}$

12.2.1 DEM^VADPT

Description

This entry point returns demographic information for a patient.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.
- **VAPTYP**—This optional variable can be set to the internal number of a patient eligibility. The variable can be used to indicate the patient's type such as VA, Department of Defense (DOD), or Indian Health Service (IHS) through the eligibility. If this variable is *not* defined or the eligibility does *not* exist, the VA patient IDs are returned.

- **VAHOW**—This optional variable can be set to a requested format for the output array. If this variable is *not* defined or does not contain one of the following values, the output array is returned with numeric subscripts:
 - **1**—Return the output array with alpha subscripts; see “Description”
 - Returns the Comprehensive Prevention, Access to Care, and Treatment (COMPACT) indicator for enrolled Veterans and non-enrolled Veterans.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.

Output

- **VACOM("CAI")**—Returns the Veteran’s COMPACT eligibility status
 - **0**—Veteran is not COMPACT eligible
 - **1**—Veteran is COMPACT eligible
 - Alpha Subscripts” section [e.g., **VADM(1)** would be **VADM("NM")**].
 - **2**—Return the output in the ^UTILITY global with numeric subscripts [e.g., ^UTILITY("VADM",\$J,1)].
 - **12**—Return the output in the ^UTILITY global with alpha subscripts [e.g., ^UTILITY("VADM",\$J,"NM")].
- **VAROOT**—This optional variable can be set to a local variable or global name in which to return the output (e.g., **VAROOT="DGDEM"**).

OUTPUT

- **VADM(1)**—The NAME of the patient (e.g., **ADTPATIENT,ONE**).
- **VADM(2)**—The SOCIAL SECURITY NUMBER of the patient in internal^external format (e.g., **000456789^000-45-6789**).
- **VADM(3)**—The DATE OF BIRTH of the patient in internal^external format (e.g., **2551025^OCT 25,1955**).
- **VADM(4)**—The AGE of the patient as of today, unless a date of death exists, in which case the age returned is as of that date (e.g., **36**).
- **VADM(5)**—The SEX of the patient in internal^external format (e.g., **M^MALE**).
- **VADM(6)**—The DATE OF DEATH of the patient, should one exist, in internal^external format (e.g., **2881101.08^NOV 1,1988@08:00**).
- **VADM(7)**—Any REMARKS concerning this patient which may be on file (e.g., Need to obtain dependent info).

- **VADM(8)**—The RACE of the patient in internal^external format (e.g., **1^WHITE, NON-HISPANIC**).

NOTE: This has been left for historical purposes only as the RACE field has been replaced by the RACE INFORMATION multiple.

- **VADM(9)**—The RELIGION of the patient in internal^external format (e.g., **99^CATHOLIC**).
- **VADM(10)**—The MARITAL STATUS of the patient in internal^external format (e.g., **1^MARRIED**).
- **VADM(11)**—Number of entries found in the ETHNICITY INFORMATION multiple (e.g., 1).
- **VADM(11,1..n)**—The n^{th} repetition of ETHNICITY INFORMATION for the patient in internal^external format (e.g., **1^HISPANIC OR LATINO**).
- **VADM(11,1..n,1)**—METHOD OF COLLECTION for the Nth repetition of ETHNICITY INFORMATION for the patient in internal^external format [e.g., **2^PROXY**].
- **VADM(12)**—Number of entries found in the RACE INFORMATION multiple (e.g., 1).
- **VADM(12,1..n)**—The n^{th} repetition of RACE INFORMATION for the patient in internal^external format (e.g., **11^WHITE**).
- **VADM(12,1..n,1)**—METHOD OF COLLECTION for the n^{th} repetition of RACE INFORMATION for the patient in internal^external format [e.g., **2^PROXY**].
- **VADM(13)** – The current active entry from the LANGUAGE DATE/TIME (#.207) multiple in fileman format ^ human readable format [e.g. 3210924.1426^SEP 24,2021@14:26]
- **VADM(13,1)** - Current value for PREFERRED LANGUAGE for the patient in internal^external format [e.g. **1^ENGLISH**]
- **VADM(14)** – set to null to avoid issues with groups that are only looking for root nodes
- **VADM(14,1)** – The number of entries found in the SEXUAL ORIENTATION multiple (e.g., 2).
- **VADM(14,1,1..n)** – The n^{th} repetition of SEXUAL ORIENTATION for the patient in external^internal format (e.g., **"Bisexual^BIS"**).
- **VADM(14,1,1..n,1)** – The current STATUS of the Sexual Orientation for the patient in external^internal format (e.g., **"Active^A"**).
- **VADM(14,1,1..n,2)** – The DATE CREATED value of the Sexual Orientation for the patient in external^internal format (e.g., **"JAN 24, 2022^3220124"**).
- **VADM(14,1,1..n,3)** – The DATE LAST UPDATED value of the Sexual Orientation for the patient in external^internal format (e.g., **"JAN 24, 2022^3220124"**).

- **VADM(14,1,1..n,4)** – The Internal Entry Number (IEN) of the NOTE [DOCUMENT TYPE in TUI DOCUMENT File (#8925)] value of the Sexual Orientation for the patient in external^internal format (e.g., "**CLINICAL WARNING^20**").
- **VADM(14,2)** – The SEXUAL ORIENTATION DESCRIPTION for the patient free text format (e.g., "**I have many sexual orientations**").
- **VADM(14,3)** – The number of entries found in the PRONOUN multiple (e.g., **2**).
- **VADM(14,3,1..n)** – The n^{th} repetition of PRONOUN for the patient in external^internal format (e.g., "**Ze/Zir/Zirs^ZIR**").
- **VADM(14,4)** – The PRONOUN DESCRIPTION for the patient free text format (e.g., "**I have many pronouns I would like used**").
- **VADM(14,5)** – The SELF IDENTIFIED GENDER for the patient in internal^external format (e.g., Other^O").
- **VADM(15)** – Set to null to avoid issues with groups that are only looking for root nodes
- **VADM(15,1)** – The response to INDIAN SELF IDENTIFICATION (#.571) is NULL, "Y" or "N".
- **VADM(15,2)** – The INDIAN START DATE (#.572) in internal format or NULL.
- **VADM(15,3)** – The INDIAN ATTESTATION DATE (#.573) in internal format or NULL.
- **VADM(15,4)** – The INDIAN END DATE (#.574) in internal format or NULL.
- **VA("PID")**—The PRIMARY LONG ID for a patient. The format of this variable depends on the type of patient if **VAPTYP** is set (e.g., **000-45-6789**).
- **VA("BID")**—The PRIMARY SHORT ID for a patient. The format of this variable depends on the type of patient if **VAPTYP** is set (e.g., **6789**).
- **VAERR**—The error flag has one of the following values:
 - **0**—No errors encountered.
 - **1**—Error encountered: DFN or ^DPT(DFN,0) is *not* defined.

12.2.2 DEMUPD^VADPT

Description

This entry point returns demographic information for a patient.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.
- **VAPTYP**—This optional variable can be set to the internal number of a patient eligibility. The variable can be used to indicate the patient's type such as VA, DOD, or

IHS through the eligibility. If this variable is *not* defined or the eligibility does *not* exist, the VA patient IDs are returned.

- **VAHOW**—This optional variable can be set to a requested format for the output array. If this variable is *not* defined or does *not* contain one of the following values, the output array is returned with numeric subscripts:
 - **1**—Return the output array with alpha subscripts; see “Description”
 - Returns the Comprehensive Prevention, Access to Care, and Treatment (COMPACT) indicator for enrolled Veterans and non-enrolled Veterans.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.

Output

- **VACOM("CAI")**—Returns the Veteran’s COMPACT eligibility status
 - **0**—Veteran is not COMPACT eligible
 - **1**—Veteran is COMPACT eligible
 - Alpha Subscripts” section [e.g., **VADEMO(1)** would be **VADEMO("NM")**].
 - **2**—Return the output in the ^UTILITY global with numeric subscripts [e.g., ^UTILITY("VADEMO",\$J,1)].
 - **12**—Return the output in the ^UTILITY global with alpha subscripts [e.g., ^UTILITY("VADEMO",\$J,"NM",1)] stores the PREFERRED NAME.
- **VAROOT**—This optional variable can be set to a local variable or global name in which to return the output (e.g., **VAROOT="DGDEM"**).

Output

- **VADEMO(1)**—The NAME of the patient (e.g., **ADTPATIENT,ONE**).
- **VADEMO(1,1)**—The PREFERRED NAME of the patient (e.g., **"NICKNAME JONES"**).
- **VADEMO(2)**—The SOCIAL SECURITY NUMBER of the patient in internal^external format (e.g., **#####^###-##-####**).
- **VADEMO(3)**—The DATE OF BIRTH of the patient in internal^external format (e.g., **2551025^OCT 25,1955**).
- **VADEMO(4)**—The AGE of the patient as of today, unless a date of death exists, in which case the age returned is as of that date (e.g., **36**).
- **VADEMO(5)**—The SEX of the patient in internal^external format (e.g., **M^MALE**).

- **VADEMO(6)**—The DATE OF DEATH of the patient, should one exist, in internal^external format (e.g., **2881101.08^NOV 1,1988@08:00**).
- **VADEMO(7)**—Any REMARKS concerning this patient which may be on file (e.g., Need to obtain dependent information).
- **VADEMO(8)**—The RACE of the patient in internal^external format (e.g., **1^WHITE, NON-HISPANIC**).

NOTE: This has been left for historical purposes only as the RACE field has been replaced by the RACE INFORMATION multiple.

- **VADEMO(9)**—The RELIGION of the patient in internal^external format (e.g., **99^CATHOLIC**).
- **VADEMO(10)**—The MARITAL STATUS of the patient in internal^external format (e.g., **1^MARRIED**).
- **VADEMO(11)**—Number of entries found in the ETHNICITY INFORMATION multiple (e.g., **1**).
- **VADEMO(11,1..n)**—The n^{th} repetition of ETHNICITY INFORMATION for the patient in internal^external format (e.g., **1^HISPANIC OR LATINO**).
- **VADEMO(11,1..n,1)**—METHOD OF COLLECTION for the Nth repetition of ETHNICITY INFORMATION for the patient in internal^external format [e.g., **2^PROXY**].
- **VADEMO(12)**—Number of entries found in the RACE INFORMATION multiple (e.g., **1**).
- **VADEMO(12,1..n)**—The n^{th} repetition of RACE INFORMATION for the patient in internal^external format (e.g., **11^WHITE**).
- **VADEMO(12,1..n,1)**—METHOD OF COLLECTION for the n^{th} repetition of RACE INFORMATION for the patient in internal^external format [e.g., **2^PROXY**].
- **VADEMO(12)**—Number of entries found in the RACE INFORMATION multiple (e.g., **1**).
- **VADEMO(12,1..n)**—The n^{th} repetition of RACE INFORMATION for the patient in internal^external format (e.g., **11^WHITE**).
- **VADEMO(12,1..n,1)**—METHOD OF COLLECTION for the n^{th} repetition of RACE INFORMATION for the patient in internal^external format [e.g., **2^PROXY**].
- **VADEMO(13)** - The current active entry from the LANGUAGE DATE/TIME (#.207) multiple in fileman format ^ human readable format [e.g. 3210924.1426^SEP 24,2021@14:26]
- **VADEMO(13,1)** - Current value for PREFERRED LANGUAGE for the patient in internal^external format [e.g. 1^ENGLISH]

- **VADEMO(14,1)** – The number of entries found in the SEXUAL ORIENTATION multiple (e.g., 2).
- **VADEMO(14,1,1..n)** – The n^{th} repetition of SEXUAL ORIENTATION for the patient in external^internal format (e.g., "**Bisexual^BIS**").
- **VADEMO (14,1,1..n,1)** – The current STATUS of the Sexual Orientation for the patient in external^internal format (e.g., "**Active^A**").
- **VADEMO (14,1,1..n,2)** – The DATE CREATED value of the Sexual Orientation for the patient in external^internal format (e.g., "**JAN 24, 2022^3220124**").
- **VADEMO (14,1,1..n,3)** – The DATE LAST UPDATED value of the Sexual Orientation for the patient in external^internal format (e.g., "**JAN 24, 2022^3220124**").
- **VADEMO (14,1,1..n,4)** – The Internal Entry Number (IEN) of the NOTE [DOCUMENT TYPE in TUI DOCUMENT File (#8925)] value of the Sexual Orientation for the patient in external^internal format (e.g., "**CLINICAL WARNING^20**").
- **VADEMO(14,2)** – The SEXUAL ORIENTATION DESCRIPTION for the patient free text format (e.g., "**I have many sexual orientations**").
- **VADEMO(14,3)** – The number of entries found in the PRONOUN multiple (e.g., 2).
- **VADEMO(14,3,1..n)** – The n^{th} repetition of PRONOUN for the patient in external^internal format (e.g., "**Ze/Zir/Zirs^ZIR**").
- **VADEMO(14,4)** – The PRONOUN DESCRIPTION for the patient free text format (e.g., "**I have many pronouns I would like used**").
- **VADEMO(14,5)** – The SELF IDENTIFIED GENDER for the patient in internal^external format (e.g., Other^O")
- **VADEMO(15)** – Set to null to avoid issues with groups that are only looking for root nodes
- **VADEMO(15,1)** – The response to INDIAN SELF IDENTIFICATION (#.571) is NULL, “Y” or “N”.
- **VADEMO(15,2)** – The INDIAN START DATE (#.572) in internal format or NULL.
- **VADEMO(15,3)** – The INDIAN ATTESTATION DATE (#.573) in internal format or NULL.
- **VADEMO(15,4)** – The INDIAN END DATE (#.574) in internal format or NULL.
- **VAERR**—The error flag has one of the following values:
 - **0**—No errors encountered.
 - **1**—Error encountered: DFN or ^DPT(DFN,0) is *not* defined.

12.2.3 ELIG^VADPT

Description

This entry point returns eligibility information for a patient.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.
- **VAHOW**—This optional variable can be set to a requested format for the output array. If this variable is *not* defined or does *not* contain one of the following values, the output array is returned with numeric subscripts:
 - **1**—Return the output array with alpha subscripts; see “[Description](#)”
 - Returns the Comprehensive Prevention, Access to Care, and Treatment (COMPACT) indicator for enrolled Veterans and non-enrolled Veterans.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.

Output

- **VACOM("CAI")**—Returns the Veteran’s COMPACT eligibility status
 - **0**—Veteran is not COMPACT eligible
 - **1**—Veteran is COMPACT eligible
 - Alpha Subscripts” section [e.g., **VAEL(1)** would be **VAEL("EL")**].
 - **2**—Return the output in the ^UTILITY global with numeric subscripts [e.g., ^UTILITY("VAEL",\$J,1)].
 - **12**—Return the output in the ^UTILITY global with alpha subscripts [e.g., ^UTILITY("VAEL",\$J,"EL")].
- **VAROOT**—This optional variable can be set to a local variable or global name in which to return the output (e.g., **VAROOT="DGELG"**).

Output

- **VAEL(1)**—The PRIMARY ELIGIBILITY CODE of the patient in internal^external format (e.g., **1^SERVICE CONNECTED 50-100%**).
- **VAEL(1,#)**—An array of other PATIENT ELIGIBILITIES to which the patient is entitled to care, in internal^external format. The # sign represents the internal entry number of the eligibility in the ELIGIBILITY CODE file (e.g., **13^PRISONER OF WAR**).

- **VAEL(2)**—The PERIOD OF SERVICE of the patient in internal^external format (e.g., **19^WORLD WAR I**).
- **VAEL(3)**—If the SERVICE CONNECTED? field is YES, a "1" is returned in the first piece; otherwise, a "0" is returned. If service connected, the SERVICE CONNECTED PERCENTAGE field is returned in the second piece (e.g., **1^70**).
- **VAEL(4)**—If the VETERAN (Y/N)? field is YES, a "1" is returned; otherwise, a "0" is returned (e.g., **1**).
- **VAEL(5)**—If an INELIGIBLE DATE exists, a "0" is returned indicating the patient is ineligible; otherwise, a "1" is returned (e.g., **0**).
- **VAEL(5,1)**—If ineligible, the INELIGIBLE DATE of the patient in internal^external format (e.g., **2880101^JAN 1,1988**).
- **VAEL(5,2)**—If ineligible, the INELIGIBLE TWX SOURCE in internal^external format (e.g., **2^REGIONAL OFFICE**). *Note: Obsolete after patch DG*5.3*1081 is installed.*
- **VAEL(5,3)**—If ineligible, the INELIGIBLE TWX CITY (e.g., **ANYSITE1**). *Note: Obsolete after patch DG*5.3*1081 is installed.*
- **VAEL(5,4)**—If ineligible, the INELIGIBLE TWX STATE from which the ineligible notification was received in internal^external format (e.g., **36^NEW YORK**). *Note: Obsolete after patch DG*5.3*1081 is installed.*
- **VAEL(5,5)**—If ineligible, the INELIGIBLE VARO DECISION (e.g., **UNABLE TO VERIFY**). *Note: Obsolete after patch DG*5.3*1081 is installed.*
- **VAEL(5,6)**—If ineligible, the INELIGIBLE REASON (e.g., **NO DD214**).
- **VAEL(6)**—The TYPE of patient in internal^external format (e.g., **1^SC VETERAN**).
- **VAEL(7)**—The CLAIM NUMBER of the patient (e.g., **123456789**).
- **VAEL(8)**—The current ELIGIBILITY STATUS of the patient in internal^external format (e.g., **V^VERIFIED**).
- **VAEL(9)**—The CURRENT MEANS TEST STATUS of the patient CODE^NAME (e.g., **A^MEANS TEST EXEMPT**).
- **VAEL(10)**—The CURRENT EXPANDED MH CARE TYPE of the patient CODE^NAME (e.g., **OTH-90^EMERGENT MH OTH**).
- **VAERR**—The error flag has one of the following values:
 - **0**—No errors encountered.
 - **1**—Error encountered: DFN or ^DPT(DFN,0) is *not* defined.

12.2.4 MB^VADPT

Description

This entry point returns monetary benefit information for a patient.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.
- **VAHOW**—This optional variable can be set to a requested format for the output array. If this variable is not defined or does not contain one of the following values, the output array is returned with numeric subscripts:
 - **1**—Return the output array with alpha subscripts; see “[Description](#)”
 - Returns the Comprehensive Prevention, Access to Care, and Treatment (COMPACT) indicator for enrolled Veterans and non-enrolled Veterans.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.

Output

- **VACOM("CAI")**—Returns the Veteran’s COMPACT eligibility status
 - **0**—Veteran is not COMPACT eligible
 - **1**—Veteran is COMPACT eligible
 - Alpha Subscripts” section [e.g., **VAMB(1)** would be **VAMB("AA")**].
 - **2**—Return the output in the ^UTILITY global with numeric subscripts [e.g., ^UTILITY("VAMB",\$J,1)].
 - **12**—Return the output in the ^UTILITY global with alpha subscripts [e.g., ^UTILITY("VAMB",\$J,"AA")].
- **VAROOT**—This optional variable can be set to a local variable or global name in which to return the output (e.g., **VAROOT="DGMB"**).

Output

- **VAMB(1)**—If the RECEIVING A&A BENEFITS? field is **YES**, a "1" is returned in the first piece; otherwise, a "0" is returned. If receiving A&A benefits, the TOTAL ANNUAL VA CHECK AMOUNT is returned in the second piece (e.g., **1^1000**).
- **VAMB(2)**—If the RECEIVING HOUSEBOUND BENEFITS? field is **YES**, a "1" is returned in the first piece; otherwise, a "0" is returned. If receiving housebound benefits, the TOTAL ANNUAL VA CHECK AMOUNT is returned in the second piece (e.g., **1^0**).

- **VAMB(3)**—If the RECEIVING SOCIAL SECURITY field is **YES**, a "1" is returned in the first piece; otherwise, a "0" is returned. If receiving social security, the AMOUNT OF SOCIAL SECURITY is returned in the second piece (e.g., 0).
- **VAMB(4)**—If the RECEIVING A VA PENSION? field is **YES**, a "1" is returned in the first piece; otherwise, a "0" is returned. If receiving a VA pension, the TOTAL ANNUAL VA CHECK AMOUNT is returned in the second piece (e.g., 1^563.23).
- **VAMB(5)**—If the RECEIVING MILITARY RETIREMENT? field is **YES**, a "1" is returned in the first piece; otherwise, a "0" is returned. If receiving military retirement, the AMOUNT OF MILITARY RETIRE-MENT is returned in the second piece (e.g., 0).
- **VAMB(6)**—The RECEIVING SUP. SECURITY (SSI) field is being eliminated. Since v5.2, a "0" is returned for this variable.
- **VAMB(7)**—If the RECEIVING VA DISABILITY? field is **YES**, a "1" is returned in the first piece; otherwise, a "0" is returned. If receiving VA disability, the TOTAL ANNUAL VA CHECK AMOUNT is returned in the second piece (e.g., 0).
- **VAMB(8)**—If the TYPE OF OTHER RETIRE-MENT field is filled in, a "1" is returned in the first piece; otherwise, a "0" is returned. If receiving other retirement, the AMOUNT OF OTHER RETIREMENT is returned in the second piece (e.g., 1^2500.12).
- **VAMB(9)**—If the GI INSURANCE POLICY? field is **YES**, a "1" is returned in the first piece; otherwise, a "0" is returned. If receiving GI insurance, the AMOUNT OF GI INSURANCE is returned in the second piece (e.g., 1^100000).
- **VAERR**—The error flag has one of the following values:
 - 0—No errors encountered.
 - 1—error encountered: DFN or ^DPT(DFN,0) is *not* defined.

12.2.5 SVC^VADPT

Description

This entry point returns service information for a patient.

The **VADPT** API was updated to exclude any Future Discharge Date (FDD) record. The line tags for this API are:

- **SVC^VADPT**
- **7^VADPT**
- **8^VADPT**

The ICR for **VADPT** is **10061**. More details can be found in FORUM, in the documentation of ICR 10061.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.
- **VAHOW**—This optional variable can be set to a requested format for the output array. If this variable is *not* defined or does *not* contain one of the following values, the output array is returned with numeric subscripts:
 - **1**—Return the output array with alpha subscripts; see “Description”
 - Returns the Comprehensive Prevention, Access to Care, and Treatment (COMPACT) indicator for enrolled Veterans and non-enrolled Veterans.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.

Output

- **VACOM("CAI")**—Returns the Veteran’s COMPACT eligibility status
 - **0**—Veteran is not COMPACT eligible
 - **1**—Veteran is COMPACT eligible
 - Alpha Subscripts” section [e.g., **VASV(1)** would be **VASV("VN")**].
 - **2**—Return the output in the ^UTILITY global with numeric subscripts [e.g., ^UTILITY("VASV",\$J,1)].
 - **12**—Return the output in the ^UTILITY global with alpha subscripts [e.g., ^UTILITY("VASV",\$J,"VN")].
- **VAROOT**—This optional variable can be set to a local variable or global name in which to return the output (e.g., **VAROOT="DGSVC"**).

Output

- **VASV(1)**—If the VIETNAM SERVICE INDICATED field is **YES**, a "1" is returned; otherwise, a "0" is returned (e.g., **0**).
- **VASV(1,1)**—If Vietnam Service, the VIETNAM FROM DATE in internal^external format (e.g., **2680110^JAN 10,1968**).
- **VASV(1,2)**—If Vietnam Service, the VIETNAM TO DATE in internal^external format (e.g., **2690315^MAR 15,1969**).
- **VASV(2)**—If the AGENT ORANGE EXPOS. INDICATED field is **YES**, a "1" is returned; otherwise, a "0" is returned (e.g., **0**).

- **VASV(2,1)**—If Agent Orange exposure, the AGENT ORANGE REGISTRATION DATE in internal^external format (e.g., **2870513^MAY 13,1987**).
- **VASV(2,2)**—If Agent Orange exposure, the AGENT ORANGE EXAMINATION DATE in internal^external format (e.g., **2871101^NOV 1,1987**).
- **VASV(2,3)**—If Agent Orange exposure, AGENT ORANGE REPORTED TO C.O. date in internal^external format (e.g., **2871225^DEC 25,1987**).
- **VASV(2,4)**—If Agent Orange exposure, AGENT ORANGE REGISTRATION # (e.g., **123456**).
- **VASV(2,5)**—If Agent Orange exposure, the AGENT ORANGE EXPOSURE LOCATION in internal^external format (e.g., **V^VIETNAM**).
- **VASV(3)**—If the RADIATION EXPOSURE INDICATED field is **YES**, a "1" is returned; otherwise, a "0" is returned (e.g., **0**).
- **VASV(3,1)**—If Radiation Exposure, RADIATION REGISTRATION DATE in internal^external format (e.g., **2800202^FEB 02,1980**).
- **VASV(3,2)**—If Radiation Exposure, RADIATION EXPOSURE METHOD in internal^external format (e.g., **T^NUCLEAR TESTING**).
- **VASV(4)**—If the POW STATUS INDICATED field is **YES**, a "1" is returned; otherwise, a "0" is returned (e.g., **0**).
- **VASV(4,1)**—If POW status, POW FROM DATE in internal^external format (e.g., **2450319^MAR 19,1945**).
- **VASV(4,2)**—If POW status, POW TO DATE in internal^external format (e.g., **2470101^JAN 1,1947**).
- **VASV(4,3)**—If POW status, POW CONFINEMENT LOCATION in internal^external format (e.g., **2^WORLD WAR II - EUROPE**).
- **VASV(5)**—If the COMBAT SERVICE INDICATED field is **YES**, a "1" is returned; otherwise, a "0" is returned (e.g., **0**).
- **VASV(5,1)**—If combat service, COMBAT FROM DATE in internal^external format (e.g., **2430101^JAN 1,1943**).
- **VASV(5,2)**—If combat service, COMBAT TO DATE in internal^external format (e.g., **2470101^JAN 1,1947**).
- **VASV(5,3)**—If combat service, COMBAT SERVICE LOCATION in internal^external format (e.g., **2^WORLD WAR II - EUROPE**).
- **VASV(6)**—If a SERVICE BRANCH [LAST] field is indicated, a "1" is returned in the first piece; otherwise, a "0" is returned (e.g., **0**).
- **VASV(6,1)**—If service branch, BRANCH OF SERVICE field in internal^external format (e.g., **3^AIR FORCE**).

- **VASV(6,2)**—If service branch, SERVICE NUMBER field in internal^external format (e.g., **123456789**).
- **VASV(6,3)**—If service branch, SERVICE DISCHARGE TYPE in internal^external format (e.g., **1^HONORABLE**).
- **VASV(6,4)**—If service branch, SERVICE ENTRY DATE in internal^external format (e.g., **2440609^JUN 9,1944**).
- **VASV(6,5)**—If service branch, SERVICE SEPARATION DATE in internal^external format (e.g., **2480101^JAN 1,1948**).
- **VASV(6,6)**—If service branch, SERVICE COMPONENT in internal code^external format (e.g., **R^REGULAR**).
- **VASV(7)**—If a SERVICE SECOND EPISODE field is indicated, a "1" is returned; otherwise, a "0" is returned (e.g., **0**).
- **VASV(7,1)**—If second episode, BRANCH OF SERVICE field in internal^external format (e.g., **3^AIR FORCE**).
- **VASV(7,2)**—If second episode, SERVICE NUMBER field in internal^external format (e.g., **123456789**).
- **VASV(7,3)**—If second episode, SERVICE DISCHARGE TYPE in internal^external format (e.g., **1^HONORABLE**).
- **VASV(7,4)**—If second episode, SERVICE ENTRY DATE in internal^external format (e.g., **2440609^JUN 9,1944**).
- **VASV(7,5)**—If second episode, SERVICE SEPARATION DATE in internal^external format (e.g., **2480101^JAN 1,1948**).
- **VASV(7,6)**—If second episode, SERVICE COMPONENT in internal^external format (e.g., **R^REGULAR**).
- **VASV(8)**—If a SERVICE THIRD EPISODE field is indicated, a "1" is returned; otherwise, a "0" is returned (e.g., **0**).
- **VASV(8,1)**—If third episode, BRANCH OF SERVICE field in internal^external format (e.g., **3^AIR FORCE**).
- **VASV(8,2)**—If third episode, SERVICE NUMBER field in internal^external format (e.g., **123456789**).
- **VASV(8,3)**—If third episode, SERVICE DIS-CHARGE TYPE in internal^external format (e.g., **1^HONORABLE**).
- **VASV(8,4)**—If third episode, SERVICE ENTRY DATE in internal^external format (e.g., **2440609^JUN 9,1944**).
- **VASV(8,5)**—If third episode, SERVICE SEPARATION DATE in internal^external format (e.g., **2480101^JAN 1,1948**).

- **VASV(8,6)**—If third episode, SERVICE COMPONENT in internal code^external format.(e.g., **R^REGULAR**).
- **VASV(9)**—If the CURRENT PH INDICATOR field is **YES**, a “1” is returned; otherwise, a “0” is returned (e.g., **0**).
- **VASV(9,1)**—If the CURRENT PH INDICATOR field is YES, CURRENT PURPLE HEART STATUS in internal^external format.(e.g., **2^IN PROCESS**).
- **VASV(9,2)**—If the CURRENT PH INDICATOR field is **NO**, CURRENT PURPLE HEART REMARKS in internal^external format (e.g., **5^VAMC**).
- **VASV(10)**—Is either **1** or **0**, **1** if there is a value for Combat Vet End Date, **0** if not.
- **VASV(10,1)**—Internal Combat Vet End Date ^external Combat Vet End Date (e.g., **3060101^JAN 1, 2006**).
- **VASV(11)**—The number of OIF conflict entries found for the Veteran in the SERVICE [OEF OR OIF] (#2.3215) SUB-FILE [n = **1**—Total number of OIF conflict entries].
- **VASV(11,n,1)**—SERVICE LOCATION (#2.3215; .01) internal code=1^external (e.g., **1^OIF**). Where “n” is the number used to provide a unique number for each OIF or a conflict being returned.
- **VASV(11,n,2)**—OEF/OIF FROM DATE (#2.3215; .02) internal format ^external format (e.g., **3060101^JAN 1, 2006**). Where “n” is the number used to provide a unique number for each OIF conflict being returned.
- **VASV(11,n,3)**—OEF/OIF TO DATE (#2.3215; .03) internal format ^external format (e.g., **3060101^MAR 1, 2006**). Where “n” is the number used to provide a unique number for each OIF conflict being returned.
- **VASV(12)**—The number of OEF conflict entries found for the Veteran in the SERVICE [OEF OR OIF] #2.3215 SUB-FILE. [n = **1**—VASV(12)].
- **VASV(12,n,1)**—SERVICE LOCATION (#2.3215; .01) internal code = 2 ^external (e.g., **2^OEF**). Where “n” is the number used to provide a unique number for each OEF conflict being returned.
- **VASV(12,n,2)**—OEF/OIF FROM DATE (#2.3215; .02) internal format ^external format (e.g., **3060101^JAN 1, 2006**). Where “n” is the number used to provide a unique number for each OEF conflict being returned.
- **VASV(12,n,3)**—OEF/OIF TO DATE (#2.3215; .03) internal format ^external format (e.g., **3060101^MAR 1, 2006**). Where “n” is the number used to provide a unique number for each OEF conflict being returned.
- **VASV(13)**—The number of UNKNOWN OEF/OIF conflict entries found for the Veteran in the SERVICE [OEF OR OIF] #2.3215 SUB-FILE. [n = **1**—VASV(13)].
- **VASV(13,n,1)**—SERVICE LOCATION (#2.3215; .01) internal CODE = 3^external format (e.g., **3^UNKNOWN OEF/OIF**). Where “n” is the number used to provide a unique number for each UNKNOWN OEF/OIF conflict being returned.

- **VASV(13,n,2)**—OEF/OIF FROM DATE (#2.3215; .02) internal format ^external format (e.g., **3060101^JAN 1, 2006**). Where “*n*” is the number used to provide a unique number for each UNKNOWN OEF/OIF conflict being returned.
- **VASV(13,n,3)**—OEF/OIF TO DATE (#2.3215; .03) internal format ^external format (e.g., **3060101^MAR 1, 2006**). Where “*n*” is the number used to provide a unique number for each UNKNOWN OEF/OIF conflict being returned.
- **VASV(14)**—If the PROJ 112/ SHAD field is populated, a "1" is returned; otherwise, a "0" is returned (e.g., **0**).
- **VASV(14,1)**—If the PROJ 112/SHAD field is populated, PROJ 112/SHAD in internal^external format (e.g., **1^YES**).
- **VASV(15)**—If TOXIC EXPOSURE RISK ACTIVITY (#.32116) field of the PATIENT file #2) is populated, TOXIC EXPOSURE RISK ACTIVITY in internal^external format (e.g., **1^YES**).
- **VAERR**—The error flag has one of the following values:
 - **0**—No errors encountered.
 - **1**—Error encountered: DFN or ^DPT(DFN,0) is *not* defined.

12.2.6 ADD^VADPT

Description

This entry point returns address data for a patient. If a temporary address is in effect, the data returned is that pertaining to that temporary address; otherwise, the patient mailing address information is returned.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.
- **VAHOW**—This optional variable can be set to a requested format for the output array. If this variable is not defined or does not contain one of the following values, the output array is returned with numeric subscripts:
 - **1**—Return the output array with alpha subscripts; see “[Description](#)”

- Returns the Comprehensive Prevention, Access to Care, and Treatment (COMPACT) indicator for enrolled Veterans and non-enrolled Veterans.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.

Output

- **VACOM("CAI")**—Returns the Veteran's COMPACT eligibility status
 - **0**—Veteran is not COMPACT eligible
 - **1**—Veteran is COMPACT eligible
 - Alpha Subscripts section [e.g., **VAPA(1)** would be **VAPA("L1")**].
 - **2**—Return the output in the ^UTILITY global with numeric subscripts [e.g., ^UTILITY("VAPA", \$J,1)].
 - **12**—Return the output in the ^UTILITY global with alpha subscripts [e.g., ^UTILITY("VAPA", \$J, "L1")].
- **VAROOT**—This optional variable can be set to a local variable or global name in which to return the output (e.g., **VAROOT="DGADD"**).
- **VAPA("P")**—This optional variable can be set to force the return of the patient's mailing address. The mailing address array is returned regardless of whether or not a temporary address is in effect [e.g., **VAPA("P")=""**].
- **VAPA("CD")**—This is an optional input parameter set to an effective date in VA File Manager format to manipulate the active/inactive status returned in the **VAPA(12)** node. The indicator reflects the active status as of the date specified or the current date if **VAPA("CD")** is undefined.
- **VATEST("ADD",9)**—This optional variable can be defined to a beginning date in VA FileMan format. If the entire range specified is not within the effective time window of the temporary address start and stop dates, the patient's regular address is returned [e.g., **VATEST("ADD",9)=2920101**].
- **VATEST("ADD",10)**—This optional variable can be defined to a ending date in VA FileMan format. If the entire range specified is not within the effective time window of the temporary address start and stop dates, the patient's regular address is returned [e.g., **VATEST("ADD",10)=2920301**].

Output

- **VAPA(1)**—The first line of the STREET ADDRESS (e.g., **123 South Main Street**).
- **VAPA(2)**—The second line of the STREET ADDRESS (e.g., **Apartment #1245**).
- **VAPA(3)**—The third line of the STREET ADDRESS (e.g., **P.O. Box 1234**).

- **VAPA(4)**—The CITY corresponding to the street address previously indicated (e.g., **ANYSITE1**).
- **VAPA(5)**—The STATE corresponding to the city previously indicated in internal^external format (e.g., **6^CALIFORNIA**).
- **VAPA(6)**—The ZIP CODE of the city previously indicated (e.g., **12345**).
- **VAPA(7)**—The COUNTY in which the patient is residing in internal^external format (e.g., **1^ALAMEDA**).
- **VAPA(8)**—The PHONE NUMBER of the location in which the patient is currently residing [e.g., **(123) 456-7890**].
- **VAPA(9)**—If the address information provided pertains to a temporary address, the TEMPORARY ADDRESS START DATE in internal^external format (e.g., **2880515^MAY 15,1988**).
- **VAPA(10)**—If the address information provided pertains to a temporary address, the TEMPORARY ADDRESS END DATE in internal^external format (e.g., **2880515^MAY 15,1988**).
- **VAPA(11)**—The ZIP+4 (**5** or **9-digit** zip code) of the city previously indicated in internal^external format (e.g., **123454444^12345-4444**).
- **VAPA(12)**—Confidential Address Active indicator:
 - **0**—Inactive
 - **1**—Active).
- **VAPA(13)**—The first line of the Confidential Street Address.
- **VAPA(14)**—The second line of the Confidential Street Address.
- **VAPA(15)**—The third line of the Confidential Street Address.
- **VAPA(16)**—The city for the Confidential Address.
- **VAPA(17)**—The state for the Confidential Address in internal^external format (e.g., **36^NEW YORK**).
- **VAPA(18)**—The **5-digit** or **9-digit** Zip Code for the Confidential Address in internal^external format (e.g., **12208^12208 or 122081234^12208-1234**).
- **VAPA(19)**—The county for the Confidential Address in internal^external format (e.g., **1^ANYSITE1**).
- **VAPA(20)**—The start date for the Confidential Address in internal^external format (e.g., **3030324^MAR 24,2003**).
- **VAPA(21)**—The end date for the Confidential Address in internal^external format (e.g., **3030624^JUN 24,2003**).
- **VAPA(22,N)**—The Confidential Address Categories in internal^external format^status (n=internal value) [e.g., **VAPA(22,4)=4^MEDICAL RECORDS^Y**].

- **VAPA(23)**—The Mailing or Temporary Province (if temp address is current and active, it's temp).
- **VAPA(24)**—The Mailing or Temporary Postal Code (if temp address is current and active, it's temp).
- **VAPA(25)**—The Mailing or Temporary Country (if temp address is current and active, it's temp).
- **VAPA(26)**—The Confidential Province.
- **VAPA(27)**—The Confidential Postal Code.
- **VAPA(28)**—The Confidential Country.
- **VAPA(29)**—The Confidential Phone Number.
- **VAPA(30)**—Residential Address Line 1.
- **VAPA(31)**—Residential Address Line 2.
- **VAPA(32)**—Residential Address Line 3.
- **VAPA(33)**—Residential Address City.
- **VAPA(34)**—Residential Address State (e.g., **6^CALIFORNIA**).
- **VAPA(35)**—Residential Address ZIP.
- **VAPA(36)**—Residential Address County (e.g., **6^WORCHESTER**).
- **VAPA(37)**—Residential Address Country (e.g., **6^UNITED STATES**).
- **VAPA(38)**—Residential Address Province.
- **VAPA(39)**—Residential Address Postal Code.
- **VAERR**—The error flag has one of the following values:
 - **0**—No errors encountered.
 - **1**—Error encountered: DFN or **^DPT(DFN,0)** is *not* defined.

12.2.7 OAD^VADPT

Description

This entry point returns other specific address information.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.
- **VAHOW**—This optional variable can be set to a requested format for the output array. If this variable is *not* defined or does *not* contain one of the following values, the output array is returned with numeric subscripts:
 - **1**—Return the output array with alpha subscripts; see “[Description](#)”
 - Returns the Comprehensive Prevention, Access to Care, and Treatment (COMPACT) indicator for enrolled Veterans and non-enrolled Veterans.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.

Output

- **VACOM("CAI")**—Returns the Veteran’s COMPACT eligibility status
 - **0**—Veteran is not COMPACT eligible
 - **1**—Veteran is COMPACT eligible
 - Alpha Subscripts” section [e.g., **VAOA(1)** would be **VAOA("L1")**].
 - **2**—Return the output in the ^UTILITY global with numeric subscripts [e.g., ^UTILITY("VAOA",\$J,1)].
 - **12**—Return the output in the ^UTILITY global with alpha subscripts [e.g., ^UTILITY("VAOA,\$J,"L1")].
- **VAROOT**—This optional variable can be set to a local variable or global name in which to return the output (e.g., **VAROOT="DGOA"**).
- **VAOA("A")**—This optional variable may be passed to indicate which specific address the programmer wants returned. If it is *not* defined, the PRIMARY NEXT-OF-KIN is returned; otherwise, the following are returned based on information desired:
 - **VAOA("A")=1**—Primary emergency contact.
 - **VAOA("A")=2**—Designee for personal effects.
 - **VAOA("A")=3**—Secondary next-of-kin.
 - **VAOA("A")=4**—Secondary emergency contact.
 - **VAOA("A")=5**—Patient employer.
 - **VAOA("A")=6**—Spouse's employer.

Output

- **VAOA(1)**—The first line of the STREET ADDRESS (e.g., **123 South First Street**).
- **VAOA(2)**—The second line of the STREET ADDRESS (e.g., **Apartment 9D**).
- **VAOA(3)**—The third line of the STREET ADDRESS (e.g., **P.O. Box 1234**).
- **VAOA(4)**—The CITY in which the contact/employer resides (e.g., **NEWINGTON**).
- **VAOA(5)**—The STATE in which the contact/employer resides in internal^external format (e.g., **6^CALIFORNIA**).
- **VAOA(6)**—The ZIP CODE of the location in which the contact/employer resides (e.g., 12345).
- **VAOA(7)**—The COUNTY in which the contact/employer resides in internal^external format (e.g., **1^ALAMEDA**).
- **VAOA(8)**—The PHONE NUMBER of the contact/employer [e.g., **(000) 555-1234**].
- **VAOA(9)**—The NAME of the contact or, in case of employment, the employer to whom this address information applies (e.g., **SMITH,ROBERT P**).
- **VAOA(10)**— The RELATIONSHIP TYPE of the emergency contact to the patient. One of the following responses:
 1. BROTHER
 2. CHILD-IN-LAW
 3. DAUGHTER
 4. EXTENDED FAMILY MEMBER
 5. FATHER
 6. GRANDCHILD
 7. HUSBAND
 8. MOTHER
 9. NIECE/NEPHEW
 10. SISTER
 11. SON
 12. STEPCHILD
 13. UNRELATED FRIEND/OTHER
 14. WARD
 15. WIFE

Note: For employer data this node is NULL

- **VAOA(11)**—The ZIP+4 (5 or 9 digit zip code) of the location in which the contact/employer resides in internal^external format [e.g., **123454444^12345-4444**].
- **VAOA(12)**—The RELATIONSHIP TO PATIENT field of the contact (if applicable) (e.g., **FATHER-Deaf-text only**). NOTE: This node is not created for employer data.

- **VAERR**—The error flag has one of the following values:
 - **0**—No errors encountered.
 - **1**—Error encountered: DFN or **^DPT(DFN,0)** is *not* defined.

12.2.8 INP^VADPT

Description

This entry point returns data related to an inpatient episode.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.
- **VAHOW**—This optional variable can be set to a requested format for the output array. If this variable is *not* defined or does *not* contain one of the following values, the output array is returned with numeric subscripts:
 - **1**—Return the output array with alpha subscripts; see “[Description](#)”
 - Returns the Comprehensive Prevention, Access to Care, and Treatment (COMPACT) indicator for enrolled Veterans and non-enrolled Veterans.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.

Output

- **VACOM("CAI")**—Returns the Veteran’s COMPACT eligibility status
 - **0**—Veteran is not COMPACT eligible
 - **1**—Veteran is COMPACT eligible
 - Alpha Subscripts” section [e.g., **VAIN(1)** would be **VAIN("AN")**].
 - **2**—Return the output in the **^UTILITY** global with numeric subscripts [e.g., **^UTILITY("VAIN",\$J,1)**].
 - **12**—Return the output in the **^UTILITY** global with alpha subscripts [e.g., **^UTILITY("VAIN,\$J,"AN")**].
- **VAROOT**—This optional variable can be set to a local variable or global name in which to return the output (e.g., **VAROOT="DGIN")**.
- **VAINDT**—This optional variable may be set to a past date/time for which the programmer wishes to know the patient's inpatient status. This *must* be passed as an internal VA FileMan date/time format. If time is *not* passed, it assumes anytime during that day. If this variable is *not* defined, it assumes now as the date/time (e.g., **2880101.08**).

Output

- **VAIN(1)**—The INTERNAL NUMBER [IFN] of the admission if one was found for the date/time requested. If no inpatient episode was found for the date/time passed, then all variables in the **VAIN** array are returned as **NULL** (e.g., **123044**).
- **VAIN(2)**—The PRIMARY CARE PHYSICIAN [PROVIDER] assigned to the patient at the date/time requested in internal^external format (e.g., **3^ADTPROVIDER,ONE L**).
- **VAIN(3)**—The TREATING SPECIALTY assigned to the patient at the date/time requested in internal^external format (e.g., **19^GERIATRICS**).
- **VAIN(4)**—The WARD LOCATION to which the patient was assigned at the date/time requested in internal^external format (e.g., **27^IBSICU**).
- **VAIN(5)**—The ROOM-BED to which the patient was assigned at the date/time requested in external format (e.g., **123-B**).
- **VAIN(6)**—This returns a "1" in the first piece if the patient is in a bed status; otherwise, a "0" is returned. A *non*-bed status is made based on the last transfer type to a *non*-bed status, (i.e., authorized absence, unauthorized absence, etc.). The second piece contains the name of the last transfer type should one exist (e.g., **1^FROM AUTHORIZED ABSENCE**).
- **VAIN(7)**—The ADMISSION DATE/TIME for the patient in internal^external format (e.g., **2870213.0915^FEB 13,1987@09:15**).
- **VAIN(8)**—The ADMISSION TYPE for the patient in internal^external format (e.g., **3^DIRECT**).
- **VAIN(9)**—The ADMITTING DIAGNOSIS for the patient (e.g., **PSYCHOSIS**).
- **VAIN(10)**—The internal entry number of the PTF record corresponding to this admission (e.g., **2032**).
- **VAIN(11)**—The ATTENDING PHYSICIAN in internal^external format (e.g., **25^ADTPROVIDER,ONE**).
- **VAERR**—The error flag has one of the following values:
 - **0**—No errors encountered.
 - **1**—Error encountered: DFN or **^DPT(DFN,0)** is *not* defined.

12.2.9 IN5^VADPT

Description

This entry point returns data related to an inpatient episode.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.

- **VAHOW**—This optional variable can be set to a requested format for the output array. If this variable is *not* defined or does *not* contain one of the following values, the output array is returned with numeric subscripts:
 - **1**—Return the output array with alpha subscripts; see “Description”
 - Returns the Comprehensive Prevention, Access to Care, and Treatment (COMPACT) indicator for enrolled Veterans and non-enrolled Veterans.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.

Output

- **VACOM("CAI")**—Returns the Veteran’s COMPACT eligibility status
 - **0**—Veteran is not COMPACT eligible
 - **1**—Veteran is COMPACT eligible
 - Alpha Subscripts” section [e.g., **VAIP(1)** would be **VAIP("MN")**].
 - **2**—Return the output in the ^UTILITY global with numeric subscripts [e.g., ^UTILITY("VAIP",\$J,1)].
 - **12**—Return the output in the ^UTILITY global with alpha subscripts [e.g., ^UTILITY("VAIP,\$J,"MN")].
- **VAROOT**—This optional variable can be set to a local variable or global name in which to return the output (e.g., **VAROOT="DGI5"**).
- **VAIP("D")**—This optional variable can be defined as follows:
 - **VAIP("D")** = VA FileMan date in internal format. If the patient was an inpatient at the date/time passed, movement data pertaining to that date/time is returned.
 - **VAIP("D")** = "LAST" Movement data pertaining to the last movement on file, regardless if patient is a current inpatient.
 - **VAIP("D")** = Valid date without time returns movement data if patient was an inpatient at any time during the day on the date that was passed.
 - **VAIP("D")**—If *not* passed, returns movement data if the patient was in inpatient based on "NOW".
- **VAIP("L")**—This optional variable, when passed, will include lodgers movements in the data [e.g., **VAIP("L")=""**].
- **VAIP("V")**—Can be defined as the variable used instead of **VAIP** [e.g., **VAIP("V")="SD"**].
- **VAIP("E")**—This optional variable is defined as the internal file number of a specific movement. If this is defined, **VAIP("D")** is ignored [e.g., **VAIP("E")=123445**].

- **VAIP("M")**—This optional variable can be passed as a "1" or a "0" (or **NULL**):
 - **VAIP("M")=0**—The array returned is based on the *admission* movement associated with the movement date/time passed.
 - **VAIP("M")=1**—The array returned is based on the *last* movement associated with the date/time passed.

Output

- **VAIP(1)**—The INTERNAL FILE NUMBER [IFN] of the movement found for the specified date/time (e.g., **231009**).
- **VAIP(2)**—The TRANSACTION TYPE of the movement in internal^external format; where:
 - **1** = Admission
 - **2** = Transfer
 - **3** = Discharge
 - **4** = Check-in lodger
 - **5** = Check-out lodger
 - **6** = Specialty transfer

(e.g., **3^DISCHARGE**)

- **VAIP(3)**—The MOVEMENT DATE/TIME in internal^external date format (e.g., **2880305.09^MAR 5,1988@09:00**).
- **VAIP(4)**—The TYPE OF MOVEMENT in internal^external format (e.g., **4^INTERWARD TRANSFER**).
- **VAIP(5)**—The WARD LOCATION to which patient was assigned with that movement in internal^external format (e.g., **32^1B-SURG**).
- **VAIP(6)**—The ROOM-BED to which the patient was assigned with that movement in internal^external format (e.g., **88^201-01**).
- **VAIP(7)**—The PRIMARY CARE PHYSICIAN assigned to the patient in internal^external format (e.g., **3^ADTPROVIDER,TEN**).
- **VAIP(8)**—The TREATING SPECIALTY assigned with that movement in internal^external format (e.g., **98^OPTOMETRY**).
- **VAIP(9)**—The DIAGNOSIS assigned with that movement (e.g., **UPPER GI BLEEDING**).
- **VAIP(10)**—This returns a "1" in the first piece if the patient is in a bed status; otherwise, a "0" is returned. A *non*-bed status is made based on the last transfer type, if one exists,

and a transfer to a *non*-bed status (i.e., authorized absence, unauthorized absence, etc.). The second piece contains the name of the last transfer type should one exist (e.g., **1^FROM AUTHORIZED ABSENCE**).

- **VAIP(11)**—If patient is in an absence status on the movement date/time, this returns the EXPECTED RETURN DATE from absence in internal^external format (e.g., **2880911^SEP 11,1988**).
- **VAIP(12)**—The internal entry number of the PTF record corresponding to this admission (e.g., **2032**).
- **VAIP(13)**—The INTERNAL FILE NUMBER of the admission associated with this movement (e.g., **200312**).
- **VAIP(13,1)**—The MOVEMENT DATE/TIME in internal^external format (e.g., **2881116.08^NOV 16,1988@08:00**).
- **VAIP(13,2)**—The TRANSACTION TYPE in internal^external format (e.g., **1^ADMISSION**).
- **VAIP(13,3)**—The MOVEMENT TYPE in internal^external format (e.g., **15^DIRECT**).
- **VAIP(13,4)**—The WARD LOCATION associated with this patient with this movement in internal^external format (e.g., **5^7BSCI**).
- **VAIP(13,5)**—The PRIMARY CARE PHYSICIAN assigned to the patient for this movement in internal^external format (e.g., **16^ADTPROVIDER, ONE C**).
- **VAIP(13,6)**—The TREATING SPECIALTY for the patient for this movement in internal^external format (e.g., **3^NEUROLOGY**).
- **VAIP(14)**—The INTERNAL FILE NUMBER of the last movement associated with this movement (e.g., **187612**).
- **VAIP(14,1)**—The MOVEMENT DATE/TIME in internal^external format (e.g., **2881116.08^NOV 16,1988@08:00**).
- **VAIP(14,2)**—The TRANSACTION TYPE in internal^external format (e.g., **2^TRANSFER**).
- **VAIP(14,3)**—The MOVEMENT TYPE in internal^external format (e.g., **4^INTERWARD TRANSFER**).
- **VAIP(14,4)**—The WARD LOCATION associated with this patient with this movement in internal^external format (e.g., **5^7BSCI**).
- **VAIP(14,5)**—The PRIMARY CARE PHYSICIAN assigned to the patient for this movement in internal^external format (e.g., **16^ADTPROVIDER, ONE C**).
- **VAIP(14,6)**—The TREATING SPECIALTY for the patient for this movement in internal^external format (e.g., **3^NEUROLOGY**).
- **VAIP(15)**—The INTERNAL FILE NUMBER of the movement which occurred immediately prior to this one, if one exists (e.g., **153201**).

- **VAIP(15,1)**—The MOVEMENT DATE/TIME in internal^external format (e.g., **2881116.08^NOV 16,1988@08:00**).
- **VAIP(15,2)**—The TRANSACTION TYPE in internal^external format (e.g., **2^TRANSFER**).
- **VAIP(15,3)**—The MOVEMENT TYPE in internal^external format (e.g., **4^INTERWARD TRANSFER**).
- **VAIP(15,4)**—The WARD LOCATION associated with this patient with this movement in internal^external format (e.g., **5^7BSCI**).
- **VAIP(15,5)**—The PRIMARY CARE PHYSICIAN assigned to the patient for this movement in internal^external format (e.g., **16^ADTPROVIDER,TWO**).
- **VAIP(15,6)**—The TREATING SPECIALTY for the patient for this movement in internal^external format (e.g., **3^NEUROLOGY**).
- **VAIP(16)**—The INTERNAL FILE NUMBER of the movement which occurred immediately following this one, if one exists (e.g., **146609**).
- **VAIP(16,1)**—The MOVEMENT DATE/TIME in internal^external format (e.g., **2881116.08^NOV 16,1988@08:00**).
- **VAIP(16,2)**—The TRANSACTION TYPE in internal^external format (e.g., **2^TRANSFER**).
- **VAIP(16,3)**—The MOVEMENT TYPE in internal^external format (e.g., **4^INTERWARD TRANSFER**).
- **VAIP(16,4)**—The WARD LOCATION associated with this patient with this movement in internal^external format (e.g., **5^7BSCI**).
- **VAIP(16,5)**—The PRIMARY CARE PHYSICIAN assigned to the patient for this movement in internal^external format (e.g., **16^ADTPROVIDER,THREE**).
- **VAIP(16,6)**—The TREATING SPECIALTY for the patient for this movement in internal^external format (e.g., **3^NEUROLOGY**).
- **VAIP(17)**—The INTERNAL FILE NUMBER of the discharge associated with this movement (e.g., **1902212**).
- **VAIP(17,1)**—The MOVEMENT DATE/TIME in internal^external format (e.g., **2881116.08^NOV 16,1988@08:00**).
- **VAIP(17,2)**—The TRANSACTION TYPE in internal^external format (e.g., **3^DISCHARGE**).
- **VAIP(17,3)**—The MOVEMENT TYPE in internal^external format (e.g., **16^REGULAR**).
- **VAIP(17,4)**—The WARD LOCATION associated with this patient for this movement in internal^external format (e.g., **5^7BSCI**).

- **VAIP(17,5)**—The PRIMARY CARE PHYSICIAN assigned to the patient for this movement in internal^external format (e.g., **16^ADTPROVIDER,ONE**).
- **VAIP(17,6)**—The TREATING SPECIALTY for the patient for this movement in internal^external format (e.g., **3^NEUROLOGY**).
- **VAIP(18)**—The ATTENDING PHYSICIAN assigned to the patient for this movement in internal^external format (e.g., **25^ADTPROVIDER,TEN**).
- **VAIP(19,1)**—It contains whether or not the patient chose to be excluded from the facility directory for the admission related to this movement in internal^external format (e.g., **1^YES**).
- **VAIP(19,2)**—Date/time answer to facility directory question was answered in internal^external format (e.g., **3030426.08^APR26,2003@08:00**).
- **VAIP(19,3)**—User entering answer to facility directory question in internal^external format (e.g., **1934^ADTEMPLOYEE,ONE**).
- **VAERR**—The error flag has one of the following values:
 - **0**—No errors encountered.
 - **1**—Error encountered: DFN or ^DPT(DFN,0) is *not* defined.

12.2.10 OPD^VADPT

Description

Returns other pertinent patient data which is commonly used but not contained in any other calls to **VADPT**.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.
- **VAHOW**—This optional variable can be set to a requested format for the output array. If this variable is *not* defined or does *not* contain one of the following values, the output array is returned with numeric subscripts:
 - **1**—Return the output array with alpha subscripts; see “[Description](#)”

- Returns the Comprehensive Prevention, Access to Care, and Treatment (COMPACT) indicator for enrolled Veterans and non-enrolled Veterans.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.

Output

- **VACOM("CAI")**—Returns the Veteran's COMPACT eligibility status
 - **0**—Veteran is not COMPACT eligible
 - **1**—Veteran is COMPACT eligible
 - Alpha Subscripts” section [e.g., **VAPD(1)** would be **VAPD("BC")**].
 - **2**—Return the output in the ^UTILITY global with numeric subscripts [e.g., ^UTILITY("VAPD",\$J,1)].
 - **12**—Return the output in the ^UTILITY global with alpha subscripts [e.g., ^UTILITY("VAPD",\$J,"BC")].
- **VAROOT**—This optional variable can be set to a local variable or global name in which to return the output (e.g., **VAROOT="DGPD"**).

Output

- **VAPD(1)**—The PLACE OF BIRTH [CITY] (e.g., **SAN FRANCISCO**).
- **VAPD(2)**—The PLACE OF BIRTH [STATE] in internal^external format (e.g., **6^CALIFORNIA**).
- **VAPD(3)**—The FATHER'S NAME (e.g., **ADTFATHER,ONE**).
- **VAPD(4)**—The MOTHER'S NAME (e.g., **MARY**).
- **VAPD(5)**—The MOTHER'S MAIDEN NAME (e.g., **ADTMOTHER,ONE**).
- **VAPD(6)**—The patient's OCCUPATION.(e.g., **CARPENTER**)
- **VAPD(7)**—The patient's EMPLOYMENT STATUS in internal^external format (e.g., **4^SELF EMPLOYED**).
- **VAPD(8)**—The patient's Phone Number (work).
- **VAERR**—The error flag has one of the following values:
 - **0**—No errors encountered.
 - **1**—Error encountered - DFN or ^DPT(DFN,0) is *not* defined.

12.2.11 REG^VADPT

Description

Returns REGISTRATION/DISPOSITION data.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.
- **VAROOT**—This optional variable can be set to a local variable or global name in which to return the output (e.g., **VAROOT="DGADD"**).
- **VARP("F")**—Can be defined as the "from" date for which registrations are desired. This *must* be passed as a valid VA FileMan date (e.g., **VARP("F")=2930101**).
- **VARP("T")**—Can be defined as the "to" date for which registrations are desired. This *must* be passed as a valid VA FileMan date. If neither **VARP("F")** nor **VARP("T")** are defined, all registrations are returned (e.g., **VARP("T")=2930530**).
- **VARP("C")**—Can be defined as the number of registrations you want returned in the array (e.g., **VARP("C")=5** returns the **five** most recent).

Output

- **^UTILITY("VARP",\$J,#,"I")**—Internal format.
- **^UTILITY("VARP",\$J,#,"E")**—External format:
 - **Piece 1**—Registration Date/Time
 - **Piece 2**—Status
 - **Piece 3**—Type of Benefit applied for
 - **Piece 4**—Facility Applying to
 - **Piece 5**—Who Registered
 - **Piece 6**—Log out (disposition) date/time
 - **Piece 7**—Disposition Type
 - **Piece 8**—Who Dispositioned

VAERR—The error flag has one of the following values:

- **0**—No errors encountered.
- **1**—Error encountered: DFN or **^DPT(DFN,0)** is *not* defined.

12.2.12 SDE^VADPT

Description

Returns ACTIVE clinic enrollments for a patient.

Input

DFN—This required variable is the internal entry number in the PATIENT (#2) file.

Output

- **^UTILITY("VAEN",\$J#,"I")**—Internal format.
- **^UTILITY("VAEN",\$J#,"E")**—External format:
 - **Piece 1**—Clinic Enrolled in
 - **Piece 2**—Enrollment Date
 - **Piece 3**—OPT or AC

VAERR—The error flag has one of the following values:

- **0**—No errors encountered.
- **1**—Error encountered: DFN or **^DPT(DFN,0)** is *not* defined.

12.2.13 SDA^VADPT

Description

Returns APPOINTMENT DATE/TIME data for a patient.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.
- **VASD("T")**—Can be defined as the "to" date for which registrations are desired. This *must* be passed as a valid VA FileMan date. If neither **VASD("F")** nor **VASD("T")** are defined, all future appointments are returned.
- **VASD("F")**—Can be defined as the "from" date for which appointments are desired. This *must* be passed as a valid VA FileMan date. If *not* defined, it is assumed only future appointments should be returned.

- **VASD("W")**—Can be passed as the specific STATUS desired in the following format. If *not* passed, only those appointments that are still scheduled (or kept in the event of a past date) for both inpatients and outpatients are returned.

If **VASD("W")** Contains a value these appointments are returned:

1. Active/Kept
 2. Inpatient appts. only
 3. No-shows
 4. No-shows, auto-rebook
 5. Cancelled by Clinic
 6. Cancelled by Clinic, auto rebook
 7. Cancelled by Patient
 8. Cancelled by Patient, auto rebook
 9. No action taken
- **VASD("C", Clinic IFN)**—Can be set up to contain only those internal file entries from the HOSPITAL LOCATION file for clinics that you would like to see appointments for this particular patient.

You can define this array with just one clinic or with many. If you do *not* define this variable, it is assumed that you want appointments for this patient in all clinics returned.

Output

- **^UTILITY("VASD",\$J#,"I")**—Internal format.
- **^UTILITY("VASD",\$J#,"E")**—External format:
 - **Piece 1**—Date/Time of Appointment
 - **Piece 2**—Clinic
 - **Piece 3**—Status
 - **Piece 4**—Appointment Type
- **VAERR**—The error flag has one of the following values:
 - **0**—No errors encountered.
 - **1**—Error encountered - DFN or **^DPT(DFN,0)** is *not* defined.

12.2.14 PID^VADPT

Description

This call is used to obtain the patient identifier in long and brief format.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.
- **VAPTYP**—This optional variable can be set to the internal number of a patient eligibility. The variable can be used to indicate the patient's type, such as **VA**, **DOD**, or **IHS**, through the eligibility. If this variable is *not* defined or the eligibility does *not* exist, the VA patient IDs are returned.

Output

- **VA("PID")**—The long patient identifier (e.g., **000-22-3333P**).
- **VA("BID")**—The short patient identifier (e.g., **3333P**).
- **VAERR**—The error flag has one of the following values:
 - **0**—No errors encountered.
 - **1**—Error encountered: DFN or **^DPT(DFN,0)** is *not* defined.

12.2.15 PID^VADPT6

This call returns the same variables as the PID^VADPT call, but eliminates the unnecessary processing time required calling PID^VADPT.

12.2.16 ADM^VADPT2

Description

This returns the internal file number of the admission movement. If **VAINDT** is *not* defined, this uses "NOW" for the date/time.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.
- **VAINDT**—This optional variable can be set to a past date/time for which the programmer wants to know the patient's inpatient status. This *must* be passed as an internal VA FileMan date/time format (e.g., 2880101.08).

Output

- **VADMVT**—Returns the internal file number of the admission movement.
- **VAERR**—The error flag has one of the following values:
 - **0**—No errors encountered.
 - **1**—Error encountered: DFN or **^DPT(DFN,0)** is *not* defined.

12.2.17 KVAR^VADPT

This call is used to remove all variables defined by the **VADPT** routine. The programmer should elect to use this call to remove the arrays that were returned by **VADPT**.

12.2.18 KVA^VADPT

This call is used as the KVAR^VADPT call and also kills the **VA("BID")** and **VA("PID")** variables.

12.2.19 Combinations

The following calls can be made to return a combination of arrays with a single call.

DFN is a required variable that is the internal entry number in the PATIENT (#2) file. See specific call in Table 110 for other variable input.

Table 120: Call Combinations

Output:	Demographic	Eligibility	Inpatient	Inpatient	Address	Service	Monetary	Registration	Enrollment	Appointment
CALL	VADM	VAEL	VAIN	VAIP	VAPA	VASV	VAMB	UTILITY("VARP")	UTILITY("VAEN")	UTILITY("VASD")
OERR	X		X							
1	X		X							
2	X	X								
3		X	X							
4	X				X					
5			X		X					

Output:	Demographic	Eligibility	Inpatient	Inpatient	Address	Service	Monetary	Registration	Enrollment	Appointment
CALL	VADM	VAEL	VAIN	VAIP	VAPA	VASV	VAMB	UTILITY("VARP")	UTILITY("VAEN")	UTILITY("VASD")
6	X	X			X					
7		X				X				
8		X				X	X			
9	X							X	X	X
10									X	X
51	X			X						
52		X		X						
53				X	X					
ALL	X	X	X		X	X	X	X	X	X
A5	X	X		X	X	X	X	X	X	X

12.2.20 CAI^VADPT

Description

Returns the Comprehensive Prevention, Access to Care, and Treatment (COMPACT) indicator for enrolled Veterans and non-enrolled Veterans.

Input

- **DFN**—This required variable is the internal entry number in the PATIENT (#2) file.

Output

- **VACOM("CAI")**—Returns the Veteran's COMPACT eligibility status
 - **0**—Veteran is not COMPACT eligible
 - **1**—Veteran is COMPACT eligible

12.3 Alpha Subscripts

Table 121: Alpha Subscripts

Call	Variable	Alpha Translation
DEM^VADPT	VADM(1)	VADM("NM")
	VADM(2)	VADM("SS")
	VADM(3)	VADM("DB")
	VADM(4)	VADM("AG")
	VADM(5)	VADM("SX")
	VADM(6)	VADM("EX")
	VADM(7)	VADM("RE")
	VADM(8)	VADM("RA")
	VADM(9)	VADM("RP")
	VADM(10)	VADM("MS")
DEMUPD^VADPT	VADEMO(1)	VADEMO("NM")
	VADEMO(1,1)	VADEMO("NM",1)
	VADEMO(2)	VADEMO("SS")
	VADEMO(3)	VADEMO("DB")
	VADEMO(4)	VADEMO("AG")
	VADEMO(5)	VADEMO("SX")
	VADEMO(6)	VADEMO("EX")
	VADEMO(7)	VADEMO("RE")
	VADEMO(8)	VADEMO("RA")
	VADEMO(9)	VADEMO("RP")
	VADEMO(10)	VADEMO("MS")
	VADEMO(11)	VADEMO("ET")
	VADEMO(12)	VADEMO("RC")
	VADEMO(13)	VADEMO("PL")
ELIG^VADPT	VAEL(1)	VAEL("EL")
	VAEL(1,#)	VAEL("EL",#)
	VAEL(2)	VAEL("PS")
	VAEL(3)	VAEL("SC")
	VAEL(4)	VAEL("VT")

Call	Variable	Alpha Translation
	VAEL(5)	VAEL("IN")
	VAEL(5,#)	VAEL("IN",#)
	VAEL(6)	VAEL("TY")
	VAEL(7)	VAEL("CN")
	VAEL(8)	VAEL("ES")
	VAEL(9)	VAEL("MT")
	VAEL(10)	VAEL("OTH")
MB^VADPT	VAMB(1)	VAMB("AA")
	VAMB(2)	VAMB("HB")
	VAMB(3)	VAMB("SS")
	VAMB(4)	VAMB("PE")
	VAMB(5)	VAMB("MR")
	VAMB(6)	VAMB("SI")
	VAMB(7)	VAMB("DI")
	VAMB(8)	VAMB("OR")
	VAMB(9)	VAMB("GI")
SVC^VADPT	VASV(1)	VASV("VN")
	VASV(1,#)	VASV("VN",#)
	VASV(2)	VASV("AO")
	VASV(2,#)	VASV("AO",#)
	VASV(3)	VASV("IR")
	VASV(3,#)	VASV("IR",#)
	VASV(4)	VASV("PW")
	VASV(4,#)	VASV("PW",#)
	VASV(5)	VASV("CS")
	VASV(5,#)	VASV("CS",#)
	VASV(6)	VASV("S1")
	VASV(6,#)	VASV("S1",#)
	VASV(7)	VASV("S2")
	VASV(7,#)	VASV("S2",#)
	VASV(8)	VASV("S3")
	VASV(8,#)	VASV("S3",#)

Call	Variable	Alpha Translation
	VASV(9)	VASV("PH")
	VASV(9,#)	VASV("PH",#)
	VASV(10)	VASV("CV")
	VASV(10,#)	VASV("CV",#)
	VASV(11)	VASV("OIF")
	VASV(11,#)	VASV("OIF",#)
	VASV(12)	VASV("OEF")
	VASV(12,#)	VASV("OEF",#)
	VASV(13)	VASV("UNK")
	VASV(13,#)	VASV("UNK",#)
	VASV(14)	VASV("SHD")
	VASV(14,#)	VASV("SHD",#)
	VASV(15)	VASV("TERA")
ADD^VADPT	VAPA(1)	VAPA("L1")
	VAPA(2)	VAPA("L2")
	VAPA(3)	VAPA("L3")
	VAPA(4)	VAPA("CI")
	VAPA(5)	VAPA("ST")
	VAPA(6)	VAPA("ZP")
	VAPA(7)	VAPA("CO")
	VAPA(8)	VAPA("PN")
	VAPA(9)	VAPA("TS")
	VAPA(10)	VAPA("TE")
	VAPA(11)	VAPA("Z4")
	VAPA(12)	VAPA("CCA")
	VAPA(13)	VAPA("CL1")
	VAPA(14)	VAPA("CL2")
	VAPA(15)	VAPA("CL3")
	VAPA(16)	VAPA("CCI")
	VAPA(17)	VAPA("CST")
	VAPA(18)	VAPA("CZP")
	VAPA(19)	VAPA("CCO")

Call	Variable	Alpha Translation
	VAPA(20)	VAPA("CCS")
	VAPA(21)	VAPA("CCE")
	VAPA(22)	VAPA("CTY")
	VAPA(23)	VAPA("PR")
	VAPA(24)	VAPA("PC")
	VAPA(25)	VAPA("CT")
	VAPA(26)	VAPA("CPR")
	VAPA(27)	VAPA("CPC")
	VAPA(28)	VAPA("CCT")
	VAPA(29)	VAPA("CPN")
	VAPA(30)	VAPA("RL1")
	VAPA(31)	VAPA("RL2")
	VAPA(32)	VAPA("RL3")
	VAPA(33)	VAPA("RCI")
	VAPA(34)	VAPA("RST")
	VAPA(35)	VAPA("RZP")
	VAPA(36)	VAPA("RCO")
	VAPA(37)	VAPA("RCT")
	VAPA(38)	VAPA("RPR")
	VAPA(39)	VAPA("RPC")
OAD^VADPT	VAOA(1)	VAOA("L1")
	VAOA(2)	VAOA("L2")
	VAOA(3)	VAOA("L3")
	VAOA(4)	VAOA("CI")
	VAOA(5)	VAOA("ST")
	VAOA(6)	VAOA("ZP")
	VAOA(7)	VAOA("CO")
	VAOA(8)	VAOA("PN")
	VAOA(9)	VAOA("NM")
	VAOA(10)	VAOA("RE")
	VAOA(11)	VAOA("Z4")

Call	Variable	Alpha Translation
INP^VADPT	VAIN(1)	VAIN("AN")
	VAIN(2)	VAIN("DR")
	VAIN(3)	VAIN("TS")
	VAIN(4)	VAIN("WL")
	VAIN(5)	VAIN("RB")
	VAIN(6)	VAIN("BS")
	VAIN(7)	VAIN("AD")
	VAIN(8)	VAIN("AT")
	VAIN(9)	VAIN("AF")
	VAIN(10)	VAIN("PT")
	VAIN(11)	VAIN("AP")
IN5^VADPT	VAIP(1)	VAIP("MN")
	VAIP(2)	VAIP("TT")
	VAIP(3)	VAIP("MD")
	VAIP(4)	VAIP("MT")
	VAIP(5)	VAIP("WL")
	VAIP(6)	VAIP("RB")
	VAIP(7)	VAIP("DR")
	VAIP(8)	VAIP("TS")
	VAIP(9)	VAIP("MF")
	VAIP(10)	VAIP("BS")
	VAIP(11)	VAIP("RD")
	VAIP(12)	VAIP("PT")
	VAIP(13)	VAIP("AN")
	VAIP(13,#)	VAIP("AN",#)
	VAIP(14)	VAIP("LN")
	VAIP(14,#)	VAIP("LN",#)
	VAIP(15)	VAIP("PN")
	VAIP(15,#)	VAIP("PT",#)
	VAIP(16)	VAIP("NN")
	VAIP(16,#)	VAIP("NN",#)
	VAIP(17)	VAIP("DN")

Call	Variable	Alpha Translation
	VAIP(17,#)	VAIP("DN",#)
	VAIP(18)	VAIP("AP")
OPD^VADPT	VAPD(1)	VAPD("BC")
	VAPD(2)	VAPD("BS")
	VAPD(3)	VAPD("FN")
	VAPD(4)	VAPD("MN")
	VAPD(5)	VAPD("MM")
	VAPD(6)	VAPD("OC")
	VAPD(7)	VAPD("ES")
	VAPD(8)	VAPD("WP")

13 Scheduling Application Programming Interfaces (APIs)

The Scheduling functions and data that support outpatient scheduling are being re-engineered and re-hosted as a Government Off-the-Shelf (GOTS) application. During implementation, the appointment data currently stored in the PATIENT (#2.98) Sub-file and the HOSPITAL LOCATION (#44.001, 44.003) Sub-files have been moved into an Enterprise Oracle database on an external platform.

The API released in an implementing patch is one of several that provide the only authorized interface to appointment data. It is designed to retrieve appointments from either data source:

- VistA
- Oracle Database

Existing direct global references to Scheduling globals, as well as VA FileMan calls in all M-based applications, *must* be removed or redesigned. There are several possible options described below:

1. **Remove**—Eliminate uses of appointment data whenever possible. Access to appointment data over the network can be slower than direct access in VistA. For example, if the application displays patient appointments as a convenience feature, the display could be removed from the function because the user can get the same information directly using the Scheduler Graphical User Interface (GUI). Keeping the display in the application can become an inconvenience feature when the network is slow or unavailable. This strategy emphasizes application un-coupling in preparation for a future Clinical Context Object Workgroup (CCOW)-based application environment.
2. **Replace**—If the appointment data are required to support the business processes of the application, one of the encapsulation APIs *must* be used to interface the application with the new Resource Scheduling System. The look and feel of the application remains the same although retrieval times may be slower:
 - a. **Data Layer**—To optimize an application process that uses appointments, it is important to call the API only once during process execution. In most cases, to achieve this it is necessary to use the API to create a data layer. The API is called once and stores the data in a temporary global. Business processing does *not* start until after all the required data are retrieved in the “data layer.”
 - b. **Error Handling**—As the data is retrieved from a remote database, errors could occur that may be returned to applications; therefore, it is also important to design error handling. If this is implemented now, it is *not* necessary to add it later when the data is retrieved from the remote database.

13.1 Special Features

This section describes the special features of the Scheduling Replacement API "**SDAPI**" that retrieves appointment information stored in Sub-files #2.98, #44.001, and #44.003. Appointment data can be retrieved by patient(s), clinic(s), both or neither. Three other appointment fields are available for filtering.

REF: For a complete list of available appointment filters, see "[Available Data Filters.](#)"

The Scheduling Replacement API is an encapsulation API and has special features.

- **Flexibility**—This API can be implemented now without re-programming later, because it retrieves the same information from either database (FM globals or SQL tables). Each field in [Table 112](#) has been assigned an independent identifying number that is used in the input parameter of the API.

REF: For a more detailed list of the available data fields, see "[SDAPI—Data Fields.](#)"

Table 122: Special Features

Number	Feature
1	APPOINTMENT DATE/TIME
2	CLINIC IEN and NAME
3	APPOINTMENT STATUS
4	PATIENT DFN and NAME
5	LENGTH OF APPOINTMENT
6	COMMENTS
7	OVERBOOK
8	ELIGIBILITY OF VISIT IEN and NAME
9	CHECK-IN DATE/TIME
10	APPOINTMENT TYPE IEN and NAME
11	CHECK-OUT DATE/TIME
12	OUTPATIENT ENCOUNTER IEN
13	PRIMARY STOP CODE IEN and CODE
14	CREDIT STOP CODE IEN and CODE
15	WORKLOAD NON-COUNT
16	DATE APPOINTMENT MADE
17	DESIRED DATE OF APPOINTMENT

Number	Feature
18	PURPOSE OF VISIT and SHORT DESCRIPTION
19	EKG DATE/TIME
20	X-RAY DATE/TIME
21	LAB DATE/TIME
22	STATUS
23	X-RAY FILMS
24	AUTO-REBOOKED APPOINTMENT DATE/TIME
25	NO-SHOW/CANCEL DATE/TIME
26	RSA APPOINTMENT ID
28	DATA ENTRY CLERK DUZ AND NAME
29	NO-SHOW/CANCELED BY DUZ AND NAME
30	CHECK-IN USER DUZ AND NAME
31	CHECK-OUT USER DUZ AND NAME
32	CANCELLATION REASON IEN AND NAME
33	CONSULT LINK

NOTE: Field 27 is reserved for the 2507 Request IEN to be available in a future release.

13.2 Error Codes

Table 113 lists the possible error codes returned by the Scheduling Replacement API.

Table 123: Scheduling Replacement API Error Codes

Error Code	Description
101	The API returns error code 101 when the network is too slow or is down. Applications that depend upon information stored in an external database <i>must</i> be re-programmed to handle this condition. Without network error handling, applications may either hang indefinitely or error out. At this point, there is one error code to indicate a network problem. REF: For a complete list of all API error codes, see “ SDAPI—Error Codes .”
116	The API returns error code 116 when the data returned from the RSA database does <i>not</i> match the data on VistA. An example of this would be if the RSA returns an IEN that does <i>not</i> exist on VistA. Applications <i>must</i> be re-programmed to handle this condition. REF: For a complete list of all API error codes, see “ SDAPI—Error Codes .”
117	The API returns error code 117 when the other error codes do <i>not</i> apply. This error code incorporates any additional errors that may be included or returned in the future. Adding this error code prevents re-coding of current applications, as these new error codes are introduced. REF: For a complete list of all API error codes, see “ SDAPI—Error Codes .”

13.3 External Data Source

The Scheduling Replacement API is designed to be used with an external database. The API pulls over all the data required by the application function in one request and stores it in a temporary global. The temporary global can then be used in place of the HOSPITAL LOCATION (#44.001, 44.003) Sub-files and the PATIENT (#2.98) Sub-file to perform the business logic of the application, separating the data layer from the business layer.

13.3.1 Example

The process of encapsulation involves, in part, replacing direct global references in routines with APIs. As an example, consider the following piece of code ([Figure 11](#)). This code is designed to retrieve the following:

- Appointment date/time
- Patient DFN
- Name
- Length of appointment for all **DGCLN** clinic appointments up to **DGLAST** date.

Figure 11: Sample Code

```
F S DGDATE=$O(^SC(DGCLN,"S",DGDATE)) Q:'DGDATE!(DGDATE>DGLAST) D
. S DGAPT=0 F S DGAPT=$O(^SC(DGCLN,"S",DGDATE,1,DGAPT)) Q:'DGAPT D
. . S DGPAT=$P(^SC(DGCLN,"S",DGDATE,1,DGAPT,0),U,1)
. . I $G(DGPAT) S DGPATNAM=$P(^DPT(DGPAT,0),U,1)
. . S DGLOAPPT=$P(^SC(DGCLN,"S",DGDATE,1,DGAPT,0),U,2)
CONTINUE PROCESSING AS NEEDED
```

Using the API, the code can be changed as follows:

Figure 12: Sample Code Using the API: Data Layer

```
;DATA LAYER
S DGARRAY(1)="";_DGLAST
S DGARRAY("FLDS")="1;4;5"
S DGARRAY(2)=DGCLN
S DGCNT=$$SDAPI^SDAMA301(.DGARRAY)
```

Figure 13: Sample Code Using the API: Business Layer

```
;BUSINESS LAYER
; if data is returned, process appointment data
I DGCNT>0 S DGPAT=0 F S DGPAT=$O(^TMP($J,"SDAMA301",DGCLN,DGPAT)
Q:DGPAT="" D
. S DGDATE=0 F S DGDATE=$O(^TMP($J,"SDAMA301",DGCLN,DGPAT,DGDATE)
Q:DGDATE="" D
.. S DGLOAPPT=$P($G(^TMP($J,"SDAMA301",DGCLN,DGPAT,DGDATE)),U,5) ;length
of appt
.. S DGPINFO=$P($G(^TMP($J,"SDAMA301",DGCLN,DGPAT,DGDATE)),U,4) ;patient
DFN and Name
.. S DGPATNAM=$P(DGPINFO,";",2) ;patient name
.. continue processing appointment data as needed
; if error returned, process error
I DGCNT<0 D
. ;check error array for DATABASE IS UNAVAILABLE error
. I $D(^TMP($J,"SDAMA301,101)) D
.. process error as needed (calling application to determine how to
handle this)
. ;check error array for DATA MISMATCH error
. I $D(^TMP($J,"SDAMA301,116)) D
.. process error as needed (calling application to determine how to
handle this)
;kill the temporary array
I DGCNT'=0 K ^TMP($J,"SDAMA301")
```

13.4 Application Programming Interface—SDAPI

Name

SDAPI ; Retrieve Filtered Appointment Data

Declaration

```
$$SDAPI^SDAMA301(.ARRAY)
```

Description

This API returns filtered appointment information and should be called using an extrinsic call. To use this API, subscribe to Integration Agreement #4433.

Argument

- **ARRAY**—An array, passed by value, that is defined and namespaced by the calling application, containing the following parameters:
 - **Field List**—Required, **ARRAY("FLDS")**. List of appointment field IDs requested, each ID separated by a semicolon or “ALL” to indicate all fields are being requested.

REF: For a complete list of available appointment fields and their associated IDs, see “[Table 115](#).”

For a description and valid values of this array entry, see “[Table 117](#).”

- **Filters**—Optional.

REF: For a complete list of available appointment filters and their input array format, see “[Available Data Filters](#).”

- **Max Appts**—Optional, **ARRAY("MAX")**. Maximum appointments requested.

REF: For a description and valid values of this array entry, see “[Table 117](#).”

- **Sort**—Optional, **ARRAY("SORT")**. Allows the output to be sorted by patient DFN, instead of by Patient and Clinic IENs.

REF: For a description and valid values of this array entry, see “[Table 117](#).”

- **Purged**—Optional, **ARRAY("PURGED")**. Output includes *non*-canceled appointments that were purged from the Hospital Location file yet still exist on the PATIENT (#2) file.

REF: For a description and valid values of this array entry, see “[Table 117](#).”

If this optional array entry is passed into the API, there are two other conditions that *must* be met, else error **115** is generated:

- **ARRAY(4)** *must* be populated.
- Several fields are *not* available to request, because those fields are either located on the Hospital Location file, which was purged of the appointment, or are calculated using data from the Hospital Location file. Those fields are **5-9, 11, 22, 28, 30, 31, and 33**.

REF: For a description of those fields, see “[SDAPI—Data Fields](#).”

Return Values

From the extrinsic call, this API return “**-1**” if an error occurred, “**0**” if no appointment is found that matches the filter criteria, or account of the returned appointments. If no appointment is found that matches the filter criteria, the **^TMP(\$J,”SDAMA301”)** global is *not* generated.

If appointments are found that match the filter criteria, Fields **1** through **5** and **7** through **26** of the appointments are returned in:

^TMP (\$J, "SDAMA301", SORT1, SORT2, APPT DATE/TIME)=field1^field2^field3^...

Where **SORT1** and **SORT2** are driven by the patient filter and defined in [Table 114](#), and **field1** is appointment data **ID 1** (appt date/time); if requested; **field2** is appointment data **ID 2** (clinic IEN and name) if requested, etc.

NOTE: **Piece 6** is always **NULL**, because if Field #6 (APPOINTMENT COMMENTS) is requested, the comments appear on the subscript (“**C**”) of the global reference:

^TMP (\$J, "SDAMA301", SORT1, SORT2, APPT DATE/TIME, "C")=field 6.

Fields **28** through **33** are returned in:

^TMP (\$J, "SDAMA301", SORT1, SORT2, APPT DATE/TIME, 0) = field28^field29^field30^...

Table 124: Filters

Patient Filter is...	Sort Values
Populated	SORT1 is Patient DFN, SORT2 is Clinic IEN
Not Populated	SORT1 is Clinic IEN, SORT2 is Patient DFN

In addition, there is another filter value that can be set to alter the output. If **ARRAY("SORT")="P"**, then the output only includes the subscript patient DFN and *not* the clinic IEN, overriding the sort values described in [Table 114](#).

```
^TMP($J,"SDAMA301",DFN,APPT DATE/TIME)=field1^field2
```

NOTE: As mentioned above, Field #6 is always **NULL**, and if Field #6 (APPOINTMENT COMMENTS) is requested, the comments appear on the next subscript ("C") of the global reference:

```
^TMP($J,"SDAMA301",DFN,APPT DATE/TIME,"C")=field 6
```

If an error occurs, the error codes and messages are returned in:

```
^TMP($J,"SDAMA301",error code) = error message
```

REF: For a list of error codes and messages, see "[SDAPI—Error Codes](#)."

When processing has completed, kill the temporary array:

```
^TMP($J,"SDAMA301")
```

REF: For constraints, see "[SDAPI—Constraints](#)."

13.4.1 SDAPI—Examples

13.4.1.1 By Clinic

Get all appointments for clinic 501 on 01/05/04. Get patient DFN, name, and appointment status.

NOTE: The output is sorted first by clinic, then patient, and then appointment date/time. Clinic is the first sort, because the patient filter is *not* populated.

Figure 14: SDAPI Example—By Clinic

```
N SDARRAY,SDCOUNT,SDDFN,SDDATE,SDAPPT,SDPAT,SDPATNAM,SDSTATUS
S SDARRAY(1)="3040105;3040105"
S SDARRAY(2)=501
S SDARRAY("FLDS")="4;3" ←Order is irrelevant
S SDCOUNT=$$SDAPI^SDAMA301(.SDARRAY)
I SDCOUNT>0 D
. ;get patient
. S SDDFN=0 F S SDDFN=$O(^TMP($J,"SDAMA301",501,SDDFN)) Q:SDDFN="" D
. . ;get appointment date/time
. . S SDDATE=0 F S SDDATE=$O(^TMP($J,"SDAMA301",501,SDDFN,SDDATE)) Q:SDDATE="" D
. . . S SDAPPT=$G(^TMP($J,"SDAMA301",501,SDPATDFN,SDDATE)) ;appointment data
. . . S SDSTATUS=$P($G(SDAPPT),"^",3) ;appointment status
. . . S SDPAT=$P($G(SDAPPT),"^",4) ;patient DFN and Name
. . . S SDPATNAM=$P($G(SDPAT),";",2) ;patient Name only
continue processing this appointment as needed
I SDCOUNT<0 D
do processing for errors 101 and 116
when finished with all processing, kill the output array
I SDCOUNT'=0 K ^TMP($J,"SDAMA301")
```

13.4.1.2 By Patient

Get the next (after today) scheduled/regular appointment for patient 100. Get the appointment date/time, clinic IEN, name, and appointment status.

NOTE: The output is sorted first by patient, then clinic, and then appointment date/time. Patient is the first sort, because it is populated.

Figure 15: SDAPI Example—By Patient

```
N SDARRAY,SDCOUNT,SDCLIEN,SDDATE,SDAPPT,SDSTATUS,SDCLINFO,SDCLNAME
S SDARRAY(1)=DT_".2359"
S SDARRAY(3)="R;I"
S SDARRAY(4)=100
S SDARRAY("MAX")=1
S SDARRAY("FLDS")="1;2;3"
S SDCOUNT=$$SDAPI^SDAMA301(.SDARRAY)
I SDCOUNT>0 D
. ;get clinic
. S SDCLIEN=0 F S SDCLIEN=$O(^TMP($J,"SDAMA301",100,SDCLIEN)) Q:SDCLIEN="" D
. . ; get appointment date/time
. . S SDDATE=0 F S SDDATE=$O(^TMP($J,"SDAMA301",100,SDCLIEN,SDDATE)) Q:SDDATE="" D
. . . S SDAPPT=$G(^TMP($J,"SDAMA301",100,SDCLIEN,SDDATE)) ;appointment data
. . . S SDSTATUS=$P(SDAPPT,"^",3) ;appt status
. . . S SDCLINFO=$P(SDAPPT,"^",2) ;clinic IEN and Name
. . . S SDCLNAME=$P(SDCLINFO,";",2) ;clinic Name only
continue processing this appointment as needed
I SDCOUNT<0 D
do processing for errors 101 and 116
when finished with all processing, kill output array
I SDCOUNT'=0 K ^TMP($J,"SDAMA301")
```

13.4.1.3 By Patient and Clinic

Get all appointments for patient 100 in clinic 501, for January 2004. Get the appointment date/time and credit stop code IEN.

NOTE: The output is sorted first by patient, then clinic, and then appointment date/time. Patient is the first sort, because it is populated.

Figure 16: SDAPI Example—By Patient and Clinic

```
N SDARRAY,SDCOUNT,SDDATE,SDAPPT,SDCRSTOP
S SDARRAY(1)="3040101;3040131"
S SDARRAY(2)=501
S SDARRAY(4)=100
S SDARRAY("FLDS")="1;14;16"
S SDCOUNT=$$SDAPI^SDAMA301(.SDARRAY)
I SDCOUNT>0 D
. ; get appointment date/time
. S SDDATE=0 F S SDDATE=$O(^TMP($J,"SDAMA301",100,501,SDDATE)) Q:SDDATE="" D
. . S SDAPPT=$G(^TMP($J,"SDAMA301",100,501,SDDATE)) ;appointment data
. . S SDCREDIT=$P(SDAPPT,"^",14) ;credit stop code IEN
. . I $G(SDCREDIT)'=";" S SDCRIEN=$P(SDCREDIT,";",1) ;credit stop code IEN only
continue processing this appointment as needed
I SDCOUNT<0 D
do processing for errors 101 and 116
when finished with all processing, kill output array
I SDCOUNT'=0 K ^TMP($J,"SDAMA301")
```

13.4.1.4 By Neither Patient Nor Clinic

Get all appointments for primary stop code **300**, for **January 2004**. Get the appointment status.

NOTE: The output is sorted first by clinic, then patient, and then appointment date/time. Clinic is the first sort, because the patient filter is *not* populated.

Figure 17: SDAPI Example—By Neither Patient Nor Clinic

```
N SDARRAY,SDCOUNT,SDCLIEN,SDDFN,SDDATE,SDAPPT,SDSTATUS
S SDARRAY(1)="3040101;3040131"
S SDARRAY(13)=300
S SDARRAY(4)=100
S SDARRAY("FLDS")="3"
S SDCOUNT=$$SDAPI^SDAMA301(.SDARRAY)
I SDCOUNT>0 D
. ; get clinic
. S SDCLIEN=0 F S SDCLIEN=$O(^TMP($J,"SDAMA301",SDCLIEN)) Q:SDCLIEN="" D
. . ; get patient
. . S SDDFN=0 F S SDDFN=$O(^TMP($J,"SDAMA301",SDCLIEN,SDDFN)) Q:SDDFN="" D
. . . ; get appointment date/time
. . . S SDDATE=0 F S SDDATE=$O(^TMP($J,"SDAMA301",SDCLIEN,SDDFN,SDDATE))
Q:SDDATE="" D
. . . . S SDSTATUS=$P($G(^TMP($J,"SDAMA301",100,501,SDDATE)),"^",3) ;appointment
status
continue processing this appointment as needed
I SDCOUNT<0 D
do processing for errors 101 and 116
when finished with all processing, kill output array
I SDCOUNT'=0 K ^TMP($J,"SDAMA301")
```

Warning: For the quickest performance, this API should be run with a patient and/or clinic filter. Omission of both filters results in a lengthy query (time and data).

13.4.1.5 By Clinic with “Sort” Filter Defined

13.4.1.5.1 Example 1

Get all appointments for clinic **501** on **01/05/04**. Get patient DFN, name, and appointment status.

NOTE: The output is sorted first by patient, and then appointment date/time. Patient is the only sort, because the SORT filter is populated.

Figure 18: SDAPI Example—By Clinic with “Sort” Filter Defined: Get Patient DFN, Name, and Appointment Status

```
N SDARRAY,SDCOUNT,SDDFN,SDDATE,SDAPPT,SDPAT,SDPATNAM,SDSTATUS
S SDARRAY(1)="3040105;3040105"
S SDARRAY(2)=501
S SDARRAY("SORT")="P"
S SDARRAY("FLDS")="4;3" ←Order is irrelevant
S SDCOUNT=$$SDAPI^SDAMA301(.SDARRAY)
I SDCOUNT>0 D
.;get patient
.S SDDFN=0 F S SDDFN=$O(^TMP($J,"SDAMA301",SDDFN)) Q:SDDFN="" D
. . ; get appointment date/time
. . S SDDATE=0 F S SDDATE=$O(^TMP($J,"SDAMA301",SDDFN,SDDATE)) Q:SDDATE="" D
. . . S SDAPPT=$G(^TMP($J,"SDAMA301",SDDFN,SDDATE)) ;appointment data
. . . S SDSTATUS=$P($G(SDAPPT),"^",3) ;appointment status
. . . S SDPAT=$P($G(SDAPPT),"^",4) ;patient DFN and Name
. . . S SDPATNAM=$P($G(SDPAT),";",2) ;patient Name only
;continue processing this appointment as needed
I SDCOUNT<0 D
do processing for errors 101 and 116
when finished with all processing, kill the output array
I SDCOUNT'=0 K ^TMP($J,"SDAMA301")
```

13.4.1.5.2 Example 2

Get all appointments for Clinic **501** on **01/05/04**. Get patient DFN, name, and appointment comments.

NOTE: The output is sorted first by patient, and then appointment date/time; the comments appear on the next reference with the subscript “C”. Patient is the only sort, because the SORT filter is populated.

Figure 19: SDAPI Example—By Clinic with “Sort” Filter Defined: Get Patient DFN, Name, and Appointment Comments

```
N SDARRAY,SDCOUNT,SDDFN,SDDATE,SDAPPT,SDPAT,SDPATNAM,SDCMMNT
S SDARRAY(1)="3040105;3040105"
S SDARRAY(2)=501
S SDARRAY("SORT")="P"
S SDARRAY("FLDS")="4;6" ←Order is irrelevant
S SDCOUNT=$$SDAPI^SDAMA301(.SDARRAY)
I SDCOUNT>0 D
. ; get patient
. S SDDFN=0 F S SDDFN=$O(^TMP($J,"SDAMA301",SDDFN)) Q:SDDFN="" D
. . ; get appointment date/time
. . S SDDATE=0 F S SDDATE=$O(^TMP($J,"SDAMA301",SDDFN,SDDATE)) Q:SDDATE="" D
. . . S SDAPPT=$G(^TMP($J,"SDAMA301",SDDFN,SDDATE)) ;appointment data
. . . S SDPAT=$P($G(SDAPPT),"^",4) ;patient DFN and Name
. . . S SDPATNAM=$P($G(SDPAT),";",2) ;patient Name only
. . . S SDCMMNT=$G(^TMP($J,"SDAMA301",SDDFN,SDDATE,"C"))
continue processing this appointment as needed
I SDCOUNT<0 D
do processing for errors 101 and 116
when finished with all processing, kill the output array
I SDCOUNT'=0 K ^TMP($J,"SDAMA301")

7) Does Patient 999 Have Any Appointments on File?

N SDARRAY,SDCOUNT
S SDARRAY(4)=999
S SDARRAY("FLDS")=1
S SDARRAY("MAX")=1
S SDCOUNT=$$SDAPI^SDAMA301(.SDARRAY)
I SDCOUNT>0 D
patient has appointments on file
I SDCOUNT<0 D
do processing for errors 101 and 116
kill output array when processing is done
I SDCOUNT'=0 K ^TMP($J,"SDAMA301")

8) Similar to example #4, but with a global list of patients

N SDARRAY,SDCOUNT,SDCLIEN,SDDFN,SDDATE,SDAPPT,SDSTATUS
S SDARRAY(1)="3040101;3040131"
S SDARRAY(13)=300
S ^SDDFN(1019974)=""
S ^SDDFN(1019975)=""
S ^SDDFN(1019976)=""
S ^SDDFN(1019977)=""
S ^SDDFN(1019978)=""
S ^SDDFN(1019979)=""
S SDARRAY(4)=""^SDDFN(
```

```

S SDARRAY("FLDS")="3"
S SDCOUNT=$$SDAPI^SDAMA301(.SDARRAY)
I SDCOUNT>0 D
. ; get clinic
. S SDCLIEN=0 F S SDCLIEN=$O(^TMP($J,"SDAMA301",SDCLIEN)) Q:SDCLIEN="" D
. . ;get patient
. . S SDDFN=0 F S SDDFN=$O(^TMP($J,"SDAMA301",SDCLIEN,SDDFN)) Q:SDDFN="" D
. . . ; get appointment date/time
. . . S SDDATE=0 F S SDDATE=$O(^TMP($J,"SDAMA301",SDCLIEN,SDDFN,SDDATE))
Q:SDDATE="" D
. . . . S SDSTATUS=$P($G(^TMP($J,"SDAMA301",100,501,SDDATE)),",",3) ;appointment
status
continue processing this appointment as needed
I SDCOUNT<0 D
do processing for errors 101 and 116
when finished with all processing, kill output array and user-defined
patient list
I SDCOUNT'=0 K ^TMP($J,"SDAMA301")
K ^SDDFN

```

13.4.2 SDAPI—Data Fields

Table 115 lists the available appointment data fields:

Table 125: Available Appointment Data Fields

ID	Field Name	Data Type	Format/Valid Values	Description	Examples of Returned Data
1	APPOINTMENT DATE/TIME	DATE/TIME	YYMMDD.HHMM	The scheduled appointment date/time.	3031215.113 3031201.0815
2	CLINIC IEN and NAME	TEXT	ID^name	Clinic IEN and name.	150;CARDIOLOGY 32;BLOOD DONOR
3	APPOINTMENT STATUS	TEXT	Valid Values: <ul style="list-style-type: none"> R—Scheduled/Kept I—Inpatient NS—No-Show NSR—No-Show, Rescheduled CP—Cancelled by Patient CPR—Cancelled by Patient, Rescheduled 	The status of the appointment.	R;SCHEDULED/KEPT I;INPATIENT NS;NO-SHOW NSR;NO-SHOW & RESCHEDULED CP;CANCELLED BY PATIENT CPR;CANCELLED BY PATIENT & RESCHEDULED CC;CANCELLED BY CLINIC CCR;CANCELLED BY CLINIC & RESCHEDULED NT;NO ACTION TAKEN

ID	Field Name	Data Type	Format/Valid Values	Description	Examples of Returned Data
			<ul style="list-style-type: none"> CC—Cancelled by Clinic CCR—Cancelled by Clinic, Rescheduled NT—No Action Taken 		
4	PATIENT DFN and NAME	TEXT	DFN;name	Patient DFN and patient name.	34877;DGPATIENT,ONE 455;DGPATIENT,TWO
5	LENGTH OF APPOINTMENT	TEXT	NNN	The scheduled length of appointment, in minutes.	20 60
6	COMMENTS	TEXT	free text	Any comments associated with the appointment.	PATIENT NEEDS WHEELCHAIR NOTE: Comments shall be located on the “C” subscript.
7	OVERBOOK	TEXT	Y or N	“Y” if appointment is an overbook, else “N”.	Y N
8	ELIGIBILITY OF VISIT IEN and NAME	TEXT	Local IEN; Local Name; National IEN; National Name	Local and National Eligibility codes and names associated with the appointment.	2;AID & ATTENDANCE;2;AID & ATTENDANCE 7;ALLIED VETERAN;7;ALLIED VETERAN 12; COLLATERAL OF VET.; 13; COLLATERAL OF VET.
9	CHECK-IN DATE/TIME	DATE/TIME	YYMMDD.HHMM	Date/time the patient checked in for the appointment.	3031215.113
10	APPOINTMENT TYPE IEN and NAME	TEXT	IEN;name	Type of Appointment IEN and name.	1;COMPENSATION & PENSION 3;ORGAN DONORS 7; COLLATERAL OF VET.
11	CHECK-OUT DATE/TIME	DATE/TIME	YYMMDD.HHMM	Date/time the patient checked	3031215.113

ID	Field Name	Data Type	Format/Valid Values	Description	Examples of Returned Data
				out of the appointment.	
12	OUTPATIENT ENCOUNTER IEN	TEXT	NNN	The outpatient encounter IEN associated with this appointment.	4578
13	PRIMARY STOP CODE IEN and CODE	TEXT	IEN;code	Primary Stop code IEN and code associated with the clinic.	301;350
14	CREDIT STOP CODE IEN and CODE	TEXT	IEN;code	Credit Stop code IEN and code associated with the clinic.	549;500
15	WORKLOAD NON-COUNT	TEXT	Y or N	"Y" if clinic is <i>non-count</i> , else "N".	Y N
16	DATE APPOINTMENT MADE	DATE	YYMMDD	Date the appointment was entered into the Scheduling system.	3031215
17	DESIRED DATE OF APPOINTMENT	DATE	YYMMDD	The date the clinician or patient desired for the scheduling of this appointment.	3031215
18	PURPOSE OF VISIT	TEXT	Code (1, 2, 3, or 4) and short description (C&P, 10-10, SV, or UV)	The purpose of the visit.	1;C&P 2;10-10 3;SV 4;UV
19	EKG DATE/TIME	DATE/TIME	YYMMDD.HHMM	The scheduled date/time of the EKG tests in conjunction with this appointment.	3031215.083
20	X-RAY DATE/TIME	DATE/TIME	YYMMDD.HHMM	The scheduled date/time of the x-ray in conjunction with this appointment.	3031215.083
21	LAB DATE/TIME	DATE/TIME	YYMMDD.HHMM	The scheduled date/time of the	3031215.083

ID	Field Name	Data Type	Format/Valid Values	Description	Examples of Returned Data
				lab tests in conjunction with this appointment.	
22	STATUS	TEXT	Status Code, Status Description, Print Status, Checked In Date/Time, Checked Out Date/Time, and Admission Movement IFN	Status Information for the Visit.	8;INPATIENT APPOINTMENT;INPATIENT/CHECKED OUT;;3030218.1548;145844
23	X-RAY FILMS	TEXT	Y or N	"Y" if x-ray films are required at clinic, else "N".	Y N
24	AUTO-REBOOKED APPOINTMENT DATE/TIME	DATE/TIME	YYMMDD.HHMM	The date/time that the appointment was Auto-Rebooked (rescheduled) to.	3031215.083
25	NO-SHOW / CANCEL DATE/TIME	DATE/TIME	YYMMDD.HHMM	The date/time that the appointment was No-Showed or Cancelled.	3031215.083
26	RSA APPOINTMENT ID	TEXT	NNN	The unique numeric Oracle ID that identifies a specific RSA appointment. This field is NULL for appointments in legacy VistA.	34983
28	DATA ENTRY CLERK	TEXT	DUZ ;Name	The DUZ and name of the clerk who scheduled the appointment.	24569;PERSON,NEW A
29	NO-SHOW / CANCELED BY	TEXT	DUZ ;Name	The DUZ and name of the clerk who no-showed or canceled the appointment.	24569;PERSON,NEW A
30	CHECK IN USER	TEXT	DUZ ;Name	The DUZ and name of the clerk who checked in the appointment.	24569;PERSON,NEW A

ID	Field Name	Data Type	Format/Valid Values	Description	Examples of Returned Data
31	CHECK OUT USER	TEXT	DUZ ;Name	The DUZ and name of the clerk who checked out the appointment.	24569;PERSON,NEW A
32	CANCELLATION REASON	TEXT	DUZ ;Name	IEN and Name of Cancellation Reason.	11;OTHER
33	CONSULT LINK	TEXT	NNN	The Consult Link IEN associated with the appointment.	23123

NOTE: Field #27 is reserved for the 2507 Request IEN to be available in a future release.

13.4.3 Available Data Filters

The **six** fields listed in [Table 116](#) allow a filter. All **six** fields can be filtered in one API call. A **NULL**/undefined filter results in all values being returned.

Table 126: Available Data Filters

Appointment Data to be Filtered	Array Entry	Format	Examples of M Code to Set Array with Filter Values
APPOINTMENT DATE/TIME	ARRAY(1)	Range of appointment date/times, "from" and "to" date/time separated by semicolon. Dates <i>must</i> be in VA FileMan format: YYMMDD.HHMMSS ARRAY(1)="from date; to date"	S ARRAY(1)="3030101;3030101" (one day) S ARRAY(1)="3040101" (appts after 2003) S ARRAY(1)=";3031231" (all appts thru 3031231) S ARRAY(1)=DT (all appts from today forward) S ARRAY(1)=DT_";3041231" (all appts from today through 3041231)
CLINIC IEN	ARRAY(2)	List of valid clinic IENs (each separated by a semicolon), or a global root or a local root. Clinic <i>must</i> exist in Hospital Location file. ARRAY (2) ="ien1; ien2" etc. ARRAY(2)="^global (" " ARRAY(2)="^global (# " ARRAY(2)="^global (#, " ARRAY(2)="local (" " ARRAY(2)="local (# " ARRAY(2)="local (#, "	S ARRAY(2)=300 S ARRAY(2)="300;301;304" S ARRAY(2)="^GBL (" " S ARRAY(2)="^GBL ("DFN"" " S ARRAY(2)="^GBL ("DFN"" , " S ARRAY(2)="LOCAL (" " S ARRAY(2)="LOCAL ("DFN"" " S ARRAY(2)="LOCAL ("DFN"" , "
APPOINTMENT STATUS	ARRAY(3)	List of valid Appointment Status values, each separated by a semicolon. Valid values:	S ARRAY(3)="I" S ARRAY(3)="R;I;NT" S ARRAY(3)="CC;CCR;CP;CPR"

Appointment Data to be Filtered	Array Entry	Format	Examples of M Code to Set Array with Filter Values
		<ul style="list-style-type: none"> • R—Scheduled/Kept • I—Inpatient • NS—No-Show • NSR—No-Show, Rescheduled • CP—Cancelled by Patient • CPR—Cancelled by Patient, Rescheduled • CC—Cancelled by Clinic • CCR—Cancelled by Clinic, Rescheduled • NT—No Action Taken <p>ARRAY (3) ="status1; status2" etc.</p>	
PATIENT DFN	ARRAY(4)	<p>List of valid patient DFNs (each separated by a semicolon), or a global root or a local root. DFN <i>must</i> exist in PATIENT (#2) file.</p> <p>ARRAY (4) ="dfn1; dfn2" etc. ARRAY (4) ="^global (" ARRAY (4) ="^global (#" ARRAY (4) ="^global (#, " ARRAY (4) ="local (" ARRAY (4) ="local (#" ARRAY (4) ="local (#, "</p>	<p>S ARRAY (4) =7179940 S ARRAY (4) ="7179940;7179939;7179920" S ARRAY (4) ="^GBL (" S ARRAY (4) ="^GBL (" "IENLIST" " S ARRAY (4) ="^GBL (" "IENLIST" ", " S ARRAY (4) ="LOCAL (" S ARRAY (4) ="LOCAL (" "IENLIST" " S ARRAY (4) ="LOCAL (" "IENLIST" ", "</p>

Appointment Data to be Filtered	Array Entry	Format	Examples of M Code to Set Array with Filter Values
PRIMARY STOP CODE	ARRAY(13)	<p>List of valid Primary Stop Code values (not IENs). It <i>must</i> be a valid AMIS REPORTING STOP CODE (#1) field in the CLINIC STOP (#40.7) file.</p> <p>ARRAY (13) ="code1; code2" etc.</p>	<p>S ARRAY (13)=197</p> <p>S ARRAY (13)="197;198;200;203;207"</p>
DATE APPOINTMENT MADE	ARRAY(16)	<p>Range of Date Appointment Made dates; "from" and "to" dates separated by a semicolon. Dates <i>must</i> be in VA FileMan format : YYMMDD</p> <p>NOTE: Time is <i>not</i> allowed.</p> <p>Array(16)= "from date; to date"</p>	<p>S ARRAY(16)= "3040101;3040101" (all appts that have a Date Appointment Made date of 3040101)</p> <p>S ARRAY(16)= "3040101" (appts that have a Date Appointment Made date from 3040101 forward)</p> <p>S ARRAY(16)= ";3031231" (all appts that have a Date Appointment Made date through 3031231)</p> <p>S ARRAY(16)=DT (all appts that have a Date Appointment Made date from today forward)</p> <p>S ARRAY(16)= DT_";3041231" (all appts that have a Date Appointment Made date from today through 3041231)</p>

13.4.4 Input—Other Array Entries

Table 127: Input—Other Array Entries

Description	Array Entry	Format	Examples of Array with Filter
Field List (Required)	ARRAY("FLDS")	<p>List of appointment field IDs, each separated by a semicolon. Order of fields is irrelevant.</p> <p>REF: See “Data Fields” for the list of appointment field IDs.</p> <p>Or, if all fields are required, then set array to “ALL” (case is irrelevant).</p> <pre> ARRAY ("FLDS") ="id1; id2; id3", etc. ARRAY ("FLDS")="ALL" </pre>	<pre> ARRAY ("FLDS")="1;2;3;6;7;14;20" ARRAY ("FLDS")=1 ARRAY ("FLDS")="ALL" ARRAY ("FLDS")="all" </pre>
Max Appointments (Optional)	ARRAY("MAX")	<p>Maximum number of appointments requested. It <i>must</i> be a whole number <i>not</i> equal to 0.</p> <p>ARRAY("MAX")=value</p> <ul style="list-style-type: none"> If value > 0 or value="", return first "<i>n</i>" appointments. If value < 0, return last "<i>n</i>" appointments. 	<pre> ARRAY ("MAX")=1 ARRAY ("MAX")=-1 </pre>
Sort Appointments by Patient DFN (Optional)	ARRAY("SORT")	<p>Allows the output to be sorted by patient, instead of by patient and clinic. It <i>must</i> be set to “P”.</p> <pre> ARRAY ("SORT")=value </pre>	<pre> ARRAY ("SORT")="P" </pre>
Include Purged Appointments (Optional)	ARRAY("PURGED")	<p>Allows the user to receive <i>non</i>-canceled Appts that were purged from sub-file #44.003.</p>	<pre> ARRAY ("PURGED")=1 </pre>

Description	Array Entry	Format	Examples of Array with Filter
		ARRAY ("PURGED") =1	

The Field List array entry *must* be populated, or else error **115** is generated.

REF: For a complete list of all API error codes, see “[SDAPI—Error Codes](#).”

The Maximum Appointments array entry is best used to retrieve the next or last “*n*” appointments for one patient and/or one clinic, in conjunction with the appointment date/time filter.

NOTE: If the Maximum Appointment array entry is set to a valid value and more than one patient and/or more than one clinic are passed to the API, or if no patient and clinic is passed to the API, the error **115** is generated.

REF: For a complete list of all API error codes, see “[SDAPI—Error Codes](#).”

Figure 20: Sample of Other Array Entries

```
APPOINTMENT DATA TO BE FILTERED
ARRAY ENTRY Format Examples of M code to set array with filter values
APPOINTMENT DATE/TIME ARRAY(1) Range of appointment date/times, "from" and "to"
date/time separated by semicolon. Dates must be FileMan format YYYYMMDD.HHMMSS
ARRAY(1)="from date; to date"
S ARRAY(1)="3030101;3030101" (one day)
S ARRAY(1)="3040101" (appts after 2003)
S ARRAY(1)=";3031231" (all appts thru 3031231)
S ARRAY(1)=DT (all appts from today forward)
S ARRAY(1)=DT_";3041231" (all appts from today through 3041231)
CLINIC IEN ARRAY(2) List of valid clinic IENs (each separated by a semicolon)
or a global root or a local root. Clinic must exist on Hospital Location file.
ARRAY(2)="ien1;ien2" etc.
ARRAY(2)="^global("
ARRAY(2)="^global(#"
ARRAY(2)="^global(#,"
ARRAY(2)="local("
ARRAY(2)="local(#"
ARRAY(2)="local(#,"
S ARRAY(2)=300
S ARRAY(2)="300;301;304"
S ARRAY(2)="^GBL("
S ARRAY(2)="^GBL("DFN""
S ARRAY(2)="^GBL("DFN","",
S ARRAY(2)="LOCAL("
S ARRAY(2)="LOCAL("DFN""
S ARRAY(2)="LOCAL("DFN","",
APPOINTMENT STATUS ARRAY(3) List of valid Appointment Status values, each
separated by a semicolon. Valid values:
R (Scheduled/Kept)
I (Inpatient)
NS (No-Show)
NSR (No-Show, Rescheduled)
CP (Cancelled by Patient)
CPR (Cancelled by Patient, Rescheduled)
CC (Cancelled by Clinic)
CCR (Cancelled by Clinic, Rescheduled)
NT (No Action Taken)
ARRAY(3)="status1;status2" etc.
S ARRAY(3)="I"
S ARRAY(3)="R;I;NT"
S ARRAY(3)="CC;CCR;CP;CPR"
```

PATIENT DFN, ARRAY(4)—List of valid patient DFNs (each separated by a semicolon) or a global root or a local root. DFN *must* exist on the PATIENT (#2) file.

Figure 21: Sample PATIENT DFN, ARRAY(4)

```
ARRAY(4)="dfn1;dfn2" etc.  
ARRAY(4)="^global ("  
ARRAY(4)="^global(#"  
ARRAY(4)="^global(#, "  
ARRAY(4)="local ("  
ARRAY(4)="local(#"  
ARRAY(4)="local(#, "  
  
S ARRAY(4)=7179940  
S ARRAY(4)="7179940;7179939;7179920"  
S ARRAY(4)="^GBL ("  
S ARRAY(4)="^GBL("IENLIST""  
S ARRAY(4)="^GBL("IENLIST", "  
S ARRAY(4)="LOCAL ("  
S ARRAY(4)="LOCAL("IENLIST""  
S ARRAY(4)="LOCAL("IENLIST", "
```

PRIMARY STOP CODE, ARRAY(13)—List of valid Primary Stop Code values (*not* IENs). It *must* be a valid AMIS REPORTING STOP CODE (#1) field on the CLINIC STOP (#40.7) file.

Figure 22: Sample PRIMARY STOP CODE, ARRAY(13)

```
ARRAY(13)="code1;code2" etc.  
S ARRAY(13)=197  
S ARRAY(13)="197;198;200;203;207"
```

DATE APPOINTMENT MADE, ARRAY(16)—Range of Date Appointment Made dates; "from" and "to" dates separated by a semicolon. Dates *must* be in VA FileMan format:

YYMMDD

NOTE: Time is *not* allowed.

Figure 23: Sample DATE APPOINTMENT MADE, ARRAY(16)

```
Array(16)= "from date; to date"  
S ARRAY(16)= "3040101;3040101" (all appts that have a Date Appointment Made date of  
3040101)  
S ARRAY(16)= "3040101" (appts that have a Date Appointment Made date from 3040101  
forward)  
S ARRAY(16)= ";3031231" (all appts that have a Date Appointment Made date through  
3031231)  
S ARRAY(16)=DT (all appts that have a Date Appointment Made date from today  
forward)  
S ARRAY(16)= DT_";3041231" (all appts that have a Date Appointment Made date from  
today through 3041231)
```

13.4.5 Other Array Entries

Table 128: Other Array Entries

Description	Array Entry	Format Examples of Array With Filter
Field List (Required)	ARRAY("FLDS")	<ul style="list-style-type: none"> List of appointment field IDs, each separated by a semicolon. Order of fields is irrelevant. Or, if all fields are required, then set array to "ALL" (case is irrelevant). <p>REF: For the list of appointment field IDs, see "Data Fields."</p>

Figure 24: Sample ARRAY("FLDS")

<p>ARRAY("FLDS")="id1;id2;id3", etc.</p> <p>ARRAY("FLDS")="ALL" ARRAY("FLDS")="1;2;3;6;7;14;20"</p> <p>ARRAY("FLDS")=1</p> <p>ARRAY("FLDS")="ALL"</p> <p>ARRAY("FLDS")="all"</p> <p>Max Appointments - Optional ARRAY("MAX") Maximum number of appointments requested. Must be a whole number not equal to 0.</p> <p>ARRAY("MAX")=value</p> <p>If value > 0 or value=" " return first "N" appointments.</p> <p>Else if value < 0 return last "N" appointments.</p> <p>ARRAY("MAX")=1</p> <p>ARRAY("MAX")=-1</p> <p>Sort Appointments by Patient DFN – Optional ARRAY("SORT") Allows the output to be sorted by Patient, instead of by Patient and Clinic. Must be set to 'P'.</p> <p>ARRAY("SORT")=value ARRAY("SORT")="P"</p>
--

- Include Purged Appointments (Optional): **ARRAY("PURGED")** allows the user to receive *non*-canceled appointments that were purged from Sub-file #44.003.

ARRAY ("PURGED") =1 ARRAY ("PURGED") =1

- The Field List array entry *must* be populated, or else error **115** is generated.

REF: For a complete list of error codes and messages, see “[SDAPI—Error Codes](#).”

- The Maximum Appointments array entry is best used to retrieve the next or last “*n*” appointments for one patient and/or one clinic, in conjunction with the appointment date/time filter.

NOTE: If the Maximum Appointment array entry is set to a valid value and more than one patient and/or more than one clinic are passed to the API, or if no patient and clinic is passed to the API, the error **115** is generated.

REF: For a complete list of error codes and messages, see “[SDAPI—Error Codes](#).”

13.4.6 SDAPI—Error Codes

[Table 119](#) lists the SDAPI error codes and associated messages:

Table 129: SDAPI—Error Codes

Error Code	Error Message	Occurs...
101	DATABASE IS UNAVAILABLE	If the Scheduling database or VistALink is unavailable.
115	INVALID INPUT ARRAY ENTRY	If the input array has an invalid entry or the field list is NULL .
116	DATA MISMATCH	If VistA and the database are out of sync (i.e., the database returns an IEN not found on VistA).
117	SDAPI ERROR	For catching new error codes that could be added at a later time.

NOTE: Error codes **101**, **116**, and **117** do *not* occur until the RSA has been implemented. Coding for these error codes needs to be done now so that no other coding changes need to be made in the future. Each application needs to decide how to handle the return of those three error codes.

13.4.7 SDAPI—Constraints

Cancelled appointments are returned only if the patient filter is populated.

Cancelled appointments always have **NULL** values in the following fields:

- Length of Appointment
- Eligibility of Visit
- Comments
- Check-Out Date/Time
- Check-In Date/Time
- Overbook

If you want canceled appointments, but do *not* want to specify a subset of patients, then set the patient filter [**ARRAY(4)**] equal to **^DPT(**. This results in canceled appointments being returned.

NOTE: This decreases the performance time of the API as it spins through the entire VistA PATIENT (#2) file looking for appointments in the specified clinics (if filter is populated). However, it does *not* have a negative performance impact when it retrieves appointments from the RSA.

The Max Appointments array entry can only be used with one patient and/or one clinic. If multiple patients and/or clinics are passed or no clinic and/or patient is passed, an error message is generated.

Use of the **PURGED** array parameter requires the following two conditions to be met; otherwise, error **115** is returned:

- Patient filter *must* be populated.
- Field list *must not* contain fields **5-9, 11, 22, 28, 30, 31, or 33**.

13.5 Application Programming Interface—GETAPPT

Name

GETAPPT ; Retrieve Appointment Data for a Patient ID

Declaration

```
GETAPPT^SDAMA201 (SDIEN, SDFIELDS, SDAPSTAT, SDSTART, SDEND, SDRESULT, SDIOSTAT)
```

Description

This API returns appointment information for a specific patient ID. To use this API, subscribe to Integration Agreement #3859.

Arguments

- **SDIEN:** Patient IEN (required).
- **SDFIELDS:** Field List (optional, each field number separated by a semi-colon).
- **SDAPSTAT:** Appointment Status Filter (optional, each value separated by a semi-colon).

For default and valid values, see “[Filters](#).”

- **SDSTART:** Start Date (optional, internal VA FileMan format).
- **SDEND:** End Date (optional, internal VA FileMan format).
- **SDRESULT:** Local variable to hold returned appointment Count (optional, passed by reference).
- **SDIOSTAT:** Patient Status Filter (optional, see “[Filters](#)” for default and valid values).

Field List: A **NULL** value in this parameter results in ALL appointment data fields being returned.

REF: For a list of the field numbers and corresponding data available in this API, see “[Data Fields](#).”

Return Values

If no errors occur and appointments are found, **SDRESULT** contains the appointment count and the requested data is returned in:

^TMP(\$J,"SDAMA201","GETAPPT",x,y) = field y data

Where “**x**” is an incremental appointment count (starting with **1**), and “**y**” is the field number requested.

If no errors occur and no appointments are found, then **SDRESULT** contains a value of **0** and the **^TMP(\$J,"SDAMA201","GETAPPT",x,y)** array is *not* generated.

If an error occurs, **SDRESULT** is **-1** and the error codes and messages is returned in **^TMP(\$J,"SDAMA201","GETAPPT","ERROR",error code) = error message**.

REF: For a list of error codes and messages, see “Error Codes”.

Other: When processing has completed, kill the temporary array:

^TMP(\$J,"SDAMA201","GETAPPT")

13.5.1 GETAPPT Examples

1. Retrieve scheduled/kept inpatient appointment date/time, clinic ID, appt status, comments, and patient status for patient **99** from **1/1/02** through **1/31/02**:

```
>D
GETAPPT^SDAMA201(99,"1;2;3;6;12","R",3020101,3020131,.SDRESULT,"
I")
>ZW SDRESULT
SDRESULT=3
>ZW ^TMP($J,"SDAMA201","GETAPPT")
^TMP(1000,"SDAMA201","GETAPPT",1,1)=3020101.10
^TMP(1000,"SDAMA201","GETAPPT",1,2)=130^TOM'S CLINIC
^TMP(1000,"SDAMA201","GETAPPT",1,3)="R"
^TMP(1000,"SDAMA201","GETAPPT",1,6)="PATIENT REQUESTS A RIDE
HOME"
^TMP(1000,"SDAMA201","GETAPPT",1,12)="I"
^TMP(1000,"SDAMA201","GETAPPT",2,1)=3020115.08
^TMP(1000,"SDAMA201","GETAPPT",2,2)= 150^BOB'S CLINIC
^TMP(1000,"SDAMA201","GETAPPT",2,3)="R"
^TMP(1000,"SDAMA201","GETAPPT",2,6)=
^TMP(1000,"SDAMA201","GETAPPT",2,12)="I"
^TMP(1000,"SDAMA201","GETAPPT",3,1)=3020115.09
^TMP(1000,"SDAMA201","GETAPPT",3,2)= 150^BOB'S CLINIC
^TMP(1000,"SDAMA201","GETAPPT",3,3)="R"
^TMP(1000,"SDAMA201","GETAPPT",3,6)="WHEELCHAIR REQUESTED"
^TMP(1000,"SDAMA201","GETAPPT",3,12)="I"
```

2. Retrieve inpatient and outpatient appointment date/time, clinic ID, appointment status, and comments for patient **99** from **1/1/02** at **8 a.m.** through **1/31/02** for scheduled/kept appointments:

```
>D
GETAPPT^SDAMA201(99,"1;2;3;6","R",3020101.08,3020131,.SDRESULT)
>ZW SDRESULT
SDRESULT=2
>ZW ^TMP($J,"SDAMA201","GETAPPT")
^TMP(1000,"SDAMA201","GETAPPT",1,1)=3020101.10
^TMP(1000,"SDAMA201","GETAPPT",1,2)=130^TOM'S CLINIC
^TMP(1000,"SDAMA201","GETAPPT",1,3)="R"
^TMP(1000,"SDAMA201","GETAPPT",1,6)="PATIENT REQUESTS A RIDE
HOME"
^TMP(1000,"SDAMA201","GETAPPT",2,1)=3020115.09
^TMP(1000,"SDAMA201","GETAPPT",2,2)= 150^BOB'S CLINIC
^TMP(1000,"SDAMA201","GETAPPT",2,3)="R"
^TMP(1000,"SDAMA201","GETAPPT",2,6)="WHEELCHAIR REQUESTED"
```

13.6 Application Programming Interface—NEXTAPPT

Name:

NEXTAPPT ; Retrieve Next Appointment Data for a Patient ID

Declaration

`$$NEXTAPPT^SDAMA201(SDIEN,SDFIELDS,SDAPSTAT,SDIOSTAT)`

Description

This API returns requested next appointment information for a patient ID and should be called using an EXTRINSIC call. The "next" appointment is defined as the next appointment on file after the current date/time. To use this API, subscribe to Integration Agreement #3859.

Arguments

- **SDIEN**: Patient IEN (required).
- **SDFIELDS**: Field List (optional, each field number separated by a semi-colon).
- **SDAPSTAT**: Appointment Status Filter (optional, each value separated by a semi-colon. See “[Filters](#)” for default and valid values).
- **SDIOSTAT**: Patient Status Filter (optional, see “[Filters](#)” for default and valid values).

Field List: A **NULL** value in this parameter results in NO appointment data fields being returned.

REF: For a list of the field numbers and corresponding data available in this API, see “[Data Fields](#).”

Return Values

This API returns the following:

- **-1**—If an error occurred.
- **0**—If no future appointment is found.
- **1**—If a future appointment was found.

If no future appointment is found, then the `^TMP($J,"SDAMA201","NEXTAPPT",y)` array is *not* generated.

If the user enters an optional field list and a future appointment is found, the data for the next appointment is returned in:

^TMP(\$J,"SDAMA201","NEXTAPPT",y) = field y data

Where “y” is the field number requested.

If an error occurs, the error codes and messages are returned in:

^TMP(\$J,"SDAMA201","NEXTAPPT","ERROR",error code) = error message

REF: For a list of error codes and messages, see “[Error Codes](#)”.

Other: When processing has completed, kill the temporary array:

^TMP(\$J,"SDAMA201","NEXTAPPT")

NEXTAPPT Examples

1. See if Patient **321** has a future appointment (inpatient or outpatient).

```
I $$NEXTAPPT^SDAMA201(321) D
Insert code here to continue processing as needed.
```

No appointment data is returned from the above example, because no fields were passed into it.

2. If Patient **99** has a future scheduled inpatient appointment, retrieve appointment date/time, clinic ID, appointment status, and patient status:

```
I $$NEXTAPPT^SDAMA201(99,"1;2;3;12","R","I") D
S NEXTDATE=$G(^TMP($J,"SDAMA201","NEXTAPPT",1))
S CLINIEN=+$G(^TMP($J,"SDAMA201","NEXTAPPT",2))
S APPTSTAT=$G(^TMP($J,"SDAMA201","NEXTAPPT",3))
S PATSTATS=$G(^TMP($J,"SDAMA201","NEXTAPPT",12))

>ZW ^TMP($J,"SDAMA201","NEXTAPPT")
^TMP(1000,"SDAMA201","NEXTAPPT",1)=3030115.10
^TMP(1000,"SDAMA201","NEXTAPPT",2)=130^SAM'S CLINIC
^TMP(1000,"SDAMA201","NEXTAPPT",3)=R
^TMP(1000,"SDAMA201","NEXTAPPT",12)="I"
```

3. If Patient **111** has a future appointment (scheduled, cancelled, or no-show), retrieve appointment date/time, clinic ID, appointment status, and patient status:

```
I $$NEXTAPPT^SDAMA201(111,"1;2;3;12") D
S NEXTDATE=$G(^TMP($J,"SDAMA201","NEXTAPPT",1))
S CLINIEN=+$G(^TMP($J,"SDAMA201","NEXTAPPT",2))
S APPTSTAT=$G(^TMP($J,"SDAMA201","NEXTAPPT",3))
S PATSTATS=$G(^TMP($J,"SDAMA201","NEXTAPPT",12))

>ZW ^TMP($J,"SDAMA201","NEXTAPPT")
^TMP(1000,"SDAMA201","NEXTAPPT",1)=3030130.10
^TMP(1000,"SDAMA201","NEXTAPPT",2)=130^SAM'S CLINIC
^TMP(1000,"SDAMA201","NEXTAPPT",3)=C
^TMP(1000,"SDAMA201","NEXTAPPT",12)=""
```

A cancelled appointment was returned above, because the appointment status filter was undefined, and it was the next appointment on the file. The patient status was returned with a value of **NULL**.

13.7 Application Programming Interface—GETPLIST

Name

GETPLIST ; Retrieve Appointment Data for a Clinic ID

Declaration

```
GETPLIST^SDAMA202(SDIEN,SDFIELDS,SDAPSTAT,SDSTART,SDEND,SDRESULT,
SDIOSTAT)
```

Description

Returns requested clinic appointment information for a specific clinic ID. To use this API, subscribe to Integration Agreement #3869.

NOTE: This API returns appointment information for “regular”, “no-show”, and “no action taken” appointments only; while the appointment data is located in VistA, cancelled appointments are *not* returned, because they are *not* retained on the Hospital Location sub-files (44.001, 44.003).

Arguments

- **SDIEN:** Clinic IEN (required).
- **SDFIELDS:** Field List (optional, each field number separated by a semi-colon).
- **SDAPSTAT:** Appointment Status Filter (optional, each value separated by a semi-colon. See “Filters” for default and valid values).
- **SDSTART:** Start Date/time (optional, internal VA FileMan format).
- **SDEND:** End Date/time (optional, internal VA FileMan format).
- **SDRESULT:** Local variable to hold returned appointment count (optional, passed by reference).
- **SDIOSTAT:** Patient Status Filter (optional, see “[Filters](#)” for default and valid values).

Field List: A **NULL** value in this parameter results in ALL appointment data fields being returned.

REF: For a list of the field numbers and corresponding data available in this API, see “[Data Fields](#).”

Return Values

If no errors occur and appointments are found, **SDRESULT** contains the appointment count and the data is returned in:

^TMP(\$J,”SDAMA202”,”GETPLIST”,x,y) = field y data

Where “x” is an incremental appointment count (starting with 1) and “y” is the field number requested.

- If no errors occur and no appointments are found, then **SDRESULT** contains a value of **0** and the **^TMP(\$J,”SDAMA202”,”GETPLIST”,x,y)** array is *not* generated.
- If an error occurs, **SDRESULT** is **–1** and the error codes and messages are returned in:

^TMP(\$J,”SDAMA202”,”GETPLIST”,”ERROR”,error code) = error message

REF: For a list of error codes and messages, see “[Error Codes](#).”

Other: When processing has completed, kill the temporary array:

^TMP(\$J,”SDAMA202”,”GETPLIST”)

GETPLIST Example

Retrieve inpatient and outpatient appointment date/time, patient ID, and length of appointment for clinic **100** for **1/1/02** from **8 a.m.** to **10 a.m.**:

```
>D GETPLIST^SDAMA202(100,"1;4;5",,3020101.08,3020101.1,.SDRESULT)
>ZW SDRESULT
SDRESULT=4
>ZW ^TMP($J,"SDAMA202","GETPLIST")
^TMP(1000,"SDAMA202","GETPLIST",1,1)=3020101.08
^TMP(1000,"SDAMA202","GETPLIST",1,4)=4564^SDPATIENT,ONE
^TMP(1000,"SDAMA202","GETPLIST",1,5)=60
^TMP(1000,"SDAMA202","GETPLIST",2,1)=3020101.09
^TMP(1000,"SDAMA202","GETPLIST",2,4)=9007^SDPATIENT,TWO
^TMP(1000,"SDAMA202","GETPLIST",2,5)=30
^TMP(1000,"SDAMA202","GETPLIST",3,1)=3020101.093
^TMP(1000,"SDAMA202","GETPLIST",3,4)=24389^SDPATIENT,THREE
^TMP(1000,"SDAMA202","GETPLIST",3,5)=30
^TMP(1000,"SDAMA202","GETPLIST",4,1)=3020101.1
^TMP(1000,"SDAMA202","GETPLIST",4,4)=40374^SDPATIENT,FOUR
^TMP(1000,"SDAMA202","GETPLIST",4,5)=30
```

13.8 Application Programming Interface—PATAPPT

Name

PATAPPT ; Check for existence of any appointment for a patient

Declaration

PATAPPT^SDAMA204 (SDDFN)

Description

Returns **1**, **0**, or **-1** according to the existence of appointment(s) for a patient ID. To use this API, subscribe to Integration Agreement #4216.

Argument

SDDFN: Patient IEN (required).

Return Values

Patient scheduling record(s); Value Returned:

- **1**—Appointment(s) on file.
- **0**—No Appointment(s) on file.
- **-1**—Error.

Depending on the existence of appointment(s) for a specific patient ID, an extrinsic value is returned according to the Return Values listed above.

If an error occurs, a **-1** is returned, and a node with error information is created.

The format is:

```
W $$PATAPPT^SDAMA204 (0) -1
The error information resides in the following node:
ZW ^TMP (634,"SDAMA204","PATAPPT","ERROR")
^TMP (634,"SDAMA204","PATAPPT","ERROR",114)="INVALID PATIENT ID"
See "Error Codes" for a list of error codes and messages.
```

This function does *not* remove the **^TMP** node created when an error occurs. It is the calling program's responsibility to delete the node.

PATAPPT Examples

The following examples show the initialization of variable **X** with the value from the function **\$\$PATAPPT^SDAMA204(SDDFN)**:

1. Patient Appointments Exists:

```
Cache>S X=$$PATAPPT^SDAMA204 (123)
Cache>W X
1
```

2. No Patient Appointments Exists:

```
Cache>S X=$$PATAPPT^SDAMA204 (11)
Cache>W X
0
```

3. Invalid Patient ID:

```
Cache>S X=$$PATAPPT^SDAMA204 (0)
Cache>W X
-1
Cache>ZW ^TMP ($J,"SDAMA204","PATAPPT","ERROR")
^TMP (659,"SDAMA204","PATAPPT","ERROR",114)="INVALID PATIENT ID"
```

13.9 Error Codes

Table 120 lists error codes and their associated messages:

Table 130: Error Codes

Error Code	Error Message
101	DATABASE IS UNAVAILABLE
102	PATIENT ID IS REQUIRED
103	INVALID FIELD LIST
104	CLINIC ID IS REQUIRED
105	INVALID START DATE
106	INVALID END DATE
108	FACILITY ID IS REQUIRED
109	INVALID APPOINTMENT STATUS FILTER
110	ID MUST BE NUMERIC
111	START DATE CAN'T BE AFTER END DATE
112	INVALID PATIENT STATUS FILTER
113	APPT STATUS AND PATIENT STATUS FILTER COMBINATION UNSUPPORTED IN VISTA
114	INVALID PATIENT ID

14Data Fields

14.1 Available Data Fields

Table 131: Available Data Fields

ID	Field Name	Data Type	Format or Valid Values	Description	Examples of Returned Data
1	APPOINTMENT DATE/TIME	DATE/TIME	YYMMDD@HHMM	The scheduled Appointment date/time.	3021215@113 3021201@0815
2	CLINIC ID and NAME	POINTER and TEXT	ID^name	Clinic ID and name.	150^CARDIOLOGY 32^TOM'S CLINIC
3	APPOINTMENT STATUS	ALPHA	<ul style="list-style-type: none"> N—No-Show C—Cancelled R—Scheduled / Kept NT—No Action Taken 	The status of the appointment: <ul style="list-style-type: none"> N for no-show appointment. C for cancelled appointment (cancelled for ANY reason). NT for no action taken. R for a future appointment or a past kept appointment. 	<ul style="list-style-type: none"> N C R NT
4	PATIENT ID and NAME	POINTER and TEXT	ID^name	Patient ID and name.	34877^DGPATIENT, ONE 455^DGPATIENT, TWO
5	LENGTH OF APPOINTMENT	NUMERIC	NNN	The scheduled length of appointment, in minutes.	20 60
6	COMMENTS	TEXT	free text	Any comments associated with the appointment.	PATIENT NEEDS WHEELCHAIR
7	OVERBOOK	TEXT	Y or N	"Y" if appointment is an overbook else "N".	Y N
8	ELIGIBILITY OF VISIT ID and NAME	POINTER and TEXT	ID^name	Eligibility code and name associated with the appointment.	2^AID & ATTENDANCE 7^ALLIED VETERAN

ID	Field Name	Data Type	Format or Valid Values	Description	Examples of Returned Data
					13^COLLATERAL OF VET.
9	CHECK-IN DATE/TIME	DATE/TIME	YYMMDD@HHMM	Date/Time the patient checked in for the appointment.	3021215@113
10	APPOINTMENT TYPE ID and NAME	POINTER and TEXT	ID^name	Type of appointment ID and name.	1^COMPENSATION & PENSION 3^ORGAN DONORS 7^COLLATERAL OF VET.
11	CHECK-OUT DATE/TIME	DATE/TIME	YYMMDD@HHMM	Date/Time the patient checked out of the appointment.	3021215@113
12	PATIENT STATUS	TEXT	I O NULL	For future, scheduled appointments, the current status of the patient. For past, kept appointments, the status at the time of the appointment. For cancelled and no-show appointments, this is NULL .	I O “”

14.2 Filters

14.2.1 Valid Appointment Status Filters

The **SDAPSTAT** filter parameter can be used if you want to screen on appointment status. If this parameter contains a value or set of values, then those appointments are returned in the resulting array set. Request more than one value in the filter by separating them with a semi-colon (i.e., **SDAPSTAT="R;NT"**).

A **NULL** or undefined value results in all being returned.

Table 132: Valid Appointment Status Filters

Appt Status Filter value	Appointment Status Value(s) Returned
R	R —Scheduled / kept
N	N —No-show
C	C —Cancelled
NT	N —No action taken
NULL (default)	ALL appointment status values are returned: <ul style="list-style-type: none">• R—Scheduled / kept• N—No-show• C—Cancelled• NT—No action taken

14.2.2 Valid Patient Status Filters

The **SDIOSTAT** filter parameter can be used if you wish to retrieve only inpatient records or only outpatient records. A **NULL** or undefined value results in both being returned.

Table 133: Valid Patient Status Filters

Patient Status Filter value	Description
I	Inpatient.
O	Outpatient.
NULL (default)	Both are returned (inpatient and outpatient).

14.2.3 Valid Patient Status and Appointment Status Filter Combinations

Due to the design of VistA, the PATIENT STATUS (#12; new field) of appointments that are Cancelled, No-Show, or No Action Taken, are *not* available. If the PATIENT STATUS field is requested, a **NULL** value is returned in the ^TMP output global for this field. Patient status is determined by analyzing the value of the STATUS (#3) field on the PATIENT (#2.98) subfile.

Inpatient appointments contain an “I” in this field and are identified only if the field has *not* been changed (Cancelled, etc.). Therefore, if the user wishes to specifically request only inpatient appointments (using the Patient Status filter = “I”), then the Appointment Status filter *must* be set to “R”.

Any other value in the Appointment Status filter (including **NULL** or undefined) causes an error (#113) to be generated and returned in the ^TMP global. The same is true when specifically requesting outpatient appointments. To retrieve No-Show, Cancelled, or No Action Taken appointments, the Patient Status filter *must* be left **NULL** or undefined.

Table 124 lists the results of combinations of these two filters:

Table 134: Status Filter Combinations

Patient Status Filter	Appointment Status Filter	Valid/Invalid	Patient Status value in ^TMP (if requested)
I or O	R	Valid	<ul style="list-style-type: none"> I for inpatient appointments. O for outpatient appointments.
I or O	N	Invalid	N/A
I or O	C	Invalid	N/A
I or O	NT	Invalid	N/A
I or O	Any combination of R, N, C, and NT	Invalid	N/A
I or O	NULL / Undefined	Invalid	N/A
NULL / Undefined	R	Valid	<ul style="list-style-type: none"> I for inpatient appointments. O for outpatient appointments.
NULL / Undefined	N	Valid	NULL
NULL / Undefined	C	Valid	NULL
NULL / Undefined	NT	Valid	NULL

Patient Status Filter	Appointment Status Filter	Valid/Invalid	Patient Status value in ^TMP (if requested)
NULL / Undefined	NULL / Undefined, or any combination of R, N, C, and NT	Valid	<ul style="list-style-type: none"> I or O for scheduled/kept inpatient and outpatient appointments. NULL for Cancelled, No-Show, and No Action Taken appointments.

Table 135: Filter Key

Patient Status Filter Key	Appointment Status Filter Key
I = Inpatient	R = Scheduled/kept appointments
O = Outpatient	N = All no-show appointments
	C = All cancelled appointments
	NT = No action taken appointments

14.3 Application Programming Interface—SDIMO

Name

SDIMO; Inpatient Medications for Outpatients

Declaration

```
$$SDIMO^SDAMA203 (SDCLIEN, SDDFN)
```

Description

This API returns encounter date/time for a clinic IEN and patient DFN. If the patient does *not* have an encounter in the specified clinic today (or yesterday if current time is before **6 a.m.**), then the patient's scheduled appointment date/time for that clinic, today or in the future (or yesterday if current time is before **6 a.m.**), is returned. This API should be called using an extrinsic call.

Arguments

- **SDCLIEN**: Clinic IEN (required)
- **SDDFN**: Patient DFN (required)

Return Values

Table 136: SDIMO API Return Values

Return Value	Meaning
1	Patient has at least one encounter today or one scheduled appointment today or in the future in the authorized clinic.
0	Patient does <i>not</i> have an encounter today or an appointment today or in the future in the authorized clinic.
-1	Clinic is <i>not</i> authorized, clinic is inactive, or clinic IEN is NULL .
-2	Patient DFN is NULL .
-3	Scheduling Database is unavailable.
SDIMO(1)	Encounter date/time or appointment date/time.

If a **1** is returned, then the **SDIMO(1)** variable contains the encounter or appointment date/time. If something other than a **1** is returned, the **SDIMO(1)** variable is *not* created.

Other: When processing has completed, the **SDIMO(1)** variable needs to be killed.

SDIMO Examples

1. Is patient **123** authorized to receive inpatient medication at clinic **800**?

```
I $$SDIMO^SDAMA203(800,123) D
S APPTDT=$G(SDIMO(1))
K SDIMO(1)
;continue processing as needed
```

2. Example of handling an error:

```
S SDRESULT=$$SDIMO^SDAMA203(800,123)
I SDRESULT<1 D
I SDRESULT=-1 D
process clinic error as needed
Configuring Bar Code Label Printers
```

14.4 Configuring Bar Code Label Printers for Print Patient Label Option

The Veteran Identification Card (VIC) provided by the VIC Replacement project does *not* support embossing of protected health information. Instead, the **Print Patient Label** [DG PRINT PATIENT LABEL] option allows labels to be printed with the patient's protected health information.

The labels contain the following (see [Figure 25](#)):

- Patient's name
- Social security number
- Date of birth
- (Optional fourth line) Contains the patient's inpatient location (ward and room#)

Figure 25: Sample Label

Example Label

```
Name: PIMSPATIENT, ONE
SSN: 000-88-7654
DOB: 01/10/1940
ward: SURG 32-3
```

The labels can be affixed to medical record forms in lieu of using the current embossed cards to imprint this information.

Example Label

The **Print Patient Label** [DG PRINT PATIENT LABEL] option was exported with the Veteran ID Card (VIC) Replacement patch (DG*5.3*571). This option was placed on the **ADT Outputs Menu** [DG OUTPUTS MENU] option.

This option supports plain text printing to dot matrix and laser printers by prompting the user for the number of lines that the label stock can contain. In addition, bar code label printers, such as Zebra and Intermec, are supported on systems that have installed the Kernel Support for Bar Code Printers patch (XU*8.0*205).

14.4.1 Hardware Setup

The printer *must* be physically connected to the network and then defined in the DEVICE (#3.5) and TERMINAL TYPE (#3.2) files.

14.4.2 Software Setup

Bar code label printers, such as the Zebra and Intermec printers, require control codes to be defined in the CONTROL CODES (#3.2055) subfile of the TERMINAL TYPE (#3.2) file.

The patient label print routine (**DGPLBL**) checks for the existence of the control codes before attempting to execute. Presently, the patient label print routine (**DGPLBL**) uses **eight** control codes. DBIA #3435 allows direct M read access to the CONTROL CODES (#3.2055) subfile of the TERMINAL TYPE (#3.2) file.

It is *not* required that all control codes be defined; just build the necessary control codes for the selected printer.

14.5 Control Code Overview

Table 127 lists the control codes that are currently used by the patient label print routine (**DGPLBL**). In order for the routine to work correctly, these control codes *must* be entered through VA FileMan in the CONTROL CODES (#3.2055) subfile in the TERMINAL TYPE (#3.2) file using the names listed in Table 127.

Table 137: Patient Label Print Routine Control Codes

Code	Description
FI	Format Initialization
FE	Format End
SL	Start of Label
EL	End of Label
ST	Start of Text
ET	End of Text
STF	Start of Text Field
ETF	End of Text Field

14.5.1 Patient Label Print Routine Control Code Use

The following pseudo-code listing shows the flow and the points at which each of the control codes are used. It is *not* required that all control codes be defined; just build the necessary control codes for the selected printer:

1. Label print routine invoked.
2. Control codes loaded into local array **DGIOCC**. Variable **DGIOCC** is defined to indicate whether or not control codes exist.
3. Format Initialization.
4. For each label printed:
 - Start of Label
 - Start of Text*
 - Start of Text Field*
 - Text Information*
 - End of Text Field*
 - End of Text*
 - End of Label.
5. Format End.

*Indicates items that may be executed repeatedly.

14.5.2 Label Printer Setup Examples

The following are examples of the control codes setup in the CONTROL CODES (#3.2055) subfile in the TERMINAL TYPE (#3.2) file for the Zebra and Intermec label printers.

These printers were used during the development process, and the examples are provided to guide the user in the control code setup. The examples provided are based on a 1½ by 3½ inch label.

14.5.3 Zebra Label Printer

14.5.3.1 Example 1—Control Codes Setup for Horizontal Labels

Figure 26: Zebra Label Printer Example—Control Codes Setup for Horizontal Labels

```
NUMBER: 1
ABBREVIATION: FI
FULL NAME: FORMAT INITIALIZATION
CONTROL CODE: W "^XA",!, "^LH0,0^FS",!
NUMBER: 2
ABBREVIATION: SL
FULL NAME: START LABEL
CONTROL CODE: W "^XA",! S DGY=30,DGX=10
NUMBER: 3
ABBREVIATION: ST
FULL NAME: START TEXT
CONTROL CODE: W "^FO",DGX,"",DGX,"^A0N,30,30" S DGY=DGY+40
NUMBER: 4
ABBREVIATION: STF
FULL NAME: START TEXT FIELD
CONTROL CODE: W "^FD"
NUMBER: 5
ABBREVIATION: ETF
FULL NAME: END TEXT FIELD
CONTROL CODE: W "^FS",!
NUMBER: 6
ABBREVIATION: EL
FULL NAME: END LABEL
CONTROL CODE: W "^XZ",!
```

14.5.3.2 Example 2—Control Codes Setup for Vertical Labels

Figure 27: Zebra Label Printer Example—Control Codes Setup for Vertical Labels

```
NUMBER: 1
ABBREVIATION: FI
FULL NAME: FORMAT INITIALIZATION
CONTROL CODE: W "^XA",!, "^LH0,0^FS",!
NUMBER: 2
ABBREVIATION: SL
FULL NAME: START LABEL
CONTROL CODE: W "^XA",! S DGY=50,DGX=190
NUMBER: 3
ABBREVIATION: ST
FULL NAME: START TEXT
CONTROL CODE: W "^FO",DGX,"",", DGY,"^A0R,30,20" S DGX=DGX-40
NUMBER: 4
ABBREVIATION: STF
FULL NAME: START TEXT FIELD
CONTROL CODE: W "^FD"
NUMBER: 5
ABBREVIATION: ETF
FULL NAME: END TEXT FIELD
CONTROL CODE: W "^FS",!
NUMBER: 6
ABBREVIATION: EL
FULL NAME: END LABEL
CONTROL CODE: W "^XZ",!
```

14.6 Intermec Label Printer

Intermec label printers require that a label format be sent to the printer prior to sending any data to print. The label format is defined in an M routine, which is then defined in the OPEN EXECUTE (#6) field in the TERMINAL TYPE (#3.2) file.

Two sample formats are provided with patch DG*5.3*571 in routine **DGPLBL1**:

- **HINTERM^DGPLBL1** entry point creates a horizontal format label.
- **VINTERM^DGPLBL1** entry point creates a vertical format label.

The following setup examples show the OPEN EXECUTE (#6) and CONTROL CODES (#55) field values that were used in the development process and are provided to guide the user in this setup.

The examples are based on a 1½ by 3½ inch label.

14.6.1 Example 1—Control Codes Setup for Horizontal Labels

Figure 28: Control Codes Setup for Horizontal Labels

```
OPEN EXECUTE: D HINTERM^DGPLBL1
NUMBER: 1
ABBREVIATION: FI
FULL NAME: FORMAT INITIALIZATION
CONTROL CODE: W "<STX>R;<ETX>",!
NUMBER: 2
ABBREVIATION: SL
FULL NAME: START LABEL
CONTROL CODE: W "<STX><ESC>E2<ETX>",!,"<STX><CAN><ETX>",!
NUMBER: 3
ABBREVIATION: ST
FULL NAME: START TEXT
CONTROL CODE: W "<STX>"
NUMBER: 4
ABBREVIATION: ET
FULL NAME: END TEXT
CONTROL CODE: W "<CR><ETX>",!
NUMBER: 5
ABBREVIATION: EL
FULL NAME: END LABEL
CONTROL CODE: W "<STX><ETB><ETX>",!
```

14.6.2 Example 2—Control Codes Setup for Vertical Labels

Figure 29: Control Codes Setup for Vertical Labels

```
OPEN EXECUTE: D VINTERM^DGPLBL1
NUMBER: 1
ABBREVIATION: FI
FULL NAME: FORMAT INITIALIZATION
CONTROL CODE: W "<STX>R;<ETX>",!
NUMBER: 2
ABBREVIATION: SL
FULL NAME: START LABEL
CONTROL CODE: W "<STX><ESC>E2<ETX>",!,"<STX><CAN><ETX>",!
NUMBER: 3
ABBREVIATION: ST
FULL NAME: START TEXT
CONTROL CODE: W "<STX>"
NUMBER: 4
ABBREVIATION: ET
FULL NAME: END TEXT
CONTROL CODE: W "<CR><ETX>",!
NUMBER: 5
ABBREVIATION: EL
FULL NAME: END LABEL
CONTROL CODE: W "<STX><ETB><ETX>",!
```

15HL7 Interface Specification for Transmission of Ambulatory Care Data

NOTE: Starting **December 1, 2018**, the Ambulatory Care nightly job and Performance Monitor data extract daily transmissions, and monthly APM Performance Monitor Task generated from each VistA site are no longer needed to be sent to the AITC; the National Patient Care Database (NPCDB) is being shut down in Austin and the Corporate Data Warehouse (CDW) is replacing the database as the authoritative source. The VistA extracts done to populate the CDW replaces the need for the HL7 transmission.

This transmission has been stopped with Scheduling patch SD*5.3*640. This patch release includes:

- Disable **AMB-CARE** and **SDPM** logical links in the HL LOGICAL LINK (#870) file.
- Unschedule the following three tasks:
 - **Ambulatory Care Nightly Transmission to NPCDB** [SCDX AMBCAR NIGHTLY XMIT].
 - **Nightly job for PM data extract** [SDOQM PM NIGHTLY JOB].
 - **Schedule APM Performance Monitor Task** [SCRPW APM TASK JOB].
- Place the following options “out of order”:
 - **Ambulatory Care Nightly Transmission to NPCDB** [SCDX AMBCAR NIGHTLY XMIT].
 - **Retransmit Ambulatory Care Data by Date Range** [SCDX AMBCAR RETRANS BY DATE].
 - **Retransmit Selected Error Code** [SCDX AMBCAR RETRANS ERROR].
 - **Selective Retransmission of NPCDB Rejections** [SCDX AMBCAR RETRANS SEL REJ].
 - **Schedule APM Performance Monitor Task** [SCRPW APM TASK JOB].
 - **Performance Monitor Retransmit Report (AAC)** [SCRPW PM RETRANSMIT REPORT].
 - **Nightly job for PM data extract** [SDOQM PM NIGHTLY JOB].

This interface specification specifies the information needed for Ambulatory Care data reporting. This data exchange is triggered by specific outpatient events that relate to workload credit in VistA. The basic communication protocol is addressed, as well as the information that is made available and how it is obtained.

This application uses an abstract message approach and encoding rules specified by HL7. HL7 is used for communicating data associated with various events that occur in health care

environments. For example, when a check-out occurs in VistA, the event triggers an update patient information message. This message is an unsolicited transaction to all external systems interfacing with VistA.

The formats of these messages conform to the Version 2.3 HL7 Interface Standards where applicable. HL7 custom message formats ("Z" segments) are used only when necessary.

15.1 Assumptions

Assumptions have been made at the beginning of this project in order to help define the scope and meet the initial needs in interfacing with the Austin Information Technology Center (AITC; formerly known as the Austin Automation Center [AAC]).

15.1.1 Message Content

The data sent in the HL7 messages is limited to the information that can be processed by the AITC, with the exception of the **PID** and **ZPD** segments, which are populated using the nationally supported VistA call. The data sent is also limited to what is available in VistA.

In order to capture the most information, specific outpatient events generate messages to the AITC systems. This is *not* intended to cover all possible outpatient events, only those events that may result in the capture of workload information and data needed to update the National Patient Care Database (NPCDB).

The mode for capturing data for outpatient events was chosen to capture as much of the data as possible.

REF: For further information on the mode for capturing the outpatient events, see “Data Capture and Transmission.”

15.1.2 Data Capture and Transmission

When AICS, PIMS, and PCE options or calls are used to update specific outpatient encounter data in VistA, these events and changes are captured. Any changes made to the VistA database in *non*-standard ways, such as a direct global set by an application or by M code, are *not* captured.

15.1.3 Background Messages

A nightly background job sends HL7 messages for each outpatient encounter event for the day.

15.1.4 Batch Messages and Acknowledgements

Batch messages are used to transmit the outpatient encounter events.

Each batch message sent is acknowledged at the application level. The batch acknowledgment contains acknowledgment messages only for those messages containing errors.

Using this mode, it is possible that an empty batch acknowledgment is sent. This happens only when all messages in the batch being acknowledged were accepted.

15.1.5 VA MailMan Lower Level Protocol

HL7 V. 1.6 of the VA MailMan lower level protocol (LLP) is used. This version of the VA MailMan LLP differs from HL7 V. 1.5 in that a blank line is placed between each segment in the message [denoting a carriage return].

15.2 HL7 Control Segments

This section defines the HL7 control segments supported by VistA. The messages are presented separately and defined by category. Segments are also described. The messages are presented in the following categories:

- Message Control.
- Unsolicited Transactions from VistA (Section 3).

15.3 Message Definitions

From the VistA perspective, all incoming or outgoing messages are handled or generated based on an event.

In this section, and the following sections, these elements are defined for each message:

- Trigger events.
- Message event code.
- List of segments used in the message.
- List of fields for each segment in the message.

Each message is composed of segments, which:

- Contain logical groupings of data.
- Can be optional or repeatable:
 - A [] indicates the segment is optional.
 - The { } indicates the segment is repeatable.

For each message category there is a list of HL7 standard segments or "Z" segments used for the message.

15.4 Segment Table Definitions

For each segment, the data elements are described in table format. The table includes the following:

- Sequence number (**SEQ**)
- Maximum length (**LEN**)
- Data type (**DT**)
- Required or optional (**R/O**)
- Repeatable (**RP/#**),
- Table number (**TBL #**)
- Element name
- VistA description

Each segment is described in the following sections.

15.5 Message Control Segments

This section describes the message control segments that are contained in message types described in this document. These are generic descriptions.

Any time any of the segments described in this section are included in a message in this document, the VistA descriptions and mappings are as specified here, unless otherwise specified in that section.

15.5.1 MSH—Message Header Segments

Table 128 lists the **MSH** sequences:

Table 138: MSH—Message Header Segments

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
1	1	ST	R			Field Separator	<i>Recommended</i> value is ^ (caret).
2	4	ST	R			Encoding Characters	<i>Recommended</i> delimiter values: <ul style="list-style-type: none"> • Component = ~ (tilde) • Repeat = (bar) • Escape = \ (back slash) • Subcomponent = & (ampersand)
3	15	ST				Sending Application	When originating from facility: AMBCARE-DH441 When originating from NPCDB: NPCD-AAC*
4	20	ST				Sending Facility	When originating from facility: Station's facility number. When originating from NPCDB: 200.
5	30	ST				Receiving Application	Not used.
6	30	ST				Receiving Facility	Not used.
7	26	TS				Date/Time Of Message	Date and time message was created.
8	40	ST				Security	Not used.
9	7	CM	R		0076 0003	Message Type	Two Components: <ul style="list-style-type: none"> • Component 1: See Table 155: Table 0076—Message Type. • Component 2: See Table 150: Table 0003—Event Type Code.
10	20	ST	R			Message Control ID	Automatically generated by VistA HL7 package.
11	1	ID	R		0103	Processing ID	P (production).

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
12	8	ID	R		0104	Version ID	2.3 (Version 2.3).
13	15	NM				Sequence Number	Not used.
14	180	ST				Continuation Pointer	Not used.
15	2	ID			0155	Accept Acknowledgment Type	NE (never acknowledge).
16	2	ID			0155	Application Acknowledgment Type	AL (always acknowledge).
17	2	ID				Country Code	Not used.

NOTE: ***AAC** stands for Austin Automation Center. The name of that facility has been changed to Austin Information Technology Center (AITC).

15.5.2 BHS—Batch Header Segment

Table 129 lists the **BHS** sequences:

Table 139: BHS—Batch Header Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
1	1	ST	R			Batch Field Separator	<i>Recommended</i> value is ^ (caret).
2	4	ST	R			Batch Encoding Characters	<i>Recommended</i> delimiter values: <ul style="list-style-type: none"> • Component = ~ (tilde) • Repeat = (bar) • Escape = \ (back slash) • Subcomponent = & (ampersand)
3	15	ST				Batch Sending Application	When originating from facility: AMBCARE-DH142 When originating from NPCDB: NPCD-AAC*
4	20	ST				Batch Sending Facility	When originating from facility: Station's facility number When originating from NPCDB: 200

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
5	15	ST				Batch Receiving Application	When originating from facility: NPCD-AAC When originating from NPCDB: AMBCARE-DH142
6	20	ST				Batch Receiving Facility	When originating from facility: 200 When originating from NPCDB: Station's facility number
7	26	TS				Batch Creation Date/Time	Date and time batch message was created.
8	40	ST				Batch Security	Not used.
	20	ST				<i>Batch Name/ID/Type</i>	Four Components ¹ : <ul style="list-style-type: none"> • Component 1: Not used. • Component 2: P. • Component 3: ADT Z00. • Component 4: 2.3.
10	80	ST				Batch Comment	Two Components ² : <ul style="list-style-type: none"> • Component 1: See <u>Table 151: Table 0008—Acknowledgment Code</u>. • Component 2: Text Message.
11	20	ST				Batch Control ID	Automatically generated by VistA HL7 Package.

² The VistA HL7 package has placed special meaning on this field. Note that this field is only used with batch acknowledgments.

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
12	20	ST				Reference Batch Control ID	Batch Control ID of batch message being acknowledged.

NOTE: *AAC stands for Austin Automation Center. The name of that facility has been changed to Austin Information Technology Center (AITC).

15.5.3 BTS—Batch Trailer Segment

Table 130 lists the **BTS** sequences:

Table 140: BTS—Batch Trailer Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
1	10	ST			0093	Batch Message Count	Number of messages within batch.
2	80	ST			0094	Batch Comment	Not used.
3	100	CM		Y	0095	Batch Totals	Not used.

15.5.4 MSA—Message Acknowledgment Segment

Table 131 lists the MSA sequences:

Table 141: MSA—Message Acknowledgement Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
1	2	ID	R		0008	Acknowledgment Code	REF: See <u>Table 151: Table 0008—Acknowledgment Code</u> .
2	20	ST	R			Message Control ID	Message Control ID of message being acknowledged.
3	80	ST			NPCD 001	Text Message	Repetitive list of error codes denoting why the message was rejected ³ .
4	15	NM				Expected Sequence Number	Not used.
5	1	ID			0102	Delayed Acknowledgment Type	Not used.
6	100	CE				Error Condition	Not used.

³ Special meaning placed on this field to support multiple rejection reasons by the National Patient Care Database (NPCDB).

15.5.5 EVN—Event Type Segment

Table 132 lists the **EVN** sequences:

Table 142: EVN—Event Type Segment

SEQ			LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
1			3	ID	R		0003	Event Type Code	REF: See <u>Table 150: Table 0003—Event Type Code</u> .
2			26	TS	R			Date/Time of Event	Date/Time Event Occurred.
3			26	TS				Date/Time Planned Event	Not used.
4			3	ID			0062	Event Reason Code	Not used.
5			60	CN			0188	Operator ID	Not used.

15.6 PID—Patient Identification Segment

For information on the Patient Identification (PID) segment, see [Section 3.15, “PID-Patient Identification Segment”](#) in the *MPI/PD HL7 Interface Specification* manual found on the VA Software Documentation Library (VDL).

15.6.1 PD1—Patient Additional Demographic Segment

[Table 133](#) lists the **PD1** sequences:

Table 143: PD1—Patient Additional Demographic Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
1	2	IS	O	Y	0223	LIVING DEPENDENCY	Not used.
2	2	IS	O		0220	LIVING ARRANGEMENT	Not used.
3	90	XON	O	Y		PATIENT PRIMARY FACILITY ⁴	Eight Components: <ul style="list-style-type: none">• Facility Name.• Not used.• Facility Number.• Not used.• Not used.• Not used.• Not used.• Not used.
4	90	XCN	O	Y		PATIENT PRIMARY CARE PROVIDER NAME & ID NO.	14 Components: 2 Sub-Components: <ul style="list-style-type: none">• Pointer to Entry In NEW PERSON (#200) file.• Facility Number.• Not used.• Not used.• Not used.

⁴ This element is only available from CIRN enabled facilities.

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
							<ul style="list-style-type: none"> • Not used. • Not used. • Not used. • This is always VA200 (NEW PERSON file). • Not used. • Not used. • Not used. • Not used. • Not used. • Not used.
5	2	IS	O		0231	STUDENT INDICATOR	Not used.
6	2	IS	O		0295	HANDICAP	Not used.
7	2	IS	O		0315	LIVING WILL	Not used.
8	2	IS	O		0316	ORGAN DONOR	Not used.
9	2	ID	O		0136	SEPARATE BILL	Not used.
10	2	CX	O	Y		DUPLICATE PATIENT	Not used.
11	1	CE	O		0125	PUBLICITY INDICATOR	Not used.
12	1	ID	O		0129 3	PROTECTION INDICATOR	Not used.

15.6.2 PV1—Patient Visit Segment

Table 134 lists the **PV1** sequences:

Table 144: PV1—Patient Visit Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
1	4	SI				Set ID - Patient Visit	Sequential Number.
2	1	ID	R		0004	Patient Class	This is always O (outpatient).
3	12	CM				Assigned Patient Location	Not used.

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
4	4	ID			0007	Admission Type	REF: See Table 162: Table SD009—Purpose of Visit .
5	20	ST				Preadmit Number	Not used.
6	12	CM				Prior Patient Location	Not used.
7	60	CN			0010	Attending Doctor	Not used.
8	60	CN			0010	Referring Doctor	Not used.
9	60	CN		Y	0010	Consulting Doctor	Not used.
10	3	ID			0069	Hospital Service	Not used.
11	12	CM				Temporary Location	Not used.
12	2	ID			0087	Preadmit Test Indicator	Not used.
13	2	ID			0092	Readmission Indicator	Not used.
14	3	ID			0023	Admit Source	REF: See Table 152: Table 0023—Admit Source (User Defined) .
15	2	ID		Y	0009	Ambulatory Status	Not used.
16	2	ID			0099	VIP Indicator	Not used.
17	60	CN			0010	Admitting Doctor	Not used.
18	2	ID			0018	Patient Type	Not used.
19	15	NM				Visit Number	Pointer to entry in OUTPATIENT ENCOUNTER (#409.68) file.
20	50	CM		Y	0064	Financial Class	Not used.
21	2	ID			0032	Charge Price Indicator	Not used.
22	2	ID			0045	Courtesy Code	Not used.
23	2	ID			0046	Credit Rating	Not used.
24	2	ID		Y	0044	Contract Code	Not used.
25	8	DT		Y		Contract Effective Date	Not used.
26	12	NM		Y		Contract Amount	Not used.
27	3	NM		Y		Contract Period	Not used.

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
28	2	ID			0073	Interest Code	Not used.
29	1	ID			0110	Transfer to Bad Debt Code	Not used.
30	8	DT				Transfer to Bad Debt Date	Not used.
31	10	ID			0021	Bad Debt Agency Code	Not used.
32	12	NM				Bad Debt Transfer Amount	Not used.
33	12	NM				Bad Debt Recovery Amount	Not used.
34	1	ID			0111	Delete Account Indicator	Not used.
35	8	DT				Delete Account Date	Not used.
36	3	ID			0112	Discharge Disposition	Not used.
37	25	CM			0113	Discharged to Location	Not used.
38	2	ID			0114	Diet Type	Not used.
39	75	ID			0115	Servicing Facility	Facility number and suffix.
40	1	ID			0116	Bed Status	Not used.
41	2	ID			0117	Account Status	Not used.
42	12	CM				Pending Location	Not used.
43	12	CM				Prior Temporary Location	Not used.
44	26	TS				Admit Date/Time	Date/time of encounter.
45	26	TS				Discharge Date/Time	Not used.
46	12	NM				Current Patient Balance	Not used.
47	12	NM				Total Charges	Not used.
48	12	NM				Total Adjustments	Not used.

⁵ According to the HL7 standard, the maximum length of this element is 2.

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
49	12	NM				Total Payments	Not used.
50	20	CM				Alternate Visit ID	Unique Identifier (PCE).

15.6.3 PV2—Patient Visit - Additional Information Segment

Table 135 lists the **PV2** sequences:

Table 145: PV2—Patient Visit - Additional Information Segment

SEQ	LEN	DT	OPT	RP/#	TBL#	ITEM#	Element Name	VistA Description
1	80	PL	C			00181	Prior Pending Location	Not used.
2	250	CE	O		0129	00182	Accommodation Code	Not used.
3	250	CE	O			00183	Admit Reason	Not used.
4	250	CE	O			00184	Transfer Reason	Not used.
5	25	ST	O	Y		00185	Patient Valuables	Not used.
6	25	ST	O			00186	Patient Valuables Location	Not used.
7	2	IS	O	Y	0130	00187	Visit User Code	Not used.
8	26	TS	O			00188	Expected Admit Date/Time	Not used.
9	26	TS	O			00189	Expected Discharge Date/Time	Not used.
10	3	NM	O			00711	Estimated Length of Inpatient Stay	Not used.
11	3	NM	O			00712	Actual Length of Inpatient Stay	Not used.
12	50	ST	O			00713	Visit Description	Not used.
13	250	XCN	O	Y		00714	Referral Source Code	Not used.
14	8	DT	O			00715	Previous Service Date	Not used.
15	1	ID	O		0136	00716	Employment Illness Related Indicator	Not used.
16	1	IS	O		0213	00717	Purge Status Code	Not used.
17	8	DT	O			00718	Purge Status Date	Not used.
18	2	IS	O		0214	00719	Special Program Code	Not used.
19	1	ID	O		0136	00720	Retention Indicator	Not used.

SEQ	LEN	DT	OPT	RP/#	TBL#	ITEM#	Element Name	VistA Description
20	1	NM	O			00721	Expected Number of Insurance Plans	Not used.
21	1	IS	O		0215	00722	Visit Publicity Code	Not used.
22	1	ID	O	Y	0136	00723	Visit Protection Indicator	Visit Protection Indicator.
23	250	XON	O			00724	Clinic Organization Name	Not used.
24	2	IS	O		0216	00725	Patient Status Code	Not used.
25	1	IS	O		0217	00726	Visit Priority Code	Not used.
26	8	DT	O			00727	Previous Treatment Date	Not used.
27	2	IS	O		0112	00728	Expected Discharge Disposition	Not used.
28	8	DT	O			00729	Signature on File Date	Not used.
29	8	DT	O			00730	First Similar Illness Date	Not used.
30	250	CE	O		0218	00731	Patient Charge Adjustment Code	Not used.
31	2	IS	O		0219	00732	Recurring Service Code	Not used.
32	1	ID	O		0136	00733	Billing Media Code	Not used.
33	26	TS	O			00734	Expected Surgery Date and Time	Not used.
34	1	ID	O		0136	00735	Military Partnership Code	Not used.
35	1	ID	O		0136	00736	Military Non-Availability Code	Not used.
36	1	ID	O		0136	00737	Newborn Baby Indicator	Not used.
37	1	ID	O		0136	00738	Baby Detained Indicator	Not used.
38	250	CE	O		0430	01543	Mode of Arrival Code	Not used.
39	250	CE	O	Y	0431	01544	Recreational Drug Use Code	Not used.
40	250	CE	O		0432	01545	Admission Level of Care Code	Not used.
41	250	CE	O	Y	0433	01546	Precaution Code	Not used.
42	250	CE	O		0434	01547	Patient Condition Code	Not used.
43	2	IS	O		0315	00759	Living Will Code	Not used.
44	2	IS	O		0316	00760	Organ Donor Code	Not used.
45	250	CE	O	Y	0435	01548	Advance Directive Code	Not used.

SEQ	LEN	DT	OPT	RP/#	TBL#	ITEM#	Element Name	VistA Description
46	8	DT	O			01549	Patient Status Effective Date	Not used.
47	26	TS	C			01550	Expected LOA Return Date/Time	Not used.
48	26	TS	O			01841	Expected Pre-admission Testing Date/Time	Not used.

15.6.4 DG1—Diagnosis Information Segment

Table 136 lists the **DG1** sequences:

Table 146: DG1—Diagnosis Information Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
1	4	SI	R			Set ID - Diagnosis	Sequential Number.
2	2	ID	R		0053	Diagnosis Coding Method	I9 = ICD-9-CM I10 = ICD-10-CM
3	8	ID			0051	Diagnosis Code	Diagnosis code from OUTPATIENT DIAGNOSIS (#409.43) and ICD DIAGNOSIS (#80) files. REF: See Table 153: Table 0051—Diagnosis Code (User Defined) for sample listing of possible values.
4	40	ST				Diagnosis Description	Corresponding diagnosis description from ICD DIAGNOSIS (#80) file. REF: See Table 153: Table 0051—Diagnosis Code (User Defined) for sample listing of possible values.
5	26	TS				Diagnosis Date/Time	Date/time of encounter.
6	2	ID			0052	Diagnosis Type	Not used.
7	60	CE			0118	Major Diagnostic Category	Not used.
8	4	ID			0055	Diagnostic Related Group	Not used.

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
9	2	ID				DRG Approval Indicator	Not used.
10	2	ID			0056	DRG Grouper Review Code	Not used.
11	60	CE			0083	Outlier Type	Not used.
12	3	NM				Outlier Days	Not used.
13	12	NM				Outlier Cost	Not used.
14	4	ST				Grouper Version And Type	Not used.
15	2	NM				Diagnosis Priority	Contains 1 if this is the primary diagnosis for the episode.
16	60	CN				Diagnosing Clinician	Not used.

15.6.5 PR1—Procedure Information Segment

Table 137 lists the **PR1** sequences:

Table 147: PR1—Procedure Information Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
1	4	SI	R			Set ID - Procedure	Sequential Number.
2	2	ID	R		0089	Procedure Coding Method	Not used.
3	80	CE	R		0088	Procedure Code	<p>Three Components:</p> <ul style="list-style-type: none"> 1. Procedure Code. 2. Corresponding procedure description from CPT (#81) file. 3. Coding Method (this is always C4). <p>REF: See <u>Table 156: Table 0088—Procedure Code (User Defined)</u> for sample listing of possible procedure codes and descriptions.</p>
4	40	ST				Procedure Description	Not used.

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
5	26	TS				Procedure Date/Time	Not used.
6	2	ID			0090	Procedure Type	Not used.
7	4	NM				Procedure Minutes	Not used.
8	60	CN				Anesthesiologist	Not used.
9	2	ID			0019	Anesthesia Code	Not used.
10	4	NM				Anesthesia Minutes	Not used.
11	60	CN				Surgeon	Not used.
12	60	CM		Y		Procedure Practitioner	Not used.
13	2	ID			0059	Consent Code	Not used.
14	2	NM				Procedure Priority	Not used.
15	80	CD				Associated Diagnosis Code	Not used.
16	80	CE		Y	0340	Procedure Code Modifier	<p>Three Components:</p> <ul style="list-style-type: none"> 1. Modifier Code. 2. Corresponding modifier description from CPT MODIFIER (#81.3) file. 3. Coding Method: <ul style="list-style-type: none"> C—CPT H—HCPCS <p>REF: See Table 0340 for sample listing of possible modifier codes and descriptions.</p>

15.6.6 ROL—Role Segment

Table 138 lists the **ROL** sequences:

Table 148: ROL—Role Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
1	60	EI	R			Role Instance ID	Four Components: <ul style="list-style-type: none">• Entity Identifier^{6 7}.• Not used.• Not used.• Not used.
2	2	ID	R		0287	Action Code	This is always be CO (correct).
3	80	CE	R			Role	Six Components: <ul style="list-style-type: none">• Provider Type Code.• Not used.• This is always VA8932.1 (PERSON CLASS file).• Primary Encounter Provider Designation.• Not used.• This is always VA01.
4	80	XCN	R	Y/2		Role Person	14 Components: Repetition 1: 2 Sub-Components: <ul style="list-style-type: none">• Pointer to entry in NEW PERSON (#200) file.• Facility Number.• Not used.• Not used.• Not used.

⁶ This element is **1-15** characters/digits followed by a hyphen (-) followed by **3** characters/digits followed by a hyphen (-) followed by **1-15** digits followed by an asterisk (*) followed by **1-4** digits. (Ex: 123AZ-ALB-1934*1).

⁷ The trailing set of digits (i.e., everything to the right of the asterisk) are an appended Set ID and should be treated as such.

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
							<ul style="list-style-type: none"> • Not used. • Not used. • Not used. • This is always VA200 (NEW PERSON file). • Not used. • Not used. • Not used. • Not used. • Not used. • Not used. <p>Repetition 2:</p> <ul style="list-style-type: none"> • SSN. • Not used. • Not used. • Not used. • Not used. • Not used. • Not used. • This is always SSA (Social Security Administration). • Not used. • Not used. • Not used. • Not used. • Not used. • Not used.
5	26	TS	O			Role Begin Date/Time	Not used.
6	26	TS	O			Role End Date/Time	Not used.
7	80	CE	O			Role Duration	Not used.
8	80	CE	O			Role Action Reason	Not used.

15.6.7 ZPD—VA-Specific Patient Information Segment

Table 139 lists the **ZPD** sequences:

Table 149: ZPD—VA-Specific Patient Information Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	VistA Element Name
1	4	SI	R			SET ID - PATIENT ID
2	60	ST				REMARKS
3	20	ST				PLACE OF BIRTH CITY
4	2	ST				PLACE OF BIRTH STATE
5	2	ID			VA02	CURRENT MEANS TEST STATUS
6	35	ST				FATHER'S NAME
7	35	ST				MOTHER'S NAME
8	1	ID			VA01	RATED INCOMPETENT
9	19	TS				DATE OF DEATH
10	48	PN				COLLATERAL SPONSOR
11	1	ID			VA01	ACTIVE HEALTH INSURANCE?
12	1	ID			VA01	COVERED BY MEDICAID?
13	19	TS				DATE MEDICAID LAST ASKED
14	1	ID			VA07	RACE ⁸
15	3	ID			VA08	RELIGION ⁹
16	1	ID			VA01	HOMELESS INDICATOR
17	1	ID				POW STATUS INDICATED?
18	2	ID			VA12	TYPE OF INSURANCE
19	1	ID			VA14	MEDICATION COPAYMENT EXEMPTION STATUS
20	1	ID			VA0023	PRISONER OF WAR LOCATION CODE
21	30	ST				PRIMARY CARE TEAM

⁸ This element is also found in the Patient Identification (PID) segment.

⁹ This element is also found in the Patient Identification (PID) segment.

15.6.8 ZEL—VA-Specific Patient Eligibility Segment

Table 140 lists the **ZEL** sequences:

Table 150: ZEL—VA-Specific Patient Eligibility Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	VistA Element Name
1	4	SI	R			SET ID
2	2	ID			VA04	ELIGIBILITY CODE
3	16	CK				LONG ID
4	12	ST				SHORT ID
5	1	ID			VA05	DISABILITY RETIREMENT FROM MIL.
6	8	NM				CLAIM FOLDER NUMBER
7	40	ST				CLAIM FOLDER LOCATION
8	1	ID			VA01	VETERAN?
9	30	ST				TYPE OF PATIENT
10	1	ID			VA06	ELIGIBILITY STATUS
11	8	DT				ELIGIBILITY STATUS DATE
12	8	DT				ELIGIBILITY INTERIM RESPONSE
13	50	ST				ELIGIBILITY VERIFICATION METHOD
14	1	ID			VA01	RECEIVING A&A BENEFITS?
15	1	ID			VA01	RECEIVING HOUSEBOUND BENEFITS?
16	1	ID			VA01	RECEIVING A VA PENSION?
17	1	ID			VA01	RECEIVING A VA DISABILITY?
18	1	ID			VA01	EXPOSED TO AGENT ORANGE
19	1	ID			VA01	RADIATION EXPOSURE INDICATED?
20	1	ID			VA01	SW ASIA CONDITIONS?
21	5	NM				TOTAL ANNUAL VA CHECK AMOUNT
22	1	ID			VA0022	RADIATION EXPOSURE METHOD CODE
23	1	ID			VA0036	MILITARY SEXUAL TRAUMA STATUS
24	8	DT				DATE MILITARY SEXUAL TRAUMA STATUS CHANGED
25	7	ID			VA0115	SITE DETERMINING MST STATUS
26	8	DT				AGENT ORANGE REGISTRATION DATE
27	8	DT				AGENT ORANGE EXAM DATE

SEQ	LEN	DT	R/O	RP/#	TBL#	VistA Element Name
28	6	NM				AGENT ORANGE REGISTRATION #
29	1	ID			VA0046	AGENT ORANGE EXPOSURE LOCATION
30	8	DT				RADIATION REGISTRATION DATE
31	8	DT				SW ASIA COND EXAM DATE
32	8	DT				SW ASIA COND REGISTRATION DATE
33	8	DT				MONETARY BEN. VERIFY DATE
34	8	DT				USER ENROLLEE VALID THROUGH
35						USER ENROLLEE SITE
36						ELIGIBILITY VERIFICATION SOURCE AND SITE
37	1	ID			VA01	COMBAT VETERAN
38	8	DT				COMBAT VETERAN STATUS END DATE
39	1	ID			VA01	DISCHARGE DUE TO DISABILITY?
40	1	ID			VA01	PROJECT 112/SHAD?
48	1	ID			VA01	TOXIC EXPOSURE RISK ACTIVITY (TERA) INDICATOR?

15.6.9 VA-Specific Income Segment

Table 141 lists the VA-Specific Income segment sequences:

Table 151: VA-Specific Income Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	VistA Element Name
1	4	SI	R			SET ID
2	1	ID			VA01	MARRIED LAST CALENDAR YEAR
3	1	ID			VA01	LIVED WITH PATIENT
4	8	NM				AMOUNT CONTRIBUTED TO SPOUSE
5	1	ID			VA01	DEPENDENT CHILDREN
6	1	ID			VA01	INCAPABLE OF SELF-SUPPORT
7	1	ID			VA01	CONTRIBUTED TO SUPPORT
8	1	ID			VA01	CHILD HAD INCOME
9	1	ID			VA01	INCOME AVAILABLE TO YOU
10	2	NM				NUMBER OF DEPENDENT CHILDREN

SEQ	LEN	DT	R/O	RP/#	TBL#	VistA Element Name
11	2	ST				NUMBER OF DEPENDENTS
12	10	NM				PATIENT INCOME
13	2	ID			VA10	MEANS TEST INDICATOR

15.6.10 ZCL—VA-Specific Outpatient Classification Segment

Table 142 lists the **ZCL** sequences:

Table 152: ZCL—VA-Specific Outpatient Classification Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	VistA Element Name
1	4	SI	R			SET ID
2	2	ID	R		SD008	Outpatient Classification Type
3	50	ST				Value

15.6.11 ZSC—VA-Specific Stop Code Segment

Table 143 lists the **ZSC** sequences:

Table 153: ZSC—VA-Specific Stop Code Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	VistA Element Name
1	4	SI	R			Sequential number
2	4	ID	R		SD001	Stop Code
3	30	ST			SD001	Name
4	1	NM				Cost Distribution Center
5	1	ID				Current Exempt. Fr Classification

15.6.12 ZSP—VA-Specific Service Period Segment

Table 144 lists the **ZSP** sequences:

Table 154: ZSP—VA-Specific Service Period Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	VistA Element Name
1	4	SI	R			SET ID
2	1	ID	R		VA01	SERVICE CONNECTED?
3	3	NM				SERVICE CONNECTED PERCENTAGE
4	2	ID			VA11	PERIOD OF SERVICE
5	1	ST				VIETNAM SERVICE INDICATED?
6	1	ID			VA01	P&T
7	1	ID			VA01	UNEMPLOYABLE
8	19	TS				SC AWARD DATE

15.6.13 ZEN—VA-Specific Enrollment Segment

Table 145 lists the **ZEN** sequences:

Table 155: ZEN—VA-Specific Enrollment Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	VistA Element Name
1	4	SI	R			SET ID
2	8	DT				ENROLLMENT DATE
3	1	ID			VA0024	SOURCE OF ENROLLMENT
4	1	ID			VA0015	ENROLLMENT STATUS
5	1	ID			VA0016	REASON CANCELED/DECLINED
6	60	TX				CANCELED/DECLINED REMARKS
7	7	ID			VA0115	FACILITY RECEIVED
8	7	ID			VA0115	PRIMARY FACILITY
9	1	ID			VA0021	ENROLLMENT PRIORITY
10	8	DT				EFFECTIVE DATE
11	8	DT				APPLICATION DATE
12	8	DT				ENROLLMENT END DATE
13	1	IS			VA035	ENROLLMENT SUB-GROUP
14	2	ID				SOURCE DESIGNATION

SEQ	LEN	DT	R/O	RP/#	TBL#	VistA Element Name
						V=VISTA, E = ESR, PA = PCP ACTIVE, PI = PCP INACTIVE
15	1	IS			VA117	REASON FOR CLOSED APPLICATION
16	1	IS			VA001	PT APPLIED FOR ENROLLMENT? 0 – NO 1 - YES
17	1	IS				REGISTRATION ONLY REASON '1' - C&P DISABILITY BENEFITS EXAM '2' - ACTIVE DUTY '3' - SERVICE CONNECTED ONLY '4' - EXPOSURE REGISTRY EXAM '5' - RESEARCH '6' - HUMANITARIAN/EMERGENCY '7' - EMPLOYEE '8' - BENEFICIARY '9' - OTHER THAN HONORABLE (OTH) '10' - MARRIAGE/FAMILY COUNSELING '11' - COLLATERAL (OTHER) '12' - ART/IVF '13' - NEWBORN '14' - LEGISLATIVE MANDATE '15' - OTHER '16' - NORTH CHICAGO ACTIVE DUTY '17' - UNANSWERED '18' - CAREGIVER '19' - VHA TRANSPLANT PROGRAM
18	8	DT				REGISTRATION ONLY DATE
19	8	ST				SOURCE OF REGISTRATION VALID VALUES: '1' - 'VAMC' '2' - 'HEC' '3' - 'HCA' '4' – CARMA '5' - OTHER

15.7 Purpose

This section defines the HL7 message transactions that are necessary to support the outpatient database interface for the Austin Information Technology Center (AITC), (formerly the Austin Automation Center [AAC]).

These messages use the generic HL7 format, so that they can be expanded later to support new interfaces at other facilities.

15.8 Trigger Events and Message Definitions

Each triggering event is listed below, along with the applicable form of the message to be exchanged. The notation used to describe the sequence, optionally, and repetition of segments is described in the HL7 Final Standard Manual, Chapter 2, Section 2.4.8, Chapter Formats for Defining Abstract Messages, and in summary form, in Section 2.1.

15.8.1 Update Patient Information (A08)

The Outpatient Event Driver is triggered under the following circumstances:

- When an outpatient appointment is checked out.
- When a checked out outpatient appointment is edited.
- When stop codes for an outpatient appointment are added or edited.
- When a check out creates an occasion of service.

Taking advantage of the outpatient event driver, this triggers an **A08** message to be sent. The receiving system replaces any data that exists with the “new” data that is transmitted with this message.

Table 156: A08 Codes and Descriptions

Code	Description
ADT	ADT Message
MSH	Message Header
EVN	Event Type
PID	Patient Identification
PD1	Patient Additional Demographic
PV1	Patient Visit
PV2	Patient Visit Additional Information
[{ DG1 }]	Diagnosis Information
{ PR1 }	Procedure Information
{ROL}	Role

Code	Description
ZPD	VA-Specific Patient Information
ZEL	VA-Specific Patient Eligibility Information
ZIR	VA-Specific Income
{ZCL}	VA-Specific Outpatient Classification
{ZSC}	VA-Specific Stop Code
ZSP	VA-Specific Service Period
ZEN	VA-Specific Enrollment
ACK	General Acknowledgment Message
MSH	Message Header
MSA	Message Acknowledgment

15.8.2 Delete a Patient Record (A23)

When a check out is deleted, this message instructs the receiver to delete the information for this patient's visit.

Table 157: A23 Codes and Descriptions

Code	Description
ADT	ADT Message
MSH	Message Header
EVN	Event Type
PID	Patient Identification
PD1	Patient Additional Demographic
PV1	Patient Visit
ZPD	VA-Specific Patient Information
ACK	General Acknowledgment Message
MSH	Message Header
MSA	Message Acknowledgment

15.9 Supported and User-Defined HL7 Tables

15.9.1 Table 0001—Sex

Table 148 lists the **Table 0001—Sex** values:

Table 158: Table 0001—Sex

Value	Description
F	FEMALE
M	MALE
O	OTHER
U	UNKNOWN

15.9.2 Table 0002—Marital Status

Table 149 lists the **Table 0002—Marital Status** values:

Table 159: Table 0002—Marital Status

Value	Description
A	SEPARATED
D	DIVORCED
M	MARRIED
S	SINGLE
W	WIDOWED

15.9.3 Table 0003—Event Type Code

Table 150 lists the **Table 0003—Event Type Code** values:

Table 160: Table 0003—Event Type Code

Value	Description
A08	UPDATE PATIENT INFORMATION
A23	DELETE PATIENT RECORD

15.9.4 Table 0008—Acknowledgment Code

Table 151 lists the **Table 0008—Acknowledgment Code** values:

Table 161: Table 0008—Acknowledgment Code

Value	Description
AA	APPLICATION ACKNOWLEDGMENT: ACCEPT
AE	APPLICATION ACKNOWLEDGMENT: ERROR
AR	APPLICATION ACKNOWLEDGMENT: REJECT
CA	ACCEPT ACKNOWLEDGMENT: COMMIT ACCEPT
CE	ACCEPT ACKNOWLEDGMENT: COMMIT ERROR
CR	ACCEPT ACKNOWLEDGMENT: COMMIT REJECT

15.9.5 Table 0023—Admit Source (User Defined)

Used for Location of Visit. Table 152 lists **Table 0023—Admit Source** values:

Table 162: Table 0023—Admit Source (User Defined)

Value	Description
1	THIS FACILITY
6	OTHER FACILITY

15.9.6 Table 0051—Diagnosis Code (User Defined)

Use ICD DIAGNOSIS (#80) file, CODE NUMBER (#.01) for value and DIAGNOSIS (#3) for Description. Table 153 lists **Table 0051—Diagnosis Code** values:

Table 163: Table 0051—Diagnosis Code (User Defined)

Value	Description
253.2	PANHYPOPITUITARISM
253.3	PITUITARY DWARFISM
253.4	ANTER PITUITARY DIS NEC
253.5	DIABETES INSIPIDUS
253.6	NEUROHYPOPHYSIS DIS NEC
253.7	IATROGENIC PITUITARY DIS

Value	Description
253.8	DISEASES OF THYMUS NEC
253.9	PITUITARY DISORDER NOS
254.1	ABSCESS OF THYMUS
254.8	DISEASES OF THYMUS NEC
254.9	DISEASE OF THYMUS NOS
255.1	HYPERALDOSTERONISM
255.2	ADRENOGENITAL DISORDERS

15.9.7 Table 0069—Hospital Service (User Defined)

Use SPECIALTY (#42.4) file, PTF Code (#.001). [Table 154](#) lists **Table 0069—Hospital Service** values:

Table 164: Table 0069—Hospital Service (User Defined)

Value	Description
2	CARDIOLOGY
6	DERMATOLOGY
7	ENDOCRINOLOGY
8	GEM ACUTE MEDICINE
12	CORONARY CARE UNIT
12	EMERGENCY MEDICINE
15	GENERAL MEDICINE
21	BLIND REHAB
31	GEM INTERMEDIATE CARE
55	EVAL/BRF TRMT PTSD
72	ALCOHOL
85	DOM
88	DOMICILIARY PTSD
91	GASTROENTEROLOGY
92	GEN INTERMEDIATE PSYCH

15.9.8 Table 0076—Message Type

Table 155 lists the **Table 0076—Message Type** values:

Table 165: Table 0076—Message Type

Value	Description
ADT	ADT MESSAGE
ACK	GENERAL ACKNOWLEDGMENT

15.9.9 Table 0088—Procedure Code (User Defined)

Table 156 lists **Table 0088—Procedure Code** values:

Table 166: Table 0088—Procedure Code (User Defined)

Value	Description
10141	INCISION AND DRAINAGE OF HEMATOMA; COMPLICATED

15.9.10 Table 0115—Servicing Facility (User Defined)

Table 157 lists **Table 0115—Servicing Facility** values:

Table 167: Table 0115—Servicing Facility (User Defined)

Value	Description
512 9AC	Perry Point (Nursing Home)

15.9.11 Table 0133—Procedure Practitioner Type (User Defined)

Table 158 lists Table 0133—Procedure Practitioner Type values:

Table 168: Table 0133—Procedure Practitioner Type (User Defined)

Value	Occupation	Specialty	Subspecialty
V110000	Physicians (M.D.) and Osteopaths (D.O.)		
V110100	Physicians (M.D.) and Osteopaths (D.O.)	Addiction Medicine	
V110300	Physicians (M.D.) and Osteopaths (D.O.)	Allergy and Immunology	
V110301	Physicians (M.D.) and Osteopaths (D.O.)	Allergy and Immunology	Clinical and Laboratory
V110200	Physicians (M.D.) and Osteopaths (D.O.)	Allergy	
V110400	Physicians (M.D.) and Osteopaths (D.O.)	Anesthesiology	
V110401	Physicians (M.D.) and Osteopaths (D.O.)	Anesthesiology	Critical Care
V110402	Physicians (M.D.) and Osteopaths (D.O.)	Anesthesiology	Pain Management

15.9.12 Table 0136—Yes/No Indicator

Table 159 lists Table 0136—Yes/No Indicator values:

Table 169: Table 0136—Yes/No Indicator

Value	Description
Y	YES
N	NO

15.9.13 Table SD001—Service Indicator (Stop Code)

Table 160 lists Table SD001—Service Indicator values:

Table 170: Table SD001—Service Indicator (Stop Code)

Value	Description
104	PULMONARY FUNCTION
105	X-RAY
106	EEG
107	EKG
108	LABORATORY
109	NUCLEAR MEDICINE
110	CARDIOVASCULAR NUCLEAR MED
111	ONCOLOGICAL NUCLEAR MED
112	INFECTIOUS DISEASE NUCLEAR MED
113	RADIONUCLIDE TREATMENT
114	SING PHOTON EMISS TOMOGRAPHY
115	ULTRASOUND
117	NURSING
118	HOME TREATMENT SERVICES
119	COMM NURSING HOME FOLLOW-UP

15.9.14 Table SD008—Outpatient Classification Type

Table 161 lists Table SD008—Outpatient Classification Type values:

Table 171: Table SD008—Outpatient Classification Type

Value	Description
1	AGENT ORANGE
2	IONIZING RADIATION
3	SERVICE CONNECTED
4	SW ASIA CONDITIONS
5	MILITARY SEXUAL TRAUMA
6	HEAD AND/OR NECK CANCER

Value	Description
7	COMBAT VETERAN
8	PROJECT 112/SHAD
9	TOXIC EXPOSURE RISK ACTIVITY (TERA) INDICATOR

15.9.15 Table SD009—Purpose of Visit

Value denotes a combination of Purpose of Visit & Appointment Type. [Table 162](#) lists **Table SD009—Purpose of Visit** values:

Table 172: Table SD009—Purpose of Visit

Value	Purpose Of Visit	Appointment Type
0101	C&P	COMPENSATION & PENSION
0102	C&P	CLASS II DENTAL
0103	C&P	ORGAN DONORS
0104	C&P	EMPLOYEE
0105	C&P	PRIMA FACIA
0106	C&P	RESEARCH
0107	C&P	COLLATERAL OF VET.
0108	C&P	SHARING AGREEMENT
0109	C&P	REGULAR
0111	C&P	SERVICE CONNECTED
0201	10-10	COMPENSATION & PENSION
0202	10-10	CLASS II DENTAL
0203	10-10	ORGAN DONORS
0204	10-10	EMPLOYEE
0205	10-10	PRIMA FACIA
0206	10-10	RESEARCH
0207	10-10	COLLATERAL OF VET.
0208	10-10	SHARING AGREEMENT
0209	10-10	REGULAR
0211	10-10	SERVICE CONNECTED

Value	Purpose Of Visit	Appointment Type
0301	SCHEDULED VISIT	COMPENSATION & PENSION
0302	SCHEDULED VISIT	CLASS II DENTAL
0303	SCHEDULED VISIT	ORGAN DONORS
0304	SCHEDULED VISIT	EMPLOYEE
0305	SCHEDULED VISIT	PRIMA FACIA
0306	SCHEDULED VISIT	RESEARCH
0307	SCHEDULED VISIT	COLLATERAL OF VET.
0308	SCHEDULED VISIT	SHARING AGREEMENT
0309	SCHEDULED VISIT	REGULAR
0311	SCHEDULED VISIT	SERVICE CONNECTED
0401	UNSCHED. VISIT	COMPENSATION & PENSION
0402	UNSCHED. VISIT	CLASS II DENTAL
0403	UNSCHED. VISIT	ORGAN DONORS
0404	UNSCHED. VISIT	EMPLOYEE
0405	UNSCHED. VISIT	PRIMA FACIA
0406	UNSCHED. VISIT	RESEARCH
0407	UNSCHED. VISIT	COLLATERAL OF VET.
0408	UNSCHED. VISIT	SHARING AGREEMENT
0409	UNSCHED. VISIT	REGULAR
0411	UNSCHED. VISIT	SERVICE CONNECTED

15.9.16 Table VA01—Yes/No

Table 163 lists **Table VA01—Yes/No** values:

Table 173: Table VA01—Yes/No

Value	Description
0	NO
1	YES
N	NO
Y	YES
U	UNKNOWN

15.9.17 Table VA02—Current Means Test Status

TYPE OF CARE (#.03) field in the MEANS TEST STATUS (#408.32) file. [Table 164](#) lists **Table VA02—Current Means Test Status** values:

Table 174: Table VA02—Current Means Test Status

Value	Description
D	DISCRETIONARY
M	MANDATORY
N	NOT APPLICABLE

15.9.18 Table VA04—Eligibility

NAME (#.01) field in the MAS ELIGIBILITY CODE (#8.1) file. [Table 165](#) lists **Table VA04—Eligibility** values:

Table 175: Table VA04—Eligibility

Value	Description
1	SERVICE CONNECTED 50% to 100%
2	AID & ATTENDANCE
3	SC LESS THAN 50%
4	NSC - VA PENSION
5	NSC
6	OTHER FEDERAL AGENCY
7	ALLIED VETERAN
8	HUMANITARIAN EMERGENCY
9	SHARING AGREEMENT
10	REIMBURSABLE INSURANCE
12	CHAMPVA
13	COLLATERAL OF VET.
14	EMPLOYEE
15	HOUSEBOUND
16	MEXICAN BORDER WAR

Value	Description
17	WORLD WAR I
18	PRISONER OF WAR
19	TRICARE/CHAMPUS
21	CATASTROPHIC DISABILITY
22	PURPLE HEART RECIPIENT
23	EXPANDED MH CARE NON-ENROLLEE
24	COMPACT ACT ELIGIBLE
25	SPECIAL TX AUTHORITY CARE
26	HUD-VASH
27	CLINICAL EVALUATION
28	PRESUMPTIVE PSYCHOSIS ELIGIBLE
29	29 WORLD WAR II

15.9.19 Table VA05—Disability Retirement from Military

DISABILITY RET. FROM MILITARY? (#.362) field in the PATIENT (#2) file. [Table 166](#) lists **Table VA05—Disability Retirement from Military** values:

Table 176: Table VA05—Disability Retirement from Military

Value	Description
0	NO
1	YES, RECEIVING MILITARY RETIREMENT
2	YES, RECEIVING MILITARY RETIREMENT IN LIEU OF VA COMPENSATION
3	UNKNOWN

15.9.20 Table VA06—Eligibility Status

ELIGIBILITY STATUS (#.3611) field in the PATIENT (#2) file. [Table 167](#) lists **Table VA06—Eligibility Status** values:

Table 177: Table VA06—Eligibility Status

Value	Description
P	PENDING VERIFICATION
R	PENDING RE-VERIFICATION
V	VERIFIED

15.9.21 Table VA07—Race

ABBREVIATION (#2) field in the RACE (#10) file. [Table 168](#) lists **Table VA07—Race** values:

Table 178: Table VA07—Race

Value	Description
1	HISPANIC, WHITE
2	HISPANIC, BLACK
3	AMERICAN INDIAN OR ALASKA NATIVE
4	BLACK, NOT OF HISPANIC ORIGIN
5	ASIAN OR PACIFIC ISLANDER
6	WHITE, NOT OF HISPANIC ORIGIN
7	UNKNOWN

15.9.22 Table VA08—Religion

CODE (#3) field in the RELIGION (#13) file. [Table 169](#) lists **Table VA08—Religion** values:

Table 179: Table VA08—Religion

Value	Description
0	ROMAN CATHOLIC CHURCH
1	JUDAISM
2	EASTERN ORTHODOX
3	BAPTIST

Value	Description
4	METHODIST
5	LUTHERAN
6	PRESBYTERIAN
7	UNITED CHURCH OF CHRIST
8	EPISCOPALIAN
9	ADVENTIST
10	ASSEMBLY OF GOD
11	BRETHREN
12	CHRISTIAN SCIENTIST
13	CHURCH OF CHRIST
14	CHURCH OF GOD
15	DISCIPLES OF CHRIST
16	EVANGELICAL COVENANT
17	FRIENDS
18	JEHOVAH'S WITNESSES
19	LATTER DAY SAINTS
20	ISLAM
21	NAZARENE
22	OTHER
23	PENTECOSTAL
24	PROTESTANT
25	PROTESTANT, NO DENOMINATION
26	REFORMED
27	SALVATION ARMY
28	UNITARIAN-UNIVERSALIST
29	UNKNOWN/NO PREFERENCE
30	NATIVE AMERICAN
31	ZEN BUDDHISM
32	AFRICAN RELIGIONS
33	AFRO-CARIBBEAN RELIGIONS
34	AGNOSTICISM

Value	Description
35	ANGLICAN
36	ANIMISM
37	ATHEISM
38	BABI & BAHA'I FAITHS
39	BON
40	CAO DAI
41	CELTICISM
42	CHRISTIAN (NON-SPECIFIC)
43	CONFUCIANISM
44	CONGREGATIONAL
45	CYBERCULTURE RELIGIONS
46	DIVINATION
47	FOURTH WAY
48	FREE DAISM
49	FULL GOSPEL
50	GNOSIS
51	HINDUISM
52	HUMANISM
53	INDEPENDENT
54	JAINISM
55	MAHAYANA
56	MEDITATION
57	MESSIANIC JUDAISM
58	MITRAISM
59	NEW AGE
60	NON-ROMAN CATHOLIC
61	OCCULT
62	ORTHODOX
63	PAGANISM
64	PROCESS, THE
65	REFORMED/PRESBYTERIAN

Value	Description
66	SATANISM
67	SCIENTOLOGY
68	SHAMANISM
69	SHIITE (ISLAM)
70	SHINTO
71	SIKISM
72	SPIRITUALISM
73	SUNNI (ISLAM)
74	TAOISM
75	THERAVADA
76	UNIVERSAL LIFE CHURCH
77	VAJRAYANA (TIBETAN)
78	VEDA
79	VOODOO
80	WICCA
81	YAOHUSHUA
82	ZOROASTRIANISM
83	ASKED BUT DECLINED TO ANSWER
84	AFRICAN AMERICAN EPISCOPAL
85	BUDDHISM, OTHER
86	EVANGELICAL
87	HOLINESS CHURCHES
88	CATHOLIC (NON-ROMAN CATHOLIC)
89	UNITARIAN-UNIVERSALISM

15.9.23 Table VA10—Means Test Indicator

Table 170 lists **Table VA10—Means Test Indicator** values:

Table 180: Table VA10—Means Test Indicator

Value	Description
AS	<p>This Means Test category includes all compensable service-connected (0-100%) Veterans and special category Veterans. Special category Veterans include:</p> <ul style="list-style-type: none"> • Mexican Border War and World War I Veterans • Former Prisoners of War • Patients receiving care for conditions potentially related to exposure to any of the following: <ul style="list-style-type: none"> ○ Agent Orange (Herbicides) ○ Ionizing Radiation ○ SW Asia Conditions <p>This category also includes 0% <i>non</i>-compensable service-connected Veterans when they are treated for a service-connected condition.</p>
AN	<p>This Means Test category includes NSC Veterans who are required to complete VA Form 10-10F (Financial Worksheet) and those NSC Veterans in receipt of any of the following:</p> <ul style="list-style-type: none"> • VA pension • Aid and attendance • Housebound allowance • Entitled to State Medicaid <p>This category may also include 0% <i>non</i>-compensable service-connected Veterans when they are <i>not</i> treated for a service-connected condition and are placed in this category based on completion of a Means Test.</p>
C	<p>This Means Test category includes those Veterans who, based on income and/or net worth, are required to reimburse VA for care rendered. This category also includes those pending adjudication. This category may also include 0% <i>non</i>-compensable service-connected Veterans when they are <i>not</i> treated for a service-connected condition and are placed in this category based on completion of a Means Test.</p>
G	<p>This Means Test category includes Veterans whose income is less than or equal to the MT threshold and whose estate value is greater than or equal to the net worth threshold, or such Veterans whose income is greater than the MT threshold, but less than or equal to the GMT threshold, and whose estate value is less than the net worth threshold.</p>
N	<p>This Means Test category includes only <i>non</i>-Veterans receiving treatment at VA facilities.</p>

Value	Description
X	This Means Test category includes treatment of patients who are not required to complete the Means Test for the care being provided. If the Veteran was admitted prior to July 1, 1986 with no change in the level of care being received, (i.e., if the patient was in the Nursing Home Care Unit (NHCU) on June 30, 1986 and has remained in the NHCU since that date with no transfer to the hospital for treatment), the "X" Means Test indicator is accepted. This category also includes patients admitted to the domiciliary, patients seen for completion of a compensation and pension examination, and Class II dental treatment.
U	This Means Test category includes only those patients who require a Means Test, and the Means Test has <i>not</i> been done/completed. The National Patient Care Database does <i>not</i> accept the transaction unless the Means Test has been completed.

15.9.24 Table VA11—Period of Service

Table 171 lists Table VA11—Period of Service values:

Table 181: Table VA11—Period of Service

Value	Description
0	KOREAN
1	WORLD WAR I
2	WORLD WAR II
3	SPANISH AMERICAN
4	PRE-KOREAN
5	POST-KOREAN
6	OPERATION DESERT SHIELD
7	VIETNAM ERA
8	POST-VIETNAM
9	OTHER OR NONE
A	ARMY - ACTIVE DUTY
B	NAVY, MARINE - ACTIVE DUTY
C	USAF, USSF - ACTIVE DUTY
D	COAST GUARD - ACTIVE DUTY
E	RETIRED, UNIFORMED FORCES
F	MEDICAL REMEDIAL ENLIST
G	MERCHANT SEAMEN - USPHS

Value	Description
H	OTHER USPHS BENEFICIARIES
I	OBSERVATION/EXAMINATION
J	OFFICE OF WORKERS COMP
K	JOB CORPS/PEACE CORPS
L	RAILROAD RETIREMENT
M	BENEFICIARIES-FOREIGN GOV
N	HUMANITARIAN (NON-VET)
O	CHAMPUS RESTORE
P	OTHER REIMBURS. (NON-VET)
Q	OTHER FEDERAL - DEPENDENT
R	DONORS (NON-VET)
S	SPECIAL STUDIES (NON-VET)
T	OTHER NON-VETERANS
U	CHAMPVA - SPOUSE, CHILD
V	CHAMPUS
W	CZECHOSLOVAKIA/POLAND SVC
X	PERSIAN GULF WAR
Y	CAV/NPS
Z	MERCHANT MARINE

15.9.25 Table VA12—Type of Insurance

Table 172 lists **Table VA12—Type of Insurance** values:

Table 182: Table VA12—Type of Insurance

Value	Description
0	NO INSURANCE
1	MAJOR MEDICAL
2	DENTAL
3	HMO
4	PPO
5	MEDICARE
6	MEDICAID

Value	Description
7	CHAMPUS
8	WORKMAN COMP
9	INDEMNITY
10	PRESCRIPTION
11	MEDICARE SUPPLEMENTAL
12	ALL OTHER

15.9.26 Table VA0015—Enrollment Status

Table 173 lists Table VA0015—Enrollment Status values:

Table 183: Table VA0015—Enrollment Status

Value	Description
1	UNVERIFIED
2	VERIFIED
3	INACTIVE
4	REJECTED
5	SUSPENDED
6	TERMINATED
7	CANCELED/DECLINED
8	EXPIRED
9	PENDING

15.9.27 Table VA0016—Reason Canceled/Declined

Table 174 lists Table VA0016—Reason Canceled/Declined values:

Table 184: Table VA0016—Reason Canceled/Declined

Value	Description
1	DISSATISFIED WITH CARE
2	GEOGRAPHIC ACCESS
3	OTHER INSURANCE
4	OTHER

15.9.28 Table VA0021—Enrollment Priority

Table 175 lists **Table VA0021—Enrollment Priority** values:

Table 185: Table VA0021—Enrollment Priority

Value	Description
1	PRIORITY 1
2	PRIORITY 2
3	PRIORITY 3
4	PRIORITY 4
5	PRIORITY 5
6	PRIORITY 6
7	PRIORITY 7
8	PRIORITY 8

15.9.29 Table VA0022—Radiation Exposure Method

Table 176 lists **Table VA0022—Radiation Exposure Method** values:

Table 186: Table VA0022—Radiation Exposure Method

Value	Description
2	NAGASAKI - HIROSHIMA
3	NUCLEAR TESTING
4	H/N AND ATMOSPHERIC TESTING
5	UNDERGROUND NUCLEAR TESTING
6	EXPOSURE AT NUCLEAR FACILITY
7	OTHER

15.9.30 Table VA0023—Prisoner of War Location

Table 177 lists Table VA0023—Prisoner of War Location values:

Table 187: Table VA0023—Prisoner of War Location

Value	Description
4	WORLD WAR I
5	WORLD WAR II - EUROPE
6	WORLD WAR II - PACIFIC
7	KOREAN
8	VIETNAM
9	OTHER
A	PERSIAN GULF WAR
B	YUGOSLAVIA AS A COMBAT ZONE

15.9.31 Table VA0024—Source of Enrollment

Table 178 lists Table VA0024—Source of Enrollment values:

Table 188: Table VA0024—Source of Enrollment

Value	Description
1	VAMC
2	HEC
3	OTHER VAMC

15.9.32 Table VA0046—Agent Orange Exposure Location

Table 179 lists Table VA0046—Agent Orange Exposure Location values:

Table 189: Table VA0046—Agent Orange Exposure Location

Value	Description
B	BLUE WATER NAVY
K	KOREAN DMZ
V	VIETNAM
O	OTHER

15.9.33 Table VA0047 — PATIENT REGISTRATION ONLY REASON

Table 180 lists Table VA0047— PATIENT REGISTRATION ONLY REASON values

Table 190: Table VA0047— PATIENT REGISTRATION ONLY REASON Values

Value	Description
2	ACTIVE DUTY
12	ART/IVF
8	BENEFICIARY
1	C&P DISABILITY BENEFITS EXAM
18	CAREGIVER
11	COLLATERAL (OTHER)
7	EMPLOYEE
4	EXPOSURE REGISTRY EXAM
6	HUMANITARIAN/EMERGENCY
14	LEGISLATIVE MANDATE
10	MARRIAGE/FAMILY COUNSELING
13	NEWBORN
16	NORTH CHICAGO ACTIVE DUTY
15	OTHER
9	OTHER THAN HONORABLE (OTH)
5	RESEARCH
3	SERVICE CONNECTED ONLY
17	UNANSWERED
19	VHA TRANSPLANT PROGRAM

15.9.34 Table NPCD 001—National Patient Care Database Error Codes

Table 181 lists Table NPCD 001—National Patient Care Database Error Codes values:

Table 191: Table NPCD 001—National Patient Care Database Error Codes

Value	Description
100	EVENT TYPE SEGMENT
200	PATIENT NAME
205	DATE OF BIRTH
210	SEX
215	RACE

15.10 HL7 Interface Specification for the Transmission of PCMM Primary Care Data

PCMM no longer transfers data using HL7 transmissions. This was replaced by Corporate Data Warehouse (CDW)/VHA Support Service Center (VSSC) in 2009.

15.11 Assumptions

PCMM no longer transfers data using HL7 transmissions. This was replaced by Corporate Data Warehouse (CDW)/VHA Support Service Center (VSSC) in 2009.

15.12 Message Definitions

PCMM no longer transfers data using HL7 transmissions. This was replaced by Corporate Data Warehouse (CDW)/VHA Support Service Center (VSSC) in 2009.

15.13 Segment Table Definitions

PCMM no longer transfers data using HL7 transmissions. This was replaced by Corporate Data Warehouse (CDW)/VHA Support Service Center (VSSC) in 2009.

15.14 Message Control Segments

PCMM no longer transfers data using HL7 transmissions. This was replaced by Corporate Data Warehouse (CDW)/VHA Support Service Center (VSSC) in 2009.

16 HL7 Message Transactions

PCMM no longer transfers data using HL7 transmissions. This was replaced by Corporate Data Warehouse (CDW)/VHA Support Service Center (VSSC) in 2009.

VistA Scheduling uses HL7 to send updated Return To Clinic (RTC) appointments from VistA Scheduling to Computerized Patient Record System (CPRS).

17 Supported and User-Defined HL7 Tables

17.1 Table 0001—Sex

Table 182 lists **Table 0001—Sex** values:

Table 192: Table 0001—Sex

Value	Description
F	FEMALE
M	MALE
O	OTHER
U	UNKNOWN

17.2 Table 0002—Marital Status

Table 183 lists **Table 0002—Marital Status** values:

Table 193: Table 0002—Marital Status

Value	Description
A	SEPARATED
D	DIVORCED
M	MARRIED
S	SINGLE
W	WIDOWED

17.3 Table 0003—Event Type Code

Table 184 lists **Table 0003—Event Type Code** values:

Table 194: Table 0003—Event Type Code

Value	Description
A08	UPDATE PATIENT INFORMATION

17.4 Table 0005—Race

Table 185 lists **Table 0005—Race** values:

Table 195: Table 0005—Race

Value	Description
1	HISPANIC, WHITE
2	HISPANIC, BLACK
3	AMERICAN INDIAN OR ALASKA NATIVE
4	BLACK, NOT OF HISPANIC ORIGIN
5	ASIAN OR PACIFIC ISLANDER
6	WHITE, NOT OF HISPANIC ORIGIN
7	UNKNOWN

17.5 Table 0006—Religion

Table 186 lists **Table 0006—Religion** values:

Table 196: Table 0006—Religion

Value	Description
0	ROMAN CATHOLIC CHURCH
1	JUDAISM
2	EASTERN ORTHODOX
3	BAPTIST
4	METHODIST
5	LUTHERAN
6	PRESBYTERIAN
7	UNITED CHURCH OF CHRIST
8	EPISCOPALIAN
9	ADVENTIST
10	ASSEMBLY OF GOD
11	BRETHREN
12	CHRISTIAN SCIENTIST
13	CHURCH OF CHRIST

Value	Description
14	CHURCH OF GOD
15	DISCIPLES OF CHRIST
16	EVANGELICAL COVENANT
17	FRIENDS
18	JEHOVAH'S WITNESSES
19	LATTER DAY SAINTS
20	ISLAM
21	NAZARENE
22	OTHER
23	PENTECOSTAL
24	PROTESTANT
25	PROTESTANT, NO DENOMINATION
26	REFORMED
27	SALVATION ARMY
28	UNITARIAN-UNIVERSALIST
29	UNKNOWN/NO PREFERENCE
30	NATIVE AMERICAN
31	ZEN BUDDHISM
32	AFRICAN RELIGIONS
33	AFRO-CARIBBEAN RELIGIONS
34	AGNOSTICISM
35	ANGLICAN
36	ANIMISM
37	ATHEISM
38	BABI & BAHA'I FAITHS
39	BON
40	CAO DAI
41	CELTICISM
42	CHRISTIAN (NON-SPECIFIC)
43	CONFUCIANISM
44	CONGREGATIONAL

Value	Description
45	CYBERCULTURE RELIGIONS
46	DIVINATION
47	FOURTH WAY
48	FREE DAISM
49	FULL GOSPEL
50	GNOSIS
51	HINDUISM
52	HUMANISM
53	INDEPENDENT
54	JAINISM
55	MAHAYANA
56	MEDITATION
57	MESSIANIC JUDAISM
58	MITRAISM
59	NEW AGE
60	NON-ROMAN CATHOLIC
61	OCCULT
62	ORTHODOX
63	PAGANISM
64	PROCESS, THE
65	REFORMED/PRESBYTERIAN
66	SATANISM
67	SCIENTOLOGY
68	SHAMANISM
69	SHIITE (ISLAM)
70	SHINTO
71	SIKISM
72	SPIRITUALISM
73	SUNNI (ISLAM)
74	TAOISM
75	THERAVADA

Value	Description
76	UNIVERSAL LIFE CHURCH
77	VAJRAYANA (TIBETAN)
78	VEDA
79	VOODOO
80	WICCA
81	YAOHUSHUA
82	ZOROASTRIANISM
83	ASKED BUT DECLINED TO ANSWER
84	AFRICAN AMERICAN EPISCOPAL
85	BUDDHISM, OTHER
86	EVANGELICAL
87	HOLINESS CHURCHES
88	CATHOLIC (NON-ROMAN CATHOLIC)
89	UNITARIAN-UNIVERSALISM

17.6 Table 0076—Message Type

Table 187 lists **Table 0076—Message Type** values:

Table 197: Table 0076—Message Type

Value	Description
ADT	ADT MESSAGE

18HL7 Interface Specification for VIC Card VistA to NCMD

When a Veteran's ID Card (VIC) Image Capture workstation retrieves demographic data from VistA, a record is created in a VistA file to indicate that a VIC request is pending under the following exception conditions.

- The patient does *not* have a National Integrated Control Number (ICN).
- The eligibility/enrollment information needed to determine the patient's eligibility for a VIC is incomplete.

- The current status of the Veteran's claim for Purple Heart eligibility is either pending or in-process.

A Health Level 7 (HL7) message is used to notify the National Card Management Directory (NCMD) when these exceptions have been resolved.

This specifies the information needed to either release the previous hold or cancel a pending VIC order request and communicate the order action to the NCMD.

The data exchange is triggered when the daily VistA re-evaluation of the pending VIC order request finds that a National ICN exists and the VIC eligibility can be determined.

The basic communication protocol is addressed, as well as the information that is made available and how it is obtained.

This application uses the abstract message approach and encoding rules specified by HL7. HL7 is used for communicating data associated with various events that occur in health care environments.

The formats of these messages conform to the Version 2.4 HL7 Interface Standards where applicable.

18.1 Assumptions

The transmission of VIC requests from VistA to the NCMD assumes the following.

- All VistA sites have installed VistA HL7 software and it is operational.
- The Veteran's demographics and digital photograph have been previously loaded into the NCMD.

18.2 Message Content

The data sent in the HL7 messages is limited to the information that is required to uniquely identify the patient and request the VIC card. The data transmitted is limited to available VistA data.

18.3 Data Capture and Transmission

The following event trigger generates a General Order Message (**ORM~001**).

VistA re-evaluates a pending VIC card request and the associated patient has a nationally assigned ICN and the necessary eligibility/enrollment information needed to determine the patient's VIC eligibility.

NOTE: Any modification made to the VistA database in *non*-standard ways, such as a direct global set by an application or by M code, is *not* captured.

18.4 VA TCP/IP Lower Level Protocol

The HL7 V. 1.6 TCP/IP lower level protocol (LLP) is used, which implements the HL7 Minimal Lower Layer Protocol (MLLP) referenced in section C.4 of Appendix C of the Health Level 7 Implementation Guide (v2.3).

HL7 CONTROL SEGMENTS: This section defines the HL7 control segments supported by VistA. The messages are presented separately and defined by category. Segments are also described. The messages are presented in the Message Control category.

18.4.1 Message Definitions

From the VistA perspective, all incoming or outgoing messages are handled or generated based on an event.

In this section and the following sections, the following elements are defined for each message.

- Trigger events.
- Message event code.
- List of segments used in the message.
- List of fields for each segment in the message.

Each message is composed of segments, which:

- Contain logical groupings of data.
- May be optional or repeatable:
 - A [] indicates the segment is optional
 - The { } indicates the segment is repeatable.

For each message category, there is a list of HL7 standard segments used for the message.

18.4.2 Segment Table Definitions

For each segment, the data elements are described in table format. The table includes the following:

- Sequence number (**SEQ**)
- Maximum length (**LEN**)
- Data type (**DT**)
- Required or optional (**R/O**)
- Repeatable (**RP/#**)
- Table number (**TBL#**)
- Element name

- VistA description

Each segment is described in the following sections.

18.4.3 Message Control Segments

This section describes the message control segments that are contained in message types described in this document. These are generic descriptions. Any time any of the segments described in this section are included in a message in this document, the VistA descriptions and mappings are as specified here, unless otherwise specified in that section.

18.4.4 MSH—Message Header Segment

Table 188 lists **MSH** sequences:

Table 198: MSH—Message Header Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
1	1	ST	R			Field Separator	<i>Recommended</i> value is ^ (caret)
2	4	ST	R			Encoding Characters	<i>Recommended</i> delimiter values: <ul style="list-style-type: none"> • Component = ~ (tilde) • Repeat = (bar) • Escape = \ (back slash) • Sub-component = & (ampersand)
3	15	ST				Sending Application	Name field of HL7 Application Parameter file.
4	20	ST				Sending Facility	Sending station's facility number from Institution field of HL7 Communication Parameters file.
5	30	ST				Receiving Application	Name field of HL7 Application Parameter file.
6	30	ST				Receiving Facility	Receiving station's facility number from Institution field of HL Logical Link file.
7	26	TS				Date/Time Of Message	Date and time message was created.
8	40	ST				Security	Not used.

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
9	7	CM	R		0076 0003	Message Type	2 Components: <ul style="list-style-type: none"> • See Table 155: Table 0076—Message Type. • See Table 150: Table 0003—Event Type Code.
10	20	ST	R			Message Control ID	Automatically generated by VistA HL7 Package.
11	1	ID	R		0103	Processing ID	P (production).
12	8	ID	R		0104	Version ID	Version ID field of event protocol in Protocol file.
13	15	NM				Sequence Number	Not used.
14	180	ST				Continuation Pointer	Not used.
15	2	ID			0155	Accept Acknowledgment Type	NE (never acknowledge).
16	2	ID			0155	Application Acknowledgment Type	AL (always acknowledge).
17	2	ID				Country Code	USA .
18	6	ID		Y/3	0211	Character Set	Not used.
19	60	CE				Principal Language of Message	Not used.

18.4.5 MSA—Message Acknowledgement Segment

Table 189 lists **MSA** sequences:

Table 199: MSA—Message Acknowledgement Segment

2.3.1	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
1	2	ID	R		0008	Acknowledgment Code	REF: See HL7 Table 151: Table 0008—Acknowledgment Code .
2	20	ST	R			Message Control ID	Message Control ID of the message being acknowledged.
3	80	ST	O			Text Message	Free text error message.
4	15	NM	O			Expected Sequence Number	Not used.
5	1	ID	B		0102	Delayed Acknowledgment Type	Not used.
6	100	CE	O			Error Condition	Not used.

18.4.6 PID—Patient Identification Segment

Table 190 lists **PID** sequences:

Table 200: PID—Patient Identification Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
1	4	SI				Set ID - Patient ID	Always set to “1”.
2	20	CK				Patient ID (External ID)	Social Security Number field in the PATIENT (#2) file.
3	20	CM	R	Y		Patient ID (Internal ID)	Integrated Control Number (ICN) field in the PATIENT (#2) file. <ul style="list-style-type: none">• Component 1: ICN w/checksum• Component 2: NULL

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
							<ul style="list-style-type: none"> Component 3: NULL Component 4: Assigning authority (subcomponent 1: "USVHA", subcomponent 3: "L") Component 5: Type "NI"
4	12	ST				Alternate Patient ID	Not used.
5	48	PN	R			Patient Name	Name.
6	30	ST				Mother's Maiden Name	Not used.
7	26	TS				Date of Birth	Date of birth.
8	1	ID			0001	Sex	Not used.
9	48	PN		Y		Patient Alias	Not used.
10	1	ID			0005	Race	Not used.
11	106	AD		Y		Patient Address	Not used.
12	4	ID				County Code	Not used.
13	40	TN		Y		Phone Number – Home	Not used.
14	40	TN		Y		Phone Number – Business	Not used.
15	25	ST				Language – Patient	Not used.
16	1	ID			0002	Marital Status	Not used.
17	3	ID			0006	Religion	Not used.
18	20	CK				Patient Account Number	Not used.
19	16	ST				SSN Number – Patient	Social security number and pseudo indicator.
20	25	CM				Driver's Lic Num – Patient	Not used.
21	20	CK				Mother's Identifier	Not used.
22	1	ID			0189	Ethnic Group	Not used.
23	25	ST				Birth Place	Not used.

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
24	2	ID				Multiple Birth Indicator	Not used.
25	2	NM				Birth Order	Not used.
26	3	ID		Y	0171	Citizenship	Not used.
27	60	CE			0172	Veterans Military Status	Not used.

18.4.7 ORC—Common Order Segment

Table 191 lists **ORC** sequences:

Table 201: ORC—Common Order Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
1	2	ID	R		0119	Order Control	REF: See <u>Table 197: Table 0119—Order Control Codes</u> .
2	22	EI	C			Placer Order Number	Not used.
3	22	EI	C			Filler Order Number	Not used.
4	22	EI				Placer Group Number	Not used.
5	2	ID			0038	Order Status	Not used.
6	1	ID			0121	Response Flag	Not used.
7	200	TQ				Quantity/timing	Not used.
8	200	CM				Parent	Not used.
9	26	TS				Date/Time of Transaction	Not used.
10	120	XCN				Entered By	Not used.
11	120	XCN				Verified By	Not used.
12	120	XCN				Ordering Provider	Not used.
13	80	PL				Enterer's Location	Not used.
14	40	XTN		Y/2		Call Back Phone Number	Not used.
15	26	TS				Order Effective Date/Time	Not used.
16	200	CE				Order Control Code Reason	Not used.

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
17	60	CE				Entering Organization	Not used.
18	60	CE				Entering Device	Not used.
19	120	XCN				Action By	Not used.

18.4.8 RQD—Requisition Detail Segment

Table 192 lists **RQD** sequences:

Table 202: RQD—Requisition Detail Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
1	4	SI				Requisition Line Number	Always set to “1”.
2	60	CE	C			Item Code – Internal	Not used.
3	60	CE	C			Item Code – External	NCMD Card ID (#.01) field in the VIC REQUEST (#39.6) file.
4	60	CE	C			Hospital Item Code	Not used.
5	6	NM				Requisition Quantity	Not used.
6	60	CE				Requisition Unit of Measure	Not used.
7	30	IS			0319	Dept. Cost Center	Not used.
8	30	IS			0320	Item Natural Account Code	Not used.
9	60	CE				Deliver to ID	Not used.
10	8	DT				Date Needed	Not used.

18.4.9 NTE—Notes and Comments Segment

Table 193 lists NTE sequences:

Table 203: NTE—Notes and Comments Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	ELEMENT NAME	VistA DESCRIPTION
1	4	SI	O			Set ID	Not used.
2	8	ID	O		105	Source of Comment	Not used.
3	65536	FT	O	Y		Comment	<p>1st repetition: String “POW:” followed by single character Prisoner of War indicator calculated from the PATIENT ELIGIBILITIES (#361) field of the PATIENT (#2) file and the current enrollment status derived from the supported call \$\$\$STATUS^DGENA.</p> <p>Example: POW:Y</p> <p>2nd repetition: String “PH:” followed by single character Purple Heart indicator calculated from CURRENT PH INDICATOR (#.531) and CURRENT PURPLE HEART STATUS (#.532) fields of the PATIENT (#2) file.</p> <p>Example: PH:N</p>
4	250	CE	O		364	Comment Type	Not used.

18.5 Trigger Events and Message Definitions

Each triggering event is listed below along with the applicable form of the message to be exchanged. The notation used to describe the sequence, option, and repetition of segments is described in the HL7 V. 2.4 Standard Specification Manual, Chapter 2, and in summary form, in Section 2.1 of this document.

18.6 ORM—General Order Message (Event O01)

ORM~O01 message to be sent to the NCMD:

- **ORM**—Order Message
- **MSH**—Message Header
- **PID**—Patient Identification
- **ORC**—Common Order
- **RQD**—Requisition Detail
- **NTE**—Notes and Comments

18.6.1 Sample Message

Figure 30: Sample ORM~O01 Message Sent to NCMD

```
MSH^~|\&^VIC NCMD SEND^500~REDACTED~DNS^VIC NCMD RECV^NCMD^20031008144616-  
0400^^ORM~O01^50018835^P^2.4^^NE^AL^USA  
PID^1^222-33-4444~^^1001178082V735077~~~USVHA&&L~NI^^ADTPATIENT~ONE^^  
19500404^^^^^^^^^^^^^^222334444  
ORC^RL  
RQD^1^^22233444-ADTPATIENT-1  
NTE^^^POW:N|PH:Y
```

18.7 ORR—General Order Response Message Response to Any ORM (Event O02)

Upon receipt of a VIC Card request order message, the NCMD responds with an **ORR~O02** message:

- **ORR**—Order Response Message
- **MSH**—Message Header
- **MSA**—Message Acknowledgment

18.7.1 Sample Messages

General Order Response (ORR~O02) message when the General Order Message (ORM~O01) is successful.

Figure 31: General Order Response (ORR~O02) Message—Success: General Order Message (ORM~O01)

```
MSH^~|\&^VIC NCMD RECV^NCMD^VIC NCMD SEND^500~REDACTED~DNS^20031008144616-  
0400^^ORR~O02^782218835^P^2.4^^^NE^AL^USA  
MSA^AA^50018835
```

General Order Response (ORR~O02) message when the General Order Message (ORM~O01) fails.

Figure 32: General Order Response (ORR~O02) Message—Failure: General Order Message (ORM~O01)

```
MSH^~|\&^VIC NCMD RECV^NCMD^VIC NCMD SEND^500~REDACTED~DNS^20031008144616-  
0400^^ORR~O02^782218835^P^2.4^^^NE^AL^USA  
MSA^AE^50018835^CardID not on file
```

18.8 Supported and User Defined HL7 Tables

18.8.1 Table 0003—Event Type Code

Table 204: Table 0003—Event Type Code

Value	Description
O01	ORM – Order Message
O02	ORR – Order Response

18.8.2 Table 0008—Acknowledgment Code

Table 205: Table 0008—Acknowledgment Code

Value	Description
AA	<ul style="list-style-type: none">Original mode: Application AcceptEnhanced mode: Application acknowledgment: Accept
AE	<ul style="list-style-type: none">Original mode: Application ErrorEnhanced mode: Application acknowledgment: Error
AR	<ul style="list-style-type: none">Original mode: Application RejectEnhanced mode: Application acknowledgment: Reject
CA	Enhanced mode: Accept acknowledgment: Commit Accept
CE	Enhanced mode: Accept acknowledgment: Commit Error
CR	Enhanced mode: Accept acknowledgment: Commit Reject

18.8.3 Table 0076—Message Type

Table 206: Table 0076—Message Type

Value	Description
ORM	Order Message
ORR	Order Acknowledgment Message

18.8.4 Table 0119—Order Control Codes

Table 207: Table 0119—Order Control Codes

Value	Description
RL	Release Previous Hold
CA	Cancel Order Request

19HL7 Generic PID, EVN, PV1 Segment Builder Established by MPI

This section describes functionality that can be used by other applications to dynamically build fully populated **PID**, **EVN**, and **PV1** segments for use in communicating to and from VistA and/or HealtheVet (HeV) VistA.

This document specifies the information needed by applications to use the generic HL7 v2.4 segment builders. In order for applications to use this functionality, they *must* first subscribe to the Integration Agreement #3630 described below.

REF: For more information about the specific data elements included in these segments, see the [MPI HL7 v2.4 Interface Specification on the VDL](#).

19.1 Integration Agreement (IA) #3630

This Integration Agreement consists of three Health Level 7 (HL7), Version 2.4 segment builders in the form of the following APIs:

- **BLDEVN^VAFCQRY**
- **BLDPD1^VAFCQRY**
- **BLDPID^VAFCQRY**

These generic segment builders can be used to build Version 2.4 HL7 **PID**, **EVN**, and **PD1** segments.

19.1.1 Custodial Package

REGISTRATION has the following Subscribing Packages:

- MASTER PATIENT INDEX VISTA
- CLINICAL INFO RESOURCE NETWORK
- OUTPATIENT PHARMACY
- CLINICAL PROCEDURES
- PHARMACY BENEFITS MANAGEMENT
- RADIOLOGY/NUCLEAR MEDICINE
- GEN. MED. REC. - VITALS
- ADVERSE REACTION TRACKING
- LAB SERVICE
- CLINICAL CASE REGISTRIES

19.2 API: BLDEVN^VAFCQRY

Description

The entry point builds the **EVN** segment via Version 2.4 including the treating facility last treatment date and event reason.

Format

BLDEVN^VAFCQRY

Input Variables

- **DFN:** Internal Entry Number of the patient in the PATIENT (#2) file.
- **SEQ:** Variable consisting of sequence numbers delimited by commas that are used to build the message.
- **EVN:** (Passed by reference). This is the array location to place **EVN** segment result. The array can have existing values when passed.
- **HL:** Array that contains the necessary **HL** variables (**init^hlsub**).
- **EVR:** Event reason that triggered this message.
- **ERR:** Array used to return an error.

19.3 API: BLDPD1^VAFCQRY

Description

This entry point builds the Version 2.4 **PD1** segment.

Format

BLDPD1^VAFCQRY

Input Variables

- **DFN:** Internal Entry Number of the patient in the PATIENT (#2) file.
- **SEQ:** Variable consisting of sequence numbers delimited by commas that is used to build the message.
- **PD1:** (Passed by reference). Array location to place **PD1** segment result. The array can have existing values when passed.
- **HL:** Array that contains the necessary **HL** variables (**init^hlsub**).
- **ERR:** Array used to return an error.

19.4 API: BLDPID^VAFCQRY

Description

This entry point builds the Version 2.4 **PID** segment.

Format

BLDPID^VAFCQRY

Input Variables

- **DFN:** Internal Entry Number of the patient in the PATIENT (#2) file.
- **CNT:** The value to be place in **PID seq#1 (SET ID)**.
- **SEQ:** Variable consisting of sequence numbers delimited by commas that is used to build the message.
"ALL" can be passed to get all available fields in the **PID** segment that are available.
This is the default.
- **PID:** (Passed by reference). The array location to place **PID** segment result, the array can have existing values when passed.
- **HL:** Array that contains the necessary **HL** variables (**init^hlsub**).
- **ERR:** Array used to return an error.

20HL7 Interface Specification for Home Telehealth (HTH)

The Home Telehealth (HTH) application is in support of the Care Coordination Program that involves the use of Home Telehealth technologies. Home Telehealth helps the Veterans Health Administration (VHA) by 836 creating a framework for optimizing the overall development and implementation of Telemedicine in VHA.

This document specifies the information needed for activation and inactivation of Home Telehealth patients with their perspective HTH vendors.

This application uses the abstract message approach and encoding rules specified by HL7. HL7 is used for communicating data associated with various events which occur in health care environments.

The formats of these messages conform to the Version 2.4 HL7 Interface Standards.

20.1 Assumptions

The transmission of HTH registration/inactivation requests from VistA to the HTH vendors assumes the following.

- All VistA sites have installed VistA HL7 software and it is operational.
- The associated VistA Consult Patch GMRC*3*42 has been installed and HTH consults activated.

20.2 Message Content

The data sent in the HL7 messages is limited to the information that is required to uniquely identify the patient and requested by the HTH vendors. The data transmitted is recorded and available in VistA.

20.3 Data Capture and Transmission

The following event trigger generates a **Register a Patient** (Event **A04**):

- Provider evaluates patient and refers patient for HTH care by submitting a consult request. A pending consult request goes to the HTH Care Coordinator and verifies eligibility. A registration request is submitted to HTH vendor by using the **Patient Sign-Up/Activation** [DGHT PATIENT SIGNUP] menu option.
- The protocol DG HOME TELEHEALTH ADT-A04 CLIENT in PROTOCOL (#101) file is used for the Patient Sign-Up/Activation process.
- The entry DG HOME TELEHEALTH in the HL7 APPLICATION PARAMETER (#771) file is used for processing outgoing HL7 messages from the Home Telehealth vendors.
- The entry **HTAPPL** in the HL7 APPLICATION PARAMETER (#771) file is used for processing incoming HL7 messages from the Home Telehealth vendors.

The following entries in the HL LOGICAL LINK (#870) file facilitate the transmission of Home Telehealth patient data to Home Telehealth vendor server system via the Austin Interface:

- DG HT AMD
- DG HT ATI
- DG HT HH
- DG HT VIT
- DG HT VN
- DG HTH

The mail group **DGHTERR** generates mail messages for any transmission rejects received from the vendor server.

The following event trigger generates an **Inactivation of a Patient** (Event **A03**):

- HTH Care Coordinator determines patient care is now complete. An inactivation request is submitted to HTH vendor **Patient Inactivation** [DGHT PATIENT INACTIVATION] menu option.
- The protocol DG HOME TELEHEALTH ADT-A03 CLIENT in the PROTOCOL (#101) file is used for the Patient Inactivation process.
- The entry DG HOME TELEHEALTH in the HL7 APPLICATION PARAMETER (#771) file is used for processing outgoing HL7 messages from the Home Telehealth vendors.
- The entry **HTAPPL** in the HL7 APPLICATION PARAMETER (#771) file is used for processing incoming HL7 messages from the Home Telehealth vendors.

The following entries in the HL LOGICAL LINK (#870) file facilitate the transmission of Home Telehealth patient data to Home Telehealth vendor server system via the Austin Interface:

- **DG HT AMD**
- **DG HT ATI**
- **DG HT HH**
- **DG HT VIT**
- **DG HT VN**
- **DG HTH**

The **DGHTERR** mail group generates mail messages for any transmission rejects received from the vendor server.

NOTE: Any modification made to the VistA database in *non-standard* ways, such as a direct global set by an application or by M code, is *not* processed appropriately.

21 VA TCP/IP Lower Level Protocol

The HL7 V. 1.6 TCP/IP lower level protocol (LLP) is used, which implements the HL7 Minimal Lower Layer Protocol (MLLP) referenced in section C.4 of Appendix C of the Health Level 7 Implementation Guide (v2.4).

21.1 HL7 CONTROL SEGMENTS

This section defines the HL7 control segments supported by VistA. The messages are presented separately and defined by category. Segments are also described. The messages are presented in the Message Control category.

21.2 Message Definitions

From the VistA perspective, all incoming or outgoing messages are handled or generated based on an event.

In this section and the following sections, the following elements are defined for each message:

- Trigger events
- Message event code
- List of segments used in the message
- List of fields for each segment in the message

Each message is composed of segments, which:

- Contain logical groupings of data.
- May be optional or repeatable:
 - A [] indicates the segment is optional.
 - The { } indicates the segment is repeatable.

For each message category, there is a list of HL7 standard segments used for the message.

21.3 Segment Table Definitions

For each segment, the data elements are described in table format. The table includes the following:

- Sequence number (**SEQ**)
- Maximum length (**LEN**)
- Data type (**DT**)
- Required or optional (**R/O**)
- Repeatable (**RP/#**),
- Table number (**TBL#**)

- Element name
- VistA description

Each segment is described in the following sections.

21.4 Message Control Segments

This section describes the message control segments that are contained in message types described in this document. These are generic descriptions. Any time any of the segments described in this section are included in a message in this document, the VistA descriptions and mappings are as specified here unless otherwise specified in that section.

21.4.1 MSH—Message Header Segment

Table 198 lists the **MSH** sequences:

Table 208: MSH—Message Header Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
1	1	ST	R			Field Separator	<i>Recommended</i> value is ^ (caret).
2	4	ST	R			Encoding Characters	<i>Recommended</i> delimiter values: <ul style="list-style-type: none"> • Component = ~ (tilde) • Repeat = (bar) • Escape = \ (back slash) • Sub-component = & (ampersand)
3	15	ST				Sending Application	Name field of HL7 Application Parameter file.
4	20	ST				Sending Facility	Sending station's facility number from Institution field of HL7 Communication Parameters file.
5	30	ST				Receiving Application	Name field of HL7 Application Parameter file.
6	30	ST				Receiving Facility	Receiving station's facility number from Institution field of HL Logical Link file.
7	26	TS				Date/Time Of Message	Date and time message was created.

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
8	40	ST				Security	Not used.
9	7	CM	R		0076 0003	Message Type	2 Components: <ul style="list-style-type: none"> See Table 155: Table 0076—Message Type. See Table 150: Table 0003—Event Type Code.
10	20	ST	R			Message Control ID	Automatically generated by VistA HL7 Package.
11	1	ID	R		0103	Processing ID	P (production).
12	8	ID	R		0104	Version ID	Version ID field of event protocol in Protocol file.
13	15	NM				Sequence Number	Not used.
14	180	ST				Continuation Pointer	Not used.
15	2	ID			0155	Accept Acknowledgment Type	NE (never acknowledge).
16	2	ID			0155	Application Acknowledgment Type	AL (always acknowledge).
17	2	ID				Country Code	USA .
18	6	ID		Y/3	0211	Character Set	Not used.
19	60	CE				Principal Language of Message	Not used.

21.4.2 EVN—Event Type Segment

Table 199 lists the EVN sequences:

Table 209: EVN—Event Type Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
1	1	ST	R			Field Separator	<i>Recommended</i> value is ^ (caret).
2	4	ST	R			Encoding Characters	<i>Recommended</i> delimiter values: <ul style="list-style-type: none"> • Component = ~ (tilde) • Repeat = (bar) • Escape = \ (back slash) • Sub-component = & (ampersand)
3	15	ST				Sending Application	Name field of HL7 Application Parameter file.
4	20	ST				Sending Facility	Sending station's facility number from Institution field of HL7 Communication Parameters file.
5	30	ST				Receiving Application	Name field of HL7 Application Parameter file.
6	30	ST				Receiving Facility	Receiving station's facility number from Institution field of HL Logical Link file.
7	26	TS				Date/Time Of Message	Date and time message was created.
8	40	ST				Security	Not used.
9	7	CM	R		0076 0003	Message Type	Two Components: <ul style="list-style-type: none"> • See Table 155: Table 0076—Message Type. • See Table 150: Table 0003—Event Type Code.
10	20	ST	R			Message Control ID	Automatically generated by VistA HL7 Package.
11	1	ID	R		0103	Processing ID	P (production).

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
12	8	ID	R		0104	Version ID	Version ID field of event protocol in Protocol file.
13	15	NM				Sequence Number	Not used.
14	180	ST				Continuation Pointer	Not used.
15	2	ID			0155	Accept Acknowledgment Type	NE (never acknowledge).
16	2	ID			0155	Application Acknowledgment Type	AL (always acknowledge).
17	2	ID				Country Code	USA.
18	6	ID		Y/3	0211	Character Set	Not used.
19	60	CE				Principal Language of Message	Not used.

21.4.3 PID—Patient Identification Segment

Table 200 lists the **PID** sequences:

Table 210: PID—Patient Identification Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
1	4	SI				Set ID - Patient ID	Always set to “1”.
2	20	CK				Patient ID (External ID)	Social Security Number field of PATIENT (#2) file.
3	20	CM	R	Y		Patient ID (Internal ID)	Integrated Control Number (ICN) field in the PATIENT (#2) file: <ul style="list-style-type: none"> • Component 1: ICN w/checksum • Component 2: DFN • Component 3: NULL • Component 4: Assigning authority (subcomponent 1: ‘USVHA’, subcomponent 3: “L”. • Component 5: Type “NI”.
4	12	ST				Alternate Patient ID	Not used.
5	48	PN	R			Patient Name	Name.
6	30	ST				Mother's Maiden Name	Not used.
7	26	TS				Date of Birth	Date of birth.
8	1	ID			0001	Sex	Not used.
9	48	PN		Y		Patient Alias	Not used.
10	1	ID			0005	Race	Not used.
11	106	AD		Y		Patient Address	Home Address.
12	4	ID				County Code	Not used.
13	40	TN		Y		Phone Number – Home	Home Phone Validated.
14	40	TN		Y		Phone Number – Business	Not used.
15	25	ST				Language – Patient	Not used.

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
16	1	ID			0002	Marital Status	Not used.
17	3	ID			0006	Religion	Not used.
18	20	CK				Patient Account Number	Not used.
19	16	ST				SSN Number – Patient	Social security number and pseudo indicator.
20	25	CM				Driver's Lic Num – Patient	Not used.
21	20	CK				Mother's Identifier	Not used.
22	1	ID			0189	Ethnic Group	Not used.
23	25	ST				Birth Place	Not used.
24	2	ID				Multiple Birth Indicator	Not used.
25	2	NM				Birth Order	Not used.
26	3	ID		Y	0171	Citizenship	Not used.
27	60	CE			0172	Veterans Military Status	Not used.

21.4.4 PD1—Patient Additional Demographic Segment

Table 201 lists the **PD1** sequences:

Table 211: PD1—Patient Additional Demographic Segment

SEQ	LEN	DT	OPT	RP/#	TBL#	ITEM#	Element Name
1	2	IS	O	Y	0223	00755	Living Dependency
2	2	IS	O		0220	00742	Living Arrangement
3	250	XON	O	Y		00756	Patient Primary Facility
4	250	XCN	B	Y		00757	Patient Primary Care Provider Name & ID No.
5	2	IS	O		0231	00745	Student Indicator
6	2	IS	O		0295	00753	Handicap
7	2	IS	O		0315	00759	Living Will Code
8	2	IS	O		0316	00760	Organ Donor Code
9	1	ID	O		0136	00761	Separate Bill
10	250	CX	O	Y		00762	Duplicate Patient

SEQ	LEN	DT	OPT	RP/#	TBL#	ITEM#	Element Name
11	250	CE	O		0215	00743	Publicity Code
12	1	ID	O		0136	00744	Protection Indicator
13	8	DT	O			01566	Protection Indicator Effective Date
14	250	XON	O	Y		01567	Place of Worship
15	250	CE	O	Y	0435	01568	Advance Directive Code
16	1	IS	O		0441	01569	Immunization Registry Status
17	8	DT	O			01570	Immunization Registry Status Effective Date
18	8	DT	O			01571	Publicity Code Effective Date
19	5	IS	O		0140	01572	Military Branch
20	2	IS	O		0141	00486	Military Rank/Grade
21	3	IS	O		0142	01573	Military Status

21.4.5 PV1—Patient Visit Segment

Table 202 lists the **PV1** sequences:

Table 212: PVI—Patient Visit Segment

SEQ	LEN	DT	OPT	RP/#	TBL#	ITEM#	Element Name
1	4	SI	O			00131	Set ID - PV1
2	1	IS	R		0004	00132	Patient Class
3	80	PL	O			00133	Assigned Patient Location
4	2	IS	O		0007	00134	Admission Type
5	250	CX	O			00135	Preadmit Number
6	80	PL	O			00136	Prior Patient Location
7	250	XCN	O	Y	0010	00137	Attending Doctor
8	250	XCN	O	Y	0010	00138	Referring Doctor
9	250	XCN	B	Y	0010	00139	Consulting Doctor
10	3	IS	O		0069	00140	Hospital Service
11	80	PL	O			00141	Temporary Location
12	2	IS	O		0087	00142	Preadmit Test Indicator
13	2	IS	O		0092	00143	Re-admission Indicator
14	6	IS	O		0023	00144	Admit Source

SEQ	LEN	DT	OPT	RP/#	TBL#	ITEM#	Element Name
15	2	IS	O	Y	0009	00145	Ambulatory Status
16	2	IS	O		0099	00146	VIP Indicator
17	250	XCN	O	Y	0010	00147	Admitting Doctor
18	2	IS	O		0018	00148	Patient Type
19	250	CX	O			00149	Visit Number
20	50	FC	O	Y	0064	00150	Financial Class
21	2	IS	O		0032	00151	Charge Price Indicator
22	2	IS	O		0045	00152	Courtesy Code
23	2	IS	O		0046	00153	Credit Rating
24	2	IS	O	Y	0044	00154	Contract Code
25	8	DT	O	Y		00155	Contract Effective Date
26	12	NM	O	Y		00156	Contract Amount
27	3	NM	O	Y		00157	Contract Period
28	2	IS	O		0073	00158	Interest Code
29	4	IS	O		0110	00159	Transfer to Bad Debt Code
30	8	DT	O			00160	Transfer to Bad Debt Date
31	10	IS	O		0021	00161	Bad Debt Agency Code
32	12	NM	O			00162	Bad Debt Transfer Amount
33	12	NM	O			00163	Bad Debt Recovery Amount
34	1	IS	O		0111	00164	Delete Account Indicator
35	8	DT	O			00165	Delete Account Date
36	3	IS	O		0112	00166	Discharge Disposition
37	47	DLD	O		0113	00167	Discharged to Location
38	250	CE	O		0114	00168	Diet Type
39	2	IS	O		0115	00169	Servicing Facility
40	1	IS	B		0116	00170	Bed Status
41	2	IS	O		0117	00171	Account Status
42	80	PL	O			00172	Pending Location
43	80	PL	O			00173	Prior Temporary Location
44	26	TS	O			00174	Admit Date/Time
45	26	TS	O	Y		00175	Discharge Date/Time
46	12	NM	O			00176	Current Patient Balance

SEQ	LEN	DT	OPT	RP/#	TBL#	ITEM#	Element Name
47	12	NM	O			00177	Total Charges
48	12	NM	O			00178	Total Adjustments
49	12	NM	O			00179	Total Payments
50	250	CX	O		0203	00180	Alternate Visit ID
51	1	IS	O		0326	01226	Visit Indicator
52	250	XCN	B	Y	0010	01274	Other Healthcare Provider

21.4.6 MSA—Message Acknowledgement Segment

Table 203 lists the **MSA** sequences:

Table 213: MSA—Message Acknowledgement Segment

SEQ	LEN	DT	R/O	RP/#	TBL#	Element Name	VistA Description
1	2	ID	R		0008	Acknowledgment Code	REF: See HL7 Table 151: Table 0008—Acknowledgment Code .
2	20	ST	R			Message Control ID	Message Control ID of the message being acknowledged.
3	80	ST	O			Text Message	Free text error message.
4	15	NM	O			Expected Sequence Number	Not used.
5	1	ID	B		0102	Delayed Acknowledgment Type	Not used.
6	100	CE	O			Error Condition	Not used.

22HL7 Interface Specification for Patient Record Flags (PRF)

For HL7 interface specification for Patient Record Flags (PRF) functionality, see the [Patient Record Flags HL7 Interface Specification](#) document in the VA Software Document Library [Patient Record Flags](#) folder.

23 HL7 Interface Specification for Community Care Referrals and Authorization (CCRA) Scheduling Actions

The Community Care Referrals and Authorization (CCRA) appointment actions updates VistA to schedule, cancel, or update appointments in support of the HealthShare Referral Manager (HSRM) application. When an appointment is made or canceled, or if an appointment is updated as a No Show for a community care referral in HSRM, HSRM sends an HL7 message to VistA to update the VistA files with the appointment information. This information is then viewable in VistA Scheduling Options, CPRS, VS GUI, and other applications.

The formats of the HL7 messages conform to HL7 Version 2.5, Schedule Information Unsolicited (SIU) message type, the message structure is as follows:

- **S12**—Schedule an appointment.
- **S15**—Cancel and appointment.
- **S26**—Update the appointment as a NO SHOW by the patient.

23.1 Assumptions

The transmission of HSRM HL7 appointment messages assumes the following:

- VistA sites have patches GRMC*3.0*99 and GMRC*3.0*106 installed.
- All VistA systems have installed patch SD*5.3*707. This patch receives the HL7 messages from HSRM and processes the date.

23.2 Message Content

The scheduling messages contain only the data necessary to perform the scheduling action.

23.3 HL7 Protocols

- **CCRA HSRM SIU-S12 CLIENT**—This is the subscriber protocol that processes the make appointment message.
- **CCRA HSRM SIU-S12 SERVER**—This the event driver protocol that is triggered when a make appointment message is received.
- **CCRA HSRM SIU-S15 CLIENT**—This is the subscriber protocol that processes the cancel appointment message.
- **CCRA HSRM SIU-S15 SERVER**—This is the event driver protocol that is triggered when a cancel appointment message is received.
- **CCRA HSRM SIU-S26 CLIENT**—This is the subscriber protocol that processes the appointment update for a NO SHOW appointment action.

- **CCRA HSRM SIU-S26 SERVER**—This is the event driver protocol that is triggered when a NO SHOW update message is received.

23.4 HL7 Application Parameters

- **SD-CCRA-HSRM**—Defines the sending application parameters.
- **SD-CCRA-VISTA**—Defines the receiving application parameters.

23.5 HL7 Messaging Segments

23.5.1 SCH—Schedule Activity Information Segment

The **SCH** segment contains general information about the scheduled appointment. [Table 204](#) lists the **SCH** sequences:

Table 214: SCH—Schedule Activity Information Segment

SEQ	LEN	DT	R/O/C	RP/#	TBL#	ITEM#	Element Name	VistA Description
1	75	EI	R			860	Placer Appointment ID	Not used.
2	75	EI	C			861	Filler Appointment ID	Not used.
3	5	NM	C			862	Occurrence Number	VistA consult ID.
4	22	EI	O			218	Placer Group Number	Not used.
5	250	CE	O			864	Schedule ID	Not used.
6	250	CE	R			883	Event Reason	Scheduled or Canceled.
7	250	CE	O			866	Appointment Reason	Not used.
8	250	CE	O			867	Appointment Type	Not used.
9	20	NM				868	Appointment Duration	Appointment length.
10	250	CE	O			869	Appointment Duration Units	Minutes or hours.
11	200	TQ	R	Y		884	Appointment Timing Quantity	^^Appointment Start Date Time^Appointment .

SEQ	LEN	DT	R/O/C	RP/#	TBL#	ITEM#	Element Name	VistA Description
								End Date Time.
12	250	XCN	O	Y		874	Placer Contact Person	^Provider Last. Name^Provider First Name.
13	250	XTN	O			875	Placer Contact Phone Number	^^Scheduler's VA exchange email.
14	250	XAD	O	Y		876	Placer Contact Address	Not used.
15	80	PL	O			877	Placer Contact Location	Not used.
16	250	XCN	R	Y		885	Filler Contact Person	DUZ^name of person that scheduled the appointment.
17	250	XTN	O			886	Filler Contact Phone Number	Not used.
18	250	XAD	O			887	Filler Contact Address	Not used.
19	80	PL	O			888	Filler Contact Location	Not used.
20	250	XCN	R	Y		878	Entered by Person	Free text scheduler name.
21	250	XTN	O	Y		879	Entered by Phone Number	Not Used.
22	80	PL	O			880	Entered by Location	Not used.
23	75	EI	O			881	Parent Placer Appointment ID	Not used.
24	75	EI	O			882	Parent Filler Appointment ID	Not used.
25	250	CE	R			889	Filler Status Code	Scheduled or Canceled.
26	22	EI	C	Y		216	PLACER ORDER NUMBER	Not Used.
27	22	EI	C	Y		217	FILLER ORDER NUMBER	Not Used.

23.5.2 PID—Patient Information Segment

The **PID** segment has patient identification information. [Table 205](#) lists the **PID** sequences:

Table 215: PID—Patient Information Segment

SEQ	LEN	DT	OPT	RP/#	TBL#	ITEM#	Element Name	VistA Description
1	4	SI	O			104	Set ID - PID	Not used.
2	20	CX	B			105	Patient ID	Not used.
3	250	CX	R	Y		106	Patient Identifier List	Patient ICN^^^USAVHA^NI~DF N.
4	20	CX	B	Y		107	Alternate Patient ID - PID	Not used.
5	250	XP	R	Y		108	Patient Name	Last Name^First Name^MI^^^L.
6	250	XP	O	Y		109	Mother's Maiden Name	Not used.
7	26	TS	O			110	Date/Time of Birth	Patient Date of Birth.
8	1	IS	O		1	111	Administrative Sex	Patient's Gender.
9	250	XP	B	Y		112	Patient Alias	Not used.
10	250	CE	O	Y	5	113	Race	Not used.
11	250	XAD	O	Y		114	Patient Address	Not used.
12	4	IS	B		289	115	County Code	Not used.
13	250	XTN	O	Y		116	Phone Number - Home	Not used.
14	250	XTN	O	Y		117	Phone Number - Business	Not used.
15	250	CE	O		296	118	Primary Language	Not used.
16	250	CE	O		2	119	Marital Status	Not used.
17	250	CE	O		6	120	Religion	Not used.
18	250	CX	O			121	Patient Account Number	Consult ID related to this appointment.

SEQ	LEN	DT	OPT	RP/#	TBL#	ITEM#	Element Name	VistA Description
19	16	ST	B			122	SSN Number - Patient	Not used.
20	25	DLN	O			123	Driver's License Number - Patient	Not used.
21	250	CX	O	Y		124	Mother's Identifier	Not used.
22	250	CE	O	Y	189	125	Ethnic Group	Not used.
23	250	ST	O			126	Birth Place	Not used.
24	1	ID	O		136	127	Multiple Birth Indicator	Not used.
25	2	NM	O			128	Birth Order	Not used.
26	250	CE	O	Y	171	129	Citizenship	Not used.
27	250	CE	O		172	130	Veterans Military Status	Not used.
28	250	CE	B		212	739	Nationality	Not used.
29	26	TS	O			740	Patient Death Date and Time	Not used.
30	1	ID	O		136	741	Patient Death Indicator	Not used.
31	1	ID	O		136	1535	Identity Unknown Indicator	Not used.
32	20	IS	O	Y	445	1536	Identity Reliability Code	Not used.
33	26	TS	O			1537	Last Update Date/Time	Not used.
34	40	HD	O			1538	Last Update Facility	Not used.
35	250	CE	C		446	1539	Species Code	Not used.
36	250	CE	C		447	1540	Breed Code	Not used.
37	80	ST	O			1541	Strain	Not used.
38	250	CE	O	2	429	1542	Production Class Code	Not used.

23.5.3 PV1—Patient Visit Segment

The **PV1** segment has the patient visit information. [Table 206](#) lists the **PV1** sequences:

Table 216: PV1—Patient Visit Segment

SEQ	LEN	DT	OPT	RP/#	TBL#	ITEM#	Element Name	VistA Description
1	4	SI	O			131	Set ID - PV1	Not used.
2	1	IS	R		4	132	Patient Class	Not used.
3	80	PL	O			133	Assigned Patient Location	Not used.
4	2	IS	O		7	134	Admission Type	Not used.
5	250	CX	O			135	Preadmit Number	Not used.
6	80	PL	O			136	Prior Patient Location	Not used.
7	250	XCN	O	Y	10	137	Attending Doctor	Not used.
8	250	XCN	O	Y	10	138	Referring Doctor	Not used.
9	250	XCN	B	Y	10	139	Consulting Doctor	Not used.
10	3	IS	O		69	140	Hospital Service	Not used.
11	80	PL	O			141	Temporary Location	Not used.
12	2	IS	O		87	142	Preadmit Test Indicator	Not used.
13	2	IS	O		92	143	Re-admission Indicator	Not used.
14	6	IS	O		23	144	Admit Source	Not used.
15	2	IS	O	Y	9	145	Ambulatory Status	Not used.
16	2	IS	O		99	146	VIP Indicator	Not used.
17	250	XCN	O	Y	10	147	Admitting Doctor	Not used.
18	2	IS	O		18	148	Patient Type	Not used.
19	250	CX	O			149	Visit Number	VistA Consult Id.
20	50	FC	O	Y	64	150	Financial Class	Not used.
21	2	IS	O		32	151	Charge Price Indicator	Not used.
22	2	IS	O		45	152	Courtesy Code	Not used.
23	2	IS	O		46	153	Credit Rating	Not used.
24	2	IS	O	Y	44	154	Contract Code	Not used.

SEQ	LEN	DT	OPT	RP/#	TBL#	ITEM#	Element Name	VistA Description
25	8	DT	O	Y		155	Contract Effective Date	Not used.
26	12	NM	O	Y		156	Contract Amount	Not used.
27	3	NM	O	Y		157	Contract Period	Not used.
28	2	IS	O		73	158	Interest Code	Not used.
29	1	IS	O		110	159	Transfer to Bad Debt Code	Not used.
30	8	DT	O			160	Transfer to Bad Debt Date	Not used.
31	10	IS	O		21	161	Bad Debt Agency Code	Not used.
32	12	NM	O			162	Bad Debt Transfer Amount	Not used.
33	12	NM	O			163	Bad Debt Recovery Amount	Not used.
34	1	IS	O		111	164	Delete Account Indicator	Not used.
35	8	DT	O			165	Delete Account Date	Not used.
36	3	IS	O		112	166	Discharge Disposition	Not used.
37	25	CM	O		113	167	Discharged to Location	Not used.
38	250	CE	O		114	168	Diet Type	Not used.
39	2	IS	O		115	169	Servicing Facility	Not used.
40	1	IS	B		116	170	Bed Status	Not used.
41	2	IS	O		117	171	Account Status	Not used.
42	80	PL	O			172	Pending Location	Not used.
43	80	PL	O			173	Prior Temporary Location	Not used.
44	26	TS	O			174	Admit Date/Time	Appointment Date/Time.
45	26	TS	O	Y		175	Discharge Date/Time	Not used.
46	12	NM	O			176	Current Patient Balance	Not used.
47	12	NM	O			177	Total Charges	Not used.
48	12	NM	O			178	Total Adjustments	Not used.

SEQ	LEN	DT	OPT	RP/#	TBL#	ITEM#	Element Name	VistA Description
49	12	NM	O			179	Total Payments	Not used.
50	250	CX	O		203	180	Alternate Visit ID	Not used.
51	1	IS	O		326	1226	Visit Indicator	Not used.
52	250	XCN	B	Y	10	1274	Other Healthcare Provider	Not used.

23.5.4 RGS—Resource Group Segment

The **RGS** segment is the appointment grouper segment. [Table 207](#) lists the **RGS** sequences:

Table 217: RGS—Resource Group Segment

SEQ	LEN	DT	OPT	RP/#	TBL#	ITEM#	Element Name	VistA Description
1	4	SI	R			1203	Set ID - RGS	1
2	3	ID	C		206	763	Segment Action Code	<ul style="list-style-type: none"> • A—Add/Insert • D—Delete • U—Update
3	250	CE	O			1204	Resource Group ID	Not used.

23.5.5 AIS—Appointment Information Segment

The **AIS** segment contains information about the appointment. [Table 208](#) lists the **AIS** sequences:

Table 218: AIS—Appointment Information Segment

SEQ	LEN	DT	OPT	RP/#	TBL#	ITEM#	Element Name	VistA Description
1	4	SI	R			890	Set ID - AIS	Segment Sequence Number.
2	3	ID	C		206	763	Segment Action Code	<ul style="list-style-type: none"> A—Add/Insert D—Delete U—Update <p>Make appointment is A. Cancel appointment is D.</p>
3	250	CE	R			238	Universal Service Identifier	ICD Code^Provisional Diagnosis.
4	26	TS	C			1202	Start Date/Time	Appointment start date time in UTC.
5	20	NM	C			891	Start Date/Time Offset	Not used.
6	250	CE	C			892	Start Date/Time Offset Units	Not used.
7	20	NM	O			893	Duration	Length of appointment.
8	250	CE	O			894	Duration Units	Not used.
9	10	IS	C		279	895	Allow Substitution Code	Not used.
10	250	CE	C		278	889	Filler Status Code	Not used.
11	250	CE	O	Y	411	1474	Placer Supplemental Service Information	Not used.
12	250	CE	O	Y	411	1475	Filler Supplemental Service Information	Not used.

23.5.6 AIG—Appointment Insurance Segment

Table 209 lists the AIG sequences:

Table 219: AIG—Appointment Insurance Segment

SEQ	LEN	DT	OPT	RP/#	TBL#	ITEM#	Element Name	VistA Data Element
1	4	SI	R			896	Set ID - AIG	Segment Sequence Number.
2	3	ID	C		206	763	Segment Action Code	<ul style="list-style-type: none"> • A—Add • D—Delete • U—Update
3	250	CE	C			897	Resource ID	Provider Name.
4	250	CE	R			898	Resource Type	Provider.
5	250	CE	O	Y		899	Resource Group	Not used.
6	5	N M	O			900	Resource Quantity	Not used.
7	250	CE	O			901	Resource Quantity Units	Not used.
8	26	TS	C			1202	Start Date/Time	Not used.
9	20	N M	C			891	Start Date/Time Offset	Not used.
10	250	CE	C			892	Start Date/Time Offset Units	Not used.
11	20	N M	O			893	Duration	Not used.
12	250	CE	O			894	Duration Units	Not used.
13	10	IS	C		279	895	Allow Substitution Code	Not used.
14	250	CE	C		278	889	Filler Status Code	Not used.

23.5.7 AIL—Appointment Location Segment

Table 210 lists the **AIL** sequences:

Table 220: AIL—Appointment Location Segment

SEQ	LEN	DT	OPT	RP/#	TBL#	ITEM#	Element Name	VistA Description
1	4	SI	R			902	Set ID - AIL	Segment Sequence Number.
2	3	ID	C		206	763	Segment Action Code	<ul style="list-style-type: none"> • A—Add • D—Cancel • U—Update
3	80	PL	C			903	Location Resource ID	Consult Title.
4	250	CE	R			904	Location Type- AIL	Consult Title.
5	250	CE	O			905	Location Group	Not Used.
6	26	TS	C			1202	Start Date/Time	Not Used.
7	20	NM	C			891	Start Date/Time Offset	Not used.
8	250	CE	C			892	Start Date/Time Offset Units	Not used.
9	20	NM	O			893	Duration	Not used.
10	250	CE	O			894	Duration Units	Not used.
11	10	IS	C		279	895	Allow Substitution Code	Not used.
12	250	CE	C		278	889	Filler Status Code	Not used.

23.5.8 AIP—Appointment Provider Segment

Table 211 lists the **AIP** sequences:

Table 221: AIP—Appointment Provider Segment

SEQ	LEN	DT	OPT	RP/#	TBL#	ITEM#	Element Name	VistA Description
1	4	SI	R			906	Set ID - AIP	Segment Sequence Number.
2	3	ID	C		206	763	Segment Action code	<ul style="list-style-type: none">• A—Add• D—Delete• U—Update
3	250	XCN	C	Y		913	Personnel Resource ID	Provider DUZ^^Provider Last. Name^Provider First Name.
4	250	CE	R			907	Resource Role	Will be Provider.
5	250	CE	O			899	Resource Group	Not used.
6	26	TS	C			1202	Start Date/Time	Not used.
7	20	NM	C			891	Start Date/Time Offset	Not used.
8	250	CE	C			892	Start Date/Time Offset Units	Not used.
9	20	NM	O			893	Duration	Not used.
10	250	CE	O			894	Duration Units	Not used.
11	10	IS	C		279	895	Allow Substitution Code	Not used.
12	250	CE	C		278	889	Filler Status Code	Not used.

24 Appendix A—Demographics Domain Native Domain Standardization (NDS)

24.1 Introduction

This appendix provides a brief description of the new features and functions of the Demographics Domain Native Domain Standardization project. This project consists of multiple patches, which *must* be installed for the functionality to perform.

The Collaborative Terminology Tooling and Data Management (CTT & DM) Native Domain Standardization (NDS) Demographics Domain project supports the effort to standardize the following VistA Files in a native format within the existing Veterans Health Information Systems Technology Architecture (VistA):

- RACE (#10)
- MARITAL STATUS (#11)
- RELIGION (#13)

Demographics data is generated in the PATIENT (#2) file in VistA, which is part of the Registration package. This file includes:

- **469** fields
- **88** forward pointers
- **357** backward pointers
- **28** sub-files
- **8** computed fields

Standardization of the VistA RACE (#10), MARITAL STATUS (#11), and RELIGION (#13) files facilitate the broad exchange of health information, which ultimately contributes to the following:

- Improved patient safety
- Healthcare quality
- Efficiency

Mapping tables serve as an interim solution to achieving VA's ultimate goal of providing VA and its partner institutions with applications that can be used natively without the need for mapping tables. The use of a standard terminology also facilitates the ability to provide more automated decision support for patient care. Because the Demographics Domain contributes a substantial amount of valuable clinical data, the importance of having this data in a standard, structured, easily mineable format is imperative.

This product *shall* run on standard hardware platforms used by the Department of Veterans Affairs (VA) Healthcare facilities.

24.2 New Functionality

The added functional components are:

- The system includes one new field that incorporates code data from their respective Standards Development Organizations (SDO) to the following files:
 - RACE (#10)
 - MARITAL STATUS (#11)
 - RELIGION (#13)

These new fields are set as a Multiple in order to accommodate the potential need to store multiple codes to define a given term.

- The system includes three new files that incorporate code data from the respective Standards Development Organizations (SDO) for the following files:
 - Race—RACE MASTER (#10.99)
 - Marital Status—MASTER MARITAL STATUS (#11.99)
 - Religion—MASTER RELIGION (#13.99)
- The system includes new VistA menu options to provide a method of interactively associating local race, marital status, and religion file entries to the corresponding master file if they have *not* already been associated via the Master File Server (MFS).
- The system includes new VistA reports to list the local race, marital status, and religion files' associations to the corresponding master file.
- The entirety of the work within the scope of this effort has no impact on Graphic User Interfaces (GUI) within the VA network, and does *not* impact the workflow of clinicians.

Refer to the following CTT &DM NDS documents for additional information:

- Collaborative Terminology Tooling & Data Management Demographics Compendium V5.0, November 2016.
- Collaborative Terminology Development Tooling Business Requirements Document (BRD).
- DoD/VA Interagency Program Office (IPO), Healthcare Information Interoperability Technical Package (I2TP), Version 6.0, DRAFT, August 2016.

24.3 Options and Build Components

This patch implements demographics domain changes required by the Collaborative Terminology Tooling & Data Management (CTT & DM) Native Domain Standardization (NDS) project. This patch adds the following new “Master” files containing standard sets of concepts from the Health Level Seven (HL7) Standards Development Organization (SDO):

- RACE MASTER (#10.99)
- MASTER MARITAL STATUS (#11.99)
- MASTER RELIGION (#13.99)

New fields have also been added to the RACE (#10), MARITAL STATUS (#11), and RELIGION (#13) files pointing to the corresponding master file for the purpose of interoperability, by allowing each VA concept (Race, Marital Status, Religion) to be associated with a standard, interoperable, concept.

The RACE MASTER (#10.99), MASTER MARITAL STATUS (#11.99), and MASTER RELIGION (#13.99) files have been “locked down” to prevent local changes to the contents of the file; as each of these files contain entries representing the sets of concept names and codes from the respective Standards Development Organizations, and a VA Unique Identifier (VUID) identifying the standard SDO concept across the VHA enterprise.

The **Master File Association** [DGMF AMAIN] and **Master File Reports** [DGMF RMAIN] VistA menu options are accessible via the following menu path:

Figure 33: Accessing the Master File Association [DGMF AMAIN] and Master File Reports [DGMF RMAIN] Options

```
Supervisor ADT Menu [DG SUPERVISOR MENU]
  ADT System Definition Menu [DG SYSTEM DEFINITION MENU]
    Master Demographics Files [DGMF MENU]
      Master File Association Enter/Edit [DGMF AMAIN]
      Master File Reports [DGMF RMAIN]
```

Figure 34: Build Components

Patch Components:		

Files & Fields Associated:		
File Name (Number)	Field Name (Number)	New/Modified/Deleted
-----	-----	-----
RACE (#10)	RACE MASTER (#90)	New
RACE MASTER (#10.99)	REPLACED BY VHA STANDARD TERM (#99.97)	New
RACE MASTER (#10.99)	MASTER ENTRY FOR VOID (#99.98)	New
RACE MASTER (#10.99)	VOID (#99.99)	New
RACE MASTER (#10.99)	EFFECTIVE DATE/TIME (#99.991)	New
EFFECTIVE DATE/TIME (sub-file #10.9901)	EFFECTIVE DATE/TIME (#.01)	New
EFFECTIVE DATE/TIME (sub-file #10.9901)	STATUS (.02)	New
MARITAL STATUS (#11)	MASTER MARITAL STATUS (#90)	New
MASTER MARITAL STATUS (#11.99)	REPLACED BY VHA STANDARD TERM (#99.97)	New
MASTER MARITAL STATUS (#11.99)	MASTER ENTRY FOR VOID (#99.98)	New
MASTER MARITAL STATUS (#11.99)	VOID (#99.99)	New
MASTER MARITAL STATUS (#11.99)	EFFECTIVE DATE/TIME (#99.991)	New
EFFECTIVE DATE/TIME (sub-file #11.9901)	EFFECTIVE DATE/TIME (#.01)	New
EFFECTIVE DATE/TIME (sub-file #11.9901)	STATUS (.02)	New
RELIGION (#13)	MASTER RELIGION (#13.99)	New
MASTER RELIGION (#13.99)	REPLACED BY VHA STANDARD TERM (#99.97)	New
MASTER RELIGION (#13.99)	MASTER ENTRY FOR VOID (#99.98)	New
MASTER RELIGION (#13.99)	VOID (#99.99)	New
RELIGION (#13) (#13.99)	EFFECTIVE DATE/TIME (#99.991)	New
EFFECTIVE DATE/TIME (sub-file #13.9901)	EFFECTIVE DATE/TIME (#.01)	New
EFFECTIVE DATE/TIME (sub-file #13.9901)	STATUS (.01)	New

24.4 Modified and New Routines

24.4.1 Routine Information

The second line of each of these routines now looks like:

Figure 35: Routine Second Line

```
;5.3;Registration;**[Patch List]**;Aug 13, 1993;Build 33
```

The checksums in [Figure 36](#) are new checksums, and can be checked with CHECK1^XTSUMBLD:

Figure 36: Checksums

Routine Name: DG933PO		
Before:	n/a	After: B27885525 **933**
Routine Name: DGMFA10		
Before:	n/a	After: B14104060 **933**
Routine Name: DGMFA11		
Before:	n/a	After: B14590448 **933**
Routine Name: DGMFA13		
Before:	n/a	After: B13906961 **933**
Routine Name: DGMFASS		
Before:	n/a	After: B3776607 **933**
Routine Name: DGMFR10		
Before:	n/a	After: B72687376 **933**
Routine Name: DGMFR11		
Before:	n/a	After: B68721321 **933**
Routine Name: DGMFR13		
Before:	n/a	After: B62970443 **933**
Routine Name: DGMFRPT		
Before:	n/a	After: B3969553 **933**
Routine Name: DGNDSU		
Before:	n/a	After: B33380048 **933**
Routine Name: DGZRT		
Before:	n/a	After: B36061811 **933**

25 VistA Audit Solution (VAS)

Patch DG*5.3*964 supports the Veterans Health Information Systems and Technology Architecture (VistA) Audit Solution (VAS). The goal of VAS is to improve VistA's security posture to provide better IT services for Veterans and to ensure the security of Veteran's data. As part of the solution, VAS utilizes an external database storage system in the Veterans Affairs Enterprise Cloud (VAEC) Amazon Web Services (AWS) Cloud.

The VAS software improves VistA's ability to respond to Freedom of Information Act (FOIA) inquiries regarding system user's interaction with Veterans' data, ensuring that access to Veterans' data can be adequately accounted for in the response to the FOIA inquiry. The VAS solution leverages existing VistA FileMan audit functionality as well as the standard patient lookup to capture auditable events and place them in an outbound queue in JSON (JavaScript

Object Notation) format. These audit records are Patient related records for which an inquiry, update, create, or delete action occurred. Once the information is sent to the external archive the temporary stored record is deleted.

The audit records are transmitted by new web service DG VAS WEB SERVICE to the VAS Representational state transfer (REST) Application Programmer Interface (API), which are eventually stored in the VAS external archive. The VAS web server is defined by the DG VAS WEB SERVER entry in the WEB SERVER file (#18.12), which is configured with the domain name and port appropriate for the local facility.

By default after installation, the VAS export process is set to "Don't generate or send data". When set to this value, no audit data is queued or sent to the VAS REST API. This status may be viewed and modified using the VistA Audit Solution (VAS) options Menu [DG VAS MENU].

25.1 VAS Web Service Components

The VAS web server REDACTED uses the "encrypt_only_tls12" SSL configuration. This configuration was released with HealtheVet Web Services Client (HWSC) patch XOBW*1.0*6, meaning XOBW*1.0*6 is required by VAS.

Figure 37: VAS Web Server

REDACTED

Figure 38: VAS Web Service

REDACTED

25.2 VAS Options

Options are provided to display and modify settings related to the VAS export process. The options are located in the DG VAS MENU under the DG SECURITY OFFICER MENU.

The DG VAS DISPLAY option displays export status, the VAS server and port, and other parameters related to the export process. The option also displays details related to the DG VAS EXPORT scheduled option.

The DG VAS MODIFY option allows users holding the DG SECURITY OFFICER key to modify all the parameters except the server and port, which are associated with the REDACTED and must be modified using the Web Server Manager [REDACTED] option.

Figure 39: VAS Options

Option	Description
DG VAS MENU	This menu contains options that display and modify settings related to the VistA Audit Solution (VAS). Only holders of the DG SECURITY OFFICER key have access to this menu.
DG VAS DISPLAY	This option displays settings related to the VistA Audit Solution (VAS) export process.

Option	Description
DG VAS MODIFY	This option provides users with the ability to edit settings related to the VistA Audit Solution (VAS) export process.
DG VAS EXPORT	This option is intended to be initiated by TaskMan to send records from the DG VAS QUEUE file to the VistA Audit Solution (VAS) external archive. The option should be configured to run at Startup, and should be scheduled to run periodically. The process is not designed to run more than one instance simultaneously; If the option is already running (based on a lock on the ^DGAUDIT(0) global node), then it simply quits.
DG AUDIT TASKMAN	This option provides an 'on demand' start of the the VistA Audit Solution (VAS) export process. The VAS export process is intended to run at regularly scheduled intervals by via the DG VAS EXPORT scheduled option.

25.3 VAS Parameters

Parameters are provided to maintain and tune the VAS export process. The parameters may be viewed via the DG VAS DISPLAY option and edited via the DG VAS MODIFY option.

Figure 40: VAS Parameters

Parameter Name	Description
DG VAS BATCH SIZE	This is the maximum number of audit records that will be sent in a single batch to the Vista Audit Solution.
DG VAS DAYS TO KEEP EXCEPTIONS	The number of days to keep VAS export exceptions before purging.
DG VAS DEBUGGING FLAG	When set to 1 (on), this flag sends diagnostic data via email to the VAS MONITOR GROUP, and then resets to 0 (off).
DG VAS MAX QUEUE ENTRIES	The maximum number of entries that may be stored in the VAS queue (DG VAS QUEUE file #46.3).
DG VAS MAX WRITE ATTEMPTS	The number of consecutive unsuccessful attempts to write to the VAS REST API via POST command before an error is logged and a mail message is sent to the VAS MONITOR GROUP.
REDACTED	The email group to which VAS export issues and notifications are sent

25.4 VAS Routines

Routines used by the VAS export are listed in the table below.

Figure 41: VAS Routines

Parameter Name	Description
DGAUDIT	Main VAS export driver. Defined in the ROUTINE field of the DG VAS EXPORT option.
DGAUDIT1	VAS export processing routine invoked from DGAUDIT.
DGAUDIT2	Invoked from DGSEC to capture patient inquiry events and store audit records in JSON format into the DG VAS QUEUE file (#46.3).
DGAUDIT3	Invoked by the DG VAS DISPLAY option to display VAS export settings, and by the DG VAS MODIFY option to edit VAS export settings.
DGAUDITP	Post installation routine for VAS patch DG*5.3*964. This registers the DG VAS WEB SERVICE in the WEB SERVICE file (#18.02), sets initial values for the VAS parameters, adds the server DNS to the DG VAS WEB SERVER entry in the WEB SERVER file (#18.12) based on the facility station number, and adds the DG VAS EXPORT option to the OPTION SCHEDULING file (#19.2).
DGSEC	“MAS Patient Look-up Security Check” routine, invoked for all VistA patient lookups, invokes VAS routine DGAUDIT2 to log patient lookup audit events.
DGSEC4	“Utilities for record access & sensitive record processing” routine, used to log sensitive patient lookups.

25.5 VAS Data Dictionaries

The Data Dictionaries used by the VAS export process are listed in the table below.

Figure 42: VAS Data Dictionaries

DD Name	DD Number	Global	Description
DG VAS QUEUE	46.3	^DGAUDIT	This file holds the inquire and update audit transactions queued to be sent to the Vista Audit Solutions (VAS) external archive.
DG VAS EXPORT	46.4	^DGAUDIT1	This file contains the most recent record from the AUDIT file (#1.1) that was

DD Name	DD Number	Global	Description
			queued to be sent to the VistA Audit Solution (VAS) external archive.
DG VAS CONFIG	46.5	^DGAUDIT2	This file contains settings for the VistA Audit Solution (VAS) process that sends audit transactions to the VAS external archive.

26 Glossary

Also, please refer to the following sites:

- OIT Master Glossary website (VA Intranet)
- VA Acronym Lookup website (VA Intranet)

Table 222: Glossary

Term	Definition
ADD-ONS	Patients who have been scheduled for a visit after routing slips for a particular date have been printed.
ALOS	Average Length of Stay.
AMIS	Automated Management Information System.
ANCILLARY	A test added to an existing appointment (i.e., lab, x-ray, EKG) test.
API	Application Program Interface.
BILLINGS	Bills sent to Veteran.
BRD	Business Requirements Document.
CLINIC PULL LIST	A list of patients whose radiology/MAS records should be pulled from the file room for use in conjunction with scheduled clinic visits.
COLLATERAL	A visit by a <i>non</i> -Veteran patient whose appointment is related to or visit associated with a service-connected patient's treatment.
Computerized Patient Record System (CPRS)	An integrated, comprehensive suite of clinical applications in VistA that work together to create a longitudinal view of the Veteran's Electronic Medical Record (EMR). CPRS capabilities include a Real Time Order Checking System, a Notification System to alert clinicians of clinically significant events, Consult/Request tracking and a Clinical Reminder System. CPRS provides access to most components of the patient chart.
CPRS	Computerized Patient Record System.
CPT	Current Procedural Terminology.
CR	Clinical Reminders.
DBIA	Database Integration Agreement.
DRG	Diagnostic Related Group.
GMTS	Health Summary namespace.
GUI	Graphic User Interface.
HL7	Health Level Seven.
ICR	Integration Control Reference.
IRT	Incomplete Records Tracking.
IVMH	Improve Veteran Mental Health.

Term	Definition
MEANS TEST	A financial report upon which certain patients' eligibility for care is based.
Mental Health Treatment Coordinator (MHTC)	<p>The liaison between the patient and the mental health system at a VA site. There is only one Mental Health treatment coordinator per patient, and they are the key coordinator for behavioral health services care.</p> <p>For more information about the MH treatment coordinator's responsibilities, see the VHA Handbook 1160.1, "Uniform Mental Health Services in VA Medical Centers for Clinics," page 3-4.</p> <p>NOTE: In the handbook, the MHTC is called the Principal Mental Health Provider.</p>
MH	Mental Health.
MHA3	Mental Health Assistant 3 package.
MHTC	Mental Health Treatment Coordinator.
NO SHOW	A person who did not report for a scheduled clinic visit without prior notification to the medical center.
NON-COUNT	A clinic whose visits do not affect AMIS statistics.
NSR	New Service Request.
OE/RR	Order Entry/Results Reporting.
OPC	Outpatient Clinic.
OR	CPRS Order Entry/Results Reporting namespace.
PAF	Patient Assessment File; where PAI information is stored until transmission to Austin.
PAI	Patient Assessment Instrument.
PCE	Patient Care Encounter.
PCMM	Primary Care Management Module.
PRF	Patient Record Flag.
Principal Mental Health Provider (PMHP)	See MH Treatment Coordinator (MHTC).
PTF	Patient Treatment File.
PULL LIST	A list of patients whose radiology/PIMS records should be "pulled" from the file room for scheduled clinic visits.
PX	Patient Care Encounter namespace.
PXRM	Clinical Reminders package namespace.
RAM	Resource Allocation Methodology.
Reminder Definitions	These are pre-defined sets of findings that are used to identify patient cohorts and reminder resolutions. The reminder is used for patient care and/or report extracts.

Term	Definition
Reminder Dialogs	These are pre-defined sets of text and findings that provide information to the CPRS GUI for collecting and updating appropriate findings while building a progress note.
Reminder Terms	Terms are used to map local findings to national findings, providing a method to standardize the findings for national use. These are also used for local grouping of findings for easier reference in reminders and are defined in the Reminder Terms file.
ROUTING SLIP	When printed for a specified date, it shows the current appointment time, clinic, location, and stop code. It also shows future appointments.
RPC	Remote Procedure Calls.
RSD	Requirements Specification Document.
RUG	Resource Utilization Group.
SBR	Suicide Behavior Report.
SHARING AGREEMENT	Agreement or contract under which patients from other government agencies or private facilities are treated.
SME	Subject Matter Expert.
SPECIAL SURVEY	An ongoing survey of care given to patients alleging Agent Orange or Ionizing Radiation exposure. Each visit by such patients <i>must</i> receive "special survey dispositioning" which records whether treatment provided was related to their exposure. This data is used for Congressional reporting purposes.
STOP CODE	A three-digit number corresponding to an additional stop/service a patient received in conjunction with a clinic visit. Stop code entries are used so that medical facilities may receive credit for the services rendered during a patient visit.
THIRD PARTY	Billings where a party other than the patient is billed.
TIU	Text Integration Utility namespace.
TIU	Text Integration Utility.
TSR	Treating Specialty Report.
VHA	Veterans Health Administration.
VistA	Veterans Information System and Technology Architecture.

27 Military Time Conversion Table

Table 213 is a standard to military time conversion resource:

Table 223: Military Time Conversion Table

Standard	Military
12:00 MIDNIGHT	2400 HOURS
11:00 PM	2300 HOURS
10:00 PM	2200 HOURS
9:00 PM	2100 HOURS
8:00 PM	2000 HOURS
7:00 PM	1900 HOURS
6:00 PM	1800 HOURS
5:00 PM	1700 HOURS
4:00 PM	1600 HOURS
3:00 PM	1500 HOURS
2:00 PM	1400 HOURS
1:00 PM	1300 HOURS
12:00 NOON	1200 HOURS
11:00 AM	1100 HOURS
10:00 AM	1000 HOURS
9:00 AM	0900 HOURS
8:00 AM	0800 HOURS
7:00 AM	0700 HOURS
6:00 AM	0600 HOURS
5:00 AM	0500 HOURS
4:00 AM	0400 HOURS
3:00 AM	0300 HOURS
2:00 AM	0200 HOURS
1:00 AM	0100 HOURS

28 Alphabetical Index of PIMS Terms

- ACRP Ad Hoc Report
- ACRP Database Conversion
- Add / Edit a Holiday
- Add / Edit Stop Codes
- Alpha List of Incomplete Encounters
- Append Ancillary Test to Appt.
- Appointment Check-in / Check-out
- Appointment List
- Appointment Management
- Appointment Management Report
- Appointment Status Update
- Appointment Waiting Time Report
- Batch Update Comp Gen Appt Type for C&Ps
- Call List
- Cancel Appointment
- Cancel Clinic Availability
- Cancelled Clinic Report
- Change Patterns to 30-60
- Chart Request
- Check Transmitted Outpatient Encounter Files
- Check-in / Unsched. Visit
- Clinic Appointment Availability Report
- Clinic Assignment Listing
- Clinic Edit Log Report
- Clinic Group Maintenance for Reports
- Clinic List (Day of Week)
- Clinic Next Available Appt. Monitoring Report
- Clinic Profile
- Clinic Utilization Statistical Summary
- Computer Generated Appointment Type Listing

- Convert Patient File Fields to PCMM
- Correct Incomplete Encounters
- Current MAS Release Notes
- Data Transmission Report
- Delete an Ad Hoc Report Template
- Delete Ancillary Test for Appt.
- Discharge from Clinic
- Display Ad Hoc Report Template Parameters
- Display Appointments
- Display Clinic Availability Report
- Edit Appointment Type for Add / Edit Encounters
- Edit Clinic Enrollment Data
- Edit Clinic Stop Code Name- Local Entries Only
- Edit Computer Generated Appointment Type
- Edit Outpatient Encounter
- Enc. by DSS ID / DSS ID by Freq. (OP0, OP1, OP2)
- Enc. by IP DSS ID / DSS ID by Freq. (IP0, IP1, IP2)
- Encounter 'Action Required' Report
- Encounter Activity Report
- Encounters Transmitted with MT Status of U
- Enrollment Review Date Entry
- Enrollments > X Days
- Enter / Edit Letters
- Error Listing
- File Room List
- Find Next Available Appointment
- Future Appointments for Inpatients
- High Risk MH No-Show Adhoc Report
- High Risk MH No-Show Nightly Report
- Inactivate a Clinic
- Incomplete Encounter Error Report

- Incomplete Encounters by Error Code
- Inpatient Appointment List
- Look Up on Clerk Who Made Appointment
- Make Appointment
- Make Consult Appointment
- Management Edit
- Management Report for Ambulatory Procedures
- Means Test / Eligibility / Enrollment Report
- Means Test IP Visits & Unique (IP3, IP4, IP5)
- Means Test Visits & Uniques (OP3, OP4, OP5)
- Most Frequent 20 IP Practitioner Types (IP8)
- Most Frequent 20 Practitioner Types (OP8)
- Most Frequent 50 CPT Codes (OP6)
- Most Frequent 50 ICD-9-CM Codes (OP7)
- Most Frequent 50 IP CPT Codes (IP6)
- Most Frequent 50 IP ICD-9-CM Codes (IP7)
- Multiple Appointment Booking
- Multiple Clinic Display / Book
- Non-Conforming Clinics Stop Code Report
- No-Show Report
- No-Shows
- Outpatient Diagnosis / Procedure Code Search
- Outpatient Diagnosis / Procedure Frequency Report
- Outpatient Encounter Workload Statistics
- Patient Activity by Appointment Frequency
- Patient Appointment Statistics
- Patient Encounter List
- Patient Profile MAS
- Performance Monitor Detailed Report
- Performance Monitor Retransmit Report (AAC)
- Performance Monitor Summary Report

- Print Appointment Status Update (Date Range)
- Print from Ad Hoc Template
- Print Scheduling Letters
- Provider / Diagnosis Report
- Purge Ambulatory Care Reporting files
- Purge Appointment Status Update Log File
- Purge rejections that are past database close-out
- Purge Scheduling Data
- Radiology Pull List
- Reactivate a Clinic
- Remap Clinic
- Restore Clinic Availability
- Retransmit Ambulatory Care Data by Date Range
- Retransmit Selected Error Code
- Retroactive Visits List
- Review of Scheduling / PCE / Problem List Data
- Routing Slips
- SC Veterans Awaiting Appointments
- Scheduling / PCE Bad Pointer Count
- Scheduling Parameters
- Selective Retransmission of NPCDB Rejections
- Set up a Clinic
- Sharing Agreement Category Update
- Stop Code Listing (Computer Generated)
- Summary Report - IEMM
- Team / Position Assignment / Re-Assignment
- Tracking Report
- Transmission History for Patient
- Transmission History Report - Full
- Trend of Facility Uniques by 12 Month Date Ranges
- Veterans Without Activity Since a Specified Date

- View Appointment Status Update Date (Single Date)
- Visit Rpt by Transmitted OPT Encounter
- Visits and Unique IP SSNs by County (IP9)
- Visits and Unique SSNs by County (OP9)
- Workd Report