Text Integration Utilities (TIU) Additional Signer Utility Guide

Version 2.0



December 2023 Department of Veterans Affairs Office of Information and Technology (OI&T)

Revision History

Date	Version	Description	Author
12/2023	01	Patch TIU*1.0*357 Updated the Additional Signer Utility to version 2.0	Department of Veterans Affairs
6/2022	0.01	Additional Signer Utility Guide – Initial version	Department of Veterans Affairs

Table of Contents

TIU Additional Signer Utility	4
Introduction	4
Version 2.0	4
General Information	5
Options	7
GENERATE a Report	7
REMOVE Additional Signer(s)	8
BOTH [Generate a Report & Remove Additional Signer(s)]	8
VIEW the Report	8
Importing into Excel	10
Terminal Settings – Logging and Terminal Display	12

TIU Additional Signer Utility

Text Integration Utilities (TIU) is a set of software tools designed to handle clinical documents in a standardized manner, with a single interface for viewing, entering, editing, and signing clinical documents.

This document describes how to use the Additional Signer Utility.

Introduction

Additional Signer is a communication tool used to alert a clinician about information pertaining to the patient. This functionality is designed to allow clinicians to call attention to specific documents and the recipient to acknowledge receipt of the information. Being identified as an additional signer does not constitute a co-signature. This nomenclature in no way implies responsibility for the content of, or concurrence with the note.

Version 2.0

Version 2.0 is released with patch TIU*1.0*357. Additional Signer reports created with version 1.0 of the utility are not compatible with version 2.0 and must be removed before the new version may be used. If you would like to save any old reports, you must view them and save them to a host file or screen capture them with logging **BEFORE** installing TIU*1.0*357.

At the prompt, "Remove the old reports now? NO//", you must enter YES to continue.

```
** WARNING **
Reports generated with v1 are NOT compatible and must be removed before use.
Additional Signer data in TIU MULTIPLE SIGNATURE [File #8925.7] will not be
altered.
This process may take a few minutes and only needs to be completed once.
Remove the old reports now? NO// YES
Removing entries in ^XTMP...done.
Press <Enter> to continue.
```

Note: If there are no outstanding additional signatures or reports to view, the utility will display that information before exiting.

No outstanding signatures or reports to view.

The utility's menu is dynamically generated based on the following criteria:

Outstanding Additional Signatures.

Additional Signature report(s) available to view.

If there are outstanding signatures but no reports to view, the default behavior is GENERATE and the menu will display the following:

Additional Signer Utility 1 GENERATE a Report 2 REMOVE Additional Signer(s) 3 BOTH [Generate a Report & Remove Additional Signer(s)] 4 QUIT What would you like to do? GENERATE//

If there are outstanding signatures and reports to view, the default behavior is GENERATE and the menu will display the following:

Additional Signer Utility 1 GENERATE a Report 2 REMOVE Additional Signer(s) 3 BOTH [Generate a Report & Remove Additional Signer(s)] 4 VIEW Generated Report(s) 5 QUIT What would you like to do? GENERATE//

If there are no outstanding signatures and one or more reports to view, the default behavior is VIEW and the menu will display the following:

```
1 VIEW Generated Report(s)
2 QUIT
What would you like to do? VIEW//
```

General Information

Additional Signer data is stored in the TIU MULTIPLE SIGNATURE File (#8925.7). For additional signers, this file maintains data on the following fields:

- TIU Document Number
- Additional Signer IEN
- Signature Date/Time
- Signature Block Name & Title

- Signature Mode
- Signed by Surrogate

Important: TIU does not track who assigns an additional signer to a document or when the additional signer was added. Typically, an expected signer or co-signer would be the user who assigns additional signers. However, any user in the appropriate user class permitted by business rules may assign additional signers to a document. There is also no tracking of a removed additional signer other than the reports generated by this utility.

The Additional Signer Utility allows a user to perform the following actions on the TIU MULTIPLE SIGNATURE File (#8925.7):

- Generate a report of outstanding additional signatures for a date range or a specific user.
- Remove outstanding additional signers for a date range or a specific user.
- Both actions above simultaneously.
- View a report and output to a user entered device.

Reports are generated via a task and the user will receive an email when the task has been completed and the report is ready.

The email message contains the following information:

- Mode report was generated
- Total number of outstanding signatures
- Date range or Additional Signer
- Elapsed time to gather report data

Note: VIEW the Report will be available only after one or more reports have been completed and ready to display. Report data is stored in the ^XTMP global and is purged automatically 7 days after the utility was last used. All reports need to be printed if there is a need to EVER see them.

The new option, TIU ADD SIGN UTIL (Additional Signer Utility), should be added to the desired user's secondary menu option and should not be made available on an existing TIU menu.

The introductory display for the utility:

VHA HANDBOOK 1907.01 defines the additional signer role as follows: "Additional signer" is a communication tool used to alert a clinician about information pertaining to the patient. This functionality is designed to allow clinicians to call attention to specific documents and the recipient to acknowledge receipt of the information. Being identified as an additional signer does not constitute a co-signature. This nomenclature in no way implies responsibility for the content of, or concurrence with, the note."

This utility provides options to report and/or remove outstanding additional signers and the associated alerts by either date range or additional signer.

** WARNING **

Removing additional signers from a document is PERMANENT and cannot be undone.

** WARNING **

```
Press <Enter> to continue.
```

The main display for the utility:

```
Additional Signer Utility
                       1 GENERATE a Report
                       2 REMOVE Additional Signer(s)
                       3 BOTH (Generate & Remove)
                       4 VIEW Report(s)
                       5 QUIT
What would you like to do? GENERATE a Report// ?
Enter a code from the list.
    Select one of the following:
         1
                  GENERATE a Report
                  REMOVE Additional Signer(s)
         2
         3
                  BOTH (Generate & Remove)
         4
                  VIEW Report(s)
         5
                  QUIT
What would you like to do? GENERATE a Report//
```

Note: If there are no outstanding additional signers or generated reports to view, the utility will display:

```
No outstanding signatures or reports to view.
Press <Enter> to continue.
```

Options

There are 4 options" GENERATE a Report, REMVOE Additional Signer(s), BOTH [Generate a Report and Remove Additional Signer(s)], and VIEW Generated Report(s).

GENERATE a Report

This option gathers data based on the user entered date range or user. No data is altered by this action.

```
What would you like to do? GENERATE// 1 GENERATE a Report
Select SEARCH CRITERIA:

1 Date Range 2 Additional Signer 3 Service/Section

4 Division 5 Document Status 6 DISUSER'D

7 Terminated

Enter SELECTION: 1//
```

The SEARCH CRITERIA is selectable by list or range, e.g., 1,3,5 or 2-4,7. You may select any combination of criteria. By default, if you select any criteria without selecting date range, the utility will search ALL outstanding additional signatures for the entire date range available. All SEARCH CRITERIA is inclusive of each other for a given search and all entries must meet each criteria selected.

Date Range	The default STARTING DATE is the oldest date with at least 1 outstanding additional signature. The default ENDING DATE is TODAY.
Additional Signer	The NEW PERSON that must be identified as the additional signer if entered.
Service/Section	All additional signers must be assigned to the entered Service/Section if entered.
Division Document Status	All additional signers must be a member of the Division if entered. The TIU DOCUMENT STATUS of the document to be included in the report.
DISUSER'D Terminated	If selected, additional signers must DISUSER'D (Disabled User=YES). If selected, additional signers must be terminated as of TODAY.

Note: Additional Signer Report results must meet ALL entered criteria. Conflicting criteria that will yield no results will be displayed prior to initiating the search.

REMOVE Additional Signer(s)

This option will permanently remove/delete additional signers from the TIU MULTIPLE SIGNATURE File that meet the entered SEARCH CRITERIA. The search function performs identically to GENERATE a Report. Once removed, the additional signer will no longer appear in the document body in CPRS and any pending alerts will be removed:

The following will no longer appear in CPRS for additional signers removed by the utility:

```
Receipt Acknowledged By:
* AWAITING SIGNATURE * PROVIDER,ONE
```

Note: This action can NOT be undone or recovered.

BOTH [Generate a Report & Remove Additional Signer(s)]

This option creates a report of outstanding additional signers that meets the search criteria and permanently removes the entries from the TIU MULTIPLE SIGNATURE File. The report output adds information to the REMOVED and REMOVED BY columns indicating that the entries in the report were removed from the TIU DOCUMENT(s) during report creation.

VIEW the Report

This option is only available after a task running in GENERATE or BOTH modes have completed for the same user session (by Kernel Job #).

This option will only be visible if there are pending or existing report(s) to view.

If there is one or more reports being generated but not yet complete, the utility will display the following:

Report <u># Generated E</u>	Generated By Date@Time	# Additional Signatures	Date Range [Additional Criteria]
	No c	completed report to view.	
	[Report	(s) currently in progress.]	
Press <enter></enter>	to continue.		

Once one or more report(s) have been completed, the utility will display the available report(s) for selection. Select the report by entering the desired number in the # column.

Example: VIEW Generated Report(s) display

	Report	Generated #	Additional	Date Range
#	Generated By	Date@Time	Signatures	[Additional Criteria]
1	REPORT, USER	06/14/23@08:26	53088	Mar 30, 1998-Jun 14, 2023
Wŀ	nich report would	you like to display	?	

The additional signer reports are designed for a 255-character wide-column display in a comma separated value (CSV) format. If your session is not configured to display 255 characters per row, see Terminal Settings – Logging and Terminal Display.

Example DEVICE setting: <device>; Right Margin

The utility will prompt for DEVICE:

```
This output is designed for 255 characters per row.
Example DEVICE setting: ;255
DEVICE: HOME// ?
Specify a device with optional parameters in the format
        Device Name; Right Margin; Page Length
                    or
     Device Name; Subtype; Right Margin; Page Length
Or in the new format
            Device Name;/settings
                     or
         Device Name;Subtype;/settings
For example
                 HOME;80;999
                    or
             HOME;C-VT320;/M80L999
Enter ?? for more information
```

Before displaying & capturing a report, ensure that your terminal is setup for 255-character wide output and logging. There are instructions following this section provided for information purposes.

Note: If screen capture is enabled via logging, you do not need to resize your terminal window to log the data output.

After selecting a report to view, enter the desired setting for the DEVICE. After pressing <Enter>, the report will pause so that you may capture the output via logging:

At the following prompt, start logging to a text file:

```
This output is designed for 255 characters per row.
Example DEVICE input: ;255;9999999
DEVICE: HOME// ;255 HOME
To capture the report output, start logging now and press <Enter> to begin.
```

When the display is complete, stop logging at the prompt:

```
9932761,"PROVIDER,ONE","BAY PINES TEST LAB","CLEVELAND VAMC",,,"AA LAD,LAKXUM
(A1033)","ADDENDUM","AJB NOTE
TITLE",01/17/2023,UNSIGNED,06/06/2023,06/06/2023,"BAKKE,ANDREW J",,,
[stop logging before you...] Press <Enter> to continue.
```

The text output is now ready to import for viewing the results.

Importing into Excel

In Excel, from a new sheet: Data > From Text/CSV > Locate & Select the Log File.

At the data window, click "Load":

ile Orig	in		Delimiter		D	ata Type Dete	ection		
1252: V	Vestern European (Wind	dows) 🔹	Comma	*	E	Based on first	200 rows	*	La
IEN	ADDITIONAL SIGNER	S	ERVICE/SECTION	DIVISION		DISUSER	TERMINATED		PATI
729476		GERIATRI	CS & EXTENDED CARE-(B)	BRECKSVILLE VAI	/ANPH 12/4/1999		12/4/1999	9 CRUUN,ILYDHA	
730023		CARDIOLO	DGY	CLEVELAND VAN	1C		6/30/2006	NHATXY,	PDAAD
730028		CARDIOLO	DGY	CLEVELAND VAN	IC		6/30/2006	ARAS, PLM	NYH L (/
730029		CARDIOLO	DGY	CLEVELAND VAN	1C		6/30/2006	NHATXY,	FLUN L
730030		CARDIOLO	DGY	CLEVELAND VAN	1C		6/30/2006	AIBDYT,C	LZHT E
730483		CARDIOLO	DGY	CLEVELAND VAN	1C		10/24/2000	DRGGN,E	HYUN
656360		PULMON	ARY-(W)	CLEVELAND VAN	1C		6/30/2000	WDAADL	ZT,CRY
658232		PULMON	ARY-(W)	CLEVELAND VAN	1C		6/30/2000	DLQDT,C	XEY ILA
724888		NURSING	-(W)	CLEVELAND VAN	1C		9/1/1995	WDAADL	ZT,KDA

You may sort by the following fields/columns:

Field/Column	Definition	
IEN	Internal Entry Number. TIU DOCUMENT # in detailed view of CPRS.	
ADDITIONAL	NEW PERSON in the TIU MULTIPLE SIGNATURE file.	
SIGNER*		
SERVICE/SECTION*	Service/Section of the Additional Signer [optional].	
DIVISION*	Division of the Additional Signer [optional].	
DISUSER	YES indicates the Additional Signer is currently disabled [optional].	
TERMINATED	Termination Date of the Additional Signer [optional].	
PATIENT*	LASTNAME, FIRSTNAME (L#####) – last/first limited to 22 characters	
	(30 total).	
LOCAL TITLE*	TIU DOCUMENT TITLE (File #8925.1).	
PARENT TITLE*	TTTLE* TIU DOCUMENT TITLE if LOCAL TITLE is addendum [conditional]	
	optional].	
PARENT DATE	REFERENCE DATE of PARENT TITLE [conditionally optional].	
STATUS	DOCUMENT STATUS.	
ENTRY DATE	Actual date document is created.	
REFERENCE DATE	This date may differ from the ENTRY DATE. Used for sorting in CPRS.	
EXPECTED SIGNER*	File #8925, Field #1204.	
EXPECTED	File #8925, Field #1208.	
COSIGNER*		
REMOVED	Date additional signer entry was removed.	
REMOVED BY*	NEW PERSON responsible for creating & removing the additional signer	
	entry.	
* Indicates this field may	be truncated if the length of the data exceeds the 255 -character limit.	

Note: Fields are dynamically truncated in this order only as needed: REMOVED BY, EXPECTED COSIGNER, EXPECTED SIGNER, PARENT TITLE, LOCAL TITLE, DIVISION,

SERVICE/SECTION, ADDITIONAL SIGNER. Once the length of data no longer exceeds 255 characters, fields will no longer be truncated.

Terminal Settings – Logging and Terminal Display

These instructions are for the Reflection Workspace software. Depending on your appearance configuration, your menus/options may not appear exactly as shown but the configuration pages should be the same.

Logging: Select File>Logging, at the "Logging Settings" window, select "Disk" and browse to a file location & name you can easily find later.

↔ R	eflection Workspace	Logging Settings	? X
<u>F</u> ile	<u>E</u> dit C <u>o</u> nnection Se <u>t</u> u <u>N</u> ew Session	Log output to	OK
C.	<u>O</u> pen		Cancel
	<u>S</u> ave	SEC0015997D3F46	Print <u>S</u> etup
	Save <u>A</u> s		
	Sa <u>v</u> e As Template	Disk C:\Users\VHAISLBAKKEA\Desktop\screen Browse	
	Layout 🕨		
₿ ₽	<u>T</u> ransfer	Serial device: NONE Configure	
	Logging		
	Sta <u>r</u> t Logging		
	Stop Logging		

Setu	up <u>M</u> acro <u>H</u> elp	Terminal - BKOUT1.rdox		
5	<u>T</u> erminal	G 🕤 🛛 🖓 » Documents »	BKOUT1.rdox » Terminal Configuration 🔀	Terminal
2	D <u>i</u> splay File Transfer	Jump To	Select Terminal Typ	Terminal Terminal Settings
-0 -	Hotcoot	Graphics		Display
13 Q	Keyboard	Terminal Settings	Terminal Type	Safeguards
	Events		VT	VBA References

255-character display: Select Setup>Terminal> From the Terminal Window, select Display:

From the "Set Up Display Settings" Window, under "Dimensions", "Number of characters per row:", enter 255.:

