



OUTPATIENT PHARMACY

MANAGER'S USER MANUAL

Version 7.0
December 1997

(Revised November 2009)

Revision History

Each time this manual is updated, the Title Page lists the new revised date and this page describes the changes. If the Revised Pages column lists "All," replace the existing manual with the reissued manual. If the Revised Pages column lists individual entries (e.g., 25, 32), either update the existing manual with the Change Pages Document or print the entire new manual.

Date	Revised Pages	Patch Number	Description
11/09	ix-xi, 132, 178, 178a-b, 224a-b, 279-281	PSO*7*324	The following changes are included in this patch. <ul style="list-style-type: none"> • Ability to duplicate the allergy intervention data filed for the last drug • Alerts for a discontinued CMOP prescription (E. Wright, PM; R. Sutton, S. B. Gilbert, Technical Writers)
10/09	v-xi, 12, 81-83, 87, 256, 280-281	PSO*7*326	The Social Security Number was removed from print outs given to patients. The patient lookup has been expanded to include the ability to look up by prescription number or wand a barcode with the prescription from many options. (E. Wright, PM; S. B. Gilbert, Tech Writer)
08/09	57, 78	PSO*7*311	Deleted Pharmacy Patient Non-VA Meds Report/Clean-up menu. (A. Scott, PM; T. Dawson, Tech Writer)
08/09	All	PSO*7*320	The following changes are included in this patch. <ul style="list-style-type: none"> • Remote Data prompt, notification, and screen have been added. • A hidden action, DR [Display Remote], has been added. • Remote prescriptions print at the end of the Action Profile (132 Column Printout) Report. • "THIS PATIENT HAS PRESCRIPTIONS AT OTHER FACILITIES" prints at the end of the Pull Early from Suspense and the Print from Suspense File reports. (G. Tucker, PM; S. B. Scudder, Tech Writer)

(This page included for two-sided copying.)

<u>Chapter 20: Returning Medication to Stock</u>	123
<u>Return Medication to Stock</u>	123
<u>Chapter 21: Processing a Prescription</u>	125
<u>Rx (Prescriptions)</u>	125
<u>Patient Prescription Processing</u>	126
<u>Entering a New Order</u>	129
<u>Entering a new order with Local or Free-Text Dosage</u>	137
<u>Entering a new order --ePharmacy (third party billable)</u>	141
<u>Displaying a Patient's Remote Prescriptions</u>	144
<u>Editing an Order</u>	146
<u>Editing an ePharmacy Order</u>	151
<u>DAW/NDC Edit</u>	154
<u>Using the Copy Action</u>	155
<u>Copying an ePharmacy Order</u>	160
<u>Renewing a Prescription</u>	164
<u>Renewing an ePharmacy Order</u>	166
<u>Flagging and Unflagging a New Pending Order</u>	169
<u>Barcode Rx Menu</u>	172
<u>Barcode Batch Prescription Entry</u>	172
<u>Check Quality of Barcode</u>	172
<u>Process Internet Refills</u>	173
<u>Complete Orders from OERR</u>	175
<u>Flagging and Unflagging a New Pending Order</u>	180
<u>Changes to Finishing Pending Orders Process - Digitally Signed Orders Only</u>	184
<u>Finishing an Order from OERR with Multiple Institutions</u>	184
<u>Finishing an ePharmacy Order</u>	185
<u>Activity Log</u>	186
<u>Discontinue Prescription(s)</u>	189
<u>Edit Prescriptions</u>	190
<u>ePharmacy Menu</u>	191
<u>Ignored Rejects Report</u>	191
<u>ePharmacy Medication Profile (View Only)</u>	193
<u>NDC Validation</u>	195
<u>ePharmacy Medication Profile Division Preferences</u>	196
<u>ePharmacy Site Parameters</u>	197
<u>Third Party Payer Rejects - View/Process</u>	199
<u>Third Party Payer Rejects - Worklist</u>	203
<u>Tricare Reject Processing</u>	211
<u>Other Rejects</u>	219
<u>MailMan Message for Open/Unresolved Rejects</u>	224
<u>Alerts for Discontinued CMOP Prescription</u>	224a
<u>Discontinued by a Background Process</u>	224a
<u>Discontinued by a Foreground Pharmacy Process</u>	224a
<u>List One Patient's Archived Rx's</u>	225
<u>Manual Print of Multi-Rx Forms</u>	225
<u>Reprint an Outpatient Rx Label</u>	226
<u>Signature Log Reprint</u>	227
<u>View Prescriptions</u>	227

<u>Chapter 22: ScripTalk® ‘Talking’ Prescription Labels</u>	229
<u>ScripTalk Main Menu</u>	229
<u>ScripTalk Patient Enter/Edit</u>	230
<u>Queue ScripTalk Label by Barcode</u>	231
<u>Queue ScripTalk Label by Rx#</u>	231
<u>ScripTalk Reports</u>	232
<u><i>ScripTalk Audit History Report</i></u>	232
<u><i>Report of ScripTalk Enrollees</i></u>	233
<u>Reprint a non-voided Outpatient Rx Label</u>	234
<u>Set Up and Test ScripTalk Device</u>	234
<u><i>ScripTalk Device Definition Enter/Edit</i></u>	235
<u><i>Print Sample ScripTalk Label</i></u>	236
<u><i>Test ScripTalk Device</i></u>	236
<u><i>Reinitialize ScripTalk Printer</i></u>	237
<u>Chapter 23: Using the Supervisor Functions Menu</u>	239
<u>Supervisor Functions</u>	239
<u>Add New Providers</u>	239
<u>Daily Rx Cost</u>	239
<u>Delete a Prescription</u>	240
<u>Edit Provider</u>	240
<u>Initialize Rx Cost Statistics</u>	240
<u>Inter-Divisional Processing</u>	240
<u>Inventory</u>	241
<u>Look-up Clerk by Code</u>	241
<u>Monthly Rx Cost Compilation</u>	241
<u>Patient Address Changes Report</u>	241
<u>Pharmacist Enter/Edit</u>	244
<u>Purge Drug Cost Data</u>	244
<u>Recompile AMIS Data</u>	244
<u>Site Parameter Enter/Edit</u>	245
<u>View Provider</u>	251
<u>Chapter 24: Using the Suspense Functions</u>	253
<u>Suspense Functions</u>	253
<u>Auto-delete from Suspense</u>	253
<u>Change Suspense Date</u>	254
<u>Count of Suspended Rx's by Day</u>	254
<u>Delete Printed Rx's from Suspense</u>	255
<u>Log of Suspended Rx's by Day (this Division)</u>	255
<u>Print from Suspense File</u>	255
<u>Pull Early from Suspense</u>	257
<u>Queue CMOP Prescription</u>	257
<u>Reprint Batches from Suspense</u>	258
<u>Chapter 25: Updating a Patient’s Record</u>	259
<u>Update Patient Record</u>	259
<u>Chapter 26: Verifying Prescriptions</u>	263
<u>Verification</u>	263

List Non-Verified Scripts	264
Non-Verified Counts	265
Rx Verification by Clerk	265
Verification through Patient Prescription Processing	266
Verifying ePharmacy Orders	272
Glossary	273
Index	279

(This page included for two-sided copying.)

If a double question mark (??) had been entered at the above “Select Action” prompt, the following hidden actions would display in the action area. Actions that apply only to outpatient orders are followed by (OP).

```
The following actions are also available:
RP Reprint (OP)          OTH Other OP Actions      DR Display Remote
RN Renew (OP)           DN Down a Line          QU Quit
DC Discontinue (OP)     RD Re Display Screen   LS Last Screen
RL Release (OP)        PT Print List           FS First Screen
RF Refill (OP)         PS Print Screen        GO Go to Page
PP Pull Rx (OP)        > Shift View to Right  + Next Screen
IP Inpat. Profile (OP) < Shift View to Left  - Previous Screen
RS Reprint Sig Log     SL Search List         ADPL Auto Display(On/Off)
CM Manual Queue to CMOP RDD Fill/Rel Date Disply UP Up a Line
Select Action: Quit//
```

-----example continues-----

Typing in the letters **NO** creates a new order.

Example: Entering a New Order (continued)

```
Medication Profile          May 22, 2006 10:44:56          Page: 1 of 1
(Patient information is displayed here.)
:
:
Enter ?? for more actions
PU Patient Record Update    NO New Order
PI Patient Information       SO Select Order
Select Action: Quit// NO New Order

Eligibility: SC
RX PATIENT STATUS: SERVICE CONNECTED// <Enter>
DRUG: ACETAMINOPHEN
Lookup: GENERIC NAME
1 ACETAMINOPHEN 1000MG TABLET          CN100
2 ACETAMINOPHEN 160MG/5ML LIQUID       CN103
3 ACETAMINOPHEN 325MG TABLET          CN103 INFECTIOUS DISEASE
RESTRICTED TO
4 ACETAMINOPHEN 650MG SUPPOS.          CN103
5 ACETAMINOPHEN AND CODEINE 30MG       CN101
Press <RETURN> to see more, '^' to exit this list, '^ ^' to exit all lists, OR
CHOOSE 1-5: 1 1000MG TABLET          CN100

-----
*** SAME CLASS *** OF DRUG IN RX #46309525 FOR ACETAMINOPHEN 500MG TAB
CLASS: CN103
Status: Active                      Issued: 09/21/05
SIG: TAKE ONE TABLET BY MOUTH EVERY SIX(6) HOURS AS NEEDED
QTY: 360                             # of refills: 3
Provider: PROVIDER, ONE              Refills remaining: 3
Last filled on: 09/21/05
Days Supply: 90
-----
Discontinue RX # 46309525? NO -Prescription was not discontinued...
```

The system checks the medication selected for any duplicate drugs or classes, interactions, or allergies that are noted in the patient's local and remote record. This also includes any local Non-VA Meds. See the following example of local and remote order checking.

Example: Entering a New Order (continued)

```
Now doing remote order checks. Please wait...

-----
*** SAME CLASS *** OF DRUG IN REMOTE RX FOR ASPIRIN 325MG BUFFERED TAB
>> CHEYENNE VAMROC
CLASS: CN103
      Rx #: 712996
      Status: ACTIVE                               Issued: 09/21/05
Processing Status: Released locally on 09/21/05@11:34:13 (Window)
      SIG: TAKE ONE TABLET BY MOUTH EVERY DAY
      QTY: 30
      Provider: PROVIDER, TWO                       Refills remaining: 11
                                                    Last filled on: 09/21/05
                                                    Days Supply: 30

Press Return to continue...<Enter>
Now doing drug interaction and allergy checks. Please wait...
```



If a patient does not have an allergy assessment, the user will have to create an intervention. If the patient already has a prescription for which an Intervention was created, the user will have the option to copy the existing Intervention. For more information about copying an existing Intervention, refer to the *Complete Orders from OERR* section.



If the new order is for Clozapine, there are additional restrictions for filling a prescription. See “Chapter 8: Controlling the Dispensing of Clozapine” for more information.

```
A Drug-Allergy Reaction exists for this medication and/or class!
Drug: ACETAMINOPHEN 325MG TAB
Drug Class: CN103 NON-OPIOID ANALGESICS (REMOTE SITE(S))
Do you want to Intervene? Y// NO
```

After the user answers the medication profile prompt, a warning displays if no allergy assessment has been made. The patient's eligibility and RX patient status also displays.

```

OPPATIENT16,ONE      4-3-41      000-24-6802
YES      SC VETERAN
      No Allergy Assessment!

Press Return to continue: <Enter>
Eligibility: SC
RX PATIENT STATUS: SERVICE CONNECTED// <Enter>
  
```

(The Patient Information and Medication Profile screens display next, but are not shown in this example.)

```

Pending OP Orders (ROUTINE)      March 13, 2008 16:31:33      Page:      1 of      2
OPPATIENT16,ONE      <NO ALLERGY ASSESSMENT>
  PID: 000-24-6802      Ht(cm): 177.80 (02/08/2008)
  DOB: APR 3,1941 (66)      Wt(kg): 90.45 (02/08/2008)

* (1) Orderable Item: ACETAMINOPHEN TAB      * Editing starred fields will
(2)      CMOP Drug: ACETAMINOPHEN 500MG TAB      create a new order
      Drug Message: NATL FORM
(3)      *Dosage: 500 (MG)
      Verb: TAKE
      Dispense Units: 1
      *Route: ORAL
      *Schedule: BID
(4) Pat Instruct:
      Provider Comments: ProvComments
      SIG: TAKE ONE TABLET BY MOUTH TWICE A DAY
(5) Patient Status: SERVICE CONNECTED
(6) Issue Date: MAR 13,2008      (7) Fill Date: MAR 13,2008
(8) Days Supply: 30      (9) QTY (TAB): 60

+      Enter ?? for more actions
BY Bypass      DC Discontinue      FL Flag/Unflag
ED Edit      FN Finish
Select Item(s): Next Screen//// FN Finish
  
```

After "Finish" is selected, the user is prompted to fill in any information missing from fields needed to complete the order.



If you attempt to process a flagged order, you are prompted "Unflag Order? NO//". If you respond **YES**, enter comments to unflag the order and continue with processing. If you respond **NO**, you cannot process the order because it is still flagged.



If an order is sent from OERR without a Dispense Drug selected, and there is only one Dispense Drug tied to the Orderable Item, that drug will be inserted in the DRUG field (#2 on the screen). If there is more than one Dispense Drug tied to the Orderable Item, a "No Dispense Drug Selected" message will display in the DRUG field (#2 on the screen) and a Dispense Drug must be selected to complete/finish the order.

```

The following Drug are available for selection:
1. ACETAMINOPHEN 325MG
2. ACETAMINOPHEN EXTRA STR 500MG
  
```



If the drug list is empty, the user should select a new orderable item or the order can be discontinued.

```
Select Drug by number: (1-2): 1
```

-----example continues-----

Drug interaction and allergy checks are now performed. If the patient does not have an allergy assessment, a warning is displayed. If the user continues with the order, the user will have to create an intervention.

```
Now doing drug interaction and allergy checks. Please wait...

There is no allergy assessment on file for this patient.
You will be prompted to intervene if you continue with this prescription
Do you want to Continue?: N// YES
```

To continue with the order, respond **YES**. To cancel the order, respond **NO**.

If the user continues with the order, and the patient does not have an allergy assessment, and does not already have a prescription for which an Intervention was created, the user will have to create an intervention.

To create a new intervention, respond to the prompts as they are presented..

```
Now creating Pharmacy Intervention
for ACETAMINOPHEN 325MG

PROVIDER: OPPROVIDER4 , TWO
RECOMMENDATION: ?
  Answer with APSP INTERVENTION RECOMMENDATION, or NUMBER
  Choose from:
  1          CHANGE DRUG
  2          CHANGE FORM OR ROUTE OF ADMINISTRATION
  3          ORDER LAB TEST
  4          ORDER SERUM DRUG LEVEL
  5          CHANGE DOSE
  6          START OR DISCONTINUE A DRUG
  7          CHANGE DOSING INTERVAL
  8          NO CHANGE
  9          OTHER

RECOMMENDATION: 2 CHANGE FORM OR ROUTE OF ADMINISTRATION

See 'Pharmacy Intervention Menu' if you want to delete this
intervention or for more options.

Would you like to edit this intervention ? N//
```

If the patient does not have an allergy assessment, but already has a prescription for which an Intervention was created, the user will have the option to copy the existing Intervention.

```
Now doing drug interaction and allergy checks. Please wait...

No Allergy Assessment - Do you want to duplicate Intervention?: Yes//
```

To duplicate the intervention, respond **YES**. The Intervention is displayed and the user is prompted to edit the Intervention.

```
No Allergy Assessment - Do you want to duplicate Intervention?: Yes// YES
INTERVENTION DATE: JUL 20, 2009          PATIENT: OPPATIENT16,ONE
PROVIDER: OPPROVIDER4, TWO              PHARMACIST: OPPHARMACIST4,THREE
DRUG: ACETAMINPHEN 325MG                INSTITUTED BY: PHARMACY
INTERVENTION: ALLERGY                   RECOMMENDATION: NO CHANGE
ORIGINATING PACKAGE: OUTPATIENT         DIVISION: ALBANY

Would you like to edit this intervention ? N//
```

To accept the existing intervention as is, respond **NO**. To edit the intervention, respond **YES**. Edit as any other intervention.

To create a new intervention, respond **NO**.

```
No Allergy Assessment - Do you want to duplicate Intervention?: Yes// n NO
Now creating Pharmacy Intervention
for ACETAMINPHEN 325MG
```

(This page included for two-sided copying.)

Alerts for Discontinued CMOP Prescription

Discontinued by a Background Process

When a CMOP prescription with a status of Transmitted or Retransmitted is discontinued by a background process to the Outpatient Pharmacy options, e.g. CPRS or Registration V. 5.3 packages, an email will be sent to the PSX EXTERNAL DISPENSE ALERTS mail group. If no recipients are defined in the new mail group, the message will be sent to PSXCMOPMGR key holders stating that a prescription was just discontinued and that the CMOP status for the discontinued prescription was either Transmitted or Retransmitted.

```
Subj: TROY - DC Alert on CMOP Rx 123456789 TRANSMITTED [#90494]
03/03/09@17:37 8 lines
From: POSTMASTER In 'IN' basket. Page 1 *New*
-----
Rx #: 123456789 Fill: 0
Patient: OUTPATIENT,DCONE (6660)
Drug: TAMOXIFEN CITRATE 10MG TABS
Rx Status: DISCONTINUED BY PROVIDER
Processing Status: TRANSMITTED to CMOP on 02/27/09
Provider: OPPROVIDER, PROV

***** Please contact CMOP or take appropriate action *****

Enter message action (in IN basket): Ignore//
-----
```

Discontinued by a Foreground Pharmacy Process

When a CMOP prescription with a status of Transmitted or Retransmitted is discontinued by a foreground Pharmacy process due to a duplicate drug scenario that would trigger the duplicate to be discontinued, then the Processing Status field of the duplicate drug message is highlighted to alert the user.

```
-----
Duplicate Drug A AND Z OINTMENT in Prescription: 123456789

Status: Active Issued: 11/27/09
Processing Status: Transmitted to CMOP on 11/27/09
SIG: APPLY 1 TUBE TO AFFECTED AREA TWICE A DAY
QTY: 1 # of refills: 5
Provider: OPPROVIDER, PROV Refills remaining: 5
Last filled on: 11/27/09
Days Supply: 5
-----

Discontinue RX # 123456789?
```

In the above example, the line “Processing Status: Transmitted to CMOP on 11/27/09” is bold.

(This page included for two-sided copying.)

Index

A

About the Output Reports Menu, 85
Action Profile, 86
Add New Providers, 66, 239
Alerts for Discontinued CMOP Prescription, 224a
All Reports, 106, 108
Alpha Drug List and Synonyms, 89
AMIS Report, 89
Archive to File, 14
Archiving menu, 13
Autocancel Rx's on Admission, 19, 67
Auto-delete from Suspense, 75, 253
Auto-Start Enter/Edit, 23, 70

B

Barcode Batch Prescription Entry, 172
Barcode Rx Menu, 172
Batch Print Questionnaires, 50
Bingo Board Manager, 21
Bingo Board Manager (BM), 67
Bingo Board User (BU), 28

C

CHAMPUS Billing Exemption, 41
Change Suspense Date, 254
Changing the Label Printer, 31
Check Quality of Barcode, 172
Clinic Costs, 92
Clozapine Pharmacy Manager, 33
CMOP Controlled Substance Rx Dispense Report, 91
Commonly Dispensed Drugs, 91
Complete Orders from OERR, 175
Controlling the Dispensing of Clozapine, 33
Copay Menu, 41
Cost Analysis Reports, 92
Cost of Prescriptions, 106, 108
Count of Prescriptions, 106, 108
Count of Suspended Rx's by Day, 254
Create/Edit a Questionnaire, 50

D

Daily AMIS Report, 94

November 2009

Daily Management Report Menu, 106
Daily Rx Cost, 239
Date Range Recompile Data, 107
DAW Code, 151
DAW/NDC Edit, 154
Delete a Prescription, 77, 240
Delete Intervention, 75, 114
Delete Printed Rx's from Suspense, 255
Discontinue Prescription(s), 189
Discontinued by a Background Process, 224a
Discontinued by a Foreground Pharmacy Process, 224a
Dispense as Written, 151
Display Lab Tests and Results, 34
Display Patient's Name on Monitor, 28
Division Costs by Drug, 92
Drug Costs, 92
Drug Costs by Division, 92
Drug Costs by Division by Provider, 92
Drug Costs by Provider, 92
Drug List By Synonym, 94
DUE Report, 50
DUE Supervisor, 49
DUR reject, 191

E

Edit an Existing Answer Sheet, 49
Edit Data for a Patient in the Clozapine Program, 34, 73
Edit Pharmacy Intervention, 75, 113
Edit Prescription(s), 190
Edit Provider, 66, 240
Enter a New Answer Sheet, 49
Enter New Patient, 28
Enter Pharmacy Intervention, 113
Enter/Edit Clinic Sort Groups, 51, 74
Enter/Edit Display, 22, 68
Entering Actions, 7
ePharmacy Medication Profile Division Preferences, 196
ePharmacy Menu, 191
ePharmacy Site Parameters, 197
Evaluating Drug Usage, 49
Exempt Rx Patient Status from Copayment, 42
Expire Prescriptions, 77
External Interface Menu, 53

F

File Retrieval, 15
Find, 13
Flagging and Unflagging a New Pending Order,
169, 180, 224
Free Text Dosage Report, 95

H

Handling Copay Charges, 39
High Cost Rx Report, 93

I

Ignored Rejects Report, 191
Implementing and Maintaining Outpatient
Pharmacy, 57
Inactive Drug List, 95
Initialize Daily Compile, 107
Initialize Rx Cost Statistics, 74, 240
Inter-Divisional Processing, 240
Internet Refill Report
detailed by date, 99
detailed by patient, 96
detailed by result, 102, 103
summary by date, 101
summary by patient, 98
summary by result, 104
Intravenous Admixture, 106, 108
Introduction, 1
Inventory, 241

L

Label/Profile Monitor Reprint, 57
List Manager, 3
List Non-Verified Scripts, 264
List of Override Prescriptions, 35
List One Patient's Archived Rx's, 17, 225
List Prescriptions on Hold, 105
Log of Suspended Rx's by Day (this Division),
255
Look-up Clerk by Code, 241

M

MailMan message for Open/Unresolved Rejects,
224
Maintenance (Outpatient Pharmacy), 57
Management Reports Menu, 105
Manual Auto Expire Rxs, 78
Manual Print of Multi-Rx Forms, 225

Medication Profile, 81, 109
Medication Reconciliation, 84
Messages for Clozapine Drug Selection, 35
Monthly Drug Cost, 109
Monthly Management Report Menu, 108
Monthly Rx Cost Compilation, 241

N

Narcotic Prescription List, 109
NDC Validation, 195
Non-Formulary List, 110
Non-VA Meds, 137
Non-VA Meds Usage Report, 8, 110
Non-Verified Counts, 265

O

One Day Recompile Data, 109
Other Outpatient Pharmacy ListMan Actions, 10
Other Rejects, 219
Other Screen Actions, 10
Outpatient Pharmacy Hidden Actions, 8

P

Patient Address Changes Report, 241
Patient Lookup, 12
Patient Prescription Processing, 126
Patient Status Costs, 93
Pharmacist Enter/Edit, 244
Pharmacy Cost Statistics Menu, 93
Pharmacy Intervention Menu, 113
Pharmacy Statistics, 93
Poly Pharmacy Report, 112
Prescription Cost Update, 78
Print Archived Prescriptions, 18
Print Bingo Board Statistics, 24, 70
Print Bingo Board Wait Time, 25, 71
Print from Suspense File, 255
Print Pharmacy Intervention, 114
Print Sample ScripTalk Label, 236
Process Internet Refills, 173
Processing a Prescription, 125
Processing Drug/Drug Interactions, 115
Provider by Drug Costs, 93
Provider Costs, 93
Pull Early from Suspense, 257
Purge, 17
Purge Bingo Board Data, 26, 72
Purge Data, 109
Purge Drug Cost Data, 78, 244

Purge External Batches, 53, 79

Q

Queue Background Jobs, 66
Queue ScripTalk Label by Barcode, 231
Queue ScripTalk Label by Rx#, 231

R

Recompile AMIS Data, 79, 244
Refill Too Soon reject, 191
Register Clozapine Patient, 35
Reinitialize ScripTalk Printer, 237
Released and Unreleased Prescription Report,
112
Releasing Medication, 117
Remove Patient's Name from Monitor, 29
Report of ScripTalk Enrollees, 233
Reprint a non-voided Outpatient Rx Label, 234
Reprint an Outpatient Rx Label, 226
Reprint Batches from Suspense, 258
Reprint External Batches, 51, 53, 54
Request Statistics, 94
Reset Copay Status/Cancel Charges, 43
Returning Medication to Stock, 123
Rx (Prescriptions), 125
Rx Verification by Clerk, 265

S

Save to Tape, 13
ScripTalk Audit History Report, 232
ScripTalk Device Definition Enter/Edit, 235
ScripTalk Patient Enter/Edit, 230
ScripTalk Reports, 232
ScripTalk® Main Menu, 229
Set Up and Test ScripTalk Device, 234
SHAD, 39
Signature Log Reprint, 227

Site Parameter Enter/Edit, 58, 245
Sort Statistics By Division, 93
Speed Actions, 9
Start Bingo Board Display, 27, 73
Status of Patient's Order, 29
Stop Bingo Board Display, 27, 73
Supervisor Functions, 239
Suspense Functions, 253

T

Tape Retrieval, 14
Test ScripTalk Device, 236
Third Party Payer Rejects - View/Process, 199
Third Party Payer Rejects - Worklist, 191, 193,
196, 203
Tricare Reject Processing, 211
Type of Prescriptions Filled, 107, 109

U

Update Patient Record, 259
Using List Manager with Outpatient Pharmacy,
7
Using the Archive Menu Option, 13
Using the Bingo Board Menu, 21
Using the ScripTalk® Menu, 229
Using the Supervisor Menu, 239
Using the Suspense Functions, 253

V

Verification, 263
Verifying Prescriptions, 263
View External Batches, 55
View Intervention, 114
View Prescriptions, 227
View Provider, 251
Viewing and Resolving Open Rejects, 199