



# **OUTPATIENT PHARMACY**

## **MANAGER'S USER MANUAL**

Version 7.0  
December 1997

(Revised October 2009)



## Revision History

Each time this manual is updated, the Title Page lists the new revised date and this page describes the changes. If the Revised Pages column lists "All," replace the existing manual with the reissued manual. If the Revised Pages column lists individual entries (e.g., 25, 32), either update the existing manual with the Change Pages Document or print the entire new manual.

| Date  | Revised Pages                     | Patch Number | Description  |
|-------|-----------------------------------|--------------|--|
| 10/09 | v-xi, 12, 81-83, 87, 256, 280-281 | PSO*7*326    | The Social Security Number was removed from print outs given to patients. The patient lookup has been expanded to include the ability to look up by prescription number or wand a barcode with the prescription from many options.<br>(E. Wright, PM; S. B. Gilbert, Tech Writer)  |
| 08/09 | 57, 78                            | PSO*7*311    | Deleted Pharmacy Patient Non-VA Meds Report/Clean-up menu.<br>(A. Scott, PM; T. Dawson, Tech Writer)   |
| 08/09 | All                               | PSO*7*320    | The following changes are included in this patch. <ul style="list-style-type: none"><li>• Remote Data prompt, notification, and screen have been added.</li><li>• A hidden action, DR [Display Remote], has been added.</li><li>• Remote prescriptions print at the end of the Action Profile (132 Column Printout) Report.</li><li>• "THIS PATIENT HAS PRESCRIPTIONS AT OTHER FACILITIES" prints at the end of the Pull Early from Suspense and the Print from Suspense File reports.<br/>(G. Tucker, PM; S. B. Scudder, Tech Writer)</li></ul> |

*(This page included for two-sided copying.)*

# Table of Contents

|  |       |     |
|--|-------|-----|
| <a href="#"><u>Preface</u></a>   | ..... | iii |
| <a href="#"><u>Table of Contents</u></a>                                     | ..... | v   |
| <a href="#"><u>Chapter 1: Introduction</u></a>                               | ..... | 1   |
| <a href="#"><u>Documentation Conventions</u></a>                             | ..... | 1   |
| <a href="#"><u>Getting Help</u></a>  | ..... | 2   |
| <a href="#"><u>Related Manuals</u></a>                                       | ..... | 2   |
| <a href="#"><u>Chapter 2: List Manager</u></a>                               | ..... | 3   |
| <a href="#"><u>Using List Manager with Outpatient Pharmacy</u></a>           | ..... | 7   |
| <a href="#"><u>Entering Actions</u></a>                                      | ..... | 7   |
| <a href="#"><u>Outpatient Pharmacy Hidden Actions</u></a>                    | ..... | 8   |
| <a href="#"><u>Speed Actions</u></a>   | ..... | 9   |
| <a href="#"><u>Other Outpatient Pharmacy ListMan Actions</u></a>             | ..... | 10  |
| <a href="#"><u>Other Screen Actions</u></a>                                  | ..... | 10  |
| <a href="#"><u>Chapter 3: Using the Outpatient Pharmacy Manager Menu</u></a> | ..... | 11  |
| <a href="#"><u>Patient Lookup</u></a>  | ..... | 12  |
| <a href="#"><u>Chapter 4: Using the Archive Menu Option</u></a>              | ..... | 13  |
| <a href="#"><u>Archiving</u></a>   | ..... | 13  |
| <a href="#"><u>Find</u></a>  | ..... | 13  |
| <a href="#"><u>Save to Tape</u></a>  | ..... | 13  |
| <a href="#"><u>Tape Retrieval</u></a>  | ..... | 14  |
| <a href="#"><u>Archive to File</u></a>                                       | ..... | 14  |
| <a href="#"><u>File Retrieval</u></a>  | ..... | 15  |
| <a href="#"><u>Purge *Temporarily Out of Order*</u></a>                      | ..... | 17  |
| <a href="#"><u>List One Patient's Archived Rx's</u></a>                      | ..... | 17  |
| <a href="#"><u>Print Archived Prescriptions</u></a>                          | ..... | 18  |
| <a href="#"><u>Chapter 5: Autocanceling</u></a>                              | ..... | 19  |
| <a href="#"><u>Autocancel Rx's on Admission</u></a>                          | ..... | 19  |
| <a href="#"><u>Chapter 6: Using the Bingo Board Menu</u></a>                 | ..... | 21  |
| <a href="#"><u>Bingo Board</u></a>   | ..... | 21  |
| <a href="#"><u>Bingo Board Manager (BM)</u></a>                              | ..... | 21  |
| <a href="#"><u>Enter/Edit Display</u></a>                                    | ..... | 22  |
| <a href="#"><u>Auto-Start Enter/Edit</u></a>                                 | ..... | 23  |
| <a href="#"><u>Print Bingo Board Statistics</u></a>                          | ..... | 24  |
| <a href="#"><u>Print Bingo Board Wait Time</u></a>                           | ..... | 25  |
| <a href="#"><u>Purge Bingo Board Data</u></a>                                | ..... | 26  |
| <a href="#"><u>Start Bingo Board Display</u></a>                             | ..... | 27  |
| <a href="#"><u>Stop Bingo Board Display</u></a>                              | ..... | 27  |
| <a href="#"><u>Bingo Board User (BU)</u></a>                                 | ..... | 28  |
| <a href="#"><u>Enter New Patient</u></a>                                     | ..... | 28  |
| <a href="#"><u>Display Patient's Name on Monitor</u></a>                     | ..... | 28  |
| <a href="#"><u>Remove Patient's Name from Monitor</u></a>                    | ..... | 29  |

|   |           |
|---|-----------|
| <i>Status of Patient's Order</i>                                    | 29        |
| <b>Chapter 7: Changing the Label Printer</b>                        | <b>31</b> |
| Change Label Printer  | 31        |
| <b>Chapter 8: Controlling the Dispensing of Clozapine</b>           | <b>33</b> |
| Clozapine Pharmacy Manager  | 33        |
| Display Lab Tests and Results                                       | 34        |
| Edit Data for a Patient in the Clozapine Program                    | 34        |
| List of Override Prescriptions                                      | 35        |
| Register Clozapine Patient  | 35        |
| Messages for Clozapine Drug Selection                               | 35        |
| <b>Chapter 9: Handling Copay Charges</b>                            | <b>39</b> |
| Copay Menu  | 41        |
| CHAMPUS Billing Exemption   | 41        |
| Exempt Rx Patient Status from Copayment                             | 42        |
| Reset Copay Status/Cancel Charges                                   | 43        |
| Reset Copay Status  | 43        |
| Enter/Edit Medication Exemption Question Responses                  | 44        |
| Cancel Charges  | 46        |
| Potential Charges and Partial Charges                               | 47        |
| IB-initiated Medication Copay Charge                                | 48        |
| <b>Chapter 10: Evaluating Drug Usage</b>                            | <b>49</b> |
| DUE Supervisor  | 49        |
| Enter a New Answer Sheet  | 49        |
| Edit an Existing Answer Sheet                                       | 49        |
| Create/Edit a Questionnaire   | 50        |
| Batch Print Questionnaires  | 50        |
| DUE Report  | 50        |
| <b>Chapter 11: Enter/Edit Clinic Sort Groups</b>                    | <b>51</b> |
| Enter/Edit Clinic Sort Groups                                       | 51        |
| <b>Chapter 12: External Interface Menu</b>                          | <b>53</b> |
| External Interface Menu   | 53        |
| Purge External Batches  | 53        |
| Reprint External Batches  | 54        |
| View External Batches   | 55        |
| <b>Chapter 13: Label/Profile Monitor Reprint</b>                    | <b>57</b> |
| Label Profile Monitor Reprint                                       | 57        |
| <b>Chapter 14: Implementing and Maintaining Outpatient Pharmacy</b> | <b>57</b> |
| Maintenance (Outpatient Pharmacy)                                   | 57        |
| Site Parameter Enter/Edit   | 58        |
| Edit Provider   | 66        |
| Add New Providers   | 66        |
| Queue Background Jobs   | 66        |

|  |           |
|--|-----------|
| <a href="#">Autocancel Rx's on Admission</a>                     | 67        |
| <a href="#">Bingo Board Manager (BM)</a>                         | 67        |
| <a href="#">Enter/Edit Display</a>                               | 68        |
| <a href="#">Auto-Start Enter/Edit</a>                            | 70        |
| <a href="#">Print Bingo Board Statistics</a>                     | 70        |
| <a href="#">Print Bingo Board Wait Time</a>                      | 71        |
| <a href="#">Purge Bingo Board Data</a>                           | 72        |
| <a href="#">Start Bingo Board Display</a>                        | 73        |
| <a href="#">Stop Bingo Board Display</a>                         | 73        |
| <a href="#">Edit Data for a Patient in the Clozapine Program</a> | 73        |
| <a href="#">Enter/Edit Clinic Sort Groups</a>                    | 74        |
| <a href="#">Initialize Rx Cost Statistics</a>                    | 74        |
| <a href="#">Edit Pharmacy Intervention</a>                       | 75        |
| <a href="#">Delete Intervention</a>                              | 75        |
| <a href="#">Auto-delete from Suspense</a>                        | 75        |
| <a href="#">Automate Internet Refill</a>                         | 76        |
| <a href="#">Delete a Prescription</a>                            | 77        |
| <a href="#">Expire Prescriptions</a>                             | 77        |
| <a href="#">Manual Auto Expire Rxs</a>                           | 78        |
| <a href="#">Prescription Cost Update</a>                         | 78        |
| <a href="#">Purge Drug Cost Data</a>                             | 78        |
| <a href="#">Purge External Batches</a>                           | 79        |
| <a href="#">Recompile AMIS Data</a>                              | 79        |
| <b><a href="#">Chapter 15: Using the Medication Profile</a></b>  | <b>81</b> |
| <a href="#">Medication Profile</a>                               | 81        |
| <a href="#">Medication Profile: Short Format</a>                 | 81        |
| <a href="#">Medication Profile: Long Format</a>                  | 83        |
| <a href="#">Medication Reconciliation</a>                        | 84        |
| <b><a href="#">Chapter 16: About the Output Reports Menu</a></b> | <b>85</b> |
| <a href="#">Output Reports</a>                                   | 85        |
| <a href="#">Action Profile (132 COLUMN PRINTOUT)</a>             | 86        |
| <a href="#">Alpha Drug List and Synonyms</a>                     | 89        |
| <a href="#">AMIS Report</a>                                      | 89        |
| <a href="#">Bad Address Reporting Main Menu</a>                  | 90        |
| <a href="#">Bad Address Suspended List</a>                       | 90        |
| <a href="#">List Prescriptions Not Mailed</a>                    | 91        |
| <a href="#">CMOP Controlled Substance Rx Dispense Report</a>     | 91        |
| <a href="#">Commonly Dispensed Drugs</a>                         | 91        |
| <a href="#">Cost Analysis Reports</a>                            | 92        |
| <a href="#">Clinic Costs</a>                                     | 92        |
| <a href="#">Division Costs by Drug</a>                           | 92        |
| <a href="#">Drug Costs</a>                                       | 92        |
| <a href="#">Drug Costs by Division</a>                           | 92        |
| <a href="#">Drug Costs by Division by Provider</a>               | 92        |
| <a href="#">Drug Costs by Provider</a>                           | 92        |
| <a href="#">High Cost Rx Report</a>                              | 93        |
| <a href="#">Patient Status Costs</a>                             | 93        |
| <a href="#">Pharmacy Cost Statistics Menu</a>                    | 93        |
| <a href="#">Pharmacy Statistics</a>                              | 93        |

|  |            |
|--|------------|
| <u>Sort Statistics By Division</u>   | 93         |
| <u>Provider by Drug Costs</u>  | 93         |
| <u>Provider Costs</u>  | 93         |
| <u>Request Statistics</u>  | 94         |
| <u>Daily AMIS Report</u>   | 94         |
| <u>Drug List By Synonym</u>  | 94         |
| <u>Free Text Dosage Report</u>   | 95         |
| <u>Inactive Drug List</u>  | 95         |
| <u>Internet Refill Report</u>  | 96         |
| <u>List Prescriptions on Hold</u>  | 105        |
| <u>Management Reports Menu</u>   | 105        |
| <u>Daily Management Report Menu</u>  | 106        |
| <u>All Reports</u>   | 106        |
| <u>Cost of Prescriptions</u>   | 106        |
| <u>Count of Prescriptions</u>  | 106        |
| <u>Intravenous Admixture</u>   | 106        |
| <u>Type of Prescriptions Filled</u>  | 107        |
| <u>Date Range Recompile Data</u>   | 107        |
| <u>Initialize Daily Compile</u>  | 107        |
| <u>Monthly Management Report Menu</u>                                      | 108        |
| <u>All Reports</u>   | 108        |
| <u>Cost of Prescriptions</u>   | 108        |
| <u>Count of Prescriptions</u>  | 108        |
| <u>Intravenous Admixture</u>   | 108        |
| <u>Type of Prescriptions Filled</u>  | 109        |
| <u>One Day Recompile Data</u>  | 109        |
| <u>Purge Data</u>  | 109        |
| <u>Medication Profile</u>  | 109        |
| <u>Monthly Drug Cost</u>   | 109        |
| <u>Narcotic Prescription List</u>  | 109        |
| <u>Non-Formulary List</u>  | 110        |
| <u>Non-VA Meds Usage Report</u>  | 110        |
| <u>Poly Pharmacy Report</u>  | 112        |
| <u>Released and Unreleased Prescription Report</u>                         | 112        |
| <b>Chapter 17: Using the Pharmacy Intervention Menu</b>                    | <b>113</b> |
| <u>Pharmacy Intervention Menu</u>  | 113        |
| <u>Enter Pharmacy Intervention</u>   | 113        |
| <u>Edit Pharmacy Intervention</u>  | 113        |
| <u>Print Pharmacy Intervention</u>   | 114        |
| <u>Delete Intervention</u>   | 114        |
| <u>View Intervention</u>   | 114        |
| <b>Chapter 18: Processing Drug/Drug Interactions</b>                       | <b>115</b> |
| <u>Process Drug/Drug Interactions</u>                                      | 115        |
| <b>Chapter 19: Releasing Medication</b>                                    | <b>117</b> |
| <u>Release Medication</u>  | 117        |
| <u>Changes to Releasing Orders function - Digitally Signed Orders Only</u> | 120        |
| <u>Changes to Releasing Orders Function - ScripTalk®</u>                   | 120        |
| <u>Changes to Releasing Orders Function – HIPAA NCPDP Global</u>           | 121        |

|   |     |
|---|-----|
| <b>Chapter 20: Returning Medication to Stock</b>                                  | 123 |
| Return Medication to Stock  | 123 |
| <b>Chapter 21: Processing a Prescription</b>                                      | 125 |
| Rx (Prescriptions)  | 125 |
| Patient Prescription Processing   | 126 |
| <i>Entering a New Order</i>   | 129 |
| <i>Entering a new order with Local or Free-Text Dosage</i>                        | 137 |
| <i>Entering a new order --ePharmacy (third party billable)</i>                    | 141 |
| <i>Displaying a Patient's Remote Prescriptions</i>                                | 144 |
| <i>Editing an Order</i>   | 146 |
| <i>Editing an ePharmacy Order</i>   | 151 |
| <i>DAW/NDC Edit</i>   | 154 |
| <i>Using the Copy Action</i>  | 155 |
| <i>Copying an ePharmacy Order</i>   | 160 |
| <i>Renewing a Prescription</i>  | 164 |
| <i>Renewing an ePharmacy Order</i>  | 166 |
| <i>Flagging and Unflagging a New Pending Order</i>                                | 169 |
| Barcode Rx Menu   | 172 |
| <i>Barcode Batch Prescription Entry</i>   | 172 |
| <i>Check Quality of Barcode</i>   | 172 |
| <i>Process Internet Refills</i>   | 173 |
| Complete Orders from OERR   | 175 |
| <i>Flagging and Unflagging a New Pending Order</i>                                | 180 |
| <i>Changes to Finishing Pending Orders Process - Digitally Signed Orders Only</i> | 184 |
| <i>Finishing an Order from OERR with Multiple Institutions</i>                    | 184 |
| <i>Finishing an ePharmacy Order</i>   | 185 |
| <i>Activity Log</i>   | 186 |
| <i>Discontinue Prescription(s)</i>  | 189 |
| <i>Edit Prescriptions</i>   | 190 |
| <i>ePharmacy Menu</i>   | 191 |
| <i>Ignored Rejects Report</i>   | 191 |
| <i>ePharmacy Medication Profile (View Only)</i>                                   | 193 |
| <i>NDC Validation</i>   | 195 |
| <i>ePharmacy Medication Profile Division Preferences</i>                          | 196 |
| <i>ePharmacy Site Parameters</i>  | 197 |
| <i>Third Party Payer Rejects - View/Process</i>                                   | 199 |
| <i>Third Party Payer Rejects - Worklist</i>                                       | 203 |
| <i>Tricare Reject Processing</i>  | 211 |
| <i>Other Rejects</i>  | 219 |
| <i>MailMan Message for Open/Unresolved Rejects</i>                                | 224 |
| <i>List One Patient's Archived Rx's</i>   | 225 |
| <i>Manual Print of Multi-Rx Forms</i>   | 225 |
| <i>Reprint an Outpatient Rx Label</i>   | 226 |
| <i>Signature Log Reprint</i>  | 227 |
| <i>View Prescriptions</i>   | 227 |
| <b>Chapter 22: ScripTalk® ‘Talking’ Prescription Labels</b>                       | 229 |
| <i>ScripTalk Main Menu</i>  | 229 |
| <i>ScripTalk Patient Enter/Edit</i>   | 230 |

|  |            |
|--|------------|
| <a href="#">Queue ScripTalk Label by Barcode</a>                       | 231        |
| <a href="#">Queue ScripTalk Label by Rx#</a>                           | 231        |
| <a href="#">ScripTalk Reports</a>                                      | 232        |
| <a href="#"><i>ScripTalk Audit History Report</i></a>                  | 232        |
| <a href="#"><i>Report of ScripTalk Enrollees</i></a>                   | 233        |
| <a href="#">Reprint a non-voided Outpatient Rx Label</a>               | 234        |
| <a href="#">Set Up and Test ScripTalk Device</a>                       | 234        |
| <a href="#"><i>ScripTalk Device Definition Enter/Edit</i></a>          | 235        |
| <a href="#"><i>Print Sample ScripTalk Label</i></a>                    | 236        |
| <a href="#"><i>Test ScripTalk Device</i></a>                           | 236        |
| <a href="#"><i>Reinitialize ScripTalk Printer</i></a>                  | 237        |
| <b><a href="#">Chapter 23: Using the Supervisor Functions Menu</a></b> | <b>239</b> |
| <a href="#">Supervisor Functions</a>                                   | 239        |
| <a href="#">Add New Providers</a>                                      | 239        |
| <a href="#">Daily Rx Cost</a>  | 239        |
| <a href="#">Delete a Prescription</a>                                  | 240        |
| <a href="#">Edit Provider</a>  | 240        |
| <a href="#">Initialize Rx Cost Statistics</a>                          | 240        |
| <a href="#">Inter-Divisional Processing</a>                            | 240        |
| <a href="#">Inventory</a>  | 241        |
| <a href="#">Look-up Clerk by Code</a>                                  | 241        |
| <a href="#">Monthly Rx Cost Compilation</a>                            | 241        |
| <a href="#">Patient Address Changes Report</a>                         | 241        |
| <a href="#">Pharmacist Enter/Edit</a>                                  | 244        |
| <a href="#">Purge Drug Cost Data</a>                                   | 244        |
| <a href="#">Recompile AMIS Data</a>                                    | 244        |
| <a href="#">Site Parameter Enter/Edit</a>                              | 245        |
| <a href="#">View Provider</a>  | 251        |
| <b><a href="#">Chapter 24: Using the Suspense Functions</a></b>        | <b>253</b> |
| <a href="#">Suspense Functions</a>                                     | 253        |
| <a href="#">Auto-delete from Suspense</a>                              | 253        |
| <a href="#">Change Suspense Date</a>                                   | 254        |
| <a href="#">Count of Suspended Rx's by Day</a>                         | 254        |
| <a href="#">Delete Printed Rx's from Suspense</a>                      | 255        |
| <a href="#">Log of Suspended Rx's by Day (this Division)</a>           | 255        |
| <a href="#">Print from Suspense File</a>                               | 255        |
| <a href="#">Pull Early from Suspense</a>                               | 257        |
| <a href="#">Queue CMOP Prescription</a>                                | 257        |
| <a href="#">Reprint Batches from Suspense</a>                          | 258        |
| <b><a href="#">Chapter 25: Updating a Patient's Record</a></b>         | <b>259</b> |
| <a href="#">Update Patient Record</a>                                  | 259        |
| <b><a href="#">Chapter 26: Verifying Prescriptions</a></b>             | <b>263</b> |
| <a href="#">Verification</a>   | 263        |
| <a href="#">List Non-Verified Scripts</a>                              | 264        |
| <a href="#">Non-Verified Counts</a>                                    | 265        |
| <a href="#">Rx Verification by Clerk</a>                               | 265        |
| <a href="#">Verification through Patient Prescription Processing</a>   | 266        |

|                                   |     |
|-----------------------------------|-----|
| <u>Verifying ePharmacy Orders</u> | 272 |
| <u>Glossary</u>                   | 273 |
| <u>Index</u>                      | 279 |


*(This page included for two-sided copying.)*

# **Chapter 3: Using the *Outpatient Pharmacy Manager* Menu**

---

This manual describes options available on the *Outpatient Pharmacy Manager* menu. This menu should be assigned to supervisors, package coordinators, and members of the Automated Data Processing (ADP)/Information Resources Management Service (IRMS) staff.

## **Example: Accessing the *Outpatient Pharmacy Manager* menu**



Select OPTION NAME: **PSO MANAGER**      Outpatient Pharmacy Manager  
Outpatient Pharmacy software - Version 7.0

The following options are available on the *Outpatient Pharmacy Manager* menu.

- *Archiving...*
- *Autocancel Rx's on Admission*
- *Bingo Board...*
- *Change Label Printer*
- *Clozapine Pharmacy Manager...*
- *Copay Menu...*
- *DUE Supervisor...*
- *Enter/Edit Clinic Sort Groups*
- *External Interface Menu...*
- *Label/Profile Monitor Reprint*
- *Maintenance (Outpatient Pharmacy)...*
- *Medication Profile*
- *Output Reports...*
- *Pharmacy Intervention Menu...*
- *Process Drug/Drug Interactions*
- *Release Medication*
- *Return Medication to Stock*
- *Rx (Prescriptions)...*
- *ScripTalk Main Menu...*
- *Supervisor Functions...*
- *Suspense Functions...*
- *Update Patient Record*
- *Verification...*

## Patient Lookup

The ability to look up a patient by prescription number or wand a barcode with the prescription has been added to the patient lookup prompt on the following options.

- *Patient Prescription Processing* [PSO LM BACKDOOR ORDERS]
- *Medication Profile* [PSO P]
- *Rx (Prescriptions)* [PSO RX]
- *Update Patient Record* [PSO PAT]
- *Manual Print of Multi-Rx Forms* [PSO LM MULTI-RX PRINT]
- *ScripTalk Patient Enter/Edit* [PSO SCRIPTALK PATIENT ENROLL]
- *Patient Address Changes Report* [PSO ADDRESS CHANGE REPORT]
- *List Prescriptions Not Mailed* [PSO BAI NOT MAILED]
- *Non-VA Meds Usage Report* [PSO NON-VA MEDS USAGE REPORT]
- *Enter New Patient* [PSO BINGO NEW PATIENT]
- *Action Profile (132 COLUMN PRINTOUT)* [PSO ACTION PROFILE]
- *Poly Pharmacy Report* [PSOPOLY]

The help text for patient lookup reads as follows.

Enter the prescription number prefixed by a # (ex. #XXXXXXX) or  
Wand the barcode of the prescription. The format of the barcode is  
NNN-NNNNNNN where the first 3 digits are your station number.  
- OR -  
Answer with PATIENT NAME, or SOCIAL SECURITY NUMBER, or last 4 digits  
of SOCIAL SECURITY NUMBER, or first initial of last name with last 4  
digits of SOCIAL SECURITY NUMBER  
Do you want the entire NNNNNNNN-Entry PATIENT List?

# **Chapter 15: Using the Medication Profile**

---

This chapter describes the Medication Profile, its different formats, and how it can be used in patient care.

## **Medication Profile**

[PSO P]

The Medication Profile displays a profile of all prescriptions on file for a particular patient. The prescription display includes all Non-VA Med orders also. The user may view this information directly on the screen or request it to be printed. The medication profile is available in two formats: short or long.

### **Medication Profile: Short Format**

The short format displays the following information:

- patient name
- eligibility
- reactions
- prescription number
- Sig
- quantity
- last fill date
- address
- DOB
- narrative
- prescriptions
- drug name
- Status
- issue date
- refills remaining.

The short report format of the fields for Non-VA Med orders include the drug name or orderable item name, dosage, schedule and date documented.

The short format displays the status in an abbreviated form. The following is an explanation of the codes:

| <b>Code</b> | <b>Status/Description</b>                               |
|-------------|---|
| A           | Active  |
| B           | Bad Address Indicated                                   |
| DC          | Discontinued  |
| E           | Expired   |
| H           | Hold  |
| N           | Non Verified  |
| P           | Pending due to drug interactions                        |
| S           | Suspended   |
| \$          | Copay eligible  |
| E           | third-party electronically billable                     |
| R           | Returned to stock prescription (next to last fill date) |

### Example: Medication Profile – Short Format

```
Select PATIENT NAME: OPPATIENT, THREE      3-5-9      000006578      NO
NSC
VETERAN      OPPATIENT, THREE
WARNING : ** This patient has been flagged with a Bad Address Indicator.
LONG or SHORT: SHORT// SHORT
Sort by DATE, CLASS or MEDICATION: DATE// <Enter>

All Medications or Selection (A/S): All// <Enter>
DEVICE: HOME// [Select Print Device] GENERIC INCOMING TELNET
```

OPPATIENT, THREE

321 PECAN STREET DOB: DEC 29,1968  
TESTING 2  
ANYTOWN PHONE: 5554325455  
TEXAS 12345 ELIG: SC LESS THAN 50%  
SC%: 40

CANNOT USE SAFETY CAPS.

WEIGHT(Kg): HEIGHT(cm):

DISABILITIES:

ALLERGIES: \_\_\_\_\_

ADVERSE REACTIONS: \_\_\_\_\_

Enter RETURN to continue or '^' to exit: <Enter>

Outpatient prescriptions are discontinued 72 hours after admission

Medication Profile Sorted by ISSUE DATE

| Rx#         | Drug                  | REF   | ST | REM      | Issued   | Last Fill |
|-------------|-----------------------|---|----|----------|----------|-----------|
| 300486      | ACE BANDAGE 4 INCH    | A   | 5  | 10-17-06 | 10-17-06 |           |
|             | QTY: 1                | SIG: USE LOOSELY ON AFFECTED AREA AS NEEDED   |    |          |          |           |
| \$100002342 | AMOXICILLIN 250MG CAP | A   | 3  | 10-10-06 | 10-10-06 |           |
|             | QTY: 15               | SIG: TAKE ONE CAPSULE BY BY MOUTH QAM\QPM\Q4D&Q6D~Q12D<br>TAKE ONE   EVERY   TWO ~ THREE & FOUR \ FIVE \TAB               |    |          |          |           |
| \$100002343 | SIMETHICONE 40MG TAB  | DC  | 3  | 10-10-06 | 10-10-06 |           |
|             | QTY: 15               | SIG: CHEW ONE TABLET BY BY MOUTH QAM\QPM!Q4D&Q6D~Q12D<br>TAKE ONE    EVERY   TWO ~~THREE ~ AND &&FOUR&HHHH<br>\ FIVE \TAB |    |          |          |           |

## Medication Profile: Long Format

The long format displays all information contained on the short format as well as the following additional fields:

- physician's name
- fill date
- dates of refills/partial fills
- whether the prescription was filled at the pharmacy window or by mail
- clerk code
- total allowable refills
- which division filled it

The long report format of the fields for Non-VA Med orders include the start date, CPRS order #, status, documented by, order check(s), override reason, override provider, and statement of explanation.

### Example: Medication Profile – Long Format

```
Select PATIENT NAME: OPPATIENT,ONE          8-5-19    666000777    NO    NSC
VETERAN      OPPATIENT,ONE
WARNING : ** This patient has been flagged with a Bad Address Indicator.
LONG or SHORT: SHORT// LONG
Sort by DATE, CLASS or MEDICATION: DATE// <Enter>

All Medications or Selection (A/S): All// <Enter>
DEVICE: HOME// [Select Print Device]  GENERIC INCOMING TELNET

OPPATIENT,ONE
(TEMP ADDRESS from AUG 28,2006 till (no end date))
LINE1                      DOB: AUG 5,1919
ANYTOWN                     PHONE: 555-1212
TEXAS 77379                  ELIG: NSC
CANNOT USE SAFETY CAPS.

WEIGHT(Kg):                 HEIGHT(cm):
DISABILITIES:

ALLERGIES: _____
```

ADVERSE REACTIONS: \_\_\_\_\_

Enter RETURN to continue or '^' to exit: <Enter>

Outpatient prescriptions are discontinued 72 hours after admission

```
Medication Profile Sorted by ISSUE DATE

Rx #: 100001968Ae          Drug: LOPERAMIDE 2MG CAP
SIG: TAKE TWO CAPSULES BY MOUTH EVERY DAY
QTY: 60                      # of Refills: 5      Issue/Expr: 12-15-05/06-16-06
Prov: OPPROVIDER16,TWO       Entry By: 10000000013 Filled: 01-14-06 (M)
Last Released:                Original Release:
Refilled: 02-19-04 (M)       Released:
Remarks:
Division: ALBANY (500)        Active           4 Refills Left
-----example continues-----
```

### **Example: Medication Profile – Long Format (continued)**

-----  
Non-VA MEDS (Not Dispensed by VA)  
GINKO BILLOBA TAB  
Dosage: 1 TABLET  
Schedule: ONCE A DAY  
Route: MOUTH  
Status: Discontinued (10/08/03)  
Start Date: 09/03/03 CPRS Order #: 12232  
Documented By: OPCLERK21,FOUR on 09/03/03  
Statement of Explanation: Non-VA medication not recommended by VA provider.

ACETAMINPHEN 325MG CT  
Dosage: 325MG  
Schedule:  
Route:  
Status: Active  
Start Date: 09/03/03 CPRS Order #: 12234  
Documented By: OPCLERK21,FOUR on 09/03/03  
Statement of Explanation: Non-VA medication recommended by VA provider  
Patient wants to buy from Non-VA pharmacy

## **Medication Reconciliation**

The Medication Reconciliation product (patch PSO\*7\*294) introduces the components necessary to build four tools useful for medication reconciliation. The product utilizes Health Summary components and Text Integrated Utility (TIU) data objects to create a list of current medications. Medication Reconciliation also leverages the Remote Data Interoperability (RDI) software to include medication data from other sites.

For a complete list of functionality, please refer to the Medication Reconciliation Implementation Guide.

Informational Rx Profile

Run Date: JUL 11, 2007 Page: 1

Sorted by drug classification for Rx's currently active and for those Rx's that have been inactive less than 120 days.

Site: VAMC ALBANY (500)

Name : OPPATIENT,TEN  
DOB : APR 4,1944

Address : 4 ANYSTREET DR.  
ANYCITY, NEW YORK 12345  
Phone : 723-5678

WEIGHT(Kg):

HEIGHT(cm):

DISABILITIES:

ALLERGIES: ASPIRIN-DRUG, METRONIDAZOLE 250MG TAB, METRONIDAZOLE PWDR, PENICILLIN

,

ADVERSE REACTIONS:

Medication/Supply Rx#  
Status Expiration Provider

Date

Classification: CN101 - OPIOID ANALGESICS

ACETAMINOPHEN AND CODEINE 30MG Qty: 40 for 31 Days 100003  
273 Active 07-16-2007 OPPROVIDER,ONE

COSIGNER: OPPROVIDER,FOUR

Sig: TAKE 2 TABLETS BY BY MOUTH EVERY SU FOR 10 DAYS WITH FOOD

Filled: 06-15-2007 Past Fills: 06-15-2007

Remaining Refills: 0 Clinic: INFIRMARY

Price: \$1.48

-----PENDING ORDERS-----

Drug: ASPIRIN BUFFERED 325MG TAB  
Eff. Date: 10-04-2000 Qty: 10 Refills: 3 Prov: OPPROVIDER,ONE  
Sig: TAKE 1 CAP,ORAL BY BY MOUTH TWICE A DAY

Drug: HYDROCHLOROTHIAZIDE 50MG  
Eff. Date: 10-04-2000 Qty: 10 Refills: 3 Prov: OPPROVIDER,ONE  
Sig: TAKE 2 TAB BY BY MOUTH TWICE A DAY

Patient: OPPATIENT,TEN

DOB: 04/04/1944

| RX #         | DRUG   | ST | QTY | ISSUED   | LAST FILLED |
|--------------|--|----|-----|----------|-------------|
| =====        |  |    |     |          |             |
| HDR CHEYENNE |  |    |     |          |             |
| 712885       | AMOXICILLIN TRIHYDRATE 250MG CAP                         | A  | 90  | 11/06/08 | 11/06/08    |
|              | SIG: TAKE ONE CAPSULE BY MOUTH THREE TIMES A DAY         |    |     |          |             |
|              | PROVIDER: PSOPROVIDER,ONE                                |    |     |          |             |
| 712886       | DILTIAZEM (INWOOD) 240MG CAP,SA                          | A  | 30  | 11/28/08 | 11/28/08    |
|              | SIG: TAKE ONE CAPSULE BY MOUTH EVERY DAY                 |    |     |          |             |
|              | PROVIDER: PSOPROVIDER,ONE                                |    |     |          |             |
| 712887       | SIMVASTATIN 20MG TAB                                     | A  | 15  | 12/09/08 | 12/09/08    |
|              | SIG: TAKE ONE-HALF TABLET BY MOUTH EVERY EVENING TESTING |    |     |          |             |
|              | FOR PATTESTING FOR PATIENT TESTING FOR PATTESTING        |    |     |          |             |
|              | FOR PATIENTENT INTRUCT ION ON SIG1 TESTING FOR           |    |     |          |             |
|              | PATIENT INSTRUCTION ON SIG1 TESTING FOR PATIENT          |    |     |          |             |
|              | REPLACE IENT WITH IENT TESTING FOR PATIENT               |    |     |          |             |
|              | INTRUCTION ON SIG1 TESTING FOR PATI                      |    |     |          |             |
|              | PROVIDER: PSOPROVIDER,ONE                                |    |     |          |             |

## **Delete Printed Rx's from Suspense**

**[PSO PNDPRI]**

With this option printed prescriptions can be deleted from suspense manually. Basically, it does the same thing as the *Auto-delete from Suspense* option, but it prompts the user to delete a single prescription, all prescriptions for one patient, all prescriptions for a given date range, or all prescriptions that have printed in a batch.

A batch is the group of labels that printed for a particular Print from Suspense File job. For example, if for one day, the *Print from Suspense File* option is queued 3 times, three batches will be printed for that day. (See the *Print from Suspense File* option.)

If it is necessary to reset and reprint the suspense labels and only selected labels are wanted, those not wanted can be deleted from the batch. The deleted labels will not be reprinted as part of the batch.

## **Log of Suspended Rx's by Day (this Division)**

**[PSO PNDLOG]**

Using this option, the manager can print a report by division of all suspended prescriptions sorted either by patient or identification number. The log contains the prescription number, patient name, drug name, type, and print status.

The *Log of Suspended Rx's by Day (this Division)* [PSO PNDLOG] option is updated to add a new column showing the B/D/F (Bad Address Indicator/ Do Not Mail/ Foreign Address) status of the prescription.

## **Print from Suspense File**

**[PSO PNLBL]**

This option allows the user to print labels from the RX SUSPENSE file. First, enter the “Print Through” date. Any prescriptions with a suspense date on or before the date entered will print. Additionally, if a patient has at least one prescription on or before the date entered, any other prescriptions for that patient that are in suspense will be printed for the site parameter specified number of days to be pulled from suspense.

For example, if today’s date is entered and Patient A has a prescription to be printed through the date entered, all of Patient A’s prescriptions between the date entered plus the number of days set in the local site parameter will be printed. If there are no prescriptions for Patient A through the date entered, no labels will print.

Labels can be sorted by the patient name, the SSN, or the DEA Special Handling code. If sorted by DEA, the labels must then sort by patient name or SSN. Sorting by DEA will send the labels to the printer in three groups:

- **First group** – will contain all the prescriptions with drugs that contain an “A” (narcotics and alcoholics) or a “C” (controlled substances-non narcotic) in the DEA Special Handling field.
- **Second group** – will contain all the prescriptions with drugs containing an “S” (supply) in the DEA Special Handling field.
- **Third group** – will contain all others. If a patient has prescriptions in suspense that fall in all three categories, that patient's labels will be printed three times, once in each group.

Only one job is tasked for all of the prescriptions in the batch; therefore, if the job is queued by mistake, only one tasked job must be undone. Any prescription that is put in suspense for the "Print Through Date" between the times the job was queued until the time it actually runs will be included in the job.

Labels for each job printed from suspense will be part of a batch. Each batch is identified by the Division, the user who queued the batch, and the date/time that the job was queued to begin.



Prescriptions pulled early from suspense will not be part of a batch, so they will not be able to be reprinted through the *Reprint Batches from Suspense* option.

A short profile for every patient for whom a label for a new prescription is being printed will also be printed if the local Profile with New Prescriptions site parameter is set to Yes.



If a patient has partial prescriptions with regular fills, only one set of trailing documents will print for that patient. (In V. 6.0 trailer documents were printed after each partial.)

If the patient has remote prescriptions, then the text “THIS PATIENT HAS PRESCRIPTIONS AT OTHER FACILITIES” will appear on the report as shown in the following example.

|  |             |
|--|-------------|
| PRESCRIPTION PROFILE AS OF 12/30/2008              |             |
| NAME: PSOPATIENT, ONE                              |             |
| THIS PATIENT HAS PRESCRIPTIONS AT OTHER FACILITIES |             |
| PHARMACIST: _____                                  | DATE: _____ |

If a prescription is determined to be an ePharmacy prescription (e.g., third party electronically billable), an electronic claim will be sent by ECME to the third party payer. The communication events between Outpatient Pharmacy and ECME are recorded in the ECME Log section of each prescription. The ECME log can be viewed in the patient Medication Profile screen (Activity Log option - AL) and also from the View Prescriptions option. If the claim submission returns a Refill Too Soon (79) or Drug Utilization Review (88) reject, the label is not printed for the prescription and it is moved to the Refill Too Soon/DUR section of the patient Medication Profile screen until the user resolves the reject. The prescription will also display on the Third Party Payer Reject worklist.

# **Index**

---

## **A**

About the Output Reports Menu, 85  
Action Profile, 86  
Add New Providers, 66, 239  
All Reports, 106, 108  
Alpha Drug List and Synonyms, 89  
AMIS Report, 89  
Archive to File, 14  
*Archiving* menu, 13  
Autocancel Rx's on Admission, 19, 67  
Auto-delete from Suspense, 75, 253  
Auto-Start Enter/Edit, 23, 70

## **B**

Barcode Batch Prescription Entry, 172  
Barcode Rx Menu, 172  
Batch Print Questionnaires, 50  
Bingo Board Manager, 21  
Bingo Board Manager (BM), 67  
Bingo Board User (BU), 28

## **C**

CHAMPUS Billing Exemption, 41  
Change Suspense Date, 254  
Changing the Label Printer, 31  
Check Quality of Barcode, 172  
Clinic Costs, 92  
Clozapine Pharmacy Manager, 33  
CMOP Controlled Substance Rx Dispense Report, 91  
Commonly Dispensed Drugs, 91  
Complete Orders from OERR, 175  
Controlling the Dispensing of Clozapine, 33  
Copay Menu, 41  
Cost Analysis Reports, 92  
Cost of Prescriptions, 106, 108  
Count of Prescriptions, 106, 108  
Count of Suspended Rx's by Day, 254  
Create/Edit a Questionnaire, 50

## **D**

Daily AMIS Report, 94  
Daily Management Report Menu, 106  
Daily Rx Cost, 239

Date Range Recompile Data, 107  
DAW Code, 151  
DAW/NDC Edit, 154  
Delete a Prescription, 77, 240  
Delete Intervention, 75, 114  
Delete Printed Rx's from Suspense, 255  
Discontinue Prescription(s), 189  
Dispense as Written, 151  
Display Lab Tests and Results, 34  
Display Patient's Name on Monitor, 28  
Division Costs by Drug, 92  
Drug Costs, 92  
Drug Costs by Division, 92  
Drug Costs by Division by Provider, 92  
Drug Costs by Provider, 92  
Drug List By Synonym, 94  
DUE Report, 50  
DUE Supervisor, 49  
DUR reject, 191

## **E**

Edit an Existing Answer Sheet, 49  
Edit Data for a Patient in the Clozapine Program, 34, 73  
Edit Pharmacy Intervention, 75, 113  
Edit Prescription(s), 190  
Edit Provider, 66, 240  
Enter a New Answer Sheet, 49  
Enter New Patient, 28  
Enter Pharmacy Intervention, 113  
Enter/Edit Clinic Sort Groups, 51, 74  
Enter/Edit Display, 22, 68  
Entering Actions, 7  
ePharmacy Medication Profile Division Preferences, 196  
ePharmacy Menu, 191  
ePharmacy Site Parameters, 197  
Evaluating Drug Usage, 49  
Exempt Rx Patient Status from Copayment, 42  
Expire Prescriptions, 77  
External Interface Menu, 53

## **F**

File Retrieval, 15  
Find, 13

Flagging and Unflagging a New Pending Order, 169, 180, 224  
Free Text Dosage Report, 95

## H

Handling Copay Charges, 39  
High Cost Rx Report, 93

## I

Ignored Rejects Report, 191  
Implementing and Maintaining Outpatient Pharmacy, 57  
Inactive Drug List, 95  
Initialize Daily Compile, 107  
Initialize Rx Cost Statistics, 74, 240  
Inter-Divisional Processing, 240  
Internet Refill Report  
    detailed by date, 99  
    detailed by patient, 96  
    detailed by result, 102, 103  
    summary by date, 101  
    summary by patient, 98  
    summary by result, 104  
Intravenous Admixture, 106, 108  
Introduction, 1  
Inventory, 241

## L

Label/Profile Monitor Reprint, 57  
List Manager, 3  
List Non-Verified Scripts, 264  
List of Override Prescriptions, 35  
List One Patient's Archived Rx's, 17, 225  
List Prescriptions on Hold, 105  
Log of Suspended Rx's by Day (this Division), 255  
Look-up Clerk by Code, 241

## M

MailMan message for Open/Unresolved Rejects, 224  
Maintenance (Outpatient Pharmacy), 57  
Management Reports Menu, 105  
Manual Auto Expire Rxs, 78  
Manual Print of Multi-Rx Forms, 225  
Medication Profile, 81, 109  
Medication Reconciliation, 84  
Messages for Clozapine Drug Selection, 35  
Monthly Drug Cost, 109

Monthly Management Report Menu, 108  
Monthly Rx Cost Compilation, 241

## N

Narcotic Prescription List, 109  
NDC Validation, 195  
Non-Formulary List, 110  
Non-VA Meds, 137  
Non-VA Meds Usage Report, 8, 110  
Non-Verified Counts, 265

## O

One Day Recompile Data, 109  
Other Outpatient Pharmacy ListMan Actions, 10  
Other Rejects, 219  
Other Screen Actions, 10  
Outpatient Pharmacy Hidden Actions, 8

## P

Patient Address Changes Report, 241  
Patient Lookup, 12  
Patient Prescription Processing, 126  
Patient Status Costs, 93  
Pharmacist Enter/Edit, 244  
Pharmacy Cost Statistics Menu, 93  
Pharmacy Intervention Menu, 113  
Pharmacy Statistics, 93  
Poly Pharmacy Report, 112  
Prescription Cost Update, 78  
Print Archived Prescriptions, 18  
Print Bingo Board Statistics, 24, 70  
Print Bingo Board Wait Time, 25, 71  
Print from Suspense File, 255  
Print Pharmacy Intervention, 114  
Print Sample ScripTalk Label, 236  
Process Internet Refills, 173  
Processing a Prescription, 125  
Processing Drug/Drug Interactions, 115  
Provider by Drug Costs, 93  
Provider Costs, 93  
Pull Early from Suspense, 257  
Purge, 17  
Purge Bingo Board Data, 26, 72  
Purge Data, 109  
Purge Drug Cost Data, 78, 244  
Purge External Batches, 53, 79

## **Q**

Queue Background Jobs, 66  
Queue ScripTalk Label by Barcode, 231  
Queue ScripTalk Label by Rx#, 231

## **R**

Recompile AMIS Data, 79, 244  
Refill Too Soon reject, 191  
Register Clozapine Patient, 35  
Reinitialize ScripTalk Printer, 237  
Released and Unreleased Prescription Report, 112  
Releasing Medication, 117  
Remove Patient's Name from Monitor, 29  
Report of ScripTalk Enrollees, 233  
Reprint a non-voided Outpatient Rx Label, 234  
Reprint an Outpatient Rx Label, 226  
Reprint Batches from Suspense, 258  
Reprint External Batches, 51, 53, 54  
Request Statistics, 94  
Reset Copay Status/Cancel Charges, 43  
Returning Medication to Stock, 123  
Rx (Prescriptions), 125  
Rx Verification by Clerk, 265

## **S**

Save to Tape, 13  
ScripTalk Audit History Report, 232  
ScripTalk Device Definition Enter/Edit, 235  
ScripTalk Patient Enter/Edit, 230  
ScripTalk Reports, 232  
ScripTalk® Main Menu, 229  
Set Up and Test ScripTalk Device, 234  
SHAD, 39  
Signature Log Reprint, 227

Site Parameter Enter/Edit, 58, 245  
Sort Statistics By Division, 93  
Speed Actions, 9  
Start Bingo Board Display, 27, 73  
Status of Patient's Order, 29  
Stop Bingo Board Display, 27, 73  
Supervisor Functions, 239  
Suspense Functions, 253

## **T**

Tape Retrieval, 14  
Test ScripTalk Device, 236  
Third Party Payer Rejects - View/Process, 199  
Third Party Payer Rejects - Worklist, 191, 193, 196, 203  
Tricare Reject Processing, 211  
Type of Prescriptions Filled, 107, 109

## **U**

Update Patient Record, 259  
Using List Manager with Outpatient Pharmacy, 7  
Using the Archive Menu Option, 13  
Using the Bingo Board Menu, 21  
Using the ScripTalk® Menu, 229  
Using the Supervisor Menu, 239  
Using the Suspense Functions, 253

## **V**

Verification, 263  
Verifying Prescriptions, 263  
View External Batches, 55  
View Intervention, 114  
View Prescriptions, 227  
View Provider, 251  
Viewing and Resolving Open Rejects, 199