



MAILMAN
INSTALLATION GUIDE

Version 8.0

August 2002

Revised September 2006

Department of Veterans Affairs
VistA Health Systems Design & Development (HSD&D)
Infrastructure and Security Services (ISS)

Revision History

Documentation Revisions

The following table displays the revision history for this document. Revisions to the documentation are based on patches and new versions released to the field.

Date	Revision	Description	Author
07/23/02	1.0	Initial MailMan V. 8.0 software and documentation release. MailMan V. 8.0 was first released as "DNS-Aware MailMan" in a supplemental document released in August 2002. However, the remaining MailMan documentation set was never updated.	Thom Blom and Gary Beuschel Oakland, CA Office of Information Field Office (OIFO)
09/21/06	2.0	<p>MailMan V. 8.0 documentation reformatting/revision.</p> <p>Reformatted document to follow the latest ISS styles and guidelines.</p> <p>As of this date, all content updates have been completed for all released MailMan patches.</p> <p>Also, reviewed document and edited for the "Data Scrubbing" and the "PDF 508 Compliance" projects.</p> <p>Data Scrubbing—Changed all patient/user TEST data to conform to HSD&D standards and conventions as indicated below:</p> <ul style="list-style-type: none"> • The first three digits (prefix) of any Social Security Numbers (SSN) start with "000" or "666." • Patient or user names are formatted as follows: XMPATIENT,[N] or XMUSER,[N] respectively, where the N is a number written out and incremented with each new entry (e.g., XMPATIENT, ONE, XMPATIENT, TWO, etc.). • Other personal demographic-related data (e.g., addresses, phones, IP addresses, etc.) were also changed to be generic. <p>PDF 508 Compliance—The final PDF document was recreated and now</p>	<p>MailMan Development Team Oakland, CA Office of Information Field Office (OIFO):</p> <ul style="list-style-type: none"> • Maintenance Project Manager—Jack Schram • Project Planner—Laura Rowland • Developers—Gary Beuschel • Technical Writer—Thom Blom

Revision History

Date	Revision	Description	Author
		supports the minimum requirements to be 508 compliant (i.e., accessibility tags, language selection, alternate text for all images/icons, fully functional Web links, successfully passed Adobe Acrobat Quick Check).	

Table i. Documentation revision history

Patch Revisions

For a complete list of patches released with this software, please refer to the Patch Module on FORUM.

Contents

Revision History	iii
Figures and Tables	vii
Acknowledgements.....	ix
Orientation	xi
1. Preliminary Consideration	1-1
Purpose	1-1
About the Installation Procedures	1-1
MailMan Distribution Files	1-2
VistA M Server Requirements	1-3
Skills Needed for Installation	1-4
2. VistA M Server Installation Instructions	2-1
Version 8.0 Installation	2-2
1. Retrieve the XM8.KID File (<i>required</i>)	2-2
2. Verify KIDS Install Platform (<i>required</i>).....	2-2
3. Load XM8.KID File (<i>required</i>).....	2-3
4. Install MailMan V. 8.0 Software (<i>required</i>)	2-4
5. Post Installation Routine (<i>required</i>)	2-12
6. Install All Released Patches (<i>required</i>).....	2-12
7. Review MailMan Site Parameters (<i>recommended</i>).....	2-12

Contents

Figures and Tables

Table i. Documentation revision history iv

Table ii. Documentation symbol descriptions..... xi

Table 1-1: MailMan-related software distribution files 1-2

Table 1-2. VistA M Server minimum software/network tools/utilities required for MailMan V. 8.0..... 1-4

Figure 2-1: Sample MailMan V. 8.0 distribution load..... 2-4

Figure 2-2: Sample MailMan V. 8.0 installation 2-12

Acknowledgements

The Capacity Planning (CP) Service's MailMan Project Team consists of the following Development and Infrastructure Service (DaIS) personnel:

- DaIS Program Director—Catherine Pfeil
- DaIS Resource Project Manager—John Kupecki
- Developers—Robert Kamarowski and Kornel Krechoweckyj
- Software Quality Assurance (SQA)—Gurbir Singh
- Enterprise VistA Support (EVS) Release Manager—Lewis Tillis
- Technical Writer—Thom Blom

The Capacity Planning Service's MailMan Project Team would like to thank the following sites/organizations/personnel for their assistance in reviewing and/or testing MailMan V. 8.0 software and documentation (sites are listed alphabetically):

- CAVHCS—Thomas E. Ash
- Gainesville, FL
- Health Systems Implementation Training and Enterprise Support (HSITES)—Dennis A. Follensbee and Irene LaPerle
- Loma Linda, CA—Diane Newland
- Reno, NV—Kathy Smith
- West Haven, CT

Acknowledgements

Orientation

This *MailMan Installation Guide* is intended for use in conjunction with Veterans Health Information Systems and Technology Architecture (VistA) MailMan. It acquaints system managers with the utilities, software structure and functionality of the MailMan system modules, including information about the routines, options, fields, and files that comprise MailMan and are used to implement and maintain MailMan. It also has information about MailMan's structure and recommendations regarding MailMan's efficient use. Additional information on installation, security, management features, and other requirements is also included. It does *not* describe the MailMan user interface nor does it detail its use in software development.

The intended audience of this manual is all primary (key) stakeholders. The primary stakeholders include:

- VistA Infrastructure and Security Services (ISS) Development Team.
- Other VistA project development teams and programmers.
- Information Resource Management (IRM) personnel responsible for installing, implementing, and maintaining MailMan.
- Enterprise VistA Support (EVS).

How to Use this Manual

Throughout this manual, advice and instructions are offered regarding the use of MailMan V. 8.0 and the functionality it provides for Veterans Health Information Systems and Technology Architecture (VistA) software products. This manual discusses the installation of MailMan V. 8.0.

There are no special legal requirements involved in the use of MailMan.

This manual uses several methods to highlight different aspects of the material:

- Various symbols are used throughout the documentation to alert the reader to special information. The following table gives a description of each of these symbols:

Symbol	Description
	NOTE/REF: Used to inform the reader of general information including references to additional reading material.
	CAUTION or DISCLAIMER: Used to inform the reader to take special notice of critical information.

Table ii. Documentation symbol descriptions

- Descriptive text is presented in a proportional font (as represented by this font).

- Conventions for displaying TEST data in this document are as follows:
 - The first three digits (prefix) of any Social Security Numbers (SSN) will begin with either "000" or "666".
 - Patient and user names will be formatted as follows: [Application Name]PATIENT,[N] and [Application Name]USER,[N] respectively, where "Application Name" is defined in the Approved Application Abbreviations document and "N" represents the first name as a number spelled out and incremented with each new entry. For example, in Kernel (KRN) test patient and user names would be documented as follows: KRNPATIENT,ONE; KRNPATIENT,TWO; KRNPATIENT,THREE; etc.
- Sample HL7 messages, "snapshots" of computer online displays (i.e., roll-and-scroll screen or character-based screen captures/dialogues) and computer source code, if any, are shown in a *non-proportional* font and enclosed within a box.
 - User's responses to online prompts will be boldface.
 - References to "<Enter>" within these snapshots indicate that the user should press the **Enter** key on the keyboard. Other special keys are represented within < > angle brackets. For example, pressing the **PF1** key can be represented as pressing <PF1>.
 - Author's comments, if any, are displayed in italics or as "callout" boxes.



NOTE: Callout boxes refer to labels or descriptions usually enclosed within a box, which point to specific areas of a displayed image.



NOTE: Unless otherwise noted, all sample screen captures/dialogue boxes in this manual are derived from using either MailMan's Detailed or Summary Full Screen message readers.

- This manual refers in many places to the M programming language. Under the 1995 American National Standards Institute (ANSI) standard, M is the primary name of the MUMPS programming language, and MUMPS will be considered an alternate name. This manual uses the name M.
- All uppercase is reserved for the representation of M code, variable names, or the formal name of options, field and file names, and security keys (e.g., the XUPROGMODE key).

How to Obtain Technical Information Online

Exported VistA M Server-based software file, routine, and global documentation can be generated through the use of Kernel, MailMan, and VA FileMan utilities.



NOTE: Methods of obtaining specific technical information online will be indicated where applicable under the appropriate topic.

Help at Prompts

VistA M Server-based software provides online help and commonly used system default prompts. Users are encouraged to enter question marks at any response prompt. At the end of the help display, you are immediately returned to the point from which you started. This is an easy way to learn about any aspect of the software.

In addition to the "question mark" help, you can use the Help (User/Group Info., etc.) menu option on the main MailMan Menu to access the MailMan Help Frames through the following options:

- New Features in MailMan
- General MailMan Information
- Questions and Answers on MailMan
- Manual for MailMan Users



REF: For more information on obtaining MailMan online help, please refer to Chapter 12, "Online Help Information" in the *MailMan User Guide*.

Obtaining Data Dictionary Listings

Technical information about VistA M Server-based files and the fields in files is stored in data dictionaries (DD). You can use the List File Attributes option on the Data Dictionary Utilities submenu in VA FileMan to print formatted data dictionaries.



REF: For details about obtaining data dictionaries and about the formats available, please refer to the "List File Attributes" chapter in the "File Management" topic of the *VA FileMan Advanced User Guide*.

Assumptions About the Reader

This manual is written with the assumption that the reader is familiar with the following:

- VistA computing environment:
 - Kernel—VistA M Server software
 - VA FileMan data structures and terminology—VistA M Server software
- Microsoft Windows environment
- M programming language

This manual provides an overall explanation of MailMan and the functionality contained in MailMan V. 8.0. However, no attempt is made to explain how the overall VistA programming system is integrated and maintained. Such methods and procedures are documented elsewhere. We suggest you look at the various VA home pages on the World Wide Web (WWW) and VA Intranet for a general orientation to VistA. For example, go to the Veterans Health Administration (VHA) Office of Information (OI) Health Systems Design & Development (HSD&D) Home Page at the following Intranet Web address:

<http://vista.med.va.gov/>

Reference Materials

Readers who wish to learn more about MailMan should consult the following:

- *MailMan Release Notes*
- *MailMan Installation Guide* (this manual)
- *MailMan Getting Started Guide*
- *MailMan Developer's Guide*
- *MailMan User Guide*
- *MailMan Network Reference Guide*
- *MailMan Package Security Guide*
- *MailMan Systems Management Guide*
- *MailMan Technical Manual*
- MailMan Home Page at the following Web address:

<http://vista.med.va.gov/mailman/index.asp>

This site contains other information and provides links to additional documentation.

VistA documentation is made available online in Microsoft Word format and in Adobe Acrobat Portable Document Format (PDF). The PDF documents *must* be read using the Adobe Acrobat Reader (i.e., ACROREAD.EXE), which is freely distributed by Adobe Systems Incorporated at the following Web address:

<http://www.adobe.com/>



REF: For more information on the use of the Adobe Acrobat Reader, please refer to the "Adobe Acrobat Quick Guide" at the following Web address:

<http://vista.med.va.gov/iss/acrobat/index.asp>

VistA documentation can be downloaded from the Health Systems Design and Development (HSD&D) VistA Documentation Library (VDL) Web site:

<http://www.va.gov/vdl/>

VistA documentation and software can also be downloaded from the Enterprise VistA Support (EVS) anonymous directories:

- Albany OIFO <ftp.fo-albany.med.va.gov>
- Hines OIFO <ftp.fo-hines.med.va.gov>
- Salt Lake City OIFO <ftp.fo-slc.med.va.gov>
- Preferred Method <download.vista.med.va.gov>

This method transmits the files from the first available FTP server.



DISCLAIMER: The appearance of external hyperlink references in this manual does *not* constitute endorsement by the Department of Veterans Affairs (VA) of this Web site or the information, products, or services contained therein. The VA does *not* exercise any editorial control over the information you may find at these locations. Such links are provided and are consistent with the stated purpose of this VA Intranet Service.

1. Preliminary Consideration

Purpose

The purpose of this guide is to provide instructions for installing the Veterans Health Information Systems and Technology Architecture (VistA) Infrastructure & Security Service's (ISS) MailMan software, Version 8.0.

About the Installation Procedures

We recommend sites take the following approach to installing the MailMan software:

1. Obtain the MailMan V. 8.0 documentation.



REF: For more information on the MailMan documentation, please refer to the "**Error! Reference source not found.**" topic in the "Orientation" section in this manual.

2. Install the MailMan V. 8.0 server software in a Test account prior to installing it in a Production account.
3. Obtain and install all released patches for the MailMan V. 8.0 software.



REF: For the current patch history related to this software, please refer to the Patch Module on FORUM.

MailMan Distribution Files

File Name	Type	Description
XM8_0RN.PDF (documentation)	Binary	Release Notes
XM8_0IG.PDF (documentation)	Binary	Installation Guide
XM8_0GS.PDF (documentation)	Binary	Getting Started Guide
XM8_0UM.PDF (documentation)	Binary	User Guide
XM8_0PM.PDF (documentation)	Binary	Developer's Guide
XM8_0SM.PDF (documentation)	Binary	Systems Management Guide
XM8_0NET.PDF (documentation)	Binary	Network Reference Guide
XM8_0TM.PDF (documentation)	Binary	Technical Manual
XM8.KID (release)	ASCII	<p>KIDS Distribution. Required for all installations. Contains the MailMan V. 8.0 server software:</p> <ul style="list-style-type: none"> • Globals and VA FileMan files • Server Routines • Options • Security Keys • Mail Groups
MailMan VistA M Server Patches	ASCII	<p>MailMan Patches. KIDS builds for MailMan patches. Follow normal procedures to obtain and install all MailMan patches (see FORUM).</p>

Table 1-1: MailMan-related software distribution files

VistA M Server Requirements

The following minimum software tools and network configuration are required on the VistA M Server in order to install and use the MailMan software:

Minimum Software/Configuration	Description
<p>Operating System Software</p>	<p>The following operating systems are supported:</p> <ul style="list-style-type: none"> • InterSystems Caché operating system • Greystone Technology MUMPS (GT.M) on Linux <p> NOTE: The VistA M Server need not be an NT system.</p>
<p>Fully Patched M Accounts</p>	<p>You should have both a development Test account and a Production account for the MailMan software.</p> <p>The account(s) <i>must</i> contain the <i>fully</i> patched versions (except where noted) of the following software (listed alphabetically):</p> <ul style="list-style-type: none"> • Kernel V. 8.0 <p> CAUTION: MailMan V. 8.0 requires a site already have Kernel V. 8.0 installed and running, and that it is fully patched through at least Kernel Patch XU*8.0*216.</p> <ul style="list-style-type: none"> • Kernel Toolkit V. 7.3 • MailMan V. 7.1 <p> CAUTION: MailMan V. 8.0 requires a site already have MailMan V. 7.1 installed and running, and that it is fully patched through at least MailMan Patch XM*7.1*198.</p> <ul style="list-style-type: none"> • VA FileMan V. 22.0 <p> CAUTION: MailMan V. 8.0 requires a site already have VA FileMan V. 22.0 installed and running, and that it is fully patched through at least VA FileMan Patch DI*22*68.</p> <p> NOTE: These software packages <i>must</i> be properly installed and <i>fully</i> patched (except where noted) prior to installing the MailMan V. 8.0 software distribution. You can obtain all released VistA M server-side patches</p>

Minimum Software/Configuration	Description
	(including patch description and installation instructions) from the Patch module on FORUM or through normal procedures. Patches must be installed in published sequence.
<p>Network Communications Software</p> <p> REF: For more information on telecommunications support, please visit the VHA Communication Services Office (CSO) Home Page: http://vaww.va.gov/cso/</p>	The VistA M Server needs to have TCP/IP running.

Table 1-2. VistA M Server minimum software/network tools/utilities required for MailMan V. 8.0

Skills Needed for Installation

Skills required to perform the installation are listed below. Instructions for performing these functions are provided in vendor-supplied operating system manuals as well as VistA publications.

 **REF:** Caché for NT and OpenVMS sites should refer to the AVANTI How-To Web site currently located at:

<http://vaww.va.gov/custsvc/cssupp/avanti/How-to.HTM>

You need to know how to do the following:

- Back up the system
- Copy files using commands of the host file system
- Run a Kernel Installation & Distribution System (KIDS) installation
- Switch User Class Identification (UCI) accounts
- Enable/Disable routine mapping and journaling
- Manage globals, including global placement, protection, and translation
- Run a system status and restore a job

2. VistA M Server Installation Instructions

MailMan V. 8.0 should be installed with users off the system. The installation time should not take more than a few minutes.

The instructions in this section are applicable for the Test/Production accounts in the Caché environment. Any unique instructions for a specific environment will be notated within the procedure.



NOTE: All Caché for Windows NT or Caché for OpenVMS sites should install this software.

Caché/NT Null Device Setup Example

```
NAME: NULL                                $I: ../nul
  ASK DEVICE: NO                          ASK PARAMETERS: NO
  SIGN-ON/SYSTEM DEVICE: NO              LOCATION OF TERMINAL: BIT BUCKIT
  SUBTYPE: P-OTHER                        TYPE: TERMINAL
```

P-OTHER Terminal Type Setup Example

```
NAME: P-OTHER                              RIGHT MARGIN: 132
  FORM FEED: #                             PAGE LENGTH: 64
  BACK SPACE: $C(8)                        DESCRIPTION: General prntr (132)
```

3. Load XM8.KID File (*required*)

Use Kernel Installation & Distribution System (KIDS) to load the distribution. From the KIDS menu, select the Installation menu option. Invoke the Load a Distribution option to load the following software:

XM8.KID

The following is sample dialogue of a load of the MailMan V. 8.0 software done at the Oakland OIFO:

```
Select Kernel Installation & Distribution System Option: Installation

1      Load a Distribution
2      Verify Checksums in Transport Global
3      Print Transport Global
4      Compare Transport Global to Current System
5      Backup a Transport Global
6      Install Package(s)
       Restart Install of Package(s)
       Unload a Distribution

Select Installation Option: 1 <Enter> Load a Distribution
Enter a Host File: USR$:[ANONYMOUS]XM8.KID;6

KIDS Distribution saved on Mar 22, 2004@08:01:12
Comment: MAILMAN 8.0

This Distribution contains Transport Globals for the following Package(s):
Build MAILMAN 8.0 has been loaded before, here is when:
    MAILMAN 8.0   Install Completed
                  was loaded on July 23, 2002@09:15:33

OK to continue with Load? NO// YES

Distribution OK!

Want to Continue with Load? YES// <Enter>
Loading Distribution...

MAILMAN 8.0
Use INSTALL NAME: MAILMAN 8.0 to install this Distribution.
```

Figure 2-1: Sample MailMan V. 8.0 distribution load



NOTE: If you are prompted with "Want to RUN the Environment Check Routine? YES//", you should respond with **YES**.

4. Install MailMan V. 8.0 Software (*required*)

Use KIDS to Install the MailMan V. 8.0 software. Follow the KIDS installation prompts as you would any other KIDS installation. Specific prompts and suggested responses are notated below:

- a. Users should be off the system during installation of this patch and software.
- b. You do not need to stop TaskMan.
- c. You may elect to use any of the following options within the KIDS Installation menu:
 - Verify Checksums in Transport Global—This option allows you to ensure the integrity of the routines that are in the transport global.
 - Print Transport Global.

- Compare Transport Global to Current System—This option allows you to view all changes that will be made when the release is installed. It compares all components of the release (routines, DDs, templates, etc.).
 - Backup a Transport Global—This option creates a backup message of any routines exported with this release. It will *not* back up any other changes such as DDs or templates.
 - Install Package(s).
- d. When prompted for the INSTALL NAME, enter the following:
MAILMAN 8.0
- e. When prompted to rebuild menu trees:
Want KIDS to Rebuild Menu Trees Upon Completion of Install? YES//
You can respond with **NO** and not rebuild the menus until the normal scheduled menu rebuild takes place or **YES** to rebuild the menus immediately after the installation.
- f. When prompted to inhibit logons:
Want KIDS to INHIBIT LOGONS during the install? YES//
You can respond with **NO**.
- g. When prompted to disable options and protocols:
Want to DISABLE Scheduled Options, Menu Options, and Protocols? YES//
You can respond with **NO**.

MailMan V. 8.0 Software Installation Sample

The following is sample dialogue of an installation of the MailMan V. 8.0 software done at the Oakland OIFO:

```

NAME: MAILMAN 8.0                PACKAGE FILE LINK: MAILMAN
DATE LOADED: JUL 23, 2002@09:55:40  STARTING PACKAGE: MAILMAN 8.0
INSTALL ORDER: 1                  REQUIRED TO CONTINUE: NO
SETNAME: OMAILMAN 8.0            STATUS: Install Completed
DISABLE OPTION DELAY: 0          INSTALLED BY: XMUSER,ZERO
INSTALL START TIME: JUL 23, 2002@09:56:36
ROUTINE INSTALL TIME: JUL 23, 2002@09:56:41
INSTALL COMPLETE TIME: JUL 23, 2002@09:58:09
DISTRIBUTION DATE: JUL 23, 2002
FILE COMMENT: MailMan 8.0 7/24/2002 ;Created on Jul 23, 2002@09:41:26
FILE: COMMUNICATIONS PROTOCOL
  DATA DICTIONARY TIME: JUL 23, 2002@09:56:41
FILE: BULLETIN
  DATA DICTIONARY TIME: JUL 23, 2002@09:56:41
FILE: MAILBOX
  DATA DICTIONARY TIME: JUL 23, 2002@09:56:43
FILE: MESSAGES TO BE NEW AT A LATER DATE
  DATA DICTIONARY TIME: JUL 23, 2002@09:56:43
FILE: MAIL GROUP
  DATA DICTIONARY TIME: JUL 23, 2002@09:56:44
FILE: DISTRIBUTION LIST
  DATA DICTIONARY TIME: JUL 23, 2002@09:56:44
FILE: MESSAGE
  DATA DICTIONARY TIME: JUL 23, 2002@09:56:45
FILE: DOMAIN
  DATA DICTIONARY TIME: JUL 23, 2002@09:56:46
FILE: INTER-UCI TRANSFER
  DATA DICTIONARY TIME: JUL 23, 2002@09:56:46
FILE: MAILMAN OUTSTANDING FTP TRANSACTIONS
  DATA DICTIONARY TIME: JUL 23, 2002@09:56:46
FILE: INTERNET SUFFIX
  DATA DICTIONARY TIME: JUL 23, 2002@09:56:46
FILE: REMOTE USER DIRECTORY
  DATA DICTIONARY TIME: JUL 23, 2002@09:56:46
FILE: MESSAGE DELIVERY STATS
  DATA DICTIONARY TIME: JUL 23, 2002@09:56:47
FILE: MESSAGE STATISTICS
  DATA DICTIONARY TIME: JUL 23, 2002@09:56:47
FILE: MAILMAN SITE PARAMETERS
  DATA DICTIONARY TIME: JUL 23, 2002@09:56:48
FILE: MAILMAN TIME ZONE
  DATA DICTIONARY TIME: JUL 23, 2002@09:56:48
FILE: NETWORK SENDERS REJECTED
  DATA DICTIONARY TIME: JUL 23, 2002@09:56:48
FILE: TRANSMISSION SCRIPT
  DATA DICTIONARY TIME: JUL 23, 2002@09:56:48
PRE-INIT CHECK POINTS: XPD PREINSTALL COMPLETED
  COMPLETED TIME: JUL 23, 2002@09:56:41
PRE-INIT CHECK POINTS: XPD PREINSTALL STARTED
  COMPLETED TIME: JUL 23, 2002@09:56:41
CALLBACK: PRE^XMYPRE
POST-INIT CHECK POINTS: XPD POSTINSTALL COMPLETED
  COMPLETED TIME: JUL 23, 2002@09:58:05
POST-INIT CHECK POINTS: XPD POSTINSTALL STARTED
  COMPLETED TIME: JUL 23, 2002@09:58:05

```

```

CALLBACK: POST^XMYPRE
BUILD COMPONENT: PRINT TEMPLATE          DATA TIME: JUL 23, 2002@09:57:08
INSTALL ORDER: 5
BUILD COMPONENT: SORT TEMPLATE           DATA TIME: JUL 23, 2002@09:57:08
INSTALL ORDER: 6
BUILD COMPONENT: FUNCTION                DATA TIME: JUL 23, 2002@09:57:08
INSTALL ORDER: 4
BUILD COMPONENT: DIALOG                  DATA TIME: JUL 23, 2002@09:57:46
INSTALL ORDER: 9
BUILD COMPONENT: BULLETIN                DATA TIME: JUL 23, 2002@09:57:07
INSTALL ORDER: 2
BUILD COMPONENT: MAIL GROUP              DATA TIME: JUL 23, 2002@09:57:46
INSTALL ORDER: 11
BUILD COMPONENT: HELP FRAME              DATA TIME: JUL 23, 2002@09:57:07
INSTALL ORDER: 1
BUILD COMPONENT: OPTION                  DATA TIME: JUL 23, 2002@09:58:05
INSTALL ORDER: 18
BUILD COMPONENT: SECURITY KEY             DATA TIME: JUL 23, 2002@09:57:08
INSTALL ORDER: 3
MESSAGES:

Install Started for MAILMAN 8.0 :
      Jul 23, 2002@09:56:36

Build Distribution Date: Jul 23, 2002

Installing Routines:
      Jul 23, 2002@09:56:41

Running Pre-Install Routine: PRE^XMYPRE

Installing Data Dictionaries:
      Jul 23, 2002@09:56:49

Installing PACKAGE COMPONENTS:

Installing HELP FRAME

Installing BULLETIN

Installing SECURITY KEY

Installing FUNCTION

Installing PRINT TEMPLATE

Installing SORT TEMPLATE

Installing DIALOG

Installing MAIL GROUP

Installing OPTION
      Jul 23, 2002@09:58:05

Running Post-Install Routine: POST^XMYPRE

Updating Routine file...

Updating KIDS files...

MAILMAN 8.0 Installed.

```

```
Jul 23, 2002@09:58:09

Install Message sent #1453166

Call MENU rebuild
NAME: XPM14#1                ANSWER: 230
  PROMPT: Enter the Coordinator for Mail Group 'XM SUPER SEARCH'
  EXTERNAL ANSWER: XMUSER,ISO
NAME: XPO1                   ANSWER: 1
  PROMPT: Want KIDS to Rebuild Menu Trees Upon Completion of Install
  EXTERNAL ANSWER: YES
NAME: XPI1                   ANSWER: 0
  PROMPT: Want KIDS to INHIBIT LOGONs during the install
  EXTERNAL ANSWER: NO
NAME: XPZ1                   ANSWER: 0
  PROMPT: Want to DISABLE Scheduled Options, Menu Options, and Protocols
  EXTERNAL ANSWER: NO
ROUTINES: XM
ROUTINES: XMA
ROUTINES: XMA0
ROUTINES: XMA03
ROUTINES: XMA11
ROUTINES: XMA11A
ROUTINES: XMA1B
ROUTINES: XMA1C
ROUTINES: XMA2
ROUTINES: XMA21
ROUTINES: XMA21C
ROUTINES: XMA2B
ROUTINES: XMA2R
ROUTINES: XMA3
ROUTINES: XMA30
ROUTINES: XMA32
ROUTINES: XMA32A
ROUTINES: XMA7
ROUTINES: XMAD2
ROUTINES: XMADGO
ROUTINES: XMAFTP
ROUTINES: XMAH
ROUTINES: XMAH1
ROUTINES: XMAI2
ROUTINES: XMAPBLOB
ROUTINES: XMAPHOST
ROUTINES: XMASEC
ROUTINES: XMB
ROUTINES: XMBBLOB
ROUTINES: XMBGRP
ROUTINES: XMC
ROUTINES: XMC1
ROUTINES: XMC11
ROUTINES: XMC1A
ROUTINES: XMC1B
ROUTINES: XMCB
ROUTINES: XMCD
ROUTINES: XMCDNT
ROUTINES: XMCE
ROUTINES: XMCP
ROUTINES: XMCQ
ROUTINES: XMCQA
ROUTINES: XMCQH
ROUTINES: XMCSIZE
ROUTINES: XMCTLK
```

```

ROUTINES: XMCTRAP
ROUTINES: XMCU1
ROUTINES: XMCX
ROUTINES: XMCXT
ROUTINES: XMCXU
ROUTINES: XMD
ROUTINES: XMDIR1
ROUTINES: XMDIR1A
ROUTINES: XMDIR1B
ROUTINES: XMDIRQST
ROUTINES: XMDIRRCV
ROUTINES: XMDIRSND
ROUTINES: XMFAX
ROUTINES: XMGAPI0
ROUTINES: XMGAPI1
ROUTINES: XMGAPI2
ROUTINES: XMGAPI3
ROUTINES: XMGAPI4
ROUTINES: XMHIG
ROUTINES: XMHIU
ROUTINES: XMJBL
ROUTINES: XMJBM
ROUTINES: XMJBM1
ROUTINES: XMJBN
ROUTINES: XMJBN1
ROUTINES: XMJBU
ROUTINES: XMJDIR
ROUTINES: XMJERR
ROUTINES: XMJMA
ROUTINES: XMJMBULL
ROUTINES: XMJMC
ROUTINES: XMJMCODE
ROUTINES: XMJMD
ROUTINES: XMJMF
ROUTINES: XMJMF1
ROUTINES: XMJMF2
ROUTINES: XMJMFA
ROUTINES: XMJMFB
ROUTINES: XMJMFC
ROUTINES: XMJML
ROUTINES: XMJMLN
ROUTINES: XMJMLR
ROUTINES: XMJMLR1
ROUTINES: XMJMOI
ROUTINES: XMJMOI1
ROUTINES: XMJMOIE
ROUTINES: XMJMOR
ROUTINES: XMJMORX
ROUTINES: XMJMORX1
ROUTINES: XMJMP
ROUTINES: XMJMP1
ROUTINES: XMJMP2
ROUTINES: XMJMQ
ROUTINES: XMJMQ1
ROUTINES: XMJMR
ROUTINES: XMJMR1
ROUTINES: XMJMRO
ROUTINES: XMJMS
ROUTINES: XMJMSA
ROUTINES: XMJMRO
ROUTINES: XMJMSO
ROUTINES: XMJMT
ROUTINES: XMKP

```

```
ROUTINES: XMKP1
ROUTINES: XMKPL
ROUTINES: XMKPLQ
ROUTINES: XMKPO
ROUTINES: XMKPR
ROUTINES: XMKPR1
ROUTINES: XMKPRD
ROUTINES: XML
ROUTINES: XML1CRC
ROUTINES: XML4CRC
ROUTINES: XML4CRC1
ROUTINES: XMLPC
ROUTINES: XMLSWP
ROUTINES: XMLSWP0
ROUTINES: XMLSWP2
ROUTINES: XMLTCP
ROUTINES: XMM1
ROUTINES: XMM2
ROUTINES: XMNTEG
ROUTINES: XMNTEG0
ROUTINES: XMP
ROUTINES: XMP2
ROUTINES: XMP2A
ROUTINES: XMP3
ROUTINES: XMPC
ROUTINES: XMPG
ROUTINES: XMPH
ROUTINES: XMPSEC
ROUTINES: XMR
ROUTINES: XMR0BLOB
ROUTINES: XMR1
ROUTINES: XMR2
ROUTINES: XMR3
ROUTINES: XMR3A
ROUTINES: XMR4
ROUTINES: XMRENT
ROUTINES: XMRFTP
ROUTINES: XMRFTPUX
ROUTINES: XMRINETD
ROUTINES: XMRMSM
ROUTINES: XMRONT
ROUTINES: XMRPCTS
ROUTINES: XMRPCTS0
ROUTINES: XMRPCTS1
ROUTINES: XMRPCTSA
ROUTINES: XMRPOP
ROUTINES: XMRTCP
ROUTINES: XMRTCPGO
ROUTINES: XMRUCX
ROUTINES: XMS
ROUTINES: XMS0BLOB
ROUTINES: XMS1
ROUTINES: XMS2
ROUTINES: XMS3
ROUTINES: XMSFTP
ROUTINES: XMSFTPUX
ROUTINES: XMTDF
ROUTINES: XMTDL
ROUTINES: XMTDL1
ROUTINES: XMTDL2
ROUTINES: XMTDO
ROUTINES: XMTDR
```

```

ROUTINES: XMTDT
ROUTINES: XMUCXPOP
ROUTINES: XMUDCHK
ROUTINES: XMUDCHR
ROUTINES: XMUDNC
ROUTINES: XMUDTOP
ROUTINES: XMUPIN
ROUTINES: XMUT1
ROUTINES: XMUT1A
ROUTINES: XMUT2
ROUTINES: XMUT4
ROUTINES: XMUT41
ROUTINES: XMUT4A
ROUTINES: XMUT4C
ROUTINES: XMUT5
ROUTINES: XMUT5B
ROUTINES: XMUT5C
ROUTINES: XMUT5G
ROUTINES: XMUT5Q
ROUTINES: XMUT5Q1
ROUTINES: XMUT5R1
ROUTINES: XMUT5R2
ROUTINES: XMUT6
ROUTINES: XMUT7
ROUTINES: XMUTCOM1
ROUTINES: XMUTERM
ROUTINES: XMUTERM1
ROUTINES: XMUTERM2
ROUTINES: XMUTPUR0
ROUTINES: XMVGROUP
ROUTINES: XMVGRP
ROUTINES: XMVSURR
ROUTINES: XMVVITA
ROUTINES: XMVVITAE
ROUTINES: MXADDR
ROUTINES: MXADDR1
ROUTINES: MXADDR2
ROUTINES: MXADDR3
ROUTINES: MXADDR4
ROUTINES: MXADDRD
ROUTINES: MXADDRG
ROUTINES: MXANSER
ROUTINES: MXAPI
ROUTINES: MXAPIB
ROUTINES: MXAPIG
ROUTINES: MXAPIU
ROUTINES: MXBSKT
ROUTINES: MXBULL
ROUTINES: MXEDIT
ROUTINES: MXGRP
ROUTINES: MXGRP1
ROUTINES: MXLIST
ROUTINES: MXLIST1
ROUTINES: MXLIST2
ROUTINES: MXMBOX
ROUTINES: MXMSG
ROUTINES: MXMSG1
ROUTINES: MXMSG2
ROUTINES: MXPARM
ROUTINES: MXPARM1
ROUTINES: MXPARMB
ROUTINES: MXPRT

```

```
ROUTINES:  XMXREPLY
ROUTINES:  XMXSEC
ROUTINES:  XMXSEC1
ROUTINES:  XMXSEC2
ROUTINES:  XMXSEC3
ROUTINES:  XMXSEND
ROUTINES:  XMXTO
ROUTINES:  XMXUTIL
ROUTINES:  XMXUTIL1
ROUTINES:  XMXUTIL2
ROUTINES:  XMXUTIL3
ROUTINES:  XMXUTIL4
ROUTINES:  XMYPRE
```

Figure 2-2: Sample MailMan V. 8.0 installation

5. Post Installation Routine (*required*)

IRM personnel at all sites should invoke VA FileMan using D Q^DI to review/modify the following field in the MAILMAN SITE PARAMETERS file (#4.3):

- **DNS AWARE (#8.22)**—IRM should set this field to Yes to make MailMan DNS-Aware. MailMan will use the IP addresses in the domain scripts, but if they fail or do not exist, MailMan will use DNS to ascertain other IP addresses to try. MailMan will replace failed script IP address with the successful DNS IP address.

6. Install All Released Patches (*required*)

At the time of publication of this manual, several VistA M Server-side patches have been released with the MailMan V. 8.0 software.

- a. Obtain all released MailMan patches. Follow the normal procedures to obtain released patches from the Patch Module on FORUM.
- b. All VistA M Server patches are distributed in Kernel V. 8.0 KIDS format. Using KIDS, load and install the MailMan-related VistA M Server patches.
- c. Follow the instructions under the "Installation Instructions" section in the patch description in order to install each patch.

7. Review MailMan Site Parameters (*recommended*)

Use the MailMan Site Parameters option [XMKSP] under the Manage MailMan menu [XMMGR] to review the MailMan site parameters and change appropriate field values for your site.



REF: For more information on the MailMan Site Parameters option [XMKSP], please refer to the "Manage MailMan" topic in Chapter 2, "Implementation and Maintenance," in the *MailMan Systems Management Guide*.