

**Identity Services (IdS)
Master Veteran Index**

**Person Service Identity Management (PSIM)
Release Notes**



October 2010

North Chicago Enhancement

- Add new "Attended Search threshold" value to support the returning a larger range of selectable candidates (needed to support when SSN is not provided or unavailable)

VRM IAM IPT

- Add DoD Correlation based on VA LOB Business

IdM User -HcIdM (WorkStream)

- General Usability enhancements
- Manage Potential Duplicate enhancement
- Exception search enhancement
- TK display support for NHIN larger Identifiers
- TK support for PIV card login authentication

IdM Service (WorkStream)

- Establish DoD Query WebService Interface
- Establish DoD Update Patient WebService Interface
- Establish DoD Add Person WebService Interface
- Establish GetProfile WebService
- Create Admin tools to manually monitor and trigger WebServices
- Enhance VA IdM Service internal integration to support Baker VRM (EDIPI/MVI) decision

PSIM 2.2.1.23 Release Notes

[Back](#)

CCR	Targeted Build	Headline	Note(s)	Tag(s)
PSIM_CodeCR5400	2.2.1.23	[North Chicago][Re Work] - Add Profile - External system Interactions.	Dev: IdmDODServiceMonitor, DODInquiryInfo, PatientUpdateRequest, ProcessIcnMergeRequest. Test: Step 1) Execute an AddProfile request with a DOD correlation identifier. (Type='NI', ISSUER='USDOD', SOURCE='200DOD') Step 2) Go to the QueueSummary page. (Link on PSIMTools page). Step 3) Verify that the dodService queue has 1 message in it. Use Case: Add Patient Dev Test Class: TestDodEvents. (Go to the QueueSummary page and verify that the 'dodService' contains messages.)	REDACTED, North Chicago, PRE-R1
PSIM_CodeCR5560	2.2.1.23	The MPI portion of the Idm Service needs to be notified when an Unlink or Relink-Unlink event occurs in PSIM.	Dev: Updated UnlinkCommand, IdmUnlinkProfileCommand, VistaLinkHelper, ExportUtilities, IdmSyncMonitor. Test: Add a correlation for an ICN that is in MPI. Add another one for the same ICN. Unlink the two using UNLINK_PROFILE and ensure that the status of the latter correlation is 'U' and that the unlink message is in the IdmSync monitor. Next perform a relink using UNLINK_PROFILE with the metadata field relinkUnlink set to true. Verify that the second correlation has its status set back to 'A' and that the relink message is in the IdmSync monitor. Please see TestUpdateCorrelationStatus.testRelink() for more information. Use Case: Unlink and Relink Unlink for correlations. Dev Test Class: TestUpdateCorrelationStatus	REDACTED, PRE-R1
PSIM_CodeCR5667	2.2.1.23	PMAS III: Get Profile Return Trait Updates.	Dev: Added support for creating address/phone info for primary views. Modified HbActiveCorrelationDAO, ProfileAdapter, and IdmGetProfileCommand. Use Cases: Get Profile, Retrieve Primary View Dev Test Class: TestPrimaryViewData. Obtain a primary view using the obtain() operation or GET_PROFILE - the address and phone should be returned.	REDACTED, PMAS III, PRE-R1
PSIM_CodeCR5671	2.2.1.23	PMAS III: NHIN - Update Get Corresponding Ids to match updated RPC for Date Last Treated.	Dev: Modified IdmRetrieveCorrespondingIdsResponse, IdmRetrieveCorrespondingIdsRequest, IdmRetrieveCorrespondingIdsCommand, SiteConfig. TestPrimaryViewData: For this one we basically wanted to make sure that we didn't break anything. The best thing to do is to add a correlation for an ICN which contains a last treated date (Chris Chesney can provide some ICNs for this). Then, invoke GET_CORRESPONDING_IDS for that ICN. Make sure that the argument 'findicator' is set to 'Y'. Use Case: Get Corresponding Ids. Dev Test Class: TestRetrieveCorrespondingIds.testRetrieveForLastTreatedDate()	REDACTED, PRE-R1
PSIM_CodeCR5733	2.2.1.23	ADTA08ADAPTER Expansion for OUTBOUND ZPD-34 PSEUDO SSN REASON	Dev: Updated PersonIdentityMapper and and A08Adapter to support this in our outbound A08 Dev Test Class: TestA08AdapterEnhancements Use Case: Update Person Correlation	REDACTED, A08
PSIM_CodeCR5744	2.2.1.23	Resolve Duplicate creating extra categories during a move (Remedy 407173)	Dev: Updated ResolveUtility to move categories only in the event that the patient is being created new - if the correlation is already present at the surviving ICN, we don't need to add them again. Dev Test Class: TestESRLinkCategoryIssue Use Cases: Resolve Duplicate & Move Correlation	REDACTED, ESR, Resolve Dupe, Move, PRE-R1
PSIM_CodeCR5750	2.2.1.23	[PSIMTOOLS] Allow tools based inquiry to DOD.	Dev: WSUtilities Function framework established. (WSDODInquiry.jsp) EPIPI, ICN and Trait based inquires allowed. Also created inquiry based on ICNLookup. Dev Test Class: NA Use Case: NA Dev: Updated PSOutboundQueueMonitor, CommandUtility, ADTA24Adapter, and UpdatePrimaryViewCommand.	REDACTED, PRE-R1
PSIM_CodeCR5758	2.2.1.23	Update the Primary View with 200ESR updates of Address and Phone information.	Test: Obtain a primary view. Update or add phone/address information using either an A31 message or the update() method from the service. Once again retrieve the primary view. It should contain the added/updated phone/address information. Use Case: Get Profile, Add Correlation, Update Primary View, Retrieve Primary View Dev Test Class: TestPrimaryViewData.	REDACTED, REDACTED, PMAS III, PRE-R1
PSIM_CodeCR5761	2.2.1.23	Return Id State on both Deterministic and Probabilistic SEARCH_PROFILE calls.	Dev: PersonVPIDLight, IdmProbSearchCommand Test: Execute a probabilistic IDM PROFILE SEARCH REQUEST with an IMDQ match type and verify that all resulting ICN IDENTIFIERS contain a STATUS tag that reflects the IdState of the VPID in the ADR. Dev Test Class: TestProbSearch (Also see TK Person Search Display) Use Case: Search Person	REDACTED, REDACTED, PRE-R1
PSIM_CodeCR5762	2.2.1.23	Enhance the Add Person process to include a check to DoD DEERS for a match.	Dev: IdmDODServiceMonitor and triggered from PSSearchTraitMonitor. Only when a new ICN is created and is NOT in RPT_PSIM_TRAITS, add an entry into the DOD Service Monitor: DOD - IdmDODSync - XML - ICN - EPIPI - NF - 200DOD - USDOD Send an A24 Patient Add for a new ICN. Note: Both the PSSearchTraitMonitor and IdmDODServiceMonitor MUST be enabled properly. Test: SQA test not required. Use Case: NA Dev: MemberProfileAdapter.java Test: 1) Send an ADD A24 with a PERMANENT address data element. (HL7 Submission) 2) Execute a Probabilistic SEARCH_PROFILE request for the just added record. (IdmRequestUtilities) 3) Verify search response is the record just added. Verify there is a ADDRESS element of type 'P' (Permanent) that contains the data from the HI7 A24 add. 4) Send an A31 to change the just added A24's address type to BAD ADDRESS. (HL7 Submission) 5) Execute a Probabilistic SEARCH_PROFILE request for the just updated record. (IdmRequestUtilities) 6) Verify search response is the record just updated. Verify there is a ADDRESS element of type 'P' (Permanent) that contains no data elements. 7) Send an A31 to change the just updated A24's address type to PERMANENT. (HL7 Submission) 8) Execute a Probabilistic SEARCH_PROFILE request for the just updated record. (IdmRequestUtilities) 9) Verify search response is the record just updated. Verify there is a ADDRESS element of type 'P' (Permanent) that contains the HI7 data found in the recent HI7 A31 update. Dev Test Class: TestAddressData.testBlankingAddressInHub_PermToBad() Use Case: Update Person	REDACTED, PRE-R1
PSIM_CodeCR5778	2.2.1.23	Blank out BAD ADDRESS information in IdHub.	Dev: IdHubProxy - Execute now stores the RAW XML from Execute and the Response XML. ONLY logs from direct Webservice call, not EJB Execute implementation. Test: SQA Inherent in Web Service Usage and verification in PSIM Tool Message Log List/Detail.	REDACTED, PRE-R1

2.2.1.23 INTERNAL MAINTENANCE UPDATES

IMU Number	Targeted Build	Description	Note(s)	Tag(s)
IMU:2.2.1.20:2010060701	2.2.1.23	[CODE INTERNAL] Non-Patient Infrastructure Updates.	Dev: AdapterFacade, ProcessorFacade. Allow concrete command to set Meta Object (IPI) and allow AdapterFacade to expose IPI data if set externally. Test: SQA NOT REQUIRED, will be inherent in the full Non-Patient implementation and testing.	CMT-R1
IMU:2.2.1.20:2010060801	2.2.1.23	[CODE INTERNAL] Web Service Utilities - DOD Inquiry/ICN Lookup.	Dev: WSUtils - tbd Test: SQA NOT REQUIRED.	REDACTED, CMT-
IMU:2.2.1.23:2010061501	2.2.1.23	[CODE INTERNAL] Enable population of retry queue when VISTA is down during non-patient adds.	Dev: IdmAddNonPatientCommand Test: This must be tested when Vista is unavailable or intentionally shut down. Simply check the Event table after the attempted add and there should be a message added with the Queue ID corresponding to Outbound Retry (currently 6586369). For code, see TestNonPatientAddsUpdates.testWhatHappensWhenVistaIsDown().	REDACTED
IMU:2.2.1.20:2010061801	2.2.1.23	[CODE INTERNAL] Web Service-Execute Logging Enhancements.	Dev: IdHubProxy - Execute now stores the RAW XML from Execute and the Response XML. ONLY logs from direct Webservice call, not EJB Execute implementation. Test: SQA Inherent in Web Service Usage and verification in PSIM Tool Message Log List/Detail.	REDACTED, CMT-R1
IMU:2.2.1.20:2010070101	2.2.1.23	[CODE INTERNAL][SMOKE] Allow Site Config to be Retrieved and Set INTERNALLY via execute XML.	Dev: IdmXMLResponse. Test: SQA TBD	REDACTED, CMT-
IMU:2.2.1.20:2010070102	2.2.1.23	[CODE INTERNAL]Unlink Profile Response XML Updates.	Dev: IdmUnlinkProfileResponse, Response text now has CDATA and is wrapped in TEXT element. Test: SQA TBD	REDACTED, CMT-
IMU:2.2.1.20:2010070201	2.2.1.23	[CODE INTERNAL][ADD_PROFILE] ICN/VPID restriction based on first significant digit.	Dev: Restrict ICN/VPID values to start with a 1 or a 2. Test: Send an ADD_PROFILE with a LOCAL ICN.	REDACTED, CMT-
IMU:2.2.1.20:2010070701	2.2.1.23	[CODE INTERNAL] Set the UpdatedBy field to the MCID that of the message that changed the DB row for PV.	Dev: UpdatePrimaryViewCommand@Process. Test: Update the Primary view Address and/or Phone and check the Record_Modified_By database column in either the PS_PERSON_ADDRESS OR PS_PERSON_PHONE.	REDACTED, CMT-
IMU:2.2.1.20:2010070801	2.2.1.23	[CODE INTERNAL] Phone Not getting sent on ADD_PROFILE RPC Call.	Dev: IdmSyncMonitor. Phone Type 'Home' wasn't checked properly. Test: Send and ADD_PROFILE request with different Phone Types.	REDACTED, CMT-
IMU:2.2.1.20:2010070802	2.2.1.23	[CODE INTERNAL] Add dual lookup for State by either postalCode, fipsCode or Name.	Dev: CommandUtility@getState. Test: Send ADD_PROFILE with varies States i.e. MA, 05, MARYLAND	REDACTED, CMT-
IMU:2.2.1.20:2010070901	2.2.1.23	[CODE INTERNAL] Phone Contact Type logic flow. Fix potential exception for invalid Phone contact Type.	Dev: CommandUtility@createPhoneSet. Allow case of PHONE Contact type to NOT fail the entire transaction. This makes the Phone Contact Type a non-fatal data element. Test: Send an invalid Phone Type using ADD_PROFILE or HL7.	REDACTED, CMT-

PSIM 2.2.1.24 Release Notes

[Back](#)

CCR	Targeted Build	Headline	Note(s)	Tag(s)
PSIM_CodeCR5808	2.2.1.24	Query Responses being sent to the wrong port.	Dev: SendMessageFactory@Send. Code updated to add ESR IPI Check back in. Relates to IMU: 2.2.1.20:2010071202: Stage 1A Invalid DFNs not returning AEs. Test: Must have MPI in environment and listening on both HLO and HL7 ports. Normal Add/Update/Queries ACKs should go to the HLO Port. ESR Adds/Updates should go to the HL7 Port. Use Case: Search for Person	REDACTED , PMAS III

PSIM 2.2.1.25 Release Notes

[Back](#)

CCR	Targeted Build	Headline	Note(s)	Tag(s)
PSIM_CodeCR5662	2.2.1.25	PMAS III: Enhance IdM Settings Monitor.	Dev: Added MPI table mapping support for MPI PARAMETER, MPI DONOTLINK, and MPI SITE MONITOR files. (MpiSiteMonitor.java, MpiSiteMonitor.hbm.xml, MpiParameter.java, MpiParameter.hbm.xml, MpiDoNotLink.java, MpiDoNotLink.hbm.xml) Added Search/Add/Update functionality for MPI PARAMETER, MPI DONOTLINK, and MPI SITE MONITOR to the IdmDBUtilities tools page. (IdmDBUtilities.jsp, IdmDbUpdate.java, IdmDbUtilities.java, IdmDBUtilities.jsp, IdmDbParameter.jsp, IdmDBUpdateMPISiteMonitor.jsp) Test:Inherent in IdmDBUtilities tool usage. Use Case: NA	REDACTED PMAS III-R1
PSIM_CodeCR5665	2.2.1.25	PMAS III: Enhance IdM Settings Monitor - On demand Configuration file load.	Dev:IdmConfigUtilities.jsp, IdmConfigUtilities.java, IdmSettings.java Test:Inherent in IdmConfigUtilities tool usage. Use Case: NA	REDACTED / REDACTED PMAS III-R1
PSIM_CodeCR5669	2.2.1.25	PMAS III: Allow Unlink based on Idm Settings - Site configuration.	Dev:Modified mechanism used in UnlinkCommand to determine if unlink is allowed for a particular station number. Unlinking must be specifically allowed via IdmSettings/SiteConfig. See IdmConfigUtilities.jsp. Previously (CCR5481), the PSIM property gov.va.med.person.idmgmt.util.PSIMSettingsReport/prohibitUnlinkStationNumbers was used to specify station numbers for which unlinking was prohibited. This property is no longer used. With this CCR, unlinking is prohibited by default. Dev Test Classes: <ul style="list-style-type: none"> ● TestUpdateCorrelationStatus@testSetAllowUnlinkTestSite ● TestUpdateCorrelationStatus@testRelink ● TestUpdateCorrelationStatus@testRelinkUnlinkMessaging ● TestUpdateCorrelationStatus@testRelinkUnlinkPMUB01 ● TestUpdateCorrelationStatus@testUnlinkPMUB01 ● TestUpdateCorrelationStatus@testUnlinkProhibited ● TestUpdateCorrelationStatus@testUnlinkProhibited200DOD ● TestUpdateCorrelationStatus@testA37UnlinkProhibited200DOD 	REDACTED PMAS III-R1
PSIM_CodeCR5694	2.2.1.25	[PSIM TOOLS] PMAS III: Hibernate mapping to MPI 985 and 985.5 - PSIM TOOL.	Test:TestUpdateCorrelationStatus (unlink tests) Use Case:Unlink Correlation (unlink and relink unlink) Dev:Added MPI table mapping support for MPI FACILITY ASSOCIATION, MPI VETERAN CLIENT files. (MpiFacilityAssociation.java, MpiFacilityAssociation.hbm.xml, MpiVeteranClient.java, MpiVeteranClient.hbm.xml, IdmDBAddUpdatePV.jsp, IdmDBAddUpdateCor.jsp, IdmDbUpdate.java) Test:Inherent in IdmDBUtilities tool usage. Use Case:NA	REDACTED PMAS III-R1
PSIM_CodeCR5751	2.2.1.25	[PSIM TOOLS] Provide view into MPI SITE MONITOR and MPI PARAMETER data.	Dev:IdmConfigUtilities.java/.jsp Added methods to display MPI Site Monitor and Parameter data via Hibernate/DAO. Dev Test Class:N.A. Test via IdmConfigUtilities, select "Site Monitor" or "Parameter" from "MPI Site Monitor and Parameter File listing". Use Case:N.A.	REDACTED PMAS III-R1
PSIM_CodeCR5766	2.2.1.25	[PSIM TOOLS] PSIM to return a deprecated ICN's information versus always returning the surviving.	Dev: ET_PROFILE enhancements, currently ONLY used by TK. Allows returning of ALL PV and Correlation traits on one call. Eliminates TK from calling ETCORIDs and legacy obtainCorrelation. Example XML updated to include three new METADATA options. <ul style="list-style-type: none"> ● name='returnDeprecated' value='false/true' ● name='lastCorPkId' value="" Internal PK of correlation record. ● name='maxResults' value="" Limits the total records returned. Dev Test Class/cases: <ul style="list-style-type: none"> ● Test_etProfile@test_etProfile_Deprecated ● Test_etProfile@test_etProfile_Addresses 	REDACTED PMASIII-R1
PSIM_CodeCR5814	2.2.1.25	[PRODUCTION] Do NOT allow updates on Deprecated Records.	Use Case:Retrieve Person/ et Profile Dev:PSSearchTraitMonitor, UpdateCommand, UpdatePrimaryViewCommand, AppRejectException, IConstants Production Messages: 2010-08-07 12:05:38.0 - 200M 109029609 - Add Patient 2010-08-07 12:25:08.0 - 200M 109030458 - LINK Patient	REDACTED / REDACTED PMAS III-R1

2010-08-07 12:25:14.0 200M 109030460 - A31 - Update PV AFTER LINK.
 Test: Add a correlation. Add another one. Link the two with an A24 message.
 Attempt to update the city of the deprecated correlation with an A31 message. You should get back an AR and the update should not occur. Do the same with the primary view - attempt to update the city. Use another A31 but leave out the PI in the PID segment. You should get back an AR and the update should not occur. For specific examples, click on the links below.
 Dev Test Classes:

- [TestPrimaryViewData@testUpdateDeprecatedPV](#)
- [TestPrimaryViewData@testUpdateDeprecatedCorrelation](#)

Use Case:Update Patient

Dev:IdmMergeProfileCommand, mapDeprecatedTraits(survivingProfile, deprecatedProfile)

Dev Test Class:TestMergeProfilefromDOD Rules 1-4 updated to no include Trait information with the deprecated profile. Merge Profile Example also updated to exclude this data.

[North Chicago] - Rework - Merge Profile - DOD Limitation on Deprecated Traits.

- [TestMergeProfileFromDOD@testRule1](#)
- [TestMergeProfileFromDOD@testRule2](#)
- [TestMergeProfileFromDOD@testRule3](#)
- [TestMergeProfileFromDOD@testRule4](#)

REDACTED PMAS III-R1

PSIM_CodeCR5816 2.2.1.25

Use Case:Merge Patient

2.2.1.25 INTERNAL MAINTENANCE UPDATES

IMU Number	Targeted Build	Description	Note(s)	Tag(s)
IMU:2.2.1.20:2010060701	2.2.1.25	[CODE INTERNAL] Non-Patient Infrastructure Updates.	Dev:AdapterFacade, ProcessorFacade. Allow concrete command to set Meta Object (IPI) and allow AdapterFacade to expose IPI data if set externally. Test:SQA NOT REQUIRED, will be inherent in the full Non-Patient implementation and testing.	REDACTED, CMT-R1
IMU:2.2.1.23:2010061701	2.2.1.25	[CODE INTERNAL] Enable population of retry queue when duplicate ICN is returned.	Dev:IdmAddNonPatientCommand Test:Easy to test now as MPI always returns a duplicate ID. See TestNonPatientAddsUpdates.testWhatHappensWhenADuplicateIdIsReturned().	REDACTED
IMU:2.2.1.25:2010081101	2.2.1.25	[CODE INTERNAL] TraitUpdater Address/Phone (State Error)	Dev:TraitUpdater.java Test:Update/Add trait information to a site, which does not contain phone or address information. Verify an error is never thrown. Verify update is successful.	REDA
IMU:2.2.1.25:2010081301	2.2.1.25	[CODE INTERNAL] Queue Summary updates for Searg and Nexting through the queues.	Dev:QueueSummary. Test:Test inherent in tool usage.	REDACTED
IMU:2.2.1.25:2010081601	2.2.1.25	[PSIM TOOLS] Enhance DOD Response handler and error text display on WSUtilities.	Dev:WSUtilities, DODResponseHandler. Test:Test inherent in tool usage.	REDACTED
IMU:2.2.1.26:2010081701	2.2.1.25	[CODE INTERNAL] WSDODInquiry (DOB Null Pointer Check)	Dev:WSDODInquiry.java. (Added null check for DOB to avoid null pointer exception.) Test:Create an AddProfile without DOB information. Use WSUtilities to query DOD by the ICN just added. Verify a null pointer exception is not thrown.	REDACTED
IMU:2.2.1.25:2010081702	2.2.1.25	[CODE INTERNAL] Default Profile SSN AA to USSSA,	Dev:QBPQ22Adapter.java. ProfileAdapter.adapt. (Defaulted Assigning Authority to USSSA.)	REDACTED / REDACTED
		instead of HUB SSA default.	Test:Perform a QBP Search. Verify that all returned SSN values contain USSSA rather than SSA in the Assigning Authority field.	
IMU:2.2.1.25:2010081801	2.2.1.25	[CODE INTERNAL] WSUtilities updates to display and API for DOD Inquiry tools.	Dev:WSDODInquiry, WSDODInquiry.jsp, WSICNDOD.jsp Test:Not Required. Inherent in tool usage.	REDACTED, REDACTED

IMU:2.2.1.25:2010082401	2.2.1.25	[CODE INTERNAL] Optimize Notify ESR Logic to check	Dev:ResolveUtility@notifyESR	RED ACT ED
		config property first.	Test:Link two patients with 200ESR correlations, verify ESR was notified.	
IMU:2.2.1.25:2010082402	2.2.1.25	[CODE INTERNAL] Allow ASYNC notification of LINKs and MISMATCHES involving ESR.	Dev:ResolveUtility@notifyESR Test:Link two patients with 200ESR correlations, verify ESR was notified.	RED ACT ED
IMU:2.2.1.25:2010082501	2.2.1.25	[PSIM TOOLS] Cluster Utilities - Non-Messaging servers/nodes will send activity notifications to the Messaging Server.	Dev:IdMClusterUtilities, All servers in the PSIM cluster that are not seen as the messaging server, will instantiate a Node client that will periodically send messages to the Main/Messaging server for reporting. Test:SQA Not Required.	RED ACT ED
IMU:2.2.1.25:2010082601	2.2.1.25	[CODE INTERNAL] Support subtype in Identifier values	Dev:IdmDetProfileSearchCommand.java	REDACTED
		return from a deterministic search.	Test:Execute an add profile, and perform a deterministic profile search. Verify Identifiers have a SubType of Active.	SSN
IMU:2.2.1.25:2010083001	2.2.1.25	[CODE INTERNAL] ResolveMismatch "Requesting- Identifier" update for DOD correlations.	Dev:DOD Merge test case, identified ADTA43Adapter@getRequestingIdentifier wasn't pulling the 200DOD identifier for the downstream process of determining the Assigning Location SiteConfig. Additional logic enhancement in REDACTED SendMessageFactory to check for a valid "Requesting-Identifier" in SavetoIdHub logic. Also, added more readable "toString()" in AddUpdateMessageAdapter Test:Establish two patient records, at least one with a 200DOD correlation. Perform a mismatch from ICN2 into ICN1 for the chosen EDIPI.	REDACTED
IMU:2.2.1.25:2010083002	2.2.1.25	[CODE INTERNAL] ET_PROFILE paging. Performance enhancements for TK return of PV and Correlations.	Dev:HbActiveCorrelationDAO, Idm etProfileCommand Test:XML Examples TBD.	RED ACT ED
IMU:2.2.1.25:2010083003	2.2.1.25	[CODE INTERNAL] MatgSQLBuilder - OnlyActive override feature for IMDQ Search (IdState).	Dev:Added support for IMDQ Search to override the default behavior of MatgSQLBuilder, when the 'OnlyActive' flag is set. Now TK has full control of the IdState field on searches. Test:Inherent in TK usage. (Search)	REDACTED
IMU:2.2.1.25:2010090101	2.2.1.25	[PSIM TOOLS] QueueSummary enhancement to add RAW String MonitorEvent to any Monitor queue.	Dev:QueueSummary new section to allow manual add of Monitor Event. Test:Test inherent in tool usage.	REDA CTED, REDA CTED
IMU:2.2.1.25:2010090201	2.2.1.25	[PSIM TOOLS] Monitor Utilities enhancements to allow storage of the Monitor History AFTER a monitor is stopped.	Dev:MonitorUtilities@setMonitorHistory. Also added Clear feature to clear old text, without stopping the monitor. Test:Test inherent in tool usage.	REDACTED
			Dev:Added documentation to all testcases in TestDODEvents. Added 4 new test cases to easily duplicate DOD merge scenerios that will aid in testing scenerios. Dev Test Classes:	
IMU:2.2.1.25:2010090202	2.2.1.25	[PSIM TOOLS] TestDODEvents Smoke Test Enhanced.	<ul style="list-style-type: none"> ● TestDODEvents@testResolveMismatch_Both_Have_DOD ● TestDODEvents@testLink_Dep_Has_DOD ● TestDODEvents@testLink_Both_Have_DOD ● TestDODEvents@testResolveMismatch_Dep_Has_DOD ● TestDODEvents@testLinkICNwithDODCorrelation ● TestDODEvents@testMismatchDODCorrelation ● TestDODEvents@testMismatchWithUpdate 	REDACTED
			Test:Run TestDODEvents from RegressionTestUtilities.	
IMU:2.2.1.25:2010090203	2.2.1.25	[PSIM TOOLS] MER E_PROFILE Rule #1 Logic change to update/sync the	Dev: Dev Test Class: <ul style="list-style-type: none"> ● TestMergeProfileFromDOD@testRule1 	RED ACT ED

DOD EDPI status.

Test: Establish a condition where IDM knows both edipis and they are on DIFFERENT ICNs. then send the MER E_PROFILE in. See link to TestMergeProfileFromDOD@testRule1 above for more details.

	Release Name	Release Date
CMT-R1	TBD	