

EXHIBIT 3-16

DIFFERENCE BETWEEN EACH RACIAL/ETHNIC GROUP AND WHITE VETERAN VHA PATIENTS IN PERCENT DIAGNOSED, FOR OVERALL TOP 20 DIAGNOSED CONDITIONS IN FY13

| | AI/AN – White | Asian – White | Black – White | NH/OPI – White | Multi-race – White | Hispanic – White | Unknown – White |
|--|---------------|---------------|---------------|----------------|--------------------|------------------|-----------------|
| Condition | % | % | % | % | % | % | % |
| Hypertension | -7.8 | -12.4 | 4.0 | 0.2 | -3.0 | -7.1 | -20.7 |
| Lipid Disorders | -10.5 | -12.8 | -10.9 | -1.7 | -6.2 | -6.5 | -19.1 |
| Diabetes Mellitus | 2.5 | -1.5 | 2.6 | 4.7 | 1.3 | 3.1 | -11.1 |
| Refraction Disorders | -0.3 | -0.1 | 1.3 | 1.8 | 2.3 | 2.6 | -6.6 |
| Dermatologic Disorders - Other | -2.7 | -4.5 | -1.7 | -1.2 | 0.7 | -2.4 | -7.7 |
| Esophageal Disorders | -3.1 | -8.6 | -3.9 | -3.1 | -1.5 | -3.4 | -7.9 |
| Spine Disorders - Lumbosacral | 4.0 | 1.8 | 4.9 | 4.4 | 5.7 | 5.5 | -1.7 |
| Hearing Problems | -3.9 | -1.7 | -12.6 | -3.6 | -6.0 | -6.0 | -9.8 |
| Eye Disorders – Other | -0.8 | -0.9 | 0.6 | 2.1 | 1.2 | -0.1 | -8.5 |
| Cataract | -2.2 | -4.9 | -1.5 | 0.6 | -0.5 | -2.1 | -11.3 |
| Joint Disorders - Lower Extremity | 4.6 | -0.1 | 7.0 | 4.2 | 5.5 | 4.5 | -0.6 |
| Depression, Possible - Other | 4.3 | -3.2 | 3.1 | 1.8 | 5.2 | 3.9 | -3.7 |
| Coronary Artery Disease | -5.7 | -9.9 | -9.9 | -3.8 | -5.0 | -8.4 | -13.9 |
| Overweight/Obesity | 0.6 | -5.8 | 2.6 | 1.6 | 2.5 | 5.0 | -1.2 |
| Joint Disorders - Unspecified or Multiple Joints | 1.6 | -2.6 | 2.4 | 1.3 | 2.0 | -0.4 | -4.3 |
| Tobacco Use Disorder | 2.7 | -6.7 | 2.7 | -0.9 | 2.9 | -3.8 | -2.0 |
| Residual Codes | -0.2 | -1.5 | 3.6 | 1.3 | 2.1 | 1.0 | -5.3 |
| Male Genital Disorders | -3.8 | -5.3 | -2.9 | -2.1 | -2.3 | -2.0 | -8.6 |
| PTSD | 9.6 | 1.3 | 3.9 | 6.6 | 6.9 | 6.4 | -4.3 |
| Endocrine, Metabolic and Nutritional Disorders – Other | -0.3 | -3.5 | -0.6 | 0.2 | 0.2 | 1.3 | -4.0 |

Key: Bolded and boxed cells indicate conditions in which the diagnosed prevalence in a group exceeded that in Whites by 10% (rounded) or more; bolded cells (without boxes) indicate conditions in which the diagnosed prevalence in a group was 10% (rounded) or lower than that in Whites.

Denominator: All Veterans who used any VHA care in FY13 (VHA outpatient care, inpatient care, pharmacy care, or Non-VA [Fee] Medical Care), referred to as “Veteran FY13 VHA patients” (Data source: WHEI Master Database).

Source: VHA National Health Equity Report 2016