

5/10/01

**Papers That Have Included the
West Haven-Yale Multidimensional Pain Inventory (MPI)**

1. Altmaier, E.M., Lehmann, T.R., Russell, D.W., Weinstein J.N., & Kao, C.F. (1992). The effectiveness of psychological interventions for the rehabilitation of low back pain: A randomized controlled trial evaluation. **Pain, 49**, 329-335.
2. Anderson, K.O., Dowds, B.N., Pelletz, R.E., Edwards, W.T., Peeters-Asdourian, C. (1995). Development and initial validation of a scale to measure self-efficacy beliefs in patients with chronic pain. **Pain, 63**, 77-84.
3. Asmundson, G.J.G., Bonin, M.F., Frombach, I.K., & Norton, G.R. (2000). Evidence of a disposition toward fearfulness and vulnerability to posttraumatic stress in dysfunctional pain patients. **Behavior Research and Therapy, 38**, 801-812.
4. Asmundson, G.J.G., Frombach, In.K., & Hadjistavropoulos, H.D. (1998). Anxiety sensitivity: Assessing factor structure and relationship to multidimensional aspects of pain in injured workers. **Journal of Occupational Rehabilitation, 8**, 223-234.
5. Asmundson, G.J.G., Jacobson, S.J., Allerdings, M.D., & Norton, G.R. (1996). Social phobia in disabled workers with chronic musculoskeletal pain. **Behavior Research & Therapy, 34**, 11/12. 939-943.
6. Asmundson, G.J.G., & Norton, G.R. (1995). Anxiety sensitivity in patients with physically unexplained chronic back pain: A preliminary report. **Behavior Research & Therapy, 33**, 771-777.
7. Asmundson, G.J.G., Norton, G.R., & Allerdings, M.D. (1997). Fear and avoidance in dysfunctional chronic back pain patients. **Pain, 69**, 231-236.
8. Ashby, J.S., & Lenhart, R.S. (1994). Prayer as a coping strategy for chronic pain patients. **Rehabilitation Psychology, 39**, 205-210.
9. Basler, H.-D., Jakle, C., Kroner-Herwig, B. (1997). Incorporation of cognitive-behavioral treatment in the medical care of chronic low back pain patients: A controlled randomized study in German pain treatment centers. **Patient Education and Counseling, 31**, 113-124.
10. Basler, H.-D., Jakle, C., & Kroner-Herwig, B. (1996). Cognitive-behavioral therapy for chronic headache at German Pain Centers. **International Journal of Rehabilitation and Health, 2**, 235-252.
11. Beck, J.G., Chase, T.J., Berisford, M.A., & Taegtmeyer, H. (1992). Pain profiles of patients with nonorganic chest pain: a preliminary report of the Multidimensional Pain Inventory. **Journal of Pain Symptom Management, 7**, 470-477.

12. Benrud-Larson, L.M., Bruce, B.K., Rome, J.D., Hodgson, J.E., Sletten, C.D., & Low, P.A. (2001). Relation of changes in coping and perceived control to outcome among patients in a multidisciplinary pain treatment program. **Journal of Pain**, **2** (Supplement), 49.
13. Bergstrom, G., Bodin, L., Jensen, I.B., Linton, S.J., & Nygren, A.L. (2000). Long-term, non-specific spinal pain: Reliable and valid subgroups of patients. **Behaviour Research and Therapy**, **39**, 75-87.
14. Bergstrom, K.G., Jensen, I.B., Bodin, L., Linton, S.J., Nygren, A.L., & Carlsson, S.G. (1998). Reliability and factor structure of the Multidimensional Pain Inventory - Swedish language version (MPI-S). **Pain**, **75**, 101-110.
15. Bergstrom, K.G., Jensen, I.B., Linton, S.J., & Nygren, A.L. (1999). A psychometric evaluation of the Swedish version of the Multidimensional Pain Inventory (MPI-S): A gender differentiation evaluation. **European Journal of Pain**, **3**, 261-273.
16. Bergstrom, K.G., Jensen, I.B., Linton, J.J., & Nygren, A.L. (1999). A psychometric evaluation of the Swedish version of the Multidimensional Pain Inventory (MPI-S): A gender differentiated evaluation. **European Journal of Pain**, **3**, 261-273.
17. Bernstein I.H., Jaremko, M.E., & Hinkley, B.S. (1995). On the utility of the West-Haven-Yale Multidimensional Pain Inventory. **Spine**, **20**, 956-963.
18. Boothby, J.L., Thorn, B.E., & Dixon, K. (2001). Examining the effects of spouse responses and catastrophizing on pain outcomes. **Journal of Pain**, **2** (Supplement), 53.
19. Bradley, L. A., Haile, J. McD., & Jaworski, T. M. (1992). Assessment of psychological status using interviews and self-report instruments. In D. C. Turk & R. Melzack (Eds.), **Handbook of pain assessment**. (pp. 193-213). New York: Guilford Press.
20. Bruehl, S., Lofland, K.R., Sherman, J.J., & Carlson, C.R. (1998). The variable responding scale for detection of random responding on the Multidimensional Pain Inventory. **Psychological Assessment**, **10**, 3-9.
21. Bunketorp, O., Olsson, I., Carlsson, S.G., & Styf, J. (2001). *Outcome of WAD Predicted by MPI*. Paper presented at the International Congress on Whiplash Associated Disorders, March 8th-10th, Berne, Switzerland.
22. Burns, J.W. (2000). Repression predicts outcome following multidisciplinary treatment of chronic pain. **Health Psychology**, **19**, 75-84.
23. Burns, J.W. (in press). A fourth empirically-derived cluster of chronic pain patients based on the Multidimensional Pain Inventory: Evidence for repression within the dysfunctional group. **Journal of Consulting and Clinical Psychology**.
24. Burns, J.W., Johnson, B. J., Devine, J., Mahoney, N., & Pawl, R. (1998). Anger management

- style and the prediction of treatment outcome among male and female chronic pain patients. **Behaviour Research and Therapy**, **38**, 1051-1062.
25. Burns, J.W., Johnson, B.J., Mahoney, N., Devine, J., & Pawl, R. (1996). Anger management style, hostility and spouse responses: Gender differences in predictors of adjustment among chronic pain patients. **Pain**, **64**, 445-453.
 26. Burns, J.W., Johnson, B.J., Mahoney, N., Devine, J., & Pawl, R. (1998). Cognitive and physical capacity process variables predict long-term outcome after treatment of chronic pain. **Journal of Consulting and Clinical Psychology**, **66**, 434-439.
 27. Burns, J.W., Mullen, J.T., Higdon, L.J., Wei, J.M., & Lansky, D. (2000). Validity of the Pain Anxiety Symptoms Scale (PASS): Prediction of physical capacity variables. **Pain**, **84**, 247-252.
 28. Burton, H.J., Kline, S.A., Hargadon, R., Cooper, B.S., Shick, R.D., & Ong-Lam, M.C. (1999). Assessing patients with chronic pain using the basic personality inventory as a complement to the multidimensional pain inventory. **Pain Research and Management**, **4**, 121-129.
 29. Carlson, C.R., Miller, C.S., & Reid, K.I. (2000). Psychosocial profiles of patients with burning mouth. **Journal of Orofacial Pain**, **14**, 59-64.
 30. Cook, I.J., Van Eeden, A., & Collins, S.M. (1987). Patients with irritable bowel syndrome have greater pain tolerance than normal subjects. **Gastroenterology**, **93**, 727-733.
 31. Conant, L. (1998). Psychological variables associated with pain perceptions among individuals with chronic spinal cord injury pain. **Journal of Clinical Psychology in Medical Settings**, **5**, 71-90.
 32. Crowley, D., & Kendall, N.A.S. (1999). Development and initial validation of a questionnaire for measuring fear-avoidance associated with pain: The Fear-Avoidance of Pain Scale. **Journal of Musculoskeletal Pain**, **7**, 3-18.
 33. Currie, S.R., Wilson, K.G., Pontefract, A.J., & deLaplante, L. (2000). Cognitive-behavioral treatment of insomnia secondary to chronic pain. **Journal of Consulting and Clinical Psychology**, **68**, 407-416.
 34. Curio, I., & Scholz, O.B. (1990). Was messen schmerzskelenbei patientent mit rheumatoider arthritis? [What do pain scales measure in patient with rheumatoid arthritis?] **Der Schmerz**, **4**, 207-213.
 35. Currie, S.R., Hodgkins, D.C., Armstrong, B.A., Jacobi, H., Crabtyree, A., Bodnar, N., & Pedem, N. (2000). Outcome evaluation of a pain management program for recovering substance abusers. **Pain Research & Management**, **5** (Suppl.), 17A. [Abstract]
 36. Dahlstrom, L., Widmark, G., & Carlsson, S.G. (1997). Cognitive-behavioral profiles among different categories of orofacial pain patients: Diagnostic and treatment implications. **European Journal of Oral Science**, **105**, 377-383.

37. D'Eon, J.L., Petersen, E., & Wilson, K.G. (2000). Development and evaluation of a pain history questionnaire. **Pain Research & Management**, **5** (Suppl.), 44A [Abstract]
38. DeGagne, T.A., Mikail, S.F., & D'Eon, J.L. (1995). Confirmatory factor analysis of a 4-factor model of chronic pain evaluation. **Pain**, **60**, 195-202.
39. Deisinger, J.A., Cassisi, J.E., Lofland, K.R., Cole, P., & Bruehl, S. (in press). An examination of the psychometric structure of the Multidimensional Pain Inventory. **Journal of Clinical Psychology**.
40. Dijkstra, A., Vlaeyen, J.W.S., Rijnen, H., & Nielson, W. (2001). Readiness to adopt the self-management approach to cope with chronic pain in fibromyalgic patients. **Pain**, **90**, 37-45.
41. Duleba, A.J., Jubanyik, K.J., Greenfeld, D.A., & Olive, D.L. (1998). Changes in personality profile associated with laparoscopic surgery for chronic pelvic pain. **Journal of the American Association of Gynecological Laparoscopy**, **5**, 389-895.
42. Dwyer, K.A. (1997). Psychosocial factors and health status in women with rheumatoid arthritis: Predictive models. **American Journal of Preventive Medicine**, **13**, 66-72.
43. Dyrehag, L.-E., Widerstrom-Noga, E.G., Carlsson, S.G., Kaberger, K., Hedner, N., Mannheimer, C., & Andersson, S.A. (1998). Relations between self-rated musculoskeletal symptoms and signs and psychological distress in chronic neck and shoulder pain. **Scandinavian Journal of Rehabilitation Medicine**, **30**, 235-242.
44. Dryehag, L.E., Widerstrom-Noga, E.G., Carlsson, S.G., & Andersson, S.A. (1997). Effects of repeated sensory stimulation sessions (electro-acupuncture) on skin temperature in chronic pain patients. **Scandinavian Journal of Rehabilitation Medicine**, **29**, 243-250.
45. Edwards, R., Auguston, E., & Fillingim, R. (2000). Sex-specific effects of pain-related anxiety on adjustment to chronic pain. **Clinical Journal of Pain**, **16**, 46-53.
46. Epker, J., & Gatchel, R.J. (2000). Coping profile differences in the biopsychosocial functioning of patients with temporomandibular disorder. **Psychosomatic Medicine**, **62**, 69-75.
47. Etscheidt, M.A. (1992). The Multidimensional Pain Inventory. **Behavior Therapist**, **15**, 125-126
48. Etscheidt, M.A., Steger, H.G., & Braverman, B. (1995). Multidimensional Pain Inventory profile classifications and psychopathology. **Journal of Clinical Psychology**, **51**, 29-36.
49. Everleigh, D. (2000). Predicting treatment response of injured workers entering an occupational rehabilitation program. **Pain Research & Management** **5** (Suppl), 37A [Abstract]
50. Faucett, J.A. (1994). Depression in painful chronic disorders: The role of pain and conflict about pain. **Journal of Pain and Symptom Management**, **9**, 520-526.

51. Fillingim, R.B., Maixner, W., Kincaid, S., Sigurdsson, A. Brennan Harris, M. (1997). Pain sensitivity in patients with temporomandibular disorders: Relationship to clinical and psychosocial factors. **Clinical Journal of Pain, 12**, 260-269.
52. Findley, J.C., Kerns, R., Weinberg, L.D., & rosenberg, R. (1998). Self-efficacy as a psychological moderator of chronic fatigue syndrome. **Journal of Behavioral Medicine, 21**, 351-362.
53. Flavell, H.A., Carrafa, G.P., Thomas, C.H., & Disler, P.B. (1996). Managing chronic back pain: Impact of an interdisciplinary team. **Medical Journal of Australia, 165**, 253-255.
54. Flor, H., & Birbaumer, N. (1993). Comparison of the efficacy of electromyographic biofeedback, cognitive-behavioral therapy, and conservative medical interventions in the treatment of chronic musculoskeletal pain. **Journal of Consulting and Clinical Psychology, 61**, 653-658.
55. Flor, H., Behle, D.J., & Birbaumer, N. (1993). Assessment of pain-related cognitions in chronic pain patients. **Behavior Research and Therapy, 31**, 63-73.
56. Flor, H., Birbaumer, N., Schugens, M.M., & Lutzenberger, W. (1992). Symptom-specific psychophysiological responses in chronic pain patients. **Psychophysiology, 29**, 452-460.
57. Flor, H., Braun, C., Elbert, T., & Birbaumer, N. (1987). Extensive reorganization of primary somatosensory cortex in chronic back pain patients. **Neuroscience Letters, 224**, 5-8.
58. Flor, H., Creitenstein, C., Birbaumer, N., & Furst, M. (1995). A psychophysiological analysis of spouse solicitousness towards pain behaviors, spouse interaction, and pain perception. **Behavior Therapy, 26**, 255-272.
59. Flor, H., Elbert, T., Knecht, S., Wienbruch, C., Pantev, C., Birbaumer, N., Larbig, W., & Taub, E. (1995). Phantom-limb pain as a perceptual correlate of cortical reorganization following arm amputation. **Nature, 375**, 482-484.
60. Flor, H., Knost, B., & Birbaumer, N. (1997). Processing of pain- and body-related verbal material in chronic pain patients: central and peripheral correlates. **Pain, 73**, 413-421.
61. Flor, H., & Turk, D.C. (1988). Chronic back pain and rheumatoid arthritis: Predicting pain and disability from cognitive variables. **Journal of Behavioral Medicine, 11**, 251-265.
62. Flor, H., Kerns, R.D., & Turk, D.C. (1987). The role of spouse reinforcement, perceived pain, and activity levels of chronic pain patients. **Journal of Psychosomatic Research, 31**, 251-259.
63. Flor, H., Rudy, T.E., Birbaumer, N., & Schugens, M.M. (1990). Zur anwendbarkeit des West Haven- Yale Multidimensional Pain Inventory im Deutschen sprachraum. **Der Schmerz, 4**, 82-87.
64. Flor, H., Turk, D.C., & Rudy, T.E. (1989). Relationship of pain impact and significant other

- reinforcement of pain behaviors: The mediating role of gender, marital status and marital satisfaction. **Pain**, **38**, 45-50.
65. Flor, H., Turk, D.C., & Scholz, O.B. (1987). Impact of chronic pain on the spouse: Marital, emotional and physical consequences. **Journal of Psychosomatic Research**, **31**, 63-71.
 66. Gagne, T.A., Mikail, S.F., & D'Eon, J.L. (1995). Confirmatory factor analysis of a 4-factor model of chronic pain evaluation. **Pain**, **60**, 195-202.
 67. Gatchel, R.J./ Noe, Carl E., Gajraj, N.M., Vakharia, A.S., Polatin, P.B., Deschner, M., & Pulliam, C. (2001). Treatment carve-out practices: Their effect on managing pain at an interdisciplinary pain center. **Journal of Workers Compensation**, **10**, 50-63.
 68. Geisser, M.E., Robinson, M.E., & Henson, C.D. (1997). The coping strategies questionnaire and chronic pain adjustment: A conceptual and empirical reanalysis. **Clinical Journal of Pain**, **10**, 98-106.
 69. Gordon A, Merenstein JH, D'Amico F, et al. (1998). The effects of Therapeutic Touch on patients with osteoarthritis of the knee. **Journal of Family Practice**, **47**, 271-277.
 70. Greco, C.M., Rudy, T.E., Turk, D.C., Herlich, A., & Zaki, H.S. (1997). Traumatic onset of temporomandibular disorders: Positive effects of a standardized conservative treatment program. **Clinical Journal of Pain**, **13**, 337-347.
 71. Guck, T.P., Fleischer T.D., Willcockson, J.C., Criscuolo, C.M., & Leibrock, L.G. (1999). Predictive validity of the Pain and Impairment Relationship Scale in a chronic nonmalidnant pain population. **Archives of Physical Medicine and Rehabilitation**, **80**, 91-95.
 72. Hadjistavropoulos, H.D., Asmundson, G.J.G., & Norton, G.R. (1999). Validation of the Coping with health, injuries, and problems scale in a chronic pain sample. **Clinical Journal of Pain**, **15**, 41-49.
 73. Hadjistavropoulos, H.D., & Asmundson, G.J.G. (2000). Health anxiety, pain-specific anxiety, anxiety sensitiity and trait anxiety: Is there a difference in their ability to predict log-term disability? **Pain Resarch & Management**, **5** (Suppl.), 8A. [Abstract]
 74. Hadjistaropoulos, H.D., & Chapelle, D.L. (2000). Extent and nature of anxiety experienced during physical examinaiton of chronic low back pain. **Behaiour Research and Therapy**, **38**, 13-29.
 75. Haythornthwaite, J.A., Menefee, L.A., Heinberg L.J., & Clark, M.R. (1998). Pain coping strategies predict perceived control over pain. **Pain**, **77**, 33-39
 76. Haythornthwaite, J.A., Menefee, L.A., Quantrano-Piacentini, A.L., & Pappagallo, M. (1998). Outcome of chronic opioid therapy for non-cancer pain. **Journal of Pain and Symptom Management**, **15**, 185-194.

77. Haythornthwaite, J.A., Sieber, W.J., & Kerns, R.D. (1991). Depression and the chronic pain experience. **Pain, 46**, 177-184.
78. Herr, K.A., Mobily, P.R., & Smith, C. (1993). Depression and the experience of chronic back pain: A study of related variables and age differences. **Clinical Journal of Pain, 9**, 104-114.
79. Holmes, J.A., & Stevenson, C.A.Z. (1990). Differential effects of avoidant and intentional coping strategies on adaptation to chronic and recurrent-onset pain. **Health Psychology, 9**, 577-584.
80. Hyse, E., Larbig, W., Flor, H., & Birbaumer, N. (2001). The effect of opioids on phantom limb pain and cortical reorganization. **Pain, 90**, 47-55/
81. Hutten, M.M.R., Hermens, H.J., Ijzerman, M.J., Lousberg, R., & Zilvold, G. (1999). Distribution of psychological aspects in subgroups of chronic low back pain patients divided on the score of physical performance. **International Journal of Rehabilitation Research, 22**, 262-268.
82. Jacob, M.C., Kerns, R.D., Rosenberg, R., & Haythornthwaite, J. (1993). Chronic pain: Intrusion and accommodation. **Behavior Research and Therapy, 31**, 519-527.
83. Jamison, R.N., Rudy, T.E., Penzien, D.B., & Mosley, T.H., Jr. (1994). Cognitive-behavioral classifications of chronic pain: replication and extension of empirically derived patient profiles. **Pain, 57**, 277-292.
84. Jaspers, J.P.C., Heuvel, F., Stegenga, B., & deBont, L.G.M. (1993). Strategies for coping with pain and psychological distress associated with temporomandibular joint osteoarthritis and internal derangement. **Clinical Journal of Pain, 9**, 94-103.
85. Jensen, I., Nygren, A., Gamberale, F., Goldie, I., & Westerholm, P. (1994). Coping with long-term musculoskeletal pain and its consequences: is gender a factor? **Pain, 57**, 167-172.
86. Jensen, M.P., Ehde, D.M., Hoffman, A.J., Patterson, D.R., Czerniecki, J.M., & Robinson, L.R. (2001). Cognitions, coping, and family environment predict adjustment to phantom limb. **Journal of Pain, 2**, Supplement, 48.
87. Jensen, M.P., & Karoly, P. (1991). Control beliefs, coping efforts, and adjustment to chronic pain. **Journal of Consulting and Clinical Psychology, 59**, 431-438.
88. Jensen, M.P., & Karoly, P. (1992). Pain-specific beliefs, perceived symptom severity, and adjustment to chronic pain. **Clinical Journal of Pain, 8**, 123-130.
89. Jensen, M.P., Turner, J.A., Romano, J.M., & Strom, S.E. (1995). The Chronic Pain Coping Inventory: Development and preliminary validation. **Pain, 60**, 203-206.
90. Johansson, C., Dahl, J., Jannert, M., Melin, L., & Andersson, G. (1998). Effects of a cognitive-behavioral pain management program. **Behaviour Research and Therapy, 36**, 915-930.
91. Johansson, E., & Lindberg, P. (2000). Low back pain patients in primary care: Subgroups based

- on the Multidimensional Pain Inventory. *International Journal of Behavioral Medicine*, 7, 340-352.
92. Kendall, N.A.S., & Thompson, B.F. (1998). A pilot program for dealing with the comorbidity of chronic pain and long-term unemployment. ***Journal of Occupational Rehabilitation*, 8**, 5-26.
 93. Kerns, R.D., & Haythornthwaite, J. (1988). Depression among chronic pain patients: Cognitive-behavioral analysis and effects on rehabilitation outcome. ***Journal of Consulting and Clinical Psychology*, 56**, 870-876.
 94. Kerns, R.D., Haythornthwaite, J., Rosenberg, R., Southwick, S., Giller, E.L., & Jacob, M.C. (1991). The Pain Behavior Checklist (PBCL): Factor structure and psychometric properties. ***Journal of Behavioral Medicine*, 14**, 155-167.
 95. Kerns, R.D., Hathornthwaite, J., Southwick, S., & Giller, E.L. (1990). The role of marital interaction in chronic pain and depressive symptom severity. ***Journal of Psychosomatic Research*, 34**, 401-408.
 96. Kerns, R.D., & Jacob, M. C. (1992). Assessment of the psychosocial content in the experience of pain. In D.C. Turk & R. Melzack (Eds.), ***Handbook of pain assessment*** (pp. 235-256). New York: Guilford Press.
 97. Kerns, R.D., & Rosenberg, R. (1995). Pain-relevant response from significant others: development of a significant-other version of the WHYMPI scales. ***Pain*, 61**, 245-249.
 98. Kerns, R.D., Rosenberg, R., & Jacob, M.C. (1994). Anger expression and chronic pain. ***Journal of Behavioral Medicine*, 17**, 57-67.
 99. Kerns, R.D., Southwick, S., Giller, E.L., Haythornthwaite, J., Jacob, M.C., & Rosenberg, R. (1991). The relationship between reports of pain related social interactions and expressions of pain and affective distress. ***Behavior Therapy*, 22**, 101-111.
 100. Kerns, R.D., & Turk, D.C. (1984). Depression and chronic pain: The mediating role of the spouse. ***Journal of Marriage and the Family*, 46**, 845-852.
 101. Kerns, R.D., Turk, D.C., Holzman, A.D., & Rudy, T.E. (1986). Comparison of cognitive-behavioral and behavioral approaches to outpatient treatment of chronic pain. ***Clinical Journal of Pain*, 1**, 195-203.
 102. Kerns, R.D., Turk, D.C., & Rudy, T.E. (1985). The West Haven-Yale Multidimensional Pain Inventory (WHYMPI). ***Pain*, 23**, 345-356.
 103. Lockett, D.M., & Campbell, J. F. (1992). The effects of aerobic exercise on migraine. ***Headache*, 32**, 50-54.
 104. Knost, B., Flor, H., Craun, C., & Birbaumer, N. (1997). Cerebral processing of words and the development of chronic pain. ***Psychophysiology*, 34**, 478-481.

105. Lacroix, R., & Barbaree, H. E. (1992). Pain-elicited responses and their role in predicting future pain duration and severity. **Behavior Research and Therapy**, **30**, 471-478.
106. Linton, S.J., Hellsing, A.-L., & Larsson, I. (1997). Bridging the gap: Support groups do not enhance long-term outcome in chronic back pain. **Clinical Journal of Pain**, **13**, 221-228.
107. Linton, S.J., Larden, M., Gillow, A.-M. (1996). Sexual abuse and chronic musculoskeletal pain: Prevalence and psychological factors. **Clinical Journal of Pain**, **12**, 215-221.
108. Lockett, D.-M., & Campbell, J.F. (1992). The effects of aerobic exercise on migraine. **Headache**, **32**, 50-54.
109. Lousberg, R., Groenman, N., & Schmidt, A. (1996). Profile characteristics of the MPI-DLV Clusters of Pain Patients. **Journal of Clinical Psychology**, **52**, 161-167.
110. Lousberg, R., Schmidt, A.J.M., & Groenman, N.H. (1992). The relationship between spouse solicitousness and pain behavior: Searing for more experimental evidence. **Pain**, **51**, 75-79.
111. Lousberg, R., Schmidt, A.J.M., Groenman, N.H., Vendrig, L., & Dijkman-Caes, C.I.M. (1997). Validating the MPI-DVL using experience sampling data. **Journal of Behavioral Medicine**, **20**, 195-206.
112. Lousberg, R., Van Breukelen, G.J.P., Schmidt, A.J.M., Arnts, A., & Winter, F.A.M. (1999). Psychometric properties of the Multidimensional Pain Inventory, Dutch Language version (MPI-DLV). **Behaviour Research and Therapy**, **37**, No. 2, 167-182.
113. Marcus, D.A., Scharff, L., Mercer, S., & Turk DC. (1998). Nonpharmacological treatment of migraine: incremental utility of physical therapy with relaxation and thermal biofeedback. **Cephalalgia**, **18**, 266-272.
114. Marcus, D.A., Scharff, L., & Turk, D.C. (1995). Nonpharmacological management of headaches during pregnancy. **Psychosomatic Medicine**, **57**, 527-535.
115. Marcus, D.A., Scharff, L., Mercer, S., & Turk, D.C. (1998). Nonpharmacological treatment for migraine: Incremental utility of physical therapy with relaxation and thermal biofeedback. **Cephalalgia**, **18**, 266-272.
116. Marcus, D.A., Scharff, L., Turk, D.C., & Gourley, L.M. (1997). A double-blind provocative study of chocolate as a trigger of headache. **Cephalalgia**, **17**, 855-862.
117. Marhold, C., Linton, S.J., & Melin, L. (2001). A cognitive-behavioral return-to-work program: Effects on pain patients with a history of long-term versus short-term sick leave. **Pain**, **91**, 155-163.
118. Maxwell, T. D., Gatchel, R.J., & Mayer, Tom G. (1998). Cognitive predictors of depression in chronic low back pain: Toward an inclusive model. **Journal of Behavioral Medicine**, **21**, 131-143.

119. McCarberg, B., & Wolf, J. (1999). Chronic pain management in a health maintenance organization. **Clinical Journal of Pain, 15**, 50-57.
120. McCracken, L.M., & Gross, R.T. (1998). The role of pain-related anxiety reduction in the outcome of multidisciplinary treatment for chronic low back pain: Preliminary results. **Journal of Occupational Rehabilitation, 8**, 179-189.
121. McCracken, L.M., & Houle, T. (in press). Sex-specific and gender roles of pain-related anxiety in adjustment to chronic pain: A reply to Edwards et al. **Clinical Journal of Pain.**
122. McCracken, L.M., Spertus, I.L., Janeck, A.S., Sinclair, D., & Wetzel, F.T. (1999). Behavioral dimensions of adjustment in persons with chronic pain: Pain-related anxiety and acceptance. **Pain, 80**, 283-289.
123. McCracken, L.M., Zayfert, C., & Gross, R.T. (1992). The Pain Anxiety Symptoms Scale: Development and validation of a scale to measure fear of pain. **Pain, 50**, 67-73.
124. Mikail, S.F., DuBreuil, S., & D'Eon, J.L. (1993). A Comparative analysis of measures used in the assessment of chronic pain patients. **Psychological Assessment, 5**, 117-120.
125. Milburn, A., Reiter, R.C., & Rhomberg, A.T. (1993). Multidisciplinary approach to chronic pelvic pain. **Obstetrics and Gynecology Clinics of North America, 20**, 643-661.
126. Nielson, W.R., Harth, M., & Bell, D.A. (1997). Out-patient cognitive-behavioral treatment of fibromyalgia: Impact on pain response and health status. **Pain Research & Management, 2**, 145-150.
127. Nielson, W.R., Jensen, M.P., & Hill, M.L. (2001). An activity pacing scale for the chronic pain coping inventory: Development in a sample of patients with fibromyalgia syndrome. **Pain, 89**, 111-115.
128. Nielson, W.R., Walker, C., & McCain, G.A. (1992). Cognitive behavioral treatment of fibromyalgia syndrome: Preliminary findings. **Journal of Rheumatology, 19**, 98-103.
129. Okifuji, A., Turk, D.C., & Curran, S.L. (1999). Anger in chronic pain: Investigations of anger targets and intensity. **Journal of Psychosomatic Research, 47**, 1-12.
130. Okifuji, A., Turk, D.C., & Eveleigh, D.J. (1999). Improving the rate of classification of patients with the Multidimensional Pain Inventory (MPI): Clarifying the meaning of "significant others." **Clinical Journal of Pain, 15**, 290-296.
131. Okifuji, A., Turk, D.C., & Marcus, D.A. (1999). Comparison of generalized and localized hyperalgesia in recurrent headache and fibromyalgia patients. **Psychosomatic Medicine, 61**, 771-778.
132. Okifuji, A., Turk, D.C., & Sherman, J.J. (2000). Evaluation of the relationship between

- depression and fibromyalgia syndrome: Why aren't all patients depressed? **Journal of Rheumatology**, **27**, 212-219.
133. Paulsen, J.S., & Altmaier, E.M. (1995). The effects of perceived versus enacted social support on the discriminative cue function of spouses for pain behaviors. **Pain**, **60**, 103-110.
134. Peters, M.L., Sorbi, M.J., Kruse, D.A., Kerssens, J.J., Verhaak, P.F.M., & Bensing, J.M. (2000). Electronic diary assessment of pain, disability and psychological adaptation in patients differing in duration of pain. **Pain**, **84**, 181-192.
135. Piotrowski, C. (1997). Assessment of pain: A survey of practicing clinicians. **Perceptual and Motor Skills**, **86**, 181-182. [MPI identified as the 5th most frequently used assessment by pain clinicians after the MMPI/MMPI-2, Beck Depression Inventory, McGill Pain Questionnaire, and the Symptom Checklist-90R]
136. Reisine, S.T., Fertig, J., Weber, J., & Leder, S. (1989). Impact of dental conditions on patients' quality of life. **Community Dentistry and Oral Epidemiology**, **17**, 7-10.
137. Reitsma, B., & Meijler, W. J. (1997). Pain and patienthood. **Clinical Journal of Pain**, **13**, 9-21.
138. Richardson, I.H., Richardson, P.H., Williams, A.C. deC., Featherstone, J., & Harding, V.R. (1994). The effects of a cognitive-behavioral pain management programme on the quality of work and employment status on severely impaired chronic pain patients. **Disability and Rehabilitation**, **16**, 26-34.
139. Richmond, R.L., & Carmody, T.P. (1999). Dropout from treatment for chronic low-back pain. **Professional Psychology: Research and Practice**, **30**, 51-55.
140. Riley, J.L., Robinson, M.E., Kvaal, S.A., & Gremillion, H.A. (1998). Effects of physical and sexual abuse in facial pain: Direct or mediated? **Journal of Craniomandibular Practice**, **16**, 259-266.
141. Riley, J.L., Robinson, M.E., Wise, E.A., Campbell, L.C., Kashikar-Zuck, S., & Gremillion, H.A. (1999). Predicting treatment compliance following facial pain evaluation. **Journal of Craniomandibular Practice**, **17**, No. 1, 9-15.
142. Riley, J.L., Zawacki, T.M., Robinson, M.E., & Geisser, M.E. (1999). Empirical test of the factor structure of the West Haven-Yale Multidimensional Pain Inventory. **Clinical Journal of Pain**, **15**, 24-30.
143. Risch, S.V., Norvell, N.K., Pollock, M.L., Risch, E.D., Langer, H., Fulton, M., Graves, J.E., & Leggett, S.H. (1998). Lumbar strengthening in chronic low back pain patients. Physiologic and psychological benefits. **Spine**, **18**, 232-238.
144. Robinson, M.E., Myers, C.D., Sadler, I.J., Riley, J. L., Kvaal, S.A., & Geisser, M.E. (1997). Bias effects in three common self-report pain assessment measures. **Clinical Journal of Pain**, **13**, 74-81.

145. Robinson, M.E., Riley, J.L., Myers, D.C., Sandler, I.J., Kvaal, S.A., Geisser, M.E., & Keefe, F.J. (1997). The Coping Strategies Questionnaire: A large sample, item level factor analysis. **Clinical Journal of Pain**, **13**, 43-49.
146. Rocco, A.G., Grank, E., Kaul, A.F., Lipson, S.J., & Gallo, J.P. (1989). Epidural steroids, epidural morphine and epidural steroids combined with morphine in the treatment of post-laminectomy syndrome. **Pain**, **36**, 297-303.
147. Romano, J.M., Jensen, M.P., Turner, J.A., Good, A.B., & Hops, H. (2000). Chronic pain patient-partner interactions: Further support for a behavioral model of chronic pain. **Behavior Therapy**, **31**, 415-440.
148. Rudy, T.E., Kerns, R.D., & Turk, D.C. (1988). Chronic pain and depression: Toward a cognitive-behavioral mediational model. **Pain**, **35**, 129-140.
149. Rudy, T.E., Turk, D.C., Kubinski, J.A., & Zaki, H.S. (1995). Differential treatment responses of TMD patients as a function of psychological characteristics. **Pain**, **61**, 103-112.
150. Rudy, T.E., Turk, D.C., Zaki, H.S., & Curtin, H.D. (1989). An empirical taxometric alternative to traditional classification of temporomandibular disorders. **Pain**, **36**, 311-320.
151. Saper, Z., & Peterson, L.R. (2001). Effects of medication intake on aspects of chronic pain syndrome. **Pain Research & Management**, **6** (Suppl A), 48B (Abstract).
152. Scharff, L., & Marcus, D.A. (1994). Interdisciplinary outpatient group treatment of intractable headache. **Headache**, **34**, 73-78.
153. Scharff, L., Marcus, D.A., & Turk, D.C. (1995). Nonpharmacological management of headaches during pregnancy. **Psychosomatic Medicine**, **57**, 527-535.
154. Scharff, L., Marcus, D.A., & Turk, D.C. (1996). Maintenance of effects in the nonmedical treatment of headaches during pregnancy. **Headache**, **36**, 285-290.
155. Scharff, L., Marcus, D.A., & Turk, D.C. (1997). Headache during pregnancy and the postpartum: A prospective study. **Headache**, **37**, 203-210.
156. Scharff, L., Turk, D.C., & Marcus, D.A. (1995). Psychosocial and behavioral characteristics in chronic headache patients: Support for a continuum and dual-diagnostic approach. **Cephalalgia**, **15**, 216-223.
157. Scharff, L., Turk, D.C., & Marcus, D.A. (1995). The relationship of locus of control and psychosocial-behavioral response in chronic headache. **Headache**, **35**, 527-533.
158. Schmalting, K.B., Smith, W.R., & Buchwald, D.S. (2000). Significant other responses are associated with fatigue and functional status among patients with chronic fatigue syndrome. **Psychosomatic Medicine**, **62**, 444-450.

159. Schwartz, L., Slater, M.A., & Birchler, G.R. (1996). The role of pain behaviors in the modulation of marital conflict in chronic pain couples. **Pain, 65**, 227-233.
160. Segal, R., Stacey, B.R., Rudy, T.E., Baser, S., & Markham, J. (1998). Spinal cord stimulation revisited. **Neurological Research, 20**, 391-396/.
161. Sephton, S.E., Mackey, A., Salmon, P., McGuffin, S., Weissbecker, I., & Callahan, C. (2001). Sleep quality is associated with diurnal cortisol rhythms and pain in women with fibromyalgia. **Annals of Behavioral Medicine, 23** [Supplement], Soo6. [Abstract A-14].
162. Severeijns, R., Vlaeyen J.W.S., van den Hout, M.A., & Weber, W.E.J. (in press). Pain catastrophizing predicts pain intensity, disability, and psychological distress, independent of the level of physical impairment. **Clinical Journal of Pain**.
163. Sharp, T.J., & Nicholas, M.K. (2000). Assessing the significant others of chronic pain patients: The psychometric properties of significant other questionnaires. **Pain, 88**, 135-144.
164. Sherman, J.J., Turk, D.C., & Okifuji, A. (2000). Prevalence and impact of Posttraumatic Stress Disorder (PTSD)-like symptoms on patients with fibromyalgia syndrome. **Clinical Journal of Pain, 16**, 212-219.
165. Smith, M.T., Carmody, T.P., & Smith, M.S. (2000). Quality of Well-being Scale and chronic low back pain. **Journal of Clinical Psychology in Medical Settings, 7**, 175-184
166. Smith, M.T., Perlis, M.L., Smith, M.S., Giles, D.E., & Carmody, T.P. (2000). Sleep quality and presleep arousal in chronic pain. **Journal of Behavioral Medicine, 23**, 1-13.
167. Soderlund, A., & Lindberg, P. (2001). *Mediating and prognostic factors in long-term WAD [Whiplash Associated Disorders] symptomatology*. Paper presented at the International Congress on Whiplash Associated Disorders. March 8th-10th, Berne, Switzerland.
168. Sorkin, B.A., Rudy, T.E., Hanlon, R.B., Turk, D.C., & Stieg, R.L. (1990). Chronic pain in old and young patients: Differences appear less important than similarities. **Journal of Gerontology: Psychological Sciences, 25**, P64-P68
169. Snow-Turek, A.L., Norris, M.P., & Tan, G. (1996). Active and passive coping strategies in chronic pain patients. **Pain, 64**, 455-462.
170. Spence, S.H., Sharpe, L., Newton-John, T., & Champion, D. (1995). Effect of EMG biofeedback compared to applied relaxation training with chronic, upper extremity cumulative trauma disorders. **Pain, 63**, 199-206.
171. Spertus, I.L., Burns, J., Glenn, Beth, Lofland, K., & McCracken, L. (1999). Gender differences in associations between trauma history and adjustment among chronic pain patients. **Pain, 82**, 97-102.

172. Steege, J.F., & Stout, A.L. (1991). Resolution of chronic pelvic pain after laparoscopic lysis. **American Journal of Obstetrics and Gynecology**, **164**, 73-79.
173. Stegenga, B., DeBont, L.G.M., & Boering, G. (1993). Temporomandibular Joint Pain Assessment. **Journal of Orofacial Pain**, **7**, 23-37.
174. Strategie, L.D., Chwalisz, K., Altmaier, E.M., Russell, D.W., & Lehmann, T.R. (1997). Multidimensional assessment of chronic low back pain: Predicting treatment outcomes. **Journal of Clinical Psychology in Medical Settings**, **4**, 91-110.
175. Stroud, M.W., Thorn, B.E., Jensen, M.P., & Boothby, J.L. (2000). The relation between pain beliefs, negative thoughts, and psychosocial functioning in chronic pain patients. **Pain**, **84**, 347-352.
176. Stroud, M.W., Turner, J.A., Jensen, M.P., & Cardenas, D.D. (2001). Role of spouse reinforcement, marital satisfaction, and social support in pain associated with spinal cord injury. **Journal of Pain**, **2** (Supplement), 53.
177. Sullivan, M.D., LaCroix, A.Z., Russon, J.E., & Walker, E.A. (2001). Depression and self-reported physical health in patients with coronary disease: Mediating and moderating factors. **Psychosomatic Medicine**, **63**, 248-256.
178. Summers, J.D., Rapoff, M.A., Varghese, G., Porter, K., & Palmer, R.E. (1991). Psychosocial factors in chronic spinal cord injury pain. **Pain**, **47**, 183-189.
179. Talo, S., Rytokoski, U., & Puukka, P. (1992). Patient classification, a key to evaluate pain treatment: A psychological study in chronic low back pain patients. **Spine**, **17**, 998-1011.
180. Tan, G., Jensen, M.P., Robinson-Whelen, S., Thornby, J.I., & Monga, T.N. (2001). Coping with chronic pain: A comparison of two measures. **Pain**, **90**, 127-133.
181. Toomey, T.C., Hernandez, J.T., Gittelman, D.F., & Hulka, J.F. (1993). Relationship of sexual and physical abuse to pain and psychological assessment variables in chronic pelvic pain patients. **Pain**, **53**, 105-109.
182. Turk, D.C., & Kerns, R.D. (1985). Assessment in health psychology: A cognitive-behavioral perspective. In P. Karoly (Ed.), **Measurement strategies in health psychology** (pp. 335-372). New York: Wiley.
183. Turk, D.C., Kerns, R.D., & Rosenberg, R. (1992). Effects of marital interaction on chronic pain and disability: Examining the down side of social support. **Rehabilitation Psychology**, **37**, 259-274.
184. Turk, D.C., & Okifuji, A. (1994). Detecting depression in chronic pain patients: Adequacy of self-reports. **Behavior Research and Therapy**, **32**, 9-16.
185. Turk, D.C., & Okifuji, A. (1996). Perception of traumatic onset, compensation status, and

- physical findings: impact on pain severity, emotional distress, and disability in chronic pain patients. **Journal of Behavioral Medicine**, **19**, 435-453.
186. Turk, D.C., & Okifuji, A. (1997). Evaluating the role of physical, operant, affective and cognitive factors in predicting pain behaviors in chronic pain patients. **Behavior Modification**, **21**, 259-280.
 187. Turk, D.C., & Okifuji, A. (1997). What factors affect physicians' decisions to prescribe opioids for chronic non-cancer pain patients. **Clinical Journal of Pain**, **13**, 330-336.
 188. Turk, D.C., & Okifuji, A. (1999). Does sex make a difference in prescription of treatments and adaptation to chronic pain by cancer and non-cancer patients? **Pain**, **82**, 127-138.
 189. Turk, D.C., Okifuji, A., & Scharff, L. (1994). Assessment of older women with chronic pain. **Journal of Women and Aging**, **6**, 25-42.
 190. Turk, D.C., Okifuji, A., & Scharff, L. (1995). Chronic pain and depression: role of perceived impact and perceived control in different age cohorts. **Pain**, **61**, 93-102.
 191. Turk, D.C., Okifuji, A., Sinclair, J.D., & Starz, T.W. (1996). Pain, disability, and physical functioning in subgroups of fibromyalgia patients. **Journal of Rheumatology**, **23**, 1255-1262.
 192. Turk, D.C., Okifuji, A., Sinclair, J.D., & Starz, T.W. (1998). Interdisciplinary treatment for fibromyalgia syndrome: Clinical and statistical significance. **Arthritis Care and Research**, **11**, 186-195.
 193. Turk, D.C., Okifuji, A., Sinclair, J.D., & Starz, T.W. (1998). Differential responses by psychosocial subgroups of fibromyalgia syndrome patients to an interdisciplinary treatment. **Arthritis Care and Research**, **11**, 397-404.
 194. Turk, D.C., Okifuji, A., Starz, T.W., & Sinclair, J.D. (1996). Effects of type of symptom onset on psychological distress and disability in fibromyalgia syndrome patients. **Pain**, **68**, 23-430.
 195. Turk, D.C., & Rudy, T.E. (1988). Toward an empirically derived taxonomy of chronic pain patients: Integration of psychological assessment data. **Journal of Consulting and Clinical Psychology**, **56**, 139-146.
 196. Turk, D.C., & Rudy, T.E. (1990). The robustness of an empirically derived taxonomy of chronic pain patients. **Pain**, **42**, 27-35.
 197. Turk, D.C., & Rudy, T.E. (1992). Classification logic and strategies in chronic pain. In D.C. Turk & R. Melzack (Eds.), **Handbook of pain assessment**. (pp. 409-428). New York: Guilford Press.
 198. Turk, D.C., Rudy, T.E., Kubinski, J.A., Zaki, H.S., & Greco, C.M. (1996). Dysfunctional TMD patients: Evaluating the efficacy of a tailored treatment protocol. **Journal of Consulting and Clinical Psychology**, **64**, 139-146.

199. Turk, D.C., Sist, T.C., Okifuji, A., Miner, M.F., Florio, G., Harrison, P., Massey, J., Lema, M.L., & Zevon, M.A. (1998). Adaptation to metastatic cancer pain, regional/local cancer pain and non-cancer pain: Role of psychological and behavioral factors. **Pain, 74**, 247-256.
200. van Deursen ,L.L., Patijn, J., Durinck, J.R., Brouwer, R., van Erven-Sommers, J.R., & Vortman, B.J. (1999) Sitting and low back pain: the positive effect of rotary dynamic stimuli during prolonged sitting. **European Spine Journal, 8**, 187-93
201. Van Kleef, M., Liem, L., Lousberg, R., Barendse, G., & Kessels, F. (1996). Radiofrequency lesion adjacent to the dorsal root ganglion for cervicobrachial pain: A prospective double blind randomized study. **Neurosurgery, 38**, 1127-1131.
202. Walter, L., & Brannon, L. (1991). A cluster analysis of the multidimensional pain inventory. **Headache, 31**, 476-479.
203. Weiss, L.H., & Kerns, R.D. (1995). Patterns of pain-relevant social interactions. **International Journal of Behavioral Medicine, 2**, 157-171.
204. Widar, M., & Ahlstrom, G. (1999). Pain in persons with post-polio. The Swedish vesion of the Multidimensional Pain Inventory (MPI). **Scandinavian Journal of Caring Sciences, 13**, 33-41.
205. Widerstrom-Noga, E., Duncan, R., Felipe-Cuervo, E., & Turk, D.C. (in press). Assessment of the Impact of Pain and Impairments Associated with Spinal Cord Injuries Archives of Physical Medicine and Rehabilitation.
206. Williams, A.C.de C., Richardson, P.H., Nicholas, M.K., Pither, C.E., Harding, V.R., Ridout, K.L., Ralphs, J.A., Richardson, I.H., & Chamberlain, J.H. (1996). Inpatient vs. outpatient pain management: results of a randomized controlled trial. **Pain, 66**, 13-22.
207. Williamson, D., Robinson, M.E., & Melamed, B. (1997). Pain behavior, spouse responsiveness, and marital satisfaction in patients with rheumatoid arthritis. **Behavior Modification, 21**, 97-118.
208. Zaza, C., Reyno, L., & Moulin, D.E. (2000). The Multidimensional Pain Inventory profiles in patients with chronic cancer-related pain: An examination of generalizability. **Pain, 87**, 83-88.