

Size

Sign Face: 1524 mm H x 3658 mm W (5' 0" H x 12' 0" W)

Description

Internally Illuminated
Large horizontal monument sign.

Sign Use & Application

Free standing monument sign for identifying a medical center or the medical center's main entrance drive. The base can be constructed of concrete or other masonry material in a color and texture that will provide a coordinated architectural look with the building finishes of the medical center.

Message Configuration

(Refer to message layout drawing for dimensions)

The specific message configuration will vary depending on the particular name of a facility. Variations to the presentation of a facility's name will need special approval from Washington DC.

Graphic Process


Illuminated, routed out copy backed with white translucent acrylic.

Colors

Text: White T3
For background & accent colors, refer to VA Standard Color Chart

Recommendations

Position sign so drivers have a clear, unobstructed view of the sign. Keep landscaping around the sign low and position sprinklers so they project away from the sign.



Message Layout A



Message Layout B




Message Layout C



Message Layout D







Message
Layout A & B

EI01.1
Large illuminated
horizontal monument
sign.

Sign Face Size:
1525mm H x
3658mm W
(5'-0"H x 12'-0"W)



Message
Layout C



Message
Layout D

For name and logo
layout dimensions refer
to Signature page in
Design Components
section of the Guide.

Size


Sign Face: 1219 mm H x 3048 mm W (4' 0" H x 10' 0" W)

Description

Internally Illuminated
Standard horizontal monument sign.

Sign Use & Application

Free standing monument sign for identifying a medical center or the medical center's main entrance drive. The base can be constructed of concrete or other masonry material in a color and texture that will provide a coordinated architectural look with the building finishes of the medical center.



Message Configuration

(Refer to message layout drawing for dimensions)

The specific message configuration will vary depending on the particular name of a facility. Variations to the presentation of a facility's name will need special approval from Washington DC.

Graphic Process

Illuminated, routed out copy backed with white translucent acrylic.

Colors

Text: White T3
For background & accent colors, refer to VA Standard Color Chart


Recommendations

Position sign so drivers have a clear, unobstructed view of the sign. Keep landscaping around the sign low and position sprinklers so they project away from the sign.


Message Layout A



Message Layout B




Message Layout C




Message Layout D






E101.2
Standard illuminated
horizontal monument
sign.

Sign Face Size:
1219mm H x
3048mm W
(4'-0"H x 10'-0"W)



For name and logo
layout dimensions refer
to Signature page in
Design Components
section of the Guide.



Size

Sign Face: 1219 mm H x 2438 mm W (4' 0" H x 8' 0" W)

Description

Internally Illuminated
Small horizontal monument sign.

Sign Use & Application

Small free standing monument sign for identifying a medical center where there is a space limitation. This sign can also be used to identify secondary drive entrances to the medical center. The base can be constructed of concrete or other masonry material in a color and texture that will provide a coordinated architectural look with the building finishes of the medical center.



Message Configuration

(Refer to message layout drawing for dimensions)

The specific message configuration will vary depending on the particular name of a facility. Variations to the presentation of a facility's name will need special approval from Washington DC.

Graphic Process

Illuminated, routed out copy backed with white translucent acrylic.

Colors

Text: White T3
For background & accent colors, refer to VA Standard Color Chart

Recommendations

Position sign so drivers have a clear, unobstructed view of the sign. Keep landscaping around the sign low and position sprinklers so they project away from the sign.


Message Layout A




Message Layout B




Message Layout C



Message Layout D







E101.3
Small illuminated
horizontal monument
sign.

Sign Face Size:
1219mm H x
2438mm W
(4'-0"H x 8'-0"W)

For name and logo
layout dimensions refer to
Signature page in
Design Components
section of the Guide.



Size

Sign Face: 3658 mm H x 1524 mm W (12' 0" H x 5' 0" W)

Description

Internally Illuminated
Standard vertical monument sign.


Sign Use & Application

Free standing monument sign for identifying a medical center or the medical center's main entrance drive. The base can be constructed of concrete or other masonry material in a color and texture that will provide a coordinated architectural look with the building finishes of the medical center.

Message Configuration

(Refer to message layout drawing for dimensions)

The specific message configuration will vary depending on the particular name of a facility. Variations to the presentation of a facility's name will need special approval from Washington DC.



Graphic Process

Illuminated, routed out copy backed with white translucent acrylic.


Colors

Text: White T3
For background & accent colors, refer to VA Standard Color Chart


Recommendations

Position sign so drivers have a clear, unobstructed view of the sign. Keep landscaping around the sign low and position sprinklers so they project away from the sign.


Message Layout A




Message Layout B




Message Layout C




Message Layout D






Message
Layout A & B




EI01.4
Standard illuminated
vertical monument
sign.

Sign Face Size:
3658mm H x
1524mm W
(12'-0"H x 5'-0"W)

For name and logo
layout dimensions refer
to Signature page in
Design Components
section of the Guide.



Message
Layout C



Message
Layout D

Size

Sign Face: 2438 mm H x 1219 mm W (8' 0" H x 4' 0" W)

Description

Internally Illuminated
Small vertical monument sign.

Sign Use & Application

Small free standing monument sign for identifying a medical center where there is a space limitation. This sign can also be used to identify secondary drive entrances to the medical center. The base can be constructed of concrete or other masonry material in a color and texture that will provide a coordinated architectural look with the building finishes of the medical center.



Message Configuration

(Refer to message layout drawing for dimensions)

The specific message configuration will vary depending on the particular name of a facility. Variations to the presentation of a facility's name will need special approval from Washington DC.

Graphic Process

Illuminated, routed out copy backed with white translucent acrylic.


Colors

Text: White T3
For background & accent colors, refer to VA Standard Color Chart


Recommendations

Position sign so drivers have a clear, unobstructed view of the sign. Keep landscaping around the sign low and position sprinklers so they project away from the sign.


Message Layout A




Message Layout B




Message Layout C



Message Layout D






Message
Layout A & B




E101.5
Small illuminated
vertical monument
sign.

Sign Face Size:
2438mm H x
1219mm W
(8'-0"H x 4'-0"W)

For name and logo
layout dimensions refer
to Signature page in
Design Components
section of the Guide.



Message
Layout C



Message
Layout D

Size

Sign Face: 1829 mm H x 1829 mm W (6' 0" H x 6' 0" W)

Description

Internally Illuminated

Large directional monument sign with stacking strips - 10 strips

Sign Use & Application

Directional sign with messages directed specifically to drivers. Internally illuminated sign should be used only in locations where there is a heavy night time driver need for directional information. Monument type directional signs should only be used on the main entrance drive and in front of the medical center.

Message Configuration

(Refer to message layout drawing for dimensions)

Layout A is for the first line of text with an arrow of direction.

Layout B is for message with no arrow which is located immediately under a copy bar with an arrow.

Layout C is for indented text. This is for situations where the message has to run over onto a second copy bar.

Graphic Process

Illuminated, routed out copy backed with white translucent acrylic.

Colors

Text: White T3
For background color, refer to VA Standard Color Chart

Recommendations


Position sign so drivers have a clear, unobstructed view of the sign.

Directional information for services ahead should always be at the top of the sign.

Always leave a blank copy strip between groups of directional information. This will aid in the ability of the driver to quickly read grouped directional information.

Always leave a blank strip at the top of the sign. This strip is smaller than the text strips.

Configure a sign with at least one blank copy strip at the bottom of the sign. This will aid in the ability of the driver to read the sign.



Message Layout A




Message Layout B






Message Layout C





EI02.1
Large illuminated
directional monument
sign with stacking
strips-10 strips.

Sign Face Size:
1829mm H x
1829mm W
(6'-0"H x 6'-0"W)



ARROW: Refer to
standards for arrow
positioning relative to
text.

Size

Sign Face: 1829 mm H x 1829 mm W (6' 0" H x 6' 0" W)

Description

Large, non-illuminated directional monument sign with stacking strips - 10 strips.

Sign Use & Application

Directional sign with messages directed specifically to drivers. Monument type directional signs should only be used on the main entrance drive and in front of the medical center.

Message Configuration

(Refer to message layout drawing for dimensions)

Layout A is for the first line of text with an arrow of direction.

Layout B is for message with no arrow which is located immediately under a copy bar with an arrow.

Layout C is for indented text. This is for situations where the message has to run over onto a second copy bar.

Graphic Process

Surface applied reflective vinyl.

Colors

Text: White T2
For background color, refer to VA Standard Color Chart

Recommendations


Position sign so drivers have a clear, unobstructed view of the sign.

Directional information for services ahead should always be at the top of the sign.

Always leave a blank copy strip between groups of directional information. This will aid in the ability of the driver to read grouped directional information more quickly.

Always leave a blank strip at the top of the sign. This strip is smaller than the text strips.

Configure a sign with at least one blank copy strip at the bottom of the sign. This will aid in the ability of the driver to read the sign.



Message Layout A




Message Layout B






Message Layout C





EN02.1
Large directional
monument sign with
stacking strips-10 strips.

Sign Face Size:
1829mm H x
1829mm W
(6'-0"H x 6'-0"W)



ARROW: Refer to
standards for arrow
positioning relative to
text.

Size

Sign Face: 1829 mm H x 1219 mm W (6' 0" H x 4' 0" W)

Description

Internally Illuminated

Small directional monument sign with stacking strips - 10 strips

Sign Use & Application

Directional sign with messages directed specifically to drivers. Internally illuminated sign should be used only in locations where there is a heavy night time driver need for directional information. Monument type directional signs should only be used on the main entrance drive and in front of the medical center.

Message Configuration

(Refer to message layout drawing for dimensions)

Layout A is for the first line of text with an arrow of direction.

Layout B is for message with no arrow which is located immediately under a copy bar with an arrow.

Layout C is for indented text. This is for situations where the message has to run over onto a second copy bar.

Graphic Process

Illuminated, routed out copy backed with white translucent acrylic.

Colors

Text: White T3
For background color, refer to VA Standard Color Chart

Recommendations


Position sign so drivers have a clear, unobstructed view of the sign.

Directional information for services ahead should always be at the top of the sign.

Always leave a blank copy strip between groups of directional information. This will aid in the ability of the driver to read grouped directional information more quickly.

Always leave a blank strip at the top of the sign. This strip is smaller than the text strips.

Configure a sign with at least one blank copy strip at the bottom of the sign. This will aid in the ability of the driver to read the sign.



Message Layout A




Message Layout B







Message Layout C





E102.2
Small illuminated
directional monument
sign with stacking
strips—10 strips.

Sign Face Size:
1829mm H x
1219mm W
(6'-0"H x 4'-0"W)



ARROW: Refer to
standards for arrow
positioning relative to
text.

Size

Sign Face: 1829 mm H x 1219 mm W (6' 0" H x 4' 0" W)

Description

Small, non-illuminated directional monument sign with stacking strips - 10 strips

Sign Use & Application

Directional sign with messages directed specifically to drivers. Monument type directional signs should only be used on the main entrance drive and in front of the medical center.

Message Configuration

(Refer to message layout drawing for dimensions)

Layout A is for the first line of text with an arrow of direction.

Layout B is for message with no arrow which is located immediately under a copy bar with an arrow.

Layout C is for indented text. This is for situations where the message has to run over onto a second copy bar.

Graphic Process

Surface applied reflective vinyl.

Colors

Text: White T2
For background color, refer to VA Standard Color Chart

Recommendations


Position sign so drivers have a clear, unobstructed view of the sign.

Directional information for services ahead should always be at the top of the sign.

Always leave a blank copy strip between groups of directional information. This will aid in the ability of the driver to read grouped directional information more quickly.

Always leave a blank strip at the top of the sign. This strip is smaller than the text strips.

Configure a sign with at least one blank copy strip at the bottom of the sign. This will aid in the ability of the driver to read the sign.



Message Layout A




Message Layout B




Message Layout C






EN02.2
Small directional
monument sign with
stacking strips=10 strips.


Sign Face Size:
1829mm H x
1219mm W
(6'-0"H x 4'-0"W)



Message Layout A



Message Layout B



Message Layout C

ARROW: Refer to
standards for arrow
positioning relative to
text.

Size

Sign Face: 1219 mm H x 2438 mm
 W (4' 0" H x 8' 0" W)
 Overall Sign Height: 1981 mm
 (6' 6")

Description

Internally Illuminated
 Large post and panel sign for
 medical center identification

Sign Use & Application

Large illuminated post and panel
 sign for identifying a medical center
 where there is a space limitation or
 there are other physical restraints
 that prevent a monument sign from
 being installed. This sign, in a non-
 illuminated version, can also be used
 to identify secondary drive entrances
 to the medical center.

Message Configuration

*(Refer to message layout drawing
 for dimensions)*
 The specific message configuration
 will vary depending on the particular
 name of a facility. Variations to the
 presentation of a facility's name will
 need special approval from
 Washington DC.

Graphic Process


Illuminated, routed out copy backed
 with white translucent acrylic.

Colors

Text: White T3
 For background color, refer to VA
 Standard Color Chart

Recommendations


Position sign so drivers have a clear,
 unobstructed view of the sign.



Message Layout A




Message Layout B




Message Layout C



Message Layout D







E103.1
Post and panel sign
for medical center
identification.

Sign Face Size:
1219mm H x
2438mm W
(4'-0"H x 8'-0"W)
Overall Sign Height:
1981mm (6'-6").


Message
Layout A & B



For name and logo
layout dimensions refer
to Signature page in
Design Components
section of the Guide.



Message
Layout C



Message
Layout D

Size

Sign Face: 1219 mm H x 1829 mm W (4' 0" H x 6' 0" W)
 Overall Sign Height: 1981 mm (6' 6")

Description

Internally Illuminated
 Standard auto oriented post and panel sign

Sign Use & Application

Illuminated directional sign with messages directed specifically to drivers.

Message Configuration

(Refer to message layout drawing for dimensions)

Message size and layout should adjust to the volume of information being presented. Layouts illustrated show small, medium and large size text. Smaller text than shown should not be used as the messages will be unreadable to drivers. Larger text than shown will result in words that may not fit on the sign.

Graphic Process

Illuminated, routed out copy backed with white translucent acrylic.

Colors

Text: White T3
 For background & post colors, refer to VA Standard Color Chart

Recommendations


This type of directional sign should be used only when the particular message that it will contain is not likely to change.

Directional information for services ahead should always be at the top of the sign.

Always leave space between groups of directional information. This will aid in the ability of the driver to read grouped directional information more quickly.

Generally, configure a sign with blank space at the bottom of the sign. This will aid in the ability of the driver to read the sign.


Position sign so drivers have a clear, unobstructed view of the sign.




Message Layout A




Message Layout B



Message Layout C








EI03.2
Standard illuminated
auto oriented post and
panel sign.

Sign Face Size:
1219mm H x
1829mm W
(4'-0"H x 6'-0"W)
Overall Sign Height:
1981mm (6'-6").

Message Layout C



Message Layout A



Message Layout B

ARROW: Refer to
standards for arrow
positioning relative to
text.

Size

Sign Face: 1219 mm H x 1829 mm W (4' 0" H x 6' 0" W)
 Overall Sign Height: 1981 mm (6' 6")

Description

Standard non-illuminated auto oriented post and panel sign.

Sign Use & Application

Directional sign with messages directed specifically to drivers.

Message Configuration

(Refer to message layout drawing for dimensions)

Message size and layout should adjust to the volume of information being presented. Layouts illustrated show small, medium and large size text. Smaller text than shown should not be used as the messages will be unreadable to drivers. Larger text than shown will result in words that may not fit on the sign.

Graphic Process

Surface applied reflective vinyl.

Colors

Text: White T2
 For background & post colors, refer to VA Standard Color Chart

Recommendations


This type of directional sign should be used only when the particular message that it will contain is not likely to change.

Directional information for services ahead should always be at the top of the sign.

Always leave space between groups of directional information. This will aid in the ability of the driver to read grouped directional information more quickly.

Generally, configure a sign with blank space at the bottom of the sign. This will aid in the ability of the driver to read the sign.


Position sign so drivers have a clear, unobstructed view of the sign.




Message Layout A




Message Layout B



Message Layout C








EN03.2
Standard auto oriented
post and panel sign.

Sign Face Size:
1219mm H x
1829mm W
(4'-0"H x 6'-0"W)
Overall Sign Height:
1981mm (6'-6").

Message Layout C



Message Layout A



Message Layout B

ARROW: Refer to
standards for arrow
positioning relative to
text.

Size

Sign Face: 914 mm H x 1219 mm W
 (3' 0" H x 4' 0" W)
 Overall Sign Height: 1676 mm
 (5' 6")

Description

Small non-illuminated auto oriented post and panel sign.


Sign Use & Application

Directional sign with messages directed specifically to drivers. This sign can also be used to identify buildings.

Message Configuration

(Refer to message layout drawing for dimensions)

Message size and layout should adjust to the volume of information being presented. Layouts illustrated show small, medium and large size text. Smaller text than shown should not be used as the messages will be unreadable to drivers. Larger text than shown will result in words that may not fit on the sign.



Graphic Process

Surface applied reflective vinyl.

Colors

Text: White T2
 For background & post colors, refer to VA Standard Color Chart

Recommendations


As a directional sign it should be used only when the particular message that it will contain is not likely to change and directional information for services ahead should always be at the top of the sign.

Always leave space between groups of directional information. This will aid in the ability of the driver to read grouped directional information more quickly.


Generally, configure a sign with blank space at the bottom of the sign. This will aid in the ability of the driver to read the sign.

Position sign so drivers have a clear, unobstructed view of the sign.

Message Layout A




Message Layout B





Message Layout C





EN03.3
 Small auto oriented
 post and panel sign.

Sign Face Size:
 914mm H x 1219mm W
 (3'-0"H x 4'-0"W)
 Overall Sign Height:
 1676mm (5'-6").



ARROW: Refer to
 standards for arrow
 positioning relative to
 text.

Size

Sign Face: 610 mm H x 914 mm W
 (2' 0" H x 3' 0" W)
 Overall Sign Height: 1524 mm
 (5' 0")

Description

Non-illuminated, pedestrian oriented post and panel sign.

Sign Use & Application

Directional sign with messages directed specifically to pedestrians. Also, the sign can be used to identify buildings.

Message Configuration

(Refer to message layout drawing for dimensions)

Message size and layout should adjust to the volume of information being presented. Smaller text than shown should not be used as the messages will be unreadable. Larger text than shown will result in words that may not fit on the sign.

Graphic Process


Surface applied reflective vinyl.

Colors

Text: White T2
 For background & post colors, refer to VA Standard Color Chart

Recommendations


Position sign so pedestrians have a clear, unobstructed view of the sign.



Message Layout A




Message Layout B





Message Layout C





EN03.4
Pedestrian oriented
post and panel sign.

Sign Face Size:
610mm H x 914mm W
(2'-0"H x 3'-0"W)
Overall Sign Height:
1524mm (5'-0").



ARROW: Refer to
standards for arrow
positioning relative to
text.

Size

Sign Face: 914 mm H x 914 mm W
 (3' 0" H x 3' 0" W)
 Overall Sign Height: 1676 mm
 (5' 6")

Description

Large, non-illuminated auto oriented building number/identification post and panel sign


Sign Use & Application

Identification of a building when a large sign is needed because the building is set back away from the roadway or the architectural scale (size) of the building warrants a large sign.

Message Configuration

(Refer to message layout drawing for dimensions)

Message size and layout should adjust to the volume of information being presented. Layouts illustrated show small, medium and large size text. Smaller text than shown should not be used as the messages will be unreadable to drivers. Larger text than shown will result in words that may not fit on the sign.



Graphic Process

Surface applied reflective vinyl.


Colors

Text: White T2
 For background & post colors, refer to VA Standard Color Chart


Recommendations


Position sign so drivers have a clear, unobstructed view of the sign.

Message Layout A




Message Layout B






Message Layout A



EN03.5
Large auto oriented
building number/
identification post and
panel sign.

Sign Face Size:
914mm H x 914mm W
(3'-0"H x 3'-0"W)
Overall Sign Height:
1676mm (5'-6").



Message Layout B

Size

Sign Face: 610 mm H x 610 mm W
 (2' 0" H x 2' 0" W)
 Overall Sign Height: 1524 mm
 (5' 0")

Description

Non-illuminated, pedestrian oriented building number/identification post and panel sign

Sign Use & Application

Standard identification for a building. This sign can be used for other general applications from information text to identifying specific functions or activities.

Message Configuration

(Refer to message layout drawing for dimensions)

Message size and layout should adjust to the volume of information being presented. Layouts illustrated show various sizes of text. Smaller text than shown should not be used as the messages will be unreadable. Larger text than shown will result in words that may not fit on the sign.

Graphic Process


Surface applied reflective vinyl.

Colors

Text: White T2
 For background & post colors, refer to VA Standard Color Chart

Recommendations


Position sign so drivers and pedestrians have a clear view. This sign has a limited viewing range for drivers because of its small size.



Message Layout A



Message Layout B



Message Layout C



Message Layout D



Message Layout E

