GoLYTELY Colonoscopy with Bisacodyl Instructions

Do not discard these instructions - you will need them when your prep is delivered.

Rev 4 Dec 2023

2 WEEKS BEFORE	5 DAYS BEFORE	2 DAYS BEFORE	1 DAY BEFORE	DAY OF EXAM
If you have not received prep materials, please call 612-467- 1984. If you take blood-thinning or anti-platelet medication, please contact the doctor that prescribes this medication to see if they can be safely stopped before your procedure. If you take a daily Aspirin for your heart, do not stop this. If you have diabetes, you may need to check your blood sugar more frequently while taking the prep. If you are going to have sedation for your procedure, you MUST have a driver or a responsible adult to escort you home on alternate transportation.	Optional: purchase Crystal Light lemonade powder to add to GoLYTELY (No red color) Stop taking iron pills (ferrous sulfate/ ferrous gluconate). Stop taking fiber supplements. 3 DAYS BEFORE Start low fiber diet. Avoid: • Raw fruits/ vegetables • Any whole wheat/ high fiber foods • Popcorn • Salad greens • Nuts/Seeds • Beans Stop taking any antidiarrheal medications, such as loperamide (Imodium)	Eat a normal (low fiber) breakfast. 12:00 p.m. (noon) - Start a clear liquid diet. NO solid food from now until your procedure. ✓ Juices (white grape, white cranberry, apple) ✓ Gatorade®, Pedialyte®, or Powerade® ✓ Jell-O®, popsicles, hard candy ✓ Clear broth or bouillon ✓ Coffee, tea (no dairy) ✓ Sprite®, 7-up®, Ginger ale, Crystal Light®, Lemonade ✓ No red colors. ✓ No alcohol.	Continue clear liquid diet. Drink 8-10 glasses of clear liquids throughout the day & evening. 12:00 p.m. (noon) - Take 2 Bisacodyl Smg tablets by mouth 4:00 p.m fill gallon jug (GOLYTELY) with water to line. Shake well until dissolved. (Add Crystal Light lemonade powder if you choose). Finish ½ gallon by 6:00 p.m. Refrigerate remaining ½ gallon.	 6 hours before your appointment time – Drink the remaining ½ gallon of Golytely mixture. Finish this within 2 hours. Take morning medications with sips of water. *If you take insulin or pills for diabetes, do not take your morning dose until after the procedure. Check your blood sugar prior to your appointment. You may continue clear liquids until 2 hours before your procedure. (Nothing by mouth within 2 hours) *If you are scheduled for blood draw, go to BA-117 prior to your procedure.

Minneapolis VA Health Care System

To Cancel or Reschedule your procedure: GI Scheduling Line 612-467-4199 For questions regarding procedure or prep only: GI Nurse Line 612-467-1984