

VA Oncology Symptom Assessment System (VSAS) User Guide

A. Background Information

The National Oncology Program Office seeks to provide tools to VA facilities to enable providers to format essential clinical data so that it is readily available for clinical care and to measure the quality of care in the VA in a prospective, timely, and cost-efficient manner. Using Reminder Dialog Templates in CPRS is one mechanism to support these goals. Templates will include information necessary for quality assessment as defined by the National Quality Forum, ASCO's Quality Oncology Practice Initiative, and other reliable and up-to-date sources. Templates will enable the standardization of clinical information necessary for quality indicators into a discrete format and obtain key elements to continuously monitor the quality of cancer care.

B. General Information

The purpose of this guide is to provide the end-user with direction on documenting using the VA Oncology Symptom Assessment System (VSAS) template. The VSAS template was developed and is supported by the National Oncology Program Office in Specialty Care Services (part of Patient Care Services). Please contact Susan Hamilton-Hill for any questions/concerns at susan.hamilton-hill@va.gov. The VSAS is a standardized tool that provides a method for documenting a patient's cancer symptoms.

C. Recommended Users

The primary users of the VSAS are oncology clinic nurses and oncology clinic health technicians. Secondary users are oncology providers, chemotherapy nurses, oncology clinical pharmacists, radiation oncology providers, oncology triage nurse.

D. Documentation

VSAS should be used for oncology patients at their initial visit and at every return visit whenever vital signs and pain score are obtained. The VSAS includes 13 defined symptoms: pain, tiredness, anorexia, nausea, vomiting, diarrhea, constipation, shortness of breath at rest, shortness of breath with exertion, drowsiness, depression, anxiety, and distress. A fourteenth field allows clinical staff to designate an "other" symptom that is not listed. For each symptom, clinical staff score the patient's symptom on a scale of 0 to 10 where 0 = no symptom and 10 = worst possible symptom. Selective use of the symptoms in VSAS may also be patient-specific, for example, based on the cancer or treatment type. If clinical staff cannot score a symptom, no score should be entered for that symptom.

1. Definitions for Each Section

Pain = an unpleasant sensation occurring in varying degrees of severity:

Ask patient to rate current pain level 0-10

Tiredness/fatigue = lack of energy:

Ask patient to rate tiredness symptom 0-10

Anorexia = lack of appetite:

Ask patient to rate anorexia symptom 0-10

Nausea = sickness at the stomach:

Ask patient to rate nausea symptom 0-10

Vomiting = to eject part or all of the stomach contents through the mouth:

Ask patient to rate vomiting symptom 0-10

Diarrhea = excessive and frequent evacuation of watery feces:

Ask patient to rate diarrhea symptom 0-10

Constipation = difficult, incomplete, or infrequent bowel evacuation:

Ask patient to rate constipation symptom 0-10

Shortness of breath at rest = difficult/labored breathing while at rest:

Ask patient to rate shortness of breath symptom 0-10

Shortness of breath with exertion = difficult/labored breathing that is out of proportion to the level of physical activity:

Ask patient to rate shortness of breath symptom 0-10

Drowsiness = feeling sleepy:

Ask patient to rate depression symptom 0-10

Depression = feeling sad:

Ask patient to rate depression symptom 0-10

Anxiety = feeling nervous

Ask patient to rate anxiety symptom 0-10

Distress = feeling uneasy, worry, anger, helplessness, or guilt

Ask patient to rate distress symptom 0-10

Other:

Ask patient to describe and rate 0-10 any other cancer symptom not contained in VSAS. Enter and score symptom.

2. Entries

Users should document only in sections that are pertinent to their patient. There are no required fields at this point. However, once a section is opened, users are required to rate the cancer symptom, or uncheck the box for that section (in which case no information from that section will be included in the progress note).

Anorexia = loss of appetite

Choose 1 Anorexia Score

0 = symptom absent

1

2

3

4

5

6

7

8

9

10 = worst possible

Veteran's ratings on the VSAS (VA Symptom Assessment Scale):
Anorexia score:


<No encounter information entered>

* Indicates a Required Field

When a section is checked open the user must select one score. Note - symptom definitions are excluded from the progress note.

a. Missing Required Fields:

Whenever a section is opened the user is required to document a score in that section. If the user clicks on finish without scoring a symptom a pop-up box will appear directing the user back to that the specific unanswered symptom. For example, the ANOREXIA symptom section is not a required entry unless the user clicks on the checkbox for that section. Once that section is opened the user is required to select a score from the list. If the user clicks on finish without selecting an ANOREIXA score the user will get the following error message:



3. Pain Section

The pain symptom section is different from the other sections because it is part of the vital package, which means this score will display on the patient's cover sheet

Pain = an unpleasant sensation occurring in varying degrees of severity

Click on drop down arrow

10 - worst imaginable

Recent Lab Results	Vitals
No Orders Found.	T 98.6 F Apr 08, 1999 13:00 (37.0 C) ORAL
	WT 160 lb Apr 06, 1335 13:00 (72.57 kg) ACTUAL, STANDING
	PN 10 Sep 04, 2014 11:51

Cover Sheet | Problems | Meds | Orders | Notes | Consults | Surgery | D/C Summ | Labs | Reports

4. Instruction box for using the VA-Oncology Symptom Assessment Scale Template is included in template

[Click here to view VSAS instructions](#)

The VA-Oncology Symptom Assessment Scale (VSAS) is a tool for documentation of symptoms in Veterans with cancer.

The tool uses a 10-point symptom scale (0 = absent and 10 = worst possible) for assessment of:

Pain = an unpleasant sensation occurring in varying degrees of severity
Tiredness/fatigue = lack of energy
Anorexia = loss of appetite
Nausea = sickness at the stomach
Vomiting = to eject part or all of the contents of the stomach through the mouth
Diarrhea = excessive and frequent evacuation of watery feces
Constipation = difficult, incomplete, or infrequent bowel evacuation
Shortness of breath (SOB) at rest = difficult/labored breathing while at rest
Shortness of breath (SOB) with exertion = difficult/labored breathing that is out of proportion to the level of physical activity
Drowsiness = feeling sleepy
Depression = feeling sad
Anxiety = feeling nervous
Distress = feeling uneasy
Other

To use the tool, check the box for a symptom to expand the section and enter the score (0 to 10) for that symptom. Any symptom not checked is not included in the note and not required. A score must be entered for any symptom checked to be able to complete and sign the template.

The pain score entered in VSAS will appear as a pain score in the vital signs. Thus, VSAS can be used as an alternative means of entering the pain score.

Please see the VSAS User's Guide for suggestions on integration into clinical care.

=====

Pain = an unpleasant sensation occurring in varying degrees of severity
 Tiredness/fatigue = lack of energy
 Anorexia = loss of appetite

[View Info](#) [Finish](#) [Cancel](#)

Veteran's ratings on the VSAS (VA Symptom Assessment Scale):