



Clinical Reminders

**Version 2.0
Patch PXRМ*2*4**

CLINICIAN GUIDE

October 2006

VistA HSD&D
Department of Veterans Affairs

Revision History

NOTE: Changes throughout the manual made for patch 4 are highlighted in blue.

Date	Page #	Description	Project Manager	Technical Writer
May-July 06	Throughout	Edits per development updates	REDACTED	REDACTED
Apr 06	Appendix D	Added descriptions and examples of GEC Referral Reports	REDACTED	REDACTED
Apr 06	throughout	Edits per SQA review	REDACTED	REDACTED
Feb 2006	39	Changes to Reminder Reports made in PXR*2.0*4	REDACTED	REDACTED
Feb 2006	115	Added appendix about OEF/OIF reminder released in PXR*2.0*5	REDACTED	REDACTED
Feb 2006	74	Added FAQs	REDACTED	REDACTED
Sept 2005	5	Changes to GEC Referral, made in PXR*2.0*4	REDACTED	REDACTED
Sept 2005	Appendix D: VA GEC Referral Reports	Changes to GEC Reports (new option), made in PXR*2.0*4	REDACTED	REDACTED

Table of Contents

Clinical Reminders V. 2.0 and This Guide.....	1
Purpose of This Guide	1
Our Target Audience	1
Related Documentation.....	1
Introduction	2
Benefits of Clinical Reminders.....	2
Clinical Practice Guidelines	2
Functionality in Version 2.....	5
Set-up of Clinical Reminders.....	6
II. Using Clinical Reminders	7
Chapter 1: Clinical Reminders and CPRS Overview	7
Chapter 2: Resolving Clinical Reminders	15
Chapter 3: Resolving IHD Reminders	19
Chapter 4: Processing Mental Health Reminders	30
Chapter 5: Using Reminder Reports.....	37
Chapter 6: Health Summaries and Clinical Reminders	42
Health Summary on Reports Tab in CPRS	43
My HealtheVet Health Summary	44
Chapter 7: VA-Geriatric Extended Care (GEC) Referral	47
Chapter 8: Code Set Versioning (CSV) Changes in Reminders.....	68
Chapter 9: My HealtheVet Changes in Reminders.....	69
Chapter 10: CPRS: Integration with Women’s Health.....	70
Appendix A: FAQs, Hints, and Tips	74
Appendix B: Glossary.....	77
Appendix C: Edit Cover Sheet Reminder List.....	80
Appendix D: VA GEC Referral Reports	83
Appendix E: Iraq & Afghan Post-Deployment Screen	115
Index.....	126

Clinical Reminders V. 2.0

Purpose of This Guide

This Clinician Guide is designed to help the clinical practitioner understand Clinical Reminders V. 2.0, and to use the functionality to improve patient care and clinical processes. This guide will also give you an overview of the following national VA reminders/dialogs and components:

VA-Ischemic Heart Disease
VA-Mental Health
VA-GEC Referral
VA-Women's Health/CPRS Integration
MyHealtheVet Reminders
OEF/OIF Reminder

Target Audience

We have developed this guide for the following types of users:

- Clinicians
- Nurses
- Clinical Application Coordinators (CAC)
- Clinical Reminders Managers

Related Documentation

The following manuals are available from the VistA Documentation Library (VDL) <http://www.va.gov/vdl>.

- Clinical Reminders Patch 4 Release Notes (PXRM_2_4_RN.PDF)
- Clinical Reminders Technical Manual (PXRM_2_4_TM.PDF)
- Clinical Reminders Manager Manual (PXRM_2_4_MM.PDF)
- Clinical Reminders V2.0 Setup Guide (PXRM_2_SG.PDF)

Other relevant information is also available on the Clinical Reminders website:

<http://vista.med.va.gov/reminders/>

Other Sources of Information

Introduction

Benefits of Clinical Reminders

From Harvard Innovations award:

The involvement of front-line providers, use of performance measures and universal use of electronic health records have enabled VA to set the national benchmark in quality of care. VistA's computerized system enables key decisions by checking links to automated drug distribution, leading to a significant reduction in the error rate.

VistA is innovative because of its unique linkage with standardized, consistent performance measurement. VA's electronic health records provide patient-specific, comprehensive clinical decision support that results in a performance measurement system that encourages driven evidence-based practice.

Clinical Reminders Overview

The Clinical Reminder system helps caregivers deliver higher quality care to patients for both preventive health care and management of chronic conditions, and helps ensure that timely clinical interventions are initiated.

Reminders assist clinical decision-making and also improve documentation and follow-up, by allowing providers to easily view when certain tests or evaluations were performed and to track and document when care has been delivered. They can direct providers to perform certain tests or other evaluations that will enhance the quality of care for specific conditions. The clinicians can then respond to the reminders by placing relevant orders or recording clinical activities on patients' progress notes.

Clinical Reminders may be used for both clinical and administrative purposes. However, the primary goal is to provide relevant information to providers at the point of care, for improving care for veterans. The package benefits clinicians by providing pertinent data for clinical decision-making, reducing duplicate documenting activities, assisting in targeting patients with particular diagnoses and procedures or site-defined criteria, and assisting in compliance with VHA performance measures and with Health Promotion and Disease Prevention guidelines.

Clinical Practice Guidelines

The Veterans Health Administration (VHA), in collaboration with the Department of Defense (DoD) and other leading professional organizations, has been developing clinical practice guidelines since the early 1990s. Guidelines for the Rehabilitation of Stroke and Amputation and the Care Guide for Ischemic Heart Disease were among the first distributed throughout VHA in 1996 and 1997. Since that time, numerous other guidelines, including guidelines on Diabetes Mellitus, COPD, Major Depressive Disorder, Psychoses, Tobacco Use Cessation, Hypertension, have been developed and distributed for implementation throughout the system.

VHA defines clinical practice guidelines as recommendations for the performance or exclusion of specific procedures or services for specific disease entities. These recommendations are derived through a rigorous methodological approach that includes a systematic review of the evidence to outline recommended practice. Clinical guidelines are seen by many as a potential solution to inefficiency and inappropriate variation in care.

Introduction

Benefits of Clinical Reminders

Clinical Practice Guidelines

Purpose of Guidelines

- Assure that the appropriate amount of care is provided (addressing both under & over-utilization)
- Reduce errors and promote patient safety
- Ensure predictable and consistent quality
- Promote learning and research
- Facilitate patient and family education

National Clinical Practice Guidelines Council (CPGC)

Veterans Health Administration (VHA) Directive 2002-007 established the National Clinical Practice Guideline Council (NCPGC) to coordinate the adoption, implementation, and evaluation of clinical practice guidelines throughout the system.

The Council functions to:

- Prioritize clinical areas for which guidelines need to be developed or adapted/adopted
- Oversee and participate in guideline development and/or adaptation
- Assure maintenance and timely revision of existing guidelines
- Collaborate with DOD regarding the use of guideline development to improve the quality of care and health management across VHA and the Military Health System
- Facilitate implementation of guidelines by coordinating dissemination, consulting on studies, promoting education, and identifying and eliminating barriers to guideline implementation

Introduction

Benefits of Clinical Reminders

Clinical Reminders, Performance Measures, and Clinical Practice Guidelines

Each Veterans Integrated Service Networks (VISN) must comply with performance measures that address Prevention Index/Chronic Disease Index (PI/CDI), as well as with the Health Promotion And Disease Prevention Program Handbook 1120.2, which states that each VHA facility shall have a program to educate veterans with respect to health promotion and disease prevention and to provide veterans with preventive medical care that includes screening and other clinical services.

The Clinical Reminders package offers tools to help clinicians comply with these performance measures and guidelines on a patient-by-patient basis. The use of these tools leads to improved patient care.

Providers can work with their local Clinical Application Coordinators to set up customized reminders based on local and national guidelines for patient education, immunizations, skin tests, measurements, exams, laboratory tests, mental health tests, radiology procedures, and other procedures.

For further information, see the PowerPoint presentation, “Implementing a Clinical Guideline Using Clinical Reminders,” available on the national Clinical Reminders web page <http://vista.med.va.gov/reminders/>

The Office of Quality and Performance oversees the VA’s performance measure plan. Each year the [Performance Measurement Workgroup](#) (PMWG), recommends the annual Network Performance Plan to the Under Secretary for Health. The Plan is formally signed as the Network Director's annual performance appraisal. The specific details of the plan are published annually on the OQP website. <http://vaww.oqp.med.va.gov/default.htm>

Introduction

Benefits of Clinical Reminders

Functionality in Version 2

Clinical Reminders V. 2.0 supports Phase II of the Ischemic Heart Disease (IHD) and Mental Health QUERI projects. It adds four *new* IHD reminder definitions, two *modified* reminder definitions, modified reminder dialogs, reminder taxonomies, reminder terms, and health factors.

It also redistributes three Mental Health (MH) reminder definitions, along with the reminder dialogs, reminder taxonomies, and reminder terms, and health factors to support Phase II of the MH project.

Also included in version 2:

- Functionality for VA-GEC Referral (Geriatric Extended Care)
- New Health Summary Reminders components and types to support MyHealtheVet
- New Reminders and dialogs to support the CPRS: Integration with Women's Health project
- Corrections for problems reported in National Online Information Sharing (NOIS) and Remedy
- Improved reminder evaluation functionality

Most of the changes in Version 2.0 of Clinical Reminders are technical and behind-the-scenes, affecting reminder definition and set-up. For further information, see your Clinical Applications Coordinator (CAC) or the Clinical Reminders website: <http://vista.med.va.gov/reminders/>

Changes in Clinical Reminders Patch 4

Most of the changes in Patch 4 are also technical and behind-the-scenes. Following are a few changes that clinicians might notice:

- If a frequency can't be determined for a patient, the Status and Due Date will both be CNBD and the frequency display that follows the status line will be "Frequency: Cannot be determined for this patient."
- A new option, Restore or Merge Referrals, on the GEC reports menu gives the sites the ability to open a closed referral, merge two referrals, or close an open referral.
- Normally when a patient is deceased, the status of the reminder is automatically set to "N/A." A new flag was added that can be used to override this behavior and cause the status to be determined as usual. This change was made so that if the "Include dead patients" prompt on a Reminder Due Report was answered as "yes," normal evaluation could be done.

Introduction

Setup of Clinical Reminders

Clinician Role in Setting up Reminders

Clinicians play a role in the setup of reminders in the following ways:

1. Defining clinical reminder definitions and using them within Health Summaries, the CPRS GUI, and on encounter forms. Clinicians will be asked to assist Clinical Application Coordinators in selecting which reminders to implement and in defining the clinical aspects of the Clinical Reminder definitions, including:
 - Defining Baseline Age Range Set(s)
 - Reminder Frequency
 - Minimum and Maximum Age
 - Defining findings that identify whether the reminder applies to the patient, resolve (satisfy) the reminder, or provide additional clinical information-only from the following finding types:
 - Health Factors, Immunizations, Skin Tests, Education Topics, Exams
 - Taxonomies (ICD Diagnosis, ICD0 Operation/Procedure, CPT Procedure ranges)
 - Lab Tests and Radiology Procedures
 - Local Drugs, Generic Drugs and Drug Classes
 - Vital Signs
 - Orders to place
 - Computed Findings to handle miscellaneous findings (such as veteran status, BMI, race and ethnicity).
2. Defining and using dialogs to resolve reminders. Within CPRS GUI, the clinician uses a point-and-click interface (dialog) for each reminder chosen to process. As you select check-boxed text indicating actions you performed at a given encounter, text is accumulated to add to the note in progress. When you have finished processing the reminders, encounter information is entered in PCE, orders are placed, vital signs are updated, and mental health tests are scored and stored in the Mental Health package, according to your selections. You can help your clinical coordinators define a list of possible actions related to the reminder, to create the appropriate dialog check-boxes for each reminder.
3. The clinician plays a major role by advising when encounter forms are a clinically appropriate method of entry of health factors, education topics, immunizations and skin tests into Patient Care Encounter (PCE) to satisfy the clinical reminders. In many clinical settings reminder dialogs offer the advantage of not only passing the information to PCE but also of clinical documentation in progress note text where it is easily available for other users.

II. Using Clinical Reminders

Chapter 1: Clinical Reminders and CPRS Overview

The cover sheet display of reminders can be customized for Site, System, Location, or User.

Using Clinical Reminders in CPRS

Clinician reminders display in CPRS in four places:

- Cover Sheet
- Clock button (upper right-hand corner of each tab in CPRS)
- Notes tab
- Reports tab (Health Summaries)

Cover Sheet

Clinical reminders are displayed on the cover sheet of CPRS. When you left-click on a reminder, details are presented in a pop-up window. By right-clicking on a reminder on the cover sheet, you can access the reminder definition and reference information.

More details about what's available from the Cover Sheet are provided in the following pages.

The screenshot displays the VistA CPRS interface for patient 'WHPATIENT.TWO'. The interface includes a menu bar (File, Edit, View, Tools, Help) and a toolbar with buttons for Flag, Remote Data, and No Postings. The main content area is divided into several sections: Active Problems (Diabetes Mellitus), Allergies / Adverse Reactions (No Allergy Assessment), Postings (No Patient Postings Found), Active Medications (a list of medications with status), Clinical Reminders (a table of reminders), Due Date (a table of due dates), Recent Lab Results (No Orders Found), Vitals (No data found), and Appointments/Visits/Admissions (Jun 07, 2004 11:39 2as Inpatient Appointment). A red box highlights the 'Cover Sheet Reminders Box' which contains the following data:

Clinical Reminders	Due Date
CHEST XRAY	DUE NOW
Mammogram Screening	DUE NOW
PAP Smear Screening	DUE NOW

The bottom of the interface features a tabbed menu with options: Cover Sheet, Problems, Meds, Orders, Notes, Consults, Surgery, D/C Summ, Labs, and Reports.

Using Clinical Reminders

Chapter 1: CPRS and Reminders Overview

If you left-click on a particular reminder you will see the Clinical Maintenance output, which gives you the details of the reminder evaluation. It tells you things such as why the reminder is due for your patient and what the reminder requires.

The Clinical Maintenance display has been expanded to include more details, such as relevant Reminder Terms and Health Factors.

Clinical Maintenance: VA-Mammogram Screening

--STATUS-- --DUE DATE-- --LAST DONE--
RESOLVED 10/30/2004 4/30/2004
Frequency: Due every 6 months for all ages.

Resolution: Last done 04/30/2004
Reminder Term: VA-MAMMOGRAM SCREEN IN RAD PKG
Radiology Procedure: 76091 (MAMMOGRAM BILAT) - MAMMOGRAM, BOTH BREASTS
01/30/2004 Status: COMPLETE

Reminder Term: VA-WH MAMMOGRAM SCREEN DONE
Radiology Procedure(s) from taxonomy VA-MAMMOGRAM/SCREEN
01/30/2004 MAMMOGRAM BILAT-CPT: 76091 MAMMOGRAM, BOTH BREASTS
Status: COMPLETE

Reminder Term: VA-WH BREAST CARE ORDER HEALTH FACTOR
Health Factor: WH ORDER MAMMOGRAM UNILAT HF
04/19/2004 WH ORDER MAMMOGRAM UNILAT HF

Reminder Term: VA-WH MAMMOGRAM SCREEN DEFER
Health Factor: WH MAMMOGRAM DEFERRED
04/19/2004 WH MAMMOGRAM DEFERRED

Reminder Term: VA-WH MAMMOGRAM SCREEN FREQ - 4M
Health Factor: WH MAMMOGRAM SCREEN FREQ - 4M
04/19/2004 WH MAMMOGRAM SCREEN FREQ - 4M

Reminder Term: VA-WH MAMMOGRAM SCREEN FREQ - 6M
Health Factor: WH MAMMOGRAM SCREEN FREQ - 6M
04/30/2004 WH MAMMOGRAM SCREEN FREQ - 6M

Age/Frequency:
Reminder due every 6 months until a new mammogram is ordered, deferred, documented, or not clinically indicated.


Annual screening specified for this patient.

Print Close

II. Using Clinical Reminders


Chapter 1: Clinical Reminders and CPRS Overview

If you right-click on a reminder, you will bring up a popup menu that looks like this:



Clicking on Clinical Maintenance will give you the same Clinical Maintenance output you get by left-clicking.


If the reminder contains education topics, Education Topic Definition will be selectable and clicking on it will display the education topic definitions.



Using Clinical Reminders

Chapter 1: CPRS and Reminders Overview


Clicking on reminder inquiry will produce a display of the reminder definition. For detailed information on how reminders are defined, see the Clinical Reminders Manager's Manual.



If you click on Reference Information, you will get a list of web sites that have information related to the clinical reminder. Clicking on one of them will open your web browser at that site.

Clicking on Reminder Icon Legend will bring up a display that shows what the various reminder icons mean.

Reminders Icon Legend




Using Clinical Reminders


Chapter 1: CPRS and Reminders Overview

You or your site can determine the folder view, and whether the folders are open or closed when you first open the reminders drawer.

The next place you are likely to encounter Clinical Reminders is on the Notes tab. When you go to the Notes tab and open a new note, a Reminders tab—called a drawer—appears.



When you click on the Reminders drawer, a list of reminders is displayed.



The contents of the tree can be determined by the user. Details of how this is done are found in [Appendix C](#).

Using a dialog to resolve a clinical reminder is discussed in Chapter 2.

Reminders that have an associated dialog have a special icon (see the above display of reminder icons). If you click on one of these reminders, a dialog box appears, which lists possible actions or activities that may satisfy this reminder.

Using Clinical Reminders

Chapter 1: CPRS and Reminders Overview

Users have the ability to edit their own list of cover sheet reminders. (Before you do this we recommend that you check with your Reminder Manager to find out which reminders are recommended for your work area.) Click on the Tools menu then click on Options.


Clicking on Clinical Reminders will open one of two cover sheet editing forms. CPRS will automatically determine which form is appropriate for you to use. See [Appendix C](#), for instructions on how to edit cover sheet reminders.

Clock Button

Another place you can interact with Clinical Reminders is by clicking on the reminders button (it looks like an alarm clock) in the upper right hand corner of the CPRS GUI.



This brings up the Available Reminders form which provides the same tree view you saw in the reminders drawer.



Using Clinical Reminders

Chapter 1: CPRS and Reminders Overview


Available Reminders form

This form has two menus: View and Action.

View Menu


The View menu lets you determine which categories of reminders will be displayed in the tree view. Those with a checkmark to the left of this will be displayed. You can toggle the checkmark on or off by left clicking on the icon. Note: as soon as you click on an icon the View menu will disappear and the tree will be updated to match your current selection. To make another change, left-click on View.

As was mentioned earlier, the tree you see here is identical to the one you see in the Reminders drawer, so whatever change you make here affects the tree you see in the Reminders drawer.



Of primary interest to the clinician are the options on the Action menu that let you evaluate reminders.

Action Menu



Using Clinical Reminders

Chapter 1: CPRS and Reminders Overview

Available Reminders form

Action Menu

Evaluate Reminders

You can evaluate an individual reminder, all the reminders in a category, or a processed reminder. A processed reminder is one whose dialog has been processed. Which of these three options is selectable will depend on what has been selected on the reminders tree. If it is an individual reminder then Evaluate Reminder will be selectable, if it is a category then Evaluate Category Reminders will be selectable, and if it is a processed reminder then Evaluate Processed Reminder will be selectable.

The other two options are for Reminder Managers.

CPRS Reports Tab

Health Summaries containing Clinical Reminders can be viewed from the Reports tab in CPRS. See the Health Summary section later in this guide for more information.

The Ad hoc health summary can also be used to display selected clinical reminders using either an abbreviated display or the full clinical maintenance display. (See [Chapter 6: Health Summaries and Clinical Reminders](#))

Using Clinical Reminders

Chapter 2: Resolving Clinical Reminders

NOTE:
Your site can determine the
folder view – which
reminders and
categories/folders appear in
the reminders drawer.

Summary of Steps to Process Reminders

These are the basic steps for processing reminders from the Notes tab in CPRS. These steps are described in more detail in Chapter 3.

1. **Start a new progress note.** To process a reminder, start a new progress note. When you begin a new progress note, the reminders drawer appears.
2. **Open the reminders drawer.** When you click on the reminders drawer, you see several folders containing reminders for this patient. Possible folders include Due, Applicable, Not Applicable, All Evaluated, and Other Categories. These folders may contain a hierarchy of folders and reminders within folders. The view of folders is customizable by you (see [Appendix C](#)). The folders and subfolders in the Reminders Drawer are sometimes called the “tree view.”
3. **Choose a reminder.** Open a folder (if necessary) and click a reminder that you wish to process. At this point, you may be asked to provide the primary encounter provider, so that any PCE data entered from reminder dialog processing can be saved.


Using Clinical Reminders

Chapter 2: Resolving Clinical Reminders

Summary of Steps to Process Reminders

4. (cont'd) If the reminder has an associated reminder dialog, a small dialog icon is shown in the bottom-right corner of the clock icon. If you click on one of these reminders, a dialog box appears, which lists possible actions or activities that may satisfy this reminder. If this is a National reminder, the dialog was created by national developers and/or members of the Office of Quality and Performance. Otherwise, the contents of this dialog were created at your site by your Clinical Application Coordinator (CAC) or a Clinical Reminders Manager. Clinicians should be involved with defining these dialogs.

If no dialog icon is displayed on a reminder, it means that your site hasn't created and/or linked a dialog to the reminder. Your CAC can provide information about this. Definitions of the reminders icons are available on the Action menu of the Available Reminders window (see page 10).



Using Clinical Reminders (cont'd)

Chapter 2: Resolving Clinical Reminders, cont'd

TIP:

Use the Next or Back buttons to take you to the dialog for the next or previous reminder due in the reminders drawer.

Summary of Steps to Process Reminders, cont'd

5. **Complete the dialog box.** The dialog box lists possible actions or interventions that may be taken to satisfy this reminder. As you make selections from the dialog box, you can see the text of the progress note in the bottom part of the screen (below the Clear, Back, and Next buttons). Below the progress note text area is the encounter information including orders and PCE, Mental Health, and Vital Sign data. The bold text in these areas applies to the specific reminder you are processing. You can process multiple reminders.

6. **Expanded dialog boxes.** Clicking a checkbox may bring up additional choices: an area for comments, a diagnosis to choose, or other information that may satisfy the reminder.

Dialog with orders. Reminder dialogs can include orders. If quick orders are included in the dialog, these are placed as soon as the reminder processing is finished and the orders are signed. If the order requires more information before releasing the order, an order dialog will appear after you click Finish, allowing you to complete the order.

Mental health tests. Reminder dialogs can include a pre-defined set of mental health tests. The reminder definition can include any mental health test, but the reminder dialog is limited in the GUI resolution process to allow clinicians to enter results for the following tests: AIMS, AUDC, AUDIT, BDI, CAGE, DOM80, DOMG, MISS, and ZUNG. Progress note text can be generated based on the mental health score.

7. **Finish processing the reminder and complete your note.** Click on the Finish button when you have checked all the appropriate checkboxes for each reminder you wish to process. You then go back to the Note window, where you can review and edit the reminder dialog progress note text added, to have a completed progress note for the encounter.

8. **(Optional) Evaluate processed reminders.** You can use the Action menu to select the Evaluate Processed Reminders menu item from the Reminders Available window, to ensure that the reminders are satisfied. This action will evaluate the reminders that you processed while you wait, and update the Reminders Available window and reminders drawer lists to reflect the new statuses.

Using Clinical Reminders

Chapter 3: Resolving IHD Reminders

Overview

IHD Reminder Definitions

The following IHD reminder definitions are distributed with Clinical Reminders Version 2.0:

VA-IHD LIPID PROFILE

This national reminder identifies patients with known IHD (i.e., a documented ICD-9 code for IHD on or after 10/01/99) who have not had a serum lipid panel within the last year. If a more recent record of an UNCONFIRMED IHD DIAGNOSIS is found, the reminder will not be applicable to the patient.

VA-IHD ELEVATED LDL

This national reminder identifies patients with known IHD (i.e., a documented ICD-9 code on or after 10/01/99) who have had a serum lipid panel within the last year, where the most recent LDL lab test (or documented outside LDL) is greater than or equal to 120 mg/dl. If a more recent record of an UNCONFIRMED IHD DIAGNOSIS is found, the reminder will not be applicable to the patient.

VA-*IHD LIPID PROFILE REPORTING

This national IHD Lipid Profile Reporting reminder is used monthly to roll up LDL compliance totals for IHD patients. This reminder identifies patients with known IHD (i.e., a documented ICD-9 code for IHD) who have not had a serum lipid panel/LDL (calculated or direct lab package LDL) or documented outside LDL within the last two years. If a more recent record of an UNCONFIRMED IHD DIAGNOSIS is found, the reminder will not be applicable to the patient.

VA-*IHD ELEVATED LDL REPORTING

This national IHD Elevated LDL Reporting reminder is used monthly to roll up compliance totals for management of IHD patients whose most recent LDL is greater than or equal to 120mg/dl. This national reminder identifies patients with known IHD (i.e., a documented ICD-9 code) who have had a serum lipid panel within the last two years, where the most recent LDL lab test (or documented outside LDL) is greater than or equal to 120 mg/dl. If a more recent record of an UNCONFIRMED IHD DIAGNOSIS is found, the reminder will not be applicable to the patient. These compliance reminders are not for use in CPRS, so there are no related reminder dialogs.

Using Clinical Reminders

Chapter 3: Resolving IHD Reminders

Steps to Process VA-IHD Lipid Profile

1. Start a new progress note.

When you begin a new progress note, the reminders “drawer” appears below the default list of notes. You are prompted to enter Progress Note properties (Title, date, etc.) before you begin processing reminders.

The screenshot shows the clinical reminder interface. At the top, there's a patient header for 'CRPATIENT.TWO' with ID '666-55-4444' and date 'Oct 10,1972 (32)'. Below this is a list of 'Last 100 Signed Notes' with options for 'New Note in Progress', 'Oct 17,04 H&P GE', and 'No Matching Documents Fo'. The main area is titled 'H&P GENERAL MEDICINE' with date 'Oct 17,2004@13:01' and provider 'Vst: 10/17/04 NUR 1A(1&2)'. A 'Subject:' field is present. At the bottom, there's a 'Reminders Drawer' button, which is highlighted with a red arrow and the text 'Reminders Drawer'.

2. Open the reminders drawer

Click on the reminders drawer (button) to see reminders.

The screenshot shows the clinical reminder interface with the 'Reminders Drawer' open. The patient header is 'CRPATIENT.TWO' with ID '666-55-4444' and date 'Oct 10,1972 (33)'. The list of 'Last 100 Signed Notes' includes 'New Note in Progress', 'Jun 12,06 H&P GENI', 'All unsigned notes for GREEN', 'Oct 17,04 H&P GENE', and 'No Matching Documents Four'. The main area is titled 'H&P GENERAL MEDICINE' with date 'Jun 12,2006@09:59' and provider 'Vst: 06/12/06 GENERAL MEDICINE'. A 'Subject:' field is present. The 'Reminders Drawer' is open, showing a list of reminders.

NOTE:

Due, Applicable, Not Applicable, All Evaluated, or Other Categories folders may be displayed.

You or your site can modify the contents of the “Other Categories” folder, through the option Add/Edit Reminder Categories on the CPRS Configuration Menu.

Using Clinical Reminders (cont'd)

Chapter 3: Resolving IHD Clinical Reminders

NOTE:


To process a reminder, a “reminder dialog” must be defined and associated (linked) with the reminder.

This is done by your Clinical Reminders Manager or coordinator (usually with clinician assistance). If a reminder dialog is available for a reminder, an icon representing a dialog is on the corner of the reminder icon.

Steps to Process VA-IHD Lipid Profile, cont'd

3. Locate the IHD Lipid Profile reminder.

If necessary, open a folder (Due, Applicable, Other Categories, etc.) and click on the IHD Lipid Profile Reminder.



Using Clinical Reminders (cont'd)

Chapter 3: Resolving IHD Clinical Reminders

Steps to Process VA-IHD Lipid Profile, cont'd

4. Complete the dialog box.

When you select the IHD Lipid Profile reminder to process, a dialog box appears, such as the one below. It shows the possible things that may satisfy the reminder.

Example: IHD Lipid Profile Dialog

Reminder Resolution: IHD Lipid Profile

The VHA/DOD Clinical Practice Guideline for Management of Dyslipidemia recommends that patients with Ischemic Heart Disease have a lipid profile/LDL every one to two years; and that patients taking lipid lowering medications have a lipid profile/LDL at least every year.

Click on the 'Clinical Maint' button below to display IHD diagnosis, lab results and current lipid lowering medications.

☐ Order lipid profile.

☐ Outside lipid profile in past year at another VA or non-VA facility.

☐ Patient refuses lipid profile testing.

☐ Defer lipid profile.

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

<No encounter information entered>

* Indicates a Required Field

Using Clinical Reminders (cont'd)

Chapter 3: Resolving IHD Clinical Reminders

Steps to Process VA-IHD Lipid Profile, cont'd

4. Complete the dialog box, cont'd.

If quick orders are included in the reminder dialog, these are activated as soon as the progress note is completed and the note and order are signed. If the order requires more information before completion, an order dialog will appear after you click Finish, allowing you to complete the order.

When you click a checkbox or item, the associated text that will be placed in the progress note is shown in the area below the buttons. Data that will update PCE, orders, Vital Signs, and Mental Health packages will be shown in the area below that.

See the example on the next page.

Example: Expanded Dialog when “Order Lipid Profile” Checked

Reminder Resolution: IHD Lipid Profile

The VHA/DOD Clinical Practice Guideline for Management of Dyslipidemia recommends that patients with Ischemic Heart Disease have a lipid profile/LDL every one to two years; and that patients taking lipid lowering medications have a lipid profile/LDL at least every year.

Click on the 'Clinical Maint' button below to display IHD diagnosis, lab results and current lipid lowering medications.

☒ Order lipid profile.

☐ Order Fasting lipid profile with calculated LDL

☐ Order Direct LDL

☐ Outside lipid profile in past year at another VA or non-VA facility.

☐ Patient refuses lipid profile testing

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

Health Factors: **ORDER LIPID PROFILE**

* Indicates a Required Field

Using Clinical Reminders (cont'd)

Chapter 3: Resolving IHD Clinical Reminders

Steps to Process VA-IHD Lipid Profile, cont'd

4. Complete the dialog box, cont'd.

When you click a checkbox or item, the associated text that will be placed in the progress note is shown in the area below the buttons. Data that will update PCE, orders, Vital Signs, and Mental Health packages is shown in the area below that.

Example: Progress Note text

Reminder Resolution: IHD Lipid Profile

results and current lipid lowering medications.

☐ Order lipid profile.

☒ Outside lipid profile in past year at another VA or non-VA facility.

☐ Outside LDL <100 mg/dL

☐ Outside LDL 100-119 mg/dL

☐ Outside LDL 120-129 mg/dL

☒ Outside LDL >129 mg/dL

Date: * March 2004

Location: Outside Physician's Office

Comment:

☐ Patient refuses lipid profile testing.

☐ Defer lipid profile.

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

GREEN NOTES

IHD Lipid Profile:

Outside lipid profile in past year at another VA or non-VA facility.

Outside LDL >129 mg/dL

Date: March, 2004

Location: Outside Physician's Office

Health Factors: **OUTSIDE LDL >129 (Historical)**

* Indicates a Required Field

Using Clinical Reminders (cont'd)

Chapter 3: Resolving IHD Clinical Reminders

Steps to Process VA-IHD Lipid Profile, cont'd

Next and Back processing

Use the Next button to process the next reminder that is due in the reminders drawer. Use the Back button to take you to the reminder processed previously to the one you are currently processing.

Clinical Maintenance review

While processing the reminder, you can review current Clinical Maintenance patient data related to the reminder by clicking on the Clinical Maint button at the bottom of the dialog box.

NOTE: Information in the Clinical Maintenance box has been expanded and enhanced in Version 2 of Clinical Reminders.

Clearing a single reminder

You will probably process several reminders for a single visit. If you have entered information on a reminder, but you need to start over on that reminder only, you can simply click Clear on the reminder from the reminders drawer, and then click the Clear button in the reminders dialog box. This removes all previous dialog selections from the reminder's dialog box and removes the related text and data from the Progress Note text box and the PCE data box for this reminder. You can now start processing again. NOTE: Clicking Clear will remove the information from only one reminder. Be careful that you are on the correct reminder before you click Clear.

Example: Clinical Maintenance window for IHD Lipid Profile

Clinical Maintenance: IHD Lipid Profile

--STATUS--	--DUE DATE--	--LAST DONE--
RESOLVED	2/1/2004	2/0/2003

Reminder Term: IHD DIAGNOSIS
Encounter Diagnosis:
01/01/2001 410.20 AMI INFEROLATERAL, UNSPEC rank: PRIMARY
Prov. Narr. - IHD TEST

Patient with IHD and no LDL lab results on file in the past year.

Reminder Term: OUTSIDE LDL <100
Health Factor:
02/00/2003 OUTSIDE LDL <100

Information:
No active lipid lowering agents on file.

Print Close

Using Clinical Reminders (cont'd)

Chapter 3: Resolving IHD Clinical Reminders


Steps to Process VA-IHD Lipid Profile, cont'd

Canceling out of the Processing dialog

If you reach the Reminders Processing dialog by mistake or you wish to delete information that you have entered and start over, click Cancel.

NOTE: If you click Cancel, you will lose all of the information for reminders that you have entered.

Example: Warning box when Cancel button clicked



Using Clinical Reminders (cont'd)

Chapter 3: Resolving IHD Clinical Reminders

Steps to Process VA-IHD Lipid Profile, cont'd

5. Finish processing the reminder

After you have entered all the information, you can finish processing the reminders. When you finish, the following things will happen:

- The predefined text is placed in the note you have begun writing.
- The encounter information is sent to PCE.
- If there are orders defined in the dialog, it will also create the orders. If the orders require input (if they are not predefined quick orders without prompts), the order dialogs will come up so that you can complete the orders. You will then have to sign any orders that are created.

To finish processing reminders, click Finish.

After you click Finish, you are returned to the Note screen, where you can see the text created by reminder processing. You can edit this, as necessary.

Example: Progress Note after reminder dialog completion

The screenshot shows a software interface for processing a reminder. At the top, a status bar displays 'CRPATIENT.TWO', 'GM Jun 12,06 09:59', 'Primary Care Team Unassigned', and 'No Postings'. Below this, a 'Last 100 Signed Notes' list shows 'Jun 12,06 H&P G' as the most recent note. The main area is titled 'H&P GENERAL MEDICINE' with a visit date of '06/12/06'. A 'Subject' field is empty. The 'GREEN NOTES' section contains the text: 'IHD Lipid Profile: Ordered fasting lipid profile with calculated LDL.' Below the notes, a 'Health Factors' section shows 'ORDER LIPID PROFILE'. On the left, a 'Reminders' list includes 'SLC Diabetic Foot Care Education', 'Diabetic Eye Exam', 'SLC Cancer Screen', 'Ischemic HD/Post MI Follow Up', 'Breast Exam', 'Advanced Directives Education', 'LTC Oversight Visit', 'Weight and Nutrition Screen', 'IHD Lipid Profile', 'EXCHANGE CHANGES', 'SUBSTANCE ABUSE', and 'WEIGHT AND NUTRITION'. The 'IHD Lipid Profile' reminder is currently selected. At the bottom, a navigation bar includes tabs for 'Cover Sheet', 'Problems', 'Meds', 'Orders', 'Notes', 'Consults', 'Surgery', 'D/C Summ', 'Labs', and 'Reports'.

Using Clinical Reminders (cont'd)

Chapter 3: Resolving IHD Clinical Reminders

Steps to Process VA-IHD Lipid Profile, cont'd


7. (Optional) Evaluate processed reminders

After you have processed a reminder, you can use this menu item in the Available Reminders window to see if your actions during the encounter satisfied the reminder. This action will evaluate the reminders that you processed while you wait, and update the Reminders Available window and Reminders drawer lists to reflect the new statuses.

NOTE: PCE data may take a few minutes to be correctly recorded. Please wait a few minutes after processing a reminder before evaluating it again to ensure that it was satisfied.

To evaluate processed reminders, go to the Available Reminders dialog by clicking on the Reminders button, choose Action, and then click on Evaluate Processed Reminders.

Example: Evaluate Processed Reminder



Using Clinical Reminders (cont'd)

Chapter 3: Resolving IHD Clinical Reminders

VA-IHD ELEVATED LDL

This national reminder identifies patients with known IHD (i.e., a documented ICD-9 code on or after 10/01/99) who have had a serum lipid panel within the last year, where the most recent LDL lab test (or documented outside LDL) is greater than or equal to 120 mg/dl. If a more recent record of an UNCONFIRMED IHD DIAGNOSIS is found, the reminder will not be applicable to the patient.

Use the same steps to process this reminder as those described above.

Example: IHD Elevated LDL Dialog

Reminder Resolution: IHD Elevated LDL

The VHA/DOD Clinical Practice Guideline for Management of Dyslipidemia recommends an LDL goal of <120 mg/dl for patients with Ischemic Heart Disease; and the NCEP Adult Treatment Panel II recommends a more stringent goal of <100 mg/dl. Consider initiating or adjusting lipid lowering treatment.

Click on 'Clinical Maint' button below to display IHD Diagnosis, LDL lab results and current lipid lowering medications.

- ☐ Order initial lipid lowering medication.
- ☐ Adjust lipid lowering medication(s).
- ☐ No lipid treatment change is needed based on patient's current status.
- ☐ Lipid lowering medications are contraindicated.
- ☐ Lipid lowering management provided by another VA or non-VA facility.

- ☐ Patient reports a more recent outside LDL <120.
- ☐ Order lipid profile or LFTs.
- ☐ Patient refuses lipid lowering therapy.
- ☐ Defer lipid lowering medications.

- ☐ Unable to confirm diagnosis of Ischemic Heart Disease. Inactivate IHD reminders.

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

* Indicates a Required Field

Using Clinical Reminders (cont'd)

Chapter 4: Processing Mental Health Reminders

Mental Health Reminders

The following Mental Health reminder definitions are re-distributed with Clinical Reminders Version 2.0:

VA-ANTIPSYCHOTIC MED SIDE EFF EVAL

The Abnormal Involuntary Movement Scale (AIMS) reminder has been designed to be due on all patients who are on any one of the antipsychotics (excluding ones like Compazine). The taxonomy for Schizophrenia is included in the reminder, but will not be part of the cohort logic. By leaving the taxonomy in the reminder, data roll-up can use the Report Extracts functionality in version 2.0, either with or without information on patients with Schizophrenia.

VA-DEPRESSION SCREENING

Screening for Depression using a standard tool should be done on a yearly basis. The yearly screening is satisfied by entry of a health factor indicating positive or negative results for the 2 question MacArthur screening tool or by entry of negative or positive results in the MH package. The reminder is also resolved by entry of information indicating that the patient is already being treated/evaluated in a Mental Health clinic.

Patients are automatically excluded from the cohort if they have a recent diagnosis of depression (ICD code in the past 1 year) and have either a CPT code for psychotherapy in the past 3 months or are on antidepressant medication (current supply of medication in the past 3 months).

VA-POS DEPRESSION SCREEN FOLLOWUP

The reminder is applicable if the patient has positive depression screen in the past 1 year (DEPRESSION SCREEN POSITIVE). If a more recent negative depression screen is entered, then the reminder becomes not applicable (DEPRESSION SCREEN NEGATIVE).

Using Clinical Reminders (cont'd)

Chapter 4: Processing Mental Health Reminders, cont'd

NOTE

Sites that use a different screening tool than the 2 question MacArthur screening tool will need to create local health factors to indicate a positive or negative result and will need to map those local health factors to the national terms: DEPRESSION SCREEN NEGATIVE, and DEPRESSION SCREEN

Mental Health Reminder Processing

Depression Screening

The yearly screening is satisfied by entry of a health factor indicating positive or negative results for the 2-question MacArthur screening tool or by entry of negative or positive results of any of the following in the MH package:

Negative	Positive
DOM80=0	DOM80=1
DOMG<4	DOMG>3
CRS<10	CRS>9
BDI<10	BDI>9
Zung<33	Zung>32

The reminder is also resolved by entry of information indicating that the patient is already being treated/evaluated in a Mental Health clinic.

Example: Depression Screening dialog initial window

2-question
MacArthur test

Reminder Resolution: Depression Screening

DEPRESSION SCREEN (2 question screen)

1. During the past month, have you often been bothered by feeling down, depressed, or hopeless?

2. During the past month, have you often been bothered by little interest or pleasure in doing things?

A "YES" response to either question is a POSITIVE screen for depression. Further evaluation is then needed.

☒ Depression Screen Negative

☐ Depression Screen Positive

DOM 80

Perform DOM80

DOM G

Perform DOMG

☐ Unable to Screen Due to Acute Medical Illness

☐ Unable to Screen Due to Chronic Medical Illness

☐ Refused to answer depression screening questions

☐ Patient currently followed/treated for depression

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

<No encounter information entered>

* Indicates a Required Field

Using Clinical Reminders (cont'd)

Chapter 4: Processing Mental Health Reminders, cont'd

Depression Screening (cont'd)

When you click on the DOM80 or DOMG button, a window pops up that lets you perform the test. The results of the test go in the patient's record – in the progress note and in the Mental Health package.

Example: DOM80 test

The screenshot shows a software interface for 'Reminder Resolution: Depression Screening'. The main window has a title bar and a close button. It contains a list of questions for a 'DEPRESSION SCREEN (2 question screen)'. The first question is '1. During the past month, have you often been bothered by feeling down, depressed, or hopeless?'. The second question is '2. During the past month, have you been bothered by problems with sleeping or feeling tired?'. Below the questions are radio buttons for 'A "YES" for' and 'B "NO" for'. There are also buttons for 'DOM 80' and 'DOM G', each with a 'Perform' button. At the bottom, there are buttons for 'Clear', 'OK', and 'Cancel'. A 'Mental Health: DOM80' section is visible at the bottom of the main window.

The 'DOM80' sub-window is open, displaying the following text: 'This survey asks for your views about your feelings and your health. This information will be kept confidential and will help your doctors keep track of how you feel. If you are unsure about how to answer a question, please give the best answer you can.' Below this text are three questions with radio button options: 'In the past year, have you had 2 weeks or more during which you felt sad, blue, or depressed; or when you lost all interest or pleasure in things that you usually cared about or enjoyed?' (Yes/No), 'Have you had 2 years or more in your life when you felt depressed or sad most days, even if you felt okay sometimes?' (Yes/No), and 'Have you felt depressed or sad much of the time in the past year?' (Yes/No). At the bottom of the sub-window is a question: 'How much of the time during the PAST WEEK did you feel depressed?' with radio button options: '<1 day', '1-2 days', '3-4 days', and '5-7 days'. The sub-window has 'Clear', 'OK', and 'Cancel' buttons at the bottom.

A red callout box points to the 'DOM80' sub-window with the text: 'This box pops up when you click on the DOM80 button.'

Using Clinical Reminders (cont'd)

Chapter 4: Processing Mental Health Reminders, *cont'd*

Depression Screening (cont'd)

The reminder is also resolved by the following:

- Unable to screen due to acute or medical illness
- Patient refuses to answer depression screening questions
- Entry of information indicating that the patient is already being evaluated/treated in a Mental Health clinic

Example: Other questions that resolve reminder

Reminder Resolution: Depression Screening

☒ Unable to Screen Due to Acute Medical Illness
Comment:

☒ Unable to Screen Due to Chronic Medical Illness
Comment:

☒ Refused to answer depression screening questions

☒ Patient currently followed/treated for depression

VA Clinical Practice Guideline for Major Depressive Disorder
http://www.oqp.med.va.gov/cpg/MDD/MDD_Base.htm

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

GREEN NOTES

Depression Screening:

- The patient could not be screened for depression due to an acute medical illness.
- The patient could not be screened for depression due to an chronic medical illness.
- The patient declines to answer any of the questions for depression screening.
- The patient is currently being followed for treatment of depression.

Health Factors: CURRENT F/U OR RX FOR DEPRESSION, REFUSED DEPRESSION SCREENING, UNABLE TO SCREEN-ACUTE MED CONDITION, UNABLE TO SCREEN-CHRONIC MED CONDITION

* Indicates a Required Field

Using Clinical Reminders (cont'd)

Chapter 4: Processing Mental Health Reminders, cont'd

Depression Screen Positive – Needs F/U Assessment

This reminder is applicable if the patient has positive depression screen in the past 1 year (DEPRESSION SCREEN POSITIVE). If a more recent negative depression screen is entered, then the reminder becomes not applicable (DEPRESSION SCREEN NEGATIVE).

Example: Depression Screen Positive

Reminder Resolution: Depr Scr Pos - Needs F/U Assessment

ASSESSMENT OF A POSITIVE SCREEN FOR DEPRESSION
Patients with a positive depression screen should be assessed for Major Depressive Disorder based on DSM-IV criteria and should be assessed for the need for therapy, intervention and/or referral.

1. Assess if patient is at high risk (marked psychotic symptoms, suicidality, potential for violence, delirium)
2. Further questions regarding current signs & symptoms of depression
3. Obtain careful psychiatric history of past depressive episodes
4. Attention to 'red flags'.

Review history for substance abuse, other illness as a cause of depression, medication as a cause of depression and for the severity of the depression. Patients who may fit the DSM-IV criteria for Major Depressive Disorder should be considered for referral to a mental health professional for evaluation and management.

☐ Click here to view the DSM-IV criteria for Major Depressive Disorder (MDD)
☐ Click here to view the PHQ-9 Assessment Tool for Depression

RECORD RESULTS OF ASSESSMENT OF POSITIVE DEPRESSION SCREEN

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

<No encounter information entered>

* Indicates a Required Field

Using Clinical Reminders (cont'd)

Chapter 4: Processing Mental Health Reminders, cont'd

Abnormal Involuntary Movement Scale, (AIMS) Dialog

This reminder dialog uses the AIMS Mental Health Instrument. If you click on the Perform AIMS button, the instrument pops up, so that you can answer the questions, which are scored and go into the Mental Health package and the Progress Note.

The reminder is also resolved by refusal to take the test or refusal to take antipsychotic medications.

Example: Eval for Abnl Involuntary Movements

Reminder Resolution: Eval for Abnl Involuntary Movments

Evaluation of patients on long term antipsychotic therapy for abnormal involuntary movement should be performed at least yearly.

AIMS (Mental Health Instrument)

Perform AIMS

☐ Refuses Abnormal Involuntary Movement Evaluation

☐ Refuses to take Antipsychotic Medication

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

<No encounter information entered>

* Indicates a Required Field

Using Clinical Reminders (cont'd)

Chapter 4: Processing Mental Health Reminders, cont'd

AIMS Dialog

When you click on the Perform AIMS button, the screen below pops up, so that you can answer the questions, which are scored and go into the Mental Health package and the Progress Note.

Example: AIMS Mental Health Instrument

The screenshot shows a software window titled "Reminder Resolution: Eval for Abal Involuntary Movements". Inside, there is a sub-dialog box titled "AIMS". The "AIMS" dialog contains the following text: "Complete Examination Procedure before making ratings. MOVEMENT RATINGS: Rate highest severity observed. Rate movements that occur upon activation one LESS than those observed spontaneously." Below this text are three numbered sections for rating different facial and oral movements. Each section has a list of severity levels with checkboxes.

1. Facial and Oral Movements Muscles of facial expression, e.g., movements of forehead, eyebrows, periorbital area, cheeks. Include frowning, blinking, grimacing of upper face.
☐ None
☐ Minimal, may be extreme normal
☒ Mild
☐ Moderate
☐ Severe

2. Facial and Oral Movements Lips and perioral area, e.g., puckering, pouting, smacking.
☒ None
☐ Minimal, may be extreme normal
☐ Mild
☐ Moderate
☐ Severe

3. Facial and Oral Movements Jaw, e.g., biting, clenching, chewing, mouth opening, lateral movement.
☒ None
☐ Minimal, may be extreme normal
☐ Mild

At the bottom of the dialog are buttons for "Clear", "OK", and "Cancel". A footer note states: "* Indicates a Required Field".

Using Clinical Reminders (cont'd)

Chapter 5: Using Reminder Reports

TIP:

Clinicians should work with their site's clinical reminder coordinator or Clinical Application Coordinator to design and validate reports used at their site. Reporting can be resource-intensive and many sites have elected to centralize the access to run reports. However, limited report templates may be available to selected clinicians who work closely with clinical reminders or QM at their site.

Chapter 5: Reminder Reports

Reminder reports allow you to do large and small-scale comparisons of clinics, divisions, teams, and providers and can help in finding patients who have “slipped through the cracks.”

- Ever want to know how well your team is doing with immunizations or diabetes care or pain assessments?
- Ever want to know who is coming this week who needs pneumococcal immunization, or who needs diabetic foot exam and education, or who has had a high pain score in the past and needs a pain assessment?
- Would anyone at your site ever want to look at a group of patients for a research project – patients with a creatinine between 1.5 and 5 who do not have diabetes who are under the age of 80?

Reports allow you to verify diagnoses, verify that appropriate treatment was given, identify patients requiring intervention, and validate effectiveness of care.

Reminder reports are very flexible. Reports can be run on:

- Location(s)
 - One or more inpatient hospital locations
 - Current inpatients
 - Patients admitted during a date range
- Alphabetical
- Sorted by ward/bed
 - one or more outpatient hospital locations
 - all hospital locations
 - stop code(s)
 - clinic group(s)
- OERR Team(s)
- PCMM team(s),
- PCMM provider(s)
- Reminder patient list(s).

Reports can be combined or kept separate for one or more facility

Report results can display:

- Summary results (numbers only)
- Detailed results (patients' names).
 - Identifier: Entire social security number or last 4 numbers of social security number only
 - Sort alphabetically or by date of the next clinic visit.

Reports can be run on either on patients with Past visits or with Future visits.

Using Clinical Reminders (cont'd)

Chapter 5: Using Reminder Reports

TIP:

The EPI extract finding list and total options are specific to the Hepatitis C Extract project. The extracted data is based on the following reminders: VA-HEP C RISK ASSESSMENT, VA-NATIONAL EPI LAB EXTRACT, and VA-NATIONAL EPI RX EXTRACT.

Reminder Reports, cont'd

Changes in Version 2

New reports on the Reminder Reports menu or changes to report functionality in Clinical Reminders V. 2.0 include:

- Extract Queri Totals [PXRM EXTRACT QUERI TOTALS]
This option prints reminder and finding totals for extract summaries created by the automatic QUERI extracts.
- GEC Referral Report, [PXRM GEC REFERRAL REPORT]
This option is used to generate GEC Reports. GEC (Geriatrics Extended Care) is used for referral of geriatric patients to receive further care.
- New type of report, Reminder Patient List, on Reminders Due option.
- Ability to show inpatient location on future appointments.

Using Clinical Reminders (cont'd)

Chapter 5: Using Reminder Reports

Changes in Version 2

Version 2.0 of Reminders contains changes to the date range that can be used in searches in the Reminders Due reports. The changes include:

- Effective period and effective date are eliminated
 - Replaced with beginning date and ending date
- Any of the FileMan date formats are acceptable
 - May 14, 2003, T-1Y, T-2M, T-3D
- Beginning date default is beginning of data
- Ending date default is today

Benefits of Date Range Finding Searches

- The search for findings is done only in the specified date range.
- Retrospective reminder reports are now possible.

Changes in Patch 4

- A prompt was added to allow you to exclude/include Test Patients.
- A prompt was added to allow you to exclude/include deceased patients.

Using Clinical Reminders (cont'd)

Chapter 5: Using Reminder Reports

TIP:

Reminders Due Report:

The summary report may be
run for several reminders.

The detailed report may
only be run for one
reminder

Reminder Reports

Reminders Due Report

For a selected reminder, the report lists any reminders that are currently due. Reports can be defined by the following criteria:

- Individual Patient
- Reminder Patient List (all patients on a patient list created through the Patient List options)
- Hospital Location (all patients with encounters)
- OE/RR Team (all patients in team)
- PCMM Provider (all practitioner patients)
- PCMM Team (all patients in team)

Summary report: displays totals of how many patients of those selected have reminders due.

Detailed report: displays patients (in alphabetical order) with reminders due. The report displays for each patient the date the reminder is due, the date the reminder was last done, and next appointment date. The detailed report can also list all future appointments, if specified. Detailed reports for Location or Provider may also be sorted by next appointment date.

Reports by Hospital Location, Provider, or Team print a separate report for each Hospital Location, Provider, or Team selected. Reports for all Hospital Locations are not separated by individual locations. The report by Hospital Location can report either current inpatients or admissions within a selected date range.

Using Clinical Reminders (cont'd)

Chapter 5: Using Reminder Reports

NOTE: After scheduling a Reminder report to run, you may receive a message such as the following:

```
6294955: ^PXRMPXR, Reminder
Due Report - print. Device
NT_SPOOL. VAH,ROU.
    From Yesterday at 13:14, By
you. Created without being
scheduled.
```

This doesn't mean that there's an error with the report processing. Clinical Reminders processes its reports in two tasks, one for SORT and one for PRINT. The print task will always show "created without being scheduled" until the sort task is complete.

Reminder Reports

Report templates

The selection criteria used for the Reminders Due reports may be saved into a report template file, with a user-specified identifier, as the report is being run.

When running the Reminder Due report, you may select from an existing template and run a new report using the parameters from the selected template. The prompts for date range and sort order are displayed, but all other parameters are taken from the previous report. If you select a print template, you may also edit the template and/or copy to a new template before running the report.

***Scenario:** How many patients are not receiving reminders who should be for Hepatitis C?*

A report can be prepared that compares "Applicable" reminders to those that have been defined as "Due." The difference may be a missed opportunity. This can be done by individual provider or for all providers in a location or medical center, as a quality assurance measure. The example below shows a summary report where the reminders selected are all related to Hepatitis C. This illustrates how you could use the summary report as part of a larger strategy for implementing and managing a Hepatitis C guideline using reminders.

Example Report

	# Patients with Reminder	
	Applicable	Due
	-----	---
Hep C Risk Factor Screen	172	16
Hep C Test for Risk	30	7
Hep C Diagnosis Missed	0	0
Hep C Diagnosis	36	36
Hep C- Dz & Trans Ed	36	27
Hep C - Eval for Rx	36	15
Chr Hep - Hep A Titer	45	3
Hepatitis A Vaccine	19	4
Chr Hepatitis - AFP	12	4
Chr Hepatitis - U/S	13	6
Report run on 175 patients.		

Using Clinical Reminders

Chapter 6: Health Summaries and Clinical Reminders

Health Summaries

Reminder items can be added to health summary displays. Health summaries and reminder definitions can be tailored to suit clinicians' needs.

Health Summary Reminder Components

- *Reminders Due*: an abbreviated component indicating only what is due now.
- *Reminders Summary*: this provides the status, the next due date, and the last done date.
- *Reminder Maintenance*: this component provides:
 - Details about what was found from searching the **VISTA** clinical data:
 - Text related to the findings found or not found (as defined in the reminder). This includes taxonomies (ICD or CPT codes), health factors, and test results related to the reminder and computed findings (e.g., Body Mass Index).
 - Final frequency and age range used for the reminder.

NOTE: Statuses include "DUE SOON," to allow you to process a reminder in advance, if convenient.

Example of *Reminder Due* as displayed on a health summary

	--STATUS--	--DUE DATE--	--LAST DONE--
Advanced Directives Education	DUE NOW	DUE NOW	unknown
Alcohol Abuse Education	DUE NOW	DUE NOW	unknown

Example of *Reminder Summary* as displayed on a health summary

	--STATUS--	--DUE DATE--	--LAST DONE--
Mammogram	RESOLVED	05/01/2003	10/01/2002
Pap Smear	DUE NOW	06/01/2003	unknown
Diabetic Eye Exam	DUE NOW	06/01/2003	06/01/2002

Example of *Reminder Maintenance* as displayed on a health summary

----- CM - Reminder Maintenance -----			
	--STATUS--	--DUE DATE--	--LAST DONE--
Fecal Occult Blood Test	DUE NOW	DUE NOW	unknown
Applicable: Due every 1 year for ages 50 and older.			
No HX of colorectal cancer on file - presumed no HX.			
Health Factor Test	DUE NOW	DUE NOW	unknown
Applicable: Due every 1 year for ages 40 to 60.			
Baseline set to 1Y for 40-60.			

Using Clinical Reminders, cont'd

Chapter 6: Health Summaries, cont'd

Health Summary on Reports Tab in CPRS

When you open the Reports tab, select Health Summary, and then select a Reminders Health Summary Type.

Example: Health Summary on CPRS Report tab

File Edit View Tools Help

CRPATIENT.TWO 666-55-4444 Oct 10,1972 (33) GM Jun 12,06 09:59 Provider: WHPROVIDER,TWO Primary Care Team Unassigned Flag Remote Data No Postings

Available Reports

- Rem Cr For Va-
- Clinical Reminders - N.
- Reminders Test (2)
- Reminders Test (3)
- Remote Clinical Data (
- Remote Labs All (1y)
- Remote Meds/Labs/C
- Division 1 Diabetes
- Adhoc Report
- Gec Local Test
- Discharge Summary
- Future Visits
- HDR Reports
- Dept. of Defense Reports
- Imaging (local only)
- Graphing (local only)
- Lab Status
- Blood Bank Report
- Anatomic Path Reports
- Dietetics Profile
- Nutritional Assessment
- Vitals Cumulative

Health Summary Rem Cr For Va-

06/12/2006 10:19
***** CONFIDENTIAL REM CR for VA- SUMMARY pg. 1 *****
CRPATIENT,TWO 666-55-4444 DOB: 10/10/1972

----- CR - Reminders Due -----

This is a test disclaimer.
Be careful.
Take your patient into account.

	--STATUS--	--DUE DATE--	--LAST DONE--
Pap Smear	DUE NOW	DUE NOW	unknown
Exercise Education	DUE NOW	DUE NOW	unknown
Problem Drinking Screen	DUE NOW	DUE NOW	unknown
Seatbelt and Accident Screen	DUE NOW	DUE NOW	unknown
Tetanus Diphtheria (TD-Adult)	DUE NOW	DUE NOW	unknown
Tobacco Use Screen	DUE NOW	DUE NOW	unknown
Weight and Nutrition Screen	DUE NOW	DUE NOW	unknown
Advanced Directives Education	DUE NOW	DUE NOW	unknown
Alcohol Abuse Education	DUE NOW	DUE NOW	unknown
Blood Pressure Check	DUE NOW	DUE NOW	unknown
Breast Self Exam Education	DUE NOW	DUE NOW	unknown
Exercise Education	DUE NOW	DUE NOW	unknown

Cover Sheet Problems Meds Orders Notes Consults Surgery D/C Summ Labs Reports

Using Clinical Reminders, cont'd

Chapter 6: Health Summaries, cont'd

NOTE:

The veteran's private health record will be securely stored and only accessible by the veteran and others they have identified.

My HealtheVet Health Summary

Clinical Reminders V.2.0 contains new health summary components to support the My HealtheVet project. These components will allow display of clinical reminder information to patients.

My HealtheVet is a Web-based system that empowers veterans with information and tools so that they can improve their health to the maximum extent possible. Participating veterans are given copies of key portions of their electronic health records.

New health summary components were devised that eliminate much of the technical text and code information that is contained in the CM component. These components will be used to display summary and detailed information on individual patient reminders to the patients from within My HealtheVet. They can be also used in other health summaries at a facility if it is useful for display to users at the site.

Using Clinical Reminders, cont'd

Chapter 6: Health Summaries, cont'd

My HealtheVet Health Summary

Two new national Health Summary types were created to include the new health summary components:

- REMOTE MHV REMINDERS DETAIL
- REMOTE MHV REMINDERS SUMMARY

These are available in health summaries on the reports tab in CPRS. Use of these health summaries will allow anyone to view the reminders and text that are being displayed to the patients, even if the patient is being seen at a different site.

Example: MHVS Health Summary

```

10/06/2004 08:55
***** CONFIDENTIAL REMOTE MHV REMINDERS SUMMARY SUMMARY *****
CRPATIENT,ONE 000-31-9898 1A(1&2) DOB: 00/00/1950

----- MHVS - Summary Display -----

Flu vaccine --STATUS-- --DUE DATE-- --LAST DONE--
              DUE NOW      DUE NOW      unknown
Please check these web sites for more information:
Web Site: CDC Influenza Home Page
URL: http://www.cdc.gov/ncidod/diseases/flu/fluvirus.htm

Web Site: Weekly Update on Influenza Rates
URL: http://www.cdc.gov/ncidod/diseases/flu/weekly.htm
CDC Site for weekly updates on the current influenza activity in the
community.

Web Site: Dept HHS Information on Influenza Vaccination
URL: http://odphp.osophs.dhhs.gov/pubs/guidecps/text/CH66.txt

Web Site: California Influenza Information
URL: http://www.dhs.ca.gov/ps/dcdc/VRDL/html/Flutable02-03.htm

Web Site: Patient Handout for Influenza Vaccine
URL: http://www.cdc.gov/nip/publications/VIS/vis-flu.pdf
```


Using Clinical Reminders, cont'd

Chapter 6: Health Summaries, cont'd

My HealtheVet Health Summary, cont'd

The components can also be used in other health summaries at a facility if it is useful for display to users at the site

Example: MHVS Health Summary, cont'd

```
Flu vaccine Due Now          DUE NOW      DUE NOW      unknown
This is the summary patient cohort found text.

This is the summary resolution not found text.

Please check these web sites for more information:
Web Site: CDC Influenza Home Page
URL: http://www.cdc.gov/ncidod/diseases/flu/fluvirus.htm

Web Site: Weekly Update on Influenza Rates
URL: http://www.cdc.gov/ncidod/diseases/flu/weekly.htm
  CDC Site for weekly updates on the current influenza activity in the
  community.

Web Site: Dept HHS Information on Influenza Vaccination
URL: http://odphp.osophs.dhhs.gov/pubs/guidecps/text/CH66.txt

Web Site: California Influenza Information
URL: http://www.dhs.ca.gov/ps/dcdc/VRDL/html/Flutable02-03.htm

Web Site: Patient Handout for Influenza Vaccine
URL: http://www.cdc.gov/nip/publications/VIS/vis-flu.pdf
```

Using Clinical Reminders, cont'd

Chapter 7: VA-Geriatric Extended Care (GEC) Referral

Important:

This GEC screening tool is for the purpose of evaluating a patient's needs for extended care and is not to be used as the document to refer or place a patient. The document should be part of a packet of information obtained when placing a patient.

Four different disciplines should complete the screening, making it less burdensome on any one individual.

VA-Geriatric Extended Care Referral

Overview

Clinical Reminders V.2.0 includes a nationally standardized computer instrument called VA Geriatric Extended Care (GEC), which replaces paper forms for evaluating veterans for extended care needs. Paper forms that facilities use include VA Form 10-7108, VA Form 10064a-Patient Assessment Instrument (PAI), and VA Form 1204-Referral for Community Nursing Home Care (others sites use various instruments including Consults).

The GEC Referral is comprised of four reminder dialogs: VA-GEC SOCIAL SERVICES, VA-GEC NURSING ASSESSMENT, VA-GEC CARE RECOMMENDATIONS and VA-GEC CARE COORDINATION. These dialogs are designed for use as Text Integration Utility (TIU) templates to enter data regarding the need for extended care. Data entered via the dialogs are captured as health factors to be used for local and national reporting.

The software also includes a new report menu that may be used for local analysis.

Using Clinical Reminders, cont'd

Chapter 7: GEC, cont'd

Updates to GEC options and GEC Reports

See [Appendix D](#) for a description and examples of the GEC Report changes.

Changes made in Patch 4 (PXR*2.0*4)

- The GEC Care Recommendation Dialog has been modified to allow more than one selection when a person wants to refer a patient to more than one location.
- Items 15-19 (Prognosis, Weight Bearing, Equipment, Diet, and Supplies) were moved from the “GEC Nursing” dialog to the “Care Recommendations” Dialog.
- A problem with the user being able to take some editing actions on GEC dialogs has been corrected, so the user is not able to copy or delete dialog groups from the GEC dialogs.
- An undefined error (<UNDEFINED>CALCMON+12<>PXRMG2M1) that occurred when the scheduled event fired off at the beginning of each month has been repaired.
- Several of the GEC Reports were not showing a complete list of patients or providers. This has now been corrected with this patch. The division and age of the patient has been added to some reports to help in identifying the patient.
- There is a new choice in the GEC reports menu that will give the sites the option to open a closed referral, merge two referrals, and close an open referral.

Using Clinical Reminders, cont'd

Chapter 7: GEC, cont'd

GEC Status Check

There is no limit to the entry of GEC Referral data. Since there may be multiple entries of the same health factors over time, and since the data is entered via separate dialogs, extraction and viewing requires the data to be discretely identified. The GEC software depends upon the user to indicate when the data from a given referral should be concluded. The referral is finalized using a new feature called the GEC Status Indicator. This indicator is presented to the user as a dialog at the conclusion of the VA-GEC CARE COORDINATION dialog. It will prompt the user to indicate the conclusion of the Referral with a Yes or No response and will list any missing dialogs. If Yes is selected, the data for the current episode of the Referral is closed. If No is selected, the Indicator is displayed and the data entered will be included with the current episode of the Referral. The Indicator will then be displayed with each succeeding GEC dialog until Yes is selected.

To assist the ongoing management of completing GEC Referrals, the GEC Status Indicator may be added to the CPRS GUI Tools drop-down menu. It may be set at the User or Team level. If added to the drop-down menu, the Indicator may be viewed at any time and used to close the referral if needed. *See your CAC or the Clinical Reminders V. 2.0 Setup Guide for instructions on adding this to the Tools menu.*

GEC dialogs also contain a checkbox called "CHECK TO SEE REFERRAL STATUS." This checkbox appears on all dialog boxes and lets you see a real-time view of the current Referral's dialog-completion status. It presents information similar to that found on the GEC Referral Status Display and can be used to determine if the Referral can be finalized.

Using Clinical Reminders, cont'd

Chapter 7: GEC, cont'd


GEC Status Check

Status Indicator Instructions, cont'd


The Yes button should only be selected if the user is certain no changes are needed and they are ready to commit to the note's authentication. The Status Indicator does not update after the referral has been completed. Put another way, once a referral has been closed, it cannot be reopened. This same risk exists if a note is deleted after the Yes button has been selected and the user then reenters the dialog.

Users should *always* check the Status Indicator when a new referral is initiated on a patient. Doing so will provide the opportunity to close any previous referrals inadvertently left open.

Example of Status Indicator when all dialogs are complete.



Example of Status Indicator when some dialogs are missing.



Using Clinical Reminders, cont'd

Chapter 7: GEC, cont'd

GEC Referral Ad hoc Health Summaries

Two new health summary components have been created and distributed with this software:

- GEC Completed Referral Count (GECC)
- GEC Health Factor Category (GECH)

The first displays all GEC referral data according to the occurrence and time limits identified.

If a user should have access to these GEC reports, they must have access to the Ad Hoc Health Summary type. (This can be set using GMTS GUI HS LIST PARAMETERS.)

GEC Referral Reports

The software includes a new set of reports that provide a variety of GEC health factor perspectives. The reports capture data elements for reporting and tracking use of the GEC Referral Screening Tool. The reports may be generated in formatted or delimited output. The Summary (Score) report provides summary (calculated) totals from specific sections of the screening tool identified by the Office of Geriatrics Extended Care. See [Appendix D](#) for more details.

Using Clinical Reminders, cont'd

Chapter 7: GEC, cont'd

GEC Referral Reminders and Dialogs

The GEC reminders are comprised of dialogs and health factors only. They have neither cohort nor resolution logic, and will not become due. They are intended only as TIU templates and do not need to be assigned to the CPRS Cover Sheet. Due to potential complications with reporting and duplicate entries, it is recommended that the GEC dialogs not be added to the Reminders drawer/Cover sheet.

The Referral was designed for inter-disciplinary use with dialogs created for separate services. However, a single user may perform them all. With only a few exceptions, each section of the dialogs is mandatory and is marked with an asterisk (*). The completion of all four dialogs constitutes a discrete episode of the GEC Referral.

The VA-GEC REFERRAL SOCIAL SERVICES, VA-GEC REFERRAL NURSING ASSESSMENT, and VA-GEC REFERRAL CARE RECOMMENDATIONS dialogs comprise the clinical screening. The VA-GEC REFERRAL CARE COORDINATION dialog is used administratively to record the arrangement of and funding for extended care services. These dialogs may be performed in any order that local practices dictate. However, it is expected the screening portion will be completed prior to the coordination of services. When the screen is complete, a consult order should be placed to the service responsible for arranging services.

GEC Consult Order

Most sites have either an individual or a service responsible for arranging and coordinating extended care services. To accommodate local business practices and flexibility, sites may associate any consult service (or menu) they already have in place. If none exist, the sites may create a consult or establish some alternative practice to ensure that both services are arranged and that the VA-GEC REFERRAL CARE COORDINATION dialog is completed.

Sites will need to review the privileging status of those performing the GEC Referral. The staff assigned to place the consult order associated with the GEC dialogs will require the ability to place a consult order.

Using Clinical Reminders, cont'd

Chapter 7: GEC Usage, cont'd

NOTE:

Refer to Appendix C in the TIU/ASU Implementation Guide for complete instructions about Interdisciplinary Notes

GEC Interdisciplinary Notes

The GEC Referral dialogs are intended for use as TIU templates. It is also expected that they will be used as part of a TIU Interdisciplinary (ID) note. The Office of Geriatrics Extended Care requests that the parent ID note title be:

“GEC EXTENDED CARE REFERRAL”

Steps to use the GEC Dialog templates:

1. In the CPRS GUI, open the NOTES tab.
2. Click on New Note.
4. When the Progress Note Properties box opens, type GEC in the Title box.
5. The list of GEC dialog templates is displayed.
6. Select the first one to process.

Example: Selecting GEC REFERRAL CARE COORDINATION

The screenshot shows a dialog box titled "Progress Note Properties". It has a "Progress Note Title:" label followed by a text box containing "GEC <GEC REFERRAL CARE COORDINATION>". Below this is a list box with the following items: "GEC <GEC CONSULT>", "GEC <GEC REFERRAL CARE COORDINATION>", "GEC <GEC REFERRAL CARE RECOMMENDATIONS>", "GEC <GEC REFERRAL NURSING ASSESSMENT>", "GEC <GEC REFERRAL SOCIAL SERVICES>", "GEC CONSULT", and "GEC REFERRAL CARE COORDINATION". The second item, "GEC <GEC REFERRAL CARE COORDINATION>", is selected. To the right of the list box are "OK" and "Cancel" buttons. Below the list box is a "Date/Time of Note:" label followed by a text box containing "May 19,2004@14:18" and a "...". At the bottom is an "Author:" label followed by a dropdown menu showing "CRPROVIDER.ONE".

Using Clinical Reminders, GEC, cont'd

Chapter 7: GEC Usage, cont'd

This is first screen shot when you select GEC REFERRAL CARE COORDINATION. When you select one type of service, the screen for that service type expands. The next screen shots show each in expanded form.

Example: GEC REFERRAL CARE COORDINATION Opening screen

Reminder Dialog Template: GEC REFERRAL CARE COORDINATION

☐ CHECK TO SEE REFERRAL STATUS

WHERE WAS THE PATIENT REFERRED? (Use this section at time referral is being made. Both the program type and funding source are required.)

☐ HOME CARE SERVICES:
☐ DOMICILIARY REFERRALS:
☐ HOSPICE SERVICES:
☐ STRUCTURED LIVING SERVICES:
☐ NURSING HOME CARE REFERRALS:
☐ GERIATRIC SERVICES:
☐ HOME TELEHEALTH SERVICES:
☐ OTHER REFERRAL PROGRAM:
☐ Patient was not referred due to:

Date service is projected to start:

☐ Other Comments:

THE PATIENT HAS BEEN REFERRED TO THE FOLLOWING SERVICES

Date service is projected to start:

<No encounter information entered>

* Indicates a Required Field

Using Clinical Reminders, GEC, cont'd

Chapter 7: GEC Usage, cont'd

This is the expanded screen when you select HOME CARE SERVICES in the GEC REFERRAL CARE COORDINATION dialog.

Note the checkbox “CHECK TO SEE REFERRAL STATUS.” This is available on all dialog boxes and lets you see a real-time view of the current Referral’s dialog-completion status. It presents information similar to that found on the GEC Referral Status Display and can be used to determine if the Referral can be finalized.

Example: Expanded screen for HOME CARE SERVICES

Reminder Dialog Template: GEC REFERRAL CARE COORDINATION

☐ CHECK TO SEE REFERRAL STATUS

WHERE WAS THE PATIENT REFERRED? (Use this section at time referral is being made. Both the program type and funding source are required.)

☒ HOME CARE SERVICES:

Select all home care services that apply:

- ☐ Community skilled home health care
- ☐ Home Based Primary Care
- ☐ Homemaker/Home Health Aide
- ☐ VA Bowel and Bladder
- ☐ Adult Day Health Care
- ☐ VA In-home Respite

FUNDING SOURCES

Identify the funding source for home care services:

Visit Info Finish Cancel

THE PATIENT HAS BEEN REFERRED TO THE FOLLOWING SERVICES

HOME CARE SERVICES:

HOME CARE SERVICE FUNDING:

Health Factors: GEC HOMECARE FUNDING-VA

* Indicates a Required Field

Example: Expanded screen for DOMICILIARY REFERRALS

Reminder Dialog Template: GEC REFERRAL CARE COORDINATION

☐ CHECK TO SEE REFERRAL STATUS

WHERE WAS THE PATIENT REFERRED? (Use this section at time referral is being made. Both the program type and funding source are required.)

☐ HOME CARE SERVICES:

☒ DOMICILIARY REFERRALS:

Select the appropriate Domiciliary:

☐ VA Domiciliary

☐ State Home Domiciliary

FUNDING SOURCES

Identify the funding source for Domiciliary care:

☐ VA

☐ Medicare

☐ Medicaid

☐ Other insurance

☐ Private pay

☐ Other:

[Visit Info](#) [Finish](#) [Cancel](#)

THE PATIENT HAS BEEN REFERRED TO THE FOLLOWING SERVICES

<No encounter information entered>

* Indicates a Required Field

Example: Expanded screen for HOSPICE SERVICES

Reminder Dialog Template: GEC REFERRAL CARE COORDINATION

☐ CHECK TO SEE REFERRAL STATUS

WHERE WAS THE PATIENT REFERRED? (Use this section at time referral is being made. Both the program type and funding source are required.)

☐ HOME CARE SERVICES:

☐ DOMICILIARY REFERRALS:

☒ **HOSPICE SERVICES:**

Select Hospice:

☐ VA NHCU (respite)

☐ VA Outpatient Hospice

☐ Community Hospice

FUNDING SOURCES

Funding Sources for Hospice Care:

☐ VA

☐ Medicare

☐ Medicaid

☐ Other insurance

THE PATIENT HAS BEEN REFERRED TO THE FOLLOWING SERVICES

<No encounter information entered>

* Indicates a Required Field

Example: Expanded screen for STRUCTURED LIVING SERVICES

Reminder Dialog Template: GEC REFERRAL CARE COORDINATION

☐ CHECK TO SEE REFERRAL STATUS

WHERE WAS THE PATIENT REFERRED? (Use this section at time referral is being made. Both the program type and funding source are required.)

☐ HOME CARE SERVICES:
☐ DOMICILIARY REFERRALS:
☐ HOSPICE SERVICES:
☒ STRUCTURED LIVING SERVICES:

Select type of structured living:

☐ Personal Care Home
☐ Community Residential Care Program
☐ Assisted Living

FUNDING SOURCES

Funding Sources for Structured Living Situation:

☐ VA
☐ Medicare
☐ Medicaid

Visit Info Finish Cancel

THE PATIENT HAS BEEN REFERRED TO THE FOLLOWING SERVICES

<No encounter information entered>

* Indicates a Required Field

Example: Expanded screen for NURSING HOME CARE REFERRALS

Reminder Dialog Template: GEC REFERRAL CARE COORDINATION

☐ CHECK TO SEE REFERRAL STATUS

WHERE WAS THE PATIENT REFERRED? (Use this section at time referral is being made. Both the program type and funding source are required.)

☐ HOME CARE SERVICES:
☐ DOMICILIARY REFERRALS:
☐ HOSPICE SERVICES:
☐ STRUCTURED LIVING SERVICES:
☒ **NURSING HOME CARE REFERRALS:**

Select nursing home type:

☐ VA NHCUC (Rehab)
☐ VA NHCUC (Long-term Care)
☐ VA NHCUC (Subacute Care)
☐ VA NHCUC (Respite)
☐ Community nursing home
☐ State Veterans Nursing Home
☐ VA NHCUC (HOSPICE)

FUNDING SOURCES

Visit Info Finish Cancel

THE PATIENT HAS BEEN REFERRED TO THE FOLLOWING SERVICES

<No encounter information entered>

* Indicates a Required Field

Example: Expanded screen for GERIATRIC SERVICES

Reminder Dialog Template: GERIATRIC/EXTENDED CARE REFERRAL CARE COORDINATION

☐ HOME CARE SERVICES:
☐ DOMICILIARY REFERRALS:
☐ HOSPICE SERVICES:
☐ STRUCTURED LIVING SERVICES:
☐ NURSING HOME CARE REFERRALS:
☒ **GERIATRIC SERVICES:**

Select appropriate Geriatric Care:

☐ Geriatric Evaluation and Management (GEM) Clinic
☐ Geriatric Primary Care
☐ Geriatric Evaluation and Management (GEM) Inpatient Unit

FUNDING SOURCES

Funding Sources for Geriatric Services:

☐ VA
☐ Medicare
☐ Medicaid
☐ Other insurance
☐ Private pay
☐ Other:

[Visit Info](#) [Finish](#) [Cancel](#)

GERIATRIC SERVICES:
GERIATRIC SERVICES FUNDING:

<No encounter information entered>

* Indicates a Required Field

Example: Expanded screen for OTHER REFERRAL PROGRAM

Reminder Dialog Template: GERIATRIC/EXTENDED CARE REFERRAL CARE COORDINATION

☐ HOME CARE SERVICES:
☐ DOMICILIARY REFERRALS:
☐ HOSPICE SERVICES:
☐ STRUCTURED LIVING SERVICES:
☐ NURSING HOME CARE REFERRALS:
☐ GERIATRIC SERVICES:
☒ **OTHER REFERRAL PROGRAM:**

Enter the alternative service program:
☐ Other:

FUNDING SOURCES
Funding Sources for Other Referral Program:

☐ VA
☐ Medicare
☐ Medicaid
☐ Other insurance
☐ Private pay
☐ Other:

☐ Resident was not referred due to:

[Visit Info](#) [Finish](#) [Cancel](#)

OTHER REFERRAL PROGRAM:
FUNDING SOURCES FOR OTHER REFERRAL PROGRAM:

<No encounter information entered>

* Indicates a Required Field

Example: Expanded screen for “Patient was not referred due to:”

Reminder Dialog Template: GERIATRIC/EXTENDED CARE REFERRAL CARE COORDINATION [X]

WHERE WAS THE PATIENT REFERRED? (Use this section at time referral is being made. Both the program type and funding source are required.)

☐ HOME CARE SERVICES:

☐ DOMICILIARY REFERRALS:

☐ HOSPICE SERVICES:

☐ STRUCTURED LIVING SERVICES:

☐ NURSING HOME CARE REFERRALS:

☐ GERIATRIC SERVICES:

☐ OTHER REFERRAL PROGRAM:

☒ Patient was not referred due to:

☐ Patient does not meet criteria for referred program or service.

☐ Program or service has a waiting list or is unable to accommodate patient due to high volume of referrals.

☐ Patient has insufficient financial resources to access the program or service.

☐ Patient expired.

☐ Patient became too ill to participate in program or service.

☐ Other Comments:

[Visit Info] [Finish] [Cancel]

Patient was not referred due to:

<No encounter information entered>

* Indicates a Required Field

Example: CARE RECOMMENDATION Dialogs

With patch 4, the Prognosis, Weight Bearing, Diet, Equipment, and Supplies sections were moved from the Nursing Assessment dialog to the Care Recommendation dialog.

Reminder Dialog Template: GERIATRIC/EXTENDED CARE REFERRAL CARE RECOMMENDATION...

[An * indicates the section is required.]

***GOALS OF CARE**

Program Goals (Check as many as apply)

- ☐ Rehabilitation (Care by a licensed OT, PT, KT, or speech therapist aimed at restoring function).
- ☐ Care requiring a licensed nurse, e.g., catheter care, wound care, etc.
- ☐ Patient needs nurse to monitor parameters, e.g., blood sugars, vital signs, and medications, to avoid clinical complications.
- ☐ Patient needs assistance in setting up a structure to manage medications and treatments, e.g., medication cassettes.
- ☐ Patient/Family education.
- ☐ Respite (temporary relief for caregiver).
- ☐ Palliative/terminal care.
- ☐ Reduce hospitalizations and/or ER visits.
- ☐ A supportive, structured living situation in which the patient will have assistance with medications, IADL's, and possibly personal care.
- ☐ Care aimed at stabilizing problematic behaviors.

***REFERRING TO WHICH PROGRAM**

Visit Info Finish Cancel

GOALS OF CARE:

REFERRING TO WHICH PROGRAM:

ESTIMATED DURATION OF SERVICES:



PROGNOSIS:

WEIGHT BEARING STATUS:

<No encounter information entered>

* Indicates a Required Field

Example: CARE RECOMMENDATION—2nd Screen

 **Reminder Dialog Template: GERIATRIC/EXTENDED CARE REFERRAL CARE RECOMMENDATIO...** 

- ☐ Skilled care in home
- ☐ Home Based Primary Care (HBPC)
- ☐ ADL assistance (personal care) in home
- ☐ Chore services (homemaker) in home
- ☐ Adult Day Health Care
- ☐ Residential care (supervised living)
- ☐ Assisted Living
- ☐ Domiciliary care
- ☐ Short-term nursing home care (subacute care, rehab)
- ☐ Long-term nursing home care
- ☐ Outpatient Respite Care
- ☐ Inpatient Respite Care
- ☐ Specialized Dementia/Geropsych Care
- ☐ Inpatient Palliative/Hospice Care (NHCU)
- ☐ Outpatient Palliative/Hospice Care (Home)
- ☐ All-inclusive care or PACE program
- ☐ Home Telehealth
- ☐ Other: _____

GOALS OF CARE:

REFERRING TO WHICH PROGRAM:

ESTIMATED DURATION OF SERVICES:

PROGNOSIS:

ENCOUNTER DATING STATUS:

<No encounter information entered>

* Indicates a Required Field

Example: CARE RECOMMENDATION—3rd Screen

Reminder Dialog Template: GERIATRIC/EXTENDED CARE REFERRAL CARE RECOMMENDATIO...

***ESTIMATED DURATION OF SERVICES**

☐ One week
☐ 2-3 weeks
☐ One month
☐ 2-3 months
☐ 4-6 months
☐ Indefinite

***PROGNOSIS**

In the last 7 days, has the patient experienced a flare-up of a recurrent or chronic health problem?

☐ Yes
☐ No

Does the direct care staff (MD, RN, Rehabilitation) think the patient is capable of increased independence in ADL's, IADL's, or mobility?

☐ Yes
☐ No

GOALS OF CARE:
REFERRING TO WHICH PROGRAM:
ESTIMATED DURATION OF SERVICES:
PROGNOSIS:
ENCOUNTER DATING STATUS:

<No encounter information entered>

* Indicates a Required Field

Visit Info Finish Cancel

Example: CARE RECOMMENDATION—4th Screen

Reminder Dialog Template: GERIATRIC/EXTENDED CARE REFERRAL CARE RECOMMENDATIO...

Does the patient have a limited life expectancy (likely to be less than 6 months)?

☐ Yes

☐ No

WEIGHT BEARING STATUS

☐ Patient is fully weight bearing.

☐ Patient is partial weight-bearing.

☐ Patient is non-weight bearing.

DIET

☐ The patient is on a regular diet.

☐ Patient is on a modified diet (specify):

EQUIPMENT

What equipment does the patient need?
(Place or request Prosthetic order be placed when finished.)
(Check all that apply.)

☐ Hospital bed

☐ ...

GOALS OF CARE:

REFERRING TO WHICH PROGRAM:

ESTIMATED DURATION OF SERVICES:

PROGNOSIS:

WEIGHT BEARING STATUS:

<No encounter information entered>

* Indicates a Required Field

Example: CARE RECOMMENDATION—5th Screen

Reminder Dialog Template: GERIATRIC/EXTENDED CARE REFERRAL CARE RECOMMENDATIO...

☐ Special mattress

☐ Trapeze

☐ Walker

☐ Cane

☐ Wheelchair

☐ ADL equipment

☐ Orthotic or splint

☐ Other equipment:

SUPPLIES

What supplies does the patient need?
(Please order supplies when finished.)
(Check all that apply.)

☐ Catheters

☐ Tubing

☐ Dressings

☐ Wrappings

☐ Tape

☐ Glucose Strips

[Visit Info](#) [Finish](#) [Cancel](#)

GOALS OF CARE:

REFERRING TO WHICH PROGRAM:

ESTIMATED DURATION OF SERVICES:

PROGNOSIS:

ENCOUNTER DATING STATUS:

<No encounter information entered>

* Indicates a Required Field

Using Clinical Reminders, cont'd

Chapter 8: Code Set Versioning

NOTE:

The Code Text Descriptors project, released in October 2004, is a follow-up project to Code Set Versioning. It ensures that the diagnostic and procedure descriptions used for billing purposes must be the descriptors that were applicable at the time the service was provided.

It doesn't affect Clinical Reminders.

Chapter 8: Code Set Versioning (CSV) Changes in Reminders

Several changes and enhancements are included in Clinical Reminders V.2.0 in support of Code Set Versioning, mandated under the Health Information Portability and Accountability Act (HIPAA). The changes will insure that only active, on the encounter date, ICD9, ICD0, and CPT codes are selectable in the CPRS GUI application while using Clinical Reminder Dialogs. It will also produce several email messages to Clinical Reminder Managers to help in deciding the correct usage of these codes in the Taxonomies and Dialogs.

PXRM*1.5*18, which contained the CSV changes, was previously released in conjunction with CSV_UTIL v1, Code Set Versioning, which contains routines, globals, and data dictionary changes to recognize code sets for the International Classification of Diseases, Clinical Modification (ICD-9-CM), Current Procedural Terminology (CPT) and Health Care Financing Administration (HCFA) Common Procedure Coding System (HCPCS). When implemented, the Lexicon will allow translation of these three code systems to select codes based upon a date that an event occurred with the Standards Development Organization (SDO) established specific code that existed on that event date.

Version 2.0 of Clinical Reminders includes all of the CSV changes contained in patch 18.

Using Clinical Reminders

Chapter 9: My HealtheVet

Chapter 9: My HealtheVet Changes in Reminders

Clinical Reminders V. 2.0 contains new health summary components to support the My HealtheVet project. These components will allow display of clinical reminder information to patients. New health summary components were devised that eliminate much of the technical text and code information that is normally displayed for clinicians. These new components will be used to display summary and detailed information on individual patient reminders to the patients from within My HealtheVet. They can be also used in other health summaries at a facility if it is useful for display to users at the site.

See the section under Chapter 5: Health Summary, for examples and descriptions of My HealtheVet HS components.

My Health Reminders are being developed for veterans to view in their My HealtheVet record. Twelve patient reminders have been created:

- Influenza Vaccine
- Pneumonia Vaccine
- Colorectal Screen
- Mammogram Screen
- Pap Smear Screen
- Three for Diabetes: Eye, Foot and HbA1c (blood glucose)
- Two for lipids: lipid measurement and LDL control
- Hypertension
- BMI

These were distributed in patch PXRm*2*3 in June 2005.

The veteran will be able to click on a “Details” button to see the details of a reminder – comparable to the Clinical Maintenance screens in CPRS and Health Summary.

Using Clinical Reminders – Women’s Health

Chapter 10: Women’s Veterans Health Reminders

Chapter 10: CPRS: Integration with Women’s Health

“It is VHA policy to provide a nationwide tracking system to ensure that consistent mammography and cervical screening follow-up is achieved and that patients have been properly notified of the test results.” (VHA Directive 98-501 dated November 19, 1998)

To meet the data requirements of this policy, the Women’s Health (WH) VistA package was developed. However, none of the information contained within the WH software interfaced with CPRS, so the CPRS Integration with Women’s Health project was initiated.

Clinical Reminders patch PXRM*2*1 provides reminders and dialogs that enable CPRS GUI to interface with the Women’s Health package. These reminder dialogs will update the WH package at the same time that clinical care is recorded in CPRS GUI, thus eliminating the need for dual data entry. The exchange of data will enable Clinical Reminders to capture a greater percentage of data than is currently entered into the Women’s Health VistA package, but still allow continuation of Women’s Health Software reporting, tracking, and notification functionality.

Project Goals

- Update Pap Smear and Mammogram screening reminders
- Provide review reminders that store clinical review results in the WH package.
- Provide dialogs for the screening and review reminders that clinicians can use to document pap smear tests and mammogram procedures.
- Result in a signed progress note documenting the WH Mammogram- and Pap Smear-related care and patient notifications.

The Mammogram Screening reminder replaces the following national reminders relating to mammograms and breast cancer screening:

VA-*BREAST CANCER SCREEN - rescinded 02/04/2005
VA-MAMMOGRAM - rescinded 02/04/2005

The Pap Screening reminder replaces the following national reminders relating to PAP smears and cervical cancer screening:

VA-*CERVICAL CANCER SCREEN - rescinded 02/04/2005
VA-PAP SMEAR - rescinded 02/04/2005

Using Clinical Reminders – Women’s Health

Chapter 10: Women’s Veterans Health Reminders

NOTE:

**See the WH Reminders
Install and Setup Guide
(PXRМ_2_1_IG_PDF.) for
complete instructions for
setting up the WH
reminders application.**

Chapter 10: CPRS: Integration with Women’s Health, cont’d

Setup and implementation by local team

Sites will need to determine if the review reminders should be used locally. If a site is not set up for automatic update of WH, these reminders will not come due, so releasing the review reminders and dialogs might be confusing.

The VA-WH PAP SMEAR REVIEW RESULTS reminder will only come due if all of the following are true:

- PAP smear results are recorded in the VistA Lab package.
- VistA Lab package uses SNOMED codes.
- WH package has SNOMED codes mapped to the codes used by the VistA Lab package.
- WH parameters are set up to automatically receive VistA Lab results when the PAP smear procedure is verified and released.

The VA-WH MAMMOGRAM REVIEW RESULTS reminder will only come due if all of the following are true:

- Mammogram results are recorded and verified in the VistA Radiology package.
- WH parameters are set up to automatically receive VistA Radiology results when the mammogram procedure is verified and released, and status of received mammogram result is set to OPEN.

Using Clinical Reminders

Chapter 10: Women's Veterans Health Reminders

NOTE:

You can see more information about the guidelines that the reminder is based on by clicking the top checkbox in the dialog.

Steps to use dialogs:

1. On the CPRS cover sheet, click on the Reminders icon.
2. Click on reminders in the Reminders box to see details of a reminder.
3. Open the Notes tab and select New Note. Enter a title.
4. Open the Reminders drawer and review the contents.
5. Locate the Mammogram or Pap reminder you wish to complete (e.g., VA-WH Mammogram Screening) and click to open it.
6. In the dialog box, check relevant actions.
7. Finish the reminder processing.
8. Review the text added to the note to assure its correctness.
9. Ensure that the reminder can be satisfied by the individual finding items that were mapped to the reminder terms.

Example: Mammogram Screening Dialog

Reminder Resolution: Mammogram Screening

The VHA recommends women age 40 and older have a mammogram every 1-2 years

☐ Click here for more information...

Screening

☒ Order mammogram

☐ Mammogram - screening

☐ Mammogram - bilateral

☐ Mammogram - unilateral

☐ Record results of mammogram completed elsewhere

☐ Order - refer to Women's Health Provider

☐ Patient declined mammogram

☐ Defer mammogram

☐ Mammogram not indicated

☒ Click here to change the frequency of mammograms for this patient

Mammogram Frequency

☐ Screen every 4 months

☐ Screen every 6 months

☐ Screen every year

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

<No encounter information entered>

Using Clinical Reminders

Chapter 10: Women's Veterans Health Reminders

The notification letter can be modified at your local site.

Review Results Dialogs

If your site uses the Women's Health package, you can review the results of pap smear lab tests or mammogram procedures. You can then send notifications to patients to inform them of the results. The example below shows the Mammogram Review Results dialog and demonstrates sending a notification letter indicating that there is no evidence of malignancy. A follow-up mammogram can be scheduled.

Review Results Dialog

Reminder Resolution: Mammogram Review Results

The VHA recommends that mammogram results be reviewed and recorded in the patient's electronic record.

WH Mammogram Clinical Review

Procedure: MAMMOGRAPHY, SCREENING (BILATERAL)
Primary Diagnosis: NORMAL
Modifiers: <none>

* This report indicates:

☐ NEM (No Evidence of Malignancy) ☐ Abnormal

☐ Unsatisfactory for Diagnosis

Comment:

Patient Notification

☒ Notify patient of NEM (No Evidence of Malignancy) results

☐ NEM results - further screening not required

☒ NEM results - next mammogram 1 year

* Patient notified: ☒ Letter ☐ In-Person ☐ Phone Call

☐ NEM results - next mammogram 2 years

☐ NEM results - follow-up mammogram in 4 months

☐ NEM results - follow-up mammogram in 6 months

☐ Notify patient of abnormal results

☐ Unsatisfactory for diagnosis - record patient notification

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

Mammogram Review Results:

Procedure: MAMMOGRAPHY, SCREENING (BILATERAL)
Primary Diagnosis: NORMAL
Modifiers: <none>
Notified patient of mammogram results. There was no evidence of malignancy (NEM). Next mammogram 1 year.
Patient notified: Letter

Health Factors: WH MAMMOGRAM SCREEN FREQ - 1Y
Women's Health Procedure: Mammogram
WH Notification: MAM result NEM, next MAM 1Y

* Indicates a Required Field

Appendix A: FAQs, Hints, and Tips

Q: Are the reminders our site has already defined compatible with the new Clinical Reminders V. 2.0 package?

A: Yes, a conversion utility is run when the package is installed that converts your reminders to the new file structure. Some reminders may need slight adjustments to work with the new functionality so if you notice any reminders that don't seem to be working correctly notify your reminder manager.

Q: If orders are included in dialogs and I check these through the Notes tab in CPRS, are the orders actually placed, or is this just recording the intention to order something?

A: The order is actually placed, just as if you had ordered through the Orders tab. If the order is set up as a quick order, it will go through immediately (when you click the Finish button); if not a quick order, further questions will be asked to complete the order. The order will still need to be signed.

Q: When I click on a reminder to process, I get a message saying "no dialog is defined for this reminder." What does this mean and what do I need to do?

A: See your CAC or Clinical Reminders manager. They need to create and link a dialog for this reminder.

Q: What do clinicians need to learn to use Clinical Reminders functionality?

A: The most important things to learn will be related to changes in workflow. It will be important to coordinate orders that are placed through reminder dialogs with nurses and clerks. You can work with your CACs and teams to share the responsibility for reminders so that no individual is overwhelmed with reminders. Also, learning to use reports correctly to produce meaningful data will be essential.

Appendix A: FAQs, Hints, and Tips

Q: Is there any way to do a reminder report on an individual finding item?

We want to add a check box that indicates depression is a new diagnosis. Is there a way to do a reminder report just on that one finding that will tell us how many of the patients that were seen that this was applicable for?

A: Set up a local reminder with that one finding as a resolution finding. Define the reminder USAGE field as Reports, and then it will not appear on the cover sheet.

Additional trick:

Make the frequency to be 1 day, and put an OR for the resolution logic and AND for the COHORT logic. That then gives you output in the CM or health summary that gives the date it was last done so not only do you get a list of folks who have the finding but you also can tell when it was entered.

Q: When Clinical Maintenance is run on a reminder that is applicable due to a problem list entry, why is today's date pulled rather than the date of problem list entry?

A: There are two dates associated with ICD9 diagnoses found in PROBLEM LIST. There is the date entered and the date last modified. The PRIORITY field is used to determine if a problem is chronic or acute. ***If the problem is chronic, Clinical Reminders will use today's date in its date calculations; otherwise it will use the date last modified.*** Note that it only uses active problems unless the field USE INACTIVE PROBLEMS is yes.

Q: I opened the Reminders Drawer and all my reminders have disappeared, what do I do?

A: Check your View list (Appendix D); most likely nothing will be checked. Select the reminder categories you want displayed and click on them so the checkmark is displayed.

Appendix A: FAQs, Hints, and Tips

Appendix A: FAQs, Hints, and Tips

Q: I tried to run a report last night, but got this message this morning when I went to look at the task number.

6294955: ^PXRMPXR, Reminder Due Report - print. Device NT_SPOOL.
VAH,ROU.

From Yesterday at 13:14, By you. **Created without being scheduled.**

Does this mean that there's an error with the report processing?


A: No, that message doesn't mean there's an error. Clinical Reminders processes its reports in two tasks, one for SORT and one for PRINT. The print task will always show "created without being scheduled" until the sort task is complete.

Tips:

Clearing a Single Reminder


You will probably process several reminders for a single visit. If you have entered information on a reminder, but you need to start over on that reminder only, you can click Clear on the reminder from the Reminders Drawer, and then click the Clear button in the Reminders dialog box. This removes all previous dialog selections from the reminder's dialog box and removes the related text and data from the Progress Note Text box and the PCE data box for this reminder. You can now start processing again.

NOTE: Clicking Clear will remove the information from only one reminder. Be careful that you are on the correct reminder before you click Clear.



Canceling Out of the Processing Dialog

If you reach the Reminders processing dialog by mistake or you wish to delete information that you have entered and start over, click Cancel.



Appendix B: Glossary

Acronyms

AAC	Austin Automation Center
AIMS	Abnormal Involuntary Movement Scale
API	Application Programmer Interface.
CAC	Clinical Application Coordinator
CNBD	Cannot Be Determined (frequency)
CPRS	Computerized Patient Record System.
DBIA	Database Integration Agreement.
EPRP	External Peer Review Program
EVS	Enterprise VistA Service
GEC	Geriatric Extended Care
GUI	Graphical User Interface.
HSR&D	Health Services Research and Development
HL7	Health Level 7
IHD	Ischemic Heart Disease
LDL	Low-density lipo-protein
MDD	Major Depressive Disorder
MH	Mental Health
MHV	My HealtheVet
OQP	Office of Quality and Performance
PCE	Patient Care Encounter
QUERI	Quality Enhancement Research Initiative
SAS	Statistical Analysis System
SQA	Software Quality Assurance
SRS	Software Requirements Specification
TIU	Text Integration Utilities
VHA	Veterans Health Administration.
VISN	Veterans Integrated Service Networks.
VISTA	Veterans Health Information System and Technology Architecture.

[National Acronym Directory](#)

Definitions

AAC SAS Files

AAC SAS files contain data that is equivalent to data stored in the Reminder Extract Summary entry in the Reminder Extract Summary file. AAC manages SAS files for use by specifically defined users.

Applicable

The number of patients whose findings met the patient cohort reminder evaluation.

Appendix B: Glossary

CNBD Cannot Be Determined. If a frequency can't be determined for a patient, the Status and Due Date will both be CNBD and the frequency display that follows the status line will be "Frequency: Cannot be determined for this patient."

Due

The number of patients whose reminder evaluation status is due.

National Database

All sites running IHD and Mental Health QUERI software transmit their data to a compliance totals database at the AAC.

Not Applicable

The number of patients whose findings did not meet the patient cohort reminder evaluation.

Not Due

The number of patients whose reminder evaluation status is not due.

Reminder Definitions

Reminder Definitions comprise the predefined set of finding items used to identify patient cohorts and reminder resolutions. Reminders are used for patient care and/or report extracts.

Reminder Dialog

Reminder Dialogs comprise a predefined set of text and findings that together provide information to the CPRS GUI, which collects and updates appropriate findings while building a progress note.

Reminder Patient List

A list of patients that is created from a set of List Rules and/or as a result of report processing. Each Patient List is assigned a name and is defined in the Reminder Patient List File. Reminder Patient Lists may be used as an incremental step to completing national extract processing or for local reporting needs. Patient Lists created from the Reminders Due reporting process are based on patients that met the patient cohort, reminder resolution, or specific finding extract parameters. These patient lists are used only at local facilities.

Reminder Terms

Predefined finding items that are used to map local findings to national findings, providing a method to standardize these findings for national use.

Appendix B: Glossary

Report Reminders


Reminders may be defined specifically for national reporting. Report Reminders do not have a related Reminder Dialog in CPRS and are not used by clinicians for patient care. However, clinical reminders that are used in CPRS may also be used for national reminder reporting. All reminders targeted for national reporting are defined in Extract Parameters.

Appendix C: Edit Cover Sheet Reminder List


You can specify which reminders will appear on the cover sheet of CPRS. This is done by using the Edit Cover Sheet Reminder List option.

1. While on the CPRS Cover Sheet, click on the Tools menu.
2. From the drop-down menu that appears, click on Options.

This screen appears:



3. Click on the Clinical Reminders button to get to the editing form.



4. Highlight an item in the Reminders not being displayed field and then click the Add arrow “>” to add it to the Reminders being displayed field. You may hold down the Control key and select more than one reminder at a time.
5. When you have all of the desired reminders in the field, you may highlight a reminder and use the up and down buttons on the right side of the dialog to change the order in which the reminders will be displayed on the Cover Sheet.



New Reminders Parameters (ORQQPX NEW REMINDER PARAMS)

If you have been assigned this parameter, you can also modify the reminders view on the coversheet.

1. Click on the reminder button next to the CWAD button in the upper right hand corner of the CPRS GUI.



2. Click on Action, then click on Edit Cover Sheet Reminder List.



This form provides very extensive cover sheet list management capabilities. It consists mainly of three large list areas.

- *Cover Sheet Reminders (Cumulative List)* displays selected information on the Reminders that will be displayed on the Cover Sheet.
- *Available Reminders & Categories* lists all available Reminders and serves as a selection list.
- *User Level Reminders* displays the Reminders that have been added to or removed from the cumulative list.

You may sort the Reminders in *Cover Sheet Reminders (Cumulative List)* by clicking on any of the column headers. Click on the Seq (Sequence) column header to view the Reminders in the order in which they will be displayed on your coversheet.

Appendix D: VA GEC Referral Reports

VA GEC Reports display the percentage of patients referred to select GEC programs who meet the eligibility criteria as outlined in the Under Secretary for Health's Information Letter IL 10-2003-005 and VHA Handbook 1140.2.

VA GEC Reports provide quarterly statistical reports on the following VA-funded programs.

- Homemaker/Home Health Aide, when Funding Source=VA
- Adult Day Health Care, when Funding Source=VA
- VA In-Home Respite, when Funding Source=VA
- Care Coordination, when Funding Source=VA

When sites submit their quarterly reports, the national office will be able to generate a report for the General Accounting Office/Office of Inspector General that demonstrates compliance with the standards for assessing patients prior to placement in VA funded programs.

These same reports can be used at the local level to evaluate how well a site is performing in meeting compliance standards for placement of patients in VA-funded GEC programs.

Data Elements for Reporting

- Source
- Living Situation
- Instrumental Activities of Daily Living
- Basic Activities of Daily Living
- Patient Behaviors and Symptoms
- Cognitive Status
- Prognosis
- Age of Patient is 75 years or greater
- Patient Identified as a High Utilizer of Medical Services

Implementation Requirements

Local sites must task the job by setting the queue to automatically generate the quarterly reports.

The Office of Geriatric and Extended Care is responsible for importing data received, via electronic email, into a GEC-created excel spreadsheet.

New Option

GEC Fiscal Quarterly Rollup [PXRM GEC2 QUARTERLY ROLLUP]

This is a queueable option that will gather and report to Washington DC the Fiscal Quarterly information.

This option should never be placed on an individual's menu. It should be scheduled for the 8th

day of the first month of the next calendar quarter at any time of the facility's choosing. The rescheduling frequency should be set to "3M" (every three months).

New Mail Group

GEC2 NATIONAL ROLLUP

When this mail group is installed, it will contain the email address of the two individuals in Washington DC who will receive the quarterly data. These names should not be removed. Names of local individuals (for example, CACs) may be added, if they desire to receive these reports.

Important Note:

We recommend thorough testing of GEC reminder dialogs by staff prior to implementation to avoid GEC report roll-up inaccuracies. Testing of GEC reminder dialogs and reports in a test account should mimic the actual processes and workload capture used in the site's production environment.

Informatics staff and GEC referral staff should work together to identify potential issues that arise during testing that may require modification of clinical processes and/or workload capture. Accurate capture and reporting of GEC referral health factors may require careful analysis of workload capture processes at sites that use Event Capture software. Inaccurate reporting may lead to questions from the Inspector General's office concerning funding for the patients referred to the "Home Help" type of programs.

Potential issues if you use Event Capture

(reported by a test site):

- a) Event capture does not pass workload to PCE in real time. Data is not passed to PCE until after hours, so this needs to be taken into account when testing.
- b) There are several steps where real front-line users could make minor mistakes that would result in data entry/workload not matching up with the Care coordination note.
 - 1. Event capture date/time must be an exact match to the date/time of PCE/TIU
 - 2. Clinic location must be the same.
 - 3. Data passes after hours from EC to PCE.
 - 4. There is no drop-down menu to select from. 1 and 2 above must be manually entered.
 - 5. Patient name must be re-selected (or use spacebar return).

NOTE: Clinical Reminders Patch 4 (PXR*2.0*4) contains a few minor changes to GEC Reports, including a new option, Restore or Merge Referrals.

GEC Referral Reports Examples

GEC Referral Reports are available on the Reminder Reports menu or on the Reminder Managers menu, depending on how your site has assigned options.

NOTE: Option 10 on the GEC Referral Report menu is new with patch PXR*2.0*4.

Types of reports

1. Category
2. Patient
3. Provider by Patient
4. Referral Date
5. Location
6. Referral Count Totals
7. Category-Referred Service
8. Summary (Score)
9. 'Home Help' Eligibility
10. [Restore or Merge Referrals](#)

Options 2,3,4,5, named Patient, Provider by Patient, Referral Date, and Location, allow the user to visualize the referral for a patient by different views of the data. They all allow you to narrow the scope to a particular aspect of referral. The Patient view allows you to select a particular patient or several patients. Referral Date allow you to select a particular date range for the Referrals you wish to inquire about. Location refers to the location in the facility that the patient was at during this referral.

You can print the reports in a delimited format, if you wish to export the data to a spreadsheet.

Example 1: Category

This option first allows you to select a health factor category or several categories which correlate to different sections of the GEC dialogs. You can then select individual patients or all patients and a date range in order to view the health factors that were added to that patient's database and Note. It reports both complete and incomplete referrals.

In this example, we picked all categories.

```
Select Reminder Reports Option: ??

D      Reminders Due Report
R      Reminders Due Report (User)
U      User Report Templates
T      Extract EPI Totals
L      Extract EPI List by Finding and SSN
Q      Extract QUERI Totals
V      Review Date Report
G      GEC Referral Report

Select Reminder Reports Option: g  GEC Referral Report

All Reports will print on 80 Columns

      Select one of the following:
```


- 1 Category
- 2 Patient
- 3 Provider by Patient
- 4 Referral Date
- 5 Location
- 6 Referral Count Totals
- 7 Category-Referred Service
- 8 Summary (Score)
- 9 'Home Help' Eligibility
- 10 Restore or Merge Referrals

Select Option or ^ to Exit: 7// 1 Category

GEC Referral Categories

- | | |
|--------------------------------|-----------------------------|
| 1 ADDITIONAL INFO | 2 BASIC ADL |
| 3 COGNITIVE STATUS | 4 COMMENTS |
| 5 CONTINENCE | 6 DIET |
| 7 DOMICILIARY | 8 EQUIPMENT/PROSTHETICS |
| 9 EST. DURATION OF SERVICES | 10 GERIATRIC SERVICES |
| 11 GOALS OF CARE | 12 HOME CARE |
| 13 HOME TELEHEALTH | 14 HOMEBOUND STATUS |
| 15 HOSPICE CARE | 16 IADL |
| 17 LANGUAGE | 18 LIVING SITUATION |
| 19 LIVING SITUATION-WITH WHO | 20 NOT REFERRED TO CARE |
| 21 NURSING HOME CARE | 22 OTHER REFERRAL PROGRAM |
| 23 PATIENT BEHAVIORS/SYMPTOM | 24 PRIMARY UNPAID CAREGIVER |
| 25 PROGNOSIS | 26 REFERRING TO |
| 27 SERVICES IN THE HOME | 28 SKILLED CARE |
| 29 SKIN | 30 SOURCE OF REFERRAL |
| 31 STRUCTURED LIVING SITUATION | 32 WEIGHT BEARING |

Select Categories from the list above using

Commas and/or Dashes for ranges of numbers.

Select Categories or ^ to exit: (1-32): 1-32// <Enter>

Select a Beginning Historical Date.

BEGINNING date or ^ to exit: (1/1/1988 - 4/18/2006): T-600// (AUG 26, 2004)

Select Ending Date.

ENDING date or ^ to exit: (8/26/2004 - 4/18/2006): T// (APR 18, 2006)

Select one of the following:

- A All Patients
- M Multiple Patients

Select Patients or ^ to exit: M// ultiple Patients

Select PATIENT NAME: CRPATIENT,EIGHT YES SC VETERAN

Select PATIENT NAME: <Enter>

Select one of the following:

- F Formatted
- D Delimited

Select Report Format or ^ to exit: F// ormatted

DEVICE: HOME// HOME

=====

GEC Health Factor Category Detailed Report

From: 08/26/2004 To: 04/18/2006

Complete and Incomplete Referrals

Category

Patient Name

Health Factors

Value Date

=====

ADDITIONAL INFO

CRPATIENT,EIGHT (000000008)

GEC ADVANCE DIRECTIVE	NO	04/11/2005
GEC BETTER OTHER LIVING ENVIRONMENT	NO	04/11/2005
GEC DIFFICULT TO ENTER/LEAVE HOME	NO	04/11/2005
GEC DPOA FINANCIAL		04/11/2005
Comment: HKJHK		
GEC FIDUCIARY/CONSERVATOR		04/11/2005
Comment: JKLJL		
GEC GUARDIAN		04/11/2005
Comment: L;' ;L		
GEC LEFT ALONE LAST 7D	NO	04/11/2005
GEC OTHERS MOVED IN W/PT LAST 90D	NO	04/11/2005
GEC PHYSICAL ACTIVITY 2HRS LAST 7D	NO	04/11/2005

DOMICILIARY

CRPATIENT,EIGHT (000000008)

GEC DOMICILIARY FUNDING-VA		04/11/2005
GEC VA DOMICILIARY (REFERRED TO)		04/11/2005

EST. DURATION OF SERVICES

CRPATIENT,EIGHT (000000008)

GEC ONE WEEK OR LESS		04/11/2005
----------------------	--	------------

GOALS OF CARE

CRPATIENT,EIGHT (000000008)

GEC IMPROVE COMPLIANCE MEDS/TREATMENTS		04/11/2005
GEC MONITORING TO AVOID COMPLICATIONS		04/11/2005

HOME CARE

CRPATIENT,EIGHT (000000008)

GEC COMMUNITY SKILLED HOME HEALTH CARE		04/11/2005
GEC HOME BASED PR. CARE (REFERRED TO)		04/11/2005
GEC HOMECARE FUNDING-VA		04/11/2005
GEC HOMECARE FUNDING-VA		07/14/2005
GEC HOMEMAKER/HOME HEALTH AIDE		04/11/2005
GEC HOMEMAKER/HOME HEALTH AIDE		07/14/2005

HOMEBOUND STATUS

CRPATIENT,EIGHT (000000008)

GEC HOMEBOUND	NO	04/11/2005
---------------	----	------------

IADL

CRPATIENT,EIGHT (000000008)

GEC DIFFICULT TRANSPORTATION/LAST 7D	NO	04/11/2005
--------------------------------------	----	------------

GEC DIFFICULTY MANAGING MEDS/LAST 7D	NO	04/11/2005
GEC DIFFICULTY MNG FINANCES/LAST 7D	NO	04/11/2005
GEC DIFFICULTY PREPARE MEALS/LAST 7D	NO	04/11/2005
GEC DIFFICULTY PREPARE MEALS/LAST 7D	YES	04/11/2005
GEC DIFFICULTY USING PHONE/LAST 7D	NO	04/11/2005
GEC DIFFICULTY W/ HOUSEWORK/LAST 7D	NO	04/11/2005
GEC DIFFICULTY WITH SHOPPING/LAST 7D	NO	04/11/2005
GEC MEALS PREPARED BY OTHERS/LAST 7D	NO	04/11/2005
GEC MEALS PREPARED BY OTHERS/LAST 7D	YES	04/11/2005
GEC RECENT CHANGE IN IADL RX	NO	04/11/2005

LANGUAGE

CRPATIENT,EIGHT (000000008)

GEC ENGLISH	04/11/2005
GEC SPANISH	04/11/2005

LIVING SITUATION

CRPATIENT,EIGHT (000000008)

GEC BOARD AND CARE/ASSISTED LIVING	04/11/2005
GEC DOMICILIARY	04/11/2005

LIVING SITUATION-WITH WHO

CRPATIENT,EIGHT (000000008)

GEC ALONE	04/11/2005
-----------	------------

PRIMARY UNPAID CAREGIVER

CRPATIENT,EIGHT (000000008)

GEC NO CAREGIVER	04/11/2005
------------------	------------

REFERRING TO

CRPATIENT,EIGHT (000000008)

GEC ADL ASSISTANCE IN HOME	04/11/2005
GEC SKILLED CARE IN HOME	04/11/2005

SERVICES IN THE HOME

CRPATIENT,EIGHT (000000008)

GEC HOME HEALTH AIDE/LAST 14D	NO	04/11/2005
GEC RN HOME VISIT(T+/-30D)	NO	04/11/2005
GEC SOCIAL WORK ASSISTANCE/LAST 14D	NO	04/11/2005

SOURCE OF REFERRAL

CRPATIENT,EIGHT (000000008)

GEC OUTPATIENT CLINIC	04/11/2005
-----------------------	------------

Enter RETURN to continue or '^' to exit:

Example 2: Patient

This option lets you pick one or more patients for a specified date range. It then prints a report of all the referral information for each patient. Select Multiple Patients, if you wish to enter individual patient names. Otherwise, select All Patients.

This option reports by complete referrals only.

```
Select Reminder Reports Option:  GEC Referral Report

All Reports will print on 80 Columns

    Select one of the following:

        1      Category
        2      Patient
        3      Provider by Patient
        4      Referral Date
        5      Location
        6      Referral Count Totals
        7      Category-Referred Service
        8      Summary (Score)
        9      'Home Help' Eligibility
        10     Restore or Merge Referrals

Select Option or ^ to Exit: 2    Patient

    Select one of the following:

        A      All Patients
        M      Multiple Patients

Select Patients or ^ to exit: M// <Enter> ultiple Patients
Select PATIENT NAME: CRPATIENT,EIGHT,CRPATIENT,EIGHT  CRPATIENT,EIGHT

Select PATIENT NAME: <Enter>

Select a Beginning Historical Date.
BEGINNING date or ^ to exit: (1/1/1988 - 4/18/2006): t-365// <Enter> (APR 18,
2005)

Select Ending Date.
ENDING date or ^ to exit:  (4/18/2005 - 4/18/2006): T// <Enter>  (APR 18, 2006)

    Select one of the following:

        F      Formatted
        D      Delimited

Select Report Format or ^ to exit: F//<Enter> ormatted
DEVICE: HOME// ;;999  HOME

=====
```

GEC Patient

From: 04/18/2005 To: 04/18/2006

Patient

Category

Health Factor	Value	Date of Evaluation
---------------	-------	--------------------

1) OUTPATIENT

1) CRPATIENT,EIGHT (000000008)

Total # Complete referrals: 4

Referral #1

ADDITIONAL INFO

GEC GUARDIAN

04/11/2005

Comment: L;' ;L

HOME CARE

GEC HOME BASED PR. CARE (REFERRED TO)

04/11/2005

IADL

GEC DIFFICULTY PREPARE MEALS/LAST 7D YES

04/11/2005

GEC MEALS PREPARED BY OTHERS/LAST 7D YES

04/11/2005

LANGUAGE

GEC ENGLISH

04/11/2005

LIVING SITUATION

GEC DOMICILIARY

04/11/2005

Referral #2

HOME CARE

GEC COMMUNITY SKILLED HOME HEALTH CARE

04/11/2005

REFERRING TO

GEC SKILLED CARE IN HOME

04/11/2005

Referral #3

ADDITIONAL INFO

GEC BETTER OTHER LIVING ENVIRONMENT NO

04/11/2005

GEC DIFFICULT TO ENTER/LEAVE HOME NO

04/11/2005

GEC LEFT ALONE LAST 7D NO

04/11/2005

GEC OTHERS MOVED IN W/PT LAST 90D NO

04/11/2005

GEC PHYSICAL ACTIVITY 2HRS LAST 7D NO

04/11/2005

GEC ADVANCE DIRECTIVE NO

04/11/2005

GEC DPOA FINANCIAL

04/11/2005

Comment: HKJHK

GEC FIDUCIARY/CONSERVATOR

04/11/2005

Comment: JKLJL

DOMICILIARY

GEC DOMICILIARY FUNDING-VA

04/11/2005

GEC VA DOMICILIARY (REFERRED TO)

04/11/2005

EST. DURATION OF SERVICES

GEC ONE WEEK OR LESS

04/11/2005

GOALS OF CARE

GEC MONITORING TO AVOID COMPLICATIONS

04/11/2005

GEC IMPROVE COMPLIANCE MEDS/TREATMENTS

04/11/2005

HOME CARE

GEC HOMECARE FUNDING-VA

04/11/2005

GEC HOMEMAKER/HOME HEALTH AIDE

04/11/2005

HOMEBOUND STATUS

GEC HOMEBOUND

NO

04/11/2005

IADL

GEC DIFFICULT TRANSPORTATION/LAST 7D NO

04/11/2005

GEC DIFFICULTY MANAGING MEDS/LAST 7D NO

04/11/2005

GEC DIFFICULTY MNG FINANCES/LAST 7D NO

04/11/2005

GEC DIFFICULTY USING PHONE/LAST 7D NO

04/11/2005

GEC DIFFICULTY W/ HOUSEWORK/LAST 7D NO

04/11/2005

GEC DIFFICULTY WITH SHOPPING/LAST 7D NO

04/11/2005

GEC RECENT CHANGE IN IADL RX NO

04/11/2005

GEC DIFFICULTY PREPARE MEALS/LAST 7D	NO	04/11/2005
GEC MEALS PREPARED BY OTHERS/LAST 7D	NO	04/11/2005
LANGUAGE		
GEC SPANISH		04/11/2005
LIVING SITUATION		
GEC BOARD AND CARE/ASSISTED LIVING		04/11/2005
LIVING SITUATION-WITH WHO		
GEC ALONE		04/11/2005
PRIMARY UNPAID CAREGIVER		
GEC NO CAREGIVER		04/11/2005
REFERRING TO		
GEC ADL ASSISTANCE IN HOME		04/11/2005
SERVICES IN THE HOME		
GEC HOME HEALTH AIDE/LAST 14D	NO	04/11/2005
GEC RN HOME VISIT(T+/-30D)	NO	04/11/2005
GEC SOCIAL WORK ASSISTANCE/LAST 14D	NO	04/11/2005
SOURCE OF REFERRAL		
GEC OUTPATIENT CLINIC		04/11/2005
Referral #4		
HOME CARE		
GEC HOMECARE FUNDING-VA		07/14/2005
GEC HOMEMAKER/HOME HEALTH AIDE		07/14/2005
Enter RETURN to continue or '^' to exit:		

Example 3: Referral by Provider – All Providers

This option lets you pick one or more providers for a specified date range. It then prints a report of all the referral information for all of the referred patients for designated providers. Select Multiple Providers, if you wish to enter individual provider names. Otherwise, select All Providers.

This report displays counts of complete referrals only

```
Select one of the following:

1      Category
2      Patient
3      Provider by Patient
4      Referral Date
5      Location
6      Referral Count Totals
7      Category-Referred Service
8      Summary (Score)
9      'Home Help' Eligibility
10     Restore or Merge Referrals

Select Option or ^ to Exit: 1// 3  Provider by Patient

Select one of the following:

A      All Providers
M      Multiple Providers

Enter response: M// All Providers

Select a Beginning Historical Date.
BEGINNING date or ^ to exit:  (1/1/1988 - 4/19/2006): T-600//  (AUG 27, 2004)

Select Ending Date.
ENDING date or ^ to exit:  (8/27/2004 - 4/19/2006): T//  (APR 19, 2006)

Select one of the following:

F      Formatted
D      Delimited

Select Report Format or ^ to exit: F// orformatted
DEVICE: HOME// ;;999 HOME

=====
GEC Provider
From: 08/27/2004 To: 04/19/2006
Report Displays Counts of Complete Referrals Only
Provider
  Patient      Completion Date      Dialog
=====
CRPROVIDER,EIGHT (253)

  CRPATIENT,THREE (000000003) (1 Evaluation(s) )
                                02/10/2005      CARE COORDINATION
                                02/10/2005      SOCIAL SERVICES
                                02/10/2005      NURSING ASSESSMENT
```

	02/10/2005	CARE RECOMMENDATION
CRPATIENT,FIVE (000000005)	(1 Evaluation(s))	
	01/31/2005	CARE COORDINATION
	01/31/2005	SOCIAL SERVICES
	01/31/2005	NURSING ASSESSMENT
	01/31/2005	CARE RECOMMENDATION
CRPATIENT,FOURTEEN (000000014)	(2 Evaluation(s))	
	01/27/2005	CARE COORDINATION
	01/28/2005	CARE COORDINATION
	01/28/2005	SOCIAL SERVICES
	01/28/2005	NURSING ASSESSMENT
	01/28/2005	CARE RECOMMENDATION
PATIENT,CHRONIC (333448888)	(1 Evaluation(s))	
	02/10/2005	CARE COORDINATION
	02/10/2005	SOCIAL SERVICES
	02/10/2005	NURSING ASSESSMENT
	02/10/2005	CARE RECOMMENDATION
CRPATIENT,FOUR (000000004)	(1 Evaluation(s))	
	01/28/2005	CARE COORDINATION
	01/28/2005	SOCIAL SERVICES
	01/28/2005	NURSING ASSESSMENT
	01/28/2005	CARE RECOMMENDATION
CRPATIENT,ONE (666112222)	(1 Evaluation(s))	
	01/31/2005	CARE COORDINATION
	01/31/2005	SOCIAL SERVICES
	01/31/2005	NURSING ASSESSMENT
	01/31/2005	CARE RECOMMENDATION
CRPROVIDER,ONE (1114)		
CRPATIENT,TWO (000000002)	(1 Evaluation(s))	
	01/27/2005	CARE COORDINATION
	01/27/2005	SOCIAL SERVICES
CRPATIENT,EIGHT (000000008)	(4 Evaluation(s))	
	06/16/2005	CARE COORDINATION
	06/16/2005	SOCIAL SERVICES
	06/17/2005	CARE COORDINATION
	06/17/2005	CARE RECOMMENDATION
	06/28/2005	CARE COORDINATION
	06/28/2005	SOCIAL SERVICES
	06/28/2005	CARE RECOMMENDATION
	07/14/2005	CARE COORDINATION
CRPATIENT,FOUR (000000004)	(1 Evaluation(s))	
	06/17/2005	CARE COORDINATION
	06/17/2005	CARE RECOMMENDATION
CRPROVIDER,THIRTEEN (123456789066)		
CRPATIENT,SIX (666042591P)	(1 Evaluation(s))	
	03/28/2005	CARE COORDINATION
	03/28/2005	SOCIAL SERVICES
	03/28/2005	NURSING ASSESSMENT
	03/28/2005	CARE RECOMMENDATION
CRPROVIDER,TEN (123456789068)		
CRPATIENT,EIGHT (000000008)	(1 Evaluation(s))	
	06/16/2005	SOCIAL SERVICES
	06/16/2005	NURSING ASSESSMENT
	06/16/2005	CARE RECOMMENDATION
CRUPATIENT,TEN (123121234)	(1 Evaluation(s))	
	03/28/2005	CARE COORDINATION
	03/28/2005	SOCIAL SERVICES


```

03/28/2005          NURSING ASSESSMENT
03/28/2005          CARE RECOMMENDATION
Enter RETURN to continue or '^' to exit:

    Select one of the following:

        1          Category
        2          Patient
        3          Provider by Patient
        4          Referral Date
        5          Location
        6          Referral Count Totals
        7          Category-Referred Service
        8          Summary (Score)
        9          'Home Help' Eligibility
        10         Restore or Merge Referrals

Select Option or ^ to Exit: 3//    Provider by Patient

    Select one of the following:

        A          All Providers
        M          Multiple Providers

Enter response: A// Multiple Providers

Select NEW PERSON NAME: CRPROVIDER,ONE          OC
Select NEW PERSON NAME: CRPROVIDER,TEN          TC
Select NEW PERSON NAME:

Select a Beginning Historical Date.
BEGINNING date or ^ to exit:  (1/1/1988 - 4/19/2006): T-600//    (AUG 27, 2004)

Select Ending Date.
ENDING date or ^ to exit:  (8/27/2004 - 4/19/2006): T//    (APR 19, 2006)

    Select one of the following:

        F          Formatted
        D          Delimited

Select Report Format or ^ to exit: F// ormatted
DEVICE: HOME//    HOME

=====
GEC Provider
From: 08/27/2004 To: 04/19/2006
Report Displays Counts of Complete Referrals Only
Provider
    Patient          Completion Date          Dialog
=====

CRPROVIDER,ONE (1114)

    CRPATIENT,TWO (000000002) (1 Evaluation(s) )
        01/27/2005          CARE COORDINATION
        01/27/2005          SOCIAL SERVICES
    CRPATIENT,EIGHT (000000008) (4 Evaluation(s) )
        06/16/2005          CARE COORDINATION

```

Enter RETURN to continue or '^' to exit:

	06/16/2005	SOCIAL SERVICES
	06/17/2005	CARE COORDINATION
	06/17/2005	CARE RECOMMENDATION
	06/28/2005	CARE COORDINATION
	06/28/2005	SOCIAL SERVICES
	06/28/2005	CARE RECOMMENDATION
	07/14/2005	CARE COORDINATION
CRPATIENT,FOUR	(000000004)	(1 Evaluation(s))
	06/17/2005	CARE COORDINATION
	06/17/2005	CARE RECOMMENDATION

CRPROVIDER,TEN (123456789068)

CRPATIENT,EIGHT	(000000008)	(1 Evaluation(s))
	06/16/2005	SOCIAL SERVICES
	06/16/2005	NURSING ASSESSMENT
	06/16/2005	CARE RECOMMENDATION
CRPATIENT,TEN	(666121234)	(1 Evaluation(s))
	03/28/2005	CARE COORDINATION
	03/28/2005	SOCIAL SERVICES
	03/28/2005	NURSING ASSESSMENT
	03/28/2005	CARE RECOMMENDATION

Enter RETURN to continue or '^' to exit:

Example 4: Referral Date

The Referral Date option lets you specify a particular date range as well as incomplete referrals, completed referrals, or both.

```
Select one of the following:

1      Category
2      Patient
3      Provider by Patient
4      Referral Date
5      Location
6      Referral Count Totals
7      Category-Referred
8      Service Summary (Score)
9      'Home Help' Eligibility
10     Restore or Merge Referrals

Select Option or ^ to Exit: 3// 4  Referral Date

Select one of the following:

A      All Patients
M      Multiple Patients

Select Patients or ^ to exit: M// All Patients

Select a Beginning Historical Date.
BEGINNING date or ^ to exit:  (1/1/1988 - 4/19/2006): T-600//  (AUG 27, 2004)

Select Ending Date.
ENDING date or ^ to exit:  (8/27/2004 - 4/19/2006): T//  (APR 19, 2006)

Select one of the following:

I      Incomplete Referrals Only
      Complete Referrals Only
C      Both Complete and Incomplete

Enter response: Both Complete and Incomplete

Select one of the following:

F      Formatted
D      Delimited

Select Report Format or ^ to exit: F// ormatted
DEVICE: HOME//  HOME

=====
Complete and/or Incomplete GEC Referrals by Date Range
From: 08/27/2004 To: 04/19/2006
Complete and Incomplete Referrals
Patient
  Start Date      Finished      Elapsed Time      Incomplete Status
=====
CRPATIENT,EIGHT (000000008)          4 Referral(s)

06/17/2005      06/17/2005      1 Days
```

06/28/2005	06/28/2005	1 Days	
06/30/2005		294 Days	Incomplete
07/14/2005	07/14/2005	1 Days	
CRPATIENT,FIVE (000000005)		1 Referral(s)	
01/31/2005	01/31/2005	1 Days	
CRPATIENT,FOUR (000000004)		2 Referral(s)	
01/28/2005	01/28/2005	1 Days	
06/17/2005	06/17/2005	1 Days	
CRPATIENT,FOURTEEN (000000014)		4 Referral(s)	
01/27/2005	01/27/2005	1 Days	
01/27/2005		448 Days	Incomplete
01/27/2005	01/27/2005	1 Days	
01/28/2005	01/28/2005	1 Days	
CRPATIENT,THREE (000000003)		2 Referral(s)	
01/27/2005		448 Days	Incomplete
02/10/2005	02/10/2005	1 Days	
CRPATIENT,TWO (000000002)		1 Referral(s)	
01/27/2005	01/27/2005	1 Days	
CRPATIENT,ONE (666112222)		1 Referral(s)	
01/31/2005	01/31/2005	1 Days	

Example 5: Location

This option lets you print a report on patients by locations in the facility that the patient was at during this referral.

```
Select one of the following:

1      Category
2      Patient
3      Provider by Patient
4      Referral Date
5      Location
6      Referral Count Totals
7      Category-Referred Service
8      Summary (Score)
9      'Home Help' Eligibility
10     Restore or Merge Referrals

Select Option or ^ to Exit: 4// 5 Location

Select one of the following:

A      All Locations
S      Single Location

Enter response: All Locations

Select a Beginning Historical Date.
BEGINNING date or ^ to exit: (1/1/1988 - 4/19/2006): T-600// (AUG 27, 2004)

Select Ending Date.
ENDING date or ^ to exit: (8/27/2004 - 4/19/2006): T// (APR 19, 2006)

Select one of the following:

F      Formatted
D      Delimited

Select Report Format or ^ to exit: F// orformatted
DEVICE: HOME// HOME

=====
Complete GEC Referrals by Location
From: 08/27/2004 To: 04/19/2006
Location
Patient                                     Finish Date
=====

1 CRPROVIDER,ONE'S CLINIC                Total # Patients Evaluated= 5

CRPATIENT,TEN      (123121234)            03/28/2005
CRPATIENT,EIGHT    (000000008)            06/16/2005
CRPATIENT,EIGHT    (000000008)            06/17/2005
CRPATIENT,EIGHT    (000000008)            06/28/2005
CRPATIENT,FOUR     (000000004)            01/28/2005
```

1A(1&2) Total # Patients Evaluated= 3

CRPATIENT,FIVE	(000000005)	01/31/2005
CRPATIENT,FOURTEEN	(000000014)	01/27/2005
CRPATIENT,FOURTEEN	(000000014)	01/28/2005

2B MED Total # Patients Evaluated= 2

CRPATIENT,THREE	(000000003)	02/10/2005
CRPATIENT,TWO	(000000002)	01/27/2005

CARDIOLOGY Total # Patients Evaluated= 1

GECPATIENT,TEN	(666233242)	02/08/2005
----------------	-------------	------------

DIABETIC EDUCATION-INDIV-MOD BTotal # Patients Evaluated= 1

GECPATIENT,ONE	(666207282)	02/08/2005
----------------	-------------	------------

GENERAL MEDICINE Total # Patients Evaluated= 4

CRPATIENT,EIGHT	(666211234)	02/09/2005
CRPATIENT,FIVE	(666189600)	02/10/2005
CRPATIENT,NINE	(666886636)	02/09/2005
CRPATIENT,ONE	(666993242)	02/10/2005
CRPATIENT,SEVEN	(666388333)	02/16/2005
CRPATIENT,SIX	(666223220)	02/08/2005
CRPATIENT,SIXTEEN	(666223220)	02/10/2005
CRPATIENT,TEN	(666233242)	02/10/2005
CRPATIENT,TWENTY	(666448888)	02/10/2005

Example: Referral Count Totals

This report allows you to create a report that counts the number of Complete referrals done during a time period selected by the user. You can select the counting to be done by Patient Name, Provider, Hospital Location, or for a certain date range. This should be useful for giving reports to other users of the system.

```
Select one of the following:

1      Category
2      Patient
3      Provider by Patient
4      Referral Date
5      Location
6      Referral Count Totals
7      Category-Referred
8      Service Summary (Score)
9      'Home Help' Eligibility
10     Restore or Merge Referrals
Select Option or ^ to Exit: 2// 6 Referral Count Totals

Select one of the following:
PA      Patient
PR      Provider
L       Location
D       Date

Select Sort Type or ^ to exit: PA Patient

Select a Beginning Historical Date.
BEGINNING date or ^ to exit: (1/1/1988 - 4/18/2006): t-365// T-600 (AUG 26, 2004)

Select Ending Date.
ENDING date or ^ to exit: (8/26/2004 - 4/18/2006): T// <Enter> (APR 18, 2006)

Select one of the following:
F       Formatted
D       Delimited

Select Report Format or ^ to exit: F// or matted
DEVICE: HOME// ;;999 HOME

=====
Referral Count by Patient
From: 08/26/2004 To: 04/18/2006
Report Displays Counts of Complete Referrals Only
Patient          SSN          Total Count      Division
=====
1 CRPATIENT,EIGHT 000000008      4      OUTPATIENT
2 CRPATIENT,FIVE  000000005      1      INPATIENT  SALT LAKE OEX
3 CRPATIENT,FOUR  000000004      2      OUTPATIENT
4 CRPATIENT,FOURTEEN 000000014      3      INPATIENT  SALT LAKE OEX
5 CRPATIENT,THREE 000000003      1      INPATIENT  SALT LAKE OEX
6 CRPATIENT,TWO   000000002      1      INPATIENT  SALT LAKE OEX
7 CRPATIENT,ONE   666112222      1      OUTPATIENT

Total Referrals          7
```

Category-Referred Service

The Category-Referred Service is a subset of the first option. It allows you to look at the health factors based on where the patient had been referred to. So if a user would like to view all of the patients that were referred to HOME TELEHEALTH, this is one way to get that information.

```
Select one of the following:

1      Category
2      Patient
3      Provider by Patient
4      Referral Date
5      Location
6      Referral Count Totals
7      Category-Referred
8      Service Summary (Score)
9      'Home Help' Eligibility
10     Restore or Merge Referrals

Select Option or ^ to Exit: 7//  Category-Referred Service

GEC Referral Service Categories
1  DOMICILIARY                2  GERIATRIC SERVICES
3  HOME CARE                  4  HOME TELEHEALTH
5  HOSPICE CARE               6  NOT REFERRED TO CARE
7  NURSING HOME CARE         8  OTHER REFERRAL PROGRAM
9  STRUCTURED LIVING SITUATION

Select Categories from the list above using
Commas and/or Dashes for ranges of numbers.
Select Categories or ^ to exit: (1-9): 1-9//

Select a Beginning Historical Date.
BEGINNING date or ^ to exit: (1/1/1988 - 4/19/2006): T-300// (JUN 23, 2005)

Select Ending Date.
ENDING date or ^ to exit: (6/23/2005 - 4/19/2006): T// ^

Select a Beginning Historical Date.
BEGINNING date or ^ to exit: (1/1/1988 - 4/19/2006): T-300// T-600 (AUG 27,
2004)

Select Ending Date.
ENDING date or ^ to exit: (8/27/2004 - 4/19/2006): T// (APR 19, 2006)

Select one of the following:

A      All Patients
M      Multiple Patients

Select Patients or ^ to exit: A// ll Patients

Select one of the following:

F      Formatted
D      Delimited

Select Report Format or ^ to exit: F// ormatted
DEVICE: HOME// ;;999 HOME
```


GEC Health Factor Category Detailed Report

From: 08/27/2004 To: 04/19/2006

Complete and Incomplete Referrals

Category

Patient Name	Health Factors	Date
=====		

DOMICILIARY

CRPATIENT,EIGHT (000000008)

GEC DOMICILIARY FUNDING-VA	01/27/2005
GEC STATE HOME DOMICILIARY	01/27/2005

CRPATIENT,FIVE (000000005)

GEC DOMICILIARY FUNDING-VA	01/27/2005
GEC DOMICILIARY FUNDING-VA	01/27/2005
GEC DOMICILIARY FUNDING-VA	01/27/2005
GEC DOMICILIARY FUNDING-VA	01/27/2005
GEC VA DOMICILIARY	01/27/2005
GEC VA DOMICILIARY	01/27/2005
GEC VA DOMICILIARY	01/27/2005
GEC VA DOMICILIARY	01/27/2005

CRPATIENT,FOUR (000000004)

GEC DOMICILIARY FUNDING-VA	01/28/2005
GEC VA DOMICILIARY	01/28/2005

GERIATRIC SERVICES

CRPATIENT,FIVE (000000005)

GEC GERI SERVICES FUNDING-VA	01/31/2005
GEC GERIATRIC EVAL/MGMT INPT UNIT	01/31/2005

CRPATIENT,ONE (666442222)

GEC GERI SERVICES FUNDING-VA	02/08/2005
GEC GERIATRIC EVAL/MGMT INPT UNIT	02/08/2005

CRPATIENT,THREE (000000003)

GEC ADULT DAY HEALTH CARE	10/22/2001
GEC HOMECARE FUNDING-VA	10/22/2001

CRPATIENT,TWO (000000002)

GEC HOMECARE FUNDING-VA	01/27/2005
GEC VA IN-HOME RESPITE	01/27/2005

CRPATIENT,EIGHT (000000008)

GEC COMMUNITY SKILLED HOME HEALTH CARE	04/11/2005
GEC HOME BASED PR. CARE	04/11/2005
GEC HOMECARE FUNDING-VA	04/11/2005
GEC HOMECARE FUNDING-VA	07/14/2005
GEC HOMEMAKER/HOME HEALTH AIDE	04/11/2005
GEC HOMEMAKER/HOME HEALTH AIDE	07/14/2005

WHPATIENT,FEMALEFOURTEEN (000000014)

GEC ADULT DAY HEALTH CARE	01/28/2005
GEC HOMECARE FUNDING-VA	01/27/2005
GEC HOMECARE FUNDING-VA	01/28/2005
GEC HOMEMAKER/HOME HEALTH AIDE	01/27/2005
CRPATIENT,ELEVEN (333448888)	
GEC ADULT DAY HEALTH CARE	02/10/2005
GEC HOMECARE FUNDING-VA	02/10/2005
CRPATIENT,ONE (666112222)	
GEC HOMECARE FUNDING-VA	01/31/2005
GEC VA IN-HOME RESPITE	01/31/2005
HOME TELEHEALTH	
CRPATIENT,FOURTEEN (000000014)	
GEC HOME TELEHEALTH	01/27/2005
GEC HOME TELEHEALTH	01/27/2005
GEC TELEHEALTH FUNDING-VA	01/27/2005
GEC TELEHEALTH FUNDING-VA	01/27/2005
WHPATIENT,FEMALEFOUR (000000004)	
GEC HOME TELEHEALTH	06/17/2005
GEC TELEHEALTH FUNDING-VA	06/17/2005
HOSPICE CARE	
CRPATIENT,TEN (666121234)	
GEC HOSPICE FUNDING-MEDICARE	03/28/2005
GEC VA OUTPATIENT HOSPICE	03/28/2005
NOT REFERRED TO CARE	
CRPATIENT,FOURTEEN (000000014)	
GEC DOES NOT MEET CRITERIA	01/27/2005
NURSING HOME CARE	
CRPATIENT,TWENTY (666211234)	
GEC NURSING HOME FUNDING-VA	02/03/2005
GEC STATE VETERANS NURSING HOME	02/03/2005
STRUCTURED LIVING SITUATION	
CRPATIENT,FIVE (000000005)	
GEC ASSISTED LIVING	01/31/2005
GEC STRUCTURED LIVING FUNDING-VA	01/31/2005
CRPATIENT,FOUR (000000004)	
GEC ASSISTED LIVING	06/17/2005
GEC STRUCTURED LIVING FUNDING-OTHER INS.	06/17/2005
Enter RETURN to continue or '^' to exit:	

Example: Summary (Score)

The Summary (Score) GEC option is a little different. This option is used to give some kind of a score to the patients' needs. A value of 1 or 0 has been given to certain Health Factors. These Health Factors have to be placed into different categories: IADL's, Basic ADL, Skilled Care, and Patient Behaviors. It calculates the Means and Standard Deviations for the totals. A user could watch these scores on a particular patient and see how his needs have gotten larger or smaller or a period of time.

```
Select one of the following:
1      Category
2      Patient
3      Provider by Patient
4      Referral Date
5      Location
6      Referral Count Totals
7      Category-Referred Service
8      Summary (Score)
9      'Home Help' Eligibility
10     Restore or Merge Referrals

Select Option or ^ to Exit: 7// 8 Summary (Score)

Select a Beginning Historical Date.
BEGINNING date or ^ to exit: (1/1/1988 - 4/19/2006): T-600// (AUG 27, 2004)

Select Ending Date.
ENDING date or ^ to exit: (8/27/2004 - 4/19/2006): T// (APR 19, 2006)

Select one of the following:
A      All Patients
M      Multiple Patients

Select Patients or ^ to exit: A// 11 Patients

Select one of the following:
F      Formatted
D      Delimited

Select Report Format or ^ to exit: F// ormatted
DEVICE: HOME// ;;999 HOME

=====
GEC Patient-Summary (Score)
Data on Complete Referrals Only
From: 08/27/2004 To: 04/19/2006

Name          SSN          Finished      Basic Skilled Patient  TOTAL
              Date        IADL ADL   Care   Behaviors ACROSS
=====
CRPATIENT,EI  (000000008) 06/16/2005  1    5    4      1      11
CRPATIENT,EI  (000000008) 06/17/2005  0    0    0      0       0
CRPATIENT,EI  (000000008) 06/28/2005  0    0    0      0       0
CRPATIENT,EI  (000000008) 07/14/2005  0    0    0      0       0
CRPATIENT,FI  (000000005) 01/31/2005  7    1    1      1      10
CRPATIENT,FO  (000000004) 01/28/2005  2    1    1      0       4
CRPATIENT,FO  (000000004) 06/17/2005  0    0    0      0       0
CRPATIENT,FO  (000000014) 01/27/2005  0    0    0      0       0
CRPATIENT,FO  (000000014) 01/27/2005  0    0    0      0       0
CRPATIENT,FO  (000000014) 01/28/2005  0    0    0      1       1
```

CRPATIENT,TH	(000000003)	02/10/2005	0	4	0	0	4
CRPATIENT,TW	(000000002)	01/27/2005	1	0	0	0	1
CRPATIENT,EIGHT	(666112222)	01/31/2005	1	2	2	0	5
CRPATIENT,EIGHT	(666112222)	03/28/2005	7	2	15	5	29
CRPATIENT,EIGHT	(666112222)	02/09/2005	0	0	0	3	3
CRPATIENT,EIGHT	(666112222)	01/27/2005	0	0	0	0	0
CRPATIENT,EIGHT	(666112222)	02/03/2005	1	1	1	4	7
CRPATIENT,EIGHT	(666112222)	02/09/2005	0	2	0	0	2
CRPATIENT,FIVE	(666112223)	01/27/2005	3	0	2	1	6
CRPATIENT,FIVE	(666112223)	01/31/2005	0	1	1	2	4
CRPATIENT,FIVE	(666112223)	02/10/2005	0	0	0	0	0
CRPATIENT,FIVE	(666112223)	02/03/2005	0	2	1	0	3
CRPATIENT,FIVE	(666112223)	02/10/2005	0	3	0	0	3
CRPATIENT,FIVE	(666112223)	03/28/2005	1	6	8	3	18
CRPATIENT,FIVE	(666112223)	02/09/2005	0	6	0	0	6
CRPATIENT,FIVE	(666112223)	02/03/2005	0	3	0	1	4
CRPATIENT,FIVE	(666112223)	02/10/2005	0	5	0	0	5
CRPATIENT,FOUR	(666112224)	02/03/2005	1	2	0	0	3
CRPATIENT,FOUR	(666112224)	02/08/2005	7	1	0	0	8
CRPATIENT,FOUR	(666112224)	02/10/2005	3	3	0	0	6
CRPATIENT,FOUR	(666112224)	02/10/2005	0	3	0	0	3
CRPATIENT,FOUR	(666112224)	02/16/2005	5	2	0	2	9
CRPATIENT,NINE	(666112225)	02/08/2005	0	0	0	0	0
CRPATIENT,NINE	(666112225)	02/08/2005	3	0	0	0	3
CRPATIENT,NINE	(666112225)	02/09/2005	0	0	0	0	0
CRPATIENT,NINE	(666112225)	02/10/2005	0	2	0	0	2
CRPATIENT,NINE	(666112225)	02/08/2005	6	3	3	0	12
CRPATIENT,NINE	(666112225)	02/10/2005	0	2	0	0	2
CRPATIENT,ONE	(666112226)	02/08/2005	0	0	1	0	1
CRPATIENT,ONE	(666112226)	02/10/2005	0	2	0	0	2
CRPATIENT,ONE	(666112226)	02/10/2005	0	8	0	0	8
CRPATIENT,ONE	(666112226)	02/09/2005	0	0	0	2	2
CRPATIENT,ONE	(666112226)	01/31/2005	0	0	0	0	0
CRPATIENT,ONE	(666112226)	02/08/2005	0	1	0	1	2
CRPATIENT,ONE	(666112227)	02/03/2005	1	0	0	2	3
CRPATIENT,SIX	(666112227)	02/03/2005	0	0	0	0	0
CRPATIENT,SIX	(666112227)	02/08/2005	0	0	0	0	0
CRPATIENT,SEVEN	(666112228)	02/08/2005	2	1	0	0	3
CRPATIENT,SEVEN	(666112228)	02/16/2005	6	4	2	1	13
CRPATIENT,TEN	(666112229)	02/09/2005	3	2	0	0	5
CRPATIENT,TEN	(666112229)	02/10/2005	3	3	0	0	6
CRPATIENT,TEN	(666112229)	02/08/2005	3	3	4	2	12
CRPATIENT,TEN	(666112229)	02/09/2005	4	3	0	0	7
CRPATIENT,TEN	(666112229)	02/03/2005	3	2	7	3	15
CRPATIENT,TEN	(666112229)	02/10/2005	0	2	0	0	2
CRPATIENT,TEN	(666112229)	02/08/2005	0	0	0	0	0
CRPATIENT,TEN	(666112229)	02/08/2005	0	0	1	0	1
CRPATIENT,TWELVE	(666112229)	02/08/2005	1	3	0	1	5
CRPATIENT,TWELVE	(666112229)	02/10/2005	0	2	0	0	2
CRPATIENT,TWELVE	(666112229)	02/08/2005	4	3	6	2	15
CRPATIENT,TWELVE	(666112229)	02/08/2005	0	2	7	1	10
CRPATIENT,TWELVE	(666112229)	01/28/2005	2	3	1	3	9
CRPATIENT,TWELVE	(666112229)	01/26/2005	8	13	9	10	40
CRPATIENT,TWELVE	(666112229)	02/09/2005	3	2	0	0	5
CRPATIENT,TWELVE	(666112229)	01/31/2005	0	0	0	0	0
CRPATIENT,TWELVE	(666112229)	01/27/2005	0	0	0	0	0
CRPATIENT,TWELVE	(666112229)	01/28/2005	4	0	1	1	6
Totals > >			96	121	78	53	348
Means > >			1.4	1.8	1.2	0.8	5.2
Standard Deviations > >			2.6	2.9	2.9	1.8	8.6

Example: Home Health Eligibility Report (All patients)

'Home Help' Eligibility option is a way for the local facility to view the information that is sent to VACO GEC office. A quarterly report is sent to provide statistics as to the number of patients who are eligible for care in the home that is paid for by the VA.

```
Select Reminder Reports Option: G   GEC Referral Report
```

```
All Reports will print on 80 Columns
```

```
    Select one of the following:
```

- | | |
|----|----------------------------|
| 1 | Category |
| 2 | Patient |
| 3 | Provider by Patient |
| 4 | Referral Date |
| 5 | Location |
| 6 | Referral Count Totals |
| 7 | Category-Referred Service |
| 8 | Summary (Score) |
| 9 | 'Home Help' Eligibility |
| 10 | Restore or Merge Referrals |

```
Select Option or ^ to Exit: 8// 9  'Home Help' Eligibility
```

```
Select a year for the report (i.e.2005)
```

```
YEAR or ^ to exit:  (2004-2030): 2005
```

```
Select a Fiscal QUARTER in the year 2005 (i.e.2)
```

```
    Fiscal Years start in October.
```

```
Fiscal Quarter 1 same as Calendar Quarter 4
```

```
Fiscal Quarter 2 same as Calendar Quarter 1
```

```
Fiscal Quarter 3 same as Calendar Quarter 2
```

```
Fiscal Quarter 4 same as Calendar Quarter 3
```

```
Fiscal Quarter or ^ to exit: (1-4): 2
```

```
    Select one of the following:
```

- | | |
|---|-------------------|
| A | All Patients |
| M | Multiple Patients |

```
Select Patients or ^ to exit: A// <Enter> ll Patients
```

```
    Select one of the following:
```

- | | |
|---|-----|
| Y | YES |
| N | NO |

```
Select Show Test Patients in this Report?
```

```
Y or N or ^ to exit: YES
```

```
DEVICE: HOME// ;;999 ANYWHERE   Right Margin: 80//
```

```
Please wait ...
```

=====

Referred to Homemaker/Home Health Aide (HHHA) or Adult Day Health Care (ADHC)
 or VA In-Home Respite (VAIHR) or Care Coordination programs (CC)
 From: 01/01/2005 To: 03/31/2005
 Fiscal Quarter: 2 (Calendar Quarter 1)

Name	SSN	Prog.	0	Criteria				Date	Measured Criteria
				#1	#2	#3	#4		
CRPATIENT,ONE	C0000	VAIHR	X					01/27/2005	NOT MET
CRPATIENT,TWO	C6667	CC			X			01/28/2005	
CRPATIENT,THREE	C6668	ADHC			X		X	02/09/2005	
CRPATIENT,FOUR	C6669	ADHC	X					01/31/2005	NOT MET
CRPATIENT,FIVE	C6660	CC	X					01/27/2005	NOT MET
CRPATIENT,SIX	C6661	CC	X					01/27/2005	NOT MET
CRPATIENT,SEVEN	C6668	ADHC			X			01/28/2005	
CRPATIENT,EIGHT	C6663	VAIHR	X					01/31/2005	NOT MET
CRPATIENT,NINE	C6664	ADHC			X			02/09/2005	
CRPATIENT,TEN	C6670	ADHC					X	02/09/2005	
CRPATIENT,ELEVEN	C6671	CC			X			01/27/2005	
CRPATIENT,TWELVE	C6663	ADHC	X					02/09/2005	NOT MET
CRPATIENT,THIRTEEN	C6662	VAIHR	X					02/03/2005	NOT MET
CRPATIENT,THIRTEEN	C6662	ADHC		X	X	X		02/10/2005	
CRPATIENT,THIRTEEN	C6662	ADHC		X	X			02/09/2005	
CRPATIENT,FOURTEEN	C6622	HHHA			X	X		02/03/2005	

Criteria

0: Not eligible under any criteria.
 1: Problems with 3 or more ADL's.
 2: 1 or more patient behavior or cognitive problem.
 3: Expected life limit of less than 6 months.
 4: Combination of the following:
 2 or more ADL dependencies
 <AND> 2 or more of the following:
 Problems with 3 or more IADL's
 <OR> age of patients is 75 or more.
 <OR> living alone in the community.
 <OR> utilizes the clinics 12 or more time in the
 preceding 12 months.
 Enter RETURN to continue or '^' to exit:

Example 9b: Home Health Eligibility Report (Multiple patients)

This report lets you select specific patient names to be included in a report.

```
Select Reminder Managers Menu Option: GEC  GEC Referral Report

All Reports will print on 80 Columns

    Select one of the following:

        1      Category
        2      Patient
        3      Provider by Patient
        4      Referral Date
        5      Location
        6      Referral Count Totals
        7      Category-Referred
        8      Service Summary (Score)
        9      'Home Help' Eligibility
        10     Restore or Merge Referrals

Select Option or ^ to Exit: 9// 9  'Home Help' Eligibility

Select a year for the report (i.e.2005)
YEAR or ^ to exit:  (2004-2030): 2005

Select a Fiscal QUARTER in the year 2005
    (i.e.2) Fiscal Years start in October.
Fiscal Quarter 1 same as Calendar Quarter
4 Fiscal Quarter 2 same as Calendar
Quarter 1 Fiscal Quarter 3 same as
Calendar Quarter 2 Fiscal Quarter 4 same
as Calendar Quarter 3

Fiscal Quarter or ^ to exit: (1-4): 2

        A      All Patients
        M      Multiple Patients

Select Patients or ^ to exit: A// Multiple Patients
Select PATIENT NAME:  CRPATIENT,TWENTY      1-4-07      666003220      YES
SC VETERAN
Select PATIENT NAME:
DEVICE: HOME//      ANYWHERE      Right Margin: 80//

Please wait ...

=====
Referred to Homemaker/Home Health Aide(HHHA) or Adult Day Health Care(ADHC)
or VA In-Home Respite(VAIHR) or Care Coordination programs(CC)
From: 01/01/2005 To: 03/31/2005
Fiscal Quarter: 2 (Calendar Quarter 1)

        Criteria
Name      SSN      Prog.  0  #1 #2 #3 #4 Date      Not Eligible
=====
CRPATIENT,TWENTY      C3220  ADHC      X  X      02/08/2005

Criteria
0: Not eligible under any criteria.
```

```
1: Problems with 3 or more ADL's.
2: 1 or more patient behavior or cognitive problem.
3: Expected life limit of less than 6 months.
4: Combination of the following:
    2 or more ADL dependencies
    <AND> 2 or more of the following:
        Problems with 3 or more IADL's
        <OR> age of patients is 75 or more.
        <OR> living alone in the community.
        <OR> utilizes the clinics 12 or more time in the
            preceding 12 months.
Enter RETURN to continue or '^' to exit:
```


Example: Restore or Merge Referrals

The 'Restore or Merge Referrals' option is not a report. It is a tool that was asked for by the users. Periodically, the GEC Referrals are closed before all of the dialogs are completed. This would mean that all of the dialogs would have to be re-completed. This tool allows the users to select a Partial or Whole Referral that they would need re-opened or merged with another referral. The user has a choice of Closing an open referral, Merging 2 referrals that are either complete or not, together making one referral or viewing all the referrals for a particular patient.

```
Select Reminder Reports Option: G  GEC Referral Report

All Reports will print on 80 Columns

    Select one of the following:

        1      Category
        2      Patient
        3      Provider by Patient
        4      Referral Date
        5      Location
        6      Referral Count Totals
        7      Category-Referred Service
        8      Summary (Score)
        9      'Home Help' Eligibility
        10     Restore or Merge Referrals

Select Option or ^ to Exit: 2// 10  Restore or Merge Referrals

PATIENT:      WHPATIENT,EIGHT
              SC VETERAN

              WHPROVIDER,ONE  PRIMARY

Enrollment Priority: GROUP 1      Category: IN PROCESS      End Date:

=====
WHPATIENT,EIGHT (000000008)  AGE:57  OUTPATIENT  Unknown Division

    Current Open Referral::
1      Jul 14, 2005 11:28:28 am (start date)
      Care Coordination      by: CRPROVIDER,ONE      On: Jul 14, 2005

    Historical Referral(s)::
2      Jun 30, 2005 11:41:10 am (start date)
      Care Recommendation      by: CRPROVIDER,ONE      On: Jun 30, 2005
3      Jun 28, 2005 2:55:03 pm (start date)
      Social Services      by: CRPROVIDER,ONE      On: Jun 28, 2005
      Care Recommendation      by: CRPROVIDER,ONE      On: Jun 28, 2005
      Care Coordination      by: CRPROVIDER,ONE      On: Jun 28, 2005

    Select one of the following:

        C      CLOSE Open Referral
        M      Merge 2 Referrals
        V      View ALL Historical Referrals
```

```

      P      New Patient
      Q      Quit

Enter response: View ALL Historical Referrals

=====
WHPATIENT,EIGHT (000000008)  AGE:57  OUTPATIENT  Unknown Division

      Current Open Referral::
1      Jul 14, 2005 11:28:28 am (start date)
      Care Coordination      by: CRPROVIDER,ONE      On: Jul 14, 2005

      Historical Referral(s)::
2      Jun 30, 2005 11:41:10 am (start date)
      Care Recommendation    by: CRPROVIDER,ONE      On: Jun 30, 2005
3      Jun 28, 2005 2:55:03 pm (start date)
      Social Services        by: CRPROVIDER,ONE      On: Jun 28, 2005
      Care Recommendation    by: CRPROVIDER,ONE      On: Jun 28, 2005
      Care Coordination      by: CRPROVIDER,ONE      On: Jun 28, 2005

      Select one of the following:

      C      CLOSE Open Referral
      M      Merge 2 Referrals
      D      Display Last 2 Referrals Only
      P      New Patient
      Q      Quit

Enter response: Merge 2 Referrals

First Referral Record:  (1-3): 2
Second Referral Record: (1-3): 3
DO MERGE

```

Algorithm for GEC (Next Generation) Software

The information for the “criteria” is taken from the letter # IL 10-2004-005 entitled UNDER SECRETARY FOR HEALTH’S INFORMATION LETTER dated May 3 2004. pages B-2 and B-3

The following is the Algorithm that will be used in the software to determine if a patient meets the criteria necessary to be placed in one of the monitored programs. HEALTH FACTORS that are part of the patient record for an evaluation, are designated with capital letters (below).

7D = 7 days

YES or NO = Yes or No response from the Dialog

Additional explanations found to the right of health factor

Initial Requirement is to be referred to one of the following VA funded programs.

(Requires 1 or 6, plus one of the other Health Factors)

1. GEC ADULT DAY HEALTH CARE (REFERRED TO)
2. GEC HOMECARE FUNDING-VA
3. GEC HOMEMAKER/HOME HEALTH AIDE
4. GEC VA IN-HOME RESPITE
5. GEC HOME TELEHEALTH (REFERRED TO)
6. GEC TELEHEALTH FUNDING-VA

Criteria #1 : “Three or more Activities of Daily Living (ADL) dependencies.”

(Any 3 of the ADL’s below)

- GEC BATHING HELP/SUPERVISION LAST 7D-YES
- GEC BED POSITIONING HELP LAST 7D-YES
- GEC DRESS HELP/SUPERVISION LAST 7D-YES
- GEC EATING HELP/SUPERVISION LAST 7D-YES
- GEC INDEPENDENT IN WC LAST 7D-YES
- GEC MOVING AROUND INDOORS LAST 7D-YES
- GEC TOILET HELP/SUPERVISION LAST 7D-YES
- GEC TRANSFERS HELP/SPRVISION LAST 7D-YES

OR

Criteria #2 : “Significant cognitive impairment”

(Any 1 of those indicated below)

- GEC CAN BE UNDERSTOOD LAST 7D-NO
- GEC ENDANGERED SAFETY LAST 90D-YES
- GEC MADE REASONABLE DECISIONS LAST 7D-NO
- GEC HALLUCINATIONS/DELUSIONS LAST 7D-YES
- GEC PHYSICALLY ABUSIVE LAST 7D-YES
- GEC RESISTS CARE LAST 7D-YES
- GEC VERBALLY ABUSIVE LAST 7D-YES
- GEC WANDERING LAST 7D-YES

OR

Criteria #3 “ Prognosis of Life Expectancy of less than 6 months”

(Any 1 of these health factors)

- GEC LIFE EXPECTANCY < 6MO-YES

OR

Criteria #4 : “Two ADL dependencies and two or more of the following conditions:”

(Any 2 of the ADL’s below and the additional requirements)

- GEC BATHING HELP/SUPERVISION LAST 7D-YES
- GEC BED POSITIONING HELP LAST 7D-YES
- GEC DRESS HELP/SUPERVISION LAST 7D-YES
- GEC EATING HELP/SUPERVISION LAST 7D-YES
- GEC INDEPENDENT IN WC LAST 7D-YES
- GEC MOVING AROUND INDOORS LAST 7D-YES
- GEC TOILET HELP/SUPERVISION LAST 7D-YES
- GEC TRANSFERS HELP/SPRVISION LAST 7D-YES

AND

“(a) Dependency in three or more Instrumental ADL (IADL)”

(Any 3 of the IADL)

- GEC DIFFICULT TRANSPORTATION/LAST 7D-YES
- GEC DIFFICULTY MANAGING MEDS/LAST 7D-YES
- GEC DIFFICULTY MNG FINANCES/LAST 7D-YES
- GEC DIFFICULTY PREPARE MEALS/LAST 7D-YES
- GEC DIFFICULTY USING PHONE/LAST 7D-YES
- GEC DIFFICULTY W/ HOUSEWORK/LAST 7D-YES
- GEC DIFFICULTY WITH SHOPPING/LAST 7D-YES

OR

“(b) Recent discharge from a nursing home, or upcoming nursing home discharge plan contingent on receipt of home and community – based care services.”

- GEC COMMUNITY NRSNG HOME (REFERRED FROM)
- GEC VA DOMICILIARY (REFERRED FROM)
- GEC VA NURSING HOME

OR

“(c) Seventy Five Years old , or older.”

(Obtained from the Patient’s Records using an API call)

OR

“(d) High use of medical services defined as **three** or more hospitalizations in the past year and/or utilization of outpatient and/or emergency evaluation units **twelve** or more times in the past year.

(The APIGETAPPT^SDAMA201(...) to retrieve appointments etc.)

OR

“(f) Living alone in the Community”

GEC ALONE

Appendix E - Iraq & Afghan Post-Deployment Screen

Operation Enduring Freedom and Operation Iraqi Freedom (OEF/OIF)

The Clinical Reminder, *Iraq & Afghan Post-Deployment Screen*, which identified veterans of Operation Enduring Freedom in Afghanistan and Operation Iraqi Freedom, was enhanced and distributed to sites in November 2005. The OEF/OIF data will be rolled up for regional and national reporting purposes. Due to the fast track that this project has been placed on, the project will be completed in two phases.

- **Phase I** included modifications and enhancements to the current Afghan/Iraq reminder to better meet the needs of the field and provide the information needed for reporting purposes. In Phase I, the clinical reminder for post-deployment screening will be due for patients whose latest Separation date greater than 09/11/01. It is also due for active duty patients being seen at the VA.

- **Phase II Extract Reports & National Rollup of Data**

Phase II is dependent on changes being made by Management Services to improve the quality and accuracy of a patient's OEF and OIF combat data. The OEF/OIF Enrollment patch will include functionality that will manage OEF/OIF Combat Veteran data. Management Systems will require OEF/OIF patients to first be a combat veteran with a combat from and to date, where the combat to date ends after 10/07/01, and secondarily have an OEF or OIF indication if the patient served in the OEF or OIF theatre during the combat service period. Patient combat data will be collected by clerks during enrollment, registration, or the first VA visit. Phase II Reminder development will be coordinated with Enrollment development to use the Combat Veteran data.

- Phase II includes re-distribution of the national OEF/OIF clinical reminder/dialog.
- In Phase II, the clinical reminder for post-deployment screening will be due for patients whose latest separation date is greater than 09/11/01, or patients whose latest combat end date was greater than 10/07/01 for service in the OEF or OIF combat theatre. The reminder will continue to also be due for active duty patients being seen at the VA.

Example screens

On the following pages, we show examples of the dialog screens that you'll see when you process the Iraq and Afghan Screening reminder.

Iraq & Afghan Post-Deployment Screen Reminder Dialog Screens

1. If you answer “yes,” to the first question, the rest of the dialog opens up. If the first question is answered “no,” then you are done.

Reminder Resolution: Iraq&Afghan Post-Deployment Screen

This template is designed to help identify health problems that are uniquely related to military service in Afghanistan and Iraq during recent hazardous combat operations. The questions target infectious diseases, mental health problems, and chronic symptoms, which may develop in some veterans of Operation Enduring Freedom and Operation Iraqi Freedom. A paper version of these questions is available for the Veteran to complete, and the information can then be entered into the reminder dialog.

Operation Iraqi Freedom/Operation Enduring Freedom Questionnaire

Did the Veteran serve in Operation Iraqi Freedom (OIF) or in Operation Enduring Freedom (OEF), either on the ground, in nearby coastal waters, or in the air above, after September 11, 2001?

☐ No - No service in OEF or OIF

☐ Yes - Service in Operation Iraqi Freedom (OIF)
(Iraq, Kuwait, Saudi Arabia, Turkey, Other)

☐ Yes - Service in Operation Enduring Freedom (OEF)
(Afghanistan, Georgia, Kyrgyzstan, Pakistan, Tajikistan, Uzbekistan, the Philippines, Other)

SEVERAL WEB LINKS HAVE BEEN PROVIDED FOR REFERENCE.

[Office of Quality & Performance: Clinical Practice Guidelines](#)

[Medically Unexplained Symptoms: Pain and Fatigue \(VA/DOD Guideline\)](#)

[Major Depressive Disorder \(VA/DOD Guideline\)](#)

[Clinical Care: Mental Health](#)

[Outlines in Clinical Medicine](#)

[Environmental Agents Service](#)
(also links to Veterans Health Initiatives)

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

related to: Service Connected Condition

* Indicates a Required Field

- When the dialog opens for a “yes” answer, the first question prompts for the location of service. OIF options are on the first screen below and OEF options are on the next screen.

Reminder Resolution: Iraq&Afghan Post-Deployment Screen

This template is designed to help identify health problems that are uniquely related to military service in Afghanistan and Iraq during recent hazardous combat operations. The questions target infectious diseases, mental health problems, and chronic symptoms, which may develop in some veterans of Operation Enduring Freedom and Operation Iraqi Freedom.

A paper version of these questions is available for the Veteran to complete, and the information can then be entered into the reminder dialog.

Operation Iraqi Freedom/Operation Enduring Freedom Questionnaire

Did the Veteran serve in Operation Iraqi Freedom (OIF) or in Operation Enduring Freedom (OEF), either on the ground, in nearby coastal waters, or in the air above, after September 11, 2001?

☐ No - No service in OEF or OIF

☒ Yes - Service in Operation Iraqi Freedom (OIF)
(Iraq, Kuwait, Saudi Arabia, Turkey, Other)

complete all open items

The location of the patient's most recent OIF service was

choose one

☐ Iraq

☒ Kuwait

☐ Saudi Arabia

☐ Turkey

☐ Other OIF Service

1. SCREEN FOR PTSD

☐ Complete PTSD Screen (answer all 4 questions)
In your life, have you ever had any experience that was so

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

Clinical Reminders:
Iraq&Afghan Post-Deployment Screen:
The patient reports service in Operation Iraqi Freedom.

related to: Service Connected Condition
Health Factors: IRAQ/AFGHAN SERVICE, KUWAIT SERVICE

* Indicates a Required Field

Reminder Resolution: Iraq&Afghan Post-Deployment Screen

Did the Veteran serve in Operation Iraqi Freedom (OIF) or in Operation Enduring Freedom (OEF), either on the ground, in nearby coastal waters, or in the air above, after September 11, 2001?

☐ No - No service in OEF or OIF

☐ Yes - Service in Operation Iraqi Freedom (OIF)
(Iraq, Kuwait, Saudi Arabia, Turkey, Other)

☒ Yes - Service in Operation Enduring Freedom (OEF)
(Afghanistan, Georgia, Kyrgyzstan, Pakistan, Tajikistan, Uzbekistan, the Philippines, Other)

complete all open items

The location of the patient's most recent OEF service was

choose one

☐ Afghanistan

☐ Georgia

☐ Kyrgyzstan

☐ Pakistan

☐ The Philippines

☐ Tajikistan

☐ Uzbekistan

☒ Other OEF Service Location: *

1. SCREEN FOR PTSD

☐ Complete PTSD Screen (answer all 4 questions)

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

Clinical Reminders:

- If the first question has already been answered “yes,” then it doesn’t need to be answered again if subsequent users open the dialog to complete other sections. Note the radio button in front of the PTSD screen. This is necessary to allow the user to choose between doing the screen and entering a refusal (next screen).

Reminder Resolution: Iraq&Afghan Post-Deployment Screen

This template is designed to help identify health problems that are uniquely related to military service in Afghanistan and Iraq during recent hazardous combat operations. The questions target infectious diseases, mental health problems, and chronic symptoms, which may develop in some veterans of Operation Enduring Freedom and Operation Iraqi Freedom. A paper version of these questions available for the Veteran to complete, and the information can then be entered into the reminder dialog.

[Iraq/Afghanistan Post-Deployment Screening Questionnaire](#)

The record indicates that the patient served in or over Iraq or Afghanistan.
(completion of screening required)

complete all open items

1. SCREEN FOR PTSD

☐ Complete PTSD Screen (answer all 4 questions)
In your life, have you ever had any experience that was so frightening, horrible, or upsetting that, in the past month, you:

Have had nightmares about it or thought about it when you did not want to?

☐ No
☐ Yes

Tried hard not to think about it or went out of your way to avoid situations that reminded you of it?

☐ No
☐ Yes

Were constantly on guard, watchful, or easily startled?

☐ No
☐ Yes

Felt numb or detached from others, activities, or your surroundings?

☐ No

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

Clinical Reminders:
Iraq&Afghan Post-Deployment Screen:
1 SCREEN FOR PTSD

<No encounter information entered>

* Indicates a Required Field

The refusal options for PTSD, depression and alcohol are now present and consistent. The alcohol section is closed because it has been completed in the past six months.

Reminder Resolution: Iraq&Afghan Post-Deployment Screen

Were constantly on guard, watchful, or easily startled?

☐ No

☐ Yes

Felt numb or detached from others, activities, or your surroundings?

☐ No

☐ Yes

☐ Refused PTSD Screening

2. SCREEN FOR DEPRESSION

DEPRESSION SCREEN (2 question screen)

1. During the past month, have you often been bothered by feeling down, depressed, or hopeless?

2. During the past month, have you often been bothered by little interest or pleasure in doing things?

A "YES" response to either question is a POSITIVE screen for depression. Further evaluation is then needed.

☐ Depression Screen Negative

☐ Depression Screen Positive

☐ Refused Depression Screening

☐ 3. SCREEN FOR ALCOHOL: DONE RECENTLY (click here to repeat now)

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

Clinical Reminders:

Iraq&Afghan Post-Deployment Screen:

1. SCREEN FOR PTSD

2. SCREEN FOR DEPRESSION

4. SCREEN FOR INJECTION DRUGS AND CHRONIC SYMPTOMS

<No encounter information entered>

* Indicates a Required Field

4. Note that questions 4B and 4D are “closed” – they have been completed in the past six months. The refusal option is available for this section.

Entering a refusal option for any one of the sections will satisfy that section for one month. However, it will not cause that section of the dialog to be “closed” – the section will remain open but the reminder would no longer be due if all four refusal options are chosen.

Reminder Resolution: Iraq&Afghan Post-Deployment Screen

☐ Depression Screen Positive
☐ Refused Depression Screening

☐ 3. SCREEN FOR ALCOHOL: DONE RECENTLY (click here to repeat now)

4. SCREEN FOR INFECTIOUS DISEASES AND CHRONIC SYMPTOMS
complete all open sections

A. Do you have any problems with chronic diarrhea or other gastrointestinal complaints since serving in the area of conflict?
☐ No
☐ Yes
(If 'YES', the patient's stool should be evaluated for ova and parasites because of the high rate of giardiasis and amoebiasis in Southwest Asia.)

☐ B. SCREEN FOR PERSISTENT FEVER: DONE RECENTLY (click here to repeat now)

C. Do you have a persistent papular or nodular skin rash that began after deployment to Southwest Asia?
☐ No
☐ Yes
(If yes and an unusual rash or lesion is verified, the patient should be evaluated for cutaneous leishmaniasis.)

☐ D. SCREEN FOR OTHER GENERAL SYMPTOMS: DONE RECENTLY (click here to repeat now)

☐ Refused to complete the 4 question screen for infectious diseases and other symptoms

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

Clinical Reminders:
Iraq&Afghan Post-Deployment Screen:
2. SCREEN FOR DEPRESSION
4. SCREEN FOR INFECTIOUS DISEASES AND CHRONIC SYMPTOMS

<No encounter information entered>

* Indicates a Required Field

5. The hyperlinks have been moved to the bottom of the dialog display.

Reminder Resolution: Iraq&Afghan Post-Deployment Screen

☐ No
☐ Yes
(If 'YES', the patient's stool should be evaluated for ova and parasites because of the high rate of giardiasis and amoebiasis in Southwest Asia.)

☐ B. SCREEN FOR PERSISTENT FEVER: DONE RECENTLY (click here to repeat now)

C. Do you have a persistent papular or nodular skin rash that began after deployment to Southwest Asia?

☐ No
☐ Yes
(If yes and an unusual rash or lesion is verified, the patient should be evaluated for cutaneous leishmaniasis.)

☐ D. SCREEN FOR OTHER GENERAL SYMPTOMS: DONE RECENTLY (click here to repeat now)

☐ Refused to complete the 4 question screen for infectious diseases and other symptoms

SEVERAL WEB LINKS HAVE BEEN PROVIDED FOR REFERENCE. [Office of Quality & Performance: Clinical Practice Guidelines](#)
[Medically Unexplained Symptoms: Pain and Fatigue \(VA/DOD Guideline\)](#)
[Major Depressive Disorder \(VA/DOD Guideline\)](#)
[Clinical Care: Mental Health](#)
[Outlines in Clinical Medicine](#)
[Environmental Agents Service](#)
(also links to Veterans Health Initiatives)

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

Clinical Reminders:
Iraq&Afghan Post-Deployment Screen:
2. SCREEN FOR DEPRESSION
4. SCREEN FOR INFECTIOUS DISEASES AND CHRONIC SYMPTOMS

<No encounter information entered>

* Indicates a Required Field

6. If you would like to re-enter data on a closed section, click on the checkbox for that section – PTSD in this example

Reminder Resolution: Iraq&Afghan Post-Deployment Screen

This template is designed to help identify health problems that are uniquely related to military service in Afghanistan and Iraq during recent hazardous combat operations. The questions target infectious diseases, mental health problems, and chronic symptoms, which may develop in some veterans of Operation Enduring Freedom and Operation Iraqi Freedom. A paper version of these questions available for the Veteran to complete, and the information can then be entered into the reminder dialog.

Iraq/Afghanistan Post-Deployment Screening Questionnaire

The record indicates that the patient served in or over Iraq or Afghanistan.
(completion of screening required)

complete all open items

☐ 1. SCREEN FOR PTSD: DONE RECENTLY (click here to repeat now)

2. SCREEN FOR DEPRESSION

DEPRESSION SCREEN (2 question screen)

1. During the past month, have you often been bothered by feeling down, depressed, or hopeless?

2. During the past month, have you often been bothered by little interest or pleasure in doing things?

A "YES" response to either question is a POSITIVE screen for depression. Further evaluation is then needed.

☐ Depression Screen Negative

☐ Depression Screen Positive

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

Clinical Reminders:

Iraq&Afghan Post-Deployment Screen:

2. SCREEN FOR DEPRESSION

4. SCREEN FOR INFECTIOUS DISEASES AND CHRONIC SYMPTOMS

<No encounter information entered>

* Indicates a Required Field

After choosing the closed PTSD section, it opens to allow completion.

Reminder Resolution: Iraq&Afghan Post-Deployment Screen

complete all open items

☒ 1. SCREEN FOR PTSD: DONE RECENTLY (click here to repeat now)

answer all 4 questions

☐ Complete PTSD Screen (answer all 4 questions)
In your life, have you ever had any experience that was so frightening, horrible, or upsetting that, in the past month, you:

Have had nightmares about it or thought about it when you did not want to?

☐ No
☐ Yes

Tried hard not to think about it or went out of your way to avoid situations that reminded you of it?

☐ No
☐ Yes

Were constantly on guard, watchful, or easily startled?

☐ No
☐ Yes

Felt numb or detached from others, activities, or your surroundings?

☐ No
☐ Yes

2. SCREEN FOR DEPRESSION

DEPRESSION SCREEN (2 question screen)

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

Clinical Reminders:
Iraq&Afghan Post-Deployment Screen:
1. PTSD SCREEN
2. SCREEN FOR DEPRESSION
3. SCREEN FOR INFECTIONS, DISEASES, AND CHRONIC SYMPTOMS

<No encounter information entered>

* Indicates a Required Field

This is what the dialog would look like if you did PTSD screening, Alcohol screening, and depression screening and then clicked on FINISH – and THEN opened the OEF/OIF reminder dialog – those sections would be closed.

Reminder Resolution: Iraq&Afghan Post-Deployment Screen

This template is designed to help identify health problems that are uniquely related to military service in Afghanistan and Iraq during recent hazardous combat operations. The questions target infectious diseases, mental health problems, and chronic symptoms, which may develop in some veterans of Operation Enduring Freedom and Operation Iraqi Freedom. A paper version of these questions available for the Veteran to complete, and the information can then be entered into the reminder dialog.

[Iraq/Afghanistan Post-Deployment Screening Questionnaire](#)

The record indicates that the patient served in or over Iraq or Afghanistan.
(completion of screening required)

complete all open items

☐ 1. SCREEN FOR PTSD: DONE RECENTLY (click here to repeat now)

☐ 2. SCREEN FOR DEPRESSION: DONE RECENTLY (click here to repeat now)

☐ 3. SCREEN FOR ALCOHOL: DONE RECENTLY (click here to repeat now)

4. SCREEN FOR INFECTIOUS DISEASES AND CHRONIC SYMPTOMS

complete all open sections

A. Do you have any problems with chronic diarrhea or other gastrointestinal complaints since serving in the area of conflict?

☐ No

☐ Yes

(If 'YES', the patient's stool should be evaluated for ova and parasites because of the high rate of giardiasis and amoebiasis in Southwest Asia.)

Clear Clinical Maint Visit Info < Back Next > Finish Cancel

Clinical Reminders:

Iraq&Afghan Post-Deployment Screen:

4. SCREEN FOR INFECTIOUS DISEASES AND CHRONIC SYMPTOMS

<No encounter information entered>

* Indicates a Required Field

Clicking on clinical maintenance shows which sections are needed. The display here is based on the completion of each section AFTER the service separation date. If the dates of all seven pieces listed above 1-3 and 4A-D are later than the last service separation date, then the reminder is resolved.

Reminder Resolution: Iraq&Afghan Post-Deployment Screen

This template is designed to help identify health problems that are uniquely related to military service in Afghanistan and Iraq during recent hazardous combat operations. The questions target infectious diseases, mental health problems, and chronic symptoms, which may develop in some veterans of Operation Enduring Freedom and Operation Iraqi Freedom.

A paper version of these questions is available for the Veteran to complete, and the information can then be entered into the reminder dialog.

[Operation Iraqi Freedom/Operation Enduring Freedom Questionnaire](#)

Did the Veteran serve in Operation Iraqi Freedom (OIF) or in Operation Enduring Freedom (OEF), either on the ground, in nearby coastal waters, or in the air above, after September 11, 2001?

☐ No - No service in OEF or OIF
☐ Yes - Service in Operation Iraqi Freedom (OIF)
 (Iraq, Kuwait, Saudi Arabia, Turkey, Other)
☐ Yes - Service in Operation Enduring Freedom (OEF)
 (Afghanistan, Georgia, Kyrgyzstan, Pakistan, Tajikistan, Uzbekistan, the Philippines, Other)

SEVERAL WEB LINKS HAVE BEEN PROVIDED FOR REFERENCE.

[Office of Quality & Performance: Clinical Practice Guidelines](#)
[Medically Unexplained Symptoms: Pain and Fatigue \(VA/DOD Guideline\)](#)
[Major Depressive Disorder \(VA/DOD Guideline\)](#)
[Clinical Care: Mental Health](#)
[Outlines in Clinical Medicine](#)
[Environmental Agents Service](#)
 (also links to Veterans Health Initiatives)

Clear

Clinical Maint

Visit Info

< Back

Next >

Finish

Cancel

related to: Service Connected Condition

* Indicates a Required Field

Index

- AAC SAS Files, 77
- Acronyms, 77
- Appendix A: FAQs, Hints, and Tips, 74
- Appendix B: Glossary, 77
- Appendix C: Edit Cover Sheet Reminder List, 80
- Appendix D: VA GEC Reports, 83
- Appendix E - Iraq & Afghan Post-Deployment Screen, 115
- Applicable, 77
- Chapter 1: Clinical Reminders - CPRS, 7, 9
- Chapter 2: Resolving IHD Reminders, 19
- Chapter 3: Processing Mental Health Reminders, 30
- Chapter 4: Using Reminder Reports, 37
- Chapter 5: Health Summaries and Clinical Reminders, 42
- Chapter 6: Set up VA-Geriatric Extended Care (GEC) Referral, 47, 50
- Chapter 7: Code Set Versioning Changes in Reminders, 68
- Chapter 8: My HealtheVet Changes in Reminders, 69
- Chapter 9: Women's Veterans Health Reminders, 70, 71
- Code Set Versioning, 68
- Cover Sheet Reminder List, 80
- CPT, 68
- Definitions, 77
- Due, 78
- Edit Cover Sheet Reminder List, 80
- FAQS, Hints, and Tips, 74
- GEC, 47
- GEC Consult Order, 52
- GEC Interdisciplinary Notes, 53
- GEC Referral Ad hoc Reports, 51, 83
- GEC Referral Reminders, 52
- GEC Referral Reports, 51
- GEC Reports, 83
- GEC Status Check, 49, 50
- Glossary, 77
- Health Information Portability and Accountability Act (HIPAA), 68
- HIPAA, 68
- ICD0, 68
- ICD9, 68
- IHD Reminder Definitions, 19
- Iraq & Afghan Post-Deployment Screen, 115
- Mental Health Reminders, 30
- My HealtheVet Health Summary, 45
- Not Applicable, 78
- Operation Enduring Freedom and Operation Iraqi Freedom, 115
- Patient List, 78
- Reminder Definitions, 78
- Reminder Dialog, 78
- Reminder Patient List, 78
- Reminder Terms, 78
- Report Reminders, 79
- Standards Development Organization (SDO), 68
- TIU Interdisciplinary (ID) note, 53
- VA GEC Reports, 51, 83
- VA-*IHD ELEVATED LDL REPORTING, 19
- VA-*IHD LIPID PROFILE REPORTING, 19
- VA-Geriatric Extended Care, 47, 83
- VA-IHD ELEVATED LDL, 19, 29
- VA-IHD LIPID PROFILE, 19
- Women's Veterans Health Reminders, 70