



Inter-Facility Consults

Implementation Guide

Released: April 2002

Revised: Sep 2020

Department of Veterans Affairs
Office of Information
Product Development

Revision History

Originally released	April 2002	
Patch 28	October 2002	
192-352 applied	December 2004	TW: Charles Arceneaux
GMRC*3*53 Updated pg. 20	February 2007	PM: Carol Greening TW: Gary Werner
GMRC*3.0*58 Added errors 702 & 703	October 2008	PM: Lucy Ilustrisimo TW: Gary Werner
GMRC*3.0*63 Updated report format pg. 19	June 2009	PM: Lucy Ilustrisimo TW: Gary Werner
GMRC*3*44 Pg. 11	January 2013)	TW: JoAnn Green
GMRC*3.0*154 Added section for Mail Group Enhancement for Cerner Converted Sites pg. 12 Added section for Error Handling - Cerner to VistA pg. 54	May 2020	TW: Greg Henley, Joseph Hillhouse PW: Prashant Bhaip
GMRC*3.0*154 Changed paragraph “Error 201 Unknown Patient” from “every 3 hours” to “Every hour” pg. 40 Changed paragraph “Cerner to VistA Error 201 Unknown Patient” from “every 3 hours” to “Every hour” pg. 55	September 2020	DEV: Malcolm Needham

**Key: TW (Technical Writer)
PM (Project Manager)**

Table of Contents

<i>Introduction</i>	2
Purpose of Inter-Facility Consults	2
Scope of the Manual	2
Audience	2
<i>Coordination with Consulting Partners</i>	4
Service Configuration at Requesting Facility	6
Service Configuration at the Consulting Facility:	8
Procedure Configuration at the Requesting Facility	9
Procedure Configuration at the Consulting Facility	10
Prosthetics Modification	11
<i>Mail Group Setup</i>	12
IFC PATIENT ERROR MESSAGES	12
IFC CLIN ERRORS	12
IFC TECH ERRORS	13
<i>Mail Group Enhancement for Cerner Converted Sites</i>	13
GMRC CRNR IFC ERRORS	14
GMRC TIER II CRNR IFC ERRORS	14
GMRC CRNR IFC CLIN ERRORS	14
GMRC CRNR IFC TECH ERRORS	14
<i>Inter-Facility Consults Reports</i>	16
IFC Requests	17
Print IFC Requests	20
IFC Requests by Patient	21
IFC Requests by Remote Ordering Provider	22
<i>Inter-Facility Consults Management Options</i>	24
Test IFC Implementation	25
Configure Test Account Patients	27
List incomplete IFC transactions	28
Print All Incomplete IFC Transactions	30
IFC Transaction Report	31
Locate IFC by Remote Consult Number	34
Edit IFC Processing Parameters	36
Monitor IFC Background Job Parameters	37
Background Task	38

<i>Error Handling</i>	41
Error 101—Unknown Consult/Procedure request	42
Error 201—Unknown Patient	43
Error 202—Local or Unknown MPI Identifiers	46
Error 301—Service not Matched to Receiving Facility	48
Error 401—Procedure not Matched to Receiving Facility	49
Error 501—Error in Procedure Name	50
Error 601—Multiple Services Matched to Procedure	51
Error 701—Error in Service Name	52
Error 702— Service is Disabled Error! Bookmark not defined.	53
Error 703— Procedure is Inactive	54
Error 801—Inappropriate Action for Specified Request	55
Error 802 - Duplicate, activity not filed	55
Error 901—Unable to Update Record Successfully	56
Error 902—Earlier Pending Transactions	56
Error 903—HL Logical Link not Found	57
Error 904—VistA HL7 Unable to Send Transaction	57
Error None	58

<i>Error Handling - Cerner to VistA</i>	59
Error 101—Unknown Consult/Procedure request	59
Error 201—Unknown Patient	59
Error 202—Local or Unknown MPI Identifiers	61
Error 301—Service not Matched to Receiving Facility	61
Error 401—Procedure not Matched to Receiving Facility	62
Error 501—Error in Procedure Name	62
Error 601—Multiple Services Matched to Procedure	62
Error 701—Error in Service Name	63
Error 702— Service is Disabled	63
Error 703— Procedure is Inactive	63
Error 801—Inappropriate Action for Specified Request	64
Error 802—Duplicate, activity not filed	64
Error 901—Unable to Update Record Successfully	64
Error 902—Earlier Pending Transactions	64
Error 903—HL Logical Link not Found	65
Error 904—HL7 Unable to Send Transaction	65
Summary of Errors	65

<i>Test Account Setup</i>	67
HL7 Setup (Test Accounts Only)	67
Information to Gather	67
Implementation Steps Using the HL7 Information Table	68
Managing VistA HL7	70
Patient Configuration in Test Systems	71

<i>Index</i>	74
--------------	----

Introduction

Purpose of Inter-Facility Consults

The Inter-Facility Consults was originally released as patch GMRC*3*22 of the Consult/Request Tracking Package. Its intention is to allow consults and requests to be transmitted between Veterans Health Administration facilities while:

- Minimizing the impact on end users of the Consults system.
- Allowing cooperating facilities to specify the amount of human intervention required by their administrative needs in communicating consults and requests.
- Utilizing the HL7 protocol to implement communications.

Scope of the Manual

System setup, cooperation between facilities, and management of error conditions is required for the system to work effectively. This manual provides information deemed necessary to carry out these functions.

From time to time improvements are made to the Consults package, including improvements to Inter-Facility Consults. The latest information about Consults, as well as the latest version of this manual, is posted on the Consults Web Page at:

`vista.med.va.gov/consults`
or
`vaww.vista.med.va.gov/consults`

In addition, a FAQ (Frequently Asked Questions) is maintained by the development team and posted at:

`vista.med.va.gov/consults/ifc_faq.htm`
or
`vaww.vista.med.va.gov/consults/ifc_faq.htm`

Audience


Information in this manual is technical in nature and is intended to be used by Veterans Affairs Medical Center (VAMC) Information Resource Management Service (IRMS) staff members and Clinical Application Coordinators (CAC's).

Coordination with Consulting Partners


Before any technical implementation of the Inter-Facility Consults (IFC) software, decisions and coordination must take place with those VA facilities that will receive consults from your facility, or send consults to your facility. The entire Inter-Facility Consults process is based on proper file set up at both the requesting and consulting sites.

Inter-Facility Field Relations:

The fields involved in Inter-Facility Consults act as pointers in that they contain the name of an object at another facility or in another file. The following table shows what the fields at the requesting facility point to:



The following table shows what the fields at the consulting facility point to:



Both consult and procedure requests may be configured for inter-facility processing. Consult request are set up using the Set up Consult Services [GMRC SETUP REQUEST SERVICES] option. Procedure requests are set up using the Setup procedures [GMRC PROCEDURE SETUP] option.

Restrictions

Because of technical incompatibilities, the following cannot be set up for inter-facility processing:

- Procedures that are configured to be part of the Clinical Procedures interface.

Planners can work around this restriction by setting up inter-facility clinical procedures to be resulted via traditional methods.

Service Configuration at Requesting Facility

The requesting facility must specify two pieces of information:

1. The identification of the consulting facility.
2. The service name at the consulting facility.

In the following partial terminal capture, a site such as Boise sets up to send inter-facility plastic surgery consults to the Salt Lake HCS. Notice that **SERVICE NAME** is unique and indicates that the service is not performed at Boise:

```
Select Consult Management Option: SS Set up Consult Services

Select Service/Specialty:  PLASTIC SURGERY - SALT LAKE HCS
SERVICE NAME: PLASTIC SURGERY - SALT LAKE HCS  Replace  With <Enter>
ABBREVIATED PRINT NAME (Optional): PSURG SL//
INTERNAL NAME: ??
    This field holds a name that can be used for internal name-spacing.
    This name will not be viewable to users when selecting a service.
    This name may be used to look up entries in the file via VA Fileman
    and the Setup Consult Services option.

INTERNAL NAME: IFCR SL PLASTIC SURGERY
Select SYNONYM: PSURGS// <Enter>
. . .

RESTRICT DEFAULT REASON EDIT: <Enter>

Inter-facility information:
IFC ROUTING SITE: ?
    Enter the VA site that will perform consults directed to this service
    Only national institution file entries may be selected

IFC ROUTING SITE: ??
    This field contains the VA facility that will perform consults requested
    for this service. When a consult for this service is ordered, it will
    automatically be routed to the VA facility in this field.

IFC ROUTING SITE: SALT LAKE CITY HCS
IFC REMOTE NAME: ??
    This field contains the name of the service that will be requested at
    the VAMC defined in the IFC ROUTING SITE field.

    Enter the name of the service exactly as it is named at the remote
    facility. If this name does not match the name of the service at the
    routing site, the request will fail to be filed at the remote site. This
    will delay or prohibit the performance and processing of this request.

IFC REMOTE NAME: PLASTIC SURGERY

SERVICE INDIVIDUAL TO NOTIFY: <Enter>
. . .
```

The **IFC REMOTE NAME** must match, letter-for-letter, the service name as set up at the consulting facility. Furthermore, the consulting facility must fill in the

corresponding IFC SENDING FACILITY multiple with Boise. Boise is the site name from which they will accept inter-facility consults. Note that in this case a consulting facility may have more than one entry if they consult for more than one requesting facilities.

Services that have the IFC ROUTING FACILITY and IFC REMOTE NAME fields completed, will be performed and completed by a remote facility. Although no update activities on the consult are expected at the requesting facility, you may configure update users to receive notification of activities taking place at the consulting facility.

Service Configuration at the Consulting Facility:

At the consulting facility the Set up Consult Services action is used to set up the fact that Plastic Surgery consults will be coming from Boise HCS and Las Vegas HCS:

```
Select Consult Management Option: SS  Set up Consult Services
Select Service/Specialty: PLASTIC SURGERY
SERVICE NAME: PLASTIC SURGERY// <Enter>
ABBREVIATED PRINT NAME (Optional): PSURG //
INTERNAL NAME: ??
    This field holds a name that can be used for internal name-spacing.
    This name will not be viewable to users when selecting a service.
    This name may be used to look up entries in the file via VA Fileman
    and the Setup Consult Services option.

INTERNAL NAME: IFCL PLASTIC SURGERY
Select SYNONYM: PSURG// <Enter>

. . .

RESTRICT DEFAULT REASON EDIT: <Enter>

Inter-facility information:

Select IFC SENDING FACILITY: LAS VEGAS HCS// ??
    LAS VEGAS HCS

    You may enter a new IFC SENDING FACILITY, if you wish
    This field contains the VA facilities that may send inter-facility
    consults to this service. Only active, primary VA facilities should
    be entered in this field.

Select IFC SENDING FACILITY: BOISE HCS

SERVICE INDIVIDUAL TO NOTIFY: KENT,CLARK//<Enter>

. . .
```

Notice that the Set up Consult Services action did not even prompt for the IFC ROUTING SITE or IFC REMOTE NAME. For each individual service, the condition of being a requesting facility and being a consulting facility are mutually exclusive. Facilities may fulfill both rolls, but each individual service must be set up uniquely.

The INTERNAL NAME is provided so that CACs and IRM personnel can more readily organize consults services. This provides an alternate way of accessing consult services though the Setup Service (SS) action. In other words, you can type this name at the “Select Service/Specialty:” prompt when going in to change service setup fields.

Procedure Configuration at the Requesting Facility

Setting up inter-facility procedures is identical to setting up inter-facility consults, except that you use the Setup Procedures action.

In this example, Boise sets up Colonoscopy as an inter-facility procedure to be done at Salt Lake HCS:

```
Select Consult Management Option: PR Setup procedures
Select Procedure: COLONOSCOPY - SALT LAKE HCS
    ...OK? Yes// <Enter> (Yes)

NAME: COLONOSCOPY// <Enter>
INACTIVE: <Enter>
Select SYNONYM: COL// <Enter>
INTERNAL NAME: ??
    This field holds a name that can be used for internal name-spacing.
    This name will not be viewable to users when selecting a procedure.
    This name may be used to look up entries in the file via VA
    Fileman and the Setup Procedures option.

INTERNAL NAME: IFCR SL COLONOSCOPY
Select RELATED SERVICES: GASTROENTEROLOGY// <Enter>
TYPE OF PROCEDURE: <Enter>

PREREQUISITE:
    No existing text
    Edit? NO// <Enter>
PROVISIONAL DX PROMPT: <Enter>
PROVISIONAL DX INPUT: <Enter>
DEFAULT REASON FOR REQUEST:
    No existing text
    Edit? NO// <Enter>
RESTRICT DEFAULT REASON EDIT: <Enter>

Inter-facility information:
IFC ROUTING SITE: SALT LAKE CITY HCS      UT  VAMC  660
IFC REMOTE PROC NAME: COLONOSCOPY

Orderable Item Updated
```

The IFC REMOTE PROC NAME must match, letter-for-letter, the procedure name as set up at the consulting facility. Furthermore, the consulting facility must fill in the corresponding IFC SENDING FACILITY multiple with Boise.

The PROCEDURE, on the other hand, is a local designation. We advise that you adopt some naming convention for procedures that are performed as inter-facility procedures.

The INTERNAL NAME is provided so that CACs and IRM personnel can more readily organize consult procedures. This provides an alternate way of accessing consult procedures through the Setup Procedures (PR) action. In other words, you can type this name at the SELECT PROCEDURE prompt when going in to change service setup fields.

Procedure Configuration at the Consulting Facility

At the consulting facility the Setup Procedures action is used to set up the fact that Colonoscopy consults will be coming from Boise:

```
Select Consult Management Option: Setup procedures
Select Procedure: COLONOSCOPY
    ...OK? Yes// <Enter> (Yes)

NAME: COLONOSCOPY // <Enter>
INACTIVE:
Select SYNONYM: COLN// <Enter>
INTERNAL NAME: ??
    This field holds a name that can be used for internal name-spacing.
    This name will not be viewable to users when selecting a procedure.
    This name may be used to look up entries in the file via VA
    Fileman and the Setup Procedures option.

INTERNAL NAME: IFCL COLONOSCOPY
Select RELATED SERVICES: GASTROENTEROLOGY
    // <Enter>
TYPE OF PROCEDURE: <Enter>

PREREQUISITE:
    No existing text
    Edit? NO// <Enter>
PROVISIONAL DX PROMPT: <Enter>
PROVISIONAL DX INPUT: <Enter>
DEFAULT REASON FOR REQUEST:
    No existing text
    Edit? NO//<Enter>
RESTRICT DEFAULT REASON EDIT: <Enter>

Inter-facility information:
IFC ROUTING SITE: <Enter>
IFC REMOTE PROC NAME: <Enter>
Select IFC SENDING FACILITY: BOISE
    1 BOISE ID VAMC 531
    2 BOISE ID RO 347
    3 BOISE ID M&ROC 447
    4 BOISE ID CHEP 932
    5 BOISE ID VANB 5319AA
Press <RETURN> to see more, '^' to exit this list,
CHOOSE 1-5: 1 BOISE ID VAMC 531
    Are you adding 'BOISE' as a new IFC SENDING FACILITY (the 1ST for this GMRC
    PROCEDURE)? No// Y (Yes)

Select IFC SENDING FACILITY: BOISE//<Enter>

Orderable Item Updated
```



Note: A procedure configured as a Clinical Procedure may not be configured as an inter-facility procedure. (This is because Remote Data View does not yet handle Imaging-type data and thus would not be able to return the full results to the requesting facility.) As a work-around, clinical procedures should be resulted with traditional methods.



Note: Even though the RELATED SERVICE is a multiple, the consulting facility can only have *one* RELATED SERVICE entry for an inter-facility procedure.

Prosthetics Modification

Prosthetics requested that Consults add a call to EN^RMPRFC3 for use with patch RMPR*3.0*83. This will allow Prosthetics to process Consult HL7 messages.

This lists the only fields that have to be set up when you create them for the receiving and the sending facility.

For the VAMC receiving the consult:

- a. It is recommended that the service name be set up before the sending facility creates their Service/Specialty entry, because the name of this service will be shared with the sending facility.
- b. (Example of RECEIVING consult service name: "PROSTHETICS IFC nnn," where "nnn" is this VAMC's three to five character station number.)
- c. The data field, **IFC SENDING FACILITY**, must include the name(s) of the VA Medical Center(s) sending the consult. Note: this is a multiple field and more than one VAMC can send an Inter-Facility Consult to this service.

For the VAMC sending the consult:

- d. Since the consult will not be processed locally, most of the data fields can be left blank. It is recommended that the service name of this consult be human readable. (Example: "PROSTHETICS IFC aaa," where aaa is text that is easily understood to be the VAMC that is RECEIVING the consult, such as the facility name or abbreviation.) It is required that the characters "IFC" are part of the consult name. The following fields are required:
 - **PROVISIONAL DX PROMPT must be set to REQUIRE.**
 - **PROVISIONAL DX INPUT must be set to LEXICON.**
 - **IFC ROUTING SITE must be set to the name of the VAMC that will receive the Inter-Facility Consult.**
 - **IFC REMOTE NAME must be the name of the service at the receiving facility and it must exactly match the text that is entered as the receiving consult at that VAMC. If this name does not match the name of the service at the routing site, the request will fail to be filed at the remote site. This will delay or prohibit the performance and processing of this request. Coordination with the receiving facility should occur before creating this**

entry to avoid problems. (Example of SENDING site's IFC REMOTE NAME: "PROSTHETICS IFC nnn," where "nnn" is the three to five character station number of the VAMC that will be receiving the consult. Coordination with the RECEIVING VAMC staff is required to assure that this data is entered correctly.)

Mail Group Setup

The Inter-facility Consults enhancement brings in three new VistA mail groups. These mail groups are created upon installation of patch GMRC*3*22 on your system. The mail groups are used to deliver alerts or mail messages to the members as a result of various occurrences in Inter-facility Consults.



Note: All three mail groups should be populated with members having the responsibilities listed below.

IFC PATIENT ERROR MESSAGES

The members of this mail group receive mail messages related to patient registration issues affecting Inter-facility Consults. The members of this mail group should primarily consist of MAS personnel that have the authority to register patients and resolve MPI-PD inconsistencies.

If an inter-facility consult is requested for a patient and the MPI-PD information in the patient file is either a locally assigned identifier or the patient does not have any MPI-PD information on file, the members of this mail group will receive a mail message with the patient demographics listed and indicating that an outgoing inter-facility consult request could not be sent for the reasons listed. At this point the MPI-PD information should be resolved to match the national MPI information for the patient in question.

If an inter-facility consult has been requested at another facility and is waiting to be filed on the local system, the members of this mail group will receive a VistA e-mail message listing the patient demographics at the remote facility. At this point the patient should be registered so that the incoming request may be filed and processed. When IFC cannot uniquely identify a patient at the Receiving Facility, it sends a message to the IFC PATIENT ERROR MESSAGES group. This message is re-sent at approximately 3 hour intervals.

IFC CLIN ERRORS

The members of this mail group will receive Kernel alerts regarding issues with incomplete inter-facility consult activities that encountered an error when updating

the remote consult. The members of this mail group should primarily consist of the personnel responsible for set up and implementation of the Inter-facility Consults software.

The alerts received fall into the following categories:

- Incompletely or incorrectly defined procedures or services for use in Inter-facility Consults.
- Pending Inter-facility Consult requests if registration issues exist.

When a message is sent to IFC CLIN ERRORS, it is determined by the GMRC IFC ALERT IMMED ON PT ERR parameter. If set to YES, IFC CLIN ERRORS at the sending facility is notified immediately. Otherwise, IFC CLIN ERRORS at the sending facility is notified when the registration issue is still not resolved approximately every 24 hours (or every 8 attempts to re-transmit and notify the IFC PATIENT ERROR MESSAGES group).

If a registration issue is still unresolved at the receiving facility after eight transmissions of the request, the IFC CLIN ERRORS group at the receiving facility is sent a mail message approximately every 24 hours indicating the problem and the demographics of the patient at issue.

IFC TECH ERRORS

The members of this mail group will receive Kernel alerts regarding issues with incomplete inter-facility consult activities that did not receive an appropriate response from the facility to which an activity was transmitted. The members of this mail group should consist of those IRM staff responsible for investigating errors in the Consult/Request Tracking package and may include those responsible for monitoring VistA HL7 operation.

The alerts received by this group could be caused by either a breakdown in network communications with the remote facility or an error occurring on the remote system. This group will be responsible for resolving error conditions with inter-facility consult transmissions.

Mail Group Enhancement for Cerner Converted Sites

The installation of patch GMRC*3.0*154 creates four new Vista mail groups. These mail groups are used to support the commercial industry standard of the receiving system responsible for handling data errors. Cerner uses this paradigm and does not support HL7 application negative acknowledgements from VistA. The mail groups are used to deliver alerts or mail messages to the members as a result of various occurrences in Inter-facility Consults. The members of these mail groups

will receive alerts and errors when the sending site is converted to Cerner and the receiving site is a non converted Vista.



Note: All four mail groups should be populated with members having the responsibilities listed below.

GMRC CRNR IFC ERRORS

The members of this mail group receive all alerts from GMRC CNR IFC CLN ERRORS, and GMRC CNR IFC TECH ERRORS mail groups. The members of this mail group are Tier I support and consists of individuals that can assist the other mail group members in analyzing errors.

GMRC TIER II CRNR IFC ERRORS

This mail group is a subscriber to GMRC CNR IFC CLN ERRORS, GMRC CNR IFC TECH ERRORS, and GMRC CRNR IFC ERRORS mail groups. The members of this mail group receive all alerts in order to assist Tier I members in analyzing errors. Also, members in this mail group will work directly with the facilities to resolve the errors that cannot be addressed with code changes. Members of this mail group are Tier II support and consists of the following OEHRM experts:

- MUMPS support members
- Architecture support members
- VDIF support members
- Cerner support members

GMRC CRNR IFC CLIN ERRORS

The members of this mail group will receive Kernel alerts for issues with incomplete inter-facility consult activities that encountered an error when updating the remote consult from a Cerner converted facility. The members of this mail group should primarily consist of the individuals responsible for set up and implementation of the Inter-facility Consults software.

The alerts received fall into the following categories:

- Incompletely or incorrectly defined procedures or services for use in Inter-facility Consults.
- Pending inter-facility consult requests if registration issues exist.

GMRC CRNR IFC TECH ERRORS

The members of this mail group will receive Kernel alerts for issues with incomplete inter-facility consult activities that did not receive an appropriate response from the non converted facility to which an activity was transmitted. The members of this mail group should consist of individuals responsible for investigating errors in the Consult/Request Tracking package along with those whom are responsible for monitoring HL7 operation.

The alerts received by this group could be caused by either a breakdown in network communications with the non converted facility, OpenLink, or VDIF (Veterans Data Integration and Federation).

Inter-Facility Consults Reports

The Inter-Facility Consults reports are available on the Consult Tracking Reports menu [GMRC REPORTS] and the IFC Management Menu [GMRC IFC MGMT]. Currently four Inter-Facility Consults reports show up on this menu. They are:

Report Synonym	Report Name	Option Name
IFC	IFC Requests	[GMRC IFC RPT CONSULTS]
IP	IFC Requests by Patient	[GMRC IFC RPT CONSULTS BY PT]
PI	Print IFC Requests	[GMRC IFC PRINT RPT NUMBERED]
IR	IFC Requests by Remote Ordering Provider	[GMRC IFC RPT CONSULTS BY REMPR]

IFC Requests (IFC) provides detailed information regarding inter-facility consults. **Inter-Facility Consult Requests (PI)** is the same report formatted for a printer.

IFC Request by Patient (IP) is similar to option Consult Service Tracking, except only displays inter-facility consults as a requesting or consulting facility.

IFC Requests by Remote Ordering Provider (IR) provides detailed information regarding inter-facility consults by remote ordering provider for consulting sites to utilize. The display is similar to the IFC/PI options.

IFC Requests

This report provides such information as:

- Total Requests to Service
- Total Requests Scheduled to Service
- Total Requests Completed to Service
- Mean Days Completed to Service

This report provides information for both requesting and consulting facilities.

In the following example, we examine all Dental consults originating by us as a requesting facility:

```
Select IFC Management Menu Option: IFC Inter-Facility Consult Requests
Are you the Requesting site or the Consulting site: (R/C): R REQUESTING
Only Display Consults With Status of: All Status's// ?
Enter a code from the list.

    Select one of the following:

        al      All Status's
        ap      All Pending
        dc      Discont.
        c       Completed
        p       Pending
        a       Active
        s       Scheduled
        pr      Incomplete
        x       Cancelled

Only Display Consults With Status of: All Status's// <Enter> All Status's
Select Service/Specialty: DENTAL
List From Starting Date: ALL DATES// <Enter>
...SORRY, LET ME THINK ABOUT THAT A MOMENT...
```

```

Inter-facility Consults      Feb 07, 2002@11:06:22      Page: 1 of 1.
IFC Requests: Requesting Site
Service: DENTAL
From: ALL      To: JAN 31,2002
  Status      Last Action      Request Date      Patient Name      Pt Location
                IF Consult/Request By Status - Requesting Site
                FROM: ALL      TO: JAN 31,2002

SERVICE: DENTAL
Discont.      DISCONTINUED      10/18/01      CRPatient,F. (3333)      2B MED
Discont.      DISCONTINUED      10/18/01      CRPatient,F. (1990)      1A(1&2)
Completed      ADDENDUM ADDED TO      10/23/01      CRPatient,F. (3333)      2B MED
Pending      CPRS RELEASED ORDER      12/20/01      CRPatient,S. (1990)      1A(1&2)
Pending      CPRS RELEASED ORDER      12/03/01      CRPatient,S. (1990)      1A(1&2)
Pending      CPRS RELEASED ORDER      11/30/01      CRPatient,T. (3323)      OUTHOUSE
Pending      CPRS RELEASED ORDER      11/13/01      CRPatient,T. (3241)      2B MED
Pending      CPRS RELEASED ORDER      10/18/01      CRPatient,F. (3333)      2B MED
Pending      CPRS RELEASED ORDER      10/03/01      CRPatient,S. (1990)      1A(1&2)
Pending      CPRS RELEASED ORDER      10/02/01      CRPatient,S. (1990)      2B MED
Pending      ADDED COMMENT      10/01/01      CRPatient,S. (1990)      2B MED
+      Enter ?? for more actions      >>>
  Service      Number on/off      Description of Data
  Status      Print List
Select Item(s): Next Screen//

```

There are additional fields that are not visible on an 80 column screen such as the screen in the example. They can be viewed by using the Shift to View Right action (>). Using the Shift to View Left (<) action restores the screen. If the report is for a consulting site, then the additional fields are: Routing Facility, Days Diff, and Red Date. If the report is for a requesting site, then the additional fields are: Routing Facility and Days Diff.

There are five actions you can do besides the default actions (like Next Screen, Previous Screen, Quit, >, <, ...). These are change Service, Number on/off, Description of Data, Status, and Print List.

The change Service action allows you to re-display the report for a different service. The Number on/off action changes the format of the report to include the consult number. To do this, it preserves the other columns but makes them narrower. The Description of Data action gives a detailed description for applicable data columns.

The Status action allows you to change which statuses are displayed in the report. In the following example the statuses displayed are changed from All Statuses to just the Pending, Active, and Scheduled consults:

```

Select Item(s): Next Screen// ST      Status
Only Display Consults With Status of: All Status's// P      Pending
Another Status to display: A      Active
Another Status to display: S      Scheduled
Another Status to display: <Enter>
...SORRY, THIS MAY TAKE A FEW MOMENTS...
Inter-facility Consults      Feb 07, 2002@11:06:22      Page: 1 of 2
IFC Requests: Requesting Site
Service: DENTAL
From: ALL      To: FEB 7,2002
  Status      Last Action      Request Date      Patient Name      Pt Location
                IF Consult/Request By Status - Requesting Site

```

FROM: ALL TO: FEB 7,2002

SERVICE: DENTAL

Pending	CPRS RELEASED ORDER	12/20/01	CRPatient,F.	(1990)	1A(1&2)
Pending	CPRS RELEASED ORDER	12/03/01	CRPatient,F.	(1990)	1A(1&2)
Pending	CPRS RELEASED ORDER	11/30/01	CRPatient,T.	(3323)	OUTHOUSE
Pending	CPRS RELEASED ORDER	11/13/01	CRPatient,T.	(3241)	2B MED
Pending	CPRS RELEASED ORDER	10/18/01	CRPatient,F.	(3333)	2B MED
Pending	CPRS RELEASED ORDER	10/03/01	CRPatient,F.	(1990)	1A(1&2)
Pending	CPRS RELEASED ORDER	10/02/01	CRPatient,F.	(1990)	2B MED
Pending	ADDED COMMENT	10/01/01	CRPatient,F.	(1990)	2B MED
Pending	CPRS RELEASED ORDER	09/27/01	CRPatient,F.	(1990)	2B MED
Pending	EDIT/RESUBMITTED	09/13/01	CRPatient,F.	(1990)	2B MED
Active	DISASSOCIATE RESULT	11/05/01	CRPatient,E.	(0870)	2B MED

+ Enter ?? for more actions >>>

Service	Number on/off	Description of Data
---------	---------------	---------------------

Status	Print List
--------	------------

Select Item(s): Next Screen//

Print IFC Requests

The Print IFC Requests (PI) is the same report as the IFC Requests (IFC) except that it formats the report so you can send it to a printer device.

In the following example, all active requests for the Dental service are listed:

```
Select Consult Tracking Reports Option: PI Print IFC Requests
Are you the Requesting site or the Consulting site: (R/C): R REQUESTING
Only Display Consults With Status of: All Status's// A Active
Another Status to display: <Enter>
Select Service/Specialty: DENTAL
List From Starting Date: ALL DATES//
Want to view a description of the data for this report now? NO// <Enter>

This print out is 132 columns wide.
DEVICE: HOME// <Enter> ANYWHERE Right Margin: 80// <Enter>
IF Consult/Request By Status - Requesting Site
FROM: ALL TO: FEB 7,2002

Number St Last Action Req Dt Patient Name Patient Loca
tion Routing Facility Days Diff

SERVICE: DENTAL
2085 a DISASSOCIATE RESULT 11/05/01 WAX,F. (0870) 2B MED
BOISE 2
2045 a RECEIVED 10/17/01 REDDIX,H. (3333) 2B MED
BOISE N/A

Total Requests Active: 2
Total Requests Pending Resolution: 2
Total Requests To Service @ BOISE: 2
Mean Days Completed To Service @ BOISE: 2
Mean Days Completed To Service: 2
Total Requests To Service: 2

Press <ENTER> To Continue:
```

Notice that only two consults were displayed.

IFC Requests by Patient

The IFC Requests by Patient (IP) report is the same as the Consult Service Tracking (CS) option, except that it only displays inter-facility consults. As such, once it has been invoked, all actions normally available to you in the Consult Service Tracking option are potentially usable. Some actions are only available to the Consulting (Receiving) site, as they relate to the processing of the Consult. The Edit/Resubmit action is only available at the Requesting (Sending) site, as that is the location responsible for submitting the Consult in the first place.

```
Select Consult Tracking Reports Option: IP IFC Requests By Patient
Are you the Requesting site or the Consulting site: (R/C): R REQUESTING
Select Patient: CRPATIENT,EIGHT      2-2-35      666333333      YES
                SC VETERAN

Select Service/Specialty: ALL SERVICES// <Enter>  GROUPER ONLY
List From Starting Date: ALL DATES// <Enter>
```

```
IFC Requests: Requesting Site Feb 07, 2002@11:23:36      Page:      1 of      1
CRPATIENT,EIGHT      666-33-3333      FEB 2,1935 (67) <CA>
                                                    Wt.(lb): 180

   Requested St      No.      Consult/Procedure Request
1   01/10/02  p      9927  DERMATOLOGY - Boise Cons
2   01/09/02  p      9923  DERMATOLOGY Cons
3   10/25/01  a      2061  EKG - BOISE CARDIOLOGY (SOUTH) Proc
4   10/23/01  c      2058  DENTAL Cons
5   10/18/01  dc     2051  DENTAL Cons
6   10/18/01  p      2050  DENTAL Cons
7   10/17/01  a      2045  DENTAL Cons

Enter ?? for more actions
SP Select Patient      FR Forward      CT Complete/Update  RT Results Display
CV Change View ...    CX Cancel (Deny)  MA Make Addendum    PF Print Form 513
RC Receive            DC Discontinue    SF Sig Findings      RM Remove Med Rslt
SC Schedule           CM Add Comment    DD Detailed Display  ER Edit/Resubmit
Select: Quit//
```

IFC Requests by Remote Ordering Provider

If you need to determine the status of consults at your facility ordered from a certain provider at another facility, then you can use the IFC Requests by Remote Ordering Provider option.

When using this option, you must specify the name of the provider exactly at the prompt. If you enter a question mark, a screened list of ordering providers is displayed.

In this example we look at the Medicine consults from a provider at Boise:

```
Select IFC Management Menu Option: IR  IFC Requests by Remote Ordering Provider
Select Requesting site: BOISE
  1  BOISE                ID  VAMC        531
  2  BOISE                ID  RO          347
  3  BOISE                ID  M&ROC       447
  4  BOISE                ID  CHEP        932
CHOOSE 1-4: 1  BOISE      ID  VAMC        531

  Enter the ENTIRE name in proper CASE, exactly as it
  appears in the list (including any credentials).
  Use copy/paste to avoid typing errors.
  NO partial matches are done.
  Enter ? to display a list of possible entries.
Select Remote Ordering Provider: ?

CRPROVIDER,EIGHT
CRPROVIDER,FIVE
CRPROVIDER,FOUR
CRPROVIDER,NINE
CRPROVIDER,SEVEN
CRPROVIDER,SIX
CRPROVIDER,THREE
CRPROVIDER,TWO
CRPROVIDER,TEN
CRPROVIDER,ONE

Enter RETURN or '^' to exit: <Enter>

  Enter the ENTIRE name in proper CASE, exactly as it
  appears in the list (including any credentials).
  Use copy/paste to avoid typing errors.
  NO partial matches are done.
  Enter ? to display a list of possible entries.
Select Remote Ordering Provider: CRPROVIDER,TWO
Only Display Consults With Status of: All Status's// <Enter>
Select Service/Specialty: MEDICINE
List From Starting Date: ALL DATES// <Enter>
...SORRY, LET ME PUT YOU ON 'HOLD' FOR A SECOND...
```

Inter-facility Consults		Feb 21, 2002@09:16:26	Page: 1 of 2
IFC Requests: Consulting Site			
Service: MEDICINE			
From: ALL To: FEB 21,2002			
Status	Last Action	Request Date	Patient Name Pt Location .
IF Consult/Request By Status - Consulting Site			
FROM: ALL TO: FEB 21,2002			
Routing Facility - BOISE			
Remote Ordering Provider - CRPROVIDER,TWO			
GROUPER: MEDICINE			
GROUPER: CARDIOLOGY in Group: MEDICINE			
GROUPER: CARDIOLOGY Totals:			
Total Requests To Grouper CARDIOLOGY:		0	
SERVICE: EYE CLINIC in Group: MEDICINE			
Pending	FWD TO REMOTE SERVI	01/07/02 CRPATIENT,S. (1990)	BOISE
Pending	REMOTE REQUEST RECE	12/21/01 CRPATIENT,F. (3333)	2B MED
+ Enter ?? for more actions			>>>
Service	Number on/off	Description of Data	
Status	Print List		
Select Item(s): Next Screen// Select Item(s): Quit//			

There are three other fields that are not visible on an 80 column screen such as the screen in the example. They are: Routing Facility, Days Diff, and Rec Date. They can be viewed by using the Shift to View Right action (>). Using the Shift to View Left (<) action restores the screen.

There are five actions you can do besides the default actions (like Next Screen, Previous Screen, Quit, >, <, ...). These are change Service, Number on/off, Description of Data, Status, and Print List.

The change Service action allows you to re-display the report for a different service.

The Number on/off action changes the format of the report to include the consult number. To do this, it preserves the other columns but makes them narrower.

The Description of Data action gives a detailed description for applicable data columns.

The Status action allows you to change which statuses are displayed in the report.

Inter-Facility Consults Management Options

The Inter-Facility Consults Options [GMRC IFC MGMT] menu is part of the Consults Management [GMRC MGR] menu. This menu has the following options in it:

Synonym	Name	Command
TI	Test IFC implementation	[GMRC IFC TEST SETUP]
LI	List incomplete IFC transactions	[GMRC IFC INC TRANS]
IFC	Inter-Facility Consult Requests	[GMRC IFC RPT CONSULTS]
TR	IFC Transaction Report	[GMRC IFC TRANS]
LK	Locate IFC by Remote Cslt #	[GMRC IFC REMOTE NUMBER]
BK	Monitor IFC background job parameters	[GMRC IFC BKG PARAM MON]
AI	Print All Incomplete IFC Transactions	[GMRC IFC INC RPT]
EP	Edit IFC Processing Parameters	[GMRC IFC PARAMETER EDIT]
IP	Inter-facility Consult Requests By Patient	[GMRC IFC RPT CONSULTS BY PT]
IR	IFC Requests by Remote Ordering Provider	[GMRC IFC RPT CONSULTS BY REMPR]
MP	Configure test account patients for IFC	[GMRC IFC TEST PT MPI]
PI	Print Inter-facility Consult Requests	[GMRC IFC PRINT RPT NUMBERED]

Inter-Facility Consult Requests (IFC), Inter-Facility Consult Requests by Patient (IP), Print Inter-Facility Consult Requests (PI), and IFC Requests by Remote Ordering Provider (IR) are covered under the Inter-Facility Consults Reports section above.

Test IFC Implementation

The following example shows how to use the Test IFC Implementation option to check the setup of a procedure or consult service:

```
Select IFC Management Menu Option: TI Test IFC implementation

    Select one of the following:

        P          procedure
        C          consult service

Would you like to test a procedure or consult service: procedure

Select the GMRC Procedure that you'd like to test: EKG
  1  EKG - BOISE
  2  EKG ELECTROCARDIOGRAM
CHOOSE 1-2: 1  EKG - BOISE

    attempting to connect to remote system...

There is an implementation problem. The remote site indicated:
    Multiple services matched to procedure

Would you like to test another implementation?
```

The following are the 7 most common errors that may be indicated with this option:

- **301 – Service not matched to receiving facility. You need to coordinate with the consulting facility. The consulting facility needs to use the Setup Service (SS) option to make sure your facility is correctly listed in the IFC SENDING FACILITY field.**
- **401 – Procedure not matched to receiving facility. You need to coordinate with the consulting facility. The consulting facility needs to use the Setup Procedure (PR) option to make sure your facility is correctly listed in the IFC SENDING FACILITY field.**
- **501 – Error in procedure name. Could not find a matching procedure at the consulting facility. You probably need to verify the spelling and use the Setup Procedure (PR) option to make sure the IFC REMOTE PROCEDURE NAME is correct in your Procedure file (#123.3).**
- **601 – Multiple services matched to procedure. At the consulting facility, the RELATED SERVICES multiple must only contain a single value.**
- **701 – Error in Service name. Could not find a matching service at the consulting facility. You probably need to verify the spelling and use the Setup Service (SS) option to make sure the IFC REMOTE NAME is correct in your Request Services (#123.5).**
- **702 – Service is Disabled. The Service has been disabled at the Consulting site.**
- **703 – Procedure is Inactive. The Procedure has been inactivated at the Consulting Site.**



Note: Any error occurring within the VistA HL7 messaging system is also indicated in this option.

Configure Test Account Patients

The Configure Test Account Patients for IFC option sets up a patient with a test account Integration Control Number (ICN) so that the patient may be used to test Inter-Facility Consults. An identical patient (with identical social security number) must be set up at both cooperating test sites. This option takes the social security number and appends a 9 to the beginning of it to produce a unique ICN. It then files this pseudo-ICN in the patient file for this patient. If the SSN for the patient is the same as another patient in the test account, the option will not proceed until this conflict is resolved.

This option must be exercised at both cooperating facilities before the patient may be used for Inter-facility Consults testing.

In this example, George F Babbitt is set up as a test patient:

```
Select IFC Management Menu Option: MP  Configure test account patients for IFC

Select shared patient: CRPATIENT,THIRTEEN      4-9-46      666668829      YES      SC
VETERAN
Enrollment Priority: GROUP 3      Category: IN PROCESS      End Date:

Trying to set test patient ICN...

Done.

Select shared patient:
```



Note: This option will only function in test accounts.

List incomplete IFC transactions

GMRC IFC INC TRANS is a tool for reviewing incomplete Inter-Facility Consult (IFC) Transactions. With this option you can retransmit an action that is not yet resolved.

This option can accept the following inputs when selecting a consult request:

- A Consult number.
- A Patient Name.
- A Service Name.
- A question mark to see a screened list of consults with incomplete activities.

The following screen capture error is inspected and a retransmit if performed:

```
Select IFC Management Menu Option: LI List incomplete IFC transactions
Select a consult request: ?
  Answer with REQUEST/CONSULTATION NUMBER, or FILE ENTRY DATE, or
    PATIENT NAME, or TO SERVICE, or FROM, or DATE OF REQUEST, or
    CPRS STATUS, or SENDING PROVIDER, or ASSOCIATED RESULTS
  Do you want the entire REQUEST/CONSULTATION List? n (No)

Type in the number, date of request or patient name.

Select a consult request: CRPATIENT,SEVEN          12-31-51      666781990      SC
VETERAN
```

```
Incomplete IFC Transactions Feb 07, 2002@12:10:05      Page: 1 of 1
Incomplete transaction(s) for consult#: 9907

An error occurred transmitting the following inter-facility consult
activity to BOISE:

Consult #: 9907
Remote Consult #:
Patient Name: CRPATIENT,SEVEN
To Service: DENTAL

Activity #: 1
Activity          Date/Time/Zone      Responsible Person  Entered By
CPRS RELEASED ORDER  12/20/01 10:41    CRPROVIDER,THREE  CRPROVIDER,THREE

The error was: Error in Service name

Enter ?? for more actions
SC Select new Consult          CM Mark transaction complete
RT Retransmit an IFC activity
Select action: Quit// RT Retransmit an IFC activity
```

Select an activity number: 1
You have selected the following activity:
CPRS RELEASED ORDER entered Dec 20, 2001@10:41:08

Are you sure you want to retransmit this activity?Y YES

Incomplete IFC Transactions Feb 07, 2002@12:10:05 Page: 1 of 1
Incomplete transaction(s) for consult#: 9907

An error occurred transmitting the following inter-facility consult activity to BOISE:

Consult #: 9907
Remote Consult #:
Patient Name: CRPATIENT,SEVEN
To Service: DENTAL

Activity #: 1
Activity Date/Time/Zone Responsible Person Entered By
CPRS RELEASED ORDER 12/20/01 10:41 CRPROVIDER,THREE CRPROVIDER,THREE

The error was: Error in Service name

Enter ?? for more actions
SC Select new Consult CM Mark transaction complete
RT Retransmit an IFC activity
Select action: Quit//

The Re-transmit an IFC Activity action may be used when the listed error has been corrected and the activity should be transmitted to the remote facility again. This action is optional as the IFC Background job will resend any activities with corrected errors.

The Mark Transaction Complete action must be used with caution. This action is *only* used when each site can verify that the activity was transmitted and the consult record was appropriately updated. This action will remove the activity from the listing in this option and suppress any future alerts about the error.

Print All Incomplete IFC Transactions

Incomplete IFC transactions may be compiled as a printed report. This gives similar information as the List Incomplete IFC Transactions option discussed above, but does not require the selection of a specific consult number. This report also does not afford the opportunity to correct or re-transmit the consult(s). The main advantage of this option is that it gives you a hard-copy of the incomplete IFC transactions.

In this example this incomplete IFC Transactions Report is displayed on the computer screen:

```
Select IFC Management Menu Option: AI Print All Incomplete IFC Transactions
DEVICE: ANYWHERE <Enter> Right Margin: 80// <Enter>
Incomplete IFC Transaction Report OCT 1,2002 08:40 PAGE 1
-----
                INCOMPLETE: YES
                CONSULT/REQUEST #: 10059

DATE/TIME OF ENTRY: OCT 01, 2002@08:40:15
FACILITY: BOISE MESSAGE #: 660124336
CONSULT/REQUEST #: 10059 ACTIVITY #: 1
INCOMPLETE: YES TRANS. ATTEMPTS: 1
ERROR: Service not matched to receiving facility

Select IFC Management Menu Option:
```

IFC Transaction Report

This option lists the current contents of the IFC Message Log (#123.6) file for one or all consults. This log is used by the Inter-Facility Consults software to insure transmission of Inter-Facility Consult requests. The IFC background job checks this log and takes appropriate action on requests that have not yet successfully completed.

Completed transactions are deleted by the software after a period of time. You can control this function by using the Edit IFC Processing Parameters [GMRC IFC PARAMETER EDIT] option, set the GMRC RETAIN IFC ACTIVITY DAYS (Days to retain IFC transactions) parameter to a number between 7 and 180. If this parameter is not set, completed transactions will be retained for 7 days. The higher the number set in this parameter the more disk space will be used by the IFC MESSAGE LOG file.

See the section on Error Handling below for more complete details.

At the “Select Consult/Request Number:” prompt, you may enter any one of the following:

- ALL to list all entries.
- The consult number to list that single consult.
- The patient name to select a consult from the consults on file for that patient.
- The to or from service to select a consult from the consults to or from that service.
- The date of request to select a consult originated on that date.
- The CPRS status, such as PENDING or PARTIAL RESULTS, to select a consult with that status.
- The sending provider to select a consult originated by that provider.

In the following example, we list all entries in the IFC Transaction Log:

```
Select IFC Management Menu Option: ?

TI      Test IFC implementation
LI      List incomplete IFC transactions
IFC     IFC Requests
TR      IFC Transaction Report
LK      Locate IFC by Remote Cslt #
BK      Monitor IFC background job parameters
AI      Print All Incomplete IFC Transactions
EP      Edit IFC Processing Parameters
IP      IFC Requests By Patient
IR      IFC Requests by Remote Ordering Provider
MP      Configure test account patients for IFC
PI      Print IFC Requests

Select IFC Management Menu Option: TR  IFC Transaction Report
```

NOTE: Successful transactions are deleted after one week.

Select Consult/Request Number: ALL// ?

Answer with REQUEST/CONSULTATION NUMBER, or FILE ENTRY DATE, or
PATIENT NAME, or TO SERVICE, or FROM, or DATE OF REQUEST, or
CPRS STATUS, or SENDING PROVIDER, or ASSOCIATED RESULTS

Do you want the entire 2033-Entry REQUEST/CONSULTATION List?

Select Consult/Request Number: ALL// <Enter>

List From Starting Date: ALL DATES// <Enter>

View by (C)onsult, (D)ate, (A)ctivity, or (M)essage Status: Consult// <Enter>

IFC Transactions		Jan 31, 2002@07:56:59	Page: 1 of 3
Transaction(s) for consult#: ALL			
Consult	Entry Date/Time	Activity	Error
2206	11/21/01 15:47	CPRS RELEASED ORDER	Local or unknown MPI ide
2219	11/26/01 16:06	CPRS RELEASED ORDER	Service not matched to r
2229	11/29/01 09:35	CPRS RELEASED ORDER	Service not matched to r
9907	12/20/01 10:41	CPRS RELEASED ORDER	Service not matched to r
9919	01/29/02 12:12	SIG FINDING UPDATE	Error in Service name
9919	01/29/02 12:15	SIG FINDING UPDATE	Unknown Patient
9921	01/09/02 09:53	FORWARDED FROM	Local or unknown MPI ide
9937	01/17/02 12:34	CANCELLED	Unknown Patient
9937	01/17/02 14:30	CANCELLED	Local or unknown MPI ide
9937	01/17/02 14:54	CANCELLED	Local or unknown MPI ide
9937	01/17/02 15:09	CANCELLED	Local or unknown MPI ide
9937	01/17/02 15:45	CANCELLED	Local or unknown MPI ide
9937	01/17/02 16:05	CANCELLED	Local or unknown MPI ide
9940	01/23/02 16:01	COMPLETE/UPDATE	No Error
9940	01/23/02 16:07	INCOMPLETE RPT	Service not matched to r
9940	01/23/02 16:24	DISASSOCIATE RESULT	Unknown Patient
9940	01/23/02 16:25	DISASSOCIATE RESULT	Local or unknown MPI ide
+ Enter ?? for more actions >>>			
SC Select new Consult	DD Detailed Display		
PL Print List	CV Change View		
Select action:Next Screen// DD			

Select a Consult number from the display: (1-9999999): 2206

IFC Transactions		Mar 14, 2002@16:38:17	Page: 1 of 1.
Detailed Display			
Consult#: 2206			
ENTRY DATE/TIME: NOV 21, 2001@15:47:53			
FACILITY: BOISE			
MESSAGE #: 66036920			
ACTIVITY #: 1			
INCOMPLETE: YES			
TRANS. ATTEMPTS: 1			
ERROR: Service not matched to receiving facility			
+ Enter ?? for more actions >>>			
SC Select new Consult	DD Detailed Display		
PL Print List	CV Change View		

Select action:Quit//

Locate IFC by Remote Consult Number

This option is designed to assist consulting facilities with consult inquiries from requesting facilities; e.g., “Do you have the consult with Boise number 845?” All other reports are based on the local consult number. When a call is made from a requesting facility for information on the status of a consult, they are not likely to have the consulting facility’s number—only their own number for that consult. This option gets around that problem by keying on the original consult number.

In this example, a CAC at Salt Lake assists a Physician at Boise in looking up Boise consult number 845:

```
Select IFC Management Menu Option: ?

TI      Test IFC implementation
LI      List incomplete IFC transactions
IFC     IFC Requests
TR      IFC Transaction Report
LK      Locate IFC by Remote Cslt #
BK      Monitor IFC background job parameters
AI      Print All Incomplete IFC Transactions
EP      Edit IFC Processing Parameters
IP      IFC Requests By Patient
IR      IFC Requests by Remote Ordering Provider
MP      Configure test account patients for IFC
PI      Print IFC Requests

Enter ?? for more options, ??? for brief descriptions, ?OPTION for help text.

Select IFC Management Menu Option: LK Locate IFC by Remote Cslt #
Choose the facility to which the remote entry belongs: ?
Answer with INSTITUTION NAME, or STATUS, or STATION NUMBER, or
OFFICIAL VA NAME, or CURRENT LOCATION, or NAME (CHANGED FROM)
Do you want the entire INSTITUTION List? N (No)

Choose the facility to which the remote entry belongs: BOISE
  1 BOISE ID VAMC 531
  2 BOISE ID RO 347
  3 BOISE ID M&ROC 447
  4 BOISE ID CHEP 932
CHOOSE 1-4: 1 BOISE ID VAMC 531
Select the Remote Consult Entry #: (1-9999999): 845

Select one of the following:

  B      brief
  D      detailed

Display type: B// <Enter> detailed
```

Consult Detailed Display Jan 31, 2002@08:20:11
TEST,BOB 333-44-7111
Consult No.: 9943

Page: 1 of 5
 DEC 9,1950 (51)
Wt. (lb): No Entry

Current Pat. Status: Outpatient

Order Information

To Service: PLASTIC SURGERY
From Service:
Requesting Provider:
Service is to be rendered on an OUTPATIENT basis
Place: Consultant's choice
Urgency: Routine
Orderable Item:
Consult: Consult Request
Reason For Request:
Can surgery correct this patients aging process??

Inter-facility Information

+ Enter ?? for more actions

Select Action:Next Screen//

Edit IFC Processing Parameters

This option allows you to edit the three IFC parameters. These are:

- Days to retain complete IFC transactions (GMRC RETAIN IFC ACTIVITY DAYS)
- Alert CLIN group immediately on patient error (GMRC IFC ALERT IMMEDIATE ON PT ERR)
- Skip IFC re-transmissions on weekends (GMRC IFC SKIP WEEKEND RE-TRANS)

These are different from the IFC background job parameters which are discussed in the Monitor IFC Background Job Parameters section.

In the following example we use this option to check the settings of these parameters:

```
Select IFC Management Menu Option: EP Edit IFC Processing Parameters

Configure IFC parameters for System: DEVCUR.FO-SLC.MED.VA.GOV
-----
Days to retain complete IFC transactions           14
Alert CLIN group immed. on pt. err                YES
Skip IFC re-transmissions on weekends             YES
-----
Retention days: 14// <Enter>
Alert CLIN group: YES// <Enter>
Skip weekends: YES// <Enter>

Select IFC Management Menu Option:
```

Monitor IFC Background Job Parameters

This option lists the current state of parameters concerning the IFC background jobs. It also gives an alternate method of changing these parameters. For example, if the running of the IFC Background job should be delayed for any reason (e.g. to install a GMRC patch or system maintenance), it may be delayed by using the Edit background job start parameter action and setting the start time parameter to a date/time in the future.

In this example, we view the IFC background job parameters:

```
Select IFC Management Menu Option: BK Monitor IFC background job parameters
```

```
RL Refresh background parameter list .
IFC Background Parameters      Mar 14, 2002@16:27:11      Page:    1 of    1
Inter-facility Consults background job parameter display
The IFC background job last started:      Mar 14, 2002@15:48:57
The IFC background job last finished:     Mar 14, 2002@15:48:57
The IFC background job is on schedule or is
running.
It may be delayed by editing the start time
to a future date/time using the Edit start
time action.
Enter ?? for more actions
ES Edit background job start parameter
RL Refresh background parameter list
Select action:Quit//
```



Note: The Edit Parameter Values [XPAR EDIT PARAMETER] option should not be used to edit the start or finish parameters for the IFC Background job.

Background Task

The IFC background job is an important factor for successful implementation of Inter-facility Consults. It is automatically activated by any outgoing IFC activity, and performs the following:

- Monitors entries in the IFC MESSAGE LOG file (#123.6).
- Deletes completed entries from the IFC MESSAGE LOG file (#123.6).
- Re-transmits some entries from the IFC MESSAGE LOG file (#123.6) with errors.
- Sends notifications/mail messages to members of IFC mail groups.
- Schedules itself to run one hour after it finished last.

In addition, the IFC Background Startup option [GMRC IFC BACKGROUND STARTUP] should be scheduled as follows:

- Upon system startup
- Whenever TaskMan unexpectedly stops
- Every 8 hours



Note: Following installation, you should use the Schedule/Unschedule Options [XUTM SCHEDULE] option to schedule GMRC IFC BACKGROUND STARTUP to run every eight hours. Proper inter-facility consult messaging is dependent on this.

This task also starts the background job; the only difference is that this task schedules it at regular intervals.

Note the following system schedule:

```
                                Edit Option Schedule
Option Name: GMRC IFC BACKGROUND STARTUP
Menu Text: IFC Background Startup                                TASK ID:
-----
QUEUED TO RUN AT WHAT TIME: JAN 24,2002@12:50
DEVICE FOR QUEUED JOB OUTPUT:
QUEUED TO RUN ON VOLUME SET: CUR
RESCHEDULING FREQUENCY: 8H
TASK PARAMETERS:
SPECIAL QUEUEING: Startup Persistent
```

Notes on the management of the Background Job:

- **No Data integrity issues occur if the task or background job stops unexpectedly.**
- **In rare cases, it is possible to get duplicate IFC mail messages as a result of the background job. The duplicates should be ignored.**
- **Be sure that 8H is included in the rescheduling frequency when scheduling the task.**
- **There are checks built into the background job which prevent it from being run more than once an hour even though multiple events may attempt to trigger it.**
- **If TaskMan stops running, the task should automatically re-queue for a future date/time.**
- **The next outgoing IFC activity will also activate the background job.**
- **Placing TaskMan in a wait state should have no effect on the task.**

The Background Job can be prevented from re-transmitting requests with Unknown Patient errors (201) or Local or Unknown MPI Identifiers errors (202) to the consulting facility on Saturday or Sunday. This is done using the Edit IFC Processing Parameters [GMRC IFC PARAMETER EDIT] option and setting the Skip IFC re-transmissions on weekends (GMRC IFC SKIP WEEKEND RE-TRANS) parameter to YES.

Error Handling

In general, Inter-Facility Consults uses the Kernel alert system to notify key people of errors occurring in the system. Errors typically take the form of HL7 messages that cannot be properly delivered or processed.

In the case of inability to deliver a message, the system will retry automatically about one hour after the last attempt. In many of these cases, the error will resolve itself.

If the cause is missing file information, personnel assumed to have responsibility for that information are notified. The error may be in consult or procedure files, but it also may be in the patient file (i.e., the patient not identifiable at both sites). Once the file entries have been corrected, the system automatic retry will detect the new information and resolve the error.

Inter-Facility Consult Errors

Key:

Requesting site: Facility at which the original consult request was made.

Consulting site: Facility tasked with fulfilling the consult request.

Originating site: Facility at which the current action occurred.



Note: Some of the Follow-up actions listed below require the use of FileMan. Others can be accomplished with the Consults actions such as Setup Services (SS) and Setup Procedures (PR). Once corrections are made, the activity can be retransmitted using the RETRANSMIT AN IFC ACTIVITY action of the List Incomplete IFC Transactions [GMRC IFC INC TRANS] option.

Error 101—Unknown Consult/Procedure request

Cause	Actions Taken	Follow-up
Unknown Consult or Procedure request number.	Originating Site: Notification sent to mail groups: IFC TECH ERRORS.	Originating Site: Correct the REMOTE CONSULT FILE ENTRY in the Request/ Consultation file (#123) & retransmit the activity in the IFC Message Log (#123.6)

Example of Notification/Mail Message

```

Notification: Failed IFC transaction

Upon notification processing:

An error occurred transmitting the following inter-facility consult activity to <site name>:

Consult #: <consult #>
Patient Name: <patient name>
SSN: <social security number>
To Service: <to service>
(Procedure: <procedure>)

Activity  Date/Time/Zone Responsible Person  Entered By
<data>

The error was: Unknown Consult/Procedure request
    
```

Error 201—Unknown Patient

Cause	Actions Taken	Follow-up
<p>Unknown Patient. Patient has either never been registered at the Consulting facility or the Master Patient Index (MPI) Integration Control Number (ICN) does not match that from the requesting site.</p>	<p>Consulting site: E-mail message sent to mail group: IFC PATIENT ERROR MESSAGES at the consulting facility. This message is renewed every hour and is continued until the error is corrected. IFC CLIN ERRORS receives mail message every 24 hours until the error is resolved.</p> <p>Requesting site: IFC CLIN ERRORS is notified. This occurs either immediately (if GMRC IFC ALERT IMMED ON PT ERR parameter is set to YES) or every 24 hours until the error is resolved.</p>	<p>Consulting site: Register patient. If the patient being registered is a new patient at your site, a query is sent to the Master Patient Index. If the MPI finds an exact match, that MPI ICN will be assigned. If the MPI finds potential matches, a local ICN is assigned and an exception is logged for human resolution using the MPI/PD Exception Handling [RG Exception Handling] option.*</p> <p>In patch GMRC*3.0*154 code was added to check the correlation list (from the TREATING FACILITY LIST file #391.91) and, if the patient does not exist at the receiving site, a “proxy add” is executed to create (register) the patient at the receiving site. This should eliminate all manual registration of patients as described above.</p>

* If patient has a locally assigned ICN, use the Single Patient Initialization to MPI [MPIF IND MPI LOAD] to match record with the Requesting site's national ICN. If patient has a national MPI ICN which does not match, use the Inactivate Patient from MPI [MPIF PAT INACT] and then the Single Patient Initialization to MPI [MPIF IND MPI LOAD] to match record with the Requesting site's national ICN. If unable to inactivate patient from the MPI or if further information is required,

refer to the Master Patient Index/Patient Demographics (MPI/PD) User and Master Patient Index/Patient Demographics Exception Handling Manuals for detailed instructions.

Example of Notification/Mail Message

Consulting site:

Subj: Incoming IFC patient error, <patient name> [#47056] 31 Oct 01 13:08
From: CONSULT/REQUEST TRACKING PACKAGE In 'IN' basket. Page 1 *New*

An Inter-facility Consult for the following patient has been requested. The patient has either never been registered at your facility or the national MPI ICN for this patient at your site does not match that from the requesting site. Please refer to the Master Patient Index/Patient Demographics (MPI/PD) User Manual and Master Patient Index/Patient Demographics Exception Handling Manuals to resolve this error so request may be processed.

Patient demographics from <site name>
Patient name: <patient name>
SSN: <patient ssn>
Date of birth: <patient dob>
Sex: <patient sex>
Remote ICN: <remote integration control number>

Ordered Service: FOOT CLINIC

The error is: Unknown Patient (201)

Requesting site:

Notification: Failed IFC transaction

Upon notification processing:

An error occurred transmitting the following inter-facility consult activity to <site name>:

Consult #: <consult #>
Patient Name: <patient name>
SSN: <social security number>
To Service: <to service>
(Procedure: <procedure>)

Activity Date/Time/Zone Responsible Person Entered By
<data>

The error was: Unknown patient (201)

Error 202—Local or Unknown MPI Identifiers

Cause	Actions Taken	Follow-up
<p>Patient is missing an Integration Control number (MPI number) or the ICN is a locally assigned number.</p>	<p>Requesting site: A mail message is sent to the IFC PATIENT ERROR MESSAGES mail group. Message is renewed every 3 hours. Also, an entry is inserted in the message log with this error attached. As long as the error is still unresolved, the IFC CLIN ERRORS group is alerted to the problem approximately every 24 hours.</p>	<p>Requesting site: If patient exists on the requesting site's VistA system but does not have a national ICN (is missing an ICN or has a locally assigned ICN), use the Single Patient Initialization to MPI [MPIF IND MPI LOAD] which will send a query to the MPI. If the MPI finds an exact match, that MPI ICN will be assigned. If the MPI finds potential matches, a local ICN is assigned and an exception is logged for human resolution using the MPI/PD Exception Handling [RG Exception Handling] option. Refer to the Master Patient Index/Patient Demographics (MPI/PD) User and Master Patient Index/Patient Demographics Exception Handling Manuals for detailed instructions.</p>

Example of Notification/Mail Message

Subj: Outgoing IFC patient error, <patient name> [#47439] 26 Nov 01 11:22
From: CONSULT/REQUEST TRACKING PACKAGE. Page 1 *New*

An Inter-facility Consult for the following patient has been requested.
The PATIENT file is either missing an ICN or contains a local ICN.
Please refer to the Master Patient Index/Patient Demographics (MPI/PD) User
and Master Patient Index/Patient Demographics Exception Handling Manuals
to resolve this error so request may be processed.

Patient name: <patient name>
SSN: <patient ssn>
Date of birth: <patient dob>
Sex: <patient sex>

The error is: Local or unknown MPI identifiers (202)

Error 301—Service not Matched to Receiving Facility

Cause	Actions Taken	Follow-up
Sending facility not registered at consulting facility for the requested Service.	Requesting site: Notification sent to mail group: IFC CLIN ERRORS.	Consulting site: Correct the IFC SENDING FACILITY in the Request Services file (#123.5) using the Setup Consult Services [GMRC SETUP REQUEST SERVICES] option on the Consults Management Menu [GMRC MGR].

Example of Notification/Mail Message

```

Notification: Failed IFC transaction

Upon notification processing:

An error occurred transmitting the following inter-facility consult activity to <site
name>:

Consult #: <consult #>
Patient Name: <patient name>
SSN: <social security number>
To Service: <to service>
(Procedure: <procedure>)

Activity  Date/Time/Zone Responsible Person  Entered By
<data>

The error was: Service not matched to receiving facility
    
```

Error 401—Procedure not Matched to Receiving Facility

Cause	Actions Taken	Follow-up
Sending facility not registered at consulting facility for the requested Procedure.	Requesting site: Notification sent to mail group: IFC CLIN ERRORS.	Consulting site: Correct the IFC SENDING FACILITY in the GMRC Procedure file (#123.3) using the Setup Procedure [GMRC PROCEDURE SETUP] option on the Consults Management Menu [GMRC MGR].

Example of Notification/Mail Message

```

Notification: Failed IFC transaction

Upon notification processing:

An error occurred transmitting the following inter-facility consult activity to <site name>:

Consult #: <consult #>
Patient Name: <patient name>
SSN: <social security number>
To Service: <to service>
(Procedure: <procedure>)

Activity Date/Time/Zone Responsible
Person Entered By <data>

The error was: Procedure not matched to receiving facility
    
```

Error 501—Error in Procedure Name

Cause	Actions Taken	Follow-up
Error in the Procedure name (Procedure name not found at consulting facility).	Requesting site: Notification sent to mail group: IFC CLIN ERRORS.	Requesting site: Correct the IFC REMOTE PROC NAME in the GMRC PROCEDURE file.

Example of Notification/Mail Message

```
Notification: Failed IFC transaction

Upon notification processing:

An error occurred transmitting the following inter-facility consult activity to <site name>:

Consult #: <consult #>
Patient Name: <patient name>
SSN: <social security number>
To Service: <to service>
(Procedure: <procedure>)

Activity  Date/Time/Zone Responsible Person  Entered By
<data>

The error was: Error in procedure name
```

Error 601—Multiple Services Matched to Procedure

Cause	Actions Taken	Follow-up
<p>Multiple services attached to a Procedure.</p>	<p>Requesting site: Notification sent to mail group: IFC CLIN ERRORS.</p>	<p>Consulting site: Correct the RELATED SERVICES multiple in the GMRC Procedure file (123.3) using the Setup Procedure [GMRC PROCEDURE SETUP] option of the Consults Management Menu [GMRC MGR]. For Inter-Facility Consults to work correctly, there must be only one related service at the Consulting Facility.</p>

Example of Notification/Mail Message

```

Notification: Failed IFC transaction

Upon notification processing:

An error occurred transmitting the following inter-facility consult activity to <site name>:

Consult #: <consult #>
Patient Name: <patient name>
SSN: <social security number>
To Service: <to service>
(Procedure: <procedure>)

Activity   Date/Time/Zone Responsible Person Entered By
<data>

The error was: Multiple services matched to procedure
    
```

Error 701—Error in Service Name

Cause	Actions Taken	Follow-up
Error in service name (Service name not found at consulting facility).	Requesting site: Notification sent to mail group: IFC CLIN ERRORS.	Requesting site: Correct the IFC REMOTE NAME in the REQUEST SERVICES file.

Example of Notification/Mail Message

```
Notification: Failed IFC transaction

Upon notification processing:

An error occurred transmitting the following inter-facility consult activity to <site name>:

Consult #: <consult #>
Patient Name: <patient name>
SSN: <social security number>
To Service: <to service>
(Procedure: <procedure>)

Activity Date/Time/Zone Responsible Person Entered By <data>

The error was: Error in service name
```

Error 702— Service is Disabled Error! Bookmark not defined.

Cause	Actions Taken	Follow-up
Service has been disabled at Consulting Site.	Requesting site: Notification sent to mail group: IFC CLIN ERRORS.	Requesting site: Verify the correct consult was ordered, or work with the Consulting site to enable the consult service. The consult will remain “pending” at the requesting site until the order is discontinued.

Example of Notification/Mail Message

```
Notification: Failed IFC transaction

Upon notification processing:

An error occurred transmitting the following inter-facility consult activity to <site name>:

Consult #: <consult #>
Remote Consult #: <remote consult #>
Patient Name: <patient name>
SSN: <social security number>
To Service: <to service>

Activity Date/Time/Zone Responsible Person Entered By
<data>

The error was: Service is Disabled
```

Error 703— Procedure is Inactive

Cause	Actions Taken	Follow-up
Procedure has been inactivated at Consulting Site.	Requesting site: Notification sent to mail group: IFC CLIN ERRORS.	Requesting site: Verify the correct procedure was ordered, or work with the Consulting site to activate the procedure. The consult procedure will remain “pending” at the requesting site until the order is discontinued.

Example of Notification/Mail Message

```

Notification: Failed IFC transaction

Upon notification processing:

An error occurred transmitting the following inter-facility consult activity to <site name>:

Consult #: <consult #>
Remote Consult #: <remote consult #>
Patient Name: <patient name>
SSN: <social security number>
Procedure: <procedure name>

Activity   Date/Time/Zone Responsible Person Entered By
<data>

The error was: Procedure is Inactive
    
```

Error 801—Inappropriate Action for Specified Request

Cause	Actions Taken	Follow-up
Consult records at the two facilities may be out of synch with regards to status.	Requesting site: Alerts sent to tech mail group.	Requesting Site: Contact IRM support at consulting site and compare records to insure they are in synch.

Example of Notification/Mail Message

```

Notification: Failed IFC transaction

Upon notification processing:

An error occurred transmitting the following inter-facility consult activity to <site
name>:

Consult #: <consult #>
Patient Name: <patient name>
SSN: <social security number>
To Service: <to service>
(Procedure: <procedure>)

Activity  Date/Time/Zone Responsible Person  Entered By <data>

The error was: Inappropriate action for specified request
    
```

Error 802 - Duplicate, activity not filed

Cause	Actions Taken	Follow-up
The activity or the consult request in question has been transmitted to the remote site multiple times and is already on file.	None	None.

Example of Notification/Mail Message

None.

Error 901—Unable to Update Record Successfully

Cause	Actions Taken	Follow-up
Unable to update the record at the consulting facility. The record at the consulting facility is in use and locked.	Requesting site: HL7 message automatically resent every hour until satisfied.	None.

Example of Notification/Mail Message

None.

Error 902—Earlier Pending Transactions

Cause	Actions Taken	Follow-up
Occurs when an earlier IFC activity wasn't transmitted successfully to the remote facility. This assures that a later activity doesn't get transmitted before the earlier one is complete and will keep the requesting and consulting facilities in synch. This will not send alerts nor mail messages.	Requesting Site: Verify pending earlier actions. Actions will automatically retransmit every hour.	Requesting site: Correct previous error actions for consult.

Example of Notification/Mail Message

None.

Error 903—HL Logical Link not Found

Cause	Actions Taken	Follow-up
Unable to find HL Link to the remote facility. A notification will be sent to the mail group “IFC TECH ERRORS.”	Originating Site: Verify the consult service has the correct IFC ROUTING FACILITY.	Originating site: Contact IRM to see if there is an HL LOGICAL LINK for the IFC ROUTING FACILITY.

Example of Notification/Mail Message

```

Notification: Failed IFC transaction

Upon notification processing:

An error occurred transmitting the following inter-facility consult activity to <site name>:

Consult #: <consult #>
Patient Name: <patient name>
SSN: <social security number>
To Service: <to service>
(Procedure: <procedure>)

Activity  Date/Time/Zone  Responsible Person  Entered By <data>

The error was: HL Logical Link not found
    
```

Error 904—Vista HL7 Unable to Send Transaction

Cause	Actions Taken	Follow-up
Unable to transmit HL7 message	Originating Site: Contact IRM.	Originating site: Assure that Vista HL7 is functioning properly and is not in an error state.

Error None

Cause	Actions Taken	Follow-up
Incomplete transmission and no errors.	Originating site: Notification sent to mail group IFC TECH ERRORS.	Originating site: Review the local error log and if necessary, contact the remote facility to determine if an error occurred and determine whether activity needs to be re-transmitted.

Example of Notification/Mail Message

```
Notification: Failed IFC transaction

Upon notification processing:

An error occurred transmitting the following inter-facility consult activity to <site name>:

Consult #: <consult #>
Patient Name: <patient name>
To Service: <to service>
(Procedure: <procedure>)

Activity  Date/Time/Zone Responsible Person  Entered By
<data>

The error was: Technical error
```

Error Handling - Cerner to VistA

The installation of GMRC*3.0*154 modifies the error handling process to accommodate the issue of Cerner not supporting application negative acknowledgements (NAKs) generated from VistA. When the requesting facility has been “converted” to Cerner and the consulting facility is a traditional VistA instance, application negative acknowledgements (NAK) are processed at the consulting facility. The consulting facility will initiate MailMan to notify members of several mail groups of the error. Errors generated at the consulting facility will need manual intervention to resolve.

Key:

Requesting site: Facility at which the original consult request was made.

Consulting site: Facility tasked with fulfilling the consult request.

Originating site: Facility at which the current action occurred.



Note: Some of the Follow-up actions listed below require the use of FileMan.

Others can be accomplished with the Consults actions such as Setup Services (SS) and Setup Procedures (PR). Once corrections are made, the activity can be retransmitted using the Cerner Millennium Platform.

Error 101—Unknown Consult/Procedure request

Cause	Actions Taken	Follow-up
Unknown Consult or Procedure request number.	Consulting Site: Notification sent to mail groups: GMRC CRNR IFC ERRORS.	Originating Site: Correct the Configuration of Consult/Procedure

Error 201—Unknown Patient

Cause	Actions Taken	Follow-up

<p>Unknown Patient. Patient has either never been registered at the Consulting facility or the Master Patient Index (MPI) Integration Control Number (ICN) does not match that from the requesting site.</p>	<p>Consulting site: E-mail message sent to mail group: IFC PATIENT ERROR MESSAGES at the consulting facility. This message is renewed every hour and is continued until the error is corrected. IFC CLIN ERRORS receives mail message every 24 hours until the error is resolved. Requesting site: IFC CLIN ERRORS is notified. This occurs either immediately (if GMRC IFC ALERT IMMED ON PT ERR parameter is set to YES) or every 24 hours until the error is resolved.</p>	<p>Consulting site: Register patient. If the patient being registered is a new patient at your site, a query is sent to the Master Patient Index. If the MPI finds an exact match, that MPI ICN will be assigned. If the MPI finds potential matches, a local ICN is assigned and an exception is logged for human resolution using the MPI/PD Exception Handling [RG Exception Handling] option.* In patch GMRC*3.0*154 code was added to check the correlation list (from the TREATING FACILITY LIST file #391.91) and, if the patient does not exist at the receiving site, a “proxy add” is executed to create (register) the patient at the receiving site. This should eliminate all manual registration of patients as described above.</p>
---	--	---

Note:

- Error Code 201 generated by an consult placed in Cerner will not initiate the Proxy add API to register the patient. The patient will have to be manually registered in VistA. The negative acknowledgement produced by VistA is intercepted and held by VDIF. VDIF will requeue the new consult order and resend that order to VistA every three hours until it receives a successful response from VistA.
- Error Code 201 from a consult placed in VistA will not be generated by Cerner because Cerner doesn't support application acknowledgements. The Proxy add API is initiated to automatically register the patient in Cerner. Once the patient is

registered, the 201 error code is logged in the IFC Message Log(#123.6) for the IFC background job to read the error message and resend the consult.

Error 202—Local or Unknown MPI Identifiers

Cause	Actions Taken	Follow-up
<p>Patient is missing an Integration Control number (MPI number) or the ICN is a locally assigned number.</p>	<p>Requesting site: A mail message is sent to the IFC PATIENT ERROR MESSAGES mail group. Message is renewed every 3 hours. Also, an entry is inserted in the message log with this error attached. As long as the error is still unresolved, the IFC CLIN ERRORS group is alerted to the problem approximately every 24 hours.</p>	<p>Requesting site: If patient exists on the requesting site's VistA system but does not have a national ICN (is missing an ICN or has a locally assigned ICN), use the Single Patient Initialization to MPI [MPIF IND MPI LOAD] which will send a query to the MPI. If the MPI finds an exact match, that MPI ICN will be assigned. If the MPI finds potential matches, a local ICN is assigned and an exception is logged for human resolution using the MPI/PD Exception Handling [RG Exception Handling] option. Refer to the Master Patient Index/Patient Demographics (MPI/PD) User and Master Patient Index/Patient Demographics Exception Handling Manuals for detailed instructions.</p>

Error 301—Service not Matched to Receiving Facility

Cause	Actions Taken	Follow-up
Sending facility not registered at consulting facility for the requested Service.	Consulting site: Notification sent to mail group: GMRC CRNR IFC ERRORS, GMRC CRNR IFC CLIN ERRORS, GMRC TIER II CRNR IFC ERRORS.	Consulting site: Correct the IFC SENDING FACILITY in the Request Services file (#123.5) using the Setup Consult Services [GMRC SETUP REQUEST SERVICES] option on the Consults Management Menu [GMRC MGR].

Error 401—Procedure not Matched to Receiving Facility

Cause	Actions Taken	Follow-up
Sending facility not registered at consulting facility for the requested Procedure.	Consulting site: Notification sent to mail group: GMRC CRNR IFC ERRORS, GMRC CRNR IFC CLIN ERRORS, GMRC TIER II CRNR IFC ERRORS.	Consulting site: Correct the IFC SENDING FACILITY in the GMRC Procedure file (#123.3) using the Setup Procedure [GMRC PROCEDURE SETUP] option on the Consults Management Menu [GMRC MGR].

Error 501—Error in Procedure Name

Cause	Actions Taken	Follow-up
Error in the Procedure name (Procedure name not found at consulting facility).	Consulting site: Notification sent to mail group: GMRC CRNR IFC ERRORS, GMRC CRNR IFC CLIN ERRORS, GMRC TIER II CRNR IFC ERRORS.	Requesting site: Correct the Configuration of Procedure.

Error 601—Multiple Services Matched to Procedure

Cause	Actions Taken	Follow-up
Multiple services attached to a Procedure.	Consulting site: Notification sent to mail group: GMRC CRNR	Consulting site: Correct the RELATED SERVICES multiple in

	IFC ERRORS, GMRC CRNR IFC CLIN ERRORS, GMRC TIER II CRNR IFC ERRORS.	the GMRC Procedure file (123.3) using the Setup Procedure [GMRC PROCEDURE SETUP] option of the Consults Management Menu [GMRC MGR]. For Inter-Facility Consults to work correctly, there must be only one related service at the Consulting Facility.
--	---	--

Error 701—Error in Service Name

Cause	Actions Taken	Follow-up
Error in service name (Service name not found at consulting facility).	Consulting site: Notification sent to mail group: GMRC CRNR IFC ERRORS, GMRC CRNR IFC CLIN ERRORS, GMRC TIER II CRNR IFC ERRORS.	Requesting site: Correct the Configuration of Consult

Error 702— Service is Disabled

Cause	Actions Taken	Follow-up
Service has been disabled at Consulting Site.	Consulting site: Notification sent to mail group: GMRC CRNR IFC ERRORS, GMRC CRNR IFC CLIN ERRORS, GMRC TIER II CRNR IFC ERRORS.	Requesting site: Verify the correct consult was ordered, or work with the Consulting site to enable the consult service.

Error 703— Procedure is Inactive

Cause	Actions Taken	Follow-up
Procedure has been inactivated at	Consulting site: Notification sent to mail	Requesting site: Verify the correct procedure

Consulting Site.	group: GMRC CRNR IFC ERRORS, GMRC CRNR IFC CLIN ERRORS, GMRC TIER II CRNR IFC ERRORS.	was ordered, or work with the Consulting site to activate the procedure.
------------------	--	---

Error 801—Inappropriate Action for Specified Request

Cause	Actions Taken	Follow-up
Consult records at the two facilities may be out of synch with regards to status.	Consulting site: Alerts sent to GMRC CRNR IFC ERRORS, GMRC CRNR IFC CLIN ERRORS, GMRC TIER II CRNR IFC ERRORS.	Requesting Site: Contact IRM support at consulting site and compare records to insure they are in synch.

Error 802—Duplicate, activity not filed

Cause	Actions Taken	Follow-up
The activity or the consult request in question has been transmitted to the remote site multiple times and is already on file.	Notification sent to mail group: GMRC CRNR IFC ERRORS, GMRC TIER II CRNR IFC ERRORS.	None.

Error 901—Unable to Update Record Successfully

Cause	Actions Taken	Follow-up
Unable to update the record at the consulting facility. The record at the consulting facility is in use and locked.	Requesting site: HL7 message automatically resent every hour until satisfied.	None.

Error 902—Earlier Pending Transactions

Cause	Actions Taken	Follow-up
Occurs when an earlier	N/A at the consulting	None

IFC activity wasn't transmitted successfully to the remote facility. This assures that a later activity doesn't get transmitted before the earlier one is complete and will keep the requesting and consulting facilities in synch. This will not send alerts nor mail messages.	site.	
---	--------------	--

Error 903—HL Logical Link not Found

Cause	Actions Taken	Follow-up
Unable to find HL Link to the remote facility.	N/A at the consulting site.	None

Error 904—HL7 Unable to Send Transaction

Cause	Actions Taken	Follow-up
Unable to transmit HL message.	N/A at the consulting site.	None

Summary of Errors

Error Number	Cause
101	Unknown Consult or Procedure request number.
201	Unknown Patient. (Patient from MPI not registered at the consulting facility.)
202	Patient is missing an Integration Control number (MPI number) or the ICN is a locally assigned number.
301	Sending facility not registered at consulting facility for the requested Service.
401	Sending facility not registered at consulting facility for the requested Procedure.

501	Error in the Procedure name (Procedure name not found at consulting facility).
601	Multiple services attached to a Procedure.
701	Error in service name (Service name not found at consulting facility).
702	Service is disabled at Consulting Site.
703	Procedure is Inactivated at Consulting Site.
801	Consult records at the two facilities may be out of synch with regards to status.
802	The activity or the consult request in question has been transmitted to the remote site multiple times and is already on file.
901	Unable to update the record at the consulting facility. The record at the consulting facility is in use and locked.
902	Occurs when an earlier IFC activity wasn't transmitted successfully to the remote facility. This assures that a later activity doesn't get transmitted before the earlier one is complete and will keep the requesting and consulting facilities in synch. This will not send alerts nor mail messages.
903	Unable to find HL Link to consulting facility.
904	Unable to transmit HL message.
None	Incomplete transmission and no errors.

Test Account Setup

HL7 Setup (Test Accounts Only)

Information to Gather

The information for the partnering facility can be most efficiently gathered by talking to the VistA systems support staff at the facility from which consults will be requested or received. Use the following table to record the required information from the test accounts at each facility:

HL7 Information Table

Item #	Item	Local facility (column A)	Partnering facility (column B)
1	Default Institution ^a		
2	Current domain ^b		
3	IP address and port# where HL7 is listening		
4	HL LOGICAL LINK associated with DEFAULT INSTITUTION ^d		

Notes:

- a. **DEFAULT INSTITUTION** field from the one and only entry in file #8989.3.
- b. **DOMAIN NAME** field from the one and only entry in file #4.3.
- c. The IP address is the one used to telnet to the system, port number is typically 5025 for test systems.
- d. Usually a nationally exported HL LOGICAL LINK can be found by using VA FileMan to inquire to file 870 and typing in the name or station number of the DEFAULT INSTITUTION. Enter the node name in this block.

Implementation Steps Using the HL7 Information Table

This step is to configure the HL7 system to properly send and receive messages. The process must be done at the local as well as the partnering facility.

To correctly configure the HL7 message header to provide return address information for correct message administration:

1. Using the Site Parameter Edit [HL EDIT COMM SERVER PARAMETERS] option, edit the one entry and assure:
 - a. The CURRENT DOMAIN field matches Item #2, column A.
 - b. The CURRENT INSTITUTION field matches Item #1, column A.
 - c. The IS THIS A PRODUCTION OR TEST ACCOUNT? field is set to “training”.
 - d. The MAIL GROUP FOR ALERTS field is set to a mail group containing those IRM staff monitoring the HL7 network communications. If there is not such mail group, one should be created and entered here.
2. Using FileMan, add a new DOMAIN entry to file 4.2 named exactly the same as Item #2, column B.
 - a. In the *Flags* field, enter “S” for sending.
 - b. Edit the Synonym field following this example:

If the name of the DOMAIN is TEST.ROSEBURG.VA.GOV, you would add TEST.ROSEBURG.VA.GOV and TEST.ROSEBURG.MED.VA.GOV to the synonym field.
--

If the name of the DOMAIN is TEST.ROSEBURG.MED.VA.GOV, you would add TEST.ROSEBURG.MED.VA.GOV and TEST.ROSEBURG.VA.GOV to the synonym field.
--

- c. All other fields may be left blank.
3. Using the Institution Edit [XU-INSTITUTION-E] option, edit the entry corresponding to Item #1, column A and assure that the DOMAIN field is set equal to Item #2, Column A.
4. Using the Institution Edit [XU-INSTITUTION-E] option, edit the entry corresponding to Item #1, column B and assure that the DOMAIN field is set equal to Item #2, Column B.
5. Using the Link Edit [HL EDIT LOGICAL LINKS] option, edit the entry from Item #4, column A and assure:
 - a. The INSTITUTION field matches that in Item #1, column A.
 - b. The DOMAIN field matches that in Item #2, column A.
 - c. The LLP TYPE is set to TCP.
 - d. On the second page of the form (accessed by pressing return in the LLP TYPE field), assure:
 - i. The TCP/IP SERVICE TYPE field is set to Single Listener (likely a change).

- ii. The TCP/IP ADDRESS field matches the ip address in Item #3, column A.
- iii. The TCP/IP PORT field matches the port number in Item #3, column A.

To correctly configure the HL7 message sending information for correct message administration:

6. Using the Link Edit [HL EDIT LOGICAL LINKS] option, edit the entry from Item #4, column B and assure:
 - a. The INSTITUTION field matches that in Item #1, column B.
 - b. The DOMAIN field matches that in Item #2, column B.
 - c. The LLP TYPE is set to TCP.
 - d. On the second page of the form (accessed by pressing return in the LLP TYPE field), assure.
 - i. The TCP/IP SERVICE TYPE field is set to CLIENT (SENDER).
 - ii. The TCP/IP ADDRESS field matches the IP address in Item #3, column B.
 - iii. The TCP/IP PORT field matches the port number in Item #3, column B.

To test that the HL7 setup is correct, do the following:

7. Using the Start/Stop Links [HL START] option, verify that the logical link in Item #4 Column A is running. (You must assure that the partnering facility has done this also.)
8. Test your configuration using the Ping (TCP Only) [HL PING] option, and when prompted for HL LOGICAL LINK NODE, enter the entry in Item #4, column B. If the option states “PING worked,” communication between the local facility and the partnering facility is possible. If the option returns any information other than “PING worked,” verify the information in the table and repeat steps 1-6.



Note: For proper Inter-Facility Consults implementation, the preceding steps must be carried out at the partnering site as well.

Managing VistA HL7

Much of the management of VistA HL7 for the purposes of Inter-facility Consults will already be done in a production environment, but verifying that it is done will insure the reliability of HL7 messaging for Inter-facility Consults.

Steps involved in starting VistA HL7 filers and links for Inter-Facility Consults.

1. Using the Monitor, Start, Stop Filers [HL FILER MONITOR] option:
 - a. Verify that at least one incoming filer and at least 1 outgoing filer are running and are not severely overdue
 - b. If the filers are not running or are overdue, consult the VistA HL7 Site Manager & Developer Manual for the proper mechanism to start the filers.
2. Using the Start/Stop Links [HL START] option, select the HL LOGICAL LINK from the table Item #4, column B. If the option indicates when the LLP was last started and asks, "Okay to shut down this job?" answer NO. Otherwise it will start the link up and allow outgoing HL7 messages to be routed through that link.
3. Using the Start/Stop Links [HL START] option, select the HL LOGICAL LINK from the table Item #4, column A. If the option indicates when the LLP was last started and asks, "Okay to shut down this job?" answer NO. Otherwise it will ask the method in which to run the receiver. BACKGROUND is the default and recommended setting. If you are not sure, select QUIT.
4. Using the TCP Link Manager Start/Stop [HL START/STOP LINK MANAGER] option, you can determine if the HL7 Link Manager is running. If the option states: Link Manager already running!, it will ask if you want to stop the Link Manager. Answer NO. Otherwise this option will start the Link Manager.
5. Each of the preceding steps will need to be completed at the partnering facility as well. Once these steps are complete at both facilities, Inter-facility Consults may be ordered and/or processed by your VAMC.

Patient Configuration in Test Systems



Note: The following instructions apply to test systems only.

Patients that will be used for Inter-facility Consults testing must have matching MPI identifiers (Integration Control Number - ICN) in the patient file at both partnering facilities. Since real-time connections with the CIRN-MPI are not readily available from test systems, a utility option is provided to configure patient file entries for use in inter-facility consult testing.

The Configure Test Account Patients for IFC [GMRC IFC TEST PT MPI] option can be used to set the ICN for patients in a test account only. This option is to be used after the partnering facilities have agreed upon a patient that will be used for testing. After identifying the patient, each site must assure that the name and social security number are identical on each system. Once this option is executed on each system for the agreed upon patient, inter-facility consult testing may begin using that patient. This process must be repeated for each patient used in testing.

In the following example, we set up a fictional patient to be used in testing at one facility:

```
Select IFC Management Menu Option: MP  Configure test account patients for IFC
Select shared patient:  CRPATIENT,EIGHT          5-19-46      66666883 2      YES      SC
VETERAN
Enrollment Priority:          Category: IN PROCESS      End Date:
Trying to set test patient ICN...
Done.
Select shared patient:
```

The same option must be executed on a fictional patient with an identical name and social security number at the partnering facility before Inter-Facility consults may be exchanged on that patient.



Note:

- **This option will NOT execute in a production Vista system nor is it intended for use there.**
- **Test system patients with a pseudo-SSN may not be configured using this option.**
- **Test system patients with 5 leading zeros in their SSN may not be configured using this option.**
- **The option will warn the user about any test system patient with a possible national MPI identifier (ICN) but will allow overwriting of that ICN.**

Index

- Audience, 2
- Background Job, 30
- Background Job Parameters, 35
- Background Task, 36
- Configure Test Account Patients, 26
- Coordination, 4
- Duplicate activity, 52
- Earlier Pending Transactions, 53
- Edit IFC Processing Parameters, 34
- Error Handling, 39
- Error in Procedure Name, 47
- Error in Service Name, 49
- Errors, 39
- Field Relations, 5
- HL Logical Link, 54
- HL7, 2, 14, 25, 39, 54
- HL7 Implementation Steps, 58
- HL7 Information Table, 57
- HL7 Setup, 57
- ICN, 61
- IFC CLIN ERRORS, 12
- IFC Patient Error Messages, 12
- IFC Requests, 16
- IFC Requests by Patient, 15, 20
- IFC Requests by Remote Ordering Provider, 21
- IFC TECH ERRORS, 14
- IFC Transaction Report, 30
- Inappropriate Action, 52
- Integration Control Number, 61
- Link not Found, 54
- List incomplete IFC transactions, 27
- Local or Unknown MPI Identifiers, 43
- Locate IFC by Remote Consult Number, 32
- Mail Group Setup, 12
- Management Options, 23
- Managing HL7, 60
- Monitor IFC Background Job Parameters, 35
- Multiple Services, 48
- Patient Configuration, 61
- Print All Incomplete IFC Transactions, 29
- Print IFC Requests, 19
- Procedure Configuration at the Consulting Facility, 10
- Procedure Configuration at the Requesting Facility, 9
- Procedure is Inactive, 51
- Procedure Name, 5, 9, 24, 47
- Procedure not Matched, 46
- Purpose, 2
- Remote Consult Number, 32
- Remote Ordering Provider, 21
- Reports, 15
- Requests by Remote Ordering Provider, 21
- Restrictions, 5
- Scope of the Manual, 2
- Service Configuration at Requesting Facility, 6
- Service Configuration at the Consulting Facility, 8
- Service is Disabled, 50
- Service Name, 6, 24, 27, 49
- Service not Matched to Receiving Facility, 45
- Summary of Errors, 56
- Test Account Patients, 26
- Test Account Setup, 57
- Test IFC Implementation, 24
- Transaction Report, 30
- Unable to Send Transaction, 54
- Unable to Update Record, 53
- Unknown Consult/Procedure request, 40
- Unknown MPI Identifiers, 43
- Unknown Patient, 41
- Web Page, 2