

Joint Longitudinal Viewer (JLV) 3.2.0.0.0

User Guide



October 2022

Version 1.0

Department of Veterans Affairs

Office of Information and Technology (OIT)

Revision History

Date	Version	Document	Author
10/07/2022	1.0	Submitting the document for approval.	Booz Allen Hamilton
10/03/2022	0.2	Comments addressed and updates inserted.	Booz Allen Hamilton
09/19/2022	0.1	Initial draft of document from last approved.	Booz Allen Hamilton

Artifact Rationale

Per the Veteran-focused Integrated Process (VIP) Guide, the user guide is required to be completed prior to Critical Decision Point #2 (CD2), with the expectation that it is updated as needed. A user guide is a technical communication document intended to give assistance to people using a system, such as Veterans Health Information Systems and Technology Architecture (VistA) end users. It is usually written by a technical writer, although it can also be written by programmers, product or project managers, or other technical staff. Most user guides contain both a written guide and the associated images. It is usual to include screenshots of the human-machine interfaces, and hardware manuals often include clear, simplified diagrams. The language used is matched to the intended audience, with jargon kept to a minimum or explained thoroughly. The user guide is a mandatory, build-level document, and should be updated to reflect the contents of the most recently deployed build. The sections documented herein are required if applicable to your product.

Table of Contents

1. Introduction	1
1.1. Purpose of the Guide	1
1.1.1. Guide Conventions.....	2
1.1.2. Terminology.....	2
1.2. Assumptions.....	2
1.3. System Requirements.....	2
1.4. Getting Help	2
2. Logging Into JLV	3
2.1. VHA User Login.....	3
2.1.1. Link Your PIV Card and VistA Account.....	5
2.2. CAPRI-Claims User Login.....	6
2.2.1. Editing Your User Profile at Login.....	9
2.3. Logging Out of the Current JLV Session	10
3. The Elements and Functionality of JLV	10
3.1. The JLV Patient Portal Page	10
3.1.1. Default View	10
3.1.2. System Menu	11
3.1.3. Viewing System Status	12
3.1.4. Patient Context Management.....	14
3.1.4.1. Suspending Context	15
3.1.4.2. Establishing Context.....	15
3.1.4.3. Unable to Communicate with Vault	16
3.1.4.4. Context Synchronization Failure.....	16
3.2. Customizing JLV.....	17
3.2.1. About Data Display Settings.....	18
3.2.2. About UI Themes.....	19
3.2.3. Using the Accessible Theme's Functionality	22
3.2.3.1. Keyboard Focus and Portal Navigation	22
3.2.3.2. Accessible Theme Portal Navigation	24
3.2.3.3. Table Functionality	25
3.2.3.4. Widget Move.....	26
3.2.3.5. Widget Resize.....	27
3.3. User-Restricted Access to Patient Data	28
3.3.1. VHA Users Viewing DOD-only Patient Data.....	28
3.3.2. CAPRI-Claims Users Viewing Patients with DOD Data.....	29
3.3.2.1. Patient Registered in MPI	29
3.3.2.2. Patient Not Registered in MPI	29

3.3.3.	Access to DOD Sensitive Records	30
3.4.	Patient Searches.....	31
3.4.1.	PDWS Search Rules and Supported Searches.....	31
3.4.2.	MPI Search Guidelines.....	32
3.4.3.	Patient Search Using DOD ID.....	32
3.4.3.1.	Invalid and Maximum Characters.....	33
3.4.4.	Patient Search Using SSN.....	35
3.4.5.	Advanced Patient Search Options	37
3.4.6.	Family Member Search.....	38
3.4.7.	Recently Viewed Patients List.....	40
4.	Widgets	41
4.1.	Accessing and Opening Widgets	42
4.2.	Widget Navigation and Display Options.....	42
4.3.	Widget Toolbars	43
4.4.	Minimized vs. Expanded Widget View	44
4.5.	Sort and Filter Options.....	45
4.5.1.	Widget Date Range Filters.....	47
4.5.1.1.	Quick Date Range Filter.....	48
4.5.1.2.	Start and End Date Filter	49
4.5.1.3.	Tab Date Range Tool.....	50
4.5.2.	Text Filter.....	50
4.6.	Viewing Connection Status.....	52
4.7.	Displaying Widgets on Custom Tabs.....	55
4.8.	Refreshing Data in a Widget	56
4.9.	Terminology Normalization.....	57
4.10.	Image Support.....	57
4.11.	Using Report Builder.....	59
4.11.1.	Adding One Record	61
4.11.2.	Adding Multiple Records with EZ Select.....	61
4.11.3.	Adding Details from Multiple Dates.....	63
4.11.4.	Adding Sensitive Records.....	64
4.11.5.	Adding Only Record Details or Notes.....	64
4.11.6.	Adding Patient Demographics	65
4.11.7.	Generating a Report.....	66
4.11.8.	Opening a Report	68
4.11.9.	Delete a Report.....	68
4.12.	Printing.....	69
5.	Widget Functionality	69
5.1.	Patient Demographics Widget.....	69

5.1.1.	Patient Flags and Postings.....	71
5.1.2.	Advance Directives.....	72
5.1.3.	Viewing Third-Party Insurance Information.....	73
5.1.4.	Viewing Military Service Data	74
5.1.5.	Viewing Eligibility and Enrollment Data.....	75
5.2.	Cardiology Studies - FEHR and VA MUSE Only Widget	76
5.2.1.	Cardiology Studies - FEHR and VA MUSE Only Widget Data.....	76
5.3.	Community Health Summaries and Documents	76
5.3.1.	Community Health Summaries and Documents Widget Data	77
5.3.2.	Viewing VA Community Health Summary Documents.....	78
5.4.	Imaging Widget.....	79
5.4.1.	Imaging Widget Data.....	80
5.4.2.	Viewing Images.....	80
5.5.	Documents & Images Widget.....	83
5.5.1.	Documents & Images Widget Data.....	83
5.5.2.	Viewing Documents & Images.....	85
5.6.	Federal EHR/Military Health System (MHS) GENESIS Widget.....	85
5.6.1.	Federal EHR/MHS GENESIS Widget Data.....	86
5.6.2.	Viewing Federal EHR/MHS GENESIS Documents.....	86
5.7.	Health Summaries and Reports—VistA Only Widget	87
5.7.1.	Health Summaries and Reports—VistA Only Widget Data	87
5.7.2.	Viewing Health Summaries.....	89
5.8.	Lab Results Widget.....	90
5.8.1.	Lab Results Widget Data.....	90
5.8.2.	Viewing Lab Results Details.....	92
5.8.3.	Viewing Lab Panel Results Details.....	92
5.8.4.	Viewing Abnormal Results in the Lab Results Widget.....	93
5.8.5.	Viewing Results and Interpretations in the Lab Results Widget	94
5.8.6.	Graph/Table View from the Lab Results Widget.....	95
6.	Troubleshooting	97
6.1.	Special Instructions for Error Correction.....	97
6.1.1.	Login Page Error Messages	99
6.1.2.	System Error Messages.....	100
A.	Acronyms and Abbreviations	102
B.	Patient Portal Widgets, Columns, and Supported Views	104

Table of Figures

Figure 1: SSOi Page for VA Users.....	4
Figure 2: Home VistA Site Dialog for VHA Users.....	4
Figure 3: JLV Link My Account Page.....	5
Figure 4: IAM Provisioning Services Link VistA User Page.....	6
Figure 5: Home VistA Site Dialog for CAPRI-Claims.....	7
Figure 6: The JLV Login Page.....	8
Figure 7: User Profile Data Source and User Interface Option Fields.....	9
Figure 8: JLV Logout Icon.....	10
Figure 9: Default View.....	11
Figure 10: JLV Tools on the Portal Page.....	12
Figure 11: More JLV Functionality.....	12
Figure 12: System Status on the JLV Login Page.....	14
Figure 13: System Status on the JLV Toolbar.....	14
Figure 14: Context Indicator.....	15
Figure 15: Suspending Context.....	15
Figure 16: CCOW Warning Message.....	16
Figure 17: CCOW Error Message.....	16
Figure 18: Context Synchronization Failure.....	17
Figure 19: JLV Settings Dialog Box.....	18
Figure 20: Blue (Default) UI Theme.....	20
Figure 21: Green UI Theme.....	20
Figure 22: Dark Gray UI Theme.....	21
Figure 23: Gray UI Theme.....	21
Figure 24: Accessible (Section 508-Compliant) UI Theme.....	22
Figure 25: Navigation Using Elements with Keyboard Focus.....	24
Figure 26: Document Details with Keyboard Focus.....	25
Figure 27: Table Column Header.....	25
Figure 28: Widget Column Select Dropdown.....	26
Figure 29: Widget Move Icon.....	26
Figure 30: Widget Move Dropdown.....	27
Figure 31: Widget Resize Icon.....	27
Figure 32: Widget Resize Dropdown.....	28
Figure 33: VA User Restricted Access Dialog.....	28
Figure 34: CAPRI-Claims User Audit Notification.....	29
Figure 35: Restricted Access Notification.....	30
Figure 36: DOD Sensitive Record and Audit Dialog Box.....	31
Figure 37: DOD ID (EDIPI) Search.....	33
Figure 38: Invalid Character Entry.....	34
Figure 39: Maximum Characters Reached.....	35
Figure 40: SSN Search.....	36
Figure 41: Additional Identifiers Needed.....	36
Figure 42: Advanced Search Options.....	37
Figure 43: Sponsor SSN Search.....	39

Figure 44: Family Members Dialog Box.....	40
Figure 45: Recently Viewed Patients List	41
Figure 46: Widget Tray.....	42
Figure 47: Dynamically Expanded Filter Dropdown in the Documents & Images Widget	47
Figure 48: Date Range Filters Applied	47
Figure 49: Quick Date Range Filter Options.....	48
Figure 50: Start and End Date Display Filter	49
Figure 51: Tab Date Tool.....	50
Figure 52: Admissions Widget Text Filter	51
Figure 53: Demographics Widget, PCMM Connection Status Unavailable.....	53
Figure 54: Connection Status Indicator.....	53
Figure 55: Connection Status Details	54
Figure 56: Connection Status Window.....	55
Figure 57: Add Custom Tab Icon	55
Figure 58: Add Tab Dialog Box	56
Figure 59: Camera Icon in the Image Column	58
Figure 60: Thumbnail and Link in Details View of the Documents & Images Widget.....	58
Figure 61: Report Builder Icon.....	59
Figure 62: Report Builder Header Icons	59
Figure 63: Current Report Tab.....	60
Figure 64: Patient Reports Tab.....	61
Figure 65: Report Builder EZ Select.....	62
Figure 66: Records Added to Report Builder.....	63
Figure 67: Adding Date-Flexible Details to Report Builder, Medicine Full Report.....	64
Figure 68: Report Builder Options.....	65
Figure 69: Demographics Widget Add to Report Builder Icon	66
Figure 70: Name Report Dialog Box.....	66
Figure 71: Patient Reports Tab Report Ready and Delete Option.....	67
Figure 72: Report Ready Message and Indicator	67
Figure 73: Report Contents Window.....	68
Figure 74: Delete Reports Dialog Box.....	68
Figure 75: Patient Demographics Widget in the JLV Toolbar	69
Figure 76: Patient Demographics Widget Site Tabs.....	70
Figure 77: Patient Flags Indicator.....	71
Figure 78: Patient Flags and Postings Details	72
Figure 79: Advanced Directives Dialog.....	73
Figure 80: Insurance Information	74
Figure 81: Military Service Window.....	75
Figure 82: Eligibility and Enrollment Window	75
Figure 83: Cardiology Studies - FEHR and VA MUSE Only Widget.....	76
Figure 84: Community Health Summaries and Documents, Minimized View.....	77
Figure 85: Community Health Summaries and Documents, Expanded View	78
Figure 86: Community Health Document	79
Figure 87: Imaging Widget, Minimized View	80

Figure 88: Imaging Widget.....	81
Figure 89: View of an Image	82
Figure 90: View of a PDF-formatted Document.....	83
Figure 91: Documents & Images Widget, Minimized View.....	84
Figure 92: Documents & Images Widget, Expanded View	85
Figure 93: Details View of a Document.....	85
Figure 94: Federal EHR/MHS GENESIS Widget.....	86
Figure 95: C-CDA Document.....	87
Figure 96: Health Summaries and Reports—VistA Only Widget, Minimized View.....	88
Figure 97: Health Summaries and Reports—VistA Only Widget, Expanded View.....	89
Figure 98: Health Summary from a Single, Local Site	89
Figure 99: National Health Summary, Multiple Sites.....	90
Figure 100: Lab Results Widget, Expanded View	91
Figure 101: Lab Results Details	92
Figure 102: Lab Panel Results Detail.....	93
Figure 103: Lab Results Widget, Abnormal Results in Expanded View.....	93
Figure 104: Lab Results Widget, Expanded View, Interpretations Available	94
Figure 105: Lab Results Interpretation Details.....	95
Figure 106: Lab Results Graph/Table View	96
Figure 107: Lab Results Graph Table View, Select a Lab Test.....	97
Figure 108: Login Error—CAPRI Patient Selection Restrictions.....	98

Table of Tables

Table 1: JLV User Profiles.....	1
Table 2: System Status Notices by Service.....	13
Table 3: Data Sources.....	19
Table 4: Accessible Theme Keyboard Shortcuts – Portal & Widget Navigation	22
Table 5: Accessible Theme Keyboard Shortcuts - Portal Tabs.....	23
Table 6: Accessible Theme Keyboard Shortcuts – Windows or Dialog Boxes	23
Table 7: Accessible Theme Keyboard Shortcuts – Adding Widgets to the Portal Page.....	23
Table 8: Navigation Icons and Actions.....	43
Table 9: Widget Toolbar Icons.....	43
Table 10: Available Widget Filters	45
Table 11: Terminology Specific to Widgets	57
Table 12: Gender ID (SIGI) Code Values	70
Table 13: Error Messages and Resolution Steps.....	99
Table 14: System Error Messages.....	100
Table 15: Acronyms and Abbreviations.....	102
Table 16: Widget Details	104

1. Introduction

Born from a joint Department of Defense (DOD)–Department of Veterans Affairs (VA) venture called JANUS, Joint Longitudinal Viewer (JLV) was directed by the Secretary of the VA and the Secretary of Defense in early 2013 to further support interoperability between the two departments. JLV is a centrally hosted, Java-based web application managed as a single code baseline and deployed in separate DOD and VA environments. Its browser-based, graphical user interface (GUI) provides an integrated, read-only view of Electronic Health Record (EHR) data from the VA, DOD, and community partners within a single application.

JLV eliminates the need for VA and DOD clinicians to access disparate viewers. The GUI retrieves clinical data from several native data sources and systems, then presents it to the user via widgets, each corresponding to a clinical data domain. Users can create and personalize tabs, drag, and drop widgets onto tabs, sort data within a widget's columns, set date filters, and expand a widget for a detailed view of patient information.

This document is intended for VA JLV users supporting the:

- Veterans Health Administration (VHA)
- Veterans Benefits Administration (VBA)

[Table 1](#) describes authorized JLV users and their responsibilities.

Table 1: JLV User Profiles

User	Description and Responsibilities
Compensation and Pension Record Interchange (CAPRI)-Claims	VA administrative staff who access patient EHRs to assist in VBA processes
VHA	VA clinicians and administrative staff who access patient EHRs to assist in providing health care services
DOD Clinician	DOD clinicians who access patient EHRs

1.1. Purpose of the Guide


The purpose of the user guide is to familiarize VA users with the important features and navigational elements of JLV.

The major features of the JLV GUI include:

- Access to patient data (through widgets)
- Patient context management
- User-restricted access (Break the Glass)
- Use of the Report Builder
- Option to use the accessible (Section 508-compliant) interface

1.1.1. Guide Conventions

This document is designed for both online and hardcopy consumption.

- [Cross References](#) are indicated by blue, underlined text and provide a hyperlink to figures, tables, and other sections within this guide.
- Emphasis is expressed by **bold** and *italicized* text.
- The information symbol  calls the reader's attention to additional information.

1.1.2. Terminology

The following standard terms are used throughout this guide:

- **Patient portal:** The page that displays patient data through widgets.
- **Tab:** A component of the JLV interface that displays the **Patient** portal and presents user-customized views of widgets.
- **Widget:** A component of the JLV interface that enables a user to view information or perform a function.
- **Widget Tray:** An expandable and collapsible tray on the portal page that provides access to all widgets available for placement on the portal page.

1.2. Assumptions

The user guide is written from the perspective of VA users, assuming the following:

- You can open, navigate, and use a web browser.
- You can use web-based applications, their menu options, and navigation tools.
- You have the Uniform Resource Locator (URL) for the JLV **Login** page, a system username, and the required Access and Verify codes.
- You are using the functionality of JLV to support VHA and/or VBA workflows.

1.3. System Requirements

JLV is optimized for use with the VA standard browsers, Microsoft Edge, Chrome, Internet Explorer (IE) version 11 and Safari. Other web browsers may function but are not certified for support. It is recommended that you view JLV using:

- A monitor set to a minimum screen resolution of 1024 x 768.
- An approved browser, with the browser's zoom percentage set to 100%.

It is also recommended that Adobe Reader be installed on your system.

1.4. Getting Help

Please see online help for how-to information within JLV. Please visit REDACTED for access to JLV training videos and additional JLV training materials.

Prior to contacting the Enterprise Service Desk (ESD) for support, please refer to [Logging Into JLV](#) for detailed information about how to access JLV and to [Troubleshooting](#) for suggested resolution steps and troubleshooting information.

If you are an authorized user having trouble logging into JLV or experiencing other application issues, please contact the ESD via telephone or by using the YourIT self-service portal for assistance.



IT Enterprise Service Desk

Phone: REDACTED

YourIT Self-Service Portal: REDACTED

If you are unable to retrieve community partner documents for a patient, please contact your local Veterans Health Information Exchange (VHIE) Coordinator. If you need assistance locating your local contact, please e-mail REDACTED.

2. Logging Into JLV

Users who have access to the Computerized Patient Record System (CPRS), CAPRI, and Cerner PowerChart are automatically authorized to use JLV.


i **NOTE:** There is no functionality available to change a user identification (ID) and password in JLV. See [Troubleshooting](#) for information about login errors, Access code errors, or Verify code errors.

2.1. VHA User Login

To log into JLV through SSOi, you must first link your Personal Identity Verification (PIV) card to your VistA account (see [Link Your PIV Card and VistA Account](#)). If you can log into CPRS or JLV without entering your Access and Verify code, you are already linked.


1. Enter the JLV URL (REDACTED) into the address bar of your Internet browser, select the **JLV** button CPRS if available, or select the **JLV** button in PowerChart.
 - a. You are redirected to the **VA Single Sign-On Internal (SSOi)** page ([Figure 1](#)).

Figure 1: SSOi Page for VA Users



2. Click the **Sign in with VA PIV Card** button.
3. Select the current authentication certificate *Veterans Affairs User CA B1*, and click **OK**.
4. Enter your Personal Identification Number (PIN), and click **OK**.
 - a. If the **Home VistA Site** dialog appears ([Figure 2](#)), select your site, and click **Save**.

Figure 2: Home VistA Site Dialog for VHA Users




- b. If your PIV card is properly linked to the home VistA site you selected, the **Government Information System Acknowledgement** displays.
 - c. If your PIV is not properly linked to the home VistA site you selected, the **Link My Account** page displays ([Figure 3, Link Your PIV Card and VistA Account](#)).
- 5. Read the important user consent information regarding access to a Government information system, and click **I Accept**.
 - a. You are redirected to JLV ([Figure 9](#)).

2.1.1. Link Your PIV Card and VistA Account

You need your Access and Verify codes for your VistA account and a PIV card PIN to link your PIV credentials to your VistA account. If you do not remember your PIN or experience any other issue related to your PIV card, visit your local PIV office.

- 1) Complete steps 1–4 listed in [VHA User Login](#).
 - b. **Link My Account** page displays ([Figure 3](#)).

Figure 3: JLV Link My Account Page



- 6. Select the **Link My Account** button.
 - a. JLV redirects the user to the Identity Access Management (IAM) Provisioning Services page ([Figure 4](#)).

Figure 4: IAM Provisioning Services Link VistA User Page

IAM Provisioning Services [VAEC Development] Tuesday May 5th, 2020 [Log off](#)

VistA instances that are already bound

Instance	Name	Status
NO VISTA STATIONS LINKED TO YOUR ACCOUNT IN PROVISIONING.		

My User Account Information

Network Id	[Redacted] Not You?
User Name	[Redacted]
VA Email Address	[Redacted]@va.gov

User Account Request Information

* Link Account	Select a VistA Instance <input type="button" value="Q"/>
* Access Code	<input type="text"/>
* Verify Code	<input type="text"/>
<input type="button" value="Submit"/> <input type="button" value="Cancel"/>	

i **NOTE:** Close all other open applications and browser windows. You may experience a failure to link your account(s) if you are logged into CPRS and your VistA application. If this occurs, you should log out and not log back into CPRS until you receive an email stating your account is linked.

7. Click the **Link VistA** User link ([Figure 4](#))

i **NOTE:** Ignore the “No VistA stations linked to your account in provisioning” message that displays.

8. Select the appropriate instance of VistA from the **Link Account** dropdown.

i **NOTE:** The VistA instance list is sorted by station number. If your station is a divisional site of the main PARENT VA site, select the parent site from the list. Example: if your divisional site is Albany, select the parent site 528 Upstate New York HCS from the list.

9. Enter your Access and Verify codes for the selected VistA instance.

10. Click **Submit**.

2.2.CAPRI-Claims User Login


The following instructions apply to CAPRI-Claims users accessing JLV.

i **NOTE:** Users with any CAPRI patient selection restrictions must use the **Joint Longitudinal Viewer** tab in CAPRI to access JLV.

1) Enter the URL into the address bar of your Internet browser (REDACTED), or select the **Joint Longitudinal Viewer** tab in CAPRI.

- a. You are redirected to the **VA SSOi** page ([Figure 1](#)).
11. Click the **Sign in with VA PIV Card** button.
12. Select the authentication certificate *Veterans Affairs User CA B1*, and click **OK**.
13. Enter your PIN, and click **OK**.
 - a. If the **Home VistA Site** dialog appears ([Figure 5](#)), select *CAPRI-Claims* or *All VBA*, and click **Save**. All VBA will be the first entry in the drop-down list.

Figure 5: Home VistA Site Dialog for CAPRI-Claims



JLV requires users to identify a home VistA site for Single Sign On. Please select a home VistA site and click Save to save the JLV user profile.

Site: CAPRI-Claims ▼

Save

[JLV Help](#)

i NOTE: When CAPRI/Claims is stored as a user's JLV Login site and the user's PIV card is linked to the Claims system in IAM, the user is only prompted for PIV Cert and PIN to authenticate to JLV.

- b. You are redirected to the JLV **Login** page ([Figure 6](#)).

Figure 6: The JLV Login Page

Joint Longitudinal Viewer

■ Accessibility Mode

VistA Access Code:

VistA Verify Code:

Agency: VA Site: CAPRI-Claims

[Edit Profile](#)

Login

System Status

✓ JLV data sources available.

[JLV Help](#)

Build 2.9.1.0.0.20201123

14. Read the important user consent information regarding access to a Government information system, and click **I Accept**.
15. If desired, check the **Accessibility Mode** option.
 - a. If selected, JLV opens and displays the application in the Section 508-compliant Accessible UI theme (See [Using the Accessible Theme's Functionality](#) for detailed information).
16. Enter your login credentials:
 - a. Enter your CAPRI Access code.
 - b. Enter your CAPRI Verify code.
 - c. Select VA from the **Agency** field.
 - d. Select CAPRI-Claims or All VBA from the **Site** dropdown list.
17. Click **Login**.
 - a. You are redirected to JLV ([Figure 9](#)).

2.2.1. Editing Your User Profile at Login

One method of setting application configuration options (i.e., customizing) is by using the **Edit Profile** link ([Figure 6](#)) to access the user profile fields through the JLV **Login** page ([Figure 7](#)). User profile options can also be set within JLV. See [Customizing JLV](#).

- i** **NOTE:** Only CAPRI-Claims users and those who haven't yet linked their VistA accounts to their PIV can load the **Login** page and access the **Edit Profile** link.
- i** **NOTE:** The selected options are saved to your user profile by clicking **Save and Login** and remain set for all subsequent JLV sessions until you change them.

Figure 7: User Profile Data Source and User Interface Option Fields

The screenshot shows a dark-themed dialog box titled "User Profile Data Source and User Interface Option Fields". At the top right is a checkbox labeled "Accessibility Mode". Below this are two text input fields: "VistA Access Code:" and "VistA Verify Code:". Under these are two dropdown menus: "Agency:" with "VA" selected and "Site:" with "IPOTEST5" selected. A section titled "Data Display Setting(s):" contains a checkbox for "Display DoD Radiology Images". Below that is a "User Interface Theme:" section with five radio buttons: "Blue (Default)", "Green", "Dark Gray", "Gray", and "Accessible". The "User Profile:" section contains two checkboxes: "Disable audible alert on timing out" and "Restore default user settings". A note below the second checkbox states: "*Restore default user settings removes all prior themes, tabs, widget customization, enables audible alert and restores default date filters." At the bottom right are two buttons: "Save and Login" (highlighted in blue) and "Cancel". At the bottom center is a link labeled "JLV Help".

2.3. Logging Out of the Current JLV Session


Click  (highlighted in [Figure 8](#)) at any time to end the current session and exit JLV.

Figure 8: JLV Logout Icon



A JLV session ends automatically after 60 minutes of inactivity. Actions in JLV that are considered activity are changing patients, refreshing widgets, opening, or closing widgets, adding, or removing widgets from the portal page, and adjusting date ranges. You receive an audible and visual warning that the current session is about to terminate after 55 minutes of inactivity. Automatic termination of a session logs you out of the application, closes all JLV tabs and windows, and displays the **Logout** page. Close and reopen the browser and return to the JLV **Login** page to initiate a new JLV session. If SSOi is enabled, you are redirected to the **VA Single Single-On Logout** page.



NOTE: The audible alert can be disabled by selecting **Disable audible alert on time out** in the **Settings** panel.

3. The Elements and Functionality of JLV

3.1. The JLV Patient Portal Page

After a successful log in, your username displays on the portal toolbar, and the JLV portal page is displayed.

3.1.1. Default View

Upon log in, you see the  **Patient Search** dialog box by default.



NOTE: CPRS users who select a patient within CPRS, then launch JLV are taken directly to the JLV Patient portal, where the records for the patient selected in CPRS are displayed.

Figure 9: Default View

The screenshot shows the 'Patient Search' window. At the top, there's a search bar with fields for 'DoD ID', 'SSN', and 'First Name'. Below the search bar is a 'Search' button. Underneath the search bar is a table titled 'Recently Viewed Patients' with columns for Name, DoD ID, SSN, Date of Birth, Birth Sex, and SIGI. The table contains several rows of patient data. At the bottom of the table is a 'Clear Recently Viewed Patients' button. The background of the window shows a dark blue header with the JLV logo and a search icon.

Clicking a patient name in the **Patient Search** window displays the selected patient's clinical records and other patient-centric information.




- Note:** The Patient Flags and Postings window opens and displays by default when the Patient portal opens if there are warnings associated with the selected patient. For more information, see [Patient Flags and Alerts](#).

New JLV users see a preconfigured, default widget layout on the Patient portal when a patient is selected. The default layout includes the **Allergies**, **Problem List**, **Documents & Images**, **Medications - Outpatient**, and **Lab Results** widgets, as well as the **Patient Flags and Postings** widget if applicable.

- NOTE:** You can configure the layout of widgets on the Patient portal and create multiple widget tabs, as described in [Customizing JLV](#) and in [Accessing and Opening Widgets](#). Customizations are saved to your user profile and remain until manually changed.

3.1.2. System Menu

Each portal page has a toolbar (highlighted in [Figure 10](#)) that enables quick access to the following features:

- View Context Management status .
- **Settings:** Click  to set user preferences, including the UI theme (Refer to [Customizing JLV](#)).
- **Report Builder:** Click  to create custom reports (Refer to [Using Report Builder](#)).



- **Online Help:** Click  to open online help.
- **Logout:** Click  to log out and close the current JLV session (Refer to [Logging Out of the Current JLV Session](#)).

Figure 10: JLV Tools on the Portal Page



The following functions can be completed from the portal pages (highlighted in [Figure 11](#)):




- Perform a  **Patient Search**.
- View the system status .
- Open the widget tray using the **Open Widget Tray** ^ link on the portal page (as shown in [Accessing and Opening Widgets, Figure 46](#)).

Figure 11: More JLV Functionality






3.1.3. Viewing System Status

The system status reports the condition of the JLV application. Hovering over **System Status** provides additional information.

 **NOTE:** The System Status reports the overall condition of the JLV application, while the Connection Status reports the condition of the connection between JLV and its external resources. See [Viewing Connection Status](#) for more information.

JLV displays the system status on the **Login** page and on the portal toolbar.

- When all monitored systems and services are online and connected,  appears with the status message, “*JLV data sources are available*”.
- When one or more of the monitored systems or services is offline or unavailable,  appears with the status message, “*Services are not available to JLV*”.
- When JLV is unavailable,  appears with the message, “*System status is unavailable*”.
 - You may not be able to log into JLV or view patient data until the connection is restored.

These warnings may be accompanied by one or more of the notices listed in [Table 2](#), depending on which services are unavailable. [Figure 12](#) shows a system status message on the **Login** page, and [Figure 13](#) shows the **System Status** hover text on the portal toolbar.

Table 2: System Status Notices by Service

Service	Notice
jMeadows	<i>“The service that gathers patient data and prepares it for display in JLV is unavailable. JLV is available for login but may not function otherwise.”</i>
Master Person Index (MPI)	<i>“VA Patient Identity Service is unavailable. Patient search may not be available, and VA and community partner data may not display.”</i>
Patient Discovery Web Service (PDWS)	<i>“DOD Patient Identity Service is unavailable. Patient search may not be available and DOD data may not display.”</i>
Relay Service	<i>“All DOD, Federal EHR, and Community Partner data in widgets is currently unavailable. The source connection is down and DOD, Federal EHR, and Community Partner data of all types from all sites may not display.”</i>
VistA Data Service (VDS)	<i>“The connection to VA sites is unavailable. VA patient records of all types from all sites may not display.”</i>
Data Exchange Service (DES)	<i>“Some Federal EHR, DOD, and Community Partner data are currently unavailable. The source connection is down and some DOD and Community Partner, and some FEHR data of all types from all sites may not display in widgets.”</i>
Electronic Health Record Modernization (EHRM)	<i>“Federal EHR (Cerner) is currently unavailable. The source connection is down and some Federal EHR data may not display.”</i>

Figure 12: System Status on the JLV Login Page

The screenshot shows the JLV Login Page with the title "Joint Legacy Viewer" and "powered by Janus". The login form includes fields for "VistA Access Code:" and "VistA Verify Code:", dropdown menus for "Agency:" (set to VA) and "Site:" (set to IPOTEST5), a "Login" button, and an "Announcements" section. The announcements section contains a "Testing Announcement" with a "More" link. A red error message states "System status is unavailable. Technical staff are aware of the problem and working to resolve it. Thank you for your patience." with a "JLV Help" link. An "Accessibility Mode" checkbox is in the top right. The footer shows "Build 3.0.0".

Figure 13: System Status on the JLV Toolbar





A System Status icon appears in the JLV Navigation Bar to indicate the status.

3.1.4. Patient Context Management

Clinical Context Management (CCOW) is a way for applications to synchronize the display of clinical context, based on the Health Level 7 (HL7) CCOW standard. If CCOW-compliant applications are sharing context and one of the applications changes the data display to a different patient, the other applications switch to display that same patient.

JLV is context management enabled. When context is enabled, a patient change made in one context-enabled application (i.e., CPRS) triggers the same change in JLV. The same effect is shown vice versa; that is, when a patient is selected in JLV, it triggers a patient change in other context-enabled applications.

Context management is enabled by default, and JLV attempts to connect to the context vault upon a valid login. The context status appears on the portal toolbar. When context is established,  is shown. When context is suspended,  is shown.


[Figure 14](#) shows the context indicator location on a JLV portal page. Context is established in this example.

Figure 14: Context Indicator



3.1.4.1. Suspending Context

Context can be manually suspended.

1. Click .
2. The CCOW warning message, “Are you sure you want to break patient link?” appears ([Figure 15](#)).
3. Click **Yes** to continue.




Once context is suspended,  displays on the portal page. When context is suspended, patient changes are not reflected in either JLV or other CCOW-enabled applications.

Figure 15: Suspending Context




3.1.4.2. Establishing Context

When context is suspended, it can be reestablished manually.

1. Click .
2. The CCOW warning message, “Are you sure you want to rejoin patient link?” appears ([Figure 16](#)).
3. Click **Yes**.

Once context is established,  displays on the portal page.

Figure 16: CCOW Warning Message



3.1.4.3. Unable to Communicate with Vault




If JLV is unable to initiate context management upon log in, you see the CCOW Error message ([Figure 17](#)). Click **OK** to continue.  displays on the portal page. If the CCOW error persists, contact your local service desk for assistance.

Figure 17: CCOW Error Message



 **NOTE:** This error message automatically displays if you have more than one active JLV session open.

3.1.4.4. Context Synchronization Failure




A CCOW error message is presented if JLV is unable to reestablish context ([Figure 18](#)). This indicates context is suspended. Click **OK** to continue.  displays on the portal page. CAPRI-Claims users may encounter this error message at each log in, as there are usually no CCOW system components installed on their computers.

Figure 18: Context Synchronization Failure



3.2. Customizing JLV

Configuration options can be set in the **JLV Settings** dialog ([Figure 19](#)). These settings are saved to your user profile and persist.

- 1) Click the  link on the **portal** page ([Figure 10](#)).
 - a. The **JLV Settings** dialog box opens (all selections are optional).
4. Select the data display setting checkbox for DOD Radiology Images to display within the Radiology Reports Widget.
5. Select the radio button to change the color theme.
6. To disable audible alert on timing out, select the check box.
7. To restore your user profile default settings, click the checkbox.
8. To change your JLV Login Site, select from the dropdown list (VA sites only).
9. Click **Save** to apply the selected data display setting and/or theme **OR**
10. Click **Cancel** to exit the dialog box and restore the previous data display and/or theme configuration.

Additional information on each of these selections is contained in the following sections.

Figure 19: JLV Settings Dialog Box

JLV Settings

Data Display Settings

☐ Display DoD Radiology Images

User Interface Theme:

☒ Blue (Default) ☐ Green ☐ Dark Gray ☐ Gray ☐ Accessible

User Profile:

☐ Disable audible alert on timing out

☐ Restore default user settings

**Restore default user settings removes all prior themes, tabs, widget customization, enables audible alert and restore default date filters.*

JLV Login Site:

IPOTEST5

Build 3.1.0.0.0.6.c
EHRM Service Build: 2.9.5.0.6
Browser: Edge 98 OS: Windows 10

Save Cancel

i **NOTE:** Users logging into JLV with a PIV card will have the option of changing their site location. Users should only select sites linked to their PIV card. The new selection will not take effect until the next login and will remain the user's default site until updated or reset.





You may reset your user profile to JLV defaults by selecting the **Restore Default User Settings** checkbox and then the **Save** button in the **JLV Settings** dialog. This feature resets the theme and data display to default; enables the audible alert; removes any custom tabs; and resets all widgets to their default configurations, which removes any custom sort or filter settings.

3.2.1. About Data Display Settings

The data display setting is part of your user profile. The data display setting enables you to specify whether to include DOD radiology images. This option is disabled by default.

JLV displays data source indicators in the **Site** columns of individual widgets ([Figure 20](#)). A blue circle indicates VA data; an orange square indicates DOD data; a purple hexagon indicates community partner data (if enabled); and a green triangle indicates Cerner Millennium Federal Electronic Health Record (FEHR) data ([Table 3](#)). Hovering over individual data source indicators provides more specific information about the data source.

Table 3: Data Sources

Icon	Sources	Hover information	Data Supplied
 XXX XXX = the three-letter VistA site abbreviation	CPRS/VistA system data	VA: location Examples: <ul style="list-style-type: none"> VA: Walla Walla, WA VA: Central Texas HCS¹ 	Supplies all records from CPRS/VistA for all sites. These records will remain available even after a site transitions to VA EHRM (Cerner).
 DoD	CHCS ² (CDR ³), AHLTA ⁴ , Essentris, TMDS ⁵ , various clinical applications	DOD source system : Full name of DOD Medical Treatment Facility Examples: <ul style="list-style-type: none"> CDR: Fairchild AFB⁶ AHLTA: JB⁷ San Antonio 	Supplies all records from all sites from all DOD facilities for all legacy applications. These records will remain available even after a site transitions to MHS GENESIS (Cerner).
 FEHR	DOD MHS GENESIS (Cerner) and VA EHRM (Cerner) records stored in Cerner Millennium	FEHR: VA or DOD facility name/location Examples: <ul style="list-style-type: none"> FEHR: Spokane, WA FEHR: Madigan AMC⁸ 	Supplies records from VA and DOD facilities that have migrated to the new Federal EHR, called MHS GENESIS in DOD and VA EHRM (Cerner) in VA.
 Name Name = Community Partner name	All DOD and VA Community Partners (VHIE/VLER ⁹), Sequoia Project and DOD Health Information Exchange)	Federal HIE ¹⁰ : Community Partner Organization Name Examples: <ul style="list-style-type: none"> Federal HIE: UC¹¹ San Diego Federal HIE: Mayo Clinic 	Supplies continuity of care documents, care summaries, and notes when provided by partners. Partner capabilities and responses vary.

3.2.2. About UI Themes

The UI theme setting is also part of your user profile. Choosing a UI theme sets the font, foreground, and background colors of the widgets, toolbars, and dialog boxes. Once selected, the UI theme is stored in your user profile and remains set until you change it. The available UI themes are Blue (Default), Green, Dark Gray, Gray, and Accessible (Section 508-compliant).

¹ Health Care System

² Composite Health Care System

³ Clinical Data Repository

⁴ Armed Forces Health Longitudinal Technology Application

⁵ Theater Medical Data Store

⁶ Air Force Base

⁷ Joint Base

⁸ Army Medical Center

⁹ Virtual Lifetime Electronic Record

¹⁰ Health Information Exchange

¹¹ University of California

Figure 20: Blue (Default) UI Theme¹²





Figure 21: Green UI Theme



¹² Primary Care Provider (PCP), Patient-Aligned Care Team (PACT), Social Security Number (SSN), Date of Birth (DOB)


Figure 22: Dark Gray UI Theme

The screenshot displays the JLV software interface in a dark gray theme. At the top, there is a patient search bar with fields for 'Patient Search', 'DOB ID', and 'DOB'. Below this is a navigation bar with 'Main' and 'Commonly Used Widgets'. The main content area is divided into six panels, each with a title bar and a table of data. The panels are: Allergies (6), Documents & Images (40), Medications - Inpatient (16), Medications - Outpatient (5), and Vitals (25). Each panel contains a table with columns for Date, Description, Status, and Site. The interface is dark gray with white text and icons.

Figure 23: Gray UI Theme

The screenshot displays the JLV software interface in a light gray theme. At the top, there is a patient search bar with fields for 'Patient Search', 'DOB ID', and 'DOB'. Below this is a navigation bar with 'Main' and 'Commonly Used Widgets'. The main content area is divided into six panels, each with a title bar and a table of data. The panels are: Allergies (6), Documents & Images (40), Medications - Inpatient (16), Medications - Outpatient (5), and Vitals (25). Each panel contains a table with columns for Date, Description, Status, and Site. The interface is light gray with black text and icons.

Figure 24: Accessible (Section 508-Compliant) UI Theme



3.2.3. Using the Accessible Theme's Functionality


The Accessible theme includes larger fonts, enhanced tab and keystroke functionality, and screen reader compatibility in compliance with Federal accessibility requirements and Section 508 standards.

NOTE: The Accessible theme is available for users who have adaptive technologies installed on their computers.

3.2.3.1. Keyboard Focus and Portal Navigation

Keyboard focus is the highlighting of a portal element, field, or control that enables interaction with, and navigation of, JLV using the keyboard and keystrokes. When navigating interactable elements with the Tab key, the item in focus is outlined in gold as a visual indicator.

JLV uses standard accessibility software key commands for navigation and interaction.

Pressing **Enter** or the **Spacebar** when an element that provides action is in keyboard focus performs the associated action; for example, pressing **Enter** or the **Spacebar** when the  is in focus opens the **JLV Settings** dialog box. Using the arrow keys or the **Tab** key moves between keyboard focus items to navigate through screen elements.

The following tables provide a complete list of accessible keystrokes.

Table 4: Accessible Theme Keyboard Shortcuts – Portal & Widget Navigation

Keystroke	Description
ALT + W	Press to enter widget body.
ENTER	Press to initiate the action associated with the item in focus.
TAB	Press to transfer keyboard focus to other user interface items.

Keystroke	Description
ESC	Press to return keyboard focus to the panel containing the user interface item with keyboard focus or to exit a window, widget, or tab, and close dropdowns.
SPACEBAR	Press to activate any user interface item (for example, click a button).
Arrow Keys	When focused on a dropdown list, press the down arrow key to view list contents.

Table 5: Accessible Theme Keyboard Shortcuts - Portal Tabs

Keystroke	Description
Arrow Keys	Use the left and right arrow keys to change tab panels.
TAB	<ol style="list-style-type: none"> 1) Press Tab until + is in focus 2) Press Enter 3) The new tab dialog box opens and prompts you to enter a name for the new tab 4) Tab to the Add button to confirm the new tab name or tab to the Cancel button to discard the new tab
ENTER	Press to initiate data load of tab.
1	On custom portal tabs, press 1 to rename the tab.
DELETE	On custom portal tabs, press DELETE to remove the tab.

Table 6: Accessible Theme Keyboard Shortcuts – Windows or Dialog Boxes

Keystroke	Description
TAB	Press to transfer keyboard focus to other user interface items within the window or dialog box.

Table 7: Accessible Theme Keyboard Shortcuts – Adding Widgets to the Portal Page


Keystroke	Description
=	Press to load a dialogue box with options to place a widget.

3.2.3.2. Accessible Theme Portal Navigation

An element with keyboard focus is the starting point for portal navigation. Pressing the **ALT+W** keys when a widget is in focus, will take you to the first interactable element in the widget.

[Figure 25](#) depicts the **Documents & Images** widget with keyboard focus. Focus can be changed by pressing the **Tab** key. Pressing the **Tab** or Shift Tab key, in this example, shifts the keyboard focus from one interactable element to the next. Press the escape key to return focus to the widget body.

Figure 25: Navigation Using Elements with Keyboard Focus




The screenshot shows a web application window titled "Documents & Images (37)". Below the title bar is a toolbar with icons for search, filter, and other actions. A yellow banner message states: "Opening some FEHR (Cerner documents) may result in an error. Technical teams are working on this issue." Below the banner is a table with the following columns: Date, Description, Provider, Image /..., and Site. The "Date" column is highlighted with a yellow background, indicating it has keyboard focus. The table contains three rows of data, each with a "Details" link next to the date. The bottom of the window shows a pagination bar with "Displaying 1-25 of 37" and a "Expanded View >>" link.

Date	Description	Provider	Image /...	Site
Sep 19, 2022 Details	VA PA LAIA - Text / VA Prior Auth Long-acting Injectable Antipsychotics	[REDACTED]		FEHR
Sep 19, 2022 Details	VA PA LAIA - Text / VA Prior Auth Long-acting Injectable Antipsychotics	[REDACTED]		FEHR
Sep 19, 2022 Details	VA PA LAIA - Text / VA Prior Auth Long-acting Injectable Antipsychotics	[REDACTED]		FEHR

The **Document** details window has keyboard focus in [Figure 26](#). Move through the toolbar buttons by using the arrow keys, or by pressing **Tab**. Move to **X** and press **Enter** to close the details window. After closing the window, keyboard focus returns to the last element that had keyboard focus prior to opening the window.

Figure 26: Document Details with Keyboard Focus



The screenshot shows a window titled "Note Details ~ FEHR VA PA LAIA - Text / VA Prior Auth Long-acting Injectable Antipsychotics ~". A yellow box highlights the copy icon in the top toolbar. Below the title bar, the document details are listed:

Document Reference

Patient Name: [Redacted]

Document Type: VA PA LAIA - Text

Document Category: Unknown

Document Title: VA Prior Auth Long-acting Injectable Antipsychotics

Service End Date: Sep 19, 2022 1:32 P.M. CDT


Document Status: Final

Verifying Provider: [Redacted]

3.2.3.3. Table Functionality

Table Column Headers ([Figure 27](#)) can be sorted by selecting the column header and pressing the space bar or enter key to sort the column. Upon a sort, ([Figure 28](#)) a user will have to leave the table and reenter for JAWS to receive the updated Table Data.

Figure 27:Table Column Header




The screenshot shows a table titled "Documents & Images (40)" with a filtered date range of "5/30/22 - 9/27/22". A yellow box highlights the "Date" column header. The table contains the following data:

Date	Description	Provider	Image /...	Site
	Micro, Anatomic Path, Rad, Dental Notes, and PowerForms	[Redacted]		FEHR
	Patient Continuity of Care Document	[Redacted]		FEHR
Mar 02, 2017	Administrative - Record of Service 20 KB			DoD
Mar 02, 2017	Administrative - Privacy			DoD

At the bottom, it says "Displaying 1-25 of 40" and "Expanded View >>".

Figure 28: Widget Column Select Dropdown



i **NOTE:** Not all table columns are sortable. EZ Select All Column Header and Report Builder Selected Items Column Header are not sortable.

3.2.3.4. Widget Move


In the widget tools menu, pressing the four-arrow icon or move widget button  (Figure 29) will open a dialogue with options to move the widget on the screen or inside the portal (Figure 30). This function is available in both the minimized and expanded view.

Figure 29: Widget Move Icon





Figure 30: Widget Move Dropdown



3.2.3.5. Widget Resize


In the widget tools menu, pressing the two-arrow icon or resize widget button  (Figure 31) will open a dialogue with options to resize the widget on the screen or inside the portal (Figure 32). This function is available in both the minimized and expanded view.

Figure 31: Widget Resize Icon





Figure 32: Widget Resize Dropdown




3.3. User-Restricted Access to Patient Data

3.3.1. VHA Users Viewing DOD-only Patient Data

VHA users can view the records of DOD-only patients, meaning they are not registered in MPI, but VA requires that these actions be audited. If an attempt is made to access DOD-only patient records, the VHA user is asked to specify the purpose for access. The purpose options presented to the user are: Emergent Care, Clinical Care, or Authorized Administrative Use ([Figure 33](#)).

Once the purpose for access is selected, clicking **Agree to be Audited & Access this Patient Record** ([Figure 33](#)), displays the requested data, and audits the action. The access purpose, organization of the VA provider, date, username, IP address, user's Internal Entry Number (IEN), host system's ID, and patient's Electronic Data Interchange Personal Identifier (EDIPI) are captured in the audit record.

Figure 33: VA User Restricted Access Dialog




3.3.2. CAPRI-Claims Users Viewing Patients with DOD Data

CAPRI-Claims users may see one of two different dialog boxes, depending on whether the patient is registered for care in the VA. If the patient is registered for care in the VA, they are in MPI.

3.3.2.1. Patient Registered in MPI

CAPRI-Claims users are permitted to view the records of a patient who is registered in MPI, but the VA requires that these actions be audited. After performing a patient search and selecting a patient from the search results, a CAPRI-Claims user sees the audit notification ([Figure 34](#)) if the patient they selected is registered in MPI. After agreeing to the audit, the CAPRI-Claims user can access the patient's record.


Figure 34: CAPRI-Claims User Audit Notification



3.3.2.2. Patient Not Registered in MPI

CAPRI-Claims users are not permitted to access the records of a patient who is not registered in MPI. After performing a patient search and selecting a patient from the search results, a CAPRI-Claims user sees the restricted access notification ([Figure 35](#)) if the selected patient is not registered in MPI. Clicking **Cancel** returns the user to the previous screen.

Figure 35: Restricted Access Notification




3.3.3. Access to DOD Sensitive Records

All JLV users are audited each time a sensitive DOD record is accessed. Auditing applies to sensitive documents, lab results, outpatient encounters, or progress notes records. JLV records the user's name, organization, SSN/EDIPI (for DOD users), PIV (for VA users), location, patient identifiers (patient last name, first name, middle initial [MI], SSN/EDIPI [DOD only], MPI [VA only], and date of birth [DOB]), data accessed, date and time, and reason for access for each attempt to access sensitive data.

JLV notifies you before you are audited. The message is triggered the first time you click a masked record that is marked **** Sensitive ****. Your acknowledgement of the audit notification covers all subsequent DOD sensitive records in any widget during the remainder of the session, and it only expires when you switch patients or log off. An example of a masked record audit notification is depicted in [Figure 36](#).

After you select the purpose for viewing the record and agree to be audited, the sensitive data displays in the **Details** view of the widget.

Figure 36: DOD Sensitive Record and Audit Dialog Box



3.4. Patient Searches

The core function of JLV is to display patient information on the Patient portal. Use the **Q Patient Search** feature to perform a patient search, perform a family search, or use the advanced search options.

JLV determines which enterprise service to use for a patient search, based upon the search criteria:

- If the EDIPI or Sponsor SSN is entered, JLV utilizes PDWS for the search (See [PDWS Search Rules and Supported Searches](#) for details).
- If the EDIPI or Sponsor SSN fields are empty, JLV utilizes MPI for the search (See [MPI Search Guidelines](#) for details).

3.4.1. PDWS Search Rules and Supported Searches

When JLV utilizes PDWS for patient search, the applicable rules and rule sets required for the PDWS interface must be used:

- **Rule Set 1:** When searching by SSN, the full nine-digit SSN must be entered, and the Last Name or DOB must also be supplied.
 - This is true for search by patient SSN as well as Sponsor SSN.
- **Rule Set 2:** If you do not have the patient's SSN, you must supply ALL the following identifiers: Last Name, First Name, DOB, and Birth Sex.
 - Blanks in any of these four required fields generates an error
- A 10-digit string is required for telephone number.

The following search combinations are supported when PDWS is utilized:

- DOD ID, also referred to as the EDIPI
- Patient SSN and Last Name
- Patient SSN and DOB
- Sponsor SSN and Last Name
- Sponsor SSN and DOB
- Last Name, First Name, DOB, and Birth Sex (ALL identifiers must be entered)

3.4.2. MPI Search Guidelines

JLV utilizes MPI for a patient search when the search parameters include the patient's name and SSN. MPI requires the full last name is entered when the patient's SSN is entered. MPI may also require entering the patient's first name and DOB to increase the efficiency of the search, and the likelihood of locating the patient. An example would be searching for a patient with a common last name, such as Smith or Jones.

3.4.3. Patient Search Using DOD ID


1. Click  **Patient Search**.
 - a. The **Patient Search** dialog opens.
2. Enter the 10-digit patient DOD ID (EDIPI) in the **DOD ID** field ([Figure 37](#)).

Figure 37: DOD ID (EDIPI) Search¹³

The screenshot shows a 'Patient Search' window with a close button (X) in the top right corner. The search criteria section includes a 'DoD ID' field, an 'OR' separator, an 'SSN' field with the placeholder 'Please Enter Patient SSN', an 'OR Sponsor SSN' field with the placeholder 'Please Enter Sponsor SSN', a '* Last Name' field, and a 'First Name' field. Below these fields is a link '<< Show Advanced Search Options'. A note states '* When searching by SSN, Last Name or DOB is required.' A blue 'Search' button is positioned to the right of the note. At the bottom, there are two tabs: 'Recently Viewed Patients' and 'Search Results'. The 'Search Results' tab is active, displaying a table with the following columns: Name, DoD ID, SSN, Date of Birth, Birth Sex, and SIGI. The first row of the table contains placeholder text for the Name, DoD ID, SSN, and Date of Birth columns, and 'M' for the Birth Sex and SIGI columns.

Name	DoD ID	SSN	Date of Birth	Birth Sex	SIGI
				M	M

3. Click **Search**.
 - a. The search results display on the **Search Results** tab.
4. Click a patient's name in the search results list to open the associated record.
 - a. The **Name**, **SSN**, **DOB**, **Birth Sex**, and **SIGI** columns in the results list provide information to assist with patient identification.
5. After selecting a patient, the Patient portal opens and displays the selected patient's data.

3.4.3.1. Invalid and Maximum Characters

Text Fields on Patient Search will alert the user if an invalid key is entered into the text box ([Figure 38](#)). Text fields will inform the user when they have reached the maximum character length for entry ([Figure 39](#)).

¹³ Self-Identified Gender Identity (SIGI)

Figure 38: Invalid Character Entry

Patient Search

DoD ID:

Please Enter Patient DoD ID

Invalid Character Entered

OR

SSN:

Please Enter Patient SSN

OR Sponsor SSN:

Please Enter Sponsor SSN

* Last Name:

First Name:

[<< Show Advanced Search Options](#)

* When searching by SSN, Last Name or DOB is required.

Search

Recently Viewed Patients

Search Results

Name	DoD ID	SSN	Date of Birth	Birth Sex	SIGI
No Results					

Figure 39: Maximum Characters Reached

The screenshot shows a 'Patient Search' dialog box with a dark background. At the top, the title 'Patient Search' is on the left and a close button 'X' is on the right. Below the title bar, there are input fields for 'DoD ID:', 'SSN:', 'OR Sponsor SSN:', '* Last Name:', and 'First Name:'. The 'DoD ID' field contains the text '1233454565' and has a yellow tooltip that reads 'Could Not Add Character Max Length Has Been Reached'. Below these fields is a blue 'Search' button. At the bottom, there are two tabs: 'Recently Viewed Patients' and 'Search Results'. The 'Search Results' tab is active, showing a table with columns: Name, DoD ID, SSN, Date of Birth, Birth Sex, and SIGI. The table is empty, and the text 'No Results' is centered in the table area. A note at the bottom left states: '* When searching by SSN, Last Name or DOB is required.'

Patient Search

DoD ID: 1233454565 Could Not Add Character Max Length Has Been Reached

OR

SSN: Please Enter Patient SSN OR Sponsor SSN: Please Enter Sponsor SSN

* Last Name: First Name:

<< Show Advanced Search Options

* When searching by SSN, Last Name or DOB is required.

Search

Recently Viewed Patients Search Results

Name	DoD ID	SSN	Date of Birth	Birth Sex	SIGI
No Results					

3.4.4. Patient Search Using SSN



- 1) Click  **Patient Search**.
 - a. The **Patient Search** dialog box opens.
6. Enter the patient's full, nine-digit SSN in the **SSN** field ([Figure 40](#)).
 - a. When searching by SSN, either the last name or the DOB *must* be entered to perform the search.

Figure 40: SSN Search



The Patient Search dialog box contains the following elements:


- DoD ID:** A text input field with placeholder text "Please Enter Patient DoD ID".
- OR**: A separator text.
- SSN:** A masked text input field.
- OR Sponsor SSN:** A text input field with placeholder text "Please Enter Sponsor SSN".
- * Last Name:** A masked text input field.
- First Name:** A text input field.
- << Show Advanced Search Options**: A blue hyperlink.
- * When searching by SSN, Last Name or DOB is required.**: A note.
- Search**: A blue button.
- Recently Viewed Patients** and **Search Results**: Two tabs.
- Search Results Table:**

Name	DoD ID	SSN	Date of Birth	Birth Sex	SIGI
[Redacted]	[Redacted]	[Redacted]	[Redacted]	M	M

7. Click **Search**

- If the required patient identifiers are not provided, hover text appears, indicating the information necessary to complete the patient search.
- If a match of patient names cannot be made, enter additional identifiers (first name, DOB) to refine the search ([Figure 41](#)).

Figure 41: Additional Identifiers Needed



8. The search results display on the **Search Results** tab.

9. Click a patient's name in the search results list to open the associated record.
 - a. The **Name, SSN, DOB, Birth Sex, and SIGI** columns in the results list provide information to assist with patient identification.
10. After selecting a patient, the Patient portal opens and displays the selected patient's data.

3.4.5. Advanced Patient Search Options

Advanced patient search options in the **Patient Search** dialog box allow for the use of additional patient identifiers when performing a patient search.



1. Click  **Patient Search**.
 - a. The **Patient Search** dialog box opens.
2. Click the [<<Show Advanced Search Options](#) link under the ***Last Name** field (seen in [Figure 40](#)).
3. Enter the patient identifiers in the appropriate search fields, as desired.
 - a. Advanced search option fields include ***DOB, MI, Birth Sex, Address, State, City, Zip, and Telephone** (seen in [Figure 42](#)).

Figure 42: Advanced Search Options



The screenshot shows the 'Patient Search' dialog box with the following fields and options:

- DoD ID:** A text input field with the placeholder 'Please Enter Patient DoD ID'.
- OR** separator.
- SSN:** A text input field with a yellow border and a placeholder 'L - - - -'.
- OR Sponsor SSN:** A text input field with the placeholder 'Please Enter Sponsor SSN'.
- * Last Name:** A text input field.
- First Name:** A text input field.
- >> Hide Advanced Search Options** link.
- * DOB:** A date input field with the placeholder 'MM/DD/YYYY' and a calendar icon.
- MI:** A text input field.
- Birth Sex:** A dropdown menu.
- Address:** A text input field.
- State:** A dropdown menu.
- Zip:** A text input field.
- City:** A text input field.
- Telephone:** A text input field.
- * When searching by SSN, Last Name or DOB is required.** (Note)
- Search** button.
- Recently Viewed Patients** and **Search Results** tabs.
- Search Results** table with columns: Name, DoD ID, SSN, Date of Birth, Birth Sex, and SIGI.
- No Results** message displayed in the table area.

4. Click **Search**
 - a. If the required patient identifiers are not provided, hover text appears, indicating the information necessary to complete the patient search.
 - b. The search results display on the **Search Results** tab.
5. Click a patient's name in the search results list to open the associated record.
 - a. The **Name**, **SSN**, **DOB**, **Birth Sex**, and **SIGI** columns in the results list provide information to assist with patient identification.
6. After selecting a patient, the Patient portal opens and displays the selected patient's data.

3.4.6. Family Member Search

A family member search can be performed using the **Sponsor SSN** field in the **Patient Search** dialog box.


1. Click  **Patient Search**.
 - a. The **Patient Search** dialog box opens.
2. Enter the SSN in the **Sponsor SSN** field.
 - a. The **Last Name** or **DOB** of the patient must also be entered in the appropriate fields ([Figure 43](#)).
3. Click **Search**.
 - a. If the required patient identifiers are not provided, hover text appears indicating the information necessary to complete the patient search.
 - b. The search results display on the **Search Results** tab ([Figure 43](#)).

Figure 43: Sponsor SSN Search

The screenshot shows a 'Patient Search' dialog box with a close button (X) in the top right corner. It contains several input fields for search criteria: 'DoD ID' with a placeholder 'Please Enter Patient DoD ID', 'SSN' with a placeholder 'Please Enter Patient SSN', 'OR Sponsor SSN' with a masked input field, '* Last Name' with a masked input field, and 'First Name' with an empty input field. A blue button labeled 'Search' is positioned to the right of the input fields. Below the input fields is a link '<< Show Advanced Search Options'. A note states '* When searching by SSN, Last Name or DOB is required.' At the bottom, there are two tabs: 'Recently Viewed Patients' and 'Search Results'. The 'Search Results' tab is active, displaying a table with columns: Name, DoD ID, SSN, Date of Birth, Birth Sex, and SIGI. The table contains one row with masked data for Name, DoD ID, SSN, and Date of Birth, and 'M' for Birth Sex and SIGI. Below the table is a large empty rectangular area.

Patient Search

DoD ID:

OR

SSN: OR Sponsor SSN:

* Last Name: First Name:

[<< Show Advanced Search Options](#)

* When searching by SSN, Last Name or DOB is required.

Recently Viewed Patients | **Search Results**

Name	DoD ID	SSN	Date of Birth	Birth Sex	SIGI
				M	M

4. Click a name in the **Search Results** list.
 - a. The **Family Members** dialog opens ([Figure 44](#)).
 - b. The sponsor's identifiers and a list of dependents display in the dialog.
5. Click a name in the list of family members to open the associated record.
6. After selecting a patient, the Patient portal opens and displays the selected patient's data.

Figure 44: Family Members Dialog Box

Family Members

Sponsor:

Name	SSN	Date of Birth	Birth Sex
[Redacted]	[Redacted]	[Redacted]	F


Name	DoD ID	SSN	Date of Birth	Birth Sex	SIGI
[Redacted]	[Redacted]	[Redacted]	[Redacted]	M	
[Redacted]	[Redacted]	[Redacted]	[Redacted]	M	

Cancel

3.4.7. Recently Viewed Patients List

Users who have previously logged into JLV, searched for a patient, and viewed that patient's records can see and access a list of recently viewed patients. A recent patient is defined as a patient whose record has been viewed (opened) by the user.

i **NOTE:** The **Recently Viewed Patients** list does not include search history or recent search results, only a list of patients whose data was accessed and viewed. The list is limited to 10 patients. You can clear this list by selecting the **Clear Recently Viewed Patients** button.

1. Click  **Patient Search**.
 - a. The **Patient Search** dialog box opens.
2. Click the **Recently Viewed Patients** tab in the **Patient Search** dialog box.
 - a. A list of recently viewed patients displays ([Figure 45](#)).
 - b. The **Name**, **DOD ID**, **SSN**, **DOB**, **Birth Sex**, and **SIGI** columns in the results list provide information to assist with patient identification.
3. Click a patient's name in the **Recently Viewed Patients** list to open the associated record.
4. After selecting a patient, the Patient portal opens and displays the selected patient's data.

Patient Search

DoD ID:

Please Enter Patient DoD ID

OR

SSN:

L _ - _ - _

OR Sponsor SSN:

Please Enter Sponsor SSN

* Last Name:

First Name:

>> Hide Advanced Search Options

* DOB:

MM/DD/YYYY

MI:

Birth Sex:

Address:

State:

Zip:

City:

Telephone:

* When searching by SSN, Last Name or DOB is required.

Search

Recently Viewed Patients

Search Results

Name	DoD ID	SSN	Date of Birth	Birth Sex	SIGI
			23 Oct 1944	M	M
			15 Apr 1937	F	
			29 Apr 1952	F	
			09 Apr 1941	M	
			01 Jan 1981	M	M
			16 Feb 1945	M	

Clear Recently Viewed Patients


Widgets are elements on the JLV portal page that display data specific to a clinical domain. By default, widgets are displayed in minimized view on the portal page ([Figure 20](#)), but they can be expanded to view additional details. Available widgets are listed in and launched from the widget tray.

October 2022

4.1. Accessing and Opening Widgets

All available widgets display in the widget tray (Figure 46). Hover over a widget icon to view a description of the widget. Widgets can be opened, rearranged, and closed. JLV can display up to 12 widgets per tab.

Figure 46: Widget Tray



1. Open the widget tray by clicking the **Open Widget Tray** link.
2. Use the scroll bar arrows < > at either end of the tray to see all widget choices, or click the **More Widgets >>** link to scroll through the list of widgets.
3. Click and hold a widget icon in the tray, drag it to the portal page, and drop it in the desired location.
 - a. The widget is docked on the portal page and opens in minimized view.
4. Close the widget tray by clicking the **Close Widget Tray** link.





i **NOTE:** JLV displays a **Duplicate Widget** notice if you attempt to add another instance of a widget to a tab.



Widgets can be closed (removed from the portal page) by clicking **X**. Rearrange the widgets displayed on the portal page by dragging and dropping them.

4.2. Widget Navigation and Display Options

Each widget has tools and display options available to navigate through, and change, the display of data. The vertical scroll bar allows you to move through, and view, the widget's data. Navigation icons and actions are detailed in [Table 8](#).

Table 8: Navigation Icons and Actions




Navigation Icon	Action	Description
	Changes the focus of the widget to the previous group or page of records within the results display.	Go to Previous Page
	Changes the focus of the widget to the page number selected.	Jump to Page
	Changes the focus of the widget to the next group or page of records within the results display.	Go to Next Page
<u>Expanded View</u> 	Available in minimized views only. Opens the expanded view of the widget in a secondary window.	Go to Expanded View
1-25 of 55	Indicates the number of records displayed in that widget page out of the total number of results for that widget.	Record Display Indicator
Show All/ Show Paged	Click Show All to open all records for a given widget in a scrollable window. Click Show Paged to return to the display of records grouped by pages.	Display Setting













When there are more than 25 records available in a widget, they are grouped in **Show Paged** view. Records 1 through 25 can be viewed by using the widget's vertical scroll bar. Records 26+ can be viewed by using  or  to view to subsequent pages. The expanded view of a widget contains a **Show All** link, which opens all records for that widget, in a scrollable window. Click **Show Paged** to return to the display of records grouped by pages.

4.3. Widget Toolbars

There is a toolbar on both the minimized and expanded views of each widget and most dialog boxes. Toolbar buttons vary by widget, dialog box, and window. [Table 9](#) describes the functionality of each toolbar button.

Table 9: Widget Toolbar Icons

Icon	Name	Function
	Add to Report Builder	Adds the information displayed in the widget to the Report Builder, including any Details or Notes .
	Close	Removes the widget from the portal screen or closes a dialog box.
	Column Settings	Configures the columns within the widget. Turn the columns on or off by checking the column names that appear in the pop-up box and clicking Apply . NOTE: Column widths and window sizes are auto saved to user profiles for both the minimized and expanded views.

Icon	Name	Function
	Configure Filter	Filters on specific record types or other elements within the widget, including a date filter. If a date range filter is applied in an open widget, the date range is displayed in the widget header. NOTE: After setting a filter, the Close Filter option is enabled in the widget. Clicking Close Filter restores the full display of records within the widget.
	Copy to Clipboard	Copies the content of the open window to the clipboard for pasting into another application. Copy to Clipboard is disabled in the widget toolbar after clicking Show All within a widget. The clipboard is cleared after closing a patient record, selecting a new patient record, and logging off JLV.
 	Connection Status	Both icons provide a status indicator for DOD and VA data sources.  indicates all sources are available.  indicates one or more data sources are unavailable. Clicking either status icon opens the connection status details in a separate window.
	Print	Prints the contents of the open window. Print is disabled in the widget toolbar after clicking Show All within a widget. NOTE: It is recommended that you have the latest Adobe Reader installed for the Report Builder and other printing features.
	Graph	Opens a dialog to configure the display of multiple data of the same type in a graph.
	Refresh	Refreshes the widget or window display. Only the data within that widget's dataset is updated.
	Copy Active Rx to Clipboard	Converts the medication data within the widget to text and copies the text to the user's clipboard. This option is available from the Medications - Outpatient widget. NOTE: Copy Active Rx is disabled when a date range filter is set to less than 120 days.
	Widget Move	Opens a dialogue box with options to move the widget on the screen or inside the portal. NOTE: This is only available in the accessible theme.
	Widget Resize	Opens a dialogue box with options to resize the widget on the screen or inside the portal. NOTE: This is only available in the accessible theme.

4.4. Minimized vs. Expanded Widget View

Each widget can be displayed in either a minimized (default) or an expanded view. Minimized view displays a simple list of the available patient data for a clinical domain, arranged in reverse chronological order by default. Expanded view provides a detailed list of similarly arranged patient data. When the expanded view of a widget is launched, it opens in a new, separate window that displays more attributes of the records in the widget, including additional, sortable columns of data.




NOTE: The Cardiology Studies - FEHR and VA MUSE Only, **Community Health Summaries and Documents**, and **Federal EHR/MHS GENESIS** widgets do not have an expanded view. Instead, a record opened from the minimized view of the widget is displayed in a new, separate window.


Click the **Expanded View >>** link in minimized view to launch expanded view and see the additional display and functionality options.

4.5. Sort and Filter Options

Widgets have a variety of methods to sort and filter data.

The Filter Indicator () in the widget header shows that column or text filters have been applied.

In general, you can:

- Click a column title to sort records according to data in that column.
 - If you sort a column that appears in both minimized and expanded views of the widget, the sort saves in your user profile and persists. Data views persist from minimized to expanded views and expanded to minimized views.
 - If you sort a column that is only in the expanded view of the widget, your next session restores the default widget sort, or the last sort saved to your user profile.
 - If you sort a **Date** column that has some partial or missing date values, understand:
 - Dates that have month and year, but lack a day are treated as though the day were “00” (e.g., July 2018 sorts between June 30, 2018 and July 01, 2018).
 - Dates that have a year only are treated as though the month is January and the day is “00” (e.g., 2018 sorts between December 31, 2017 and January 01, 2018).
- Click  on the widget toolbar to show or hide columns within the widget.
 - Check/uncheck the column names that appear in the pop-up dialog box, then click **Close**.

Sort and filter capabilities are specific to the data presented in each widget and may vary between the minimized and expanded views of an individual widget or between widgets. [Table 10](#) lists available filters and their corresponding widgets.

Table 10: Available Widget Filters

Filter By	Widgets
Site	Admissions, Allergies, Appointments, Consults, Documents & Images, Health Summaries and Reports, Medications - Inpatient, Discharge/Inpatient Summaries, Lab Results, Orders, Encounters - Outpatient, Medications - Outpatient, Problem List, Procedures, Progress Notes, Questionnaires, Deployment, Exposure Records, Assessments, Radiology Reports, Surgery/Procedure Reports, Vitals
Site (Reporting)	Immunizations
Provider	Discharge/Inpatient Summaries, Progress Notes, Surgery/Procedure Reports
Provider Specialty	Appointments, Consults, Documents & Images, Discharge/Inpatient Summaries, Orders, Encounters - Outpatient, Procedures, Progress Notes
Clinic	Appointments, Encounters - Outpatient
Consult Order	Consults
Description	Documents & Images


Filter By	Widgets
Problem Description	Problem List
Standardized Description	Documents & Images, Problem List
Location	Documents & Images ¹⁴ , Discharge/Inpatient Summaries
Source System	Documents & Images
Vaccine Administered Product Type	Immunizations
Standardized Vaccine Product Type	Immunizations
Drug Name	Medications - Inpatient, Medications - Outpatient
Standardized Drug Name	Medications -Inpatient, Medications -Outpatient
Ordering Health Care Provider (HCP) Specialty	Medications - Inpatient, Medications - Outpatient
Note Type	Discharge/Inpatient Summaries
Lab Test	Lab Results
Type	Lab Results; Orders; Problem List ¹⁵ ; Procedures; Social, Family, and other Past Histories; Vitals
Standardized Type	Orders, Vitals
Status	Problem List
Document Type/Title	Progress Notes
Standardized Document Type	Progress Notes
Exam	Radiology Reports
Standardized Radiology Exam	Radiology Reports
Standardized Finding	Social, Family, and other Past Histories
Note Title	Surgery/Procedure Reports
Procedure	Surgery/Procedure Reports

Filter dropdowns dynamically expand and sometimes have a horizontal scroll bar to display long lines of data by which records can be filtered ([Figure 47](#)).

¹⁴ Only available in expanded view

¹⁵ Filter applies to DOD data only

Figure 47: Dynamically Expanded Filter Dropdown in the Documents & Images Widget



Some widgets also have the capability to configure data to display multiple records of the same type in a graph or table view.

4.5.1. Widget Date Range Filters



Patient data displayed within a widget can be filtered by date range. If a date range filter is applied, the selected range is indicated in the widget header. Click  or the **Filtered Date Range** link on the widget toolbar to change the date range of the data displayed ([Figure 48](#)).

Figure 48: Date Range Filters Applied




The two ways to filter the date range of data displayed in a widget are the **Quick Date Range** filter and the **Start and End Date** filter. If the expected information does not appear in the widget display, use the date filter options to change the date range.

i **NOTE:** Changes made to the date range in a widget persist from minimized to expanded view, expanded to minimized view, patient to patient, and session to session, until the widget is either removed or the date range is changed.

i **NOTE:** When looking for Essentris information associated with a specific admission in the **Discharge/Inpatient Summaries** widget, expand your search date ranges to include additional days before and after the admission. This includes preadmission notes as well as notes signed after the patient was discharged in the filtered widget display.

4.5.1.1. Quick Date Range Filter


Use the preset, **Quick Date Range** filter to set or limit the display of patient records within a widget. This option is available by clicking the **Filtered Date Range** link or by clicking  in a widget on the Patient portal.

Clicking a **Quick Date Range** filter refreshes the data displayed to show only the records for the selected range. Selecting **Cancel**, which is the **Apply** button while the data refresh is running, stops the query. The options represent time counting back from the present day (for example, selecting 2y displays only records within the last 2 years). Examples of preset date ranges include 1w (last 7 days), 6m (last 6 months), and 3y (last 3 years).


i **NOTE:** The **Quick Date Range** filter is contextual. If today is February 2, 2021, the preset filter counts backwards using that date. If today is April 16, 2021, the preset filter counts backwards using that date.

[Figure 49](#) highlights the **Quick Date Range** filter options in the expanded view of the **Documents & Images** widget.

Figure 49: Quick Date Range Filter Options




4.5.1.2. Start and End Date Filter



Use the **Start Date** and **End Date** filter to display data for a specific time range. Click the **Filtered Date Range** link or .

i **NOTE:** The **Start and End Date** filter is static. If the start date is set to June 2, 2016 and the end date is set to June 2, 2017, the data in that date range displays, no matter what today's date is.

[Figure 50](#) provides an example of the start and end date filter fields in the expanded view of the **Admissions** widget.

Figure 50: Start and End Date Display Filter




1. Click  next to **Start Date**.
2. Select a month, day, and year start date for the display filter.
3. Click  next to **End Date**.
4. Select the month, day, and year end date for the display filter.
5. When both a start and end date have been chosen, click **Apply**.
6. (Optional) Click **Cancel** to stop the query.

i **NOTE:** Prior day selections persist if you change only the month or year. If you change the month or year and the prior day value does not exist, the calendar will default to the last day of the new month. For example, changing only the month value of an existing August 31, 2018 entry to February would set the date to February 28, 2018 because there are less days in February. Similarly, if you had February 29, 2016 selected, a day which only exists in a leap year, switching the year to 2015 would set the date to February 28, 2015, the last day of the month in a standard year.

The widget refreshes and displays only the records that fall within the custom date range. The date range in use is displayed in the widget header.


4.5.1.3. Tab Date Range Tool

All tabs in the  **Patient portal** have a **Tab Date** tool that you can use to filter all widgets on a single tab by the same date range. The **Tab Date** tool has the same **Start and End Date** and **Quick Date Range** filters available on most individual widgets, but it applies the date filter to all widgets on an individual tab.

1. Select the **Show Date Tool** hyperlink.
2. Enter dates in the **Start Date** and **End Date** fields, and select the **Apply to All Widgets on This Tab** button **OR** -
3. Select a **Quick Date Range** value in the **Tab Date** tool.

The **Tab Date** tool ([Figure 51](#)) is hidden by default, and it hides again automatically after you apply a date filter to the tab. Should you decide not to apply a date filter to the tab, select the **Hide Date Tool** hyperlink to hide the tab-level date filters.

Figure 51: Tab Date Tool






The **Tab Date** tool only filters widgets currently displayed on the active tab that support date range filtering. Widgets that display all data, without a date range, will continue to do so. Filtering only applies to widgets on the tab at the time you apply the **Tab Date** tool and will not affect new widgets added to the tab. You may still apply widget-level date filters to individual widgets after using the **Tab Date** tool. All your widget date settings will save to your profile regardless of whether they were set with the **Tab Date** tool or widget-level date filters.

4.5.2. Text Filter

Widgets provide a text filter option ([Figure 52](#)), allowing you to quickly locate relevant patient data using keywords or characters by applying multiple text filters. Text filters are performed on the information displayed in all columns within a widget, including hidden columns. Filters are not performed on notes, attachments, or details associated with patient records.

Figure 52: Admissions Widget Text Filter



Click  in the minimized view of a widget to display the **Enter text to filter** field. If the filter options are not displayed in the expanded view of the widget, clicking  also opens the filter options.

- A text filter box is displayed in the widget filter section. When text is entered, a pop-up box displays with “Press Enter or the + button to apply to filter.”
- The applied search term is displayed below the text filter box with a red “X” next to it which allows a user to remove it and updates the search results accordingly.
- The funnel shaped icon and the **+Filters** displays with a yellow highlighted color to indicate that a filter has been applied in the widget.
- If another search term is typed in the Text Filter Box and the user clicks “enter” or “+”, a second text filter is applied against the ORIGINAL DATA SET. Filtered results from a second text filter search are displayed in addition to the results from the first text filter search.
- If a third text filter is applied against the ORIGINAL DATA SET, filtered results from the first and second text filter searches are displayed in addition to the results from the third text filter search.
- The text filter box is disabled after a total of 10 text filters search terms are applied. Each search term can be up to 20 characters. The Text Filter Box remains disabled until one (or all) search terms are removed. A message displays with instructions that the maximum number of search terms have been applied, and to remove one or all terms to apply a different search term.
- The word "or" will appear between the search bubbles when multiple text filters are used.
- Text filtering applies only within the widget being searched.

- Text is filtered within the subset of filtered data if a date range filter or other dropdown filters are applied within the widget.
- Text filters are performed on data within all columns. Some widgets have columns that are not shown by default in either the minimized or expanded view.
- Text filters entered in the minimized view of a widget persist when you open the widget in expanded view, except for the Vitals and Lab Results widgets.
- On widgets with site tabs, text filters entered on one site tab persist when you select other site tabs.
- All records across the widget pages are filtered if the widget has multiple page views.
- The **Enter text to filter** field is not case sensitive and allows up to 25 characters, including numeric and special characters.
- JLV begins to filter when you pause while typing the term in the **Enter text to filter** field.
- Text filtering is not available in the **Demographics** widget.
- If a column is hidden, all filters are removed from that column in minimized and expanded views.
- Filtered text is highlighted.
- Users can lock and persist multiple text filters in a widget. This allows automatic application of key search terms to any patient chart.

4.6. Viewing Connection Status

JLV widgets display the status of their connection to VA and DOD data sources. Connection status information is available for each widget.




NOTE: The Connection Status reports the condition of the connection between JLV and its external resources, while System Status reports the overall condition of the JLV application. See [Viewing System Status](#) for more information.

The **Connection Status** indicator icon on a widget toolbar indicates the state of the connection to VA and DOD data sources. There are two status conditions:

- All sources are connected (available).
- One or more sources are not connected (unavailable).


[Figure 53](#) shows in the **Demographics** widget. When the Primary Care Management Module (PCMM) service is unavailable, the primary care fields in the **Demographics** widget display this error message: *“Team assignment system is currently unavailable.”*

Figure 53: Demographics Widget, PCMM Connection Status Unavailable



[Figure 54](#) shows a connection status indicator icon displayed on the **Patient Flags and Postings** widget toolbar.


Figure 54: Connection Status Indicator



Clicking a **Connection Status** indicator icon ([Figure 54](#)) opens a standalone window with information about the connection to data sources. Clicking the **< Hide All Active Interfaces** link ([Figure 55](#)) in the **Connection Status** window hides the detailed **All Active Connections** view and displays only the connection errors.

Figure 55: Connection Status Details

Connection Status for Lab Results

 **Connection Errors**

Connections from the following sources are currently unavailable. Most connection errors resolve themselves within a few hours.

Source	Name	Status	Data Domain
MILLENNIUM	FEHR	FAILURE	Lab Results

[< Hide All Active Interfaces](#)


All Active Connections

Connections to the source systems are successful. Successful status connections are not an indicator that clinical data is being returned to the widget from the source system.

Source	Name	Status	Data Domain
VA	DAYTSHR	SUCCESS	Lab Results
VA	IPOTEST2	SUCCESS	Lab Results
VA	CHYSHR	SUCCESS	Lab Results

Clicking the [≥ Show All Active Interfaces](#) link in the **Connection Status** window ([Figure 56](#)) opens a **Connection Status Details** view ([Figure 55](#)).

Figure 56: Connection Status Window



4.7. Displaying Widgets on Custom Tabs

You can use the *custom tabs* feature to create additional widget configurations for ease of use and quick reference. Changes made to portal page layouts (widget layouts and custom tabs) are saved to your user profile and displayed in future sessions.

- 1) Click **+** beside the existing tabs on the portal page ([Figure 57](#)).
 - a. The **Add Tab** dialog box opens ([Figure 58](#)).

Figure 57: Add Custom Tab Icon






Figure 58: Add Tab Dialog Box

A dialog box titled "Tab Name and Description" with a close button (X) in the top right corner. It contains two input fields: "Name (max 25 characters)" and "Description (max 200 characters)". At the bottom, there are two buttons: "Save" (blue) and "Cancel" (white).

7. Type the name of the new tab in the **Add Tab** dialog box, along with a description, and click **Save**. A message will display if there are any duplicate Tab names, or if max character limits have been reached for the name or description for the custom tab.
 - a. The custom tab opens with a blank workspace, with instructions on how to add widgets and an open widget tray.
 - b. After the tab has been created, hovering on the tab name will display the tab description.
8. Click, hold, and drag each of the desired widgets to the screen (max 12).
9. Click between tabs at any time, without losing each tab's configuration. Click, hold, and drag the tabs into any order, when there is more than a single tab.
 - a. Tab layouts persist, even when a patient change is made.
10. Hovering over the Tab Menu area of the selected tab, the options to Edit Name and Description, Create a Copy, and Delete will become available.
 - a. When creating a copy of a tab, a copy of the tab name will be created with all the settings from the copied widgets, filters, etc.
 - b. Once the copy has been created, the two tabs will be independent of each other.

i **NOTE:** Tab configurations remain set until you manually change them or restore your profile to default in the **JLV Settings** dialog, which will remove all custom tabs.

4.8. Refreshing Data in a Widget

The data displayed in a widget can be refreshed by clicking . This action retrieves data from VA and DOD sources and refreshes the individual widget's display.




4.9. Terminology Normalization

Table 11: Terminology Specific to Widgets

Normalization Standard	Description	Widgets
Centers for Disease Control (CDC) Race Standard	Code set based on the current Federal standards to classify race and ethnicity	Patient Demographics
Current Procedural Terminology (CPT) Standard	Uniform code to describe medical, surgical, and diagnostic services	Procedures, Radiology Reports ¹⁶
Vaccine Administered (CVX) Standard	Numeric string that identifies the type of vaccine product used	Immunizations
Logical Observation Identifiers Names and Codes (LOINC) Standard	Universal standard for identifying health measurements, observations, and documents	Discharge/Inpatient Summaries, Documents & Images, Lab Results, Orders, Progress Notes, Questionnaires, Deployment, Exposure Records, Assessments, Radiology Reports, Vitals
National Uniform Claim Committee (NUCC) Taxonomy Standard	Unique, 10-character alphanumeric code that identifies a provider grouping, classification, and area of specialization	Admissions, Appointments, Consults, Documents & Images, Medications - Inpatient, Discharge/Inpatient Summaries, Orders, Encounters - Outpatient, Medications - Outpatient, Procedures, Progress Notes
RxNorm Standard	Standard names given to allergens, clinical drugs, and drug delivery devices in the United States	Allergies, Medications - Inpatient, Orders, Medications - Outpatient
SNOMED CT Standard	Core, general terminology used in electronic health records	Admissions, Encounters - Outpatient, Problem List
X12 Health Insurance Type Standard	Defines electronic data interchange standards for health care insurance	Patient Demographics

4.10. Image Support

JLV integrates access to the VistA Imaging Viewer and MUSE, allowing you access to VA imaging artifacts for supported clinical domains (widgets). Please see the REDACTED¹⁷ for more information regarding the VistA Imaging Viewer.

You can open one or more images associated with a record by selecting the  displayed in the **Image** column ([Figure 59](#)) of the **Advanced Directives, Cardiology Studies - FEHR and VA MUSE Only, Documents & Images, Imaging, Procedures, Progress Notes, Radiology Reports, and Surgery/Procedure Reports** widgets. Clicking  from the **Image** column opens the image(s) in a standalone window. Like a hyperlink,  changes color after you launch an

¹⁶ If LOINC mappings are not available for an entry in the Radiology Reports widget, JLV looks for CPT mappings and displays CPT normalization for standardized type and standardized code, if found.

¹⁷ Copy and paste the link directly into a supported browser.











image so you can track which images you’ve viewed in the minimized or expanded widget view of the current session. Changing between minimized and expanded view resets the  color.


Figure 59: Camera Icon in the Image Column



	Description	Provider	Im...	S...
017	Dental Record Part 3 (Navy Only) 128 KB			 DoD
017	Encounter Note - Consultation 16 KB			 DoD
017	Encounter Note - Consultation 16 KB			 DoD
017	Assessment - Intake/Screening			 DoD

If a record has one or more images associated with it, the **Details** view of the record includes a thumbnail with a **Click image to open viewer** link ([Figure 60](#)). Clicking either the thumbnail or the link opens the VistA Imaging Viewer and displays the associated image(s).

Figure 60: Thumbnail and Link in Details View of the Documents & Images Widget



4.11. Using Report Builder

The **Report Builder** feature is used to create custom PDF reports using patient data and records displayed in JLV widgets. Content for reports can be selected from either the minimized or expanded view of a supported widget. You can launch **Report Builder** from the toolbar on the **Patient** portal (highlighted in [Figure 61](#)).

Figure 61: Report Builder Icon




The **Report Builder** pane is comprised of the **Current Report** tab ([Figure 63](#)) and the **Patient Reports** tab ([Figure 64](#)). When open, the **Report Builder** appears docked on the right side of the JLV portal. It can be moved and docked anywhere in the portal.

Figure 62: Report Builder Header Icons




Click the show () or hide icon () to display or hide the **Report Builder**.

Click the Pin icon () to pin or unpin the Report Builder to a location in the interface.

Click the Close icon () to close the Report Builder. Any report configurations in progress are saved when collapsing or closing the Report Builder and restored when the Report Builder is displayed again.


The **Current Report** tab ([Figure 63](#)) is used to build the custom report. The patient data and/or records are listed here as you select and add them. The records can be previewed and can be arranged in the desired order for the final report.

Figure 63: Current Report Tab



The **Patient Reports** tab ([Figure 64](#)) presents a list of all completed reports, the status of the report generation progress, the date the report expires, and a hyperlink to the contents of the completed report.

Figure 64: Patient Reports Tab



You can perform actions within widgets to add patient data when the Report Builder is open or closed. JLV enforces a maximum number of 50 records per report. A message appears when this limit is reached.

4.11.1. Adding One Record

Click **+** next to a record in a widget to add data from that record to the Report Builder, including the details and notes associated with the record. **+** in the row changes to to confirm the record has been added to the Report Builder ([Figure 66](#)). This applies to both minimized and expanded widget views and the **Patient Flags and Postings** dialog box.

i NOTE: A single site report can now be added to the Report Builder from the Blood Bank Report in the Lab Results widget.




4.11.2. Adding Multiple Records with EZ Select

EZ Select allows you to add all records displayed on a single page of a single widget to the Report Builder with one click. Click ([Figure 65](#)) to add data from all records shown in the

widget's page display to the Report Builder, including the details and notes associated with the record. EZ Select is available from the minimized and expanded views as well as the **Patient Flags and Postings** dialog box.

- NOTE:** Sensitive records and Medication Administration History (MAH) / Medication Administration Log (MAL) reports accessed from the **Medications - Inpatient** widget cannot be added using EZ Select. You must add them to a report one at a time, and you can only add MAH/MAL to reports from **Detail** view in the **Medications - Inpatient** widget. However, you can use EZ Select to add MAH/MAL reports to Report Builder from the **Health Summaries and Reports** widget.

Figure 65: Report Builder EZ Select

Medications - Inpatient (14)						
Filtered Date Range: 7/1/21 - 7/1/22						
	Ord...	Drug ...	Status	Stand... Status	Order Stop ...	Site
	2684391	TERAZ... HCL 10MG CAP (VA VistA Clinic Medication)	ACTIVE: HOLD	Active: On-hold	Jul 02, 2022 18:00	● CHY
— Order Number: 2684390						
	2684390	PETR... (WHITE) OINT (VA VistA)	PENDI...	Active:D...	Jul 02, 2022	● CHY
Displaying 1-14 of 14						
Expanded View >>						







 in each row changes to  to confirm the record has been added ([Figure 66](#)).

Figure 66: Records Added to Report Builder



i **NOTE:** Records previously added to a report remain in the Report Builder after a widget refresh. Clicking  in the widget refreshes the clinical data, refreshes the widget data display, and resets  tc , even if the record has been added to the Report Builder. Records previously added to a report prior to the refresh remain in the Report Builder after a widget refresh.

4.11.3. Adding Details from Multiple Dates








When the **Details** view of a record has a date filter ([Figure 67](#))—as in the **Health Summaries and Reports, Medications - Inpatient**, and **Procedures** widgets— resets to  each time you change the date range, allowing you to build date-flexible reports using records from multiple date ranges.

Figure 67: Adding Date-Flexible Details to Report Builder, Medicine Full Report

4.11.4. Adding Sensitive Records

Sensitive records can be added to the Report Builder by  for a sensitive record in the widget. When prompted, click **Agree to be Audited & Access This Sensitive Record** to continue.  in the row changes to  to confirm the record has been added ([Figure 66](#)). Sensitive records must be added to the Report Builder individually; therefore, repeat as necessary for additional sensitive items.

4.11.5. Adding Only Record Details or Notes

When adding records to a report using  or  in the widget, JLV by default adds the data displayed in the widget as well as any details and notes associated with the record. This applies to both minimized and expanded widget views and the **Patient Flags and Postings** dialog box. If you would like to add just the details and notes or the record row data:




- 2) Select and hold  to access these options ([Figure 68](#)).
- 3) Select **Add Detail** or **Add Note** to add the details and/or notes associated with the record as well as the record row data to the Report Builder.
- 4) Select the **Add Record Row** option to add only the data displayed in the widget display for that record and not the information provided in the details and/or notes.

Figure 68: Report Builder Options



The screenshot shows a web application window titled "Lab Results (2)" with a filtered date range of "1/5/80 - 9/27/22". The window contains a table with columns: Co..., Lab ..., Result, Lab ..., and Site. A context menu is open over the first row, showing options: "*Add Detail" and "Add Record". The table has two rows of data. The first row shows "10:43" in the Co... column, "od Bank" in the Lab ... column, "result" in the Result column, and "VA" in the Site column. The second row shows "10:43" in the Co... column, "RGICAL" in the Lab ... column, "result" in the Result column, and "IPO1" in the Site column. At the bottom of the window, it says "Displaying 1-2 of 2" and has a link "Expanded View >>".

Co...	Lab ...	Result	Lab ...	Site
10:43	od Bank	result		VA
10:43	RGICAL	result		IPO1

i **NOTE:** Once you add a record to Report Builder using either the , **Add Detail/Note**, or **Add Record Row** option, you cannot change the record data included in the report without first clearing the record from the report and adding it again.

4.11.6. Adding Patient Demographics





Clicking  in the **Demographics** widget ([Figure 69](#)) adds the patient's demographics details for that site to the Report Builder.  changes to  to confirm the demographics data has been added. Click additional site tabs within the **Demographics** widget and repeat as desired to add demographics details from other sites within the patient's health record.

Figure 69: Demographics Widget Add to Report Builder Icon




4.11.7. Generating a Report

The selected records appear in the **Report Builder** pane ([Figure 63](#)).

1. Use the navigation arrows to arrange the records in the desired order in the generated report. Records can be removed by clicking **Clear Selected Record** or **Clear All**. When a record is selected for the report, it appears in the **Preview of Record** area of the **Report Builder** pane.
2. Click **Build** to validate the selected records and prepare the report. If a record is added to the report without an error, a **Ready** notation displays next to it in the **Status** column. If a record cannot be added to the report, an **Error** notation appears next to the record.
3. Name the report when prompted, and click **OK** ([Figure 70](#))


Figure 70: Name Report Dialog Box



4. The **Patient Reports** tab opens and displays a report processing indicator in the **Status** column.


5. When processing is complete, the **Status** column displays either *COMPLETED* or *ERROR* ([Figure 71](#)).
 - An *ERROR* in the **Status** column does not indicate the report failed to build, it is an indicator that one or more records could not be included in the generated report.
 - Both the *COMPLETED* and *ERROR* entries include a **Contents** link ([Figure 71](#)), which provides a list of the records that appear in the generated report.

Figure 71: Patient Reports Tab Report Ready and Delete Option



6. A report ready message appears for 6 seconds on the portal page when the report has been built and is ready to be printed ([Figure 72](#)).

Figure 72: Report Ready Message and Indicator



NOTE: Once a report is created, it is available on the Patient Reports tab for 72 hours. After 72 hours, the report expires, is removed from the Patient Reports tab, and can no longer be accessed.

4.11.8. Opening a Report

1. Click the report name in the **Report** column of the **Patient Reports** tab ([Figure 71](#)) **OR** -
2. Click the **Contents** link in the **Status** column of the **Patient Reports** tab to open a list of the records included in the report in the **Report Contents** window ([Figure 71](#)) **OR** -
3. Click the blue, hyperlinked report name in the **Report Contents** window ([Figure 73](#)).

Figure 73: Report Contents Window




i **NOTE:** The Report Builder prints the report content to a file in PDF format. It is recommended that you have the latest Adobe Reader installed on the system from which you access JLV to utilize the Report Builder and other JLV features.

4.11.9. Delete a Report



1. Select the checkbox for the report name on the **Patient Reports** tab ([Figure 71](#)).
2. Click the **Delete Selected** button.
3. Click **OK** to confirm deletion ([Figure 74](#)).


Figure 74: Delete Reports Dialog Box



4.12. Printing

The data list of a widget in either minimized or expanded view, the details window of a widget, and reports created in **Report Builder** can be printed.

- Click  on the desired widget's toolbar to print the data list of a widget in either minimized or expanded view.
- Click  on the details window's toolbar to print the details window of a widget.
- Click the (PDF) **Print** icon within the report window to print a report created in **Report Builder**.

 **NOTE:** Each report generated using **Report Builder** includes this disclaimer: *“The information contained in this transmission may contain privileged and confidential information, including patient information protected by federal and state privacy laws.”*


5. Widget Functionality

The following subsections detail the functionality in a sampling of the widgets available in JLV.

5.1. Patient Demographics Widget

The **Patient Demographics** widget displays a summary of the patient's nonclinical, personal data on the primary JLV toolbar ([Figure 75](#)). Clicking the Patient Demographics widget will open the expanded view of the widget ([Figure 76](#)).

Figure 75: Patient Demographics Widget in the JLV Toolbar



The site tabs provide a demographics summary for each site (VA, FEHR, or DOD) the patient has visited.

Figure 76: Patient Demographics Widget Site Tabs

Nonclinical, personal data displayed for the patient varies by site and could include site name, patient name, address, SSN, age, DOB, race, phone numbers, birth sex, and gender ID (SIGI). SIGI code values are listed in [Table 12](#).

Table 12: Gender ID (SIGI) Code Values

Code	Description
M	Male
F	Female
TM	Transmale/Transman/Female-to-Male
TF	Transfemale/Transwoman/Male-to-Female
O	Other
NB	Nonbinary
Any Other Code	Unknown

The **Patient Demographics** widget provides additional functionality:

- Clicking Patient Demographics opens details in a standalone window, including inpatient providers.
- Clicking or opens the connection status details in a separate window.
- Clicking opens clinical flag details in a new window.
- Clicking opens the **Advance Directives** dialog in a new window.
- Clicking refreshes Patient Demographics and Patient Flags and Postings simultaneously.


If displays on one or more tabs within the **Demographics** widget, it is an indication that the patient is not registered at that VA site or DOD facility.

5.1.1. Patient Flags and Postings

If the patient has one or more clinical warnings, alerts, or flags in their record from VA and DOD sites, **Flags** displays next to the **Demographics** widget banner on the Patient portal ([Figure 77](#)).

The **Patient Flags and Postings** window opens and displays by default when the Patient portal opens if there are warnings associated with the selected patient.

Figure 77: Patient Flags Indicator



Click **Flags** to open the **Patient Flags and Postings** window ([Figure 77](#)). The window displays a list of alerts and flags within the patient's record. Selecting the hyperlinked message for each patient alert opens the **Flag Details** window ([Figure 78](#)). Selecting the **Action/Note(s)** link ([Figure 77](#)) will open documents pertaining to placement of the flag. If the patient's record does not contain any clinical warnings, is not displayed. Category I Patient flags that are present at multiple sites will be grouped under the owner site.

Figure 78: Patient Flags and Postings Details

The screenshot shows a window titled "Flag Note Detail ~ IPO1 ~". The content area displays the following text:

```
LOCAL TITLE: PATIENT RECORD FLAG CATEGORY II - DYSPHAGIA REVIEW
STANDARD TITLE: PATIENT RECORD FLAG
DATE OF NOTE: JUL 30, 2018@17:38    ENTRY DATE: JUL 30, 2018@17:38:22
AUTHOR: (redacted)                  EXP COSIGNER:
URGENCY:                           STATUS: COMPLETED

REACTIVATE

/es/ (redacted)
CAC
Signed: 07/30/2018 17:39
```

The window has standard OS controls (copy, print, zoom, close) in the top right corner and a small icon in the bottom right corner.

5.1.2. Advance Directives


You can view Advance Directives ([Figure 79](#)) by selecting **AD** on **Demographics** widget. Advance Directives are pulled from DOD, VA, and Cerner data sources. **AD** changes to  when loading, and it is greyed out **AD** if Advance Directives were not found for the patient.

Figure 79: Advanced Directives Dialog

Date	Document Title	Image	Site
Apr 11, 2019	LOCAL TITLE FOR AD		● IPO1
Apr 11, 2019	LOCAL TITLE FOR WARNING		● IPO1
Apr 11, 2019	LOCAL TITLE FOR LST NOTES		● IPO1
Mar 23, 2017	ADVANCE DIRECTIVE		● IPO2
Nov 01, 2016	REALIGNMENT DNR		● IPO2
Jun 02, 2014	ADVANCE DIRECTIVE		● IPO1
Aug 01, 2006	ADVANCE DIRECTIVE DISCUSSION		● IPO1

5.1.3. Viewing Third-Party Insurance Information

Third-party payers and insurance information is available from the **Patient Demographics** widget. Click the **Insurance** link in the **Demographics** widget.

A new window opens with the following insurance information, some of which is displayed in [Figure 80](#):

- Health Plan Type
- Health Plan Name
- Standardized Insurance Type (See [Terminology Normalization](#) for more information.)
- Plan Effective Date
- Plan Expiration Date
- Site
- Group Number
- Member ID
- Subscriber ID
- RxBIN
- RxPCN
- Notes
- Comments
- Subscriber Date of Birth
- Subscriber's Relationship to Insurer

- Health Plan Mailing Address
- Health Plan Contact Information

Figure 80: Insurance Information

Insurance Information (3) ~

Q Enter text to filter + [Remove All Text Filters](#)

[Remove All Filters](#) [Hide Filters](#)

	Health Plan Type	Health Plan Na...	Standardized Insurance Type	Plan Effective Date	Plan Expiration Date	Site	Group Number	Member ID	Subscri...
+	MEDICARE (M)	MEDICARE (WNR)	Medicare Primary	Sep 01, 2009		● IPO1			
+	MEDICARE (M)	MEDICARE (WNR)	Medicare Primary	Sep 01, 2009		● IPO1			
+	MEDIGAP PLAN C	MUTUAL OF OMAHA	Other	Sep 01, 2009		● IPO1			

Displaying 1-3 of 3

Use the horizontal scroll bar in the window to view the columns not seen within the default window size.

5.1.4. Viewing Military Service Data

Military service data ([Figure 81](#)) are available from the **Patient Demographics** widget. Click the **Military Service** link in the **Demographics** widget.

Figure 81: Military Service Window

Military Service ~ ● CHYSHR ~ [redacted]

MILITARY SERVICE DATA, SCREEN <6>

[redacted] SC VETERAN

[1] Service Branch/Component	Service #	Entered	Separated	Discharge
ARMY/REGULAR	[redacted]	08/26/1963	08/25/1966	HONORABLE

[2] Conflict Locations: < None Specified >

[3] Environment Factors: < None Specified >

<4> POW: From: To: War:

<5> Combat: From: To: Loc:

<6> Mil Disab Retirement: Dischrg Due to Disab:

<7> Dent Inj: Teeth Extracted:

<8> Purple Heart:

<9> Medal of Honor: Award Date: Status Date:

MOH Copayment Exemption Date:

5.1.5. Viewing Eligibility and Enrollment Data

Eligibility and enrollment data ([Figure 82](#)) are available from the **Patient Demographics** widget. Click the **Eligibility & Enrollment** link in the **Demographics** widget.

Figure 82: Eligibility and Enrollment Window

Eligibility ~ ● CHYSHR ~ [redacted]

ELIGIBILITY STATUS DATA, SCREEN <7>

[redacted] SC VETERAN

<1>	Patient Type: SC VETERAN	Veteran: YES
	Svc Connected: YES	SC Percent: 40%
	SC Award Date: UNANSWERED	Unemployable: NO
	P&T: NO	
	Rated Incomp.: NO	
	Claim Number: [redacted]	
	Folder Loc.: DENVER-RO	
<2>	Aid & Attendance: NO	Housebound: NO
	VA Pension: NO	
	VA Disability: YES	
	Total Check Amount: \$7512	Amount: UNANSWERED
	GI Insurance: NO	
<3>	Primary Elig Code: SC LESS THAN 50%	
	Other Elig Code(s): NO ADDITIONAL ELIGIBILITIES IDENTIFIED	
	Period of Service: VIETNAM ERA	
<4>	Service Connected Conditions as stated by applicant	

	NONE STATED	

ELIGIBILITY VERIFICATION DATA, SCREEN <11>

[redacted] SC VETERAN

5.2. Cardiology Studies - FEHR and VA MUSE Only Widget

The Cardiology Studies - FEHR and VA MUSE Only widget ([Figure 83](#)) displays electrocardiograms (EKGs) and cardiology studies with related images from all FEHR and VA MUSE sites and systems. The information displays in reverse chronological order by date with one tab for each site where the patient is registered.

Clicking  from the **Image** column opens the image(s) in a standalone window.

Report Builder functionality is not available for this widget.


5.2.1. Cardiology Studies - FEHR and VA MUSE Only Widget Data











The information in the Cardiology Studies - FEHR and VA MUSE Only widget includes:

- Date
- Description (Test Type)
- Status
- Image
- Site


There is no expanded view for this widget.

Figure 83: Cardiology Studies - FEHR and VA MUSE Only Widget



Cardiology Studies - FEHR and VA MUSE Only (3) Filtered Date Range: 9/15/12 - 9/15/22				
EKGs from DoD FEHR (MHS GENESIS) sites available in Documents widget.				
CHYSHR DAYTSHR FEHR IPO1 IPO2 SPOEHR03				
 Date	Description (Te...	Status	Image	Site
 Jul 22, 2021	12 LEAD ECG/EKG			 FEHR
 May 20, 2021	12 LEAD ECG/EKG			 FEHR
 Sep 02, 2020	12 LEAD ECG/EKG			 FEHR

5.3. Community Health Summaries and Documents

The  **Community Health Summaries and Documents** widget ([Figure 84](#)) displays the patient's community partner information, including Continuity of Care Documents (CCDs) in C32 and C62 formats and HL7 Consolidated-Clinical Document Architecture (C-CDA) structured documents available for the patient. The information in this widget is sorted by the title of the entry listed in the **Document Type/Title** column.

 **NOTE:** By default, CAPRI-Claims users cannot see the **Community Health Summaries and Documents** widget. To enable access to this

widget, CAPRI-Claims users must be assigned the security key, "DVBA ALLOW JLV COMM DATA".


5.3.1. Community Health Summaries and Documents Widget Data

Data displayed within the **Community Health Summaries and Documents** widget ([Figure 84](#)) in the minimized view includes:

- Date
- Document Type/Title
- Site

The purple hexagon beside entries in the **Site** column denotes the source of the data is outside the VA.

Figure 84: Community Health Summaries and Documents, Minimized View



Community Health Summaries and Documents (2)		
To request VHIE training and troubleshooting support for this widget, please contact VHIECoordinators@va.gov .		
Date	Document Type/Title	Site
May 16, 2019	CRS	CommonSpi
Jan 01, 2004	Aggregated CCD	CommonSpi

Displaying 1-2 of 2

[Expanded View >>](#)

Click **Expanded View >>** in the minimized view of the **Documents & Images** widget to open the expanded view (Figure 85). Information in expanded view includes:

- Date
- Document Type/Title
- Site

Figure 85: Community Health Summaries and Documents, Expanded View

Date	Document Type/Title	Site
May 16, 2019	CRS	CommonSpirit (Hub)
Jan 01, 2004	Aggregated.CCD	CommonSpirit (Hub)

5.3.2. Viewing VA Community Health Summary Documents

Click on the hyperlinked entries in the **Document Type/Title** column within the **Community Health Summaries and Documents** widget, to open the documents in a new browser window. ([Figure 86](#)).

i **NOTE:** Multiple documents can be opened in separate browser tabs for simultaneous viewing and printing.

Figure 86: Community Health Document

The screenshot shows a web browser window titled "JLV Aggregated CCD - Work - Microsoft Edge" with the URL "https://vaphcwebjlv910.aac.dva.va.gov/JLV/DocumentLoader?patToken=K_3TsAo6SRJ58Suwf8C2n4WRel12Ztc1249w4P...". The document is titled "Adventist Health Systems" and is a "Continuity of Care Document" created on "July 15, 2021, 15:43:42". Patient information includes "Patient: [redacted]", "DOB: [redacted]", and "Gender: Female". A "Print" button is in the top right. A "Table of Contents" section lists various medical categories: "Patient & Contact Information", "Healthcare Providers", "Advance Directives", "Allergies", "Encounters", "Functional Status", "Medications", "Immunizations", "Procedures", "Plan of Care", "Problems", "Results", "Social History", "Vital Signs", "Consultation Notes", "History and Physical", "Discharge Summaries", "Radiology Studies", "Pathology Studies", "Assessment and Plan", and "Family History". A "Data Privacy Designation" section shows "Data Confidentiality" set to "Normal". The "Patient & Contact Information" section is expanded, showing "Patient Information" with fields for "Address", "Primary Home", and "Tel", all of which are redacted.

5.4. Imaging Widget

The **Imaging** widget ([Figure 87](#)) displays images from multiple sources, including all Vista Imaging, Cerner imaging, DOD Radiology, and HAIMS artifacts. When the widget is displayed, data is sorted by date.

Record data can be added to Report Builder, although images cannot be added.

1. **NOTE:** The **Imaging** widget is only available to VA JLV users. DoD JLV users do not have access to the widget and do not see it in the portal widget tray.

Figure 87: Imaging Widget, Minimized View

Imaging (20) Filtered Date Range: 9/27/21 - 9/27/22					
	Date	Image / Attachment	#Img	Image Title	Site
	Jan 26, 2022			CT ABDOMEN W&W/O CONT	CHYSHR
	Mar 08, 2017			Administrative - STR Dental Record Part 3 (Navy Only) 128 KB	DoD
	Mar 07, 2017			Encounter Note - Consultation 16 KB	DoD
	Mar 07, 2017			Encounter Note - Consultation 16 KB	DoD
	Mar 02, 2017			Assessment - Intake/Screening 20 KB	DoD
	Mar 02, 2017			Administrative - STR AHLTA.pdf 20 KB	DoD
	Mar 02, 2017			Administrative - STR Medical Record Part 4 20 KB	DoD
				Administrative - STR	

Displaying 1-20 of 20 [Expanded View >>](#)

5.4.1. Imaging Widget Data

The minimized view of the **Imaging** widget displays the following information:

- Date
- Image/Attachment (See [Image Support](#))
- #Img
- Image Title
- Site

Clicking the icon in the toolbar displays the **Cardiology Studies - FEHR and VA MUSE Only** Widget which has electrocardiograms (EKGs) and cardiology studies, and related images from all FEHR and VA MUSE sites and systems.

5.4.2. Viewing Images

Click **Expanded View >>** in the minimized view of the **Imaging** widget to open the expanded view (Figure 88). Information in expanded view includes:

- Date
- Image/Attachment (See [Image Support](#))
- #Img

- Image Title
- Standardized Description
- Description
- Procedure
- Origin
- Specialty
- Event
- Type
- Capture Date
- Source System
- Site

Figure 88: Imaging Widget

The screenshot shows the 'Imaging (21)' widget with a filtered date range of 9/26/21 to 9/26/22. It includes search and filter controls at the top and a table of results below.

Date	Image / Attac...	#Img	Image Title	Standardize...	Description	Proce...	Origin	Specialty	Event	Type	Capture Date	Source System	Site
Jul 01, 2022		1	HIV COUNSELING CONSENT-IMED		CLIN	CLIN	NON-VA	DIETETICS	VISIT	PROGRESS NOTE	Jul 07, 2022	VistA	IPO1
Jan 26, 2022			CT ABDOMEN	COMPUTED TOMOGRAPHY, ABDOMEN; WITHOUT CONTRAST MATERIAL.								VistA	CHYSH

Displaying 1-21 of 21

Click a hyperlinked entry in the **Image/Attachment** or the **Image Title** column in either the minimized or expanded view of the **Imaging** widget to access additional information for a listed record in text, PDF, graphic, or document format. The additional information will open in a separate browser window when the image source is VistA Imaging. [Figure 89](#) and [Figure 90](#) display two types of data accessed through the **Imaging** widget.

Figure 89: View of an Image




Figure 90: View of a PDF-formatted Document

Audit By Patient

29 Oct 2015 1105 EDT

Requested By:

Criteria: Patient Id(s) = , From Date = 29 Oct 2015, To Date = 29 Oct 2015

Name:
 FMP/Sponsor SSN:
 Gender: F

ID:
 Grade: Captain O3
 DOB:


User Name	User ID	Action	Transaction Date / Time	Document Type	A&I Asset ID	A&I Title	Sensitive BTG Reason	Clinical Event ID	HAIR ID
		Disassociate Asset(s) From Event	29 Oct 2015 1101	Administrative	h01982fb2a310e649b9af80cb1de105845401	admin-1	N	Event Type: Problem Event Id: 	central
		Associate Asset(s) With Event	29 Oct 2015 1101	Administrative	h01982fb2a310e649b9af80cb1de105845401	admin-1	N	Event Type: Problem Event Id: 	central
		Disassociate Asset(s) From Event	29 Oct 2015 1059	Encounter Note - Immunization	h0134ccf2ffb9841d99cac74ba6383e6220101	Sprint 1 Monica 003	N	Event Type: Encounter Event Id: 	central
		Associate Asset(s) With Event	29 Oct 2015 1058	Encounter Note - Immunization	h0134ccf2ffb9841d99cac74ba6383e6220101	Sprint 1 Monica 003	N	Event Type: Encounter Event Id: 	central
		Create and Relate Asset - Derive	29 Oct 2015 0930	Administrative	h01982fb2a310e649b9af80cb1de105845401	admin-1	N		central
		Get Asset Content	29 Oct 2015 0925	Administrative	h0176f18a14a11f4ca8b2559637d3213f0e0101	embeddedScan	N		central

THIS INFORMATION IS PROTECTED BY THE PRIVACY ACT OF 1974 (PL-93-579). UNAUTHORIZED ACCESS TO THIS INFORMATION IS A VIOLATION OF FEDERAL LAW. VIOLATORS WILL BE PROSECUTED.

FOR OFFICIAL USE ONLY

Page 1 of 2

5.5. Documents & Images Widget

The  **Documents & Images** widget ([Figure 91](#)) includes documents from multiple clinical domains, including radiology reports (exams), progress notes, outpatient encounters, consults, discharge summaries (inpatient notes), questionnaires, and HAIMS records, displayed in reverse chronological order by the document date. HAIMS records retrieved by JLV include scanned paper records, imported paper records, advance directives, scanned non-radiology images, and imported non-radiology images.

5.5.1. Documents & Images Widget Data

The minimized view of the **Documents & Images** widget displays the following information:

- Date
- Description
- Provider
- Image/Attachment (See [Image Support](#))

- Site

Figure 91: Documents & Images Widget, Minimized View

Documents & Images (40) Filtered Date Range: 5/30/22 - 9/27/22					
Opening some FEHR (Cerner documents) may result in an error. Technical teams are working on this issue.					
	Date	Description	Provider	Image / ...	Site
	Mar 02, 2017	Administrative - Record of Service 20 KB			DoD
	Mar 02, 2017	Administrative - Privacy 20 KB			DoD
	Mar 02, 2017	Administrative - STR Dental Record Part 3 (Navy Only) 20 KB			DoD
	Mar 02, 2017	Assessment - Questionnaire 20 KB			DoD


Displaying 1-25 of 40 [Expanded View >>](#)

Outpatient encounter records displayed in the **Documents & Images** widget may have a **Details** link enabled in the **Date** column. Where available, click the link to open a **Details** window for records of this type.

Click **Expanded View >>** in the minimized view of the **Documents & Images** widget to open the expanded view ([Figure 92](#)). Information in expanded view includes:

- Date
- Description
- Standardized Description
- Provider
- Provider Specialty
- Location
- Status
- Image/Attachment
- Source System
- Site

Figure 92: Documents & Images Widget, Expanded View




5.5.2. Viewing Documents & Images

Click a hyperlinked entry in the **Description** column in either the minimized or expanded view of the **Documents & Images** widget to access additional information for a listed record.

Depending on the record type, the additional information may open in either a **Details** window or a separate browser window. [Figure 93](#) displays outpatient encounters details, accessed through the **Documents & Images** widget.

Figure 93: Details View of a Document



5.6. Federal EHR/Military Health System (MHS) GENESIS Widget

The **Federal EHR/MHS GENESIS** widget displays DOD patient documents and dental summaries from DOD's MHS GENESIS system and VA's Cerner PowerChart. The information is displayed in reverse chronological order by date.

5.6.1. Federal EHR/MHS GENESIS Widget Data

The minimized view of the **Federal EHR/MHS GENESIS** widget includes the following information:

- Date
- Document Title
- Document Type
- Site

[Figure 94](#) highlights the **Federal EHR/MHS GENESIS** widget in minimized view. There is no expanded view for the widget; instead, the C-CDA document selected opens in a new browser window ([Figure 95](#)).

i **NOTE:** The **Medications - Outpatient** widget displays an orange banner with a warning that reads, “*Duplicate DOD meds may be present*” due to the migration of data into FEHR/MHS GENESIS (Cerner.)

Medical CCDs, Dental CCDs, and aggregate CCDs with blank entries in the **Date** column for the record appear first in the widget by default.

Figure 94: Federal EHR/MHS GENESIS Widget

Federal EHR/MHS GENESIS (25) Filtered Date Range: 1/1/17 - 9/27/22			
Opening some FEHR (Cerner documents) may result in an error. Technical teams are working on this issue.			
Date	Document ...	Docum...	Site
	Patient Continuity of Care Document	Summarization of episode note	FEHR
	Micro, Anatomic Path, Rad, Dental Notes, and PowerForms	Summarization of episode note	FEHR
Sep 19, 2022 Details	VA PA LAIA - Text / VA Prior Auth Long-acting Injectable Antipsychotics	VA PA LAIA - Text	FEHR

Displaying 1-25 of 25

F

5.6.2. Viewing Federal EHR/MHS GENESIS Documents

Click a hyperlink in the **Document Title** column in either view of the **Federal EHR/MHS GENESIS** widget to display a document ([Figure 95](#)) in a new browser window.

Figure 95: C-CDA Document

Transition of Care/Referral Summary
created on: February 28, 2017, 14:30:17, CST
Source: MB Military Baseline Medical Center
7700 Arlington Blvd
Falls Church, VA 20400- , US
tel:(555)555-5555

MB Military Baseline Medical Center

Patient: [REDACTED]
DOB: [REDACTED]
Gender: Male
Patient ID: 666000001

Print

[-] Table of Contents

Patient Information Encounters Vital Signs Problem Allergies Medications Results Immunizations Procedures
Social History Functional Status Assessment and Plan Hospital Discharge Instructions Healthcare Providers Contact Information

[-] Patient Information


Patient Information	
Address	Primary Home: [REDACTED], US
Marital status	
Religious Affiliation	
Race	Black or African American
Ethnicity	Not Hispanic or Latino
Language(s)	
Preferred Language	

[-] Encounters

Date	Type	Specialty	Providers	Description	Reason for Visit	Source
February 17, 2017, 07:53:23, PST						FC Fairchild Clinics
February 17, 2017, 07:52:34, PST						FC Fairchild Clinics

5.7. Health Summaries and Reports—VistA Only Widget

5.7.1. Health Summaries and Reports—VistA Only Widget Data

The  **Health Summaries and Reports—VistA Only** widget displays the patient's national and local health summaries from VistA sites where the patient has been registered, including the Autopsy, Blood Bank, Cytopathology, Lab Summary—Cumulative, MAH¹⁸, MAL¹⁹, Medicine Full, Surgical Pathology, Transfers, and Unit Dose reports. This widget is available to VA users only.

JLV sorts records by **Site** by default. If a patient has national health summaries, JLV sorts to display National records first. National records are named in the **Site** column in the minimized view and in the **Type** and **Site** columns in the expanded view.

The **Description** column displays the document title, where available. Click a hyperlinked entry in the **Description** column in either the minimized or expanded views of the widget to open the document.

¹⁸ Limited to any 7-day period

¹⁹ Limited to any 14-day period

Information in the minimized view of the **Health Summaries and Reports—VistA Only** widget ([Figure 96](#)) includes:

- Description
- Site

Figure 96: Health Summaries and Reports—VistA Only Widget, Minimized View

Description	Site
Autopsy	National
Blood Bank Report	National
Cytopathology	National
Lab Summary - Cumulative	National

Displaying 1-25 of 118 < 1 2 3 4 > [Expanded View >>](#)

Click **Expanded View >>** from the minimized view of the **Health Summaries and Reports—VistA Only** widget to open an expanded view of the widget. Information in the expanded view ([Figure 97](#)) includes:

- Description
- Type
- Site

Figure 97: Health Summaries and Reports—VistA Only Widget, Expanded View

Description	Type	Site
Autopsy	National	National
Blood Bank Report	National	National
Cytopathology	National	National
Lab Summary - Cumulative	National	National
Lactation Status	National	National
Medication Administration History	National	National

5.7.2. Viewing Health Summaries

Click a hyperlinked entry in the **Description** column of either the minimized or expanded view of the **Health Summaries and Reports—VistA Only** widget to view additional information for the record. This widget is available to VA users only.

[Figure 98](#) displays a health summary record from a single, local site.

Figure 98: Health Summary from a Single, Local Site

06/30/2022 13:56
***** CONFIDENTIAL Historical Surgery Reports SUMMARY pg. 1 *****

[redacted]
ICU-M

----- SR - Surgery Rpt (OR/NON) -----


01/06/2015 General(OR when not Defined below) Surgeon: [redacted]
Status: Requested Prin Anest:
Pre-op Diag(s): Polyps (Unverified)
Post-op Diag(s): Polyps (Unverified)
Operative Proc(s): Polyps - Biopsy Skin Lesion (CPT 11100)
Increased Procedural Services (CPT Mod 22)

04/12/2005 Otorhinolaryngology (Ent) Surgeon: [redacted]
Status: (Completed) Prin Anest: [redacted]
Pre-op Diag(s): Lesion left Neck (Unverified)
Post-op Diag(s): Lesion left Neck (Unverified)
Operative Proc(s): Trucut Needle Biopsy Lt Neck Mass - Needle Biopsy, Lymph Nodes (CPT 38505)
Lab Work: Yes

LOCAL TITLE: OPERATION REPORT
STANDARD TITLE: OPERATIVE REPORT


[Figure 99](#) is an example of JLV's display of a national health summary. Within the window, tabs represent the VistA sites where the patient is registered. Click each tab to view patient records for that site.

Figure 99: National Health Summary, Multiple Sites



5.8. Lab Results Widget

5.8.1. Lab Results Widget Data

The  **Lab Results** widget displays the patient's lab results information, as well as skin test data and blood transfusion history when available in the patient's record. The information is displayed in reverse chronological order by collection date. Lab data received by DOD sources that include a sensitive flag are masked in the widget views and access to this data is subject to auditing. Additional data may be available in the [Community Health Summaries and Documents](#) widget.

The information in the minimized view of the **Lab Results** widget includes:

- Collection Date
- Lab Test
- Result
- Lab Panel
- Site

Click **Expanded View >>** from the minimized view of the **Lab Results** widget to open the expanded view ([Figure 100](#)). The lab results information in the expanded view includes:

- Collection Date

- Specimen Source
- Lab Test
- Result
- Interpretation
- Units
- Ref Range
- Lab Panel
- Type
- Order Number
- Ordering HCP
- Status
- Site



i **NOTE:** While the **Standardized Lab Test** and **Ordering HCP Specialty** columns are not listed by default, you may add them to the expanded view by selecting their corresponding checkboxes in .

Figure 100: Lab Results Widget, Expanded View



Collection Date	Specimen Source	Lab Test	Result	Interpretation	Units	Ref Range	Lab Panel	Type	Order N...	Ordering...	Status	Site
Sep 28, 2022 23:59		Blood Bank Report	result					BB				VA
May 05, 2020 09:35	BLOOD	WBC	10.0 K/cmm		K/cmm	4.04 - 10.28	CBC(auto.diff)	CHEM			completed	IPO1
May 05, 2020 09:35	BLOOD	RBC	10.0 M/cmm	H	M/cmm	4.19 - 5.73	CBC(auto.diff)	CHEM			completed	IPO1
May 05, 2020 09:35	BLOOD	HGB	100.0 g/dL	H	g/dL	13.1 - 17.8	CBC(auto.diff)	CHEM			completed	IPO1

The following lab test abbreviations are used in the **Type** column of the expanded view. Hovering over an entry in the **Type** column displays the full lab type name.

- CHEM for CH, COAG, HEM, HE, TOX, RIA, SER, and SEND
- MICRO for MI, MICROBIOLOGY, and BACT
- AP for ANATOMIC PATHOLOGY
- EM for ELECTRON MICROSCOPY
- SP for SURGICAL PATHOLOGY

- ST for SKIN or SKIN TEST
- CY for CYTOLOGY
- AU for AUTOPSY
- BB for BLOOD BANK
- H.I.V for HIV

5.8.2. Viewing Lab Results Details

Clicking a hyperlinked entry in the **Lab Test** column of the **Lab Results** widget opens a separate window containing a report of the record ([Figure 101](#)).

Figure 101: Lab Results Details

Lab Results ~ ▶ FEHR Crossmatch - Ref Lab ~

Order Date:	
Collection Date:	Apr 01, 2020 22:53
Order Number:	
Order Comments:	
Accession:	

Lab Test	Standardized Lab Test	Specimen Source	Result	Result Date	Units	Interpretation	Reference Range	Certification Date	Performing Lab	Comment
Crossmatch - Ref Lab	Standardized Code:		Compatible	4/30/20				Certified: Apr 30, 2020 23:19	668 Mann-Grandstaff WA VA Medical Center, 668 Bldg 01, 668 3 South, zzOverflow01, 013	

L=Low | H=High | *=Critical | R=Resist | S=Susc | MS=Mod Susc | I=Intermed | □=Uncert
/A=Amended | Comments= (O)rder, (I)nterpretations, (R)esult

i **NOTE:** A single site report can now be added to the Report Builder from the Blood Bank Report in the Lab Results widget.

5.8.3. Viewing Lab Panel Results Details

Clicking a hyperlinked entry in the **Lab Panel** column of the **Lab Results** widget opens a separate window containing a detailed lab panel report ([Figure 102](#)).

5.8.5. Viewing Results and Interpretations in the Lab Results Widget

JLV displays links in the **Result** and **Interpretation** columns in the expanded views of the widget to indicate additional information is available for records in the **Lab Results** widget where result values and interpretation are available in a record. [Figure 104](#) highlights multiple result and interpretation links within the widget.

Figure 104: Lab Results Widget, Expanded View, Interpretations Available

The screenshot shows the 'Lab Results (31)' widget in an expanded view. It features a search bar, date filters, and a table of results. The table has columns for Collection, Specimen Source, Lab Test, Result, Interpretation, Units, Ref Range, Lab Panel, Type, Order Number, Ordering HCP, Status, and Site. Several rows are highlighted in pink, indicating 'Higher Than Normal' or 'Interpretation Available'. Links are provided for 'result' and 'interpretation' in the highlighted rows.

Collection	Specimen Source	Lab Test	Result	Interpretation	Units	Ref Range	Lab Panel	Type	Order Number	Ordering HCP	Status	Site
Oct 03, 2020 23:59		Blood Bank Report	result					BB				VA
Sep 30, 2020 15:21	BLOOD	Hemoglobin A1c	7.4 %	Higher Than Normal - Interpretation Available	%	(5.6)	CHEM				Final	DoD
Sep 30, 2020 15:21	PLASMA	Thyroxine (Total)	2.060 mIU/mL	Interpretation Available	mIU/mL	(0.358-3.74)	Thyroid Panel	CHEM			Final	DoD
Sep 30, 2020 15:21	PLASMA	Thyroxine Free	1.03 ng/dL	Interpretation Available	ng/dL	(0.76-1.46)	Thyroid Panel	CHEM			Final	DoD
Sep 30, 2020 15:21	PLASMA	Albumin	4.0 g/dL		g/dL	(3.4-5.0)	Comprehensive Metabolic Panel WGEF	CHEM			Final	DoD
Sep 30, 2020 15:21	PLASMA	Bilirubin	0.4 mg/dL	Interpretation Available	mg/dL	(0.2-1.0)	Comprehensive Metabolic Panel WGEF	CHEM			Final	DoD
Sep 30, 2020 15:21	PLASMA	Calcium	9.4 mg/dL		mg/dL	(8.5-10.1)	Comprehensive Metabolic Panel WGEF	CHEM			Final	DoD
Sep 30, 2020 15:21	PLASMA	Chloride	105 mmol/L		mmol/L	(100-111)	Comprehensive Metabolic Panel WGEF	CHEM			Final	DoD
Sep 30, 2020 15:21	PLASMA	Carbon Dioxide	24 mmol/L		mmol/L	(21-32)	Comprehensive Metabolic Panel WGEF	CHEM			Final	DoD
Sep 30, 2020 15:21	PLASMA	Creatinine	0.56 mg/dL		mg/dL	(0.51-1.29)	Comprehensive Metabolic Panel WGEF	CHEM			Final	DoD

[Figure 105](#) displays an example lab interpretation accessed by clicking a link in the **Interpretation** column. The contents of the window may vary depending on the lab type and what is contained in the patient record.

Figure 105: Lab Results Interpretation Details

Lab Results ~ ■ DoD Blood Culture ~

Order Date:	Mar 11, 2019 13:13
Collection Date:	Mar 01, 2019 18:13
Order Number:	190311-00005
Order Comments:	DATA ENTRY
Accession:	190311 WA 493

Lab Test	Standardized Lab Test	Specimen Source	Result	Result Date	Units	Interpretation	Reference Range	Certification Date	Performing Lab	Comment
Blood Culture	Bacteria identified in Blood by Culture Standardized Code: 600-7	BLOOD	NO GROWTH	3/11/19		Performed at Wayne Memorial Hospital, 2700 Wayne Memorial Drive Goldsboro NC 27533		Certified: Mar 11, 2019 13:30		

L=Low | H=High | *=Critical | R=Resist | S=Susc | MS=Mod Susc | I=Intermed | []=Uncert
/A=Amended | Comments= (O)rder, (I)nterpretations, (R)esult


5.8.6. Graph/Table View from the Lab Results Widget

The **Lab Results** widget provides the option to display multiple results for the same lab test in a graph and table.

- 1) Select from the widget toolbar in either minimized or expanded view **OR** -
2. Click **Expanded View >>** from the minimized view of the **Lab Results** widget to open an expanded view of the widget, then select the **Show Graph/Table** link.
3. Select a value from the **Select a Lab Test** dropdown in the **Lab Results Graph/Table** dialog.
 - a. The graph displays with corresponding table values beneath.
4. Select the **Show Labels** checkbox to toggle graph data labels on or off.
5. Select to exit **Graph/Table** view and return to the minimized or expanded view of the **Lab Results** widget.

[Figure 106](#) displays an example **Graph/Table** view of the lab test results.

Figure 106: Lab Results Graph/Table View



In the expanded view of the **Lab Results** widget, selecting one or more values in the **Filter by Lab Test** dropdown will disable all other filter dropdowns until the filtered selections are removed. The lab test values in the **Filter by Lab Test** dropdown dynamically increase or decrease depending on the date filter criteria you apply. Tests with the same LOINC code (shown in parentheses following the lab test name) as those selected will be automatically included in the filtered results displayed in the widget.




You may only use the graph/table feature for a single lab test LOINC value. All lab tests with the same LOINC will be graphed even if the lab test names differ. While you can select multiple lab test values in the **Filter by Lab Test** dropdown, you will be forced to select a single lab test value from the **Select a Lab Test** dropdown in the **Lab Results Graph/Table** dialog ([Figure 107](#)) once you select either  or the **Show Graph/Table** link. The lab test values in the **Select a Lab Test** dropdown also dynamically increase or decrease depending on the filter criteria applied in the **Lab Results Widget**.

Figure 107: Lab Results Graph Table View, Select a Lab Test



You may also generate a graph for all lab tests with the same LOINC code by selecting  from the **Lab Results Details** view ([Figure 101](#)).

6. Troubleshooting

The following subsections provide information about troubleshooting common errors in JLV.

Please see online help for how-to information within JLV. Please visit REDACTED to see JLV training videos and access additional JLV training materials.

6.1. Special Instructions for Error Correction

JLV utilizes access control and authentication services to limit access to registered, authorized users. When enabled, JLV validates you against information retrieved from your Smart Card. If you are having trouble logging into JLV, and have used the correct URL for your agency, please review the following before contacting the ESD:

VHA users:

- Have accessed JLV using the JLV URL (REDACTED) or the **JLV** button in CPRS if available
- Have entered their existing CPRS Access and Verify codes correctly in the fields on the JLV **Login** page
- Have selected a site from the **Site** dropdown list on the JLV **Login** page (Most users must specify the individual facility name or their parent healthcare system name)

CAPRI-Claims users:

- Have accessed JLV using the JLV URL(REDACTED) or the **Joint Longitudinal Viewer** tab in CAPRI
- Have entered their existing CAPRI Access and Verify codes correctly in the fields on the JLV **Login** page
- Have selected CAPRI-Claims from the **Site** dropdown list
- Have connected PIV card to the Claims system in IAM.
- Do not have any CAPRI patient selection restrictions

Users with any CAPRI patient selection restrictions (restricted users) must use the **Joint Longitudinal Viewer** tab in CAPRI to access JLV. Restricted users will see the message shown in [Figure 108](#) on the JLV **Login** page if attempting to access JLV via the JLV URL.

Figure 108: Login Error—CAPRI Patient Selection Restrictions

The screenshot displays the 'Joint Longitudinal Viewer' login interface. At the top, the title 'Joint Longitudinal Viewer' is prominently displayed. Below the title, a red error message states: 'Your patient selection is limited. To access electronic health record data, please log into CAPRI. [Need Help?](#)'. The login form includes fields for 'Vista Access Code' and 'Vista Verify Code', both currently empty. Below these are dropdown menus for 'Agency' (set to 'VA') and 'Site' (set to 'CAPRI-Claims'). A blue 'Login' button is positioned below the form fields. To the right of the form, there is a checkbox labeled 'Accessibility Mode'. At the bottom of the form, a 'System Status' box shows a green checkmark and the text 'JLV data sources available', with a '[JLV Help](#)' link below it. A small '[Edit Profile](#)' link is also visible above the 'Login' button.

6.1.1. Login Page Error Messages

Troubleshooting steps for error messages received at the **Login** page are provided in [Table 13](#).

Table 13: Error Messages and Resolution Steps

Error Message/Behavior	Description/Resolution Steps
No access allowed for this user.	<p>WHY? You have not signed into CAPRI or CPRS for 90 days and your account is inactive.</p> <p>FIX IT: Contact the ESD and tell them that either your access to CAPRI or CPRS (whichever you use) has been deactivated.</p>
Access denied. You are not an authorized user.	<p>WHY? There is a PIV card processing problem, you selected an invalid security certificate, you may not have the OR CPRS GUI Chart VistA option enabled (VHA), or there may be an issue with your single sign-on account.</p> <p>FIX IT:</p> <p>Reinsert PIV and Choose a Valid Authentication Certificate</p> <ol style="list-style-type: none"> 1. Close your browser window <p>Reinsert your PIV card and relaunch JLV</p> <p>Select a certificate that is not expired and specifies: <i>"Issuer: Veterans Affairs User CA B1"</i></p> <p>Confirm Your VistA Account is Linked</p> <ol style="list-style-type: none"> 1) Go to the REDACTED website <p>Select a certificate that is not expired and specifies: <i>"Issuer: Veterans Affairs User CA B1"</i></p> <p>Select <i>Link VistA User</i></p> <p>Select the VA Medical Center to link</p> <p>Enter your Access/Verify codes</p> <p>Click Submit</p> <p>If neither of these methods resolve the error, contact the ESD.</p>
Could not save User Profile.	<p>WHY? The error occurred during PIV authentication. It is either a PIV card processing problem, or you chose the wrong security certificate.</p> <p>FIX IT:</p> <ol style="list-style-type: none"> 1. Close your browser window <p>Reinsert your PIV card and relaunch JLV</p> <p>Select a certificate that is not expired and specifies: <i>"Issuer: Veterans Affairs User CA B1"</i></p> <p>If unsuccessful, close all open browser windows/tabs, then open the browser and try JLV again</p>
Not a valid ACCESS/VERIFY CODE pair.	<p>WHY? JLV could not match your Access and Verify codes to the site selected in the dropdown, or you entered username and password instead of Access/Verify codes.</p> <p>FIX IT:</p> <ol style="list-style-type: none"> 1. VHA users must select the parent VistA host site for their facility <p>Reenter your Access and Verify codes (CAPRI codes for CAPRI-Claims users, CPRS codes for VHA users)</p>

Error Message/Behavior	Description/Resolution Steps
Page cannot be displayed.	<p>WHY? The JLV URL requires certain IE settings.</p> <p>FIX IT:</p> <p>1) Click the Tools menu (press ALT+X) in IE</p> <p>Select Internet Options</p> <p>When the dialog box opens, click the Advanced tab</p> <p>Scroll down in the list until you see the Secure Sockets Layer (SSL) 2.0 setting, and ensure it is NOT checked</p> <p>Ensure that the Transport Layer Security (TLS) 1.0, 1.1 and 1.2 settings ARE checked</p> <p>Click OK to close the dialog box, then relaunch JLV (The page should load)</p>
Smart Card required.	<p>WHY? Your Smart Card was not read by Windows Security and JLV before opening the JLV URL.</p> <p>FIX IT:</p> <p>1) Close all browser sessions and browser-based applications</p> <p>Reinsert your PIV card, and relaunch the JLV URL</p> <p>If unsuccessful, close all open IE windows/tabs, then open IE and try JLV again</p>
VERIFY CODE must be changed before continued use.	<p>WHY? Your CPRS or CAPRI Verify code has expired.</p> <p>FIX IT:</p> <p>1) Open CPRS, VistA, or CAPRI (CAPRI-Claims users)</p> <p>If prompted for a PIV card certificate by CPRS, click Cancel</p> <p>You are prompted to create a new Verify code</p> <p>Once your Verify code has been changed for CPRS or CAPRI, relaunch JLV, which recognizes the new code immediately</p>

6.1.2. System Error Messages

[Table 14](#) summarizes system messages that may be presented to JLV users.

Table 14: System Error Messages

Error Message/Behavior	Description/Resolution Steps
No message displays but behavior occurs: The browser window does not allow the user to scroll to widgets or access the JLV icons on the portal page.	<p>WHY? You may be using an unsupported browser, or your screen resolution settings do not match the recommended configuration.</p> <p>FIX IT:</p> <p>1) Access JLV using IE 11 or Chrome</p> <p>Use a monitor with a minimum screen resolution of 1024 x 768</p> <p>Set the browser zoom feature to 100%</p> <p>If browser display issues continue, log out of JLV, close the browser window, open a new browser window, and log into JLV again</p>
Warning: An error occurred while attempting to retrieve VistA Imaging Viewer URL.	<p>WHY? JLV is unable to retrieve the necessary data object to launch a VistA Imaging Viewer instance.</p> <p>FIX IT: Try again later; either VDS or CVIX is offline.</p>

Error Message/Behavior	Description/Resolution Steps
MPI Error: Your query yields too many results. Please modify your search parameters to narrow the search.	WHY? JLV adheres to VA guidelines and blocks search results when a search request yields more than 10 patients. FIX IT: Modify the information in the Patient Search dialog box using additional patient identifiers to reduce the number of results.
MPI Error: There are no patients found using the current parameters.	WHY? No patient records were found using the information entered in the Patient Search dialog box. FIX IT: 1. Verify the accuracy of the information Reenter patient identifiers in the Patient Search dialog box fields
MPI Error: Application Reject. There was an error attempting to process your query. Please modify your search parameters and try again.	WHY? There may be one or more errors in the Patient Search dialog fields. FIX IT: 1) Validate the patient identifiers, and try the search again If problems persist, there may be an error between MPI and the Defense Enrollment Eligibility Reporting System (DEERS)
MPI Error: Patient not found with search elements entered, please provide additional patient identifying information and search again.	WHY? No unique patient is found with the identifiers used in the search. FIX IT: 1) Click OK to return to the Patient Search dialog Provide additional patient identifiers, like the full first name or DOB
You do not have authorization to view this record. Security regulations prohibit computer access to your own medical record.	WHY? VA security regulations prevent you from accessing your own medical records.
You do not have authorization to view this record. Your SSN is missing from the NEW PERSON file. Contact your ADP Coordinator.	WHY? Per VA policy, JLV does not allow access to patient records if the JLV user's SSN is not in their VistA profile. FIX IT: Contact your Automated Data Processing Application Coordinator (ADPAC).
An error occurred while attempting to retrieve the document.	WHY? This error occurs when something goes wrong when JLV tries to retrieve a selected document. FIX IT: 1. Try again If the error persists, contact local support or the ESD
An error occurred while attempting to display the document.	WHY? This error occurs when JLV tries to retrieve a document but has trouble converting the document to a viewable format. FIX IT: 1. Try again If the error persists, contact local support or the ESD
Your patient selection is limited. To access electronic health record data, please log into CAPRI.	WHY? Some CAPRI-Claims users have patient or site restrictions attached to their profile. FIX IT: Log into CAPRI and select the Joint Longitudinal Viewer tab to view patient records.

A. Acronyms and Abbreviations

[Table 15](#) lists the acronyms and abbreviations used throughout this document and their descriptions.

Table 15: Acronyms and Abbreviations

Acronym	Description
ADPAC	Automated Data Processing Application Coordinator
AFB	Air Force Base
AHLTA	Armed Forces Health Longitudinal Technology Application
AMC	Army Medical Center
BMI	Body Mass Index
BP	Blood Pressure
BSA	Body Surface Area
CAPRI	Compensation and Pension Record Interchange
CCD	Continuity of Care Document
C-CDA	Consolidated Clinical Document Architecture
CCOW	Clinical Context Object Workgroup
CD2	Critical Decision Point #2
CDC	Centers for Disease Control
CDR	Clinical Data Repository
CHCS	Composite Health Care System
CPRS	Computerized Patient Record System
CPT	Current Procedural Terminology
CVX	Vaccine Administered
DES	Data Exchange Service
DEERS	Defense Enrollment Eligibility Reporting System
DOB	Date of Birth
DOD	Department of Defense
EDIPI	Electronic Data Interchange Personal Identifier
EHR	Electronic Health Record
EHRM	Electronic Health Record Modernization
EKG	Electrocardiogram
ESD	Enterprise Service Desk
FEHR	Federal Electronic Health Record
GUI	Graphical User Interface
HAIMS	Healthcare Artifact and Image Management Solution
HCP	Health Care Provider
HCS	Health Care System
HIE	Health Information Exchange
HL7	Health Level Seven International

Acronym	Description
IAM	Identity Access Management
ID	Identification
IE	Internet Explorer
IEN	Internal Entry Number
IP	Internet Protocol
JB	Joint Base
JLV	Joint Longitudinal Viewer
LOINC	Logical Observation Identifiers Names and Codes
MAH	Medication Administration History
MAL	Medication Administration Log
MHS	Military Health System
MI	Middle Initial
MPI	Master Person Index
NUCC	National Uniform Claim Committee
OIT	Office of Information and Technology
PACT	Patient-Aligned Care Team
PCMM	Primary Care Management Module
PCP	Primary Care Provider
PDWS	Patient Discovery Web Service
PIN	Personal Identification Number
PIV	Personal Identity Verification
SIGI	Self-Identified Gender Identity
SSL	Secure Sockets Layer
SSN	Social Security Number
SSOi	Single Sign-On Internal
TLS	Transport Layer Security
TMDS	Theater Medical Data Store
UC	University of California
UI	User Interface
URL	Uniform Resource Locator
VA	Department of Veterans Affairs
VBA	Veterans Benefits Administration
VDS	VistA Data Service
VHIE	Veterans Health Information Exchange
VIP	Veteran-Focused Integrated Process
VLER	Virtual Lifetime Electronic Record
VHA	Veterans Health Administration
VistA	Veterans Health Information Systems and Technology Architecture

B. Patient Portal Widgets, Columns, and Supported Views

[Table 16](#) details each data column within the minimized and expanded views of each widget. Data columns available in each view are ordered from left to right.


- An asterisk (*) next to a column title in the table indicates the data for that record is available in “detail view” from within the widget; clicking a link opens the contents of that record in a standalone window.
- A dagger (†) next to a column title in the table indicates the data in that column is normalized (mapped to standards).
- A double dagger (‡) next to a column title in the table indicates the column is hidden by default and must be added from .

Table 16: Widget Details

Widget	Description	Minimized View	Expanded View
Admissions	Displays the patient’s inpatient admissions information including VA expanded admission discharge transfer history and detailed discharge diagnosis data	Adm Date* Discharge Date Admit Diagnosis† Discharge Diagnosis Ward Site	Adm Date* Discharge Date Ward Provider† Diagnosis† Discharge Diagnosis† Registration Number Site
Allergies	Displays the patient’s allergy information	Date Recorded Allergen*† Standardized Allergen† Site	Date Recorded Allergen*† Standardized Allergen† Reaction Severity Comments Site
Appointments	Displays the patient’s past and future appointments information	Scheduled Date/Time* Clinic Provider† ²⁰ Site	Scheduled Date/Time* Clinic Provider† ²⁰ Provider Specialty† ²⁰ Appointment Status Type Reason Site
Cardiology Studies - FEHR and VA MUSE Only	Displays EKGs and cardiology studies with related images from all FEHR and VA MUSE sites and systems	Date Description (Test Type) Status Image	N/A
Clinical Reminders—VistA Only	Displays the patient’s clinical reminders information from all VistA sites	Reminder Site* ²¹	Reminder Site* ²¹

²⁰ Column hover display includes provider address and phone number.

²¹ Lists a sortable, filterable reminder column for each site to which the patient is registered. A maximum of three site columns display in minimized view. All site columns display in expanded view.

Widget	Description	Minimized View	Expanded View
Community Health Summaries	Displays the patient's community health documents from VHIE partners including any CCDs, in C32 and C62 formats, and HL7 C-CDA structured documents	Date Document* Source	N/A
Consults	Displays the patient's outpatient consult information	Date Consult Order* Status Site	Date Consult Order* Provider† Provider Specialty† Status Site
Demographics	Displays the patient's non-clinical or personal data including Patient Inquiry, Demographics, Disabilities, Primary Care assignments, Insurance, Military Service, and Enrollment and Eligibility	The site tabs provide a summary from the site (VA or DOD) where the patient is registered	Click the demographics tab to see patient demographic details (VistA patient inquiry for each VA site and DOD DEERS), as well as inpatient and attending providers
Discharge/Inpatient Summaries	Displays the patient's discharge summaries, history, the LOINC Standardized Name, and physical summaries	Date Note Type/Title* Site	Date Note Type/Title* Standardized Note Type / Title Provider† Provider Specialty† Location Visit/Adm Date Status Site
Documents & Images	Displays documents from multiple clinical domains including radiology reports (exams), progress notes, encounters - outpatient, consults, discharge summaries, inpatient notes, questionnaires, and HAIMS and MHS GENESIS records	Date (Note[s]*) Description*† Provider† Image Site	Date (Note[s]*) Description*† Standardized Description† Provider† Provider Specialty† Location Status Image/Attachment Source System Site
Encounters—Outpatient	Displays records of the patient's outpatient encounters	Encounter Date (Details* Note*) Clinic Provider† Diagnosis† Attachment Site	Encounter Date (Details* Note*) Clinic Status Type Provider† Provider Specialty† Reason Diagnosis† Standardized Diagnosis† Attachment Site
Federal EHR/MHS GENESIS	Displays patient documents and dental summaries from the MHS GENESIS system	Date Document Title* Document Type Site	N/A
Health Summaries and Reports—VistA Only	Displays the patient's national and local health summaries and reports from VistA sites where the patient has been registered	Description* Site	Description* Type Site

Widget	Description	Minimized View	Expanded View
Imaging	Displays images from multiple sources, including all Vista Imaging, Cerner imaging, DOD Radiology, and HAIMS artifacts.	Date Image/Attachment #image Image Title Site	Date Image/Attachment #image Image Title Description Class Package Procedure Origin Status Specialty Event Type Capture Date Source System Site
Immunizations	Displays the patient's immunization history, including skin test data (where available) in the patient's record	Vaccine Administered Date (Note[s]*) Vaccine Administered Product Type*† Adverse Vaccine Reaction Site (Reporting)	Vaccine Administered Date (Note[s]*) Vaccine Administered Product Type*† Standardized Vaccine Product Type† Series Immunization Result Adverse Vaccine Reaction Exemption/Refusal Reason Exemption/Refusal Date Site of Admin Site (Reporting) ²²
Lab Results	Displays the patient's lab results information by individual lab test for all test types (i.e., Microbiology, Cytopathology, and Surgical Pathology) as well as skin test data and blood bank (blood type testing and transfusion) history, when available in the patient's record	Collection Date Lab Test*† Result* Lab Panel* Site	Collection Date Specimen Source Lab Test*† Standardized Lab Test†‡ Result* Interpretation* Units Ref Range Lab Panel* Type Order Number Ordering HCP† Ordering HCP Specialty†‡ Status Site
Medications—Inpatient	Displays a patient's inpatient medications information including inpatient infusions	Order Number Drug Name*† Status Standardized Status † Order Stop Date Site	Order Number Order Start Date Order Stop Date Drug Name*† Standardized Drug Name† Status Standardized Status † Ordering HCP† Ordering HCP Specialty† Schedule MAH/MAL Quantity Site
Medications—Outpatient	Displays the patient's outpatient medications information, including those discontinued or expired within the past 120 days	Last Fill Drug Name*† Status Standardized Status † Expires Site	Last Fill Drug Name*† Standardized Drug Name† Prescription Number Sig Indication Quantity Days' Supply Refills Left* Status Standardized Status † Ordering HCP† Ordering HCP Specialty† Expires Site

²² The **Immunizations** widget differentiates between the reporting site and the site of administration of a vaccine.

Widget	Description	Minimized View	Expanded View
Orders	Displays the patient's medication, consult, radiology, and lab orders	Order Date Description*† Status/Priority Type Site	Order Date Order Number Description*† Standardized Description† Status/Priority Start Date Stop Date Type Provider† Provider Specialty† Site
Problem List	Displays the patient's problem list information	Updated Date Problem Description*† Status Linked Items ²³ Site	Updated Date Onset Problem Description*† Standardized Description† ICD Code ICD Description Severity Type Status Linked Items ²³ Site
Procedures	Displays the patient's procedures for all Current Procedural Terminology (CPT) codes	Procedure Date (Medicine Full Reports* Note[s]*) Location ²⁴ Provider† Procedure Description† Image Site ²⁵	Procedure Date (Medicine Full Reports* Note[s]*) Location ²⁴ Provider† Provider Specialty† CPT Code ²⁶ Procedure Description† Standardized Procedure Description† Image Type Site ²⁵
Progress Notes	Displays the patient's progress notes information as well as advance directives, clinical warnings, and crisis notes	Date Document Type/Title*† Provider† Image Site	Date Document Type/Title*† Standardized Document Type† Provider† Provider Specialty† Clinic Image Site
Questionnaires, Deployment, Exposure Records (AHLTA Only)	Displays the patient's history of questionnaires and DOD pre- and post-deployment assessments	Date Document Title*† Site	Date Entered By Document Title*† Standardized Document Title† Site
Radiology Reports	Displays the patient's radiology exams information	Date Exam*† Image Site	Date Exam Number Exam*† Standardized Radiology Exam† CPT Description† Status Results Image Site
Social, Family, and Other Past Histories	Displays the patient's history records from DOD only	Date Reported Type Findings Status Site	Date Reported Type Findings Standardized Findings Comments Status Site
Surgery/Procedure Reports	Displays surgical and operative reports for all dates	Date Note Title Provider Site	Date Note Title Standardized Title Procedure Provider Image Site

²³ **Linked Items** contains DOD data only

²⁴ **Location** represents a ward or clinic within a given DOD or VA facility where the procedure took place.

²⁵ **Site** represents the source of procedure (i.e., VA or DOD). **Site** is different from **Location** or **Facility**.

²⁶ **CPT Code** is limited to clinically relevant medical or administrative procedure types.

Widget	Description	Minimized View	Expanded View
Vitals	Displays the patient's vital signs information from inpatient or outpatient settings	Date Taken Type*† Result ²⁷ Converted Result ²⁸ Site	Date Taken Type*† Standardized Type† Result ²⁷ Converted Result ²⁸ Site

²⁷ **Result** displays all results received natively as metric, received as imperial and converted to metric, and those values that are neither metric nor imperial.

²⁸ **Converted Result** displays all results received natively as imperial and all imperial conversions of metric results with the applicable, concatenated unit (height, weight, temperature, etc.), but remains blank for all numeric or text results that are neither metric or imperial and metric results that have no imperial equivalent/conversion (e.g., blood pressure [BP], body mass index [BMI], body surface area [BSA]).