VistA®

MOBILE ELECTRONIC DOCUMENTATION (MED) INSTALLATION GUIDE

Server Patch: TIU*1.0*244 Client Software: Version 2.3

Original Release June 2010 Revised September 2011

Department of Veterans Affairs (VA) Office of Information & Technology (OIT) Product Development (PD)

Revision History

Date	Revision	Description	Author
09/15/2011	2.5	Tech review and edit updates based on review/feedback from REDACTED review:	REDACTED
		Updated the first paragraph in Step 3 in Section 4.2. Changed "deploring" to "deploying."	
		Updated note in Step 3d in Section 4.2. Changed "need" to "needed."	
		 Added the following sentence to blank pages added so all chapter/document ends on an even page for double-sided printing: "This page intentionally left blank 	
		for double-sided printing."	
09/05/2011	2.4	Tech review and edit updates based on review/feedback from MED Core team:	REDACTED
		 Updated the following sections to indicate users <i>must</i> be given Full Control access permission to the MED directory (i.e., Read, Write, Modify, and Execute), as per REDACTED Section 4.1, "Install MED GUI 	
		Software."	
		a. Section 4.2, "Configure MED GUI Software."	
08/10/2011	2.3	Tech review and edit updates based on review/feedback from MED Core team:	REDACTED
		Updated reference from "VA Service Desk" to "National Service Desk- Tuscaloosa" in the "General Support" section, as per REDACTED review.	
		Added Note to the Description field for the TIU MED MANUAL PATIENT security key in Table 4, as per <u>REDACTED</u> review.	
		Updated responsible parties for obtaining and exporting templates in the "Install MED GUI Software" section, as per REDACTED review.	
		• Removed author references, other than Project Manager and Tech Writer, from "Revision History" section, as per Product Support review.	
		Added phrase "to the network share directory" to Step 3b in the "Install MED GUI Software" section, , as per	

Date	Revision	Description	Author
		 Product Support review. Removed lock from the TIU MED DEL PARM option in Table 3, as per Product Support review. 	
		 Updated Step 5 in the "Configure MED VistA Software" section, as per Product Support review. 	
		 Updated the procedures in the "Install MED GUI Software" section, as per Product Support review. 	
		 Updated Note contact info in Step 3d in the "Configure MED GUI Software" section, as per Product Support review. 	
		 Removed "Product Support (PS)" from the "<u>Intended Audience</u>" section, as per Product Support review. 	
		 Updated the Note in Step 2 in the "Configure MED GUI Software" section, as per Product Support review. 	
07/27/2011	2.2	Tech review and edit updates based on review/feedback from Product Support team (REDACTED) and CAC (REDACTED):	REDACTED
		 Added all Mobile Electronic Device (MED) VistA patch references and Graphical User Interface (GUI) client software version to the Title page. 	
		 Added the "<u>Orientation</u>" section in accordance with national documentation standards. Moved topics from the "Introduction" section into this new section. 	
		 Corrected the security key reference to TIU MED MGT security key in Step #5 in the "Configure MED VistA Software" section. 	
		 Added "The CAC is responsible for creating/determining which HBPC Health Summary will be used." to introductory paragraph in Step #5 in the "Configure MED VistA Software" section. 	
		 Removed Step #6 from the "Configure MED VistA Software" section and added it to the MED User Manual. 	
		 Updated the roles responsible and content for the procedures in the "Install MED GUI Software" section. 	

Date	Revision	Description	Author
		For example, changed "Write access" to "Read/Write/Execute access".	
		• Added a note suggesting users accept the default install directory in Step #5 in the "Install MED GUI Software" section.	
		 Updated the "Configure MED GUI Software" section: 	
		 Deleted information on setting the MED.exe program file properties in Step #1 to just reference the desktop shortcut properties. 	
		 Added procedures to set permission for the Mobile Electronic Documentation folder in Step #2. 	
		 Added Step #3 procedures to configure the MED default "Template Update Path". 	
		 Added the VA Service REDACTED phone number to the "General Support" section. 	
		 Made general style, formatting, grammar, punctuation, and spelling updates as needed. 	
07/12/2011	2.1	Tech review and updates based on conference call/Patient Safety team (REDACTED) review/feedback:	REDACTED
		 Deleted patch references to and figure for "Error Message: Packing a reminder dialog" in the "Introduction" section. 	
		 Separated VistA M Server and GUI instructions into separate chapters. 	
		Verified installation steps in each section only apply to the environment being described (i.e., VistA M Server OR client workstation).	
		 Updated the "Install MED GUI Software" section. 	
		 Updated the "Configure MED GUI Software" section. 	
		 Deleted duplicate content already listed in the MED Technical Manual (e.g., options, security keys, and RPCs) and User Guide (e.g., Import Template samples and security keys). 	
		Added/Updated the following sections due to National Documentation	
September 201	1	Mobile Electronic Documentation (MED)	v

Date	Revision	Description	Author
		 Standard requirements: Added "Uninstall MED GUI Software" section. Updated the "Troubleshooting" section; however, the content was reduced to refer user to open Remedy tickets for any issues. 	
06/23/2011	2.0	 Tech review and updates: Renamed document. Retained patch reference ID as part of name, since installation guide are patch-specific. 	REDACTED
		 Reformatted document to follow current national documentation standards and style guides. 	
		 Added alternate text to all images for Section 508 compliance. 	
		 Updated the "Introduction" section to be consistent across the MED documentation set. 	
		 Remedy Tickets #483291 and 485507: Added Step 6 in the "Installing and Configuring MED—GUI Client Workstation" section. Advises user to add IP/DNS and port information to MED launch desktop shortcut. 	
		 Remedy Tickets #487029 and 491510: Kept prefix as "ScratchPad_" in Technical Manual. Updated Installation Guide to match. 	
		 Made grammar, punctuation, and spelling updates as needed. 	
06/03/2010	1.0	Patch TIU*1.*244 Initial document.	MED Development Team

Contents

Revis	sion H	istoryiii
Figur	es and	l Tablesix
Orier	ntation	xi
1	Intro	oduction1
2	Pre-	Installation Instructions
	2.1	Distribution Files
	2.2	Software and Documentation Retrieval
	2.3	Verify Single "Shared Templates" Type in the TIU Template File
3	Insta	lling and Configuring MED—VistA M Server5
	3.1	Install Patch TIU*1.0*244
	3.2	Post Install Instructions
	3.3	Configure MED VistA Software7
4	Insta	lling and Configuring MED—GUI Client Workstation11
	4.1	Install MED GUI Software11
	4.2	Configure MED GUI Software
	4.3	Uninstall MED GUI Software
5	Trou	bleshooting and Training19
	5.1	General Support
	5.2	Training19

Figures and Tables

Figures

Figure 1. Manage Mobile Electronic Documentation option—Sample user dialogue to set the TIU ME HSTYPE parameter	
Figure 2. MED Install—Welcome wizard dialogue	12
Figure 3. MED Install—Readme Information dialogue	12
Figure 4. MED Install—Destination folders dialogue	13
Figure 5. MED Install—Program group selection dialogue	13
Figure 6. Microsoft® Windows Explorer—Program Files MED directory folder and files	14
Figure 7. MED—Desktop shortcut icon	14
Figure 8. MED—Shortcut Target properties	15
Figure 9. MED—Settings menu option	16
Figure 10. MED—Users & Settings dialogue	17

Tables

Table 1. Contents of TIU_1_244_MED.ZIP distribution file	3
Table 2. FTP download servers—Anonymous directories	4
Table 3. Secondary options for setting, modifying, and deleting MED parameters	7
Table 4. MED—Security keys for validating patient identification for manually entered MED patients	7

Orientation

How to Use this Manual

The Mobile Electronic Documentation (MED) application consists of both a Veterans Health Information Systems and Technology Architecture (VistA) M Server component and a Microsoft® Windows laptop/client workstation Graphical User Interface (GUI) component:

- Original VistA M Server Patch: TIU*1.0*244 (released date: 06/03/2010; compliance date: 10/31/2010).
- Current Laptop/Client Workstation software: MED.exe Version 2.3.

This manual provides the installation instructions for installing the Text Integration Utility (TIU) Patch TIU*1.0*244 on the VistA M Server and the MED GUI software Version 2.3 on the laptop/client workstation.

MED works in tandem with CPRS; however, this manual does *not* attempt to fully document how to create templates or describe other functions of CPRS.



REF: For installation instructions; lists of routines, files, and options; additional technical information; and user information on CPRS, see the CPRS documentation on the VA Document Library (VDL) at the following link:

http://www.va.gov/vdl/application.asp?appid=61

Intended Audience

The intended audience of this manual is all key stakeholders. The stakeholders include the following:

- Information Resource Management (IRM)
- Clinical Application Coordinators (CAC)

Legal Requirements

There are no special legal requirements involved in the use of MED software.

Disclaimers

This manual provides an overall explanation of how to configure the MED software; however, no attempt is made to explain how the overall VistA programming system is integrated and maintained. Such methods and procedures are documented elsewhere. We suggest you look at the various VA Web sites on the Internet and VA Intranet for a general orientation to VistA. For example, visit the Office of Information & Technology (OIT) VistA Development VA Intranet Website:

http://vaww.vista.med.va.gov/

DISCLAIMER: The appearance of any external hyperlink references in this manual does not constitute endorsement by the Department of Veterans Affairs (VA) of this Website or the information, products, or services contained therein. The VA does not exercise any editorial control over the information you may find at these locations. Such links are provided and are consistent with the stated purpose of this VA Intranet Service.

Documentation Conventions

This manual uses several methods to highlight different aspects of the material:

• Various symbols are used throughout the documentation to alert the reader to special information. The following table gives a description of each of these symbols:

Symbol	Description
1	NOTE/REF: Used to inform the reader of general information including references to additional reading material.
	CAUTION or DISCLAIMER: Used to caution the reader to take special notice of critical information.

Table ii. Documentation symbol/term descriptions

- Descriptive text is presented in a proportional font (as represented by this font).
- Conventions for displaying TEST data in this document are as follows:
 - The first three digits (prefix) of any Social Security Numbers (SSN) will begin with either "000" or "666".
 - Patient and user names will be formatted as follows: [Application Name]PATIENT,[N] and [Application Name]USER,[N] respectively, where "Application Name" is defined in the Approved Application Abbreviations document and "N" represents the first name as a number spelled out and incremented with each new entry. For example, an MED test patient and user names would be documented as follows: MEDPATIENT,ONE; MEDPATIENT,TWO; MEDPATIENT,THREE; MEDUSER,ONE, MEDUSER,TWO, MEDUSER,THREE, etc.

- Sample HL7 messages, "snapshots" of computer online displays (i.e., character-based screen captures/dialogues) and computer source code are shown in a *non*-proportional font and enclosed within a box. Also included are Graphical User Interface (GUI) Microsoft® Windows images (i.e., dialogues or forms).
 - User's responses to online prompts will be boldface.
 - The "<Enter>" found within these snapshots indicate that the user should press the Enter key on their keyboard. Other special keys are represented within angle brackets (<>). For example, pressing the PF1 key can be represented as pressing <PF1>.
 - Author's comments, if any, are displayed in italics or as "callout" boxes.



NOTE: Callout boxes refer to labels or descriptions usually enclosed within a box, which point to specific areas of a displayed image.

• All uppercase is reserved for the representation of M code, variable names, or the formal name of options, field and file names, and security keys (e.g., the TIU MED MGT key).

Documentation Navigation

This document uses Microsoft® Word's built-in navigation for internal hyperlinks. To add **Back** and **Forward** navigation buttons to your toolbar, do the following:

- 1. Right-click anywhere on the customizable Toolbar in Word 2007 (not the Ribbon section).
- 2. Select **Customize Quick Access Toolbar** from the secondary menu.
- 3. Press the dropdown arrow in the "Choose commands from:" box.
- 4. Select All Commands from the displayed list.
- 5. Scroll through the command list in the left column until you see the **Back** command (green circle with arrow pointing left).
- 6. Click/Highlight the **Back** command and press the **Add** button to add it to your customized toolbar.
- 7. Scroll through the command list in the left column until you see the Forward command (green circle with arrow pointing right).
- 8. Click/Highlight the Forward command and press the **Add** button to add it to your customized toolbar.
- 9. Press OK.

You can now use these **Back** and **Forward** command buttons in your Toolbar to navigate back and forth in your Word document when clicking on hyperlinks within the document.

How to Obtain Technical Information Online

Exported file, routine, and global documentation can be generated through the use of Kernel, MailMan, and VA FileMan utilities.



NOTE: Methods of obtaining specific technical information online will be indicated where applicable under the appropriate topic.

REF: See the *Mobile Electronic Documentation (MED) Technical Manual* for further information.

Online Help

VistA M-based software provides online help and commonly used system default prompts. Users are encouraged to enter question marks at any response prompt. At the end of the help display, you are immediately returned to the point from which you started. This is an easy way to learn about any aspect of VistA M-based software.

The MED laptop/client workstation software includes an MED GUI online help file (i.e., MED.chm). Instructions, procedures, and other information are available from the. To access the online help do either of the following:

- Inside MED, click on the **Help** | **Contents** menu options from the MED GUI toolbar or press the **F1** key while you have any MED dialogue screen open.
- Outside MED, double-click on the **MED.chm** file.

Obtaining Data Dictionary Listings

Technical information about VistA M-based files and the fields in files is stored in data dictionaries (DD). You can use the List File Attributes option on the Data Dictionary Utilities submenu in VA FileMan to print formatted data dictionaries.



REF: For details about obtaining data dictionaries and about the formats available, see the "List File Attributes" chapter in the "File Management" section of the *VA FileMan Advanced User Manual*.

Assumptions about the Reader

This manual is written with the assumption that the reader is familiar with the following:

- VistA computing environment
- Microsoft® Windows
- M programming language

Reference Materials

Readers who wish to learn more about MED should consult the following:

- *Mobile Electronic Documentation (MED) User Manual*—Contains instructions on how to use the MED software.
- *Mobile Electronic Documentation (MED) Technical Manual*—Contains instructions for implementing and maintaining the MED software on the VistA M Server and Laptop/Client Workstation.
- FORUM Patches: TIU*1.0*244.

VistA documentation is made available online in Microsoft® Word format and Adobe® Acrobat Portable Document Format (PDF). The PDF documents *must* be read using the Adobe® Acrobat Reader (i.e., ACROREAD.EXE), which is freely distributed by Adobe® Systems Incorporated at the following Website:

http://www.adobe.com/

VistA documentation can be downloaded from the VHA Software Document Library (VDL) Website:

http://www4.va.gov/vdl/

VistA documentation and software can also be downloaded from the Product Support (PS) anonymous directories:

REDACTED

REDACTED

NOTE: This method transmits the files from the first available FTP server.

1 Introduction

Mobile Electronic Documentation (MED) 2.3 is a Veterans Health Information Systems and Technology Architecture (VistA) software application. It enables Department of Veterans Affairs (VA) staff to access a patient's previously downloaded electronic medical record information when not connected to the VA network. MED is designed to work in tandem with the Computerized Patient Record System (CPRS) as temporary storage of patient notes. This includes the ability to enter notes using CPRS exported Templates (.txml). MED promotes user satisfaction and efficiency in the login and documentation process by allowing access to CPRS at the point of care (POC) and avoid the duplicate process of charting handwritten notes at the end of the day.

When providing health care services, Home and Community Care staff (e.g., physicians, nurses, dieticians, social workers, and health care providers) must travel to a variety of geographic locations in which Internet access and coverage is often unreliable or sometimes unavailable. MED does the following:

- Allows access to secure patient information without the need for wireless Internet connectivity.
- Promotes the security of patient information by removing the need to print and carry excessive amounts of patient-sensitive data out of the clinical setting and into the community.
- Allows users to view and download to their secured laptops/client workstations Health Summary and MED Created Notes for patients in Home Based Primary Care (HBPC) Clinics.
- Provides the ability to enter and review patient documentation (e.g., Progress Notes) remotely at the point of care (POC), such as patient's home, when they are not connected to the VA network.
- Enables the transfer of patient data documented in MED during a home visit to be imported into CPRS as a patient note, which becomes part of the patient record.
- Minimizes errors from home visits by removing the need for paper records or the need to manually transfer (e.g., copy and paste) patient data from a mobile device.



CAUTION: This version of MED does *not* encrypt data. All laptops/client workstations are required to have full disk encryption and VA security policies. They should have normal health checks including security updates and antivirus.

Please be aware that if a laptop/client workstation is assigned to multiple users, MED notes and health summaries include patient information that is viewable to *all* users of that computer. Therefore, *all* users of the same laptop/client workstation *must* have the same level of security access to view this information.

2 Pre-Installation Instructions

2.1 Distribution Files

The Mobile Electronic Documentation (MED) application consists of both a VistA M Server component and a Windows[®] Client Workstation component.

- VistA M Server VistA M Server Text Integration Utility (TIU) Patch: TIU*1.0*244 (released date: 06/03/2010; compliance date: 10/31/2010)
- Client Workstation (e.g., laptops): MED 2.3 Graphical User Interface (GUI) software

All the required MED files are contained in the following Zip distribution file:

TIU_1_244_MED.ZIP

File	Description	FTP Format
MED Setup.exe	MED Setup Zip File	Binary
MED.exe	MED Executable	Binary
Med.chm	MED Help File	Binary
MEDImport.dll	MED Importer Library Text	Binary
db folder	Access Database	Binary
Templates folder	TIU Templates	Binary
MED_INSTALLATION_GUIDE_TIU_1_244.DOC	Install Guide (Word Version)	Binary
MED_INSTALLATION_GUIDE_TIU_1_244.PDF	Install Guide (Adobe Acrobat Version)	Binary
MED_TECHNICAL_MANUAL.DOC	Technical Manual (Word Version)	Binary
MED_TECHNICAL_MANUAL.PDF	Technical Manual (Adobe Acrobat Version)	Binary
MED_USER_MANUAL.DOC	User Manual (Word Version)	Binary
MED_USER_MANUAL.PDF	User Manual (Adobe Acrobat Version)	Binary

Table 1. Contents of TIU_1_244_MED.ZIP distribution file

2.2 Software and Documentation Retrieval

The TIU_1_244_MED.ZIP distribution file contains the MED software and documentation. This file is available on the Product Support (PS) ANONYMOUS.SOFTWARE FTP directories listed below:

Location	FTP Address	Directory
VistA Download Site (This is the preferred site. It transmits the files from the first available FTP server.)	download.vista.med.va.gov	ANONYMOUS.SOFTWARE
REDACTED	REDACTED	REDACTED
REDACTED	REDACTED	REDACTED
REDACTED	REDACTED	REDACTED
REDACTED	REDACTED	REDACTED

Table 2. FTP download servers—Anonymous directories



REF: The MED documentation can also be found on the VA Software Document Library (VDL) Web Site

http://www.va.gov/vdl/application.asp?appid=190

2.3 Verify Single "Shared Templates" Type in the TIU Template File

When Patch TIU*1*244 is installed, it looks for the Shared Templates shared root container TYPE in the TIU TEMPLATE file (#8927).



CAUTION: You *must* have only one "Shared Templates" entry for the MED installation to work properly. If there is more than one entry "Shared Templates," you *must* identify the national root container in the TIU TEMPLATE file (#8927), and rename the other "Shared Templates" folders temporarily for the MED installation.

3 Installing and Configuring MED—VistA M Server

Install and configure the Mobile Electronic Documentation (MED) software on the Veterans Health Information Systems and Technology Architecture (VistA) M Server.

3.1 Install Patch TIU*1.0*244

Text Integration Utility (TIU) Patch TIU*1.0*244 can be installed with users on the system. Installation should take less than 10 minutes; however, it is recommended that installation is performed at non-peak requirement hours.

To install the VistA KIDS Patch TIU*1.0*244, perform the follow procedures:

- 1. From the KIDS—Kernel Installation & Distribution System menu [XPD MAIN], select the **Installation** menu [XPD INSTALLATION MENU].
- 2. At the "Select Installation Option:" prompt, select the Load a Distribution option [XPD LOAD DISTRIBUTION].
- 3. At the "Enter a Host File:" prompt, enter **TIU*1.0*244.KID**. You may need to prepend a directory name (e.g., USER\$:[TEMP]).
- 4. At the "Want to Continue with Load? YES//" prompt, enter YES. The patch has now been loaded into a Transport global on your system. Use KIDS to install the transport global.
- 5. From the KIDS—Kernel Installation and Distribution System menu [XPD MAIN], select the **Installation** menu [XPD INSTALLATION MENU].
- 6. (Recommended) From the Installation menu [XPD INSTALLATION MENU], select the Verify Checksums in Transport Global option [XPD PRINT CHECKSUM] to verify that all routines have the correct checksums; it ensures the integrity of the routines that are in the transport global:

TIU Routine CHECK1^XTSUMBLD values:

- Routine Name: TIUCHECK:
 - Before: B3689564
 - After: B3648881 **249,244**
- Routine Name: TIUMED1:
 - Before: N/A
 - After: B39834276 **244**
- Routine Name: TIUPS244:
 - Before: N/A
 - After: B9297883 **244**
- Routine list of preceding patches: 249

- 7. (Optional) From the Installation menu [XPD INSTALLATION MENU], use any of the following additional options as needed:
 - **Print Transport Global** option [XPD PRINT INSTALL]—Use this option to print or view the contents of the transport global (i.e., KIDS build).
 - **Compare Transport Global to Current System** option [XPD COMPARE TO SYSTEM]—Use this option to compare the routines in the Production account to the routines in the patch. It compares all components of the patch (e.g., routines, data dictionaries [DDs], templates, etc.).
 - **Backup a Transport Global** option [XPD BACKUP]—Use this option to create a backup copy of the routines exported with the patch prior to installation. It does not backup any other changes (e.g., DDs or templates).

When prompted for an INSTALL NAME, enter TIU*1.0*244.

- 8. At the "Select Installation Option:" prompt, select the **Install Package(s)** option.
- 9. At the "Select INSTALL NAME:" prompt, enter TIU*1.0*244.
- 10. If prompted:
 - a. "Want KIDS to INHIBIT LOGONs during the install? YES//", enter NO.
 - b. "Want to DISABLE Scheduled Options, Menu Options, and Protocols? YES//", enter NO.
 - c. "Want KIDS to Rebuild Menu Trees Upon Completion of Install? YES//", enter NO.
 - d. "Delay Install (Minutes): (0-60): 0//", enter 0 (Zero).

3.2 Post Install Instructions

After Patch TIU*1*244 is installed on the VistA M Server, the post-installation process does the following:

- Creates the "**Mobile Electronic Documentation**" TIU template folder under the "Shared Templates" TYPE field (#.03) in the TIU TEMPLATE file (#8927), which store the TIU templates (**.txml** files) that are found on the Computerized Patient Record System (CPRS) Notes tab.
- Adds the "Import M.E.D. Notes" TIU template. This template is used for importing the MED notes, in the following directory on the client workstation:

C:/Program Files/Mobile Electronic Documentation/Templates

- Adds the MED NOTE IMPORT .COM object in the OE/RR COM OBJECTS file (#101.15).
- Adds the TIU MED HSTYPE parameter in the PARAMETER DEFINITION NAME file (#8989.51).



CAUTION: If the Mobile Electronic Documentation" TIU template folder and "Import M.E.D. Notes" TIU template were not created, enter a National Remedy ticket to Text Integrated Utilities (TIU) for assistance.

3.3 Configure MED VistA Software

After installing MED Patch TUI*1.0*244, Information Resources Management (IRM) staff and Clinical Applications Coordinators (CAC) should configure the MED software on the VistA M Server

To configure the MED VistA M Server software, perform the following procedures:

- 1. Assign the TIU MED MGT security key to IRM/CAC staff, if not already assigned.
- 2. Assign the following secondary options to the IRM/CAC staff so they can set, modify, and delete MED parameters:

Option Name	Option Text	Description
TIU MED MANAGEMENT	MANAGE MOBILE ELECTRONIC DOCUMENTATION	Use this option to select the desired Health Summary Report.
		This option is locked with the TIU MED MGT security key.
TIU MED DEL PARM	HEALTH SUMMARY PARAMETER DELETE	Use this option to delete Health Summaries that have been previously set.

Table 3. Secondary options for setting, modifying, and deleting MED parameters

3. Assign the following security keys to those individuals who will be tasked with validating patient identification for manually entered MED patients (e.g., CAC and Home Based Primary Care [HBPC] super user):

Table 4. MED—Security keys for validating patient identification for manually entered MED
patients

Security Key	Description
TIU MED MANUAL PATIENT	This security key allows users to enter manual patient notes in MED. If you hold this security key, the following <i>must</i> match exactly:
	The first letter of the last name.
	The first letter of the first name.
	NOTE: If the user types Last Name,First Name with a space after the comma, the patient will <i>not</i> be recognized when attempting to import into CPRS.
	• The date of birth (DOB).
	The nine-digit Social Security Number (SSN).
TIU MED MANUAL OVERRIDE	This security key allows users to enter manual patient notes in MED. If you hold this security key, the full SSN <i>must</i>

Security Key	Description
Security Key	 match exactly. CAUTION: Only a select few users should be given the TIU MED MANUAL OVERRIDE security key. Most users should <i>not</i> be given this key. It is suggested that there be a document review and patient review before importing notes into patient records that have typographical or
	missing data that stops a user from importing the information as outlined with the TIU MED MANUAL PATIENT security key.

- 4. Assign the Mobile Electronic Documentation secondary option [TIU MED GUI RPC] to HBPC users.
- 5. Set the Health Summary Type for MED parameter [TIU MED HSTYPE] to generate Health Summaries in MED. The CAC is responsible for creating/assigning the HBPC Health Summaries that will be used.

To set the TIU MED HSTYPE parameter, the IRM/CAC staff performs the following procedures:

a. Select the MANAGE MOBILE ELECTRONIC DOCUMENTATION option [TIU MED MANAGEMENT].



NOTE: This option is locked with the TIU MED MGT security key.

- b. At the "Enter Selection" prompt, select one of the following options:
 - 1—User [choose from NEW PERSON].

At the "Please Select USER" prompt enter a user name in the NEW PERSON file (#200).

• 2—Service [choose from SERVICE/SECTION].

At the "Please select a SERVICE" prompt enter the service in the SERVICE/SECTION file (#49).

• 3—Division [choose from INSTITUTION].

At the "Please select a DIVISION:" prompt, enter the institution in the INSTITUTION file (#4).

• 4—System [XXXXXXX.MED.VA.GOV]

Choose from the local system (e.g., ANYWHERE.MED.VA.GOV).

Figure 1. Manage Mobile Electronic Documentation option—Sample user dialogue to set the TIU MED HSTYPE parameter

Select Clinical Informatics Main Menu Option: MANAGE MOBILE ELECTRONIC DOCUMENTATION TIU MED HSTYPE may be set for the following: 1 User [choose from NEW PERSON] 2 Service [choose from SERVICE/SECTION] 3 Division [choose from INSTITUTION] 4 System [LEBANON.MED.VA.GOV] Enter Selection: 4 <Enter> System Enter a HS for SYSTEM [ANYWHERE.MED.VA.GOV]: HBPC MED//

4 Installing and Configuring MED—GUI Client Workstation

After the Mobile Electronic Documentation (MED) software has been successfully installed and configured on the Veterans Health Information Systems and Technology Architecture (VistA) M Server (see Chapter 3), install and configure the MED Graphical User Interface (GUI) software component on each user's laptop/client workstation.

4.1 Install MED GUI Software

To install the MED GUI laptop/client workstation software, perform the following procedures:

- 1. The Information Resource Management (IRM) network staff needs to create a network share download directory (e.g., \\VHA...\TIU MED) with **Full Control** access permission (i.e., Read, Write, Modify, and Execute).
- 2. The IRM network staff downloads and unzips the MED distribution file (TIU_1_244_MED.ZIP, see Section 2.1) into the network share download directory. The MED Setup.exe installer runs standalone and installs the MED software on a laptop/client workstation.
- 3. The Clinical Applications Coordinator (CAC) obtains the TIU templates (**.txml** files) that will be used in MED from the POC/CAC for MED. The CAC exports those TIU templates that will be used for MED to this network shared folder
 - a. The IRM network staff creates a sub-folder called "**Templates**" under the network share download directory in Step 1:

\\VHA...\TIU MED\Templates

b. The CAC (with **Full Control** access permission to the network share directory) exports any TIU templates, with the exception of Reminder Dialogs, through the CPRS Template Editor into the **Templates** folder on the network share directory.



NOTE: Reminder Dialogs *cannot* be used within the MED application. In addition, you can use patient data objects in any template, but the data will *not* populate until the template is imported into CPRS.

- c. Add a "ScratchPad_" prefix (be sure to include the underscore) to the name of any TIU templates that are to be used as a Scratch Pad templates in MED (e.g., ScratchPad_NAMEOFTEMPLATE.txml).
- 4. From the laptop that will be used for MED, run the MED Setup.exe file from the network share download directory or copy it onto the laptop/client workstation and then run it from that location.

5. Click **Next** through the following dialogues:




Figure 2. MED Install—Welcome wizard dialogue

Figure 3. MED Install—Readme Information dialogue

🖁 Mobile Electronic Documentation setup
Readme Information
Please read the following information about the Mobile Electronic Documentation carefully.
Important information about Mobile Electronic Documentation.
Mobile Electronic Documentation 2.3.257.21
Developed by the Department of Veterans Affairs
Unauthorized access or misuse of this system and/or its data is a federal crime. Use of all data shall be in accordance with VA policy on security and privacy
Christianier Witzald Cancel

By default, MED installs in the following directory:

C:\Program Files\Mobile Electronic Documentation

ſ

NOTE: It is suggested you use the default settings from the Med Setup.exe install wizard; however, you can change the installation directory by clicking the **Browse** button and selecting a new install location.

Destination Folder Click Next to install the application to this folder, or click Browse to install to a different location. Select the destination folder where you want to install Mobile Electronic Documentation. Trinstall to a different location, click Browse, and select another folder. Installation folder Particular Electronic Documentation Space required on your hard disk: 2.83 MB (available: 48.20 GB)	Mobile Electronic Documentation setu	p		
different location. Select the destination folder where you want to install Mobile Electronic Documentation. Trinstall to a different location, click Browse, and select another folder. Installation folder Net Select The Selectronic Documentation Browse	Destination Folder			
Installation folder		lder, or click Bro	vse to install to	a
Space required on your hard disk: 2.83 MB (available: 48.20 GB)		optation		Browse
	C:\Program Files\Mobile Electronic Docum	ICHIGUON		

6. Click Next to select a Program Group. By default, "Mobile Electronic Documentation" is used.

	ctronic Documentation setu	·•		
Program				
Select the shortcuts.	program group where the Install	ation Wizard w	ill install application	
Select progr	am group:			
	Mobile Electronic Documental	tion		
	Accessories Administrative Tools Caché CutePDF		<u> </u>	
	DameWare NT Utilities Hazardous Surveillance 2 Internet and EMail Lavasoft Ad-Aware SE Person			
	Media Mi-Co Microsoft Office	nai		
	Microsoft SQL Server Mozilla Firefox		-	
	er Wizard			

Figure 5. MED Install—Program group selection dialogue

7. Click **Next** to begin installing the files.

- 8. Click **Finish**. The MED Setup.exe software automatically does the following:
 - Creates the Mobile Electronic Documentation folder in the Microsoft® Windows Programs Files group, which includes the MED client application (MED.exe), help file (MED.chm) and other files as shown below:

Address 🛅 C:\Program Files\Mobile Electronic Docum	entation	
Folders	× Name 🔺	
 Microsoft Microsoft ActiveSync Microsoft ASP.NET Microsoft CAPICOM 2.1.0.2 Microsoft Corporation Microsoft Corporation Microsoft frontpage Microsoft Office Microsoft Office Microsoft Visual Studio Microsoft Visual Studio Microsoft Visual Studio 8 Microsoft Works Microsoft.NET Mi	Install.ss MED.chm med.err MED.exe MED.install MED.install	LOG s n prt.dll doc

Figure 6. Microsoft® Windows Explorer—Program Files MED directory folder and files

• Adds a "Launch MED" shortcut icon on the laptop/client workstation, as shown below:

Figure 7. MED—Desktop shortcut icon



• Copies all **.txml** template files from the network Templates folder to the following laptop/client workstation directory:

C:\Program Files\Mobile Electronic Documentation\Templates

0

REF: For further information about using MED, see the *Mobile Electronic Documentation Help* (i.e., MED.chm help file) in the Mobile Electronic Documentation folder on the laptop/client workstation and *Mobile Electronic Documentation (MED) User Manual* located on the VDL at: http://www.va.gov/vdl/application.asp?appid=190

4.2 Configure MED GUI Software

- 1. Update the "Launch MED" desktop shortcut with your site IP and RPC Broker Port as follows:
 - a. Right-click on the MED launch icon on the desktop.
 - b. Select Properties.
 - c. Select Shortcut tab.
 - d. In the target field, append the site IP address or Domain Name Service (DNS) and RPC Broker port information after the MED.exe location. For example:

"C:\Program Files\Mobile Electronic Documentation\MED.exe" s=test.alexandria.med.va.gov p=9201

Launch MED Prop	erties					
General Shorte	ut Compatibility Security 🖬 RoboSource					
Launch MED						
Target type: Application						
Target location:	Mobile Electronic Documentation					
Target:	\MED.exe'' s=test.alexandria.med.va.gov p=9201					
Start in:	"C:\Program Files\Mobile Electronic Documentati					
Shortcut key: None						
Run:	Normal window					
Comment:						
Find	Target Change Icon Advanced					
	OK Cancel Apply					

Figure 8. MED—Shortcut Target properties

2. Set Permission for the Mobile Electronic Documentation folder.

On the HBPC laptop/client workstation, do the following:

a. Navigate to the following directory:

C:\Program Files\Mobile Electronic Documentation

- b. Right click on the Mobile Electronic Documentation folder.
- c. Select Properties.
- d. Select the group or user name in the upper portion of the Properties dialogue.
- e. Check the Write checkbox under the Allow column in the lower portion of the Properties dialogue.
- f. Press OK.



NOTE: In order for users to write the appropriate information while using the MED software, they *must* have **Full Control** access permission to this folder; otherwise, they will get access violation errors when launching MED.

3. Configure the MED default "Template Update Path".

Before deploying the HBPC laptop/client workstation to the user, the IRM or CAC *must* retrieve and select a patient in MED on each laptop/client workstation and add the network **Templates** path so the templates will be available for use in MED.

- a. Launch MED.
- b. Click **Retrieve Patient(s)**.
- c. Click Select a Patient.
- d. Sign onto VistA: Enter your Access/Verify code.

REDACTED

- e. Select a patient to retrieve from the list.
- f. Click Retrieve.
- g. Once the patient is retrieved, click Close.
- h. The MED Patient Select window is displayed; select the patient name again and click OK.
- i. Select the **Tools** menu and then select the **Settings** option, as shown below:

File	Edit	View	Action	Tools	Help	
	•			Se	ttings	
		•		Co	mpact Database	
ind i	n Hea	ilth Sum	nmary:		impact bacabaserii	_

Figure 9. MED—Settings menu option

- j. In the Users & Settings dialogue, if not already selected, click on the Data & Files tab.
- k. Enter the following directory path (created in Step 3a in Section 4.1) in the "Template Update Path" field (Figure 10):

\\VHA...\TIU MED\Templates

1. Verify that the **Retrieve Health Summaries** checkbox is checked, as shown below:

Figure 10. MED—Users & Settings dialogue

🗮 Users & Settings	×
Data & Files Database	
Template Update Path: \\\vhaappserver\TIU MED\Templates	
Retrieve Health Summaries: 🔽	

These templates will become available for the user of that laptop/client workstation after MED is closed and re-opened.

4.3 Uninstall MED GUI Software

If necessary, to uninstall/remove the MED software from the laptop/client workstation, perform the following procedures:

- 1. Press Start.
- 2. Select Settings.
- 3. Select Control Panel.
- 4. Select Add or Remove Programs.
- 5. Scroll through the list and select Mobile Electronic Documentation.
- 6. Press Change/Remove.

5 Troubleshooting and Training

5.1 General Support

REDACTED



CAUTION: If the Mobile Electronic Documentation folder and the Import M.E.D. Notes template are *not* installed in CPRS (see Section 2.3), <u>STOP</u>! Have your Clinical Application Coordinator (CAC) enter a National Remedy ticket to Text Integrated Utilities (TIU) for assistance *before* continuing with the installation!



REF: For further troubleshooting tips using MED, see the "Troubleshooting" section in the *Mobile Electronic Documentation (MED) Technical Manual* located on the VDL at: <u>http://www.va.gov/vdl/application.asp?appid=190</u>

5.2 Training

REDACTED

Troubleshooting and Training