



INPATIENT MEDICATIONS

TECHNICAL MANUAL/ SECURITY GUIDE

Version 5.0
December 1997

(Revised April 2013)

Department of Veterans Affairs
Product Development

Revision History

Each time this manual is updated, the Title Page lists the new revised date and this page describes the changes. If the Revised Pages column lists “All,” replace the existing manual with the reissued manual. If the Revised Pages column lists individual entries (e.g., 25, 32), either update the existing manual with the Change Pages Document or print the entire new manual.

| Date | Revised Pages | Patch Number | Description |
|---------|--|-------------------------|---|
| 04/2013 | i-iii, 23, 23a-23b, 29, 32, 32a-32b 47-50 | PSJ*5*275 | Added new Templates, new Option and updated Routines REDACTED |
| 01/2013 | i-ii 23 25 32 47-48 69-70b 86 94a 118 120-122 | PSJ*5*260, PSJ*5*268 | Updated Revision History Updated Routines: PSJADM, PSJCLNOC, PSJDGAL2, PSJDGCK, PSJOEA2, PSJUTL5 Sentence reworded by CPS Added option PSJ CHECK DRUG INTERACTION Added new Protocols Fix page numbering to eliminate pages with number 70 Changed wording in Section 14.5 Added Integration Agreement Added three new Hidden Actions Added BSA, CrCL, & DATUP to the Glossary REDACTED |
| 12/2012 | i-ii, vi-vii, 81-82, 82a- 82b | PSJ*5*284 | Added instructions for editing the Device File for ATC Device to use Network Channel. REDACTED |
| 09/2012 | i, 21-23, 69, 94a | PSJ*5*267 | Added new Routine Added new API Added new Integration Agreement REDACTED |
| 01/2012 | i-ii, v-viii 22, 23 69 94 | PSJ*5*254 | Updated Table of Contents Updated Routines Added API Added 5653 and 5654 Inpatient Medications Integration Agreements REDACTED |
| 04/2011 | i, v, vi, vii, vii, 5- 8b, | PSJ*5*181 | Changes to <i>Revision History</i> , <i>Table of Contents</i> ; added new field to PHARMACY SYSTEM File (#59.7), added new field to the INPATIENT WARD PARAMETERS File (#59.6). Added |

| Date | Revised Pages | Patch Number | Description |
|-------|---|--------------|---|
| | (changed flow) 22, 23, 24, removed 25-26, changed 53, 85, 86, 93-94;94a-b, 121--130 | | <p>information re: the Pharmacy Reengineering (PRE) API Manual under “Callable Routines”; removed entire section 5.3, Routine Mapping, and all its sub-sections; added Health Level Seven (HL7) data field under segment { RXC}. Added the following “Inpatient Medications Custodial Integration Agreements”: 4074, 4264, 4580, 5001, 5057; 5058, 5306, 5385. Added two packages, HWSC and VistALink, to <i>External Relationships</i>, under <i>Packages Needed to Run Inpatient Medications</i>. Added the following call routines and their entry points: OROCAPI, PSSDSAPD, PSSDSAPI, PSSFDBRT, PSODDPR4, PSODRDU2. Added the items DATUP, MOCHA, PECS, and PEPS in Glossary, which shifted all subsequent glossary items. Added routines PSJMISC2 & PSJOCVAR to the routines table and removed Section 5.3</p> <p>REDACTED</p> <p>REDACTED</p> |
| 02/11 | i, 53, 62, 64, 65 | PSJ*5*226 | <p>Added to RXC section Field 5, “Additive Frequency” in HL7 Ordering Fields; updated Front Door – IV Fluids table with Field 5; updated Back Door – IV Fluids table with Field 5; updated example.</p> <p>REDACTED</p> |
| 06/10 | i, 22-23 | PSJ*5*113 | <p>Added routine PSGSICH1.</p> <p>REDACTED</p> |
| 02/10 | i, 23 | PSJ*5*214 | <p>Added PSJQUTIL to the routine list in Section 5.1 for Patients on Specific Drug(s) Multidivisional Enhancements Project.</p> <p>REDACTED</p> |
| 12/09 | 22-23 | PSJ*5*222 | <p>Added routine PSGOEF2.</p> <p>REDACTED</p> |
| 08/08 | vi, 23, 51-53, 57-58, 60-61, 63, 65, 65a-65b | PSJ*5*134 | <p>Parameters for escaping special characters added. New HL7 messages added. New routines added. HL7 order fields table contains an asterisk for each field that has special escaping characters.</p> <p>REDACTED</p> |
| 02/07 | 74-76 | PSJ*5*178 | <p>MED ROUTE now appears in larger font on IV labels from the Zebra bar code printer. Med ROUTE now prints on the IV labels for bar-code enabled printers, and it prints in larger font than surrounding text.</p> <p>REDACTED</p> |
| 09/06 | 23, 94 | PSJ*5*172 | <p>Encapsulation Cycle II project: Added PSJ53P1 to the Routine List in Section 5.1. Added DBIA 4537 to DBIA list. Changed the date on the Title Page to December 1997.</p> |

| Date | Revised Pages | Patch Number | Description |
|---------|---------------------------|--------------|--|
| | | | REDACTED |
| 05/06 | v-viii 8a-8b 66-68b | PSJ*5*154 | <p>In Section 2.2.2 Added “PRIORITIES FOR NOTIFICATION” field.</p> <p>In Section 9.5, made correction to include the priority of ASAP in notifications. Added information regarding the three notifications parameters.</p> <p>REDACTED</p> |
| 12/2005 | 23 | PSJ*5*146 | <p>Remote Data Interoperability (RDI) Project: Added PSJLMUT2 to the Routine List in Section 5.1.</p> <p>REDACTED</p> |
| 11/2005 | All | PSJ*5*163 | <p>Encapsulation Cycle II project: Added PSJ59P5 to the Routine List in Section 5.1. Added DBIA 4819 to DBIA list. Deleted DBIAs 172, 634, and 1882 from the DBIA list.</p> <p>Reissued entire document due to a page numbering issue.</p> <p>REDACTED</p> |

(This page included for two-sided copying.)

| | | | |
|----------|----------|----------|----------|
| PSIVUTL | PSIVUTL1 | PSIVUWL | PSIVVW1 |
| PSIVWCR | PSIVWCR1 | PSIVWL | PSIVWL1 |
| PSIVWRP | PSIVXREF | PSIVXU | PSJ53P1 |
| PSJ59P5 | PSJAC | PSJADM | PSJADT |
| PSJADT0 | PSJADT1 | PSJADT2 | PSJALG |
| PSJAPIDS | PSJBCMA | PSJBCMA1 | PSJBCMA2 |
| PSJBCMA3 | PSJBCMA4 | PSJBCMA5 | PSJBLDOC |
| PSJCLNOC | PSJCLOR | PSJCLOR1 | PSJCLOR2 |
| PSJCLOR3 | PSJCLOR4 | PSJCLOR5 | PSJCOM |
| PSJCOM1 | PSJCOMR | PSJCOMV | PSJDCHK |
| PSJDCU | PSJDDUT | PSJDDUT2 | PSJDDUT3 |
| PSJDEA | PSJDGAL | PSJDGAL2 | PSJDGCK |
| PSJDIN | PSJDOSE | PSJDPT | PSJEEU |
| PSJEEU0 | PSJENV | PSJEXP | PSJEXP0 |
| PSJFTR | PSJGMRA | PSJH1 | PSJHEAD |
| PSJHEH | PSJHIS | PSJHL10 | PSJHL11 |
| PSJHL2 | PSJHL3 | PSJHL4 | PSJHL5 |
| PSJHL6 | PSJHL7 | PSJHL9 | PSJHLERR |
| PSJHLU | PSJHLV | PSJHVAR5 | PSJLIACT |
| PSJLIFN | PSJLIFNI | PSJLIORD | PSJLIPRF |
| PSJLIUTL | PSJLIVFD | PSJLIVMD | PSJLMAL |
| PSJLMDA | PSJLMGUD | PSJLMHED | PSJLMPRI |
| PSJLMPRU | PSJLMUDE | PSJLMUT1 | PSJLMUT2 |
| PSJLMUTL | PSJLOAD | PSJLOI | PSJMAI |
| PSJMAI1 | PSJMDIR | PSJMDIR1 | PSJMDWS |
| PSJMEDS | PSJMISC | PSJMISC2 | PSJMIV |
| PSJMON | PSJMP | PSJMPEND | PSJMPRT |
| PSJMPRTU | PSJMUTL | PSJNTEG | PSJNTEG0 |
| PSJNTEG1 | PSJO | PSJO1 | PSJO2 |
| PSJO3 | PSJOC | PSJOCDC | PSJOCDI |
| PSJOCDS | PSJOCDSD | PSJOCDT | PSJOCERR |
| PSJOCOR | PSJOCVAR | PSJOE | PSJOE0 |
| PSJOE1 | PSJOEA | PSJOEA1 | PSJOEA2 |
| PSJOEEW | PSJOERI | PSJORAPI | PSJORDA |
| PSJOREN | PSJORMA1 | PSJORMA2 | PSJORMAR |
| PSJORP2 | PSJORPOE | PSJORRE | PSJORRE1 |
| PSJORREN | PSJORRN | PSJORRN1 | PSJORUT2 |
| PSJORUTL | PSJORRO | PSJP | PSJPATMR |
| PSJPDIR | PSJPDV | PSJPDV0 | PSJPDV1 |
| PSJPL0 | PSJPR | PSJPR0 | PSJST50 |
| PSJPXRM1 | PSJQPR | PSJQUTIL | PSJRXI |

| | | | |
|--------|---------|--|--|
| PSJSPU | PSJUTL5 | | |
|--------|---------|--|--|

(This page included for two-sided copying.)

The following routines are not used in this version of Inpatient Medications. They were exported in the initial Kernel Installation and Distribution System (KIDS) build as Delete at Site.

| | | | |
|----------|----------|----------|----------|
| PSGDCR | PSGDCT0 | PSGEXP | PSGEXP0 |
| PSGMMPST | PSGOROE0 | PSGORU | PSGQOS |
| PSIVNVO | PSIVOEDO | PSIVOENT | PSIVOEPT |
| PSIVRD0 | PSIVRD0 | PSJMAN | PSJOAC |
| PSJOAC0 | PSJOE8 | PSJOE81 | PSJOEE |
| PSJOER | PSJOER0 | PSJORA | PSJORIN |
| PSJUTL | PSJUTL1 | PSJUTL2 | PSJUTL3 |

5.2. Callable Routines

Entry points provided by the Inpatient Medications package to other packages can be found in the External Relationships section of this manual. No other routines are designated as callable from outside of this package. Additional information on other external calls and their entry points can be found on the VA Software Document Library (VDL). Under the Clinical Section select the Pharm: Inpatient Medications page and then select the “API Manual - Pharmacy Reengineering (PRE)”.

5.2.1. Deleting Inpatient Routines

- Since this initial version is distributed using KIDS, the transport global is automatically deleted after the install. If the plan is to delete existing Inpatient Medications routines before loading V. 5.0, be sure not to delete PSGW* (Ward Stock) routines. These routines are not included as part of Inpatient Medications.
- The following Inpatient Medications routines were sent with a past version of the Kernel, and are no longer needed. They can be deleted.
 - PSGZ1TSK
 - PSGZ2TSK
 - PSIVZTSK



Note: It is okay if any of these routines are missing, because they are no longer used.

6.3. List Templates

PSJ LM ALLERGY DETAIL
PSJ LM ALLERGY DISPL
PSJ LM BRIEF PATIENT INFO
PSJ LM CLINIC ORDERS
PSJ LM DETAILED ALLERGY
PSJ LM IV AC/EDIT
PSJ LM IV DISPLAY
PSJ LM IV INPT ACTIVE
PSJ LM IV INPT DISPLAY
PSJ LM IV INPT PENDING
PSJ LM IV LABELS
PSJ LM IV OE
PSJ LM IV PENDING
PSJ LM IV PROFILE
PSJ LM IV RETURN LABELS
PSJ LM OE
PSJ LM OE DISPLAY
PSJ LM PENDING EDIT
PSJ LM PNV
PSJ LM UD ACTION
PSJU LM ACCEPT
PSJU LM OE

Example: How to Print List Templates using VA FileMan

```
VA FileMan 22.0

Select OPTION: INQUIRE TO FILE ENTRIES

OUTPUT FROM WHAT FILE: OPTION// LIST TEMPLATE          (62 entries)
Select LIST TEMPLATE NAME: PSJ LM ALLERGY DETAIL
ANOTHER ONE: <Enter>
STANDARD CAPTIONED OUTPUT? Yes// <Enter> (Yes)
Include COMPUTED fields: (N/Y/R/B): NO// <Enter> - No record number (IEN), no Computed Fields

NAME: PSJ LM ALLERGY DETAIL          TYPE OF LIST: PROTOCOL
  RIGHT MARGIN: 80                    TOP MARGIN: 8
  BOTTOM MARGIN: 20                   OK TO TRANSPORT?: OK
  USE CURSOR CONTROL: YES
  PROTOCOL MENU: PSJ LM DETAILED ALLERGY MENU
  SCREEN TITLE: DETAILED ALLERGY VIEW  ALLOWABLE NUMBER OF ACTIONS: 2
  AUTOMATIC DEFAULTS: YES             HIDDEN ACTION MENU: VALM HIDDEN ACTIONS
  ARRAY NAME: ^TMP("PSJAL", $J)
  EXIT CODE: D DISALL^PSJLMUTL(DFN) S VALMBCK="Q" K ^TMP("PSJALLRG", $J)
  HEADER CODE: D HDR^PSJLMHED(DFN)    HELP CODE: D HELP^PSJALG
  ENTRY CODE: D DETAIL^PSJALG
```

(This page included for two-sided copying.)

7. Exported Options

7.1. Stand-alone Options

All of the Inpatient Medications package options are designed to stand-alone and can be accessed without first accessing the top-level menu. All of the options can be placed on menus other than their original menu without any additional editing.

7.2. Top-level Menus

There is no top-level menu for Inpatient Medications. The Inpatient Medications options are included in the IV and Unit Dose top-level menus.

7.2.1. Menu Assignment

Assign the following menus to the Inpatient Medications users:

| | |
|------------------|---|
| PSJU MGR | This is the only Unit Dose Medications menu, and is to be assigned to all Unit Dose users. |
| PSJI MGR | This IV Medications menu is to be assigned to the pharmacists, inpatient supervisors, and package coordinators. |
| PSJI USR1 | This IV Medications menu is to be assigned to the nurses. |
| PSJI USR2 | This IV Medications menu is to be assigned to the pharmacy technicians. |

7.2.2. Menu Placement

It is strongly recommended that the user does not place the Inpatient Medications (IV and Unit Dose) menus under the Outpatient Pharmacy menu. It is suggested that they be placed on the same menu as the Outpatient Pharmacy menu instead.

Although it has been common practice to place the Inpatient Medications top-level menus under the Outpatient Pharmacy menu, this can cause <STORE> errors.

7.3. Options

The following options are exported with the Inpatient Medications package:

| <u>Option Name</u> | <u>Menu Text</u> |
|----------------------------|--|
| PSJ AC SET-UP | AUto-Discontinue Set-Up |
| PSJ CD | Clinic Definition |
| PSJ CHECK DRUG INTERACTION | Check Drug Interaction |
| PSJ ECO | Edit Clinic Med Orders Start Date/Time |
| PSJ EXP | INpatient Stop Order Notices |
| PSJ EXTP | Patient Profile (Extended) |
| PSJ IWP EDIT | Inpatient Ward Parameters Edit |
| PSJ MDWS | Medications Due Worksheet |
| PSJ OAOPT | Order Action on Patient Transfer |
| PSJ OE | Inpatient Order Entry |
| PSJ PARAM EDIT MENU | PARAmeters Edit Menu |
| PSJ PDV | Patients on Specific Drug(s) |
| PSJ PR | Inpatient Profile |
| PSJ SEUP | Inpatient User Parameters Edit |
| PSJ SYS EDIT | Systems Parameters Edit |
| PSJ UD ALIGN LABEL | Align Unit Dose Labels |
| PSJ UEUP | Edit Inpatient User Parameters |
| PSJI 200 | Correct Changed Names in IV Orders |
| PSJI ACTIVE | Active Order List (IV) |

(This page included for two-sided copying.)

9.3. Protocol Descriptions

The Inpatient Medications package sends the following protocols for use in V. 5.0. These protocols are automatically installed when the Inpatient Medications initial installation is run.

The protocols with “PAT” as part of their name assume that the patient has already been selected through CPRS before the protocol is selected. The other protocols will prompt the user for patients.

| <u>Protocol Name</u> | <u>Item Text</u> |
|--------------------------------|--|
| PSJ DISPLAY DRUG ALLERGIES | Display Drug Allergies |
| PSJ LM 14D MAR | 14 Day MAR |
| PSJ LM 24H MAR | 24 Hour MAR |
| PSJ LM 7D MAR | 7 Day MAR |
| PSJ LM AP1 | Action Profile #1 |
| PSJ LM AP2 | Action Profile #2 |
| PSJ LM BPI HIDDEN ACTIONS | Brief Patient Info Hidden Actions Menu |
| PSJ LM BRIEF PATIENT INFO MENU | Brief Allergy Display |
| PSJ LM BYPASS | Bypass |
| PSJ LM CWAD | CWAD Information |
| PSJ LM DC | Discontinue |
| PSJ LM DETAILED ALLERGY | Detailed Allergy/ADR List |
| PSJ LM DETAILED ALLERGY MENU | ALLERGY/ADR LIST MENU |
| PSJ LM DIN | Drug Restriction/Guideline |
| PSJ LM DRUG CHECK | Check Interactions |
| PSJ LM ECO HIDDEN ACTIONS | Clinic Order Hidden Actions Menu |
| PSJ LM ECO IM PR | Inpatient Medications Profile |
| PSJ LM ECO MENU | Clinic Order Edit Start Date/Time |
| PSJ LM ECO RANGE | Date Range |
| PSJ LM ECO SELECT | Edit Start Date |
| PSJ LM ECO START | Edit Start Date |
| PSJ LM EDIT ALLERGY/ADR DATA | Enter/Edit Allergy/ADR Data |
| PSJ LM EDIT NEW | |
| PSJ LM EXTP | Patient Profile (Extended) |
| PSJ LM FINISH | Finish |
| PSJ LM FINISH MENU | |
| PSJ LM FLAG | Flag |
| PSJ LM HOLD | Hold |
| PSJ LM INTERVENTION DELETE | Delete Pharmacy Intervention |
| PSJ LM INTERVENTION EDIT | Edit Pharmacy Intervention |
| PSJ LM INTERVENTION NEW ENTRY | Enter Pharmacy Intervention |
| PSJ LM INTERVENTION PRINTOUT | Print Pharmacy Intervention |
| PSJ LM INTERVENTION VIEW | View Pharmacy Intervention |
| PSJ LM IV NEW SELECT ORDER | |
| PSJ LM IV OE MENU | IV ORDER ENTRY MENU |

| <u>Protocol Name</u> | <u>Item Text</u> |
|-----------------------------------|--|
| PSJ LM IV SELECT ORDER | Select Order |
| PSJ LM LABEL PRINT/REPRINT MENU | Label Print/Reprint |
| PSJ LM MAR MENU | MAR Menu |
| PSJ LM MDWS | Medications Due Worksheet |
| PSJ LM NEW ORDER | New Order Entry |
| PSJ LM NEW ORDER FROM PROFILE | New Order Entry |
| PSJ LM NEW SELECT ALLERGY | |
| PSJ LM NEW SELECT ORDER | |
| PSJ LM OE MENU | ORDER ENTRY MENU |
| PSJ LM ORDER VIEW HIDDEN ACTIONS | Order View Hidden Actions Menu |
| PSJ LM OTHER PHARMACY OPTIONS | Other Pharmacy Options |
| PSJ LM OVERRIDES | Overrides/Interventions |
| PSJ LM PAT PR | Inpatient Medications Profile |
| PSJ LM PATIENT DATA | Patient Record Update |
| PSJ LM PATIENT INFO | Patient Information |
| PSJ LM PENDING ACTION | Pending Order Actions |
| PSJ LM PHARMACY INTERVENTION MENU | Pharmacy Intervention Menu |
| PSJ LM PNV JUMP | Jump to a Patient |
| PSJ LM PRINT OUTPATIENT PROFILE | Outpatient Prescriptions |
| PSJ LM PROFILE HIDDEN ACTIONS | Profile Hidden Actions Menu |
| PSJ LM PROFILE MENU | Patient Profiles |
| PSJ LM RETURNS/DESTROYED MENU | Returns/Destroyed Menu |
| PSJ LM SELECT ORDER | Select Order |
| PSJ LM SHOW PROFILE | View Profile |
| PSJ LM VIEW ORDER DETAIL | View Order Detail |
| PSJ OR MENU | Inpatient Medications Ward Reports |
| PSJ OR PAT ADT | Inpatient Medications Actions on Patient ADT |
| PSJ OR PAT MENU | Inpatient Medications Patient Reports |
| PSJ OR PAT OE | Inpatient Medications |
| PSJ OR PAT OE MENU | Inpatient Medications |
| PSJ OR PAT PR | Inpatient Medications Profile |
| PSJ OR PAT PR MENU | Inpatient Medications Profiles |
| PSJ OR PR | Inpatient Medications Profile |
| PSJ PC IV AC/EDIT ACTION | IV ACCEPT EDIT ACTIONS |
| PSJ PC IV ACCEPT | Accept |
| PSJ PC IV CANCELLED | Cancelled |
| PSJ PC IV DESTROYED | Destroyed |
| PSJ PC IV LABELS ACTION | INDIVIDUAL IV LABEL ACTIONS |
| PSJ PC IV LOG | Activity Logs |
| PSJ PC IV NEW LABELS | PRINT NEW IV LABELS |
| PSJ PC IV RECYCLED | Recycled |

| <u>Protocol Name</u> | <u>Item Text</u> |
|--------------------------------|-------------------------------|
| PSJ PC IV REPRINT LABELS | Reprint IV label(s) |
| PSJ PC RETURN IV LABELS ACTION | RETURN IV LABELS ACTIONS |
| PSJ SELECT ALLERGY | Select Allergy |
| PSJI LM ACTIVE MENU | IV Active Order Actions |
| PSJI LM ACTIVITY LOG | View Activity Log |
| PSJI LM ALIGNMENT | Align Labels (IV) |
| PSJI LM DISCONTINUE | Discontinue |
| PSJI LM EDIT | Edit |
| PSJI LM FINISH | Finish |
| PSJI LM LABEL LOG | View Label Log |
| PSJI LM LBLI | Individual Labels (IV) |
| PSJI LM LBLR | Reprint Scheduled Labels (IV) |
| PSJI LM LBL S | Scheduled Labels (IV) |
| PSJI LM LOG MENU | IV Profile Log Menu |
| PSJI LM PAT PR | IV Medications Profile |
| PSJI LM PENDING ACTION | IV Pending Order Actions |
| PSJI LM RETURNS | Returns/Destroyed Entry (IV) |
| PSJI OR PAT FLUID OE | IV Fluids |
| PSJI OR PAT FLUID OE MENU | IV FLUIDS... |
| PSJI OR PAT HYPERAL OE | IV Hyperal |
| PSJI OR PAT PR | IV Medications Profile |
| PSJI OR PR | IV Medications Profile |
| PSJI PC HOLD | Hold |
| PSJI PC ONCALL | On Call |
| PSJI PC RENEWAL | Renew |
| PSJU LM ACCEPT | Accept |
| PSJU LM ACCEPT EDIT | Edit |
| PSJU LM ACCEPT MENU | |
| PSJU LM ACTIONS MENU | |
| PSJU LM ACTIVITY LOG | Activity Logs |
| PSJU LM AL | Align Labels (Unit Dose) |
| PSJU LM COPY | Copy |
| PSJU LM EDIT | Edit |
| PSJU LM HIDDEN ACTIONS | UD Hidden Actions |
| PSJU LM HIDDEN UD ACTIONS | Unit Dose Hidden Actions |
| PSJU LM LABEL | Label Print/Reprint |
| PSJU LM MARK INCOMPLETE | Mark Order As Incomplete |
| PSJU LM MARK NOT GIVE | Mark Order Not To Be Given |
| PSJU LM PAT PR | Unit Dose Medications Profile |
| PSJU LM PL | Pick List |
| PSJU LM PL MENU | Pick List Menu |
| PSJU LM PLDP | Enter Units Dispensed |
| PSJU LM PLEUD | Extra Units Dispensed |

| <u>Protocol Name</u> | <u>Item Text</u> |
|---------------------------|--|
| PSJU LM PLRP | Reprint Pick List |
| PSJU LM PLUP | Update Pick List |
| PSJU LM RENEW | Renew |
| PSJU LM RET | Report Returns (UD) |
| PSJU LM SPEED DISCONTINUE | Speed Discontinue |
| PSJU LM SPEED FINISH | Speed Finish |
| PSJU LM SPEED RENEW | Speed Renew |
| PSJU LM SPEED VERIFY | Speed Verify |
| PSJU LM VERIFY | Verify |
| PSJU OR 14D MAR | 14 Day MAR (Unit Dose) |
| PSJU OR 7D MAR | 7 Day MAR (Unit Dose) |
| PSJU OR AP-1 | Action Profile #1 |
| PSJU OR AP-2 | Action Profile #2 |
| PSJU OR DS | Authorized Absence/Discharge Summary (Unit Dose) |
| PSJU OR PAT 14D MAR | 14 Day MAR (Unit Dose) |
| PSJU OR PAT 7D MAR | 7 Day MAR (Unit Dose) |
| PSJU OR PAT AP-1 | Action Profile #1 (Unit Dose) |
| PSJU OR PAT AP-2 | Action Profile #2 (Unit Dose) |
| PSJU OR PAT DS | Discharge Summary (Unit Dose) |
| PSJU OR PAT PR | Unit Dose Medications Profile |
| PSJU OR PAT VBW | Non-Verified Orders (Unit Dose) |
| PSJU OR PR | Patient Profile (Unit Dose) |
| PSJU OR VBW | Non-Verified Orders (Unit Dose) |
| PSJU PLATCS | Send Pick List to ATC |
| VALM DOWN A LINE | Down a Line |
| VALM FIRST SCREEN | First Screen |
| VALM GOTO PAGE | Go to Page |
| VALM HIDDEN ACTIONS | Standard Hidden Actions |
| VALM LAST SCREEN | Last Screen |
| VALM LEFT | Shift View to Left |
| VALM NEXT SCREEN | Next Screen |
| VALM PREVIOUS SCREEN | Previous Screen |
| VALM PRINT LIST | Print List |
| VALM PRINT SCREEN | Print Screen |
| VALM QUIT | Quit |
| VALM REFRESH | Re-Display Screen |
| VALM RIGHT | Shift View to Right |
| VALM SEARCH LIST | Search List |
| VALM TURN ON/OFF MENUS | Auto-Display (On/Off) |
| VALM UP ONE LINE | Up a Line |