

Department of Veterans Affairs

**PROSTHETICS ELECTRONIC ORDER / SUSPENSE
PROCESSING**

User Manual



Version 3.0

November 2003

(Revised August 2017)

**Department of Veterans Affairs
Office of Information and Technology
Product Development**

Revision History

Date	Version	Description	Author
08/2017	RMPR*3.0*182	Updates for RMPR*3.0*182 (pp. 5 , 7 , 12 , 17 , 19 , 20 , 21 , 22 , 23 , 27 , 28 , 29 , 31 , 33 , 35 , 36 , 37 , 40 , 42 , 43 , 46 , 47 , 49 , 51 , 59 , 61 , 64 , 80)	REDACTED
08/2014	RMPR*3.0*168	Updates for ICD-10 Updated title page Added revision history page Changed “ICD-9” references to “ICD” (pp. 35 , 55 , 71)	REDACTED
08/2011	RMPR*3*167	Modify text when referencing Form 1358. See page 88.	REDACTED
3/01/2010	RMPR*3*150	Added new option EDIT 2319 (Vendor, QTY, Cost)	REDACTED
5/19/2004		Initial Version 3.0	

Table of Contents

Using Electronic Orders/Suspense (SU) Menu.....	1
Overview.....	1
Understanding Status Types.....	3
Access the Suspense Processing (SP) Menu.....	4
Select a Site and a Patient.....	6
Display a Prosthetic Suspense List.....	7
Understanding Field/Column Descriptions.....	9
Suspense Menu Actions.....	12
View a Request (VR).....	12
Chronological list of notes posted to the request... ..	15
Display 2319 (23).....	16
Add a Manual Suspense Record (AD).....	17
Post Initial Action Note (PI).....	19
Post Other Note (OT).....	20
Post a Complete Note (PC).....	21
Change to a Different Patient (CP).....	22
Edit Manual Suspense (ED).....	23
Cancel a Request (CR).....	25
Forward a Consult (FW).....	26
Print a Consult (PR).....	28
CPRS Display (CD).....	30
New Options with Patch RMPR*3*80.....	31
Introduction.....	31
Auto Adaptive Suspense Entry (AA).....	32
Clothing Allowance Suspense Entry (CA).....	34
Clone a CPRS Consult (CC).....	36
Clone an Eyeglass Consult (CC).....	41
View a Cloned Consult in CPRS.....	45
View Request (VR) Option (Patch RMPR*3*80 Enhancement).....	47
View Request (VR) of a Clone.....	47
View Request (VR) - Auto Adaptive Suspense Record.....	49
View Sample Consults.....	50
View Oxygen Consult.....	50
View Contact Lens Consult.....	52
View Eyeglass Consult.....	53
View a Prosthetics Consult (Routine).....	54
Linking and the Suspense Processing (SP) Menu.....	55
Overview.....	55
Suspense Items Linked.....	56
Link a Range of 2319 Records.....	57
Adding New Line Items/Shipping Charges During Reconcile/Close Out.....	58
No Suspense Item is Selected/No Linking.....	59
Link Patient Records to Suspense (LS) Option.....	60
Managing Suspense Items.....	61
Edit the Suspense Station (ES).....	61
Inquire to Individual Suspense Record (IS).....	62
Printing Suspense Reports.....	63

Overview of Reports	63
Print Closed Suspense Records (PC)	64
Print Detailed Open/Pending Suspense Records (PO).....	66
Print 5 Day Old Suspense Report (PR).....	67
Print Summary Open/Pending Suspense Records (PS).....	68
Print Suspense Statistics (ST)	69
More Suspense Reports	70
Overview.....	70
Print Patient Records Linked to Suspense (RL).....	71
Patient Records Not Linked to Suspense (RN).....	72
Print Patient PCE Data (PD)	73
Appendix A – Combine Actions.....	74
Add Manual Suspense/Post Complete Note Simultaneously (AD,PC)	74
Appendix B – Appointment Management	76
Overview.....	76
Using the Check-in/Unscheduled Visit Actions in Appointment Management.....	77

Using Electronic Orders/Suspense (SU) Menu

Overview

Description

The purpose of the Electronic Order feature is to provide a method for any request for service or request for items in Prosthetics to be ordered electronically. Requests are made either manually through the Prosthetics system or sent electronically from CPRS (Computerized Patient Record System) via Consult Tracking.

Through the **Suspense (SU)** option, Prosthetic employees are able to post notes to consults, cancel and complete the consult. Reports are available to display open, pending, and completed consults.

What is a Suspense?

A Suspense Request is a request for service or an item that is tracked by a **Five-Day Delayed Order Report**. The five workday policy refers to the process or time it takes for a request to be created to the day an *initial action* on a request is made. If this process takes more than five workdays, it is flagged on the report for monitoring and reporting purposes.

¹New Suspense Entries with Patch 80

With Patch RMPR*3*80, there are three new types of Suspense entries that can be entered into the Suspense module including the following and will be explained later in this manual:

- Clone CPRS
 - Auto Adaptive
 - Clothing Allowance
-

²Three Options Removed

There were three options removed from the **Suspense Processing (SP)** screen with Patch RMPR*3*80 due to programming screen space limitations including the following:

- View Initial Action Note (IA)
- View Other Action Notes (VO)
- View Complete Note (CO)

Note: You can still view the notes on the request through the **View a Request (VR)** option, and all notes attached to a record will now be displayed there.

Continued on next page

¹ CPRS Cloning, Auto Adaptive and Clothing Allowance Suspense entries are new functionality with Patch RMPR*3*80.

² Three options removed from the **Suspense Processing (SP)** screen: IA, VO, CO, with Patch RMPR*3*80.

Overview, Continued

CPRS Clone (Patch 80)

With Patch RMPR*3*80, we can now clone a CPRS consult. This provides PSAS with the ability to copy the original CPRS consult for an order without requiring a new prescription to be made nor another physician visit with the patient.

A Purchasing Agent will look for the original CPRS order for a requested item, and copy the CPRS consult to create a new Suspense record saving time for everyone in the process.

Auto Adaptive (Patch 80)

When Prosthetics receives a request for Auto Adaptive Equipment, they now have the ability to create an Auto Adaptive Suspense record with Patch 80. This will NOT be included in the count on the *CPRS Compliance Report* as a CPRS type of suspense.

Clothing Allowance (Patch 80)

When Prosthetics receives a request for a Clothing Allowance, they now have the ability to create a Clothing Allowance Suspense record with Patch 80. This will NOT be included in the count on the *CPRS Compliance Report* as a CPRS type of suspense.

Types of Consults

Prosthetics has these nationally designed CPRS consults including the following:

1. Eyeglass Prescription
2. Home Oxygen Prescription
3. Contact Lens Prescription
4. Routine Prosthetic Prescription

It is required that the clinicians use these consults in order to prescribe prosthetic appliances or services in lieu of the paper Prosthetic Request form. These consults are interfaced to the Prosthetics software, and automatically populate the **Suspense (SU)** option, where the consult is kept as a Suspense record until completed by Prosthetics.

The new Suspense record is an amendment to the original consult. This is counted in the *CPRS Compliance Report* as it is considered a CPRS record.

IMPORTANT: You cannot clone a manual Suspense record only an original CPRS electronic record that is not more than 2 years old.

Understanding Status Types

Status Types There are three status types that are used with a suspense record including the following:

- Open
 - Pending
 - Closed
-

Cancel Status When a record is cancelled, it is *removed* from the Suspense Processing list entirely; it will no longer be shown there.

You can change a suspense record to CANCEL from either an OPEN status or a PENDING STATUS. Once a suspense record has a CLOSED status, it cannot be cancelled.

Example: If a manual suspense record was added twice incorrectly, it can then be cancelled.

Status Flow When a suspense record is added to Prosthetics, the status is OPEN. Once an initial action is taken on the suspense record, the status changes from OPEN to PENDING.

The status remains PENDING when additional action is taken on a suspense record. The status changes to CLOSED when the process is complete and either service was performed or an item was given to the patient.

Message sent to Physician When an electronic order (ROUTINE type) suspense record is canceled in Prosthetics, a notifying message is sent to the ordering physician through CPRS. A notifying message is also sent when posting initial notes (PI), additional notes (OT), and completed notes (PC).

CPRS Electronic Orders If an order is placed by a physician in CPRS, it is electronically sent to Prosthetics and is displayed in the Suspense Processing list with an OPEN status.

Sample scenario: If it takes three to four months to receive a requested item(s) on an order, and the patient comes in for service that refers to this Suspense request, an action note is entered for that record. When an action note is entered, the status changes from OPEN to PENDING.

Another action note can be placed, and the status remains PENDING. Only when the patient has the last appointment and receives the item(s), the Suspense record is completed, and the status is changed to CLOSED.

Access the Suspense Processing (SP) Menu

Suspense Menu The **Suspense (SU)** Menu can be accessed from the **Prosthetic Official's** Menu.

Steps To access the **Suspense** Menu, follow these steps:

Step	Action
1	At the Select Prosthetic Official's Menu Option prompt, type SU for the Suspense Menu, and press <Enter>.
2	The Suspense Menu displays.

**Prosthetic
Official's Menu**

PU	Purchasing ...
DD	Display/Print ...
UT	Utilities ...
AM	AMIS ...
SU	Suspense ...
CO	Correspondence ...
SC	Scheduled Meetings and Home/Liaison Visits ...
PS	Process Form 2529-3 ...
EL	Eligibility Inquiry
ET	PSC/Entitlement Records ...
HO	Home Oxygen Main Menu ...
INV	Pros Inventory Main ...
ND	NPPD Tools ...

Select Prosthetic Official's Menu Option: **SU** <Enter> Suspense

Continued on next page

Access the Suspense Processing (SP) Menu, Continued

Suspense (SU) option Once you have selected the **Suspense (SU)** option from the **Prosthetic Official's Menu**, the **Suspense (SU) Menu** displays as shown below.

Suspense Menu options

SP	Suspense Processing
ES	Edit Suspense Station
IS	Inquire to Individual Suspense Record
PC	Print Closed Suspense Records
PO	Print Detailed Open/Pending Suspense Records
PR	Print 5 Day Old Suspense Report
PS	Print Summary Open/Pending Suspense Records
ST	Print Suspense Statistics
RL	Print Patient Records Linked To Suspense
RN	Print Patient Records Not Linked To Suspense
PD	Print Patient PCE Data
LS	Link Patient Record to Suspense

Select Suspense Option: **SP** Suspense Processing

Steps

To continue to access the **Suspense Processing Menu**, follow these steps:

Step	Action
1	At the Suspense Option prompt, type SP for the Suspense Processing Menu , and press <Enter>. The Suspense List screen displays below.

New Suspense screen

Date	Type	Requestor	Description	Init Act	Days	Status
Suspense Processing Sep 15, 2003@14:22:12 Page: 1 of 1						
Open/Pending/Closed Suspense for PROSPATIENT,TWO (000-oo-0002) '!' = STAT						
1	09/04/03!	CLOTHING PROVIDER,ONE	CLOTING ALLOW		@7	OPEN
2	09/04/03	AUTO ADA PROVIDER,ONE	THIS IS AN AUTO ADAPTI		@7	OPEN
3	08/28/03	CLONE PROVIDER,ONE	PINK WHEELCHAIR		@12	OPEN
4	08/28/03	AUTO ADA PROVIDER,ONE	BLUE WHEELCHAIR		@12	OPEN
5	08/28/03	CLOTHING PROVIDER,ONE	GREEN WHEELCHAIR		@12	OPEN
6	04/08/03	MANUAL PROVIDER,TWO	FGDF DFGDF		@113	OPEN
7	07/23/02	MANUAL PROVIDER,THREE	BLIND AID, HAND HELD L	03/04/03	*157	CLOSED
8	07/23/02	MANUAL PROVIDER,ONE	HOSPITAL BED, RAILS PL		@295	OPEN
9	06/19/03	MANUAL PROVIDER,ONE	WHEELCHAIR, MANUAL WIT		@62	OPEN
+ Enter ?? for more actions						
VR View Request		AD Add Manual	CR Cancel Request			
PC Post Complete		AA Auto Adaptive	FW Forward Consult			
PI Post Initial Action		CC Clone CPRS	23 Display 2319			
OT Post Other		CA Clothing Allowance	CD CPRS Display			
CG Change Patient		ED Edit Suspense	PR Print Consult			

Patch 80 -
3 New
Options
highlighted

Select a Site and a Patient

Site Once you are in the **Suspense Processing (SP)** List screen, you will be prompted to select a site. You can enter two question marks to display a list if the site is a multi-site facility or location.

Patient Secondly, you will be prompted to select a patient. You can also enter two question marks to display the patient database and select one from a list.

Restricted patients **WARNING:** If you wish to select a patient that has a restricted record, you will get a warning message that the record is restricted. You will also be notified that your Security Officer will contact you if you wish to proceed.

Steps To select a site and a patient, follow these steps:

Step	Action
1	Select the site at the default Site prompt. (Or you can enter two question marks to view the list of available sites.)
2	Select a patient.
3	At the following confirmation prompt: SC Veteran...OK? Yes// (Yes) , press <Enter> to accept the default of Yes.
4	The Prosthetic Suspense list screen displays. (See next page.)

Site and patient selection

```

SITE: HINES-P ?? <Enter>

SITE: HINES
  1  HINES-T                578
  2  HINESTEST              999
  3  HINESTEST              998

CHOOSE 1-3: 1<Enter> HINES-T                578

Select PROSTHETIC PATIENT: PROSPATIENT,TWO, <Enter>                12-27-50
00000002      YES
SC VETERAN
    ...OK? Yes// <Enter> (Yes)
SUPPORT ISC
    
```

Display a Prosthetic Suspense List

Suspense Menu actions Below the display of a patient's suspense record is a list of actions that can be performed on each suspense record. The actions available are the following:

Entry	Action	Description
23	Display Full 2319	This displays the 10-2319 Entitlement information.
VR	View Request	View the detail of a suspense record.
PI	Post Initial Action Note	Enter the first note on a suspense.
OT	Post Other Note	Enter additional notes on a suspense.
PC	Post Complete Note	Enter the final note on a suspense.
AD	Add Manual Suspense	Add a manual suspense order in Prosthetics.
ED	Edit Manual Suspense	Edit the description of the manual order.
CD	CPRS Display	View the CPRS entry in Prosthetics.
CG	Change Patient	Change the patient within the suspense module.
CR	Cancel Request	Cancel a request that is in Open or Pending.
FW	Forward Consult	Forward a consult to a provider via CPRS.
PR	Print Consult	Prints only a consult to a printer or displays to your screen.
AA	Auto Adaptive	New Suspense Entry with Patch RMPR*3*80.
CC	Clone CPRS	Copy of a CPRS consult to create a new Suspense Entry with Patch RMPR*3*80.
CA	Clothing Allowance	New Suspense Entry with Patch RMPR*3*80.

Prosthetic Suspense screen

Prosthetic Suspense		Mar 22, 2000 09:49:25	Page: 1 of 2
Suspense Processing			
Open/Pending/Closed Suspense for PROSPATIENT,TWO (000-00-0002) '!' = STAT			
Date	Type	Requestor	Description
			Init Act Days Status
1	03/02/00	MANUAL	CALCULATOR FOR BLIND
			03/02/00 0 CLOSED
2	03/01/00	MANUAL	FIX BRACE
			03/02/00 1 PENDING
3	03/01/00	MANUAL	FIX WHEELCHAIR
			03/02/00 1 PENDING
4	03/01/00	MANUAL	REVIEW
			03/01/00 0 CLOSED
5	02/11/00!	ROUTINE	CONTACT LENS RX:
			@28 OPEN
6	02/11/00	ROUTINE	CONTACT LENS RX:
			@28 OPEN
7	02/11/00	ROUTINE	CONTACT LENS RX:
			03/22/00 *28 PENDING
+ Enter ?? for more actions			
VR	View Request	AD	Add Manual
CR	Cancel Request	AA	Auto Adaptive
PC	Post Complete	FW	Forward Consult
PI	Post Initial Action	CC	Clone CPRS
23	Display 2319	CA	Clothing Allowance
OT	Post Other	ED	Edit Suspense
CG	Change Patient	PR	Print Consult
Select Item(s): Next Screen//			

**Page
Number(s)**

Notice at the top of the page on the right-hand corner, the page number is listed. It will display the total number of pages, if multiple pages are available to be viewed. Pressing <Enter> scrolls to the following page until you have reached the last page.

Understanding Field/Column Descriptions

Columns

Below is a list of the column titles shown on the Prosthetics Suspense list.

Column	Description
Date	This is the date the order was written or the date the CPRS order was sent.
Type	<p>There are multiple types of electronic orders via CPRS including the following consults:</p> <ul style="list-style-type: none"> Routine Prosthetics Contacts Eye Glass Oxygen (Home Oxygen) <p>There are also Manual (NON-CPRS) entries as well as Clothing Allowance, Auto Adaptive and Clone Suspense entries that will display in the Type column.</p>
Requestor	This is the name of the person who entered the order.
Description	This is a free-text field that is manually entered with approximately 15 characters in length.
Initial Action	This is a date field. It displays the date of the first action taken on the suspense record.
Days	<p>This is a number field. This displays the number of “Work” days (not Calendar days) from the original date the order was entered as a suspense to the day it is completed. There will be either an At-Sign (@) or an asterisk (*) next to this number, if the number is more than 5 days in length from the order entry date. Then the request will be put on the Five Day Delayed Order Report.</p> <p><u>At-Sign (@):</u> If there is an At-sign (@) next to a number, this signifies that the order is in an OPEN status, and the suspense is greater than five “Work” days.</p> <p><u>Asterisk (*):</u> If there is an asterisk (*) next to the number in the Days column, this signifies that the order took more than 5 work days to change the status from OPEN to PENDING or from OPEN to CLOSED.</p> <p>Note: The calculation subtracts Saturdays and Sundays from the number of days the order was entered, even if a CPRS order was written over a weekend. <u>Holidays are always counted</u>. A “work day” is defined as Monday through Friday.</p>

Continued on next page

Understanding Field/Column Descriptions, Continued

Columns (continued)

Below is a list of the column titles shown on the **Suspense Processing (SP)** list.

Column	Description
Status	<p>This field shows the following status types:</p> <ul style="list-style-type: none">OpenPendingClosed <p>An order is placed into a PENDING status once initial action is taken. It remains in that status until the order is fulfilled and then changes to a CLOSED status.</p> <p>Note: The status can change from OPEN to CLOSED.</p>

Suspense Menu Actions

View a Request (VR)

Function description

¹A change has been made to the **View Request (VR)** option on the **Suspense Processing** option [RMPR SUSP MENU] with **Patch RMPR*3*80**. This prompt now displays the initial action notes, the other action notes and the posted complete notes.

This option begins by displaying the requested text and then all notes posted to a request. It displays notes in chronological order starting with the most recent. If more than one screen is required, it prompts you to press any key before continuing.

Step

To view a request, follow these steps:

Step	Action
1	At the Select Item(s) Next Screen// prompt, type VR for the View Request action, and press <Enter.>
2	The next prompt displays: Enter a list or a range of numbers (shown in parenthesis) to select a suspense record.
3	Type the number for the record you want to view, and press <Enter.>

Screen sample

Suspense Processing		Feb 02, 2001 14:03:36		Page: 2 of 7		
Date	Type	Requestor	Description	Init Act	Days	Status
Open/Pending/Closed Suspense for PROSPATIENT,ONE (000-22-4444) '!' = STAT						
15 10/17/00	MANUAL			02/22/01	*92	PENDING
16 10/13/00	ROUTINE	PROVIDER,ONE	WHEELCHAIR		@119	OPEN
17 10/13/00	ROUTINE	PROVIDER,ONE	SHOE PAD		@119	OPEN
18 09/25/00	MANUAL	PROVIDER,ONE	WHEELCHAIR	09/29/00	4	CLOSED
19 08/17/00	MANUAL	PROVIDER,ONE	CANE	09/18/00	*22	CLOSED
20 07/11/00	MANUAL	PROVIDER,ONE	CANE		@187	OPEN
21 07/11/00	MANUAL	PROVIDER,ONE		08/17/00	*27	CLOSED
22 07/11/00	ROUTINE	PROVIDER,ONE	WHEELCHAIR, BULE, GR	07/11/00	0	CLOSED
23 07/11/00	MANUAL	PROVIDER,ONE	WHEELCHAIR		@187	OPEN
24 07/11/00	ROUTINE	PROVIDER,ONE	DESCRIPTION OF APPLI	09/15/00	*48	CLOSED
25 07/05/00!	ROUTINE	PROVIDER,ONE	DESCRIPTION OF APPLIAN		@191	OPEN
26 07/03/00	ROUTINE	PROVIDER,ONE	TEST AGAIN URGENCY		@193	OPEN
+ Enter ?? for more actions						
VR View Request		AD Add Manual		CR Cancel Request		
PC Post Complete		AA Auto Adaptive		FW Forward Consult		
PI Post Initial Action		CC Clone CPRS		23 Display 2319		
OT Post Other		CA Clothing Allowance		CD CPRS Display		
CG Change Patient		ED Edit Suspense		PR Print Consult		
Select Item(s): Next Screen// VR <Enter> View Request						
Enter a list or range of numbers (15-28): 25 <Enter>						

Continued on next page

¹ The **View Request (VR)** option has been enhanced with Patch RMPR*3*80.

View a Request (VR), Continued

Chronological order

Notice the order of the notes by the date and time of the notes displayed in the sample below. The following is displayed on Page 1:

- Order Date (date order was entered)
- Patient name
- Requestor
- Suspended by person
- Initial action date and note
- Completion date and note (if applicable)
- Description of item(s)/services requested

Step

To view a request, follow these steps:

Step	Action
1	Press <Enter> to view each page of the text for the suspense record.

Page 1 of Suspense Record

```
View                                FEB 27, 2001  11:22    PAGE 1
-----
Order Date: JUN 30,2000 Patient: PROSPATIENT, ONE   Requestor: PROSPROVIDER,THREE
Suspended By: PROSPROVIDER,THREE
-----
Initial Action Date: JUL  3,2000 Complete Date: JUL  3,2000  15:15
=====
Description of Item/Services Requested
REASON FOR REQUEST: (complaints and findings)

1. RESULTS OF ARTERIAL BLOOD GASES OR PULSE OXIMETRY

   Room Air at Rest:
   Room Air with Exercise:
   O2@ LPM of:
   O2@ LPM with exercise of:

2. PRESCRIPTION FOR HOME OXYGEN

   ___ LPM @ Rest                ___ LPM Continuous
```

Continued on next page

View a Request (VR), Continued

View Request data

The page number is listed at the top of a page on the right-hand side of the order. The content of each page is shown on the screen below.

- Page 2 displays ordering information and issuing instructions.
- Page 3 displays delivery instructions if applicable.

Step

To view a request, follow these steps:

Step	Action
1	Press <Enter> to view each page of the text for the suspense record.

Page 2 of Suspense Record Text

```

View                                     FEB 27,2001  11:22  PAGE 2
-----
  ___ LPM During Exercise                ___ LPM Exercise Only
  ___ LPM @ Night                       ___ LPM Night Only

3. PRIMARY DELIVERY SYSTEM

  ___ Compressed Gas
  ___ Concentrator
  ___ Liquid System

4. ADDITIONAL ITEMS

  ___ Portable Cylinders (steel ___ aluminum ___)
     Tank Size      Quantity per Month
  ___
  ___
  ___

View                                     FEB 27,2001  11:22  PAGE 3
-----

  ___ Conserving Device
     Type ___

  ___ Nasal Cannula
  ___ Oxygen Mask
  ___ Trach Mask
  ___ Humidification
  ___ Other (e.g., cart, shoulder bag, etc.) _____

DELIVERY LOCATION:

5. LOGISTICS

a.   Outpatient ___ Inpatient ___
b.   Patient scheduled for discharge (date): _____
c.   Patient requires portable O2 for transport home: (yes / no)
d.   Patient requires recertification of prescription and follow-up
  
```

Continued on next page

View a Request (VR), Continued

Chronological list of notes

The chronological list of notes that displays includes Completion Notes, Initial Action Notes, and one or more Other Notes posted to the suspense record. The list of note(s) display in order of the most recent note entered first.

Step

To view a list of notes posted to a request in chronological order, follow these steps:

Step	Action
1	Press <Enter> to view the last page of the text for the suspense record.
2	The chronological list of notes posted to the request displays.
3	At the Enter to RETURN to continue or '^' to exit: prompt, press <Enter> to view all the notes posted to the request.

Page 4 and Chronological List of Notes

```

View                                     FEB 27, 2001  11:22  PAGE 4
-----
      appointment:  (6 months / 12 months)
e.   Date of last visit:  _____
f.   Date of next visit:  _____

6.  Does patient have advance directive on file?  Yes ____ No ____
-----
Initial Action Note:
See Completion Note, this was forwarded to another service.
-----
Complete Note:
TESTING THE FORWARD OPTION.

Enter RETURN to continue or '^' to exit:  <Enter>

Chronological list of notes posted to the request...

Initial Action Note - SEP 15, 2000@12:34  posted by PROSPROVIDER,ONE
-----
Completion Note - SEP 18, 2000@15:31:27  posted by PROSPROVIDER,ONE
DONE
-----
Other Action Note - APR 13, 2001@10:44:31

This is a note posted to view the list of notes chronologically from a
time standpoint of entry.
-----
Other Action Note - APR 13, 2001@10:45:39

This is another note posted to this request for purposes of viewing the
time the note was posted and the chronological view of it.
-----
Enter RETURN to continue or '^' to exit:

```

Display 2319 (23)

Function description

The **Display Full 2319** action displays the 10-2319 Entitlement information including clothing allowance (if applicable) and Disability Codes.

Steps

To view the full 2319, follow these steps:

Step	Action
1	At the Select Item(s) : Next Screen// prompt, type 23 for the Display 2319 option, and press <Enter.>
2	The current Disability Codes display.

10-2319 Entitlement information

Suspense Processing		Oct 30, 2003@14:14:58		Page: 1 of 4	
Open/Pending/Closed Suspense for PROSPATIENT,ONE (000-12-2750P)					
Date	Type	Requestor	Description	Init Act	Days Status
1 10/29/03	CLOTHING	PROVIDER,THREE	New Clothing Allowance		1 OPEN
2 05/22/01	CLONE	PROVIDER,ONE	ROES "OKAY" NO CONNECT	@633	OPEN
3 10/01/03	CLONE	PROVIDER,ONE	TESTING ITEM DESCRIPTI	@21	OPEN
4 10/01/03	CLONE	PROVIDER,FOUR	REASON FOR REQUEST: (@21	OPEN
5 10/01/03	CLONE	PROVIDER,ONE	ROES "OKAY" NO CONNECT	@21	OPEN
6 09/25/03	CLONE	PROVIDER,ONE		@25	OPEN
7 09/24/03	CLOTHING	PROVIDER,THREE		@26	OPEN
8 09/24/03	AUTO ADA	PROVIDER,THREE		@26	OPEN
9 09/23/03	CLOTHING	PROVIDER,THREE		@27	OPEN
10 09/23/03	AUTO ADA	PROVIDER,THREE	Editing a test AA cons	@27	OPEN
11 09/22/03	CLONE	PROVIDER,ONE		@28	OPEN
12 09/22/03	AUTO ADA	PROVIDER,THREE	Testing the AAE	@28	OPEN
13 09/15/03	CLONE	PROVIDER,THREE	REASON FOR REQUEST: (@33	OPEN
14 09/15/03	CLONE	PROVIDER,ONE	TESTING ITEM DESCRIPTI	@33	OPEN
+ Enter ?? for more actions					
VR View Request	AD Add Manual	CR Cancel Request			
PC Post Complete	AA Auto Adaptive	FW Forward Consult			
PI Post Initial Action	CC Clone CPRS	23 Display 2319			
OT Post Other	CA Clothing Allowance	CD CPRS Display			
CG Change Patient	ED Edit Suspense	PR Print Consult			
Select Item(s): Quit// 23 <Enter> Display Full 2319					
Current Disability Codes are:					
AMP/LWD	NSC A&A	S/C			
AMP/RC	INPATIENT	S/C			
AMP/LS	NSC A&A	NSC			
AMP/RHD	SC VIETNAM	S/C			
*More Disability Codes on File, See Screen 1					

Add a Manual Suspense Record (AD)

Function description You can add a manual suspense record to Prosthetics to request an item or service through the **Add Manual (AD)** action. The manually entered suspense record status begins in an OPEN status with a new request.

Steps To add a manual suspense, follow these steps:

Step	Action
1	At the Select Item(s) : Next Screen//, type AD to access the Add Manual action, and press <Enter.>

Add Manual Record Screen

Prosthetic Suspense		June 9, 2000 10:02:11		Page: 1 of 2	
Suspense Processing					
Open/Pending/Closed		Suspense for PROSPATIENT,TWO (000-00-0002)		'!' = STAT	
Date	Type	Requestor	Description	Init Act	Days Status
1 06/06/00	OXYGEN	PROVIDER,ONE	REASON FOR REQUEST:		3 OPEN
2 06/06/00	CONTACT	PROVIDER,ONE	CONTACT LENS RX:		3 OPEN
3 06/06/00	EYEGLOSS	PROVIDER,ONE	EYEGLOSS RX:		3 OPEN
4 06/06/00	ROUTINE	PROVIDER,ONE	FIX BROKEN WHEELCHAIR		3 OPEN
5 03/22/00	MANUAL		ADDING AND POSTING CLO	03/22/00	0 CLOSED
6 02/11/00	ROUTINE		CONTACT LENS RX:	03/22/00	*40 CLOSED
7 02/11/00	ROUTINE		CONTACT LENS RX:	03/22/00	*40 PENDING
8 02/11/00	ROUTINE		CONTACT LENS RX:	03/22/00	*40 PENDING
9 03/02/00	MANUAL		CALCULATOR FOR BLIND	03/02/00	0 CLOSED
10 03/01/00	MANUAL		FIX BRACE	03/02/00	0 PENDING
11 03/01/00	MANUAL		FIX WHEELCHAIR	03/02/00	0 PENDING
12 03/01/00	MANUAL		REVIEW	03/01/00	0 CLOSED
13 02/21/00	MANUAL		NEW WHEELCHAIR	02/29/00	*8 CLOSED
+ Enter ?? for more actions					
VR View Request		AD Add Manual		CR Cancel Request	
PC Post Complete		AA Auto Adaptive		FW Forward Consult	
PI Post Initial Action		CC Clone CPRS		23 Display 2319	
OT Post Other		CA Clothing Allowance		CD CPRS Display	
CG Change Patient		ED Edit Suspense		PR Print Consult	
Select Item(s) : Next Screen// AD <Enter> Add Manual Suspense					

Continued on next page

Add a Manual Suspense Record (AD), Continued

Appendix A

To add a manual suspense record and close the record at the same time, see Appendix A for instructions on how to combine actions.

Steps (continued)

To continue to add a manual suspense, follow these steps:

Step	Action
2	At the PROSTHETIC SUSPENSE DATE RX WRITTEN prompt, you can enter T for the current date or for a previous date, type T - # (number of days the request was actually made), and press <Enter.> .
3	At the Requestor prompt, type the physician name, and press <Enter.>
4	At the Edit? NO// prompt, type Y for Yes to edit the note.
5	Type a free-text note in the text editor.
6	When complete, press the “ Num Lock ” key and then the “ E ” key to exit out of the text editor, save the data, and return to the Suspense Processing list.

Add a Manual Record Screen (continued)

```

PROSTHETIC SUSPENSE DATE RX WRITTEN: T-5   <Enter>   (JUN 23, 2000)

REQUESTOR: PROSPROVIDER,THREE, <Enter>   PROSPROVIDER,THREE   AP   RM FIELD
OFFICE
      TECHNICAL WRITER

DESCRIPTION OF ITEM/SERVICES:
No existing text
Edit? NO// YES <Enter>

[ WRAP ]==[ INSERT ]====< DESCRIPTION OF ITEM/SERVICES >====[ <PF1>H=Help ]====
ADDING A MANUAL SUSPENSE RECORD.

<=====T=====T=====T=====T=====T=====T=====T=====T=====T=====
  
```


Post Initial Action Note (PI)

Function description

You can post an initial action note on a suspense record through the **Post Initial Action (PI)** action. This indicates that some form of action has taken place. The status changes from OPEN to PENDING and will remain in this status until all action is completed.

Steps

To post an initial action note on a consult, follow these steps:

Step	Action
1	At the following prompt: Select Item(s) : Next Screen// , type PI to access the Post Initial Action option, and press <Enter> .
2	The next prompt displays: Enter a list or a range of numbers (shown in parenthesis) to select a suspense record.
3	Type the number for the record you want to post an initial action note, and press <Enter> .
4	At the next prompt, Edit? No// , type a Y for Yes to create a new note.
5	The text editor displays for you to type a free-text note. When complete, press the "Num Lock" key and then the "E" key to exit out of the text editor, save the data, and return to the Suspense Processing list.

Post Initial Action screen

Prosthetic Suspense		Mar 22, 2000 09:49:25		Page: 1 of 2	
Suspense Processing					
Open/Pending/Closed Suspense for PROSPATIENT,TWO (000-00-0002) '!' = STAT					
Date	Type	Requestor	Description	Init Act Days	Status
1 02/11/00	ROUTINE		CONTACT LENS RX:	@28	OPEN
2 02/11/00!	ROUTINE		CONTACT LENS RX:	03/22/00 *28	PENDING
3 03/02/00	MANUAL		CALCULATOR FOR BLIND	03/02/00 0	CLOSED
4 03/01/00	MANUAL		FIX BRACE	03/02/00 1	PENDING
5 03/01/00	MANUAL		FIX WHEELCHAIR	03/02/00 1	PENDING
6 03/01/00	MANUAL		REVIEW	03/01/00 0	CLOSED
7 02/29/00	MANUAL		NEW WHEELCHAIR NEEDED	02/29/00 0	CLOSED
8 02/29/00	MANUAL		NEW BED	02/29/00 0	CLOSED
+ Enter ?? for more actions					
VR View Request		AD Add Manual		CR Cancel Request	
PC Post Complete		AA Auto Adaptive		FW Forward Consult	
PI Post Initial Action		CC Clone CPRS		23 Display 2319	
OT Post Other		CA Clothing Allowance		CD CPRS Display	
CG Change Patient		ED Edit Suspense		PR Print Consult	
Select Item(s): Quit// PI <Enter> Post Initial Action					
Enter a list or range of numbers (1-3): 1 <Enter>					
INITIAL ACTION NOTE:					
No existing text					
Edit? NO// YES <Enter>					
==[WRAP]==[INSERT]===== < INITIAL ACTION NOTE >===== [<PF1>H=Help]=====					
Training on the Post Initial Note function...					
<=====T=====T=====T=====T=====T=====T=====T=====T=====					

Continued on next page

Post Other Note (OT)

Function description You can post an additional note on a request through the **Post Other Note (OT)** action. This provides a means to make a comment to the Requestor.

Steps To post an additional note to the suspense order, follow these steps:

Step	Action
1	At the Select Item(s): Next Screen// , type OT to access the Post Other Note action, and press <Enter.>
2	The next prompt displays: Enter a list or a range of numbers (shown in parenthesis) to select a suspense record.
3	At the Edit? NO// prompt, type a Y for Yes to edit the note on the suspense record. The text editor displays for you to type a free-text note
4	When complete, press the “ Num Lock ” key and then the “ E ” key to exit out of the text editor, save the data, and return to the Suspense Processing list.

Post Other Note screen

Prosthetic Suspense		Mar 22, 2000 09:54:49		Page: 1 of 2	
Suspense Processing					
Open/Pending/Closed Suspense for PROSPATIENT,TWO (000-00-0002) '!' = STAT					
	Date	Type	Requestor	Description	Init Act Days Status
1	03/02/00	MANUAL		CALCULATOR FOR BLIND	03/02/00 0 CLOSED
2	03/01/00	MANUAL		FIX BRACE	03/02/00 1 PENDING
3	03/01/00	MANUAL		FIX WHEELCHAIR	03/02/00 1 PENDING
4	03/01/00	MANUAL		REVIEW	03/01/00 0 CLOSED
5	02/29/00	MANUAL		NEW WHEELCHAIR NEEDED	02/29/00 0 CLOSED
6	02/21/00	MANUAL		NEW WHEELCHAIR	02/29/00 *6 CLOSED
7	02/29/00	MANUAL		NEW BED	02/29/00 0 CLOSED
8	02/11/00!	ROUTINE		CONTACT LENS RX:	03/22/00 *28 PENDING
9	02/11/00	ROUTINE		CONTACT LENS RX:	03/22/00 *28 PENDING
10	02/11/00	ROUTINE		CONTACT LENS RX:	03/22/00 *28 PENDING
+ Enter ?? for more actions					
VR	View Request	AD	Add Manual	CR	Cancel Request
PC	Post Complete	AA	Auto Adaptive	FW	Forward Consult
PI	Post Initial Action	CC	Clone CPRS	23	Display 2319
OT	Post Other	CA	Clothing Allowance	CD	CPRS Display
CG	Change Patient	ED	Edit Suspense	PR	Print Consult
Select Item(s): Next Screen// OT <Enter> Post Other Note					
Enter a list or range of numbers (1-12): 1 <Enter>					
ACTION NOTE:					
No existing text					
Edit? NO// YES <Enter>					
==[WRAP]==[INSERT]===== < ACTION NOTE >===== [<Pfl>H=Help]====					
Posting An Additional Note.					
<=====T=====					

Post a Complete Note (PC)

Function description

You can post a complete note when all action has taken place for a requested Prosthetic item or service through the **Post Complete (PC)** action. When you post the complete note, the status on the suspense record changes from PENDING (if action has previously taken place on the request) or OPEN to CLOSED.

Steps

To post a complete note, follow these steps:

Step	Action
1	At the Select Item(s) : Next Screen//, type PC to access the Post Complete Note action, and press <Enter.>
2	The next prompt displays: Enter a list or a range of numbers (shown in parenthesis) to select a suspense record.
3	Type the number for the record you want to view, and press <Enter.>
4	At the Edit? NO// prompt, type a Y for Yes to edit the note on the suspense record. The text editor displays for you to type a free-text note, and the note will be complete with a status of CLOSED.
5	When complete, press the “ Num Lock ” key and then the “ E ” key to exit out of the text editor, save the data, and return to the Suspense Processing list.

Post Complete Note screen

Prosthetic Suspense	Mar 22, 2000 09:59:29	Page:	1 of 2
Suspense Processing			
Open/Pending/Closed Suspense for PROSPATIENT,TWO (000-00-0002) '!' = STAT			
Date	Type	Requestor	Description
03/02/00	MANUAL		CALCULATOR FOR BLIND
03/01/00	MANUAL		FIX BRACE
03/01/00	MANUAL		FIX WHEELCHAIR
03/01/00	MANUAL		REVIEW
02/21/00	MANUAL		NEW WHEELCHAIR
02/11/00!	ROUTINE		CONTACT LENS RX:
02/11/00	ROUTINE		CONTACT LENS RX:
			Init Act Days Status
			03/02/00 0 CLOSED
			03/02/00 1 PENDING
			03/02/00 1 PENDING
			03/01/00 0 CLOSED
			02/29/00 *6 CLOSED
			03/22/00 *28 PENDING
			03/22/00 *28 PENDING
+ Enter ?? for more actions			
VR View Request	AD Add Manual	CR Cancel Request	
PC Post Complete	AA Auto Adaptive	FW Forward Consult	
PI Post Initial Action	CC Clone CPRS	23 Display 2319	
OT Post Other	CA Clothing Allowance	CD CPRS Display	
CG Change Patient	ED Edit Suspense	PR Print Consult	
Select Item(s): Next Screen// PC <Enter> Post Complete Note			
Enter a list or range of numbers (1-12): 1 <Enter>			
COMPLETION NOTE:			
No existing text			
Edit? NO// YES <Enter>			
[WRAP]==[INSERT]===== < COMPLETION NOTE >===== [<PF1>H=Help]=====			
POSTING A COMPLETE NOTE TO SEE STATUS CHANGE FROM PENDING TO CLOSED.			
<=====T=====T=====T=====T=====T=====T=====T=====T=====T=====			

Change to a Different Patient (CP)

Function description You can change the screen to view a different patient when viewing a patient's data. Use the **Change Patient (CP)** action to switch to another patient.

Steps To change to a different patient, follow these steps:

Step	Action
1	At the Select Item(s): Next Screen// prompt, type CP for the Change Patient action, and press <Enter.>
2	At the Select PROSTHETIC PATIENT prompt, enter the patient's name, and press <Enter.>
3	The Prosthetic Suspense list will display for the new patient.

Change to Different Patient screen

Prosthetic Suspense		June 9, 2000 10:04:53		Page: 1 of 2	
Suspense Processing					
Open/Pending/Closed Suspense for PROSPATIENT,TWO (000-00-0002) '!' = STAT					
Date	Type	Requestor	Description	Init Act	Days Status
1 06/06/00	OXYGEN	PROVIDER,ONE	REASON FOR REQUEST: (3	OPEN
2 06/06/00	CONTACT	PROVIDER,ONE	CONTACT LENS RX:	3	OPEN
3 06/06/00	EYEGLASS	PROVIDER,ONE	EYEGLASS RX:	3	OPEN
4 06/06/00	ROUTINE	PROVIDER,ONE	FIX BROKEN WHEELCHAIR	3	OPEN
5 03/22/00	MANUAL		ADDING AND POSTING CLO	03/22/00	0 CLOSED
6 03/02/00	MANUAL		CALCULATOR FOR BLIND	03/02/00	0 CLOSED
7 03/01/00	MANUAL		FIX BRACE	03/02/00	1 PENDING
8 03/01/00	MANUAL		FIX WHEELCHAIR	03/02/00	1 PENDING
9 03/01/00	MANUAL		REVIEW	03/01/00	0 CLOSED
10 02/29/00	MANUAL		NEW BED	02/29/00	0 CLOSED
11 02/21/00	MANUAL		NEW WHEELCHAIR	02/29/00	*6 CLOSED
12 02/11/00!	ROUTINE		CONTACT LENS RX:	03/22/00	*28 CLOSED
13 02/11/00	ROUTINE		CONTACT LENS RX:	03/22/00	*28 PENDING
14 02/11/00	ROUTINE		CONTACT LENS RX:	03/22/00	*28 PENDING
+ Enter ?? for more actions					
VR View Request		AD Add Manual		CR Cancel Request	
PC Post Complete		AA Auto Adaptive		FW Forward Consult	
PI Post Initial Action		CC Clone CPRS		23 Display 2319	
OT Post Other		CA Clothing Allowance		CD CPRS Display	
CG Change Patient		ED Edit Suspense		PR Print Consult	
Select Item(s): Next Screen// CG <Enter> Change to Different Patient					
Select PROSTHETIC PATIENT: PROSPATIENT,THREE , PATIENT <Enter> PROSPATIENT,FOUR					
1-1-30 000000004					
NO PILL					
...OK? Yes// <Enter> (Yes)					
HINES, IL					

Edit Manual Suspense (ED)

Function description

You can only edit a manual Suspense record, not a CPRS electronic record for a patient. You can edit the following information for a suspense record through the **Edit Manual (ED)** action:

- Station
- Veteran Suspense form
- Requestor
- Description of item/services.

Steps

To edit a manual suspense, follow these steps:

Step	Action
1	At the Select Item(s): Next Screen// prompt, type ED for the Edit Manual suspense action, and press <Enter.> Note: If no changes are required, press <Enter.> at the // prompt to bypass the editing option.
2	Type a number (from the list shown) to select an order, and press <Enter.>

Edit Manual Suspense screen

Prosthetic Suspense		June 6, 2000 10:04:53		Page: 1 of 2	
Suspense Processing					
Open/Pending/Closed Suspense for PROSPATIENT,TWO (000-00-0002) '!' = STAT					
Date	Type	Requestor	Description	Init Act Days	Status
1 06/06/00	OXYGEN	PROVIDER,ONE	REASON FOR REQUEST: (3 OPEN
2 06/06/00	CONTACT	PROVIDER,ONE	CONTACT LENS RX:		3 OPEN
3 06/06/00	EYEGLOSS	PROVIDER,ONE	EYEGLOSS RX:		3 OPEN
4 06/06/00	ROUTINE	PROVIDER,ONE	FIX BROKEN WHEELCHAIR		3 OPEN
5 03/22/00	MANUAL		ADDING AND POSTING CLO	03/22/00	0 CLOSED
6 03/02/00	MANUAL		CALCULATOR FOR BLIND	03/02/00	0 CLOSED
7 03/01/00	MANUAL		FIX BRACE	03/02/00	1 PENDING
8 03/01/00	MANUAL		FIX WHEELCHAIR	03/02/00	1 PENDING
9 03/01/00	MANUAL		REVIEW	03/01/00	0 CLOSED
10 02/29/00	MANUAL		NEW BED	02/29/00	0 CLOSED
11 02/21/00	MANUAL		NEW WHEELCHAIR	02/29/00	*6 CLOSED
12 02/11/00!	ROUTINE		CONTACT LENS RX:	03/22/00	*28 CLOSED
13 02/11/00	ROUTINE		CONTACT LENS RX:	03/22/00	*28 PENDING
14 02/11/00	ROUTINE		CONTACT LENS RX:	03/22/00	*28 PENDING
+ Enter ?? for more actions					
VR View Request	AD Add Manual	CR Cancel Request			
PC Post Complete	AA Auto Adaptive	FW Forward Consult			
PI Post Initial Action	CC Clone CPRS	23 Display 2319			
OT Post Other	CA Clothing Allowance	CD CPRS Display			
CG Change Patient	ED Edit Suspense	PR Print Consult			
Select Item(s): Next Screen// ED <Enter.> Change to Different Patient					

Continued on next page

Edit Manual Suspense (ED), Continued

Editing orders You can edit a manual suspense order (MANUAL) only. You cannot edit a CPRS electronic order (ROUTINE).

Steps
(continued) To continue to edit a manual suspense record, follow these steps:

Step	Action
3	At the STATION: HINES, IL// prompt, press <Enter> or change the station.
4	At the VETERAN prompt, press<Enter> if the correct veteran name is shown or enter the correct name.
5	At the SUSPENSE FORM prompt, press <Enter> to accept the default option.
6	At the REQUESTOR prompt, press <Enter> to accept the requestor shown or enter the correct requestor.
7	At the DESCRIPTION OF ITEM/SERVICES: prompt, press <Enter> to accept the description shown.
8	At the Edit? NO// prompt, type a Y for Yes to edit the description, and press <Enter.>
9	In the text editor, revise the information as needed.
10	When complete, press the “ Num Lock ” key and then the “ E ” key to exit out of the text editor, save the data, and return to the Suspense Processing list.

Edit Manual Suspense screen
(continued)

```
OTHER OPEN
STATION: HINES, IL// <Enter>
VETERAN: PROSPATIENT,TWO // <Enter>
SUSPENSE FORM: OTHER// <Enter>
REQUESTOR: PROSPROVIDER,THREE // <Enter>
DESCRIPTION OF ITEM/SERVICES: <Enter>
ADDING AND POSTING CLOSED AT THE SAME TIME.

Edit? NO// Y YES <Enter>

==[ WRAP ]==[ INSERT ]====< DESCRIPTION OF ITEM/SERVICES >=[ <PF1>H=Help ]====
TEST - Editing this test.

<=====T=====T=====T=====T=====T=====T=====T=====T=====T>=====
```

Cancel a Request (CR)

Function description

You can cancel an order that was entered manually through the **Cancel Request (CR)** action. If an order was entered electronically through CPRS (ROUTINE order) into Prosthetics, and the order is cancelled, the physician will receive a cancelled note in CPRS.

¹Note that the list of potential Suspense records that can be cancelled are shown in gray highlighted area and include the new Suspense records for Clothing Allowance, Auto Adaptive and also the Clone of a CPRS consult.

Steps

To cancel a request, follow these steps:

Step	Action
1	At the Select Item(s): Next Screen// prompt, type CR for the Cancel Request action, and press <Enter.>
2	Select the record in the list to be canceled (indicated within parenthesis), and press <Enter.>
3	Enter the "Type" of the request or type two question marks to display the available options and select one.
4	After selecting an option from the list, press <Enter,> and the suspense record will be deleted/canceled.

Cancel Request screen

```
Select Item(s): Quit// CR <Enter> Cancel Request
Enter a list or range of numbers (1-5): 2 <Enter>

This will CANCEL/DELETE this Suspense Request.
Are you sure you want to CANCEL/DELETE this Suspense Request? (Y/N) ? N// y
<Enter> YES
TYPE OF REQUEST: ?? <Enter>
This is the type of order from CPRS Consult Tracking Module.
Choose from:

Choose from:
1      ROUTINE PROSTHETICS
2      EYEGLASS
3      CONTACT LENS
4      OXYGEN
5      MANUAL NON CPRS
6      CLOTHING ALLOWANCE
7      CLONE
8      AUTO ADAPTIVE
TYPE OF REQUEST: 1 <Enter> ROUTINE PROSTHETICS

DELETED/CANCELLED!
```

¹ The Cancel Request (CR) feature has been updated with Patch RMPR*3*80.

Forward a Consult (FW)

Function description

An order can be forwarded through the **Forward Consult (FW)** action.

If you forward an order, you will be prompted to enter the service where the order is being forwarded. The status changes from OPEN to CLOSED in the Suspense list when an order has been forwarded.

Note: If an order was forwarded to Rehab for a patient to be evaluated, then a new order may be sent to Prosthetics after that for an item(s) or service.

Steps

To forward a consult, follow these steps:

Step	Action
1	At the Select Item(s) : Next Screen// prompt, type FW for the Forward Consult action, and press <Enter.>
2	Type a number (from the list shown) to select an order, and press <Enter.>

Forward Consult Screen

Date	Type	Requestor	Description	Init Act	Days	Status
Suspense Processing Jul 03, 2000 15:14:44 Page: 1 of 4						
Open/Pending/Closed Suspense for PROSPATIENT,ONE (000-11-1111) '!' = STAT						
1	06/30/00	OXYGEN PROVIDER,THREE	REASON FOR REQUEST:			1 OPEN
2	06/30/00	CONTACT PROVIDER,THREE	CONTACT LENS RX:			1 OPEN
3	06/30/00	EYEGLOSS PROVIDER,THREE	EYEGLOSS RX:			1 OPEN
4	06/29/00	MANUAL PROVIDER,FOUR				2 OPEN
5	06/29/00!	ROUTINE PROVIDER,ONE	DESCRIPTION OF APPLIA	07/03/00	2	CLOSED
6	06/28/00	ROUTINE PROVIDER,ONE	DESCRIPTION OF APPLIAN	06/28/00	0	CLOSED
7	06/28/00	MANUAL PROVIDER,THREE	REPAIR WHEELCHAIR WHEE	06/28/00	0	CLOSED
8	06/26/00	ROUTINE PROVIDER,FOUR	Remove Poison Cath.			5 OPEN
9	06/09/00	EYEGLOSS PROVIDER,THREE	EYEGLOSS RX:	06/15/00	*4	CLOSED
10	06/07/00	ROUTINE PROVIDER,THREE		06/27/00	*14	PENDING
11	06/07/00	OXYGEN PROVIDER,THREE	REASON FOR REQUEST:		@18	OPEN
+ Enter ?? for more actions						
VR	View Request	AD	Add Manual	CR	Cancel Request	
PC	Post Complete	AA	Auto Adaptive	FW	Forward Consult	
PI	Post Initial Action	CC	Clone CPRS	23	Display 2319	
OT	Post Other	CA	Clothing Allowance	CD	CPRS Display	
CG	Change Patient	ED	Edit Suspense	PR	Print Consult	
Select Item(s): Next Screen// FW <Enter> Forward Consult						
Enter a list or range of numbers (1-14): 1 <Enter>						

Continued on next page

Forward a Consult (FW), Continued

Status change Notice that the status changes from OPEN to CLOSED when a consult is forwarded.

Steps
(continued) To continue to forward an order, follow these steps:

Step	Action
3	At the Consult Request Service prompt, enter the service where the consult will be forwarded.
4	At the Edit? NO// prompt, type YES to enter a free-text Completion Note.
5	In the text editor, revise the information as needed.
6	When complete, press the “ Num Lock ” key and then the “ E ” key to exit out of the text editor, save the data, and return to the Suspense Processing list.

Forward Consult Screen
(continued)

```

CONSULT REQUEST SERVICE: DERMATOLOGY
COMPLETION NOTE:
  No existing text
  Edit? NO// <Enter> YES

==[ WRAP ]==[ INSERT ]===== < COMPLETION NOTE >===== [ <PF1>H=Help ]=====
FORWARD A CONSULT TO DERMATOLOGY.

<=====T=====T=====T=====T=====T=====T=====T=====T=====T>=====

Consult Forwarded.
  
```

Date	Type	Requestor	Description	Init Act	Days	Status
1 06/30/00	OXYGEN	PROVIDER,THREE	REASON FOR REQUEST:	07/03/00	1	CLOSED
2 06/30/00	CONTACT	PROVIDER,THREE	CONTACT LENS RX:		1	OPEN
3 06/30/00	EYEGLOSS	PROVIDER,THREE	EYEGLOSS RX:		1	OPEN
4 06/29/00	MANUAL	PROVIDER,FOUR			2	OPEN
5 06/29/00	!ROUTINE	PROVIDER,ONE	DESCRIPTION OF APPLIAN	07/03/00	2	CLOSED
6 06/28/00	ROUTINE	PROVIDER,ONE	DESCRIPTION OF APPLIAN	06/28/00	0	CLOSED
7 06/28/00	MANUAL	PROVIDER,THREE	REPAIR WHEELCHAIR WHEE	06/28/00	0	CLOSED
8 06/26/00	ROUTINE	PROVIDER,FIVE	Remove Poison Cath.		5	OPEN
9 06/09/00	EYEGLOSS	PROVIDER,THREE	EYEGLOSS RX:	06/15/00	*4	CLOSED
10 06/07/00	ROUTINE	PROVIDER,THREE		06/27/00	*14	PENDING
11 06/07/00	OXYGEN	PROVIDER,THREE	REASON FOR REQUEST:		@18	OPEN

```

+ Enter ?? for more actions
VR View Request          AD Add Manual          CR Cancel Request
PC Post Complete        AA Auto Adaptive      FW Forward Consult
PI Post Initial Action  CC Clone CPRS        23 Display 2319
OT Post Other          CA Clothing Allowance CD CPRS Display
CG Change Patient      ED Edit Suspense     PR Print Consult
  
```

Print a Consult (PR)

Function description

The **Print Consult (PR)** action allows you to print the consult or display the consult on your terminal screen.

Steps

To print a consult, follow these steps:

Step	Action
1	At the Select Item(s): Next Screen// prompt, type PR for the Print Consult action, and press <Enter.>
2	Select the suspense record in the list to be printed (indicated within parenthesis), and press <Enter.>
3	At the Chart Copy (Y/N)? Y// prompt, type NO, and press <Enter.>.
4	At the DEVICE: HOME// prompt, press <Enter> to display the consult. You can also type two question marks to select a printer from a list.

Print Consult Screen

Date	Type	Requestor	Description	Init Act	Days	Status
Suspense Processing Jun 19, 2000 10:16:30 Page: 1 of 4						
Open/Pending/Closed Suspense for PROSPATIENT,ONE (000-11-1111) '!' = STAT						
1	06/09/00	EYEGLOSS PROVIDER,THREE	EYEGLOSS RX:	06/15/00	*6	CLOSED
2	06/07/00	OXYGEN PROVIDER,THREE	REASON FOR REQUEST:		@8	OPEN
3	06/07/00	MANUAL PROVIDER,THREE	Replace part on a Wheel	06/07/00	0	CLOSED
4	06/06/00	OXYGEN PROVIDER,ONE	EASON FOR REQUEST:		@9	OPEN
5	06/06/00	CONTACT PROVIDER,ONE	CONTACT LENS RX:		@9	OPEN
6	06/06/00	EYEGLOSS PROVIDER,ONE	EYEGLOSS RX:	06/07/00	1	CLOSED
7	06/06/00!	ROUTINE PROVIDER,ONE	FIX BROKEN WHEELCHAIR		@9	OPEN
8	05/27/00	MANUAL PROVIDER,ONE	FIX WHEELCHAIR		@16	OPEN
9	04/10/00	ROUTINE PROVIDER,ONE	FIRST DATA TRANSFERE	04/10/00	0	CLOSED
+ Enter ?? for more actions						
VR	View Request	AD	Add Manual	CR	Cancel Request	
PC	Post Complete	AA	Auto Adaptive	FW	Forward Consult	
PI	Post Initial Action	CC	Clone CPRS	23	Display 2319	
OT	Post Other	CA	Clothing Allowance	CD	CPRS Display	
CG	Change Patient	ED	Edit Suspense	PR	Print Consult	
Select Item(s): Next Screen// PR <Enter> Print Consult						
Enter a list or range of numbers (1-14): 1 <Enter>						
Chart Copy (Y/N)? Y// N <Enter> NO						
DEVICE: HOME// <Enter> TELNET Right Margin: 80// <Enter>						

Continued on next page

Print a Consult (PR), Continued

Printout

Below is a sample part of a printout of a consult:

Consult Printout (continued)

MEDICAL RECORD	CONSULTATION SHEET	Page 1 of 7
Consult Request: Consult		Consult No.: 359

To: EYEGLASS REQUEST		
From: NUR 3AS	Requested: 06/09/2000 3:03 pm	

Requesting Facility: HINES DEVELOPMENT		
=====		
REASON FOR REQUEST: (Complaints and findings)		
=====		
AUTHOR & TITLE:		DATE:

ID #: _____	ORGANIZATION: HINES DEVELOPMENT	REG #: _____
		LOC: 3AS
		RM/BD: 330-1

PROSPATIENT, ONE	SC VETERAN	CONSULTATION SHEET
000-00-0001P	12/27/1950	Standard Form 513 (Rev 9-77)
100 HOLLYWOOD		
HOLLYWOOD CALIFORNIA		

MEDICAL RECORD	CONSULTATION SHEET	Page 2 of 7
Consult Request: Consult		Consult No.: 359
=====		
Reason For Request continued.		
EYEGLASS RX:		
[DISTANCE]		
	Sphere	Cylinder Axis Prism Base BC MRP
Right		
Left		

[NEAR]		
	Addition	Height Type Width PD Far PD Near PD Near Inset Total
Inset		
Right		
Left		
=====		
PROSPATIENT, ONE	SC VETERAN	CONSULTATION SHEET
(Continued)		
000-00-0001	12/27/1950	Standard Form 513 (Rev 9-77)

MEDICAL RECORD	CONSULTATION SHEET	Page 3 of 7
Consult Request: Consult		Consult No.: 359
=====		
Reason For Request continued.		
[FRAME SELECTION]	ORDERING INFORMATION-	
Frame Name:	OBLIGATION #: _____	
Color:	TOTAL COST _____	
Eyesize:	VISA# _____	
Bridge Size:	EXP DATE _____	
Temple Length:	AUTHORIZATION SIGNATURE _____	

[EYEWEAR OPTIONS]		
Lens Material:	____ Plastic	____ Glass
		____ Polycarb
Lens Style:	Single Vision	Bifocal
		Trifocal
		Lenses Only
		Safety

CPRS Display (CD)

Four Consults There are four types of consult requests that are entered through Prosthetics Suspense module via CPRS. They can be displayed through the **CPRS Display (CD)** action.

The four consults are:

1. Oxygen (Home Oxygen) Consult Request
2. Contact Lens Consult Request
3. Eyeglass Consult Request
4. Routine Prosthetics Request

Steps To display a CPRS consult, follow these steps:

Step	Action
1	At the Select Item(s): Next Screen// prompt, type CD for the CPRS Display action, and press <Enter.>
2	The next prompt displays: Enter a list or a range of numbers (shown in parenthesis) to select a suspense record.
3	Type the number for the record you want to view, and press <Enter.>

Note: Four Consults in list

Suspense Processing		Jun 07, 2000 09:36:55		Page: 1 of 3	
Open/Pending/Closed Suspense for PROSPATIENT (000-00-0002)				'!' = STAT	
Date	Type	Requestor	Description	Init Act	Days Status
1 06/06/00	OXYGEN	PROVIDER,ONE	REASON FOR REQUEST: (1	OPEN
2 06/06/00	CONTACT	PROVIDER,ONE	CONTACT LENS RX:	1	OPEN
3 06/06/00	EYEGLOSS	PROVIDER,ONE	EYEGLOSS RX:	1	OPEN
4 06/06/00	ROUTINE	PROVIDER,ONE	FIX BROKEN WHEELCHAIR	1	OPEN
5 04/27/00	MANUAL	PROVIDER,ONE	FIX WHEELCHAIR	@29	OPEN
6 04/10/00!	ROUTINE	PROVIDER,ONE	FIRST DATA TRANSFERE	04/10/00 0	CLOSED
7 02/11/00	ROUTINE	PROVIDER,ONE	CONTACT LENS RX:	04/25/00 *52	PENDING
+ Enter ?? for more actions					
VR View Request	AD Add Manual	CR Cancel Request			
PC Post Complete	AA Auto Adaptive	FW Forward Consult			
PI Post Initial Action	CC Clone CPRS	23 Display 2319			
OT Post Other	CA Clothing Allowance	CD CPRS Display			
CG Change Patient	ED Edit Suspense	PR Print Consult			
Select Item(s): Next Screen// CD <Enter> CPRS Display					
Enter a list or range of numbers (1-14):					

¹New Options with Patch RMPR*3*80

Introduction

Purpose There are three new options with Patch RMPR*3*80 including the following:

- Auto Adaptive (AA)
- Clothing Allowance (CA)
- Clone CPRS (CC)

The **Auto Adaptive (AA)** option and the **Clothing Allowance (CA)** option are manually entered Suspense records. The **Clone CPRS (CC)** is a manually entered copy of a CPRS original order.

Auto Adaptive (Patch 80) When Prosthetics receives a request for Auto Adaptive Equipment, they now have the ability to create an Auto Adaptive Suspense record with Patch 80. This will be included in the count on the CPRS Compliance Report as a CPRS type of suspense.

Clothing Allowance (Patch 80) When Prosthetics receives a request for a Clothing Allowance, they now have the ability to create a Clothing Allowance Suspense record with Patch 80. This will be included in the count on the CPRS Compliance Report as a CPRS type of suspense.

CPRS Clone (Patch 80) With Patch RMPR*3*80, we can now clone a CPRS consult. This provides PSAS with the ability to copy the original CPRS consult for an order without requiring a new prescription to be made nor another physician visit with the patient.

A Purchasing Agent will look for the original CPRS order for a requested item, and copy the CPRS consult to create a new Suspense record saving time for everyone in the process.

¹ New options with Patch RMPR*3*80.

1 Auto Adaptive Suspense Entry (AA)

Add an Auto Adaptive (AA)

Below is a sample of the **Auto Adaptive (AA)** Suspense Entry. The Auto Adaptive description is free text.

Note: Since the AA entries are manual Suspense entries and are easily identifiable by their name, these entries will not be counted against the *CPRS Compliance Report*.

Steps

To enter an Auto Adaptive Suspense entry, follow these steps:

Step	Action
1	At the Select Item(s) : Next Screen// prompt, type AA for the Auto Adaptive action, and press <Enter.>
2	Enter a date of the Prosthetic Suspense RX written (T for Today) and press <Enter.>
3	Enter a Description of the item/services and press <Enter.>

Auto Adaptive sample

Date	Type	Requestor	Description	Init Act	Days	Status
10/16/03!	ROUTINE	PROVIDER,SIX	Update CPAP Rx: 9cm @		0	OPEN
07/16/03	ROUTINE	PROVIDER,SEVEN	TOILET TISSUE ROD,REPL	07/21/03	3	CLOSED
07/11/03	ROUTINE	PROVIDER,SEVEN	CUSTOM STOCKINGS	07/16/03	3	CLOSED
07/11/03	ROUTINE	PROVIDER,SEVEN	20"REACHER - REP	07/16/03	3	CLOSED
07/11/03	ROUTINE	PROVIDER,SEVEN	SHOWER HOSE	07/11/03	0	CLOSED
07/11/03	ROUTINE	PROVIDER,SEVEN	REACHER - REPLACE	07/11/03	0	CLOSED
06/30/03	EYEGLASS	PROVIDER,EIGHT	EYEGLASS RX:	07/01/03	1	CLOSED
06/30/03	EYEGLASS	PROVIDER,EIGHT	EYEGLASS RX:	07/01/03	1	CLOSED
06/13/03	ROUTINE	PROVIDER,NINE	IRIS 10000 mattress pa	06/25/03	*8	CLOSED
05/29/03	ROUTINE	PROVIDER,SIX	Veteran traveling on v	05/29/03	0	CLOSED
+ Enter ?? for more actions						
VR View Request	AD Add Manual	CR Cancel Request				
PC Post Complete	AA Auto Adaptive	FW Forward Consult				
PI Post Initial Action	CC Clone CPRS	23 Display 2319				
OT Post Other	CA Clothing Allowance	CD CPRS Display				
CG Change Patient	ED Edit Suspense	PR Print Consult				
Select Item(s): Next Screen// AA Auto Adaptive <Enter>						
PROSTHETIC SUSPENSE DATE RX WRITTEN: T <Enter> (OCT 16, 2003)						
REQUESTOR: PROSPROVIDER,TEN <Enter> 121 PROGRAM MANAGER,PROSTHETICS						
DESCRIPTION OF ITEM/SERVICES:						
1>RECEIVED AAE APPLICATION <Enter>						
2> <Enter>						
EDIT Option: <Enter>						

Continued on next page

¹ New option with Patch RMPR*3*80.

Auto Adaptive Suspense Entry (AA), Continued

New entry After entering the data for the new Auto Adaptive suspense entry, it will display in the Suspense screen as shown on the first line item below.

New Auto Adaptive Suspense Record

Suspense Processing		Oct 16, 2003@19:43:50		Page: 1 of 18		
Open/Pending/Closed Suspense for PROSPATIENT, ONE		(000-00-0001)		'!' = STAT		
Date	Type	Requestor	Description	Init Act	Days	Status
1 10/16/03	AUTO ADA	PROVIDER,TEN	RECEIVED AAE APPLICA		0	OPEN
2 10/16/03!	ROUTINE	PROVIDER,SIX	Update CPAP Rx: 9cm @		0	OPEN
3 07/16/03	ROUTINE	PROVIDER,SEVEN	TOILET TISSUE ROD	07/21/03	3	CLOSED
4 07/11/03	ROUTINE	PROVIDER,SEVEN	CUSTOM STOCKINGS	07/16/03	3	CLOSED
5 07/11/03	ROUTINE	PROVIDER,SEVEN	20"REACHER - REP	07/16/03	3	CLOSED
6 07/11/03	ROUTINE	PROVIDER,SEVEN	SHOWER HOSE/DIV	07/11/03	0	CLOSED
7 07/11/03	ROUTINE	PROVIDER,SEVEN	REACHER - REPLACE	07/11/03	0	CLOSED
8 06/30/03	EYEGLASS	PROVIDER,EIGHT	EYEGLASS RX:	07/01/03	1	CLOSED
9 06/30/03	EYEGLASS	PROVIDER,EIGHT	EYEGLASS RX:	07/01/03	1	CLOSED
10 06/13/03	ROUTINE	PROVIDER,NINE	IRIS 10000 mattress pad	06/25/03	*8	CLOSED
+ Enter ?? for more actions						
VR View Request		AD Add Manual		CR Cancel Request		
PC Post Complete		AA Auto Adaptive		FW Forward Consult		
PI Post Initial Action		CC Clone CPRS		23 Display 2319		
OT Post Other		CA Clothing Allowance		CD CPRS Display		
CG Change Patient		ED Edit Suspense		PR Print Consult		
Select Item(s): Next Screen//						

1 Clothing Allowance Suspense Entry (CA)

Intro to Clothing Allowance (CA)

Below is a sample of the **Clothing Allowance (CA)** Suspense Entry. The Clothing Allowance description is free text.

Note: Since the CA entries are manual Suspense entries and are easily identifiable by their name, these entries will not be counted against the *CPRS Compliance Report*.

Steps

To enter a Clothing Allowance Suspense entry, follow these steps:

Step	Action
1	At the Select Item(s) : Next Screen// prompt, type CA for the Clothing Allowance action, and press <Enter.>
2	Enter a date of the Prosthetic Suspense RX written (T for Today) and press <Enter.>
3	At the Requestor prompt, type the name of the Requestor and press <Enter.>
4	Enter a Description of the item/services and press <Enter.>

Clothing Allowance

Date	Type	Requestor	Description	Init Act	Days	Status
1 10/16/03	AUTO ADD	PROVIDER,TEN	RECEIVED AAE APPLICATI	10/16/03	0	CLOSED
2 10/16/03!	ROUTINE	PROVIDER1,ONE	Update CPAP Rx: 9cm @		0	OPEN
3 07/16/03	ROUTINE	PROVIDER1,TWO	TOILET TISSUE ROD	07/21/03	3	CLOSED
4 07/11/03	ROUTINE	PROVIDER1,TWO	CUSTOM STOCKINGS	07/16/03	3	CLOSED
5 07/11/03	ROUTINE	PROVIDER1,TWO	20"REACHER - REP	07/16/03	3	CLOSED
6 07/11/03	ROUTINE	PROVIDER1,TWO	SHOWER HOSE	07/11/03	0	CLOSED
7 07/11/03	ROUTINE	PROVIDER1,TWO	REACHER - REPLACE	07/11/03	0	CLOSED
8 06/30/03	EYEGLASS	PROVIDER1,THREE	EYEGLASS RX:	07/01/03	1	CLOSED

+ Enter ?? for more actions

VR View Request	AD Add Manual	CR Cancel Request
PC Post Complete	AA Auto Adaptive	FW Forward Consult
PI Post Initial Action	CC Clone CPRS	23 Display 2319
OT Post Other	CA Clothing Allowance	CD CPRS Display
CG Change Patient	ED Edit Suspense	PR Print Consult

Select Item(s): Next Screen// **CA** <Enter>

1 Clothing Allowance
2 Cancel Request

CHOOSE 1-2: **1** <Enter> Clothing Allowance
PROSTHETIC SUSPENSE DATE RX WRITTEN: **T** <Enter> (OCT 16, 2003)
REQUESTOR: PROSPROVIDER1,FOUR <Enter> 121 PROGRAM MANAGER,PROSTHETICS

DESCRIPTION OF ITEM/SERVICES: <Enter>
1>RECEIVED APPLICATION FOR CLOTHING ALLOWANCE <Enter>
2> <Enter>

Continued on next page

¹ New option with Patch RMPR*3*80.

Clothing Allowance Suspense Entry (CA), Continued

New entry After entering the data for the new Clothing Allowance Suspense entry, it will display in the Suspense screen as shown on the first line item below.

New Clothing Allowance Suspense record

Suspense Processing		Oct 16, 2003@19:53:51		Page: 1 of 18		
Open/Pending/Closed Suspense for PROSPATIENT, ONE		(000-00-0001)		'!' = STAT		
Date	Type	Requestor	Description	Init Act	Days	Status
1 10/16/03	CLOTHING	PROVIDER,TEN	RECEIVED APPLICATION F		0	OPEN
2 10/16/03	AUTO ADA	PROVIDER,TEN	RECEIVED AAE APPLICATI	10/16/03	0	CLOSED
3 10/16/03!	ROUTINE	PROVIDER1,FIVE	Update CPAP Rx: 9cm @		0	OPEN
4 07/16/03	ROUTINE	PROVIDER1,TWO	TOILET TISSUE RO	07/21/03	3	CLOSED
5 07/11/03	ROUTINE	PROVIDER1,TWO	CUSTOM STOCKINGS	07/16/03	3	CLOSED
6 07/11/03	ROUTINE	PROVIDER1,TWO	20"REACHER - REP	07/16/03	3	CLOSED
7 07/11/03	ROUTINE	PROVIDER1,TWO	SHOWER HOSE	07/11/03	0	CLOSED
8 07/11/03	ROUTINE	PROVIDER1,TWO	REACHER - REPLACE	07/11/03	0	CLOSED
9 06/30/03	EYEGLOSS	PROVIDER1,THREE	EYEGLOSS RX:	07/01/03	1	CLOSED
+ Enter ?? for more actions						
VR View Request		AD Add Manual		CR Cancel Request		
PC Post Complete		AA Auto Adaptive		FW Forward Consult		
PI Post Initial Action		CC Clone CPRS		23 Display 2319		
OT Post Other		CA Clothing Allowance		CD CPRS Display		
CG Change Patient		ED Edit Suspense		PR Print Consult		

Clone a CPRS Consult (CC)

Introduction to Cloning

The ¹**Clone CPRS (CC)** option is a new action within the **Suspense (SU)** screen with Patch RMPR*3*80. This new feature allows you to create a duplicate Suspense record from an original CPRS order in Suspense. This saves the patient from having to make another physician visit and creating another encounter.

The Purchasing Agent can search the Suspense history on a patient to find an original order for a requested item, and copy the CPRS consult to create the new Suspense record.

Types of Suspense Records

Below are the TYPES of Suspense records and are designated as “types” in the second column of the **Suspense (SU)** screen. The list below will appear as part of the *CPRS Compliance Report*. This data is rolled up nationally every month as part of the National Prosthetic Patient Database (NPPD).

1. ROUTINE PROSTHETICS
2. EYEGLASS
3. CONTACT LENS
4. OXYGEN
5. MANUAL NON CPRS
6. CLOTHING ALLOWANCE
7. CLONE
8. AUTO ADAPTIVE

Note: Number #5 (MANUAL NON CPRS) does not appear as part of the CPRS Compliance Report, and you cannot create a Clone of a manual Suspense record, Clothing Allowance or Auto Adaptive Suspense records (since they are created manually as well.) You can only create a clone of a CPRS original order.

Why create a Clone?

When you create a clone of a CPRS order, it creates a separate Suspense record and provides documentation in CPRS on a replaced or repaired item. This is similar to documenting in the medical record any new item or service that was issued or performed. The clone (or new Suspense record) is sent to the Originator/Provider as a note.

The new Suspense record is an amendment to the original consult. A Clone is counted in the *CPRS Compliance Report* as it is considered to be a CPRS record.

Continued on next page

¹ Clone CPRS (CC) is a new option with Patch RMPR*3*80.

Clone a CPRS Consult (CC), Continued

What can you Clone?

You can clone the following consults:

- Eyeglass
- Home Oxygen
- Contact Lens
- Routine (general request from CPRS)

Note: These are part of the Consult Tracking application.

Note: A MANUAL NON CPRS Suspense record does not appear as part of the CPRS Compliance Report. You cannot create a Clone of a manual Suspense record, Clothing Allowance or Auto Adaptive Suspense records (since they are created manually as well.) You can only create a clone of a CPRS original order.

IMPORTANT: Do NOT clone an initial order that is more than two (2) years old. This is for safety and health purposes in case the patient has physical changes within two years.

What you CANNOT clone

You cannot clone the following:

- Manual Suspense Entries
 - Auto Adaptive Equipment Suspense entry
 - Clothing Allowance Suspense entry
-

CA and AA orders

The **Clothing Allowance (CA)** and the **Auto Adaptive (AA)** options are not consults or CPRS orders, but are manually entered Suspense records. You cannot clone these orders; only create a new Suspense record.

Note: These entries do not have ICD codes.

Initial and Complete Action Notes

When an Initial Action or Complete Action note is written on a clone, the CPRS record is updated as well. This is created under the name of the original prescriber.

Continued on next page

Clone a CPRS Consult (CC), Continued

Example

Below is a sample of the Clone CPRS Consult. Notice that the **Clone CPRS (CC)** option is used to make a clone of a ROUTINE Suspense record. This means that this record is a CPRS order.

Steps

To create a clone of a routine CPRS consult, follow these steps:

Step	Action
1	At the Select Item(s) : Next Screen// prompt, type CC for the Clone CPRS action, and press <Enter.>
2	Enter the line item that you want to clone or a range of numbers for multiple line items, and press <Enter.>
3	You have completed the clone process! You can now display the option on your screen at the Device prompt by pressing <Enter> twice.

CPRS Clone Consult

Date	Type	Requestor	Description	Init Act	Days	Status
Suspense Processing Oct 16, 2003@19:53:51 Page: 1 of 18						
Open/Pending/Closed Suspense for PROSPATIENT,ONE (000-00-0001) '!' = STAT						
1	10/16/03	CLOTHING PROVIDER,TEN	RECEIVED APPLICATION F		0	OPEN
2	10/16/03	AUTO ADA PROVIDER,TEN	RECEIVED AAE APPLICATI	10/16/03	0	CLOSED
3	10/16/03	ROUTINE PROVIDER1,ONE	Update CPAP Rx: 9cm @		0	OPEN
4	07/16/03	ROUTINE PROVIDER1,TWO	TOILET TISSUE ROD	07/21/03	3	CLOSED
5	07/11/03	ROUTINE PROVIDER1,TWO	CUSTOM STOCKINGS	07/16/03	3	CLOSED
6	07/11/03	ROUTINE PROVIDER1,TWO	20"REACHER - REP	07/16/03	3	CLOSED
7	07/11/03!	ROUTINE PROVIDER1,TWO	SHOWER HOSE	07/11/03	0	CLOSED
8	07/11/03	ROUTINE PROVIDER1,TWO	REACHER - REPLACE	07/11/03	0	CLOSED
9	06/30/03	EYEGLASS PROVIDER1,THREE	EYEGLASS RX:	07/01/03	1	CLOSED
10	06/30/03	EYEGLASS PROVIDER1,THREE	EYEGLASS RX:	07/01/03	1	CLOSED
11	06/13/03	ROUTINE PROVIDER1,SIX	IRIS 10000 mattress pa	06/25/03	*8	CLOSED
+ Enter ?? for more actions						
VR	View Request	AD	Add Manual	CR	Cancel Request	
PC	Post Complete	AA	Auto Adaptive	FW	Forward Consult	
PI	Post Initial Action	CC	Clone CPRS	23	Display 2319	
OT	Post Other	CA	Clothing Allowance	CD	CPRS Display	
CG	Change Patient	ED	Edit Suspense	PR	Print Consult	
Select Item(s): Next Screen// CC <Enter> Clone CPRS						
Enter a list or range of numbers (1-11): 11 <Enter>						
Done... Please select a device to print the new SUSPENSE Record.						
DEVICE: <Enter> TELNET VIRTUAL <Enter>						

Continued on next page

Clone a CPRS Consult (CC), Continued

Clone display Below is the cloned CPRS completed note that is displayed when you create the clone entry.

Cloned CPRS - Completed Note

View	OCT 16,2003 19:56	PAGE 1

Order Date: OCT 16,2003	Patient: PROSPATIENT,FIVE	ASSN: 000-00-0005
Requestor: PROSPROVIDER1,SIX	Suspended By: PROSPATIENT,FIVE	

Initial Action Date:	Complete Date:	

Description of Item/Services Requested		
IRIS 10000 mattress pad		

(Describe PROSTHETIC APPLIANCE or REPAIR above LINE)		
ISSUING INSTRUCTIONS:		
<input checked="" type="checkbox"/> VETERAN WILL PICK UP		
<input type="checkbox"/> WARD/CLINIC PERSONNEL WILL PICKUP		
<input type="checkbox"/> DELIVERY LOCATION		
View	OCT 16,2003 19:56	PAGE 2

FOR (INPATIENT) - ESTIMATED DISCHARGE DATE:		

Initial Action Note:		

Complete Note:		

Chronological list of notes posted to the request...		
Initial Action Note - JUN 25, 2003@11:40:10 posted by PROVIDER5,TWOJILL		
See Completion Note for Initial Action Taken.		

Completion Note - JUN 25, 2003@11:40:10 posted by PROVIDER5,TWOJILL		

CHRIS CALL VET TO PICK UP		

Other Action Note - JUL 11, 2003@13:20:42		

VETERAN PICKED UP IRIS 7-11-03 --		

Enter RETURN to continue or '^' to exit:		

Continued on next page

Clone a CPRS Consult (CC), Continued

New Clone Below is the continuation of the new Suspense entry that was created using the **Clone CPRS (CC)** order.

See order #1 with a Type of CLONE.

Also notice the Suspense record #12 which has a Type of ROUTINE. This record was the original CPRS order and was cloned or copied to create the new Suspense record.

Cloned Suspense Entry

Date	Type	Requestor	Description	Init Act	Days	Status
Suspense Processing Oct 16, 2003@19:56:12 Page: 1 of 18						
Open/Pending/Closed Suspense for PROSPATIENT, ONE (000-00-0001) '!' = STAT						
1	10/16/03	CLONE	PROVIDER1,SIX	IRIS 10000 mattress pa		0 OPEN
2	10/16/03	CLOTHING	PROVIDER,TEN	RECEIVED APPLICATION F		0 OPEN
3	10/16/03	AUTO ADA	PROVIDER,TEN	RECEIVED AAE APPLICATI	10/16/03	0 CLOSED
4	10/16/03!	ROUTINE!	PROVIDER1,ONE	Update CPAP Rx: 9cm @		0 OPEN
5	07/16/03	ROUTINE	PROVIDER1,TWO	TOILET TISSUE RO	07/21/03	3 CLOSED
6	07/11/03	ROUTINE	PROVIDER1,TWO	CUSTOM STOCKINGS	07/16/03	3 CLOSED
7	07/11/03	ROUTINE	PROVIDER1,TWO	20"REACHER - REP	07/16/03	3 CLOSED
8	07/11/03	ROUTINE	PROVIDER1,TWO	SHOWER HOSE	07/11/03	0 CLOSED
9	07/11/03	ROUTINE	PROVIDER1,TWO	REACHER - REPLACE	07/11/03	0 CLOSED
10	06/30/03	EYEGLASS	PROVIDER1,THREE	EYEGLASS RX:	07/01/03	1 CLOSED
11	06/30/03	EYEGLASS	PROVIDER1,THREE	EYEGLASS RX:	07/01/03	1 CLOSED
12	06/13/03	ROUTINE	PROVIDER1,SEVEN	IRIS 10000 mattress pa	06/25/03	*8 CLOSED
+ Enter ?? for more actions						
VR	View Request	AD	Add Manual	CR	Cancel Request	
PC	Post Complete	AA	Auto Adaptive	FW	Forward Consult	
PI	Post Initial Action	CC	Clone CPRS	23	Display 2319	
OT	Post Other	CA	Clothing Allowance	CD	CPRS Display	
CG	Change Patient	ED	Edit Suspense	PR	Print Consult	
Select Item(s): Next Screen//						

Clone an Eyeglass Consult (CC)

Eyeglass consult

Below is a sample of a cloning of an eyeglass consult (CPRS order).

Steps

To create a clone of an eyeglass consult, follow these steps:

Step	Action
1	At the Select Item(s) : Next Screen// prompt, type CC for the Clone CPRS action, and press <Enter.>
2	Enter the line item for the eyeglass consult that you want to clone, and press <Enter.>
3	You have completed the clone process!
4	You can now display the option on your screen at the Device prompt by pressing <Enter> twice.

Clone CPRS

Date	Type	Requestor	Description	Init Act	Days	Status
1	10/16/03	CLONE PROVIDER1,FIVE	IRIS 10000 mattress pa		0	OPEN
2	10/16/03	CLOTHING PROVIDER,TEN	RECEIVED APPLICATION F		0	OPEN
3	10/16/03	AUTO ADA PROVIDER,TEN	RECEIVED AAE APPLICATI	10/16/03	0	CLOSED
4	10/16/03	ROUTINE PROVIDER1,ONE	Update CPAP Rx: 9cm @		0	OPEN
5	07/16/03	ROUTINE PROVIDER1,TWO	TOILET TISSUE ROD	07/21/03	3	CLOSED
6	07/11/03	ROUTINE PROVIDER1,TWO	CUSTOM STOCKING	07/16/03	3	CLOSED
7	07/11/03	ROUTINE PROVIDER1,TWO	20"REACHER - REP	07/16/03	3	CLOSED
8	07/11/03	ROUTINE PROVIDER1,TWO	SHOWER HOSE	07/11/03	0	CLOSED
9	07/11/03	ROUTINE PROVIDER1,TWO	REACHER - REPLACE	07/11/03	0	CLOSED
10	06/30/03	EYEGLASS PROVIDER1,THREE	EYEGLASS RX:	07/01/03	1	CLOSED
+ Enter ?? for more actions						
VR	View Request	AD	Add Manual	CR	Cancel Request	
PC	Post Complete	AA	Auto Adaptive	FW	Forward Consult	
PI	Post Initial Action	CC	Clone CPRS	23	Display 2319	
OT	Post Other	CA	Clothing Allowance	CD	CPRS Display	
CG	Change Patient	ED	Edit Suspense	PR	Print Consult	
Select Item(s): Next Screen// CC Clone CPRS <Enter>						
Enter a list or range of numbers (1-10): 10 <Enter>						
Done... Please select a device to print the new SUSPENSE Record.						
DEVICE: <Enter>TELNET VIRTUAL <Enter>						

Continued on next page

Clone an Eyeglass Consult (CC), Continued

Clone display

Below is the displayed version of the new cloned entry of the eyeglass consult.

Printout of Eyeglass Clone

```
View                                     OCT 16,2003  20:01  PAGE 1
-----
Order Date: OCT 16,2003      Patient: PROSPATIENT,ONE (000-00-0001) ASSN:
Requestor: PROVIDER1,SIX    Suspended By: PROSPROVIDER3,TWO
-----
Initial Action Date:          Complete Date:
=====
Description of Item/Services Requested
EYEGLOSS RX:
      TITLE: EYE OUTPT OPTICIAN EYE GLASS INITIAL FITTING NOTE [T]
DATE OF NOTE: JUN 30, 2003@07:40      ENTRY DATE: JUN 30, 2003@07:40:12

      AUTHOR: PROVIDER1,SIX          EXP COSIGNER:

      URGENCY:                      STATUS: COMPLETED

Initial fitting of eye glasses performed.
CORRECTIVE LENS PRESCRIPTION MIW
Diagnosis: MYOPIA 367.1
-----
      OD:  -2.00 +0.50 X 180
      OS:  -3.00+0.25 X 005
R ADD:  +1.50/+3.00 LINED TRIFOCAL
L ADD:  Same as Right
                                PROSPATIENT,ONE
                                Order #: 15001331
                                Status: ACTIVE
                                Provider: PROSPROVIDER1,SEVEN
                                Entered: JUN 27, 2003@10:33
-----
[NEAR]      Right  Left
Addition Height:20
              Type:FT
              Width:7/28
              PD Far:66
              PD Near:63
PD Near Inset:
Total Inset:
-----
[FRAME SELECTION]
  Frame Name:PT 48
    Color:GOLD
    Eyesize:56
  Bridge Size:19
  Temple Length:145
-----
```

Continued on next page

Clone an Eyeglass Consult (CC), Continued

Clone display (continued)

Below is the displayed version of the new cloned entry of the eyeglass consult.

Printout of Eyeglass Clone (continued)

```
[EYEWEAR OPTIONS]
  Lens Material: [X ] Plastic      [ ] Glass      [ ] Polycarb

    Lens Style: [ ] Single Vision
                [ ] Bifocal
                [X ] Trifocal
                [ ] Lenses Only
                [ ] Safety
                [X 88%GREY ] Tint*
                [ ] Progressive*
                [X ] Supply Case
                [XUC COTE ] Other (Description):

          *Medical Necessity (required) for Tint or Progressive:
-----
SPECIAL INSTRUCTIONS FOR EYEWEAR FABRICATION:
-----
DELIVERY INSTRUCTIONS: [xx] Veteran      [ ] VA Medical Center
EYEGLASS REPLACEMENT: [ ] Lost          [ ] Broken      [ ] Stolen
-----
/es/ PROSUSER,ONE
OPT
Signed: 06/30/2003 07:42
-----
Initial Action Note:
-----
Complete Note:

Chronological list of notes posted to the request...

Initial Action Note - JUL 01, 2003@10:42:49  posted by PROSUSER,TWO

See Completion Note for Initial Action Taken.
-----
Completion Note - JUL 01, 2003@10:42:49  posted by PROSUSER,TWO
PO T ODIAMOND
```

Continued on next page

Clone an Eyeglass Consult (CC), Continued

New cloned record

Below is the Suspense screen displaying the new Clone of the eyeglass consult.

See # 1 (with a Type of CLONE) and #11 (with a Type of EYEGLASS).

New Eyeglass CPRS Record Cloned

Suspense Processing		Oct 16, 2003@20:01:12		Page: 1 of 18			
Open/Pending/Closed Suspense for		PROSPATIENT, ONE (000-00-0001)		'!' = STAT			
Date	Type	Requestor	Description	Init Act	Days	Status	
2	10/16/03	CLONE	PROVIDER1,FIVE	IRIS 10000 mattress pa	0	OPEN	
3	10/16/03	CLOTHING	PROVIDER,TEN	RECEIVED APPLICATION F	0	OPEN	
4	10/16/03	AUTO ADA	PROVIDER,TEN	RECEIVED AAE APPLICATI	10/16/03	0	CLOSED
5	10/16/03	ROUTINE	PROVIDER1,ONE	Update CPAP Rx: 9cm @	0	OPEN	
6	07/16/03	ROUTINE	PROVIDER1,TWO	TOILET TISSUE ROD	07/21/03	3	CLOSED
7	07/11/03	ROUTINE	PROVIDER1,TWO	CUSTOM STOCKINGS	07/16/03	3	CLOSED
8	07/11/03	ROUTINE	PROVIDER1,TWO	20"REACHER - REP	07/16/03	3	CLOSED
9	07/11/03	ROUTINE	PROVIDER1,TWO	SHOWER HOSE	07/11/03	0	CLOSED
10	07/11/03	ROUTINE	PROVIDER1,TWO	REACHER - REPLACE. STO	07/11/03	0	CLOSED
11	06/30/03	EYEGLASS PROVIDER,EIGHT	EYEGLASS RX:	07/01/03	1	CLOSED	
+ Enter ?? for more actions							
VR	View Request	AD	Add Manual	CR	Cancel Request		
PC	Post Complete	AA	Auto Adaptive	FW	Forward Consult		
PI	Post Initial Action	CC	Clone CPRS	23	Display 2319		
OT	Post Other	CA	Clothing Allowance	CD	CPRS Display		
CG	Change Patient	ED	Edit Suspense	PR	Print Consult		
Select Item(s): Next Screen//							

View a Cloned Consult in CPRS

Cloning and the CPRS application Below is the cloned consult in Suspense. Once a clone has been created, any initial action notes, other notes or complete notes posted to the new Suspense entry are posted in CPRS.

The next page shows how a clone of a consult appears in CPRS with the action notes. See next page for the CPRS sample screen.

Suspense entry

Suspense Processing		Oct 17, 2003@07:34:43		Page: 1 of 1		
Open/Pending/Closed Suspense for PROSPATIENT, ONE		(000-00-4040)		'!' = STAT		
Date	Type	Requestor	Description	Init Act	Days	Status
1 10/15/03	CLONE	PROVIDER1,NINE	Date of implant: Feb 1	10/15/03	0	CLOSED
2 10/08/03	AUTO ADA	PROVIDER1,EIGHT	TEST	10/08/03	0	CLOSED
3 10/08/03	CLONE	PROVIDER1,TEN	Date of implant: Apr 2	10/08/03	0	CLOSED
4 10/08/03	AUTO ADA	PROVIDER1,EIGHT	TEST2	10/08/03	0	CLOSED
5 10/08/03	AUTO ADA	PROVIDER1,EIGHT	NEW AAE TEST CLAIM	10/08/03	0	CLOSED
6 10/08/03	CLOTHING	PROVIDER1,EIGHT	NEW CA CLAIM	10/08/03	0	CLOSED
7 10/06/03	CLONE	PROVIDER1,TEN	Date of implant: Apr 2	10/08/03	2	CLOSED
8 04/29/03!	ROUTINE	PROVIDER1,TEN	Date of implant: Apr 2	05/07/03	*6	CLOSED
9 04/29/03	ROUTINE	PROVIDER1,TEN	Date of implant: Apr 2	05/07/03	*6	CLOSED
10 04/15/03	MANUAL	PROVIDER1,EIGHT	AAE Application	04/15/03	0	CLOSED
11 02/28/03	ROUTINE	PROVIDER2,ONE	Date of implant: Feb 6	03/20/03	*14	CLOSED
12 02/20/03	ROUTINE	PROVIDER2,ONE	Date of implant: Feb 1	02/20/03	0	CLOSED
13 01/31/03	ROUTINE	PROVIDER2,TWO	Date of implant:Jan 3	02/19/03	*12	CLOSED
14 12/19/02	ROUTINE	PROVIDER2,ONE	Date of implant: Dec 1	12/27/02	*5	CLOSED
+ Enter ?? for more actions						
VR View Request	AD Add Manual		CR Cancel Request			
PC Post Complete	AA Auto Adaptive		FW Forward Consult			
PI Post Initial Action	CC Clone CPRS		23 Display 2319			
OT Post Other	CA Clothing Allowance		CD CPRS Display			
CG Change Patient	ED Edit Suspense		PR Print Consult			
Select Item(s): Quit//						

Continued on next page

View a Cloned Consult in CPRS, Continued

CPRS Screen sample

Notice the last three comments on the CPRS screen sample below:

- The “RECEIVED” is when the clone was created.
- The 2nd “ADDED COMMENT” is the Initial Action note.
- The 3rd “COMPLETE/UPDATE” is the Post Complete note.

Notice on the left-panel, that the Feb 20,03 PROSTHETICS REQUEST was chosen and is highlighted. **This is the original consult that was cloned.** The notes are posted to the original consult. There is no new consult with the date 10/15/03 PROSTHEICS REQUEST – CLONE. The notes are attached to the original consult.

The screenshot shows the VISTA CPRS interface. The title bar reads "Vista CPRS in use by: Blum, Karen M (vista.milwaukee.med.va.gov)". The main window displays patient information: "PROSPATIENT, SIX 000-00-0006 Jan 01, 1911 (92)", "Visit Not Selected", and "PC GOLD TEAM /". The left panel shows a list of consults, with "Feb 20,03 (c) PROSTHETICS REQ" selected. The main panel shows the details of this consult, including a list of comments and actions:

Date	Action	Time	Provider
02/20/03	CPRS RELEASED ORDER PRINTED TO MIWC26P&PRT 10/6/	15:05	PROSPROVIDER2,THREE
02/20/03	COMPLETE/UPDATE CLOSED	15:56	PROSPROVIDER2,FOUR
02/21/03	INCOMPLETE RPT Note# 3412025	15:22	PROSPROVIDER2,FIVE
02/21/03	DISASSOCIATE RESULT Note# 3412025	15:26	PROSPROVIDER2,SIX
03/20/03	CANCELLED TEST	10:50	PROSPROVIDER2,SEVEN
10/15/03	RECEIVED test	09:03	PROSPROVIDER2,SEVEN
10/15/03	ADDED COMMENT testing again	09:05	PROSPROVIDER2,SEVEN
10/15/03	COMPLETE/UPDATE final test	09:05	PROSPROVIDER2,SEVEN

Arrows in the screenshot point to the "RECEIVED test", "ADDED COMMENT testing again", and "COMPLETE/UPDATE final test" entries. Below the comments, a note states: "Note: TIME ZONE is local if not indicated" and "No local TIU results or Medicine results available for this consult". The interface also shows a "Cover Sheet" button and a "Consults" tab at the bottom.

View Request (VR) Option (Patch RMPR*3*80 Enhancement)

View Request (VR) of a Clone

View Request (VR)

You can select the **View Request (VR)** option to view a cloned Routine CPRS consult. This option has been enhanced with Patch RMPR*3*80 to include all the notes posted to a Suspense entry including the initial action notes, the other posted notes, and the completed posted notes.

Note: When an Initial Action or Complete Action is taken, the CPRS record is updated as well. This is created under the name of the original prescriber.

Clone Consult - #1

Date	Type	Requestor	Description	Init Act	Day	Status
Suspense Processing Oct 16, 2003@19:56:12 Page: 1 of 18						
Open/Pending/Closed Suspense for PROSPATIENT, ONE (000-00-0001) '!' = STAT						
2	10/16/03	CLOTHING PROVIDER,TEN	RECEIVED APPLICATION F		0	OPEN
3	10/16/03	AUTO ADA PROVIDER,TEN	RECEIVED AAE APPLICATI	10/16/03	0	CLOSED
4	10/16/03	ROUTINE PROVIDER1,ONE	Update CPAP Rx: 9cm @		0	OPEN
5	07/16/03!	ROUTINE PROVIDER1,TWO	TOILET TISSUE RO	07/21/03	3	CLOSED
6	07/11/03	ROUTINE PROVIDER1,TWO	CUSTOM STOCKINGS	07/16/03	3	CLOSED
7	07/11/03	ROUTINE PROVIDER1,TWO	20"REACHER - REP	07/16/03	3	CLOSED
8	07/11/03	ROUTINE PROVIDER1,TWO	SHOWER HOSE	07/11/03	0	CLOSED
9	07/11/03	ROUTINE PROVIDER1,TWO	REACHER - REPLACE	07/11/03	0	CLOSED
10	06/30/03	EYEGLASS PROVIDER1,THREE	EYEGLASS RX:	07/01/03	1	CLOSED
11	06/30/03	EYEGLASS PROVIDER1,THREE	EYEGLASS RX:	07/01/03	1	CLOSED
12	06/13/03	ROUTINE PROVIDER1,FOUR	IRIS 10000 mattress pa	06/25/03	*8	CLOSED
+ Enter ?? for more actions						
VR	View Request	AD Add Manual	CR Cancel Request			
PC	Post Complete	AA Auto Adaptive	FW Forward Consult			
PI	Post Initial Action	CC Clone CPRS	23 Display 2319			
OT	Post Other	CA Clothing Allowance	CD CPRS Display			
CG	Change Patient	ED Edit Suspense	PR Print Consult			
Select Item(s): Next Screen// VR <Enter> View Request						
Enter a list or range of numbers (1-12): 1 <Enter>						
DEVICE: <Enter> TELNET VIRTUAL <Enter>						

Continued on next page

View Request (VR) of a Clone, Continued

View Request (VR)

This is a continuation of the cloned consult from the **View Request (VR)** option.

Sample View Request (continued)

View	OCT 16,2003 19:58 PAGE 1

Order Date: OCT 16,2003 Patient: PROSPATIENT,ONE (000-00-0001) ASSN: Requestor: PROSPROVIDER2,TEN Suspended By: PROSPROVIDER1,FOUR	

Initial Action Date:	Complete Date:
=====	
Description of Item/Services Requested IRIS 10000 mattress pad =====	
(Describe PROSTHETIC APPLIANCE or REPAIR above LINE)	
ISSUING INSTRUCTIONS: <input checked="" type="checkbox"/> VETERAN WILL PICK UP <input type="checkbox"/> WARD/CLINIC PERSONNEL WILL PICKUP <input type="checkbox"/> DELIVERY LOCATION	
View	OCT 16,2003 19:58 PAGE 2

FOR (INPATIENT) - ESTIMATED DISCHARGE DATE: -----	
Initial Action Note: -----	
Complete Note:	
Chronological list of notes posted to the request...	
No notes have been posted to this request	
Enter RETURN to continue or '^' to exit:	

View Request (VR) - Auto Adaptive Suspense Record

Example Below is a sample of a closed Auto Adaptive Suspense Record. The same procedure is used with a Clothing Allowance Suspense record.

Steps To view an Auto Adaptive Suspense record, follow these steps:

Step	Action
1	At the Select Item(s) : Next Screen// prompt, type VR for the View Request action, and press <Enter.>
2	Enter a line item (or a range of line items to view multiple requests), and press <Enter.>
3	Display the option on your screen at the Device prompt by pressing <Enter> twice.

Auto Adaptive Suspense record

Date	Type	Requestor	Description	Init Act	Days	Status
Suspense Processing Oct 16, 2003@19:49:05 Page: 1 of 18						
Open/Pending/Closed Suspense for PROSPATIENT, ONE (000-00-0001) !" = STAT						
1	10/16/03	AUTO ADA PROVIDER,TEN	RECEIVED AAE APPLICATI	10/16/03	0	CLOSED
2	10/16/03	ROUTINE PROVIDER1,ONE	Update CPAP Rx: 9cm @		0	OPEN
3	07/16/03	ROUTINE PROVIDER1,TWO	TOILET TISSUE ROD	07/21/03	3	CLOSED
4	07/11/03	ROUTINE PROVIDER1,TWO	CUSTOM STOCKINGS	07/16/03	3	CLOSED
5	07/11/03	ROUTINE PROVIDER1,TWO	20"REACHER - REP	07/16/03	3	CLOSED
6	07/11/03	ROUTINE PROVIDER1,TWO	SHOWER HOSE/	07/11/03	0	CLOSED
7	07/11/03	ROUTINE PROVIDER1,TWO	REACHER - REPLACE	07/11/03	0	CLOSED
8	06/30/03	EYEGLASS PROVIDER1,THREE	EYEGLASS RX:	07/01/03	1	CLOSED
9	06/30/03	EYEGLASS PROVIDER1,THREE	EYEGLASS RX:	07/01/03	1	CLOSED
+ Enter ?? for more actions						
VR View Request AD Add Manual CR Cancel Request						
PC Post Complete AA Auto Adaptive FW Forward Consult						
PI Post Initial Action CC Clone CPRS 23 Display 2319						
OT Post Other CA Clothing Allowance CD CPRS Display						
CG Change Patient ED Edit Suspense PR Print Consult						
Select Item(s): Next Screen// VR View Request <Enter>						
Enter a list or range of numbers (1-10): 1 <Enter>						
DEVICE: <Enter> TELNET VIRTUAL <Enter>						

View Auto Adaptive Suspense entry

View	OCT 16,2003 19:49	PAGE 1

Order Date: OCT 16,2003	Patient: PROSPATIENT,ONE (000-00-0001)	ASSN:
Requestor PROSPROVIDER1,FOUR	Suspended By: PROSPROVIDER,TEN	

Initial Action Date: OCT 16,2003	Complete Date: OCT 16,2003	19:46

Description of Item/Services Requested		
RECEIVED AAE APPLICATION		

Initial Action Note:		
CONTACTED VET TO REQUEST COPY OF TITLE		

Completion Note - OCT 16, 2003@19:46:40 posted by PROSPROVIDER,TEN		
SENT AAE PAPERS TO VARO		

View Sample Consults

View Oxygen Consult

Example

Below is a sample of the Oxygen (Home Oxygen) Consult:

Oxygen Consult

Current Pat. Status: Inpatient
Ward: 3AS
Eligibility: SC VETERAN

Order Information
To Service: DERMATOLOGY
From Service: NUR 3AS
Requesting Provider: PROSPROVIDER1,FOUR
Service is to be rendered on an INPATIENT basis
Place: Bedside
Urgency: Routine
Orderable Item: DERMATOLOGY
Consult: Consult Request
Provisional Diagnosis: Open angle glaucoma (365.10)
Reason For Request:

REASON FOR REQUEST: (complaints and findings)

1. RESULTS OF ARTERIAL BLOOD GASES OR PULSE OXIMETRY

Room Air at Rest:
Room Air with Exercise:
O2@ LPM of:
O2@ LPM with exercise of:

2. PRESCRIPTION FOR HOME OXYGEN

<input type="checkbox"/> LPM @ Rest	<input type="checkbox"/> LPM Continuous
<input type="checkbox"/> LPM During Exercise	<input type="checkbox"/> LPM Exercise Only
<input type="checkbox"/> LPM @ Night	<input type="checkbox"/> LPM Night Only

3. PRIMARY DELIVERY SYSTEM

<input type="checkbox"/> Compressed Gas
<input type="checkbox"/> Concentrator
<input type="checkbox"/> Liquid System

4. ADDITIONAL ITEMS

<input type="checkbox"/> Portable Cylinders (steel <input type="checkbox"/> aluminum <input type="checkbox"/>)	
Tank Size	Quantity per Month
_____	_____
_____	_____
_____	_____

Conserving Device
Type _____

<input type="checkbox"/> Nasal Cannula
<input type="checkbox"/> Oxygen Mask
<input type="checkbox"/> Trach Mask
<input type="checkbox"/> Humidification
<input type="checkbox"/> Other (e.g., cart, shoulder bag, etc.)

Continued on next page

View Oxygen Consult, Continued

Example

Below is a continued example of an Oxygen Consult:

Oxygen Consult (continued)

DELIVERY LOCATION:

5. LOGISTICS

a. Outpatient _____ Inpatient _____

b. Patient scheduled for discharge (date): _____

c. Patient requires portable O2 for transport home: (yes / no)

d. Patient requires recertification of prescription and follow-up appointment: (6 months / 12 months)

e. Date of last visit: _____

f. Date of next visit: _____

6. Does patient have advance directive on file? Yes _____ No _____

Status: PENDING
Last Action: FORWARDED FROM

Detailed Display Jul 28, 2000 14:12:10 Page: 6 of 6
Detailed Display

+

Activity	Date/Time	Responsible Person	Entered By
ENTERED IN CPRS	06/30/00 10:44	PROSPROVIDER1,FOUR	
FORWARDED FROM	07/03/00 15:15	PROSPROVIDER1,FOUR	

PROSPROVIDER1,FOUR
HOME OXYGEN REQUEST
TESTING THE FORWARD OPTION.

View Contact Lens Consult

Example

Below is a sample of the Contact Lens Consult:

Contact Lens Consult

Current Pat. Status:	Inpatient		
Ward:	3AS		
Eligibility:	SC VETERAN		
Order Information			
To Service:	DERMATOLOGY		
From Service:	NUR 3AS		
Requesting Provider:	PROSPROVIDER3,ONE		
Service is to be rendered on an INPATIENT basis			
Place:	Bedside		
Urgency:	Routine		
Orderable Item:	DERMATOLOGY		
Consult:	Consult Request		
Provisional Diagnosis:	Glaucoma, Suspect (365.00)		
Reason For Request:			
CONTACT LENS RX:			
	Base Power DIA OZ Thick SEC PER EDGE		
Right			
Left			

MFG:	LENS TYPE:		
TINT:	DOT:		

<input type="checkbox"/> D.W.	ORDERING INFORMATION-		
<input type="checkbox"/> E.W.	OBLIGATION #: _____		
<input type="checkbox"/> Mono	TOTAL COST _____		
	VISA# _____		
	EXP DATE _____		

AUTHORIZATION SIGNATURE _____			

ISSUING INSTRUCTIONS:			
<input type="checkbox"/> See DR. for Dispensing			
<input type="checkbox"/> Dispense Only			
<input type="checkbox"/> Replacement			
<input type="checkbox"/> Needs I&R			
<input type="checkbox"/> Kit Training			
<input type="checkbox"/> Reinstruct			
<input type="checkbox"/> Other (Describe)			
DELIVERY INSTRUCTIONS: <input type="checkbox"/> Veteran <input type="checkbox"/> VA Medical Center			
Detailed Display	Jul 28, 2000 14:11:09	Page: 4 of 4	
Detailed Display			
+			
EYEGLOSS REPLACEMENT:	<input type="checkbox"/> Lost	<input type="checkbox"/> Broken <input type="checkbox"/> Stolen	
Status:	PENDING		
Last Action:	FORWARDED FROM		
Activity	Date/Time	Responsible Person	Entered By
ENTERED IN CPRS	06/30/00 10:44	PROSPROVIDER1,FOUR	
PROSPROVIDER1,FOUR			
FORWARDED FROM	07/03/00 15:15	PROSPROVIDER1,FOUR	
PROSPROVIDER1,FOUR			
CONTACT LENS REQUEST			
TESTING THE FORWARD FUNCTION.			

View Eyeglass Consult

Example

Below is a sample of the Eyeglass Consult:

Eyeglass Consult

```

Current Pat. Status:  Inpatient
Ward:                 3AS
Eligibility:         SC VETERAN

Order Information
To Service:          EYEGLOSS REQUEST
From Service:        NUR 3AS
Requesting Provider: PROSPROVIDER3,ONE
Service is to be rendered on an INPATIENT basis
Place:              Bedside
Urgency:            Routine
Orderable Item:     EYEGLOSS REQUEST
Consult:            Consult Request
Provisional Diagnosis: Glaucoma NEC (365.89)
Reason For Request:
EYEGLOSS RX:
[DISTANCE]
      Sphere   Cylinder   Axis   Prism   Base   BC   MRP
Right
Left
-----
[NEAR]
      Addition Height   Type   Width   PD   Far PD   Near PD   Near Inset   Total
Ins
Right
Left
-----
[FRAME SELECTION]
Frame Name:
Color:
Eyesize:
Bridge Size:
Temple Length:
ORDERING INFORMATION-
OBLIGATION #: _____
TOTAL COST _____
VISA# _____
EXP DATE _____
AUTHORIZATION SIGNATURE _____
-----
[EYEWEAR OPTIONS]
Lens Material:  ___Plastic  ___Glass  ___Polycarb
Lens Style:    ___Single Vision  ___Bifocal  ___Trifocal  ___Lenses Only  ___Safety
___Tint*      ___Progressive*
*Medical Necessity (required) for Tint or Progressive:
___Other: (Description)

SPECIAL INSTRUCTIONS FOR EYEWEAR FABRICATION:

DELIVERY INSTRUCTIONS:  ___Veteran  ___VA Medical Center

Detailed Display          Jul 28, 2000 14:11:31          Page:    4 of 4
Detailed Display
+
EYEGLOSS REPLACEMENT:  ___Lost  ___Broken  ___Stolen  ___Repair

Status:              COMPLETE
Last Action:         COMPLETE/UPDATE
Activity             Date/Time           Responsible Person   Entered By
ENTERED IN CPRS     06/30/00 10:44    PROSPROVIDER1,FOUR
PROSPROVIDER1,FOUR
COMPLETE/UPDATE     07/19/00 15:53    PROSPROVIDER3,TWO
PROSPROVIDER3,TWO
    
```

View a Prosthetics Consult (Routine)

Example

Below is a sample of a Prosthetics Consult (Routine Consult):

Prosthetics Consult

```
Current Pat. Status:  Inpatient
Ward:                 3AS
Eligibility:         SC VETERAN

Order Information
To Service:          AMPUTEE/PROSTHETICS CLINIC
From Service:       NUR 3AS
Requesting Provider: PROSPROVIDER3,TWO
Service is to be rendered on an INPATIENT basis
Place:              Bedside
Urgency:            Routine
Orderable Item:     AMPUTEE/PROSTHETICS CLINIC
Consult:            Consult Request
Provisional Diagnosis: Bell's Palsy (351.0)
Reason For Request:

DESCRIPTION OF APPLIANCE OR REPAIR REQUESTED:

ISSUING INSTRUCTIONS:
  _____ VETERAN WILL PICK UP
  _____ WARD/CLINIC PERSONNEL WILL PICKUP
  _____ DELIVERY LOCATION

IF IN-PATIENT, ENTER ESTIMATED DISCHARGE DATE:

Status:              PENDING
Last Action:         FORWARDED FROM

Activity              Date/Time      Responsible Person  Entered By
ENTERED IN CPRS      06/29/00 16:37  PROSPROVIDER3,TWO
PROSPROVIDER3,TWO
FORWARDED FROM       07/03/00 15:07  PROSPROVIDER3,TWO
PROSPROVIDER3,TWO
  PROSTHETICS REQUEST
FORWARD TO AMPUTEE CLINIC

Detailed Display      Jul 28, 2000 14:13:02      Page:      4 of 4
Detailed Display
```

Linking and the Suspense Processing (SP) Menu

Overview

Patch description

Patch RMPR*3.0*62 (February, 2002) enhances the purchase order process from the **Purchasing (PU) Menu** to link the transaction to the Suspense record(s). You can access the Prosthetic purchase orders through the **Enter New Request (EN) Menu** (under the **Purchasing (PU) Menu**). The **Suspense Processing List Manager** screen now automatically displays after posting a transaction.

Note: There are other Prosthetic menus and options that automatically display the **Suspense Processing List Manager** screen (listed on the first page of this document).

New Menu option


In addition to the new reports with Patch RMPR*3.0*62, there is a new **Suspense Menu** option entitled: **Link Patient Record to Suspense (LS)**, but the main changes with this patch have been done to the **Suspense Processing List Manager** screen.

Linking Feature

With Patch RMPR*3.0*62, you will now **LINK** a transaction to the Suspense record (from CPRS) in the patient's **Suspense Processing List Manager** screen.

- A result of the linking is a match of the HCPCS Code to the ICD Code which will automatically create the PCE (Patient Care Encounter) for electronic consults.
 - Linking is required for manual suspense entries; however, no PCE is generated. Therefore, the **Appointment Management Menu** no longer appears.
-

New Suspense Menu option



```
SP      Suspense Processing
ES      Edit Suspense Station
IS      Inquire to Individual Suspense Record
PC      Print Closed Suspense Records
PO      Print Detailed Open/Pending Suspense Records
PR      Print 5 Day Old Suspense Report
PS      Print Summary Open/Pending Suspense Records
ST      Print Suspense Statistics
RL      Print Patient Records Linked To Suspense
RN      Print Patient Records Not Linked To Suspense
PD      Print Patient PCE Data
LS      Link Patient Record to Suspense
```

Select Suspense Option:

Suspense Items Linked

Accessing the Suspense Processing Screen

After you post a transaction, the **Suspense Processing List Manager** screen automatically displays. You can then **Post Initial Action (PI)**, **Post Other Note (OT)**, or **Post Complete (PC)** to link to a transaction.

You can also perform any action on a patient that you need to as if you had accessed this screen from the **Suspense Processing (SP) Menu** EXCEPT the following action: **Change Patient (CG)**.

Steps

To link suspense items, follow these steps:

Step	Action
1	From the Suspense Processing List Screen , select the action: Post Initial (PI) , Post Other (OT) , or Post Complete (PC) on the Suspense record for the patient you want to link with the transaction.
2	Select the number of the Suspense record that you want to post the note.
3	The List of 2319 Record(s) display which includes the date, the item description, and the vendor in the 2319.
4	At the Enter 2319 Record to be LINKED prompt, select the number of the transaction you issued or posted.
5	You then have the option to edit the note that you just created or quit.

NEW Screen and Prompts!!

Date	Type	Requestor	Description	Init	Act	Days	Status
1	08/29/01	MANUAL	ROVIDER,FOUR	MANUAL SUSPENSE ENTERE		@24	OPEN
2	02/21/01	MANUAL	ROVIDER,FOUR		08/29/01	*135	CLOSED
3	08/16/00	MANUAL	PROVIDER,THREE	DESCRIPTION OF APPLIAN		@294	OPEN
4	08/15/00	MANUAL	PROVIDER,THREE	EDIT DESCRIPTION.		@295	OPEN
5	07/05/00	ROUTINE	ROVIDER,FOUR	DESCRIPTION OF APPLIAN	04/26/01	*211	CLOSED
6	05/24/00	MANUAL	PROVIDER,THREE	EDITING THE DESCRIPTIO	08/02/00	*50	CLOSED
7	05/11/00	MANUAL	PROVIDER,THREE	Editing free-text field	05/11/00	0	CLOSED
8	05/05/00	MANUAL	PROVIDER,THREE	Adding a manual suspen		@367	OPEN
9	03/27/00	ROUTINE			08/03/00	*93	CLOSED
10	03/22/00	MANUAL	PROVIDER,THREE	ADDING A PATIENT SUSPE		@399	OPEN
11	03/22/00	MANUAL	PROVIDER,THREE	ADDING AND POSTING cLO	03/22/00	0	CLOSED
12	03/20/00	MANUAL	PROVIDER3,THREE, PROVIDER5,THREE		03/20/00	0	CLOSED

+ Enter ?? for more actions

VR View Request	AD Add Manual	CR Cancel Request
PC Post Complete	AA Auto Adaptive	FW Forward Consult
PI Post Initial Action	CC Clone CPRS	23 Display 2319
OT Post Other	CA Clothing Allowance	CD CPRS Display
CG Change Patient	ED Edit Suspense	PR Print Consult

Select Item(s): Quit// **PI** <Enter> Post Initial Action
 Enter a list or range of numbers (1-14): 1 <Enter>

List of 2319 Records:
 1. 10/02/01 OXYGEN CONCENTR VENDOR,ONE
Enter 2319 Record to be LINKED : (1-1): 1 <Enter>

INITIAL ACTION NOTE:
 No existing text
 Edit? NO//

Link a Range of 2319 Records

Link a Range of Items You can link a range of 2319 transactions by entering a dash between two numbers if there are multiple 2319 records listed. You can only select one Suspense record at a time, but you can link multiple transactions to that specific Suspense record.

Suspense Processing screen

Date	Type	Requestor	Description	Init Act	Days	Status
1 08/29/01	MANUAL	PROVIDER,FOUR	PCE	08/29/01	0	CLOSED
2 08/29/01	MANUAL	PROVIDER,FOUR	TESTING PCE	09/19/01	*15	PENDING
3 08/29/01	MANUAL	PROVIDER3,FIVE	TEST LINK	08/29/01	0	PENDING
4 08/28/01	MANUAL	ADDING A	MANUAL SUSPEN	09/10/01	*9	CLOSED
5 07/26/01	MANUAL	PROVIDER,FOUR		08/23/01	*20	CLOSED
6 06/08/01			DESCRIPTION OF APPLIAN	08/22/01	*53	CLOSED
7 05/22/01!	ROUTINE	PROVIDER,ONE	SECOND TEST ROES	08/14/01	*60	CLOSED
8 05/22/01	ROUTINE	PROVIDER,ONE	ROES ON TOOLS OK, NO C	08/23/01	67	CLOSED
9 03/20/01	MANUAL				@143	OPEN
10 03/20/01					@143	UNKNOWN
11 03/20/01	MANUAL	PROVIDER,FOUR			@143	OPEN
12 03/15/01	MANUAL	PROVIDER,FOUR	TEST C		@146	OPEN
13 12/04/00	MANUAL	PROVIDER3,FOUR	DFSDFS	12/04/00	0	CLOSED
14 11/17/00	ROUTINE	PROVIDER3,FOUR	TEST ASTERIKS	12/26/00	*27	PENDING

+ Enter ?? for more actions
 23 Display 2319 PI Post Initial Action CD CPRS Display
 VR View Request AD Add Manual CR Cancel Request
 PC Post Complete AA Auto Adaptive FW Forward Consult
 PI Post Initial Action CC Clone CPRS 23 Display 2319
OT Post Other CA Clothing Allowance CD CPRS Display
 CG Change Patient ED Edit Suspense PR Print Consult
 Select Item(s): Next Screen// **OT** <Enter> Post Other
 Enter a list or range of numbers (1-14): **1** <Enter>
 List of 2319 Records:
 1. 10/05/01 WHEELCHAIR - EL VENDOR,ONE
 2. 10/05/01 EYEGLASSES VENDOR,ONE
 3. 10/05/01 OXYGEN CONCENTR VENDOR,ONE
 Enter 2319 Record to be LINKED : (1-3): **1-2** <Enter>
 ACTION NOTE:
 No existing text
 Edit? NO//

Multiple
2319 records
linked

Sample Scenario Example

If two or more transactions are shown for one consult, but they were created from different menus (i.e., **Stock Issue Menu** and **Purchase Card Menu**), when linking the first transaction (**Stock Issue Menu**), you would perform one of these actions:

1) Post Initial (PI) or Post Other (OT) for a note on that consult. In the second transaction linking, you would then **Post a Complete (PC)** note to the same consult.

- Or -

2) Remember that you can always Post Other (OT) after a consult has been closed. An example is the case of two transactions from one consult resulting from different menus. You can **Post Complete Note (PC)** for the first transaction (**Stock Issue**) and then **Post Other (OT)** for the second transaction (Purchase Card) in order to complete the "Linking" process.

Adding New Line Items/Shipping Charges During Reconcile/Close Out

Introduction to Automatic Linking

You can add a new line item or a shipping charge to an already created Purchase Order (PO) during the reconciling/close out process. There are two possible linking scenarios including:

1. Multiple Consults - where you will select the proper link for the new line item or a shipping charge.
2. Single Consult - Automatic Linking – where you are adding a line item or a shipping charge to a PO that has only one consult associated with it. Therefore the linking association is done **automatically** for you.

Scenario 1 – Multiple Consults

When creating a PO – a 1358 or Visa, it may be associated with two or more Suspense (consults) records. One consult could be a CPRS consult and the other one is a Manual consult. But when you reconcile/close out the transaction, you need to add a new line item or a shipping charge as you did not include this in the original transaction.

Because you are adding to the PO, and it has two Suspense records associated with it, you will be prompted to identify which record – the CPRS or the Manual consult to link the new line item or the shipping charge to the correct transaction.

Note: Since the PO has some items associated with one consult, and some items associated with another, you will have to determine the proper link.

Scenario 2 – Automatic Linking

A PO is created and linked to one Suspense record. It is not split into multiple records, and NO estimated shipping charge was included. At the reconcile/close out of this transaction, you need to add the shipping charge.

Because all the items were on the same consult (same Suspense record), all additional items and/or shipping charges will be **automatically linked** at the close out without the user having to select the link. Because the linking is done automatically, there will be no additional prompt for you.

No Suspense Item is Selected/No Linking

No action on Suspense

When no action is performed on a Suspense record, there is no linking done. When you exit the **Suspense Processing List Manager** screen, a new message displays as shown below.

Suspense Processing List Manager screen

```

Suspense Processing          Aug 21, 2001@12:15:44          Page: 1 of 8
Open/Pending/Closed Suspense for PROSPATIENT,ONE (000-00-0001)  '!' = STAT
  Date      Type      Requestor      Description      Init Act      Days      Status
1  07/26/01  MANUAL      PROVIDER, FOUR
2  05/22/01  ROUTINE     PROVIDER, ONE    OXYGEN          08/14/01     *60     PENDING
3  05/22/01  ROUTINE     PROVIDER, ONE    TOOLS           @65         OPEN
4  03/20/01  MANUAL
5  03/20/01  MANUAL      PROVIDER, FOUR
6  03/15/01  MANUAL      PROVIDER, FOUR    GLOVES          @113        OPEN
7  12/04/00  MANUAL      PROVIDER3, FOUR  EYEGLASS        12/04/00     0       CLOSED
8  11/17/00! ROUTINE     PROVIDER3, FOUR  SHOE LIFT       12/26/00     *27     PENDING
9  10/17/00  MANUAL      PROVIDER, ONE
10 10/17/00  MANUAL      PROVIDER, ONE
11 10/17/00  MANUAL      PROVIDER, ONE    WHEELCHAIR      03/21/01     *111    CLOSED
+      Enter ?? for more actions
VR View Request      AD Add Manual      CR Cancel Request
PC Post Complete     AA Auto Adaptive   FW Forward Consult
PI Post Initial Action CC Clone CPRS      23 Display 2319
OT Post Other        CA Clothing Allowance CD CPRS Display
CG Change Patient    ED Edit Suspense   PR Print Consult

Select Item(s): Quit// <Enter>  QUIT

*****
** Patient record(s) is/are still exist..... **
** You must select an entry from the list to complete **
** all transactions, otherwise some transactions will **
** not be linked to SUSPENSE!!! **
*****

Would you like to LINK Suspense or EXIT without linking?: (L/E): L// ?? <Enter>

Answer `L` to Link to suspense, 'E' to Exit transaction without link to suspense.
Select one of the following:

          L          LINK Suspense to Patient Record
          E          EXIT and NO Link to Suspense

Would you like to LINK Suspense or EXIT without linking?: (L/E): L// <Enter> LINK
Suspense
  
```

Link prompt

You can then return to the **Suspense Processing List Manager** screen by selecting “L” for **Link Suspense to Patient Record** or select “E” to **Exit** with no link to Suspense.

Note: To eliminate the message (as shown above), you need to link the transactions!

Link Patient Records to Suspense (LS) Option

Function description

The **Link Patient Records to Suspense (LS)** option is used for linking patient records to Suspense records. This option can be used as a **BACKUP** to perform linking if it is not done directly after posting a transaction.

In order to link a patient record to a Suspense record, you must access the Suspense record and add a note using either of these actions: **Post Initial (PI)** , **Post Other (OT)**, or **Post Complete (PC)**.

Screen sample

```

SP      Suspense Processing
ES      Edit Suspense Station
IS      Inquire to Individual Suspense Record
PC      Print Closed Suspense Records
PO      Print Detailed Open/Pending Suspense Records
PR      Print 5 Day Old Suspense Report
PS      Print Summary Open/Pending Suspense Records
ST      Print Suspense Statistics
RL      Print Patient Records Linked To Suspense
RN      Print Patient Records Not Linked To Suspense
PD      Print Patient PCE Data
LS      Link Patient Record to Suspense

Select Suspense Option: LS <Enter> Link Patient Record to Suspense
SITE: Hines Development System// <Enter> 499

Select PATIENT: PROSPATIENT,ONE <Enter> PROSPATIENT,ONE 12-27-50
00000001P YES SC VETERAN

Enrollment Priority: GROUP 2 Category: IN PROCESS End Date:
SUPPORT ISC
1 PROSPATIENT,ONE 12-13-1999 EYEGASSES $
10.00
2 PROSPATIENT,ONE 12-13-1999 PORK-GROUND/FRZN $
1.00
3 PROSPATIENT,ONE 12-13-1999 WHEELCHAIR-ADULT/HEMI/B $
0.00
4 PROSPATIENT,ONE 12-13-1999 WHEELCHAIR-ADULT/HEMI/B $
0.00
5 PROSPATIENT,ONE 12-13-1999 WHEELCHAIR-ADULT/HEMI/B $
0.00

Press <RETURN> to see more, '^' to exit this list, OR
CHOOSE 1-5: 3 <Enter> 12-13-1999 WHEELCHAIR-ADULT/HEMI/B $ 0.00
    
```

Suspense Processing List

After you select an item from the 2319 list, then you will be routed to the **Suspense Processing List Manager** screen where you can link the record to the transaction from this list.

Managing Suspense Items

Edit the Suspense Station (ES)

Function description

The **Edit Suspense Station (ES)** option will edit the record for a patient.

Steps

To edit the Suspense Station, follow these steps:

Step	Action
1	At the Select Suspense Option prompt, type ES for the Edit Suspense Station option, and press <Enter.>
2	At the Select Prosthetic Suspense Date prompt, type the date you want to edit, and press <Enter.>

Edit Suspense Station Screen

SP	Suspense Processing
ES	Edit Suspense Station
IS	Inquire to Individual Suspense Record
PC	Print Closed Suspense Records
PO	Print Detailed Open/Pending Suspense Records
PP	Print Summary Open/Pending Suspense Records
PR	Print 5 Day Old Suspense Report
ST	Print Suspense Statistics
Select Suspense Option: ES <Enter> Edit Suspense Station	
Select PROSTHETIC SUSPENSE DATE: T <Enter> JUL 27, 2000 JUL 27, 2000	

In this section

This section covers the following topics:

Topic
Edit the Suspense Station (ES)
Inquire to Individual Suspense Record (IS)

Inquire to Individual Suspense Record (IS)

Function description

The **Inquire to Individual Suspense Record (IS)** option will display the complete Suspense Record for a veteran.

Steps

To inquire to an individual suspense record, follow these steps:

Step	Action
1	At the Select Suspense Option prompt, type IS for the Inquire to Individual Suspense Record option, and press <Enter.>
2	At the Site prompt, press <Enter> to accept the default site, or you can type two question marks to select a site from the list.
3	At the Select Patient prompt, type the name of the patient to be viewed.
4	At the Device prompt, press <Enter> to display the data online or enter a printer to print the information.

Inquire to Individual Suspense Record Screen

```

SP      Suspense Processing
ES      Edit Suspense Station
IS      Inquire to Individual Suspense Record
PC      Print Closed Suspense Records
PO      Print Detailed Open/Pending Suspense Records
PP      Print Summary Open/Pending Suspense Records
PR      Print 5 Day Old Suspense Report
ST      Print Suspense Statistics

Select Suspense Option: IS <Enter> Inquire to Individual Suspense Record

SITE: SAN ANTONIO VAMC// <Enter> 671
Select PATIENT: PROSPATIENT,SEVEN <Enter> PROSPATIENT,SEVEN 1-1-30
00000007 NO PILL
CHOOSE FROM:
1. 07/05/00 PROSPATIENT,SEVEN OPEN DESCRIPTION OF APPLIANCE OR REP
2. 05/24/00 PROSPATIENT,SEVEN OPEN EDITING THE DESCRIPTION TO ADD
3. 05/16/00 PROSPATIENT,SEVEN CLOSED Description edited.
4. 05/11/00 PROSPATIENT,SEVEN CLOSED Editing free-text field to Add
5. 05/05/00 PROSPATIENT,SEVEN OPEN Adding a manual suspense and po
6. 03/27/00 PROSPATIENT,SEVEN OPEN Description entered.

Enter a number (1-10): 3 <Enter>

DEVICE: TELNET Right Margin: 80// <Enter>
Complete Note AUG 1,2000 11:21 PAGE 1
-----
Order Date: MAY 16,2000 Patient: PROSPATIENT,ONE Requestor:
PROVIDER,FOUR
Initial Action Date: JUL 5,2000
-----
Complete Date: JUL 5,2000
-----
Note: Item was given to pt

Enter RETURN to continue or '^' to exit:

```

Printing Suspense Reports

Overview of Reports

Print Menu Options

There are five (5) **Print** menu options available within the **Suspense** Menu that are detailed over the next few pages. The menu options are as follows:

- Print Closed Suspense Records (PC)
 - Print Detailed Open/Pending Suspense Records (PO)
 - Print 5 Day Old Suspense Report (PR)
 - Print Summary Open/Pending Suspense Records (PS)
 - Print Suspense Statistics (ST)
-

In this section

This section covers the following topics:

Topic
Print Closed Suspense Records (PC)
Print Detailed Open/Pending Suspense Records (PO)
Print 5 Day Old Suspense Report (PR)
Print Summary Open/Pending Records (PS)
Print Suspense Statistics (ST)

Print Closed Suspense Records (PC)

Print Closed

The **Print Closed Suspense Records (PC)** Menu option provides the data for the closed suspense records.

Note: This report will include closed records with a completion date that is within an entered date range, regardless of the initial request date. This means that the totals on this report will not necessarily equal the corresponding totals on the Print Suspense Statistics (ST) report.

Date and Times

Also, this report is date and time sensitive. An ending time should be entered, otherwise, the system will default to a time of 00:00. Do **NOT** enter a T for Today or you will not receive full results. It is recommended that you enter **16:30** for the end time or N for Now.

Steps

To print the Closed Suspense Record(s), follow these steps:

Step	Action
1	At the Select Suspense Option prompt, type PC for the Print Closed Suspense Records Menu option, and press <Enter.>
2	At the Start With Completion Date: First// prompt, type the beginning date of the date range. (You can enter T for Today minus the number of days for the starting date.)
3	At the Go to Completion Date: Last// prompt, type the ending date of the date range. NOTE: If the end date is the current date, you can type N for NOW.
4	At the Device prompt, press <Enter> to accept the current default or you can enter two question marks and select an item from a list.

Print Closed Suspense Record Screen

```

SP      Suspense Processing
ES      Edit Suspense Station
IS      Inquire to Individual Suspense Record
PC      Print Closed Suspense Records
PO      Print Detailed Open/Pending Suspense Records
PR      Print 5 Day Old Suspense Report
PS      Print Summary Open/Pending Suspense Records
ST      Print Suspense Statistics

Select Suspense Option: PC <Enter> Print Closed Suspense Records
* Previous selection: COMPLETION DATE from Aug 21,2000 to Aug 22,2000@24:00
START WITH COMPLETION DATE: FIRST// T <Enter> (AUG 21, 2000)
GO TO COMPLETION DATE: LAST// N <Enter> (AUG 21, 2000@14:06:59)
DEVICE:  HOME      Right Margin: 80// <Enter>
    
```

Continued on next page

Print Closed Suspense Records (PC), Continued

Sample screen Below is a sample screen of the **Print Closed Suspense Records (PC)** menu option.

Print Closed Suspense Records Screen

Prosthetics Closed Suspense File List	AUG 21,2000 14:07	PAGE 1

STATION: SUPPORT ISC		
SUSPENSE DATE: AUG 14,2000	ATTITUDEBAD,VERYBAD	MANUAL
COMPLETION DATE: AUG 21,2000	COMPLETED BY: PROSPROVIDER5,FOUR	
First Line Description		
THIS IS THE DESCRIPTION OF ITEMS FREE TEXT FIELD		
Completion Note		
THIS IS THE COMPLETION NOTE DESCRIPTION TEXT		

Prosthetics Closed Suspense File List	AUG 21,2000 14:07	PAGE 2

STATION: PROSPROVIDER5,FOUR		
SUSPENSE DATE: AUG 21,2000	PROSUSER,THREE	EYEGLOSS
COMPLETION DATE: AUG 21,2000	COMPLETED BY: PROVIDER,ONEELEN	
First Line Description		
EYEGLOSS RX:		
Completion Note		
Not a Prosthetic Patient. Needs appt.		

STATION: PROSPROVIDER5,FOUR		
SUSPENSE DATE: AUG 21,2000	PROSUSER,THREE	ROUTINE
COMPLETION DATE: AUG 21,2000	COMPLETED BY: PROVIDER,ONEELEN	
First Line Description		
BACK BRACE, SMALL		
Completion Note		
DONE		

Prosthetics Closed Suspense File List	AUG 21,2000 14:07	PAGE 3

STATION: PROSPROVIDER5,FOUR	SUSPENSE DATE: AUG 21,2000	WAX,FLOOR
CONTACT		
COMPLETION DATE: AUG 21,2000	COMPLETED BY: PROVIDER,ONEELEN	
First Line Description		
CONTACT LENS RX:		
Completion Note		
COMPLETED THE 2914 REQUEST, SENT TO VENDOR. MAILED TO PATIENT.		

Print Detailed Open/Pending Suspense Records (PO)

Function description

You can print the detailed information from an OPEN or PENDING suspense record using the **Print Detailed Open/Pending Suspense Records (PO)** Menu option.

Note: The number of working days that a request has been OPEN or PENDING from the data entry date into Suspense to the date the report is printed is shown (in parenthesis) next to the **Initial Action Date** field (see below).

Steps

To print the detailed Open/Pending suspense records, follow these steps:

Step	Action
1	At the Select Suspense Option prompt, type PO for the Print Detailed Open/Pending Suspense Records option, and press <Enter.>
2	At the Device: Home// prompt, press <Enter> to accept the default. (You can also type two question marks to select a device from a list.)
3	The detailed data displays.

Print Detailed Open/Pending Suspense Records Screen

```

SP      Suspense Processing
ES      Edit Suspense Station
IS      Inquire to Individual Suspense Record
PC      Print Closed Suspense Records
PO      Print Detailed Open/Pending Suspense Records
PR      Print 5 Day Old Suspense Report
PS      Print Summary Open/Pending Suspense Records
ST      Print Suspense Statistics

Select Suspense Option: PO <Enter> Print Detailed Open/Pending Suspense
Records
DEVICE: HOME// <Enter> TELNET      Right Margin: 80// <Enter>
Prosthetics Open/Pending Suspense File List  APR 05, 2001 08:51
DATE      PATIENT          SSN      STATUS   TYPE      STATION      PAGE 10
-----
02/11/00  PROSPATIENT,ONE    0001  OPEN 299  CONTACT    SALT LAKE CITY
CONTACT LENS RX:
-----
02/28/00  PROSPROVIDER3,TWO    0008  PEND 288  MANUAL      SUPPORT ISC
THIS IS A MANUAL RECORD
**Initial Action Date: 09/18/00  (145 Working Days) ←
TEST
-----
06/06/00  PROSPATIENT,EIGHT    0008  OPEN 217  ROUTINE     ATLANTA, GA
FIX BROKEN WHEELCHAIR
-----

```


Print 5 Day Old Suspense Report (PR)

Function description

The **Print 5 Day Old Suspense Report (PR)** Menu option prints all open records between two fixed dates. The start date is 90 days prior to the report run date (current date), and the end date is seven (7) days prior to the report run date (current date).

Note: Do not compare this report with the Suspense Statistics Report as they were developed for different purposes and will not necessarily show the same figures.

Steps

To print the 5 Day Old Suspense Report, follow these steps:

Step	Action
1	At the Select Suspense Option prompt, type PR for the Print 5 Day Old Suspense Report Menu option, and press <Enter.>
2	At the Site prompt, press <Enter> to accept the default or type two question marks to select an option from the list.
3	At the Device: Home// prompt, press <Enter> to accept the default. (You can also type two question marks to select a device from a list.)
4	The detailed data displays.

Print 5 Day Old Suspense Report Screen

```

SP      Suspense Processing
ES      Edit Suspense Station
IS      Inquire to Individual Suspense Record
PC      Print Closed Suspense Records
PO      Print Detailed Open/Pending Suspense Records
PR    Print 5 Day Old Suspense Report
PS      Print Summary Open/Pending Suspense Records
ST      Print Suspense Statistics

Select Suspense Option: PR <Enter> Print 5 Day Old Suspense Report
SITE: SAN ANTONIO VAMC// <Enter> 671
DEVICE: HOME// <Enter> TELNET Right Margin: 80// <Enter>

DELINQUENT OPEN SUSPENSE REPORT STA 695
DATE PATIENT SSN FORM SUSPENDED BY PAGE 1
03/23/01 PROSPATIENT,ONE 0009 OTHER PROVIDER4,FIVE
Severe Right ankle sprain. needs crutches
03/23/01 PROSPROVIDER3,TWO 899 OTHER PROVIDER4,SIX
VELCRO CLOSURE FOR LEG BRACES
03/26/01 PROSPATIENT,TWO 00072 OTHER PROVIDER4,SIX
WALKER SKIS AND WHEELS FOR LUMEX WALKER
-----
PSC 2421 2237 2529-3 2529-7 2474 2431 2914 OTHER 2520 STK ISU TOTAL
0 0 0 0 0 0 0 0 3 0 0 3
    
```

Print Summary Open/Pending Suspense Records (PS)

Function description The **Print Summary Open/Pending Suspense Records (PS)** Menu option will print both the Open and Pending suspense records in a summary format.

Steps To print the summary Open/Pending suspense record(s), follow these steps:

Step	Action
1	At the Select Suspense Option prompt, type PS for the Print Summary Open/Pending Suspense Records Menu option, and press <Enter.>
2	At the Device: Home// prompt, press <Enter> to accept the default. (You can also type two question marks to select a device from a list.)
3	The detailed data displays.

Print Summary Open/Pending Suspense Records Screen

```

SP      Suspense Processing
ES      Edit Suspense Station
IS      Inquire to Individual Suspense Record
PC      Print Closed Suspense Records
PO      Print Detailed Open/Pending Suspense Records
PR      Print 5 Day Old Suspense Report
PS    Print Summary Open/Pending Suspense Records
ST      Print Suspense Statistics

Select Suspense Option: PS <Enter> Print Summary Open/Pending Suspense
Records
DEVICE: HOME// <Enter> TELNET      Right Margin: 80// <Enter>

Prosthetics Open/Pending Summary Suspense List  APR 03, 2001 13:36  STA 695
DATE      STATUS      PATIENT      SSN      TYPE      SUSPENDED BYPAGE 1
-----
01/04/01  PEND 63  PROSPATIENT2,SIX      0026  ROUTINE  PROSPROVIDER5,FIVE
01/18/01  PEND 53  PROSPATIENT2, SEVEN  0027  ROUTINE  PROSPROVIDER5,SIX
02/22/01  PEND 28  PROSPATIENT2,EIGHT   0028  MANUAL   PROSPROVIDER5,SEVEN
03/08/01  PEND 18  PROSPATIENT2,NINE    0029  ROUTINE  PROSPROVIDER5,EIGHT
03/14/01  PEND 14  PROSPATIENT2,TEN     0210  ROUTINE  PROSPROVIDER5,NINE
03/19/01  PEND 11  PROSPATIENT3,ONE     0031  ROUTINE  PROSPROVIDER5,TEN
03/20/01  PEND 10  PROSPATIENT3,TWO     0032  MANUAL   PROSPROVIDER6,ONE
03/20/01  PEND 10  PROSPATIENT3,THREE   0033  ROUTINE  PROSPROVIDER6,TWO
03/21/01  PEND 9   PROSPATIENT3,FOUR    0034  MANUAL   PROSPROVIDER6,THREE
03/21/01  PEND 9   PROSPATIENT3,FIVE    0035  ROUTINE  PROSPROVIDER6,FOUR
03/22/01  PEND 8   PROSPATIENT3,SIX     0036  ROUTINE  PROSPROVIDER6,FIVE
03/22/01  PEND 8   PROSPATIENT3,SEVEN   0037  ROUTINE  PROSPROVIDER6,SIX
03/23/01  OPEN 7    PROSPATIENT3,EIGHT   0038  ROUTINE  PROSPROVIDER6,SEVEN
03/23/01  OPEN 7    PROSPATIENT3,NINE    0039  ROUTINE  PROSPROVIDER6,EIGHT
03/23/01  PEND 7    PROSPATIENT3,TEN     0310  ROUTINE  PROSPROVIDER6,NINE
  
```

Print Suspense Statistics (ST)

Function description

The **Print Suspense Statistics (ST)** Menu option prints statistics from the PROSTHETICS SUSPENSE file (#668). This report will summarize only those suspense records whose initial request date is within an entered date range.

Thus if a record has an initial request date prior to the report begin date, but a completed (close out) date within the date range, it will not be counted in the CLOSED SUSPENSE RECORDS totals. The same reasoning applies to the OPEN and PENDING totals. It is important to realize that the figures in this report will not necessarily equal the corresponding figures in the other suspense reports.

Steps

To print the summary Open/Pending suspense record(s), follow these steps:

Step	Action
1	At the Select Suspense Option prompt, type ST for the Print Suspense Statistics Menu option, and press <Enter.>
2	You can enter a Starting Date and an Ending Date.
3	At the Device: Home// prompt, press <Enter> to accept the default. (You can also type two question marks to select an option from a list.)

Print Suspense Statistics Screen

```

Statistics AUG 08, 2000 09:06
                For The Period AUG 01, 2000-AUG 04, 2000 STA 695
OPEN SUSPENSE RECORDS
PSC 2421 2237 2529-3 2529-7 2474 2431 2914 OTHER 2520 STK ISU
   0   0   0   0   0   0   0   0   219   0   0
CLOSED SUSPENSE RECORDS
PSC 2421 2237 2529-3 2529-7 2474 2431 2914 OTHER 2520 STK ISU
   0   0   0   0   0   0   0   0   93   0   0
NUMBER INITIAL ACTION AFTER 5 DAYS: 0
PERCENT OF DELIQUENT RECORDS: NONE
NUMBER OF DELIQUENT OPEN RECORDS: 44      PERCENT: 20.1

TOTAL CLOSED RECORDS: 93
TOTAL PENDING RECORDS: 7
TOTAL OPEN RECORDS: 219

TOTAL RECORDS: 319

OVERALL PERCENT OF RECORDS BY FORM TYPE
PSC 2421 2237 2529-3 2529-7 2474 2431 2914 OTHER 2520 STK ISU
MARGIN
0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 97.8 0.0 0.0 2.2%

RECORDS CLOSED BY PROSTHETICS AGENT
PROSPATIENT2, ONE                23
PROSPATIENT2, TWO                43
PROSPATIENT2, THREE              23
PROSPATIENT2, FOUR               4
    
```

More Suspense Reports

Overview

New Reports

These three reports are available from the **Suspense Processing (SP) Menu** as follows:

- Print Patient Records Linked to Suspense (RL)
 - Print Patient Records Not Linked to Suspense (RN)
 - Print Patient PCE Data (PD)
-

Suspense Menu options

SP	Suspense Processing
ES	Edit Suspense Station
IS	Inquire to Individual Suspense Record
PC	Print Closed Suspense Records
PO	Print Detailed Open/Pending Suspense Records
PR	Print 5 Day Old Suspense Report
PS	Print Summary Open/Pending Suspense Records
ST	Print Suspense Statistics
RL	Print Patient Records Linked To Suspense
RN	Print Patient Records Not Linked To Suspense
PD	Print Patient PCE Data
LS	Link Patient Record to Suspense

Select Suspense Option:

Print Patient Records Linked to Suspense (RL)

The **Print Patient Records Linked to Suspense (RL)** report displays or prints patient record(s) from a given date range that have been linked to any Suspense records.

Patient Records Not Linked to Suspense (RN)

The **Patient Records Not Linked to Suspense (RN)** report displays or prints patient record(s) in a given date range that have not been linked to any Suspense records.

Print Patient PCE Data (PD)

The report **Print Patient PCE Data (PD)** option prints all patients in a given date range with a PCE linked to it. You can only review data for the previous day that has been through batch processing.

PSAS HCPCS History (PH)

The **PSAS HCPCS History (PH)** option, from the **NPPD Tools Menu (ND)** has a modification that includes an ICD Code and a description in the printout now.

Print Patient Records Linked to Suspense (RL)

Report description

With Patch RMPR*3.0*62, the **Print Patient Records Linked to Suspense (RL)** is a new report that displays or prints patient record(s) from a given date range that have been linked to any Suspense records.

Output sample

```

SITE: Hines Development System// <Enter> 499
Starting Date: T-300 <Enter> (FEB 20, 2001)
Ending Date: T <Enter> (DEC 17, 2001)
DEVICE: HOME// <Enter> TELNET Right Margin: 80// <Enter>

Processing report.....
*** PROSTHETICS PATIENT RECORDS LINKED TO SUSPENSE *** PAGE: 11
Start Date: FEB 20, 2001 End Date: DEC 17, 2001 station: MILWAUKEE, WI
-----
DATE          PATIENT          ITEM          TYPE OF          CPRS          INITIATOR
-----
12/11/01     PATIENT,EIGHT    SPONGE-BATH    ROUTINE          PROVIDER4,SEVEN  PROVIDER5,ONE
12/11/01     PATIENT,EIGHT    SHOEHORN-24IN-STAI  ROUTINE          PROVIDER4,SEVEN  PROVIDER5,ONE
12/11/01     PATIENT,EIGHT    TICK-DRESSING    ROUTINE          PROVIDER4,SEVEN  PROVIDER5,ONE
12/11/01     PATIENT,EIGHT    SOCK AID-EASY PULL  ROUTINE          PROVIDER4,SEVEN  PROVIDER5,ONE
12/11/01     PATIENT,EIGHT    WHEELCHAIR PARTS  MANUAL           PROVIDER4,EIGHT  PROVIDER5,ONE
12/11/01     PATIENT2,FIVE    WHEELCHAIR PARTS  MANUAL           PROVIDER4,EIGHT  PROVIDER5,ONE
12/11/01     PATIENT2,FIVE    CANE-WALKIN-EAG-WO  ROUTINE          PROVIDER4,NINE   PROVIDER5,TWO
12/11/01     PATIENT2,FIVE    AID-SOCK         ROUTINE          PROVIDER4,TEN    PROVIDER5,TWO
12/11/01     PATIENT2,FIVE    SHOEHORN-24IN-STAI  ROUTINE          PROVIDER4,TEN    PROVIDER5,TWO
12/11/01     PATIENT2,FIVE    SPONGE-BATH        ROUTINE          PROVIDER4,TEN    PROVIDER5,TWO
12/11/01     PATIENT2,FIVE    REACHER-32-PLASTIC  ROUTINE          PROVIDER4,TEN    PROVIDER5,TWO
12/11/01     PATIENT2,FIVE    STICK-DRESSING     ROUTINE          PROVIDER4,TEN    PROVIDER5,TWO
-----
Totals:      Routine Prosthetics = 57      Eyeglass = 4      Contact Lens = 0
              Oxygen = 1          Manual = 3
  
```

Patient Records Not Linked to Suspense (RN)

Report description

The **Patient Records Not Linked to Suspense (RN)** report displays or prints patient record(s) in a given date range that have not been linked to any Suspense records.

The following information will NOT be included on this report:

1. All Home Oxygen patients and patient data (from Screen 8 of the 2319).
2. Shipping data (from the 2319).
3. Historical Data (from the integration of sites)

Cost Column

The **Cost** column displays the dollar cost of the item that is shown.

Output sample

```
SITE: Hines Development System// <Enter> 499
Starting Date: T-300 <Enter> (FEB 20, 2001)
Ending Date: T <Enter> (DEC 17, 2001)
DEVICE: HOME// <Enter> TELNET Right Margin: 80// <Enter>

Processing report.....
PROSTHETICS PATIENT RECORDS NOT LINKED TO SUSPENSE Run Date:12/17/01 PAGE: 4
Start Date: FEB 20, 2001 End Date: DEC 17, 2001 station: SUPPORT ISC
-----
DATE          PATIENT          ITEM          COST          VISTA #        INITIATOR
-----
09/19/01     PATIENT,ONE     WHEELCHAIR - ELECT    10.00         1108           PROVIDER,FOUR
09/20/01     PATIENT,TEN     SHOE COMPONENTS        0.00         1115           PROVIDER,FOUR
09/25/01     PATIENT,ONE     EYEGLASSES            1.00         1120           PROVIDER,ONE
09/27/01     PATIENT,SEVEN  EYEGLASSES            1.00         1129           PROVIDER,FOUR
10/11/01     PATIENT,ONE     WHEELCHAIR - ELECT    10.00         1143           PROVIDER,FOUR
10/16/01     PATIENT,ONE     WHEELCHAIR - MANUA    14.00         1148           PROVIDER,FOUR
10/18/01     PATIENT,ONE     SHOE COMPONENTS       22.00         1149           PROVIDER,THREE
11/15/01     PATIENT,ONE     SHOE COMPONENTS       24.75         1156           PROVIDER,THREE
11/20/01     PATIENT,SEVEN  SHOE COMPONENTS        2.00         1159           PROVIDER,THREE
11/27/01     PATIENT,SEVEN  SHOE COMPONENTS       20.00         1161           PROVIDER,THREE
12/04/01     PATIENT,SEVEN  WHEELCHAIR - MANUA    14.00         1162           PROVIDER,FOUR
-----
<End of Report>
```

To eliminate items from this report...

You can eliminate item(s) from displaying on this report! You must create a manual Suspense entry if there is no Suspense entry already created. Then you can link this entry to the transaction to eliminate the item(s) on this report.

Also you may have the Suspense entry already created, but you have not linked it to the transaction yet. This will also continue to display item(s) on this report.

Appendix A – Combine Actions

Add Manual Suspense/Post Complete Note Simultaneously (AD,PC)

Function description

You can combine actions for timesaving purposes in the Suspense Processing module. You can enter up to a maximum of three actions at one time. This is done by entering commas between the action code (i.e., AD,PI,PC, to add a manual suspense record, post an initial action note, and close the record simultaneously).

You can add a manual suspense and post a complete note all in the same step. The combination of the two steps may be done at one time if a suspense order was created and the service was completed all at the same patient appointment visit.

Steps

To add a manual suspense and complete a note at the same time, follow these steps:

Step	Action
1	At the Select Item(s) : Next Screen//, type AD,PC, and press <Enter.>

Add and Post Complete Screen

Prosthetic Suspense		Mar 22, 2000 10:02:11		Page: 1 of 2	
Suspense Processing					
Open/Pending/Closed Suspense for PROSPATIENT,SEVEN (000-11-1111) '!' = STAT					
Date	Type	Requestor	Description	Init Act	Days Status
1 06/06/00	OXYGEN	PROVIDER,ONE	REASON FOR REQUEST: (@12	OPEN
2 06/06/00	CONTACT	PROVIDER,ONE	CONTACT LENS RX:	@12	OPEN
3 06/06/00	EYEGLASS	PROVIDER,ONE	EYEGLASS RX:	@12	OPEN
4 06/06/00	ROUTINE	PROVIDER,ONE	FIX BROKEN WHEELCHAIR	@12	OPEN
5 03/22/00	MANUAL		ADDING AND POSTING CLO	03/22/00 0	CLOSED
6 02/11/00!	ROUTINE		CONTACT LENS RX:	03/22/00	*28 CLOSED
7 02/11/00	ROUTINE		CONTACT LENS RX:	03/22/00	28 PENDING
8 02/11/00	ROUTINE		CONTACT LENS RX:	03/22/00	*28 PENDING
9 03/02/00	MANUAL		CALCULATOR FOR BLIND	03/02/00	0 CLOSED
10 03/01/00	MANUAL		FIX BRACE	03/02/00	1 PENDING
11 03/01/00	MANUAL		FIX WHEELCHAIR	03/02/00	1 PENDING
12 03/01/00	MANUAL		REVIEW	03/01/00	0 CLOSED
13 02/21/00	MANUAL		NEW WHEELCHAIR	02/29/00	*6 CLOSED
14 02/29/00	MANUAL		NEW BED	02/29/00	0 CLOSED
+ Enter ?? for more actions					
VR View Request	AD Add Manual			CR Cancel Request	
PC Post Complete	AA Auto Adaptive			EW Forward Consult	
PI Post Initial Action	CC Clone CPRS			23 Display 2319	
OT Post Other	CA Clothing Allowance			CD CPRS Display	
CG Change Patient	ED Edit Suspense			PR Print Consult	
Select Item(s) : Next Screen// AD,PC <Enter> Add Manual Suspense					
Post Complete Note					

Continued on next page

Add Manual Suspense/Post Complete Note Simultaneously (AD,PC), Continued

Completing an Order

Below are the steps and a screen print of the combination of two actions to be done at one time in the Suspense module. Notice that the text editor displays at both steps for you to make notations on the order.

Note: If you select a record to post a complete note, and it already has a CLOSED status, the following message displays: *“Completion note already posted.”*

Steps (continued)

To add a suspense order and post a complete note, follow these steps:

Step	Action
2	At the Requestor prompt, type the physician name, and press <Enter.>
3	At the Edit? NO// prompt, type Y for Yes to edit the note.
4	Type a free-text note in the text editor.
5	Press the “PF1” key and then the “E” keys simultaneously to exit the text editor.
6	Enter a list or range of number to complete the note, and press <Enter.>
7	At the Edit? NO// prompt, type Y for Yes to edit the note.
8	Type a note to complete the suspense record.
9	Press the “PF1” key and then the “E” keys simultaneously to save the data and exit the text editor.

Text Editor of Suspense Note

```

REQUESTOR: PETERSON, ALISA PETERSON,ALISA AP IRM FIELD OFFICE
          TECHNICAL WRITER
DESCRIPTION OF ITEM/SERVICES:
  No existing text
  Edit? NO// YES <Enter>

[ WRAP ]==[ INSERT ]====< DESCRIPTION OF ITEM/SERVICES >====[ <PF1>H=Help ]====
ADDING AND POSTING CLOSED AT THE SAME TIME.

<=====T=====T=====T=====T=====T=====T=====T=====T=====T>=====

Enter a list or range of numbers (1-12): 1 <Enter>
COMPLETION NOTE:
  No existing text
  Edit? NO// YES <Enter>

[ WRAP ]==[ INSERT ]=====< COMPLETION NOTE >===== [ <PF1>H=Help ]====
NOW I'M CLOSING THE SUSPENSE - ISSUED THE REQUEST = GAVE CANE TO VET.

<=====T=====T=====T=====T=====T=====T=====T=====T=====T>=====
  
```

Appendix B – Appointment Management

Overview

Introduction to using Appointment Management in Prosthetics

The **Appointment Management** feature is used to view appointments for a selected patient or clinic and to execute appropriate action(s) against these appointments, such as the **Check-in/Unscheduled Visit** action. If a patient is selected, all appointments for the selected patient within the designated time frame will be displayed.

Note: If you do **NOT** use the **Appointment Management** feature at your facility, you can type the ^ to QUIT and exit this screen.

Reference

For more detailed instructions on how to use the Appointment Management feature, you can access the following website for the User Manual:
<http://vista.med.va.gov/pms/scheduling>

Displaying Clinic Appointments

If selecting a clinic, you will be prompted for the appointment date range to display. Only clinic appointments within the designated time frame and with a status of NO ACTION TAKEN or ACTION REQUIRED are displayed.

Actions

Following is a list of actions that may be accomplished through the **Appointment Management** Screen.

Appointment Management Screen

CI Check In	PT Change Patient
CO Check Out	UN Unscheduled Visit
CL Change Clinic	EC Edit Classification
MA Make Appointment	CD Change Date Range
PR Provider Update	CA Cancel Appointment
EP Expand Entry	DX Diagnosis Update
NS No Show	AE Add/Edit
DE Delete Check Out	DC Discharge Clinic
RT Record Tracking	AL Appointment Lists
PD Patient Demographics	CP Procedure Update
PC PC Assign or Unassign	TI Display Team Information
GAF GAF Score	

Most commonly used actions in Prosthetics

The most common actions used in Prosthetics include the **Check In (CI)** action and the **Unscheduled Visit (UN)** action. See the next page for more information on these actions.

Using the Check-in/Unscheduled Visit Actions in Appointment Management

Check-in/ Unscheduled Visit option

The **Check-in/Unscheduled Visit** option is used to schedule in an unanticipated appointment (for current date or past date) or to record a patient's arrival time (check in time) for statistical purposes for existing and/or unscheduled appointments.

To add a new unscheduled appointment, the patient must be actively enrolled in the selected clinic. If the patient is not enrolled in the specified clinic, you will have the opportunity to either enroll or schedule the patient for a consultation.

Check out a patient

You may also check out a patient using this option when adding a new unscheduled appointment. When you choose **Checkout**, a checkout interview is displayed.

Depending on how parameters are set at your site and classification criteria, the checkout interview may prompt you for provider, diagnosis, classification, and procedure code information. The default provider and diagnosis assigned to the clinic through the **Set up a Clinic** option (if any) appear as defaults. If all required information is entered, the appointment is automatically checked out.

Unscheduled appointments

If an unscheduled appointment is entered, you may print a routing slip for the visit. If you are entering the unscheduled appointment at the time it is actually occurring, you may be able to issue a request for the patient's records. This will only occur if your site is running the Record Tracking package and the clinic has been so defined in Record Tracking. A request notice is automatically printed on the appropriate file room printer.

If while adding a new unscheduled appointment, you select a clinic where the clinic parameter, **ASK FOR CHECK IN/OUT TIME**, (**Supervisor Menu - Set Up a Clinic** option) is set to YES, you will be prompted for a checked in/out date/time.

To schedule an appointment type of COLLATERAL, EMPLOYEE, or SHARING AGREEMENT requires the patient to be registered with a primary eligibility or other entitled eligibility of COLLATERAL, EMPLOYEE, or SHARING AGREEMENT. If the selected appointment type has subcategories, you will be asked to select the appropriate subcategory.

Any appointment made through this option will have a visit status of UNSCHEDULED VISIT.
