Decision Support System 3.0

Medical Records Data Definitions Document



November 2023

Department of Veterans Affairs

Office of Information and Technology

Revision History

| Date | Version | Description | Author |
|-----------|---------|---|----------------------|
| 11/2023 | 1.3 | Document Updated for patch ECX*3.0*187 | Booz Allen Hamilton |
| 4/2022 | 1.2 | Document Updated for patch ECX*3.0*184 | Booz Allen Hamilton |
| 2/10/2021 | 1.1 | Document Updated for patch ECX*3.0*181 | Liberty IT Solutions |
| 5/28/2020 | 1.0 | Initial Document Release for the DSS FY21 Patch 178 | Liberty IT Solutions |

Table of Contents

| 1. | Ove | erview | 1 |
|-----|---------------------------|--|---------|
| 2. | Dat | a Dictionary | 1 |
| | 2.1. | Data Dictionary Template | 1 |
| | 2.1 | .1. ECX*3.0*184 Changes by Extract File | 1 |
| 3. | Med | dical Records Extract Files Data Definitions | 3 |
| - | 3.1. | #727.802 – ADMISSION EXTRACT (ADM) File Data Definition | |
| | 3.1. 3.2. | #727.833 – BCMA EXTRACT (BCM) File Data Definition | 3 25 |
| | 3.3. | #727.829 – BLOOD BANK EXTRACT (LBB) File Data Definition | |
| | 3.4. | #727.827 – CLINIC EXTRACT (CLI) File Data Definition | |
| | 3. 4 . 3.5. | #727.815 – EVENT CAPTURE LOCAL EXTRACT (ECS) File Data Definition. | |
| | | #727.819 – IV DETAIL EXTRACT (IVP) File Data Definition | |
| | 3.6. | ` ' | |
| | 3.7. | #727.813 – LABORATORY EXTRACT (LAB) File Data Definition | |
| | 3.8. | #727.808 – PHYSICAL MOVEMENT EXTRACT (MOV) File Data Definition | |
| | 3.9. | #727.81 – PRESCRIPTION EXTRACT (PRE) File Data Definition | |
| | 3.10. | #727.826 – PROSTHETICS EXTRACT (PRO) File Data Definition | |
| | 3.11. | #727.814 – RADIOLOGY EXTRACT (RAD) File Data Definition | |
| | 3.12. | #727.811 – SURGERY EXTRACT (SUR) File Data Definition | 221 |
| | 3.13. | #727.817 – TREATING SPECIALTY CHANGE EXTRACT (TRT) File Data | 050 |
| | 244 | Definition | |
| | 3.14. | #727.809 – UNIT DOSE LOCAL EXTRACT (UDP) File Data Definition | 261 |
| | | | |
| | | List of Tables | |
| | | | |
| | ole 1: | ECX*3.0*184 Changes | |
| | ole 2: ole 3: | Admission Extract (ADM) File #727.802 Data Definitions | |
| | ole 3. | Blood Bank Extract (LBB) File #727.829 Data Definitions | |
| | ole 5: | Clinic Extract (CLI) File #727.827 Data Definitions | 52 |
| | ole 6: | Event Capture Local Extract (ECS) File #727.815 Data Definitions | 86 |
| | ole 7: | IV Detail Extract (IVP) File #727.819 Data Definitions | |
| | ole 8: ole 9: | Laboratory Extract (LAB) File #727.813 Data Definitions | |
| | ole 3. | Prescription Extract (PRE) File #727.81 Data Definitions | |
| | ole 11: | Prosthetics Extract (PRO) File #727.826 Data Definitions | |
| Tak | ole 12: | Radiology Extract (RAD) File #727.814 Data Definitions | 208 |
| | ole 13: | Surgery Extract (SUR) File #727.811 Data Definitions | 221 |
| | ole 14: ole 15: | Treating Specialty Change Extract (TRT) File #727.817 Data Definitions | |
| ıaı | יום וטי | UIIIL DUST LUGAI LALIAGI (UDF) I IIC #121.003 DALA DEI II IIIUI IS | ∠∪ I |

1. Overview

The Decision Support System (DSS) Fiscal Year Extracts software provides a means of exporting data from selected Veterans Health Information Systems and Technology Architecture (VistA) software modules and transmitting it to a DSS database residing at the Austin Information Technology Center (AITC). This transfer is accomplished through a set of extract routines, intermediate files, and transmission routines. Data from VistA packages are stored by the extract routines in the intermediate files, where the data are temporarily available for local use and auditing. The data are then transmitted to the AITC, formatted, and uploaded into commercial software. After the data have been successfully uploaded into the commercial software, the data are purged from the intermediate files.

2. Data Dictionary

This document is designed to:

- Provide DSS/Managerial Cost Accounting (MCA) teams with technical information regarding each extract.
- Detail the source from which the data element in each extract is obtained.
- Provide DSS/MCA teams with the tools to perform additional data validation.

2.1. Data Dictionary Template

This document supports the software changes for the release of ECX*3.0*187 outlined in the following table:

2.1.1. ECX*3.0*187 Changes by Extract File

Table 1: ECX*3.0*187 Changes

| Extract File Name | Abbreviation | File Number | VistA Field Number | Field Name |
|-----------------------------|--------------|-------------|-----------------------|-------------------------|
| ADMISSION EXTRACT | ADM | 727.802 | 59 | AGENT ORANGE LOCATION |
| BCMA EXTRACT | ВСМ | 727.833 | 65 | AGENT ORANGE LOCATION |
| BCMA EXTRACT | ВСМ | 727.833 | 94 | DISPENSE UNIT |
| CLINIC EXTRACT | CLI | 727.827 | 67 | AGENT ORANGE LOCATION |
| EVENT CAPTURE LOCAL EXTRACT | ECS | 727.815 | 63 | AGENT ORANGE LOCATION |
| IV DETAIL EXTRACT | IVP | 727.819 | 55 | AGENT ORANGE LOCATION |
| IV DETAIL EXTRACT | IVP | 727.819 | 99 | PRICE PER DISPENSE UNIT |
| IV DETAIL EXTRACT | IVP | 727.819 | 100 | DISPENSE UNIT |
| PRESCRIPTION EXTRACT | PRE | 727.81 | 63 | AGENT ORANGE LOCATION |
| PRESCRIPTION EXTRACT | PRE | 727.81 | 111 | PRICE PER DISPENSE UNIT |
| PRESCRIPTION EXTRACT | PRE | 727.81 | 112 | DISPENSE UNIT |
| PROSTHETICS EXTRACT | PRO | 727.826 | 61 | AGENT ORANGE LOCATION |
| SURGERY EXTRACT | SUR | 727.811 | 56 | AGENT ORANGE LOCATION |
| UNIT DOSE LOCAL EXTRACT | UDP | 727.809 | 42 | AGENT ORANGE LOCATION |
| UNIT DOSE LOCAL EXTRACT | UDP | 727.809 | 95 | PRICE PER DISPENSE UNIT |

| Extract File Name | Abbreviation | File Number | VistA Field Number | Field Name |
|-------------------------|--------------|-------------|-----------------------|---------------|
| UNIT DOSE LOCAL EXTRACT | UDP | 727.809 | 96 | DISPENSE UNIT |

3. Medical Records Extract Files Data Definitions

3.1. #727.802 - ADMISSION EXTRACT (ADM) File Data Definition

This file contains data elements as specified by the Managerial Cost Accounting Office (MCAO) for the Admission extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS/MCA site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site adds whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.



NOTE: Descriptions and Technical Descriptions may not match VA FileMan.

Table 2: Admission Extract (ADM) File #727.802 Data Definitions

| Field # and Name | Description | Values | Technical Description |
|--------------------------------|--|--------|--|
| 727.802,.01 SEQUENCE NUMBER | The internal entry number (IEN) of the record for this extract entry. | | The IEN for this record. This entry is DINUMed. |
| 727.802,1 YEAR MONTH | A six-character string representing the year and month for which this extract was performed. | | YEAR MONTH is derived by parsing the FileMan format end date of the extract. The month is determined by taking the fourth and fifth characters of the end date, the year by taking the second and third characters, and the century is then calculated by taking the first character of the end date and adding 17 to it. The century is then concatenated with the year and month, giving the results in YYYYMM format. |
| 727.802,2 EXTRACT NUMBER | The corresponding entry in the DSS EXTRACTLOG file (#727) for this extract. | | A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message. |
| 727.802,3 FACILITY | This is the medical center division where the extract was performed. | | An indicator of the medical center division where this event happened. It is derived from the DIVISION field (#.015) of the WARD LOCATION file (#42) which points to the MEDICAL CENTER DIVISION file (#40.8). |

3

| Field # and Name | Description | Values | Technical Description |
|--|--|--|---|
| 727.802,4 PATIENT NO DFN | An identifying number for the patient at the local site. | | Pointer to the PATIENT file (#2). This data represents the patient DFN. Using the "ATT1" cross-reference on the PATIENT MOVEMENT file (#405), the PATIENT NO DFN data is derived from the PATIENT field (#.03). |
| 727.802,5 SSN | The patient's social security number. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802), SSN data is derived from the SOCIAL SECURITY NUMBER field (#.09) in the PATIENT file (#2). "Test" patient status is determined in |
| | | | PAT^ECXUTL3. For the ADM extract, the following are considered test SSNs: • 123456789; • Nine repeating digits (e.g., 333333333); • The first three digits are '000' or '666'; • The middle two digits are '000'; • The last four digits are '0000'; • The first digit is '9'. |
| 727.802,6 NAME | The first four characters of the patient's last name. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802), NAME data is derived from the NAME field (#.01) in the PATIENT file (#2). The first four characters of the first "," piece are used, padded with trailing spaces if necessary. The name value is returned by the supported call DEM^VADPT. |
| 727.802,7 IN OUT PATIENT INDICATOR | Indicates the patient's status for this extract entry. Observation admissions are treated as outpatient encounters in MCA, similar to Medicare rules and community hospitals. | 'I' FOR INPATIENT 'O' FOR OUTPATIENT 'A' FOR ASIH (OTHER FACILITY) | To determine the value of this field, a call is made to \$\$PATDEM^ECXUTL2. Within this call, \$\$INP^ECXUTL2 is called to determine the patient status. If the patient is an outpatient, processing stops and the field is set to O. |
| | community nospitals. | | If the patient is an inpatient, \$\$INOUTP^ECXUTL4 is called to look at the treating specialty. |
| | | | If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831) is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the indicator is set to I. |
| | | | If the patient is ASIH to another facility at the date/time in question, the indicator is set to A. |

| Field # and Name | Description | Values | Technical Description |
|---|---|-----------------------------|--|
| 727.802,8 DAY | This 8-character string represents the date on which the admission occurred. | | Data source: PATIENT MOVEMENT file (#405); DATE/TIME field (#.01). The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, then a default date is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. |
| 727.802,9 PLACEHOLD PRIMARY CARE TEAM | This field, previously known as PRIMARY CARE TEAM, is no longer needed. The name has been changed to PLACEHOLD PRIMARY CARE TEAM and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |
| 727.802,10 SEX | Patient's gender. | 'M' FOR MALE 'F' FOR FEMALE | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802), this data is derived from the SEX field (#.02) in the PATIENT file (#2). |
| 727.802,11 DATE OF BIRTH | The patient's date of birth. | | Data source: PATIENT MOVEMENT file (#405); PATIENT field (#.03) then to PATIENT file (#2); DATE OF BIRTH field (#.03). Date of Birth is returned through the supported call DEM^VADPT. It is then represented by an 8-character numeric string in the YYYYMMDD format. |
| 727.802,12 PLACEHOLD RELIGION | This field, previously known as RELIGION, is no longer needed. The name has been changed to PLACEHOLD RELIGION and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |

| Field # and Name | Description | Values | Technical Description |
|--------------------------------|---|---|---|
| 727.802,13 EMPLOYMENT STATUS | The patient's current employment status. | '1' FOR EMPLOYED FULL TIME '2' FOR EMPLOYED PART TIME '3' FOR NOT EMPLOYED '4' FOR SELF EMPLOYED '5' FOR RETIRED '6' FOR ACTIVE MILITARY DUTY '9' FOR UNKNOWN | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802), EMPLOYMENT STATUS data is derived from the EMPLOYMENT STATUS field (#.31115) in the PATIENT file (#2). |
| 727.802,14 HEALTH INSURANCE | Identifies if patient is covered by health insurance. | '1' FOR INSURED '0' FOR UNINSURED | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802), a call is made to the Integrated Billing API, INSURED^IBCNS1. The API returns 1 if the patient is insured or 0 if the patient is not insured. |
| 727.802,15 STATE | The state in which the patient resides. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802), STATE data is derived from the STATE field (#.115) in the PATIENT file (#2) which points to the STATE file (#5). For the STATE file entry, data transmitted is the two-character VA STATE CODE, field (#2). |
| 727.802,16 COUNTY | This is the county in which the patient resides. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802), COUNTY data is taken from the COUNTY field (#.117) in the PATIENT file (#2), which points to a sub-file record in the COUNTY multiple field (#3) of the STATE file (#5). The three-character VA COUNTY CODE field (#2) within the COUNTY multiple field (#3) is used. |
| 727.802,17 ZIP+4 | The ZIP code for where the patient resides. The 5-character ZIP code is provided if ZIP + 4 is not available. | | The patient's ZIP code with optional four-digit extension as found in the ZIP+4 field (#.1112) of the patient's record in the PATIENT file (#2). |

| Field # and Name | Description | Values | Technical Description |
|--------------------------------------|--|--|---|
| 727.802,18 ELIGIBILITY | A two or three-digit numeric code indicating the Patient's Primary Eligibility. The extract logic converts the VistA two or three-digit coding schemes to the National Data Services (NDS) eligibility scheme. | 10 SC 50-100% 20 Aid & Attendance 21 Housebound 22 Mexican Border War 23 WWI 24 POW 25 Purple Heart 30 SC 40-49% 31 SC 30-39% 32 SC 20-29% 33 SC 10-19% 34 SC less than 10% 40 NSC - VA Pension 50 NSC 60 Catastrophic Disability 101 CHAMPVA 102 Collateral of Veteran 103 Employee 104 Other Federal Agency 105 Allied Veteran 106 Humanitarian Emergency 107 Sharing Agreement 108 Reimbursable Insurance 109 TRICARE/CHAMPUS | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802), ELIGIBILITY data is derived from the PRIMARY ELIGIBILITY CODE field (#.361) in the PATIENT file (#2). PRIMARY ELIGIBILITY CODE file (#8). The data is derived from the MAS ELIGIBILITY CODE field (#8) in the ELIGIBILITY CODE file (#8), which in turn is a pointer to the MAS ELIGIBILITY CODE file (#8.1). The pointer value to file #8.1 is converted by ELIG^ECXUTL3 to the corresponding NDS eligibility code. This code is composed of two or three numeric characters. |
| 727.802,19 VETERAN | Patient's Veteran status. | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802), VETERAN data is derived from the VETERAN (Y/N)? field (#1901) in the PATIENT file (#2). Veteran is returned by the supported call ELIG ^VADPT. |
| 727.802,20 VIETNAM | Indicates if patient is a Vietnam-era Veteran. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using the patient pointer (DFN) stored in the PATIENT NODFN field (#4) in the ADMISSION EXTRACT file (#727.802), VIETNAM data is derived from the VIETNAM SERVICE INDICATED? field (#.32101) in the PATIENT file (#2). |
| 727.802,21 AGENT ORANGE STATUS | Indicates if patient claims exposure to Agent Orange. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using the patient pointer DFN stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802),AGENT ORANGE data is derived from the AGENT ORANGE EXPOS. INDICATED? field (#.32102) in the PATIENT file (#2). The status indicator is returned by SVC^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|---------------------------------------|--|---|---|
| 727.802,22 RADIATION STATUS | Indicates if patient claims exposure to ionizing radiation. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN '1' FOR NO RADIATION '2' FOR HIROSHIMA/NAGASAKI '3' FOR ATMOSPHERIC NUCLEAR TESTING '4' FOR H/N AND ATMOSPHERIC TESTING '5' FOR UNDERGROUND NUCLEAR TESTING '6' FOR EXPOSURE AT NUCLEAR FACILITY '7' FOR OTHER | Using the patient pointer DFN stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802),RADIATION data is derived from the RADIATION EXPOSURE INDICATED? field (#.32103) in the PATIENT file (#2). The status indicator is returned by SVC ^VADPT. |
| 727.802,23 POW STATUS | Indicates if patient was confined as a Prisoner of War. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using the patient pointer DFN stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802), POW data is derived from the POW STATUS INDICATED? field (#.525) in the PATIENT file (#2). The status indicator is returned by SVC^VADPT. |
| 727.802,24 PERIOD OF SERVICE | The period of service which best classifies this patient based on eligibility code. | | Using the patient pointer DFN stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802), PERIOD OF SERVICE data is derived from the PERIOD OF SERVICE field (#.323) in the PATIENT file (#2). This field is a pointer to the PERIOD OF SERVICE file (#21). Using the period of service pointer, the data is derived from the CODE field (#.03) in the PERIOD OF SERVICE file (#21). This code is a single alphanumeric character. The Veteran's period of service indicator is returned by ELIG ^VADPT. |
| 727.802,25 PLACEHOLD MEANS TEST | This field, previously known as MEANS TEST, is no longer needed. The name has been changed to PLACEHOLD MEANS TEST and its value will be setto null. | | This field is no longer in use as of patch ECX*3*178. |

8

| Field # and Name | Description | Values | Technical Description |
|--------------------------------------|--|--|--|
| 727.802,26 MARITAL STATUS | Current marital status for this patient. | '1' FOR DIVORCED '2' FOR MARRIED '4' FOR WIDOWED '5' FOR SEPARATED '6' FOR NEVER MARRIED '7' FOR UNKNOWN | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802), MARITAL STATUS data is derived from the MARITAL STATUS field (#.05) in the PATIENT file (#2). MARITAL STATUS file (#11). |
| 727.802,27 WARD | Current ward for this patient. | | Using the "ATT1" cross-reference on the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802), WARD data is derived from the WARD LOCATION field (#.06) in the PATIENT MOVEMENT file (#405). This ward data is a pointer to the WARD LOCATION file (#42). Using the ward pointer, the data is derived from the HOSPITAL LOCATION FILE POINTER field (#44) in the WARD LOCATION file (#42) which is a pointer to the HOSPITAL LOCATION file (#42) which is a pointer to the HOSPITAL LOCATION file (#44). |
| 727.802,28 TREATING SPECIALTY | The Treating Specialty associated with this extract record. | | Using the "ATT1" cross-reference on the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802), TREATING SPECIALTY data is derived from the FACILITY TREATING SPECIALTY field (#.09) in the PATIENT MOVEMENT file (#405). This facility treating specialty data is a pointer to the FACILITY TREATING SPECIALTY file (#45.7). Using the SPECIALTY field (#1) in the FACILITY TREATING SPECIALTY file (#45.7), the pointer to the SPECIALTY file (#42.4) is obtained. Then, the PTF Code (field #7 of file 42.4) is obtained and stored instead of the IEN of the specialty. |
| 727.802,29 ATTENDING PHYSICIAN | The attending physician assigned to this patient at the time of admission. | | Using the "ATT1" cross-reference on the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802), ATTENDING PHYSICIAN data is derived from the ATTENDING PHYSICIAN field (#.19) in the PATIENT MOVEMENT file (#405). This attending physician data is a pointer to the NEW PERSON file (#200). This data is stored as "2"_pointer value. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. |

| Field # and Name | Description | Values | Technical Description |
|--|---|--------|--|
| 727.802,30 MOVEMENT FILE # | Current patient movement record associated with this extract record. | | Pointer to the PATIENT MOVEMENT file (#405). Using the "ATT1" or "ATT2" cross-reference on the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802), this is a pointer to the file #405 record for the patient's admission. In addition to standard admission movements found in the "ATT1" cross-reference, the "ATT2" cross-reference is used to find any ASIH OTHER FACILITY type transfers. When a patient goes ASIH OTHER FACILITY, this starts a new episode of care and an admission record, related to that movement, is created. |
| 727.802,31 PLACEHOLD DRG | This field, previously known as DRG, is no longer needed. The name has been changed to PLACEHOLD DRG and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.802,32 PLACEHOLDER | This field, previously known as PRINCIPAL DIAGNOSIS, is no longer needed. The name has been changed to PLACEHOLDER and its value will be set to null. | | This field is no longerin use as of patch ECX*3*161. |
| 727.802,33 TIME | A 6-character numeric string which represents the time-of-day at which the admission occurred. | | Data source: PATIENT MOVEMENT file (#405); DATE/TIME field (#.01). This field is always exactly six numeric characters in length; if time cannot be determined, "000300" is used as default. |
| 727.802,34 PLACEHOLD PC PROVIDER | This field, previously known as PRIMARY CARE PROVIDER, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |

| Field # and Name | Description | Values | Technical Description |
|----------------------------------|---|----------------|--|
| 727.802,35 PLACEHOLD RACE | This field, previously known as RACE, is no longer needed. The name has been changed to PLACEHOLD RACE and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |
| 727.802,36 PRIMARY WARD PROVIDER | The provider assigned to the ward where the patient is located at the time of admission (Staff MD, resident, NP, PA, etc.). | | Source: field (#.08); file (#405) The PRIMARY CARE PHYSICIAN field (#.08) associated with the PATIENT MOVEMENT file (#405) record for the Treating Specialty Change record related to the admission record. The value obtained is a pointer to the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that it points to file #200. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. |
| 727.802,37 PLACEHOLD MPI | This field, previously known as MASTER PATIENTINDEX, is no longer needed. The name has been changed to PLACEHOLD MPI and its value will be set to null. | Currently null | This field is no longerin use as of patch ECX*3*184. |
| 727.802,38 PLACEHOLDER | This field, previously known as DSS DEPT., is no longer needed. The name has been changed to PLACEHOLDER and its value will be setto null. | | This field is no longer in use as of patch ECX*3*161. |
| 727.802,39 PLACEHOLDER | Currently Null | | Currently Null |
| 727.802,40 PLACEHOLDER | Currently Null | | Currently Null |
| 727.802,41 PLACEHOLDER | Currently Null | | Currently Null |

| Field # and Name | Description | Values | Technical Description |
|----------------------------------|---|--|---|
| 727.802,42 ADMISSION ELIGIBILITY | The eligibility of the patient for this specific admission. The extract logic converts the VistA two or three-digit coding schemes to the National Data Services (NDS) eligibility scheme. | 10 SC 50-100% 20 Aid & Attendance 21 Housebound 22 Mexican Border War 23 WWI 24 POW 25 Purple Heart 30 SC 40-49% 31 SC 30-39% 32 SC 20-29% 33 SC 10-19% 34 SC less than 10% 40 NSC - VA Pension 50 NSC 60 Catastrophic Disability 101 CHAMPVA 102 Collateral of Veteran 103 Employee 104 Other Federal Agency 105 Allied Veteran 106 Humanitarian Emergency 107 Sharing Agreement 108 Reimbursable Insurance 109 TRICARE/CHAMPUS | The Admission Eligibility is derived from the ADMITTING ELIGIBILITY field (#.2) of the PATIENT MOVEMENT file (#405) record associated with this patient admission. Field #.2 points to the ELIGIBILITY CODE file (#8). Then the MAS ELIGIBILITY CODE field (#8) of file #8 points to the MAS ELIGIBILITY CODE file (#8.1). The pointer value to file #8.1 is converted by ELIG^ECXUTL3 to the corresponding NDS eligibility code. This code is composed of two or three numeric characters. |
| 727.802,43 MST STATUS | Indicates if patient claims Military Sexual Trauma (MST). | 'Y' FOR YES, SCREENED REPORTS MST 'N' FOR NO, SCREENED DOES NOT REPORT MST 'U' FOR UNKNOWN, NOT SCREENED 'D' FOR SCREENED, DECLINES TO ANSWER | The MST HISTORY file (#29.11) holds data regarding military sexual trauma claims and effective dates. The patient's MST status is stored in the MST STATUS field (#3). A call will be made to \$\$GETSTAT^DGMSTAPI (DFN, DGDATE) using the DFN in the PATIENT NO. DFN field (#4) and the date in the DAY field (#8) in the ADMISSION EXTRACT file (#727.802). |
| 727.802,44 SHAD STATUS | Indicates whether patient meets requirements for Shipboard Hazard and Defense (SHAD) conditions. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802), Shipboard Hazard and Defense data is derived by using DBIA #4462 GETSHAD ^DGUTL3(DFN) to get the PROJ 112/SHAD field (#.32115) from the PATIENT file (#2). |

| Field # and Name | Description | Values | Technical Description |
|---|---|--------|---|
| 727.802,45 PLACEHOLD SHARING AGREEMNT PAYOR | This field, previously known as SHARING AGREEMENT PAYOR, is no longer needed. The name has been changed to PLACEHOLD SHARING AGREEMNT PAYOR and its value will be set to null. | | This field is no longerin use as of patch ECX*3*174. |
| 727.802,46 PLACEHOLD SHARE AGREEMNTINSUR | This field, previously known as SHARING AGREEMNT INSURANCE, is no longer needed. The name has been changed to PLACEHOLD SHARE AGREEMNT INSUR and its value will be setto null. | | This field is no longerin use as of patch ECX*3*174. |
| 727.802,47 ENROLLMENT LOCATION | The facility that the patient chooses to designate as his/her preferred location for care. | | The PREFERRED FACILITY field (#27.02) of the PATIENT file (#2) is defined as the facility that the patient chooses to designate as his preferred location for care. The PREFERRED FACILITY field (#27.02) is a pointer to the INSTITUTION file (#4). From file #4, the value in the STATION NUMBER field (#99) is used. |
| 727.802,48 PLACEHOLD PC PROV PERSON CLASS | This field, previously known as PC PROVIDER PERSON CLASS, is no longer needed. The name has been changed to PLACEHOLD PC PROV PERSON CLASS and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.802,49 PLACEHOLD ASSOC PC PROVIDER | This field, previously known as ASSOCIATE PC PROVIDER, is no longer needed. The name has been changed to PLACEHOLD ASSOC PC PROVIDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.802,50 PLACEHOLD AS PC PROV PERSON CL | This field, previously known as ASSOC. PC PROV. PERSON CLASS, is no longer needed. The name has been changed to PLACEHOLD AS PC PROV PERSON CL and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |

| Field # and Name | Description | Values | Technical Description |
|---|--|--|--|
| 727.802,51 | Currently Null | | Currently Null |
| PLACEHOLDER | | | |
| 727.802,52 DOM, PRRTP AND SARRTP | Indicates if the patient is admitted to either an RRTP, PRRTP, or SARRTP at the time care is provided. | 'P' FOR GEN. PRRTP 'D' FOR DOMICILIARY 'S' FOR DOM. PRRTP 'T' FOR PTSD PRRTP | If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the DOM/PRRTP/SARRTP CODE field (#2) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). |
| | | 'H' FOR HOMELESS CWT/TR | Otherwise, the value is null. |
| | | 'A' FOR SA CWT/TR | |
| | | 'B' FOR PTSD CWT/TR | |
| | | 'C' FOR GEN. CWT/TR | |
| 727.802,53 | Patient's enrollment | | ENROLLMENT CATEGORY is derived from the |
| ENROLLMENT CATEGORY | category. | | standard call \$\$CATEGORY^DGENA4 using the patient's DFN and the CURRENT ENROLLMENT field (#27.01) of the PATIENT file (#2). |
| 727.802,54 ENROLLMENT STATUS | Patient's enrollment status | | ENROLLMENT STATUS is derived from the standard call \$\$STATUS^DGENA4 using the patient's DFN and returns the ENROLLMENT STATUS field (#.04) of the PATIENT ENROLLMENT file (#27.11). |
| 727.802,55 ENCOUNTER SHAD | Indicates if treatment provided during the patient's admission is related to the Shipboard Hazard And Defense (SHAD) condition. | 'Y' FOR YES 'N' FOR NO | Using the VISIT FILE ENTRY field (#.27) in the PATIENT MOVEMENT file (#405), a call is made to API VISIT ^ ECXSCX 1, which in turn calls ENCEVENT ^ PXAPI. The ENCEVENT ^ PXAPI returns the Shipboard Hazard and Defense conditions indicator stored at the PROJ 112/SHAD field (#80008) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "SHAD". |
| 727.802,56 PURPLE HEART INDICATOR | Indicates whether or not the patient is a Purple Heart recipient. | 'Y' FOR YES 'N' FOR NO | PATIENT file (#2) CURRENT PH INDICATOR field (#.531). The status indicator is returned by SVC^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|--------------------------------|---|---|---|
| 727.802,57 OBSERVATION | Indicates if patient is considered to be an | 'Y' FOR YES 'N' FOR NO | Data (YES,NO) is retrieved from API call \$\$OBSPAT^ECXUTL4: |
| PATIENT INDICATOR | observation patient. | | If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). |
| | | | If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS ID (MTL,IVP,ECQ,QSR,NOS,SUR) is 290-297, Observation Patient Ind=YES. Else, Observation Patient Ind=NO. |
| | | | Otherwise, Observation Patient Ind = NO. |
| 727.802,58 ENCOUNTER NUMBER | The unique number assigned for DSS. The Treating Specialty conversion logic is: Treating Use this Stop | | This field is determined by a call to \$\$ENCNUM^ECXUTL4. Within this call; the inpatient/outpatient status, SSN, admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a |
| | Specialty Code 18 293 (neurology) 24 290 (medicine) 41 296 (Rehab Med) 65 291 (Surgery) 94 292 (psychiatry) | | unique encounter number. |
| 727.802,59 | Indicates the location where the patient was exposed to | 'B' FOR BLUE WATER NAVY | The location is returned by a call to SVC^VADPT which gets its data from the |
| AGENT ORANGE LOCATION | Agent Orange. | 'K' FOR KOREAN DMZ | AGENT ORANGE EXPOSURE LOCATION field (#.3213) of the PATIENT file (#2). |
| | | 'V' FOR VIETNAM | |
| | | 'T' FOR THAILAND (U.S. OR ROYAL THAI MIL BASE) | |
| | | 'L' FOR LAOS | |
| | | 'C' FOR CAMBODIA (MIMOT OR KREK, KAMPONG CHAM) | |
| | | 'G' FOR GUAM, AMERICAN SAMOA, OR TERRITORIAL WATERS | |
| | | 'J' FOR JOHNSTON ATOLL | |
| | | 'O' FOR OTHER | |

| Field # and Name | Description | Values | Technical Description |
|---|---|---|---|
| 727.802,60 PRODUCTION DIVISION CODE | Identifies the division/facility where the work was performed. | | Data comes from the WARD LOCATION field (#.06) in the PATIENT MOVEMENT file (#405). This value is a pointer to the WARD LOCATION file (#42), which in turn is used to get the DIVISION field (#.015) in the WARD LOCATION file (#42), a pointer to the MEDICAL CENTER DIVISION file (#40.8). This value is then used to call the API GETDIV^ECXDEPT to get the STATION NUMBER field (#99) from the INSTITUTION file (#4). |
| 727.802,61 POW LOCATION | This is the location/period where the patient was a POW. | '1' FOR WORLD WAR I '2' FOR WORLD WAR II - EUROPE '3' FOR WORLD WAR II - PACIFIC '4' FOR KOREAN '5' FOR VIETNAM '6' FOR OTHER | PATIENT file (#2) POW CONFINEMENT LOCATION field (#.526). This is a pointer value to the POW PERIOD file (#22). The location indicator is returned by SVC^VADPT. |
| 727.802,62 SOURCE OF ADMISSION | Indicates where the admission took place. | '1' FOR HOSPITAL '2' FOR NHCU '3' FOR DOMICILIARY '4' FOR MILITARY HOSPITAL '5' FOR CNH | Obtained via the PTF file (#45), SOURCE OF ADMISSION field (#20), which is a pointer to the SOURCE OF ADMISSION file (#45.1), PLACE OF ADMISSION field (#11). |
| 727.802,63 HEAD & NECK CANCER INDICATOR | Indicates if patient claims head and/or neck cancer. | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4), a call is made to \$\$GETCUR^DGNTAPI to retrieve the HEAD/NECK CA DX field (#2.01) of the NOSE AND THROAT RADIUM HISTORY file (#28.11). |
| 727.802,64 PLACEHOLD ETHNICITY | This field, previously known as ETHNICITY, is no longer needed. The name has been changed to PLACEHOLD ETHNICITY and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |
| 727.802,65 PLACEHOLD RACE 1 | This field, previously known as RACE 1, is no longer needed. The name has been changed to PLACEHOLD RACE 1 and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |

16

| Field # and Name | Description | Values | Technical Description |
|--------------------------------------|--|---|---|
| 727.802,66 ENROLLMENT PRIORITY | This field contains the enrollment priority group and the enrollment priority subgroup. | ENROLLMENT PRIORITY Groups determined for a patient enrollment include: | ENROLLMENT PRIORITY field contains the enrollment priority group and the enrollment priority subgroup from the PATIENT ENROLLMENT file (#27.11). |
| | | '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: '1' FOR a '3' FOR c '5' FOR e '7' FOR g | Data is obtained from a call to \$\$ENRSBGRP^ DGENA4(DFN) using the patient's DFN. |
| 727.802,67 USER ENROLLEE | Indicates whether a Veteran has User Enrollee status for the current or future fiscal year. | 'U' FOR USER ENROLLED | User enrollee is determined by checking the PATIENT ENROLLMENT file (#27.11). When a user has a current or future fiscal year in the ENROLLMENT STATUS field (#04), the value is set to 'U' and is null if no date or a past year's value is contained. Determined by the use of an API: I \$\$UESTAT^EASUER where the Patient Identifier (DFN) is passed in. |
| 727.802,68 PATIENT TYPE | Refers to the various types of patient which may be seen at a VA facility. Every patient in the system must have a TYPE specified. | 'AC' FOR ACTIVE DUTY 'AL' FOR ALLIED VETERAN 'CO' FOR COLLATERAL 'EM' FOR EMPLOYEE 'IN' FOR INELIGIBLE 'MI' FOR MILITARY RETIREE 'NO' FOR NON-VETERAN (OTHER) 'NS' FOR NSC VETERAN 'SC' FOR SC VETERAN 'TR' FOR TRICARE | PATIENT TYPE is derived from a call to TYPE^ECXUTL5(DFN). Using the patient's DFN, the NAME field (#.01) of the TYPE OF PATIENT file (#391) as pointed to by the TYPE field (#391) of the PATIENT file (#2) is shortened to the first two characters to determine the value stored in the PATIENT TYPE field (#68). |

| Field # and Name | Description | Values | Technical Description |
|-------------------------------------|--|---|--|
| 727.802,69 CV STATUS ELIGIBILITY | This field indicates whether or not a patient can be considered a Combat Veteran (CV) at the time of treatment. Veteran must have served in active duty in a theatre of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of hostilities after November 11, 1998. | 'Y' FOR YES 'E' FOR ELIGIBILITY EXPIRED | CV STATUS ELIGIBILITY is determined by the use of API \$\$CVEDT^DGCV (DFN,DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. The API uses the Patient No DFN and the date of admission to return three pieces (i.e., 1^20010106^0); the first piece is resolved as follows: 1 - Veteran qualifies as a CV 0 - Veteran does not qualify as a CV -1 - bad DFN Based on this result, the field will be set to 'Y' for 'YES', 'E' for 'ELIGIBILITY EXPIRED', or null for not eligible. |
| 727.802,70 CV ELIGIBILITY END DATE | Records the Combat Veteran eligibility expiration date of Veteran who served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of hostilities after November 11, 1998. | | CV ELIGIBILITY END DATE is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. The API uses the Patient No DFN and the date of admission to return three pieces (i.e., 1^20010106^0). The second piece is the COMBAT VET END DATE in HL7 format. If the COMBAT VET END DATE field (#.5295) is empty or precedes the date of admission, this field will be null. |
| 727.802,71 ENCOUNTERCV | This field indicates whether health services provided during this patient encounter are related to the patient being a Combat Veteran (CV). Veteran must have served in active duty in a theatre of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of hostilities after November 11, 1998. | 'Y' FOR YES | ENCOUNTER CV is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. The API uses the Patient No DFN and the date of admission to return three pieces (i.e., 1^20100106^0). The third piece returns: 1 - vet was eligible on date specified 0 - vet was not eligible on date specified Based on these returns, the value for this field is Y for Yes if value is 1 or left blank if 0 to indicate eligibility. |

| Field # and Name | Description | Values | Technical Description |
|---|---|--|--|
| 727.802,72 PLACEHOLD NATIONAL PATIENT RECORD FLAG | This field, previously known as NATIONAL PATIENT RECORD FLAG, is no longer needed. The name has been changed to PLACEHOLD NATIONAL PATIENT RECORD FLAG and its value will be set to null. | | This field is no longerin use as of patch ECX*3*174. |
| 727.802,73 ATTENDING PHYSICIAN PC | The VA code of the Person Class of the Attending Physician associated with this record. | | Active Person Class is determined by the supported call \$\$GET^XUA4A72(PERS,DATE) where PERS is the IEN from file #200 [as found in the ATTENDING PHYSICIAN field (#.19) of the PATIENT MOVEMENT file (#405)] and DATE is the date of the event. The VA CODE is determined by the seventh piece of the returned value string. |
| 727.802,74 PRIMARY WARD PROVIDER PC | The VA code of the Person Class of the Primary Ward Provider associated with this record. | | Active Person Class is determined by the supported call \$\$GET^XUA4A72(PERS,DATE) where PERS is the IEN from file #200 [as found in the PRIMARY PHYSICIAN field (#.08) of the PATIENT MOVEMENT file (#405)] and DATE is the date of the event. The VA CODE is determined by the seventh piece of the returned value string. |
| 727.802,75 SW ASIA CONDITIONS | This field is used to indicate if this patient claims exposure to Southwest Asia Conditions. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | This field is derived from the SOUTHWEST ASIA CONDITIONS? field (#.322013) in the PATIENT file (#2) using the patient's DFN. The status indicatoris returned by SVC^VADPT. |
| 727.802,76 ERI | This field identifies patients from impacted ZIP code areas designated by the Federal Emergency Management Agency (FEMA). | 'K' FOR HURRICANE KATRINA 'P' FOR PANDEMIC NULL | Using the Patient NoDFN, this field length is extracted from the EMERGENCY RESPONSE INDICATOR field (#.181) located in the PATIENT file (#2). |
| 727.802,77 AGENT ORANGE ENC INDICATOR | Indicates whether health services provided during this patient encounter are related to exposure to Agent Orange | 'Y' FOR YES 'N' FOR NO | Using the VISIT FILE ENTRYfield (#.27) in the PATIENT MOVEMENT file (#405), a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the agent orange indicator stored at the AGENT ORANGE EXPOSURE field (#80002) in the VISIT file (#9000010). |

| Field # and Name | Description | Values | Technical Description |
|---|--|---|--|
| 727.802,78 ENCOUNTER SWAC | This field indicates whether treatment provided during this patient encounter is related to exposure to Southwest Asia conditions while serving in the Southwest Asia Theater of operations. | 'Y' FOR YES 'N' FOR NO NULL | Using the VISIT FILE ENTRY field (#.27) in the PATIENT MOVEMENT file (#405), a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the Southwest Asia conditions indicator stored at the SW ASIA CONDITIONS field (#80004) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "PGE". |
| 727.802,79 ENC HEAD/NECK CA | Indicates whether health services provided during this patient encounter are related to head/neck Cancer. | 'Y' FOR YES 'N' FOR NO NULL | Using the VISIT FILE ENTRY field (#.27) in the PATIENT MOVEMENT file (#405), a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the head/neck cancer data stored at the HEAD AND/OR NECK CANCER field (#80006) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "HNC". |
| 727.802,80 ENCOUNTERMST | Indicates if treatment provided during this patient encounter is related to Military Sexual Trauma. | 'Y' FOR YES 'N' FOR NO NULL | Using the VISIT FILE ENTRY field (#.27) in the PATIENT MOVEMENT file (#405) a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the military sexual trauma data stored at the MILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". |
| 727.802,81 RADIATION ENCOUNTER INDICATOR | Indicates whether health services provided during this patient encounter are related to exposure to ionizing radiation. | 'Y' FOR YES 'N' FOR NO NULL | Using the VISIT FILE ENTRY field (#.27) in the PATIENT MOVEMENT file (#405), a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the ionizing radiation exposure indicator stored in the IONIZING RADIATION EXPOSURE field (#80003) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "IR". |
| 727.802,82 OEF/OIF | The Military Operation(s) in which the patient was in combat. This field is a length of nine characters and reflects the OEF or OIF where this patient was in combat. | Possible field values are one or more combinations of the following: OEF = OPERATION ENDURING FREEDOM OIF = OPERATION IRAQI FREEDOM UNK = UNKNOWN OEF/OIF | The Military Operation in which the patient was in combat during the specified time period. This field is a length of nine characters and reflects the OEF or OIF where this patient was in combat. The value of this field is derived from the LOCATION OF SERVICE field (#.01) from SERVICE [OEF OR OIF] sub-file (#2.3215) of field #.3215 located in the PATIENT file (#2). DSS will capture once. each location where the Veteran served. In order to accommodate multiple locations, the values for this field are concatenated into this 9-character field. |

| Field # and Name | Description | Values | Technical Description |
|--|--|-------------|--|
| 727.802,83 OEF/OIF RETURN DATE | The date the Veteran left the OEF/OIF area. Otherwise, it is the end date of military pay for this OEF/OIF deployment. This date field has a format equal to YYYYMMDD. In cases of multiple OEF/OIF tours, this field contains only the most recent return date. | | The value of this field is derived from the OEF/OIF TO DATE field (#.03) from SERVICE [OEF OR OIF] sub-file (#2.3215) of field #.3215 located in the PATIENT file (#2) |
| 727.802,84 PLACEHOLD ASSOC PC PROV NPI | This field, previously known as ASSOCIATE PC PROVIDER NPI, is no longer needed. The name has been changed to PLACEHOLD ASSOC PC PROV NPI and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |
| 727.802,85 ATTENDING PHYSICIAN NPI | Standard, unique life-long identifier of the attending physician as issued by Health and Human Services. | | The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.802,86 PLACEHOLD PC PROVIDER NPI | This field, previously known as PRIMARY CARE PROVIDER NPI, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER NPI and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |
| 727.802,87 PRIMARY WARD PROVIDER NPI | Standard, unique life-long identifier, issued by Health and Human Services, of the primary ward provider. | | The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.802,88 ADMIT OUTPATIENT TX FLAG | This field contains the patient's source of admission flag. YES, if admit outpatient treatment ('1P'). | 'Y' FOR YES | This field is set based on the value found at the PTF CODE field (#.01) of the SOURCE OF ADMISSION file (#45.1) as pointed to by the SOURCE OF ADMISSION field (#20) of the PTF file (#45) as pointed to by the PTF ENTRY field (#.16) of the PATIENT MOVEMENT file (#405). If the value found there is "1P" then this field is set to yes otherwise it is left blank. |
| 727.802,89 COUNTRY CODE | This is the code for the country associated with the address. | | The three-character alpha identifying code is copied from the CODE field (#.01) of the COUNTRY file (#779.004). |

| Field # and Name | Description | Values | Technical Description |
|--------------------------------------|---|---|--|
| 727.802,90 PATCAT | This is the Patient's category which will be used for Federal Health Care Center (FHCC) Reconciliation. DSS must capture and report DoD patients so that the FHCC reconciliation process can function as designed. "Reconciliation" is the process used within the new FHCC to determine which patients DoD pays for and which VA pays for. | 'AD' FOR ACTIVE DUTY 'ADD' FOR ACTIVE DUTY DEPENDENT 'FNRS' FOR FORMER NON-REMARRIED SPOUSE 'RET' FOR RETIRED 'RETD' FOR RETIREE DEPENDENT 'RES' FOR RESERVIST 'REC' FOR RECRUIT 'TDRL' FOR TEMPORARY DISABILITY 'TFL' FOR TRICARE FOR LIFE | If the VistA Patient Type Code [TYPE field (#391) of the PATIENT file (#2)] = Active Duty, Military Retiree, or TRICARE, then the value(s) in the VistA OTHER ELIGIBILITY multiple [PATIENT ELIGIBILITIES field (#361) of the PATIENT file (#2)], which points to locally modifiable ELIGIBILITY CODE file (#8), should be evaluated. If the value in the ELIGIBILITY CODE is equal to any entry in the set of codes in this field, the value should be placed in this field. |
| 727.802,91 ADMIT SOURCE | This field contains the source of admission for the PTF entry. This is a two-character code in the format of 1 numeric and 1 alphanumeric. | | Obtained via the PTF file (#45), SOURCE OF ADMISSION field (#20) which is a pointer to the SOURCE OF ADMISSION file (#45.1), PTF CODE field (#.01). This is up to three characters long to account for any PTF code field expansion. |
| 727.802,92 ED DISPOSITION CODE | Disposition code associated with the patient's emergency room visit. | 'A' FOR ADMIT 'D' FOR DECEASED 'E' FOR ERROR 'L' FOR LEFT 'R' FOR REFERRED 'T' FOR TRANSFERRED 'U' FOR UNKNOWN 'N' FOR NONE | The emergency room disposition is derived by calling \$\$EDIS^ECXUTL, which uses the TIME OUT field (#.09) of the ED LOG file (#230) to determine if the patient was seen in the emergency room in the 24 hours prior to or 24 hours after the admission date/time. If the patient was seen within that time frame, then the NAME field (#.01) of the TRACKING CODE file (#233.1) as pointed to by the DISPOSITION field (#1.2) of the ED LOG file (#230) is used to identify the disposition code. |
| 727.802,93 PRIMARY ICD-10 CODE | The primary ICD-10 diagnosis code for this admission. | | Using the "ATT1" cross-reference on the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, PRIMARY ICD-10 CODE is derived by using the PTF ENTRY field (.16) in the PATIENT MOVEMENT file (#405) to get the ICD 1 field (#5) within the 501 multiple (#50) in the PTF file (#45). |
| 727.802,94 CAMP LEJEUNE STATUS | Indicates if patient claims exposure to contaminated water while stationed at Camp Lejeune, NC between January 1, 1957 and December 31, 1987. | 'Y' FOR YES 'N' FOR NO | Using the patient's DFN, a call is made to PAT^ECXUTL3, which in turn calls SVC^VADPT. This call returns all service related information for a patient, including their Camp Lejeune status. |

| Field # and Name | Description | Values | Technical Description |
|---|--|---|---|
| 727.802,95 ENCOUNTER CAMP LEJEUNE | Indicates if episode of care is related to exposure to contaminated water while stationed at Camp Lejeune, NC between January 1, 1957 and December 31, 1987. | 'Y' FOR YES 'N' FOR NO | Using a pointer to the VISIT file (#9000010), a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the encounter Camp Lejeune data from the VISIT file (#9000010). |
| 727.802,96 ENCOUNTERSC | Indicates if treatment provided during this patient encounter is Service Connected. | 'Y' FOR YES 'N' FOR NO | Using a pointer to the VISIT file (#9000010), a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. This call returns visit data, including the SERVICE CONNECTED field (#80001) in the VISIT file (#9000010). |
| 727.802,97 COMBAT VETERAN INDICATOR | Identifies if patient served in a combat zone. | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, the COMBAT SERVICE INDICATED field (#.5291) in the PATIENT file (#2). COMBAT SERVICE INDICATED is returned by the supported call SVC^VADPT. |
| 727.802,98 COMBAT VETERAN LOCATION | Identifies the war in which the combat service was incurred. | WWI WWII-EUROPE WWII-PACIFIC KOREAN VIETNAM OTHER PERSIAN GULF YUGOSLAVIA | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, COMBAT SERVICE LOCATION data is derived from the COMBAT SERVICE LOCATION field (#.5292) in the PATIENT file (#2). The COMBAT SERVICE LOCATION IEN is returned by the supported call SVC^VADPT, this IEN is then used to retrieve the ABBREVIATION field (#1) from the POW PERIOD file (#22). |
| 727.802,99 PATIENT DIVISION | This field will identify the Station Number of the facility where the patient is admitted. | | Data comes from the WARD LOCATION field (#.06) in the PATIENT MOVEMENT file (#405). This value is a pointer to the WARD LOCATION file (#42), which in turn is used to get the DIVISION field (#.015) in the WARD LOCATION file (#40.8). This value is then used to call the API RADDIV^ECXDEPT to get the STATION NUMBER field (#99) from the INSTITUTION file (#4). |
| 727.802,100 PLACEHOLD CERNER | Placeholder for Cerner fields. Reserved for EHRM conversion. | Currently null | Currently null |

| Field # and Name | Description | Values | Technical Description |
|--|--|--|--|
| 727.802,101 NEW MPI | A national VA system IDENTIFIER which uniquely identifies a patient. Commonly called "Patient ICN" or "Patient IEN"; not to be confused with the IEN from the VistA PATIENT file. | | Derived by calling API, \$\$GETICN^ MPIF001 (Supported DBIA #2701), that retums the Integration Control Number (ICN) and the ICN checksum for the given patient in the PATIENT file (#2). |
| 727.802,102 SELF IDENTIFIED GENDER | The SELF IDENTIFIED GENDER value indicates the patient's personal sense of their gender identity (if they choose to provide it). Self-identified gender may be the same or different as the sex assigned at birth. | 'M' FOR MALE 'F' FOR FEMALE 'TM' FOR TRANSGENDER MALE 'TF' FOR TRANSGENDER FEMALE 'O' FOR OTHER 'N' FOR DOES NOT WISH TO DISCLOSE 'B' FOR NON-BINARY | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802), this data is derived from the SELF IDENTIFIED GENDER field (#.024) in the PATIENT file (#2). |

3.2. #727.833 - BCMA EXTRACT (BCM) File Data Definition

This file contains data elements as specified by MCAO for the Barcode Medication Administration extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS/MCA site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.



NOTE: Descriptions and Technical Descriptions may not match VA FileMan.

Table 3: BCMA Extract (BCM) File #727.833 Data Definitions

| Field # and Name | Description | Values | Technical Description |
|--------------------------------|--|--------|---|
| 727.833,.01 SEQUENCE NUMBER | The IEN of the record for this extract entry. | | The internal entry number (IEN) for this record. This entry is DINUMed. |
| 727.833,1 YEAR MONTH | A six-character string representing the year and the month for which this extract was performed. | | YEAR MONTH is derived by parsing the FileMan format end date of the extract. The month is determined by taking the fourth and fifth characters of the end date, the year by taking the second and third characters, and the century is then calculated by taking the first character of the end date and adding 17 to it. The century is then concatenated with the year and month, giving the results in YYYYMM format. |
| 727.833,2 EXTRACT NUMBER | The corresponding entry in the DSS EXTRACT LOG file (#727) for this extract. | | A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message. |
| 727.833,3 FACILITY | This is the Station Number of the Division where the medication was administered. | | The Station Number of the Division where the medication was administered. It is derived from the DIVISION field (#.015) of the WARD LOCATION file (#42), which points to the MEDICAL CENTER DIVISION file (#40.8). The resulting value is the STATION NUMBER field (#99) from the INSTITUTION file (#4). |
| 727.833,4 PATIENT NO DFN | An identifying numberfor the patient at the local site. | | Derived from the PATIENT (#.01) field in the BCMA MEDICATION LOG file (#53.79). PATIENT NO DFN is a pointer to the NAME field (#.01) of the PATIENT file (#2). This data represents the patient DFN. |

| Field # and Name | Description | Values | Technical Description |
|--|--|--|--|
| 727.833,5 SSN | This is the patient's social security number. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the BCMA EXTRACT file (#727.833), SSN data is derived from the SOCIAL SECURITY NUMBER field (#.09) in the PATIENT file (#2). |
| | | | "Test" patient status is determined in PAT^ECXUTL3. For the BCM extract, the following are considered test SSNs: • 123456789; • Nine repeating digits (e.g., 333333333); • The first three digits are '000' or '666'; • The middle two digits are '00'; |
| | | | The initialiet wo digits are '0000'; The last four digits are '0000'; The first digit is '9'. |
| 727.833,6 NAME | The first four characters of the patient's last name. | | Using the patient pointer (DFN) stored in the BCMA EXTRACT file (#727.833), NAME data is derived from the NAME field (#.01) in the PATIENT file (#2). The first four characters of the first "," piece are used, padded with trailing spaces if necessary. |
| | | | The name value is returned by the supported call DEM^VADPT. |
| 727.833,7 IN OUT PATIENT INDICATOR | Indicates the patient's status for this extract entry. Observation admissions are treated as outpatient | 'I' FOR INPATIENT 'O' FOR OUTPATIENT 'A' FOR ASIH (OTHER FACILITY) | To determine the value of this field, a call is made to \$\$PATDEM^ECXUTL2. Within this call, \$\$INP^ECXUTL2 is called to determine the patient status. |
| | encounters in MCA, similar to Medicare rules and | PACILITY) | If the patient is an outpatient, processing stops and the field is set to O. |
| | community hospitals. | | If the patient is an inpatient, \$\$INOUTP^ECXUTL4 is called to look at the treating specialty. |
| | | | If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831) is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the indicator is setto I. If the patient is ASIH to another facility at the date/time in question, the indicator is setto A. |
| 727.833,8 DAY | This 8-character string represents the date on which the patient was administered medication. | | Taken from the ACTION DATE/TIME field (#.06) from the BCMA MEDICATION LOG file (#53.79). It is parsed so that only the date portion is stored in YYYYMMDD format; for example, 19970201. |

| Field # and Name | Description | Values | Technical Description |
|----------------------------|--|-----------------------------|---|
| 727.833,9 DATE OF BIRTH | The patient's date of birth. | | Data source: PATIENT file (#2); DATE OF BIRTH field (#.03). Date of Birth is returned through the supported call DEM^VADPT. It is then represented by an 8-character numeric string in the YYYYMMDD format. |
| 727.833,10 SEX | Patient's gender. | 'M' FOR MALE 'F' FOR FEMALE | Data is taken from the SEX field (#.02) of the patient's record in the PATIENT file (#2). The gender is returned by DEM^VADPT. |
| 727.833,11 STATE | The state in which the patient resides. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, STATE data is derived from the STATE field (#.115) in the PATIENT file (#2) which points to the STATE file (#5). For the STATE file entry, data is transmitted as the two-character VA STATE CODE field (#2). |
| 727.833,12 COUNTY | This is the county in which the patient resides. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, data is taken from the COUNTY field (#.117) in the PATIENT file (#2), which points to a sub-file record in the COUNTY multiple field (#3) of the STATE file (#5). The three-character VA COUNTY CODE field (#2) within the COUNTY multiple field (#3) is used. |
| 727.833,13 ZIP +4 | The ZIP code for where the patient resides. The five-character ZIP code is provided if ZIP+4 is not available. | | The patient's ZIP code with optional four-digit extension as found in the ZIP+4 field (#.1112) of the patient's record in the PATIENT file (#2). While the ZIP+4 field in file #2 is a max of nine characters, it does put the "-" in if the ZIP code is a +4 type. |
| 727.833,14 COUNTRY CODE | This is the code for the country associated with the address. | | The three-character alpha identifying code is copied from the CODE field (#.01) of the COUNTRY file (#779.004). |

| Field # and Name | Description | Values | Technical Description |
|--|---|--------|---|
| 727.833,15 WARD | Current ward where the patient is located. | | This field is initialized to null, indicating an outpatient status. A call to IN5^VADPT using the patient IEN and the event date (DAY field (#8) in FM format) is made. |
| | | | If data is returned identifying an inpatient episode, the value of VAIP(5), ward location, is used to get the HOSPITAL LOCATION FILE POINTER field (#44) in the WARD LOCATION file (#42) which is a pointer to the HOSPITAL LOCATION file (#44). |
| 727.833,16 TREATING SPECIALTY | The PTF CODE of the treating specialty associated with this extract record. | | This field is initialized to null, indicating an outpatient status. A call to IN5 ^ VADPT using the patient IEN and the event date (DAY field (#8) in FM format) is made. |
| | | | If data returns a patient movement number (indicating inpatient status), then the value of VAIP(8), which is the pointer to the FACILITY TREATING SPECIALTY file (#45.7), is used to get the SPECIALTY field (#1) which points to the SPECIALTY file (#42.4). Then, the PTF Code field (#7) of the SPECIALTY file (#42.4) is obtained and stored instead of the IEN of the specialty. |
| 727.833,17 PROVIDER | The IEN of the provider assigned to this patient. | | Derived by calling API EN^PSJBCMA1, using the ORDER REFERENCE NUMBER field (#26) from this file. Provider will be returned in the first piece of the returning ^TMP("PSJ",\$J,1) global. It is extracted from the PHARMACY PATIENT file (#55) by either the PROVIDER field (#1) of its UNIT DOSE multiple (#62) OR the PROVIDER field (#.06) of the IV multiple (#100). |
| | | | A "2" is prefixed to the pointervalue to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. |
| 727.833,18 PROVIDER PERSON CLASS | The VA code of the Person Class of the Provider as of the date of this extract record. | | Active Person Class is determined by the supported call \$\$GET^XUA4A72 (PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the seventh piece of the returned value string. |

| Field # and Name | Description | Values | Technical Description |
|---|---|--------|---|
| 727.833,19 PROVIDER NPI | A standard, unique lifelong identifier, issued by Health and Human Services, for individuals providing health care service services. This field has a length of fifteen characters. | | The qualified identifier is retrieved via the supporting Kernel API:\$\$NPI^XUSNPI. |
| 727.833,20 PLACEHOLD PC PROVIDER | This field, previously known as PRIMARY CARE PROVIDER, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER and its value will be setto null. | | This field is no longerin use as of patch ECX*3*170. |
| 727.833,21 PLACEHOLD PC PROV PERSON CLASS | This field, previously known as PRIMARY CARE PROVIDER PC, is no longer needed. The name has been changed to PLACEHOLD PC PROV PERSON CLASS and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |
| 727.833,22 PLACEHOLD PC PROVIDER NPI | This field, previously known as PRIMARY CARE PROVIDER NPI, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER NPI and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |
| 727.833,23 PLACEHOLD PRIMARY CARE TEAM | This field, previously known as PRIMARY CARE TEAM, is no longer needed. The name has been changed to PLACEHOLD PRIMARY CARE TEAM and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |

| Field # and Name | Description | Values | Technical Description |
|---|--|--------|--|
| 727.833,24 ORDERING STOP CODE | This field contains the stop code associated with the order. | | For outpatients, the stop code is the primary stop code for the clinic (first three characters of the DSS Identifier field of this extract). If none exists, the value is set to null. For observation patients, the stop code is translated using the following table. |
| | | | Treating Observation Specialty Code 18 293 23 295 24 290 36 296 41 294 65 291 94 292 1J 297 |
| 727.833,25 PLACE ORDER NUMBER | This is the order number of the Patient's Barcode Medication Administration record. | | This is the IEN of the BCMA MEDICATION LOG file (#53.79). Derived from using the 'AADT' cross-reference of the BCMA MEDICATION LOG file (#53.79), based on the start and end dates of the extract. |
| 727.833,26 ORDER REFERENCE NUMBER | Contains the IEN to the actual orderin the PHARMACY PATIENT (#55) followed by a U for Unit Dose or V for IV. | | This field is derived by using the ORDER REFERENCE NUMBER field (#.11) of the BCMA MEDICATION LOG file (#53.79), as pointed to by the PLACE ORDER NUMBER field (#25) of this file. |
| 727.833,27 ROUTE | This is the route of administration for Unit Dose or IV medication for a patient. | | This field is extracted from the PHARMACY PATIENT file (#55) by either the MED ROUTE field (#3) of its Unit Dose multiple (#62) or the MED ROUTE field (#132) of its IV multiple (#100). |
| 727.833,28 TIME | This field contains the actual time the medication was administered. | | This field is taken from the ACTION DATE/TIME field (#.06) from the BCMA MEDICATION LOG file (#53.79). It is parsed so that only the time portion of the field is stored in HHMMSS format. The date portion is stored in the DAY field (#8) of this file. |

| Field # and Name | Description | Values | Technical Description |
|---|--|---|--|
| COMPONENT CODE | The COMPONENT CODE contains either the dispensed drug, IV additive | | This is a variable pointer field used to identify either the DRUG file (#50), IV ADDITIVES file (#52.6), or the IV SOLUTIONS file (#52.7). |
| | or IV solution that was administered for this patient. | | Enter one of the following: A.EntryName to select an IV ADDITIVES file (#52.6). D.EntryName to select a DRUG file (#50). S.EntryName to select an IV SOLUTIONS file (#52.7). The COMPONENT TYPE field (#34) will contain the variable pointer letter (A=IV ADDITIVES, D=DRUG, S=IV SOLUTIONS) from this field. |
| 727.833,30 COMPONENT DOSE ORDERED | The COMPONENT DOSE ORDERED contains either the dispensed drug, IV additive or IV solution dose ordered for this patient. | | Its value is free-text derived from the DOSE ORDERED field (#.02) of the sub-file multiples (#.5), (#.6), (#.7) of the BCMA MEDICATION LOG file (#53.79). |
| 727.833,31 COMPONENT DOSE GIVEN | The COMPONENT DOSE GIVEN contains either the dispensed drug, IV additive, or IV solutions dose given to this patient. | | This field's value is free-text derived from the DOSE GIVEN field (#.03) of the sub-file multiples (#.5), (#.6), (#.7) of the BCMA MEDICATION LOG file (#53.79). |
| 727.833,32 COMPONENT UNITS | The Component Units contains either the dispensed drug, IV additive, or IV solutions unit medication administered to this patient. | | The Component Units value is free-text derived from the UNIT OF ADMINISTRATION (#.04) field of the sub-file multiples (#.5), (#.6), (#.7) of the BCMA MEDICATION LOG file (#53.79). |
| 727.833,33 COMPONENT TYPE | The Component Type is determined by the value destination of the Component Code. | 'D' FOR DISPENSED DRUG 'A' FOR ADDITIVES 'S' FOR SOLUTIONS | This field is derived based on the COMPONENT CODE field (#30) of this file. If the component code is from the DRUG file (#50), it will be "D"; if it's from the IV ADDITIVES file (#52.6), it will be "A"; and, if it is from IV SOLUTIONS file (#52.7), it will be "S". |

| Field # and Name | Description | Values | Technical Description |
|------------------------|---|----------------------|---|
| 727.833,34 | This is the status of the | 'G' FOR GIVEN | This field is derived from the ACTION STATUS |
| ACTION STATUS | medication administration. | 'H' FOR HELD | field (#.09) of the BCMA MEDICATION LOG file (#53.79). |
| | | 'R' FOR REFUSED | me (#33.73). |
| | | 'N' FOR NOT GIVEN | |
| | | 'RM' FOR REMOVED | |
| | | 'I' FOR INFUSING | |
| | | 'S' FOR STOPPED | |
| | | 'C' FOR COMPLETED | |
| | | 'M' FOR MISSING DOSE | |
| 727.833,35 | Administration Medication | | This field is derived from the ADMINISTRATION |
| ADMINISTRATION | is the medication entered for the order. | | MEDICATION field (#.08) of the BCMA MEDICATION LOG file (#53.79). |
| MEDICATION | ior the order. | | |
| 727.833,36 | If a continuous order, this | | Derived from the SCHEDULED |
| SCHEDULED | field will contain the actual administration date for | | ADMINISTRATION TIME field (#.13) of the BCMA MEDICATION LOG file (#53.79). It is parsed so that only the date portion is stored |
| ADMINISTRATION DATE | which the medication was | | |
| 57112 | ordered. | | format YYYYMMDD. |
| 727.833,37 | If a continuous order, this | | The time is derived from the time value of the |
| SCHEDULED | field will contain the actual administration time for | | SCHEDULED ADMINISTRATION TIME field (#.13) of the BCMA MEDICATION LOG |
| ADMINISTRATION | which the medication was | | file (#53.79). It is parsed so that only the time |
| TIME | ordered. | | portion is returned in format HHMMSS. |
| 727.833,38 | This is the schedule type of | 'C' FOR CONTINUOUS | Derived from the SCHEDULE ORDER field (#.12) |
| ORDER SCHEDULE | the order. | 'P' FOR PRN | of the BCMA MEDICATION LOG file (#53.79). |
| | | 'O' FOR ONE-TIME | |
| | | 'OC' FOR ON-CALL | |
| 727.833,39 | This is the unique ID | | Derived from the IV UNIQUE ID field (#.26) of |
| IV UNIQUE ID | number of an IV bag, which | | the BCMA MEDICATION LOG file (#53.79). |
| | is generated from Inpatient Medications. | | |
| 727.833,40 | This is the infusion rate for | | The infusion rate is derived from the INFUSION |
| INFUSION RATE | an IV bag, which is passed | | RATE field (#.35) of the BCMA MEDICATION |
| | by Inpatient Medications. | | LOG file (#53.79). |

| Field # and Name | Description | Values | Technical Description |
|---|---|---|--|
| 727.833,41 PRODUCTION DIVISION CODE | This is the facility of the ward where the patient received medication. | | Derived by getting the PATIENT DIVISION field (#.03) from the BCMA MEDICATION LOG file (#53.79), which is a pointer to the INSTITUTION file (#4). This value is then used to call the API RADDIV^ECXDEPT to get the STATION NUMBER field (#99) from the INSTITUTION |
| 727.833,42 DRUG IEN | This is the drug administered to the patient. | | Ising the COMPONENT CODE field (#30) of this file, the IEN of the drug from the DRUG file (#50) is used in a call to \$\$PHAAPI^ECXUTL5 to get the associated entry in the VA PRODUCT file (#50.68). The COMPONENT CODE field (#30) is a variable pointer reference to the file that identifies the drug given. If it's a dispensed drug, it references the DRUG file (#50) and the IEN can be taken directly from there. Otherwise, the IEN will be taken from the GENERIC DRUG field (#1) from either the IV ADDITIVES file (#52.6) or the IV SOLUTIONS file (#52.7), which is a pointer to the DRUG file |
| 727.833,43 NDC | This is the National Drug Code for the drug/supply item in this order. | | (#50). Derived from the NDC field (#31) in the DRUG file (#50). |
| 727.833,44 DEA, SPECIAL HDLG | Indicates if the drug in this record is Investigational, or Schedule 1-5. | 'I' FOR Investigational '1' FOR SCHEDULE 1 ITEM '2' FOR SCHEDULE 2 ITEM '3' FOR SCHEDULE 3 ITEM '4' FOR SCHEDULE 4 ITEM '5' FOR SCHEDULE 5 ITEM | Derived from the DEA, SPECIAL HDLG field (#3) in the DRUG file (#50). If the field contains a "1","2","3","4" or "5" (DRUG SCHEDULE), it will be set to that number. Otherwise, if it contains an I, it will be set to I. |
| 727.833,45 VA DRUG CLASSIFICATION | This is the VA Drug Classification for the item in this order. | | This field is derived from the VA CLASSIFICATION field (#2) of the DRUG file (#50). |
| 727.833,46 PLACEHOLD MPI | This field, previously known as MASTER PATIENTINDEX, is no longer needed. The name has been changed to PLACEHOLD MPI and its value will be set to null. | Currently null | This field is no longerin use as of patch ECX*3*184. |

| Field # and Name | Description | Values | Technical Description |
|--|--|--|--|
| 727.833,47 DOM, PRRTP & SARRTP INDICATOR | This indicates if the Patient is admitted to either an RRTP, PRRTP or SARRTP at the time care is provided. | 'P' FOR GEN. PRRTP 'D' FOR DOMICILIARY 'S' FOR DOM. PRRTP 'T' FOR PTSD PRRTP 'H' FOR HOMELESS CWT/TR 'A' FOR SA CWT/TR 'B' FOR PTSD CWT/TR 'C' FOR GEN. CWT/TR | If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the DOM/PRRTP/SARRTP CODE field (#2) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). Otherwise, the value is null. |
| 727.833,48 OBSERVATION PATIENT INDICATOR | Indicates if a patient is considered to be an observation patient. Observation admissions are treated as outpatient encounters in MCA, similar to Medicare rules and community hospitals. | 'N' FOR NO 'Y' FOR YES | Data (YES,NO) is retrieved from API call \$\$OBSPAT^ECXUTL4: If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS ID (MTL,IVP,ECQ,NOS,SUR) is 290-297, Observation Patient Ind = YES. Else, Observation Patient Ind = NO. Otherwise, Observation Patient Ind = NO. |
| 727.833,49 ENCOUNTER NUMBER | The unique number assigned for DSS. The OBS conversion logic is: Treating Specialty 18 293 (neurology) 24 290 (medicine) 41 296 (Rehab Med) 65 291 (Surgery) 94 292 (psychiatry) 1J 297 (ER) | | This field is determined by a call to \$\$ENCNUM^ECXUTL4. Within this call, the inpatient/outpatient status, SSN, admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number. |
| 727.833,50 PLACEHOLD MEANS TEST | This field, previously known as MEANS TEST, is no longer needed. The name has been changed to PLACEHOLD MEANS TEST and its value will be setto null. | | This field is no longer in use as of patch ECX*3*178. |

| Field # and Name | Description | Values | Technical Description |
|--------------------------------------|---|--|---|
| 727.833,51 ELIGIBILITY | A two or three-digit numeric code indicating the Patient's Primary Eligibility. The extract logic converts the VistA two or three-digit coding schemes to the National Data Services (NDS) eligibility scheme. | 10 SC 50-100% 20 Aid & Attendance 21 Housebound 22 Mexican Border War 23 WWI 24 POW 25 Purple Heart 30 SC 40-49% 31 SC 30-39% 32 SC 20-29% 33 SC 10-19% 34 SC less than 10% 40 NSC - VA Pension 50 NSC 60 Catastrophic Disability 101 CHAMPVA 102 Collateral of Veteran 103 Employee 104 Other Federal Agency 105 Allied Veteran 106 Humanitarian Emergency 107 Sharing Agreement 108 Reimbursable Insurance 109 TRICARE/CHAMPUS | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4), ELIGIBILITY data is derived from the PRIMARY ELIGIBILITY CODE field (#.361) in the PATIENT file (#2). PRIMARY ELIGIBILITY CODE is a pointer to the ELIGIBILITY CODE file (#8). The data is derived from the MAS ELIGIBILITY CODE field (#8) in the ELIGIBILITY CODE file (#8), which in turn is a pointer to the MAS ELIGIBILITY CODE file (#8.1). The pointer value to file #8.1 is converted by ELIG^ECXUTL3 to the corresponding eligibility code used by NPCD. This code is composed of two or three numeric characters. |
| 727.833,52 ENROLLMENT LOCATION | The facility that the patient chooses to designate as his preferred location for care. | | The PREFERRED FACILITY field (#27.02) of the PATIENT file (#2) is defined as the facility that the patient chooses to designate as his preferred location for care. The PREFERRED FACILITY field (#27.02) is a pointer to the INSTITUTION file (#4). From that file, the value in the STATION NUMBER field (#99) is used. |
| 727.833,53 ENROLLMENT CATEGORY | Patient's enrollment category. | 'E' FOR ENROLLED 'N' FOR NOT ENROLLED 'P' FOR IN PROCESS | ENROLLMENT CATEGORY is derived from the standard call \$\$CATEGORY^DGENA4 using the INPUT patient DFN and the ENROLLMENT STATUS field (#55). |
| 727.833,54 ENROLLMENT STATUS | Patient's enrollment status. | | ENROLLMENT STATUS is derived from the PATIENT ENROLLMENT file (#27.11) ENROLLMENT STATUS field (#.04). |

| Field # and Name | Description | Values | Technical Description |
|--------------------------------------|--|--|---|
| 727.833,55 ENROLLMENT PRIORITY | This field contains the enrollment priority group and the enrollment priority subgroup. | ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 | ENROLLMENT PRIORITY field contains the ENROLLMENT PRIORITY GROUP field (#.07) and the ENROLLMENT PRIORITY subgroup field (#.12) from the PATIENT ENROLLMENT file (#27.11). |
| 727.833,56 USER ENROLLEE | Indicates whether a Veteran has User Enrollee status for the current or future fiscal year. | 'U' FOR USER ENROLLEE | User enrollee is determined by checking the PATIENT ENROLLMENT file (#27.11). When a user has a current or future fiscal year in the VistA USER ENROLLEE STATUS field (#.04), the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT^EASUSER where the Patient |
| 727.833,57 PLACEHOLD ETHNICITY | This field, previously known as ETHNICITY, is no longer needed. The name has been changed to PLACEHOLD ETHNICITY and its value will be setto null. | | Identifier (DFN) is passed in. This field is no longer in use as of patch ECX*3*170. |
| 727.833,58 PLACEHOLD RACE 1 | This field, previously known as RACE 1, is no longer needed. The name has been changed to PLACEHOLD RACE 1 and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |
| 727.833,59 VETERAN | Patient's Veteran status. | 'Y' FOR VETERAN 'N' FOR NOT VETERAN | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the BCMA EXTRACT file (#727.833), VETERAN data is derived from the VETERAN (Y/N)? field (#1901) in the PATIENT file (#2). |

| Field # and Name | Description | Values | Technical Description |
|---------------------------------|---|---|---|
| 727.833,60 PERIOD OF SERVICE | The period of service which best classifies this patient based on eligibility code. | | This field is derived by pulling the PERIOD OF SERVICE field (#.323) from the PATIENT file (#2). The PERIOD OF SERVICE field (#.323) is a pointer to the PERIOD OF SERVICE file (#21). This field is derived from the CODE field (#.03) of that file. The Veteran's period of service indicator is returned by ELIG^VADPT. |
| 727.833,61 POW STATUS | Indicates if patient was confined as a Prisoner of War. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the BCMA EXTRACT file (#727.833), POW data is derived by checking the POW STATUS INDICATED? field (#.525) in the PATIENT file (#2). The status indicator is returned by SVC^VADPT. |
| 727.833,62 POW LOCATION | This is the location/period where the patient was a POW. | '1' FOR WORLD WAR I '2' FOR WORLD WAR II - EUROPE '3' FOR WORLD WAR II - PACIFIC '4' FOR KOREAN '5' FOR VIETNAM '6' FOR OTHER | This field is a pointer derived by reading the POW CONFINEMENT LOCATION field (#.526) from the PATIENT file (#2). The location is retrieved by calling SVC^VADPT. |
| 727.833,63 RADIATION STATUS | Indicates if patient claims exposure to ionizing radiation. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN '1' FOR NO RADIATION '2' FOR HIROSHIMA/NAGASAKI '3' FOR ATMOSPHERIC NUCLEAR TESTING '4' FOR H/N AND ATMOSPHERIC TESTING '5' FOR UNDERGROUND NUCLEAR TESTING '6' FOR EXPOSURE AT NUCLEAR FACILITY '7' FOR OTHER | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the BCMA EXTRACT file (#727.833), RADIATION data is derived by pulling the RADIATION EXPOSURE INDICATED? field (#.32103) in the PATIENT file (#2). The status indicator is returned by SVC^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|---|--|--|--|
| 727.833,64 AGENT ORANGE STATUS | Indicates whether patient was exposed to Agent Orange. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the BCMA EXTRACT file (#727.833), AGENT ORANGE data is derived from the AGENT ORANGE EXPOS. INDICATED? field (#.32102) in the PATIENT file (#2). The status indicator is returned by SVC^VADPT. |
| 727.833,65 AGENT ORANGE LOCATION | Indicates the location where the patient was exposed to Agent Orange. | 'B' FOR BLUE WATER NAVY 'K' FOR KOREAN DMZ 'V' FOR VIETNAM 'T' FOR THAILAND (U.S. OR ROYAL THAI MIL BASE) 'L' FOR LAOS 'C' FOR CAMBODIA (MIMOT OR KREK, KAMPONG CHAM) 'G' FOR GUAM, AMERICAN SAMOA, OR TERRITORIAL WATERS 'J' FOR JOHNSTON ATOLL 'O' FOR OTHER | The location is returned by a call to SVC^VAPDT which gets its data from the AGENT ORANGE EXPOSURE LOCATION field (#.3213) of the PATIENT file (#2). |
| 727.833,66 PURPLE HEART INDICATOR | This field Indicates whether or not a patient is a Purple Heart recipient. | 'Y' FOR YES 'N' FOR NO | The Purple Heart Indicator is derived by calling SVC^VADPT which returns the CURRENT PH INDICATOR field (#.531) from the PATIENT file (#2). |
| 727.833,67 MST STATUS | Indicates if patient claims Military Sexual Trauma (MST). | 'Y' FOR Yes, Screened reports MST; 'N' FOR No, Screened does not report MST; 'U' FOR Unknown, not screened; 'D' FOR Screened Declines to answer. | The MST HISTORY file (#29.11) holds data regarding military sexual trauma claims and effective dates. The patient's MST status is stored in the MST STATUS field (#3). A call will be made to \$\$GETSTAT^DGMSTAPI(DFN,DGDATE) using the DFN in the PATIENT NO. DFN (#4) field and the date in the DAY field (#8). |
| 727.833,68 CNH STATUS | This field indicates if the Patient is in a Contract Nursing Home (CNH). | 'Y' FOR YES 'N' FOR NO | This field is determined by pulling the CNH CURRENT field (#148) from the PATIENT file (#2). |

| Field # and Name | Description | Values | Technical Description |
|---|--|---|---|
| 727.833,69 HEAD & NECK CANCER INDICATOR | Indicates if patient claims head and/or neck cancer. | 'Y' FOR YES 'N' FOR NO | This indicator is derived by passing the patient pointer (DFN) to the API \$\$GETCUR^DGNTAPI to retrieve the HEAD/NECK CA DX field (#2.01) of the NOSE AND THROAT RADIUM HISTORY file (#28.11). |
| 727.833,70 SHAD STATUS | Indicates whether patient meets requirements for Shipboard Hazard and Defense (SHAD) conditions. | 'Y' FOR YES 'N' FOR NO | This field is the Shipboard Hazard and Defense which is derived by using DBIA #4462 GETSHAD^DGUTL3(DFN) which returns the PROJ 112/SHAD field (#.32115) from the PATIENT file (#2). |
| 727.833,71 PATIENT TYPE | Refers to the various types of patient which may be seen at a VA facility. Every patient in the system must have a TYPE specified. | 'AC' FOR ACTIVE DUTY 'AL' FOR ALLIED VETERAN 'CO' FOR COLLATERAL 'EM' FOR EMPLOYEE 'IN' FOR INELIGIBLE 'MI' FOR MILITARY RETIREE 'NO' FOR NON-VETERAN (OTHER) 'NS' FOR NSC VETERAN 'SC' FOR SC VETERAN 'TR' FOR TRICARE | Patient type is determined by the TYPE field (#391) of the PATIENT file (#2) which points to the TYPE OF PATIENT file (#391) entries. Every patient added to the system must have a TYPE specified. It best classifies a patient as one of the following values listed below. PATIENT TYPE field value shall contain only the first two characters. |
| 727.833,72 CV STATUS ELIGIBILITY | This field indicates whether or not a patient can be considered a Combat Veteran (CV) at the time of treatment. Records if Veteran served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War, or in combat against a hostile force during a period of hostilities after November 11, 1998. | 'Y' FOR YES 'E' FOR ELIGIBILITY EXPIRED | The CV STATUS ELIGIBILITY is determined by the use of API \$\$CVEDT^DGCV(DFN, DAY field (#8) in FM format) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces (i.e., 1^3010106^0); the first piece is resolved as follows. 1 - qualifies as a CV 0 - does not qualify as a CV -1 - bad DFN or date Based on these returns, the value for this field is 'Y' for 'YES' or 'E' for 'ELIGIBILITY EXPIRED'. If this field is null it indicates that the patient is not eligible. |

| Field # and Name | Description | Values | Technical Description |
|---|--|--|--|
| 727.833,73 CV ELIGIBILITY END DATE | Records the Combat Veteran eligibility expiration date of Veteran who served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War, or in combat against a hostile force during a period of hostilities after November 11, 1998. | | The CV ELIGIBILITY END DATE is determined by the use of API \$\$CVEDT^DGCV (DFN, DAY field (#8) in FM format) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. The API returns three pieces (i.e., 1^3010106^0); the second piece is the Combat Vet End Date which is stored in YYYYMMDD format. |
| 727.833,74 ENCOUNTER CV | This field indicates whether service provided during this patient encounteris related to the patient being a Combat Veteran (CV). Records if Veteran served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War, or in combat against a hostile force during a period of hostilities after November 11, 1998. | 'Y' FOR YES | ENCOUNTER CV is determined by the use of API \$\$CVEDT^DGCV(DFN, DAY field (#8) in FM format) that checks the COMBAT VETEND DATE field (#.5295) from the PATIENT file (#2) to determine CV Status using the DAY field (#8). The API returns three pieces (i.e., 1^3010106^0); the third piece returns: 1 - vet was eligible on date specified 0 - vet was not eligible on date specified Based on these returns, the value for this field is Y=Yes, or null. |
| 727.833,75 NATIONAL PATIENT RECORD FLAG | This field will indicate if the Patient has any type of a National Flag indicator. | 'Y' FOR YES | NATIONAL PATIENT RECORD FLAG is located in the PRF NATIONAL FLAG file (#26.15). This file contains a list of the Category 1 (National) Patient Record Flags that can be assigned to a patient. Category I flags are established at a National Level. NATIONAL PATIENT RECORD FLAG is retrieved via an API call to \$\$GETACT^DGPFAPI(DFN,TARGET_ROOT). Field value is "Y" if a Category I flag is present and active, otherwise it is NULL. |
| 727.833,76 ERI | This field identifies patients from impacted ZIP code areas designated by the Federal Emergency Management Agency (FEMA). | 'K' FOR HURRICANE KATRINA 'P' FOR PANDEMIC NULL | This field is extracted from the EMERGENCY RESPONSE INDICATOR field (#.181) located in the PATIENT file (#2). |
| 727.833,77 SW ASIA CONDITIONS | This field is used to indicate if this patient claims exposure to Southwest Asia Conditions. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | This field is derived from the SOUTHWEST ASIA CONDITIONS? field (#.322013) in the PATIENT file (#2) using the patient's DFN. The status indicatoris returned by SVC^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|-----------------------------------|---|--|---|
| 727.833,78 OEF/OIF | The Military Operation(s) in which the patient was in combat. This field is a length of nine characters and reflects the OEF or OIF where this patient was in combat. | Possible field values are one or more combinations of the following: OEF = OPERATION ENDURING FREEDOM OIF = OPERATION IRAQI FREEDOM UNK = UNKNOWN OEF/OIF | The value of this field is derived from the LOCATION OF SERVICE field (#.01) of the SERVICE [OEF OR OIF] sub-file (#2.3215) located in the PATIENT file (#2). DSS will capture, once, each location where the Veteran served. In order to accommodate multiple locations, the values for this field are concatenated into this 9-character field. |
| 727.833,79 OEF/OIF RETURN DATE | The date the Veteran left the OEF/OIF area. Otherwise, it is the end date of military pay for this OEF/OIF deployment. This date field has a format equal to YYYYMMDD. In cases of multiple OEF/OIF tours, this field contains only the most recent return date. | | The value of this field is derived of the OEF/OIF TO DATE field (#.03) of the SERVICE [OEF OR OIF] sub-file (#2.3215) located in the PATIENT file (#2). |
| 727.833,80 PATCAT | This is the Patient's category which will be used for Federal Health Care Center (FHCC) Reconciliation. DSS must capture and report DoD patients so that the FHCC reconciliation process can function as designed. "Reconciliation" is the process used within the new FHCC to determine which patients DoD pays for and which VA pays for. | 'AD' FOR Active Duty 'ADD' FOR Active Duty Dependent 'FNRS' FOR Former Non- Remarried Spouse 'RET' FOR Retired 'RETD' FOR Retiree Dependent 'RES' FOR Reservist 'REC' FOR Recruit 'TDRL' FOR Temporary Disability 'TFL' FOR TRICARE for Life | If the VistA Patient Type Code [TYPE field (#391) of the PATIENT file (#2)] = Active Duty, Military Retiree, or TRICARE, then the value(s) in the VistA OTHER ELIGIBILITY multiple [PATIENT ELIGIBILITES field (#361) of the PATIENT file (#2)], which points to locally modifiable ELIGIBILITY CODE file (#8), should be evaluated. If the value in the ELIGIBILITY CODE is equal to any entry in the set of codes in this field, the value should be placed in this field. FHCC hospitals have special codes that are added to the ELIGIBILITY CODE file (#8) that are used to identify the PATCAT status and may be unique to their facility. |
| 727.833,81 ENCOUNTERSC | Indicates if treatment provided during this patient encounter is Service Connected. | 'Y' FOR YES 'N' FOR NO | Using a pointer to the VISIT file (#9000010), a call is made to API VISIT ECXSCX1 which in turn calls ENCEVENT PXAPI. This call returns visit data, including the SERVICE CONNECTED field (#80001) in the VISIT file (#9000010). |
| 727.833,82 IV ADDITIVE COST | VA pharmacy supply cost, in dollars, of the IV Additive dispensed. | | This field is calculated by multiplying the DOSES GIVEN field (#.03) of the ADDITIVES subfield (#.6) from the BCMA MEDICATION LOG file (#53.79) by AVERAGE DRUG COST PER UNIT field (#7) of the IV ADDITIVES file (#52.6). |

| Field # and Name | Description | Values | Technical Description |
|---|---|---|--|
| 727.833,83 IV SOLUTION COST | VA pharmacy supply cost, in dollars, of the IV Solution dispensed. | | This field is calculated by multiplying the DOSES GIVEN field (#.03) of the SOLUTIONS subfield (#.7) from the BCMA MEDICATION LOG file (#53.79) by AVERAGE DRUG COST PER UNIT field (#7) of the IV SOLUTIONS file (#52.7). |
| 727.833,84 DRUG COST | VA pharmacy supply cost, in dollars, of the Drug dispensed. | | This field is calculated by multiplying the DOSES GIVEN field (#.03) of the DISPENSE DRUG subfield (#.5) from the BCMA MEDICATION LOG file (#53.79) by UNIT OF ADMINISTRATION field (#.04) of the DISPENSE DRUG subfield (#.5) from the BCMA MEDICATION LOG file (#53.79) by PRICE PER DISPENSE UNIT field (#16) of the DRUG file (#50). |
| 727.833,85 CAMP LEJEUNE STATUS | Indicates if patient claims exposure to contaminated water while stationed at Camp Lejeune, NC between January 1, 1957 and December 31, 1987. | 'Y' FOR YES 'N' FOR NO | Using the patient's DFN, a call is made to PAT^ECXUTL3, which in turn calls SVC^VADPT. This call returns all service-related information for a patient, including their Camp Lejeune status. |
| 727.833,86 ENCOUNTER CAMP LEJEUNE | Indicates if episode of care is related to exposure to contaminated water while stationed at Camp Lejeune, NC between January 1, 1957, and December 31, 1987. | 'Y' FOR YES 'N' FOR NO | Using a pointer to the VISIT file (#9000010) a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the encounter Camp Lejeune data from the VISIT file (#9000010). |
| 727.833,87 COMBAT VETERAN INDICATOR | Identifies if the patient served in a combat zone | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, COMBAT SERVICE INDICATOR data is derived from the COMBAT SERVICE INDICATED field (#.5291) in the PATIENT file (#2). COMBAT SERVICE INDICATED is returned by the supported call SVC^VADPT. |
| 727.833,88 COMBAT VETERAN LOCATION | Identifies the war in which the combat service was incurred. | WWI WWII-EUROPE WWII-PACIFIC KOREAN VIETNAM OTHER PERSIAN GULF YUGOSLAVIA | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, COMBAT SERVICE LOCATION data is derived from the COMBAT SERVICE LOCATION field (#.5292) in the PATIENT file (#2). The COMBAT SERVICE LOCATION IEN is returned by the supported call SVC ^VADPT, this IEN is then used to retrieve the ABBREVIATION field (#1) from the POW PERIOD file (#22). |

| Field # and Name | Description | Values | Technical Description |
|--|--|--|--|
| 727.833,89 VISTA DEA SPECIAL HDLG | Identifies the DEA codes assigned to the drug associated with this record. | | Derived from the DEA, SPECIAL HDLG field (#3) in the DRUG file (#50). |
| 727.833,90 NEW MPI | A national VA system IDENTIFIER which uniquely identifies a patient. Commonly called "Patient ICN" or "Patient IEN"; not to be confused with the IEN from the VistA PATIENT file. | | Derived by calling API, \$\$GETICN^ MPIF001 (Supported DBIA #2701), that retums the Integration Control Number (ICN) and the ICN checksum for the given patient in the PATIENT file (#2). |
| 727.833,91 FEEDER KEY | This field contains the DRUG IEN (BCMA extract field #42) concatenated with the 12-digit NDC (BCMA extract field #43). | | The FEEDER KEY is derived from the DRUG IEN (BCMA extract field #42) padded with zeroes to the left to make 5 digits; it is concatenated with a 12-digit code from the NDC field (BCMA extract field #43). The dashes (-) in the NDC are removed, resulting in a 17-digit code. |
| 727.833,92 PRICE PER DISPENSE UNIT | The price per one dispense unit. | | Using the DRUG IEN field (#42), this data is derived from the PRICE PER DISPENSE UNIT field (#16) of the DRUG file (#50). The PRICE PER DISPENSE UNIT is returned by calling \$\$PHAAPI^ECXUTL5. |
| 727.833,93 SELF IDENTIFIED GENDER | The SELF IDENTIFIED GENDER value indicates the patient's personal sense of their gender identity (if they choose to provide it). Self-identified gender may be the same or different as the sex assigned at birth. | 'M' FOR MALE 'F' FOR FEMALE 'TM' FOR TRANSGENDER MALE 'TF' FOR TRANSGENDER FEMALE 'O' FOR OTHER 'N' FOR DOES NOT WISH TO DISCLOSE 'B' FOR NON-BINARY | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the BCMA EXTRACT file (#727.833), this data is derived from the SELF IDENTIFIED GENDER field (#.024) in the PATIENT file (#2). |

| Field # and Name | Description | Values | Technical Description |
|-----------------------------|--|--------|--|
| 727.833,94 DISPENSE UNIT | This is the dispense unit for this drug. | | This is the DISPENSE UNIT field (#14.5) of the DRUG file (#50). The DISPENSE UNIT is returned by \$\$PHAAPI^ECXUTL5. |

3.3. #727.829 – BLOOD BANK EXTRACT (LBB) File Data Definition

This file contains data elements as specified by MCAO for the Blood Bank extract from existing VistA files. Entries into this file are made by extracting data from the TRANSFUSION RECORD subfile (#63.017) of the LAB DATA file (#63), and from the PATIENT file (#2). Once approved by the DSS/MCA site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. This file is intended to be used for validation purposes only. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.



NOTE: Descriptions and Technical Descriptions may not match VA FileMan.

All references to this extract should be VBECS DSS Extract file (#6002.3).

Table 4: Blood Bank Extract (LBB) File #727.829 Data Definitions

| Field # and Name | Description | Values | Technical Description |
|--------------------------------|--|--------|--|
| 727.829,.01 SEQUENCE NUMBER | The IEN of the record for this extract entry. | | The internal entry number (IEN) for this record. This entry is DINUMed. |
| 727.829,1 YEAR MONTH | A six-character string representing the year and month for which this extract was performed. | | YEAR MONTH is derived by parsing the FileMan format end date of the extract. The month is determined by taking the fourth and fifth characters of the end date, the year by taking the second and third characters, and the century is then calculated by taking the first character of the end date and adding 17 to it. The century is then concatenated with the year and month, giving the results in YYYYMM format. |
| 727.829,2 EXTRACT NUMBER | The corresponding entry in the DSS EXTRACTLOG file (#727) for this extract. | | A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message. Not transmitted to the AITC. |
| 727.829,3 FACILITY | This is the facility/division where the extract was performed. | | The value is derived from the ORDERING LOCATION field (#2) of the VBECS DSS EXTRACT file (#6002.03). |

| Field # and Name | Description | Values | Technical Description |
|-----------------------------|--|--------|---|
| 727.829,4 PATIENT NO DFN | An identifying number for the patient at the local site. | | Defined as the IEN of a given record entry in the PATIENT file (#2). |
| 7,112,111,10,1 | | | Derived from the DFN field (#1) in the VBECS DSS EXTRACT file (#6002.03). PATIENT NO DFN is a pointer to the NAME field (#.01) of the PATIENT file (#2). This data represents the patient DFN. |
| 727.829,5 SSN | The patient's social security number. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the BLOOD BANK EXTRACT file (#727.829), SSN data is derived from the SOCIAL SECURITY NUMBER field (#.09) in the PATIENT file (#2). |
| | | | "Test" patient status is determined in PAT^ECXUTL3. For the LBB extract, the following are considered test SSNs: |
| | | | 123456789; Nine repeating digits (e.g., 333333333); The first three digits are '000' or '666'; The middle two digits are '000'; The last four digits are '0000'; The first digit is '9'. |
| 727.829,6 NAME | The first four characters of the patient's last name. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the BLOOD BANK EXTRACT file (#727.829), NAME data is derived from the NAME field (#.01) in the PATIENT file (#2). |
| | | | The first four characters of the first "," piece are used, padded with trailing spaces if necessary. |
| | | | The name value is returned by the supported call DEM^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|--------------------------------------|---|--|---|
| 727.829,7 IN/OUT PATIENT INDICATOR | Indicates the patient's status for this extract entry. Observation admissions are treated as outpatient encounters in MCA, similar to Medicare rules and community hospitals. | 'I' FOR INPATIENT 'O' FOR OUTPATIENT 'A' FOR ASIH (OTHER FACILITY) | To determine the value of this field, a call is made to \$\$PATDEM^ECXUTL2. Within this call, \$\$INP^ECXUTL2 is called to determine the patient status. If the patient is an outpatient, processing stops and the field is set to O. If the patient is an inpatient, \$\$INOUTP^ECXUTL4 is called to look at the treating specialty. If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831) is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the indicator is set to I. If the patient is ASIH to another facility at the date/time in question, the indicator is set to A. |
| 727.829,8 ENCOUNTER NUMBER | The unique number assigned for DSS. The Treating Specialty conversion logic is: Treating Specialty 18 293 (neurology) 24 290 (medicine) 41 296 (Rehab Med) 65 291 (Surgery) 94 292 (psychiatry) 1J 297 (ER) | | This field is determined by a call to \$\$ENCNUM^ECXUTL4. Within this call, the inpatient/outpatient status, SSN, admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number. |
| 727.829,9 DATE OF TRANSFUSION | This field contains the date of the blood component transfusion | | Obtained from field #.01 of the TRANSFUSION RECORD sub-file (#63.017) of the LAB DATA file (#63). |
| 727.829,10 TIME OF TRANSFUSION | A 6-character numeric string that represents the time-of-day the blood component transfusion was performed. | | If time cannot be determined, use 000001 as a default. Field #.01 of the TRANSFUSION RECORD sub-file (#63.017) of the LAB DATA file (#63). |
| 727.829,11 COMPONENT | This is the name of the blood bank product transfused. | | Obtained from field #.02 of the TRANSFUSION RECORD sub-file (#63.017) of the LAB DATA file (#63), which is a pointer to the BLOOD PRODUCT file (#66). |

| Field # and Name | Description | Values | Technical Description |
|---|---|---------------------------|---|
| 727.829,12 COMPONENT ABBREVIATION | Abbreviation of blood component. | | Use COMPONENT field (#.02) of the TRANSFUSION RECORD sub-file (#63.017) to obtain COMPONENT ABBREVIATION field (#.02) of the BLOOD PRODUCT file (#66). |
| 727.829,13 NUMBER OF UNITS | Number of pooled units transfused. | | Data is derived from the UNITS POOLED field (#.07) of the TRANSFUSION RECORD multiple (#63.017) of the LAB DATA file (#63). If units is blank, use default of 1. |
| 727.829,14 VOLUME | This is the volume, in milliliters, of the component or unit transfused. | | Field #.1 of the TRANSFUSION RECORD sub-file (#63.017) of the LAB DATA file (#63) |
| 727.829,15 REACTION | Indicates a transfusion reaction. | 'Y' FOR YES 'N' FOR NO | Field #.08 of the TRANSFUSION RECORD subfile (#63.017) of the LAB DATA file (#63). |
| 727.829,16 REACTION TYPE | Type of reaction from transfusion | | Field #.11 of the TRANSFUSION RECORDS subfile (#63.017) of the LAB DATA file (#63), which is a pointer to field #.01 of the BLOOD BANK UTILITY file (#65.4). |
| 727.829,17 FEEDER LOCATION | The Location of the Blood Bank, where the blood is stored and where the Blood Bank technologist performed the (Blood Bank) tests. | | Feeder Location is the letters "BB" concatenated with the PRODUCTION DIVISION CODE field (#27) of the BLOOD BANK EXTRACT file (#727.829). The PRODUCTION DIVISION CODE is obtained by calling \$\$RADDIV^ECXDEPT. |
| 727.829,18 PLACEHOLDER | This field, previously known as DSS PRODUCT DEPARTMENT, is no longer needed. The name has been changed to PLACEHOLDER and its value will be setto null. | | This field is no longerin use as of patch ECX*3*161. |
| 727.829,19 PLACEHOLD DSS IP# | This field, previously known as DSS IP#, is no longer needed. The name has been changed to PLACEHOLD DSS IP# and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |

| Field # and Name | Description | Values | Technical Description |
|---|---|---|---|
| 727.829,20 ORDERING PROVIDER | The IEN of the provider ordering the blood transfusion. | | This is the IEN of the NEW PERSON file (#200) entry, and it indicates the provider that ordered the blood transfusion. This field is extracted from the PHYSICIAN field (#6.2) located in the BLOOD INVENTORY file (#65). |
| | | | The ORDERING PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. |
| 727.829,21 ORDERING PROVIDER PERSON CLASS | The VA code of the Person Class of the Ordering Provider as of the date of this extract record. | | Active Person is determined by the supported call \$\$GET^XUA4A72(ECXPHY,ECD) where ECXPHY is the IEN from file #200 and ECD is the date of the event. The VA CODE is determined by the seventh piece of the returned value string. |
| 727.829,22 ERI | This field identifies patients from impacted ZIP code areas designated by the Federal Emergency Management Agency (FEMA). | 'K' FOR HURRICANE KATRINA 'P' FOR PANDEMIC NULL | This field is extracted from the EMERGENCY RESPONSE INDICATOR field (#.181) located in the PATIENT file (#2). |
| 727.829,23 UNIT MODIFIED | Indicates if unit of blood was modified. | 'Y' FOR YES 'N' FOR NO | The value for this field is derived from the UNIT MODIFICATION field (#13) of the VBECS DSS EXTRACT file (#6002.03) |
| 727.829,24 UNIT MODIFICATION | Type of unit modification performed. | 'D' = DIVIDED 'P' = POOLED 'W' = WASHED 'F' = FROZEN 'L' = LEUKOCYTE POOR 'R' = REJUVENATED 'G' = DEGLYCEROLIZED 'I' = IRRADIATED 'S' = SEPARATED | This field is a combination of values retrieved from the MODIFICATION CRITERIA field (#.06) and the MODIFY TO field (#3) of the BLOOD PRODUCT file (#66). The value has a maximum length of six characters. |
| 727.829,25 REQUESTING PROVIDER | This is the provider who requested the transfusion. | | Data is derived from the ORDERING PROVIDER field (#5) of the VBECS DSS EXTRACT file (#6002.03). REQUESTING PROVIDER is the value of a "2" prefixed to the pointer value from the NEW PERSON file (#200) to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. |

| Field # and Name | Description | Values | Technical Description |
|---|---|--|--|
| 727.829,26 REQUESTING PROVIDER PC | The field holds the VA code associated with the active person class of the Requesting Provider. | | Active Person Class is determined by the supported call \$\$GET^XUA4A72(ECXPHY,ECD), where ECXPHY is the IEN from file #200 and ECS is the date of the event. The VA CODE is determined by the seventh piece of the returned value string. |
| 727.829,27 PRODUCTION DIVISION CODE | Identifies the division/facility where the work was performed. | | Data comes from the TRANSFUSION LOCATION field (#3) of the VBECS DSS EXTRACT file (#6002.03). |
| 727.829,28 ORDERING PROVIDER NPI | A standard, unique life-long identifier, issued by Health and Human Services, of the provider who ordered the type & cross match. This field has a length of fifteen characters. | | The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.829,29 REQUESTING PROVIDER NPI | A standard, unique life-long identifier, issued by Health and Human Services, of the provider who requested the transfusion. This field has a length of fifteen characters. | | The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.829,30 PATCAT | This is the Patient's category which will be used for Federal Health Care Center (FHCC) Reconciliation. DSS must capture and report DoD patients so that the FHCC reconciliation process can function as designed. "Reconciliation" is the process used within the new FHCC to determine which patients DoD pays for and which VA pays for. | 'AD' FOR Active Duty 'ADD' FOR Active Duty Dependent 'FNRS' FOR Former Non- Remarried Spouse 'RET' FOR Retired 'RETD' FOR Retiree Dependent 'RES' FOR Reservist 'REC' FOR Recruit 'TDRL' FOR Temporary Disability 'TFL' FOR TRICARE for Life | If the VistA Patient Type Code [TYPE field (#391) of the PATIENT file (#2)]=Active Duty, Military Retiree, or TRICARE, then the value(s) in the VistA OTHER ELIGIBILITY multiple [PATIENT ELIGIBILITES field (#361) of the PATIENT file (#2)], which points to locally modifiable ELIGIBILITY CODE file (#8), should be evaluated. If the value in the ELIGIBILITY CODE is equal to any entry in the set of codes in this field, the value should be placed in this field. |
| 727.829,31 ENCOUNTERSC | This field, previously known as ENCOUNTERSC, is no longer needed. The name has been changed to PLACEHOLD ENCOUNTER SC and its value will be set to null. | | This field is no longerin use as of patch ECX*3*174. |

| Field # and Name | Description | Values | Technical Description |
|---|---|--|---|
| 727.829,32 PLACEHOLD CERNER | Placeholder for Cerner fields. Reserved for EHRM conversion. | Currently null | Currently null |
| 727.829,33 NEW MPI | A national VA system IDENTIFIER which uniquely identifies a patient. Commonly called "Patient ICN" or "Patient IEN"; not to be confused with the IEN from the VistA PATIENT file. | | Derived by calling API, \$\$GETICN^MPIF001 (Supported DBIA #2701), that returns the Integration Control Number (ICN) and the ICN checksum for the given patient in the PATIENT file (#2). |
| 727.829,34 SELF IDENTIFIED GENDER | The SELF IDENTIFIED GENDER value indicates the patient's personal sense of their gender identity (if they choose to provide it). Self-identified gender may be the same or different as the sex assigned at birth | 'M' FOR MALE 'F' FOR FEMALE 'TM' FOR TRANSGENDER MALE 'TF' FOR TRANSGENDER FEMALE 'O' FOR OTHER 'N' FOR DOES NOT WISH TO DISCLOSE 'B' FOR NON-BINARY | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the BLOOD BANK EXTRACT file (#727.829), this data is derived from the SELF IDENTIFIED GENDER field (#.024) in the PATIENT file (#2). |

3.4. #727.827 - CLINIC EXTRACT (CLI) File Data Definition

This file contains data elements as specified by MCAO for the Clinic Visit extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS/MCA site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.



NOTE: Descriptions and Technical Descriptions may not match VA FileMan.

Table 5: Clinic Extract (CLI) File #727.827 Data Definitions

| Field # and Name | Description | Values | Technical Description |
|--------------------------------|--|--------|--|
| 727.827,.01 SEQUENCE NUMBER | The IEN of the record for this extract entry. | | The internal entry number (IEN) for this record. This entry is DINUMed. |
| 727.827,1 YEAR MONTH | A six-character string representing the year and month for which this extract was performed. | | YEAR MONTH is derived by parsing the FileMan format end date of the extract. The month is determined by taking the fourth and fifth characters of the end date, the year by taking the second and third characters, and the century is then calculated by taking the first character of the end date and adding 17 to it. The century is then concatenated with the year and month, giving the results in YYYYMM format. |
| 727.827,2 EXTRACT NUMBER | The corresponding entry in the DSS EXTRACT LOG file (#727) for this extract. | | A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message. |
| 727.827,3 FACILITY | This is the facility/division where the extract was performed. | | An indicator of the division where this event happened. It is derived from the DIVISION field (#3.5) of the HOSPITAL LOCATION file (#44) which points to the MEDICAL CENTER DIVISION file (#40.8). |
| 727.827,4 PATIENT NO DFN | This is the patient to whom this extract record pertains. | | The PATIENT field (#.02) of the OUTPATIENT ENCOUNTER file (#409.68) is used to populate this field. It is the IEN of the patient in the PATIENT file (#2). |

| Field # and Name | Description | Values | Technical Description | |
|------------------------------------|--|--|---|---|
| 727.827,5 SSN | The patient's social security number. | numher | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the CLINIC EXTRACT file (#727.827), SSN data is derived from the SOCIAL SECURITY NUMBER field (#.09) in the PATIENT file (#2). |
| | | | "Test" patient status is determined in PAT^ECXUTL3. For the CLI extract, the following are considered test SSNs: • 123456789; • Nine repeating digits (e.g., 333333333); • The first three digits are '000' or '666'; • The middle two digits are '000'; • The last four digits are '0000'; • The first digit is '9'. | |
| 727.827,6 NAME | The first four characters of the patient's last name. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the CLINIC EXTRACT file (#727.827), NAME data is derived from the NAME field (#.01) in the PATIENT file (#2). The first four characters of the first "," piece are used, padded with trailing spaces if necessary. The name value is returned by the supported call DEM^VADPT. | |
| 727.827,7 IN/OUT PATIENT INDICATOR | Indicates the patient's status for this extract entry. Observation admissions are treated as outpatient encounters in MCA, similar to Medicare rules and community hospitals. | 'I' FOR INPATIENT 'O' FOR OUTPATIENT 'A' FOR ASIH (OTHER FACILITY) | To determine the value of this field, a call is made to \$\$PATDEM^ECXUTL2. Within this call, \$\$INP^ECXUTL2 is called to determine the patient status. If the patient is an outpatient, processing stops and the field is set to O. If the patient is an inpatient, \$\$INOUTP^ECXUTL4 is called to look at the treating specialty. If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831) is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the indicator is set to I. If the patient is ASIH to another facility at the date/time in question, the indicator is set to A. | |

| Field # and Name | Description | Values | Technical Description |
|--|---|--------------------|--|
| 727.827,8 DAY | This 8-character string represents the date when the clinic visit occurred. | | Data source: OUTPATIENT ENCOUNTER file (#409.68); DATE field (#.01). The format is YYYYMMDD; for example 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. |
| 727.827,9 PLACEHOLD FEEDER KEY | This field, previously known as FEEDER KEY, is no longer needed. The name has been changed to PLACEHOLD FEEDER KEY and its value will be set to null. | | This field is no longer in use as of patch ECX*3*166. |
| 727.827,10 OVERBOOKED INDICATOR | Indicates if this was an overbook appointment for this visit. | 'O' FOR OVERBOOKED | Data source: OVERBOOK field (#9) of the PATIENT multiple (#2) of the APPOINTMENT multiple (#1900) of the HOSPITAL LOCATION file (#44). |
| 727.827,11 PLACEHOLDER | Currently Null | | Currently Null |
| 727.827,12 TREATING SPECIALTY | The Treating Specialty associated with this extract record. Values for inpatients only. | | Data source: SPECIALTY file (#42.4); PTF CODE field (#7). |
| 727.827,13 TIME | Time for this clinic visit (six-digit military time). | | Time is extracted from the date information pulled from either the DATE field (#.01) in the OUTPATIENT ENCOUNTER file (#409.68) or from the clinic date/time returned from a call to \$\$SDAPI^SDAMA301. This field is always exactly six numeric characters in length; if time cannot be determined, then "000300" is used as a default. |
| 727.827,14 PLACEHOLD PRIMARY CARE TEAM | This field, previously known as PRIMARY CARE TEAM, is no longer needed. The name has been changed to PLACEHOLD PRIMARY CARE TEAM and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |

| Field # and Name | Description | Values | Technical Description |
|--|--|--------|---|
| 727.827,15 PLACEHOLD PC PROVIDER | This field, previously known as PRIMARY CARE PROVIDER, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.827,16 PLACEHOLD PC PROV PERSON CLASS | This field, previously known as PRIMARY CARE PRV PERSON CLASS, is no longer needed. The name has been changed to PLACEHOLD PC PROV PERSON CLASS and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.827,17 PROVIDER | The IEN of the Primary Provider associated with the patient encounter. | | The Provider is returned by ENCEVENT^PXAPI. The PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. |
| 727.827,18 PROVIDER PERSON CLASS | The VA Code of the Person Class of the Primary Provider for this record. | | Active Person Class is determined by the supported call \$\$GET^XUA4A72 (PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the seventh piece of the returned value string. |
| 727.827,19 PLACEHOLD CPT QTY & MODS #1 | This field, previously known as CPT CODE QTY & MODIFIERS #1, is no longer needed. The name has been changed to PLACEHOLD CPT QTY & MODS #1 and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.827,20 PLACEHOLD CPT QTY & MODS #2 | This field, previously known as CPT CODE QTY & MODIFIERS #2, is no longer needed. The name has been changed to PLACEHOLD CPT QTY & MODS #2 and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |

| Field # and Name | Description | Values | Technical Description |
|--|---|--------|---|
| 727.827,21 PLACEHOLD CPT QTY & MODS #3 | This field, previously known as CPT CODE QTY & MODIFIERS #3, is no longer needed. The name has been changed to PLACEHOLD CPT QTY & MODS #3 and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.827,22 PLACEHOLD CPT QTY & MODS #4 | This field, previously known as CPT CODE QTY & MODIFIERS #4, is no longer needed. The name has been changed to PLACEHOLD CPT QTY & MODS #4 and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.827,23 PLACEHOLD CPT QTY & MODS #5 | This field, previously known as CPT CODE QTY & MODIFIERS #5, is no longer needed. The name has been changed to PLACEHOLD CPT QTY & MODS #5 and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.827,24 PLACEHOLD CPT QTY & MODS #6 | This field, previously known as CPT CODE QTY & MODIFIERS #6, is no longer needed. The name has been changed to PLACEHOLD CPT QTY & MODS #6 and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.827,25 PLACEHOLD CPT QTY & MODS #7 | This field, previously known as CPT CODE QTY & MODIFIERS #7, is no longer needed. The name has been changed to PLACEHOLD CPT QTY & MODS #7 and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.827,26 PLACEHOLD CPT QTY & MODS #8 | This field, previously known as CPT CODE QTY & MODIFIERS #8, is no longer needed. The name has been changed to PLACEHOLD CPT QTY & MODS #8 and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |

| Field # and Name | Description | Values | Technical Description |
|-----------------------------|---|--------|---|
| 727.827,27 PLACEHOLDER | This field, previously known as PRIMARY ICD9 CODE, is no longer needed. The name has been changed to PLACEHOLDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*161. |
| 727.827,28 PLACEHOLDER | This field, previously known as SECONDARY ICD91, is no longer needed. The name has been changed to PLACEHOLDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*161. |
| 727.827,29 PLACEHOLDER | This field, previously known as SECONDARY ICD92, is no longer needed. The name has been changed to PLACEHOLDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*161. |
| 727.827,30 PLACEHOLDER | This field, previously known as SECONDARY ICD93, is no longer needed. The name has been changed to PLACEHOLDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*161. |
| 727.827,31 PLACEHOLDER | This field, previously known as SECONDARY ICD94, is no longer needed. The name has been changed to PLACEHOLDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*161. |
| 727.827,32 DATE OF BIRTH | The patient's date of birth. | | Data source: OUTPATIENT ENCOUNTER file (#409.68), PATIENT field (#.02); then to PATIENT file (#2), DATE OF BIRTH field (#.03). Date of Birth is returned through the supported call DEM^VADPT. It is then represented by an 8-character numeric string in the YYYYMMDD format. |

| Field # and Name | Description | Values | Technical Description |
|------------------------------|--|--|--|
| 727.827,33 ELIGIBILITY | Appropriate eligibility code based on Veteran or non-Veteran status. The extract logic converts the VistA two or three-digit coding schemes to the National Data Services (NDS) eligibility scheme. | 10 SC 50-100% 20 Aid & Attendance 21 Housebound 22 Mexican Border War 23 WWI 24 POW 25 Purple Heart 30 SC 40-49% 31 SC 30-39% 32 SC 20-29% 33 SC 10-19% 34 SC less than 10% 40 NSC - VA Pension 50 NSC 60 Catastrophic Disability 101 CHAMPVA 102 Collateral of Veteran 103 Employee 104 Other Federal Agency 105 Allied Veteran 106 Humanitarian Emergency 107 Sharing Agreement 108 Reimbursable Insurance 109 TRICARE/CHAMPUS | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4), ELIGIBILITY data is derived from the PRIMARY ELIGIBILITY CODE field (#.361) in the PATIENT file (#2). PRIMARY ELIGIBILITY CODE is a pointer to the ELIGIBILITY CODE field (#8). The data is derived from the MAS ELIGIBILITY CODE field (#8) in the ELIGIBILITY CODE file (#8), which in turn is a pointer to the MAS ELIGIBILITY CODE file (#8.1). The pointer value to file #8.1 is converted by ELIG^ECXUTL3 to the corresponding eligibility code used by NCPD. This code is composed of two or three numeric characters. |
| 727.827,34 VETERAN | Patient's Veteran status | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the CLINIC EXTRACT file (#727.827), VETERAN data is derived from the VETERAN (Y/N)? field (#1901) in the PATIENT file (#2). Veteran is returned by the supported call ELIG^VADPT. |
| 727.827,35 PLACEHOLD RACE | This field, previously known as RACE, is no longer needed. The name has been changed to PLACEHOLD RACE and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.827,36 POW STATUS | Indicates if patient was confined as a Prisoner of War. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the CLINIC EXTRACT file (#727.827), POW data is derived from the POW STATUS INDICATED? field (#.525) in the PATIENT file (#2). The POW Status is returned by SVC^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|---|--|---|---|
| 727.827,37 POW LOCATION | This is the location/period where the patient was a POW. | '1' FOR WORLD WAR I '2' FOR WORLD WAR II - EUROPE '3' FOR WORLD WAR II - PACIFIC '4' FOR KOREAN '5' FOR VIETNAM '6' FOR OTHER | PATIENT file (#2); POW CONFINEMENT LOCATION field (#.526). This is a pointer value to the POW PERIOD file (#22). The location indicator is returned by SVC^VADPT. This field should be a pointer to the POW PERIOD file (#22), but due to the FileMan limitation for data on this subscript, it will remain a free-text field. |
| 727.827,38 RADIATION STATUS | Indicates if patient claims exposure to ionizing radiation. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN '1' FOR NO RADIATION '2' FOR HIROSHIMA/NAGASAKI '3' FOR ATMOSPHERIC NUCLEAR TESTING '4' FOR H/N AND ATMOSPHERIC TESTING '5' FOR UNDERGROUND NUCLEAR TESTING '6' FOR EXPOSURE AT NUCLEAR FACILITY '7' FOR OTHER | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802), RADIATION data is derived from the RADIATION EXPOSURE INDICATED? field (#.32103) in the PATIENT file (#2). The status indicator is returned by SVC^VADPT. |
| 727.827,39 RADIATION ENCOUNTER INDICATOR | Indicates whether service provided during this patient encounter is related to exposure to ionizing radiation. | 'Y' FOR YES 'N' FOR NO | Using the VISIT FILE ENTRYfield (#.05) in the OUTPATIENT ENCOUNTER file (#409.68), a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the lonizing Radiation Exposure Indicator stored at the IONIZING RADIATION EXPOSURE field (#80003) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "IR". |
| 727.827,40 AGENT ORANGE STATUS | Indicates if patient claims exposure to Agent Orange. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the CLINIC EXTRACT file (#727.827), AGENT ORANGE data is derived from the AGENT ORANGE EXPOS. INDICATED? field (#.32102) in the PATIENT file (#2). The status indicator is returned by SVC^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|--|---|--|---|
| 727.827,41 AGENT ORANGE ENC INDICATOR | Indicates whether service provided during this patient encounter is related to exposure to Agent Orange. | 'Y' FOR YES 'N' FOR NO | Using the VISIT FILE ENTRY field (#.05) in the OUTPATIENT ENCOUNTER file (#409.68), a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the Agent |
| | | | Orange Indicator stored at the AGENT ORANGE EXPOSURE field (#80002) in the VISIT file (#9000010). The value will be stored in the output array |
| | | | subscripted by "AO". |
| 727.827,42 PLACEHOLD MPI | This field, previously known as MASTER PATIENTINDEX, is no longer needed. The name has been changed to PLACEHOLD MPI and its value will be set to null. | Currently null | This field is no longer in use as of patch ECX*3*184. |
| 727.827,43 PLACEHOLD DSS PRODUCT DEPARTMENT | This field, previously known as DSS PRODUCT DEPARTMENT, is no longer needed. The name has been changed to PLACEHOLD DSS PRODUCT DEPARTMENT and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.827,44 SEX | Patient's gender. | 'M' FOR Male 'F' FOR Female | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the CLINIC EXTRACT file (#727.827), this data is derived from the SEX field (#.02) in the PATIENT file (#2). The gender is returned by DEM^VADPT. |
| 727.827,45 | The ZIP code for where the | | The patient's ZIP code with optional four-digit |
| ZIP+4 | patient resides. The 5- character ZIP code is | | extension as found in the ZIP+4 field (#.1112) of the patient's record in the PATIENT file (#2). |
| provided if ZIP + 4 is not available. | | While the ZIP+4 field in file #2 is a max of nine characters, it does put the "-" in if the ZIP code is a +4 type. | |
| 727.827,46 PLACEHOLDER | Currently Null | | Currently Null |
| 727.827,47 PLACEHOLDER | Currently Null | | Currently Null |

| Field # and Name | Description | Values | Technical Description |
|--|---|--|--|
| 727.827,48 ENCOUNTER ELIGIBILITY | Eligibility code for the encounter based on the purpose of the encounter and the patient's eligibility. The extract logic converts the VistA two or three-digit coding schemes to the National Data Services (NDS) eligibility scheme. | 10 SC 50-100% 20 Aid & Attendance 21 Housebound 22 Mexican Border War 23 WWI 24 POW 25 Purple Heart 30 SC 40-49% 31 SC 30-39% 32 SC 20-29% 33 SC 10-19% 34 SC less than 10% 40 NSC - VA Pension 50 NSC 60 Catastrophic Disability 101 CHAMPVA 102 Collateral of Veteran 103 Employee 104 Other Federal Agency 105 Allied Veteran 106 Humanitarian Emergency 107 Sharing Agreement 108 Reimbursable Insurance 109 TRICARE/CHAMPUS | Using the MAS ELIGIBILITY CODE field (#8) of ELIGIBILITY CODE file (#8) as pointed to by the ELIGIBILITY OF ENCOUNTER field (#.13) of the OUTPATIENT ENCOUNTER file (#409.68), a call is made to ELIG^ECXUTL3, which then returns a numeric code that is stored in this field. |
| 727.827,49 MST STATUS | Indicates if patient claims Military Sexual Trauma (MST). | 'Y' FOR YES, SCREENED REPORTS MST 'N' FOR NO, SCREENED DOES NOT REPORT MST 'U' FOR UNKNOWN, NOT SCREENED 'D' FOR SCREENED, DECLINES TO ANSWER | The MST HISTORY file (#29.11) holds data regarding military sexual trauma claims and effective dates. The patient's MST status is stored in the MST STATUS field (#3). A call will be made to \$\$GETSTAT^DGMSTAPI (DFN, DGDATE) using the DFN in the PATIENT NO. DFN field (#4) and the date in the DAY field (#8). |
| 727.827,50 MST ENCOUNTER INDICATOR | Indicates if treatment provided during this patient encounter is related to Military Sexual Trauma. | 'Y' FOR YES 'N' FOR NO | Using the VISIT FILE ENTRY field (#.05) in the OUTPATIENT ENCOUNTER file (#409.68), a call is made to API VISIT ECXSCX1 which, in turn, calls ENCEVENT PXAPI. The ENCEVENT PXAPI returns the military sexual traumadata stored at the MILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". |

| Field # and Name | Description | Values | Technical Description |
|--|--|--------|---|
| 727.827,51 PLACEHOLD SHARING AGREEMNT PAYOR | This field, previously known as SHARING AGREEMENT PAYOR, is no longer needed. The name has been changed to PLACEHOLD SHARING AGREEMNT PAYOR and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.827,52 PLACEHOLD SHARE AGREEMNTINSUR | This field, previously known as SHARING AGREEMENT INSURANCE CO, is no longer needed. The name has been changed to PLACEHOLD SHARE AGREEMNTINSUR and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.827,53 ENROLLMENT LOCATION | The facility that the patient chooses to designate as his/her preferred location for care. | | The PREFERRED FACILITY field (#27.02) of the PATIENT file (#2) is defined as the facility that the patient chooses to designate as his preferred location for care. The PREFERRED FACILITY field (#27.02) is a pointer to the INSTITUTION file (#4). From file #4, the value in the STATION NUMBER field (#99) is used. |
| 727.827,54 STATE CODE | The state in which the patient resides. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the CLINIC EXTRACT file (#727.827), STATE CODE data is derived from the STATE field (#.115) in the PATIENT file (#2) which points to the STATE file (#5). For the STATE file entry, data transmitted is the two-character VA STATE CODE field (#2). |
| 727.827,55 COUNTY CODE | This is the county in which the patient resides. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the CLINIC EXTRACT file (#727.827), data is taken from the COUNTY field (#.117) in the PATIENT file (#2) which points to a sub-file record in the COUNTY multiple field (#3) of the STATE file (#5). The three-character VA COUNTY CODE field (#2) within the COUNTY multiple field (#3) is used. |

| Field # and Name | Description | Values | Technical Description |
|--|---|--|--|
| 727.827,56 PLACEHOLD ASSOC PC PROVIDER | This field, previously known as ASSOCIATE PC PROVIDER, is no longer needed. The name has been changed to PLACEHOLD ASSOC PC PROVIDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.827,57 PLACEHOLD AS PC PROV PERSON CL | This field, previously known as ASSOCIATE PC PROV PERSON CLASS, is no longer needed. The name has been changed to PLACEHOLD AS PC PROV PERSON CL and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.827,58 PLACEHOLDER | Currently Null | | Currently Null |
| 727.827,59 DOM, PRRTP AND SARRTP INDICATOR | This indicates if the patient is admitted to either an RRTP, PRRTP or SARRTP at the time care is provided. | 'P' FOR GEN. PRRTP 'D' FOR DOMICILIARY 'S' FOR DOM. PRRTP 'T' FOR PTSD PRRTP 'H' FOR HOMELESS CWT/TR 'A' FOR SA CWT/TR 'B' FOR PTSD CWT/TR 'C' FOR GEN. CWT/TR | If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the DOM/PRRTP/SARRTP CODE field (#2) of the DSS TREATING SPECIALTY TRANSLATION file. Otherwise, the value is null. |
| 727.827,60 ENROLLMENT CATEGORY | Patient's enrollment category. | | ENROLLMENT CATEGORY is derived from the standard call \$\$CATEGORY^DGENA4 using the patient's DFN and the ENROLLMENT STATUS field (#61). |
| 727.827,61 ENROLLMENT STATUS | Patient's enrollment status. | | ENROLLMENT STATUS is derived from the standard call \$\$STATUS^DGENA using the patient's DFN and returns the ENROLLMENT STATUS field (#.04) of the PATIENT ENROLLMENT file (#27.11). |
| 727.827,62 SHAD STATUS | Indicates whether patient meets requirements for Shipboard Hazard and Defense (SHAD) conditions. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the CLINIC EXTRACT file (#727.827), Shipboard Hazard and Defense data is derived by using DBIA #4462 GETSHAD ^ DGUTL3 (DFN). |
| 727.827,63 PURPLE HEART INDICATOR | Indicates whether or not the patient is a Purple Heart recipient. | 'Y' FOR YES 'N' FOR NO | PATIENT file (#2); CURRENT PH INDICATOR field (#.531). The status indicatoris returned by SVC^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|--|---|------------------------|--|
| 727.827,64 PERIOD OF SERVICE | The period of service which best classifies this patient based on eligibility code. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the CLINIC EXTRACT file (#727.827), PERIOD OF SERVICE data is derived from the PERIOD OF SERVICE field (#.323) in the PATIENT file (#2). This field is a pointer to the PERIOD OF SERVICE file (#21). Using the period of service pointer, the data is derived from the CODE field (#.03) in the PERIOD OF SERVICE file (#21). This code is a single alphanumeric character. The Veteran's period of service indicator is returned by ELIG ^VADPT. |
| 727.827,65 OBSERVATION PATIENT INDICATOR | Indicates if patient is considered to be an observation patient. Observation admissions are treated as outpatient encounters in MCA, similar to Medicare rules and community hospitals. | 'Y' FOR YES 'N' FOR NO | Data (YES,NO) is retrieved from API call \$\$OBSPAT^ECXUTL4: If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS ID (MTL,IVP,ECQ,QSR,NOS,SUR) is 290-297, Observation Patient Ind=YES. Else, Observation Patient Ind=NO. Otherwise, Observation Patient Ind=NO. |
| 727.827,66 ENCOUNTER NUMBER | The unique number assigned for DSS. The OBS conversion logic is: Treating Specialty Use this Stop Code 18 293 (neurology) 24 290 (medicine) 41 296 (Rehab Med) 65 291 (Surgery) 94 292 (psychiatry) 1J 297 (ER) | | This field is determined by a call to \$\$ENCNUM^ECXUTL4. Within this call, the inpatient/outpatient status, SSN, admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number. |

| Field # and Name | Description | Values | Technical Description |
|-------------------------------------|---|---|---|
| 727.827,67 | Indicates the location where | 'B' FOR BLUE WATER | The location is returned by a call to |
| AGENT ORANGE LOCATION | the patient was exposed to Agent Orange. | NAVY 'K' FOR KOREAN DMZ | SVC^VADPT which gets its data from the AGENT ORANGE EXPOSURE LOCATION field |
| LOCATION | | 'V' FOR VIETNAM | (#.3213) of the PATIENT file (#2). |
| | | 'T' FOR THAILAND (U.S. OR ROYAL THAI MIL BASE) | |
| | | 'L' FOR LAOS | |
| | | 'C' FOR CAMBODIA (MIMOT OR KREK, KAMPONG CHAM) | |
| | | 'G' FOR GUAM, AMERICAN SAMOA, OR TERRITORIAL WATERS | |
| | | 'J' FOR JOHNSTON ATOLL | |
| | | 'O' FOR OTHER | |
| 727.827,68 PRODUCTION DIVISION CODE | Identifies the division/facility where the work was performed. | | Data comes from the DIVISION field (#3.5) of the HOSPITAL LOCATION file (#44), which is a pointer to the MEDICAL CENTER DIVISION file (#40.8). |
| | | | This value is then used to call the API GETDIV^ECXDEPT to get the STATION NUMBER field (#99) from the INSTITUTION file (#4). |
| 727.827,69 APPOINTMENT TYPE | Indicates the type of appointment the patient is scheduled for. | '1' FOR COMPENSATION & PENSION | Obtained from the PATIENT file (#2), APPOINTMENT sub-file (#2.98), APPOINTMENT TYPE field (#9.5) which is a pointer to the |
| | scrieduled ioi. | '2' FOR CLASS II DENTAL | APPOINTMENT TYPE file (#409.1). |
| | | '3' FOR ORGAN DONORS | |
| | | '4' FOR EMPLOYEE | |
| | | '5' FOR PRIMA FACIA | |
| | | '6' FOR RESEARCH | |
| | | '7' FOR COLLATERAL OF VET | |
| | | '8' FOR SHARING AGREEMENT | |
| | | '9' FOR REGULAR | |
| | | '10' FOR COMPUTER GENERATED | |

| Field # and Name | Description | Values | Technical Description |
|---|--|--|---|
| 727.827,70 PURPOSE OF VISIT | Indicates the reason the patient has an appointment. | '1' FOR C&P '2' 10-10 '3' SCHEDULED APPOINTMENT '4' UNSCHED. VISIT | Obtained from the PATIENT file (#2), APPOINTMENT sub-file (#2.98), PURPOSE OF VISIT field (#9). |
| 727.827,71 PLACEHOLD MEANS TEST | This field, previously known as MEANS TEST, is no longer needed. The name has been changed to PLACEHOLD MEANS TEST and its value will be setto null. | | This field is no longer in use as of patch ECX*3*178. |
| 727.827,72 HEAD & NECK CANCER INDICATOR | Indicates if patient claims head and/or neck cancer. | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4), a call is made to \$\$GETCUR^DGNTAPI to retrieve the HEAD/NECK CA DX field (#2.01) of the NOSE AND THROAT RADIUM HISTORY file (#28.11). |
| 727.827,73 PLACEHOLD ETHNICITY | This field, previously known as ETHNICITY, is no longer needed. The name has been changed to PLACEHOLD ETHNICITY and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |
| 727.827,74 PLACEHOLD RACE 1 | This field, previously known as RACE 1, is no longer needed. The name has been changed to PLACEHOLD RACE 1 and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.827,75 CBOC STATUS INDICATOR | Indicates if the patient was seen at a Community Based Outpatient Clinic (CBOC). | 'Y' FOR YES | CBOC STATUS is set to yes if the NAME field (#.01) of the FACILITY TYPE file (#4.1) as pointed to by the FACILITY TYPE field (#13) of the INSTITUTION file as pointed to by the INSTITUTION FILE POINTER field (#.07) of the MEDICAL CENTER DIVISION file (#40.8) is equal to CBOC. |
| 727.827,76 PLACEHOLD DSS IP# | This field, previously known as DSS IP#, is no longer needed. The name has been changed to PLACEHOLD DSS IP# and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |

| Field # and Name | Description | Values | Technical Description |
|--------------------------------|--|---|--|
| 727.827,77 ENROLLMENT PRIORITY | This field contains the enrollment priority group and the enrollment priority subgroup. | ENROLLMENT PRIORITY Groups '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 | ENROLLMENT PRIORITY field contains the ENROLLMENT PRIORITY group and the ENROLLMENT PRIORITY subgroup from the PATIENT ENROLLMENT file (#27.11). |
| 727.827,78 USER ENROLLEE | Indicates whether a Veteran has User Enrollee status for the current or future fiscal year. | 'U' FOR USER ENROLLED | User enrollee is determined by checking the PATIENT ENROLLMENT file (#27.11). When a user has a current or future fiscal year in the VistA USER ENROLLEE STATUS field (#.04) the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT^EASUSER where the Patient Identifier (DFN) is passed in. |
| 727.827,79 PATIENT TYPE | Refers to the various types of patient which may be seen at a VA facility. Every patient in the system must have a TYPE specified. | 'AC' FOR ACTIVE DUTY 'AL' FOR ALLIED VETERAN 'CO' FOR COLLATERAL 'EM' FOR EMPLOYEE 'IN' FOR INELIGIBLE 'MI' FOR MILITARY RETIREE 'NO' FOR NON- VETERAN (OTHER) 'NS' FOR NSC VETERAN 'SC' FOR SC VETERAN 'TR' FOR TRICARE | PATIENT TYPE is derived from a call to TYPE^ECXUTL5 (DFN). Using the patient's DFN, the NAME field (#.01) of the TYPE OF PATIENT file (#391) as pointed to by the TYPE field (#391) of the PATIENT file (#2) is shortened to the first two characters to determine the value stored in the PATIENT TYPE field (#79). |

| Field # and Name | Description | Values | Technical Description |
|--|---|---|--|
| 727.827,80 CV STATUS ELIGIBILITY | This field indicates whether or not a patient can be considered a Combat Veteran (CV) at the time of treatment Records if Veteran served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of hostilities after November 11, 1998. | 'Y' FOR YES 'E' FOR ELIGIBILITY EXPIRED | CV STATUS ELIGIBILITY is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces (i.e., 1^20010106^0) and the first piece is resolved as follows: 1 - Veteran qualifies as a CV 0 - Veteran does not qualify as a CV -1 - Bad DFN Based on this result the field will be set to 'Y' for 'YES' or 'E' for 'ELIGIBILITY EXPIRED' or 'NULL' for not eligible. |
| 727.827,81 CV ELIGIBILITY END DATE | Records the Combat Veteran (CV) eligibility expiration date of Veteran who served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of hostilities after November 11, 1998. | | CV ELIGIBILITY END DATE is determined by the use of API \$\$CVEDT^DGCV (DFN,DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces (i.e., 1^20010106^0). The second piece is the COMBAT VETEND DATE in HL7 format. |
| 727.827,82 ENCOUNTER CV | This field indicates whether service provided during this patient encounter is related to the patient being a Combat Veteran (CV). Records if Veteran served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of hostilities after November 11, 1998. | 'Y' FOR YES | ENCOUNTER CV is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces (i.e., 1^2010106^0). The third piece returns: 1 - vet was eligible on date specified 0 - vet was not eligible on date specified Based on these returns, the value for this field is Y for Yes if value is 1 or left blank if 0 to indicate ineligibility. |

| Field # and Name | Description | Values | Technical Description |
|--|--|--|---|
| 727.827,83 PLACEHOLD NATIONAL PATIENT RECORD FLAG | This field, previously known as NATIONAL PATIENT RECORD FLAG, is no longer needed. The name has been changed to PLACEHOLD NATIONAL PATIENT RECORD FLAG and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.827,84 SW ASIA CONDITIONS | This field is used to indicate if patient claims exposure to Southwest Asia Conditions. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | This field is derived from the SOUTHWEST ASIA CONDITIONS? field (#.322013) in the PATIENT file (#2) using the patient's DFN. The status indicator is returned by SVC^VADPT which is called by PAT^ECXUTL3. |
| 727.827,85 ENCOUNTER SWAC | This field indicates whether treatment provided during this patient encounter is related to exposure to Southwest Asia conditions while serving in the Southwest Asia Theater of operations. | 'Y' FOR YES | Using the pointer to the VISIT file (#9000.10), a call to the PCE API ENCEVENT^PXAPI is made. This call returns visit data including whether the visit was related to the patient's exposure to Southwest Asia conditions while serving in the Southwest Asia Theater of operations. |
| 727.827,86 ERI | This field identifies patients from impacted ZIP code areas designated by the Federal Emergency Management Agency (FEMA). | 'K' FOR HURRICANE KATRINA 'P' FOR PANDEMIC NULL | This field is extracted from the EMERGENCY RESPONSE INDICATOR field (#.181) located in the PATIENT file (#2). |
| 727.827,87 ENC HEAD/NECK CA | Indicates whether service provided during this patient encounter is related to head/neck cancer. | 'Y' FOR YES 'N' FOR NO | Using the VISIT FILE ENTRY field (#.05) in the OUTPATIENT ENCOUNTER file (#409.68), a call is made to API VISIT^ECXSCX1, which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the head/neck cancer data stored at the HEAD AND/OR NECK CANCER field (#80006) in the VISIT file (#9000010).). The value will be stored in the output array subscripted by "HNC". |

| Field # and Name | Description | Values | Technical Description |
|--|--|---|--|
| 727.827,88 OEF/OIF | The Military Operation(s) in which the patient was in combat. This field is a length of nine characters and reflects the OEF or OIF where this patient was in combat. | Possible field values are one or more combinations of the following: OEF = OPERATION ENDURING FREEDOM OIF = OPERATION IRAQI FREEDOM UNK = UNKNOWN OEF/OIF | The Military Operation in which the patient was in combat during the specified time period. This field is a length of nine characters and reflects the OEF or OIF where this patient was in combat. The value of this field is derived from the LOCATION OF SERVICE field (#.01) from SERVICE [OEF OR OIF] sub-file (#2.3215) of field (#.3215) located in the PATIENT file (#2). DSS will capture, once, each location where the Veteran served. In order to accommodate multiple locations, the values for this field are concatenated into this 9-character field. |
| 727.827,89 OEF/OIF RETURN DATE | The date the Veteran left the OEF/OIF area. Otherwise, it is the end date of military pay for this OEF/OIF deployment. This date field has a format equal to YYYYMMDD. In cases of multiple OEF/OIF tours, this field contains only the most recent return date. | | The value of this field is derived from the OEF/OIF TO DATE field (#.03) from sub-file (#2.3215) of field (#.3215) located in the PATIENT file (#2) |
| 727.827,90 PLACEHOLD ASSOC PC PROV NPI | This field, previously known as ASSOCIATE PC PROVIDER NPI, is no longer needed. The name has been changed to PLACEHOLD ASSOC PC PROV NPI and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.827,91 PLACEHOLD PC PROVIDER NPI | This field, previously known as PRIMARY CARE PROVIDER NPI, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER NPI and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.827,92 PROVIDER NPI | A standard, unique life-long identifier, issued by Health and Human Services, for individuals providing health care services. This field has a length of fifteen characters. | | The identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |

| Field # and Name | Description | Values | Technical Description |
|--|--|---|--|
| 727.827,93 COUNTRY CODE | This is the code for the country associated with the address. | | The three-character alpha identifying code is copied from the CODE field (#.01) of the COUNTRY file (#779.004). |
| 727.827,94 ENCOUNTER SHAD | Indicates if treatment provided during this patient encounter is related to the Shipboard Hazard And Defense (SHAD) condition. | 'Y' FOR YES 'N' FOR NO | Using the VISIT FILE ENTRY field (#.05) in the OUTPATIENT ENCOUNTER file (#409.68), a call is made to API VISIT^ECXSCX1, which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the Shipboard Hazard and Defense conditions indicator stored at the PROJ 112/SHAD field (#80008) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "SHAD". |
| 727.827,95 PATCAT | This is the Patient's category which will be used for Federal Health Care Center (FHCC) Reconciliation. DSS must capture and report DoD patients so that the FHCC reconciliation process can function as designed. "Reconciliation" is the process used within the new FHCC to determine which patients DoD pays for and which VA pays for. | 'AD' FOR ACTIVE DUTY 'ADD' FOR ACTIVE DUTY DEPENDENT 'FNRS' FOR FORMER NON-REMARRIED SPOUSE 'RET' FOR RETIRED 'RETD' FOR RETIREE DEPENDENT 'RES' FOR RESERVIST 'REC' FOR RECRUIT 'TDRL' FOR TEMPORARY DISABILITY 'TFL' FOR TRICARE FOR LIFE | If the VistA Patient Type Code [TYPE field (#391) of the PATIENT file (#2)] = Active Duty, Military Retiree, or TRICARE, then the value(s) in the VistA OTHER ELIGIBILITY multiple [PATIENT ELIGIBILITIES field (#361) of the PATIENT file (#2)], which points to locally modifiable ELIGIBILITY CODE file (#8), should be evaluated. If the value in the ELIGIBILITY CODE is equal to any entry in the set of codes in this field, the value should be placed in this field. |
| 727.827,96 SECONDARY PROVIDER #1 | This character string is an IEN for the NEW PERSON file (#200); a '2' has been appended to the beginning of the character string. It represents the first assisting provider associated with this clinic visit. | | Data is derived by making a call to the ENCEVENT^PXAPI (DBIA 1889-F) API using the clinic encounter, returning the secondary provider IEN. A character string of format "2"_IEN, where IEN is the internal entry number for the secondary provider in the NEW PERSON file (#200). |

| Field # and Name | Description | Values | Technical Description |
|---|---|--------|--|
| 727.827,97 SECONDARY PROVIDER #1 PC | The VA code of the Person Class of the first assisting provider as of the date of this record. | | Derived by calling \$\$PRVCLASS^ECXUTL(IEN,DATE), where IEN is the IEN of the NEW PERSON file (#200). Copied from VA CODE field (#5) of the PERSON CLASS file (#8932.1), as pointed to by the Person Class field (#.01) of the PERSON CLASS multiple (#8932.1) of the NEW PERSON file (#200). |
| 727.827,98 SECONDARY PROVIDER #1 NPI | A standard unique life-long identifier, issued by Health and Human Services, of the first assisting provider associated with this clinic visit. | | The NPI is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.827,99 SECONDARY PROVIDER #2 | This character string is an IEN for the NEW PERSON file (#200); a '2' has been appended to the beginning of the character string. It represents the second assisting provider associated with this clinic visit. | | Data is derived by making a call to the ENCEVENT^PXAPI (DBIA 1889-F) API using the clinic encounter, returning the secondary provider IEN. A character string of format "2"_IEN, where IEN is the internal entry number for the secondary provider in the NEW PERSON file (#200). |
| 727.827,100 SECONDARY PROVIDER #2 PC | The VA code of the Person Class of the second assisting provider as of the date of this record. | | Derived by calling \$\$PRVCLASS^ECXUTL(IEN,DATE), where IEN is the IEN of the NEW PERSON file (#200). Copied from VA CODE field (#5) of the PERSON CLASS file (#8932.1), as pointed to by the Person Class field (#.01) of the PERSON CLASS multiple (#8932.1) of the NEW PERSON file (#200). |
| 727.827,101 SECONDARY PROVIDER #2 NPI | A standard unique life-long identifier, issued by Health and Human Services, of the second assisting provider associated with this clinic visit. | | The NPI is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.827,102 SECONDARY PROVIDER #3 | This character string is an IEN for the NEW PERSON file (#200); a '2' has been appended to the beginning of the character string. It represents the third assisting provider associated with this clinic visit. | | Data is derived by making a call to the ENCEVENT^PXAPI (DBIA 1889-F) API using the clinic encounter, returning the secondary provider IEN. A character string of format "2"_IEN, where IEN is the internal entry number for the secondary provider in the NEW PERSON file (#200). |

| Field # and Name | Description | Values | Technical Description |
|---|---|--------|--|
| 727.827,103 SECONDARY PROVIDER #3 PC | The VA code of the Person Class of the third assisting provider as of the date of this record. | | Derived by calling \$\$PRVCLASS^ECXUTL(IEN,DATE), where IEN is the IEN of the NEW PERSON file (#200). Copied from VA CODE field (#5) of the PERSON CLASS file (#8932.1), as pointed to by the Person Class field (#.01) of the PERSON CLASS multiple (#8932.1) of the NEW PERSON file (#200). |
| 727.827,104 SECONDARY PROVIDER #3 NPI | A standard unique life-long identifier, issued by Health and Human Services, of the third assisting provider associated with this clinic visit. | | The NPI is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.827,105 SECONDARY PROVIDER #4 | This character string is an IEN for the NEW PERSON file (#200); a '2' has been appended to the beginning of the character string. It represents the fourth assisting provider associated with this clinic visit. | | Data is derived by making a call to the ENCEVENT^PXAPI (DBIA 1889-F) API using the clinic encounter, returning the secondary provider IEN. A character string of format "2"_IEN, where IEN is the internal entry number for the secondary provider in the NEW PERSON file (#200). |
| 727.827,106 SECONDARY PROVIDER #4 PC | The VA code of the Person Class of the fourth assisting provider as of the date of this record. | | Derived by calling \$\$PRVCLASS^ECXUTL(IEN,DATE), where IEN is the IEN of the NEW PERSON file (#200). Copied from VA CODE field (#5) of the PERSON CLASS file (#8932.1), as pointed to by the Person Class field (#.01) of the PERSON CLASS multiple (#8932.1) of the NEW PERSON file (#200). |
| 727.827,107 SECONDARY PROVIDER #4 NPI | A standard unique life-long identifier, issued by Health and Human Services, of the fourth assisting provider associated with this clinic visit. | | The NPI is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.827,108 SECONDARY PROVIDER #5 | This character string is an IEN for the NEW PERSON file (#200); a '2' has been appended to the beginning of the character string. It represents the fifth assisting provider associated with this clinic visit. | | Data is derived by making a call to the ENCEVENT^PXAPI (DBIA 1889-F) API using the clinic encounter, returning the secondary provider IEN. A character string of format "2"_IEN, where IEN is the internal entry number for the secondary provider in the NEW PERSON file (#200). |

| Field # and Name | Description | Values | Technical Description | |
|--|--|-----------------------------------|---|--|
| 727.827,109 SECONDARY PROVIDER #5 PC | The VA code of the Person Class of the fifth assisting provider as of the date of | | Derived by calling \$\$PRVCLASS^ECXUTL(IEN,DATE), where IEN is the IEN of the NEW PERSON file (#200). | |
| TROVIDER # 5TC | this record. | | Copied from VA CODE field (#5) of the PERSON CLASS file (#8932.1), as pointed to by the Person Class field (#.01) of the PERSON CLASS multiple (#8932.1) of the NEW PERSON file (#200). | |
| 727.827,110 | A standard unique life-long | | The NPI is retrieved via the supporting Kernel | |
| SECONDARY PROVIDER #5 NPI | identifier, issued by Health and Human Services, of the fifth assisting provider associated with the clinic visit. | | API: \$\$NPI^XUSNPI | |
| 727.827,111 | Disposition code associated | 'A' FOR ADMIT | The emergency room disposition is derived by | |
| ED DISPOSITION CODE | with the patient's emergency room visit | emergency room visit. 'E' FOR EF | 'D' FOR DECEASED 'E' FOR ERROR 'L' FOR LEFT 'R' FOR REFERRED | calling \$\$EDIS^ECXUTL, which uses the VISIT field (#.12) of the ED LOG file (#230) to determine if the patient was seen in the emergency department (based on stop code) as part of their visit. |
| | | 'T' FOR TRANSFERRED | If the patient was seen in the emergency department, then the NAME field (#.01) of the | |
| | | 'U' FOR UNKNOWN 'N' FOR NONE | TRACKING CODE file (#233.1) as pointed to by the DISPOSITION field (#1.2) of the ED LOG file (#230) is used to identify the disposition code. | |
| 727.827,112 | The primary ICD-10 code for this clinic visit. | | The PRIMARY ICD-10 CODE is derived by a call to VISIT^ECXSCX1, which in turn calls | |
| PRIMARY ICD-10 CODE | TOT CHIECKISTE. | | ENCEVENT ^ PXAPI, which returns the CPT codes associated with the visit. | |
| | | | The CPT codes come from the POV field (#.01) of the V POV file (#9000010.07). | |
| 727.827,113 | The first secondary ICD-10 code for this clinic visit. | | SECONDARY ICD-10 CODE#1 is derived by a call to VISIT^ECXSCX1, which in turn calls | |
| SECONDARY ICD-10 CODE #1 | eode for this chine vista | | ENCEVENT^PXAPI, which returns the CPT codes associated with the visit. | |
| | | | The CPT codes come from the POV field (#.01) of the V POV file (#9000010.07). | |
| 727.827,114 | The second secondary ICD- | | SECONDARY ICD-10 CODE#2 is derived by a | |
| SECONDARY ICD-10 CODE #2 | 10 code for this clinic visit. | | call to VISIT^ECXSCX1, which in turn calls ENCEVENT^PXAPI, which returns the CPT codes associated with the visit. | |
| | | | The CPT codes come from the POV field (#.01) of the V POV file (#9000010.07). | |

| Field # and Name | Description | Values | Technical Description |
|---|---|--|---|
| 727.827,115 SECONDARY ICD-10 CODE #3 | The third secondary ICD-10 code for this clinic visit. | | SECONDARY ICD-10 CODE #3 is derived by a call to VISIT ^ ECXSCX 1, which in turn calls ENCEVENT ^ PXAPI, which returns the CPT codes associated with the visit. |
| | | | The CPT codes come from the POV field (#.01) of the V POV file (#9000010.07). |
| 727.827,116 SECONDARY ICD-10 CODE #4 | The fourth secondary ICD- 10 code for this clinic visit. | | SECONDARY ICD-10 CODE #4 is derived by a call to VISIT^ECXSCX1, which in turn calls ENCEVENT^PXAPI, which returns the CPT codes associated with the visit. |
| | | | The CPT codes come from the POV field (#.01) of the V POV file (#9000010.07). |
| 727.827,117 ENCOUNTERSC | Indicates if treatment provided during this patient encounter is Service | 'Y' FOR YES 'N' FOR NO | Using a pointer to the VISIT file (#9000010), a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. |
| | Connected. | | This call returns visit data, including the SERVICE CONNECTED field (#80001) in the VISIT file (#9000010). |
| 727.827,118 VIETNAM | Indicates if patient is a Vietnam-era Veteran. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, VIETNAM data is derived from the VIETNAM SERVICE INDICATED? field (#.32101) in the PATIENT file (#2). |
| 727.827,119 SECONDARY PROVIDER #6 | This is the sixth assisting provider associated with this clinic visit. | | Data is derived by making a call to the ENCEVENT^PXAPI (DBIA 1889-F) API using the clinic encounter, returning the secondary provider IEN. |
| | | | A character string of format "2"_IEN, where IEN is the internal entry number for the secondary provider in the NEW PERSON file (#200). |
| 727.827,120 SECONDARY PROVIDER #6 PC | The VA code of the Person Class of the sixth assisting provider as of the date of this record. | | Derived by calling \$\$PRVCLASS^ECXUTL(IEN,DATE), where IEN is the IEN of the NEW PERSON file (#200). Copied from VA CODE field (#5) of the |
| | | | PERSON CLASS file (#8932.1), as pointed to by the Person Class field (#.01) of the PERSON CLASS multiple (#8932.1) of the NEW PERSON file (#200). |
| 727.827,121 SECONDARY PROVIDER #6 NPI | A standard unique life-long identifier, issued by Health and Human Services, of the sixth assisting provider associated with this clinic visit. | | The NPI is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |

| Field # and Name | Description | Values | Technical Description |
|--|--|-------------|---|
| 727.827,122 SECONDARY PROVIDER #7 | This is the seventh assisting provider associated with this clinic visit. | | Data is derived by making a call to the ENCEVENT^PXAPI (DBIA 1889-F) API using the clinic encounter, returning the secondary provider IEN. |
| | | | A character string of format "2"_IEN, where IEN is the internal entry number for the secondary provider in the NEW PERSON file (#200). |
| 727.827,123 SECONDARY PROVIDER #7 PC | The VA code of the Person Class of the seventh assisting provider as of the date of this record. | | Derived by calling \$\$PRVCLASS^ECXUTL(IEN,DATE), where IEN is the IEN of the NEW PERSON file (#200). Copied from VA CODE field (#5) of the PERSON CLASS file (#8932.1), as pointed to by the Person Class field (#.01) of the PERSON CLASS multiple (#8932.1) of the NEW PERSON file (#200). |
| 727.827,124 | A standard unique life-long | | The NPI is retrieved via the supporting Kernel |
| SECONDARY PROVIDER #7 NPI | identifier, issued by Health and Human Services, of the seventh assisting provider associated with this clinic visit. | | API: \$\$NPI^XUSNPI. |
| 727.827,125 | Indicates if patient claims exposure to contaminated | 'Y' FOR YES | Using the patient's DFN, a call is made to PAT^ECXUTL3, which in turn calls SVC^VADPT. |
| CAMP LEJEUNE STATUS | water while stationed at Camp Lejeune, NC between January 1, 1957 and December 31, 1987. | 'N' FOR NO | This call returns all service-related information for a patient, including their Camp Lejeune status. |
| 727.827,126 | Indicates if episode of care | 'Y' FOR YES | Using a pointer to the VISIT file (#9000010), a call is made to API VISIT^ECXSCX1, which in |
| ENCOUNTER CAMP LEJEUNE | is related to exposure to contaminated water while stationed at Camp Lejeune, NC between January 1, 1957 and December 31, 1987. | 'N' FOR NO | turn calls ENCEVENT^PXAPI, returning the encounter Camp Lejeune data from the VISIT file (#9000010). |
| 727.827,127 | Identifies the CPT code used during the visit that is | | A call is made to VISIT^ECXSCX1 which in tums calls ENCEVENT^PXAPI. |
| PRIMARY PROCEDURE | considered to be the primary procedure. This entry will include the CPT code as well as any modifiers associated with the code. | | This call returns data related to the visit, including any assigned CPT codes and their identifiers. |
| | | | Part of the data returned from the PXAPI call is the PRINCIPAL PROCEDURE field (#.07) of the V CPT file (#9000010.18). |
| | | | If this field is set to yes then the CPT code and its modifiers are the primary procedure performed during this visit and will be captured in this field. |

| Field # and Name | Description | Values | Technical Description |
|--|--|---|---|
| 727.827,128 COMBAT VETERAN INDICATOR | Identifies if the patient served in a combat zone | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, COMBAT SERVICE INDICATOR data is derived from the COMBAT SERVICE INDICATED field (#.5291) in the PATIENT file (#2). COMBAT SERVICE INDICATED is returned by the supported call SVC^VADPT. |
| 727.827,129 COMBAT VETERAN LOCATION | Identifies the war in which the combat service was incurred. | WWI WWII-EUROPE WWII-PACIFIC KOREAN VIETNAM OTHER PERSIAN GULF YUGOSLAVIA | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, COMBAT SERVICE LOCATION data is derived from the COMBAT SERVICE LOCATION field (#.5292) in the PATIENT file (#2). The COMBAT SERVICE LOCATION IEN is returned by the supported call SVC^VADPT, this IEN is then used to retrieve the ABBREVIATION field (#1) from the POW PERIOD file (#22). |
| 727.827,130 CLINIC IEN | The specific clinic associated with the patient encounter. | | For encounters, the clinic comes from the LOCATION field (#.04) of the OUTPATIENT ENCOUNTER file (#409.68). For no-shows, the clinic, as identified by the TYPE field (#2) of the HOSPITAL LOCATION file (#44), is used. |
| 727.827,131 NEW FEEDER KEY | Code that uniquely identifies a DSS product. | | Multiple character code in the form of SSSCCCTT4444NLL. The transmission style for the associated clinic determines the values of the characters. The form is as follows: SSS - stop code number CCC - credit stop code number TTT - length of appointment in minutes 4444 - national standard four character code for the clinic N - no show flag, 'N' if a no show appointment, otherwise zero (0) LL - labor code associated with the clinic Information is based on the clinic associated with the visit. |

| Field # and Name | Description | Values | Technical Description |
|---|---|--------|---|
| 727.827,132 PATIENT DIVISION | This field stores the Station Number of the clinic where the patient was seen. | | For encounters, the clinic IEN comes from the LOCATION field (#.04) of the OUTPATIENT ENCOUNTER file (#409.68). |
| | | | For no-shows, the clinic IEN [as identified by the TYPE field (#2) of the HOSPITAL LOCATION file (#44)] is used. |
| | | | For both, the clinic IEN is then passed to the RADDIV^ECXDEPT API to get the STATION NUMBER field (#99) from the INSTITUTION file (#4). |
| 727.827,133 CPT, QTY & MODIFIERS #1 | The first 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |
| 727.827,134 CPT, QTY & MODIFIERS #2 | The second 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |
| 727.827,135 CPT, QTY & MODIFIERS #3 | The third 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |
| 727.827,136 CPT, QTY & MODIFIERS #4 | The fourth 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |
| 727.827,137 CPT, QTY & MODIFIERS #5 | The fifth 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |

| Field # and Name | Description | Values | Technical Description |
|--|--|--------|-------------------------------------|
| 727.827,138 CPT, QTY & MODIFIERS #6 | The sixth 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |
| 727.827,139 CPT, QTY & MODIFIERS #7 | The seventh 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |
| 727.827,140 CPT, QTY & MODIFIERS #8 | The eighth 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |
| 727.827,141 CPT, QTY & MODIFIERS #9 | The ninth 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |
| 727.827,142 CPT, QTY & MODIFIERS #10 | The tenth 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |
| 727.827,143 CPT, QTY & MODIFIERS #11 | The eleventh 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |

| Field # and Name | Description | Values | Technical Description |
|--|--|--------|-------------------------------------|
| 727.827,144 CPT, QTY & MODIFIERS #12 | The twelfth 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |
| 727.827,145 CPT, QTY & MODIFIERS #13 | The 13th 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |
| 727.827,146 CPT, QTY & MODIFIERS #14 | The 14th 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |
| 727.827,147 CPT, QTY & MODIFIERS #15 | The 15th 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |
| 727.827,148 CPT, QTY & MODIFIERS #16 | The 16th 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |
| 727.827,149 CPT, QTY & MODIFIERS #17 | The 17th 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |

| Field # and Name | Description | Values | Technical Description |
|--|---|--------|-------------------------------------|
| 727.827,150 CPT, QTY & MODIFIERS #18 | The 18th 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |
| 727.827,151 CPT, QTY & MODIFIERS #19 | The 19th 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |
| 727.827,152 CPT, QTY & MODIFIERS #20 | The 20th 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |
| 727.827,153 CPT, QTY & MODIFIERS #21 | The 21st 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |
| 727.827,154 CPT, QTY & MODIFIERS #22 | The 22nd 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |
| 727.827,155 CPT, QTY & MODIFIERS #23 | The 23rd 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |

| Field # and Name | Description | Values | Technical Description |
|--|---|----------------|--|
| 727.827,156 CPT, QTY & MODIFIERS #24 | The 24th 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |
| 727.827,157 CPT, QTY & MODIFIERS #25 | The 25th 5-character CPT Code for the procedure performed; the Quantity, or how many times the unique code appears in the record; and, up to six 2-character CPT Modifiers. | | Returned by calling ENCEVENT^PXAPI. |
| 727.827,158 SERVICE CONNECTED STATUS | Indicates the patient's service connected status. | | Using the patient's DFN, a call is made to PAT^ECXUTL3, which in turn calls ELIG^VADPT. This call returns all eligibility related information for a patient, including their service connected status. |
| 727.827,159 NON-COUNT FLAG | This field indicates if the clinic associated with the workload has been identified as a non-count clinic in the HOSPITAL LOCATION file (#44). | | This field is obtained from the NON-COUNT CLINIC? (Y OR N) field (#2502) of the HOSPITAL LOCATION file (#44) for the clinic associated with the patient's appointment or visit. |
| 727.827,160 PLACEHOLD CERNER1 | Placeholder for Cerner fields. Reserved for EHRM conversion. | Currently null | Currently null |

| Field # and Name | Description | Values | Technical Description |
|----------------------------------|--|----------------|---|
| 727.827,161 ADMISSION DATE | This 8-character numeric string represents the date on which the admission occurred. | | A call is made to \$\$INP^ECXUTL2 using the patient's DFN and the date of the event. The call will return the admission date/time associated with this episode of care. |
| | | | In the case of a patient who is ASIHOTHER FACILITY, it will be the date/time of the movement that put the patient into ASIH OTHER FACILITY status. The date portion of the DATE/TIME field (#.01) of the PATIENT MOVEMENT file (#405) is used to populate this field. |
| | | | This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 19990723. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. |
| 727.827,162 | This 6-character numeric | | A call is made to \$\$INP^ECXUTL2 using the |
| ADMISSION TIME | string represents the time of day when the patient's admission occurred. | | patient's DFN and the date of the event. The call will return the admission date/time associated with this episode of care. |
| | The format is HHMMSS; for example, 143010 for 2:30:10 p.m. | | In the case of a patient who is ASIHOTHER FACILITY, it will be the date/time of the movement that put the patient into ASIH OTHER FACILITY status. |
| | | | The time portion of the DATE/TIME field (#.01) of the PATIENT MOVEMENT file (#405) is used to populate this field. |
| | | | This field is always exactly 6 numeric characters in length. The format is HHMMSS; for example,143010. If the time cannot be determined, then a default value is used. The default time value is "000300". |
| 727.827,163 PLACEHOLD CERNER2 | Placeholder for Cerner fields. Reserved for EHRM conversion. | Currently null | Currently null |
| 727.827,164 | A national VA system | | Derived by calling API, \$\$GETICN^ MPIF001 |
| NEW MPI | IDENTIFIER which uniquely identifies a patient. | | (Supported DBIA #2701), that returns the Integration Control Number (ICN) and the ICN |
| | Commonly called "Patient ICN" or "Patient IEN"; not to be confused with the IEN from the VistA PATIENT file. | | checksum for the given patient in the PATIENT file (#2). |

| Field # and Name | Description | Values | Technical Description |
|---|--|----------------|--|
| 727.827,165 PROVIDER TAXONOMY | This field contains the X12 Code of the Person Class of the provider. | | Active Person Class is determined by the supported call \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The Person Class Data is retrieved by the supported call \$\$IEN2DATA^XUA472A(PERS). The X12 code is the 6th piece of the returned string. |
| 727.827,166 PROVIDER STATION | This field contains the Sta6a of the provider when the provider is based at another facility. | | Data Source: "PROVIDER STATION" field (#14) of the CLINICS AND STOP CODES file (#728.44). The PROVIDER STATION field (#14) of the CLINICS AND STOP CODES file (#728.44) is a pointer to an active entry in the INSTITUTION file (#4); this institution must not be in the current Medical Center Division. Using the "PROVIDER STATION" field (#14) in the CLINICS AND STOP CODES file (#728.44), the PROVIDER STATION field (#166) of the CLINIC EXTRACT file (#727.827) is retrieved from the STATION NUMBER field (#99) in the INSTITUTION file (#4). |
| 727.827,167 FEEDER LOCATION | This field contains the value from the PROVIDER STATION field (Clinic extract field #166) concatenated with the first three characters of the NEW FEEDER KEY field (#131). | | This field is derived from the data in the PROVIDER STATION field (#166) concatenated with a dash '-' and the first three characters of the NEW FEEDER KEY field (#131). If the value of the PROVIDER STATION field (#166) is blank, use the Medical Center Division IEN concatenated with the first three characters of the NEW FEEDER KEY field (#131). |
| 727.827,168 CPRS PROVIDER STATION | Placeholder of the CPRS PROVIDER STATION field. | Currently null | Currently null |

| Field # and Name | Description | Values | Technical Description |
|--|--|--|---|
| 727.827,169 SELF IDENTIFIED GENDER | The SELF IDENTIFIED GENDER value indicates the patient's personal sense of their gender identity (if they choose to provide it). Self-identified gender may be the same or different as the sex assigned at birth. | 'M' FOR MALE 'F' FOR FEMALE 'TM' FOR TRANSGENDER MALE 'TF' FOR TRANSGENDER FEMALE 'O' FOR OTHER 'N' FOR DOES NOT WISH TO DISCLOSE 'B' FOR NON-BINARY | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the CLINIC EXTRACT file (#727.827), this data is derived from the SELF IDENTIFIED GENDER field (#.024) in the PATIENT file (#2). |

3.5. #727.815 – EVENT CAPTURE LOCAL EXTRACT (ECS) File Data Definition

This file contains data elements as specified by MCAO for the Event Capture extract from the existing Event Capture VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS/MCA site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since the local site will determine validation techniques, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.



NOTE: Descriptions and Technical Descriptions may not match VA FileMan.

Table 6: Event Capture Local Extract (ECS) File #727.815 Data Definitions

| Field # and Name | Description | Values | Technical Description |
|--------------------------------|--|--------------|--|
| 727.815,,01 SEQUENCE NUMBER | The IEN of the record for this extract entry. | `1234567890- | The internal entry number (IEN) for this record. This entry is DINUMed. |
| 727.815,1 YEAR MONTH | A six-character string representing the year and month for which this extract was performed. | | YEAR MONTH is derived by parsing the FileMan format end date of the extract. The month is determined by taking the fourth and fifth characters of the end date, the year by taking the second and third characters, and the century is then calculated by taking the first character of the end date and adding 17 to it. The century is then concatenated with the year and month, giving the results in YYYYMM format. |
| 727.815,2 EXTRACT NUMBER | The corresponding entry in the DSS EXTRACTLOG file (#727) for this extract. | | A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message. |
| 727.815,3 FACILITY | This is the facility/division where the extract was performed. | | Derived from the LOCATION field (#3) in the EVENT CAPTURE PATIENT file (#721), which points to the INSTITUTION file (#4). This is a copy of the STATION NUMBER field (#99). The facility field should be three to seven characters but due to FileMan limitations for data on this node, the field will retain its current setting of 1 to 7. |

| Field # and Name | Description | Values | Technical Description |
|------------------------------------|--|--|---|
| 727.815,4 PATIENT NO DFN | An identifying numberfor the patient at the local site. | | A pointer to the PATIENT file (#2). This patient pointer is pulled from the PATIENT field (#1) in the EVENT CAPTURE PATIENT file (#721). |
| 727.815,5 SSN | The patient's social security number. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the EVENT CAPTURE LOCAL EXTRACT file (#727.815), SSN data is derived from the SOCIAL SECURITY NUMBER field (#.09) in the PATIENT file (#2). "Test" patient status is determined in PAT^ECXUTL3. For the ECS extract, the following are considered test SSNs: 123456789; Nine repeating digits (e.g., 333333333); The first three digits are '000' or '666'; The middle two digits are '000'; The last four digits are '0000'; The first digit is '9'. |
| 727.815,6 NAME | The first four characters of the patient's last name. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the EVENT CAPTURE LOCAL EXTRACT file (#727.815), NAME data is derived from the NAME field (#.01) in the PATIENT file (#2). The first four characters of the first "," piece are used, padded with trailing spaces if necessary. The name value is returned by the supported call DEM^VADPT. |
| 727.815,7 IN OUT PATIENT INDICATOR | Indicates the patient's status for this extract entry. Observation admissions are treated as outpatient encounters in MCA, similar to Medicare rules and community hospitals. | 'I' FOR INPATIENT 'O' FOR OUTPATIENT 'A' FOR ASIH (OTHER FACILITY) | To determine the value of this field, a call is made to \$\$PATDEM^ECXUTL2. Within this call, \$\$INP^ECXUTL2 is called to determine the patient status. If the patient is an outpatient, processing stops and the field is set to O. If the patient is an inpatient, \$\$INOUTP^ECXUTL4 is called to look at the treating specialty. If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831) is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the indicator is set to I. If the patient is ASIH to another facility at the date/time in question, the indicator is set to A. |

| Field # and Name | Description | Values | Technical Description |
|-------------------------|--|--------|---|
| 727.815,8 DAY | This 8-character string represents the date when the procedure was performed. | | Date is pulled from the DATE/TIME OF PROCEDURE field (#2) in the EVENT CAPTURE PATIENT file (#721). This field is always exactly eight numeric characters in length. The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. |
| 727.815,9 DSS UNIT | The DSS UNIT assigned for the procedure performed during this encounter. | | The DSS UNIT is a locally defined group of work products entered for a specific DSS department. The DSS UNIT is derived from the DSS UNIT field (#6) in the EVENT CAPTURE PATIENT file (#721). |
| 727.815,10 CATEGORY | This field contains the IEN in file (#726) for the Category associated with this extract record. | | A character string which represents the IEN of the Category in the EVENT CAPTURE CATEGORY file (#726). Category is pulled from the CATEGORY field (#7) in the EVENT CAPTURE PATIENT file (#721). |
| 727.815,11 PROCEDURE | This field contains the name of the procedure selected for this extract record. | | The procedure pointer is pulled from the PROCEDURE field (#8) in the EVENT CAPTURE PATIENT file (#721). For procedures from the CPT file (#81), the procedure value is created by concatenating the CPT CODE field (#.01) and the volume. The volume value is pulled from the VOLUME field (#9) in the EVENT CAPTURE PATIENT file (#721) and is padded to the left with zeroes. For national procedures from the EC NATIONAL PROCEDURE file (#725), the procedure value is created by concatenating the NATIONAL NUMBER field (#1) and the letter "N". For local procedures from the EC NATIONAL PROCEDURE file (#725), the procedure value is created by concatenating the NATIONAL PROCEDURE file (#725), the procedure value is created by concatenating the NATIONAL NUMBER field (#1) and the letter "L". |
| 727.815,12 VOLUME | The number of days, or number of timed-specific units, or number of times the procedure was performed. | | Numeric volume for this procedure associated with this extract record. Volume is pulled from the VOLUME field (#9) in the EVENT CAPTURE PATIENT file (#721). |

| Field # and Name | Description | Values | Technical Description |
|--|---|--------|---|
| 727.815,13 COST CENTER | This is the cost center associated with the DSS Unit for this extract record. | | A pointer to the COST CENTER file (#420.1). Cost center is derived from the COST CENTER field (#3) in the DSS UNIT file (#724). This field should be a pointer to the COST CENTER file (#420.1), but due to FileMan |
| | | | limitations for data on this node, the field is being left as a free-text field. |
| 727.815,14 ORDERING SECTION | This is the IEN of the Ordering Section. The Ordering Section represents the medical specialty (for | | The Ordering Section is pulled from the ORDERING SECTION field (#11) in the EVENT CAPTURE PATIENT file (#721). |
| | example, ambulatory care) responsible for the encounter. | | This field should be a pointer to the MEDICAL SPECIALTY file (#723), but due to FileMan limitations for data on this node, the field is being left as a free-text field. |
| 727.815,15 SECTION | This is the IEN in file #723 of the Medical Specialty of the DSS Unit associated with this extract record. | | This character string represents an IEN in the MEDICAL SPECIALTY file (#723). The data is pulled from the SECTION field (#5) in the EVENT CAPTURE PATIENT file (#721). |
| 727.815,16 PROVIDER | The IEN of the Primary Provider who performed the procedure associated with the Event Capture Patient record. | | Data is derived by returning a local array (first node) of the \$\$GETPRV^ECPRVMUT API (DBIA #4460) that returns the PROVIDER multiple (#42) from the EVENT CAPTURE PATIENT file (#721). |
| | | | The PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. |
| 727.815,17 PROVIDER PERSON CLASS | The VA code of the Person Class of the Provider as of the date of this extract record. | | Active Person Class is determined by the supported call \$\$GET^XUA4A72 (PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the seventh piece of the returned value string. |
| | | | This field should be exactly seven characters in length, but due to FileMan limitations for data on this node, the field will retain its current setting of 1 to 7. |

| Field # and Name | Description | Values | Technical Description |
|---|--|--------|---|
| 727.815,18 PROVIDER #2 | The IEN of the second assisting provider who performed the procedure associated with the Event Capture Patient record. | | Data is derived by returning local array (second node) of the calling \$\$GETPRV^ECPRVMUT API (DBIA #4460) that returns the PROVIDER multiple (#42) from the EVENT CAPTURE PATIENT file (#721). The PROVIDER #2 is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. |
| 727.815,19 PROVIDER #2 PERSON CLASS | This is the VA code of the Person Class of the second assisting provider as of the date of this extract record. | | Active Person Class is determined by the supported call \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the seventh piece of the returned value string. This field should be exactly seven characters in length but due to FileMan limitations for data on this node, the field will retain its current setting of 1 to 7. |
| 727.815,20 PROVIDER #3 | The IEN of the third assisting provider who performed the procedure associated with the Event Capture patient record. | | Data is derived by returning local array (second node) of the calling \$\$GETPRV^ECPRVMUT API (DBIA #4460) that returns the PROVIDER multiple (#42) from the EVENT CAPTURE PATIENT file (#721). The PROVIDER #3 is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. |
| 727.815,21 PROVIDER #3 PERSON CLASS | This is the VA code of the Person Class of the third assisting provider as of the date of this extract record. | | Active Person Class is determined by the supported call \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the seventh piece of the returned value string. This field should be exactly seven characters in length, but due to FileMan limitations for data on this node, the field will retain its current setting of 1 to 7. |
| 727.815,22 PLACEHOLDER4 | Currently Null | | Currently Null |

| Field # and Name | Description | Values | Technical Description |
|--|--|--------|--|
| 727.815,23 MOVEMENT FILE # | Current patient movement record associated with this extract record. | | Pointer to the PATIENT MOVEMENT file (#405). |
| 727.815,24 TREATING SPECIALTY | The PTF CODE of the treating specialty associated with this extract record. | | This field is initialized to null, indicating an outpatient status. If a call to IN5^VADPT (using the patient IEN and the event date) returns a patient movement number (indicating inpatient status), then the value of VAIP(8), which is the pointer to the FACILITY TREATING SPECIALTY file (#45.7), is used to get the SPECIALTY file (#1) which points to the SPECIALTY file (#42.4). Then, the PTF Code (field #7 of file 42.4) is obtained and stored instead of the code of the specialty. |
| 727.815,25 TIME | The time when the Event Capture procedure was performed. | | Time is extracted from the date information pulled from the DATE/TIME OF PROCEDURE field (#2) in the EVENT CAPTURE PATIENT file (#721). A default of "000300" will be used if field #2 of file #721 does not have a time portion. |
| 727.815,26 PLACEHOLD PRIMARY CARE TEAM | This field, previously known as PRIMARY CARE TEAM, is no longer needed The name has been changed to PLACEHOLD PRIMARY CARE TEAM and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |
| 727.815,27 PLACEHOLD PC PROVIDER | This field, previously known as PRIMARY CARE PROVIDER, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.815,28 PCE CPT CODE & MODIFIERS | Five-character Current Procedural Terminology (CPT) Code, the quantity (or how many times the unique code appears in the record), and up to five two- character CPT modifiers. | | PCE CPT CODE is derived from the PCE CPT CODE field (#19) and the CPT MODIFIER multiple (#36) in the EVENT CAPTURE PATIENT file (#721). The source of CPT modifiers is the MODIFIER field (#.01) of the CPT MODIFIER file (#81.3). |

| Field # and Name | Description | Values | Technical Description |
|----------------------------|---|--|---|
| 727.815,29 PLACEHOLDER | This field, previously known as ICD-9 CODE, is no longer needed. The name has been changed to PLACEHOLDER and its value will be setto null. | | This field is no longer in use as of patch ECX*3*161. |
| 727.815,30 PLACEHOLDER | This field, previously known as SECONDARY ICD9 CODE #1, is no longer needed. The name has been changed to PLACEHOLDER and its value will be setto null. | | This field is no longer in use as of patch ECX*3*161. |
| 727.815,31 PLACEHOLDER | This field, previously known as SECONDARY ICD9 CODE #2, is no longer needed. The name has been changed to PLACEHOLDER and its value will be setto null. | | This field is no longer in use as of patch ECX*3*161. |
| 727.815,32 PLACEHOLDER | This field, previously known as SECONDARY ICD9 CODE #3, is no longer needed. The name has been changed to PLACEHOLDER and its value will be setto null. | | This field is no longer in use as of patch ECX*3*161. |
| 727.815,33 PLACEHOLDER | This field, previously known as SECONDARY ICD9 CODE #4, is no longer needed. The name has been changed to PLACEHOLDER and its value will be setto null. | | This field is no longer in use as of patch ECX*3*161. |
| 727.815,34 AGENT ORANGE | Indicates if patient claims exposure to Agent Orange. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using the patient pointer (DFN) stored in the PATIENT field (#1) in the EVENT CAPTURE PATIENT file (#721), AGENT ORANGE data is derived from the AGENT ORANGE EXPOS. INDICATED? field (#.32102) in the PATIENT file (#2). The status indicator is returned by SVC ^VADPT which is called by routine PAT ^ ECXUTL3. |

| Field # and Name | Description | Values | Technical Description |
|----------------------------------|--|---|---|
| 727.815,35 RADIATION EXPOSURE | Indicates if patient claims exposure to ionizing radiation. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN '1' FOR NO RADIATION '2' FOR HIROSHIMA/NAGASAKI '3' FOR ATMOSPHERIC NUCLEAR TESTING '4' FOR H/N AND ATMOSPHERIC TESTING '5' FOR UNDERGROUND NUCLEAR TESTING '6' FOR EXPOSURE AT NUCLEAR FACILITY '7' FOR OTHER | Using the patient pointer (DFN) stored in the PATIENT field (#1) in the EVENT CAPTURE PATIENT file (#721), RADIATION data is derived from the RADIATION EXPOSURE INDICATED? field (#.32103) in the PATIENT file (#2). The status indicator is returned by SVC ^VADPT which is called by routine PAT ^ ECXUTL3. |
| 727.815,36 SW ASIA CONDITIONS | This field is used to indicate if this patient claims exposure to Southwest Asia Conditions. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | This field is derived from the SOUTHWEST ASIA CONDITIONS? field (#.322013) in the PATIENT file (#2) using the patient's DFN. The status indicator is returned by SVC ^VADPT which is called by PAT ^ ECXUTL3. |
| 727.815,37 SERVICE CONNECTED | Indicates if patient is service connected. | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT field (#1) in the EVENT CAPTURE PATIENT file (#721), SERVICE CONNECTED data is derived from the SERVICE CONNECTED? field (#301) in the PATIENT file (#2). The status indicator is returned by SVC^VADPT which is called by PAT^ECXUTL3. |
| 727.815,38 SENT TO PCE | This field flags data that has been sent from Event Capture to PCE. | 'Y' FOR YES 'N' FOR NO | Record is flagged Y when sent to PCE, N or null if not sent. |
| 727.815,39 PLACEHOLDER5 | Currently Null | | Currently Null |

| Field # and Name | Description | Values | Technical Description |
|-----------------------------|---|----------------|--|
| 727.815,40 DSS IDENTIFIER | The DSS Identifier represents the primary and secondary stop codes of the Associated Clinic. | values | The DSS IDENTIFIER represents the primary and secondary stop codes of the ASSOCIATED CLINIC in the Event Capture Patient record, OR the Associated Stop Code of the DSS Unit in the Event Capture Patient record. If the secondary stop code is not known, then "000" will be used as the second three characters. If the primary stop code is not known, "000000" will be used. If the DSS Unit does not have an Associated Stop Code, then "000000" will be used. The source of the data is: STOP CODE NUMBER field (#8) of the HOSPITAL LOCATION file (#44) as pointed to by the ASSOCIATED CLINIC field (#26) of the EVENT CAPTURE PATIENT file (#721) concatenated with the AMIS REPORTING STOP CODE field (#1) of the CLINIC STOP file (#40.7) as pointed to by the CREDIT STOP CODE field (#2503) of the HOSPITAL LOCATION file (#44). OR ASSOCIATED STOP CODE field (#9) of the DSS UNIT file (#724) as pointed to by the DSS UNIT field (#6) of the EVENT CAPTURE PATIENT file (#721) concatenated with the AMIS REPORTING STOP CODE field (#1) of the CLINIC STOP file (#40.7) as pointed to by the |
| 727.815,41 | Currently Null | | CREDIT STOP CODE field (#2503) of the HOSPITAL LOCATION file (#44). Currently Null |
| PLACEHOLDER1 | | | |
| 727.815,42 PLACEHOLD MPI | This field, previously known as MASTER PATIENTINDEX, is no longer needed. The name has been changed to PLACEHOLD MPI and its value will be set to null. | Currently null | This field is no longer in use as of patch ECX*3*184. |
| 727.815,43 PLACEHOLDER | This field, previously known as DSS PRODUCT DEPARTMENT, is no longer needed. The name has been changed to PLACEHOLDER and its value will be setto null. | | This field is no longer in use as of patch ECX*3*161. |

| Field # and Name | Description | Values | Technical Description |
|---|---|--------|---|
| 727.815,44 PLACEHOLDER | Currently Null | | Currently Null |
| 727.815,45 PLACEHOLDER | Currently Null | | Currently Null |
| 727.815,46 PLACEHOLDER | Currently Null | | Currently Null |
| 727.815,47 PLACEHOLD PC PROV PERSON CLASS | This field, previously known as PC PROVIDER PERSON CLASS, is no longer needed. The name has been changed to PLACEHOLD PC PROV PERSON CLASS and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.815,48 PLACEHOLDER | Currently Null | | Currently Null |
| 727.815,49 PLACEHOLD ASSOC PC PROVIDER | This field, previously known as ASSOCIATE PC PROVIDER, is no longer needed. The name has been changed to PLACEHOLD ASSOC PC PROVIDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.815,50 PLACEHOLD AS PC PROV PERSON CL | This field, previously known as ASSOC. PC PROV. PERSON CLASS, is no longer needed. The name has been changed to PLACEHOLD AS PC PROV PERSON CL and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.815,51 PLACEHOLDER | Currently Null | | Currently Null |
| 727.815,52 DIVISION | The Division field will not be used in the Event Capture extract. | | The Division field will always be null. |

| Field # and Name | Description | Values | Technical Description |
|--|--|--|---|
| 727.815,53 MST STATUS | Indicates if patient claims Military Sexual Trauma (MST). | 'Y' FOR YES,SCREENED REPORTS MST 'N' FOR NO,SCREENED DOES NOT REPORT MST 'U' FOR UNKNOWN, NOT SCREENED 'D' FOR SCREENED, DECLINES TO ANSWER | The MST HISTORY file (#29.11) holds data regarding military sexual trauma claims and effective dates. The patient's MST status is stored in the MST status field (#3). A call will be made to \$\$GETSTAT^ DGMSTAPI (DFN, DGDATE) using the DFN in the PATIENT field (#1) and the DATE/TIME OF PROCEDURE field (#3) of the EVENT CAPTURE PATIENT file (#721). |
| 727.815,54 DOM, PRRTP AND SARRTP INDICATOR | This indicates if the patient is admitted to either an RRTP, PRRTP or SARRTP at the time care is provided. | 'P' FOR GEN. PRRTP 'D' FOR DOMICILIARY 'S' FOR DOM. PRRTP 'T' FOR PTSD PRRTP 'H' FOR HOMELESS CWT/TR 'A' FOR SA CWT/TR 'B' FOR PTSD CWT/TR 'C' FOR GEN. CWT/TR | If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file, data is derived from the DOM/PRRTP/SARRTP CODE field (#2) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file. Otherwise, the value is null. |
| 727.815,55 DATE OF BIRTH | The patient's date of birth. | | Data source: EVENT CAPTURE PATIENT file (#721); PATIENT field (#2) then to PATIENT file (#2); DATE OF BIRTH field (#.03). Date of Birth is returned through the supported call DEM^VADPT. It is then represented by an 8-character numeric string in the YYYYMMDD format. |
| 727.815,56 ENROLLMENT CATEGORY | Patient's enrollment category. | | ENROLLMENT CATEGORY is derived from the standard call \$\$CATEGPRU^DGENA4 using the patient's DFN and the CURRENT ENROLLMENT field (#27.01) of the PATIENT file (#2). |
| 727.815,57 ENROLLMENT STATUS | Patient's enrollment status. | | ENROLLMENT STATUS is derived from the standard call \$\$STATUS^DGENA using the patient's DFN and returns the ENROLLMENT STATUS field (#.04) of the PATIENT ENROLLMENT file (#27.11). This field should be a pointer to the ENROLLMENT STATUS file (#27.15) file, but due to FileMan limitations for data on this node, the field is being left as a free-text field. |
| 727.815,58 PLACEHOLDER | Currently Null | | Currently Null |

| Field # and Name | Description | Values | Technical Description |
|--|--|---------------------------|---|
| 727.815,59 PERIOD OF SERVICE | The period of service that best classifies this patient based on eligibility code. | | Period of Service is derived from the PERIOD OF SERVICE field (#.323) in the PATIENT file (#2). |
| 727.815,60 PURPLE HEART INDICATOR | Indicates whether or not the patient is a Purple Heart recipient | 'Y' FOR YES 'N' FOR NO | PATIENT file (#2); CURRENT PH INDICATOR field (#.531). The status indicator is returned by SVC^VADPT. |
| 727.815,61 OBSERVATION PATIENT INDICATOR | Indicates if patient is considered to be an observation patient. Observation admissions are treated as outpatient encounters in MCA, similar to Medicare rules and community hospitals. | 'Y' FOR YES 'N' FOR NO | Data (YES,NO) is retrieved from API call \$\$OBSPAT^ECXUTL4: If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). If patient is outpatient and treating specialty not in file, AND Feeder KEY (CLI) or DSS ID (MTL,IVP,ECQ,QSR,NOS,SUR) is 290-297, Observation Patient Ind = YES. Else, Observation Patient Ind = NO. Otherwise Observation Patient Ind = NO. |
| 727.815,62 ENCOUNTER NUMBER | The unique number assigned for DSS. The OBS conversion logic is: Treating Specialty 18 293 (neurology) 24 290 (medicine) 41 296 (Rehab Med) 65 291 (Surgery) 94 292 (psychiatry) 1J 297 (ER) | | This field is determined by a call to \$\$ENCNUM^ECXUTL4. Within this call the inpatient/outpatient status, SSN, admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number. |

| Field # and Name | Description | Values | Technical Description |
|---------------------------------|---|---|--|
| 727.815,63 | Indicates the location where the patient was exposed to | 'B' FOR BLUE WATER NAVY | The location is returned by a call to SVC^VADPT which gets its data from the |
| AGENT ORANGE LOCATION | Agent Orange. | 'K' FOR KOREAN DMZ | AGENT ORANGE EXPOSURE LOCATION field |
| | | 'V' FOR VIETNAM | (#.3213) of the PATIENT file (#2). |
| | | 'T' FOR THAILAND (U.S. OR ROYAL THAI MIL BASE) | |
| | | 'L' FOR LAOS | |
| | | 'C' FOR CAMBODIA (MIMOT OR KREK, KAMPONG CHAM) | |
| | | 'G' FOR GUAM, AMERICAN SAMOA, OR TERRITORIAL WATERS | |
| | | 'J' FOR JOHNSTON ATOLL | |
| | | 'O' FOR OTHER | |
| 727.815,64 ORDERING DIVISION | For future development; currently set to null. | | Currently Null |
| 727.815,65 | For future development; | | Currently Null |
| CONTRACT START DATE | currently set to null. | | |
| 727.815,66 CONTRACT END DATE | For future development; currently set to null. | | Currently Null |
| 727.815,67 | For future development; currently set to null. | | Currently Null |
| CONTRACT TYPE | - Carrently sected main | | |
| 727.815,68 | This field indicates if the | 'Y' FOR YES | Using the CNHSTAT^ ECXUTL\$ (DFN), call the |
| CNH STATUS | patient is in a Contract Nursing Home (CNH). | 'N' FOR NO | CNH CURRENT field (#148) of the PATIENT file (#2). |
| 727.815,69 | Identifies the | | The LOCATION field (#4) of the EVENT |
| PRODUCTION DIVISION CODE | division/facility where the work was performed. | | CAPTURE PATIENT file (#721) is used to call the API RADDIV^ECXDEPT to get the STATION NUMBER field (#99) from the INSTITUTION file (#4). |

| Field # and Name | Description | Values | Technical Description |
|---|--|--|---|
| 727.815,70 ELIGIBILITY | A two or three-digit numeric code indicating the Patient's Primary Eligibility. The extract logic converts the VistA two or three-digit coding schemes to the National Data Services (NDS) eligibility scheme. | 10 SC 50-100% 20 Aid & Attendance 21 Housebound 22 Mexican Border War 23 WWI 24 POW 25 Purple Heart 30 SC 40-49% 31 SC 30-39% 32 SC 20-29% 33 SC 10-19% 34 SC less than 10% 40 NSC - VA Pension 50 NSC 60 Catastrophic Disability 101 CHAMPVA 102 Collateral of Veteran 103 Employee 104 Other Federal Agency 105 Allied Veteran 106 Humanitarian Emergency 107 Sharing Agreement 108 Reimbursable Insurance 109 TRICARE/CHAMPUS | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4), ELIGIBILITY data is derived from the PRIMARY ELIGIBILITY CODE field (#.361) in the PATIENT file (#2). PRIMARY ELIGIBILITY CODE is a pointer to the ELIGIBILITY CODE file (#8). The data is derived from the MAS ELIGIBILITY CODE field (#8) in the ELIGIBILITY CODE file (#8), which in turn is a pointer to the MAS ELIGIBILITY CODE file (#8.1). The pointer value to file #8.1 is converted by ELIG^ECXUTL3 to the corresponding eligibility code used by NPCD. This code is composed of two or three numeric characters. |
| 727.815,71 HEAD & NECK CANCER INDICATOR | Indicates if patient claims head and/or neck cancer. | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4), a call is made to \$\$GETCUR^DGNTAPI to retrieve the HEAD/NECK CA DX field (#2.01) of the NOSE AND THROAT RADIUM HISTORY file (#28.11) |
| 727.815,72 PLACEHOLD ETHNICITY | This field, previously known as ETHNICITY, is no longer needed. The name has been changed to PLACEHOLD ETHNICITY and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.815,73 PLACEHOLD RACE 1 | This field, previously known as RACE 1, is no longer needed. The name has been changed to PLACEHOLD RACE 1 and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |

| Field # and Name | Description | Values | Technical Description |
|--------------------------------|---|---|--|
| 727.815,74 ENROLLMENT LOCATION | The facility that the patient chooses to designate as his preferred location for care. | | The PREFERRED FACILITY field (#27.02) of the PATIENT file (#2) is defined as the facility that the patient chooses to designate as his preferred location for care. The PREFERRED FACILITY field (#27.02) is a pointer to the INSTITUTION file (#4). From the INSTITUTION file (#4), the value in the STATION NUMBER field (#99) is used. |
| 727.815,75 PLACEHOLD DSS IP # | This field, previously known as DSS IP #, is no longer needed. The name has been changed to PLACEHOLD DSS IP # and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.815,76 ENROLLMENT PRIORITY | This field contains the enrollment priority group and the enrollment priority subgroup. | ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLL PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 | ENROLLMENT PRIORITY field contains the enrollment priority group and the enrollment priority subgroup from the PATIENT ENROLLMENT file (#27.11). |

| Field # and Name | Description | Values | Technical Description |
|-----------------------------|---|---|--|
| 727.815,77 USER ENROLLEE | ROLLEE has User Enrollee status for the current or future fiscal | has User Enrollee status for the current or future fiscal | User enrollee is determined by checking the PATIENT ENROLLMENT (#27.11) file. When a user has a current or future fiscal year |
| | year. | | in the VistA User Enrollee Status field (#.04), the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT^EASUER where the Patient Identifier (DFN) is passed in. |
| 727.815,78 | Refers to the various types of patients which may be | 'AC' FOR ACTIVE DUTY | PATIENT TYPE is derived from a call to TYPE^ECXUTL5(DFN). |
| PATIENT TYPE | seen at a VA facility. Every patient in the system must | 'AL' FOR ALLIED VETERAN | Using the patient's DFN, the NAME field (#.01) |
| | have a TYPE specified. | 'CO' FOR COLLATERAL 'EM' FOR EMPLOYEE | of the TYPE OF PATIENT file (#391) as pointed to by the TYPE field (#391) of the PATIENT file |
| | | 'IN' FOR INELIGIBLE | (#2) is shortened to the first two characters to determine the value stored in the PATIENT TYPE field (#78). |
| | | 'MI' FOR MILITARY RETIREE | 777 E Held (# 70). |
| | | 'NO' FOR NON- VETERAN (OTHER) | |
| | | 'NS' FOR NSC VETERAN | |
| | | 'SC' FOR SC VETERAN 'TR' FOR TRICARE | |
| 727.815,79 | This field indicates whether | 'Y' FOR YES | CV STATUS ELIGIBILITY is determined by the |
| CV STATUS ELIGIBILITY | Veteran (CV) at the time of treatment. Records if Veteran served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War, or in combat against a | considered a Combat EXPIRED Veteran (CV) at the time of | use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the Combat Vet End Date field (#.5295) from the PATIENT file (#2) to determine CV Status. |
| | | | API returns three pieces (i.e., 1^20010106^0) and the first piece is resolved as follows: |
| | | | 1 - Veteran qualifies as a CV 0 - Veteran does not qualify as a CV |
| | hostile force during a period of hostilities after | | -1 - bad DFN |
| | November 11, 1998. | | Based on this result the field be set to 'Y' for 'YES' or 'E' for 'ELIGIBILITY EXPIRED' or 'NULL' for not eligible. |

| Field # and Name | Description | Values | Technical Description |
|---|---|--|---|
| 727.815,80 CV ELIGIBILITY END DATE | Records the Combat Veteran eligibility expiration date of the Veteran who served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War, or in combat against a hostile force during a period of hostilities after November 11, 1998 | | CV ELIGIBILITY END DATE is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. The API uses the Patient No DFN and the date of admission to return three pieces (i.e., 1^20010106^0). The second piece is the COMBAT VET END DATE in HL7 format. If the COMBAT VET END DATE field (#.5295) is empty or precedes the date of admission, this field will be null. |
| 727.815,81 ENCOUNTER CV | This field indicates whether service provided during this patient encounter is related to the patient being a Combat Veteran (CV). Records if Veteran served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War, or in combat against a hostile force during a period of hostilities after November 11, 1998. | 'Y' FOR YES | ENCOUNTER CV is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. The API uses the Patient No DFN and the date of admission to return three pieces (i.e., 1^20100106^0). The third piece returns: 1 - vet was eligible on date specified 0 - vet was not eligible on date specified Based on these returns, the value for this field is Y for Yes if value is 1 or left blank if 0 to indicate eligibility. |
| 727.815,82 NATIONAL PATIENT RECORD FLAG | This field will indicate if the patient has any type of a National Flag indicator | 'Y' FOR YES | The NATIONAL PATIENT RECORD FLAG field is set based on the results of the \$\$GETACT^DGPFAPI(DFN, TARGET ARRAY) call. This call looks at the category 1 national patient record flags as recorded in the PRF NATIONAL FLAG file (#26.15). The resulting value of this call is the number of active category I patient record flags assigned to this patient. This field is set to Y (YES) if the result is greater than zero. A value of zero causes this field to be left null. |
| 727.815,83 ERI | This field identifies patients from impacted ZIP code areas designated by the Federal Emergency Management Agency (FEMA). | 'K' FOR HURRICANE KATRINA 'P' FOR PANDEMIC NULL | This field is extracted from the EMERGENCY RESPONSE INDICATOR field (#.181) located in the PATIENT file (#2). |

| Field # and Name | Description | Values | Technical Description |
|---------------------------------------|--|---------------------------|---|
| 727.815,84 AGENT ORANGE ENC INDICATOR | Indicates whether service provided during this patient encounter is related to exposure to Agent Orange. | 'Y' FOR YES 'N' FOR NO | Using the VISIT field (#28) in the EVENT CAPTURE PATIENT file (#721), a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI retums the agent orange indicator stored at the AGENT ORANGE EXPOSURE field (#80002) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "AO". |
| 727.815,85 ENCOUNTER SWAC | This field indicates whether treatment provided during this patient encounter is related to exposure to Southwest Asia conditions while serving in the Southwest Asia Theater of operations. | 'Y' FOR YES 'N' FOR NO | Using the VISIT field (#28) in the EVENT CAPTURE PATIENT file (#721), a call is made to API VISIT ECXSCX1 which in turn calls ENCEVENT PXAPI. The ENCEVENT PXAPI returns the Southwest Asia conditions indicator stored at the SW ASIA CONDITIONS field (#80004) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "PGE". |
| 727.815,86 ENC HEAD/NECK CA | Indicates whether health services provided during this patient encounter are related to head/neck Cancer. | 'Y' FOR YES 'N' FOR NO | Using the VISIT field (#28) in the EVENT CAPTURE PATIENT file (#721), a call is made to API VISIT ECXSCX1 which in turn calls ENCEVENT PXAPI. The ENCEVENT PXAPI returns the head/neck cancer data stored in the HEAD AND/OR NECK CANCER field (#80006) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "HNC". |
| 727.815,87 ENCOUNTER MST | Indicates if treatment provided during this patient encounter is related to Military Sexual Trauma. | 'Y' FOR YES 'N' FOR NO | Using the VISIT field (#28) in the EVENT CAPTURE PATIENT file (#721), a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the military sexual trauma data stored at the MILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". |

| Field # and Name | Description | Values | Technical Description |
|--|--|---|---|
| 727.815,88 RADIATION ENCOUNTER INDICATOR | This indicates whether health services provided during this patient encounter are related to exposure to ionizing radiation. | 'Y' FOR YES 'N' FOR NO | Using the VISIT field (#28) in the EVENT CAPTURE PATIENT file (#721), a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI retums the ionizing radiation exposure indicator stored at the IONIZING RADIATION EXPOSURE field (#80003) in the VISIT file (# 9000010). The value will be stored in the output array subscripted by "IR". |
| 727.815,89 PLACEHOLDER | Currently Null | | Currently Null |
| 727.815,90 OEF/OIF | The Military Operation(s) in which the patient was in combat. This field is a length of nine characters and reflects the OEF or OIF where this patient was in combat. | Possible field values are one or more combinations of the following: OEF = OPERATION ENDURING FREEDOM OIF = OPERATION IRAQI FREEDOM UNK = UNKNOWN OEF/OIF | The Military Operation in which the patient was in combat during the specified time period. This field is a length of nine characters and reflects the OEF or OIF where this patient was in combat. The value of this field is derived from the LOCATION OF SERVICE field (#.01) from SERVICE [OEF OR OIF] sub-file (#2.3215) of field (#.3215) located in the PATIENT File (#2). DSS will capture once, each location where the Veteran served. In order to accommodate multiple locations, the values for this field are concatenated into this 9-character field. |
| 727.815,91 OEF/OIF RETURN DATE | The date the Veteran left the OEF/OIF area. Otherwise, it is the end date of military pay for this OEF/OIF deployment. This date field has a format equal to YYYYMMDD. In cases of multiple OEF/OIF tours, this field contains only the most recent return date. | | The value of this field is derived from the OEF/OIF TO DATE field (#.03) from sub-file (#2.3215) of field (#.3215) located in the PATIENT file (#2). |
| 727.815,92 PLACEHOLD ASSOC PC PROV NPI | This field, previously known as ASSOCIATE PC PROVIDER NPI, is no longer needed. The name has been changed to PLACEHOLD ASSOC PC PROV NPI and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |

| Field # and Name | Description | Values | Technical Description |
|--------------------------------------|--|--|---|
| 727.815,93 PLACEHOLD PC PROVIDER NPI | This field, previously known as PRIMARY CARE PROVIDER NPI, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER NPI and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.815,94 PROVIDER NPI | A standard, unique life-long identifier, issued by Health and Human Services, for individuals providing health care services. This field has a length of fifteen characters. | | The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI |
| 727.815,95 PROVIDER #2 NPI | A standard, unique life-long identifier for the second assisting provider of health care services. This field has a length of fifteen characters. | | The qualified Identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.815,96 PROVIDER #3 NPI | A standard, unique life-long identifier for the third assisting provider of health care services. This field has a length of fifteen characters. | | The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI |
| 727.815,97 SHAD STATUS | Indicates whether patient meets requirements for Shipboard Hazard and Defense (SHAD) conditions. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the EVENT CAPTURE LOCAL EXTRACT file (#727.815), Shipboard Hazard and Defense data is derived from using DBIA #4462 GETSHAD^DGUTL3(DFN). |
| 727.815,98 ENCOUNTER SHAD | Indicates if treatment provided during this patient encounter is related to the Shipboard Hazard And Defense (SHAD) condition. | 'Y' FOR YES 'N' FOR NO | Using the VISIT FILE ENTRY field (#.27) in the PATIENT MOVEMENT file (#405), a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the Shipboard Hazard and Defense conditions indicator stored at the PROJ 112/SHAD field (#80008) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "SHAD". |

| Field # and Name | Description | Values | Technical Description |
|--|--|---|--|
| 727.815,99 PATCAT | This is the Patient's category which will be used for Federal Health Care Center (FHCC) Reconciliation. DSS must capture and report DoD patients so that the FHCC reconciliation process can function as designed. "Reconciliation" is the process used within the new FHCC to determine which patients DoD pays for and which VA pays for. | 'AD' FOR ACTIVE DUTY 'ADD' FOR ACTIVE DUTY DEPENDENT 'FNRS' FOR FORMER NON-REMARRIED SPOUSE 'RET' FOR RETIRED 'RETD' FOR RETIREE DEPENDENT 'RES' FOR RESERVIST 'REC' FOR RECRUIT 'TDRL' FOR TEMPORARY DISABILITY 'TFL' FOR TRICARE FOR LIFE | If the VistA Patient Type Code [TYPE field (#391) of the PATIENT file (#2)]=Active Duty, Military Retiree, or TRICARE, then the value(s) in the VistA OTHER ELIGIBILITY multiple [PATIENT ELIGIBILITIES field (#361) of the PATIENT file (#2)], which points to locally modifiable ELIGIBILITY CODE file (#8), should be evaluated. If the value in the ELIGIBILITY CODE is equal to any entry in the set of codes in this field, the value should be placed in this field. |
| 727.815,100 PROVIDER #4 | The IEN of the fourth assisting provider who performed the procedure associated with the Event Capture patient record. | | Data is derived by returning a local array (fourth node) of the \$\$GETPRV^ECPRVMUT API (DBIA #4460) that returns the PROVIDER multiple (#42) from the EVENT CAPTURE PATIENT File (#721). The PROVIDER #4 is the value of a "2" prefixed to the pointer value to indicate that the source file is "200. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. |
| 727.815,101 PROVIDER #4 PERSON CLASS | This is the VA code of the Person Class of the fourth assisting Provider as of the date of this extract record. | | Derived by calling \$\$PRVCLASS^ECXUTL(IEN,DATE), where IEN is the IEN of the New Person (#200) file. Copied from field VA Code (#5) of the PERSON CLASS (#8932.1) file, as pointed to by the Person Class (#.01) field of the PERSON CLASS (#8932.1) multiple of the NEW PERSON (#200) file. |
| 727.815,102 PROVIDER #4 NPI | A standard unique life-long identifier of the fourth assisting provider of health care services. | | The NPI is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI |
| 727.815,103 PROVIDER #5 | The IEN of the fifth assisting provider who performed the procedure associated with the Event Capture patient record. | | Data is derived by returning a local array (fifth node) of the \$\$GETPRV^ECPRVMUT API (DBIA #4460) that returns the PROVIDER multiple (#42) from the EVENT CAPTURE PATIENT File (#721). The PROVIDER #5 is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. |

| Field # and Name | Description | Values | Technical Description |
|--|---|--|---|
| 727.815,104 PROVIDER #5 PERSON CLASS | This is the VA code of the Person Class of the fifth assisting provider as of the | | Derived by calling \$\$PRVCLASS^ECXUTL (IEN,DATE), where IEN is the IEN of the NEW PERSON (#200) file. |
| CLASS | date of this extract record. | | Copied from field VA CODE (#5) of the PERSON CLASS (#8932.1) file, as pointed to by the Person Class (#.01) field of the PERSON CLASS (#8932.1) multiple of the NEW PERSON (#200) file. |
| 727.815,105 PROVIDER #5 NPI | A standard unique life-long identifier of the fifth assisting provider of health care services. | | The NPI is retrieved via the supporting Kernel API: \$\$NPI&XUSNPI. |
| 727.815,106 PRIMARY ICD-10 CODE | The primary ICD10 code for this encounter. | | The PRIMARY ICD-10 CODE is derived from the PRIMARY ICD CODE field (#20) in the EVENT CAPTURE PATIENT file (#721). |
| 727.815,107 SECONDARY ICD-10 CODE #1 | The first secondary ICD10 code for this encounter. | | SECONDARY ICD-10 CODE #1 is derived from the SECONDARY ICD CODE field (#.01) of the SECONDARY ICD CODE multiple (#38) of the EVENT CAPTURE PATIENT file (#721). |
| 727.815,108 SECONDARY ICD-10 CODE #2 | The second secondary ICD- 10 code for this encounter. | | SECONDARY ICD-10 CODE #2 is derived from the SECONDARY ICD CODE field (#.01) of the SECONDARY ICD CODE multiple (#38) of the EVENT CAPTURE PATIENT file (#721). |
| 727.815,109 SECONDARY ICD-10 CODE #3 | The third secondary ICD-10 code for this encounter. | | SECONDARY ICD-10 CODE #3 is derived from the SECONDARY ICD CODE field (#.01) of the SECONDARY ICD CODE multiple (#38) of the EVENT CAPTURE PATIENT file (#721). |
| 727.815,110 SECONDARY ICD-10 CODE #4 | The fourth secondary ICD- 10 code for this encounter. | | SECONDARY ICD-10 CODE #4 is derived from the SECONDARY ICD CODE field (#.01) of the SECONDARY ICD CODE multiple (#38) of the EVENT CAPTURE PATIENT file (#721). |
| 727.815,111 ENCOUNTERSC | Indicates if treatment provided during this patient encounter is Service Connected. | 'Y' FOR YES 'N' FOR NO | Using a pointer to the VISIT file (#9000010), a call is made to API VISIT ECXSCX1 which in turn calls ENCEVENT PXAPI. This call returns visit data, including the SERVICE CONNECTED field (#80001) in the VISIT file (#9000010). |
| 727.815,112 VIETNAM | Indicates if patient is a Vietnam-era Veteran. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the EVENT CAPTURE LOCAL EXTRACT file (#727.815), VIETNAM data is derived from the VIETNAM SERVICE INDICATED? field (#.32101) in the PATIENT file (#2). |

| Field # and Name | Description | Values | Technical Description |
|--|--|--------|--|
| 727.815,113 PROVIDER #6 | The sixth provider associated with the patient encounter. It represents an assisting provider who performed the procedure associated with the Event Capture patient record. | | Data is derived by returning a local array (sixth node) of the \$\$GETPRV^ECPRVMUT API (DBIA #4460) that returns the PROVIDER multiple (#42) from the EVENT CAPTURE PATIENT File (#721). The PROVIDER #6 is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value will be stored is 298765. |
| 727.815,114 PROVIDER #6 PERSON CLASS | This is the VA code of the Person Class of the sixth assisting provider as of the date of this record. | | Derived by calling \$\$PRVCLASS^ECXUTL (IEN, DATE), where IEN is the IEN of the NEW PERSON (#200) File. Copied from field VA CODE (#5) of the PERSON CLASS (#8932.1) file, as pointed to by the Person Class (#.01) field of the PERSON CLASS (#8932.1) multiple of the NEW PERSON (#200) file. |
| 727.815,115 PROVIDER #6 NPI | A standard unique life-long identifier of the sixth assisting provider of health care services. | | The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.815,116 PROVIDER #7 | The seventh provider associated with the patient encounter. It represents an assisting provider who performed the procedure associated with the Event Capture patient record. | | Data is derived by returning a local array (seventh node) of the \$\$GETPRV^ECPRVMUT API (DBIA #4460) that returns the PROVIDER multiple (#42) from the EVENT CAPTURE PATIENT File (#721). The PROVIDER #7 is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. |
| 727.815,117 PROVIDER #7 PERSON CLASS | This is the VA code of the Person Class of the seventh assisting provider as of the date of this record. | | Derived by calling \$\$PRVCLASS^ECXUTL (IEN, DATE), where IEN is the IEN of the NEW PERSON (#200) File. Copied from field VA CODE (#5) of the PERSON CLASS (#8932.1) file, as pointed to by the Person Class (#.01) field of the PERSON CLASS (#8932.1) multiple of the NEW PERSON (#200) file. |
| 727.815,118 PROVIDER #7 NPI | A standard unique life-long identifier of the seventh assisting provider of health care services. | | The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |

| Field # and Name | Description | Values | Technical Description |
|--|--|---------------------------|--|
| 727.815,119 4CHAR | A 4-character code value of the associated clinic as specified from the DSS Clinics and Stop Code Worksheet File. | | 4CHAR is determined by using the CLINICIEN field (#120) of this file to retrieve the NATIONAL CODE field (#7) from the CLINICS AND STOP CODES file (#728.44). The NATIONAL CODE (#7) field points to the NATIONAL CLINIC (#728.441) file. This field is a copy of the CODE (#.01) field of the NATIONAL CLINIC file (#728.441). |
| 727.815,120 PLACEHOLDER | Currently Null | | Currently Null |
| 727.815,121 CAMP LEJEUNE STATUS | Indicates if patient claims exposure to contaminated water while stationed at Camp Lejeune, NC between January 1, 1957 and December 31, 1987. | 'Y' FOR YES 'N' FOR NO | Using the patient's DFN, a call is made to PAT^ECXUTL3, which in turn calls SVC^VADPT. This call returns all service-related information for a patient, including their Camp Lejeune status. |
| 727.815,122 ENCOUNTER CAMP LEJEUNE | Indicates if episode of care is related to exposure to contaminated water while stationed at Camp Lejeune, NC between January 1, 1957 and December 31, 1987. | 'Y' FOR YES 'N' FOR NO | Using a pointer to the VISIT file (#9000010), a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the encounter Camp Lejeune data from the VISIT file (#9000010). |
| 727.815,123 REASON 1 | Identifies the first reason the procedure was performed. | | Data for this field is derived from the PROCEDURE REASON field (#34) of the EVENT CAPTURE PATIENT file (#721). |
| 727.815,124 REASON 2 | Identifies the second reason the procedure was performed. | | Data for this field is derived from the PROCEDURE REASON #2 field (#43) of the EVENT CAPTURE PATIENT file (#721). |
| 727.815,125 REASON 3 | Identifies the third reason the procedure was performed. | | Data for this field is derived from the PROCEDURE REASON #3 field (#44) of the EVENT CAPTURE PATIENT file (#721). |
| 727.815,126 COMBAT VETERAN INDICATOR | Identifies if the patient served in a combat zone | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, COMBAT SERVICE INDICATOR data is derived from the COMBAT SERVICE INDICATED field (#.5291) in the PATIENT file (#2). COMBAT SERVICE INDICATED is returned by the supported call SVC^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|---|--|---|---|
| 727.815,127 COMBAT VETERAN LOCATION | Identifies the war in which the combat service was incurred. | WWI WWII-EUROPE WWII-PACIFIC KOREAN VIETNAM OTHER PERSIAN GULF YUGOSLAVIA | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, COMBAT SERVICE LOCATION data is derived from the COMBAT SERVICE LOCATION field (#.5292) in the PATIENT file (#2). The COMBAT SERVICE LOCATION IEN is returned by the supported call SVC^VADPT; this IEN is then used to retrieve the ABBREVIATION field (#1) from the POW PERIOD file (#22). |
| 727.815,128 CLINIC IEN | The Associated Clinic of the Event Capture (EC) Procedure. | | CLINIC IEN is retrieved from the ASSOCIATED CLINIC field (#26) of the EVENT CAPTURE PATIENT file (#721). The value stored here is a copy of the value stored in the ASSOCIATED CLINIC field (#26) of the EVENT CAPTURE PATIENT file (#721). |
| 727.815,129 PATIENT DIVISION | For inpatients, the value is based on the ward associated with the admission. For outpatients, the value is based on the production division code where the work was performed. | | For inpatients, the WARD LOCATION field (#.06) in the PATIENT MOVEMENT field (#405) points to the WARD LOCATION file (#42). Using the ward pointer, the WARD is retrieved from the HOSPITAL LOCATION FILE POINTER field (#44) in the WARD LOCATION file (#42), which points to the HOSPITAL LOCATION file (#44). From there, the STATION NUMBER field (#99) is retrieved from the INSTITUTION file (#4) by calling API RADDIV^ECXDEPT. For outpatients, the LOCATION field (#4) of the EVENT CAPTURE PATIENT file (#721) is used by the API RADDIV^ECXDEPT to get the STATION NUMBER field (#99) from the INSTITUTION file (#4). |
| 727.815,130 STATE HOME NAME | For event capture workload associated with a state home, this field will hold the name of the state home where the veteran is receiving care. | | The name of the state home where the veteran is receiving care will come from the STATE HOME NAME field (#49) of the EVENT CAPTURE PATIENT file (#721). |

| Field # and Name | Description | Values | Technical Description |
|------------------------------------|--|--|--|
| 727.815,131 PLACEHOLD CERNER | Placeholder for Cerner fields. Reserved for EHRM conversion. | Currently null | Currently null |
| 727.815,132 NEW MPI | A national VA system IDENTIFIER which uniquely identifies a patient. Commonly called "Patient ICN" or "Patient IEN"; not to be confused with the IEN from the VistA PATIENT file. | | Derived by calling API, \$\$GETICN^ MPIF001 (Supported DBIA #2701), that retums the Integration Control Number (ICN) and the ICN checksum for the given patient in the PATIENT file (#2). |
| 727.815,133 SELF IDENTIFIED GENDER | The SELF IDENTIFIED GENDER value indicates the patient's personal sense of their gender identity (if they choose to provide it). Self-identified gender may be the same or different as the sex assigned at birth. | 'M' FOR MALE 'F' FOR FEMALE 'TM' FOR TRANSGENDER MALE 'TF' FOR TRANSGENDER FEMALE 'O' FOR OTHER 'N' FOR DOES NOT WISH TO DISCLOSE 'B' FOR NON-BINARY | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the EVENT CAPTURE LOCAL EXTRACT file (#727.815), this data is derived from the SELF IDENTIFIED GENDER field (#.024) in the PATIENT file (#2). |

3.6. #727.819 - IV DETAIL EXTRACT (IVP) File Data Definition

This file contains data elements as specified by MCAO for the Pharmacy IV Detail extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS/MCA site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.



NOTE: Descriptions and Technical Descriptions may not match VA FileMan.

Table 7: IV Detail Extract (IVP) File #727.819 Data Definitions

| Field # and Name | Description | Values | Technical Description |
|--------------------------------|--|--------|--|
| 727.819,.01 SEQUENCE NUMBER | The IEN of the record for this extract entry. | | The internal entry number (IEN) for this record. This entry is DINUMed. |
| 727.819,1 YEAR MONTH | A six-character numeric string representing the year and month for which this extract was performed. | | YEAR MONTH is derived by parsing the FileMan format end date of the extract. The month is determined by taking the fourth and fifth characters of the end date, the year by taking the second and third characters, and the century is then calculated by taking the first character of the end date and adding 17 to it. The century is then concatenated with the year and month, giving the results in YYYYMM format. |
| 727.819,2 EXTRACT NUMBER | The corresponding entry in the DSS EXTRACTLOG file (#727) for this extract. | | A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message. |
| 727.819,3 FACILITY | This is the medical center division where the IV room is located. | | An indicator of the medical center division where the IV room for this event happened. It is derived from the IV ROOM field (#.22) of IV multiple (#100) in the PHARMACY PATIENT file (#55). The IEN of the IV room is passed to the API ALL^ PSJ59P5 which returned the DIVISION field (#.02) from the IV ROOM sub-file (#59.5), which points to the MEDICAL CENTER DIVISION file (#40.8). |

| Field # and Name | Description | Values | Technical Description |
|-----------------------------|---|--------|---|
| 727.819,4 PATIENT NO DFN | An identifying numberfor the patient at the local site. | | The PATIENT NO DFN data is derived from the DFN field (#1) of the IV EXTRACT DATA file (#728.113). |
| | | | The DFN is obtained from the NAME field (#.01) in the PHARMACYPATIENT file (#55) which is DINUMed to the PATIENT file (#2). This data represents the patient DFN. |
| 727.819,5 SSN | The patient's social security number. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the IV DETAIL EXTRACT file (#727.819), SSN data is derived from the SOCIAL SECURITY NUMBER field (#.09) in the PATIENT file (#2). |
| | | | "Test" patient status is determined in PAT^ECXUTL3. For the IVP extract, the following are considered test SSNs: |
| | | | 123456789; Nine repeating digits (e.g., 333333333); The first three digits are '000' or '666'; The middle two digits are '000'; The last four digits are '0000'; The first digit is '9'. |
| 727.819,6 | The first four characters of | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the IV DETAIL |
| NAME | the patient's last name. | | EXTRACT file (#727.819), NAME data is derived from the NAME field (#.01) in the PATIENT file (#2). |
| | | | The first four characters of the first "," piece are used, padded with trailing spaces if necessary. |
| | | | The name value is returned by the supported call DEM^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|------------------------------------|--|--|---|
| 727.819,7 IN OUT PATIENT INDICATOR | Indicates the patient's status for this extract entry. Observation admissions are treated as outpatient encounters in MCA, similar to Medicare rules and community hospitals. | 'I' FOR INPATIENT 'O' FOR OUTPATIENT 'A' FOR ASIH (OTHER FACILITY) | To determine the value of this field, a call is made to \$\$PATDEM^ECXUTL2. Within this call, \$\$INP^ECXUTL2 is called to determine the patient status. If the patient is an outpatient, processing stops and the field is set to O. If the patient is an inpatient, \$\$INOUTP^ECXUTL4 is called to look at the treating specialty. If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831) is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the indicator is set to I. If the patient is ASIH to another facility at the date/time in question, the indicator is set to A. |
| 727.819,8 DAY | An 8-character numeric string that represents the date on which the IV medication was dispensed. | | Day comes from the date portion of the DATE/TIME field (#4) in the IV EXTRACT DATA file (#728.113). The date/time is based on the DATE OF TRANSACTION field (#3) within the TRANSACTION NUMBER multiple (#1) within the PATIENT multiple (#1) of the IV STATS file (#50.8). This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. |

| Field # and Name | Description | Values | Technical Description |
|--|---|--------|---|
| 727.819,9 VA DRUG CLASSIFICATION | The VA Drug Classification for the item in this order. | | Derived from the VA CLASSIFICATION field (#2) in the DRUG file (#50) for the drug identified by the DRUG field (#3) in the IV EXTRACT DATA file (#728.113). |
| | | | The DRUG field (#3) is populated as follows, depending on whether we are looking at an additive or a solution. |
| | | | For an IV additive, the drug is derived from the GENERIC DRUG field (#1) in the IV ADDITIVES file (#52.6) for the ADDITIVE (#.01) identified in the ADDITIVE multiple (#1) within the IV multiple (#100) of the PHARMACY PATIENT file (#55). |
| | | | For an IV solution, the drug is derived from the GENERIC DRUG field (#1) in the IV SOLUTIONS file (#52.7) for the SOLUTION (#.01) identified in the SOLUTION multiple (#3) within the IV multiple (#100) of the PHARMACY PATIENT file (#55). |
| 727.819,10 QUANTITY | Drug quantity dispensed in the unit of issue for that drug. Unit of issue may vary from product-to-product | | QUANTITY is calculated by incrementing a counter based upon the value found in the TRANSACTION TYPE field (#5) in the IV EXTRACT DATA file (#728.113). |
| | and site-to-site. | | If TRANSACTION TYPE equals 1 for DISPENSED, the counter is incremented by 1; if 4 for CANCELED, no change is made to the counter; if 2 for RETURNED or 3 for DESTROYED, the counter is decremented by 1. |
| | | | The transaction type is derived from the STATUS field (#2) within the TRANSACTION NUMBER multiple (#1) within the PATIENT multiple (#1) of the IV STATS file (#50.8). |
| 727.819,11 WARD | Current ward where the patient is located. | | This field is initialized to .5, indicating an outpatient status. It will be set to blank if the patient is an observation patient. |
| | | | A call is made to IN5 ^ VADPT using the patient IEN and the event date. |
| | | | If data is returned identifying an inpatient episode, the value of VAIP (5) ward location is used to get the HOSPITAL LOCATION FILE POINTER field (#44) in the WARD LOCATION file (#42) which is a pointer to the HOSPITAL LOCATION file (#44). |
| 727.819,12 | ***Field not used MCAO aware*** | | *** Field not used MCAO aware*** |

| Field # and Name | Description | Values | Technical Description |
|----------------------------------|--|--------|--|
| 727.819,13 COST | VA Pharmacy supply cost of drug dispensed. | | For additives, this field is calculated by multiplying TOTAL DOSES PER DAY field (#20) of this file by AVERAGE DRUG COST PER UNIT field (#7) of the IV ADDITIVES file (#52.6). |
| | | | For solutions, this field is calculated by multiplying TOTAL DOSES PER DAY field (#20) of this file by AVERAGE DRUG COST field (#7) of the IV SOLUTIONS file (#52.7). |
| 727.819,14 MOVEMENT FILE # | Current patient movement record associated with this extract record. | | A call to IN5^VADPT (using the patient IEN and the event date) returns a patient movement number (indicating inpatient status). This field is set to the value of VAIP (1), which is |
| | | | a pointer to the PATIENT MOVEMENT file (#405). |
| 727.819,15 TREATING SPECIALTY | The PTF CODE of the treating specialty associated with this extract record. | | This field is initialized to null, indicating an outpatient status. If a call to IN5 ^ VADPT (using the patient IEN and the event date) returns a patient movement number (indicating inpatient status), then the value of VAIP(8), which is the pointer to the FACILITY TREATING SPECIALTY file (#45.7), is used to get the SPECIALTY file (#42.4). |
| | | | Then, the PTF CODE (field #7 of file #42.4) is obtained and stored instead of the IEN of the specialty. |
| 727.819,16 NDC | This is the National Drug Code for the drug/supply item in this order. | | For sites running a version of Inpatient Medications prior to V. 4.5: Derived from the NDC field (#31) in the DRUG file (#50) for the drug identified by the GENERIC DRUG field (#1) in either the IV ADDITIVES file (#52.6) for additives or the IV SOLUTIONS file (#52.7) for solutions. |
| | | | Using the "AC" cross-reference on the IV STATS file (#50.8) and a ^TMP(array built from the "AC" cross-reference, GENERIC DRUG is derived from the following: |
| | | | The IV DRUG field (#.01); |
| | | | The TYPE field (#6); and, |
| | | | The IEN of the additive or solutions for the IV DRUG within the IV DRUG multiple (#2) of the DATE multiple (#2) of the IV STATS file (#50.8). |
| | | | For sites running Inpatient Medications V. 4.5 or higher: Derived from the NDC field (#31) in the DRUG file (#50) for the drug identified by the DRUG field (#3) in the IV EXTRACT DATA file (#728.113). |

| Field # and Name | Description | Values | Technical Description |
|---|--|---|---|
| 727.819,17 DEA, SPECIAL HDLG | Indicates if the drug in this record is Investigational or Schedule 1-5. | 'I' FOR INVESTIGATIONAL '1' FOR SCHEDULE 1 ITEM '2' FOR SCHEDULE 2 ITEM '3' FOR SCHEDULE 4 ITEM '4' FOR SCHEDULE 4 ITEM '5' FOR SCHEDULE 5 ITEM | Derived from the DEA, SPECIAL HDLG field (#3) in the DRUG file (#50). If the field contains a "1", "2", "3", "4" or "5" (DRUG SCHEDULE), it will be set to that number. Otherwise, if it contains an I, it will be set to I. |
| 727.819,18 PHARMACY IV DISPENSING FEE | The type of IV dispensed. | 'A' FOR ADMIXTURE 'C' FOR CHEMOTHERAPY 'H' FOR HYPERAL 'P' FOR PIGGYBACK 'S' FOR SYRINGE | Derived from the TYPE field (#11) of the IV EXTRACT DATA file (#728.113). The type comes from the TYPE field (#.04) within the IV multiple (#100) of the PHARMACY PATIENT file (#55). |
| 727.819,19 NEW FEEDER KEY | Code that uniquely identifies a DSS drug/supply product. | | NEW FEEDER KEY is derived for the drug identified by the DRUG field (#6) in the PRESCRIPTION file (#52), which is a pointer to the DRUG file (#50). The PSNDF VA PRODUCT NAME ENTRY field (#22) from the DRUG file (#50), which is a pointer to the VA PRODUCT file (#50.68), is padded to five digits. The NDC value is derived from the NDC field (#31) from the DRUG file (#50), then stripped of hyphens and padded with leading zeroes until it has a length of twelve characters. The twelve-character NDC is appended to the five-digit PSNDF VA PRODUCT NAME ENTRY value to form a seventeen-digit Feeder Key. |

| Field # and Name | Description | Values | Technical Description |
|--------------------------------|--|--------|---|
| 727.819,20 TOTAL DOSES PER DAY | Total doses per day including units. | | For sites running a version of Inpatient Medications prior to V. 4.5: This field is set to null. |
| | | | For sites running Inpatient Medications V. 4.5 or higher: |
| | | | 1) For additives, TOTAL DOSES PER DAY is derived from the ADDITIVE STRENGTH field (#6) and the ADDITIVE STRENGTH UNITS field (#7) from the IV EXTRACT DATA file (#728.113). |
| | | | 2) For solutions, TOTAL DOSES PER DAY is derived from the SOLUTION VOLUME field (#8), recorded in MLs, from the IV EXTRACT DATA file (#728.113). |
| 727.819,21 | This field, previously known | | This field is no longer in use as of patch |
| PLACEHOLD PRIMARY CARE TEAM | as PRIMARY CARE TEAM, is no longer needed. The name has been changed to PLACEHOLD PRIMARY CARE TEAM and its value will be set to null. | | ECX*3*170. |
| 727.819,22 | This field, previously known | | This field is no longerin use as of patch |
| PLACEHOLD PC PROVIDER | as PRIMARY CARE PROVIDER, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER and its value will be set to null. | | ECX*3*170. |
| 727.819,23 | Time-of-day when the IV medication was dispensed. | | The time portion of the DATE/TIME field (#4) of the IV EXTRACT DATA file (#728.113), which is |
| IVPTIME | VP TIME THE CALCULATION WAS A SPECIAL OF THE CALCULATION OF THE CALCUL | | set by routine PSIVSTAT, is used and padded to six characters if needed. |
| | | | This field is always exactly six numeric characters in length; if time cannot be determined, "000300" is used as the default. |

| Field # and Name | Description | Values | Technical Description |
|------------------------------|---|----------------|---|
| 727.819,24 ADMISSION DATE | This 8-character numeric string represents the date on which the patient's admission occurred. | | A call is made to \$\$INP^ECXUTL2 using the patient's DFN and the date/time the IV was administered. The call will return the admission date/time associated with this episode of care. |
| | | | In the case of a patient who is ASIH OTHER FACILITY, it will be the date/time of the movement that put the patient into ASIH OTHER FACILITY status. |
| | | | The date portion of the DATE/TIME field (#.01) of the PATIENT MOVEMENT file (#405) is used to populate this field. |
| | | | This field is always exactly eight numeric characters in length. The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. |
| 727.819,25 ADMISSION TIME | Time-of-day at which the patient admission occurred. | | A call is made to \$\$INP^ECXUTL2 using the patient's DFN and the date/time the IV was administered. The call will return the admission date/time associated with this episode of care. |
| | | | In the case of a patient who is ASIHOTHER FACILITY, it will be the date/time of the movement that put the patient into ASIH OTHER FACILITY status. |
| | | | The time portion of the DATE/TIME field (#.01) of the PATIENT MOVEMENT file (#405) is used to populate this field. |
| | | | This field is always exactly six numeric characters in length; if the time cannot be determined, "000300" is used as the default. |
| 727.819,26 | Primary and secondary stop codes associated with the | | File #728.113 contains a pointer to HOSPITAL LOCATION file (#44). Using this pointer, obtain |
| DSS IDENTIFIER FOR ENCOUNTER | clinic if IV dispensed to outpatient. | | the primary and secondary clinic stop codes from the CLINIC AND STOP CODES file (#728.44). |
| 727.819,27 PLACEHOLD MPI | This field, previously known as MASTER PATIENTINDEX, is no longer needed. The name has been changed to PLACEHOLD MPI and its value will be set to null. | Currently null | This field is no longer in use as of patch ECX*3*184. |

| Field # and Name | Description | Values | Technical Description |
|--|---|--|---|
| 727.819,28 PLACEHOLDER | This field, previously known as DSS PRODUCT DEPARTMENT, is no longer needed. The name has been changed to PLACEHOLDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*161. |
| 727.819,29 PLACEHOLDER | Currently Null | | Currently Null |
| 727.819,30 PLACEHOLD PC PROV PERSON CLASS | This field, previously known as PC PROVIDER PERSON CLASS, is no longer needed. The name has been changed to PLACEHOLD PC PROV PERSON CLASS and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.819,31 PLACEHOLD ASSOC PC PROVIDER | This field, previously known as ASSOCIATE PC PROVIDER, is no longer needed. The name has been changed to PLACEHOLD ASSOC PC PROVIDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.819,32 PLACEHOLD AS PC PROV PERSON CL | This field, previously known as ASSOC. PC PROV. PERSON CLASS, is no longer needed. The name has been changed to PLACEHOLD AS PC PROV PERSON CL and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.819,33 PLACEHOLDER | Currently Null | | Currently Null |
| 727.819,34 DOM, PRRTP AND SARRTP INDICATOR | This indicates if the Patient is admitted to either an RRTP, PRRTP or SARRTP at the time care is provided. | 'P' FOR GEN. PRRTP 'D' FOR DOMICILIARY 'S' FOR DOM. PRRTP 'T' FOR PTSD PRRTP 'H' FOR HOMELESS CWT/TR 'A' FOR SA CWT/TR 'B' FOR PTSD CWT/TR 'C' FOR GEN. CWT/TR | If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the DOM/PRRTP/SARRTP CODE field (#2) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). Otherwise, the value is null. |

| Field # and Name | Description | Values | Technical Description | |
|---------------------------------|--|---|---|--|
| 727.819,35 OBSERVATION | Indicates if patient is considered to be an observation patient. Observation admissions are treated as outpatient encounters in MCA, similar to Medicare rules and community hospitals. | observation patient. Observation admissions are treated as outpatient encounters in MCA, similar to Medicare rules and | Data (YES,NO) is retrieved from API call \$\$OBSPAT^ECXUTL4: | |
| PATIENT INDICATOR | | | If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). | |
| | | | If patient is outpatient and treating specialty not in file, AND DSS ID is 290-297, Observation Patient Ind = YES. Else, Observation Patient Ind = NO. | |
| | | | Otherwise, Observation Patient Ind = NO. | |
| 727.819,36 ENCOUNTER | The unique number assigned for DSS. | | This field is determined by a call to \$\$ENCNUM^ECXUTL4. | |
| NUMBER | The OBS conversion logic is: Treating Specialty Use this Stop Code 18 293 (neurology) | The OBS conversion logic is: Treating Specialty Use this Stop Code | | Within this call, the inpatient/outpatient status, SSN, admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number. |
| | 41 296 (Rehab Med) 65 291 (Surgery) 94 292 (psychiatry) 1J 297 (ER) | | For IVP records where Drug Class is "AN100", "AN200", "AN300", "AN400", "AN500", "AN600", "AN700", "AN900" or "OP900", and the Ordering Stop Code is "308", "316", "329", "330", or "407", the Ordering Stop Code is used as the Stop Code in the Encounter Number. | |
| 727.819,37 ORDERING PROVIDER | The provider who ordered the IV product. | | The ORDERING PROVIDER field is derived from the PROVIDER field (#9) of the IV EXTRACT DATA file (#728.113). | |
| | | | The provider comes from the PROVIDER field (#.06) within the IV multiple (#100) of the PHARMACY PATIENT file (#55). | |
| | | | ORDERING PROVIDER is the value of a "2" prefixed to the pointer value from the NEW PERSON file (#200). For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. | |

| Field # and Name | Description | Values | Technical Description |
|---------------------------------------|--|--------|--|
| 727.819,38 ORDERING STOP CODE | This field contains the stop code associated with the order. | | For outpatients, the stop code is the primary stop code for the clinic as determined by the AMIS REPORTING STOP CODE field (# 1) of the CLINIC STOP file (# 40.7) as pointed to by the STOP CODE NUMBER field (# 8) of the HOSPITAL LOCATION file (# 44) as pointed to by the CLINIC field (# 136) of the IV multiple (# 100) of the PHARMACY PATIENT file (# 55). If none exists, the value is set to null. For observation patients, the stop code is translated using the following table. |
| | | | Treating Observation Specialty Code 18 293 23 295 24 290 36 296 41 294 65 291 94 292 1J 297 |
| 727.819,39 ORDERING DATE | Date the orderwas verified by nurse. | | Date comes from the DATE field (#16) of the IV EXTRACT DATA file (#728.113). The date is derived from the START DATE/TIME field (#.02) in the IV multiple (#100) of the PHARMACY PATIENT file (#55). This field contains the date of the order in YYYYMMDD format. |
| 727.819,40 REQUESTING PHYSICIAN | For future development; currently set to null. | | Currently Null |
| 727.819,41 PRODUCTION DIVISION CODE | Identifies the division/facility where the work was performed. | | Data comes from the DIVISION field (#.02) of the IV ROOM file (#59.5), which is a pointer to the MEDICAL CENTER DIVISION file (#40.8). This value is then used to call the API \$\$GETDIV^ECXDEPT to get the STATION NUMBER field (#99) from the INSTITUTION file (#4). |

| Field # and Name | Description | Values | Technical Description |
|---------------------------------|---|--|--|
| 727.819,42 PLACEHOLD MEANS TEST | This field, previously known as MEANS TEST, is no longer needed. The name has been changed to PLACEHOLD MEANS TEST and its value will be set to null. | | This field is no longer in use as of patch ECX*3*178. |
| 727.819,43 ELIGIBILITY | A two or three-digit numeric code indicating the Patient's Primary Eligibility. The extract logic converts the VistA two or three-digit coding schemes to the National Data Services (NDS) eligibility scheme. | 10 SC 50-100% 20 Aid & Attendance 21 Housebound 22 Mexican Border War 23 WWI 24 POW 25 Purple Heart 30 SC 40-49% 31 SC 30-39% 32 SC 20-29% 33 SC 10-19% 34 SC less than 10% 40 NSC - VA Pension 50 NSC 60 Catastrophic Disability 101 CHAMPVA 102 Collateral of Veteran 103 Employee 104 Other Federal Agency 105 Allied Veteran 106 Humanitarian Emergency 107 Sharing Agreement 108 Reimbursable Insurance 109 TRICARE/CHAMPUS | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the IV DETAIL EXTRACT file (#727.819), ELIGIBILITY data is derived from the PRIMARY ELIGIBILITY CODE field (#.361) in the PATIENT file (#2). PRIMARY ELIGIBILITY CODE file (#8). The data is derived from the MAS ELIGIBILITY CODE file (#8) in the ELIGIBILITY CODE file (#8), which in turn is a pointer to the MAS ELIGIBILITY CODE file (#8.1). The pointer value to file #8.1 is converted by ELIG^ECXUTL3 to the corresponding eligibility code used by NPCD. This code is composed of two or three numeric characters. |
| 727.819,44 DATE OF BIRTH | The patient's date of birth. | | Date of Birth is returned through the supported call DEM^VADPT. It is then represented by an eight-character numeric string in the YYYYMMDD format. |

| Field # and Name | Description | Values | Technical Description |
|---------------------------------|--|------------------------------------|--|
| 727.819,45 SEX | Patient's gender | 'M' FOR MALE 'F' FOR FEMALE | Data is taken from the SEX field (#.02) of the patient's record in the PATIENT file (#2). The gender is returned by DEM^VADPT. |
| 727.819,46 STATE | The state in which the patient resides. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the IV DETAIL EXTRACT file (#727.819), data is derived from the STATE field (#.115) in the PATIENT file (#2) which points to the STATE file (#5). From the STATE file record, use the two-character VA STATE CODE field (#2). |
| 727.819,47 COUNTY | This is the county in which the patient resides. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the IV DETAIL EXTRACT file (#727.819), data is taken from the COUNTY field (#.117) in the PATIENT file (#2) which points to a sub-file record in the COUNTY multiple field (#3) of the STATE file (#5). A pointer to the STATE file (#5) is obtained from the STATE field (#.115) of the file #2 record. From the sub-file record of field #3 of file #5, use the value of the VA COUNTY CODE field (#2). |
| 727.819,48 ZIP+4 | The ZIP code for where the patient resides. The five-character ZIP code is provided if ZIP + 4 is not available. | | The patient's ZIP code with optional four-digit extension as found in the ZIP+4 field (#.1112) of the patient's record in the PATIENT file (#2). While the ZIP+4 field in file 2 is a maximum of nine characters, it does put the "-" in if the ZIP code is a +4 type. |
| 727.819,49 VETERAN | Patient's Veteran status | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the IV DETAIL EXTRACT file (#727.819), VETERAN data is derived from the VETERAN (Y/N)? field (#1901) in the PATIENT file (#2). |
| 727.819,50 PERIOD OF SERVICE | The period of service which best classifies this patient based on eligibility code. | | Period of Service is derived from the PERIOD OF SERVICE field (#.323) in the PATIENT file (#2). |
| 727.819,51 POW STATUS | Indicates if patient was confined as a Prisoner of War. | 'Y' FOR YES 'N' FOR NO 'U' UNKNOWN | PATIENT file (#2); POW STATUS INDICATED? field (#.525). The status indicator is returned by SVC^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|----------------------------|---|---|--|
| 727.819,52 POW LOCATION | This is the location/period where the patientwas a POW. | '1' FOR WORLD WAR I '2' FOR WORLD WAR II - EUROPE | PATIENT file (#2); POW CONFINEMENT LOCATION field (#.526). This is a pointer value to the POW PERIOD file (#22). |
| | | '3' FOR WORLD WAR II - PACIFIC | The location indicator is returned by SVC^VADPT. |
| | | '4' FOR KOREAN | |
| | | '5' FOR VIETNAM | |
| | | '6' FOR OTHER | |
| 727.819,53 | Indicates if patient claims | 'Y' FOR YES | PATIENT file (#2); RADIATION EXPOSURE |
| RADIATION STATUS | exposure to ionizing radiation. | 'N' FOR NO | INDICATED? field (#.32103). The status indicator is returned by SVC^VADPT. |
| | Tautation. | 'U' FOR UNKNOWN | is returned by SVC VADET. |
| | | '1' FOR NO RADIATION | |
| | | '2' FOR HIROSHIMA/NAGASAKI | |
| | | '3' FOR ATMOSPHERIC NUCLEAR TESTING | |
| | | '4' FOR H/N AND ATMOSPHERICTESTING | |
| | | '5' FOR UNDERGROUND NUCLEAR TESTING | |
| | | '6' FOR EXPOSURE AT NUCLEAR FACILITY | |
| | | '7' FOR OTHER | |
| 727.819,54 | Indicates if patient claims | 'Y' FOR YES | PATIENT file (#2); AGENT ORANGE EXPOS. |
| AGENT ORANGE | exposure to Agent Orange. | 'N' FOR NO | INDICATED? field (#.32102). The status indicator |
| STATUS | | 'U' UNKNOWN | is returned by SVC^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|--------------------------------------|--|---|--|
| 727.819,55 AGENT ORANGE LOCATION | Indicates the location where the patient was exposed to Agent Orange. | 'B' FOR BLUE WATER NAVY 'K' FOR KOREAN DMZ 'V' FOR VIETNAM 'T' FOR THAILAND (U.S. OR ROYAL THAI MIL BASE) 'L' FOR LAOS 'C' FOR CAMBODIA (MIMOT OR KREK, KAMPONG CHAM) 'G' FOR GUAM, AMERICAN SAMOA, OR TERRITORIAL WATERS 'J' FOR JOHNSTON ATOLL | The location is returned by a call to SVC^VADPT which gets its data from the AGENT ORANGE EXPOSURE LOCATION field (#.3213) of the PATIENT file (#2). |
| 727.819,56 PURPLE HEART INDICATOR | Indicates whether or not the patient is a Purple Heart recipient. | 'Y' FOR YES 'N' FOR NO | PATIENT file (#2); CURRENT PH INDICATOR field (#.531). The status indicator is returned by SVC^VADPT. |
| 727.819,57 MST STATUS | Indicates if patient claims Military Sexual Trauma (MST). | 'Y' FOR YES,SCREENED REPORTS MST 'N' FOR NO,SCREENED DOES NOT REPORT MST 'U' FOR UNKNOWN, NOT SCREENED 'D' FOR SCREENED, DECLINES TO ANSWER | The MST HISTORY file (#29.11) holds data regarding military sexual trauma claims and effective dates. The patient's MST status is stored in the MST STATUS field (#3). A call will be made to \$\$GETSTAT^ DGMSTAPI(DFN,DGDATE) using the DFN in the PATIENT NO. DFN field (#4) and the date in the DAY field (#8). |
| 727.819,58 ENROLLMENT LOCATION | The facility that the patient chooses to designate as his preferred location for care. | | The PREFERRED FACILITY field (#27.02) of the PATIENT file (#2) is defined as the facility that the patient chooses to designate as his preferred location for care. The PREFERRED FACILITY field (#27.02) is a pointer to the INSTITUTION file (#4). From file #4, the value in the STATION NUMBER field (#99) is used. |
| 727.819,59 ENROLLMENT CATEGORY | Patient's enrollment category. | | ENROLLED CATEGORY is derived from the standard call \$\$CATEGORY^DGENA4 using the patient's DFN and the ENROLLMENT STATUS (#60) field. |

| Field # and Name | Description | Values | Technical Description |
|---|---|--|--|
| 727.819,60 ENROLLMENT STATUS | Patient's enrollment status | | ENROLLMENT STATUS is derived from the standard call \$\$STATUS^ DGENA using the patient's DFN and returns the ENROLLMENT STATUS field (#.04) of the PATIENT ENROLLMENT file (#27.11). |
| 727.819,61 SHAD STATUS | Indicates whether patient meets requirements for Shipboard Hazard and Defense (SHAD) conditions. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the IV DETAIL EXTRACT file (#727.819), Shipboard Hazard and Defense data is derived from using DBIA #4462 GETSHAD DGUTL3(DFN). |
| 727.819,62 CNH STATUS | This field indicates if the Patient is in a Contract Nursing Home (CNH). | 'Y' FOR YES 'N' FOR NO | Using the CNHSTAT^ECXUTL4 (DFN) call, the CNH status is returned based on the CNH CURRENT field (#148) of the PATIENT file (#2). |
| 727.819,63 PLACEHOLDER | Currently Null | | Currently Null |
| 727.819,64 HEAD & NECK CANCER INDICATOR | Indicates if patient claims head and/or neck cancer. | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4), a call is made to \$\$GETCUR^DGNTAPI to retrieve the HEAD/NECK CA DX field (#2.01) of the NOSE AND THROAT RADIUM HISTORY file (#28.11). |
| 727.819,65 PLACEHOLD ETHNICITY | This field, previously known as ETHNICITY, is no longer needed. The name has been changed to PLACEHOLD ETHNICITY and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.819,66 PLACEHOLD RACE 1 | This field, previously known as RACE 1, is no longer needed. The name has been changed to PLACEHOLD RACE 1 and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.819,67 PLACEHOLDER | Currently NULL. This field is not currently used. | | Currently NULL |
| 727.819,68 PLACEHOLDER | Currently NULL. This field is not currently used. | | Currently NULL |
| 727.819,69 PLACEHOLDER | Currently NULL. This field is not currently used. | | Currently NULL |
| 727.819,70 PLACEHOLDER | Currently NULL. This field is not currently used. | | Currently NULL |

| Field # and Name | Description | Values | Technical Description |
|---|--|---|---|
| 727.819,71 ORDERING PROVIDER PERSON CLASS | The VA code of the Person Class of the Ordering Provider as of the date of this extract record. | | ORDERING PROVIDER PERSON CLASS is the Active Person which is determined by \$\$GET^AU4A71 (PERS,DATE), where PERS is the IEN from the NEW PERSON file (#200). |
| 727.819,72 PLACEHOLD DSS IP# | This field, previously known as DSS IP#, is no longer needed. The name has been changed to PLACEHOLD DSS IP # and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.819,73 ENROLLMENT PRIORITY | This field contains the enrollment priority group and the enrollment priority subgroup. | ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 | ENROLLMENT PRIORITY field contains the enrollment priority group and the enrollment priority subgroup from the PATIENT ENROLLMENT file (#27.11). |
| 727.819,74 USER ENROLLEE | Indicates whether a User has Enrollee status for the current or future fiscal year. | 'U' FOR USER ENROLLED | User enrollee is determined by checking the PATIENT ENROLLMENT file (#27.11) When a user has a current or future fiscal year in the VistA USER ENROLLEE STATUS field (#.04), the value is set to 'U" and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT^EASUER where the Patient Identifier (DFN) is passed in. |

| Field # and Name | Description | Values | Technical Description |
|--|--|--|---|
| 727.819,75 PATIENT TYPE | Refers to the various types of patient which may be seen at a VA facility. Every patient in the system must have a TYPE specified. | 'AC' FOR ACTIVE DUTY 'AL' FOR ALLIED VETERAN 'CO' FOR COLLATERAL 'EM' FOR EMPLOYEE 'IN' FOR INELIGIBLE 'MI' FOR MILITARY RETIREE 'NO' FOR NON- VETERAN (OTHER) 'NS' FOR NSC VETERAN 'SC' FOR SC VETERAN 'TR' FOR TRICARE | PATIENT TYPE is derived from a call to TYPE^ECXUTL5 (DFN). Using the patient's DFN, the NAME field (#.01) of the TYPE OF PATIENT file (#391) as pointed to by the TYPE field (#391) of the PATIENT file (#2) is shortened to the first two characters to determine the value stored in the PATIENT TYPE field (#68). |
| 727.819,76 CV STATUS ELIGIBILITY | This field indicates whether or not a patient can be considered a Combat Veteran (CV) at the time of treatment. Records if Veteran served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of hostilities after November 11, 1998. | 'Y' FOR YES 'E' FOR ELIGIBILITY EXPIRED | CV STATUS ELIGIBILITY is determined by the use of API \$\$CVEDT^DGCV(DFN, DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces 1^3010106^0. The first piece is resolved as follows 1 - Veteran qualifies as a CV 0 - Veteran does not qualify as a CV -1 - bad DFN or date Based on this result, the field will be set to 'Y' for 'YES' or 'E' for 'ELIGIBILITY EXPIRED' or 'NULL' for not eligible. |
| 727.819,77 CV ELIGIBILITY END DATE | Records the Combat Veteran (CV) eligibility expiration date of Veteran who served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of hostilities after November 11, 1998. | | CV ELIGIBILITY END DATE is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces (i.e., 1^2010106^0). The second piece is the COMBAT VET END DATE in HL7 format. |

| Field # and Name | Description | Values | Technical Description |
|--|---|--|--|
| 727.819,78 ENCOUNTER CV | This field indicates whether service provided during this patient encounter is related to the patient being a Combat Veteran (CV). Records if Veteran served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of hostilities after November 11, 1998. | | ENCOUNTER CV is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces (i.e.1^2010106^0). The third piece retums: 1 - vet was eligible on date specified 0 - vet was not eligible on date specified Based on these returns, the value for this field shall by Y for Yes if value is 1 or left blank if 0 to indicate ineligibility. |
| 727.819,79 NATIONAL PATIENT RECORD FLAG | This field will indicate if the patient has any type of a National Flag indicator. | 'Y' FOR YES | The NATIONAL PATIENT RECORD FLAG field is set based on the results of the \$\$GETACT^DGPFAPI(DFN,TARGET ARRAY) call. This call looks at the category 1 national patient record flags as recorded in the PRF NATIONAL FLAG file (#26.15). The resulting value of this call is the number of active category I patient record flags assigned to this patient. This field is set to Y (YES) if the result is greater than zero. A value of zero causes this field to be left null. |
| 727.819,80 ERI | This field identifies patients from impacted ZIP Code areas designated by the Federal Emergency Management Agency (FEMA). | 'K' FOR HURRICANE KATRINA 'P' FOR PANDEMIC NULL | This field is extracted from the EMERGENCY RESPONSE INDICATOR field (#.181) located in the PATIENT file (#2) |
| 727.819,81 SW ASIA CONDITIONS | This field is used to indicate if this patient claims exposure to Southwest Asia Conditions. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | This field is derived from the SOUTHWEST ASIA CONDITIONS? field (#.322013) in the PATIENT file (#2) using the patient's DFN. The status indicator is returned by SVC^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|--|--|---|--|
| 727.819,82 OEF/OIF | The Military Operation(s) in which the patient was in combat. This field is a length of nine characters and reflects the OEF or OIF where this patient was in combat. | Possible field values are one or more combinations of the following: OEF = OPERATION ENDURING FREEDOM OIF = OPERATION IRAQI FREEDOM UNK = UNKNOWN OEF/OIF | The Military Operation in which the patient was in combat during the specified time period. This field is a length of nine characters and reflects the OEF or OIF where this patient was in combat. The value of this field is derived from the LOCATION OF SERVICE field (#.01) from the SERVICE [OEF OR OIF] sub-file (#2.3215) of field #.3215 located in the PATIENT file (#2). DSS will capture, once, each location where the Veteran served. In order to accommodate multiple locations, the values for this field are concatenated into this 9-character field. |
| 727.819,83 OEF/OIF RETURN DATE | The date the Veteran left the OEF/OIF area. Otherwise, it is the end date of military pay for this OEF/OIF deployment. This date field has a format equal to YYYYMMDD. In cases of multiple OEF/OIF tours, this field contains only the most recent return date. | | The value of this field is derived from the OEF/OIF TO DATE field (#.03) from the SERVICE [OEF OR OIF] sub-file (#2.3215) of field #.3215 located in the PATIENT file (#2). |
| 727.819,84 PLACEHOLD ASSOC PC PROV NPI | This field, previously known as ASSOCIATE PC PROVIDER NPI, is no longer needed. The name has been changed to PLACEHOLD ASSOC PC PROV NPI and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |
| 727.819,85 ORDERING PROVIDER NPI | A standard unique life-long identifier, issued by Health and Human Services, of the provider who ordered the intravenous product. This field has a length of fifteen characters. | | The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.819,86 PLACEHOLD PC PROVIDER NPI | This field, previously known as PRIMARY CARE PROVIDER NPI, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER NPI and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |

| Field # and Name | Description | Values | Technical Description |
|---|---|---|---|
| 727.819,87 COUNTRY CODE | This is the code for the country associated with the address. | | The three-character alpha identifying code is copied from the CODE field (#.01) of the COUNTRY file (#779.004). |
| 727.819,88 PATCAT | This is the Patient's category which will be used for Federal Health Care Center (FHCC) Reconciliation. DSS must capture and report DoD patients so that the FHCC reconciliation process can function as designed. "Reconciliation" is the process used within the new FHCC to determine which patients DoD pays for and which VA pays for. | 'AD' FOR ACTIVE DUTY 'ADD' FOR ACTIVE DUTY DEPENDENT 'FNRS' FOR FORMER NON-REMARRIED SPOUSE 'RET' FOR RETIRED 'RETD' FOR RETIREE DEPENDENT 'RES' FOR RESERVIST 'REC' FOR RECRUIT 'TDRL' FOR TEMPORARY DISABILITY 'TFL' FOR TRICARE FOR LIFE | If the VistA Patient Type Code [TYPE field (#391) of the PATIENT file (#2)]=Active Duty, Military Retiree, or TRICARE, then the value(s) in the VistA OTHER ELIGIBILITY multiple [PATIENT ELIGIBILITIES field (#361) of the PATIENT file (#2)], which points to locally modifiable ELIGIBILITY CODE file (#8), should be evaluated. If the value in the ELIGIBILITY CODE is equal to any entry in the set of codes in this field, the value should be placed in this field. |
| 727.819,89 ENCOUNTERSC | Indicates if treatment provided during this patient encounter is Service Connected. | 'Y' FOR YES 'N' FOR NO | Using a pointer to the VISIT file (#9000010), a call is made to API VISIT^ECXSCX1, which in tum calls ENCEVENT^PXAPI. This call returns visit data, including the SERVICE CONNECTED field (#80001) in the VISIT file (#9000010). |
| 727.819,90 CAMP LEJEUNE STATUS | Indicates if patient claims exposure to contaminated water while stationed at Camp Lejeune, NC between January 1, 1957 and December 31, 1987. | 'Y' FOR YES 'N' FOR NO | Using the patient's DFN, a call is made to PAT^ECXUTL3, which in turn calls SVC^VADPT. This call returns all service related information for a patient, including their Camp Lejeune status. |
| 727.819,91 ENCOUNTER CAMP LEJEUNE | Indicates if episode of care is related to exposure to contaminated water while stationed at Camp Lejeune, NC between January 1, 1957 and December 31, 1987. | 'Y' FOR YES 'N' FOR NO | Using a pointer to the VISIT file (#9000010), a call is made to API VISIT ^ ECXSCX1, which in tum calls ENCEVENT ^ PXAPI. The ENCEVENT ^ PXAPI returns the encounter Camp Lejeune data from the VISIT file (#9000010). |
| 727.819,92 COMBAT VETERAN INDICATOR | Identifies if patient served in a combat zone | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, COMBAT SERVICE INDICATOR data is derived from the COMBAT SERVICE INDICATED field (#.5291) in the PATIENT file (#2). COMBAT SERVICE INDICATED is returned by the supported call SVC^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|--|--|---|--|
| 727.819,93 COMBAT VETERAN LOCATION | Identifies the war in which the combat service was incurred. | WWI WWII-EUROPE WWII-PACIFIC KOREAN VIETNAM OTHER PERSIAN GULF YUGOSLAVIA | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, COMBAT SERVICE LOCATION data is derived from the COMBAT SERVICE LOCATION field (#.5292) in the PATIENT file (#2). The COMBAT SERVICE LOCATION IEN is returned by the supported call SVC ^VADPT. This IEN is then used to retrieve the ABBREVIATION field (#1) from the POW PERIOD file (#22). |
| 727.819,94 PATIENT DIVISION | This field is the Station Number of the ward (for inpatients and observation patients) or the outpatient clinic (for outpatients) where the IV was administered. | | For inpatients and observation patients, the input parameter for the RADDIV^ECXDEPT API is based on the ward where the IV was administered. For outpatients, the input parameter for the RADDIV^ECXDEPT API is based on the outpatient clinic where the IV was administered. |
| 727.819,95 VISTA DEA SPECIAL HDLG | Identifies the DEA codes assigned to the drug associated with this record. | | Derived from the DEA, SPECIAL HDLG field (#3) in the DRUG file (#50). |
| 727.819,96 PLACEHOLD CERNER | Placeholder for Cerner fields. Reserved for EHRM conversion. | Currently null | Currently null |
| 727.819,97 NEW MPI | A national VA system IDENTIFIER which uniquely identifies a patient. Commonly called "Patient ICN" or "Patient IEN"; not to be confused with the IEN from the VistA PATIENT file. | | Derived by calling API, \$\$GETICN^MPIF001 (Supported DBIA #2701), that returns the Integration Control Number (ICN) and the ICN checksum for the given patient in the PATIENT file (#2). |

| Field # and Name | Description | Values | Technical Description |
|--|--|---|--|
| 727.819,98 SELF IDENTIFIED GENDER | The SELF IDENTIFIED GENDER value indicates the patient's personal sense of their gender identity (if they choose to provide it). Self-identified gender may be the same or different as the sex assigned at birth. | 'M' FOR MALE 'F' FOR FEMALE 'TM' FOR TRANSGENDER MALE 'TF' FOR TRANSGENDER FEMALE 'O' FOR OTHER 'N' FOR DOES NOT WISH TO DISCLOSE 'B' FOR NON-BINARY | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the IV DETAIL EXTRACT file (#727.819), this data is derived from the SELF IDENTIFIED GENDER field (#.024) in the PATIENT file (#2). |
| 727.819,99 PRICE PER DISPENSE UNIT | This is the price per dispense unit for this drug. | | This is the PRICE PER DISPENSE UNIT field (#16) of the DRUG file (#50). The PRICE PER DISPENSE UNIT is returned by \$\$PHAAPI^ECXUTL5. |
| 727.819,100 DISPENSE UNIT | This is the dispense unit for this drug. | | This is the DISPENSE UNIT field (#14.5) of the DRUG file (#50). The DISPENSE UNIT is returned by \$\$PHAAPI^ECXUTL5. |

3.7. #727.813 – LABORATORY EXTRACT (LAB) File Data Definition

This file contains data elements as specified by MCAO for the Laboratory extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS/MCA site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.



NOTE: Descriptions and Technical Descriptions may not match VA FileMan.

Table 8: Laboratory Extract (LAB) File #727.813 Data Definitions

| Field # and Name | Description | Values | Technical Description |
|--------------------------------|--|--------|---|
| 727.813,.01 SEQUENCE NUMBER | The record number for this extract entry. | | The internal entry number (IEN) for this record. This entry is DINUMed. |
| 727.813,1 YEAR MONTH | A six-character string representing the year and the month for which this extract was performed. | | YEAR MONTH is derived by parsing the FileMan format end date of the extract. The month is determined by taking the fourth and fifth characters of the end date, the year by taking the second and third characters, and the century is then calculated by taking the first character of the end date and adding 17 to it. The century is then concatenated with the year and month, giving the results in YYYYMM format. |
| 727.813,2 EXTRACT NUMBER | The corresponding entry in the DSS EXTRACTLOG file (#727) for this extract. | | A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message. |

| Field # and Name | Description | Values | Technical Description |
|--|---|--------|---|
| 727.813,3 FACILITY | This is the facility/division where the specimen was drawn or the test was accessioned. | | An indicator of the facilty/division where the specimen was collected or the test was accessioned. Using the ACCESSIONING INSTITUTION field (#.112) of the CHEM, HEM, TOX, RIA, SER, etc. multiple (#4) in the LAB DATA file (#63), FACILITY is derived from the STATION NUMBER field (#99) for that pointer number in the INSTITUTION file (#4). If an institution file entry is defined but that entry doesn't have a station number, 9999A will be used to indicate a non-VA site was identified. |
| 727.813,4 PATIENT NO DFN | The IEN (Internal Entry Number) for the patient or entity at the local site. | | The patient to whom this extract applies. It could be an inpatient or a referral patient. Internal entry number in the PATIENT file (#2) or the REFERRAL PATIENT file (#67). Derived from the NAME field (#.03) as defined from the PARENT FILE field (#.02) in the LAB DATA file (#63). |
| 727.813,5 SSN IDENTIFYING NUMBER | The patient's social security number or the identifying number for a referral patient. | | SSN or identifying number. If the PATIENT field (#9) of the ACCESSION WKLD CODE TIME multiple (#1) within the WKLD CODE multiple (#1) within the DATE multiple (#.03) of the WKLD DATA file (#64.1) is a. PATIENT file (#2)=SOCIAL SECURITY NUMBER field (#.09) b. REFERRAL PATIENT file (#67)="000123456" "Test" patient status is determined in PAT^ECXUTL3. For the LAB extract, the following are considered test SSNs: • 123456789; • Nine repeating digits (e.g., 333333333); • The first three digits are '000' or '666' (except '000123456' for referral patients); • The middletwo digits are '000'; • The last four digits are '0000'; • The first digit is '9'. |

| Field # and Name | Description | Values | Technical Description |
|--|--|--|--|
| 727.813,6 NAME | The first four characters of the patient's last name or | | Free-text first four characters of the patient's or entity's last name. |
| TVAIVE | entity's name. | | If the PATIENT field (#9) of the ACCESSION WKLD CODE TIME multiple (#1) within the WKLD CODE multiple (#1) within the DATE multiple (#.03) of the WKLD DATA file (#64.1) is |
| | | | a. PATIENT file (#2)= NAME field (#.01) in the PATIENT file (#2). |
| | | | b. REFERRAL PATIENT file (#67)= "RFRL" |
| | | | If necessary, trailing spaces are padded to equal four characters. |
| 727.813,7 IN OUT PATIENT INDICATOR | Indicates the patient's status for this extract entry. Observation admissions are treated as outpatient | 'I' FOR INPATIENT 'O' FOR OUTPATIENT 'A' FOR ASIH (OTHER FACILITY) | To determine the value of this field, a call is made to \$\$PATDEM^ECXUTL2. Within this call, \$\$INP^ECXUTL2 is called to determine the patient status. |
| | encounters in MCA, similar to Medicare rules and | TACILITY | If the patient is an outpatient, processing stops and the field is set to O. |
| | community hospitals. | ommunity hospitals. | If the patient is an inpatient, \$\$INOUTP^ECXUTL4 is called to look at the treating specialty. |
| | | | If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831) is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the indicator is setto I. |
| | | | If the patient is ASIH to another facility at the date/time in question, the indicator is set to A. |
| 727.813,8 DAY | Date the last test/specimen was collected. | | Data is inserted in this field by Laboratory routine ECXLABN and is derived from WKLD LOG FILE (#64.03) DATE/TIME COLLECTED field (#12). |
| | | | The value in field #12 of file #64.03 originated from routine LRCAPDSS and is derived from WKLD DATA file (#64.1); ACCESSION WKLD CODE TIME sub-file (#64.1111); INVERSE DATE COMPLETED field (#21). |
| | | | This field is always exactly eight numeric characters in length. The format is YYYYMMDD; for example, 19970923. |
| | | | If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. |
| | | | |

| Description | Values | Technical Description |
|---|---|--|
| The accession area where the lab specimen was received. | | For a laboratory procedure on a routine medical center patient, this field will contain the IEN of the ACCESSION file (#68) as pointed to by the ACCESSION AREA field (#6) of the WKLD LOG FILE (#64.03). |
| | | For a procedure on a referral patient, this field will contain the first two characters of the AGENCY CODE field (#95) of the INSTITUTION file (#4). |
| | | Coinciding with the LOCATION field, if the referring facility doesn't exist or is not found in the INSTITUTION file (#4), this field will be set to XX. |
| | | If the referring facility is found in the INSTITUTION file (#4) and not containing a STATION NUMBER (#99), this field will be set to ZZ. |
| The abbreviation for the accession area where the lab specimen was received. | | ABBREVIATION field (#.09) in the ACCESSION file (#68) as pointed to by the MAJ. SECT. field (#6) of the ACCESSION WKLD CODE TIME multiple (#1) within the WKLD CODE multiple (#1) within the DATE multiple (#.03) of the WKLD DATA file |
| The lab test performed. | | (#64.1). The IEN of the record in the LABORATORYTEST file (#60) as pointed to by the LAB TEST field (#1) of the ACCESSION WKLD CODE TIME multiple (#1) within the WKLD CODE multiple (#1) within the DATE multiple (#.03) of the WKLD DATA file (#64.1). |
| The turnaround time requested. | | The IEN of the record in the URGENCY file (#62.05) as pointed to by the URGENCY field (#22) of the ACCESSION WKLD CODE TIME multiple (#1) within the WKLD CODE multiple (#1) within the DATE multiple (#.03) of the WKLD DATA file (#64.1). |
| Indicates treating specialty PTF CODE for this patient or entity. Will be set to null for outpatients. | | NAME field (#.01) in the SPECIALTY file (#42.4), as pointed to by the NAME field (#.01) in the FACILITY TREATING SPECIALTY file (#45.7), as pointed to by the TREATING SPECIALTY field (#16) of the ACCESSION WKLD CODE TIME multiple (#1) within the WKLD CODE multiple (#1) within the DATE multiple (#.03) of the WKLD DATA file (#64.1). Then, the PTF CODE (field #7 of file #42.4) is |
| | The accession area where the lab specimen was received. The abbreviation for the accession area where the lab specimen was received. The lab test performed. The turnaround time requested. Indicates treating specialty PTF CODE for this patient or entity. Will be set to null for | The abbreviation for the accession area where the lab specimen was received. The abbreviation for the accession area where the lab specimen was received. The lab test performed. The turnaround time requested. |

| Field # and Name | Description | Values | Technical Description |
|-------------------------------|---|--------|---|
| 727.813,14 LOCATION | The service/location from which the original order came. | | For regular patients, this field is set to the IEN of the record in the HOSPITAL LOCATION file (#44) as copied from the ORDERING LOCATION field (#20) of the ACCESSION WKLD CODE TIME multiple (#1) within the CODE multiple (#1) within the DATE multiple (#.03) of the WKLD DATA file (#64.1). |
| | | | For referral patients whose referring facility is found in the INSTITUTION file (#4), this field is set to the STATION NUMBER field (#99) of the referring facility. |
| | | | If the STATION NUMBER field (#99) is null, this field is set to ZZZZZ. |
| | | | For referral patients whose referring facility is NOT found in the INSTITUTION file (#4), this field is set to XXXXX. |
| 727.813,15 PROVIDER | The provider assigned to this patient or entity. | | NAME field (#.01) of the PROVIDER file (#6) or the NAME field (#.01) of the NEW PERSON file (#200) as pointed to by the PROVIDER field (#15) of the ACCESSION WKLD CODE TIME multiple (#1) within the WKLD CODE multiple (#1) within the DATE multiple (.03) of the WKLD DATA file (#64.1). The pointer value for the provider will be prefixed by "6" if found in file #6; it will be prefixed by "2" |
| | | | if found in file #200. |
| 727.813,16 MOVEMENT FILE # | Movement number from the PATIENT MOVEMENT file (#405) associated with this event for a patient. This field will be set to null for non-patient or outpatient events. | | This field is initialized to null, indicating an outpatient status. If a call to IN5^VADPT (using the patient IEN and the event date) returns a patient movement number (indicating inpatient status), then this field is set to the value of VAIP(1), which is the pointer to the PATIENT MOVEMENT file (#405). |
| 727.813,17 FILE | Parent file from which entity was extracted, i.e., PATIENT file (#2), REFERRAL PATIENT file (#67), or RESEARCH file (#67.1). | | If the PATIENT field (#9) of the ACCESSION WKLD CODE TIME multiple (#1) within the WKLD CODE multiple (#1) within the DATE field (#.03) contains a. ^DPT(=PATIENT file (#2) b. ^LRT(67,=REFERRAL PATIENT file (#67) |

| Field # and Name | Description | Values | Technical Description |
|--|--|----------------|---|
| 727.813,18 TIME | A 6-character numeric string that represents the time-of- day at which the Laboratory | | Data is inserted in this field by Laboratory routine ECXLABN and is derived from WKLD LOG FILE (#64.03) DATE/TIME COLLECTED field (#12). |
| | test was collected. | | The value in field #12 of file #64.03 originated from routine LRCAPDSS and is derived from WKLD DATA file (#64.1); ACCESSION WKLD CODE TIME sub-file (#64.1111); INVERSE DATE COMPLETED field (#21) |
| | | | This field is always exactly six numeric characters in length; if time cannot be determined, then "000300" is used as default. |
| 727.813,19 WORKLOAD CODE | For Lab Extract with LMIP Codes, this is the workload code for this event. This corresponds to a CAP code. For Lab Extract without LMIP Codes, this field is set to null. | | WKLD CODE field (#1) of the WKLD CODE file (#64) as pointed to by the WKLD CODE field (#.01) of the WKLD CODE multiple (#1) within the DATE multiple (#.03) of the WKLD DATA file (#64.1). |
| 727.813,20 PLACEHOLD PRIMARY CARE TEAM | This field, previously known as PRIMARY CARE TEAM, is no longer needed. The name has been changed to PLACEHOLD PRIMARY CARE TEAM and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |
| 727.813,21 PLACEHOLD PC PROVIDER | This field, previously known as PRIMARY CARE PROVIDER, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |
| 727.813,22 PLACEHOLD MPI | This field, previously known as MASTER PATIENTINDEX, is no longer needed. The name has been changed to PLACEHOLD MPI and its value will be set to null. | Currently null | This field is no longerin use as of patch ECX*3*184. |
| 727.813,23 PLACEHOLDER | This field, previously known as DSS PRODUCT DEPARTMENT, is no longer needed. The name has been changed to PLACEHOLDER and its value will be set to null. | | This field is no longerin use as of patch ECX*3*161. |

| Field # and Name | Description | Values | Technical Description |
|---|---|--|---|
| 727.813,24 PLACEHOLDER | Currently NULL | | Currently NULL |
| 727.813,25 PLACEHOLDER | Currently NULL | | Currently NULL |
| 727.813,26 PLACEHOLD PC PROV PERSON CLASS | This field, previously known as PC PROVIDER PERSON CLASS, is no longer needed. The name has been changed to PLACEHOLD PC PROV PERSON CLASS and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.813,27 PLACEHOLD ASSOC PC PROVIDER | This field, previously known as ASSOCIATE PC PROVIDER, is no longer needed. The name has been changed to PLACEHOLD ASSOC PC PROVIDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.813,28 PLACEHOLD AS PC PROV PERSON CL | This field, previously known as ASSOC. PC PROV. PERSON CLASS, is no longer needed. The name has been changed to PLACEHOLD AS PC PROV PERSON CL and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |
| 727.813,29 PLACEHOLDER | Currently NULL | | Currently NULL |
| 727.813,30 DOM,PRRTP AND SARRTP INDICATOR | Indicates if the patient is admitted to either an RRTP, PRRTP, or SARRTP at the time care is provided. | 'P' FOR GEN. PRRTP 'D' FOR DOMICILIARY 'S' FOR DOM. PRRTP 'T' FOR PTSD PRRTP 'H' FOR HOMELESS CWT/TR 'A' FOR SA CWT/TR 'B' FOR PTSD CWT/TR 'C' FOR GEN. CWT/TR | If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the DOM/PRRTP/SARRTP CODE field (#2) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). Otherwise, the value is null. |

| Field # and Name | Description | Values | Technical Description |
|--|---|------------------------|--|
| 727.813,31 OBSERVATION PATIENT INDICATOR | Indicates if patient is considered to be an observation patient. Observation admissions are treated as outpatient encounters in MCA, similar to Medicare rules and community hospitals. | 'Y' FOR YES 'N' FOR NO | Data (YES, NO) is retrieved from API call \$\$OBSPAT^ECXUTL4: If the patient's treating specialty exist in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS ID (MTL,IVP,ECQ,QSR,NOS,SUR) is 290-297, Observation Patient Ind = YES. Else, Observation Patient Ind = NO. Otherwise, Observation Patient Ind = NO. |
| 727.813,32 ENCOUNTER NUMBER | The unique number assigned for DSS. The OBS conversion logic is: Treating Specialty Use this Stop Code 18 293 (neurology) 24 290 (medicine) 41 296 (Rehab Med) 65 291 (Surgery) 94 292 (psychiatry) 1J 297 (ER) | | This field is determined by a call to \$\$ENCNUM^ECXUTL4. Within this call the inpatient/outpatient status, SSN, admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number. |
| 727.813,33 ORDERING STOP CODE | This field contains the stop code associated with the order. | | The STOP CODE field (#1) associated with the ordering location for this order as obtained from the CLINICS AND STOP CODES file (#728.44). Ordering location is derived from the HOSPITAL LOCATION field (#14) of the processing WKLD LOG FILE (#64.03) of this extract. |
| 727.813,34 ORDERING DATE | Date test was ordered. | | This field contains the date of the order in YYYYMMDD format. |
| 727.813,35 PRODUCTION DIVISION | Data represents the medical center division the work was performed in. This field corresponds to an entry in the INSTITUTION file (#4). | | Data comes from the STATION NUMBER field (#99) of the INSTITUTION file (#4). |
| 727.813,36 PLACEHOLD DSS IP # | This field, previously known as DSS IP#, is no longer needed. The name has been changed to PLACEHOLD DSS IP # and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |

| Field # and Name | Description | Values | Technical Description |
|---|--|--|--|
| 727.813,37 ORDERING PROVIDER PERSON CLASS | VA code of the Person Class of the patient's Ordering Provider. | | Active Person Class is determined by the supported call \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the seventh piece of the returned value string. |
| 727.813,38 ERI | This field identifies patients from impacted ZIP code areas designated by the Federal Emergency Management Agency (FEMA). | 'K' FOR HURRICANE KATRINA 'P' FOR PANDEMIC NULL | This field is extracted from the EMERGENCY RESPONSE INDICATOR field (#.181) located in the PATIENT file (#2). |
| 727.813,39 PLACEHOLD ASSOC PC PROV NPI | This field, previously known as ASSOCIATE PC PROVIDER NPI, is no longer needed. The name has been changed to PLACEHOLD ASSOC PC PROV NPI and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.813,40 PLACEHOLD PC PROVIDER NPI | This field, previously known as PRIMARY CARE PROVIDER NPI, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER NPI and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.813,41 PROVIDER NPI | A standard unique life-long identifier, issued by Health and Human Services, of the individuals providing health care services. This field has a length of fifteen characters. | | PROVIDER NPI is a standard unique life-long identifier of the individuals providing health care services. The qualified identifier is retrieved via the supporting Kernel API:\$\$NPI^XUSNPI. |
| 727.813,42 LOINC CODE | A universal coding standard for identifying laboratory observations. | | Derived by finding the value of the Test field (#9 above) on the LABORATORY TEST file (#60) and retrieving the LOINC Code field. |
| 727.813,43 LAB BILLABLE PROCEDURE | If a "Y" is entered, it will indicate that the test is considered a billable LMIP procedure (lab billable means Lab staffworkload). | 'Y' FOR YES 'N' FOR NO | This field indicates if the test is considered to be a billable LMIP procedure or not (lab billable means Lab staff workload). This field is derived from the BILLABLE PROCEDURE field (#4) of the WKLD CODE file (#64). |

| Field # and Name | Description | Values | Technical Description |
|------------------------------|---|---|--|
| 727.813,44 DSS FEEDER KEY | If a "Y" is entered, it indicates the WKLD Code should be used for DSS Laboratory data collection. | 'Y' FOR YES 'N' FOR NO | This field indicates whether the WKLD CODE should be used for DSS Laboratory data collection. Codes that are defined as 'Y' (YES) will be extracted and passed to the DSS Laboratory API. This field is based on the value of the DSS FEEDER KEY field (#14) of the WKLD CODE file (#64). |
| 727.813,45 DATA NAME | This field is the Lab Test Data Name. This field will allow lab management and DSS staff to know whether the entry is a panel test and if it has been designated as a separately billable test. If this field has a value, then it is not a panel test and is individually billable. If this field does not have a value, then it's a panel test and is billable as a unit. | | Obtained via the WKLD LOG FILE (#64.03), DATA NAME field (#20). This field will allow lab management and DSS staff to know whether the entry is a panel test and if it has been designated as a separately billable test. If this field has a value, then it is not a panel test and is individually billable. If this field does not have a value, then it's a panel test and is billable as a unit. |
| 727.813,46 DATA LOCATION | The Data Location field is only populated if a test is a non-panel test and is part of the CHEM, HEM, TOX, SER, RIA, etc. area. | | This field is derived from the LOCATION (DATA NAME) field (#5) of the LABORATORY file (#60). |
| 727.813,47 PATCAT | This is the Patient's category which will be used for Federal Health Care Center (FHCC) Reconciliation. DSS must capture and report DoD patients so that the FHCC reconciliation process can function as designed. "Reconciliation" is the process used within the new FHCC to determine which patients DoD pays for and which VA pays for. | 'AD' FOR ACTIVE DUTY 'ADD' FOR ACTIVE DUTY DEPENDENT 'FNRS' FOR FORMER NON-REMARRIED SPOUSE 'RET' FOR RETIRED 'RETD' FOR RETIREE DEPENDENT 'RES' FOR RESERVIST 'REC' FOR RECRUIT 'TDRL' FOR TEMPORARY DISABILITY 'TFL' FOR TRICARE FOR LIFE | If the VistA Patient Type Code [TYPE field (#391) of the PATIENT file (#2)] = Active Duty, Military Retiree, or TRICARE, then the value(s) in the VistA OTHER ELIGIBILITY multiple [PATIENT ELIGIBILITIES field (#361) of the PATIENT file (#2)], which points to locally modifiable ELIGIBILITY CODE file (#8), should be evaluated. If the value in the ELIGIBILITY CODE is equal to any entry in the set of codes in this field, the value should be placed in this field. |

| Field # and Name | Description | Values | Technical Description |
|-------------------------------------|---|---------------------------|---|
| 727.813,48 PLACEHOLD ENCOUNTER SC | This field, previously known as ENCOUNTERSC, is no longer needed. The name has been changed to PLACEHOLD ENCOUNTERSC and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.813,49 CAMP LEJEUNE STATUS | Indicates if patient was exposed to contaminated water while stationed at Camp Lejeune, NC between January 1, 1957 and December 31, 1987. | 'Y' FOR YES 'N' FOR NO | Using the patient's DFN, a call is made to PAT^ECXUTL3, which in turn calls SVC^VADPT. This call returns all service related information for a patient, including their Camp Lejeune status. |
| 727.813,50 | This is the pathologist who performed the anatomic | | This field comes from the PATHOLOGIST field (#22) of the WKLD LOG FILE |
| PATHOLOGIST | pathology workload in the record. | | (#64.03). The PATHOLOGIST field (#22) is populated based on data found in the LAB DATA file (#63). For each accession area that contains pathologist information, the data is found as follows: |
| | | | For cytopathology, the data comes from the PATHOLOGIST/CYTOTECHNOLOGIST field (#.02) of the CYTOPATHOLOGY multiple (#9) of the LAB DATA file (#63). |
| | | | For Surgical Pathology, the data comes from the PATHOLOGIST field (#.02) of the SURGICAL PATHOLOGY multiple (#8) of the LAB DATA file (#63). |
| | | | For Electron Microscopy, the data comes from the PATHOLOGIST field (#.02) of the EM multiple (#2) of the LAB DATA file (#63). |
| | | | For Autopsy, the data comes from the SENIOR PATHOLOGIST field (#13.6) of the LAB DATA file (#63). |
| | | | A "2" is prefixed to the pointervalue to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. |
| 727.813,51 PATHOLOGIST PERSON CLASS | The VA Code of the Person Class of the pathologist associated with this record. | | Active Person Class is determined by \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200 and DATE is the completion date. |
| | The VA Code is always of the form "V"_six numeric digits; exactly seven characters in length. | | |

| Field # and Name | Description | Values | Technical Description |
|---|--|--|---|
| 727.813,52 PATHOLOGIST PROVIDER NPI | A standard, unique life-long identifier, issued by Health and Human Services, of the pathologist. | | The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.813,53 CPT,QTY & MODIFIERS #1 | This is the CPT code associated with the workload code identified for this specific lab test. | | The CPT code is obtained from the CODE field (#.01), of the CODE multiple (#18), in the WKLD CODE file (#64) for the related laboratory procedure/test. |
| 727.813,54 PLACEHOLD CERNER | Placeholder for Cerner fields. Reserved for EHRM conversion. | Currently null | Currently null |
| 727.813,55 NEW MPI | A national VA system IDENTIFIER which uniquely identifies a patient. Commonly called "Patient ICN" or "Patient IEN"; not to be confused with the IEN from the VistA PATIENT file. | | Derived by calling API, \$\$GETICN^ MPIF001 (Supported DBIA #2701), that returns the Integration Control Number (ICN) and the ICN checksum for the given patient in the PATIENT file (#2). |
| 727.813,56 SELF IDENTIFIED GENDER | The SELF IDENTIFIED GENDER value indicates the patient's personal sense of their gender identity (if they choose to provide it). Self-identified gender may be the same or different as the sex assigned at birth. | 'M' FOR MALE 'F' FOR FEMALE 'TM' FOR TRANSGENDER MALE 'TF' FOR TRANSGENDER FEMALE 'O' FOR OTHER 'N' FOR DOES NOT WISH TO DISCLOSE 'B' FOR NON-BINARY | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the LABORATORY EXTRACT file (#727.813), this data is derived from the SELF IDENTIFIED GENDER field (#.024) in the PATIENT file (#2). |

3.8. #727.808 – PHYSICAL MOVEMENT EXTRACT (MOV) File Data Definition

This file contains data elements as specified by MCAO for the Physical Movement (Transfer and Discharge) extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS/MCA site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should only be made by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.



NOTE: Descriptions and Technical Descriptions may not match VA FileMan.

Table 9: Physical Movement Extract (MOV) File #727.808 Data Definitions

| Field # and Name | Description | Values | Technical Description |
|--------------------------------|--|--------|--|
| 727.808,.01 SEQUENCE NUMBER | The IEN of the record for this extract entry. | | The internal entry number (IEN) for this record. This entry is DINUMed. |
| 727.808,1 YEAR MONTH | A six-character string representing the year and month for which this extract was performed. | | YEAR MONTH is derived by parsing the FileMan format end date of the extract. The month is determined by taking the fourth and fifth characters of the end date, the year by taking the second and third characters, and the century is then calculated by taking the first character of the end date and adding 17 to it. The century is then concatenated with the year and month, giving the results in YYYYMM format. |
| 727.808,2 EXTRACT NUMBER | The corresponding entry in the DSS EXTRACTLOG file (#727) for this extract | | A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message. |
| 727.808,3 FACILITY | This is the facility/division where the extract was performed. | | An indicator of the division where this event happened. It is derived from the DIVISION field (#.015) of the WARD LOCATION file (#42), which points to the MEDICAL CENTER DIVISION file (#40.8). |

| Field # and Name | Description | Values | Technical Description |
|-----------------------------|--|--------|---|
| 727.808,4 PATIENT NO DFN | An identifying number for the patient at the local site. | | Pointer to the PATIENT file (#2). This data represents the patient DFN. |
| TAMENTING. BIN | | | Using the "ATT2" or "ATT3" cross-reference on the PATIENT MOVEMENT file (#405), the PATIENT NO DFN data is derived from the PATIENT field (#.03). |
| 727.808,5 SSN | The patient's social security number. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), SSN data is derived from the SOCIAL SECURITY NUMBER field (#.09) in the PATIENT file (#2). |
| | | | "Test" patient status is determined in PAT^ECXUTL3. For the MOV extract, the following are considered test SSNs: |
| | | | 123456789; Nine repeating digits (e.g., 333333333); The first three digits are '000' or '666'; The middletwo digits are '00'; The last four digits are '0000'; The first digit is '9'. |
| 727.808,6 NAME | The first four characters of the patient's last name. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), NAME data is derived from the NAME field (#.01) in the PATIENT file (#2). |
| | | | The first four characters of the first "," piece are used, padded with trailing spaces if necessary. |
| | | | The name value is returned by the supported call DEM^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|------------------------------------|--|--|---|
| 727.808,7 IN OUT PATIENT INDICATOR | Indicates the patient's status for this extract entry. Observation admissions are treated as outpatient encounters in MCA, similar to Medicare rules and community hospitals. | 'I' FOR INPATIENT 'O' FOR OUTPATIENT 'A' FOR ASIH (OTHER FACILITY) | To determine the value of this field, a call is made to \$\$PATDEM^ECXUTL2. Within this call, \$\$INP^ECXUTL2 is called to determine the patient status. If the patient is an outpatient, processing stops and the field is set to O. If the patient is an inpatient, \$\$INOUTP^ECXUTL4 is called to look at the treating specialty. If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831) is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the indicator is set to I. If the patient is ASIH to another facility at the date/time in question, the indicator is set to A. |
| 727.808,8 DAY | This 8-character numeric string represents the date of the physical movement. | | Data source: PATIENT MOVEMENT file (#405), DATE/TIME field (#.01). The format is YYYYMMDD; for example 19970923. If the date cannot be determined, a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion |
| 727.808,9 PRODUCT | The product or feeder key for this extract as defined by the DSS Program Office. | | For the Physical Movement extract, the PRODUCT field is null. |

| Field # and Name | Description | Values | Technical Description |
|-------------------------------|---|--------|---|
| 727.808,10 ADMISSION DATE | This 8-character numeric string represents the date on which the admission associated with this physical movement occurred. | | A call is made to \$\$INP^ECXUTL2 using the patient's DFN and the date/time of the patient movement (transfer or discharge). The call will return the admission date/time associated with this episode of care. |
| | | | In the case of a patient who is ASIH OTHER FACILITY, the admission date/time will be the date/time of the movement that put the patient into ASIH OTHER FACILITY status. |
| | | | The date portion of the DATE/TIME field (#.01) of the PATIENT MOVEMENT file (#405) is used to populate this field. |
| | | | This field is always exactly eight numeric characters in length. The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. |
| 727.808,11 DISCHARGE DATE | This 8-character string represents the date on which the Discharge occurred for discharge-type movements. | | A call is made to \$\$INP^ECXUTL2 using the patient's DFN and the date/time of the patient movement (transfer or discharge). The call will return the discharge date/time associated with this episode of care. |
| | | | In the case of a patient who is ASIH OTHER FACILITY, the discharge date/time will be the date/time of the movement that the ended the patient's ASIH OTHER FACILITY status. |
| | | | The date portion of the DATE/TIME field (#.01) of the PATIENT MOVEMENT file (#405) is used to populate this field. |
| | | | This field is always exactly eight numeric characters in length. The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. |
| 727.808,12 MOVEMENT FILE # | Current patient movement record associated with this extract record. | | The ^DGPM("ATT2" or "ATT3", DATE, D0) cross-reference is used to obtain the current movement number associated with this patient. It is a pointer to the PATIENT MOVEMENT file (#405). |

| Field # and Name | Description | Values | Technical Description |
|----------------------------------|---|--------|--|
| 727.808,13 PLACEHOLD TYPE | This field, previously known as TYPE, is no longer needed. The name has been changed to PLACEHOLD TYPE and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.808,14 LOSING WARD | Indicates the ward the patient is moving from. | | LOSING WARD is derived from HOSPITAL LOCATION FILE POINTER field (#44) of the WARD LOCATION file (#42) as pointed to by the WARD AT DISCHARGE field (#200) of the PATIENT MOVEMENT file (#405). |
| 727.808,15 TREATING SPECIALTY | The PTF CODE of the treating specialty associated with this extract record. | | For the Physical Movement extract, the TREATING SPECIALTY field is null. |
| 727.808,16 LOSING WARD LOS | Length of stay on losing ward. | | Calculated as current movement date minus the date [DATE/TIME field (#.01) of the PATIENT MOVEMENT file (#405)] of the previous physical movement OR Calculated as current movement date minus the date [DATE/TIME field (#.01) of the PATIENT MOVEMENT file (#405) record pointed to by the ADMISSION/CHECK-IN MOVEMENT field (#.14)] of the current movement record. |
| 727.808,17 PLACEHOLDER1 | Currently Null | | Currently Null |
| 727.808,18 MOVEMENT TYPE | The MAS movement type for this movement. | | MOVEMENT TYPE is derived from the MAS MOVEMENT TYPE field (.18) of the PATIENT MOVEMENT file (#405). It is a pointer to the MAS MOVEMENT TYPE file (#405.2). |
| 727.808,19 MOV TIME | Time when this patient moved from the losing ward to the gaining ward. | | Data source: PATIENT MOVEMENT file (#405), DATE/TIME field (#.01). This field is always exactly six numeric characters in length. If time cannot be determined, "000300" is used as the default. |
| 727.808,20 GAINING WARD | Indicates the ward the patient moved to. | | GAINING WARD is derived from the HOSPITAL LOCATION FILE POINTER field (#44) of the WARD LOCATION file (#42) as pointed to by the WARD LOCATION field (#.06) of the PATIENT MOVEMENT file (#405). |

| Field # and Name | Description | Values | Technical Description |
|--|--|--|--|
| 727.808,21 ADMISSION TIME | The time-of-day at which the patient admission occurred. | | A call is made to \$\$INP^ECXUTL2 using the patient's DFN and the date/time of the patient movement (transfer or discharge). The call will return the admission date/time associated with this episode of care. In the case of a patient who is ASIHOTHER FACILITY, the admission date/time will be the date/time of the movement that put the patient into ASIH OTHER FACILITY status. The time portion of the DATE/TIME field (#.01) of the PATIENT MOVEMENT file (#405) is used |
| | | | to populate this field. This field is always exactly six numeric characters in length; if the time cannot be determined, "000300" is used as the default. |
| 727.808,22 PLACEHOLDER2 | Currently Null | | Currently Null |
| 727.808,23 PLACEHOLDER3 | Currently Null | | Currently Null |
| 727.808,24 PLACEHOLD MPI | This field, previously known as MASTER PATIENT INDEX, is no longer needed. The name has been changed to PLACEHOLD MPI and its value will be set to null. | Currently null | This field is no longer in use as of patch ECX*3*184. |
| 727.808,25 PLACEHOLDER | This field, previously known as DSS DEPT., is no longer needed. The name has been changed to PLACEHOLDER and its value will be setto null. | | This field is no longer in use as of patch ECX*3*161. |
| 727.808,26 DOM, PRRTP and SARRTP INDICATOR | This indicates if the Patient is admitted to either an RRTP, PRRTP or SARRTP at the time care is provided. | 'P' FOR GEN. PRRTP 'D' FOR DOMICILIARY 'S' FOR DOM. PRRTP 'T' FOR PTSD PRRTP 'H' FOR HOMELESS CWT/TR 'A' FOR SA CWT/TR 'B' FOR PTSD CWT/TR 'C' FOR GEN. CWT/TR | If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the DOM/PRRTP/SARRTP CODE field (#2) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). Else, the value is null. |

| Field # and Name | Description | Values | Technical Description |
|--|--|------------------------|---|
| 727.808,27 OBSERVATION PATIENT INDICATOR | Indicates if patient is considered to be an observation patient. | 'Y' FOR YES 'N' FOR NO | Data (YES,NO) is retrieved from API call \$\$OBSPAT^ECXUTL4: If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS ID (MTL,IVP,ECQ,QSR,NOS,SUR) is 290-297, Observation Patient Ind =YES. Otherwise, Observation Patient Ind =NO. |
| 727.808,28 ENCOUNTER NUMBER | The unique number assigned for DSS. | | This field is determined by a call to \$\$ENCNUM^ECXUTL4. Within this call, the inpatient/outpatient status, SSN, admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number. |
| 727.808,29 DISCHARGE PC PROVIDER | Patient's primary care provider from the losing ward. | | Using the DATE/TIME field (#.01) from the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API OUTPTPR^SDUTL3. The API returns the provider's intemal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointervalue to indicate that the source is file #200. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. |
| 727.808,30 DISCHARGE PC TEAM | Patient's primary care team from the losing ward. | | Using the DATE/TIME field (#.01) from the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API OUTPTPR SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. |

| Field # and Name | Description | Values | Technical Description |
|---|---|--------|--|
| 727.808,31 DISCHARGEASSOC | This field contains the associate primary care | | Derived by a call is to the Scheduling API OUTPTAP^SDUTL3. |
| PC PROVIDER | provider at the time of discharge. | | The API returns the associate provider's internal entry number and name from the NEW PERSON file (#200). |
| | | | The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. |
| 727.808,32 PRODUCTION DIVISION CODE | Identifies the division/facility where the patient is located. | | Data comes from the WARD AT DISCHARGE field (#200) in the PATIENT MOVEMENT file (#405). |
| | | | This value is then used to get the NAME field (#.01) in the WARD LOCATION file (#42), which in turn is used to get the DIVISION field (#.015) in the WARD LOCATION file (#42), which is a pointer to the MEDICAL CENTER DIVISION file (#40.8). |
| | | | This value is then used to call the API GETDIV^ECXDEPT to get the STATION NUMBER field (#99) from the INSTITUTION file (#4). |
| 727.808,33 DISCHARGE PC PROV PERSON CLASS | The VA Code of the Person Class of the patient's primary care provider from the losing ward. | | Active Person Class is determined by the supported call \$\$GET^XUA4A72(PERS,DATE) where PERS is the Internal Entry Number (IEN) from the NEW PERSON file (#200) and DATE is the date of the event. |
| | | | The VA CODE is determined by the seventh piece of the returned value string. |
| 727.808,34 DISCH ASSOC PC PROVIDER PC | The VA Code of the Person Class of the associate primary care provider associated with this record. | | Active Person Class is determined by the supported call \$\$GET^XUA4A72(PERS,DATE) where PERS is the Internal Entry Number (IEN) from the NEW PERSON file (#200) and DATE is the date of the event. |
| | | | The VA CODE is determined by the seventh piece of the returned value string. |
| 727.808,35 DISCH ASSOC PC PROV NPI | A standard, unique life-long identifier of the patient's associate primary care provider from the losing ward. This field has a length of fifteen characters. | | DISCHARGE ASSOC PC PROV NPI is a standard unique life-long identifier of the patient's associate primary care provider from the losing ward. The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI |

| Field # and Name | Description | Values | Technical Description |
|--|--|----------------|---|
| 727.808,36 DISCHARGE PC PROVIDER NPI | A standard, unique life-long identifier, issued by Health and Human Services, of the patient's primary care provider from the losing ward. This field has a length of fifteen characters. | | DISCHARGE PC PROVIDER NPI is a standard unique life-long identifier of the patient's primary care provider from the losing ward. The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI |
| 727.808,37 PATCAT | This is the Patient's category which will be used for Federal Health Care Center (FHCC) Reconciliation. DSS must capture and report DoD patients so that the FHCC reconciliation process can function as designed. "Reconciliation" is the process used within the new FHCC to determine which patients DoD pays for and which VA pays for. | | If the VistA Patient Type Code [TYPE field (#391) of the PATIENT file (#2)] = Active Duty, Military Retiree, or TRICARE, then the value(s) in the VistA OTHER ELIGIBILITY multiple [PATIENT ELIGIBILITIES field (#361) of the PATIENT file (#2)], which points to locally modifiable ELIGIBILITY CODE file (#8), should be evaluated. If the value in the ELIGIBILITY CODE is equal to any entry in the set of codes in this field, the value should be placed in this field. |
| 727.808,38 PATIENT DIVISION | This field is the Station Number of the gaining ward (for transfers) or the losing ward (for discharges). | | For transfer patients, the input parameter for the RADDIV^ECXDEPT API is the gaining ward. For discharge patients, the input parameter for the RADDIV^ECXDEPT API is the losing ward. Either returns the STATION NUMBER field (#99) from the INSTITUTION file (#4). |
| 727.808,39 PLACEHOLD CERNER | Placeholder for Cerner fields. Reserved for EHRM conversion. | Currently null | Currently null |
| 727.808,40 NEW MPI | A national VA system IDENTIFIER which uniquely identifies a patient. Commonly called "Patient ICN" or "Patient IEN"; not to be confused with the IEN from the VistA PATIENT file. | | Derived by calling API, \$\$GETICN^MPIF001 (Supported DBIA #2701), that returns the Integration Control Number (ICN) and the ICN checksum for the given patient in the PATIENT file (#2). |

| Field # and Name | Description | Values | Technical Description |
|-----------------------------------|--|--|--|
| 727.808,41 SELF IDENTIFIED GENDER | The SELF IDENTIFIED GENDER value indicates the patient's personal sense of their gender identity (if they choose to provide it). Self-identified gender may be the same or different as the sex assigned at birth. | 'M' FOR MALE 'F' FOR FEMALE 'TM' FOR TRANSGENDER MALE 'TF' FOR TRANSGENDER FEMALE 'O' FOR OTHER 'N' FOR DOES NOT WISH TO DISCLOSE 'B' FOR NON-BINARY | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), this data is derived from the SELF IDENTIFIED GENDER field (#.024) in the PATIENT file (#2). |

3.9. #727.81 – PRESCRIPTION EXTRACT (PRE) File Data Definition

This file contains data elements as specified by MCAO for the Pharmacy Outpatient (Prescription) extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS/MCA site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.



NOTE: Descriptions and Technical Descriptions may not match VA FileMan.

Table 10: Prescription Extract (PRE) File #727.81 Data Definitions

| Field # and Name | Description | Values | Technical Description |
|-------------------------------|--|--------|--|
| 727.81,.01 SEQUENCE NUMBER | The IEN of the record for this extract entry. | | The internal entry number (IEN) for this record. This entry is DINUMed. |
| 727.81,1 YEAR MONTH | A six-character string representing the year and the month for which this extract was performed. | | YEAR MONTH is derived by parsing the FileMan format end date of the extract. The month is determined by taking the fourth and fifth characters of the end date, the year by taking the second and third characters, and the century is then calculated by taking the first character of the end date and adding 17 to it. The century is then concatenated with the year and month, giving the results in YYYYMM format. |
| 727.81,2 EXTRACT NUMBER | The corresponding entry in the DSS EXTRACTLOG file (#727) for this extract. | | A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message. |
| 727.81,3 FACILITY | This is the facility/division where the extract was performed. | | An indicator of the division where this event happened. Using the NAME field (#.01) pointer from the DSS EXTRACTS file (#728), FACILITY is derived from the STATION NUMBER field (#99) for that pointer number in the INSTITUTION file (#4). |

| Field # and Name | Description | Values | Technical Description |
|----------------------------|--|--------|---|
| 727.81,4 PATIENT NO DFN | An identifying number for the patient at the local site. | | Derived from the PATIENT field (#2) in the PRESCRIPTION file (#52). PATIENT NO DFN is a pointer to the NAME field (#.01) of the PATIENT file (#2). This data represents the patient DFN. |
| 727.81,5 SSN | The patient's social security number. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the PRESCRIPTION EXTRACT file (#727.81), SSN data is derived from the SOCIAL SECURITY NUMBER field (#.09) in the PATIENT file (#2). |
| | | | "Test" patient status is determined in PAT^ECXUTL3. For the PRE extract, the following are considered test SSNs: |
| | | | 123456789; Nine repeating digits (e.g., 333333333); The first three digits are '000' or '666'; The middle two digits are '000'; The last four digits are '0000'; The first digit is '9'. |
| 727.81,6 | The first four characters of | | Using the patient pointer (DFN) stored in the |
| NAME | the patient's last name. | | PATIENT NO DFN field (#4) in the PRESCRIPTION EXTRACT file (#727.81), NAME data is derived from the NAME field (#.01) in the PATIENT file (#2). |
| | | | The first four characters of the first "," piece are used, padded with trailing spaces if necessary. |
| | | | The name value is returned by the supported call DEM^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|-----------------------------------|--|--|--|
| 727.81,7 IN OUT PATIENT INDICATOR | Indicates the patient's status for this extract entry. Observation admissions are treated as outpatient encounters in MCA, similar to Medicare rules and community hospitals. | 'I' FOR INPATIENT 'O' FOR OUTPATIENT 'A' FOR ASIH (OTHER FACILITY) | To determine the value of this field, a call is made to \$\$PATDEM^ECXUTL2. Within this call, \$\$INP^ECXUTL2 is called to determine the patient status. If the patient is an outpatient, processing stops and the field is set to O. If the patient is an inpatient, \$\$INOUTP^ECXUTL4 is called to look at the treating specialty. If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831) is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the indicator is set to I. If the patient is ASIH to another facility at the date/time in question, the indicator is set to A. During the Prescription Extract, if the prescription indicates that the medication is to be mailed to the patient, the IN/OUT PATIENT |
| 727.81,8 DAY | This 8-character string represents the date on which the Prescription fill/refill was released. | | INDICATOR is returned with an "O" OUTPATIENT value. If the version of Outpatient Pharmacy is prior to V. 6.0, DAY is derived from \$E(DATE,6,7) where date is the FILL DATE field (#22) of the PRESCRIPTION file (#52). Data source for Outpatient Pharmacy v6.0 and later: PRESCRIPTION file (#52), REFILL sub-file (#52.1), RELEASED DATE/TIME field (#17) Or PRESCRIPTION file (#52), PARTIAL DATE sub-file (#52.2), RELEASED DATE/TIME field (#8). This field is always exactly eight numeric characters in length. The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. |

| Field # and Name | Description | Values | Technical Description |
|--|--|---------------------------|---|
| 727.81,9 DIVISION | The outpatient pharmacy site for this extract entry. | | For new and partial prescriptions, DIVISION is derived from the DIVISION field (#20) of the PRESCRIPTION file (#52). The DIVISION field then points to the NAME field (#.01) of the OUTPATIENT SITE file (#59) for its value. For refill prescriptions, DIVISION is derived from the DIVISION field (#8) within the REFILL multiple (#52) of the PRESCRIPTION file (#52). The DIVISION field then points to the NAME field (#.01) of the OUTPATIENT SITE file (#59) for its value. |
| 727.81,10 PROVIDER | The IEN of the provider who wrote the new, refill or partial fill prescription for this patient. | | Derived from the PROVIDER field (#4) in the PRESCRIPTION file (#52) for new prescriptions, or from the PROVIDER field (#15) within the REFILL multiple (#52) in the PRESCRIPTION file (#52) for refill prescriptions, or from the PROVIDER field (#6) within the PARTIAL DATE multiple (#60) in the PRESCRIPTION file (#52) for partial prescriptions. PROVIDER is the value of a "2" prefixed to the pointer value from the NEW PERSON file #200 to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. |
| 727.81,11 VA DRUG CLASSIFICATION | The VA Drug Classification for the drug/supply item in this prescription. | | Derived from the VA CLASSIFICATION field (#2) in the DRUG file (#50) for the drug identified by the DRUG field (#6) in the PRESCRIPTION file (#52). |
| 727.81,12 MAIL | Identifies if prescription was mailed. | '1' FOR MAIL '2' FOR CMOP | Derived from the MAIL/WINDOW field (#11) in the PRESCRIPTION file (#52) for new prescriptions, or from the MAIL/WINDOW field (#2) within the REFILL multiple (#52) in the PRESCRIPTION file (#52) for refill prescriptions, or from the MAIL/WINDOW field (#.02) within the PARTIAL DATE multiple (#60) in the PRESCRIPTION file (#52) for partial prescriptions. MAIL will then be determined to be picked up at window (NULL) or mailed to patient (1=by mail, 2=by CMOP). |
| 727.81,13 PROVIDER PERSON CLASS | The VA code of the Person Class of the Provider as of the date of this extract record | | A call to \$\$GET^XUA4A72(PERS,DATE) will be made using the IEN in the PROVIDER and the date in the DAY field. The VA Code is always of the form "V"_six numeric digits; exactly seven characters in length. |

| Field # and Name | Description | Values | Technical Description |
|--------------------------|--|--|--|
| 727.81,14 NEW | Data will be 1 if this is a new prescription. | | If the version of Outpatient Pharmacy is prior to V. 6.0, examine the "AD" cross-reference on the FILL DATE field (#22) of the PRESCRIPTION file (#52) for new prescriptions or the REFILL DATE field (#.01) within the REFILL multiple (#52) of the PRESCRIPTION file (#52) for refill prescriptions. |
| | | | Cross-reference is ^ PSRX("AD",DATE,D0,REFILL# or 0 for new RX). |
| | | | If the version of outpatient Pharmacy is V. 6.0 or greater: |
| | | | 1. Examine the "AL" cross-reference on the RELEASED DATE/TIME field (#31) of the PRESCRIPTION file (#52) for new prescriptions or the RELEASED DATE/TIME field (#17) within the REFILL multiple (#52) of the PRESCRIPTION file (#52) for refill prescriptions. Cross-reference is ^PSRX("AL",DATE,D0,REFILL# or 0 for new RX). |
| | | | 2. Examine the "AM" cross-reference on the RELEASED DATE/TIME field (#8) within the PARTIAL DATE multiple (#60) of the PRESCRIPTION file (#52) for partial prescriptions. Cross-reference is ^ PSRX("AM",DATE,D0,PARTIAL_REFILL#). |
| 727.81,15 SHAD STATUS | Indicates whether patient meets requirements for Shipboard Hazard and Defense (SHAD) conditions. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the PRESCRIPTION EXTRACT file (#727.81), Shipboard Hazard and Defense data is derived by using DBIA #4462 GETSHAD DGUTL3 (DFN). |
| 727.81,16 QUANTITY | Drug quantity dispensed in the unit of issue for that drug. Unit of issue may vary from product-to-product and site-to-site. | | Derived from the QTY field (#7) in the PRESCRIPTION file (#52) for new prescriptions, or from the QTY field (#1) within the REFILL multiple (#52) in the PRESCRIPTION file (#52) for refill prescriptions, or from the QTY field (#.04) within the PARTIAL DATE multiple (#60) in the PRESCRIPTION file (#52) for partial prescriptions. |

| Field # and Name | Description | Values | Technical Description |
|--|---|--------|--|
| 727.81,17 | VistA Pharmacy supply cost of drug dispensed. | | Cost is calculated as quantity * price. |
| COST | | | Quantity is derived from the QTY field (#7) in the PRESCRIPTION file (#52) for new prescriptions, or from the QTY field (#1) within the REFILL multiple (#52) in the PRESCRIPTION file (#52) for refill prescriptions, or from the QTY field (#.04) within the PARTIAL DATE multiple (#60) in the PRESCRIPTION file (#52) for partial prescriptions. |
| | | | Price is derived from the UNIT PRICE OF DRUG field (#17) in the PRESCRIPTION file (#52) for new prescriptions, or from the CURRENT UNIT PRICE OF DRUG field (#1.2) within the REFILL multiple (#52) in the PRESCRIPTION file (#52) for refill prescriptions, or from the CURRENT UNIT PRICE OF DRUG field (#.042) within the PARTIAL DATE multiple (#60) in the PRESCRIPTION file (#52) for partial prescriptions. |
| 727.81,18 PLACEHOLD ENCOUNTER SHAD | This field, previously known as ENCOUNTER SHAD, is no longer needed. The name has been changed to PLACEHOLD ENCOUNTER SHAD and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.81,19 MOVEMENT FILE # | Current patient movement record associated with this extract record. | | A call to IN5^VADPT (using the patient IEN and the event date) returns a patient movement number (indicating inpatient status). This field is set to the value of VAIP(1), which is a pointer to the PATIENT MOVEMENT file (#405). |
| 727.81,20 TREATING SPECIALTY | The PTF CODE of the treating specialty associated with this extract record. | | This field is initialized to null, indicating an outpatient status. If a call to IN5^VADPT (using the patient IEN and the event date) returns a patient movement number (indicating inpatient status), the value of VAIP(8), which is the pointer to the FACILITY TREATING SPECIALTY file (#45.7), is used to get the SPECIALTY field (#1) which points to the SPECIALTY file (#42.4). Then, the PTF Code field (#7) of the SPECIALTY file (#42.4) is obtained and stored. |
| 727.81,21 PLACEHOLDER4 | Currently Null | | Currently Null |

| Field # and Name | Description | Values | Technical Description |
|----------------------------|--|--|--|
| 727.81,22 UNIT OF ISSUE | Units in which this item was dispensed. | | Derived from the DISPENSE UNIT field (#14.5) in the DRUG file (#50) for the drug identified by the DRUG field (#6) in the PRESCRIPTION file (#52). |
| 727.81,23 DATE OF BIRTH | The patient's date of birth. | | Data source: PRESCRIPTION file (#52), PATIENT field (#2), then to PATIENT file (#2), DATE OF BIRTH field (#.03). Date of Birth is returned through the supported call DEM^VADPT. It is then represented by an 8-character numeric string in the YYYYMMDD format. |
| 727.81,24 ELIGIBILITY | A two or three-digit numeric code indicating the Patient's Primary Eligibility. The extract logic converts the VistA two or three-digit coding schemes to the National Data Services (NDS) eligibility scheme. | 10 SC 50-100% 20 Aid & Attendance 21 Housebound 22 Mexican Border War 23 WWI 24 POW 25 Purple Heart 30 SC 40-49% 31 SC 30-39% 32 SC 20-29% 33 SC 10-19% 34 SC less than 10% 40 NSC - VA Pension 50 NSC 60 Catastrophic Disability 101 CHAMPVA 102 Collateral of Veteran 103 Employee 104 Other Federal Agency 105 Allied Veteran 106 Humanitarian Emergency 107 Sharing Agreement 108 Reimbursable Insurance 109 TRICARE/CHAMPUS | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the PRESCRIPTION EXTRACT file (#727.81), ELIGIBILITY data is derived from the PRIMARY ELIGIBILITY CODE field (#.361) in the PATIENT file (#2). PRIMARY ELIGIBILITY CODE is a pointer to the ELIGIBILITY CODE file (#8). The data is derived from the MAS ELIGIBILITY CODE field (#8) in the ELIGIBILITY CODE file (#8), which in turn is a pointer to the MAS ELIGIBILITY CODE file (#8.1). The pointer value to file (#8.1) is converted by ELIG^ECXUTL3 to the corresponding eligibility code used by NPCD. This code is composed of two or three numeric characters. |
| 727.81,25 VETERAN | Patient's Veteran status. | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the PRESCRIPTION EXTRACT file (#727.81), VETERAN data is derived from the VETERAN (Y/N)? field (#1901) in the PATIENT file (#2). |

| Field # and Name | Description | Values | Technical Description |
|-------------------------------|--|---|---|
| 727.81,26 COPAY | This field indicates whether this prescription was billed for copay. | '1' FOR YES '0' FOR NO | Derived from the existence of the IB NUMBER field (#106) in the PRESCRIPTION file (#52) for new prescriptions, or from the IB NUMBER field (#9) within the REFILL multiple (#52) in the PRESCRIPTION file (#52) for refill prescriptions. If that field is not null, the prescription was billed for co-pay and this field is setto 1. |
| 727.81,27 FEEDER KEY | Code that uniquely identifies a DSS drug/supply product. | | FEEDER KEY is derived for the drug identified by the DRUG field (#6) in the PRESCRIPTION file (#52), which is a pointer to the DRUG file (#50). The PSNDF VA PRODUCT NAMEENTRY field (#22) from the DRUG file (#50), which is a pointer to the VA PRODUCT file (#50.68), is padded to five digits. The NDC value is derived from the NDC field (#31) from the DRUG file (#50), then stripped of hyphens and padded with leading zeroes until it has a length of twelve characters. The 12-character NDC is appended to the fivedigit PSNDF VA PRODUCT NAME ENTRY value to form a seventeen-digit Feeder Key. |
| 727.81,28 DEA,SPECIAL HDLG | Indicates if the drug in this record is Investigational or Schedule 1-5. | 'I' FOR INVESTIGATIONAL '1' FOR SCHEDULE 1 ITEM '2' FOR SCHEDULE 2 ITEM '3' FOR SCHEDULE 3 ITEM '4' FOR SCHEDULE 4 ITEM '5' FOR SCHEDULE 5 ITEM | Derived from the DEA, SPECIAL HDLG field (#3) in the DRUG file (#50). If the field contains a "1","2","3","4" or "5" (DRUG SCHEDULE) it will be set to that number. Otherwise, if it contains an I, it will be set to I. |
| 727.81,29 DAYS SUPPLY | Number of days covered by this prescription. | | Derived from the DAYS SUPPLY field (#8) in the PRESCRIPTION file (#52) for new prescriptions, or from the DAYS SUPPLY field (#1.1) within the REFILL multiple (#52) in the PRESCRIPTION file (#52) for refill prescriptions, or from the DAYS SUPPLY field (#.041) within the PARTIAL DATE multiple (#60) in the PRESCRIPTION file (#52) for partial prescriptions |

| Field # and Name | Description | Values | Technical Description |
|---|---|-----------------------------|---|
| 727.81,30 PLACEHOLD PRIMARY CARE TEAM | This field, previously known as PRIMARY CARE TEAM, is no longer needed. The name has been changed to PLACEHOLD PRIMARY CARE TEAM and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.81,31 PLACEHOLD PC PROVIDER | This field, previously known as PRIMARY CARE PROVIDER, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.81,32 TIME | Time-of-day when the prescription fill/refill was released. | | PRESCRIPTION file (#52); REFILL sub-file (#52.1); RELEASED DATE/TIME field (#17) or PRESCRIPTION file (#52); PARTIAL DATE sub-file (#52.2); RELEASED DATE/TIME field (#8). This field is always exactly six numeric characters in length; if time cannot be determined, "000300" is used as default. |
| 727.81,33 PLACEHOLD RACE | This field, previously known as RACE, is no longer needed. The name has been changed to PLACEHOLD RACE and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.81,34 PLACEHOLD MPI | This field, previously known as MASTER PATIENT INDEX, is no longer needed. The name has been changed to PLACEHOLD MPI and its value will be set to null. | Currently null | This field is no longer in use as of patch ECX*3*184. |
| 727.81,35 PLACEHOLDER | This field, previously known as DSS PRODUCT DEPARTMENT, is no longer needed. The name has been changed to PLACEHOLDER and its value will be setto null. | | This field is no longer in use as of patch ECX*3*161. |
| 727.81,36 SEX | Patient's gender | 'M' FOR MALE 'F' FOR FEMALE | Data is taken from the SEX field (#.02) of the patient's record in the PATIENT file (#2). The status indicator is returned by DEM^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|--|---|--|---|
| 727.81,37 ZIP+4 | The ZIP code for where the patient resides. The 5-character ZIP code is provided if ZIP + 4 is not available. | | The patient's ZIP code with optional four-digit extension as found in the ZIP+4 field (#.1112) of the patient's record in the PATIENT file (#2). While the ZIP+4 field in file 2 is a max of nine characters, it does put the "-" in if the ZIP code is a +4 type. |
| 727.81,38 PLACEHOLDER | Currently Null | | Currently Null |
| 727.81,39 PLACEHOLDER | Currently Null | | Currently Null |
| 727.81,40 STATE | The state in which the patient resides. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802), data is derived from the STATE field (#.115) in the PATIENT file (#2) which points to the STATE file (#5). From the STATE file record, use the two-character VA STATE CODE field (#2). |
| 727.81,41 COUNTY | This is the county in which the patient resides. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the ADMISSION EXTRACT file (#727.802), COUNTY data is derived from the COUNTY field (#.117) in the PATIENT file (#2) which points to a sub-file record in the COUNTY multiple (#3) of the STATE file (#5). A pointer to the STATE file (#5) is obtained from the STATE field (#.115) of the PATIENT file (#2) record. From the sub-file record of field #3 of file #5, use the value of the VA COUNTY CODE field (#2). |
| 727.81,42 PLACEHOLD PC PROV PERSON CLASS | This field, previously known as PC PROVIDER PERSON CLASS, is no longer needed. The name has been changed to PLACEHOLD PC PROV PERSON CLASS and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.81,43 POW STATUS | Indicates if patient was confined as a Prisoner of War. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | PATIENT file (#2), POW STATUS INDICATED? field (#.525). The status indicator is returned by SVC^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|--|---|---|---|
| 727.81,44 POW LOCATION | This is the location/period where the patient was a POW. | '1' FOR WORLD WAR I '2' FOR WORLD WAR II - EUROPE '3' FOR WORLD WAR II - PACIFIC '4' FOR KOREAN '5' FOR VIETNAM '6' FOR OTHER | PATIENT file (#2), POW CONFINEMENT LOCATION field (#.526). This is a pointer value to the POW PERIOD file (#22). The location indicator is returned by SVC^VADPT. |
| 727.81,45 RADIATION STATUS | Indicates if patient claims exposure to ionizing radiation. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN '1' FOR NO RADIATION '2' FOR HIROSHIMA/NAGASAKI '3' FOR ATMOSPHERIC NUCLEAR TESTING '4' FOR H/N AND ATMOSPHERIC TESTING '5' FOR UNDERGROUND NUCLEAR TESTING '6' FOR EXPOSURE AT NUCLEAR FACILITY '7' FOR OTHER | PATIENT file (#2); RADIATION EXPOSURE INDICATED? field (#.32103). The status indicator is returned by SVC^VADPT. |
| 727.81,46 AGENT ORANGE STATUS | Indicates if patient claims exposure to Agent Orange. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | PATIENT file (#2); AGENT ORANGE EXPOS. INDICATED? field (#.32102). The status indicator is returned by SVC^VADPT. |
| 727.81,47 PLACEHOLD SHARING AGREEMNT PAYOR | This field, previously known as SHARING AGREEMENT PAYOR, is no longer needed. The name has been changed to PLACEHOLD SHARING AGREEMNT PAYOR and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.81,48 PLACEHOLD SHARE AGREEMNTINSUR | This field, previously known as SHARING AGREEMENT INSURANCE, is no longer needed. The name has been changed to PLACEHOLD SHARE AGREEMNT INSUR and its value will be setto null. | | This field is no longer in use as of patch ECX*3*174. |

| Field # and Name | Description | Values | Technical Description |
|---|---|--|---|
| 727.81,49 MST STATUS | Indicates if patient claims Military Sexual Trauma (MST). | 'Y' FOR YES,SCREENED REPORTS MST 'N' FOR NO,SCREENED DOES NOT REPORT MST 'U' FOR UNKNOWN, NOT SCREENED 'D' FOR SCREENED, DECLINES TO ANSWER | The MST HISTORY file (#29.11) holds data regarding military sexual trauma claims and effective dates. The patient's MST status is stored in the MST STATUS field (#3). A call is made to GETSTAT^DGMSTAPI(DFN,DGDATE) using DFN in the PATIENT NO. DFN field (#4) and the date in the DAY field (#8). |
| 727.81,50 ENROLLMENT LOCATION | The facility that the patient chooses to designate as his preferred location for care. | | The PREFERRED FACILITY field (#27.02) of the PATIENT file (#2) is defined as the facility that the patient chooses to designate as his preferred location for care. The PREFERRED FACILITY field (#27.02) is a pointer to the INSTITUTION file (#4). From file #4, the value in the STATION NUMBER field (#99) is used. |
| 727.81,51 PLACEHOLD ASSOC PC PROVIDER | This field, previously known as ASSOCIATE PC PROVIDER, is no longer needed. The name has been changed to PLACEHOLD ASSOC PC PROVIDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.81,52 PLACEHOLD AS PC PROV PERSON CL | This field, previously known as ASSOC. PC PROV. PERSON CLASS, is no longer needed. The name has been changed to PLACEHOLD AS PC PROV PERSON CL and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.81,53 PLACEHOLDER | Currently Null | | Currently Null |
| 727.81,54 DOM, PRRTP AND SARRTP INDICATOR | This indicates if the Patient is admitted to either an RRTP, PRRTP or SARRTP at the time care is provided. | 'P' FOR GEN. PRRTP 'D' FOR DOMICILIARY 'S' FOR DOM. PRRTP 'T' FOR PTSD PRRTP 'H' FOR HOMELESS CWT/TR 'A' FOR SA CWT/TR 'B' FOR PTSD CWT/TR 'C' FOR GEN. CWT/TR | If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the DOM/PRRTP/SARRTP CODE field (#2) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). Otherwise the value is null. |

| Field # and Name | Description | Values | Technical Description |
|---|---|---------------------------|--|
| 727.81,55 PURPLE HEART INDICATOR | Indicates whether or not the patient is a Purple Heart recipient. | 'Y' FOR YES 'N' FOR NO | PATIENT file (#2); CURRENT PH INDICATOR field (#.531). The status indicator is returned by SVC^VADPT. |
| 727.81,56 ENROLLMENT CATEGORY | Patient's enrollment category. | | ENROLLMENT CATEGORY is derived from the standard call \$\$CATEGORY^DGENA4 using the patient's DFN and the ENROLLMENT STATUS field (#57). |
| 727.81,57 ENROLLMENT STATUS | Patient's enrollment status. | | ENROLLMENT STATUS is derived from the standard call \$\$STATUS^DGENA4 using the patient's DFN and returns the ENROLLMENT STATUS field (#.04) of the PATIENT ENROLLMENT file (#27.11). |
| 727.81,58 PLACEHOLDER | Currently Null | | Currently Null. |
| 727.81,59 CNHU STATUS | Identifies if patient resides in a contract nursing home. | 'Y' FOR YES 'N' FOR NO | Currently passing NULL. |
| 727.81,60 PERIOD OF SERVICE | The period of service that classifies this patient based on eligibility code. | | Period of Service is derived from the PERIOD OF SERVICE field (#.323) in the PATIENT file (#2). |
| 727.81,61 OBSERVATION PATIENT INDICATOR | Indicates if patient is considered to be an observation patient. | 'Y' FOR YES 'N' FOR NO | Data (YES,NO) is retrieved from API call \$\$OBSPAT^ECXUTL4: If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS ID (MTL,IVP,ECQ,QSR,NOS,SUR) is 290-297, Observation Patient Ind = YES. Else, Observation Patient Ind = NO. Otherwise, Observation Patient Ind = NO. |

| Field # and Name | Description | Values | Technical Description |
|---|--|---|---|
| Field # and Name 727.81,62 ENCOUNTER NUMBER 727.81,63 AGENT ORANGE LOCATION | The unique number assigned for DSS. The OBS conversion logic is: Treating Specialty Use this Stop Code 18 293 (neurology) 24 290 (medicine) 41 296 (Rehab Med) 65 291 (Surgery) 94 292 (psychiatry) 1J 297 (ER) Indicates the location where the patient was exposed to Agent Orange. | 'B' FOR BLUE WATER NAVY 'K' FOR KOREAN DMZ 'V' FOR VIETNAM 'T' FOR THAILAND (U.S. OR ROYAL THAI MIL BASE) 'L' FOR LAOS 'C' FOR CAMBODIA (MIMOT OR KREK, KAMPONG CHAM) 'G' FOR GUAM, | This field is determined by a call to \$\$ENCNUM^ECXUTL4. Within this call the inpatient/outpatient status, SSN, admit/visit ate, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number. The location is returned by a call to SVC^VADPT which gets its data from the AGENT ORANGE EXPOSURE LOCATION field (#.3213) of the PATIENT file (#2). |
| | | AMERICAN SAMOA, OR TERRITORIAL WATERS 'J' FOR JOHNSTON ATOLL 'O' FOR OTHER | |
| 727.81,64 ORDERING PHYSICIAN | For further development; currently set to null. | | Currently Null |
| 727.81,65 ORDERING STOP CODE | This field contains the stop code associated with the order. | | The STOP CODE field (#1) associated with the ordering location for this order as obtained from the CLINICS AND STOP CODES file (#728.44). Ordering location is derived from the CLINIC field (#5) of the PRESCRIPTION file (#52). |
| 727.81,66 ORDERING DATE | Date provider ordered the prescription. | | This field is derived from the ISSUE DATE field (#1) of the PRESCRIPTION file (#52). That date is then converted by a call to \$\$ECXDATE^ECXUTL to the YYYYMMDD format. |

| Field # and Name | Description | Values | Technical Description |
|--|--|---------------------------|---|
| 727.81,67 CNH STATUS | This field is used to indicate whether a Patient is currently in a Contract Nursing Home (CNH). | 'Y' FOR YES 'N' FOR NO | Using the CNHSTAT^ECXUTL4 (DFN) call, the CNH status is returned based on the CNH CURRENT file (#148) of the PATIENT file (#2). |
| 727.81,68 PRODUCTION DIVISION CODE | Identifies the division/facility where the work was performed. | | Data comes from either the DIVISION field (#20) of the PRESCRIPTION file (#52), or the DIVISION field (#.09) of sub-file #52.2 PARTIAL DATE field (#60). These fields point to the OUTPATIENT SITE file (#59). This value is then used to call the API PREDIV^ECXDEPT RADDIV^ECXDEPT to get the STATION NUMBER field (#99) from the INSTITUTION file (#4). |
| 727.81,69 PLACEHOLD MEANS TEST | This field, previously known as MEANS TEST, is no longer needed. The name has been changed to PLACEHOLD MEANS TEST and its value will be setto null. | | This field is no longer in use as of patch ECX*3*178. |
| 727.81,70 HEAD & NECK CANCER INDICATOR | Indicates if patient claims head and/or neck cancer. | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4), a call is made to \$\$GETCUR^DGNTAPI to retrieve the HEAD/NECK CA DX field (#2.01) of the NOSE AND THROAT RADIUM HISTORY file (#28.11). |
| 727.81,71 PLACEHOLD ETHNICITY | This field, previously known as ETHNICITY, is no longer needed. The name has been changed to PLACEHOLD ETHNICITY and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.81,72 PLACEHOLD RACE 1 | This field, previously known as RACE 1, is no longer needed. The name has been changed to PLACEHOLD RACE 1 and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.81,73 PLACEHOLD DSS IP# | This field, previously known as DSS IP#, is no longer needed. The name has been changed to PLACEHOLD DSS IP# and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |

| Field # and Name | Description | Values | Technical Description |
|-------------------------------------|--|--|---|
| 727.81,74 ENROLLMENT PRIORITY | This field contains the enrollment priority group and the enrollment priority subgroup. | ENROLLMENT PRIORITY Groups determined for a patient enrollment include: | ENROLLMENT PRIORITY field contains the enrollment priority group and the enrollment priority subgroup from the PATIENT ENROLLMENT file (#27.11). |
| | | '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 | |
| | | ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: | |
| | | 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 | |
| 727.81,75 USER ENROLLEE | Indicates whether a Veteran has User Enrollee status for | 'U' FOR USER ENROLLED | User enrollee is determined by checking the PATIENT ENROLLMENT file (#27.11). |
| OSER ERINGEEE | the current or future fiscal year. | | When a user has a current or future fiscal year in the VistA USER ENROLLEE STATUS field (#.04), the value is set to 'U' and Null if no date or a past year's value is contained. |
| | | | Determined by the use of an API: \$\$UESTAT^EASUER where the Patient Identifier (DFN) is passed in. |
| 727.81,76 PATIENT TYPE | Refers to the various types of patient which may be seen at a VA facility. Every patient in the system must have a TYPE specified. | 'AC' FOR ACTIVE DUTY 'AL' FOR ALLIED VETERAN 'CO' FOR COLLATERAL 'EM' FOR EMPLOYEE 'IN' FOR INELIGIBLE 'MI' FOR MILITARY RETIREE 'NO' FOR NON- VETERAN (OTHER) 'NS' FOR NSC VETERAN 'SC' FOR SC VETERAN 'TR' FOR TRICARE | PATIENT TYPE refers to the various types of patient which might be seen at a VA facility. It is determined by the TYPE field of the PATIENT file (#2) which points to the TYPE OF PATIENT entries in file #391. Every patient in the system must have a TYPE specified. It best classifies a patient as one of the following values listed below. PATIENT TYPE field value shall contain only the first two characters. |

| Field # and Name | Description | Values | Technical Description |
|----------------------------|---|--|--|
| CV STATUS ELIGIBILITY O | This field indicates whether or not a patient can be considered a Combat Veteran (CV) at the time of | 'Y, FOR YES 'E' FOR ELIGIBILITY EXPIRED | CV STATUS ELIGIBILITY is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. |
| | treatment. | | API returns three pieces (i.e., .1^20010106^0) and the first piece is resolved as follows. |
| | | | 1 - Veteran qualifies as a CV 0 - Veteran does not qualify as a CV |
| | | | -1 - bad DFN or date |
| | | | Based on this result, the field will be set to 'Y' for 'YES or 'E' for 'ELIGIBILITY EXPIRED' or 'NULL' for not eligible. |
| 727.81,78 | Records the Combat Veteran (CV) eligibility | | CV ELIGIBILITY END DATE is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that |
| CV ELIGIBILITY END DATE | expiration date of Veteran who served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of hostilities after November 11, 1998. | oriration date of Veteran to served on active duty theatre of combat terations during a period ovar after the Persian Gulf or or in combat against a stile force during a period thostilities after November | checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. |
| | | | API returns three pieces (i.e., 1^20010106^0). The second piece is the COMBAT VETEND DATE in HL7 format. |
| 727.81,79 | This field, previously known | | This field is no longerin use as of patch |
| PLACEHOLD ENCOUNTER CV | as ENCOUNTER CV, is no longer needed. The name has been changed to PLACEHOLD ENCOUNTER CV and its value will be set to null. | | ECX*3*174. |
| | | | |

| Field # and Name | Description | Values | Technical Description |
|---|---|--|--|
| 727.81,80 NATIONAL PATIENT RECORD FLAG | This field will indicate if the patient has any type of a National Flag indicator. | 'Y' FOR YES | The NATIONAL PATIENT RECORD FLAG field is set based on the results of the \$\$GETACT^DGPFAPI(DFN,TARGETARRAY) call. |
| RECORD FLAG | | | This call looks at the Category 1 National Patient Record flags as recorded in the PRF NATIONAL FLAG file (#26.15). |
| | | | The resulting value of this call is the number of active Category I Patient Record flags assigned to this patient. |
| | | | This field is set to Y (YES) if the result is greater than zero. A value of zero causes this field to be left null. |
| 727.81,81 RX PATIENT STATUS | Indicates the status of the patient at the time the medication was filled. | 'SC' FOR SERVICE CONNECTED 'AA' FOR A&A | RX Patient Status is extracted from the SC/A&A/OTHER/INPATIENT/NVA field (#6) of the RX PATIENT STATUS file (#53). |
| | | 'OTH' FOR OTHER 'INP' FOR INPATIENT 'NON' FOR NON-VA | The value for this field is based on the set of codes of this field. |
| 727.81,82 NON VA PRESCRIBER | Indicates the provider prescribing the prescription is not a VA employee. | 'Y' FOR YES '0' FOR NO | The NON-VA PRESCRIBER field (#53.91) of the NEW PERSON file (#200). The value stored in that field is used to determine the value stored in the NON VA PRESCRIBER field. |
| 727.81,83 RX ORDER NUMBER | This field contains the prescription number, which is a whole number between 1 and 9999999999. | | This field is populated from the RX# field (#.01) located in the PRESCRIPTION file (#52). |
| 727.81,84 ERI | This field identifies patients from impacted ZIP code areas designated by the Federal Emergency Management Agency (FEMA). | 'K' FOR HURRICANE KATRINA 'P' FOR PANDEMIC NULL | This field is extracted from the EMERGENCY RESPONSE INDICATOR field (#.181) located in the PATIENT file (#2). |
| 727.81,85 PLACEHOLD AGENT ORANGE ENC INDICATOR | This field, previously known as AGENT ORANGE ENC INDICATOR, is no longer needed. The name has been changed to PLACEHOLD AGENT ORANGE ENC INDICATOR and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |

| Field # and Name | Description | Values | Technical Description |
|--|---|--|--|
| 727.81,86 PLACEHOLD ENCOUNTER SWAC | This field, previously known as ENCOUNTER SWAC, is no longer needed. The name has been changed to PLACEHOLD ENCOUNTER SWAC and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.81,87 PLACEHOLD ENC HEAD/NECK CA | This field, previously known as ENC HEAD/NECK CA, is no longer needed. The name has been changed to PLACEHOLD ENC HEAD/NECK CA, and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.81,88 PLACEHOLD ENCOUNTER MST | This field, previously known as ENCOUNTER MST, is no longer needed. The name has been changed to PLACEHOLD ENCOUNTER MST, and its value will be set to null. | | This field is no longerin use as of patch ECX*3*174. |
| 727.81,89 SW ASIA CONDITIONS | This field is used to indicate if this patient claims exposure to Southwest Asia Conditions. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | This field is derived from the SOUTHWEST ASIA CONDITIONS? field (#.322013) in the PATIENT file (#2) using the patient's DFN. The status indicator is returned by SVC^VADPT. The SVC^VADPT called is made from routine PAT^ECXUTL3. |
| 727.81,90 PLACEHOLD RADIATION ENCOUNTER | This field, previously known as RADIATION ENCOUNTER, is no longer needed. The name has been changed to PLACEHOLD RADIATION ENCOUNTER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.81,91 SERVICE CONNECTED RX | This field will indicate whether this prescription is for a service connected condition. | 'Y' FOR YES 'N' FOR NO | The value is retrieved from the PRESCRIPTION file (#52), SERVICE CONNECTED field (#116). The value is retrieved via the DIQ^PSODI pharmacy API. |

| Field # and Name | Description | Values | Technical Description |
|---|--|--|---|
| 727.81,92 OEF/OIF | The Military Operation(s) in which the patient was in combat. This field is a length of nine characters and reflects the OEF or OIF where this patient was in combat. | Possible field values are one or more combinations of the following: OEF = OPERATION ENDURING FREEDOM OIF = OPERATION IRAQ FREEDOM UNK = UNKNOWN OEF/OIF | The Military Operation in which the patient was in combat during the specified time period. This field is a length of nine characters and reflects the OEF or OIF where this patient was in combat. The value of this field is derived from the LOCATION OF SERVICE field (#.01) from SERVICE [OEF OR OIF] sub-file (#2.3215) of field #.3215 located in the PATIENT file (#2). DSS will capture, once, each location where the Veteran served. In order to accommodate multiple locations, the values for this field are concatenated into this nine-character field. |
| 727.81,93 OEF/OIF RETURN DATE | The date the Veteran left the OEF/OIF area. Otherwise, it is the end date of military pay for this OEF/OIF deployment. This date field has a format equal to YYYYMMDD. In cases of multiple OEF/OIF tours, this field contains only the most recent return date. | | The value of this field is derived from the OEF/OIF TO DATE field (#.03) from sub-file #2.3215 of field #.3215 located in the PATIENT file (#2). |
| 727.81,94 PLACEHOLD ASSOC PC PROV NPI | This field, previously known as ASSOCIATE PC PROVIDER NPI, is no longer needed. The name has been changed to PLACEHOLD ASSOC PC PROV NPI and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.81,95 PLACEHOLD PC PROVIDER NPI | This field, previously known as PRIMARY CARE PROVIDER NPI, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER NPI and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.81,96 PROVIDER NPI | A standard, unique life-long identifier, issued by Health and Human Services, for individuals providing health care services. This field has a length of fifteen characters. | | The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |

| Field # and Name | Description | Values | Technical Description |
|---|--|---|--|
| 727.81,97 COUNTRY CODE | This is the code for the country associated with the address. | | The three-character alpha identifying code is copied from the CODE field (#.01) of the COUNTRY file (#779.004). |
| 727.81,98 PATCAT | This is the Patient's category which will be used for Federal Health Care Center (FHCC) Reconciliation. DSS must capture and report DoD patients so that the FHCC reconciliation process can function as designed. "Reconciliation" is the process used within the new FHCC to determine which patients DoD pays for and which VA pays for. | 'AD' FOR ACTIVE DUTY 'ADD' FOR ACTIVE DUTY DEPENDENT 'FNRS' FOR FORMER NON-REMARRIED SPOUSE 'RET' FOR RETIRED 'RETD' FOR RETIREE DEPENDENT 'RES' FOR RESERVIST 'REC' FOR RECRUIT 'TDRL' FOR TEMPORARY DISABILITY 'TFL' FOR TRICARE FOR LIFE | If the VistA Patient Type Code [TYPE field (#391) of the PATIENT file (#2)]= Active Duty, Military Retiree, or TRICARE, then the value(s) in the VistA OTHER ELIGIBILITY multiple [PATIENT ELIGIBILITIES field (#361) of the PATIENT file (#2)], which points to locally modifiable ELIGIBILITY CODE file (#8), should be evaluated. If the value in the ELIGIBILITY CODE is equal to any entry in the set of codes in this field, the value should be placed in this field. |
| 727.81,99 PLACEHOLD ENCOUNTER SC | This field, previously known as ENCOUNTER SC, is no longer needed. The name has been changed to PLACEHOLD ENCOUNTER SC and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.81,100 VIETNAM | Indicates if a patient is a Vietnam-era Veteran. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the PRESCRIPTION EXTRACT file (#727.81), VIETNAM data is derived from the VIETNAM SERVICE INDICATED? field (#.32101) in the PATIENT file (#2). |
| 727.81,101 CAMP LEJEUNE STATUS | Indicates if patient claims exposure to contaminated water while stationed at Camp Lejeune, NC between January 1, 1957 and December 31, 1987. | 'Y' FOR YES 'N' FOR NO | Using the patient's DFN, a call is made to PAT^ECXUTL3, which in turn calls SVC^VADPT. This call returns all service related information for a patient, including their Camp Lejeune status. |
| 727.81,102 PLACEHOLD ENC CAMP LEJEUNE | This field, previously known as ENCOUNTER CAMP LEJEUNE, is no longer needed. The name has been changed to PLACEHOLD ENCOUNTER CAMP LEJEUNE and its value will be set to null. | | This field is no longerin use as of patch ECX*3*174. |

| Field # and Name | Description | Values | Technical Description |
|---|--|---|--|
| 727.81,103 COMBAT VETERAN INDICATOR | Identifies if patient served in a combat zone. | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, the COMBAT SERVICE INDICATED field (#.5291) in the PATIENT file (#2). COMBAT SERVICE INDICATED is returned by the supported call SVC^VADPT. |
| 727.81,104 COMBAT VETERAN LOCATION | Identifies the war in which the combat service was incurred. | WWI WWII-EUROPE WWII-PACIFIC KOREAN VIETNAM OTHER PERSIAN GULF YUGOSLAVIA | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, COMBAT SERVICE LOCATION data is derived from the COMBAT SERVICE LOCATION field (#.5292) in the PATIENT file (#2). The COMBAT SERVICE LOCATION IEN is returned by the supported call SVC ^VADPT; this IEN is then used to retrieve the ABBREVIATION field (#1) from the POW PERIOD file (#22). |
| 727.81,105 REMARKS | This field is set based on whether the prescription is being filled by the VA as part of the Veteran's Choice/Community Care Network program. | 'C' FOR CHOICE or CCNRX | Using the RX ORDER NUMBER field (#83) of this file, the REMARKS field (#12) of the PRESCRIPTION file (#52) is retrieved. A check is then made to see if the remarks contain a keyword assigned by the pharmacy, which indicates that the prescription was filled as part of the Veteran's Choice/Community Care Network program. |
| 727.81,106 PATIENT DIVISION | This field is the Station Number of the clinic that ordered the prescription. | | The ordering clinic is the input parameter for the RADDIV^ECXDEPT API, which then returns the STATION NUMBER field (#99) from the INSTITUTION file (#4). |
| 727.81,107 VISTA DEA SPECIAL HDLG | Identifies the DEA codes assigned to the drug associated with this record. | | Derived from the DEA, SPECIAL HDLG field (#3) in the DRUG file (#50). |
| 727.81,108 PLACEHOLD CERNER | Placeholder for Cerner fields. Reserved for EHRM conversion. | Currently null | Currently null |
| 727.81,109 NEW MPI | A national VA system IDENTIFIER which uniquely identifies a patient. Commonly called "Patient ICN" or "Patient IEN"; not to be confused with the IEN from the VistA PATIENT file. | | Derived by calling API, \$\$GETICN^MPIF001 (Supported DBIA #2701), that retums the Integration Control Number (ICN) and the ICN checksum for the given patient in the PATIENT file (#2). |

| Field # and Name | Description | Values | Technical Description |
|---|--|--|--|
| 727.81,110 SELF IDENTIFIED GENDER | The SELF IDENTIFIED GENDER value indicates the patient's personal sense of their gender identity (if they choose to provide it). Self-identified gender may be the same or different as the sex assigned at birth. | 'M' FOR MALE 'F' FOR FEMALE 'TM' FOR TRANSGENDER MALE 'TF' FOR TRANSGENDER FEMALE 'O' FOR OTHER 'N' FOR DOES NOT WISH TO DISCLOSE 'B' FOR NON-BINARY | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the PRESCRIPTION EXTRACT file (#727.81), this data is derived from the SELF IDENTIFIED GENDER field (#.024) in the PATIENT file (#2). |
| 727.81,111 PRICE PER DISPENSE UNIT | This is the price per dispense unit for this drug. | | This is the PRICE PER DISPENSE UNIT field (#16) of the DRUG file (#50). The PRICE PER DISPENSE UNIT is returned by \$\$PHAAPI^ECXUTL5. |
| 727.81,112 DISPENSE UNIT | This is the dispense unit for this drug. | | This is the DISPENSE UNIT field (#14.5) of the DRUG file (#50). The DISPENSE UNIT is returned by \$\$PHAAPI^ECXUTL5. |

3.10. #727.826 – PROSTHETICS EXTRACT (PRO) File Data Definition

This file contains the data elements as specified by MCAO for the Prosthetics extract from existing VistA files. Entries into this file are made by extracting data that originates in the Prosthetics RECORD OF PROS APPLIANCE/REPAIR file (#660). Information respective to the patient for which Prosthetic information is extracted is pulled from the PATIENT file (#2). Once the extracts (making up the records in this file) are approved by the extract manager, entries in this file are loaded into mail messages and transmitted to the commercial vendor. Entries in this file should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.



NOTE: Descriptions and Technical Descriptions may not match VA FileMan.

Table 11: Prosthetics Extract (PRO) File #727.826 Data Definitions

| Field # and Name | Description | Values | Technical Description |
|--------------------------------|--|--------|--|
| 727.826,.01 SEQUENCE NUMBER | The IEN of the record for this extract entry. | | The internal entry number (IEN) for this record. This entry is DINUMed. |
| 727.826,1 YEAR MONTH | A six-character string representing the year and month for which this extract was performed. | | YEAR MONTH is derived by parsing the FileMan format end date of the extract. The month is determined by taking the fourth and fifth characters of the end date, the year by taking the second and third characters, and the century is then calculated by taking the first character of the end date and adding 17 to it. The century is then concatenated with the year and month, giving the results in YYYYMM format. |
| 727.826,2 EXTRACT NUMBER | The corresponding entry in the DSS EXTRACTLOG file (#727) for this extract. | | A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message. |

| Field # and Name | Description | Values | Technical Description |
|------------------------------|--|--------|---|
| 727.826,3 FACILITY | This is the facility/division where the extract was performed. | | Using the NAME field (#.01) from the DSS EXTRACTS file (#728), which points to the INSTITUTION file (#4), the FACILITY field is derived from the STATION NUMBER field (#99) of the INSTITUTION file (#4). This field should be three to seven characters, but due to FileMan limitations for data on this node, the field will remain as a free-text field of three to five characters. |
| 727.826,4 PATIENT NO. DFN | An identifying number for the patient at the local site. | | PATIENT NAME field (#.02) of the RECORD OF PROS APPLIANCE/REPAIR file (#660). This in turns points to the PROSTHETICS PATIENT file (#665). The NAME field (#.01) of that file is stored here. It is the IEN of the patient in the PATIENT file (#2). |
| 727.826,5 SSN | The patient's social security number. | | SSN is derived from the PATIENT NAME field (#.02) of the RECORD OF PROS APPLIANCE/REPAIR file (#660). This, in turn, points to the NAME field (#.01) of the PROSTHETICS PATIENT file (#665). This then points to the PATIENT file (#2). The SSN field (#.09) is used to populate this field. "Test" patients tatus is determined in PAT^ECXUTL3. For the PRO extract, the following are considered test SSNs: 123456789; Nine repeating digits (e.g., 333333333); The first three digits are '000' or '666'; The middle two digits are '000'; The last four digits are '0000'; The lirst digit is '9'. |
| 727.826,6 NAME | The first four characters of the patient's last name. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the PROSTHETICS EXTRACT file (#727.826), NAME data is derived from the NAME field (#.01) in the PATIENT file (#2). The first four characters of the first "," piece are used, padded with trailing spaces if necessary. The name value is returned by the supported call DEM^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|-----------------------------------|--|--|---|
| 727.826,7 IN OUTPATIENT INDICATOR | Indicates the patient's status for this extract entry. Observation admissions are treated as outpatient encounters in MCA, similar to Medicare rules and community hospitals. | 'I' FOR INPATIENT 'O' FOR OUTPATIENT 'A' FOR ASIH (OTHER FACILITY) | To determine the value of this field, a call is made to \$\$PATDEM^ECXUTL2. Within this call, \$\$INP^ECXUTL2 is called to determine the patient status. If the patient is an outpatient, processing stops and the field is set to O. If the patient is an inpatient, \$\$INOUTP^ECXUTL4 is called to look at the treating specialty. If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831) is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the indicator is set to I. If the patient is ASIH to another facility at the date/time in question, the indicator is set to A. |
| 727.826,8 DATE OF SERVICE | This eight-character string represents the date on which the new or repaired prosthetic appliance was delivered and accepted by the patient. | | DATE OF SERVICE is derived from the DELIVERY DATE field (#10) in the RECORD OF PROS APPLIANCE/REPAIR file (#660). The format is YYYYMMDD; for example, 19970923. |

| Field # and Name | Description | Values | Technical Description |
|------------------------------|---|--------|--|
| 727.826,9 FEEDER LOCATION | Location within a facility where the product is produced. | | If this is a Lab Transaction and the extract header and/or Prosthetic Station is equal to the Receiving Station, the FEEDER LOCATION is constructed as follows: |
| | | | 1) three-digit station number of the Receiving Station, concatenated with LAB. An example is XXXLAB, where XXX is the Receiving Station number, |
| | | | or |
| | | | 2) five-digit station number of the Receiving Station (includes the 2-letter division suffix) concatenated with LAB. An example is XXXXXLAB, where XXXXX is the Receiving Station number. |
| | | | If this is a Lab Transaction and the extract header and/or Prosthetic Station is equal to the Requesting Station, the FEEDER LOCATION is constructed as follows: |
| | | | 1) three-digit station number of the Requesting Station, concatenated with ORD. An example is XXXORD, where XXX is the Requesting Station number, |
| | | | or |
| | | | 2) five-digit station number of the Requesting Station (includes the 2-letter division suffix) concatenated with ORD. An example is XXXXXORD, where XXXXX is the Requesting Station number. |
| | | | If this is not a Lab Transaction, the FEEDER LOCATION is constructed as follows: |
| | | | three-digit Station number concatenated with NONL. An example is XXXNONL, where XXX is the Station number, |
| | | | or |
| | | | 2) five-digit Station number (includes the 2-letter division suffix); concatenated with NONL. An example is XXXXXNONL, where XXXXX is the Station number. |
| | | | Data for the FEEDER LOCATION (FDR LOC) is derived from the RECORD OF PROS APPLIANCE/REPAIR file (#660). Depending on how the FEEDER LOCATION is constructed, data is derived from the following fields in the RECORD OF PROS APPLIANCE/REPAIR file (#660): |
| | | | 1) RECEIVING STATION field (#70). RECEIVING STATION is a pointer to the INSTITUTION file (#4). |
| | | | 2) REQUESTING STATION field (#40). RECEIVING STATION is a pointer to the INSTITUTION file (#4). 3) STATION field (#8). STATION is a pointer to the INSTITUTION file (#4). |

| Field # and Name | Description | Values | Technical Description |
|--------------------------|--|--------|--|
| 727.826,10 FEEDER KEY | Code that uniquely identifies a DSS product. | | FEEDER KEY is the concatenation of the following elements. They are listed in the order they are to appear in the FEEDER KEY. |
| | | | 1) HCPCS Code - This is the five-digit HCPCS Code in the patient's prosthetic record. |
| | | | 2) Type of Transaction - This is the Type of Transaction code in the patient's prosthetic record. |
| | | | (a) If Type of Transaction in the patient's prosthetic record is "X" (Repair), the Type of Transaction code in the FEEDER KEY is X. |
| | | | (b) If Type of Transaction in the patient's prosthetic record is "I" (Initial Issue), "R" (Replace) or "S" (Spare), the Type of Transaction code in the FEEDER KEY is N. |
| | | | (c) If the Type of Transaction in the patient's prosthetic record is "5" (Rental), the Type of Transaction code in the FEEDER KEY is R. |
| | | | (d) Type of Transaction is considered the first suffix of the FEEDER Key. |
| | | | 3) Source - This is the Source in the patient's prosthetic record. |
| | | | (a) If Source in the patient's prosthetic record is VA, the Source code in the FEEDER KEY is V (VA). |
| | | | (b) If Source in the patient's prosthetic record is Commercial, the Source code in the FEEDER KEY is C (Commercial). |
| | | | (c) Source is considered the second suffix of the FEEDER KEY. |
| | | | 4) Station - If this is a Lab Transaction, the station is either the Requesting or Receiving Station. |
| | | | (a) three-digit Receiving Station concatenated with REC if the FEEDER LOCATIONS ends in ORD, or |
| | | | (b) five-digit Receiving Station (includes the 2-letter division suffix) concatenated with REC if the FEEDER LOCATION ends in ORD, or |
| | | | (c) three-digit Requesting Station concatenated with REQ if the FEEDER LOCATION ends in LAB, or |
| | | | (d) five-digit Requesting Stations (includes the 2-letter division suffix) concatenated with REQ if the FEEDER LOCATION ends in LAB |
| | | | (e) Station is considered the third suffix of the Feeder Key. |
| | | | 5) If this is a Non-Lab Transaction, there is no third suffix for the FEEDER KEY. |
| | | | 6) Form requested on - If the form requested on is 11 (Stock Issue) then an "S" is |

| Field # and Name | Description | Values | Technical Description |
|-----------------------------------|---|--------|---|
| | | | concatenated to the FEEDER KEY. If the form requested on is 12 (Inventory Issue) then an "I" is concatenated to the FEEDER KEY. |
| | | | Data for the FEEDER KEY is derived from the RECORD OF PROS APPLIANCE/REPAIR file (#660). Depending how the FEEDER KEY is constructed, the components for the FEEDER KEY are derived from the following fields in the RECORD OF PROS APPLIANCE/REPAIR file (#660): |
| | | | 1) HCPCS field (#4.1) - HCPCS is a pointer to the CPT CODE field (#.01) of the CPT file (#81) |
| | | | 2) TYPE OF TRANSACTION field (#2) |
| | | | 3) SOURCE field (#12) |
| | | | 4) RECEIVING STATION field (#70). RECEIVING STATION is a pointer to the INSTITUTION file (#4). |
| | | | 5) REQUESTING STATION field (#40). REQUESTING STATION is a pointer to the INSTITUTION file (#4). |
| | | | 6) STATION field (#8). STATION is a pointer to the INSTITUTION file (#4). |
| | | | 7) FORM REQUESTED ON (#11) |
| 727.826,11 | The number of units issued | | Derived from the QTY field (#5) in the RECORD |
| QUANTITY | or units repaired as indicated in the patient's prosthetic record. | | OF PROS APPLIANCE/REPAIR file (#660). If the quantity is not known, a default value of 1 will be assigned to the extract record. |
| 727.826,12 | This field, previously known | | This field is no longer in use as of patch |
| PLACEHOLD PRIMARY CARE TEAM | as PRIMARY CARE TEAM, is no longer needed. The name has been changed to PLACEHOLD PRIMARY CARE TEAM and its value will be set to null. | | ECX*3*170. |
| 727.826,13 | This field, previously known | | This field is no longer in use as of patch |
| PLACEHOLD PC PROVIDER | as PRIMARY CARE PROVIDER, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER and its value will be set to null. | | ECX*3*170. |
| 727.826,14 | HCPCS code for the item | | PCE CPT/HCPCS CODE is derived from the |
| PCE CPT/HCPCS CODE & MODIFIERS | selected. | | HCPCS field (#4.1) in the RECORD OF PROS APPLIANCE/REPAIR file (#660). The HCPCS field (#4.1) is a pointer to the respective CPT CODE field (#.01) in the CPT file (#81). |
| | | | The source of CPT modifiers is the MODIFIER field (#.01) of the CPT MODIFIER file (#81.3). |

| Field # and Name | Description | Values | Technical Description |
|--------------------------------------|---|--|--|
| 727.826,15 PLACEHOLDER | This field, previously known as ICD-9 CODE, is no longer needed. The name has been changed to PLACEHOLDER and its value will be setto null. | | This field is no longerin use as of patch ECX*3*161. |
| 727.826,16 PLACEHOLDER | This field, previously known as SECONDARY ICD-9 CODE 1, is no longer needed. The name has been changed to PLACEHOLDER and its value will be setto null. | | This field is no longerin use as of patch ECX*3*161. |
| 727.826,17 PLACEHOLDER | This field, previously known as SECONDARY ICD-9 CODE 2, is no longer needed. The name has been changed to PLACEHOLDER and its value will be setto null. | | This field is no longer in use as of patch ECX*3*161. |
| 727.826,18 PLACEHOLDER | This field, previously known as SECONDARY ICD-9 CODE 3, is no longer needed. The name has been changed to PLACEHOLDER and its value will be setto null. | | This field is no longer in use as of patch ECX*3*161. |
| 727.826,19 PLACEHOLDER | This field, previously known as SECONDARY ICD-9 CODE 4, is no longer needed. The name has been changed to PLACEHOLDER and its value will be setto null. | | This field is no longerin use as of patch ECX*3*161. |
| 727.826,20 AGENT ORANGE STATUS | Indicates if patient claims exposure to Agent Orange. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | This field is derived from the AGENT ORANGE EXPOS. INDICATED field (#.32102) in the PATIENT file (#2) using the patient's DFN. The field will have a NULL value if the PATIENT file (#2) record does not indicate a status. The status indicator is returned by SVC ^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|--|--|---|--|
| 727.826,21 RADIATION EXPOSURE STATUS | Indicates if patient claims exposure to ionizing radiation. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN '1' FOR NO RADIATION '2' FOR HIROSHIMA/NAGASAKI '3' FOR ATMOSPHERIC NUCLEAR TESTING '4' FOR H/N AND ATMOSPHERIC TESTING '5' FOR UNDERGROUND NUCLEAR TESTING '6' FOR EXPOSURE AT NUCLEAR FACILITY '7' FOR OTHER | This field is derived from the RADIATION EXPOSURE INDICATED field (#.32103) in the PATIENT file (#2) using the patient's DFN. This field will have a NULL value if the PATIENT file (#2) record does not indicate a status. The status indicator is returned by SVC^VADPT. |
| 727.826,22 SW ASIA CONDITIONS | Indicates if patient claims exposure to Southwest Asia Conditions. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | This field is derived from the SOUTHWEST ASIA CONDITIONS? field (#.322013) in the PATIENT file (#2) using the patient's DFN. The status indicator is returned by SVC ^VADPT which is called by PAT ^ ECXUTL3. |
| 727.826,23 PATIENT ELIGIBILITY | A two or three-digit numeric code indicating the Patient's Primary Eligibility. The extract logic converts the VistA two or three-digit coding schemes to the National Data Services (NDS) eligibility scheme. | 10 SC 50-100% 20 Aid & Attendance 21 Housebound 22 Mexican Border War 23 WWI 24 POW 25 Purple Heart 30 SC 40-49% 31 SC 30-39% 32 SC 20-29% 33 SC 10-19% 34 SC less than 10% 40 NSC - VA Pension 50 NSC 60 Catastrophic Disability 101 CHAMPVA 102 Collateral of Veteran 103 Employee 104 Other Federal Agency 105 Allied Veteran 106 Humanitarian Emergency 107 Sharing Agreement 108 Reimbursable Insurance 109 TRICARE/CHAMUS | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the PROSTHETICS EXTRACT file (#727.826), ELIGIBILITY data is derived from the PRIMARY ELIGIBILITY CODE field (#.361) in the PATIENT file (#2). PRIMARY ELIGIBILITY CODE is a pointer to the ELIGIBILITY CODE file (#8). The data is derived from the MAS ELIGIBILITY CODE field (#8) in the ELIGIBILITY CODE file (#8), which in turn is a pointer to the MAS ELIGIBILITY CODE file (#8.1). The pointer value to file #8.1 is converted by ELIG^ECXUTL3 to the corresponding eligibility code used by NPCD. This code is composed of two or three numeric characters. |

| 727.826,24 This field, previously known as COST OF TRANSACTION, PLACEHOLD COST OF ECX*3*174. | Field # and Name | Description | Values | Technical Description |
|--|-------------------|---|--------|--|
| TRANSACTION is no longer needed. The name has been changed to PLACEHOLD COST OF TRANSACTION and its value will be set to null. | PLACEHOLD COST OF | as COST OF TRANSACTION, is no longer needed. The name has been changed to PLACEHOLD COST OF TRANSACTION and its value | | This field is no longerin use as of patch ECX*3*174. |

| Field # and Name | Description | Values | Technical Description |
|--|---|--------|---|
| 727.826,25 PLACEHOLD LAB LABOR COST | This field, previously known as LAB LABOR COST, is no longer needed. The name has been changed to PLACEHOLD LAB LABOR COST and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.826,26 PLACEHOLD LAB MATERIAL COST | This field, previously known as LAB MATERIAL COST, is no longer needed. The name has been changed to PLACEHOLD LAB MATERIAL COST and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |

| Field # and Name | Description | Values | Technical Description |
|----------------------------------|---|--|--|
| 727.826,27 BILLING STATUS | Patient's billing status. | '1' FOR SC/OP (SERVICE CONNECTED OUTPATIENT) '2' FOR SC/IP (SERVICE CONNECTED INPATIENT) | BILLING STATUS is derived from the PATIENT CATEGORY field (#62) in the RECORD OF PROS APPLIANCE/REPAIR file (#660) for the prosthetic device record extracted. |
| | | '3' FOR NSC/IP (NON SERVICE CONNECTED INPATIENT) | |
| | | '4' FOR NSC/OP (NON SERVICE CONNECTED OUTPATIENT) | |
| | | '5' FOR OTHER (PATIENT CATEGORY UNKNOWN) | |
| 727.826,28 VET/NON VET | Patient's Veteran status. | 'Y' FOR PATIENT IS A VETERAN 'N' FOR PATIENT IS NOT A VETERAN | VET/NON VET pulled from the VETERAN (Y/N) field (#1901) in the PATIENT file (#2). If the Veteran's status is not known, a NULL value will be assigned to the VET/NON VET field. |
| 727.826,29 TYPE OF TRANSACTION | The code that best describes the prosthetic transaction. | 'I' FOR INITIAL ISSUE 'R' FOR REPLACE 'S' FOR SPARE 'X' FOR REPAIR '5' FOR RENTAL | The TYPE OF TRANSACTION is derived from the TYPE OF TRANSACTION field (#2) in the RECORD OF PROS APPLIANCE/REPAIR file (#660). If the TYPE OF TRANSACTION is not known, NULL is assigned to the field. |
| 727.826,30 REQUESTING STATION | The facility that initiates the request for a Lab prosthetic. | | REQUESTING STATION is derived from the STATION NUMBER field (#99) in the INSTITUTION file (#4) as pointed to by the REQUESTING STATION field (#40) in the RECORD OF PROS APPLIANCE/REPAIR file (#660). This field should have an upper-limit of seven |
| | | | characters, but due to the FileMan limitation for data on this node, it will retain its upper-limit of five. |
| 727.826,31 RECEIVING STATION | The Lab facility that fills the Lab request and provides the prosthetic to the requesting station. | | RECEIVING STATION is derived from the STATION NUMBER field (#99) in the INSTITUTION file (#4) as pointed to by the RECEIVING STATION field (#70) in the RECORD OF PROS APPLIANCE/REPAIR file (#660). |
| | | | This field should have an upper-limit of seven characters, but due to the FileMan limitation for data on this node, it will retain its upper-limit of five. |

| Field # and Name | Description | Values | Technical Description |
|-------------------------------|---|-----------------------------|---|
| 727.826,32 PSAS HCPCS CODE | This field is used to hold the PSAS HCPCS Code from the Prosthetics record being extracted. | | The PSAS HCPCS field (#4.5) of the RECORD OF PROS APPLIANCE/REPAIR file (#660) is used. It is a pointer to the PROSTHETICS HCPCS file (#661.1). The HCPCS field (#.01) of file #661.1 is placed in this extract record field. |
| 727.826,33 ZIP CODE | The ZIP code for where the patient resides. The five-character ZIP code is provided if ZIP + 4 is not available. | | The patient's ZIP code with optional four-digit extension as found in the ZIP+4 field (#.1112) of the patient's record in the PATIENT file (#2). While the ZIP+4 field in file #2 is a max of nine characters, it does put the "-" in if the ZIP code is a +4 type. |
| 727.826,34 DATE OF BIRTH | The patient's date of birth. | | Data source: PATIENT file (#2); DATE OF BIRTH field (#.03). DATE OF BIRTH is returned through the supported call DEM^VADPT. |
| 727.826,35 SEX | Patient's gender | 'M' FOR MALE 'F' FOR FEMALE | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4), this data element is derived from the SEX field (#.02) in the PATIENT file (#2). The gender is returned by DERM^VADPT. |
| 727.826,36 AMIS GROUPER | AMIS GROUPER holds the AMIS Grouper number that indicates what items combine to create a prosthetic device. | | AMIS GROUPER is derived from the AMIS GROUPER field (#68) in the RECORD OF PROS APPLIANCE/REPAIR file (#660). The field is used to sort prosthetic items that combine to create prosthesis. Decimals are not allowed. |
| 727.826,37 PLACEHOLDER | Currently Null | | Currently Null |
| 727.826,38 PLACEHOLD MPI | This field, previously known as MASTER PATIENTINDEX, is no longer needed. The name has been changed to PLACEHOLD MPI and its value will be set to null. | Currently null | This field is no longerin use as of patch ECX*3*184. |
| 727.826,39 PLACEHOLDER | This field, previously known as DSS PRODUCT DEPARTMENT, is no longer needed. The name has been changed to PLACEHOLDER and its value will be setto null. | | This field is no longer in use as of patch ECX*3*161. |

| Field # and Name | Description | Values | Technical Description |
|---|---|---|---|
| 727.826,40 PLACEHOLD PC PROV PERSON CLASS | This field, previously known as PC PROVIDER PERSON CLASS, is no longer needed. The name has been changed to PLACEHOLD PC PROV PERSON CLASS and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |
| 727.826,41 PLACEHOLD RACE | This field, previously known as RACE, is no longer needed. The name has been changed to PLACEHOLD RACE and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.826,42 POW STATUS | Indicates if patient was confined as a Prisoner of War. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the PROSTHETICS EXTRACT file (#727.826), POW data is derived from the POW STATUS INDICATED? field (#.525) in the PATIENT file (#2). The status indicator is returned by SVC ^VADPT. |
| 727.826,43 POW LOCATION | This is the location/period where the patient was a POW. | '1' FOR WORLD WAR I '2' FOR WORLD WAR II - EUROPE '3' FOR WORLD WAR II - PACIFIC '4' FOR KOREAN '5' FOR VIETNAM '6' FOR OTHER | PATIENT file (#2); POW CONFINEMENT LOCATION field (#.526). This is a pointer value to the POW PERIOD file (#22). The location indicator is returned by SVC ^VADPT. |
| 727.826,44 PLACEHOLD SHARING AGREEMNT PAYOR | This field, previously known as SHARING AGREEMENT PAYOR, is no longer needed. The name has been changed to PLACEHOLD SHARING AGREEMNT PAYOR and its value will be set to null. | | This field is no longerin use as of patch ECX*3*174. |
| 727.826,45 PLACEHOLD SHARE AGREEMNTINSUR | This field, previously known as SHARING AGREEMENT INSURANCE, is no longer needed. The name has been changed to PLACEHOLD SHARE AGREEMNT INSUR and its value will be setto null. | | This field is no longer in use as of patch ECX*3*174. |

| Field # and Name | Description | Values | Technical Description |
|---|---|---|---|
| 727.826,46 MST STATUS | Indicates if patient claims Military Sexual Trauma (MST). | 'Y' FOR YES, SCREENED REPORTS MST 'N' FOR NO, SCREENED DOES NOT REPORT MST 'U' FOR UNKNOWN, NOT SCREENED 'D' FOR SCREENED, DECLINES TO ANSWER | The MST HISTORY file (#29.11) holds data regarding military sexual trauma claims and effective dates. The patient's MST status is stored in the MST STATUS field (#3). A call will be made to \$\$GETSTAT^ DGMSTAPI(DFN,DGDATE) using the DFN in the PATIENT NO. DFN field (#4) and the date in the DAY field (#8) of the PROSTHETICS EXTRACT file (#727.826). |
| 727.826,47 ENROLLMENT LOCATION | The facility that the patient chooses to designate as his preferred location for care. | | The PREFERRED FACILITY field (#27.02) of the PATIENT file (#2) is defined as the facility that the patient chooses to designate as his preferred location for care. The PREFERRED FACILITY field (#27.02) is a pointer to the INSTITUTION file (#4). From file #4, the value in the STATION NUMBER field (#99) is used. |
| 727.826,48 STATE | The state in which the patient resides. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the extract record, data is derived from the STATE field (#.115) in the PATIENT file (#2) which points to the STATE file (#5). From the STATE file record, the two-character VA STATE CODE field (#2) is used. |
| 727.826,49 COUNTY | This is the county in which the patient resides. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the extract record, data is derived from the COUNTY field (#.117) in the PATIENT file (#2), which points to a sub-file record in the COUNTY multiple (#3) of the STATE file (#5). The three-character VA COUNTY CODE field (#2) within the COUNTY multiple field is used. |
| 727.826,50 PLACEHOLD ASSOC PC PROVIDER | This field, previously known as ASSOCIATE PC PROVIDER, is no longer needed. The name has been changed to PLACEHOLD ASSOC PC PROVIDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.826,51 PLACEHOLD AS PC PROV PERSON CL | This field, previously known as ASSOC. PC PROV. PERSON CLASS, is no longer needed. The name has been changed to PLACEHOLD AS PC PROV PERSON CL and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |

| Field # and Name | Description | Values | Technical Description |
|---|--|--|--|
| 727.826,52 | Currently Null | | Currently Null |
| PLACEHOLDER | | | |
| 727.826,53 DOM, PRRTP, AND SARRTP | This indicates if the patient is admitted to either an RRTP, PRRTP or SARRTP at the time care is provided. | 'P' FOR GEN. PRRTP 'D' FOR DOMICILIARY 'S' FOR DOM. PRRTP 'T' FOR PTSD PRRTP 'H' FOR HOMELESS CWT/TR 'A' FOR SA CWT/TR 'B' FOR PTSD CWT/TR 'C' FOR GEN. CWT/TR | If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data are derived from the DOM/PRRTP/SARRTP CODE field (#2) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). Otherwise, the value is null. |
| 727.826,54 ENROLLMENT CATEGORY | Patient's enrollment category. | | ENROLLMENT CATEGORY is derived from the standard call DGENA4 using the patient's DFN and the CURRENTENROLLMENT field (#27.01) of the PATIENT file (#2). |
| 727.826,55 ENROLLMENT STATUS | Patient's enrollment status. | | ENROLLMENT STATUS is derived from the standard call \$\$STATUS^DGENA using the patient's DFN and returns the ENROLLMENT STATUS field (#.04) of the PATIENT ENROLLMENT file (#27.11). |
| 727.826,56 PLACEHOLDER | Currently Null | | Currently Null |
| 727.826,57 PURPLE HEART INDICATOR | Indicates whether or not the patient is a Purple Heart recipient. | 'Y' FOR YES 'N' FOR NO | PATIENT file (#2), CURRENT PH INDICATOR field (#.531). The status indicator is returned by SVC^VADPT. |
| 727.826,58 PERIOD OF SERVICE | The period of service that best classifies the patient based on eligibility code. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the PROSTHETICS EXTRACT file (#727.826), PERIOD OF SERVICE is derived from the PERIOD OF SERVICE field (#.323) in the PATIENT file (#2). This field is a pointer to the PERIOD OF SERVICE file (#21). Using the period of service pointer, the data is derived from the CODE field (#.03) in the PERIOD OF SERVICE file (#21). This code is a single alphanumeric character. The Veteran's period of service indicator is |

| Field # and Name | Description | Values | Technical Description |
|--|---|---|--|
| 727.826,59 OBSERVATION PATIENT INDICATOR | Indicates if patient is considered to be an observation patient. Observation admissions are treated as outpatient encounters in MCA, similar to Medicare rules and community hospitals. | 'Y' FOR YES 'N' FOR NO | Data (YES,NO) is retrieved from API call \$\$OBSPAT^ECSUTL4: If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS ID (MTL,IVP,ECQ,QSR,NOS,SUR) is 290-297, Observation Patient Ind = YES. Else, Observation Patient Ind = No. Otherwise, Observation Patient Ind = NO. |
| 727.826,60 ENCOUNTER NUMBER | The unique number assigned for DSS. The OBS conversion logic is: Treating Specialty Use this Stop Code 18 293 (neurology) 24 290 (medicine) 41 296 (Rehab Med) 65 291 (Surgery) 94 292 (psychiatry) 1J 297 (ER) | | This field is determined by a call to \$\$ENCNUM^ECXUTL4. Within this call the inpatient/outpatient status, SSN, admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number. |
| 727.826,61 AGENT ORANGE LOCATION | Indicates the location where the patient was exposed to Agent Orange. | 'B' FOR BLUE WATER NAVY 'K' FOR KOREAN DMZ 'V' FOR VIETNAM 'T' FOR THAILAND (U.S. OR ROYAL THAI MIL BASE) 'L' FOR LAOS 'C' FOR CAMBODIA (MIMOT OR KREK, KAMPONG CHAM) 'G' FOR GUAM, AMERICAN SAMOA, OR TERRITORIAL WATERS 'J' FOR JOHNSTON ATOLL 'O' FOR OTHER | The location is returned by a call to SVC^VADPT which gets its data from the AGENT ORANGE EXPOSURE LOCATION field (#.3213) of the PATIENT file (#2). |

| Field # and Name | Description | Values | Technical Description |
|---|---|------------------------------|--|
| 727.826,62 CNH STATUS | This field indicates if the Patient is in a Contract Nursing Home (CNH). | 'YES' FOR YES 'NO' FOR NO | Using the CNHSTAT^ECXUTL4 (DFN) call, the CNH status is returned based on the CNH CURRENT field (#148) of the PATIENT file (#2). |
| 727.826,63 PRODUCTION DIVISION CODE | Identifies the division/facility where the work was performed. | | The STATION field (#8) of the RECORD OF PROS APPLIANCE/REPAIR file (#660) is used to call the API RADDIV^ECXDEPT DSS to get the STATION NUMBER field (#99) from the INSTITUTION file (#4). |
| 727.826,64 HEAD & NECK CANCER INDICATOR | Indicates if patient claims head and/or neck cancer. | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4), a call is made to \$\$GETCUR^DGNTAPI to retrieve the HEAD/NECK CA DX field (#2.01) of the NOSE AND THROAT RADIUM HISTORY file (#28.11). |
| 727.826,65 PLACEHOLD ETHNICITY | This field, previously known as ETHNICITY, is no longer needed. The name has been changed to PLACEHOLD ETHNICITY and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.826,66 PLACEHOLD RACE 1 | This field, previously known as RACE 1, is no longer needed. The name has been changed to PLACEHOLD RACE 1 and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.826,67 PLACEHOLD DSS IP# | This field, previously known as DSS IP#, is no longer needed. The name has been changed to PLACEHOLD DSS IP# and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |

| Field # and Name | Description | Values | Technical Description |
|--------------------------------------|---|--|---|
| 727.826,68 ENROLLMENT PRIORITY | This field contains the enrollment priority group and the enrollment priority subgroup. | ENROLLMENT PRIORITY Groups determined for a patient enrollment include: | ENROLLMENT PRIORITY field contains the enrollment priority group and the enrollment priority subgroup from the PATIENT ENROLLMENT file (#27.11). |
| | | '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 | |
| | | ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: | |
| | | 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 | |
| 727.826,69 USER ENROLLEE | Indicates whether a Veteran has User Enrollee status for | 'U' FOR USER ENROLLED | User enrollee is determined by checking the PATIENT ENROLLMENT file (#27.11). |
| OSEN ENNOLEE | the current or future fiscal year. | | When a user has a current or future fiscal year in the VistA USER ENROLLEE STATUS (#.04) field, the value is set to 'U' and Null if no date or a past year's value is contained. |
| | | | Determined by the use of an API: I \$\$UESTAT^EASUER where the Patient Identifier (DFN) is passed in. |
| 727.826,70 PATIENT TYPE | Refers to the various types of patient, which may be seen at a VA facility. Every patient in the system must have a TYPE specified. | 'AC' FOR ACTIVE DUTY 'AL' FOR ALLIED VETERAN 'CO' FOR COLLATERAL 'EM' FOR EMPLOYEE 'IN' FOR INELIGIBLE 'MI' FOR MILITARY RETIREE | PATIENT TYPE is derived from a call to TYPE^ECXUTL5 (DFN). Using the patient's DFN, the NAME field (#.01) of the TYPE OF PATIENT file (#391) as pointed to by the TYPE field (#391) of the PATIENT file (#2) is shortened to the first two characters to determine the value stored in the PATIENT TYPE field (#78). |
| | | 'NO' FOR NON-VETERAN (OTHER) 'NS' FOR NSC VETERAN 'SC' FOR SC VETERAN 'TR' FOR TRICARE | |

| Field # and Name | Description | Values | Technical Description |
|--|--|-------------------------------------|--|
| 727.826,71 CV STATUS ELIGIBILITY | This field indicates whether or not a patient can be considered a Combat Veteran (CV) at the time of treatment. Records if Veteran served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of hostilities after November 11, 1998. | 'Y' FOR YES 'E' ELIGIBILITY EXPIRED | CV STATUS ELIGIBILITY is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces (i.e., 1^20010106^0) and the first piece is resolved as follows. 1 - Veteran qualifies as a CV 0 - Veteran does not qualify as a CV -1 - bad DFN Based on this result the field will be set to 'Y' for 'YES' or 'E' for 'ELIGIBILITY EXPIRED' or 'NULL' for not eligible. |
| 727.826,72 CV ELIGIBILITY END DATE | Records the Combat Veteran eligibility expiration date of Veteran who served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of hostilities after November 11, 1998. | | CV ELIGIBILITY END DATE is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces (i.e., 1^20010106^0). The second piece is the COMBAT VET END DATE in HL7 format. |
| 727.826,73 PLACEHOLD ENCOUNTER CV | This field, previously known as ENCOUNTER CV, is no longer needed. The name has been changed to PLACEHOLD ENCOUNTER CV and its value will be set to null. | | This field is no longerin use as of patch ECX*3*174. |

| Field # and Name | Description | Values | Technical Description |
|--|---|--|--|
| 727.826,74 NATIONAL PATIENT RECORD FLAG | This field will indicate if the Patient has any type of a National Flag indicator. | 'Y' FOR YES | The NATIONAL PATIENT RECORD FLAG field is set based on the results of the \$\$GETACT^DGPFAPI(DFN,TARGET ARRAY) call. This call looks at the category 1 national patient record flags as recorded in the PRF NATIONAL FLAG file (#26.15). The resulting value of this call is the number of active category 1 patient record flags assigned to this patient. This field is set to Y (YES) if the result is greater than zero. A value of zero causes this field to be left null. |
| 727.826,75 ERI | This field identifies patients from impacted ZIP code areas designated by the Federal Emergency Management Agency (FEMA). | 'K' FOR HURRICANE KATRINA 'P' FOR PANDEMIC NULL | This field is extracted from the EMERGENCY RESPONSE INDICATOR field (#.181) located in the PATIENT file (#2). |
| 727.826,76 PLACEHOLD AGENT ORANGE ENC | This field, previously known as AGENT ORANGE ENC INDICATOR, is no longer needed. The name has been changed to PLACEHOLD AGENT ORANGE ENC and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.826,77 PLACEHOLD ENCOUNTER SWAC | This field, previously known as ENCOUNTER SWAC, is no longer needed. The name has been changed to PLACEHOLD ENCOUNTER SWAC and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.826,78 PLACEHOLD ENC HEAD/NECK CA | This field, previously known as ENC HEAD/NECK CA, is no longer needed. The name has been changed to PLACEHOLD ENC HEAD/NECK CA, and its value will be set to null. | | This field is no longerin use as of patch ECX*3*174. |

| Field # and Name | Description | Values | Technical Description |
|---|--|--|---|
| 727.826,79 PLACEHOLD ENCOUNTER MST | This field, previously known as ENCOUNTER MST, is no longer needed. The name has been changed to PLACEHOLD ENCOUNTER MST, and its value will be set to null. | | This field is no longerin use as of patch ECX*3*174. |
| 727.826,80 PLACEHOLD RADIATION ENCOUNTER | This field, previously known as RADIATION ENCOUNTER, is no longer needed. The name has been changed to PLACEHOLD RADIATION ENCOUNTER and its value will be setto null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.826,81 OEF/OIF | The Military Operation(s) in which the patient was in combat. This field is a length of nine characters and reflects the OEF or OIF where this patient was in combat. | Possible field values are one or more combinations of the following: OEF = OPERATION ENDURING FREEDOM OIF = OPERATION IRAQI FREEDOM UNK = UNKNOWN OEF/OIF | The Military Operation in which the patient was in combat during the specified time period. This field is a length of nine characters and reflects the OEF or OIF where this patient was in combat. The value of this field is derived from the LOCATION OF SERVICE field (#.01) in the SERVICE [OEF OR OIF] multiple (#.3215) located in the PATIENT file (#2). DSS will capture, once, each location where the Veteran served. In order to accommodate multiple locations, the values for this field are concatenated into this nine-character field. |
| 727.826,82 OEF/OIF RETURN DATE | The date the Veteran left the OEF/OIF area. Otherwise, it is the end date of military pay for this OEF/OIF deployment. This date field has a format equal to YYYYMMDD. In cases of multiple OEF/OIF tours, this field contains only the most recent return date. | | The value of this field is derived from the OEF/OIF TO DATE field (#.03) of the SERVICE [OEF OR OIF] multiple (#.3215) located in the PATIENT file (#2). |

| Field # and Name | Description | Values | Technical Description |
|--|---|--|--|
| 727.826,83 NPPD CODE | The National Prosthetics Product Database report line number to which the HCPCS are assigned. | | The value is derived from the PROSTHETIC HCPCS file (#661.1), NPPD REPAIR CODE field (#5), if the record is a repair record. The value is derived from the PROSTHETIC HCPCS file (#661.1), NPPD NEW CODE field (#6) if the record is for a new issue. Note: The PROSTHETICS (PRO) EXTRACT file (#727.826) already stores whether the record is for repair or a new issue in the TYPE OF TRANSACTION field (#29). |
| 727.826,84 NPPD ENTRY DATE | The date the entry was first made in the VistA Prosthetics Package. | | Format is YYYYMMDD. The date value is retrieved from the RECORD OF PROS APPLIANCE/REPAIR file (#660), ENTRY DATE field (#.01). |
| 727.826,85 PLACEHOLD ASSOC PC PROV NPI | This field, previously known as ASSOCIATE PC PROVIDER NPI, is no longer needed. The name has been changed to PLACEHOLD ASSOC PC PROV NPI and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.826,86 PLACEHOLD PC PROVIDER NPI | This field, previously known as PRIMARY CARE PROVIDER NPI, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER NPI and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |
| 727.826,87 COUNTRY CODE | This is the code for the country associated with the address. | | The three-character alpha identifying code is copied from the CODE field (#.01) of the COUNTRY CODE file (#779.004). |
| 727.826,88 SHAD STATUS | Indicates whether patient meets requirements for Shipboard Hazard and Defense (SHAD) conditions. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the PROSTHETICS EXTRACT file (#727.826), Shipboard Hazard and Defense data is derived from using DBIA#4462 GETSAHD^DGUTL3 (DFN). |

| Field # and Name | Description | Values | Technical Description |
|---|--|---|--|
| 727.826,89 PLACEHOLD ENCOUNTER SHAD | This field, previously known as ENCOUNTER SHAD, is no longer needed. The name has been changed to PLACEHOLD ENCOUNTER SHAD and its value will be set to null. | | This field is no longerin use as of patch ECX*3*174. |
| 727.826,90 LABOR HOURS | This is the number of hours spent on the job. | | Derived from the TOTAL LABOR HOURS field (#45) of the RECORD OF PROS APPLIANCE/REPAIR file (#660). |
| 727.826,91 PATCAT | This is the Patient's category which will be used for Federal Health Care Center (FHCC) Reconciliation. DSS must capture and report DoD patients so that the FHCC reconciliation process can function as designed. "Reconciliation" is the process used within the new FHCC to determine which patients DoD pays for and which VA pays for. | 'AD' FOR ACTIVE DUTY 'ADD' FOR ACTIVE DUTY DEPENDENT 'FNRS' FOR FORMER NON-REMARRIED SPOUSE 'RET' FOR RETIRED 'RETD' FOR RETIREE DEPENDENT 'RES' FOR RESERVIST 'REC' FOR RECRUIT 'TDRL' FOR TEMPORARY DISABILITY 'TFL' FOR TRICARE FOR LIFE | If the VistA Patient Type Code [TYPE field (#391) of the PATIENT file (#2)] = Active Duty, Military Retiree, or TRICARE, then the value(s) in the VistA OTHER ELIGIBILITY multiple [PATIENT ELIGIBILITES field (#361) of the PATIENT file (#2)], which points to locally modifiable ELIGIBILITY CODE file (#8), should be evaluated. If the value in the ELIGIBILITY CODE is equal to any entry in the set of codes in this field, the value should be placed in this field. |
| 727.826,92 PRIMARY ICD-10 CODE | This is the primary ICD-10 code for the procedure performed. Not available in PRO extract. | | This field is not yet used by the Prosthetics Extract as the ICD information is not available in Prosthetics. |
| 727.826,93 SECONDARY ICD-10 CODE #1 | This is the first secondary ICD-10 code for the procedure performed. Not available in PRO extract | | This field is not yet used by the Prosthetics Extract as the ICD information is not available in Prosthetics. |
| 727.826,94 SECONDARY ICD-10 CODE #2 | This is the second secondary ICD-10 code for the procedure performed. Not available in PRO extract. | | This field is not yet used by the Prosthetics Extract as the ICD information is not available in Prosthetics. |

| Field # and Name | Description | Values | Technical Description |
|--|---|--|--|
| 727.826,95 SECONDARY ICD-10 CODE #3 | This is the third secondary ICD-10 code for the procedure performed. Not available in PRO extract. | | This field is not yet used by the Prosthetics Extract as the ICD information is not available in Prosthetics. |
| 727.826,96 SECONDARY ICD-10 CODE #4 | This is the fourth secondary ICD-10 code for the procedure performed. Not available in PRO extract. | | This field is not yet used by the Prosthetics Extract as the ICD information is not available in Prosthetics. |
| 727.826,97 PLACEHOLD ENCOUNTER SC | This field, previously known as ENCOUNTER SC, is no longer needed. The name has been changed to PLACEHOLD ENCOUNTER SC and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.826,98 VIETNAM | Indicates if patient is a Vietnam-era Veteran. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the PROSTHETICS EXTRACT file (#727.826), VIETNAM data is derived from the VIETNAM SERVICE INDICATED? field (#.32101) in the PATIENT file (#2). |
| 727.826,99 CAMP LEJEUNE STATUS | Indicates if patient claims exposure to contaminated water while stationed at Camp Lejeune, NC between January 1, 1957 and December 31, 1987. | 'Y' FOR YES 'N' FOR NO | Using the patient's DFN, a call is made to PAT^ECXUTL3, which in turn calls SVC^VADPT. This call returns all service related information for a patient, including their Camp Lejeune status. |
| 727.826,100 PLACEHOLD ENC CAMP LEJEUNE | This field, previously known as ENCOUNTER CAMP LEJEUNE, is no longer needed. The name has been changed to PLACEHOLD ENCOUNTER CAMP LEJEUNE and its value will be set to null. | | This field is no longerin use as of patch ECX*3*174. |
| 727.826,101 COMBAT VETERAN INDICATOR | Identifies if patient served in a combat zone | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, COMBAT SERVICE INDICATOR data is derived from the COMBAT SERVICE INDICATED field (#.5291) in the PATIENT file (#2). COMBAT SERVICE INDICATED is returned by the supported call SVC^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|---|--|--|---|
| 727.826,102 COMBAT VETERAN LOCATION | Identifies the war in which the combat service was incurred. | WWI WWII-EUROPE WWII-PACIFIC KOREAN VIETNAM OTHER PERSIAN GULF YUGOSLAVIA | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, COMBAT SERVICE LOCATION data is derived from the COMBAT SERVICE LOCATION field (#.5292) in the PATIENT file (#2). The COMBAT SERVICE LOCATION IEN is returned by the supported call SVC^VADPT, this IEN is then used to retrieve the ABBREVIATION field (#1) from the POW PERIOD file (#22). |
| 727.826,103 FORM REQUESTED ON | Identifies which form was used to enter a prosthetics request. | '1' FOR PSC '2' FOR 2421 '3' FOR 2237 '4' FOR 2529-3 '5' FOR 2529-7 '6' FOR 2474 '7' FOR 2431 '8' FOR 2914 '9' FOR OTHER '10' FOR STOCK ISSUE '12' FOR INVENTORY ISSUE '13' FOR HISTORICAL DATA '14' FOR VISA '15' FOR LAB ISSUE-3 '16' FOR DALC | The source of data for this field is the FORM REQUESTED ON from the RECORD OF PROS APPLIANCE/REPAIR file (#660). The value stored here will be the internal value of the set of codes from that field. |
| 727.826,104 UNIT OF ISSUE | This is the unit of issue associated with the item or service provided to the patient. | | This field is derived from the UNIT OF ISSUE field (#75) of the RECORD OF PROS APPLIANCE/REPAIR file (#660). The two-character NAME field (#.01) of the UNIT OF ISSUE file (#420.5) is used to represent the unit of issue associated with the item or service provided to the patient. |

| Field # and Name | Description | Values | Technical Description |
|---|-------------|--------|--|
| 727.826,105 NEW COST OF TRANSACTION | | | NEW COST OF TRANSACTION is the value found in the TOTAL COST field (#14) in the RECORD OF PROS APPLIANCE/REPAIR file (#660) when the FORM REQUESTED ON field (#11) in the RECORDOF PROS APPLIANCE/REPAIR file (#660) is one of the following: |
| | | | 1) PSC, represented by 1. |
| | | | 2) 2421, represented by 2. |
| | | | 3) 2237, represented by 3. |
| | | | 4) 2529-7, represented by 5. |
| | | | 5) 2474, represented by 6. |
| | | | 6) 2431, represented by 7. |
| | | | 7) 2914, represented by 8. |
| | | | 8) OTHER, represented by 9. |
| | | | 9) 2520, represented by 10. |
| | | | 10) STOCK ISSUE, represented by 11. |
| | | | 11) INVENTORY ISSUE, represented by 12. |
| | | | 12) VISA, represented by 14. |
| | | | 13) DALC, represented by 16. |
| | | | NEW COST OF TRANSACTION is the value found in the TOTAL LAB COST field (#48) in the RECORD OF PROS APPLIANCE/REPAIR file (#660) when the FORM REQUESTED ON field (#11) in the RECORD OF PROS APPLIANCE/REPAIR file (#660) is one of the following: |
| | | | 1) 2529-3, represented by 4. |
| | | | 2) LAB ISSUE-3, represented by 15. |
| | | | NEW COST OF TRANSACTION is derived from the RECORD OF PROS APPLIANCE/REPAIR file (#660). Depending on how the COST OF TRANSACTION is constructed, data is derived from the following fields in the RECORD OF PROS APPLIANCE/REPAIR file (#660): |
| | | | 1) TOTAL COST field (#14) |
| | | | 2) TOTAL LAB COST field (#48) |
| | | | 3) FORM REQUESTED ON field (#11) |

| Field # and Name | Description | Values | Technical Description |
|---|---|--------|---|
| 727.826,106 NEW LAB LABOR COST | The total cost of the labor to perform the job. | | NEW LAB LABOR COST is derived from the TOTAL LABOR COST field (#46) in the RECORD OF PROS APPLIANCE/REPAIRfile (#660). |
| | | | The following algorithm is defined: |
| | | | a) If the patient's prosthetic record indicates a Lab Transaction, the value of NEW LAB LABOR COST is equal to the value found for TOTAL LABOR COST field (#46). |
| | | | b) If the patient's prosthetic record is not a Lab Transaction, the value of NEW LAB LABOR COST is zero. |
| | | | c) If NEW LAB LABOR COST is not known, and the patient's prosthetic record indicates a Lab Transaction, a zero value is assigned to the extract record. |
| 727.826,107 NEW LAB MATERIAL COST | The total cost of the labor to perform the job. | | The NEW LAB MATERIAL COST is derived from the RECORD OF PROS APPLIANCE/REPAIR file (#660) according to the following algorithm: |
| | | | a) If the patient's prosthetic record indicates a Lab Transaction, the value of NEW LAB MATERIAL COST is equal to the value found for TOTAL MATERIAL COST field (#47). |
| | | | b) If the patient's prosthetic record is not a Lab Transaction, the value of NEW LAB MATERIAL COST is zero. |
| | | | |
| | | | d) NEW LAB MATERIAL COST shall allow for values, which are reported in dollars and cents. The actual value shall be extracted, including the decimal point. |
| 727.826,108 NEW MPI | A national VA system IDENTIFIER which uniquely identifies a patient. Commonly called "Patient ICN" or "Patient IEN"; not to be confused with the IEN from the VistA PATIENT file. | | Derived by calling API, \$\$GETICN^MPIF001 (Supported DBIA #2701), that returns the Integration Control Number (ICN) and the ICN checksum for the given patient in the PATIENT file (#2). |

| Field # and Name | Description | Values | Technical Description |
|--|--|--|--|
| 727.826,109 SELF IDENTIFIED GENDER | The SELF IDENTIFIED GENDER value indicates the patient's personal sense of their gender identity (if they choose to provide it). Self-identified gender may be the same or different as the sex assigned at birth. | 'M' FOR MALE 'F' FOR FEMALE 'TM' FOR TRANSGENDER MALE 'TF' FOR TRANSGENDER FEMALE 'O' FOR OTHER 'N' FOR DOES NOT WISH TO DISCLOSE 'B' FOR NON-BINARY | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the PROSTHETICS EXTRACT file (#727.826), this data is derived from the SELF IDENTIFIED GENDER field (#.024) in the PATIENT file (#2). |

3.11. #727.814 – RADIOLOGY EXTRACT (RAD) File Data Definition

This file contains data elements as specified by MCAO for the Radiology extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS/MCA site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains a nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.



NOTE: Descriptions and Technical Descriptions may not match VA FileMan.

Table 12: Radiology Extract (RAD) File #727.814 Data Definitions

| Field # and Name | Description | Values | Technical Description |
|-------------------------------|--|--------|--|
| 727.814,01 SEQUENCE NUMBER | The IEN of the record for this extract entry. | | The internal entry number (IEN) for this record. This entry is DINUMed. |
| 727.814,1 YEAR MONTH | A six-character string representing the year and month for which this extract was performed. | | YEAR MONTH is derived by parsing the FileMan format end date of the extract. The month is determined by taking the fourth and fifth characters of the end date, the year by taking the second and third characters, and the century is then calculated by taking the first character of the end date and adding 17 to it. The century is then concatenated with the year and month, giving the results in YYYYMM format. |
| 727.814,2 EXTRACT NUMBER | The corresponding entry in the DSS EXTRACTLOG file (#727) for this extract. | | A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message. |
| 727.814,3 FACILITY | This is the facility/division where the extract was performed. | | Derived from the HOSPITAL DIVISION field (#3) within the REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70). HOSPITAL DIVISION points to the RAD/NUC MED DIVISION file (#79), which in turn points to the INSTITUTION file (#4). This is a copy of the STATION NUMBER field (#99). |

| Field # and Name | Description | Values | Technical Description |
|--|--|--|---|
| 727.814,4 PATIENT NO DFN | An identifying number for the patient at the local site. | | Derived from the NAME field (#.01) of the RAD/NUC MED PATIENT file (#70), which is DINUMed to the PATIENT file (#2). This data represents the patient DFN. |
| 727.814,5 SSN | The patient's social security number. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814), SSN data is derived from the SOCIAL SECURITY NUMBER field (#.09) in the PATIENT file (#2). |
| | | | "Test" patient status is determined in PAT^ECXUTL3. For the RAD extract, the following are considered test SSNs: |
| | | | 123456789; Nine repeating digits (e.g., 333333333); The first three digits are '000' or '666'; The middle two digits are '00'; The last four digits are '0000'; The first digit is '9'. |
| 727.814,6 NAME | The first four characters of the patient's last name. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814), NAME data is derived from the NAME field (#.01) in the PATIENT file (#2). |
| | | | The first four characters of the first "," piece are used, padded with trailing spaces if necessary. |
| | | | The name value is returned by the supported call DEM^VADPT. |
| 727.814,7 IN OUT PATIENT INDICATOR | Indicates the patient's status for this extract entry. Observation admissions are treated as outpatient | 'I' FOR INPATIENT 'O' FOR OUTPATIENT 'A' FOR ASIH (OTHER FACILITY) | To determine the value of this field, a call is made to \$\$PATDEM^ECXUTL2. Within this call, \$\$INP^ECXUTL2 is called to determine the patient status. |
| | treated as outpatient encounters in MCA, similar to Medicare rules and community hospitals. | encounters in MCA, similar to Medicare rules and | If the patient is an outpatient, processing stops and the field is set to O. |
| | | | If the patient is an inpatient, \$\$INOUTP^ECXUTL4 is called to look at the treating specialty. |
| | | | If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831) is used. If the treating specialty is <u>not</u> found in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the indicator is setto I. |
| | | | If the patient is ASIH to another facility at the date/time in question, the indicator is setto A. |

| Field # and Name | Description | Values | Technical Description |
|--------------------------------------|---|--------|--|
| 727.814,8 DAY | An eight-character numeric string that represents the date on which the Radiology procedure was performed. | | Data source: Date portion of the EXAM DATE field (#.01) of the REGISTERED EXAMS multiple (#70.02) of the RAD/NUC MED PATIENT file (#70). This field is always exactly eight numeric characters in length. The format is YYYYMMDD; |
| | | | for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. |
| 727.814,9 CPT CODE & MODIFIERS | The five-character Current Procedural Terminology (CPT) code for the radiology procedure performed, and up to 5 two-character CPT modifiers. | | Derived from the CPT CODE field (#9) in the RAD/NUC MED PROCEDURES file (#71) for the procedure identified in the RADIOLOGY PROCEDURE field (#2) of the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70). CPT CODE is a pointer to the CPT CODE field (#.01) in the CPT file (#81). |
| | | | The source of CPT modifiers is the MODIFIER field (#.01) of the CPT MODIFIER file (#81.3) as pointed to by the CPT MODIFIERS field (#.01) of the CPT MODIFIERS multiple (#135) of the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70). |
| 727.814,10 PROCEDURE | The radiology procedure associated with this case. | | Derived from the RADIOLOGY PROCEDURE field (#2) within the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70). This field is a pointer to the RADIOLOGY PROCEDURES file (#71). |
| 727.814,11 IMAGING LOCATION | The imaging location where this radiology exam was performed. | | Derived from the IMAGING LOCATION field (#4) within the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70). It is a pointer to the RADIOLOGY LOCATIONS file (#79.1). |

| Field # and Name | Description | Values | Technical Description |
|--|--|--------|---|
| 727.814,12 LOCATION (WARD OR CLINIC) | The patient's ward or clinic location. | | Derived from the WARD field (#6) within the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70). |
| | | | Using this WARD LOCATION file (#42) pointer, the data is derived from the HOSPITAL LOCATION FILE POINTER field (#44) in the WARD LOCATION file (#42), which is a pointer to the HOSPITAL LOCATION file (#44). |
| | | | If the patient is not assigned to a ward, data is derived from the PRINCIPAL CLINIC field (#8) within the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70). PRINCIPAL CLINIC is a pointer to the HOSPITAL LOCATION file (#44). |
| 727.814,13 SERVICE | Indicates the name of the service treating the patient. | | Derived from the SERVICE field (#7) within the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70). SERVICE is a pointer to the HOSPITAL SERVICE file (#49). |
| 727.814,14 DIAGNOSTIC CODE | Indicates the diagnostic code associated with this exam. | | Derived from the PRIMARY DIAGNOSTIC CODE field (#13) within the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70). DIAGNOSTIC CODE is a pointer to the DIAGNOSTIC CODES file (#78.3) |
| 727.814,15 REQUESTING PHYSICIAN | Indicates the person requesting this radiology exam. | | Derived from the REQUESTING PHYSICIAN field (#14) within the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70). |
| | | | If REQUESTING PHYSICIAN is a pointer to the NEW PERSON file (#200), it is stored as "2"_pointervalue. |
| | | | If REQUESTING PHYSICIAN is a pointer to the PROVIDER file (#6), it is stored as "6"_pointer value. |
| 727.814,16 MODIFIERS | Indicates radiology modifiers associated with this exam. | | Derived from the MODIFIERS field (#.01) within the MODIFIERS multiple (#125) of the EXAMINATIONS multiple (#50) within the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70). |
| | | | This field consists of a string of pointers to the PROCEDURE MODIFIERS file (#71.2), separated by semi-colons (;). |

| Field # and Name | Description | Values | Technical Description |
|--|---|--------|---|
| 727.814,17 MOVEMENT FILE # | Current patient movement record associated with this extract record. | | A call to IN5^VADPT (using the patient IEN and the event date) returns a patient movement number (indicating inpatient status). |
| | | | This field is set to the value of VAIP(1), which is a pointer to the PATIENT MOVEMENT file (#405). |
| 727.814,18 TREATING SPECIALTY | The PTF CODE of the treating specialty associated with this extract record. | | This field is initialized to null, indicating an outpatient status. If a call to IN5^VADPT (using the patient IEN and the event date) returns a patient movement number (indicating inpatient status), the value of VAIP(8), which is the pointer to the FACILITY TREATING SPECIALTY file (#45.7), is used to get the SPECIALTY field (#1) which points to the SPECIALTY file (#42.4). Then, the PTF Code (field #7 of file #42.4) is obtained and stored instead of the IEN of the specialty. |
| 727.814,19 TIME | A six-character numeric string that represents the time-of-day when this Radiology procedure was performed. | | Data source: RAD/NUC MED PATIENT file (#70), REGISTERED EXAMS sub-file (#70.02), EXAM DATE field (#.01). This field is always exactly six numeric characters in length; if time cannot be determined, "000300" is used as default. |
| 727.814,20 IMAGING TYPE | The type of imaging used for this radiology exam. | | Derived from the TYPE OF IMAGING field (#2) within the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70). It is a pointer to the IMAGING TYPE file (#79.2). |
| 727.814,21 PLACEHOLD PRIMARY CARE TEAM | This field, previously known as PRIMARY CARE TEAM, is no longer needed. The name has been changed to PLACEHOLD PRIMARY CARE TEAM and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.814,22 PLACEHOLD PC PROVIDER | This field, previously known as PRIMARY CARE PROVIDER, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |

| Field # and Name | Description | Values | Technical Description |
|---|---|----------------|---|
| 727.814,23 PLACEHOLD MPI | This field, previously known as MASTER PATIENTINDEX, is no longer needed. The name has been changed to PLACEHOLD MPI and its value will be set to null. | Currently null | This field is no longer in use as of patch ECX*3*184. |
| 727.814,24 PLACEHOLDER | This field, previously known as DSS PRODUCT DEPARTMENT, is no longer needed. The name has been changed to PLACEHOLDER and its value will be setto null. | | This field is no longer in use as of patch ECX*3*161. |
| 727.814,25 PLACEHOLDER | Currently Null | | Currently Null |
| 727.814,26 PLACEHOLDER | Currently Null | | Currently Null |
| 727.814,27 PLACEHOLD PC PROV PERSON CLASS | This field, previously known as PC PROVIDER PERSON CLASS, is no longer needed. The name has been changed to PLACEHOLD PC PROV PERSON CLASS and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.814,28 PLACEHOLD ASSOC PC PROVIDER | This field, previously known as ASSOCIATE PC PROVIDER, is no longer needed. The name has been changed to PLACEHOLD ASSOC PC PROVIDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.814,29 PLACEHOLD AS PC PROV PERSON CL | This field, previously known as ASSOC. PC PROV. PERSON CLASS, is no longer needed. The name has been changed to PLACEHOLD AS PC PROV PERSON CL and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.814,30 PLACEHOLDER | Currently Null | | Currently Null |

| Field # and Name | Description | Values | Technical Description |
|--|--|--|---|
| 727.814,31 DOM, PRRTP AND SARRTP | This indicates if the patient is admitted to either an RRTP, PRRTP or SARRTP at the time care is provided. | 'P' FOR GEN. PRRTP 'D' FOR DOMICILIARY 'S' FOR DOM. PRRTP 'T' FOR PTSD PRRTP 'H' FOR HOMELESS CWT/TR 'A' FOR SA CWT/TR 'B' FOR PTSD CWT/TR 'C' FOR GEN. CWT/TR | If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the DOM/PRRTP/SARRTP CODE field (#2) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). Otherwise, the value is null. |
| 727.814,32 OBSERVATION PATIENT INDICATOR | Indicates if patient is considered to be an observation patient. Observation admissions are treated as outpatient encounters in MCA, similar to Medicare rules and community hospitals. | 'Y' FOR YES 'N' FOR NO | Data (YES,NO) is retrieved from API call \$\$OBSPAT^ECXUTL4: If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS ID (MTL,IVP,ECQ,QSR,NOS,SUR) is 290-297, Observation Patient Ind = YES. Else Observation Patient Ind = NO. Otherwise, Observation Patient Ind = NO. |
| 727.814,33 ENCOUNTER NUMBER | The unique number assigned for DSS. The OBS conversion logic is: Treating Specialty 18 293 (neurology) 24 290 (medicine) 41 296 (Rehab Med) 65 291 (surgery) 94 292 (psychiatry) 1J 297 (ER) | | This field is determined by a call to \$\$ENCNUM^ECXUTL4. Within this call, the inpatient/outpatient status, SSN, admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number. |

| Field # and Name | Description | Values | Technical Description |
|---|---|--------|--|
| 727.814,34 RAD STOP CODE | This field contains the stop code associated with the order. | | This field is populated from the AMIS REPORTING STOP CODE field (#1) of the CLINIC STOP file (#40.7). |
| | | | It comes from the IMAGING LOCATION field (#4) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70). IMAGING LOCATIONs file (#79.1) and uses the DSS ID field (#22) value. DSS ID is a pointer to the CLINIC STOP file (#40.7) where the AMIS REPORTING STOP CODE field (#1) is returned. |
| 727.814,35 ORDERING DATE | Date exam was ordered. | | This field contains the date of the order in YYYYMMDD format. |
| 727.814,36 PRODUCTION DIVISION CODE | Identifies the division/facility where the work was performed. | | This data comes from the STATION NUMBER field (#99) in the INSTITUTION file (#4). |
| 727.814,37 PLACEHOLD DSS IP# | This field, previously known as DSS IP#, is no longer needed. The name has been changed to PLACEHOLD DSS IP# and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.814,38 ORDERING PROVIDER PERSON CLASS | The VA code of the Person Class of the Ordering Provider as of the date of this extract record. | | Active Person Class is determined by the supported call \$\$GET^XUZ4A72 (PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. |
| | | | The VA CODE is determined by the seventh piece of the returned value string. |
| 727.814,39 INTERPRETING RADIOLOGIST | The interpreting radiologist for this exam. | | This field is derived from the PRIMARY INTERPRETING STAFF field (#15) of the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70). The INTERPRETING RADIOLOGIST field is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is |

| Field # and Name | Description | Values | Technical Description |
|---|---|--|---|
| 727.814,40 INTERPRETING RADIOLOGIST PC | The VA code of the Person Class of the interpreting radiologist as of the date of this extract record. | | Active Person Class is determined by the supported call \$\$GET^ XUZ4A72 (PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the seventh piece of the returned value string. |
| 727.814,41 CLINIC NAME | This field identifies the specific clinic ordering the radiology exam. The clinic IEN should be retrieved from the HOSPITAL LOCATION file (#44). | | This field identifies the specific clinic (IEN) ordering the radiology exam. The clinic name is retrieved from the RAD/NUC MED PATIENT file (#70) sub-file (#70.03) PRINCIPAL CLINIC field (#8), which is a pointer to HOSPITAL LOCATION file (#44). |
| 727.814,42 CLINIC STOP CODE | This is the ordering stop code of the clinic that ordered the radiology exam. | | This value is derived from the AMIS REPORTING STOP CODE field (#1) of the CLINIC STOP file (#40.7) as pointed to by the STOP CODE NUMBER field (#8) of the HOSPITAL LOCATION file (#44) as pointed to by the PRINCIPAL CLINIC field (#8) of the EXAMINATIONS multiple (#50) of the EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70). |
| 727.814,43 ERI | This field identifies patients from impacted ZIP code areas designated by the Federal Emergency Management Agency (FEMA). | 'K' FOR HURRICANE KATRINA 'P' FOR PANDEMIC NULL | This field is extracted from the EMERGENCY RESPONSE INDICATOR field (#.181) located in the PATIENT file (#2). |
| 727.814,44 PLACEHOLD ASSOC PC PROV NPI | This field, previously known as ASSOCIATE PC PROVIDER NPI, is no longer needed. The name has been changed to PLACEHOLD ASSOC PC PROV NPI and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |
| 727.814,45 INTERPRETING RADIOLOGIST NPI | A standard, unique life-long identifier of the radiologist who interpreted the radiology exam. This field has a length of fifteen characters. | | The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |

| Field # and Name | Description | Values | Technical Description |
|--|--|---|--|
| 727.814,46 PLACEHOLD PC PROVIDER NPI | This field, previously known as PRIMARY CARE PROVIDER NPI, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER NPI and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.814,47 REQUESTING PHYSICIAN NPI | A standard, unique life-long identifier of the physician who requested the radiology exam. This field has a length of fifteen characters. | | The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.814,48 PATCAT | This is the Patient's category which will be used for Federal Health Care Center (FHCC) Reconciliation. DSS must capture and report DoD patients so that the FHCC reconciliation process can function as designed. "Reconciliation" is the process used within the new FHCC to determine which patients DoD pays for and which VA pays for. | 'AD' FOR ACTIVE DUTY 'ADD' FOR ACTIVE DUTY DEPENDENT 'FNRS' FOR FORMER NON-REMARRIED SPOUSE 'RET' FOR RETIRED 'RETD' FOR RETIREE DEPENDENT 'RES' FOR RESERVIST 'REC' FOR RECRUIT 'TDRL' FOR TEMPORARY DISABILITY 'TFL' FOR TRICARE FOR LIFE | If the VistA Patient Type Code [TYPE field (#391) of the PATIENT file (#2)]= Active Duty, Military Retiree, or TRICARE, then the value(s) in the VistA OTHER ELIGIBILITY multiple [PATIENT ELIGIBILITIES field (#361) of the PATIENT file (#2)], which points to locally modifiable ELIGIBILITY CODE file (#8), should be evaluated. If the value in the ELIGIBILITY CODE is equal to any entry in the set of codes in this field, the value should be placed in this field. |

| Field # and Name | Description | Values | Technical Description |
|---|---|---|---|
| 727.814,49 CREDIT METHOD | This field indicates the type of credit this location receives for examinations. The code is based on where the exam and interpretation were done. If the exam and interpretation were done at the same facility, a value of 0 is given. If only the interpretation was done at this facility, a value of 1 is given. If the exam and interpretation was done at different location, a value of 2 is given. If only the examination was done at this facility, a value of 3 is given. | '0' FOR REGULAR CREDIT '1' FOR INTERPRETATION ONLY '2' FOR NO CREDIT '3' FOR TECHNICAL COMPONENT ONLY | This field is derived from the CREDIT METHOD field (#26) of the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70). |
| 727.814,50 PLACEHOLD ENCOUNTER SC | This field, previously known as ENCOUNTER SC, is no longer needed. The name has been changed to PLACEHOLD ENCOUNTER SC and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |
| 727.814,51 CAMP LEJEUNE STATUS | Indicates if patient claims exposure to contaminated water while stationed at Camp Lejeune, NC between January 1, 1957 and December 31, 1987. | 'Y' FOR YES 'N' FOR NO | Using the patient's DFN, a call is made to PAT^ECXUTL3, which in turn calls SVC^VADPT. This call returns all service-related information for a patient, including their Camp Lejeune status. |
| 727.814,52 PLACEHOLD ENC CAMP LEJEUNE | This field, previously known as ENCOUNTER CAMP LEJEUNE, is no longer needed. The name has been changed to PLACEHOLD ENCOUNTER CAMP LEJEUNE and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |

| Field # and Name | Description | Values | Technical Description |
|--------------------------------|--|----------------|---|
| 727.814,53 RAD VERIFY DATE | An eight-character numeric string that represents the | | This field is always exactly eight numeric characters in length. |
| TO VEINIT BATE | date on which the Radiology procedure was verified. | | The format is YYYYMMDD; for example, 19970923. |
| | | | If the date cannot be determined, then a default is used. The default date value is the value of the YEARMONTH field (#1) concatenated with "01" for the day (DD) portion. |
| 727.814,54 PATIENT DIVISION | For inpatients, the value is based on the facility associated with the admission. For outpatients, the value is based on the ward where the work was performed. | | For inpatients, the WARD LOCATION field (#.06) in the PATIENT MOVEMENT file (#405) points to the WARD LOCATION file (#42). Using the ward pointer, the WARD is retrieved from the HOSPITAL LOCATION FILE POINTER field (#44) in the WARD LOCATION file (#42), which points to the HOSPITAL LOCATION file (#44). From there, the STATION NUMBER field (#99) is retrieved from the INSTITUTION file (#4) by calling API RADDIV^ECXDEPT. For outpatients, the WARD field (#6) within the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) is used when calling API RADDIV^ECXDEPT. If the patient is not assigned to a ward, data are derived from the PRINCIPAL CLINIC field (#8) within the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70), which is used by the API RADDIV^ECXDEPT to get the STATION NUMBER field (#99) from the INSTITUTION file (#4). |
| 727.814,55 PLACEHOLD CERNER | Placeholder for Cerner fields. Reserved for EHRM conversion. | Currently null | Currently null |
| 727.814,56 CASE NUMBER | This field contains the computer generated case number of the radiology exam. | | Derived from the CASE NUMBER field (#.01) within the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70). |
| 727.814,57 PROCEDURE NAME | This is the name of the radiology procedure. | | Using the radiology procedure pointer stored in the PROCEDURE field (#10), PROCEDURE NAME data is derived from the NAME field (#.01) in the RAD/NUC MED PROCEDURES file (#71). |

| Field # and Name | Description | Values | Technical Description |
|---|---|--|--|
| 727.814,58 NEW MPI | A national VA system IDENTIFIER which uniquely identifies a patient. Commonly called "Patient ICN" or "Patient IEN"; not to be confused with the IEN from the VistA PATIENT file. | | Derived by calling API, \$\$GETICN^MPIF001 (Supported DBIA #2701), that returns the Integration Control Number (ICN) and the ICN checksum for the given patient in the PATIENT file (#2). |
| 727.814,59 SELF IDENTIFIED GENDER | The SELF IDENTIFIED GENDER value indicates the patient's personal sense of their gender identity (if they choose to provide it). Self-identified gender may be the same or different as the sex assigned at birth | 'M' FOR MALE 'F' FOR FEMALE 'TM' FOR TRANSGENDER MALE 'TF' FOR TRANSGENDER FEMALE 'O' FOR OTHER 'N' FOR DOES NOT WISH TO DISCLOSE 'B' FOR NON-BINARY | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814), this data is derived from the SELF IDENTIFIED GENDER field (#.024) in the PATIENT file (#2). |

3.12. #727.811 - SURGERY EXTRACT (SUR) File Data Definition

This file contains data elements as specified by MCAO for the Surgery extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS/MCA site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.



NOTE: Descriptions and Technical Descriptions may not match VA FileMan.

Table 13: Surgery Extract (SUR) File #727.811 Data Definitions

| Field # and Name | Description | Values | Technical Description |
|-------------------------------|--|--------|--|
| 727.811,01 SEQUENCE NUMBER | The IEN of the record for this extract entry. | | The internal entry number (IEN) for this record. This entry is DINUMed. |
| 727.811,1 YEAR MONTH | A six-character string representing the year and month for which this extract was performed. | | YEAR MONTH is derived by parsing the FileMan format end date of the extract. The month is determined by taking the fourth and fifth characters of the end date, the year by taking the second and third characters, and the century is then calculated by taking the first character of the end date and adding 17 to it. The century is then concatenated with the year and month, giving the results in YYYYMM format. |
| 727.811,2 EXTRACT NUMBER | The corresponding entry in the DSS EXTRACT LOG file (#727) for this extract | | A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message. |
| 727.811,3 FACILITY | This is the facility/division where the extract was performed. | | If there is data in the DIVISION field (#50) of the SURGERY file (#130) for the extract record, this pointer to the INSTITUTION file (#4) is used. Otherwise, FACILITY is derived as follows: Using the NAME field (#.01) pointer from the DSS EXTRACTS file (#728), FACILITY is derived from the STATION NUMBER field (#99) for that pointer number in the INSTITUTION file (#4). |

| Field # and Name | Description | Values | Technical Description |
|--|--|--|--|
| 727.811,4 PATIENT NO DFN | An identifying number for the patient at the local site. | | Derived from the PATIENT field (#.01) in the SURGERY file (#130). PATIENT NO DFN is a pointer to the NAME field (#.01) of the PATIENT file (#2). This data represents the patient DFN. |
| 727.811,5 SSN | The patient's social security number. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the SURGERY EXTRACT file (#727.811), SSN data is derived from the SOCIAL SECURITY NUMBER field (#.09) in the PATIENT file (#2). |
| | | | "Test" patient status is determined in PAT^ECXUTL3. For the SUR extract, the following are considered test SSNs: |
| | | | 123456789; Nine repeating digits (e.g., 333333333); The first three digits are '000' or '666'; The middle two digits are '000'; The last four digits are '0000'; The first digit is '9'. |
| 727.811,6 NAME | The first four characters of the patient's last name. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the SURGERY EXTRACT file (#727.811), NAME data is derived from the NAME field (#.01) in the PATIENT file (#2). |
| | | | The first four characters of the first "," piece are used, padded with trailing spaces if necessary. |
| | | | The name value is returned by the supported call DEM^VADPT. |
| 727.811,7 IN OUT PATIENT INDICATOR | Indicates the patient's status for this extract entry. Observation admissions are treated as outpatient | 'I' FOR INPATIENT 'O' FOR OUTPATIENT 'A' FOR ASIH (OTHER FACILITY) | To determine the value of this field, a call is made to \$\$PATDEM^ECXUTL2. Within this call, \$\$INP^ECXUTL2 is called to determine the patient status. |
| | encounters in MCA, similar to Medicare rules and | raciliti) | If the patient is an outpatient, processing stops and the field is set to O. |
| | community hospitals. | | If the patient is an inpatient, \$\$INOUTP^ECXUTL4 is called to look at the treating specialty. |
| | | | If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831) is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the indicator is setto I. |
| | | | If the patient is ASIH to another facility at the date/time in question, the indicator is set to A. |

| Field # and Name | Description | Values | Technical Description |
|----------------------------------|---|--------|--|
| 727.811,8 DAY | This eight-character string represents the date on which the procedure associated with this Surgery extract record was performed. | | Data source: SURGERY file (#130); DATE OF OPERATION field (#.09). This field is always exactly eight numeric characters in length. The format is YYYYMMDD; |
| | | | for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. |
| 727.811,9 CASE NUMBER | This character string represents an IEN in the SURGERY file (#130). | | CASE NUMBER is the internal entry number (IEN) of the entry from the SURGERY file (#130) for this extract record. |
| 727.811,10 SURGICAL SPECIALTY | The surgical specialty credited for doing this operative procedure. | | Derived from the NATIONAL SURGICAL SPECIALTY field (#1) in the LOCAL SURGICAL SPECIALTY file (#137.45) for the pointervalue found in the SURGERY SPECIALTY field (#.04) of the SURGERY file (#130). SURGICAL SPECIALTY is the three-digit CODE field (#.01) from the SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. |
| 727.811,11 OR ROOM NUMBER | This character string represents an IEN to the HOSPITAL LOCATION file (#44) for the operating room where the principal operation was performed. | | Derived from the OPERATING ROOM field (#.02) in the SURGERY file (#130). Field #.02 points to the OPERATING ROOM file (#131.7), which in turn is a pointer to the HOSPITAL LOCATION file (#44). The character string stored in this field represents an IEN in file #44. |
| 727.811,12 SURGEON | Person who performed the surgery. | | Derived from the SURGEON field (#.14) in the SURGERY file (#130) for the surgical case. If the case is a non-OR surgical procedure, the PROVIDER field (#123) from the SURGERY file (#130) is used. The SURGEON is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. |

| Field # and Name | Description | Values | Technical Description |
|--|--|--|---|
| 727.811,13 ATTENDING SURGEON | Person who oversaw and/or signed off on this surgery. | | Derived from the ATTEND SURG field (#.164) in the SURGERY file (#130) for the surgical case. |
| 7. TENDING SONGEON | | | If the case is a non-OR surgical procedure, the ATTEND PROVIDER field (#124) from the SURGERY file (#130) is used. |
| | | | The ATTENDING SURGEON is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. |
| 727.811,14 ANESTHESIA SUPERVISOR | Person who oversaw and/or signed off on the anesthesia for this case. | | Derived from the ANESTHESIOLOGIST SUPVR field (#.34) in the SURGERY file (#130) for the surgical case. |
| SUPERVISOR | | | The ANESTHESIA SUPERVISOR is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. |
| 727.811,15 ANESTHESIA TECHNIQUE | The code corresponding to the type of anesthesia technique used during this case. | 'G' FOR GENERAL 'M' FOR MONITORED ANESTHESIA CARE 'S' FOR SPINAL 'E' FOR EPIDURAL 'R' FOR REGIONAL 'O' FOR OTHER 'L' FOR LOCAL 'N' FOR NO ANESTHESIA | Derived from the ANESTHESIA TECHNIQUE field (#.01) within the ANESTHESIATECHNIQUE multiple (#.37) of the SURGERY file (#130). This anesthesia technique is the principal technique. |
| 727.811,16 PRIMARY/ SECONDARY/ PROSTHETICS | The indicator if this is a primary, secondary or prostheses. | 'P' FOR PRIMARY 'S' FOR SECONDARY 'I' FOR IMPLANTS | Data is P for primary when the extract record is for a principal procedure. It is S for secondary when the extract record is for other procedure. It is I for implants (prostheses) when the extract record is for a prosthesis item. |
| 727.811,17 PLACEHOLDER | This field, previously known as CPT, is no longer needed. The name has been changed to PLACEHOLDER and its value will be setto null. | | This field is no longer in use as of patch ECX*3*161. |
| 727.811,18 PLACEHOLDER1 | Currently Null | | Currently Null |

| Field # and Name | Description | Values | Technical Description |
|-------------------------------|--|--------|--|
| 727.811,19 PATIENT TIME | The time, in 15-minute increments, the patient was in the OR. | | Derived from the TIME PAT OUT OR field (#.232) minus the TIME PAT IN OR field (#.205) in the SURGERY file (#130). |
| 727.811,20 OPERATION TIME | The time, in 15-minute increments, of the principal operative procedure. | | Derived from the TIME OPERATION ENDS field (#.23) minus the TIME OPERATION BEGAN field (#.22) in the SURGERY file (#130) for the surgical case. If the case is a non-OR surgical procedure, OPERATION TIME is derived from the TIME PROCEDURE ENDED field (#122) minus the TIME PROCEDURE BEGAN field (#121) in the SURGERY file (#130). |
| 727.811,21 ANESTHESIA TIME | The time, in 15-minute increments, of the anesthesia care administered. | | Derived from the ANES CARE END TIME field (#.24) minus the ANES CARE STARTTIME field (#.21) in the SURGERY file (#130) if values exist in both fields. If either of the above fields are null then the earliest start time from the ANES CARE MULTIPLE STARTTIME field (#.01) and the latest end time from the ANES CARE MULTIPLE END TIME field (#1) in the ANES CARE TIME BLOCK multiple (#.213) in the SURGERY file (#130) will be used to determine the value. If a start and end time cannot be found in the multiple, then the person class of the PRINC ANESTHETIST field (#.31) and the ANESTHESIOLOGIST SUPVR field (#.34) will be compared against a list of specific classes. If either provider is assigned the specific person class, then this field will be set to the value found in the PATIENT TIME field (#19) of the SURGERY EXTRACT file (#727.811) plus 2 additional 15-minute increments. If all of the above fail, this field will be set to null. |
| 727.811,22 PROSTHESIS | Describes which locally defined implant, if any, was used. | | Derived from the PROSTHESIS ITEM field (#.01) within the PROSTHESIS INSTALLED multiple (#.47) in the SURGERY file (#130). |
| 727.811,23 QUANTITY | This field is obsolete and has been replaced by the NEW QUANTITY field in this file. | | Field is set to null. |
| 727.811,24 PLACEHOLDER2 | Currently Null | | Currently Null |

| Field # and Name | Description | Values | Technical Description |
|-------------------------------|---|-------------------|---|
| 727.811,25 MOVEMENT FILE # | Current patient movement record associated with this extract record. | | A call to IN5^VADPT (using the patient IEN and the event date) returns a patient movement number (indicating inpatient status). |
| | | | This field is set to the value of VAIP(1), which is a pointer to the PATIENT MOVEMENT file (#405). |
| 727.811,26 TREATING SPECIALTY | The PTF CODE of the treating specialty associated | | This field is initialized to null, indicating an outpatient status. |
| TREATING STECRETT | with this extract record. | | If a call to IN5^VADPT (using the patient IEN and the event date) returns a patient movement number (indicating inpatient status), the value of VAIP(8), which is the pointer to the FACILITY TREATING SPECIALTY file (#45.7), is used to get the SPECIALTY field (#1) which points to the SPECIALTY file (#42.4). |
| | | | That pointervalue is stored here as a character string; this field represents an IEN in file #42.4. |
| | | | Then, the PTF Code (field #7 of file #42.4) is obtained and stored instead of the actual specialty code. |
| 727.811,27 CANCELLED | If set, this field indicates that the surgical procedure was cancelled after being started. | 'C' FOR CANCELLED | If cancellation information exists [^SRF(D0,30)] or for a regular procedure [not a non-OR procedure ^SRF(D0,NON)], there is no data in the TIME PAT IN OR field (#.205), then the extract record is not sent as per 2/7/94 decision. This field is being retained for backward compatibility; essentially it serves as a placeholder in the data line. |
| 727.811,28 TIME | The military time when the patient entered the OR. | | Data source: SURGERY file (#130); TIME PAT IN OR field (#.205). The character string always consists of exactly six numerics. The field default is "000300" for Year 2000 compliance per vendor. |
| 727.811,29 OR TYPE | The OR TYPE of the operating room where this procedure was done. This field is a character string which represents an IEN in the OPERATING ROOM TYPE file (#134). | | For the OPERATING ROOM field (#.02) identified in the SURGERY file (#130), OR TYPE is derived from the TYPE field (#9) in the OPERATING ROOM file (#131.7). It is a pointer to the OPERATING ROOM TYPE file (#134), which is a national standard operating room types list. That pointervalue is stored here as a character |
| | | | string; this field then represents an IEN in file #134. |

| Field # and Name | Description | Values | Technical Description |
|--|---|--------|---|
| Field # and Name 727.811,30 ATTENDING'S SERVICE | The service to which the attending surgeon is assigned. The character string in this field represents an IEN in the NATIONAL SERVICE file (#730). | Values | ATTENDING'S SERVICE is an IEN in the NATIONAL SERVICE file (#730). It is derived from the SERVICE/SECTION field (#29) in the NEW PERSON file (#200) for the ATTENDING SURGEON field (#13) in the SURGERY EXTRACT file (#727.811), which is a pointer to the SERVICE/SECTION file (#49). The pointer value found in the NATIONAL SERVICE field (#730) of the SERVICE/SECTION file (#49) points to the NATIONAL SERVICE file (#730). The pointer value to file #730 is stored in this field as a character string. |
| 727.811,31 NON-OR DSS IDENTIFIER 727.811,32 | Identifies the non-OR Iocation for this procedure if the non-OR portion of the Surgery Package is used. Time, in 15-minute increments, that the patient | | For a non-OR procedure, this field is derived from the DSS UNIT IDENTIFIER field (#8) of the CLINIC AND STOP CODES file (#728.44) using the HOSPITAL LOCATION file pointer (#44) found in the NON-OR LOCATION field (#119) of the SURGERY file (#130). Derived from the PAC(U) DISCH TIME field (#1.18) minus the ADMIT PAC(U) TIME field |
| RECOVERY ROOM (PACU) TIME 727.811,33 | spent in the post-anesthesia care unit. Currently Null | | (#1.17) in the SURGERY file (#130). Currently Null |
| PLACEHOLDER3 727.811,34 PLACEHOLD PRIMARY CARE TEAM | This field, previously known as PRIMARY CARE TEAM, is no longer needed. The name has been changed to PLACEHOLD PRIMARY CARE TEAM and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.811,35 PLACEHOLD PC PROVIDER | This field, previously known as PRIMARY CARE PROVIDER, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |

| Field # and Name | Description | Values | Technical Description |
|---|---|----------------|---|
| 727.811,36 ADMISSION DATE | This eight-character numeric string represents the date on which the patient's admission occurred. | | If the patient on whom the surgical procedure was performed was an inpatient on the procedure date, then a call to PATDEM^ECXUTL2, which calls INP^ECXUTL2, which calls IN5^VADPT, will return the admission date/time in VAIP (13,1). The date is then converted to the DSS format YYYYMMDD. |
| 727.811,37 PLACEHOLD MPI | This field, previously known as MASTER PATIENTINDEX, is no longer needed. The name has been changed to PLACEHOLD MPI and its value will be set to null. | Currently null | This field is no longer in use as of patch ECX*3*184. |
| 727.811,38 PLACEHOLDER | This field, previously known as DSS PRODUCT DEPARTMENT, is no longer needed. The name has been changed to PLACEHOLDER and its value will be setto null. | | This field is no longer in use as of patch ECX*3*161. |
| 727.811,39 PLACEHOLDER | Currently Null | | Currently Null |
| 727.811,40 PLACEHOLDER | Currently Null | | Currently Null |
| 727.811,41 PLACEHOLDER | Currently Null | | Currently Null |
| 727.811,42 PLACEHOLDER | Currently Null | | Currently Null |
| 727.811,43 PLACEHOLD PC PROV PERSON CLASS | This field, previously known as PC PROVIDER PERSON CLASS, is no longer needed. The name has been changed to PLACEHOLD PC PROV PERSON CLASS and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.811,44 PLACEHOLD ASSOC PC PROVIDER | This field, previously known as ASSOCIATE PC PROVIDER, is no longer needed. The name has been changed to PLACEHOLD ASSOC PC PROVIDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |

| Field # and Name | Description | Values | Technical Description |
|--|---|--|---|
| 727.811,45 PLACEHOLD AS PC PROV PERSON CL | This field, previously known as ASSOC. PC PROV. PERSON CLASS, is no longer needed. The name has been changed to PLACEHOLD AS PC PROV PERSON CL and its value will be set to null. | | This field is no longerin use as of patch ECX*3*170. |
| 727.811,46 PLACEHOLDER | Currently Null | | Currently Null |
| 727.811,47 CPT CODE QUANTITY MODIFIERS | The five-character CPT Code of the procedure performed, the Quantity or how many times the unique code appears in the record, and up to up to five two-character CPT modifiers. | | This field is derived from a call to CPT^ECXUTL3 using the PRINCIPAL PROCEDURE CODE field (#.02) of the SURGERY PROCEDURE/DIAGNOSIS CODE file (#136) and the PRIN. PROCEDURE CPT MODIFIER field (#28) of the SURGERY file (#130) as input. |
| 727.811,48 DOM, PRRTP AND SARRTP INDICATOR | This indicates if the Patient is admitted to either an RRTP, PRRTP or SARRTP at the time care is provided. | 'P' FOR GEN. PRRTP 'D' FOR DOMICILIARY 'S' FOR DOM. PRRTP 'T' FOR PTSD PRRTP 'H' FOR HOMELESS CWT/TR 'A' FOR SA CWT/TR 'B' FOR PTSD CWT/TR 'C' FOR GEN. CWT/TR | If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the DOM/PRRTP/SARRTP CODE field (#2) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). Otherwise, the value is null. |
| 727.811,49 ENROLLMENT CATEGORY | Patient's enrollment category. | | ENROLLMENT CATEGORY is derived from the standard call \$\$CATEGORY^DGENA4 using patient DFN and the ENROLLMENT STATUS field (#50). |
| 727.811,50 ENROLLMENT STATUS | Patient's enrollment status. | | ENROLLMENT STATUS is derived from the standard call \$\$STATUS^ DGENA using patient DFN. |
| 727.811,51 PLACEHOLDER | Currently Null | | Currently Null |

| Field # and Name | Description | Values | Technical Description |
|--|---|---------------------------|---|
| 727.811,52 PERIOD OF SERVICE | The period of service which best classifies this patient based on eligibility code. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the SURGERY EXTRACT file (#727.811), PERIOD OF SERVICE data is derived from the PERIOD OF SERVICE field (#.323) in the PATIENT file (#2). This field is a pointer to the PERIOD OF SERVICE file (#21). Using the period of service pointer, the data is derived from the CODE field (#.03) in the PERIOD OF SERVICE file (#21). This code is a single alphanumeric character. The Veteran's period of service (pointer) indicator is returned by ELIG^VADPT. |
| 727.811,53 PURPLE HEART INDICATOR | Indicates whether or not the patient is a Purple Heart recipient. | 'Y' FOR YES 'N' FOR NO | PATIENT file (#2), CURRENT PH INDICATOR field (#.531). The status indicator is returned by SVC^VADPT. |
| 727.811,54 OBSERVATION PATIENT INDICATOR | Indicates if patient is considered to be an observation patient. Observation admissions are treated as outpatient encounters in MCA, similar to Medicare rules and community hospitals. | 'Y' FOR YES 'N' FOR NO | Data (YES,NO) is retrieved from API call \$\$OBSPAT^ECXUTL4: If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). If patient is outpatient and treating specialty is not in the file, AND Feeder Key (CLI) or DSS ID (MTL,IVP,ECQ,QSR,NOS,SUR) is 290-297, Observation Patient Ind =YES, Else Observation Patient Ind =No. Otherwise, Observation Patient Ind =NO. |
| 727.811,55 ENCOUNTER NUMBER | The unique number assigned for DSS. The OBS conversion logic is: Treating Specialty Use this Stop Code 18 293 (neurology) 24 290 (medicine) 41 296 (Rehab Med) 65 291 (Surgery) 94 292 (psychiatry) 1J 297 (ER) | | This field is determined by a call to \$\$ENCNUM^ECXUTL4. Within this cal,I the inpatient/outpatient status, SSN, admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number. |

| Field # and Name | Description | Values | Technical Description |
|---------------------------------|---|---|---|
| 727.811,56 | Indicates the location where the patient was exposed to Agent Orange. | 'B' FOR BLUE WATER | The location is returned by a call to SVC^VADPT which gets its data from the AGENT ORANGE EXPOSURE LOCATION field (#.3213) of the |
| AGENT ORANGE LOCATION | | NAVY 'K' FOR KOREAN DMZ | |
| | | 'V' FOR VIETNAM | PATIENT file (#2). |
| | | 'T' FOR THAILAND (U.S. OR ROYAL THAI MIL BASE) | |
| | | 'L' FOR LAOS | |
| | | 'C' FOR CAMBODIA (MIMOT OR KREK, KAMPONG CHAM) | |
| | | 'G' FOR GUAM, AMERICAN SAMOA, OR TERRITORIAL WATERS | |
| | | 'J' FOR JOHNSTON ATOLL | |
| | | 'O' FOR OTHER | |
| 727.811,57 PRODUCTION | Identifies the division/facility where the work was performed. | | Data comes from the DIVISION field (#50) of the SURGERY file (#130) which is a pointer to the INSTITUTION file (#4). |
| DIVISION CODE | · | | This value is then used to call the API RADDIV^ECXDEPT to get the STATION NUMBER field (#99) from the INSTITUTION file (#4). |
| 727.811,58 | Indicates if patient claims | 'Y' FOR YES | Using the patient pointer (DFN) stored in the |
| HEAD & NECK CANCER INDICATOR | head and/or neck cancer. | 'N' FOR NO | PATIENT NO DFN field (#4), a call is made to \$\$GETCUR^DGNTAPI to retrieve the HEAD/NECK CA DX field (#2.01) of the NOSE AND THROAT RADIUM HISTORY file (#28.11). |
| 727.811,59 | This field, previously known | | This field is no longer in use as of patch |
| PLACEHOLD ETHNICITY | as ETHNICITY, is no longer needed. The name has been changed to PLACEHOLD ETHNICITY and its value will be set to null. | | ECX*3*170. |
| 727.811,60 PLACEHOLD RACE 1 | This field, previously known as RACE 1, is no longer needed. The name has been changed to PLACEHOLD RACE 1 and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |

| Field # and Name | Description | Values | Technical Description |
|--------------------------------|---|--|--|
| 727.811,61 NEW QUANTITY | The quantity of the prosthetic device(s) used for this operative procedure. | | Derived from the QUANTITY field (#7) within the PROSTHESIS INSTALLED multiple (#.47) in the SURGERY file (#130) for the PROSTHESIS ITEM referred to in the PROSTHESIS field (#22) of this file. |
| 727.811,62 DSS IP # | The nationally-defined DSS Intermediate Product Number designated to the patient care product. | | For the Surgery extract, the DSS IP# field is null. |
| 727.811,63 ENROLLMENT PRIORITY | This field contains the enrollment priority group and the enrollment priority subgroup. | ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: '1' FOR a '3' FOR c '5' FOR g | ENROLLMENT PRIORITY field contains the enrollment priority group and the enrollment priority subgroup from the PATIENT ENROLLMENT file (#27.11) Data is obtained from a call to \$\$ENRSBGRP^DGENA4(DFN) using the patient's DFN. |
| 727.811,64 USER ENROLLEE | Indicates whether a Veteran has User Enrollee status for the current or future fiscal year. | 'U' FOR USER ENROLLED | User enrollee is determined by checking the PATIENT ENROLLMENT file (#27.11). When a user has a current or future fiscal year in the ENROLLMENT STATUS field (#.04), the value is set to 'U' and is null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT^EASUER where the Patient Identifier (DFN) is passed in. |

| Field # and Name | Description | Values | Technical Description |
|---|---|--|--|
| 727.811,65 PATIENT TYPE | Refers to the various types of patient, which may be seen at a VA facility. Every patient in the system must have a TYPE specified. | 'AC' FOR ACTIVE DUTY 'AL' FOR ALLIED VETERAN 'CO' FOR COLLATERAL 'EM' FOR EMPLOYEE 'IN' FOR INELIGIBLE 'MI' FOR MILITARY RETIREE 'NO' FOR NON- VETERAN (OTHER) 'NS' FOR NSC VETERAN 'SC' FOR SC VETERAN 'TR' FOR TRICARE | PATIENT TYPE is derived from a call to TYPE^ECXUTL5 (DFN). Using the patient's DFN, the NAME field (#.01) of the TYPE OF PATIENT file (#391) as pointed to by the TYPE field (#391) of the PATIENT file (#2) is shortened to the first two characters to determine the value stored in the PATIENT TYPE field (#68). |
| 727.811,66 CV STATUS ELIGIBILITY | This field indicates whether or not a patient can be considered a Combat Veteran (CV) at the time of treatment. Records if Veteran served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War, or in combat against a hostile force during a period of hostilities after November 11, 1998. | 'Y' FOR YES 'E' FOR ELIGIBILITY EXPIRED | CV STATUS ELIGIBILITY is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces (i.e., 1^20011006^0); the first piece is resolved as follows: 1 - Veteran qualifies as a CV 0 - Veteran does not qualify as a CV -1 - bad DFN or date Based on this result, the field will be set to 'Y' for 'YES', 'E' for 'ELIGIBILITY EXPIRED' or 'NULL' for 'NOT ELIGIBLE'. |
| 727.811,67 CV ELIGIBILITY EN D DATE | Records the Combat Veteran (CV) eligibility expiration date of the Veteran who served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War, or in combat against a hostile force during a period of hostilities after November 11, 1998. | | CV ELIGIBILITY END DATE is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces (i.e., 1^20010106^0); the second piece is the COMBAT VETEND DATE in HL7 format (YYYYMMDD). |

| Field # and Name | Description | Values | Technical Description |
|-------------------------------------|---|-------------|--|
| 727.811,68 ENCOUNTER CV | This field indicates whether service provided during this patient encounteris related to the patient being a Combat Veteran (CV). Records if Veteran served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War, or in combat against a hostile force during a period of hostilities after November 11, 1998. | 'Y' FOR YES | ENCOUNTER CV is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces (i.e., 1^20100106^0); the third piece returns: 1 - vet was eligible on date specified 0 - vet was not eligible on date Based on these returns, the value for this field is Y for Yes if value is 1, or left blank if 0 to indicate ineligibility. |
| 727.811,69 ROOM CLEANING TIME | ROOM CLEANING TIME is the number of 15-minute increments required to clean the room. For example, an entry of 3 indicates that it took 45 minutes to clean the room. | | The ROOM CLEANING TIME is determined by using the OR CLEAN START TIME field (#.234), OR CLEAN END TIME field (#.236) and the TIME PAT OUT OR field (#.232) of the SURGERY file (#130). If the OR CLEAN START TIME and the OR CLEAN END TIME field have values, then they are used to determine the amount of time to clean the room. If that yields no result then the OR CLEAN END TIME and the TIME PAT OUT OR fields are used. If that yields no result then the default value will be 2. |
| 727.811,70 HOLDING AREA TIME | HOLDING AREA TIME field shall contain the time (in 15-minute increments) that the patient spent in the holding area. | | HOLDING AREA TIME field shall contain the time (in 15-minute increments) that the patient spent in the holding area; divide by 2 if clinical staff are doing concurrent surgeries. This is derived by subtracting the TIME PT IN HOLD AREA from TIME PT IN OR and converting the result into the number of 15-minute increments. If the TIME PT IN HOLD AREA=0 or Null, set the extract field to null. |

| Field # and Name | Description | Values | Technical Description |
|---|---|-------------|--|
| 727.811,71 NATIONAL PATIENT RECORD FLAG | This field will indicate if the Patient has any type of a National Flag indicator. | 'Y' FOR YES | The NATIONAL PATIENT RECORD FLAG field is set based on the results of the \$\$GETACT^DGPFAPI(DFN, TARGETARRAY) call. |
| RECORDIEAG | | | This call looks at the category 1 national patient record flags as recorded in the PRF NATIONAL FLAG file (#26.15). |
| | | | The resulting value of this call is the number of active category I patient record flags assigned to this patient. |
| | | | This field is set to Y (YES) if the result is greater than zero. A value of zero causes this field to be left null. |
| 727.811,72 PRINCIPAL ANESTHETIST | The principal anesthesiologist or Certified Registered Nurse | | The PRINCIPAL ANESTHETIST field is derived from the PRINC ANESTHETIST field (#.31) of the SURGERY file (#130). |
| 71112311121131 | Anesthetist (CRNA) (or surgeon, if local anesthesia). | | This field is a pointer to the NEW PERSON file (#200). |
| | | | The PRINCIPAL ANESTHETIST is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. |
| 727.811,73 | The VA Code of the Person | | NEW PERSON file (#200), field (#5); file #8932.1. |
| SURGEON PERSON CLASS | Class of the Surgeon associated with this record. The VA Code is always of the form "V"_six numeric digits; exactly seven. | | Active Person is determined by \$\$GET^XUA4A72 (PERS,DATE) where PERS is the IEN from the NEW PERSON file (#200). |
| 727.811,74 | The VA Code of the Person | | NEW PERSON file (#200), field (#5); file #8932.1. |
| ATTENDING SURGEON PC | Class of the Attending Surgeon associated with this record. | | Active Person is determined by \$\$GET^XUA4A72 (PERS,DATE) where PERS is the IEN from the NEW PERSON file (#200). |
| | The VA Code is always of the form "V"_six numeric digits; exactly seven. | | , |
| 727.811,75 | The VA Code of the Person | | NEW PERSON file (#200), field (#5); file #8932.1. |
| ANESTHESIA SUPERVISOR PC | Class of the Anesthesia Supervisor associated with this record. | | Active Person is determined by \$\$GET^XUA4A72 (PERS,DATE) where PERS is the IEN from the NEW PERSON file (#200). |
| | The VA Code is always of the form "V"_six numeric digits; exactly seven. | | |

| Field # and Name | Description | Values | Technical Description |
|---|---|--|--|
| 727.811,76 PRINCIPAL ANESTHETIST PC | The VA Code of the Person Class of the Principal Anesthetist associated with this record. The VA Code is always of the form "V"_six numeric digits; exactly seven. | | NEW PERSON file (#200), field (#5); file #8932.1. Active Person is determined by \$\$GET^XUA4A72 (PERS,DATE) where PERS is the IEN from the NEW PERSON file (#200). |
| 727.811,77 ERI | This field identifies patients from impacted ZIP code areas designated by the Federal Emergency Management Agency (FEMA). | 'K' FOR HURRICANE KATRINA 'P' FOR PANDEMIC NULL | This field is extracted from the EMERGENCY RESPONSE INDICATOR field (#.181) located in the PATIENT file (#2). |
| 727.811,78 AGENT ORANGE ENC INDICATOR | Indicates whether service provided during this patient encounter is related to exposure to Agent Orange. | 'Y' FOR YES 'N' FOR NO | Using the VISIT field (#.015) in the SURGERY file (#130), a call is made to API VISIT ^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT ^PXAPI will return the agent orange indicator stored at the AGENT ORANGE EXPOSURE field (#80002) in the VISIT file (#9000010). The value will be stored in the output array subscripted "AO". |
| 727.811,79 ENC HEAD/NECK CA | Indicates whether service provided during this patient encounter is related to head and/or neck cancer. | 'Y' FOR YES 'N' FOR NO | Using the VISIT field (#.015) in the SURGERY file (#130), a call is made to API VISIT ^ECXSCX1, which in turn calls ENCEVENT^ PXAPI. The ENCEVENT ^ PXAPI will return the head/neck cancer data stored in the HEAD AND/OR NECK CANCER field (#80006) in the VISIT file (#9000010). The value will be stored in the output array subscripted "HNC". |

| Field # and Name | Description | Values | Technical Description |
|-----------------------------------|--|---|---|
| 727.811,80 OEF/OIF | The Military Operation(s) in which the patient was in combat. This field is a length of nine characters and reflects the OEF or OIF where this patient was in combat. | Possible field values are one or more combinations of the following: OEF = OPERATION ENDURING FREEDOM OIF = OPERATION IRAQI FREEDOM UNK = UNKNOWN OEF/OIF | The Military Operation in which the patient was in combat during the specified time period. This field is a length of nine characters and reflects the OEF or OIF where this patient was in combat. The value of this field is derived from the LOCATION OF SERVICE field (#.01) from SERVICE [OEF OR OIF] sub-file (#2.3215) of field #.3215 located in the PATIENT file (#2). DSS will capture, once, each location where the Veteran served. In order to accommodate multiple locations, the values for this field are concatenated into this nine-character field. |
| 727.811,81 OEF/OIF RETURN DATE | The date the Veteran left the OEF/OIF area. Otherwise, it is the end date of military pay for this OEF/OIF deployment. This date field has a format equal to YYYYMMDD. In cases of multiple OEF/OIF tours, this field contains only the most recent return date. | | The value of this field is derived from the OEF/OIF TO DATE field (#.03) from sub-file (#2.3215) of field #.3215 located in the PATIENT file (#2). |
| 727.811,82 CLINIC POINTER | Identifies the clinic associated with surgery specialty for this case. | | This applies to outpatients only. Value is null for inpatients. The clinic is determined as follows. If a case is for the Non-OR portion of the Surgery package, the value for the CLINIC POINTER is retrieved from the ASSOCIATED CLINIC field (#.021) located in the SURGERY file (#130). If the value in the ASSOCIATED CLINIC is NULL, then the value is obtained from the NON-OR LOCATION field (#119) located in the SURGERY file (#130). If a case is not for a Non-OR portion of the Surgery package, the value for the CLINIC POINTER is retrieved from the ASSOCIATED CLINIC field (#2) of the SURGICAL SPECIALTY file (#137.45) as pointed to by the SURGERY SPECIALTY field (#.04) of the SURGERY file (#130). |

| Field # and Name | Description | Values | Technical Description |
|--|---|--------|---|
| 727.811,83 CREDIT STOP | Identifies the Credit Stop Code of the clinic associated with the surgery specialty for this case. | | This applies only to outpatients. The clinic associated with the Surgery Specialty is a pointer to the HOSPITAL LOCATION file (#44). CREDIT STOP is field #2503 in the HOSPITAL LOCATION file (#44). Follow pointer to clinicentry in CLINIC STOP file (#40.7) to obtain the three-character code. Value is null for inpatients. |
| 727.811,84 STOP CODE | Identifies the Primary Stop Code of the clinic associated with the surgery specialty for this case. | | This applies only to outpatients. The clinic associated with the Surgery Specialty is a pointer to the HOSPITAL LOCATION file (#44). STOP CODE is field #8 in the HOSPITAL LOCATION file (#44). Value is null for inpatients. |
| 727.811,85 PLACEHOLD PRINC POSTOP DX | This field, previously known as PRINC POSTOP DIAGNOSIS CODE, is no longer needed. The name has been changed to PLACEHOLD PRINC POSTOP DX and its value will be set to null. | | This field is no longer in use as of patch ECX*3*166. |
| 727.811,86 PLACEHOLD OTHER POSTOP DX #1 | This field, previously known as OTHER POSTOP DIAGNOSIS CODE #1, is no longer needed. The name has been changed to PLACEHOLD OTHER POSTOP DX #1 and its value will be set to null. | | This field is no longer in use as of patch ECX*3*166. |
| 727.811,87 PLACEHOLD OTHER POSTOP DX #2 | This field, previously known as OTHER POSTOP DIAGNOSIS CODE #2, is no longer needed. The name has been changed to PLACEHOLD OTHER POSTOP DX #2 and its value will be set to null. | | This field is no longer in use as of patch ECX*3*166. |
| 727.811,88 PLACEHOLD OTHER POSTOP DX #3 | This field, previously known as OTHER POSTOP DIAGNOSIS CODE #3, is no longer needed. The name has been changed to PLACEHOLD OTHER POSTOP DX #3 and its value will be set to null. | | This field is no longer in use as of patch ECX*3*166. |

| Field # and Name | Description | Values | Technical Description |
|--|---|--------|--|
| 727.811,89 PLACEHOLD OTHER POSTOP DX #4 | This field, previously known as OTHER POSTOP DIAGNOSIS CODE #4, is no longer needed. The name has been changed to PLACEHOLD OTHER POSTOP DX #4 and its value will be set to null. | | This field is no longerin use as of patch ECX*3*166. |
| 727.811,90 PLACEHOLD OTHER POSTOP DX #5 | This field, previously known as OTHER POSTOP DIAGNOSIS CODE #5, is no longer needed. The name has been changed to PLACEHOLD OTHER POSTOP DX #5 and its value will be set to null. | | This field is no longer in use as of patch ECX*3*166. |
| 727.811,91 ANESTHESIA SUPERVISOR NPI | A standard, unique life-long identifier of the person who oversaw and/or signed off on the anesthesia for the surgical procedure. This field has a length of fifteen characters. | | The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.811,92 PLACEHOLD ASSOC PC PROV NPI | This field, previously known as ASSOCIATE PC PROVIDER NPI, is no longer needed. The name has been changed to PLACEHOLD ASSOC PC PROV NPI and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.811,93 ATTENDING SURGEON NPI | A standard, unique life-long identifier of the person who oversaw and/or signed off on the surgical procedure. This field has a length of fifteen characters. | | The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.811,94 PLACEHOLD PC PROVIDER NPI | This field, previously known as PRIMARY CARE PROVIDER NPI, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER NPI and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |

| Field # and Name | Description | Values | Technical Description |
|---|--|--|---|
| 727.811,95 PRINCIPAL ANESTHETIST NPI | A standard, unique life-long identifier of the principal anesthesiologist or Certified Registered Nurse Anesthetist (CRNA) who provided anesthesia for the surgical procedure. This field has a length of fifteen characters. | | The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.811,96 SURGEON NPI | A standard, unique life-long identifier of the person who performed the surgical procedure. This field has a length of fifteen characters. | | The qualified Identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.811,97 ENCOUNTER SWAC | This field indicates if treatment provided during this patient encounter is related to exposure to Southwest Asia conditions while serving in the Southwest Asia Theater of Operations. | 'Y' FOR YES 'N' FOR NO | Using the pointer to the VISIT file (#90000.10), a call to the PCE API ENCEVENT^ PXAPI is made. This call returns visit data, including the SW ASIA CONDITIONS field (#80004) in the VISIT file (#9000010). |
| 727.811,98 RADIATION ENCOUNTER INDICATOR | Indicates whether service provided during this patient encounter is related to exposure to ionizing radiation. | 'Y' FOR YES 'N' FOR NO | Using the VISIT field (#.015) in the SURGERY file (#130), a call is made to API VISIT ^ECXSCX1, which in turn calls ENCEVENT^ PXAPI. The ENCEVENT ^PXAPI retums visit data, including the IONIZING RADIATION EXPOSURE field (#80003) in the VISIT file (#9000010). |
| 727.811,99 ENCOUNTER MST | Indicates if treatment provided during this patient encounter is related to Military Sexual Trauma. | 'Y' FOR YES 'N' FOR NO | Using a pointer to the VISIT file (#9000010), a call is made to the PCE API ENCEVENT^PXAPI. This call returns visit data, including the MST ENCOUNTER INDICATOR field (#80005) in the VISIT file (#9000010). |
| 727.811,100 ENCOUNTERSC | Indicates if treatment provided during this patient encounter is Service Connected. | 'Y' FOR YES 'N' FOR NO | Using a pointer to the VISIT file (#9000010), a call is made to API VISIT^ECXSCX1, which in tum calls ENCEVENT^PXAPI. This call returns visit data, including the SERVICE CONNECTED field (#80001) in the VISIT file (#9000010). |
| 727.811,101 AGENT ORANGE STATUS | Indicates if patient claims exposure to Agent Orange. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Derived from the PATIENT file (#2), AGENT ORANGE EXPOS. INDICATED field (#.32102). The status indicator is returned by SVC^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|-----------------------------------|--|--|---|
| 727.811,102 SW ASIA CONDITIONS | This field is used to indicate if this patient claims exposure to Southwest Asia Conditions. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | This field is derived from the SOUTHWEST ASIA CONDITIONS? field (#.322013) in the PATIENT file (#2) using the patient's DFN. The status indicator is returned by SVC ^VADPT, which is called by PAT ^ ECXUTL3. |
| 727.811,103 RADIATION STATUS | Indicates if patient claims exposure to ionizing radiation. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN '1' FOR NO RADIATION '2' FOR HIROSHIMA/NAGASAKI '3' FOR ATMOSPHERIC NUCLEAR TESTING '4' FOR H/N AND ATMOSPHERICTESTING '5' FOR UNDERGROUND NUCLEAR TESTING '6' FOR EXPOSURE AT NUCLEAR FACILITY '7' FOR OTHER | Derived from the RADIATION EXPOSURE INDICATED field (#.32103) in the PATIENT file (#2) using the patient's DFN. The status indicator is returned by SVC^VADPT. This field will have a NULL value if the PATIENT file (#2) record does not indicate a status. |
| 727.811,104 MST STATUS | Indicates if patient claims Military Sexual Trauma (MST). | 'Y' FOR YES, SCREENED REPORTS MST 'N' FOR NO, SCREENED DOES NOT REPORT MST 'U' FOR UNKNOWN, NOT SCREENED 'D' FOR SCREENED, DECLINES TO ANSWER | The MST HISTORY file (#29.11) holds data regarding military sexual trauma claims and effective dates. The MST status is stored in the MST STATUS field (#3). A call is made to \$\$GETSTAT^DGMSTAPI(DFN,DGDATE) using the patient DFN and the date in the DAY field. |
| 727.811,105 SHAD STATUS | Indicates if patient claims exposure to Shipboard Hazard and Defense conditions. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the SURGERY EXTRACT file (#727.811), Shipboard Hazard and Defense data is derived from using DBIA #4462 GETSHAD ^DGUTL3(DFN). |
| 727.811,106 ENCOUNTER SHAD | Indicates if treatment provided during this patient encounter is related to the Shipboard Hazard And Defense (SHAD) condition. | 'Y' FOR YES 'N' FOR NO | Using the VISIT FILE ENTRY field (#.27) in the PATIENT MOVEMENT file (#405), a call is made to API VISIT^ECXSCX1, which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the Shipboard Hazard and Defense conditions indicator stored at the PROJ 112/SHAD field (#80008) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "SHAD". |

| Field # and Name | Description | Values | Technical Description |
|--------------------------------|--|--------|--|
| 727.811,107 FIRST ASST | This is the name of the person assisting the surgeon during the operative procedure. | | Derived from the FIRST ASST field (#.15) in the SURGERY file (#130) for the surgical case. It is a pointer to the NEW PERSON file (#200). The data is stored as "2"_pointer value. |
| 727.811,108 FIRST ASST PC | The VA Code of the Person Class of the First Asst associated with this record. The VA Code is always of the form "V"_six numeric digits; exactly seven. | | Active Person Class is determined by \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200. |
| 727.811,109 FIRST ASST NPI | A standard unique life-long identifier of the First Assistant. This field has a length of fifteen characters. | | The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.811,110 SECOND ASST | This is the name of the second person assisting the surgeon during the operative procedure. | | Derived from the SECOND ASST field (#.16) in the SURGERY file (#130) for the surgical case. It is a pointer to the NEW PERSON file (#200). The data is stored as "2"_pointer value. |
| 727.811,111 SECOND ASST PC | The VA Code of the Person Class of the Second Asst associated with this record. The VA Code is always of the form "V"_six numeric digits; exactly seven. | | Active Person Class is determined by \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200. |
| 727.811,112 SECOND ASST NPI | A standard unique life-long identifier of the Second Assistant. This field has a length of fifteen characters. | | The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.811,113 PERFUSIONIST | This is the name of the person operating the cardio-pulmonary or organ perfusion apparatus. | | Derived from the PERFUSIONIST field (#.167) in the SURGERY file (#130) for the surgical case. It is a pointer to the NEW PERSON file (#200). The data is stored as "2"_pointer value. |
| 727.811,114 PERFUSIONIST PC | The VA Code of the Person Class of the Perfusionist associated with this record. The VA Code is always of the form "V"_six numeric digits; exactly seven. | | Active Person Class is determined by \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200. |

| Field # and Name | Description | Values | Technical Description |
|---|---|--------|---|
| 727.811,115 PERFUSIONIST NPI | A standard unique life-long identifier of the Perfusionist. This field has a length of fifteen characters. | | The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.811,116 ASST PERFUSIONIST | This is the name of the person assisting the perfusionist. If applicable, this information may be valuable in documentation of this case. | | Derived from the ASST PERFUSIONIST field (#.168) in the SURGERY file (#130) for the surgical case. It is a pointer to the NEW PERSON file (#200). The data is stored as "2"_pointer value. |
| 727.811,117 ASST PERFUSIONIST PC | The VA Code of the Person Class of the Asst Perfusionist associated with this record. The VA Code is always of the form "V"_six numeric digits; exactly seven. | | Active Person Class is determined by \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200. |
| 727.811,118 ASST PERFUSIONIST NPI | A standard unique life-long identifier of the Asst Perfusionist. This field has a length of fifteen characters. | | The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |

| Field # and Name | Description | Values | Technical Description |
|---|--|--------|--|
| 727.811,119 ANESTHESIA SEVERITY ASSESSMENT | NSQIP Definition (2004): Record the American Society of Anesthesiology (ASA) Physical Status Classification of the patient's present physical condition on a scale from 1- 6 as it appears on the anesthesia record. | | Derived by using the ASA CLASS field (#1.13) pointer in the SURGERY file (#130) to return the ASA CLASS field (#.01) value from the ASA CLASS file (#132.8). |
| | Most likely there will be a 2nd assessment of the ASA class prior to an esthesia induction. | | |
| | If this is available, report this most recent assessment. The definitions are: | | |
| | ASA 1 - A normal healthy patient | | |
| | ASA 2 - A patient with mild systemic disease | | |
| | ASA 3 - A patient with severe systemic disease | | |
| | ASA 4 - A patient with severe systemic disease that is a constant threat to life | | |
| | ASA 5 - A moribund patient who is not expected to survive without the operation | | |
| | ASA 6 - A declared brain- dead patient whose organs are being removed for donor purposes. | | |
| | ASA 6 cases should be excluded. | | |
| | Classification numbers followed by an 'E' indicate an emergency. | | |

| Field # and Name | Description | Values | Technical Description |
|--|--|---|---|
| 727.811,120 PATCAT | This is the Patient's category which will be used for Federal Health Care Center (FHCC) Reconciliation. DSS must capture and report DoD patients so that the FHCC reconciliation process can function as designed. "Reconciliation" is the process used within the new FHCC to determine which patients DoD pays for and which VA pays for. | 'AD' FOR ACTIVE DUTY 'ADD' FOR ACTIVE DUTY DEPENDENT 'FNRS' FOR FORMER NON-REMARRIED SPOUSE 'RET' FOR RETIRED 'RETD' FOR RETIREE DEPENDENT 'RES' FOR RESERVIST 'REC' FOR RECRUIT 'TDRL' FOR TEMPORARY DISABILITY 'TFL' FOR TRICARE FOR LIFE | If the VistA Patient Type Code [TYPE field (#391) of the PATIENT file (#2)] = Active Duty, Military Retiree, or TRICARE, then the value(s) in the VistA OTHER ELIGIBILITY multiple [PATIENT ELIGIBILITIES field (#361) of the PATIENT file (#2)], which points to locally modifiable ELIGIBILITY CODE file (#8), should be evaluated. If the value in the ELIGIBILITY CODE is equal to any entry in the set of codes in this field, the value should be placed in this field. |
| 727.811,121 DATE OF BIRTH | Patient's date of birth. | | Data Source: SURGERY file (#130), PATIENT field (#.01) then to PATIENT file (#2), DATE OF BIRTH field (#.03). Date of Birth is returned through the supported call DEM^VADPT. It is then represented by an eight-character numeric string in the YYYYMMDD format. |
| 727.811,122 VIETNAM | Indicates if a patient is a Vietnam-era Veteran. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the SURGERY EXTRACT file (#727.811), VIETNAM data is derived from the VIETNAM SERVICE INDICATED? field (#.32101) in the PATIENT file (#2). |
| 727.811,123 CAMP LEJEUNE STATUS | Indicates if a patient was exposed to contaminated water while stationed at Camp Lejeune, NC between January 1, 1957 and December 31, 1987. | 'Y' FOR YES 'N' FOR NO | Using the patient's DFN, a call is made to PAT^ECXUTL3, which in turn calls SVC^VADPT. This call returns all service-related information for a patient, including their Camp Lejeune status. |
| 727.811,124 ENCOUNTER CAMP LEJEUNE | Indicates if patient claims exposure to contaminated water while stationed at Camp Lejeune, NC between January 1, 1957 and December 31, 1987. | 'Y' FOR YES 'N' FOR NO | Using a pointer to the VISIT file (#9000010), a call is made to API VISIT^ECXSCX1, which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the encounter Camp Lejeune data from the VISIT file (#9000010). |

| Field # and Name | Description | Values | Technical Description |
|--|--|----------------------------|---|
| 727.811,125 CONCURRENT CASE | An additional operative procedure performed by a different surgical team (i.e., a different specialty/service) under the same anesthetic which has a CPT code different from that of the Principal Operative Procedure (e.g., fixation of a femur fracture in a patient undergoing a laparotomy for trauma). | 'C' FOR CONCURRENT CASE | This field is determined by using the CONCURRENT CASE field (#35) of the SURGERY file (#130). If there is a value in that field, this field is set to "C" to indicate a concurrent case exists. |
| 727.811,126 PRINCIPLE POSTOP ICD-10 CODE | The post-op diagnosis for the Principal Procedure. | | PRINCIPLE POSTOP ICD-10 CODE is derived from the CODE NUMBER field (#.01) of the ICD DIAGNOSIS file (#80) as pointed to by the PRIN POSTOP DIAGNOSIS CODE field (#.03) of the SURGERY PROCEDURE/DIAGNOSIS CODES file (#136). |
| 727.811,127 OTHER POSTOP ICD- 10 CODE #1 | The first associated diagnosis for the Principal Procedure. | | OTHER POSTOP ICD-10 CODE #1 is derived from the CODE NUMBER field (#.01) of the ICD DIAGNOSIS file (#80) as pointed to by the first entry in the OTHER POSTOP DIAGNOSIS field (#.01) of the OTHER POST DIAGNOSIS multiple (#4) of the SURGERY PROCEDURE/DIAGNOSIS CODES file (#136). |
| 727.811,128 OTHER POSTOP ICD- 10 CODE #2 | The second associated diagnosis for the Principal Procedure. | | OTHER POSTOP ICD-10 CODE #2 is derived from the CODE NUMBER field (#.01) of the ICD DIAGNOSIS file (#80) as pointed to by the second entry in the OTHER POSTOP DIAGNOSIS field (#.01) of the OTHER POST DIAGNOSIS multiple (#4) of the SURGERY PROCEDURE/DIAGNOSIS CODES file (#136). |
| 727.811,129 OTHER POSTOP ICD- 10 CODE #3 | The third associated diagnosis for the Principal Procedure. | | OTHER POSTOP ICD-10 CODE #3 is derived from the CODE NUMBER field (#.01) of the ICD DIAGNOSIS file (#80) as pointed to by the third entry in the OTHER POSTOP DIAGNOSIS field (#.01) of the OTHER POST DIAGNOSIS multiple (#4) of the SURGERY PROCEDURE/DIAGNOSIS CODES file (#136). |
| 727.811,130 OTHER POSTOP ICD- 10 CODE #4 | The fourth associated diagnosis for the Principal Procedure. | | OTHER POSTOP ICD-10 CODE #4 is derived from the CODE NUMBER field (#.01) of the ICD DIAGNOSIS file (#80) as pointed to by the fourth entry in the OTHER POSTOP DIAGNOSIS field (#.01) of the OTHER POST DIAGNOSIS multiple (#4) of the SURGERY PROCEDURE/DIAGNOSIS CODES file (#136). |

| Field # and Name | Description | Values | Technical Description |
|--|---|--|---|
| 727.811,131 OTHER POSTOP ICD- 10 CODE #5 | The fifth associated diagnosis for the Principal Procedure. | | OTHER POSTOP ICD-10 CODE #4 is derived from the CODE NUMBER field (#.01) of the ICD DIAGNOSIS file (#80) as pointed to by the fifth entry in the OTHER POSTOP DIAGNOSIS field (#.01) of the OTHER POST DIAGNOSIS multiple (#4) of the SURGERY PROCEDURE/DIAGNOSIS CODES file (#136). |
| 727.811,132 COMBAT VETERAN INDICATOR | Identifies if patient served in a combat zone | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, COMBAT SERVICE INDICATOR data is derived from the COMBAT SERVICE INDICATED field (#.5291) in the PATIENT file (#2). COMBAT SERVICE INDICATED is returned by the supported call SVC^VADPT. |
| 727.811,133 COMBAT VETERAN LOCATION | Identifies the war in which the combat service was incurred. | WWI WWII-EUROPE WWII-PACIFIC KOREAN VIETNAM OTHER PERSIAN GULF YUGOSLAVIA | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, COMBAT SERVICE LOCATION data is derived from the COMBAT SERVICE LOCATION field (#.5292) in the PATIENT file (#2). The COMBAT SERVICE LOCATIONIEN is returned by the supported call SVC^VADPT; this IEN is then used to retrieve the ABBREVIATION field (#1) from the POW PERIOD file (#22). |
| 727.811,134 MEDICAL SPECIALTY | This is the medical specialty of the provider credited with performing this non-OR procedure. | | Derived from the value found in the MEDICAL SPECIALTY field (#125) of the SURGERY file (#130). MEDICAL SPECIALTY is a pointer to the NAME field (#.01) from the MEDICAL SPECIALTY file (#723). The MEDICAL SPECIALTY will only contain a value if the procedure is a non-OR procedure. |
| 727.811,135 ORGAN1 | This field identifies the first organ transplanted during a transplant procedure. | 'HART' FOR HEART; 'LUNG' FOR LUNG; 'KDNY' FOR KIDNEY; 'LIVR' FOR LIVER; 'PCRS' FOR PANCREAS; 'INTN' FOR INTESTINE; 'OTHR' FOR OTHER; | This field is derived from the ORGANS TO BE TRANSPLANTED multiple (#647) of the SURGERY file (#130) and will identify the first organ found in the multiple. |

| Field # and Name | Description | Values | Technical Description |
|---------------------------------|---|--|---|
| 727.811,136 ORGAN2 | This field identifies the second organ transplanted during a transplant procedure. | 'HART' FOR HEART; 'LUNG' FOR LUNG; 'KDNY' FOR KIDNEY; 'LIVR' FOR LIVER; 'PCRS' FOR PANCREAS; 'INTN' FOR INTESTINE; 'OTHR' FOR OTHER; | This field is derived from the ORGANS TO BE TRANSPLANTED multiple (#647) of the SURGERY file (#130) and will identify the second organ found in the multiple. |
| 727.811,137 ORGAN3 | This field identifies the third organ transplanted during a transplant procedure. | 'HART' FOR HEART; 'LUNG' FOR LUNG; 'KDNY' FOR KIDNEY; 'LIVR' FOR LIVER; 'PCRS' FOR PANCREAS; 'INTN' FOR INTESTINE; 'OTHR' FOR OTHER; | This field is derived from the ORGANS TO BE TRANSPLANTED multiple (#647) of the SURGERY file (#130) and will identify the third organ found in the multiple. |
| 727.811,138 PATIENT DIVISION | This is the Station Number of the ward or clinic where the surgery was performed. If the ward or clinic cannot be determined, the value is based on the Station Number of the production division code. | | Data come from the WARD LOCATION field (#.06) in the PATIENT MOVEMENT file (#405). This value is a pointer to the WARD LOCATION file (#42), which in turn is used to get the DIVISION field (#.015) in the WARD LOCATION file (#42), a pointer to the MEDICAL CENTER DIVISION file (#40.8). This value is then used to call the API RADDIV^ECXDEPT to get the STATION NUMBER field (#99) from the INSTITUTION file (#4). If a movement file record is not found, the production division code is used. |
| 727.811,139 PLACEHOLD CERNER | Placeholder for Cerner fields. Reserved for EHRM conversion, | Currently null | Currently null |
| 727.811,140 NEW MPI | A national VA system IDENTIFIER which uniquely identifies a patient. Commonly called "Patient ICN" or "Patient IEN"; not to be confused with the IEN from the VistA PATIENT file. | | Derived by calling API, \$\$GETICN^MPIF001 (Supported DBIA #2701), that returns the Integration Control Number (ICN) and the ICN checksum for the given patient in the PATIENT file (#2). |

| Field # and Name | Description | Values | Technical Description |
|------------------------------------|--|--|--|
| 727.811,141 SELF IDENTIFIED GENDER | The SELF IDENTIFIED GENDER value indicates the patient's personal sense of their gender identity (if they choose to provide it). Self-identified gender may be the same or different as the sex assigned at birth. | 'M' FOR MALE 'F' FOR FEMALE 'TM' FOR TRANSGENDER MALE 'TF' FOR TRANSGENDER FEMALE 'O' FOR OTHER 'N' FOR DOES NOT WISH TO DISCLOSE 'B' FOR NON-BINARY | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the SURGERY EXTRACT file (#727.811), this data is derived from the SELF IDENTIFIED GENDER field (#.024) in the PATIENT file (#2). |

3.13. #727.817 – TREATING SPECIALTY CHANGE EXTRACT (TRT) File Data Definition

This file contains data elements as specified by MCAO for the Treating Specialty Change extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS/MCA site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.



NOTE: Descriptions and Technical Descriptions may not match VA FileMan.

Table 14: Treating Specialty Change Extract (TRT) File #727.817 Data Definitions

| Field # and Name | Description | Values | Technical Description |
|--------------------------------|---|--------|--|
| 727.817,.01 SEQUENCE NUMBER | The IEN of the record for this extract entry. | | The internal entry number (IEN) for this record. This entry is DINUMed. |
| 727.817,1 YEAR MONTH | A six-character string representing the year and month for which this extract was performed. | | YEAR MONTH is derived by parsing the FileMan format end date of the extract. The month is determined by taking the fourth and fifth characters of the end date, the year by taking the second and third characters, and the century is then calculated by taking the first character of the end date and adding 17 to it. The century is then concatenated with the year and month, giving the results in YYYYMM format. |
| 727.817,2 EXTRACT NUMBER | The corresponding entry in the DSS EXTRACTLOG file (#727) for this extract. | | A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message. |
| 727.817,3 FACILITY | This is the Station Number of the Division where the Treating Specialty Change occurred. | | The Station Number of the Division where the Treating Specialty Change occurred. It is derived from the DIVISION field (#.015) of the WARD LOCATION file (#42), which points to the MEDICAL CENTER DIVISION file (#40.8). The resulting value is the STATION NUMBER field (#99) from the INSTITUTION file (#4). |

| Field # and Name | Description | Values | Technical Description |
|--|---|--|---|
| 727.817,4 PATIENT NO DFN | An identifying number for the patient at the local site. | | Derived from the PATIENT field (#.03) in the PATIENT MOVEMENT file (#405), which is a pointer to the PATIENT file (#2). This data represents the patient DFN. |
| 727.817,5 SSN | The patient's social security number. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the TREATING SPECIALTY CHANGE EXTRACT file (#727.817), SSN data is derived from the SOCIAL SECURITY NUMBER field (#.09) in the PATIENT file (#2). |
| | | | "Test" patient status is determined in PAT^ECXUTL3. For the TRT extract, the following are considered test SSNs: |
| | | | 123456789; Nine repeating digits (e.g., 333333333); The first three digits are '000' or '666'; The middle two digits are '000'; The last four digits are '0000'; The first digit is '9'. |
| 727.817,6 NAME | The first four characters of the patient's last name. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the TREATING SPECIALTY CHANGE EXTRACT file (#727.817), NAME data is derived from the NAME field (#.01) in the PATIENT file (#2). |
| | | | The first four characters of the first "," piece are used, padded with trailing spaces if necessary. |
| | | | The name value is returned by the supported call DEM^VADPT. |
| 727.817,7 IN OUT PATIENT INDICATOR | Indicates the patient's status for this extract entry. Observation admissions | 'I' FOR INPATIENT 'O' FOR OUTPATIENT 'A' FOR ASIH (OTHER FACILITY) | To determine the value of this field, a call is made to \$\$PATDEM^ECXUTL2. Within this call, \$\$INP^ECXUTL2 is called to determine the patient status. |
| | are treated as outpatient encounters in MCA, similar to Medicare rules and community hospitals. | If the patient is an outpatient, processing stops and the field is set to O. | |
| | | | If the patient is an inpatient, \$\$INOUTP^ECXUTL4 is called to look at the treating specialty. |
| | | | If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831) is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the indicator is set to I. |
| | | | If the patient is ASIH to another facility at the date/time in question, the indicator is set to A. |

| Field # and Name | Description | Values | Technical Description |
|-------------------------------|--|--------|--|
| 727.817,8 DAY | An eight-character numeric string that represents the date on which the Treating Specialty change took place. | | Data source: PATIENT MOVEMENT file (#405), DATE/TIME field (#.01). The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. |
| 727.817,9 PRODUCT | The product or feeder key for this extract. | | For the Treating Specialty Change extract, the PRODUCT field is null. |
| 727.817,10 ADMISSION DATE | This eight-character numeric string represents the date on which the patient's admission occurred. | | Data source: PATIENT MOVEMENT file (#405), ADMISSION/CHECK-IN MOVEMENT field (#.14); PATIENT MOVEMENT file (#405), DATE/TIME field (#.01). The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. |
| 727.817,11 DISCHARGE DATE | This eight-character string represents the date on which the Discharge occurred for discharge type movements. | | Data source: PATIENT MOVEMENT file (#405), DATE/TIME field (#.01). The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. |
| 727.817,12 MOVEMENT FILE # | Current patient movement record associated with this extract record. | | A number used as an index into the patient movement file. The ^DGPM("ATT3" or "ATT6",DATE,D0) cross-reference is used to obtain the current movement IEN associated with this patient. |
| 727.817,13 TYPE | The type of movement for this patient. | | Using the "ATT"_TYPE cross-reference where TYPE = 6 (specialty change). |

| Field # and Name | Description | Values | Technical Description |
|--|---|--------|--|
| 727.817,14 NEW TREATING SPECIALTY | The treating specialty code for this patient at the date and time of this record. | | Source: Field #.09, file #405; Field #7, file #45.7. PTF Code of SPECIALTY file (#42.4) derived from SPECIALTY field (#1) and PTF CODE (#7) of FACILITY TREATING SPECIALTY file (#45.7) record pointed to by the FACILITY TREATING SPECIALTY field (#.09) of the PATIENT MOVEMENT file (#405) record. The movement record is the current treating specialty movement. Then, the PTF Code is obtained and stored instead of the actual specialty code. |
| 727.817,15 LOSING TREATING SPECIALTY | The patient's treating specialty code from prior treating specialty record. | | Using the "ATT3" or "ATT6" cross-reference on the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the TREATING SPECIALTY CHANGE EXTRACT file (#727.817), NEW TREATING SPECIALTY data is derived from the FACILITY TREATING SPECIALTY field (#.09) in the PATIENT MOVEMENT file (#405). This facility treating specialty data is a pointer to the FACILITY TREATING SPECIALTY file (#45.7). Using the SPECIALTY field (#1) in the FACILITY TREATING SPECIALTY file (#45.7), the pointer to the SPECIALTY file (#42.4) is obtained. This Specialty is then the LOSING Specialty for the Treating Specialty change occurring on the date in the TRT extract record. Then, the PTF Code is obtained and stored instead of the actual specialty code. |
| 727.817,16 LOSING TREATING SPECIALTY LOS | The length of stay, in days, on the prior treating specialty. | | Calculated as current treating specialty date minus the date [DATE/TIME field (#.01) of the PATIENT MOVEMENT file (#405)] of the last treating specialty change. This field will only be used for actual treating specialty changes. For file #405 records, which reflect provider-only changes, this field will be null. |

| Field # and Name | Description | Values | Technical Description |
|--------------------------------|--|--------|---|
| 727.817,17 LOSING ATTENDING | The Attending Physician associated with the | | Derived from the ATTENDING PHYSICIAN field (#.19) of the PATIENT MOVEMENT file (#405). |
| PHYSICIAN | previous treating specialty change record in file #405. | | If ATTENDING PHYSICIAN is a pointer to the NEW PERSON file (#200), it is stored as "2"_pointervalue. |
| | | | If ATTENDING PHYSICIAN is a pointer to the PROVIDER file (#6), it is stored as "6"_pointer value. |
| 727.817,18 | The MAS movement type | | MOVEMENT TYPE is derived from the MAS |
| MOVEMENT TYPE | for this movement. | | MOVEMENT TYPE field (#.18) of the PATIENT MOVEMENT file (#405). It is a pointerto the MAS MOVEMENT TYPE file (#405.2). |
| 727.817,19 | A six-character numeric | | Data source: |
| TRTTIME | string representing the time-of-day when the Treating Specialty change | | PATIENT MOVEMENT file (#405), DATE/TIME field (#.01) second "." piece only. |
| | took place. | | This field is always exactly six numeric characters in length; if time cannot be determined, "000300" is used as default. |
| 727.817,20 | Time-of-day at which the | | Data source: |
| ADMISSION TIME | patient admission occurred. | | PATIENT MOVEMENT file (#405), ADMISSION/CHECK-IN MOVEMENT field (#.14); |
| | | | PATIENT MOVEMENT file (#405); DATE/TIME field (#.01). |
| | | | This field is always exactly six numeric characters in length; if time cannot be determined, "000300" is used as default. |
| 727.817,21 | The new Primary Provider associated with the current patient movement record in file #405. | | Source: Field #.08, file #405. |
| NEW PRIMARY WARD PROVIDER | | | Internal entry number of NEW PERSON file (#200) derived from the PRIMARY CARE PHYSICIAN field (#.08) of the PATIENT MOVEMENT file (#405). |
| | | | The movement record here is the current treating specialty movement. |
| | | | A "2" is prefixed to this pointer value, if the pointer references file #200. |

| Field # and Name | Description | Values | Technical Description |
|---|--|----------------|---|
| 727.817,22 NEW ATTENDING PHYSICIAN | The new Attending Physician associated with the current patient movement record in file #405. | | Source: Field #.19, file #405. Internal entry number of NEW PERSON file (#200) derived from the ATTENDING PHYSICIAN field (#.19) of the PATIENT MOVEMENT file (#405). The movement record here is the current treating specialty movement. A "2" is prefixed to this pointer value, if the pointer references file #200. |
| 727.817,23 LOSING PRIMARY WARD PROVIDER | The losing Primary Provider for the patient movement, i.e., the Primary Provider of the previous treating specialty change record. | | Source: Field #.08, file #405. Internal entry number of NEW PERSON file (#200) derived from the PRIMARY CARE PHYSICIAN field (#.08) of the PATIENT MOVEMENT file (#405). The movement record is not the current treating specialty movement, but the one that corresponds to the previous treating specialty or provider change. A "2" is prefixed to this pointer value, if the pointer references file #200. |
| 727.817,24 PLACEHOLD MPI | This field, previously known as MASTER PATIENT INDEX, is no longer needed. The name has been changed to PLACEHOLD MPI and its value will be set to null. | Currently null | This field is no longer in use as of patch ECX*3*184. |
| 727.817,25 PLACEHOLDER | This field, previously known as DSS DEPT., is no longer needed. The name has been changed to PLACEHOLDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*161. |
| 727.817,26 PLACEHOLDER | Currently Null | | Currently Null |
| 727.817,27 PLACEHOLDER | Currently Null | | Currently Null |
| 727.817,28 PLACEHOLDER | Currently Null | | Currently Null |
| 727.817,29 PLACEHOLDER | Currently Null | | Currently Null |

| Field # and Name | Description | Values | Technical Description | |
|--|---|--------|---|---|
| 727.817,30 ATTENDING PHYSICIAN LOS | The patient's length of stay with the losing attending physician. | | The ATTENDING PHYSICIAN LOS is determined by looping through both the treating specialty/provider change movements and the discharge movements of the PATIENT MOVEMENT file (#405). | |
| | | | For each movement, a call is made to PREVATT^ECXTRT1. | |
| | | | If the attending physician has changed since the last movement, or if movement is a discharge, then the call returns the length of stay (LOS) to be associated with the attending physician of the previous movement. | |
| | | | For the treating specialty/provider change movement associated with an admission, this field will be left blank. | |
| | | | This field will also be blank if the attending physician for the current movement or the previous movement cannot be determined. | |
| | | | Maximum value for this field is 9999. | |
| 727.817,31 PRIMARY WARD PROVIDER LOS | The patient's length of stay with the losing primary ward provider. | | The PRIMARY WARD PHYSICIAN LOS is determined by looping through both the treating specialty/provider change movements and the discharge movements of the PATIENT MOVEMENT file (#405). | |
| | | | For each movement, a call is made to PREPRV^ECXTRT1. | |
| | | | | If the primary provider has changed since the last movement, or if movement is a discharge, then the call returns the length of stay (LOS) to be associated with the primary provider of the previous movement. |
| | | | For the treating specialty/provider change movement associated with an admission, this field will be left blank. | |
| | | | This field will also be blank if the primary provider for the current movement or the previous movement cannot be determined. | |
| | | | Maximum value for this field is 9999. | |

| Field # and Name | Description | Values | Technical Description |
|--|--|--|---|
| 727.817,32 DOM, PRRTP AND SARRTP INDICATOR | This indicates if the patient is admitted to either an RRTP, PRRTP or SARRTP at the time care is provided. | 'P' FOR GEN. PRRTP 'D' FOR DOMICILIARY 'S' FOR DOM. PRRTP 'T' FOR PTSD PRRTP 'H' FOR HOMELESS CWT/TR 'A' FOR SA CWT/TR 'B' FOR PTSD CWT/TR 'C' FOR GEN. CWT/TR | If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the DOM/PRRTP/SARRTP CODE field (#2) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). Otherwise, the value is null. |
| 727.817,33 OBSERVATION PATIENT INDICATOR | Indicates if patient is considered to be an observation patient. | 'N' FOR NO 'Y' FOR YES | Data (YES,NO) is retrieved from API call \$\$OBSPAT^EXCUTL4: If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS ID (MTL,IVP,ECQ,QSR,NOR,SUR) is 290-297, Observation Patient Ind =YES. Else, Observation Patient Ind =NO. Otherwise, Observation Patient Ind =NO. |
| 727.817,34 ENCOUNTER NUMBER 727.817,35 | The unique number assigned for DSS. | | This field is determined by a call to \$\$ENCNUM^ECXUTL4. Within this call, the inpatient/outpatient status, SSN, admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number. Data comes from the FACILITY NUMBER field |
| PRODUCTION DIVISION CODE | division/facility where the work was performed. | | (#1) of the MEDICAL CENTER DIVISION file (#40.8). |
| 727.817,36 LOSING ATTENDING PHYSICIAN PC | The VA Code of the Person Class of the Losing Attending Physician associated with this record. The VA Code is always of the form "V"_six numeric digits; exactly seven. | | NEW PERSON file (#200), field #5; file #8932.1. Active Person is determined by \$\$GET^XUA4A72(PERS,DATE) where PERS is the IEN from the file #200. |

| Field # and Name | Description | Values | Technical Description |
|---|---|--------|--|
| 727.817,37 NEW PRIMARY WARD PROVIDER PC | The VA Code of the Person Class of the Losing Attending Physician associated with this record. The VA Code is always of the form "V"_six numeric digits; exactly seven. | | NEW PERSON file (#200), field #5; file #8932.1. Active Person is determined by \$\$GET^XUA4A72(PERS,DATE) where PERS is the IEN from the file #200. |
| 727.817,38 NEW ATTENDING PHYSICIAN PC | The VA Code of the Person Class of the New Attending Physician associated with this record. The VA Code is always of the form "V"_six numeric digits; exactly seven. | | NEW PERSON file (#200), field #5; file #8932.1. Active Person is determined by \$\$GET^XUA4A72(PERS,DATE) where PERS is the IEN from the file #200. |
| 727.817,39 LOSING PRIMARY WARD PROV PC | The VA Code of the Person Class of the Losing Primary Ward Provider associated with this record. The VA Code is always of the form "V"_six numeric digits; exactly seven. | | NEW PERSON file (#200), field #5; file #8932.1. Active Person is determined by \$\$GET^XUA4A72(PERS,DATE) where PERS is the IEN from the file #200. |
| 727.817,40 LOSING ATTENDING PHYSICIAN NPI | A standard, unique lifelong identifier of the attending physician associated the with previous treating specialty change record. This field has a length of fifteen characters. | | LOSING ATTENDING PHYSICIAN NPI is a standard, unique life-long identifier of the attending physician associated the with previous treating specialty change record in file #405. The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.817,41 LOSING PRIM WARD PROVIDER NPI | A standard, unique lifelong identifier, issued by Health and Human Services, of the losing primary provider for the patient movement (i.e., the Primary Provider of the previous treating specialty change record). This field has a length of fifteen characters. | | LOSING PRIM WARD PROVIDER NPI is a standard, unique life-long identifier of the losing primary ward provider for the patient movement (i.e., the Primary Provider of the previous treating specialty change record). The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |

| Field # and Name | Description | Values | Technical Description |
|--|---|---|--|
| 727.817,42 NEW ATTENDING PHYSICIAN NPI | A standard, unique lifelong identifier of the new attending physician associated with the current patient movement record in the PATIENT MOVEMENT file (#405). This field has a length of fifteen characters. | | NEW ATTENDING PHYSICIAN NPI is a standard, unique life-long identifier of the new attending physician associated the with current patient movement record in file #405. The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.817,43 NEW PRIMARY WARD PROVIDER NPI | A standard, unique lifelong identifier, issued by Health and Human Services, of the new primary ward provider associated with the current patient movement record in the PATIENT MOVEMENT file (#405). This field has a length of fifteen characters. | | NEW PRIMARY WARD PROVIDER NPI is a standard, unique life-long identifier of the new primary ward provider associated the with current movement record in file #405. The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI |
| 727.817,44 PATCAT | This is the Patient's category which will be used for Federal Health Care Center (FHCC) Reconciliation. DSS must capture and report DoD patients so that the FHCC reconciliation process can function as designed. "Reconciliation" is the process used within the new FHCC to determine which patients DoD pays for and which VA pays for. | 'AD' FOR ACTIVE DUTY 'ADD' FOR ACTIVE DUTY DEPENDENT 'FNRS' FOR FORMER NON-REMARRIED SPOUSE 'RET' FOR RETIRED 'RETD' FOR RETIREE DEPENDENT 'RES' FOR RESERVIST 'REC' FOR RECRUIT 'TDRL' FOR TEMPORARY DISABILITY 'TFL' FOR TRICARE FOR LIFE | If the VistA Patient Type Code [TYPE field (#391) of the PATIENT file (#2)]=Active Duty, Military Retiree, or TRICARE, then the value(s) in the VistA OTHER ELIGIBILITY multiple [PATIENT ELIGIBILITES field (#361) of the PATIENT file (#2)], which points to locally modifiable ELIGIBILITY CODE file (#8), should be evaluated. If the value in the ELIGIBILITY CODE is equal to any entry in the set of codes in this field, the value should be placed in this field. |
| 727.817,45 PLACEHOLD CERNER | Placeholder for Cerner fields. Reserved for EHRM conversion. | Currently null | Currently null |

| Field # and Name | Description | Values | Technical Description |
|---|--|--|--|
| 727.817,46 NEW MPI | A national VA system IDENTIFIER which uniquely identifies a patient. Commonly called "Patient ICN" or "Patient IEN"; not to be confused with the IEN from the VistA PATIENT file. | | Derived by calling API, \$\$GETICN^MPIF001 (Supported DBIA #2701), that retums the Integration Control Number (ICN) and the ICN checksum for the given patient in the PATIENT file (#2). |
| 727.817,47 SELF IDENTIFIED GENDER | The SELF IDENTIFIED GENDER value indicates the patient's personal sense of their gender identity (if they choose to provide it). Self-identified gender may be the same or different as the sex assigned at birth. | 'M' FOR MALE 'F' FOR FEMALE 'TM' FOR TRANSGENDER MALE 'TF' FOR TRANSGENDER FEMALE 'O' FOR OTHER 'N' FOR DOES NOT WISH TO DISCLOSE 'B' FOR NON-BINARY | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the TREATING SPECIALTY CHANGE EXTRACT file (#727.817), this data is derived from the SELF IDENTIFIED GENDER field (#.024) in the PATIENT file (#2). |

3.14. #727.809 – UNIT DOSE LOCAL EXTRACT (UDP) File Data Definition

This file contains data elements as specified by MCAO for the Pharmacy Unit Dose extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS/MCA site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.



NOTE: Descriptions and Technical Descriptions may not match VA FileMan.

Table 15: Unit Dose Local Extract (UDP) File #727.809 Data Definitions

| Field # and Name | Description | Values | Technical Description |
|--------------------------------|--|--------|--|
| 727.809,.01 SEQUENCE NUMBER | The IEN of the record for this extract entry. | | The internal entry number (IEN) for this record. This entry is DINUMed. |
| 727.809,1 YEAR MONTH | A six-character string representing the year and month for which this extract was performed. | | YEAR MONTH is derived by parsing the FileMan format end date of the extract. The month is determined by taking the fourth and fifth characters of the end date, the year by taking the second and third characters, and the century is then calculated by taking the first character of the end date and adding 17 to it. The century is then concatenated with the year and month, giving the results in YYYYMM format. |
| 727.809,2 EXTRACT NUMBER | The corresponding entry in the DSS EXTRACTLOG file (#727) for this extract. | | A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message. |
| 727.809,3 FACILITY | This is the medical center division where the extract was performed. | | An indicator of the division where this event happened. It is derived from the DIVISION field (#.015) of the WARD LOCATION file (#42) which points to the MEDICAL CENTER DIVISION file (#40.8). |
| 727.809,4 PATIENT NO DFN | An identifying numberfor the patient at the local site. | | Pointer to the NAME field (#.01) of the PATIENT file (#2). PATIENT NO DFN data is derived from the DFN field (#1) of the UNIT DOSE EXTRACT DATA file (#728.904). |

| Field # and Name | Description | Values | Technical Description |
|------------------------------------|--|--|---|
| 727.809,5 SSN | The patient's social security number. | | Using the patient pointer (DFN), stored in the PATIENT NO DFN in the UNIT DOSE LOCAL EXTRACT file (#727.809), SSN data is derived from the SOCIAL SECURITY NUMBER field (#.09) in the PATIENT file (#2). |
| | | | "Test" patient status is determined in PAT^ECXUTL3. For the UDP extract, the following are considered test SSNs: • 123456789; • Nine repeating digits (e.g., 333333333); • The first three digits are '000' or '666'; • The middle two digits are '000'; • The last four digits are '0000'; • The first digit is '9'. |
| 727.809,6 NAME | The first four characters of the patient's last name. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN in the UNIT DOSE LOCAL EXTRACT file (#727.809), NAME data is derived from the NAME field (#.01) in the PATIENT file (#2). The first four characters of the first "," piece are used, padded with trailing spaces if necessary. The name value is returned by the supported call DEM^VADPT. |
| 727.809,7 IN OUT PATIENT INDICATOR | Indicates the patient's status for this extract entry. Observation admissions are treated as outpatient encounters in MCA, similar to Medicare rules and community hospitals. | 'I' FOR INPATIENT 'O' FOR OUTPATIENT 'A' FOR ASIH (OTHER FACILITY) | To determine the value of this field, a call is made to \$\$PATDEM^ECXUTL2. Within this call, \$\$INP^ECXUTL2 is called to determine the patient status. If the patient is an outpatient, processing stops and the field is set to O. If the patient is an inpatient, \$\$INOUTP^ECXUTL4 is called to look at the treating specialty. If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831) is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), the indicator is set to I. If the patient is ASIH to another facility at the date/time in question, the indicator is set to A. |

| Field # and Name | Description | Values | Technical Description |
|--|--|--------|--|
| 727.809,8 DAY | This eight-character string represents the date on which the Unit Dose event | | Data source: (1) UNIT DOSE EXTRACT DATA file (#728.904), DATE field (#2). |
| | (dispense or return) occurred. | | Data is inserted in this field by Pharmacy routines PSGPLF and PSGAMSA; these routines derive the data from – |
| | | | (2) UNIT DOSE PICK LIST STATS file (#57.6), DATE field (#.01); PICK LIST file (#53.5); START DATE/TIME field (#.03) or DT (i.e., FileMan variable for Today's Date). |
| | | | The format is YYYYMMDD; for example, 19970923. |
| | | | If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. |
| 727.809,9 VA DRUG CLASSIFICATION | The VA Drug Classification for the item in this order. | | Derived from the VA CLASSIFICATION field (#2) in the DRUG file (#50) for the drug identified by the DRUG field (#3) in the UNIT DOSE EXTRACT DATA file (#728.904). |
| | | | The DRUG field (#3) is populated from the DISPENSE DRUG field (#.01) within the DISPENSE DRUG multiple (#2) within the UNIT DOSE multiple (#62) of the PHARMACY PATIENT file (#55). |
| 727.809,10 QUANTITY | Drug quantity dispensed in the unit of issue for that drug. Unit of issue may vary | | QUANTITY is derived from the QUANTITY field (#4) of the UNIT DOSE EXTRACT DATA file (#728.904). |
| | from product-to-product and site-to-site. | | The QUANTITY (#4) field gets its value from the #DOSES ACTUALLY DISPENSED field (#.03) within the DISPENSE DRUG multiple (#1) within the ORDER multiple (#1) within the PATIENT multiple (#1) of the PICK LIST file (#53.5). |

| Field # and Name | Description | Values | Technical Description |
|-------------------------------|--|--------|---|
| 727.809,11 WARD | Current ward where the patient is located. | | If the patient is an inpatient at the time of the order, then the ward is derived from the WARD field (#5) in the UNIT DOSE EXTRACT DATA file (#728.904) which is a pointer to the WARD LOCATION file (#42). Using the ward pointer, the data is derived from the HOSPITAL LOCATION FILE POINTER field (#44) in the WARD LOCATION file (#42) which is a pointer to the HOSPITAL LOCATION file (#44). The WARD (#5) is populated with the value found in the WARD field (#.03) within the PATIENT multiple (#1) of the PICK LIST file (#53.5). If this is a clinic order (inpatient medication for an outpatient), then the ward will be null. |
| 727.809,12 PROVIDER | The IEN of the provider assigned to this patient. | | PROVIDER data is derived from the PROVIDER field (#6) of the UNIT DOSE EXTRACT DATA file (#728.904). The PROVIDER (#6) field comes from the PROVIDER field (#1) within the UNIT DOSE multiple (#62) of the PHARMACY PATIENT file (#55). It is a pointer to the NEW PERSON file (#200). This data is stored as "2"_pointer. |
| 727.809,13 COST | VA pharmacy supply cost of drug dispensed. | | Total cost is derived from the PRICE PER DISPENSE UNIT field (#16) of the DRUG file (#50) multiplied by the #DOSES ACTUALLY DISPENSED field (#.03) within the DISPENSE DRUG multiple (#1) of the PICK LIST file (#53.5). |
| 727.809,14 MOVEMENT FILE # | Current patient movement record associated with this extract record. | | A call to IN5 ^ VADPT (using the patient IEN and the event date) returns a patient movement number (indicating inpatient status). This field is set to the value of VAIP (1), which is a pointer to the PATIENT MOVEMENT file (#405). |

| Field # and Name | Description | Values | Technical Description |
|-------------------------------|---|--------|--|
| 727.809,15 TREATING SPECIALTY | The PTF CODE of the treating specialty associated with this extract record. | | This field is initialized to null, indicating an outpatient status. |
| THE THING STEELINETT | | | If a call to IN5^VADPT (using the patient IEN and the event date) returns a patient movement number (indicating inpatient status), the value of VAIP(8), which is the pointer to the FACILITY TREATING SPECIALTY file (#45.7), is used to get the SPECIALTY field (#1) which points to the SPECIALTY file (#42.4). |
| | | | Then, the PTF Code (field #7 of file #42.4) is obtained and stored instead of the IEN of the specialty. |
| 727.809,16 NDC | This is the National Drug Code for the drug/supply item in this order | | Derived from the NDC field (#31) in the DRUG file (#50) for the drug identified by the DRUG field (#3) in the UNIT DOSE EXTRACT DATA file (#728.904) |
| | | | DRUG (#3) is derived from the DISPENSE DRUG field (#.01) within the DISPENSE DRUG multiple (#2) within the UNIT DOSE multiple (#62) of the PHARMACY PATIENT file (#55). |
| 727.809,17 NEW FEEDER KEY | Code that uniquely identifies a DSS drug/supply product. | | NEW FEEDER KEY is derived for the drug identified by the DRUG field (#6) in the PRESCRIPTION file (#52), which is a pointer to the DRUG file (#50). |
| | | | The PSNDF VA PRODUCT NAME ENTRY field (#22) from the DRUG file (#50), which is a pointer to the VA PRODUCT file (#50.68), is padded to five digits. |
| | | | The NDC value is derived from the NDC field (#31) from the DRUG file (#50), then stripped of hyphens and padded with leading zeroes until it has a length of twelve characters. |
| | | | The twelve-character NDC is appended to the five-digit PSNDF VA PRODUCT NAME ENTRY value to form a seventeen-digit Feeder Key. |

| Field # and Name | Description | Values | Technical Description |
|---------------------------------|--|---|--|
| 727.809,18 DEA, SPECIAL HDLG | Indicates if the drug in this record is classified as Investigational, or Schedule 1-5. | 'I' FOR INVESTIGATIONAL '1' FOR SCHEDULE 1 ITEM '2' FOR SCHEDULE 2 ITEM '3' FOR SCHEDULE 3 ITEM '4' FOR SCHEDULE 4 ITEM '5' FOR SCHEDULE 5 ITEM | Derived from the DEA, SPECIAL HDLG field (#3) in the DRUG file (#50). If the field contains a "1","2","3","4" or "5" (DRUG SCHEDULE) it will be set to that number. Otherwise, if it contains an I, it will be set to I. |
| 727.809,19 UDP TIME | Time that the drug was dispensed. | | Data source: UNIT DOSE EXTRACT DATA file (#728.904), DATE field (#2). Data is inserted in this field by Pharmacy routines PSGPLF and PSGAMSA These routines derive the data from either the UNIT DOSE PICK LIST STATS file (#57.6), DATE field (#.01) or the PICK LIST file (#53.5), START DATE/TIME field (#.03). Currently only the first "." piece (date) has data. The second "." piece (time) is padded with trailing zeros to six characters, and stored. If no data is available then DT (i.e., FileMan variable for Today's Date) is used. The source for this data element does NOT provide any time information; only date is provided. Consequently, the UDP TIME field is always set to "000000". |

| Field # and Name | Description | Values | Technical Description |
|------------------------------|--|----------------|---|
| 727.809,20 ADMISSION DATE | This eight-character numeric string represents the date on which the patient's admission occurred. | | A call is made to \$\$INP^ECXUTL2 using the patient's DFN and the date/time the unit dose medication was given. The call will return the admission date/time associated with this episode of care. |
| | | | In the case of a patient who is ASIH OTHER FACILITY, it will be the date/time of the movement that put the patient into ASIH OTHER FACILITY status. |
| | | | The date portion of the DATE/TIME field (#.01) of the PATIENT MOVEMENT file (#405) is used to populate this field. |
| | | | This field is always exactly eight numeric characters in length. The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. |
| 727.809,21 ADMISSION TIME | Time-of-day at which the patient admission occurred. | | A call is made to \$\$INP^ECXUTL2 using the patient's DFN and the date/time the unit dose medication was given. The call will return the admission date/time associated with this episode of care. |
| | | | In the case of a patient who is ASIH OTHER FACILITY it will be the date/time of the movement that put the patient into ASIH OTHER FACILITY status |
| | | | The time portion of the DATE/TIME field (#.01) of the PATIENT MOVEMENT file (#405) is used to populate this field. |
| | | | This field is always exactly six numeric characters in length; if the time cannot be determined, "000300" is used as the default. |
| 727.809,22 PLACEHOLD MPI | This field, previously known as MASTER PATIENT INDEX, is no longer needed. The name has been changed to PLACEHOLD MPI and its value will be set to null. | Currently null | This field is no longer in use as of patch ECX*3*184. |
| 727.809,23 PLACEHOLDER | This field, previously known as DSS PRODUCT DEPARTMENT, is no longer needed. The name has been changed to PLACEHOLDER and its value will be setto null. | | This field is no longer in use as of patch ECX*3*161. |

| Field # and Name | Description | Values | Technical Description |
|--|---|--|--|
| 727.809,24 PLACEHOLDER | Currently Null | | Currently Null |
| 727.809,25 DOM, PRRTP, AND SARRTP | This indicates if the patient is admitted to either an RRTP, PRRTP or SARRTP at the time care is provided. | 'P' FOR GEN. PRRTP 'D' FOR DOMICILIARY 'S' FOR DOM. PRRTP 'T' FOR PTSD PRRTP 'H' FOR HOMELESS CWT/TR 'A' FOR SA CWT/TR 'B' FOR PTSD CWT/TR 'C' FOR GEN. CWT/TR | If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the DOM/PRRTP/SARRTP CODE field (#2) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). Otherwise, the value is null. |
| 727.809,26 OBSERVATION PATIENT INDICATOR | Indicates if patient is considered to be an observation patient. | 'Y' FOR YES 'N' FOR NO | Data (YES,NO) is retrieved from API call \$\$OBSPAT^ECXUTL4: If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831), data is derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION file (#727.831). If patient is outpatient and treating specialty is not in the file, AND Feeder Key (CLI) or DSS ID (MTL,IVP,ECQ,QSR,NOS,SUR) is 290-297, Observation Patient Ind =YES. Else, Observation Patient Ind =NO. Otherwise, Observation Patient Ind =NO. |
| 727.809,27 ENCOUNTER NUMBER | The unique number assigned for DSS. The OBS conversion logic is: Treating Specialty Use this Stop Code 18 293 (neurology) 24 290 (medicine) 41 296 (Rehab Med) 65 291 (Surgery) 94 292 (psychiatry) 1J 297 (ER) | | This field is determined by a call to \$\$ENCNUM^ECXUTL4. Within this call, the inpatient/outpatient status, SSN, admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number. |

| Field # and Name | Description | Values | Technical Description |
|---|---|--|--|
| 727.809,28 PRODUCTION DIVISION CODE | Identifies the division/facility where the work was performed. | | Data comes from the WARD field (#5) of the UNIT DOSE EXTRACT DATA file (#727.904), which is a pointer to the WARD LOCATION file (#42). |
| | | | This value is then used to get the DIVISION field (#.015), a pointer to the MEDICAL CENTER DIVISION file (#40.8), which is then used to call API GETDIV^ECXDEPT to get the STATION NUMBER field (#99) from the INSTITUTION file (#4). |
| 727.809,29 PLACEHOLD MEANS TEST | This field, previously known as MEANS TEST, is no longer needed. The name has been changed to PLACEHOLD MEANS TEST and its value will be set to null. | | This field is no longer in use as of patch ECX*3*178. |
| 727.809,30 ELIGIBILITY | A two or three-digit numeric code indicating the Patient's Primary Eligibility. The extract logic converts the VistA two or three-digit coding schemes to the National Data Services (NDS) eligibility scheme. | 10 SC 50-100% 20 Aid & Attendance 21 Housebound 22 Mexican Border War 23 WWI 24 POW 25 Purple Heart 30 SC 40-49% 31 SC 30-39% 32 SC 20-29% 33 SC 10-19% 34 SC less than 10% 40 NSC - VA Pension 50 NSC 60 Catastrophic Disability 101 CHAMPVA 102 Collateral of Veteran 103 Employee 104 Other Federal Agency 105 Allied Veteran 106 Humanitarian Emergency 107 Sharing Agreement 108 Reimbursable Insurance 109 TRICARE/CHAMPUS | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), ELIGIBILITY data is derived from the PRIMARY ELIGIBILITY CODE field (#.361) in the PATIENT file (#2). PRIMARY ELIGIBILITY CODE is a pointer to the ELIGIBILITY CODE file (#8). The data is derived from the MAS ELIGIBILITY CODE field (#8) in the ELIGIBILITY CODE file (#8), which in turn is a pointer to the MAS ELIGIBILITY CODE file (#8.1). The pointer value to file #8.1 is converted by ELIG^ECXUTL3 to the corresponding eligibility code used by NPCD. This code is composed of two or three numeric characters. |
| 727.809,31 DATE OF BIRTH | The patient's date of birth. | | Date of Birth is returned through the supported call DEM^VADPT. It is then represented by an eight-character numeric string in the YYYYMMDD format. |

| Field # and Name | Description | Values | Technical Description |
|---------------------------------|--|--|---|
| 727.809,32 SEX | Patient's gender. | 'M' FOR MALE 'F' FOR FEMALE | Data is taken from the SEX field (#.02) of the patient's record in the PATIENT file (#2). The status indicator is returned by DEM^VADPT. |
| 727.809,33 STATE | The state in which the patient resides. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), data is derived from the STATE field (#.115) in the PATIENT file (#2) which points to the STATE file (#5). From the STATE file record, use the two-character VA STATE CODE field (#2). |
| 727.809,34 COUNTY | This is the county in which the patient resides. | | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), data is taken from the COUNTY field (#.117) in the PATIENT file (#2) which points to a sub-file record in the COUNTY multiple (#3) of the STATE file (#5) is obtained from the STATE field (#.115) of the file #2 record. From the sub-file record of field #3 of the file #5, use the value of the VA COUNTY CODE field (#2). |
| 727.809,35 ZIP+4 | The ZIP code for where the patient resides. The five-character ZIP code is provided if ZIP + 4 is not available. | | The patient's ZIP code with optional four-digit extension as found in the ZIP+4 field (#.1112) of the patient's record in the PATIENT file (#2). While the ZIP+4 field in file 2 is a max of nine characters, it does put the "-" in if the ZIP code is a +4 type. |
| 727.809,36 VETERAN | Patient's Veteran status | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), VETERAN data is derived from the VETERAN (Y/N)? field (#1901) in the PATIENT file (#2). |
| 727.809,37 PERIOD OF SERVICE | The period of service which best classifies this patient based on eligibility code. | | PERIOD OF SERVICE is derived from the PERIOD OF SERVICE field (#.323) in the PATIENT file (#2). |
| 727.809,38 POW STATUS | Indicates if patient was confined as a Prisoner of War. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | PATIENT file (#2), POW STATUS INDICATED field (#.525). The status indicator is returned by SVC^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|--------------------------------------|---|---|---|
| 727.809,39 POW LOCATION | This is the location/period where the patient was a POW. | '1' FOR WORLD WAR I '2' FOR WORLD WAR II - EUROPE '3' FOR WORLD WAR II - PACIFIC '4' FOR KOREAN '5' FOR VIETNAM '6' FOR OTHER | PATIENT file (#2); POW CONFINEMENT LOCATION field (#.526). This is a pointer value to the POW PERIOD file (#22). The location indicator is returned by SVC^VADPT. |
| 727.809,40 RADIATION STATUS | Indicates if patient claims exposure to ionizing radiation. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN '1' FOR NO RADIATION '2' FOR HIROSHIMA/NAGASAKI '3' FOR ATMOSPHERIC NUCLEAR TESTING '4' FOR H/N AND ATMOSPHERIC TESTING '5' FOR UNDERGROUND NUCLEAR TESTING '6' FOR EXPOSURE AT NUCLEAR FACILITY '7' FOR OTHER | PATIENT file (#2); RADIATION EXPOSURE INDICATED? field (#.32103). The status indicator is returned by SVC ^VADPT. |
| 727.809,41 AGENT ORANGE STATUS | Indicates if patient claims exposure to Agent Orange. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | PATIENT file (#2); AGENT ORANGE EXPOS. INDICATED? field (#.32102). The status indicator is returned by SVC^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|---|--|---|--|
| 727.809,42 AGENT ORANGE LOCATION | Indicates the location where the patient was exposed to Agent Orange. | 'B' FOR BLUE WATER NAVY 'K' FOR KOREAN DMZ 'V' FOR VIETNAM 'T' FOR THAILAND (U.S. OR ROYAL THAI MIL BASE) 'L' FOR LAOS 'C' FOR CAMBODIA (MIMOT OR KREK, KAMPONG CHAM) 'G' FOR GUAM, AMERICAN SAMOA, OR TERRITORIAL WATERS 'J' FOR JOHNSTON ATOLL 'O' FOR OTHER | The location is returned by a call to SVC^VADPT which gets its data from the AGENT ORANGE EXPOSURE LOCATION field (#.3213) of the PATIENT file (#2). |
| 727.809,43 PURPLE HEART INDICATOR | Indicates whether or not the patient is a Purple Heart recipient. | 'Y' FOR YES 'N' FOR NO | PATIENT file (#2), CURRENT PH INDICATOR field (#.531). The status indicator is returned by SVC^VADPT. |
| 727.809,44 MST STATUS | Indicates if patient claims Military Sexual Trauma (MST). | 'Y' FOR YES,SCREENED REPORTS MST 'N' FOR NO,SCREENED DOES NOT REPORT MST 'U' FOR UNKNOWN, NOT SCREENED 'D' FOR SCREENED, DECLINES TO ANSWER | The MST HISTORY file (#29.11) holds data regarding military sexual trauma claims and effective dates. The patient's MST status is stored in the MST STATUS field (#3). A call is made to \$\$GETSTAT^DGMSTAPI(DFN,DGDATE) using the DFN in the PATIENT NO. DFN field (#4) and the date in the DAY field (#8). |
| 727.809,45 CNH STATUS | This field indicates if the patient is in a Contract Nursing Home (CNH). | 'Y' FOR YES 'N' FOR NO | Data is derived from the CNH CURRENT field (#148) of the PATIENT file (#2) and is returned by CNHSTAT^ECXUTL4 (DFN). |
| 727.809,46 ENROLLMENT LOCATION | The facility that the patient chooses to designate as his preferred location for care. | | The PREFERRED FACILITY field (#27.02) of the PATIENT file (#2) is defined as the facility that the patient chooses to designate as his preferred location for care. The PREFERRED FACILITY field (#27.02) is a pointer to the INSTITUTION file (#4). From file #4, the value in the STATION NUMBER field (#99) is used. |

| Field # and Name | Description | Values | Technical Description |
|---|---|--|--|
| 727.809,47 ENROLLMENT CATEGORY | Patient's enrollment category. | 'E' FOR ENROLLED 'N' FOR NOT ENROLLED 'P' FOR IN PROCESS | ENROLLMENT CATEGORY is derived from the standard call CATEGORY DGENA4 using the patient DFN and the ENROLLMENT STATUS. |
| 727.809,48 ENROLLMENT STATUS | Patient's enrollment status. | | ENROLLMENT STATUS is derived from the PATIENT ENROLLMENT file (#27.11) ENROLLMENT STATUS field (#.04) which is a pointer to the ENROLLMENT STATUS file (#27.15) |
| 727.809,49 SHAD STATUS | Indicates whether patient meets requirements for Shipboard Hazard and Defense (SHAD) conditions. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), Shipboard Hazard and Defense data is derived from using DBIA #4462 GETSHAD^DGUTL3 (DFN). |
| 727.809,50 PLACEHOLD PRIMARY CARE TEAM | This field, previously known as PRIMARY CARE TEAM, is no longer needed. The name has been changed to PLACEHOLD PRIMARY CARE TEAM and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.809,51 PLACEHOLD PC PROVIDER | This field, previously known as PRIMARY CARE PROVIDER, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.809,52 PLACEHOLDER | Currently Null | | Currently Null |
| 727.809,53 PLACEHOLD PC PROV PERSON CLASS | This field, previously known as PC PROVIDER PERSON CLASS, is no longer needed. The name has been changed to PLACEHOLD PC PROV PERSON CLASS and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.809,54 PLACEHOLD ASSOC PC PROVIDER | This field, previously known as ASSOCIATE PC PROVIDER, is no longer needed. The name has been changed to PLACEHOLD ASSOC PC PROVIDER and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |

| Field # and Name | Description | Values | Technic | cal Description | |
|---|---|---------------------------|---|--|--|
| 727.809,55 PLACEHOLDER | Currently Null | | Currently Null | | |
| 727.809,56 PLACEHOLD AS PC PROV PERSON CL | This field, previously known as ASSOC. PC PROV. PERSON CLASS, is no longer needed. The name has been changed to PLACEHOLD AS PC PROV PERSON CL and its value will be set to null. | | This field is no longe ECX*3*170. | erin use as of pa | tch |
| 727.809,57 ORDERING DATE | The date the orderwas first dispensed. | | UNIT DOSE EXTRAC ORDER DATE field (# START DATE/TIME fi multiple file (#55.06 file (#55). The forma | #9). ORDER DATE eld (#10) of the U) of the PHARMA | is the JNIT DOSE |
| 727.809,58 ORDERING STOP CODE | This field contains the stop code associated with the order. | | For outpatients, the stop code for the cli AMIS REPORTING STOLINIC STOP file (#4 STOP CODE NUMBE LOCATION file (#44) FIELD (#130) of the Uthe PHARMACY PAT If none exists, the varianslated using the Treating Specialty 18 23 24 36 41 65 94 1J | nic as determine TOP CODE field (and 0.7) as pointed to R field (#8) of the as pointed to by JNIT DOSE multi (JENT file (#55). Iue is set to null. ents, the stop co | d by the #1) of the o by the e HOSPITAL y the CLINIC ple (#62) of |
| 727.809,59 HEAD & NECK CANCER INDICATOR | Indicates if patient claims head and/or neck cancer. | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4), a call is made to \$\$GETCUR^DGNTAPI to retrieve the HEAD/NECK CA DX field (#2.01) of the NOSE AND THROAT RADIUM HISTORY file (#28.11). | | |

| Field # and Name | Description | Values | Technical Description |
|---|---|--------|---|
| 727.809,60 PLACEHOLD ETHNICITY | This field, previously known as ETHNICITY, is no longer needed. The name has been changed to PLACEHOLD ETHNICITY and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.809,61 PLACEHOLD RACE 1 | This field, previously known as RACE 1, is no longer needed. The name has been changed to PLACEHOLD RACE 1 and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.809,62 PLACEHOLDER | Currently NULL. This is not currently used. | | Currently NULL |
| 727.809,63 PLACEHOLDER | Currently NULL. This is not currently used. | | Currently NULL |
| 727.809,64 PLACEHOLDER | Currently NULL. This is not currently used. | | Currently NULL |
| 727.809,65 PLACEHOLDER | Currently NULL. This is not currently used. | | Currently NULL |
| 727.809,66 ORDERING PROVIDER PERSON CLASS | The VA code of the Person Class of the Ordering Provider as of the date of this extract record. | | ORDERING PROVIDER PERSON CLASS is the Active Person which is determined by \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from NEW PERSON file (#200). |
| 727.809,67 PLACEHOLD DSS IP# | This field, previously known as DSS IP#, is no longer needed. The name has been changed to PLACEHOLD DSS IP # and its value will be set to null. | | This field is no longer in use as of patch ECX*3*174. |

| Field # and Name | Description | Values | Technical Description |
|--------------------------------------|---|---|---|
| 727.809,68 ENROLLMENT PRIORITY | This field contains the enrollment priority group and the enrollment priority subgroup. | ENROLLMENT PRIORITY Groups determined for a patient enrollment include: | ENROLLMENT PRIORITY field contains the enrollment priority group and the enrollment priority subgroup from the PATIENT ENROLLMENT file (#27.11). |
| | | '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 | Data is obtained from a call to \$\$ENRSBGRP^ DGENA\$ (DFN) using the patient's DFN. |
| | | ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: | |
| | | 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 | |
| 727.809,69 USER ENROLLEE | Indicates whether a Veteran has User Enrolleestatus for the current or future fiscal year. | 'U' FOR USER ENROLLED | USER ENROLLEE is determined by checking the PATIENT ENROLLMENT file (#27.11). When a user has a current or future fiscal year in the VistA USER ENROLLEE STATUS field (#.04), the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: I \$\$UESTAT^EASUER where the Patient Identifier (DFN) is passed in. |
| 727.809,70 PATIENT TYPE | Refers to the various types of patient which may be seen at a VA facility. Every patient in the system must have a TYPE specified. | 'AC' FOR ACTIVE DUTY 'AL' FOR ALLIED VETERAN 'CO' FOR COLLATERAL 'EM' FOR EMPLOYEE 'IN' FOR INELIGIBLE 'MI' FOR MILITARY RETIREE 'NO' FOR NON-VETERAN (OTHER) 'NS' FOR NSC VETERAN 'SC' FOR SC VETERAN 'TR' FOR TRICARE | PATIENT TYPE is derived from a call to TYPE^ECXUTL5 (DFN). Using the patient's DFN, the NAME field (#.01) o the TYPE OF PATIENT file (#391) as pointed to by the TYPE field (#391) of the PATIENT file (#2) is shortened to the first two characters to determine the value stored in the PATIENT TYPE field (#70). |

| Field # and Name | Description | Values | Technical Description |
|--|---|---|--|
| 727.809,71 CV STATUS ELIGIBILITY | This field indicates whether or not a patient can be considered a Combat Veteran (CV) at the time of | 'Y' FOR YES 'E' FOR ELIGIBILITY EXPIRED | CV STATUS ELIGIBILITY is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. |
| | treatment. Records if Veteran served on | | API returns three pieces (i.e., 1^20010106^0) and the first piece is resolved as follows. |
| | active duty in a theatre of combat operations during a period of war after the | | 1 -Veteran qualifies as a CV 0 - Veteran does not qualify as a CV |
| | Persian Gulf War or in | | -1 - bad DFN |
| | combat against a hostile force during a period of hostilities after November 11, 1998. | | Based on this result the field will be set to 'Y' for YES or 'E' for 'ELIGIBILITY EXPIRED' or 'NULL' for not eligible. |
| 727.809,72 CV ELIGIBILITY END DATE | Records the Combat Veteran eligibility expiration date of the Veteran who served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of | | CV ELIGIBILITY END DATE is determined by the use of API \$\$CVEDT^DGCV (DFN,DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces (i.e., 1^20010106^0). The second piece is the COMBAT VET END DATE in HL7 format. |
| | hostilities after November 11, 1998. | | |
| 727.809,73 | This field indicates whether | 'Y' FOR YES | ENCOUNTER CV is determined by the use of API \$\$CVEDT^DGCV (DFN,DATE) that checks the |
| ENCOUNTERCV | service provided during this patient encounter is related to the patient being a Combat Veteran (CV). Records if Veteran served on | | COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. |
| | | Records if Veteran served on | |
| | active duty in a theatre of combat operations during a | | 1 - vet was eligible on date specified |
| | period of war after the Persian Gulf War or in | | 0 - vet was not eligible on date specified |
| | combat against a hostile force during a period of hostilities after November 11, 1998. | | Based on these returns, the value for this field is Y for Yes if value is 1 or left blank if 0 to indicate ineligibility. |

| Field # and Name | Description | Values | Technical Description |
|--|--|--|--|
| 727.809,74 NATIONAL PATIENT RECORD FLAG | This field will indicate if the patient has any type of a National Flag indicator | 'Y' FOR YES | The NATIONAL PATIENT RECORD FLAG field is set based on the results of the \$\$GETACT^DGPFAPI (DFN,TARGET ARRAY) call. |
| RECORD FLAG | | | This call looks at the Category 1 National Patient Record flags as recorded in the PRF NATIONAL FLAG file (#26.15). |
| | | | The resulting value of this call is the number of active Category I record flags assigned to this patient. |
| | | | This field is set to Y (YES) if the result is greater than zero. |
| | | | A value of zero causes this field to be left null. |
| 727.809,75 ERI | This field identifies patients from impacted ZIP code areas designated by the Federal Emergency Management Agency (FEMA). | 'K' FOR HURRICANE KATRINA 'P' FOR PANDEMIC NULL | This field is extracted from the EMERGENCY RESPONSE INDICATOR field (#.181) located in the PATIENT file (#2). |
| 727.809,76 SW ASIA CONDITIONS | This field is used to indicate if this patient claims exposure to Southwest Asia Conditions. | 'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN | This field is derived from the SOUTHWEST ASIA CONDITIONS? field (#.322013) in the PATIENT file (#2) using the patient's DFN. The status indicator is returned by SVC^VADPT. The SVC^VADPT called is made from routine PAT^ECXUTL3. |
| 727.809,77 OEF/OIF | The Military Operation(s) in which the patient was in combat. This field is a length of nine characters and reflects the OEF or OIF where this patient was in combat. | Possible field values are one or more combinations of the following: OEF = OPERATION ENDURING FREEDOM OIF = OPERATION IRAQI FREEDOM UNK = UNKNOWN OEF/OIF | The Military Operation in which the patient was in combat during the specified time period. This field is a length of nine characters and reflects the OEF or OIF where this patient was in combat. The value of this field is derived from the LOCATION OF SERVICE field (#.01) from SERVICE [OEF OR OIF] sub-file (#2.3215) of field #.3215 located in the PATIENT file (#2). DSS will capture, once, each location where the Veteran served. In order to accommodate multiple locations, the values for this field are concatenated into this nine-character field. |

| Field # and Name | Description | Values | Technical Description |
|--|--|--------|--|
| 727.809,78 OEF/OIF RETURN DATE | The date the Veteran left the OEF/OIF area. Otherwise, it is the end date of military pay for this OEF/OIF deployment. This date field has a format equal to YYYYMMDD. In cases of multiple OEF/OIF tours, this field contains only the most recent return date. | | The value of this field is derived from the OEF/OIF TO DATE field (#.03) from sub-file (#2.3215) of field #.3215 located in the PATIENT file (#2). |
| 727.809,79 PLACEHOLD ASSOC PC PROV NPI | This field, previously known as ASSOCIATE PC PROVIDER NPI, is no longer needed. The name has been changed to PLACEHOLD ASSOC PC PROV NPI and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.809,80 PLACEHOLD PC PROVIDER NPI | This field, previously known as PRIMARY CARE PROVIDER NPI, is no longer needed. The name has been changed to PLACEHOLD PC PROVIDER NPI and its value will be set to null. | | This field is no longer in use as of patch ECX*3*170. |
| 727.809,81 PROVIDER NPI | A standard, unique life-long identifier, issued by Health and Human Services, for individuals providing health care services. This field has a length of fifteen characters. | | The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. |
| 727.809,82 COUNTRY CODE | This is the code for the country associated with the address. | | The three-character alpha identifying code is copied from the CODE field (#.01) of the COUNTRY file (#779.004). |

| Field # and Name | Description | Values | Technical Description |
|---|---|---|---|
| 727.809,83 PATCAT | This is the patient's category which will be used for Federal Health Care Center (FHCC) Reconciliation. DSS must capture and report DoD patients so that the FHCC reconciliation process can function as designed. "Reconciliation" is the process used within the new FHCC to determine which patients DoD pays for and which VA pays for. | 'AD' FOR ACTIVE DUTY 'ADD' FOR ACTIVE DUTY DEPENDENT 'FNRS' FOR FORMER NON-REMARRIED SPOUSE 'RET' FOR RETIRED 'RETD' FOR RETIREE DEPENDENT 'RES' FOR RESERVIST 'REC' FOR RECRUIT 'TDRL' FOR TEMPORARY DISABILITY 'TFL' FOR TRICARE FOR LIFE | If the VistA Patient Type Code [TYPE field (#391) of the PATIENT file (#2)]=Active Duty, Military Retiree, or TRICARE, then the value(s) in the VistA OTHER ELIGIBILITY multiple [PATIENT ELIGIBILITIES field (#361) of the PATIENT file (#2)], which points to locally modifiable ELIGIBILITY CODE file (#8), should be evaluated. If the value in the ELIGIBILITY CODE is equal to any entry in the set of codes in this field, the value should be placed in this field. |
| 727.809,84 ENCOUNTERSC | Indicates if treatment provided during this patient encounter is Service Connected. | 'Y' FOR YES 'N' FOR NO | Using a pointer to the VISIT file (#9000010), a call is made to API ECXSCX1, which in turn calls ENCEVENT ^PXAPI. This call returns visit data, including the SERVICE CONNECTED field (#80001) in the VISIT file (#9000010). |
| 727.809,85 CAMP LEJEUNE STATUS | Indicates if patient claims exposure to contaminated water while stationed at Camp Lejeune, NC between January 1, 1957 and December 31, 1987. | 'Y' FOR YES 'N' FOR NO | Using the patient's DFN, a call is made to PAT^ECXUTL3, which in turn calls SVC^VADPT. This call returns all service related information for a patient, including their Camp Lejeune status. |
| 727.809,86 ENCOUNTER CAMP LEJEUNE | Indicates if episode of care is related to exposure to contaminated water while stationed at Camp Lejeune, NC between January 1, 1957 and December 31, 1987. | 'Y' FOR YES 'N' FOR NO | Using a pointer to the VISIT file (#9000010), a call is made to API VISIT^ECXSCX1, which in tum calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the encounter Camp Lejeune data from the VISIT file (#9000010). |
| 727.809,87 COMBAT VETERAN INDICATOR | Identifies if patient served in a combat zone. | 'Y' FOR YES 'N' FOR NO | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, COMBAT SERVICE INDICATOR data is derived from the COMBAT SERVICE INDICATED field (#.5291) in the PATIENT file (#2). COMBAT SERVICE INDICATED is returned by the supported call SVC^VADPT. |

| Field # and Name | Description | Values | Technical Description |
|--|---|---|---|
| 727.809,88 COMBAT VETERAN LOCATION | Identifies the war in which the combat service was incurred. | WWI WWII-EUROPE WWII-PACIFIC KOREAN VIETNAM OTHER PERSIAN GULF YUGOSLAVIA | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in this file, COMBAT SERVICE LOCATION data is derived from the COMBAT SERVICE LOCATION field (#.5292) in the PATIENT file (#2). The COMBAT SERVICE LOCATION IEN is returned by the supported call SVC^VADPT; this IEN is then used to retrieve the ABBREVIATION field (#1) from the POW PERIOD file (#22). |
| 727.809,89 NEW SCRIPT | Identifies those UDP pharmacy transactions where the pharmacist reviewed the patient's medications before a new prescription was filled or an existing one renewed. | 'Y' FOR YES 'N' FOR NO | To determine whether the pharmacist needed to review this medication before it was dispensed, the ACTION field (#2) of the ACTIVITY LOG multiple (#29) of the UNIT DOSE multiple (#62) of the PHARMACY PATIENT file (#55) is scanned for an activity of pharmacist verification or pharmacist verification (renewal). If this is the first time this medication was dispensed since verification, then this field is marked as "yes" indicating that the pharmacist took action on the prescription. If this is a subsequent dispensing of the same order then this field is marked "no". The source for each dispensing of the medication is the UNIT DOSE EXTRACT DATA file (#728.904), which is populated for the Decision Support Software (DSS) package directly by the Pharmacy package. |
| 727.809,90 PATIENT DIVISION | This field is the Station Number of the facility that performed the work. | | Data comes from the WARD field (#5) of the UNIT DOSE EXTRACT DATA file (#727.904), which is a pointer to the WARD LOCATION file (#42). This value is then used to get the DIVISION field (#.015), a pointer to the MEDICAL CENTER DIVISION file (#40.8), which is the input parameter for the RADDIV^ECXDEPT API. RADDIV returns the STATION NUMBER field (#99) from the INSTITUTION file (#4). |
| 727.809,91 VISTA DEA SPECIAL HDLG | Identifies the DEA codes assigned to the drug associated with this record. | | Derived from the DEA, SPECIAL HDLG field (#3) in the DRUG file (#50). |

| Field # and Name | Description | Values | Technical Description |
|--|---|--|--|
| 727.809,92 PLACEHOLD CERNER | Placeholder for Cerner fields. Reserved for EHRM conversion. | Currently null | Currently null |
| 727.809,93 NEW MPI | A national VA system IDENTIFIER which uniquely identifies a patient. Commonly called "Patient ICN" or "Patient IEN"; not to be confused with the IEN from the VistA PATIENT file. | | Derived by calling API, \$\$GETICN^MPIF001 (Supported DBIA #2701), that returns the Integration Control Number (ICN) and the ICN checksum for the given patient in the PATIENT file (#2). |
| 727.809,94 SELF IDENTIFIED GENDER | The SELF IDENTIFIED GENDER value indicates the patient's personal sense of their gender identity (if they choose to provide it). Self-identified gender may be the same or different as the sex assigned at birth | 'M' FOR MALE 'F' FOR FEMALE 'TM' FOR TRANSGENDER MALE 'TF' FOR TRANSGENDER FEMALE 'O' FOR OTHER 'N' FOR DOES NOT WISH TO DISCLOSE 'B' FOR NON-BINARY | Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), this data is derived from the SELF IDENTIFIED GENDER field (#.024) in the PATIENT file (#2). |
| 727.809,95 PRICE PER DISPENSE UNIT | This is the price per dispense unit for this drug. | | This is the PRICE PER DISPENSE UNIT field (#16) of the DRUG file (#50). The PRICE PER DISPENSE UNIT is returned by \$\$PHAAPI^ECXUTL5. |
| 727.809,96 DISPENSE UNIT | This is the dispense unit of this drug. | | This is the DISPENSE UNIT field (#14.5) of the DRUG file (#50). The DISPENSE UNIT is returned by \$\$PHAAPI^ECXUTL5. |