



**HIPAA NCPDP
CONNECTION FOR EDI
PHARMACY
(Active Release)**

INSTALLATION GUIDE

April 2006

BPS*1*1,PSO*7*148
IB*2*276,PSS*1*90
PSX*2*48,PRCA*4.5*230

Department of Veterans Affairs
VistA Health
Systems Design & Development

Table of Contents

Purpose	1
Scope	3
Minimum Required Packages	5
Pre-Installation	7
Required Patches.....	7
Exported Keys.....	8
Global Growth	9
New Fields	10
Installation	13
Installation Steps	15
Post-Installation	21
Re-register the Site and Pharmacies	21
Activation Steps	25
Task 1 – Configure the VistA HL7 Module	25
Task 2 – Matching the Outpatient Site to the BPS PHARMACIES file	30
Task 3 – Turning On the Insurance Switch	31
Task 4 – Activating VA Plans for Electronic Submission.....	31
Task 5 – Schedule the BPS Nightly Background Job.....	33
Task 6 – Activating the CMOP Functionality	33

(This page included for two-sided copying.)

Purpose

The purpose of this Installation Guide is to provide the necessary steps for the successful install of the HIPAA NCPDP Connection for EDI Pharmacy.

The HIPAA NCPDP project consists of two phases, a dormant phase and an active phase. The BPS*1.0 Master Build, released to the field in October 2004, was the dormant phase. This build included the installation of the new ECME 1.0 package and patches PSS*1*81, IB*2*223, IB*2*251, and PRCA*4.5*202. The BPS*1.0 Master Build released the ECME V. 1.0 package in a dormant state but provided enhancements to Integrated Billing (IB) V. 2.0 so that the user was able to link pharmacy groups with insurance group plans. Additionally, the BPS*1.0 Master Build enhanced Pharmacy Data Management V. 1.0 to allow over the counter (OTC) medications to be marked as third party billable and to allow each site to proceed with registering their pharmacy with the Financial Services Center (FSC). These modifications involved changes to software functionality within the Pharmacy Data Management V. 1.0 pharmacy application and to the Veterans Health Information Systems and Technology Architecture (VistA) IB V. 2.0, Accounts Receivable (AR) V. 4.5 and Vitria BusinessWare software.

This second release of the HIPAA NCPDP project provides functionality that will enable the HIPAA NCPDP functionality to go active. Specifically, this release will enable the capability of the VistA software applications to electronically transmit outpatient pharmacy prescription claims to payers. The functionality also includes receiving claim responses, which include Drug Utilization Reviews (DURs) and warnings, on a real-time basis and in accordance with Healthcare Insurance Portability and Accountability Act (HIPAA) Electronic Data Interchange (EDI) transactions and National Council for Prescription Drug Programs (NCPDP) mandated format standards, specifically NCPDP Telecommunication Standard V. 5.1. The patches included in this second release of the project are: BPS*1*1, PSO*7*148, IB*2*276, PSS*1*90, PSX*2*48, and PRCA*4.5*230. The first 3 patches in this list are contained in the ECME HIPAA NCPDP P3 1.0 Master Build (Multi-Build); and the subsequent patches are to be installed separately as stand-alone patches.

The intended audience for this document is the Information Resources Management Service (IRMS) staff, the Pharmacy staff responsible for installing and maintaining the Pharmacy files, and the Outpatient Pharmacy Electronic Claims Coordinator (OPECC) or Revenue staff responsible for maintaining Insurance files and IB parameters.

(This page included for two-sided copying.)

Scope

The scope of the HIPAA NCPDP Connection for EDI Pharmacy project is to introduce the ability to collect billing and clinical information within the prescription fill workflow process. This will be accomplished in two phases. The first phase (dormant) installed a dormant ECME V. 1.0 package, while allowing the users to link the pharmacy group with the insurance group plans within the IB V. 2.0 package. The sites were also able to proceed with registering their pharmacy with the FSC and to mark over the counter medications (OTC's) as third party billable.

During the first phase (dormant), although the system was in a dormant state, these three significant configuration activities were performed:

1. Registration – The process of registering VAMC Outpatient Pharmacies with the remote Vitria server located at the FSC in Austin, TX was completed.
2. Insurance Matching – The process of linking Pharmacy groups with Insurance Plans was completed. This process was described in a separate document titled *e-Pharmacy Claims Insurance Process* with the filename IB_2_251_UM.PDF User Manual and was released in conjunction with the BPS*1.0 Master Build. The *e-Pharmacy Claims Insurance Process* document is located on the Vista Documentation Library (VDL) at <http://www.va.gov/vdl>.
3. The sites were given the ability to mark OTC items as third party billable.

This second (active) phase will now install an active ECME V. 1.0 real-time system, which will send claim data in a HIPAA compliant (NCPDP V. 5.1) format to a payer on a real-time basis and receive and process the claim responses in the appropriate manner. The claim transactions will be sent to Integrated Billing package; the DURs and warnings will be sent to the Outpatient Pharmacy V. 7.0 package and rejections will be sent to Outpatient Pharmacy Electronic Claims Coordinator (OPECC), who will then route rejections to the appropriate personnel for review. Infrastructure components at the FSC will process incoming ePharmacy claim data using Vitria, the National Health Care Insurance Database (NHCID) for transaction logging and the HIPAA EDI website to register Veterans Health Administration (VHA) pharmacies. These components also communicate with EMDEON (formerly WebMD) and third party payers for claims adjudication and return this information to Vista.

The following Vista applications have been modified and enhanced to create and process electronic claims using billing and applicable clinical data: ECME, Outpatient Pharmacy, Integrated Billing, CMOP, Pharmacy Data Management, and Accounts Receivable.

(This page included for two-sided copying.)

Minimum Required Packages

The ECME_HIPAA_NCPDP_P3.KID Master Build can only run with a standard MUMPS operating system. It requires the following Department of Veterans Affairs (VA) software packages.

Package	Minimum Version Needed
VA FileMan	22.0
Kernel	8.0
Patient Information Management System (PIMS)	5.3
National Drug File (NDF)	4.0
Integrated Billing (IB)	2.0
Accounts Receivable (AR)	4.5
Pharmacy Data Management (PDM)	1.0
Order Entry/Results Reporting (OE/RR)	3.0
Outpatient Pharmacy	7.0
Consolidated Mail Outpatient Pharmacy (CMOP)	2.0
Health Level Seven (HL7)	1.6
MailMan	8.0
Visit Tracking	2.0

(This page included for two-sided copying.)

Pre-Installation

Prior to the installation of the ECME HIPAA NCPDP P3 1.0 Master Build, it is imperative that the BPS*1.0 Master Build, BPS_1_0.KID, be installed in your account and that your site complete the required insurance matching and registration steps. Consult the *HIPAA NCPDP Connection for EDI Pharmacy (Dormant Release) Installation Guide* on the VistA Documentation Library (VDL) for specific instructions on the installation and set up requirements associated with BPS_1_0.KID.

PSS, PSX, and PRCA patches are being released concurrently with the HIPAA NCPDP global project. These patches will have to be installed before the ECME HIPAA NCPDP P3 1.0 Master Build.

Required Patches

The following patches must be installed before load and installation of ECME HIPAA NCPDP P3 1.0 active Master Build is performed.

Required patches for PSS*1*90:

PSS*1*82
PSS*1*87

Required patches for PSX*2*48:

PSX*2*57

Required patches for PRCA*4.5*230:

PRCA*4.5*202
PRCA*4.5*208

Required package release for BPS*1*1 (in the master build):

BPS 1.0 (host file BPS_1_0.KID)

Required patches for PSO*7*148 (in the master build):

PSX*2*48
PSO*7*159
PSO*7*161
PSO*7*174
PSS*1*90
PSO*7*196
PSO*7*207
PSO*7*209
PSO*7*210
PSO*7*213
PSO*7*219
PSO*7*235

Required patches for IB*2*276 (in the master build):

IB*2*51
IB*2*103
IB*2*137
IB*2*155
IB*2*183
IB*2*184
IB*2*199
IB*2*210
IB*2*211
IB*2*223
IB*2*225
IB*2*247
IB*2*249
IB*2*251
PRCA*4.5*230
IB*2*309
IB*2*317

Exported Keys

Several security keys are sent along with the software. The user may need one or multiple security keys assigned, depending on the level of access they are to be granted. A table with recommended Menu and Security Key assignments may be found on page 7 of the ECME User Manual (available at www.va.gov/vdl).

SECURITY KEY	MENU OPTION
BPSMENU	ECME [BPSMENU]
BPS USER	ECME User Screen [BPS USER SCREEN]
BPS MANAGER	Pharmacy ECME Manager Menu [BPS MANAGER MENU]
	Statistics Screen [BPS STATISTICS SCREEN]
	ECME transaction maintenance options [BPS MENU MAINTENANCE]
	View/Unstrand Claims Not completed [BPS UNSTRAND SCREEN]
BPS MASTER	Edit Basic ECME Parameters [BPS SETUP BASIC PARAMS]
	Edit ECME Pharmacy Data [BPS SETUP PHARMACY]
	Pharmacy ECME Setup Menu [BPS SETUP MENU]
	Register Pharmacy with Austin Automation Center [BPS SETUP REGISTER PHARMACY]
BPS REPORTS	Pharmacy Electronic Claims Reports [BPS MENU RPT MAIN]
	Claim Results and Status [BPS MENU RPT CLAIM STATUS] and all reports under this menu

	Other Reports [BPS MENU RPT OTHER] and all reports under this menu
IBCNR E-PHARMACY SUPERVISOR	Allows access to the multiple options used to match insurance plans and payer sheets (released with dormant version).

Global Growth

During the installation of the first Master Build, BPS_1_0.KID, several new BPS globals and one Integrated Billing global were added to the installer's systems; however, no global growth occurred following the dormant release. The following estimates are provided as general examples of the extent to which these new globals may grow following the installation of the ECME HIPAA NCPDP P3 1.0 Master Build.



Keep in mind that the estimates will be affected by the number of claims that your site submits to the ECME package.

Electronic Claims Management Engine V. 1.0

^BPS - MOSTLY STATIC
 ^BPSC - VERY DYNAMIC – CONTINUAL GROWTH
 ^BPSCOMB - STATIC
 ^BPSECP - DYNAMIC – MINIMAL GROWTH
 ^BPSECX - DYAMIC – MINIMAL GROWTH
 ^BPSEI - STATIC
 ^BPSEI - STATIC
 ^BPSEI - STATIC – MINIMAL GROWTH
 ^BPSR - VERY DYNAMIC - CONTINUAL GROWTH
 ^BPST – VERY DYNAMIC – CONTINUAL GROWTH
 ^BPSTL – VERY DYNAMIC – CONTINUAL GROWTH

Integrated Billing V. 2.0

^IBCNR - MOSTLY STATIC

New Fields

Pharmacy Data Management

The new multiple field, NDC BY OUTPATIENT SITE (#32), has been added to the DRUG file (#50) to store the latest NDC numbers that have been dispensed **locally** as well as by CMOP for a specific division:

- 32 NDC BY OUTPATIENT SITE
 - .01 -OUTPATIENT SITE
 - 1 -LAST LOCAL NDC
 - 2 -LAST CMOP NDC

The new field, DAW CODE (#81), has been added to the DRUG file (#50). Below are the possible values for this field. Upon installation, DAW Code values for each file 50 entry will be set to “0” – NO PRODUCT SELECTION INDICATED.

- 0 - NO PRODUCT SELECTION INDICATED
- 1 - SUBSTITUTION NOT ALLOWED BY PRESCRIBER
- 2 - SUBSTITUTION ALLOWED-PATIENT REQUESTED PRODUCT DISPENSED
- 3 - SUBSTITUTION ALLOWED-PHARMACIST SELECTED PRODUCT DISPENSED
- 4 - SUBSTITUTION ALLOWED-GENERIC DRUG NOT IN STOCK
- 5 - SUBSTITUTION ALLOWED-BRAND DRUG DISPENSED AS A GENERIC
- 6 - OVERRIDE
- 7 - SUBSTITUTION NOT ALLOWED-BRAND DRUG MANDATED BY LAW
- 8 - SUBSTITUTION ALLOWED-GENERIC DRUG NOT AVAILABLE IN MARKETPLACE
- 9 - OTHER

Outpatient Pharmacy

The new multiple field REJECT INFO (#52.25) has been created in the PRESCRIPTION file (#52) to store information about Drug Utilization Review (DUR) and REFILL TOO SOON Rejects returned by 3rd party payers:

- .01 NCPDP REJECT CODE
 - 1 DATE/TIME DETECTED
 - 2 PAYER MESSAGE
 - 3 REASON
 - 4 PHARMACIST
 - 5 FILL NUMBER
 - 6 GROUP NAME
 - 7 PLAN CONTACT

- 8 PLAN PREVIOUS FILL DATE
- 9 STATUS
- 10 CLOSED DATE/TIME
- 11 CLOSED BY
- 12 CLOSE REASON
- 13 CLOSE COMMENTS
- 14 REASON FOR SERVICE CODE
- 15 PROFESSIONAL SERVICE CODE
- 16 RESPONSE ID
- 17 OTHER REJECTS
- 18 DUR TEXT
- 19 RESULT OF SERVICE CODE
- 20 INSURANCE NAME
- 21 GROUP NUMBER
- 22 CARDHOLDER ID

The field NDC (#4) under the CMOP EVENT multiple (#52.01) has been renamed to NDC RECEIVED.

A new field NDC SENT (#12) is being created under the CMOP EVENT multiple (#52.01) in order to store the NDC sent to CMOP during the CMOP transmission.

(This page included for two-sided copying.)

Installation

An overview of the functionality changes resulting from the installation of the ECME HIPAA NCPDP P3 1.0 Master Build is provided in the *HIPAA NCPDP Connection for EDI Pharmacy (Active Release) Release Notes* in the VistA Documentation Library at <http://vista.med.va.gov/vdl>.

(This page included for two-sided copying.)

Installation Steps

IT IS VERY IMPORTANT THAT THESE INSTRUCTIONS ARE FOLLOWED STEP BY STEP IN THE EXACT ORDER INDICATED BELOW. ONCE STARTED, THE INSTALLATION NEEDS TO BE COMPLETED. FAILURE TO FULLY COMPLETE THE INSTALLATION (ONCE STARTED) WILL LIKELY CAUSE PROBLEMS FOR USERS OF THE 6 APPLICATIONS INVOLVED IN THIS PROJECT.

BEFORE PROCEEDING, please read item number 12.2 and make sure you have the information needed in order to complete this installation.

Users should not be on the system during installation of these patches. These patches should be installed during non-peak hours to avoid disruptions.

Installation should take approximately 15 minutes.

Notes: 1. You cannot queue this installation for a later time, because you will be prompted to enter information during the installation.
2. DO NOT install patch PSX*2*48 when prescriptions are being transmitted to CMOP. Wait for the CMOP transmission to finish or complete the installation before the transmission starts.
3. For existing test sites, stop the BPS NCPDP logical link. Turn off the logical link using the Start/Stop Links [HL START] option, which is on the Filer and Link Management Options option [HL MENU FILER LINK MGT] submenu of the HL7 Main Menu [HL MAIN MENU] option. When prompted for the HL LOGICAL LINK NODE, enter **BPS NCPDP** and when asked whether it is "Okay to shut down this job?", enter **YES**.

1. These patches will be sent to your system upon release from the National Patch Module:

- Patch PSS*1*90
- Patch PSX*2*48
- Patch PRCA*4.5*230

Obtain the host file ECME_HIPAA_NCPDP_P3.KID, which contains the following three KIDS build distributions:

PSO*7.0*148
BPS*1.0*1
IB*2.0*276

Sites may retrieve the host file in one of the following ways:

- 1.1 The preferred method is to FTP the file from REDACTED, which will transmit the file from the first available FTP server.
- 1.2 Sites may also elect to retrieve the file directly from a specific server as follows:

Albany	REDACTED
Hines	REDACTED
Salt Lake City	REDACTED

2. From the Kernel Installation and Distribution System (KIDS) Menu, select the Installation menu.
3. From this menu, for each of the three patches (PSS*1*90, PSX*2*48 and PRCA*4.5*230), you may select to use the following options:
 - 3.1. Backup a Transport Global - this option will create a backup message of any routines exported with the patch. It will NOT backup any other changes such as Data Dictionaries (DDs) or templates.
 - 3.2. Compare Transport Global to Current System - this option will allow you to view all changes that will be made when the patch is installed. It compares all components of the patch (routines, DDs, templates, etc.).
 - 3.3. Verify Checksums in Transport Global - this option will ensure the integrity of the routines that are in the transport global.

Note: When prompted for INSTALL NAME, you should enter the corresponding names for each patch as shown below:

PATCH	INSTALL NAME
-----	-----
PSS*1*90	PSS*1.0*90
PSX*2*48	PSX*2.0*48
PRCA*4.5*230	PRCA*4.5*230

4. From the Installation menu, select the Install Package(s) option and for each one of the three patches (PSS*1*90, PSX*2*48 and PRCA*4.5*230) follow the instructions below:
 - 4.1. When prompted for the "Select INSTALL NAME:", enter the corresponding name for the patch you are installing (see table above).

- 4.2. When prompted "Want KIDS to INHIBIT LOGONs during the install? YES//", respond "NO."
- 4.3. When prompted "Want to DISABLE Scheduled Options, Menu Options, and Protocols? YES//", respond "NO."
- 4.4. When prompted, "Device: Home//" respond with the correct device and DO NOT queue to P-Message.
5. After the installation of the 3 patches is complete (PSS*1*90, PSX*2*48, PRCA*4.5*230), return to the Kernel Installation and Distribution System (KIDS) Menu, select the Installation menu.
6. From the Installation menu, select the Load a Distribution option.
7. When prompted for "Enter a Host File:", enter the full directory path where you saved the host file ECME_HIPAA_NCPDP_P3.KID (e.g., SYSSYSDEVICE:[ANONYMOUS]ECME_HIPAA_NCPDP_P3.KID).
8. When prompted for "OK to continue with Load? NO//", enter "YES."

The following will display:

Loading Distribution...

```

ECME HIPAA NCPDP P3 1.0
BPS*1.0*1
PSO*7.0*148
IB*2.0*276

```

Use INSTALL name ECME HIPAA NCPDP P3 1.0 to install this Distribution.

9. From the Installation menu, you may select to use the following options: (when prompted for "Select INSTALL NAME:", enter "ECME HIPAA NCPDP P3 1.0")
 - 9.1. Backup a Transport Global - this option will create a backup message of any routines exported with the patch. It will NOT backup any other changes such as Data Dictionaries (DDs) or templates.
 - 9.2. Compare Transport Global to Current System - this option will allow you to view all changes that will be made when the patch is installed. It compares all components of the patch (routines, DDs, templates, etc.).
 - 9.3. Verify Checksums in Transport Global - this option will ensure the integrity of the routines that are in the transport global.

10. Back in the Installation menu, select the Install Package(s) option.
11. When prompted for the "Select INSTALL NAME:", enter "ECME HIPAA NCPDP P3 1.0."
12. For each one of the builds contained in the master build, the following set of prompts will be asked:

Note: Information such as the example below about files contained in the build will be displayed for each KIDS build that contains Data Dictionary changes:

Incoming Files:

52 PRESCRIPTION (Partial Definition)

Note: You already have the 'PRESCRIPTION' File.

12.1. When prompted "Want KIDS to Rebuild Menu Trees Upon Completion of Install? Yes//". For the builds PSO*7.0*148 and IB*2.0*276, respond "NO." For the BPS*1.0*1 build, respond "YES."

12.2. For the BPS*1.0*1 installation, when prompted for Incoming Mail Groups:

"Enter the Coordinator for Mail Group 'BPS OPECC':"

Please, contact your Medical Care Cost Recovery (MCCR) business department prior to installation to determine who will be the coordinator for this new mail group. This mail group will be used by the BPS Nightly Background Job. Its members will receive bulletins about electronic claims.

13. When prompted "Want KIDS to INHIBIT LOGONs during the install? YES//", respond "NO."

14. When prompted "Want to DISABLE Scheduled Options, Menu Options, and Protocols? YES//", respond "NO."
15. When prompted, "Device: Home//" respond with the correct device and DO NOT queue this to P-Message.
16. **TEST SITES ONLY:** A post-installation step for test sites is to restart the BPS NCPDP Logical link. To turn on the logical link use the Start/Stop Links [HL START] option, which is on the Filer and Link Management Options option [HL MENU FILER LINK MGT] submenu of the HL7 Main Menu [HL MAIN MENU] option. When prompted for the HL LOGICAL LINK NODE Enter "BPS NCPDP" and that will enable the logical link.
17. The functionality will be implemented at sites in a phased schedule. Before performing the steps to activate ePharmacy functionality (described in the Activation Steps section), all non-test sites should wait to be contacted by the Chief Business Office (CBO).

(This page included for two-sided copying.)

Post-Installation

Re-register the Site and Pharmacies

Once the installation has completed, the IRMS installer should contact the Pharmacy Automated Data Processing Application Coordinator (ADPAC) and the Outpatient Pharmacy Electronic Claims Coordinator (OPECC) to re-register the site. This step must occur for the automation registration process to continue working.

The site's Pharmacy ADPAC performs this step. All sites have already registered via this option as part of the HIPAA GLOBAL dormant release (BPS*1*0). However, this process needs to be repeated for this release in order to synchronize the version number between your site and the Austin Automation Center (AAC). The site and pharmacy registration data that was entered via the initial or subsequent registrations does not need to be updated unless some of the information is found to be inaccurate or outdated. At the end of the option, the Pharmacy ADPAC must send the registration messages by entering 'YES' at the 'SEND APPLICATION REGISTRATION: Y/N ?' prompt.

To register, the ADPAC will use the *Register Pharmacy with Austin Automation Center* [BPS SETUP REGISTER PHARMACY] option. This option can be found under the *Pharmacy ECME Setup Menu* [BPS SETUP MENU] under the *Pharmacy ECME Manager Menu* [BPS MANAGER MENU]. For more detailed information on executing this option, please refer to post installation steps 4 and 5 in the Installation Guide for the HIPAA GLOBAL dormant release (BPS_1_0_IG).

Note that the registration process uses the EPHARM OUT logical link so please be sure that this link is running via the HL7 options. If the communication is not successful or you have questions concerning the success of the communication, please seek assistance from your Systems Manager responsible for the HL7 package.

Below is an example of registering the site and current pharmacy using the data that was entered during the initial registration. As previously indicated, only data that is inaccurate needs to be updated. Be sure to enter YES at the SEND APPLICATION REGISTRATION: Y/N ? prompt.

Example: Registering pharmacy with AAC

```
*****  
*Electronic Claims Management Engine (ECME) V1.1*  
*          VA HEARTLAND - WEST, VISN 15          *  
*                      Main Menu                      *  
*****
```

```
U      ECME User Screen  
MGR    Pharmacy ECME Manager Menu ...  
RPT    Pharmacy Electronic Claims Reports ...
```

Select <V15 West> ECME Option: MGR Pharmacy ECME Manager Menu

```
*****  
*Electronic Claims Management Engine (ECME) V1.1*  
*          VA HEARTLAND - WEST, VISN 15          *  
*          Pharmacy ECME Manager Menu          *  
*****
```

```
MNT    ECME transaction maintenance options ...  
SET    Pharmacy ECME Setup Menu ...  
STAT   Statistics Screen
```

Select <V15 West> Pharmacy ECME Manager Menu Option: SET Pharmacy ECME Setup Menu

```
*****  
*Electronic Claims Management Engine (ECME) V1.1*  
*          VA HEARTLAND - WEST, VISN 15          *  
*          Pharmacy ECME Setup Menu          *  
*****
```

```
BAS    Edit Basic ECME Parameters  
PHAR   Edit ECME Pharmacy Data  
REG    Register Pharmacy with Austin Automation Center
```

Select <V15 West> Pharmacy ECME Setup Menu Option: REG Register Pharmacy with Austin Automation Center

ENTER/VERIFY SITE REGISTRATION DATA.

```
PRIMARY SITE CONTACT DATA.  
VA SITE CONTACT: USER, ONE//  
OFFICE PHONE: 111-111-1111//  
EMAIL ADDRESS: ONE.USER@MED.VA.GOV  
Replace
```

```

ALTERNATE SITE CONTACT DATA.
VA Alternate Site Contract: USER, TWO//
  OFFICE PHONE: 111-111-1112//
  EMAIL ADDRESS:TWO.USER@MED.VA.GOV
      Replace

-- APPLICATION REGISTRATION VALIDATION RESULTS. --

  DOMAIN NAME - Required - VALID: EPHARMACY.VITRIA-EDI.AAC.VA.GOV
TCP/IP ADDRESS FOR "EPHARM OUT" - Required - VALID: REDACTED
"EPHARM OUT" PORT NUMBER - Required - VALID: 5105
SITE NUMBER - Required - VALID: 605
INTERFACE VERSION - Required - VALID: 2
CONTACT NAME - VALID: USER^ONE^^^^
CONTACT MEANS - VALID: ^NET^INTERNET^ONE.USER@MED.VA.GOV^^^^^^111-
111-1111
ALTERNATE CONTACT NAME - VALID: USER2^TWO^^^^
ALTERNATE CONTACT MEANS - VALID: ^NET^INTERNET^TWO.USER@MED.VA.GOV^^
^^^^111-111-1112

-- APPLICATION REGISTRATION DATA VALID. --

Enter RETURN to continue or '^' to exit:

ENTER/VERIFY PHARMACY REGISTRATION DATA.

PHARMACY SPECIFIC DATA.
Select BPS PHARMACIES NAME:

APPLICATION REGISTRATION DATA IS VALID.

PHARMACY REGISTRATION DATA IS:
  VALID for PHARMACY1 and will be transmitted.
  VALID for PHARMACY2 and will be transmitted.

SEND APPLICATION REGISTRATION: Y/N ? YES

APPLICATION REGISTRATION SUBMITTED.

Press RETURN to continue...

```

(This page included for two-sided copying.)

Activation Steps

The activation steps should be coordinated between Pharmacy Service, Billing, the OPECC, and the IRMS staff. Pharmacy and Billing each have access to a site parameter and the OPECC needs to know when the activation steps are completed. IRMS staff has access to the HL7 module. Follow these instructions carefully to correctly turn on the appropriate switches activating electronic third party prescription billing.

To activate the ECME functionality, the following tasks must be performed.

- 1) The first task is to configure the HL7 module. This is to be completed by IRMS staff.
- 2) The second task is to match the outpatient site(s) in the OUTPATIENT SITE file (#59) with the appropriate pharmacy in the BPS PHARMACIES file (#9002313.56). If an Outpatient Site is not assigned to a BPS Pharmacy, that BPS pharmacy will not actively generate claims. This will be completed by the Pharmacy Service.
- 3) The third task is to turn on the insurance switch in the Integrated Billing package. This will be completed by Billing.
- 4) The fourth task is to activate the VA Plans to which you wish to start sending electronic claims (you may want to turn these VA Plans on 1 or 2 at a time). This will be completed by Billing.
- 5) The fifth task is to schedule the BPS Nightly Background Job.

Once all five of these tasks are completed, the window fill process will trigger third party insurance claims for patients who have prescription insurance coverage for the plans you have activated for electronic submission.

The final task in the process is to activate the CMOP functionality; however, this task should not be performed until your site is satisfied that the ECME window fill functionality is performing to expectations. Once the decision is made to activate the CMOP functionality, task 5 should be completed.

Task 1 – Configure the VistA HL7 Module

Setting Up the ECME HL7 Application Parameters

The ECME VISTA and VITRIA NC application parameters should automatically be installed and set up during the installation process. Please follow the directions below to update the application parameter settings. If the application parameters are not configured correctly, ECME claims will be rejected.

To set up the BPS NCPDP Logical Link:

1. From the HL7 Main Menu select, **Interface Developer Options**.
2. Select the option, **EL Link Edit**.
3. Select the **BPS NCPDP Logical Link Node**.
4. Set the AUTOSTART field to **Enabled**.
5. Accept the default LLP TYPE, which is **TCP**, by pressing the **<Enter>** key. This will take you to the TCP Lower Level Parameters.
6. Enter **REDACTED** for the TCP/IP Address.
7. Enter **REDACTED** for the TCP/IP port number.
8. Set the Persistent field to **NO**

Example: Setting the BPS NCPDP Logical Link

```
-----
                                HL7 LOGICAL LINK
-----

      NODE: BPS NCPDP

INSTITUTION:

      DOMAIN:

      AUTOSTART: Enabled

      QUEUE SIZE: 10

      LLP TYPE: TCP <ENTER>

-----
Exit      Save      Refresh

Enter a command or '^' followed by a caption to jump to a specific field.

COMMAND:
```

```
-----
                                HL7 LOGICAL LINK
-----
-----TCP LOWER LEVEL PARAMETERS-----
                                BPS NCPDP
-----

TCP/IP SERVICE TYPE: CLIENT (SENDER)
TCP/IP ADDRESS: REDACTED
TCP/IP PORT: REDACTED|

      ACK TIMEOUT: 270
      READ TIMEOUT: 27
      BLOCK SIZE:

      RE-TRANSMISSION ATTEMPTS: 3
      EXCEED RE-TRANSMIT ACTION:
      SAY HELO: NO

STARTUP NODE:
      RETENTION: 50

      PERSISTENT: NO
      UNI-DIRECTIONAL WAIT:

-----

COMMAND:                                     Press <PF1>H for help      Insert
```

Validate the HL7 System Monitor is Active/Working for the BPS NCPDP ePharmacy Link

The site's IRMS personnel perform this step. The following steps will verify that the HL7 link has been successfully configured.

Start the New HL7 Logical Link

During this step, you will validate the link is operating correctly. Summarizing, during this step you will:

1. Use the *Systems Link Monitor* option to confirm that the Link Manager is running.
2. Use the *Systems Link Monitor* option to confirm that the BPS NCPDP logical link is enabled.
3. Turn on this new logical link using the *Start/Stop Links* [HL START] option. When asked to identify whether the BPS NCPDP logical link should be started in the background, accept the default of background.

Steps for Validating the HL7 Logical Link:

1. Once a third party prescription has gone through the pharmacy system, you can check the HL7 system monitor to see if there have been any messages sent out on the BPS NCPDP logical link. There should be one or more messages in the BPS NCPDP link. If no messages are being sent by the BPS NCPDP link, then confirm that the HL7 logical link settings for the BPS NCPDP have been entered as previously instructed and ensure that the link is enabled and running.
2. The normal states for each link should be idle, reading, or active. The following screen print example show the BPS NCPDP logical link that has processed multiple ECME claims and associated responses.

Example: HL7 Systems Link Monitor

```
Select OPTION NAME: HL7
  1  HL7 MAIL MESSAGE SERVER  HL SERVER      HL7 Mail Message
      Server
  2  HL7 MAIN MENU  HL MAIN MENU      HL7 Main Menu
  3  HL7 MESSAGING MONITOR  RGMT MONITOR MESSAGING      HL7
      Messaging Monitor
  4  HL7 V1.5 OPTIONS  HL MENU 1.5      HL7 V1.5 OPTIONS
  5  HL7 V1.6 MAIL MESSAGE SERVER  HL V16 SERVER      HL7 v1.6
      Mail Message Server

CHOOSE 1-5: 2 HL MAIN MENU      HL7 Main Menu
      Systems Link Monitor
      Filer and Link Management Options ...
      Message Management Options ...
      Interface Developer Options ...
      Site Parameter Edit
      Find running tasks
Select <V15 West> HL7 Main Menu Option: Systems Link Monitor

                SYSTEM LINK MONITOR for ALBANY (P System)

      MESSAGES  MESSAGES  MESSAGES  MESSAGES  DEVICE
      RECEIVED  PROCESSED  TO SEND  SENT      TYPE      STATE
      NODE
      EPHARM O   4         4         4         4         NC        Shutdown
      LL2VISN   70        70        86        70        NC        Open
      NPTF      0         0         26        0         N         Halting
      PSO LLP1  2         2         2         2         N         Halting
      BPS NCPDP 176      176      176      176      PC        idle
      PSOTPBA  38        38        40        38        NC        Enabled

      Incoming filers running => Zero      TaskMan running
      Outgoing filers running => Zero      Link Manager running
                                          Monitor current [next job 0.2 hr]

      Select a Command:
      (N)EXT (B)ACKUP (A)LL LINKS (S)CREENED (V)IEWS (Q)UIT (?) HELP:
```

Third party billable prescriptions that meet the criteria for electronic transmission should now be submitting to the ECME package. If the correct links are not running or there are any questions, please contact Enterprise VistA Support (EVS) for assistance by either submitting a Remedy Ticket (under the CTI of Applications-Vista/Electronic Claims Management Engine/Logical Link Issue) or by contacting the help desk (800-596-4357) to log a ticket for you.

Task 2 – Matching the Outpatient Site to the BPS PHARMACIES file

Note that the user must have security key BPS MASTER to run this option.

```
*****
*Electronic Claims Management Engine (ECME) V1.1*
*          VA HEARTLAND - WEST, VISN 15          *
*                      Main Menu                      *
*****

U      Claims Data Entry Screen
MGR    Pharmacy ECME Manager Menu ...
RPT    Pharmacy Electronic Claims Reports ...

Select <V15 West> ECME Option: MGR Pharmacy ECME Manager Menu

*****
*Electronic Claims Management Engine (ECME) V1.1*
*          VA HEARTLAND - WEST, VISN 15          *
*                      Pharmacy ECME Manager Menu    *
*****

MNT    ECME transaction maintenance options ...
SET    Pharmacy ECME Setup Menu ...
STAT   Statistics Screen

Select <V15 West> Pharmacy ECME Manager Menu Option: SET Pharmacy ECME Setup
Menu

*****
*Electronic Claims Management Engine (ECME) V1.1*
*          VA HEARTLAND - WEST, VISN 15          *
*                      Pharmacy ECME Setup Menu      *
*****

BAS    Edit Basic Pharmacy ECME Parameters
PHAR   Edit Pharmacy ECME Pharmacy Data
REG    Register Pharmacy with Austin Automation Center

Select <V15 West> Pharmacy ECME Setup Menu Option: PHAR Edit Pharmacy ECME
Pharmacy Data

Select BPS PHARMACIES NAME: TOP
  1   TOPEKA
  2   TOPEKACBOC
CHOOSE 1-2: 1 TOPEKA

OUTPATIENT SITE: One or more of the Vista pharmacy package's
Outpatient Sites (File 59) must be associated with
this ECME pharmacy entry

Select OUTPATIENT SITE: TOPEKA
OUTPATIENT SITE: TOPEKA// <ENTER>
```

Task 3 – Turning On the Insurance Switch

The user must have security key IBCNR E-PHARMACY SUPERVISOR to run this option. The Edit HIPAA NCPDP Flag found on the e-Pharmacy Menu in the IB package is the main switch for e-Pharmacy transmissions. This switch must be active for electronic transmissions to leave your station. This works in combination with the Pharmacy service having Outpatient Pharmacy sites linked to the BPS Pharmacy and IB having VA Plans activated (explained in Task 4).

```
IBCNR E-PHARMACY MENU          e-Pharmacy Menu

ECMP  ECME CMOP Report
EHNF  Edit HIPAA NCPDP FLAG
ENP   Edit NCPDP PROCESSOR APPLICATION Sub-file
EPAY  Edit PAYER APPLICATION Sub-file
EPBM  Edit PBM APPLICATION Sub-file
EPLA  Edit PLAN APPLICATION Sub-file
EVNT  ECME Billing Events Report
MGP   Match Group Plan to a Pharmacy Plan
MMGP  Match Multiple Group Plans to a Pharmacy Plan
MTPS  Match Test Payer Sheet to a Pharmacy Plan
RGPW  Group Plan Worksheet Report
RPP   Pharmacy Plan Report

Select <V15 West> e-Pharmacy Menu Option: EHNF Edit HIPAA NCPDP FLAG

Edit HIPAA NCPDP ACTIVE FLAG
(master switch to control e-Pharmacy NCPDP transactions)

350.9  IB SITE PARAMETERS File
11.01  HIPAA NCPDP ACTIVE FLAG Field

HIPAA NCPDP ACTIVE FLAG: Inactive// Active
```

Task 4 – Activating VA Plans for Electronic Submission

The user must have security key IBCNR E-PHARMACY SUPERVISOR to run this option. The individual VA Plans will need to be activated as you make the decision to start sending electronic e-Pharmacy claims to those payers. It is recommended that you start activating the VA Plans 1 or 2 at a time until you are sure transmissions are leaving and returning to your station accurately.

EHNF Edit HIPAA NCPDP FLAG
 ENP Edit NCPDP PROCESSOR APPLICATION Sub-file
 EPAY Edit PAYER APPLICATION Sub-file
 EPBM Edit PBM APPLICATION Sub-file
 EPLA Edit PLAN APPLICATION Sub-file
 EVNT ECME Billing Events Report
 MGP Match Group Plan to a Pharmacy Plan
 MMGP Match Multiple Group Plans to a Pharmacy Plan
 MTPS Match Test Payer Sheet to a Pharmacy Plan
 PSI Group Plan Status Inquiry
 PSR Group Plan Status Report
 RGPW Group Plan Worksheet Report
 RPP Pharmacy Plan Report

Select e-Pharmacy Menu Option: EPLA Edit PLAN APPLICATION Sub-file

Select Plan ID: VA103275 PRIME HOSPITALITY CORP. 600428
01062937

Plan ID: VA103275
 Date/Time Created: FEB 14, 2004@16:42:37
 Plan Name: PRIME HOSPITALITY CORP.
 Plan Name - Short: 01062937
 Payer Name:
 Type:
 Region: CT
 Pharmacy Benefits Manager (PBM) Name: RX PRIME CIGNA
 Banking Identification Number (BIN): 600428
 Processor Control Number (PCN): 01062937

 NCPDP Processor Name: ARGUS
 Enabled?: Yes
 Software Vendor ID:
 Billing Payer Sheet Name: ARGUSV5
 Reversal Payer Sheet Name: ARGB2V5
 Rebill Payer Sheet Name:
 Maximum NCPDP Transactions: 4
 Test Billing Payer Sheet Name:
 Test Reversal Payer Sheet Name:
 Test Rebill Payer Sheet Name:

Press Enter / Return to continue:

Application: E-PHARM
 Date/Time Created: FEB 15, 2004@14:43:30
 Deactivated? Yes
 Date/Time Deactivated: DEC 23, 2004@16:42:43
 National Active? Not Active
 Date/Time National Edited: DEC 23, 2004@16:42:43
 Local Active? Inactive
 Date/Time Local Edited:
 User Edited Local:

VA103275 - Local Active?: Inactive// **ACTIVE**

Task 5 – Schedule the BPS Nightly Background Job

The BPS nightly background job does various maintenance tasks for ECME. This should be scheduled during a non-peak processing time. One of the main tasks for this job is to send reversals to payer for payable claims that have not been released within the number of day specified in the *Edit Pharmacy ECME Pharmacy Data* option. Since this involves sending HL7 claims to the payer, it is recommended that this job not be scheduled when there is excessive HL7 processing being performed by other applications, especially CMOP.

1. From the *Taskman Management* menu, select *Schedule/Unschedule Options*.
2. Schedule the option *BPS NIGHTLY BACKGROUND JOB*.
3. Select the time the option should run (during non-peak hours).
4. Set the "Rescheduling Frequency" to **1D** (once a day).

Example: Scheduling the ePharmacy Nightly Background Job

```
                                Edit Option Schedule
Option Name: BPS NIGHTLY BACKGROUND JOB
Menu Text: BPS NIGHTLY BACKGROUND JOB                                TASK ID: 1624

-----

QUEUED TO RUN AT WHAT TIME: MAY 2,2006@02:00

DEVICE FOR QUEUED JOB OUTPUT:

QUEUED TO RUN ON VOLUME SET:

    RESCHEDULING FREQUENCY: 1D

        TASK PARAMETERS:

            SPECIAL QUEUEING:

-----

Exit      Save      Next Page      Refresh
```

Task 6 – Activating the CMOP Functionality



Prior to activating the CMOP functionality, sites should allow the window fill functionality, described earlier in tasks 1, 2, 3, and 4 to be active for a period of time.

Once your site is satisfied that the ECME window fill functionality is performing to expectations, then the decision can be made to turn on the CMOP functionality for ECME processing. Note: CMOP must be turned on for each BPS pharmacy in order for the CMOP prescriptions to be electronically billed.

```
*****
*Electronic Claims Management Engine (ECME) V1.0*
*      VA HEARTLAND - WEST, VISN 15      *
*              Main Menu              *
*****
```

U Claims Data Entry Screen
MGR Pharmacy ECME Manager Menu ...
RPT Pharmacy Electronic Claims Reports ...

Select <V15 West> ECME Option: **MGR** Pharmacy ECME Manager Menu

```
*****
*Electronic Claims Management Engine (ECME) V1.1*
*      VA HEARTLAND - WEST, VISN 15      *
*              Pharmacy ECME Manager Menu  *
*****
```

MNT ECME transaction maintenance options ...
SET Pharmacy ECME Setup Menu ...
STAT Statistics Screen

Select <V15 West> Pharmacy ECME Manager Menu Option: **SET** Pharmacy ECME Setup Menu

```
*****
*Electronic Claims Management Engine (ECME) V1.1*
*      VA HEARTLAND - WEST, VISN 15      *
*              Pharmacy ECME Setup Menu  *
*****
```

BAS Edit Basic Pharmacy ECME Parameters
PHAR Edit Pharmacy ECME Pharmacy Data
REG Register Pharmacy with Austin Automation Center

Select <V15 West> Pharmacy ECME Setup Menu Option: **PHAR** Edit Pharmacy ECME Pharmacy Data

Select <V15 West> Pharmacy ECME Manager Menu Option: **PHAR** Edit Pharmacy ECME Pharmacy Data

Select BPS PHARMACIES NAME: **TOPEKA**
1 TOPEKA
2 TOPEKACBOC
CHOOSE 1-2: **1** TOPEKA

OUTPATIENT SITE: One or more of the VistA pharmacy package's
Outpatient Sites (File 59) must be associated with
this ECME pharmacy entry

Select OUTPATIENT SITE: **TOPEKA**
OUTPATIENT SITE: TOPEKA// <ENTER>
Select OUTPATIENT SITE: **<ENTER>**

NCPDP #: 1712884// **<ENTER>**
CMOP SWITCH: CMOP OFF// **1**
DEFAULT DEA #: AG123456// **^**

All CMOP third party billable prescriptions should now be submitting to the ECME package. If the correct links are not running or there are any questions, please contact Enterprise VistA Support (EVS) for assistance by either submitting a Remedy Ticket yourself (under the CTI of Applications-Vista/Electronic Claims Management Engine/CMOP Issue) or by contacting the help desk (800-596-4357) to log a ticket for you.