

Patient Data Exchange (PDX)
Software Version 1.5
User Manual



August 2018
Department of Veterans Affairs (VA)
Office of Information and Technology (OIT)

Revision History

Date	Revision	Description	Author
08/22/2018	5.0	Updates: <ul style="list-style-type: none"> Patch XU*8.0*679: Electronic Signatures—Added note after Figure 1 concerning electronic Signature Block restrictions. Reformatted document to follow current Office of Information and Technology (OIT) documentation standards and style guidelines. 	Existing Product Intake Program (EPIP) Technical Writer
02/27/2015	4.0	Converted document to MS-Word 2007 format and incorporated <u>some</u> format changes from the ProPath User Guide Template.	Infrastructure Technical Writer, Oakland, OIFO
01/11/2005	3.0	PDF 508 Compliance —The final PDF document was recreated and now supports the minimum requirements to be 508 compliant (i.e., accessibility tags, language selection, alternate text for all images/icons, fully functional Web links, successfully passed Adobe Acrobat Quick Check).	Infrastructure Technical Writer, Oakland, OIFO
09/27/2004	2.0	<p>Reformatted document to follow ISS styles and guidelines, no other content updates made.</p> <p>Reviewed document and edited for the “Data Scrubbing” and the “PDF 508 Compliance” projects.</p> <p>Data Scrubbing—Changed all patient/user TEST data to conform to HSD&D standards and conventions as indicated below:</p> <ul style="list-style-type: none"> The first three digits (prefix) of any Social Security Numbers (SSN) start with “000” or “666.” Patient or user names are formatted as follows: PDXPATIENT,[N] or PDXUSER,[N] respectively, where the N is a number written out and incremented with each new entry (e.g., PDXPATIENT, 	Infrastructure Technical Writer, Oakland, OIFO

Date	Revision	Description	Author
		<p>ONE, PDXPATIENT, TWO, etc.).</p> <ul style="list-style-type: none"> Other personal demographic-related data (e.g., addresses, phones, IP addresses, etc.) were also changed to be generic. 	
11/1993	1.0	Initial Patient Data Exchange 1.5 software documentation creation.	REDACTED, NY OIFO

Table of Contents

Revision History	ii
List of Figures.....	vii
List of Tables.....	ix
Orientation.....	x
1 Introduction	16
1.1 Software Management	17
2 Software Operation	18
2.1 Implementation	18
2.2 PDX Options.....	19
2.2.1 Request PDX for Patient.....	19
2.2.1.1 Introduction	19
2.2.1.2 Process.....	20
2.2.1.3 Example.....	24
2.2.2 Unsolicited PDX	26
2.2.2.1 Introduction	26
2.2.2.2 Process.....	27
2.2.2.3 Example.....	30
2.2.3 Process External PDX	32
2.2.3.1 Introduction	32
2.2.3.2 Process.....	33
2.2.3.3 Example.....	35
2.2.4 Load/Edit PDX Data	37
2.2.4.1 Introduction	37
2.2.4.2 Process.....	38
2.2.4.3 Example.....	40
2.3 Display PDX Data.....	41
2.3.1 Display PDX by Transaction	41
2.3.1.1 Introduction	41
2.3.1.2 Process.....	42
2.3.1.3 Example.....	44
2.3.2 Display PDX by User.....	45
2.3.2.1 Introduction	45
2.3.2.2 Process.....	46
2.3.2.3 Example.....	47
2.4 System Reports	48
2.4.1 Requires Processing Report.....	48
2.4.1.1 Introduction	48

2.4.1.2 Example.....	49
2.4.2 Sort By Remote Facility.....	49
2.4.2.1 Introduction	49
2.4.2.2 Example.....	50
2.4.3 Sort By User That Generated Request.....	52
2.4.3.1 Introduction	52
2.4.3.2 Example.....	53
2.4.4 Sort By Patient's Name	55
2.4.4.1 Introduction	55
2.4.4.2 Example.....	56
2.4.5 Sort By Date Received.....	57
2.4.5.1 Introduction	57
2.4.5.2 Example.....	59
2.4.6 Sort By User That Released Information	61
2.4.6.1 Introduction	61
2.4.6.2 Example.....	62
2.4.7 Sort By Requesting Date.....	64
2.4.7.1 INTRODUCTION	64
2.4.7.2 Example.....	65
2.4.8 Sort By Status of Transaction	67
2.4.8.1 Introduction	67
2.4.8.2 Example.....	68
2.4.9 Sort Criteria Defined By User	69
2.4.9.1 Introduction	69
2.4.9.2 Example.....	71
2.5 Work Load Reports	75
2.5.1 Sort By Date	75
2.5.1.1 Introduction	75
2.5.1.2 Example.....	76
2.5.2 Sort By Remote Facility.....	78
2.5.2.1 Introduction	78
2.5.2.2 Example.....	79
2.5.3 Sort By Patient's Name	81
2.5.3.1 Introduction	81
2.5.3.2 Example.....	82
2.5.4 Sort Criteria Defined By User	84
2.5.4.1 INTRODUCTION	84
2.5.4.2 Example.....	85
2.5.5 Sort By Type of Work Done	87
2.5.5.1 Introduction.....	87

2.5.5.2 Example.....	88
2.6 PDX Edit Files	90
2.6.1 Add/Edit Fields to Encrypt.....	90
2.6.1.1 INTRODUCTION	90
2.6.1.2 Example.....	90
2.6.2 Edit maximum limits for automatic processing	91
2.6.2.1 INTRODUCTION	91
2.6.2.2 Example.....	91
2.6.3 Add/Edit Outgoing Group	92
2.6.3.1 Introduction	92
2.6.3.2 Process.....	93
2.6.3.3 Example.....	94
2.6.4 Edit Parameter File	94
2.6.4.1 Introduction	94
2.6.4.2 Process.....	95
2.6.4.3 EXAMPLE.....	96
2.6.5 Add/Edit Segment Group - Private	97
2.6.5.1 Introduction	97
2.6.5.2 Process.....	97
2.6.5.3 Example.....	99
2.6.6 Add/Edit Segment Group - Public	99
2.6.6.1 Introduction	99
2.6.6.2 Process.....	100
2.6.6.3 Example.....	101
2.6.7 Add/Edit Release Group.....	102
2.6.7.1 Introduction	102
2.6.7.2 Example.....	102
2.6.8 Add/Edit Segment Group - All	102
2.6.8.1 Introduction	102
2.6.8.2 Process.....	103
2.6.8.3 Example.....	105
2.7 Purging.....	105
2.7.1 Purge Using Default Age.....	105
2.7.1.1 Introduction	105
2.7.1.2 Example.....	106
2.7.2 Purge Using User Defined Age.....	106
2.7.2.1 Introduction	106
2.7.2.2 Example.....	107
2.7.3 Purge Using User Defined Date.....	108
2.7.3.1 Introduction	108

2.7.3.2 Example.....	109
2.8 Mail Groups and Bulletins	109
2.8.1 Mail Groups	109
2.8.2 Bulletins.....	110
2.8.2.1 PDX Request Requires Processing	110
2.8.2.2 Results of PDX Request	111
2.8.2.3 Receipt of Unsolicited PDX.....	112
2.8.2.4 PDX Transaction Could Not Be Purged	113
2.8.2.5 Unable to Send Messages.....	114
Glossary	115
3 Appendix A—List Manager.....	117
4 Appendix B—Health Summary Components	119
5 Appendix C—PDX Transaction Statuses	138
Index	139

List of Figures

Figure 1: Edit Electronic Signature code Option—Sample User Dialogue	18
Figure 2: Request PDX for Patient Option—Sample User Dialogue (1 of 2).....	24
Figure 3: Request PDX for Patient Option—Sample User Dialogue (2 of 2).....	25
Figure 4: Request PDX for Patient Option—Sample MailMan Bulletin	26
Figure 5: Unsolicited PDX Option—Sample User Dialogue (1 of 2).....	30
Figure 6: Unsolicited PDX Option—Sample User Dialogue (2 of 2).....	31
Figure 7: Unsolicited PDX Option—Sample MailMan Bulletin	31
Figure 8: Process External PDX Option—Sample User Dialogue	35
Figure 9: Process External PDX Option—Sample MailMan Bulletin: Process Not Found.....	36
Figure 10: Process External PDX Option—Sample MailMan Bulletin: Process Successful (1 of 2).....	36
Figure 11: Process External PDX Option—Sample MailMan Bulletin: Process Successful (2 of 2).....	37
Figure 12: Load/Edit PDX Data Option—Sample User Dialogue (1 of 2).....	40
Figure 13: Load/Edit PDX Data Option—Sample User Dialogue (2 of 2).....	41
Figure 14: Display PDX by Transaction Option—Sample User Dialogue (1 of 2)	44
Figure 15: Display PDX by Transaction Option—Sample User Dialogue (2 of 2)	45
Figure 16: Display PDX by User Option—Sample User Dialogue (1 of 2)	47
Figure 17: Display PDX by User Option—Sample User Dialogue (2 of 2)	48
Figure 18: Requires Processing Report Option—Sample User Dialogue	49
Figure 19: Sort By Remote Facility Option—Sample User Dialogue (1 of 2)	50
Figure 20: Sort By Remote Facility Option—Sample User Dialogue (2 of 2)	51
Figure 21: Sort By User That Generated Request Option—Sample User Dialogue (1 of 2)	53
Figure 22: Sort By User That Generated Request Option—Sample User Dialogue (2 of 2)	54
Figure 23: Sort By Patient's Name Option—Sample User Dialogue	56

Figure 24: Sort By Patient's Name Option—Sample Output.....	57
Figure 25: Sort By Date Received Option—Sample User Dialogue.....	59
Figure 26: Sort By Date Received Option—Sample Output.....	60
Figure 27: Sort By User That Released Information Option—Sample User Dialogue	62
Figure 28: Sort By User That Released Information Option—Sample Output.....	63
Figure 29: Sort By Requesting Date Option—Sample User Dialogue.....	65
Figure 30: Sort By Requesting Date Option—Sample Output	66
Figure 31: Sort By Status of Transaction Option—Sample User Dialogue.....	68
Figure 32: Sort By Status of Transaction Option—Sample Output	69
Figure 33: Sort Criteria Defined By User Option—Sample User Dialogue and Output (1 of 5) ..	71
Figure 34: Sort Criteria Defined By User Option—Sample User Dialogue and Output (2 of 5) ..	72
Figure 35: Sort Criteria Defined By User Option—Sample User Dialogue and Output (3 of 5) ..	73
Figure 36: Sort Criteria Defined By User Option—Sample User Dialogue and Output (4 of 5) ..	74
Figure 37: Sort Criteria Defined By User Option—Sample User Dialogue and Output (5 of 5) ..	75
Figure 38: Sort By Date Option—Sample User Dialogue	76
Figure 39: Sort By Date Option—Sample Output	77
Figure 40: Sort By Remote Facility Option—Sample User Dialogue.....	79
Figure 41: Sort By Remote Facility Option—Sample Output	80
Figure 42: Sort By Patient's Name Option—Sample User Dialogue	82
Figure 43: Sort By Patient's Name Option—Sample Output.....	83
Figure 44: Sort Criteria Defined By User Option—Sample User Dialogue	85
Figure 45: Sort Criteria Defined By User Option—Sample Output (1 of 2).....	86
Figure 46: Sort Criteria Defined By User Option—Sample Output (2 of 2).....	87
Figure 47: Sort By Type of Work Done Option—Sample User Dialogue (1 of 2)	88
Figure 48: Sort By Type of Work Done Option—Sample User Dialogue (2 of 2)	89
Figure 49: Add/Edit Fields to Encrypt Option—Sample User Dialogue	90
Figure 50: Edit maximum limits for automatic processing Option—Sample User Dialogue.....	91
Figure 51: Edit maximum limits for automatic processing Option—Sample MailMan Bulletin	92
Figure 52: Add/Edit Outgoing Group Option—Sample User Dialogue	94
Figure 53: Edit Parameter File Option—Sample User Dialogue	96
Figure 54: Add/Edit Segment Group - Private Option—Sample User Dialogue	99
Figure 55: Add/Edit Segment Group - Public Option—Sample User Dialogue	101
Figure 56: Add/Edit Release Group Option—Sample User Dialogue	102
Figure 57: Add/Edit Segment Group - All Option—Sample User Dialogue	105
Figure 58: Purge Using Default Age Option—Sample User Dialogue.....	106
Figure 59: Purge Using User Defined Age Option—Sample User Dialogue	107
Figure 60: Purge Using User Defined Date Option—Sample User Dialogue	109
Figure 61: PDX Request Requires Processing—Sample Bulletin.....	110
Figure 62: Results of PDX Request Option—Sample Bulletin	111
Figure 63: Receipt of Unsolicited PDX—Sample Bulletin	112
Figure 64: PDX Transaction Could Not Be Purged—Sample Bulletin.....	113
Figure 65: Unable to Send Messages—Sample Bulletin	114

List of Tables

Table 1: Documentation Symbol Descriptions	xii
Table 2: Request PDX for Patient Option—Process Chart	20
Table 3: Unsolicited PDX Option—Process Chart	27
Table 4: Process External PDX Option—Process Chart.....	33
Table 5: Load/Edit PDX Data Option—Process Chart	38
Table 6: Display PDX by Transaction Option—Process Chart.....	42
Table 7: Display PDX by User Option—Process Chart.....	46
Table 8: Add/Edit Outgoing Group Option—Process Chart	93
Table 9: PDX Parameters	94
Table 10: Edit Parameter File Option—Process Chart	95
Table 11: Add/Edit Segment Group - Private Option—Process Chart	97
Table 12: Add/Edit Segment Group - Public Option—Process Chart.....	100
Table 13: Add/Edit Segment Group - All Option—Process Chart	103
Table 14: Glossary.....	115
Table 15: Military Time Conversion Table:	115
Table 16: generic List Manager actions.....	117

Orientation

How to Use this Manual

Throughout this manual, advice and instruction are offered regarding the use of the Patient Data Exchange (PDX) software within Veterans Health Information Systems and Technology Architecture (VistA) system.

Most of the PDX option documentation found in this manual contains the following components:

- **Introduction**—The Introduction gives a detailed description of the option, its use, and any special instructions.
- **Process Chart**—The Process Chart illustrates the flow of the option, step-by-step, and shows the various choices allowed at each prompt.
- **Examples**—An example of what may appear on the screen while using the option and an example of any output produced by the option are provided.

The process charts in this manual do *not* contain documentation of the system's response to erroneous input. In certain instances, in order to preserve the integrity of previously entered data, the system does *not* allow the entry of a caret (^). This also may *not* be documented.

The options in this manual appear in the same order in which the main menu usually appears on the screen. Since the menu may be changed by the site and all users do *not* have all options, the menu structure shown in this manual may be different from the one seen by every user.

Intended Audience

The intended audience of this manual is the following stakeholders:

- Patient Data Exchange (PDX) end-users.
- Product Support (PS).
- System Administrators—System administrators at Department of Veterans Affairs (VA) sites who are responsible for computer management and system security on the VistA M Servers.
- Enterprise Program Management Office (EPMO)—VistA legacy development teams.
- Information Security Officers (ISOs)—Personnel at VA sites responsible for system security.

Disclaimers

Software Disclaimer

This software was developed at the Department of Veterans Affairs (VA) by employees of the Federal Government in the course of their official duties. Pursuant to title 17 Section 105 of the United States Code this software is *not* subject to copyright protection and is in the public domain. VA assumes no responsibility whatsoever for its use by other parties, and makes no guarantees, expressed or implied, about its quality, reliability, or any other characteristic. We would appreciate acknowledgement if the software is used. This software can be redistributed freely provided that any derivative works bear some notice that they are derived from it.



CAUTION: Kernel routines should *never* be modified at the site. If there is an immediate national requirement, the changes should be made by emergency Kernel patch. Kernel software is subject to FDA regulations requiring Blood Bank Review, among other limitations. Line 3 of all Kernel routines states:

Per VHA Directive 2004-038, this routine should not be modified.



CAUTION: To protect the security of VistA systems, distribution of this software for use on any other computer system by VistA sites is prohibited. All requests for copies of Kernel for *non-VistA* use should be referred to the VistA site's local Office of Information Field Office (OIFO).

Documentation Disclaimers



The appearance of external hyperlink references in this manual does *not* constitute endorsement by the Department of Veterans Affairs (VA) of this Web site or the information, products, or services contained therein. The VA does *not* exercise any editorial control over the information you may find at these locations. Such links are provided and are consistent with the stated purpose of the VA.

Documentation Conventions

This manual uses several methods to highlight different aspects of the material:

- Various symbols are used throughout the documentation to alert the reader to special information. [Table 1](#) gives a description of each of these symbols:

Table 1: Documentation Symbol Descriptions

Symbol	Description
	NOTE/REF: Used to inform the reader of general information including references to additional reading material.
	CAUTION/DISCLAIMER: Used to caution the reader to take special notice of critical information.

- Descriptive text is presented in a proportional font (as represented by this font).
- Conventions for displaying TEST data in this document are as follows:
 - The first three digits (prefix) of any Social Security Numbers (SSN) will begin with either “000” or “666”.
 - Patient and user names are formatted as follows:

- *<Application Name/Abbreviation/Namespace>*PATIENT,<N>
- *<Application Name/Abbreviation/Namespace>*USER,<N>

Where:

- *<Application Name/Abbreviation/Namespace>* is defined in the Approved Application Abbreviations document.
- <N> represents the first name as a number spelled out and incremented with each new entry.

For example, in Patient Data Exchange (PDX) test patient and user names would be documented as follows:

PDXPATIENT,ONE; PDXPATIENT,TWO; PDXPATIENT,THREE; ...
PDXPATIENT,14; etc.

PDXUSER,ONE; PDXUSER,TWO; PDXUSER,THREE; ... PDXUSER,14; etc.

- “Snapshots” of computer commands and online displays (i.e., screen captures/dialogues) and computer source code, if any, are shown in a *non*-proportional font and may be enclosed within a box.
 - User’s responses to online prompts will be **bold** typeface and highlighted in yellow (e.g., **<Enter>**).
 - Emphasis within a dialogue box will be **bold** typeface and highlighted in blue (e.g., **STANDARD LISTENER: RUNNING**).
 - Some software code reserved/key words will be **bold** typeface with alternate color font.
 - References to “<Enter>” within these snapshots indicate that the user should press the <Enter> key on the keyboard. Other special keys are represented within < > angle brackets. For example, pressing the **PF1** key can be represented as pressing **<PF1>**.
 - Author’s comments are displayed in italics or as “callout” boxes.



NOTE: Callout boxes refer to labels or descriptions usually enclosed within a box, which point to specific areas of a displayed image.

- This manual refers to the M programming language. Under the 1995 American National Standards Institute (ANSI) standard, M is the primary name of the MUMPS programming language, and MUMPS will be considered an alternate name. This manual uses the name M.
- Descriptions of direct mode utilities are prefaced with the standard M “>” prompt to emphasize that the call is to be used *only in direct mode*. They also include the M command used to invoke the utility. The following is an example:

```
>D ^XUP
```

- All uppercase is reserved for the representation of M code, variable names, or the formal name of options, field/file names, and security keys (e.g., the XUPROGMODE security key).



NOTE: Other software code (e.g., Delphi/Pascal and Java) variable names and file/folder names can be written in lower or mixed case.

Documentation Navigation

This document uses Microsoft® Word’s built-in navigation for internal hyperlinks. To add **Back** and **Forward** navigation buttons to your toolbar, do the following:

1. Right-click anywhere on the customizable Toolbar in Word (*not* the Ribbon section).
2. Select **Customize Quick Access Toolbar** from the secondary menu.
3. Select the drop-down arrow in the “Choose commands from:” box.
4. Select **All Commands** from the displayed list.

5. Scroll through the command list in the left column until you see the **Back** command (circle with arrow pointing left).
6. Select/Highlight the **Back** command and select **Add** to add it to your customized toolbar.
7. Scroll through the command list in the left column until you see the **Forward** command (circle with arrow pointing right).
8. Select/Highlight the **Forward** command and select **Add** to add it to the customized toolbar.
9. Select **OK**.

You can now use these **Back** and **Forward** command buttons in your Toolbar to navigate back and forth in your Word document when clicking on hyperlinks within the document.



NOTE: This is a one-time setup and is automatically available in any other Word document once you install it on the Toolbar.

How to Obtain Technical Information Online

Exported VistA M Server-based software file, routine, and global documentation can be generated through the use of Kernel, MailMan, and VA FileMan utilities.



NOTE: Methods of obtaining specific technical information online will be indicated where applicable under the appropriate section.

Help at Prompts

VistA M Server-based software provides online help and commonly used system default prompts. Users are encouraged to enter question marks at any response prompt. At the end of the help display, you are immediately returned to the point from which you started. This is an easy way to learn about any aspect of VistA M Server-based software.

Obtaining Data Dictionary Listings

Technical information about VistA M Server-based files and the fields in files is stored in data dictionaries (DD). You can use the **List File Attributes** option on the **Data Dictionary Utilities** submenu in VA FileMan to print formatted data dictionaries.



REF: For details about obtaining data dictionaries and about the formats available, see the “List File Attributes” chapter in the “File Management” section of the *VA FileMan Advanced User Manual*.

Assumptions

This manual is written with the assumption that the reader is familiar with the following:

- VistA computing environment:
 - Kernel 8.0 Installation and Distribution System (KIDS)
 - VA 22.2 data structures and terminology
 - MailMan 8.0
- M programming language

Reference Materials

Readers who wish to learn more about PDX should consult the following:

- *Patient Data Exchange (PDX) Installation Guide & Release Notes*
- *Patient Data Exchange (PDX) Technical Manual*
- *Patient Data Exchange (PDX) Security Guide*
- *Patient Data Exchange (PDX) User Manual (this manual)*

VistA documentation is made available online in Microsoft® Word format and in Adobe® Acrobat Portable Document Format (PDF). The PDF documents *must* be read using the Adobe® Acrobat Reader, which is freely distributed by Adobe® Systems Incorporated at the following Website: <http://www.adobe.com/>

VistA documentation can be downloaded from the VA Software Document Library (VDL) Website: <http://www.va.gov/vdl/>

VistA documentation and software can also be downloaded from the Product Support (PS) Anonymous Directories.

1 Introduction

This is the user manual for the Veterans Health Information Systems and Technology Architecture (VistA) Patient Data Exchange (PDX) software. It is designed to introduce users to the PDX system and provide guidelines and assistance for effective use of the PDX functions.

Patient Data Exchange (PDX) manages the transfer of patient information (demographics, episodes of care, medications, and diagnostic evaluations) between VA facilities using the MailMan electronic mail utility. Once transferred, this information can be combined with pertinent local information and assembled into a coherent composite record.

Requests for PDX data can be processed manually or automatically. For requests to be processed manually, the site would have to be a member of the Release Group and meet the requirements for automatic processing. Records determined to be “sensitive” and those that exceed the maximum time and occurrence limits for Health Summary components may *not* be returned automatically and will be held for manual processing.



REF: For a list of the Health Summary components supported by PDX, see “[Appendix C—PDX Transaction Statuses](#).”

PDX 1.5 uses the List Manager utility extensively. The List Manager is a tool designed to display a list of items. It allows you to select items from the list and perform specific actions against those items.



REF: For help in using the List Manager utility, if necessary, see “[Appendix A—List Manager](#).”

The software provides numerous system reports (current transactions and work load), which allow predefined and customizable sorts.

The following is a brief description of the major options and menus contained in the PDX software:

- **Request PDX for Patient**—This option is used to electronically request PDX data for a selected patient from another VA facility(s).
- **Unsolicited PDX**—This option is used to send PDX information to a remote site without having first received a request.
- **Process External PDX**—This option is used to process PDX requests received from other VA facilities that do not meet the criteria for automatic processing.
- **Load/Edit PDX Data**—This option allows you to load or edit data fields in your PATIENT file with data from your PDX file.
- **Display PDX Data Menu**—This menu allows you to display or print PDX data for a selected patient by either transaction or user who requested the information.

- **System Reports Menu:**
 - **Requires Processing Report**—This option is used to print a report of all PDX requests that require manual processing.
 - **Current Transactions Report Menu**—The options on this menu allow you to print reports of PDX transactions on file by several different sorting methods.
 - **Work Load Reports Menu**—The options on this menu allow you to print work load reports of PDX transactions on file by several different sorting methods.
- **PDX Edit Files Menu:**
 - **Add/Edit Fields to Encrypt**—This option provides the ability to encrypt selected data fields in the PDX transmission.
 - **Edit Maximum Limits for Automatic Processing**—This option is used to edit the maximum time and occurrence limits that your site is willing to allow for automatic processing of a PDX transaction.
 - **Add/Edit Outgoing Group**—This option is used to create outgoing groups and add/edit/delete remote facilities in those groups.
 - **Edit Parameter File**—This option is used to set up site specific PDX parameters.
 - **Add/Edit Segment Group Options**—These three options are used to create segment groups (selected group of data segments).
 - **Add/Edit Release Group**—This option is used to enter/edit facilities into the release group for automatic processing of PDX requests.
- **Purging Menu**—These three options provide purging capabilities by default age, user defined age, or user defined date.

1.1 Software Management

All users of the PDX software *must* set up an electronic signature in order to use the software. This can be accomplished through the Edit Electronic Signature Code option of the User's Toolbox menu.

As an optional security measure, this software provides the ability to encrypt data using existing data encryption methods. Sites wishing to encrypt certain fields will have to turn the flag on through the Edit Parameter File option and add those fields to the VAQ - ENCRYPTED FIELDS (#394.73) file.

2 Software Operation

All users of the PDX software *must* set up an electronic signature in order to use the software. This may be accomplished by entering “TBOX” at your main menu and selecting the Edit Electronic Signature code option.



NOTE: The signature code *must* be **6-20** characters in length and contain no control or lowercase characters.

An example of what may appear on the screen when using the option is shown in [Figure 1](#).

Figure 1: Edit Electronic Signature code Option—Sample User Dialogue

Select User's Toolbox Option: **Edit Electronic** <Enter> Signature code
This option is designed to permit you to enter or change your Initials, Signature Block Information and Office Phone number. In addition, you are permitted to enter a new Electronic Signature Code or to change an existing code.

INITIAL: **GU**
SIGNATURE BLOCK PRINTED NAME: **FIVE PDXUSER**
SIGNATURE BLOCK TITLE: **ELIGIBILITY CLERK**
OFFICE PHONE: **555-5555**

ENTER NEW SIGNATURE CODE:

Enter your selected signature code here.



NOTE: If the SIGNATURE BLOCK PRINTED NAME and SIGNATURE BLOCK TITLE fields are disabled at your site, contact your supervisor to request entry of your name and title.

2.1 Implementation

A release group can be defined in the VAQ - PARAMETER (#394.81) file through VA FileMan. Data is returned automatically, upon request, for sites you specify. A VAQ UNSOLICITED RECEIVED mail group can also be set up through VA FileMan. Members of this mail group will receive MailMan bulletins upon receipt of an unsolicited request or when a PDX request received by your site requires manual processing.



REF: For further instruction on implementation of this software, including the setup of the release group and mail groups, see the “Installation Guide” section of the *PDX Release Notes & Installation Guide*.

2.2 PDX Options

2.2.1 Request PDX for Patient

2.2.1.1 Introduction

The Request PDX for Patient option electronically requests PDX (Patient Data Exchange) data for a selected patient from another VA facility. Information can be retrieved from any VA facility running the PDX 1.5 software.

Once the PDX request is received at the remote site (the site you from which are requesting the data), it is stored in their PDX files where it remains until it is processed automatically (if your site is defined in the remote site's release group and the request meets criteria for automatic processing), or manually through the Process External PDX Request option.

Once processing is complete, the data is returned to you electronically. You will also receive a MailMan bulletin when the request has been processed and returned by the remote site. A sample bulletin is provided in the example section of this option documentation.

When a PDX request is created, an entry is made in the VAQ - TRANSACTION (#394.61) file and a request number is automatically assigned. This is the transaction number for this request.

You can select numerous domains from which to request the data and the particular data segments you wish to request from each domain. Segment groups, which may be set up through other PDX options, can be used during the request. These groups contain predefined data segments and allow you to request numerous segments with one entry. The proper format *must* be used when entering the request domain(s). Two question marks (??) be entered at the domain prompt for a list of network addresses shown in the required format.

If there is no entry in the PATIENT (#2) file for the selected patient and you choose to proceed, you will be prompted for the patient's social security number (SSN) and date of birth (DOB). Any information entered/edited through this option is changed in the PDX files only. The PATIENT (#2) file is *not* affected. An entry is made in your VAQ - WORKLOAD file for each request made.

Time and occurrence limits can be placed on applicable data segments. These limits determine how far back the system searches for the component and the number of occurrences of that component the system reports. Default values for these fields can be set through the **Edit Parameter File** option.

2.2.1.2 Process

The process chart in [Table 2](#) shows the steps and prompts involved in using the Request PDX for Patient option.

Table 2: Request PDX for Patient Option—Process Chart

Step	At this Prompt...	If User Answers with...	Then Step
1	Select Patient Name: If you select to request a PDX, you will be prompted for the patient's name, social security number, and date of birth before proceeding.	Patient from your PATIENT (#2) file.	3
		Patient not in your PATIENT (#2) file.	2
		<Enter> or Caret <^>	16
2	{Step 1 entry} not found in local patient file... Request PDX? YES// The PDX Status screen is displayed listing any PDX transactions on file for the patient.	<Enter> to accept default.	3
		NO	1
3	Select Action: Quit// The PDX Request screen is displayed.	CR to create PDX request	4
		DP to display PDX (if one exists with results)	13
		<Enter> to accept default	1
4	Select Action: Quit//	AE to add/edit PDX request	5
		TR to transmit PDX, if applicable	10
		CO to copy PDX, if applicable	15
		CP to change to another patient	1
		<Enter> to accept default	1
5	Enter Domain:	E-mail address of the facility or group from which you wish to request the PDX	6
		<Enter> (1st appearance of prompt)	4
		<Enter> (subsequent appearance)	9
		<??> For list of domain/group addresses	5

Step	At this Prompt...	If User Answers with...	Then Step
	The PDX*MIN data segment will automatically be included in any request.	<?> For list of choices you may enter at this prompt	5
6	Enter Segment: Steps 7 and 8 may/may not appear depending on the data segment selected.	Data segment or segment group you wish to request from selected domain	7
		<Enter>	5
		<??> For list of data segments/groups	6
		<?> For list of choices you may enter at this prompt	6
7	Time Limit:	Time limit to use for selected data segment	8
		<Enter> to not specify a limit	8
8	Occurrence Limit: The PDX Request screen is redisplayed showing your domain and segment choices. Time and occurrence limits will be displayed with the segments, if applicable.	Occurrence limit to use for selected date segment	6
		<Enter> to not specify a limit	6
9	Select Action: Quit// Your signature code <i>must</i> be previously established through the Toolbox utility.	AE to add/edit PDX request	5
		TR to transmit PDX	10
		CO to copy PDX	15
		CP to change to another patient	1
		<Enter> to accept default	1
10	Enter your Signature Code: This prompt will be repeated until no further entries are made and you press the Enter key. These	Signature code	11

Step	At this Prompt...	If User Answers with...	Then Step
	users will be notified when the PDX data is received from the remote site(s). You need to enter yourself at this prompt in order to receive the mail bulletin.		
11	User to notify:	Users at your site you wish notified of this PDX request	12
	After your entry at this step, you will be asked if you wish to exit the "Notify" functionality. If you answer NO, you will return to step 11.		
12	Include Data with Notification(s):? NO// The PDX Segments screen is displayed listing all segments for the selected PDX. If there is more than one entry to choose from and you enter DS, you will be asked to select the desired entry(s).	YES if you wish users specified at previous step to receive the actual data received	1
		<Enter> if you wish users specified at previous step to receive only notification of the PDX request and not the actual data	1
13	Select Action: Quit// You will be prompted for a device. If you choose to print to the screen, the PDX Data Display screen is displayed showing the patient data for the selected segment (s). If the transaction did not contain information for a segment, that message will be displayed. You will proceed to step 13 or 3 depending on the number of segments selected for display.	DS to display a selected segment	14
		DA to display all listed segments	14
		<Enter> to accept default	1

Step	At this Prompt...	If User Answers with...	Then Step
14	Select Action: Quit//	<Enter> to accept default	13 or 3
	You may now add another domain(s) for this PDX request without going through all the steps of the request again. This prompt will be repeated until no further entries are made and you press the Enter key.		
15	Copy to Domain:	Domain or domain group name	9
		<Enter>	9
16	Return to the menu.		

2.2.1.3 Example

[Figure 2](#) and [Figure 3](#) are examples of what may appear on your screen while using the **Request PDX for Patient** option followed by a sample of the type of MailMan bulletin ([Figure 4](#)), which may be received when the request is processed at the remote site. The remote user name, in this case, indicates that this request was processed automatically. If processed manually, this field would show the name of the user at the remote site who processed the request.

Figure 2: Request PDX for Patient Option—Sample User Dialogue (1 of 2)

```
Select Patient Name: PDXPATIENT,ONE <Enter> 02-22-22      000111111      SC VETERAN

PDX V1.5 - STATUS      Sep 01, 1993 08:14:57      Page: 1 of 1
Patient      : PDXPATIENT,ONE      Type: SC VETERAN
Patient SSN: 000-11-1111      DOB: FEB 22,1922

** No PDX transactions found for this patient...

      Enter ?? for more actions
CR Create Request      DP Display PDX
Select Action: Quit// cr <Enter> Create Request

PDX V1.5 - REQUEST      Sep 01, 1993 08:16:32      Page: 1 of 1
Patient      : PDXPATIENT,ONE      Type: SC VETERAN
Patient SSN: 000-11-1111      DOB: FEB 22,1922
Entry Domain      Data Segment(s) [Time:Occurrence]

** Select an option or <Return> to exit

      Enter ?? for more actions
AE Add/Edit Request      CO Copy Request
TR Transmit Request      CP Change Patient
Select Action: Quit// ae <Enter> Add/Edit Request
Enter Domain: REDACTED.VA.GOV

----- Segments Selected -----
PDX*MIN

Enter Segment: rad
1 RADIOLOGY IMPRESSION Radiology Impression (RI)
2 RADIOLOGY PROFILE Radiology Profile (RP)
3 RADIOLOGY STATUS Radiology Status (RS)
CHOOSE 1-3: 1 <Enter> Radiology Impression

Enter Time Limit: 1Y// <Enter>
Enter Occurrence Limit: 5// <Enter>

Enter Segment: <Enter>
```

Figure 3: Request PDX for Patient Option—Sample User Dialogue (2 of 2)

```
----- Domains Selected -----
REDACTED.VA.GOV
-----

Enter Domain: <Enter>

PDX V1.5 - REQUEST          Sep 01, 1993 08:17:12          Page: 1 of 1
Patient   : PDXPATIENT,ONE          Type: SC VETERAN
Patient SSN: 000-11-1111          DOB: FEB 22,1922
Entry Domain          Data Segment(s) [Time:Occurrence]
1      REDACTED.VA.GOV          PDX*MIN          RI [1Y:5]

      Enter ?? for more actions
AE Add/Edit Request          CO Copy Request
TR Transmit Request          CP Change Patient
Select Action: Quit// T <Enter> Transmit Request

Enter your Signature Code: <CODE> SIGNATURE VERIFIED

User to notify: PDXUSER,THREE

----- User Selected -----
PDXUSER,THREE
-----

User to notify: <Enter>

Include Data with Notification(s):? NO// <Enter>

Exit Notify:? YES// <Enter>

Working...

Transactions filed and queued

Press RETURN to continue: <Enter>

Select Patient Name:
```

Figure 4: Request PDX for Patient Option—Sample MailMan Bulletin

```
Subj: PDX INFORMATION RETURNED FROM REDACTED (500)  [#23493] 2 Sep 93 13:53 9
Lines
From: PDX SERVER in 'IN' basket.  Page 1  **NEW**
-----

Your request for PDX information from REDACTED (500)
has been processed and returned.

Patient: PDXPATIENT,ONE  SSN: 000111111  DOB: FEB 22,1922
Local Message ID: 23490
Remote User Name: PDX Server
Status: RECORD RETURNED
Additional Text:

Select MESSAGE Action: IGNORE (in IN basket)//
```

2.2.2 Unsolicited PDX

2.2.2.1 Introduction

The Unsolicited PDX option sends unsolicited PDX (Patient Data Exchange) information to a remote site(s). A remote site is any other VA facility with which data is exchanged. The patient selected *must* be in your PATIENT file.

When the data is received at the remote site, members of the VAQ UNSOLICITED RECEIVED mail group, defined through VA FileMan at the remote site, will be notified via MailMan that an unsolicited PDX has arrived from your site. A sample bulletin is provided in the example section of this option documentation.

You may select numerous domains and the particular data segments you wish to send to each domain. Segment groups, which may be set up through other PDX options, can be used during the request. These groups contain predefined data segments and allow you to request numerous segments with one entry. The proper format *must* be used when entering the domain(s). Two question marks (??) can be entered at the domain prompt for a list of network addresses shown in the required format.

An entry is made to your VAQ - WORKLOAD file for each unsolicited PDX sent.

Time and occurrence limits can be placed on applicable data segments. These will determine how far back the system will search for the component and the number of occurrences of that component the system will report. Default values for these fields can be set through the Edit Parameter File option.

A word processing field is provided for any comments you may wish to include with the transaction.

2.2.2.2 Process

The process chart in [Table 3](#) shows the steps and prompts involved in using the Unsolicited PDX option.

Table 3: Unsolicited PDX Option—Process Chart

Step	At this Prompt...	If User Answers with...	Then Step
1	Select Patient Name:	Patient from your PATIENT (#2) file	2
		<Enter> or caret <^>	15
	The PDX Status screen is displayed listing any PDX transactions on file for the patient.		
2	Select Action: Quit//	CR to create PDX request	3
		DP to display PDX, if one exists	12
		<Enter> to accept default	1
	The PDX Unsolicited screen is displayed.		
3	Select Action: Quit//	AE to add/edit PDX request	4
		TR to transmit PDX, if applicable	9
		CO to copy PDX, if applicable	14
		CP to change to another patient	1
		<Enter> to accept default	1
4	Enter Domain:	E-mail address of the facility or group to which you wish to send the PDX	5
		<Enter> (1st appearance of prompt)	3
		<Enter> (subsequent appearance)	8
		<??> For list of domain/group addresses	4
		<?> For list of choices you may enter at this prompt	4
	The PDX*MIN data segment will automatically be included in any transaction.		
5	Enter Segment:	Data segment or segment group you wish to send to selected domain	6
		<Enter>	4
		<??> for list of data segments/groups	5
		<?> for list of choices you may enter at this prompt	5

Step	At this Prompt...	If User Answers with...	Then Step
	Steps 6 and 7 may/may not appear depending on the data segment selected.		
6	Time Limit:	Time limit to use for selected data segment	7
		<Enter> to not specify a limit	7
7	Occurrence Limit: The PDX Unsolicited screen is redisplayed showing your domain and segment choices. Time and occurrence limits will be displayed with the segments, if applicable.	Occurrence limit to use for selected date segment	5
		<Enter> to not specify a limit	5
8	Select Action: Quit// Your signature code <i>must</i> be previously established through the Toolbox utility.	AE to add/edit PDX request	4
		TR to transmit PDX	9
		CO to copy PDX	14
		CP to change to another patient	1
		<Enter> to accept default	1
9	Enter your Signature Code:	Signature code	10
10	Enter PDX Unsolicited Request Comment: 1>	Optional comment	11
		<Enter> to not enter a comment	1
11	EDIT Option: The PDX Segments screen is displayed listing all known PDXs for the selected patient. If there is more than one entry to choose from and you enter DS, you will be asked to select the desired entry(s).	Edit option if you wish to edit comment	11
		<??> for list of edit options	11
		<Enter> to not edit comment or when editing is complete	1

Step	At this Prompt...	If User Answers with...	Then Step
12	<p>Select Action: Quit//</p> <p>You will be prompted for a device. If you choose to print to the screen, the PDX Data Display screen is displayed showing the patient data for the selected segment (s). If the transaction did not contain information for a segment, that message will be displayed. You will proceed to step 12 or 2 depending on the number of segments selected for display.</p>	<p>DS to display a selected PDX</p> <p>DA to display all listed PDXs</p> <p><Enter> to accept default</p>	<p>13</p> <p>13</p> <p>1</p>
13	<p>Select Action: Quit//</p> <p>You may now add another domain(s) for this PDX without going through all the steps again. This prompt will be repeated until no further entries are made and you press the Enter key.</p>	<Enter> to accept default	12 or 2
14	Copy to Domain:	<p>Domain or domain group name</p> <p><Enter></p>	<p>8</p> <p>8</p>
15	Return to the menu.		

2.2.2.3 Example

[Figure 5](#) and [Figure 6](#) are examples of what may appear on your screen while using the Unsolicited PDX option followed by a sample of the type of MailMan bulletin that may be received when the request is received at the remote site ([Figure 7](#)).

Figure 5: Unsolicited PDX Option—Sample User Dialogue (1 of 2)

```
Select Patient Name: PDXPATIENT,ONE <Enter> 02-22-22      000111111      SC VETERAN

PDX V1.5 - STATUS      Sep 01, 1993 08:14:57      Page:      1 of      1
Patient      : PDXPATIENT,ONE      Type: SC VETERAN
Patient SSN:  000-11-1111      DOB: FEB 22,1922

** No PDX transactions found for this patient...

      Enter ?? for more actions
CR  Create Request      DP  Display PDX
Select Action: Quit//  cr <Enter> Create Request

PDX V1.5 - UNSOLICITED      Sep 01, 1993 08:16:32      Page:      1 of      1
Patient      : PDXPATIENT,ONE      Type: SC VETERAN
Patient SSN:  000-11-1111      DOB: FEB 22,1922
Entry Domain      Data Segment(s) [Time:Occurrence]

** Select an option or <Return> to exit

      Enter ?? for more actions
AE  Add/Edit Request      CO  Copy Request
TR  Transmit Request      CP  Change Patient
Select Action: Quit//  ae <Enter> Add/Edit Request
Enter Domain: REDACTED.VA.GOV

----- Segments Selected -----
PDX*MIN
-----

Enter Segment: rad
1  RADIOLOGY IMPRESSION  Radiology Impression      (RI)
2  RADIOLOGY PROFILE    Radiology Profile      (RP)
3  RADIOLOGY STATUS     Radiology Status       (RS)
CHOOSE 1-3: 1 <Enter> Radiology Impression

Enter Time Limit: 1Y// <Enter>
Enter Occurrence Limit: 5// <Enter>

Enter Segment: <Enter>
```

Figure 6: Unsolicited PDX Option—Sample User Dialogue (2 of 2)

```
----- Domains Selected -----
REDACTED.VA.GOV
-----

Enter Domain: <Enter>

PDX V1.5 - UNSOLICITED      Sep 01, 1993 08:17:12      Page: 1 of 1
Patient : PDXPATIENT,ONE      Type: SC VETERAN
Patient SSN: 000-11-1111      DOB: FEB 22,1922
Entry Domain      Data Segment(s) [Time:Occurrence]
1      REDACTED.VA.GOV      PDX*MIN      RI [1Y:5]

      Enter ?? for more actions
AE Add/Edit Request      CO Copy Request
TR Transmit Request      CP Change Patient
Select Action: Quit// T <Enter> Transmit Request

Enter your Signature Code: <CODE> <Enter> SIGNATURE VERIFIED

Enter PDX Unsolicited Request Comment:
1>Veteran is traveling to your area
2><Enter>
EDIT Option: <Enter>
Working...

Transactions filed and queued

Press RETURN to continue: <Enter>

Select Patient Name:
```

Figure 7: Unsolicited PDX Option—Sample MailMan Bulletin

```
Subj: RECEIPT OF UNSOLICITED PDX [#9852] 2 Sep 93 13:53 17 Lines
From: PDX in 'IN' basket. Page 1 **NEW**
-----

The following Unsolicited PDX has been received...

Transaction number: 1068
Name: PDXPATIENT,ONE
PID: 000111111
DOB: FEB 22,1922

Received on: SEP 2, 1993

Sent by: PDXUSER,ONE
Site: REDACTED VAMC
Domain: REDACTED.VA.GOV

Comments:
Veteran is traveling to your area

Select MESSAGE Action: IGNORE (in IN basket)//
```

2.2.3 Process External PDX

2.2.3.1 Introduction

The Process External PDX option is used to process PDX requests received from other VA facilities that were not processed automatically. Members of the VAQ MANUAL PROCESSING mail group at your site will be notified of these requests via MailMan.

When this option is selected from the PDX menu, any requests in your VAQ - TRANSACTION (#394.61) file with a status of “PDX Request from remote facility that requires manual processing” will be displayed with the following information.

- Entry number—Numerical order of requests that require manual processing
- Transaction number—Assigned by receiving facility, unique identifier of the transaction
- Patient name, patient ID, patient date of birth, domain of requesting facility, segments requested, date/time of request
- Reason request needs manual processing, which include:
 - Bad input or no input, error.
 - Patient not found (not currently used).
 - Ambiguous patient.
 - Sensitive patient.
 - Domain not in work group.

Requests that have “ambiguous patient” for the reason request needs manual processing can only be processed as “not found”. A mail bulletin will be sent to the remote site informing them of this. A sample of the bulletin can be found in the Example section of this option documentation.

The user selects each PDX request and determines if the data should be released or the request rejected. Once this determination has been made, you will be prompted to enter an optional release/reject comment. This comment will appear in the MailMan bulletin the requestor at the remote site will receive notifying them that the PDX has been processed and returned or rejected.

2.2.3.2 Process

The processing chart in [Table 4](#) shows the steps and prompts involved in using the Process External PDX option.

Table 4: Process External PDX Option—Process Chart

Step	At this Prompt...	If User Answers with...	Then Step
	<p>The PDX Manual Process screen is displayed showing all requests requiring manual processing:</p> <ul style="list-style-type: none"> If there is more than one from which to select, you will be prompted to choose. If there are none, the message “No pending transactions queued for manual processing...” will appear. 		
1	Select Action: Quit//	PM to process (patient found)	3
		PM to process (patient not found)	2
		<Enter> or caret <^>	8
2	<p>Requested patient not found...</p> <p>Process as not found YES//</p> <p>The PDX Manual Release screen is displayed showing abbreviated information for the selected request.</p>	<Enter> to accept default	4
		NO	1
3	<p>Select Action: Quit//</p> <p>Your signature code <i>must</i> be previously established through the Toolbox utility. If you have reached this step from Step 2, you will return to Step 1 after your signature code is entered.</p>	RL to release data with comment	4
		RJ to reject data with comment	4
		EE to display PIMS data	7
		<Enter> to quit	1
4	Enter your Signature Code:	Signature code	5
5	Enter PDX {Release/Reject} Comment:	Optional comment	6

Step	At this Prompt...	If User Answers with...	Then Step
	1>	<Enter> to not enter a comment	1
6	EDIT Option:	Edit option if you wish to edit comment	6
	The PDX Minimal screen is displayed showing PIMS data (PDX*MIN segment) for the selected request.	<??> For list of edit options	6
		<Enter>	1
7	Select Action: Quit//	<Enter>	3
8	Return to the menu.		

2.2.3.3 Example

[Figure 8](#) is an example of what may appear on your screen while using the Process External PDX option.

Figure 8: Process External PDX Option—Sample User Dialogue

```
Select Patient Data Exchange Option: PROC <Enter> ess External PDX

PDX V1.5 - MANUAL PROCESS      Sep 02, 1993 14:38:13      Page: 1 of 1
PDX Activity Requiring Manual Processing

Entry #      : 1                      Trans #: 119
Patient      : PDXPATIENT,FIVE        Date/Time: SEP 1,1993@14:33:58 (Rq)
Patient SS: 000-55-5555              DOB: 09-01-1953
Domain       : REDACTED VAMC          Reason: Domain not in release group
Segments     : COPAY                  PDX*MIN          PDX*MT

Enter ?? for more actions
PM Process Manual
Select Action:Quit// PM <Enter> Process Manual PDXPATIENT,FIVE 09-01-53
000555555

PDX V1.5 - MANUAL RELEASE      Sep 02, 1993 14:38:22      Page: 1 of 1

Remote Patient: PDXPATIENT,FIVE      ID: 000-55-5555 DOB: 09-01-1953

Entry  Local Patient Name      DOB      SSN      PID
1      PDXPATIENT,FIVE         09-01-1953  000-55-5555  000-55-5555

Enter ?? for more actions
RL Release W/Comment      RJ Reject W/Comment      EE Expand Entry
Select Action:Quit// RL <Enter> Release W/Comment

Enter your Signature Code: <CODE> <Enter> SIGNATURE VERIFIED

Enter PDX Release Comment:
1>OK TO RELEASE
2><Enter>
EDIT Option: <Enter>
Working ...

Manual process of entry queued

Press RETURN to continue: <Enter>

PDX V1.5 - MANUAL PROCESS      Sep 02, 1993 14:38:59      Page: 1 of 1
PDX Activity Requiring Manual Processing

** No pending transactions queued for manual processing...

Enter ?? for more actions
PM Process Manual
Select Action:Quit//
```

[Figure 9](#) is an example of the MailMan bulletin the requesting facility will receive if the request is processed as “not found”.

Figure 9: Process External PDX Option—Sample MailMan Bulletin: Process Not Found

```
Subj: RESULTS OF PDX REQUEST  [#112896] 02 Sep 93 13:17  13 Lines
From: PDX  in 'IN' basket.    Page 1
-----
```

Your request for information has been rejected...

Transaction number: 119
Name: PDXPATIENT,FIVE
PID: 000-55-5555
DOB: 09-01-1953

Requested by: PDXUSER,THREE
Requested on: SEP 01, 1993

Processed by: PDXUSER,TWENTY-FIVE
Site: REDACTED VAMC
Domain: REDACTED.VA.GOV

Reason: Domain not in release group

Select MESSAGE Action: IGNORE (in IN basket)//

[Figure 10](#) is an example of the MailMan notification the requesting facility will receive after you successfully process the external PDX.

Figure 10: Process External PDX Option—Sample MailMan Bulletin: Process Successful (1 of 2)

```
Subj: RESULTS OF PDX REQUEST  [#112902] 02 Sep 93 14:40  40 Lines
From: PDX  in 'IN' basket.    Page 1
-----
```

Your request for information has been processed and returned ...

Transaction number: 119
Name: PDXPATIENT,FIVE
PID: 000-55-5555
DOB: 09-01-1953

Requested by: PDXUSER,THREE
Requested on: SEP 02, 1993

Processed by: PDXUSER,TWENTY-SIX
Site: REDACTED VAMC
Domain: REDACTED.VA.GOV

Comments:
OK TO RELEASE

The portion shown in [Figure 11](#) only appears if during the request **YES** was answered to the “Include Data with Notification(s):?” prompt.

Figure 11: Process External PDX Option—Sample MailMan Bulletin: Process Successful (2 of 2)

```
Subj: RESULTS OF PDX REQUEST  [#112902]      Page 2
-----
Requested information:
-----< MAS Minimum Patient Information >-----
PAT Name: PDXPATIENT,FIVE                DOB: SEP  1, 1953      AGE: 40
Addr: 123 MAIN ST                        SSN: 000-55-5555
      :                               Sex: MALE             MS: MARR
      :                               Religion: UNKNOWN/NO PREFERENC
City/ST: ANYTOWN, NY
Zip: 12047                               County: RENSSELAER

Patient Type: NSC VETERAN                 Veteran: YES
Period of Service: VIETNAM ERA
Service Connected: NO                     Percentage: %
Eligibility: NSC

Select MESSAGE Action: IGNORE (in IN basket)//
```

2.2.4 Load/Edit PDX Data

2.2.4.1 Introduction

The Load/Edit PDX Data option allows you to compare and load data fields in your PATIENT (#2) file with data from your PDX file. The information in your PDX file is data that was received from other sites' PATIENT (#2) files.

Once the patient is selected, all sites from which you have received PDX data for the selected patient will be displayed. If an entry does not exist in your PATIENT (#2) file for the selected patient, you may upload the basic information needed to enter the patient. The remainder of the data should be entered through the ADT portion of the MAS software.

If an entry already exists in your PATIENT (#2) file for the selected patient, the system looks for differences. The fields where differences are found are displayed with the headings “- PATIENT FILE -” showing the entry from your PATIENT (#2) File and “- PDX File -” showing the entry from the PDX file. The entries *must* be identical for the system to recognize them as the same. For example, if the MOST RECENT LOCATION OF CARE field is Buffalo in the PATIENT (#2) file and Buffalo, NY in the PDX file, the system would see this as a difference. Each data field showing a difference should be examined to determine if the PDX data is the most current and that you are sure you wish to place this data in your PATIENT (#2) file.



NOTE: The extractions for PDX 1.0 and PDX 1.5 are different and some fields may be in different formats.

After you attempt to upload the data, the Load/Edit screen is redisplayed. The first part of the screen lists all the fields that could not be uploaded due to these fields not passing the criteria for uploading. You should attempt to upload these fields again. Due to the data fields that were uploaded on the first attempt now being in place, you may be more successful in uploading the remaining data elements. A list of the fields that remain after the second attempt should be printed. You may then try entering these fields through the PIMS Registration option, Load/Edit Patient Data.

Rated disabilities or other eligibility codes *must* be entered through the Update HINQs to the Patient file option of the HINQ software. Missing or ineligible information or any other data you are not successful in uploading through PDX *must* be entered through the Load/Edit Patient Data option of the Registration menu in ADT.

For multiple fields, the data from your PDX file will be ADDED to the data in your PATIENT file. Existing data will remain intact.

You *must* hold the VAQ LOAD security key to access this option.

2.2.4.2 Process

The process chart in [Table 5](#) shows the steps and prompts involved in using the Load/Edit PDX Data option.

Table 5: Load/Edit PDX Data Option—Process Chart

Step	At this Prompt...	If User Answers with...	Then Step
1	Identify PDX:	Patient name	3
		Transaction number	3
		<??>	2
		<Enter> or caret <^>	11
	Once you choose a display option at this prompt, applicable patients will be listed for selection.		
2	(1) - All PDX transaction patients		
	(2) - All PDX transaction patients (results)		
	(3) - All PDX transaction patients (unsolicited)		
	Select Display Option:		
		1 to list ALL patients with PDX transactions	1
		2 to list those patients for whom request results have been received	1
		3 to list those patients for whom you have unsolicited PDX transactions	1

Step	At this Prompt...	If User Answers with...	Then Step
	The PDX Load/Edit Status screen is displayed listing the transactions for the selected patient.		
3	Select Action: Quit// Your signature code <i>must</i> be previously established through the Toolbox utility.	LE = {entry number} to select an entry	4
		EE = {entry number} to display PIMS data	10
		<Enter> to accept default	1
4	Enter your Signature Code: The PDX Possible Matches screen is displayed.	Signature code	5
5	Select Action: Quit// The PDX Load/Edit Data screen is displayed listing the differences between the PATIENT file and the PDX file.	UE = {entry number} if a listed entry matches the selected patient	6
		NP for new patient	9
		EE = {entry number} to display PIMS data	10
		<Enter> to accept default	3
6	Select Action: Quit//	LF to load selected data fields	7
		LD to load all data fields	8
		<Enter> or caret <^>	1
7	Select Entry(s): The PDX Load/Edit Data screen is redisplayed. The first part of the screen shows those fields that could not be uploaded.	Number(s) or range of numbers you wish to load	8
		Caret <^>	6
8	Select Action: Quit// The PDX Minimal Update screen is displayed for the selected patient.	LF to load selected data fields	7
		LD to load all data fields	8
		<Enter> or caret <^>	1

Step	At this Prompt...	If User Answers with...	Then Step
9	Select Action: Quit//	AP to add patient	3
		<Enter> or caret <^>	3
	The PDX Minimal screen is displayed showing PIMS data (PDX*MIN segment) for the selected request.		
10	Select Action: Quit//	<Enter>	3 or 5
11	Return to the menu.		

2.2.4.3 Example

[Figure 12](#) and [Figure 13](#) are examples of what may appear on your screen while using the Load/Edit PDX Data option.

Figure 12: Load/Edit PDX Data Option—Sample User Dialogue (1 of 2)

```

Identify PDX: ??

(1) - All PDX transaction patients
(2) - All PDX transaction patients (results)
(3) - All PDX transaction patients (unsolicited)
Select Display Option: 1

CHOOSE FROM:
111      Name: PDXPATIENT,ZERO R      Pid: 000-00-0000
113      Name: PDXPATIENT,ONE        Pid: 000-11-1111
114      Name: PDXPATIENT,TWO        Pid: 000-22-2222
115      Name: PDXPATIENT,THREE      Pid: 000-33-3333
117      Name: PDXPATIENT,FOUR       Pid: 000-44-4444
119      Name: PDXPATIENT,FIVE       Pid: 000-55-5555

Identify PDX: 119 <Enter> (PID: 000-55-5555)

PDX V1.5 LOAD/EDIT STATUS      Sep 07, 1993 08:07:19      Page: 1 of 1

Remote Patient: PDXPATIENT,FIVE      ID: 000-55-5555  DOB: 09-01-1993

Entry      Domain      Date/Time      Transaction
1          REDACTED.VA.GOV      SEP 2,1993@13:26:53 (Rs)  119

2          REDACTED.VA.GOV      SEP 4,1993@13:26:15 (Rs)  120

Enter ?? for more actions
LE Load/Edit      EE Expand Entry
Select Action:Quit// le=1 <Enter> Load/Edit

Enter your Signature Code: <CODE> <Enter> SIGNATURE VERIFIED.

```

Figure 13: Load/Edit PDX Data Option—Sample User Dialogue (2 of 2)

```
PDX V1.5 - POSSIBLE MATCHES      Sep 07, 1993 08:07:39      Page:      1 of      1

Remote Patient: PDXPATIENT,FIVE      ID: 000-55-5555  DOB: 09-05-1953

Entry  Local Patient Name      DOB      SSN      PID
1      PDXPATIENT,FIVE      09-05-1953  000-55-5555  000-55-5555

      Enter ?? for more actions
UE  Update Entry      NP  New Patient      EE  Expand Entry
Select Action:Quit// ue <Enter> Update Entry

Please wait while MAS information is collected...
Please wait while differences are found...

PDX V1.5 LOAD/EDIT DATA      Sep 07, 1993 10:26:19      Page:      1 of      1

Remote Patient: PDXPATIENT,FIVE      ID: 000-55-5555  DOB: 09-05-1953

      - Patient File -      - PDX File -
1      (D-WORK PHONE NUMBER)
      * no data in patient file      (518) 555-9999

2      (ELIGIBILITY STATUS ENTERED BY)
      PDXPATIENT,ZERO R.      PDXPATIENT,SIX

      Enter ?? for more actions
LF  Load Field(s)      LD  Load Data (all)
Select Action:Quit// LF <Enter> Load Field(s)
Select Entry(s): (1-2): 1-2

PDX V1.5 LOAD/EDIT DATA      Sep 07, 1993 10:26:52      Page:      1 of      1

Remote Patient: PDXPATIENT,FIVE      ID: 000-55-5555  DOB: 09-05-1953

      - Patient File -      - PDX File -

** No differences found...

      Enter ?? for more actions
LF  Load Field(s)      LD  Load Data (all)
Select Action:Quit// <Enter>

Identify PDX:
```

2.3 Display PDX Data

2.3.1 Display PDX by Transaction

2.3.1.1 Introduction

The Display PDX by Transaction option allows you to display or print PDX data for a selected patient by transaction.

You first choose the entry you wish displayed. If two question marks (??) are entered at the first prompt, you will be presented with three groups from which to choose an entry:

- All patients with PDX transactions.
- Patients for whom request results have been received.
- Patients for whom you have unsolicited PDX transactions.

You can then display selected segments of data or all segments for that entry.

If the data segment could *not* be extracted from the remote facility, the following message is displayed:

**** Transaction did not contain information for segment**

This will typically occur when the data segment is a Health Summary Component that is *not* active at the remote facility. In some cases, it may also indicate that a nonfatal error occurred while extracting the data. You may wish to contact the remote facility to determine if the data can be extracted, and request that this information be sent to you in an Unsolicited PDX.

2.3.1.2 Process

The process chart in [Table 6](#) shows the steps and prompts involved in using the Display PDX by Transaction option.

Table 6: Display PDX by Transaction Option—Process Chart

Step	At this Prompt...	If User Answers with...	Then Step
1	Identify PDX: Once you choose a display option at this prompt, applicable patients will be listed for selection.	Patient name	3
		Transaction number	3
		<??>	2
		<Enter> or caret <^>	6
2	(1) - All PDX transaction patients		
	(2) - All PDX transaction patients (results)		
	(3) - All PDX transaction patients (unsolicited)		
	Select Display Option:	1 to list ALL patients with PDX transactions	1
		2 to list those patients for whom request results have been received	1
		3 to list those patients for whom you have	1

Step	At this Prompt...	If User Answers with...	Then Step
	The PDX Display by Patient screen is displayed.	unsolicited PDX transactions	
3	Select Action: Quit// The PDX Segments screen is displayed. If you enter DS, you will be prompted for the segment(s) you wish to display.	SE to select an entry	4
		<Enter> to accept default	1
4	Select Action: Quit//	DS to display a selected entry	5
		DA to display all entries	5
		<Enter> to accept default	3
5	You will be prompted for a device. If you choose to print to the screen, the PDX Data Display screen is displayed showing all selected data segments. The default at the "Select Action:" prompt will be "Next Screen" if there are additional screens to view, or "Quit" if you are at the last data screen. Entering Quit will return you to Step 3.		
6	Return to the menu		

2.3.1.3 Example

[Figure 14](#) and [Figure 15](#) are examples of what may appear on your screen while using the Display PDX by Transaction option.

Figure 14: Display PDX by Transaction Option—Sample User Dialogue (1 of 2)

```
Identify PDX: PDXPATIENT,FIVE <Enter> 119 (PID: 000-55-5555)

PDX V1.5 DISPLAY BY PATIENT Sep 03, 1993 12:43:56 Page: 1 of 1

Remote Patient: PDXPATIENT,FIVE ID: 000-55-5555 DOB: 09-01-1993

Entry Domain Date/Time Trans No
1 REDACTED.VA.GOV SEP 2,1993@13:26:53 (Rs) 119
2 REDACTED.VA.GOV SEP 3,1993@08:26:15 (Rs) 120

Enter ?? for more actions
SE Select Entry
Select Action:Quit// SE <Enter> Select Entry
Select Entry(s): (1-2): 1

PDX V1.5 - SEGMENTS Sep 03, 1993 12:44:09 Page: 1 of 1

Patient: PDXPATIENT,FIVE Remote Domain: REDACTED.VA.GOV
ID: 000-55-5555 Date/Time: SEP 2,1993@13:26:53

Entry Mnemonic Segment Name
1 PDX*MIN MAS Minimum Patient Information

Enter ?? for more actions
DS Display Selected DA Display all
Select Action:Quit// DA <Enter> Display all

DEVICE: HOME// <Enter> LAT RIGHT MARGIN: 80// <Enter>
```

Figure 15: Display PDX by Transaction Option—Sample User Dialogue (2 of 2)

```
PDX V1.5 - DATA DISPLAY      Sep 03, 1993 12:44:45      Page:      1 of      2

Patient: PDXPATIENT,FIVE      Remote Domain: REDACTED.VA.GOV
ID: 000-55-5555              Date/Time: SEP 2,1993@13:26:53

-----< MAS Minimum Patient Information >-----

PAT Name: PDXPATIENT,FIVE      DOB: SEP  5, 1953      AGE: 39
Addr: 123 MAIN ST              SSN: 000-55-5555
:                               Sex: MALE              MS: MARRIED
:                               Religion: UNKNOWN/NO PREFERENC
City/ST: ANYTOWN, NY
Zip: 12047                     County: RENSSELAER

Patient Type: NSC VETERAN      Veteran: YES
Period of Service: VIETNAM ERA
Service Connected: NO          Percentage: %
Eligibility: NSC

+      Enter ?? for more actions

Select Action:Next Screen//  <Enter>  NEXT SCREEN

PDX V1.5 - DATA DISPLAY      Sep 03, 1993 12:51:13      Page:      2 of      2

Patient: PDXPATIENT,FIVE      Remote Domain: REDACTED.VA.GOV
ID: 000-55-5555              Date/Time: SEP 2,1993@13:26:53

+

[ End of Data ]

      Enter ?? for more actions

Select Action:Quit//
```

2.3.2 Display PDX by User

2.3.2.1 Introduction

The Display PDX by User option allows you to display or print PDX data for a selected patient by user who requested the information.

Upon entering the option, the PDX 1.5 “Display By Requestor” screen will appear. This lists all the PDX requests by the user accessing the option. An entry is chosen from this list. Selected segments of data or all segments for this entry may then be chosen for display.

If the data segment could not be extracted from the remote facility, the following message is displayed:

**** Transaction did not contain information for segment**

This will typically occur when the data segment is a Health Summary Component that is not active at the remote facility. In some cases, it may also indicate that a nonfatal error occurred

while extracting the data. You may wish to contact the remote facility to determine if the data can be extracted, and request that this information be sent to you in an Unsolicited PDX.

2.3.2.2 Process

The chart in [Table 7](#) shows the steps and prompts involved in using the Display PDX by User option.

Table 7: Display PDX by User Option—Process Chart

Step	At this Prompt...	If User Answers with...	Then Step
	The PDX Display by Requestor screen is displayed. If you enter SE and there is more than one entry to choose from, you will be prompted for the entry you wish to display.		
1	Select Action: Quit// The PDX Segments screen is displayed. If you enter DS, you will be prompted for the segment(s) you wish to display.	SE to select an entry	2
		<Enter> to accept default	4
2	Select Action: Quit//	DS to display a selected entry	3
		DA to display all entries	3
		<Enter> to accept default	1
3	You will be prompted for a device. If you choose to print to the screen, the PDX Data Display screen is displayed showing all selected data segments. The default at the “Select Action:” prompt will be “Next Screen” if there are additional screens to view, or “Quit” if you are at the last data screen. Entering Quit will return you to Step 1.		
4	Return to the menu.		

2.3.2.3 Example

[Figure 16](#) and [Figure 17](#) are examples of what may appear on your screen while using the Display PDX by User option.

Figure 16: Display PDX by User Option—Sample User Dialogue (1 of 2)

PDX V1.5 DISPLAY BY REQUESTOR		Sep 03, 1993 15:01:10	Page:	1 of 2
Requestor: SNYDER, TRACEY				
Entry	Domain\Patient	Date/Time	Tran No	
1	REDACTED.VA.GOV PDXPATIENT, SEVENTEEN	SEP 1, 1993@16:06:52 (Rs)	115	
2	REDACTED.VA.GOV PDXPATIENT, EIGHT	SEP 1, 1993@14:38:38 (Rs)	116	
3	REDACTED.VA.GOV PDXPATIENT, FIVE	SEP 2, 1993@13:26:53 (Rs)	119	
4	REDACTED.VA.GOV PDXPATIENT, NINE	SEP 2, 1993@10:56:15 (Rs)	120	
+ Enter ?? for more actions				
SE Select Entry				
Select Action: Next Screen// se=3 <Enter> Select Entry				
PDX V1.5 - SEGMENTS		Sep 03, 1993 12:44:09	Page:	1 of 1
Patient: PDXPATIENT, FIVE ID: 000-55-5555		Remote Domain: REDACTED.VA.GOV Date/Time: SEP 2, 1993@13:26:53		
Entry	Mnemonic	Segment Name		
1	PDX*MIN	MAS Minimum Patient Information		
Enter ?? for more actions				
DS Display Selected DA Display all				
Select Action: Quit// DA <Enter> Display all				
DEVICE: HOME// <Enter> LAT RIGHT MARGIN: 80// <Enter>				

Figure 17: Display PDX by User Option—Sample User Dialogue (2 of 2)

```
PDX V1.5 - DATA DISPLAY      Sep 03, 1993 12:44:45      Page:      1 of      2

Patient: PDXPATIENT,FIVE      Remote Domain: REDACTED.VA.GOV
ID: 000-55-5555               Date/Time: SEP 2,1993@13:26:53

-----< MAS Minimum Patient Information >-----

PAT Name: PDXPATIENT,FIVE      DOB: SEP  5, 1953      AGE: 39
Addr: 123 MAIN ST              SSN: 000-55-5555
:                               Sex: MALE                MS: MARRIED
:                               Religion: UNKNOWN/NO PREFERENC
City/ST: ANYTOWN, NY           County: RENSSELAER
Zip: 12047

Patient Type: NSC VETERAN      Veteran: YES
Period of Service: VIETNAM ERA
Service Connected: NO          Percentage: %
Eligibility: NSC

+      Enter ?? for more actions

Select Action:Next Screen// <Enter> NEXT SCREEN

PDX V1.5 - DATA DISPLAY      Sep 03, 1993 12:51:13      Page:      2 of      2

Patient: PDXPATIENT,FIVE      Remote Domain: REDACTED.VA.GOV
ID: 000-55-5555               Date/Time: SEP 2,1993@13:26:53

+

[ End of Data ]

Enter ?? for more actions

Select Action:Quit//
```

2.4 System Reports

2.4.1 Requires Processing Report

2.4.1.1 Introduction

The Requires Processing Report option is used to print a report of all PDX requests that require manual processing.

The transaction number, patient name, patient ID, date of birth, date requested, the individual who made the request, and the facility making the request are provided for each transaction.

You *must* hold the VAQ RPT security key to access the System Reports menu.



NOTE: Due to the brevity of this option, a process chart has *not* been provided.

2.4.1.2 Example

[Figure 18](#) is an example of what may appear on your screen while using the Requires Processing Report option.

Figure 18: Requires Processing Report Option—Sample User Dialogue

```
Select System Reports Option: Requires <Enter> Processing Report
DEVICE: <Enter> LAT      RIGHT MARGIN: 80// <Enter>

PDX Requests That Require Manual Processing   SEP  1,1993  14:37   PAGE 1
-----

Transaction # : 1152
  Patient : HARRIS,EDWARD
  Patient ID : 098-76-0987
  Date of Birth : 07-09-43
  Requested On : SEP  1,1993  08:23
  Requested By : PDXUSER,FIFTEEN
  Facility : SAN DIEGO VAMC

* * * * *

Transaction # : 1158
  Patient : PDXPATIENT,SEVENTEEN
  Patient ID : 000-17-1717
  Date of Birth : 10-10-33
  Requested On : SEP  1,1993  08:32
  Requested By : PDXUSER,FIFTEEN
  Facility : SAN DIEGO VAMC

* * * * *
```

2.4.2 Sort By Remote Facility

2.4.2.1 Introduction

The Sort By Remote Facility option is used to print a report of all PDX transactions on file by the remote facility. Transactions with the following statuses will be excluded.

- PDX request from remote facility being processed automatically
- PDX request from remote facility that requires manual processing
- Acknowledgement for receipt of unsolicited PDX by remote facility

The following information will be provided for each transaction on the report, if applicable:

- Transaction number
- Patient name
- Patient ID
- Date of birth
- Transaction status

- Requested segments
- Requested on
- Requested by
- Requesting facility
- Released on
- Released by
- Releasing (remote) facility

Your facility will be the requesting facility unless the transaction status is “Unsolicited PDX that was transmitted from local facility”. In that case, your facility would be the releasing facility.

This report may be quite lengthy. It is *recommended* you queue the report to a printer during off hours.

You *must* hold the VAQ RPT security key to access the System Reports menu.



NOTE: Due to the brevity of this option, a process chart has *not* been provided.

2.4.2.2 Example

[Figure 19](#) is an example of what may appear on your screen while using the Sort By Remote Facility option followed by an example of the output ([Figure 20](#)).

Figure 19: Sort By Remote Facility Option—Sample User Dialogue (1 of 2)

```

Select Current Transactions Report Option: fac <Enter> Sort by remote facility
DEVICE: B100 <Enter> RIGHT MARGIN: 80// <Enter>

PDX Transactions Currently On File                SEP  9,1993  08:50    PAGE 1
-----

Transaction # : 111
  Patient    : PDXPATIENT,ZERO R
  Patient ID : 000-00-0000
  Date Of Birth : 04-26-1947

Status : PDX Request

Segments : MAS Minimum Patient Information

      Requested On : AUG 27,1993  09:41
      Requested By : PDXUSER,THREE
  Requesting Facility : REDACTED VAMC

      Released On :
      Released By :
  Releasing Facility : REDACTED VAMC

Comments:

*   *   *   *   *   *   *   *   *   *   *   *   *   *   *

```

Figure 20: Sort By Remote Facility Option—Sample User Dialogue (2 of 2)

```
PDX Transactions Currently On File          SEP  9,1993  08:50    PAGE 2
-----

Transaction # : 113
  Patient : PDXPATIENT,ONE
  Patient ID : 000-11-1111
  Date Of Birth : 02-22-1922

Status : Acknowledgement for receipt of PDX Request by remote facility

Segments : MAS Minimum Patient Information
           Radiology Impression

           Requested On : SEP  1,1993  08:18
           Requested By : PDXUSER,THREE
  Requesting Facility : REDACTED VAMC

           Released On :
           Released By :
  Releasing Facility : REDACTED VAMC

Comments:
*      *      *      *      *      *      *      *      *      *      *      *      *      *      *
Transaction # : 114
  Patient : PDXPATIENT,THREE
  Patient ID : 000-33-3333
  Date Of Birth : 08-31-1953

Status : Requested information was returned

Segments : Integrated Billing
           MAS Minimum Patient Information
           Means Test Information

           Requested On : SEP  1,1993  14:33
           Requested By : PDXUSER,SIXTEEN
  Requesting Facility : REDACTED VAMC

           Released On : SEP  1,1993  16:06
           Released By : PDXUSER,SEVENTEEN
  Releasing Facility : REDACTED VAMC

Comments:
*      *      *      *      *      *      *      *      *      *      *      *      *      *      *
```

2.4.3 Sort By User That Generated Request

2.4.3.1 Introduction

The Sort By User That Generated Request option is used to print a report of all PDX transactions on file alphabetically by the user who generated the request. Transactions with the following statuses will be excluded:

- PDX request from remote facility being processed automatically
- PDX request from remote facility that requires manual processing
- Acknowledgement for receipt of unsolicited PDX by remote facility

The following information will be provided for each transaction on the report, if applicable:

- Transaction number
- Patient name
- Patient ID
- Date of birth
- Transaction status
- Requested segments
- Requested on
- Requested by
- Requesting facility
- Released on
- Released by
- Releasing (remote) facility

Your facility will be the requesting facility unless the transaction status is “Unsolicited PDX that was transmitted from local facility”. In that case, your facility would be the releasing facility.

This report may be quite lengthy. It is *recommended* you queue the report to a printer during off hours.

You *must* hold the VAQ RPT security key to access the System Reports menu.



NOTE: Due to the brevity of this option, a process chart has *not* been provided.

2.4.3.2 Example

[Figure 21](#) is an example of what may appear on your screen while using the Sort By User That Generated Request option followed by an example of the output ([Figure 22](#)).

Figure 21: Sort By User That Generated Request Option—Sample User Dialogue (1 of 2)

```
Select Current Transactions Report Option: gnrt <Enter> Sort by user that generated
request
DEVICE: B100 <Enter> RIGHT MARGIN: 80// <Enter>

PDX Transactions Currently On File          SEP  9,1993  08:50    PAGE 1
-----

Transaction # : 111
  Patient    : PDXPATIENT,ZERO R
  Patient ID : 000-00-0000
  Date Of Birth : 04-26-1947

Status : PDX Request

Segments : MAS Minimum Patient Information

      Requested On : AUG 27,1993  09:41
      Requested By : PDXUSER,THREE
  Requesting Facility : REDACTED VAMC

      Released On :
      Released By :
  Releasing Facility : REDACTED VAMC

Comments:

*   *   *   *   *   *   *   *   *   *   *   *   *   *   *
```

Figure 22: Sort By User That Generated Request Option—Sample User Dialogue (2 of 2)

```
PDX Transactions Currently On File          SEP  9,1993  08:50    PAGE  2
-----

Transaction # : 113
      Patient : PDXPATIENT,ONE
      Patient ID : 000-11-1111
      Date Of Birth : 02-22-1922

Status : Acknowledgement for receipt of PDX Request by remote facility

Segments : MAS Minimum Patient Information
           Radiology Impression

           Requested On : SEP  1,1993  08:18
           Requested By : PDXUSER,THREE
Requesting Facility : REDACTED VAMC

           Released On :
           Released By :
Releasing Facility : REDACTED VAMC

Comments:
*      *      *      *      *      *      *      *      *      *      *      *      *      *      *
Transaction # : 114
      Patient : PDXPATIENT,THREE
      Patient ID : 000-33-3333
      Date Of Birth : 08-31-1953

Status : Requested information was returned

Segments : Integrated Billing
           MAS Minimum Patient Information
           Means Test Information

           Requested On : SEP  1,1993  14:33
           Requested By : PDXUSER,SIXTEEN
Requesting Facility : REDACTED VAMC

           Released On : SEP  1,1993  16:06
           Released By : PDXUSER,SEVENTEEN
Releasing Facility : REDACTED VAMC

Comments:
*      *      *      *      *      *      *      *      *      *      *      *      *      *      *
```

2.4.4 Sort By Patient's Name

2.4.4.1 Introduction

The Sort By Patient's Name option is used to print a report of all PDX transactions on file alphabetically by the patient's name. Transactions with the following statuses will be excluded:

- PDX request from remote facility being processed automatically.
- PDX request from remote facility that requires manual processing.
- Acknowledgement for receipt of unsolicited PDX by remote facility.

The following information will be provided for each transaction on the report, if applicable:

- Transaction number
- Patient name
- Patient ID
- Date of birth
- Transaction status
- Requested segments
- Requested on
- Requested by
- Requesting facility
- Released on
- Released by
- Releasing (remote) facility

Your facility will be the requesting facility unless the transaction status is "Unsolicited PDX that was transmitted from local facility". In that case, your facility would be the releasing facility.

This report may be quite lengthy. It is *recommended* you queue the report to a printer during off hours.

You *must* hold the VAQ RPT security key to access the System Reports menu.



NOTE: Due to the brevity of this option, a process chart has *not* been provided.

2.4.4.2 Example

[Figure 23](#) is an example of what may appear on your screen while using the Sort By Patient's Name option followed by an example of the output ([Figure 24](#)).

Figure 23: Sort By Patient's Name Option—Sample User Dialogue

```
Select Current Transactions Report Option: pat <Enter>  Sort by patient's name
DEVICE: B100 <Enter>      RIGHT MARGIN: 80// <Enter>

PDX Transactions Currently On File          SEP  9,1993  08:50      PAGE 1
-----

Transaction # : 114
  Patient : PDXPATIENT,THREE
  Patient ID : 000-33-3333
  Date Of Birth : 08-31-1953

Status : Requested information was returned

Segments : Integrated Billing
           MAS Minimum Patient Information
           Means Test Information

           Requested On : SEP  1,1993  14:33
           Requested By : PDXUSER,SIXTEEN
Requesting Facility : REDACTED VAMC

           Released On : SEP  1,1993  16:06
           Released By : PDXUSER,SEVENTEEN
Releasing Facility : REDACTED VAMC

Comments:

*   *   *   *   *   *   *   *   *   *   *   *   *   *   *
```

Figure 24: Sort By Patient's Name Option—Sample Output

```
PDX Transactions Currently On File          SEP  9,1993  08:50    PAGE 2
-----
Transaction # : 113
  Patient : PDXPATIENT,ONE
  Patient ID : 000-11-1111
  Date Of Birth : 02-22-1922

Status : Acknowledgement for receipt of PDX Request by remote facility

Segments : MAS Minimum Patient Information
           Radiology Impression

           Requested On : SEP  1,1993  08:18
           Requested By : PDXUSER,THREE
  Requesting Facility : REDACTED VAMC

           Released On :
           Released By :
  Releasing Facility : REDACTED VAMC

Comments:
*      *      *      *      *      *      *      *      *      *      *      *      *      *      *

Transaction # : 111
  Patient : PDXPATIENT,ZERO R
  Patient ID : 000-00-0000
  Date Of Birth : 04-26-1947

Status : PDX Request

Segments : MAS Minimum Patient Information

           Requested On : AUG 27,1993  09:41
           Requested By : PDXUSER,THREE
  Requesting Facility : REDACTED VAMC

           Released On :
           Released By :
  Releasing Facility : REDACTED VAMC

Comments:
*      *      *      *      *      *      *      *      *      *      *      *      *      *      *
```

2.4.5 Sort By Date Received

2.4.5.1 Introduction

The Sort By Date Received option is used to print a report of all PDX transactions on file by date the request was received. Transactions with the following statuses will be excluded.

- PDX request from remote facility being processed automatically.
- PDX request from remote facility that requires manual processing.

- Acknowledgement for receipt of unsolicited PDX by remote facility.

You may sort for a date range or print all transactions. If you accept the default value of FIRST at the initial prompt, all transactions will be printed. If you wish to sort for a date range, enter a date at this prompt.

The following information will be provided for each transaction on the report, if applicable:

- Transaction number
- Patient name
- Patient ID
- Date of birth
- Transaction status
- Requested segments
- Requested on
- Requested by
- Requesting facility
- Released on
- Released by
- Releasing (remote) facility

Your facility will be the requesting facility unless the transaction status is “Unsolicited PDX that was transmitted from local facility”. In that case, your facility would be the releasing facility.

This report may be quite lengthy. It is *recommended* you queue the report to a printer during off hours.

You *must* hold the VAQ RPT security key to access the System Reports menu.



NOTE: Due to the brevity of this option, a process chart has *not* been provided.

2.4.5.2 Example

[Figure 25](#) is an example of what may appear on your screen while using the Sort By Date Received option followed by an example of the output ([Figure 26](#)).

Figure 25: Sort By Date Received Option—Sample User Dialogue

```
Select Current Transactions Report Option: rcvd <Enter> Sort by date received

START WITH Date/Time of Reply: FIRST// <Enter>
DEVICE: B100 <Enter>          RIGHT MARGIN: 80// <Enter>

PDX Transactions Currently On File          SEP  9,1993  08:50    PAGE 1
-----

Transaction # : 111
      Patient : PDXPATIENT,ZERO R
      Patient ID : 000-00-0000
      Date Of Birth : 04-26-1947

Status : PDX Request

Segments : MAS Minimum Patient Information

      Requested On : AUG 27,1993  09:41
      Requested By : PDXUSER,THREE
      Requesting Facility : REDACTED VAMC

      Released On :
      Released By :
      Releasing Facility : REDACTED VAMC

Comments:

*   *   *   *   *   *   *   *   *   *   *   *   *   *   *
```

Figure 26: Sort By Date Received Option—Sample Output

```
PDX Transactions Currently On File          SEP  9,1993  08:50    PAGE 2
-----
Transaction # : 113
  Patient : PDXPATIENT,ONE
  Patient ID : 000-11-1111
  Date Of Birth : 02-22-1922

Status : Acknowledgement for receipt of PDX Request by remote facility

Segments : MAS Minimum Patient Information
           Radiology Impression

           Requested On : SEP  1,1993  08:18
           Requested By : PDXUSER,THREE
  Requesting Facility : REDACTED VAMC

           Released On :
           Released By :
  Releasing Facility : REDACTED VAMC

Comments:
*      *      *      *      *      *      *      *      *      *      *      *      *      *      *

Transaction # : 114
  Patient : PDXPATIENT,THREE
  Patient ID : 000-33-3333
  Date Of Birth : 08-31-1953

Status : Requested information was returned

Segments : Integrated Billing
           MAS Minimum Patient Information
           Means Test Information

           Requested On : SEP  1,1993  14:33
           Requested By : PDXUSER,SIXTEEN
  Requesting Facility : REDACTED VAMC

           Released On : SEP  1,1993  16:06
           Released By : PDXUSER,SEVENTEEN
  Releasing Facility : REDACTED VAMC

Comments:
*      *      *      *      *      *      *      *      *      *      *      *      *      *      *
```

2.4.6 Sort By User That Released Information

2.4.6.1 Introduction

The Sort By User That Released Information option is used to print a report of all PDX transactions on file alphabetically by the user who released the information. Transactions with the following statuses will be excluded.

- PDX request from remote facility being processed automatically.
- PDX request from remote facility that requires manual processing.
- Acknowledgement for receipt of unsolicited PDX by remote facility.

The following information will be provided for each transaction on the report, if applicable:

- Transaction number
- Patient name
- Patient ID
- Date of birth
- Transaction status
- Requested segments
- Requested on
- Requested by
- Requesting facility
- Released on
- Released by
- Releasing (remote) facility

The user who released the information will be PDX Server if the transaction was automatically processed.

Your facility will be the requesting facility unless the transaction status is “Unsolicited PDX that was transmitted from local facility”. In that case, your facility would be the releasing facility.

This report may be quite lengthy. It is *recommended* you queue the report to a printer during off hours.

You *must* hold the VAQ RPT security key to access the System Reports menu.



NOTE: Due to the brevity of this option, a process chart has *not* been provided.

2.4.6.2 Example

[Figure 27](#) is an example of what may appear on your screen while using the Sort By User That Released Information option followed by an example of the output ([Figure 28](#)).

Figure 27: Sort By User That Released Information Option—Sample User Dialogue

```
Select Current Transactions Report Option: rlsd <Enter> Sort by user that released
information
DEVICE: B100 <Enter>          RIGHT MARGIN: 80// <Enter>

PDX Transactions Currently On File          SEP  9,1993  08:50    PAGE 1
-----

Transaction # : 114
      Patient : PDXPATIENT,THREE
      Patient ID : 000-33-3333
      Date Of Birth : 08-31-1953

Status : Requested information was returned

Segments : Integrated Billing
           MAS Minimum Patient Information
           Means Test Information

           Requested On : SEP  1,1993  14:33
           Requested By : PDXUSER,SIXTEEN
Requesting Facility : REDACTED VAMC

           Released On : SEP  1,1993  16:06
           Released By : PDX SERVER
Releasing Facility : REDACTED VAMC

Comments:
*      *      *      *      *      *      *      *      *      *      *      *      *      *      *
```

Figure 28: Sort By User That Released Information Option—Sample Output

```
PDX Transactions Currently On File          SEP  9,1993  08:50    PAGE 2
-----
Transaction # : 115
  Patient : PDXPATIENT,THREE
  Patient ID : 000-33-3333
  Date Of Birth : 08-31-1923

Status : Requested information was returned

Segments : Integrated Billing
           MAS Minimum Patient Information
           Means Test Information

           Requested On : SEP  1,1993  14:33
           Requested By : SNOW,JEROME
  Requesting Facility : REDACTED VAMC

           Released On : SEP  1,1993  16:06
           Released By : PDXUSER,EIGHTEEN
  Releasing Facility : WEST ROXBURY VAMC

Comments:
  OK
*      *      *      *      *      *      *      *      *      *      *      *      *      *      *

Transaction # : 119
  Patient : PDXPATIENT,FIVE
  Patient ID : 000-55-5555
  Date Of Birth : 09-01-1993

Status : Requested information was returned

Segments : MAS Minimum Patient Information

           Requested On : SEP  2,1993  13:23
           Requested By : PDXUSER,EIGHT
  Requesting Facility : REDACTED VAMC

           Released On : SEP  2,1993  13:26
           Released By : PDXUSER,NINE
  Releasing Facility : SYRACUSE VAMC

Comments:
*      *      *      *      *      *      *      *      *      *      *      *      *      *      *
```

2.4.7 Sort By Requesting Date

2.4.7.1 INTRODUCTION

The Sort By Requesting Date option is used to print a report of all PDX transactions on file by the date the transaction was requested. Transactions with the following statuses will be excluded:

- PDX request from remote facility being processed automatically
- PDX request from remote facility that requires manual processing
- Acknowledgement for receipt of unsolicited PDX by remote facility

You can sort for a date range or print all transactions. If you accept the default value of **FIRST** at the initial prompt, all transactions will be printed. If you wish to sort for a date range, enter a date at this prompt.

The following information will be provided for each transaction on the report, if applicable:

- Transaction number
- Patient name
- Patient ID
- Date of birth
- Transaction status
- Requested segments
- Requested on
- Requested by
- Requesting facility
- Released on
- Released by
- Releasing (remote) facility

Your facility will be the requesting facility unless the transaction status is “Unsolicited PDX that was transmitted from local facility”. In that case, your facility would be the releasing facility.

This report may be quite lengthy. It is *recommended* you queue the report to a printer during off hours.

You *must* hold the VAQ RPT security key to access the System Reports menu.



NOTE: Due to the brevity of this option, a process chart has *not* been provided.

2.4.7.2 Example

[Figure 29](#) is an example of what may appear on your screen while using the Sort By Requesting Date option followed by an example of the output ([Figure 30](#)).

Figure 29: Sort By Requesting Date Option—Sample User Dialogue

```
Select Current Transactions Report Option: sent <Enter> Sort by requesting date

START WITH Date/Time of Request: FIRST// <Enter>
DEVICE: B100 <Enter> LAT RIGHT MARGIN: 80// <Enter>

PDX Transactions Currently On File          SEP  9,1993  08:50    PAGE 1
-----

Transaction # : 111
      Patient : PDXPATIENT,ZERO R
      Patient ID : 000-00-0000
      Date Of Birth : 04-26-1947

Status : PDX Request

Segments : MAS Minimum Patient Information

      Requested On : AUG 27,1993  09:41
      Requested By : PDXUSER,THREE
      Requesting Facility : REDACTED VAMC

      Released On :
      Released By :
      Releasing Facility : REDACTED VAMC

Comments:

*      *      *      *      *      *      *      *      *      *      *      *      *      *      *
```

Figure 30: Sort By Requesting Date Option—Sample Output

```
PDX Transactions Currently On File          SEP  9,1993  08:50    PAGE 2
-----
Transaction # : 113
  Patient : PDXPATIENT,ONE
  Patient ID : 000-11-1111
  Date Of Birth : 02-22-1922

Status : Acknowledgement for receipt of PDX Request by remote facility

Segments : MAS Minimum Patient Information
          Radiology Impression

          Requested On : SEP  1,1993  08:18
          Requested By : PDXUSER,THREE
  Requesting Facility : REDACTED VAMC

          Released On :
          Released By :
  Releasing Facility : REDACTED VAMC

Comments:
*      *      *      *      *      *      *      *      *      *      *      *      *      *      *

Transaction # : 114
  Patient : PDXPATIENT,THREE
  Patient ID : 000-33-3333
  Date Of Birth : 08-31-1953

Status : Requested information was returned

Segments : Integrated Billing
          MAS Minimum Patient Information
          Means Test Information

          Requested On : SEP  1,1993  14:33
          Requested By : PDXUSER,SIXTEEN
  Requesting Facility : REDACTED VAMC

          Released On : SEP  1,1993  16:06
          Released By : PDXUSER,SEVENTEEN
  Releasing Facility : REDACTED VAMC

Comments:
*      *      *      *      *      *      *      *      *      *      *      *      *      *      *
```

2.4.8 Sort By Status of Transaction

2.4.8.1 Introduction

The Sort By Status of Transaction option is used to print a report of all PDX transactions on file by transaction status. Transactions with the following statuses will be excluded.

- PDX request from remote facility being processed automatically
- PDX request from remote facility that requires manual processing
- Acknowledgement for receipt of unsolicited PDX by remote facility

The statuses will appear in the following order on the output.

- Requested patient could not be uniquely identified at remote facility
- Requested patient could not be found at remote facility
- PDX transmission that is currently being received
- Requested information was not released by remote facility
- PDX request
- Requested information was returned
- Request to transmit message using previous version
- Unsolicited PDX that was transmitted from local facility
- Acknowledgement for receipt of unsolicited PDX by remote facility
- Unsolicited PDX

The following information will be provided for each trans-action on the report, if applicable:

- Transaction number
- Patient name
- Patient ID
- Date of birth
- Transaction status
- Requested segments
- Requested on
- Requested by
- Requesting facility
- Released on
- Released by
- Releasing (remote) facility

Your facility will be the requesting facility unless the transaction status is “Unsolicited PDX that was transmitted from local facility”. In that case, your facility would be the releasing facility.

This report may be quite lengthy. It is *recommended* you queue the report to a printer during off hours.

You *must* hold the VAQ RPT security key to access the System Reports menu.



NOTE: Due to the brevity of this option, a process chart has *not* been provided.

2.4.8.2 Example

[Figure 31](#) is an example of what may appear on your screen while using the Sort By Status of Transaction option followed by an example of the output ([Figure 32](#)).

Figure 31: Sort By Status of Transaction Option—Sample User Dialogue

```
Select Current Transactions Report Option: stat <Enter> Sort by status of
transaction
DEVICE: B100 <Enter>          RIGHT MARGIN: 80// <Enter>

PDX Transactions Currently On File          SEP  9,1993  08:50    PAGE 1
-----

Transaction # : 113
      Patient : PDXPATIENT,ONE
      Patient ID : 000-11-1111
      Date Of Birth : 02-22-1922

Status : Acknowledgement for receipt of PDX Request by remote facility

Segments : MAS Minimum Patient Information
           Radiology Impression

           Requested On : SEP  1,1993  08:18
           Requested By : PDXUSER,THREE
Requesting Facility : REDACTED VAMC

           Released On :
           Released By :
Releasing Facility : REDACTED VAMC

Comments:

*   *   *   *   *   *   *   *   *   *   *   *   *   *   *
```

Figure 32: Sort By Status of Transaction Option—Sample Output

```
PDX Transactions Currently On File          SEP  9,1993  08:50    PAGE 2
-----
Transaction # : 111
  Patient : PDXPATIENT,ZERO R
  Patient ID : 000-00-0000
  Date Of Birth : 04-26-1947

Status : PDX Request

Segments : MAS Minimum Patient Information

  Requested On : AUG 27,1993  09:41
  Requested By : PDXUSER,THREE
  Requesting Facility : REDACTED VAMC

  Released On :
  Released By :
  Releasing Facility : REDACTED VAMC

Comments:
*      *      *      *      *      *      *      *      *      *      *      *      *      *      *

Transaction # : 114
  Patient : PDXPATIENT,THREE
  Patient ID : 000-33-3333
  Date Of Birth : 08-31-1953

Status : Requested information was returned

Segments : Integrated Billing
           MAS Minimum Patient Information
           Means Test Information

  Requested On : SEP  1,1993  14:33
  Requested By : PDXUSER,SIXTEEN
  Requesting Facility : REDACTED VAMC

  Released On : SEP  1,1993  16:06
  Released By : PDXUSER,SEVENTEEN
  Releasing Facility : REDACTED VAMC

Comments:
*      *      *      *      *      *      *      *      *      *      *      *      *      *      *
```

2.4.9 Sort Criteria Defined By User

2.4.9.1 Introduction

The Sort Criteria Defined By User option is used to print a report of all PDX transactions on file where the sort criteria is determined by the user.

Several different levels of sorting may be selected through this option. You may enter two question marks (??) at the SORT BY prompt for a list of the available fields by which you may

choose to sort the report. If you accept the default value of FIRST at a prompt, all values will be printed. If you wish to sort for a range of values, enter a value instead of accepting the default.

The following information will be provided for each transaction on the report, if applicable:

- Transaction number
- Patient name
- Patient ID
- Date of birth
- Transaction status
- Requested segments
- Requested on
- Requested by
- Requesting facility
- Released on
- Released by
- Releasing (remote) facility

Your facility will be the requesting facility unless the transaction status is “Unsolicited PDX that was transmitted from local facility”. In that case, your facility would be the releasing facility.

This report may be quite lengthy. It is *recommended* you queue the report to a printer during off hours.

You *must* hold the VAQ RPT security key to access the System Reports menu and the VAQ RPT USER security key to access this option.



NOTE: Due to the brevity of this option, a process chart has *not* been provided.

2.4.9.2 Example

[Figure 33](#) through [Figure 37](#) are examples of what may appear on your screen while using the Sort Criteria Defined By User option followed by an example of the output.

Figure 33: Sort Criteria Defined By User Option—Sample User Dialogue and Output (1 of 5)

```
Select Current Transactions Report Option: user <Enter>  Sort criteria defined by
user

SORT BY: Transaction Number// ??

CHOOSE FROM:
.01      Transaction Number
.02      Current Status
.03      Patient Ptr
.04      Sensitive Patient
.05      Release Status
.06      Remote Transaction Number
.07      Remote Version Number
10      Patient's Name
11      Patient's SSN
12      Patient's DOB
13      Patient ID
20      Date/Time of Request
21      Requestor
30      Requesting Site
31      Requesting Address
40      Encrypted
41      Encryption Method
50      Date/Time of Reply
51      Authorizer
60      Authorizing Site
61      Authorizing Address
70      Data in Notification
71      Notify (multiple)
80      Data Segment (multiple)
90      Purge

      TYPE '-' IN FRONT OF NUMERIC-VALUED FIELD TO SORT FROM HI TO LO
      TYPE '+' IN FRONT OF FIELD NAME TO GET SUBTOTALS BY THAT FIELD,
      '#' TO PAGE-FEED ON EACH FIELD VALUE, '!' TO GET RANKING NUMBER,
      '@' TO SUPPRESS SUB-HEADER, ']' TO FORCE SAVING SORT TEMPLATE
      TYPE [TEMPLATE NAME] IN BRACKETS TO SORT BY PREVIOUS SEARCH RESULTS
SORT BY: Transaction Number// .05 <Enter> Release Status
START WITH Release Status: FIRST// <Enter>
      WITHIN Release Status, SORT BY: 50 <Enter> Date/Time of Reply
      START WITH Date/Time of Reply: FIRST// <Enter>
      WITHIN Date/Time of Reply, SORT BY: <Enter>
DEVICE: A138 <Enter>      RIGHT MARGIN: 132// <Enter>
```

Figure 34: Sort Criteria Defined By User Option—Sample User Dialogue and Output (2 of 5)

```
DO YOU WANT YOUR OUTPUT QUEUED? NO// y <Enter> (YES)

REQUESTED TIME TO PRINT: NOW// <Enter>
REQUEST QUEUED!

PDX Transactions Currently On File          SEP 10,1993  10:54    PAGE 1
-----

      Release Status: VAQ-REJ

Transaction # : 118
      Patient   : PDXPATIENT,FOUR
      Patient ID : 000-44-4444
      Date Of Birth : 01-01-1955

Status : Requested information was not released by remote facility

Segments : Lab Chemistry & Hematology
           MAS Minimum Patient Information
           Surgery Reports

      Requested On : SEP  2,1993  13:16
      Requested By : PDXUSER,FOURTEEN
Requesting Facility : REDACTED VAMC

      Released On : SEP  3,1993  10:45
      Released By : PDXUSER,THREE
Releasing Facility :

Comments:
  unidentifiable

*   *   *   *   *   *   *   *   *   *   *   *   *   *
```

Figure 35: Sort Criteria Defined By User Option—Sample User Dialogue and Output (3 of 5)

PDX Transactions Currently On File	SEP 10,1993 10:54	PAGE 2

Release Status: VAQ-RQST		
Transaction # : 115		
Patient : PDXPATIENT,SEVEN		
Patient ID : 000-77-7777		
Date Of Birth : 08-22-1939		
Status : Requested information was returned		
Segments : Integrated Billing		
MAS Minimum Patient Information		
Means Test Information		
Requested On : SEP 1,1993 14:33		
Requested By : PDXUSER,THREE		
Requesting Facility : REDACTED VAMC		
Released On : SEP 1,1993 16:06		
Released By : PDXUSER,NINETEEN		
Releasing Facility : REDACTED VAMC		
Comments:		
OK		
* * * * *		
Transaction # : 119		
Patient : PDXPATIENT,FIVE		
Patient ID : 000-55-5555		
Date Of Birth : 09-01-1948		
Status : Requested information was returned		
Segments : MAS Minimum Patient Information		
Requested On : SEP 2,1993 13:23		
Requested By : PDXUSER,THREE		
Requesting Facility : REDACTED VAMC		
Released On : SEP 2,1993 13:26		
Released By : PDXUSER,TWENTY		
Releasing Facility : REDACTED VAMC		
Comments:		
OK		
* * * * *		

Figure 36: Sort Criteria Defined By User Option—Sample User Dialogue and Output (4 of 5)

PDX Transactions Currently On File	SEP 10,1993 10:54	PAGE 3
------------------------------------	-------------------	--------

Release Status: VAQ-RSLT

Transaction # : 116
Patient : DUKE,PAUL
Patient ID : 098-00-2090
Date Of Birth : 01-16-1955

Status : Requested information was returned

Segments : Integrated Billing
MAS Minimum Patient Information
Means Test Information

Requested On : SEP 1,1993 14:33
Requested By : PDXUSER,THREE
Requesting Facility : REDACTED VAMC

Released On : SEP 1,1993 14:38
Released By : PDXUSER,TWENTY-ONE
Releasing Facility : REDACTED VAMC

Comments:
OK

* * * * *

Transaction # : 120
Patient : PDXPATIENT,FIVE
Patient ID : 000-55-5555
Date Of Birth : 09-05-1953

Status : Requested information was returned

Segments : MAS Minimum Patient Information

Requested On : SEP 2,1993 13:24
Requested By : PDXUSER,TWENTY-TWO
Requesting Facility : REDACTED VAMC

Released On : SEP 2,1993 13:26
Released By : PDXUSER,TWENTY-THREE
Releasing Facility : BUFFALO VAMC

Comments:
OK

* * * * *

Figure 37: Sort Criteria Defined By User Option—Sample User Dialogue and Output (5 of 5)

```
PDX Transactions Currently On File                SEP 10,1993  10:54    PAGE  4
-----
Release Status: VAQ-UNACK

Transaction # : 123
  Patient    : PDXPATIENT,ZERO R.
  Patient ID : 000-00-0000
  Date Of Birth : 09-06-1922

Status : Unsolicited PDX

Segments : MAS Registration Information
          MAS Minimum Patient Information

Requested On :
Requested By :
Requesting Facility :

Released On : SEP  7,1993  09:03
Released By : PDXUSER,TWENTY-FOUR
Releasing Facility : REDACTED VAMC

Comments:
*      *      *      *      *      *      *      *      *      *      *      *      *      *
```

2.5 Work Load Reports

2.5.1 Sort By Date

2.5.1.1 Introduction

The Sort By Date option is used to print a work load report of all PDX transactions on file by the date/time the work was performed.

The following information will be provided for each transaction on the report, if applicable:

- Date/time work performed
- Type of work done
- User who performed the work
- Patient name
- Patient ID
- Remote facility

The remote facility will always be the external facility.

You may sort for a date range or print all transactions. If you accept the default value of FIRST at the initial prompt, all transactions will be printed. If you wish to sort for a date range, enter a date at this prompt.

This report may be quite lengthy. It is *recommended* you queue the report to a printer during off hours.

You *must* hold the VAQ RPT security key to access the System Reports menu.



NOTE: Due to the brevity of this option, a process chart has *not* been provided.

2.5.1.2 Example

[Figure 38](#) is an example of what may appear on your screen while using the Sort By Date option followed by an example of the output ([Figure 39](#)).

Figure 38: Sort By Date Option—Sample User Dialogue

```
Select Work Load Reports Option: date <Enter> Sort by date

START WITH Date/Time of Work: FIRST// <Enter>
DEVICE: A138 <Enter> RIGHT MARGIN: 132// <Enter>

DO YOU WANT YOUR OUTPUT QUEUED? NO// y <Enter> (YES)

REQUESTED TIME TO PRINT: NOW// <Enter>
REQUEST QUEUED!

Work Done Using Patient Data Exchange (PDX) SEP 10,1993 15:34 PAGE 1
-----

Date/Time : JUL 27,1993 15:17
Work Done : Generation of a PDX Request
Done By : PDXUSER,TEN
Patient : PDXPATIENT,ZERO R
Patient ID : 000-00-0000
Remote Facility : REDACTED VAMC

* * * * *

Date/Time : JUL 27,1993 17:13
Work Done : Sending of an Unsolicited PDX
Done By : PDXUSER,TWO
Patient : PDXPATIENT,ONE
Patient ID : 000-11-1111
Remote Facility : REDACTED VAMC

* * * * *

Date/Time : JUL 28,1993 09:03
Work Done : Sending of an Unsolicited PDX
Done By : PDXUSER,TWO
Patient : PDXPATIENT,ONE
Patient ID : 000-11-1111
Remote Facility : REDACTED VAMC

* * * * *
```

Figure 39: Sort By Date Option—Sample Output

Work Done Using Patient Data Exchange (PDX) SEP 10,1993 15:34 PAGE 2															

Date/Time : SEP 1,1993 08:18															
Work Done : Generation of a PDX Request															
Done By : PDXUSER,ELEVEN															
Patient : PDXPATIENT,FOURTEEN															
Patient ID : 000-14-1414															
Remote Facility : REDACTED VAMC															
* * * * * * * * * * * * * * *															
Date/Time : SEP 1,1993 11:35															
Work Done : Generation of a PDX Request															
Done By : PDXUSER,TWELVE															
Patient : PDXPATIENT,TWO															
Patient ID : 000-22-2222															
Remote Facility : REDACTED VAMC															
* * * * * * * * * * * * * * *															
Date/Time : SEP 1,1993 14:33															
Work Done : Generation of a PDX Request															
Done By : PDXUSER,ELEVEN															
Patient : PDXPATIENT,FIFTEEN															
Patient ID : 000-15-1515															
Remote Facility : REDACTED VAMC															
* * * * * * * * * * * * * * *															
Date/Time : SEP 1,1993 14:38															
Work Done : Requested information was released															
Done By : PDXUSER,FOUR															
Patient : PDXPATIENT,THIRTEEN															
Patient ID : 000-13-1313															
Remote Facility : REDACTED VAMC															
* * * * * * * * * * * * * * *															
Date/Time : SEP 2,1993 13:16															
Work Done : Generation of a PDX Request															
Done By : PDXUSER,THIRTEEN															
Patient : PDXPATIENT,SIXTEEN															
Patient ID : 000-16-1616															
Remote Facility : WHITE RIVER JNCT VAMC															
* * * * * * * * * * * * * * *															

2.5.2 Sort By Remote Facility

2.5.2.1 Introduction

The Sort By Remote Facility option is used to print a work load report of all PDX transactions on file by the remote facility. Within that sort, the transactions are listed by the date/time the work was performed.

The following information will be provided for each transaction on the report, if applicable:

- Date/time work performed
- Type of work done
- User who performed the work
- Patient name
- Patient ID
- Remote facility

The remote facility will always be the external facility.

This report may be quite lengthy. It is *recommended* you queue the report to a printer during off hours.

You *must* hold the VAQ RPT security key to access the System Reports menu.



NOTE: Due to the brevity of this option, a process chart has *not* been provided.

2.5.2.2 Example

[Figure 40](#) is an example of what may appear on your screen while using the Sort By Remote Facility option followed by an example of the output ([Figure 41](#)).

Figure 40: Sort By Remote Facility Option—Sample User Dialogue

```
Select Work Load Reports Option: fac <Enter>    Sort by remote facility
DEVICE: A138 <Enter>          RIGHT MARGIN: 132// <Enter>

DO YOU WANT YOUR OUTPUT QUEUED? NO// y <Enter>    (YES)

REQUESTED TIME TO PRINT: NOW// <Enter>
REQUEST QUEUED!

Work Done Using Patient Data Exchange (PDX)      SEP 10,1993  15:34    PAGE 1
-----

Date/Time   : JUL 27,1993  17:13
Work Done   : Sending of an Unsolicited PDX
Done By     : PDXUSER,TWO
Patient     : PDXPATIENT,ONE
Patient ID  : 000-11-1111
Remote Facility : REDACTED VAMC

*   *   *   *   *   *   *   *   *   *   *   *   *   *   *

Date/Time   : JUL 28,1993  09:03
Work Done   : Sending of an Unsolicited PDX
Done By     : PDXUSER,TWO
Patient     : PDXPATIENT,ONE
Patient ID  : 000-11-1111
Remote Facility : REDACTED VAMC

*   *   *   *   *   *   *   *   *   *   *   *   *   *   *

Date/Time   : SEP  1,1993  14:38
Work Done   : Requested information was released
Done By     : PDXUSER,FOUR
Patient     : PDXPATIENT,THIRTEEN
Patient ID  : 000-13-1313
Remote Facility : REDACTED VAMC

*   *   *   *   *   *   *   *   *   *   *   *   *   *   *
```

Figure 41: Sort By Remote Facility Option—Sample Output

Work Done Using Patient Data Exchange (PDX)										SEP 10,1993		15:34		PAGE 2	

Date/Time : SEP 1,1993 11:35															
Work Done : Generation of a PDX Request															
Done By : PDXUSER,TWELVE															
Patient : PDXPATIENT,TWO															
Patient ID : 000-22-2222															
Remote Facility : REDACTED VAMC															
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Date/Time : JUL 27,1993 15:17															
Work Done : Generation of a PDX Request															
Done By : PDXUSER,TEN															
Patient : PDXPATIENT,ZERO R															
Patient ID : 000-00-0000															
Remote Facility : REDACTED VAMC															
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Date/Time : SEP 1,1993 08:18															
Work Done : Generation of a PDX Request															
Done By : PDXUSER,ELEVEN															
Patient : PDXPATIENT,FOURTEEN															
Patient ID : 000-14-1414															
Remote Facility : REDACTED VAMC															
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Date/Time : SEP 1,1993 14:33															
Work Done : Generation of a PDX Request															
Done By : PDXUSER,ELEVEN															
Patient : PDXPATIENT,FIFTEEN															
Patient ID : 000-15-1515															
Remote Facility : REDACTED VAMC															
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Date/Time : SEP 2,1993 13:16															
Work Done : Generation of a PDX Request															
Done By : PDXUSER,THIRTEEN															
Patient : PDXPATIENT,SIXTEEN															
Patient ID : 000-16-1616															
Remote Facility : WHITE RIVER JNCT VAMC															
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

2.5.3 Sort By Patient's Name

2.5.3.1 Introduction

The Sort By Patient's Name option is used to print a work load report of all PDX transactions on file by the patient's name. Within that sort, the transactions are listed by the date/time the work was performed.

The following information will be provided for each transaction on the report, if applicable:

- Date/time work performed
- Type of work done
- User who performed the work
- Patient name
- Patient ID
- Remote facility

The remote facility will always be the external facility.

This report may be quite lengthy. It is *recommended* you queue the report to a printer during off hours.

You *must* hold the VAQ RPT security key to access the System Reports menu.



NOTE: Due to the brevity of this option, a process chart has *not* been provided.

2.5.3.2 Example

[Figure 42](#) is an example of what may appear on your screen while using the Sort By Patient's Name option followed by an example of the output ([Figure 43](#)).

Figure 42: Sort By Patient's Name Option—Sample User Dialogue

```
Select Work Load Reports Option: pat <Enter>    Sort by patient's name
DEVICE: A138 <Enter>          RIGHT MARGIN: 132// <Enter>

DO YOU WANT YOUR OUTPUT QUEUED? NO// y <Enter>    (YES)

REQUESTED TIME TO PRINT: NOW// <Enter>
REQUEST QUEUED!

Work Done Using Patient Data Exchange (PDX)      SEP 10,1993  15:34    PAGE 1
-----

Date/Time   : SEP  1,1993  08:18
Work Done   : Generation of a PDX Request
Done By     : PDXUSER,ELEVEN
Patient     : PDXPATIENT,FOURTEEN
Patient ID  : 000-14-1414
Remote Facility : REDACTED VAMC

*   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *

Date/Time   : SEP  1,1993  11:35
Work Done   : Generation of a PDX Request
Done By     : PDXUSER,TWELVE
Patient     : PDXPATIENT,TWO
Patient ID  : 000-22-2222
Remote Facility : REDACTED VAMC

*   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *

Date/Time   : SEP  1,1993  14:38
Work Done   : Requested information was released
Done By     : PDXUSER,FOUR
Patient     : PDXPATIENT,THIRTEEN
Patient ID  : 000-13-1313
Remote Facility : REDACTED VAMC

*   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
```

Figure 43: Sort By Patient's Name Option—Sample Output

Work Done Using Patient Data Exchange (PDX)										SEP 10,1993		15:34		PAGE 2	

Date/Time : SEP 2,1993 13:16															
Work Done : Generation of a PDX Request															
Done By : PDXUSER,THIRTEEN															
Patient : PDXPATIENT,SIXTEEN															
Patient ID : 000-16-1616															
Remote Facility : WHITE RIVER JNCT VAMC															
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Date/Time : SEP 1,1993 14:33															
Work Done : Generation of a PDX Request															
Done By : PDXUSER,ELEVEN															
Patient : PDXPATIENT,FIFTEEN															
Patient ID : 000-15-1515															
Remote Facility : REDACTED VAMC															
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Date/Time : JUL 27,1993 17:13															
Work Done : Sending of an Unsolicited PDX															
Done By : PDXUSER,TWO															
Patient : PDXPATIENT,ONE															
Patient ID : 000-11-1111															
Remote Facility : REDACTED VAMC															
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Date/Time : JUL 28,1993 09:03															
Work Done : Sending of an Unsolicited PDX															
Done By : PDXUSER,TWO															
Patient : PDXPATIENT,ONE															
Patient ID : 000-11-1111															
Remote Facility : REDACTED VAMC															
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Date/Time : JUL 27,1993 15:17															
Work Done : Generation of a PDX Request															
Done By : PDXUSER,TEN															
Patient : PDXPATIENT,ZERO R															
Patient ID : 000-00-0000															
Remote Facility : REDACTED VAMC															
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

2.5.4 Sort Criteria Defined By User

2.5.4.1 INTRODUCTION

The Sort Criteria Defined By User option is used to print a work load report of all PDX transactions on file where the sort criteria is determined by the user.

Several different levels of sorting may be selected through this option. You can enter two question marks (??) at the SORT BY prompt for a list of the available fields by which you may choose to sort the report. If you accept the default value of **FIRST** at a prompt, all values will be printed. If you wish to sort for a range of values, enter a value instead of accepting the default.

The following information will be provided for each transaction on the report, if applicable:

- Date/time work performed
- Type of work done
- User who performed the work
- Patient name
- Patient ID
- Remote facility

The remote facility will always be the external facility.

This report may be quite lengthy. It is *recommended* you queue the report to a printer during off hours.

You *must* hold the VAQ RPT security key to access the System Reports menu and the VAQ RPT USER key to access this option.



NOTE: Due to the brevity of this option, a process chart has *not* been provided.

2.5.4.2 Example

[Figure 44](#) is an example of what may appear on your screen while using the Sort Criteria Defined By User option followed by an example of the output ([Figure 45](#) and [Figure 46](#)).

Figure 44: Sort Criteria Defined By User Option—Sample User Dialogue

```
Select Work Load Reports Option: user <Enter> Sort criteria defined by user

SORT BY: Date/Time of Work// ??

CHOOSE FROM:
.01          Date/Time of Work
.02          Done By
.03          Work Done
10           Patient Ptr
11           Patient's Name
12           Patient's SSN
13           Patient ID
20           Remote Facility
21           Remote Domain
30           Segment in Transaction (multiple)

      TYPE '-' IN FRONT OF NUMERIC-VALUED FIELD TO SORT FROM HI TO L
      TYPE '+' IN FRONT OF FIELD NAME TO GET SUBTOTALS BY THAT FIELD
      '#' TO PAGE-FEED ON EACH FIELD VALUE, '!' TO GET RANKING N
      '@' TO SUPPRESS SUB-HEADER, ']' TO FORCE SAVING SORT TEMP
      TYPE [TEMPLATE NAME] IN BRACKETS TO SORT BY PREVIOUS SEARCH RE

SORT BY: Date/Time of Work// Work Done
START WITH Work Done: FIRST// <Enter>
  WITHIN Work Done, SORT BY: Done By
  START WITH Done By: FIRST// <Enter>
    WITHIN Done By, SORT BY: <Enter>
DEVICE: A200 <Enter>          RIGHT MARGIN: 132// <Enter>

DO YOU WANT YOUR OUTPUT QUEUED? NO// y <Enter> (YES)

REQUESTED TIME TO PRINT: NOW// <Enter>
REQUEST QUEUED!
```

Figure 45: Sort Criteria Defined By User Option—Sample Output (1 of 2)

Work Done Using Patient Data Exchange (PDX) SEP 10,1993 15:34 PAGE 1															

Date/Time : SEP 2,1993 13:16															
Work Done : Generation of a PDX Request															
Done By : PDXUSER,THIRTEEN															
Patient : PDXPATIENT,SIXTEEN															
Patient ID : 000-16-1616															
Remote Facility : WHITE RIVER JNCT VAMC															
* * * * * * * * * * * * * *															
Date/Time : SEP 1,1993 08:18															
Work Done : Generation of a PDX Request															
Done By : PDXUSER,ELEVEN															
Patient : PDXPATIENT,FOURTEEN															
Patient ID : 000-14-1414															
Remote Facility : REDACTED VAMC															
* * * * * * * * * * * * * *															
Date/Time : SEP 1,1993 14:33															
Work Done : Generation of a PDX Request															
Done By : PDXUSER,ELEVEN															
Patient : PDXPATIENT,FIFTEEN															
Patient ID : 000-15-1515															
Remote Facility : REDACTED VAMC															
* * * * * * * * * * * * * *															
Date/Time : JUL 27,1993 15:17															
Work Done : Generation of a PDX Request															
Done By : PDXUSER,TEN															
Patient : PDXPATIENT,ZERO R															
Patient ID : 000-00-0000															
Remote Facility : REDACTED VAMC															
* * * * * * * * * * * * * *															
Date/Time : SEP 1,1993 11:35															
Work Done : Generation of a PDX Request															
Done By : PDXUSER,TWELVE															
Patient : PDXPATIENT,TWO															
Patient ID : 000-22-2222															
Remote Facility : REDACTED VAMC															
* * * * * * * * * * * * * *															

Figure 46: Sort Criteria Defined By User Option—Sample Output (2 of 2)

Work Done Using Patient Data Exchange (PDX)										SEP 10,1993		15:34		PAGE 2	

Date/Time		: SEP 1,1993 14:38													
Work Done		: Requested information was released													
Done By		: PDXUSER,FOUR													
Patient		: PDXPATIENT,THIRTEEN													
Patient ID		: 000-13-1313													
Remote Facility		: REDACTED VAMC													
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Date/Time		: JUL 27,1993 17:13													
Work Done		: Sending of an Unsolicited PDX													
Done By		: PDXUSER,TWO													
Patient		: PDXPATIENT,ONE													
Patient ID		: 000-11-1111													
Remote Facility		: REDACTED VAMC													
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Date/Time		: JUL 28,1993 09:03													
Work Done		: Sending of an Unsolicited PDX													
Done By		: PDXUSER,TWO													
Patient		: PDXPATIENT,ONE													
Patient ID		: 000-11-1111													
Remote Facility		: REDACTED VAMC													
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

2.5.5 Sort By Type of Work Done

2.5.5.1 Introduction

The Sort By Type of Work Done option is used to print a work load report of all PDX transactions on file by the type of work that was performed. Within that sort, the transactions are listed by the date/time the work was performed.

The following information will be provided for each transaction on the report, if applicable:

- Date/time work performed
- Type of work done
- User who performed the work
- Patient name
- Patient ID
- Remote facility

The remote facility will always be the external facility.

This report may be quite lengthy. It is *recommended* you queue the report to a printer during off hours.

You *must* hold the VAQ RPT security key to access the System Reports menu.



NOTE: Due to the brevity of this option, a process chart has *not* been provided.

2.5.5.2 Example

[Figure 47](#) is an example of what may appear on your screen while using the Sort By Type of Work Done option followed by an example of the output ([Figure 48](#)).

Figure 47: Sort By Type of Work Done Option—Sample User Dialogue (1 of 2)

```
Select Work Load Reports Option: work <Enter> Sort by type of work done
DEVICE: A138 <Enter> RIGHT MARGIN: 132// <Enter>

DO YOU WANT YOUR OUTPUT QUEUED? NO// y <Enter> (YES)

REQUESTED TIME TO PRINT: NOW// <Enter>
REQUEST QUEUED!

Work Done Using Patient Data Exchange (PDX)      SEP 10,1993  15:34      PAGE 1
-----

Date/Time   : JUL 27,1993  15:17
Work Done   : Generation of a PDX Request
Done By     : PDXUSER,TEN
Patient     : PDXPATIENT,ZERO R
Patient ID  : 000-00-0000
Remote Facility : REDACTED VAMC

*   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *

Date/Time   : SEP  1,1993  08:18
Work Done   : Generation of a PDX Request
Done By     : PDXUSER,ELEVEN
Patient     : PDXPATIENT,FOURTEEN
Patient ID  : 000-14-1414
Remote Facility : REDACTED VAMC

*   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *

Date/Time   : SEP  1,1993  11:35
Work Done   : Generation of a PDX Request
Done By     : PDXUSER,TWELVE
Patient     : PDXPATIENT,TWO
Patient ID  : 000-22-2222
Remote Facility : REDACTED VAMC

*   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
```

Figure 48: Sort By Type of Work Done Option—Sample User Dialogue (2 of 2)

Work Done Using Patient Data Exchange (PDX)	SEP 10,1993	15:34	PAGE 2

Date/Time	: SEP 1,1993	14:33	
Work Done	: Generation of a PDX Request		
Done By	: PDXUSER,ELEVEN		
Patient	: PDXPATIENT,FIFTEEN		
Patient ID	: 000-15-1515		
Remote Facility	: REDACTED VAMC		
* * * * *			
Date/Time	: SEP 2,1993	13:16	
Work Done	: Generation of a PDX Request		
Done By	: PDXUSER,THIRTEEN		
Patient	: PDXPATIENT,SIXTEEN		
Patient ID	: 000-16-1616		
Remote Facility	: WHITE RIVER JNCT VAMC		
* * * * *			
Date/Time	: SEP 1,1993	14:38	
Work Done	: Requested information was released		
Done By	: PDXUSER,FOUR		
Patient	: PDXPATIENT,THIRTEEN		
Patient ID	: 000-13-1313		
Remote Facility	: REDACTED VAMC		
* * * * *			
Date/Time	: JUL 27,1993	17:13	
Work Done	: Sending of an Unsolicited PDX		
Done By	: PDXUSER,TWO		
Patient	: PDXPATIENT,ONE		
Patient ID	: 000-11-1111		
Remote Facility	: REDACTED VAMC		
* * * * *			
Date/Time	: JUL 28,1993	09:03	
Work Done	: Sending of an Unsolicited PDX		
Done By	: PDXUSER,TWO		
Patient	: PDXPATIENT,ONE		
Patient ID	: 000-11-1111		
Remote Facility	: REDACTED VAMC		
* * * * *			

2.6 PDX Edit Files

2.6.1 Add/Edit Fields to Encrypt

2.6.1.1 INTRODUCTION

The Add/Edit Fields to Encrypt option allows the user to select data fields to be encrypted in the PDX transmission. Four fields from the PATIENT (#2) file and two fields from the PRESCRIPTION (#52) file are sent with the software. Sites may wish to encrypt other data fields that contain patient identification information. An incrementing number is used to uniquely enter each field requiring encryption. If a plus sign (+) is entered at the Select VAQ - ENCRYPTED FIELDS Encrypt Field: prompt, the system will automatically determine the incrementing number.

The Encrypt Fields site parameter *must* be set to **YES** in order to correctly use this option.

You *must* hold the VAQ EDIT FILE security key to access the Add/Edit Fields to Encrypt option.



NOTE: Due to the brevity of this option, a process chart has *not* been provided.

2.6.1.2 Example

[Figure 49](#) is an example of what may appear on your screen while using the Add/Edit Fields to Encrypt option.

Figure 49: Add/Edit Fields to Encrypt Option—Sample User Dialogue

```
Select VAQ - ENCRYPTED FIELDS Encrypt Field: ??

CHOOSE FROM:
1      FILE: 2      FIELD: .01
2      FILE: 2      FIELD: .09
3      FILE: 52     FIELD: 6
4      FILE: 2.01   FIELD: .01
5      FILE: 2.01   FIELD: 1
6      FILE: 52     FIELD: 2

      Incrementing number used to uniquely identify each entry.  Entering
      '+' will automatically determine this number.
Select VAQ - ENCRYPTED FIELDS Encrypt Field: +
ARE YOU ADDING '7' AS A NEW VAQ - ENCRYPTED FIELDS (THE 7TH)? Y <Enter> (YES)
Encrypt Field: 7// <Enter>
File: 2
Field: .03

Select VAQ - ENCRYPTED FIELDS Encrypt Field:
```

2.6.2 Edit maximum limits for automatic processing

2.6.2.1 INTRODUCTION

The Edit maximum limits for automatic processing option is used to edit the maximum time and occurrence limits that your site is willing to allow for automatic processing of a PDX transaction. The limits entered here for each data segment will be compared to the limits contained in the request from the remote site. If a requested data segment's limits are over this maximum, the request will require manual processing.

If the request requires manual processing, the members of the VAQ MANUAL PROCESSING mail group will receive the PDX REQUEST REQUIRES PROCESSING mail bulletin. An example of this bulletin is contained in the Example section of this option documentation.

You *must* hold the VAQ EDIT FILE security key to access this option.



NOTE: Due to the brevity of this option, a process chart has *not* been provided.

2.6.2.2 Example

[Figure 50](#) is an example of what may appear on your screen while using the Edit maximum limits for automatic processing option.

Figure 50: Edit maximum limits for automatic processing Option—Sample User Dialogue

```
Select VAQ - DATA SEGMENT Data Segment Name: ri <Enter> Radiology Impression
(RI)
Maximum Time Limit: 1Y// <Enter>
Maximum Occurrence Limit: 10// <Enter>

Select VAQ - DATA SEGMENT Data Segment Name: LAB
  1  LAB BLOOD AVAILABILITY  Lab Blood Availability      (BA)
  2  LAB BLOOD TRANSFUSIONS  Lab Blood Transfusions      (BT)
  3  LAB CHEMISTRY & HEMATOLOGY Lab Chemistry & Hematology (CH)
  4  LAB CUMULATIVE-SELECTED  Lab Cumulative-Selected    (SCLU)
  5  LAB CUMULATIVE-SELECTED 1 Lab Cumulative-Selected 1  (SCL1)
  6  LAB CUMULATIVE-SELECTED 2 Lab Cumulative-Selected 2  (SCL2)
TYPE ^^ TO STOP, OR
CHOOSE 1-6: 6 <Enter> Lab Cumulative-Selected 2
Maximum Time Limit: 1Y// <Enter>
Maximum Occurrence Limit: 10// <Enter>

Select VAQ - DATA SEGMENT Data Segment Name:
```

[Figure 51](#) is an example of the mail bulletin generated when a request requires manual processing.

Figure 51: Edit maximum limits for automatic processing Option—Sample MailMan Bulletin

```
Subj: PDX REQUEST REQUIRES PROCESSING  [#112896] 02 Sep 93 13:17 13 Lines
From: PDX in 'IN' basket.  Page 1
-----
```

The following PDX Request requires manual processing ...

Transaction number: 119
Name: PDXPATIENT,FIVE
PID: 000-55-5555
DOB: 09-01-1953

Requested by: PDXUSER,THREE
Site: ISC REGION 1
Domain: DEMO.ISC-REDACTED.VA.GOV

Reason for manual processing:
Maximum time & occurrence limits exceeded by 1 segment

Segments that were over the allowable time & occurrence limits:

Segment	Requested Time	Maximum Time	Requested Occurrence	Maximum Occurrence
-----	-----	-----	-----	-----
VS	2Y	1Y	10	10

Select MESSAGE Action: IGNORE (in IN basket)//

2.6.3 Add/Edit Outgoing Group

2.6.3.1 Introduction

The Add/Edit Outgoing Group option is used to create outgoing groups and add/edit/delete remote facilities in those groups. A site may create as many outgoing groups as it deems necessary.

Creating outgoing groups allows for expeditious sending of PDX requests as they may be sent to many remote facilities with one entry, the outgoing group name.

2.6.3.2 Process

The process chart in [Table 8](#) shows the steps and prompts involved in using the Add/Edit Outgoing Group option.

Table 8: Add/Edit Outgoing Group Option—Process Chart

Step	At this Prompt...	If User Answers with...	Then Step
1	Select VAQ - OUTGOING GROUP Group Name:		
		New group name	2
		Existing group name	3
		<Enter> or caret <^>	8
2	ARE YOU ADDING '{step 1 entry}' AS A NEW VAQ - OUTGOING GROUP(THE nTH)?	YES	3
		NO	1
3	Group Name: {name}//	<Enter> to accept default	4
		Correct name	4
		At-sign (@) to delete group	1
4	Select Remote Facility:	New facility for this group	5
		Existing facility contained in this group	6
		<Enter> (default)	6
		<Enter> (no default)	1
5	ARE YOU ADDING '{step 4 entry}' AS A NEW Remote Facility (THE nTH FOR THIS VAQ - OUTGOING GROUP)?	YES	4
		NO	4
6	Remote Facility: {name}//	<Enter> to accept default	7
		At-sign (@) to delete facility from outgoing group	4
7	Remote Domain:	Electronic mail address of selected remote facility	4
		<??> for list of addresses	7
8	Return to the menu		

2.6.3.3 Example

[Figure 52](#) is an example of what may appear on your screen while using the Add/Edit Outgoing Group option.

Figure 52: Add/Edit Outgoing Group Option—Sample User Dialogue

```
Select VAQ - OUTGOING GROUP Group Name: EASTERN
ARE YOU ADDING 'EASTERN' AS A NEW VAQ - OUTGOING GROUP (THE 2ND)? Y <Enter> (YES)
Group Name: EASTERN// <Enter>
Select Remote Facility: REDACTED, MA <ENTER> 518
ARE YOU ADDING 'REDACTED, MA' AS A NEW Remote Facility (THE 1ST FOR THIS
VAQ - OUTGOING GROUP)? Y <Enter> (YES)
Remote Domain: REDACTED.VA.GOV
Select Remote Facility: REDACTED
1 REDACTED OC, MA 750
2 REDACTED, MA 523
3 REDACTED-RO MASSACHUSETTS 301
CHOOSE 1-3: 2
ARE YOU ADDING 'REDACTED, MA' AS A NEW Remote Facility (THE 2ND FOR THIS
VAQ - OUTGOING GROUP)? Y <Enter> (YES)
Remote Domain: REDACTED
1 REDACTED-OC.VA.GOV
2 REDACTED.VA.GOV
CHOOSE 1-2: 2
Select Remote Facility: <Enter>

Select VAQ - OUTGOING GROUP Group Name:
```


2.6.4 Edit Parameter File

2.6.4.1 Introduction

The Edit Parameter File option is used to set site-specific PDX parameters. Your site should be the only entry in this file. You *must* hold the VAQ EDIT FILE security key to access this option.

[Table 9](#) lists the PDX parameters with a brief description:

Table 9: PDX Parameters

Parameter	Description
DOMAIN	The electronic mail address of the facility or primary division.
LIFETIME OF DATA	The number of days the PDX will be valid. The PDX will be flagged for purging after this time and will not be displayed when using display options. Fifteen (15) days is the <i>recommended</i> time.
ENCRYPT FIELDS	(YES/NO) A YES entry will allow encryption of selected data fields through the Add/Edit Fields to Encrypt option. The <i>recommended</i> response is NO .  NOTE: When processing, this field is overwritten by the setting at the requesting facility. For example, if

Parameter	Description
	your site receives an encrypted request, your site will send an encrypted response regardless of how this field is set. If you receive an unencrypted request, you will send an unencrypted response.
ENCRYPTION METHOD	The method of encryption to use for PDX requests and unsolicited PDXs. This field is only relevant when the ENCRYPT FIELDS field is set to YES . There is only one encryption method available at this time: Kernel Hashing.
DEFAULT TIME LIMIT	The default number of days/months/years you are asking the remote system to search back through a patient's data (your system on unsolicited requests). It consists of a number and letter (e.g., 30D , 6M , 1Y). This parameter will only apply to applicable data segments predetermined by the system.
DEFAULT OCCURRENCE LIMIT	The default number of occurrences of a data segment you are asking the remote system to report (your system on unsolicited requests). For example, if a 5 is entered, the system will report the five most recent occurrences of that segment. This parameter will only apply to applicable data segments predetermined by the system.

2.6.4.2 Process

The process chart in [Table 10](#) shows the steps and prompts involved in using the Edit Parameter File option.

Table 10: Edit Parameter File Option—Process Chart

Step	At this Prompt...	If User Answers with...	Then Step
1	Select VAQ - PARAMETER Facility:	Name of your facility	2
		<Enter> or caret <^>	9
2	Facility: {entry at Step 1}// If you are editing an existing entry, the following fields may appear with default values. You may enter a <Enter> to accept the default.	<Enter> to accept default	3
		Correct facility name	3
3	Domain:	E-Mail address of the main facility	4
		<??> for list of domains	3

Step	At this Prompt...	If User Answers with...	Then Step
4	Lifetime of Data:	Number of days PDX is valid (<i>recommend 15 days</i>)	5
5	Encrypt Fields:	YES to encrypt selected fields	6
		NO	6
6	Encryption Method:	Method of encryption to use for PDX requests and unsolicited PDXs	7
		<??> For a list of encryption methods	6
7	Default Time Limit:	Number and letter that represent the default number of days/months/years you wish the remote system to search back through a patient's data on applicable data segments (your system on unsolicited requests) (e.g., 30D or 6M or 1Y)	8
8	Default Occurrence Limit:	Default number of occurrences of a data segment you are asking the remote system to report (your system on unsolicited requests)	1
9	Return to the menu.		

2.6.4.3 EXAMPLE

[Figure 53](#) is an example of what may appear on your screen while using the Edit Parameter File option.

Figure 53: Edit Parameter File Option—Sample User Dialogue

```

Select VAQ - PARAMETER Facility: REDACTED <Enter> ALASKA      11000
Facility: REDACTED// <Enter>
Domain: REDACTED.VA.GOV
Lifetime of Data: 30
Encrypt Fields: NO
Encryption Method: <Enter>
Default Time Limit: 1Y
Default Occurrence Limit: 5

Select VAQ - PARAMETER Facility:

```

2.6.5 Add/Edit Segment Group - Private

2.6.5.1 Introduction

The Add/Edit Segment Group - Private option is used to enter/edit private segment groups. A private segment group is one that only the person who created it can use when requesting PDX data.

A segment group is a group of selected data segments. It may contain any number of the currently available data segments. All segment groups will automatically contain the PDX*MIN data segment, which is the minimal amount of patient data necessary to add a patient to the data base.

Data segments are comprised of Health Summary, Means Test, Copay, and specially created PDX components.



NOTE: It should be noted that some segments may contain overlapping information. You may *not* add/edit/delete the data within the data segments.

Time and occurrence limits can be placed on applicable data segments selected for the segment group. These will determine how far back the system will search for the component and the number of occurrences of that component the system will report. The initial default values for these fields are set through the Edit Parameter File option.

Creating segment groups allows for expeditious requesting/sending of information as numerous data segments may be requested/sent by one entry, the segment group name.

2.6.5.2 Process

The process chart in [Table 11](#) shows the steps and prompts involved in using the Add/Edit Segment Group - Private option.

Table 11: Add/Edit Segment Group - Private Option—Process Chart

Step	At this Prompt...	If User Answers with...	Then Step
1	Select VAQ - SEGMENT GROUP Group Name:		
		New group name	2
		Existing group name	3
		<Enter> or caret <^>	9
2	ARE YOU ADDING '{step 1 entry}' AS A NEW VAQ - SEGMENT GROUP?	YES	3
		NO	1
3	Group Name: {name} //	<Enter> to accept default	4
		Correct name	4

Step	At this Prompt...	If User Answers with...	Then Step
		At-sign (@) to delete group	1
4	Select Data Segment: If the selected data segment does not require time or occurrence limits, you will return to Step 4 after your entry at this step.	New data segment for this group	5
		Existing data segment contained in this group	6
		<Enter> (default)	6
		<Enter> (no default)	1
		<??> for list of data segments	4
5	ARE YOU ADDING '{step 4 entry}' AS A NEW Data Segment (THE nTH FOR THIS VAQ - SEGMENT GROUP)?	YES	7 or 4
		NO	7 or 4
6	Data Segment: {name}// Steps 7 and 8 may/may not appear depending on the data segment selected.	<Enter> to accept default	7
		At-sign (@) to delete data segment	4
7	Time Limit:	Time limit to use for selected data segment	8
		<Enter> to not specify a limit	8
8	Occurrence Limit:	Occurrence limit to use for selected date segment	4
		<Enter> to not specify a limit	4
9	Return to the menu.		

2.6.5.3 Example

[Figure 54](#) is an example of what may appear on your screen while using the Add/Edit Segment Group - Private option.

Figure 54: Add/Edit Segment Group - Private Option—Sample User Dialogue

```
Select VAQ - SEGMENT GROUP Group Name: BASIC
ARE YOU ADDING 'BASIC' AS A NEW VAQ - SEGMENT GROUP? Y <Enter> (YES)
Group Name: BASIC// <Enter>
Select Data Segment: LAB ORDERS
1   LAB ORDERS   Lab Orders           (LO)
2   LAB ORDERS BRIEF Lab Orders Brief   (BLO)
CHOOSE 1-2: 1 <Enter> Lab Orders
ARE YOU ADDING 'Lab Orders' AS A NEW Data Segment (THE 1ST FOR THIS VAQ - SEGMENT
GROUP)? Y <Enter> (YES)
Time Limit: 6M
Occurrence Limit: 3
Select Data Segment: MAS ADT HISTORY <Enter> MAS ADT History (ADT)
ARE YOU ADDING 'MAS ADT History' AS A NEW Data Segment (THE 2ND FOR THIS
VAQ - SEGMENT GROUP)? Y <Enter> (YES)
Time Limit: <Enter>
Occurrence Limit: 1
Select Data Segment: <Enter>

Select VAQ - SEGMENT GROUP Group Name:
```

2.6.6 Add/Edit Segment Group - Public

2.6.6.1 Introduction

The Add/Edit Segment Group - Public option is used to enter/edit public segment groups. A public segment group is one that can be used by any user when requesting PDX data. You *must* hold the VAQ EDIT FILE security key to access this option.

A segment group is a group of selected data segments. It may contain any number of the currently available data segments. All segment groups will automatically contain the PDX*MIN data segment, which is the minimal amount of patient data necessary to add a patient to the data base.

Data segments are comprised of Health Summary, Means Test, Copay, and specially created PDX components.



NOTE: It should be noted that some segments may contain overlapping information. You may *not* add/edit/delete the data within the data segments.

Time and occurrence limits can be placed on applicable data segments selected for the segment group. These will determine how far back the system will search for the component and the number of occurrences of that component the system will report. The initial default values for these fields are set through the Edit Parameter File option.

Creating segment groups allows for expeditious requesting/sending of information as numerous data segments can be requested/sent by one entry, the segment group name.

2.6.6.2 Process

The process chart in [Table 12](#) shows the steps and prompts involved in using the Add/Edit Segment Group - Public option.

Table 12: Add/Edit Segment Group - Public Option—Process Chart

Step	At this Prompt...	If User Answers with...	Then Step
1	Select VAQ - SEGMENT GROUP Group Name:		
		New group name	2
		Existing group name	3
		<Enter> or caret <^>	9
2	ARE YOU ADDING '{step 1 entry}' AS A NEW VAQ - SEGMENT GROUP?	YES	3
		NO	1
3	Group Name: {name}//	<Enter> to accept default	4
		Correct name	4
		At-sign (@) to delete group	1
4	Select Data Segment: If the selected data segment does not require time or occurrence limits, you will return to Step 4 after your entry at this step.	New data segment for this group	5
		Existing data segment contained in this group	6
		<Enter> (default)	6
		<Enter> (no default)	1
		<??> for list of data segments	4
5	ARE YOU ADDING '{step 4 entry}' AS A NEW Data Segment (THE nTH FOR THIS VAQ - SEGMENT GROUP)?	YES	7 or 4
		NO	7 or 4
6	Data Segment: {name}// Steps 7 and 8 may/may not appear depending on the data	<Enter> to accept default	7
		At-sign (@) to delete data segment	4

Step	At this Prompt...	If User Answers with...	Then Step
	segment selected.		
7	Time Limit:	Time limit to use for selected data segment	8
		<Enter> to not specify a limit	8
8	Occurrence Limit:	Occurrence limit to use for selected date segment	4
		<Enter> to not specify a limit	4
9	Return to the menu.		

2.6.6.3 Example

[Figure 55](#) is an example of what may appear on your screen while using the Add/Edit Segment Group - Public option.

Figure 55: Add/Edit Segment Group - Public Option—Sample User Dialogue

```

Select VAQ - SEGMENT GROUP Group Name: BASIC
  ARE YOU ADDING 'BASIC' AS A NEW VAQ - SEGMENT GROUP? Y <Enter> (YES)
Group Name: BASIC// <Enter>
Select Data Segment: LAB ORDERS
  1   LAB ORDERS   Lab Orders           (LO)
  2   LAB ORDERS BRIEF   Lab Orders Brief   (BLO)
CHOOSE 1-2: 1 <Enter> Lab Orders
  ARE YOU ADDING 'Lab Orders' AS A NEW Data Segment (THE 1ST FOR THIS VAQ - SEGMENT
GROUP)? Y <Enter> (YES)
Time Limit: 6M
Occurrence Limit: 3
Select Data Segment: MAS ADT HISTORY <Enter> MAS ADT History   (ADT)
  ARE YOU ADDING 'MAS ADT History' AS A NEW Data Segment (THE 2ND FOR THIS
VAQ - SEGMENT GROUP)? Y <Enter> (YES)
Time Limit: <Enter>
Occurrence Limit: 1
Select Data Segment: <Enter>

Select VAQ - SEGMENT GROUP Group Name:

```

2.6.7 Add/Edit Release Group

2.6.7.1 Introduction

The Add/Edit Release Group option is used to enter/edit facilities into the release group for automatic processing of PDX requests. If the requesting facility is contained in the release group, the PDX request will be automatically processed. If not, the request will be placed in a queue to be manually processed. All requests pertaining to patients with “sensitive” records and those that exceed the maximum time and occurrence limits for Health Summary components are manually processed.

Only one release group exists per site. Through this option, the site may select how many and which facilities are in their release group.

You *must* hold the VAQ EDIT FILE security key to access this option.



NOTE: Due to the brevity of this option, a process chart has *not* been provided.

2.6.7.2 Example

[Figure 56](#) is an example of what may appear on your screen while using the Add/Edit Release Group option.

Figure 56: Add/Edit Release Group Option—Sample User Dialogue

```
Select VAQ - RELEASE GROUP Remote Facility: REDACTED DOM <Enter> NEW YORK
ARE YOU ADDING 'REDACTED DOM' AS A NEW VAQ - RELEASE GROUP (THE 1ST)? y <Enter>
(YES)
Remote Facility: REDACTED DOM// <Enter>
Remote Domain: REDACTED.VA.GOV.

Select VAQ - RELEASE GROUP Remote Facility: REDACTED <ENTER> NEW YORK      500
ARE YOU ADDING 'REDACTED' AS A NEW VAQ - RELEASE GROUP (THE 2ND)? Y <Enter> (YES)
Remote Facility: REDACTED// <Enter>
Remote Domain: REDACTED.VA.GOV.

Select VAQ - RELEASE GROUP Remote Facility:
```

2.6.8 Add/Edit Segment Group - All

2.6.8.1 Introduction

The Add/Edit Segment Group - All option is used to enter/edit public and private segment groups. A private segment group is one that only the person who created it can use when requesting PDX data. A public segment group is one that can be used by any user when requesting PDX data. You *must* hold the VAQ EDIT FILE security key to access this option.

A segment group is a group of selected data segments. It may contain any number of the currently available data segments. All segment groups will automatically contain the PDX*MIN data segment, which is the minimal amount of patient data necessary to add a patient to the data base.

Data segments are comprised of Health Summary, Means Test, Copay, and specially created PDX components.



NOTE: It should be noted that some segments may contain overlapping information. You may *not* add/edit/delete the data within the data segments.

Time and occurrence limits can be placed on applicable data segments selected for the segment group. These will determine how far back the system will search for the component and the number of occurrences of that component the system will report. The initial default values for these fields are set through the Edit Parameter File option.

Creating segment groups allows for expeditious requesting/sending of information as numerous data segments may be requested/sent by one entry, the segment group name.

2.6.8.2 Process

The process chart in [Table 13](#) shows the steps and prompts involved in using the Add/Edit Segment Group - All option.

Table 13: Add/Edit Segment Group - All Option—Process Chart

Step	At this Prompt...	If User Answers with...	Then Step
1	Select VAQ - SEGMENT GROUP Group Name:		
		New group name	2
		Existing group name	3
		<Enter> or caret <^>	10
2	ARE YOU ADDING '{step 1 entry}' AS A NEW VAQ - SEGMENT GROUP (THE nTH)?	YES	3
		NO	1
3	Group Name: {name}//	<Enter> to accept default	4
		Correct name	4
		At-sign (@) to delete group	1
4	Group Type:	PRIVATE —If this group can be referenced only by the user who created the group	5
		PUBLIC —If this group can be referenced by all users	5
5	Select Data Segment:	New data segment for this group	6
		Existing data segment contained in this group	7
		<Enter> (default)	7

Step	At this Prompt...	If User Answers with...	Then Step
	If the selected data segment does not require time or occurrence limits, you will return to Step 5 after your entry at this step.	<Enter> (no default)	1
		<??> For list of data segments	5
6	ARE YOU ADDING '{step 4 entry}' AS A NEW Data Segment (THE nTH FOR THIS VAQ - SEGMENT GROUP)?	YES	8 or 5
		NO	8 or 5
7	Data Segment: {name}// Steps 8 and 9 may/may not appear depending on the data segment selected.	<Enter> to accept default	8
		At-sign (@) to delete data segment	5
8	Time Limit:	Time limit to use for selected data segment	9
		<Enter> to not specify a limit	9
9	Occurrence Limit:	Occurrence limit to use for selected date segment	5
		<Enter> to not specify a limit	5
10	Return to the menu.		

2.6.8.3 Example

[Figure 57](#) is an example of what may appear on your screen while using the Add/Edit Segment Group - All option.

Figure 57: Add/Edit Segment Group - All Option—Sample User Dialogue

```
Select VAQ - SEGMENT GROUP Group Name: BASIC
  ARE YOU ADDING 'BASIC' AS A NEW VAQ - SEGMENT GROUP (THE 17TH)? Y <Enter> (YES)
Group Name: BASIC// <Enter>
Group Type: 0 <Enter> PRIVATE
Select Data Segment: LAB ORDERS
  1  LAB ORDERS  Lab Orders          (LO)
  2  LAB ORDERS BRIEF  Lab Orders Brief      (BLO)
CHOOSE 1-2: 1 <Enter> Lab Orders
  ARE YOU ADDING 'Lab Orders' AS A NEW Data Segment (THE 1ST FOR THIS VAQ - SEGMENT
GROUP)? Y <Enter> (YES)
Time Limit: 6M
Occurrence Limit: 3
Select Data Segment: MAS ADT HISTORY <Enter> MAS ADT History          (ADT)
  ARE YOU ADDING 'MAS ADT History' AS A NEW Data Segment (THE 2ND FOR THIS
VAQ - SEGMENT GROUP)? Y <Enter> (YES)
Time Limit: <Enter>
Occurrence Limit: 1
Select Data Segment: <Enter>

Select VAQ - SEGMENT GROUP Group Name:
```

2.7 Purging

2.7.1 Purge Using Default Age

2.7.1.1 Introduction

The Purge Using Default Age option is used to purge PDX transactions and their associated data based on the value found in the PDX parameter, LIFETIME OF DATA. The Purger automatically adds three days to the parameter value. Once transactions are older than this value, they are flagged for purging and automatically purged when this option is used. The *recommended* value for the LIFETIME OF DATA parameter is **15** days.

The date the last status was assigned to the transaction is the date used in determining when transactions will be flagged for purging.

The only prompt is for a requested start time for the purge. Once the start time is entered, a message will be displayed indicating the task has been queued. The task number is also displayed. This number should be used if it becomes necessary to cancel the task through the TaskMan User Toolbox utility.

If the task is stopped before completion and/or if certain transactions could not be purged, a mail bulletin will be sent notifying the members of the VAQ PDX ERRORS mail group.

You *must* hold the VAQ PURGE security key to access the Purging menu.



NOTE: The purging process may be quite time consuming and should be queued to run during off hours.



NOTE: Due to the brevity of this option, a process chart has *not* been provided.

2.7.1.2 Example

[Figure 58](#) is an example of what may appear on your screen while using the Purge Using Default Age option. An example of the PDX TRANSACTIONS COULD NOT BE PURGED mail bulletin is also provided below.

Figure 58: Purge Using Default Age Option—Sample User Dialogue

```
Requested Start Time: NOW// <Enter> (SEP 08, 1993@10:46:27)

Purging of PDX Transactions has been queued.
Task number: 11438

Subj: PDX TRANSACTIONS COULD NOT BE PURGED [#113054] 08 SEP 93 13:16 EST
14 Lines
From: PDX in 'IN' basket. Page 1 **NEW**
-----

The following PDX Transaction(s) could not be purged ...

Entry #: 25
Global: ^VAT(394.61,25)
Reason: TEST BULLETIN

** Please remember that PDX Transactions may also **
** have associated data stored in file number 394.62 **

Select MESSAGE Action: IGNORE (in IN basket)//
```

2.7.2 Purge Using User Defined Age

2.7.2.1 Introduction

The Purge Using User Defined Age option is used to purge PDX transactions and their associated data based on an age entered by the user.

You will be prompted for the number of days to use for purging. The Purger automatically adds three days to the user-entered value. Once transactions are older than this value, they are flagged for purging and automatically purged when this option is used. The default value displayed with the prompt is the entry in the PDX site parameter, LIFETIME FOR DATA.

The date the last status was assigned to the transaction is the date used in determining when transactions will be flagged for purging.

The second prompt is a requested start time for the purge. Once the start time is entered, a message will be displayed indicating the task has been queued. The task number is also displayed. This number should be used if it becomes necessary to cancel the task through the TaskMan User Toolbox utility.

If the task is stopped before completion and/or if certain transactions could not be purged, a mail bulletin will be sent notifying the members of the VAQ PDX ERRORS mail group.

You *must* hold the VAQ PURGE security key to access the Purging menu.



NOTE: The purging process may be quite time consuming and should be queued to run during off hours.



NOTE: Due to the brevity of this option, a process chart has *not* been provided.

2.7.2.2 Example

[Figure 59](#) is an example of what may appear on your screen while using the Purge Using User Defined Age option. An example of the PDX TRANSACTIONS COULD NOT BE PURGED mail bulletin is also provided below.

Figure 59: Purge Using User Defined Age Option—Sample User Dialogue

```
Lifetime to use for purging: 15// 25

Requested Start Time: NOW// <Enter> (SEP 08, 1993@11:06:21)

Purging of PDX Transactions has been queued.
Task number: 11440

Subj: PDX TRANSACTIONS COULD NOT BE PURGED  [#113054] 08 SEP 93 13:16 EST
14 Lines
From: PDX in 'IN' basket.    Page 1  **NEW**
-----

The following PDX Transaction(s) could not be purged ...

Entry #: 25
Global: ^VAT(394.61,25)
Reason: TEST BULLETIN

** Please remember that PDX Transactions may also **
** have associated data stored in file number 394.62 **

Select MESSAGE Action: IGNORE (in IN basket)//
```

2.7.3 Purge Using User Defined Date

2.7.3.1 Introduction

The Purge Using User Defined Date option is used to purge PDX transactions and their associated data based on a date entered by the user.

You will be prompted for the date to use for purging (date *must* be before three days ago). Transactions older than this value will be automatically purged when this option is used.

The date the last status was assigned to the transaction is the date used in determining when transactions will be flagged for purging.

The second prompt is a requested start time for the purge. Once the start time is entered, a message will be displayed indicating the task has been queued. The task number is also displayed. This number should be used if it becomes necessary to cancel the task through the TaskMan User Toolbox utility.

If the task is stopped before completion and/or if certain transactions could not be purged, a mail bulletin will be sent notifying the members of the VAQ PDX ERRORS mail group.

You *must* hold the VAQ PURGE security key to access the Purging menu.



NOTE: The purging process may be quite time consuming and should be queued to run during off hours.



NOTE: Due to the brevity of this option, a process chart has *not* been provided.

2.7.3.2 Example

[Figure 60](#) is an example of what may appear on your screen while using the Purge Using User Defined Date option. An example of the PDX TRANSACTIONS COULD NOT BE PURGED mail bulletin is also provided below.

Figure 60: Purge Using User Defined Date Option—Sample User Dialogue

```
Date to use for purging: 08-09-1993// <Enter> (AUG 09, 1993)

Requested Start Time: NOW// <Enter> (SEP 08, 1993@11:06:21)

Purging of PDX Transactions has been queued.
Task number: 11449

Subj: PDX TRANSACTIONS COULD NOT BE PURGED [#113054] 08 SEP 93 13:16 EST
14 Lines
From: PDX in 'IN' basket. Page 1 **NEW**
-----

** Purger was stopped before completion **

The following PDX Transaction(s) could not be purged ...

Entry #: 25
Global: ^VAT(394.61,25)
Reason: TEST BULLETIN

** Please remember that PDX Transactions may also **
** have associated data stored in file number 394.62 **

Select MESSAGE Action: IGNORE (in IN basket)//
```

2.8 Mail Groups and Bulletins

2.8.1 Mail Groups

There are three mail groups associated with the PDX software.

- **VAQ MANUAL PROCESSING**—Members of this group will receive notification when a PDX request received at their site requires manual processing.
- **VAQ PDX ERRORS**—Members of this group will receive notification of purging errors and errors in transmission of PDX transactions.
- **VAQ UNSOLICITED RECEIVED**—Members of this group will receive notification when an unsolicited PDX transaction is received at their site.

2.8.2 Bulletins

The mail bulletins contained in the PDX software will have one of five different subjects. These bulletins are described below along with an example of each.

2.8.2.1 PDX Request Requires Processing

This bulletin is generated when a PDX request is received at your site that requires manual processing. Members of the VAQ MANUAL PROCESSING mail group will receive this bulletin. The four reasons a request would require manual processing are as follows:

- Sensitive patient
- Domain not in mail group
- Ambiguous patient
- Maximum time and occurrence limits exceeded by {#} segments

Figure 61: PDX Request Requires Processing—Sample Bulletin

```
Subj: PDX REQUEST REQUIRES PROCESSING  [#112899] 02 Sep 93 13:24  27 Lines
From: PDX  in 'IN' basket.    Page 1
-----
```

The following PDX Request requires manual processing ...

Transaction number: 120
Name: PDXPATIENT,FIVE
PID: 000-55-5555
DOB: 09-01-1933

Requested by: PDXUSER,THREE
Site: REDACTED VAMC
Domain: REDACTED.VA.GOV

Reason for manual processing:
Maximum time & occurrence limits exceeded by 3 segments

Segments that were over the allowable time & occurrence limits:

Segment	Requested Time	Maximum Time	Requested Occurrence	Maximum Occurrence
-----	-----	-----	-----	-----
DD	1Y	-	20	10
OPC	2Y	1Y	10	-
RI	-	1Y	10	10

Select MESSAGE Action: IGNORE (in IN basket)//

2.8.2.2 Results of PDX Request

This bulletin is generated after the remote site takes action on your PDX transaction. Users who were specified to receive notification at the time the request was made will receive this bulletin. The bulletin will inform you whether your request has been processed and returned or has been rejected by the remote site. Except for those patients who are deemed “sensitive”, the requested data will be contained in the mail bulletin if it was so specified during the request.

Figure 62: Results of PDX Request Option—Sample Bulletin

```
Subj: RESULTS OF PDX REQUEST  [#112839] 01 Sep 93 16:08  50 Lines
From: PDX  in 'IN' basket.    Page 1
-----

Your request for information has been processed and returned ...

Transaction number: 115
Name: PDXPATIENT,TEN
PID: 000-10-1010
DOB: 08-31-1952

Requested by: PDXUSER,THREE
Requested on: SEP 01, 1993

Processed by: PDXUSER,TWENTY-SEVEN
Site: REDACTED VAMC
Domain: REDACTED.VA.GOV

Comments: None listed

Subj: RESULTS OF PDX REQUEST  [#112839]    Page 2
-----

Requested information:

-----< Integrated Billing >-----

                MEANS TEST BILLING INFORMATION

        --- This patient has no current Means Test Billing activity ---

-----< MAS Minimum Patient Information >-----

PAT Name: PDXPATIENT,TEN                DOB: AUG 31, 1952    AGE: 71
Addr: 123 MAIN ST                        SSN: 000-10-1010
      : PARKLAND LEFT                    Sex: MALE          MS: NEVER MARR
      :                                Religion: CATHOLIC
City/ST: ANYTOWN, NY
Zip: 12180                                County: RENSSELAER

Patient Type: NSC VETERAN                Veteran: YES
Period of Service: VIETNAM ERA
Service Connected: NO                     Percentage: %
Eligibility: NSC

Select MESSAGE Action: IGNORE (in IN basket)//
```

2.8.2.3 Receipt of Unsolicited PDX

This bulletin is generated when an unsolicited PDX request is received at your site. Members of the VAQ UNSOLICITED REVIEW mail group will receive this bulletin.

Figure 63: Receipt of Unsolicited PDX—Sample Bulletin

```
Subj: RECEIPT OF UNSOLICITED PDX  [#112899] 02 Sep 93 13:24  24 Lines
From: PDX  in 'IN' basket.    Page 1
-----
```

The following Unsolicited PDX has been received...

```
Transaction number: 120
Name: PDXPATIENT,FIVE
PID: 000-55-5555
DOB: 09-01-1933
```

```
Received on: SEP 02, 1993
```

```
Sent by: PDXUSER,THREE
Site: REDACTED VAMC
Domain: REDACTED.VA.GOV
```

```
Comments: None listed
```

```
Select MESSAGE Action: IGNORE (in IN basket)//
```

2.8.2.4 PDX Transaction Could Not Be Purged

This bulletin is generated when either or both of the following occur:

- Process of purging the PDX data is stopped before completion.
- Purge has completed and certain transactions were found that could *not* be purged.

Members of the VAQ PDX ERRORS mail group will receive this bulletin.

Figure 64: PDX Transaction Could Not Be Purged—Sample Bulletin

```
Subj: PDX TRANSACTIONS COULD NOT BE PURGED  [#113054] 08 SEP 93 13:16 EST
14 Lines
From: PDX  in 'IN' basket.    Page 1
-----

** Purger was stopped before completion **

The following PDX Transaction(s) could not be purged ...

** Please remember that PDX Transactions may also  **
** have associated data stored in file number 394.62 **

Select MESSAGE Action: IGNORE (in IN basket)//

Subj: PDX TRANSACTIONS COULD NOT BE PURGED  [#113054] 08 SEP 93 13:16 EST
14 Lines
From: PDX  in 'IN' basket.    Page 1
-----

The following PDX Transaction(s) could not be purged ...

Entry #: 25
Global: ^VAT(394.61,25)
Reason: TEST BULLETIN

** Please remember that PDX Transactions may also  **
** have associated data stored in file number 394.62 **

Select MESSAGE Action: IGNORE (in IN basket)//
```

2.8.2.5 Unable to Send Messages

These bulletins are generated when an error occurred during transmission of the PDX transaction. Members of the VAQ PDX ERRORS mail group will receive the first bulletin while the person generating the transaction will receive the second bulletin.

Figure 65: Unable to Send Messages—Sample Bulletin

```
Subj: UNABLE TO SEND MESSAGES  [#112899] 02 Sep 93 13:24  11 Lines
From: PDX  in 'IN' basket.    Page 1
-----
```

The following error(s) occurred while generating PDX transmissions...

```
(1)  Transaction Number: 120
      IFN: 26
      Global Location: ^VAT(394.61,26)
      User: PDXUSER,SEVEN.  (1934)
      Transaction did not contain a domain to transmit message to
```

Select MESSAGE Action: IGNORE (in IN basket)//

```
Subj: UNABLE TO SEND MESSAGES  [#112889] 02 Sep 93 13:24  16 Lines
From: PDX  in 'IN' basket.    Page 1
-----
```

The following message(s) could not be transmitted ...

```
(1)  Transaction Number: 120
      Name: PDXPATIENT,TWELVE
      PID: 000-12-1212
      SSN: 000121212
      DOB: 11-12-44
      Sent By: PDXUSER,SEVEN
      Site: Could not be determined (Contact your PDX ADPAC)
      Domain: Could not be determined (Contact your PDX ADPAC)
      Message Type:
```

Select MESSAGE Action: IGNORE (in IN basket)//

Glossary

Table 14: Glossary

Term	Definition
Data Segment	Comprised of Health Summary, Means Test, Copay, and specially created PDX components.
Domain	A facility's electronic mail address.
Mnemonic	A device or code intended to assist memory.
Outgoing Group	A group of remote facilities. Creating outgoing groups allows for expeditious sending of PDX requests as they may be sent to all the facilities contained in the group with one entry, the outgoing group name.
PDX	Patient Data Exchange
Release Group	A group of sites defined in the VAQ - RELEASE GROUP file through FileMan. Requests for sites you enter in your release group will be processed automatically upon receipt. Conversely, your requests will be processed automatically by sites who have your site defined in their release group.
Remote Site	The facility with which your site is exchanging data. If you are requesting a PDX, the site you are requesting the data from would be the remote site. If you receive a request for a PDX, the site requesting the data would be the remote site.
Segment Group	A group of selected data segments.
Transaction	A number automatically assigned to a PDX request when the number message is originated and/or received.



REF: For a list of commonly used terms and definitions, see the OIT Master Glossary VA Intranet Website.

For a list of commonly used acronyms, see the VA Acronym Lookup Intranet Website.

Table 15: Military Time Conversion Table:

Standard	Military
12:00 MIDNIGHT	2400 HOURS
11:00 PM	2300 HOURS
10:00 PM	2200 HOURS
9:00 PM	2100 HOURS

Standard	Military
8:00 PM	2000 HOURS
7:00 PM	1900 HOURS
6:00 PM	1800 HOURS
5:00 PM	1700 HOURS
4:00 PM	1600 HOURS
3:00 PM	1500 HOURS
2:00 PM	1400 HOURS
1:00 PM	1300 HOURS
12:00 NOON	1200 HOURS
11:00 AM	1100 HOURS
10:00 AM	1000 HOURS
9:00 AM	0900 HOURS
8:00 AM	0800 HOURS
7:00 AM	0700 HOURS
6:00 AM	0600 HOURS
5:00 AM	0500 HOURS
4:00 AM	0400 HOURS
3:00 AM	0300 HOURS
2:00 AM	0200 HOURS
1:00 AM	0100 HOURS

3 Appendix A—List Manager

The List Manager is a tool that displays a list of items in a screen format and provides the following functionality:

- Browse through the list.
- Select items that need action.
- Take action against those items.
- Select other List Manager actions without leaving the option.

Actions are entered by typing the names or abbreviations at the “Select Action” prompt. Actions can be preselected by separating them with semicolons (;). For example, “**AL;CI**” (**Appointment Lists;Checked In**) will advance through the two actions automatically.

Entries may be preselected in the following manner:

- CI=1** will process entry **1** for check-in
- CI=3 4 5** will process entries **3,4,5** for check-in
- CI=1-3** will process entries **1,2,3** for check-in

In addition to the various actions that may be available specific to the option you are working in, List Manager provides generic actions applicable to any List Manager screen. You can enter two question marks (??) at the “Select Action” prompt for a list of all actions available.

[Table 16](#) lists the generic List Manager actions with a brief description. The abbreviation for each action is shown in brackets [] following the action name. Entering the abbreviation is the quickest way to select an action.

Table 16: generic List Manager actions

Action	Description
Next Screen [+]	Move to the next screen.
Previous Screen [-]	Move to the previous screen.
Up a Line [UP]	Move up one line.
Down a Line [DN]	Move down one line.
Shift View to Right [>]	Move the screen to the right if the screen width is more than 80 characters.
Shift View to Left [<]	Move the screen to the left if the screen width is more than 80 characters.
First Screen [FS]	Move to the first screen.
Last Screen [LS]	Move to the last screen.
Go to Page [G0]	Move to any selected page in the list.
Re Display Screen (RD)	Redisplay the current screen.

Action	Description
Print Screen [PS]	Prints the header and the portion of the list currently displayed.
Print List [PL]	Prints the list of entries currently displayed.
Search List [SL]	Finds selected text in list of entries.
Auto Display(On/Off) [ADPL]	Toggles the menu of actions to be displayed/not displayed automatically.
Quit [QU]	Exits the screen.

4 Appendix B—Health Summary Components

The following is a list of the Health Summary Components supported by PDX 1.5. The descriptions were extracted from the HEALTH SUMMARY COMPONENTS file.

Component Name: ADVERSE REACTIONS/ALLERGIES
Display Name: Adv React/Allerg
Abbreviation: ADR
Time Limits Apply:
Max Occurrences Apply:
Description: This component contains information from MAS, Pharmacy, and Dietetics software. It provides a list of all known food, drug and environmental allergies or adverse reactions (e.g., hay fever).

Component Name: CLINICAL WARNINGS
Display Name: Clinical Warnings
Abbreviation: CW
Time Limits Apply:
Max Occurrences Apply:
Description: This component contains clinical warning notes entered using the Generic Progress Note software. No time or maximum occurrence limits apply to this component. Clinical Warnings are a type of progress note, which includes clinical information to which clinicians need to be alerted. If this component is printed out on a CRT, information will include title, text of note, electronic signature block, and date posted. If the printout is to another device type, information will include electronic signature block and date posted to ensure security of information.

Component Name: CRISIS NOTES

Display Name: Crisis Notes

Abbreviation: CN

Time Limits Apply:

Max Occurrences Apply:

Description: This component contains crisis notes entered using the Generic Progress Note software. No time or maximum occurrence limits apply to this component. Crisis Notes are a type of progress note that contains important information for anyone who deals with a patient. If this component is printed out on a CRT, information will include title, text of note, electronic signature block, and date posted. If the printout is to another device type, information will include electronic signature block and date posted to ensure security of information.

Component Name: DIETETICS

Display Name: Dietetics

Abbreviation: DI

Time Limits Apply: yes

Max Occurrences Apply: yes

Description: This component contains information from the Dietetics software. Time and occurrence limits apply to this component. Data presented include: diet orders, start/stop dates, type of service (e.g., tray); nutritional status, date assessed; supplemental feedings, start/stop dates; tube feedings, start/stop dates, strength of product, quantity ordered, and daily dosages.



NOTE: When a time limit is selected, the data presented reflects orders initiated within the time period.

Component Name: LAB BLOOD AVAILABILITY

Display Name: Blood Availability

Abbreviation: BA

Time Limits Apply: yes

Max Occurrences Apply: yes

Description: This component contains information from the Blood Bank module of the Lab software. Time and occurrence limits apply to this component. Data presented include: patient blood type (whether or not units have been assigned), unit expiration date, unit ID#, blood product(s), cross-match results, last known location, and a flag for autologous units.



NOTE: An asterisked date (e.g., * 10/10/90) indicates that the unit is due to expire within the next 48 hours.

Component Name: LAB BLOOD TRANSFUSIONS

Display Name: Blood Transfusions

Abbreviation: BT

Time Limits Apply: yes

Max Occurrences Apply: yes

Description: This component contains information from the Blood Bank module of the Lab software. Time and occurrence limits apply to this component. Data presented include: transfusion date and abbreviated blood products [with total number of units transfused for each, e.g., RBC (2)]. A key of the abbreviations is presented at the bottom of the display to help identify any unfamiliar blood products.

Component Name: LAB CHEMISTRY & HEMATOLOGY
Display Name: Chem & Hematology
Abbreviation: CH
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains information extracted from the Lab software. Time and maximum occurrence limits apply to this component. Data presented include: collection date/time, specimen, test name, results (w/ref flag: High/Low/Critical), units, and Reference range. Comments will also be conditionally displayed, depending on the value of the DISPLAY COMMENTS ON LABS Health Summary Site Parameter. Results that include comments will be indicated with the symbol !!, in the event that the parameter is set to 0 or NO.

Component Name: LAB CUMULATIVE SELECTED
Display Name: Lab Cum Selected
Abbreviation: SCLU
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains information extracted from the Lab software. Not only do time and maximum occurrence limits apply to this component, but the user is allowed to select any number of atomic Lab tests. Data presented include: collection date/time, specimen, test names with results and reference flags in columnar (horizontal) format.

Component Name: LAB CUMULATIVE SELECTED 1
Display Name: Lab Cum Selected 1
Abbreviation: SCL1
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains information extracted from the Lab software. Not only do time and maximum occurrence limits apply to this component, but the user is allowed to select as many as seven atomic Lab tests. Data presented include: collection date/time, specimen, test names with results and reference flags in columnar (horizontal) format.

Component Name: LAB CUMULATIVE SELECTED 2
Display Name: Lab Cum Selected 2
Abbreviation: SCL2
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains information extracted from the Lab software. Not only do time and maximum occurrence limits apply to this component, but the user is allowed to select as many as seven atomic Lab tests. Data presented include: collection date/time, specimen, test names with results and reference flags in columnar (horizontal) format.

Component Name: LAB CUMULATIVE SELECTED 3
Display Name: Lab Cum Selected 3
Abbreviation: SCL3
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains information extracted from the Lab software. Not only do time and maximum occurrence limits apply to this component, but the user is allowed to select as many as seven atomic Lab tests. Data presented include: collection date/time, specimen, test names with results and reference flags in columnar (horizontal) format.

Component Name: LAB CUMULATIVE SELECTED 4
Display Name: Lab Cum Selected 4
Abbreviation: SCL4
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains information extracted from the Lab software. Not only do time and maximum occurrence limits apply to this component, but the user is allowed to select as many as seven atomic Lab tests. Data presented include: collection date/time, specimen, test names with results and reference flags in columnar (horizontal) format.

Component Name: LAB CYTOPATHOLOGY

Display Name: Cytopathology

Abbreviation: CY

Time Limits Apply: yes

Max Occurrences Apply: yes

Description: This component contains information extracted from the Cytopathology module of the Lab software. Time and maximum occurrence limits apply. Data presented include: collection date/time, accession number, specimen, gross description and microscopic exam (both word processing fields), ICD diagnoses, and SNOMED fields: topography, disease, morphology, etiology, and procedures.

Component Name: LAB MICROBIOLOGY

Display Name: Microbiology

Abbreviation: MIC

Time Limits Apply: yes

Max Occurrences Apply: yes

Description: This component contains information extracted from the Microbiology module of the Lab software. Time and maximum occurrence limits apply. Data include: collection date/time, site/specimen, Parasite Report, organism(s), Mycology Report, Bacteriology Report, Mycobacteriology Report, Gram Stain Result, Culture and Susceptibility, Antibiotic Serum Level, and remarks.

Component Name: LAB MICROBIOLOGY BRIEF

Display Name: Brief Microbiology

Abbreviation: BMIC

Time Limits Apply: yes

Max Occurrences Apply: yes

Description: This component contains information extracted from the Lab software. Time and maximum occurrence limits apply to this component in addition to collection date/time, test name, specimen, report status, Culture and Susceptibility, Antibiotic Serum Level, and test results.

Component Name: LAB ORDERS
Display Name: Lab Orders
Abbreviation: LO
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains information extracted from the Lab software. Time and maximum occurrence limits apply. Data presented include: collection date (either actual or expected), lab test, provider, accession, date/time ordered, specimen, and date/time results available.

Component Name: LAB ORDERS BRIEF
Display Name: Brief Lab Orders
Abbreviation: BLO
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains information extracted from the Lab software. Time and maximum occurrence limits apply. Data presented include: collection date/time, lab test name, specimen, urgency, and order status (e.g., ORDERED, COLLECTED, PROCESSING, COMPLETE).

Component Name: LAB SURGICAL PATHOLOGY
Display Name: Surgical Pathology
Abbreviation: SP
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains information extracted from the Surgical Pathology module of the Lab software. Time and maximum occurrence limits apply. Data presented include: collection date/time, accession number, specimen, gross description and microscopic exam (both word processing fields), ICD diagnoses, and SNOMED fields: topography, disease, morphology, etiology, and procedures.

Component Name: LAB TESTS SELECTED
Display Name: Lab Tests Selected
Abbreviation: SLT
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains information extracted from the Lab software. Not only do time and maximum occurrence limits apply to this component, but the user is allowed to select any number of atomic Lab tests. Data include: collection date/time, specimen, test name, result, units and reference range.



NOTE: This component corresponds to the vertical format for the Lab software cumulative reports.

Component Name: MAS ADMISSIONS/DISCHARGES
Display Name: Admission/Discharge
Abbreviation: ADC
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains information from the MAS software. Time and occurrence limits apply to this component. Data presented include: date range of admission, ward, length of stay (LOS), last treating specialty, last provider, admitting diagnosis text, bed section, principal diagnosis, diagnosis for longest length of stay (DXLS), and secondary ICD diagnoses.

Component Name: MAS ADT HISTORY
Display Name: ADT History
Abbreviation: ADT
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains information extracted from the MAS software. It can only be used with MAS Version 5 and up. Time and maximum occurrence limits apply. Data presented include: movement date, movement type (ADM=Admission, TR=Transfer, TS= Treating Specialty, DC=Discharge), movement description, specialty, and provider.

Component Name: MAS CLINIC VISITS FUTURE
Display Name: Fut Clinic Visits
Abbreviation: CVF
Time Limits Apply:
Max Occurrences Apply:
Description: This component provides a listing from the MAS scheduling module that contains future clinic visit dates, the clinic visited, and the appointment type.

Component Name: MAS CLINIC VISITS PAST
Display Name: Past Clinic Visits
Abbreviation: CVP
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains information from the MAS scheduling module. Time and occurrence limits apply to this component. Data presented include: past clinic visits, dates, and a visit status (e.g., NO SHOW, INPATIENT VISIT).



NOTE: Cancellations and Unscheduled Visits are shown.

Component Name: MAS DEMOGRAPHICS

Display Name: Demographics

Abbreviation: DEM

Time Limits Apply:

Max Occurrences Apply:

Description: This component contains the following patient demographic data (if available) from the MAS software: address, phone, county, marital status, religion, period of service, POW status (**Y** or **N**), branch of service, combat status (**Y** or **N**), eligibility code, current (verified) eligibility status, service connected %, eligible for care (**Y** or **N**), next of kin (NOK), NOK phone number and address.

Component Name: MAS DEMOGRAPHICS BRIEF

Display Name: Brief Demographics

Abbreviation: BDEM

Time Limits Apply:

Max Occurrences Apply:

Description: This component contains information from the MAS software. It provides brief patient demographic information including: address, phone number, and eligibility code (e.g., service connected **50-100%**).

Component Name: MAS DISABILITIES

Display Name: Disabilities

Abbreviation: DS

Time Limits Apply:

Max Occurrences Apply:

Description: This component provides information from the MAS software about a patient's eligibility code and eligibility status (Verified), and rated disabilities, including the disability percentage and whether the disability is service connected or non-service connected.

Component Name: MAS DISCHARGE DIAGNOSIS
Display Name: Discharge Diagnosis
Abbreviation: DD
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains information extracted from the MAS software. Time and occurrence limits apply to this component. Data presented include: Date range of admission through discharge, length of stay (LOS), Principal diagnosis, diagnosis for longest length of stay (DXLS), and secondary ICD discharge diagnoses.



NOTE: This component provides discharge diagnoses coded in the MAS PTF file. The occurrence limits are determined by the occurrence of admissions.

Component Name: MAS DISCHARGES
Display Name: Discharges
Abbreviation: DC
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains information extracted from the MAS software. Time and occurrence limits apply to this component. Data presented include: date of discharge, DXLS, bedsection, disposition type, disposition place, and outpatient treatment flag.



NOTE: The occurrence limits are determined by the occurrence of admissions.

Component Name: MAS PROCEDURES ICD CODES
Display Name: ICD Procedures
Abbreviation: PRC
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains MAS coded procedures, by admission, extracted from the MAS software. Time and occurrence limits apply to this component. Data presented include: procedure date, procedure name, and ICD-9CM procedure codes.



NOTE: The occurrence limits are determined by the occurrence of admissions.

Component Name: MAS SURGERIES ICD CODES
Display Name: ICD Surgeries
Abbreviation: OPC
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains MAS coded surgeries, by admission, extracted from the MAS software. Time and occurrence limits apply to this component. Data presented include: surgery date, procedure name, and ICD-9CM procedure codes.



NOTE: The occurrence limits are determined by the occurrence of admissions.

Component Name: MAS TRANSFERS
Display Name: Transfers
Abbreviation: TR
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains information extracted from the MAS software. Time and occurrence limits apply to this component. Data presented include: transfer date, type, destination, and provider (when available).



NOTE: The occurrence limits are determined by the occurrence of admissions.

Component Name: MAS TREATING SPECIALTY
Display Name: Treating Specialty
Abbreviation: TS
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains information extracted from the MAS software. Time and occurrence limits apply to this component. Data presented include: treating specialty change date/time, new treating specialty, (admission date), and provider.



NOTE: The occurrence limits are determined by the occurrence of admissions.

Component Name: MEDICINE SUMMARY
Display Name: Medicine Summary
Abbreviation: MED
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains information extracted from the Medicine software. Time and maximum occurrence limits apply. Data presented include: procedure date/time, medical procedure name, and result (e.g., normal, abnormal, borderline).



NOTE: This component is a summary of procedure statuses.

Component Name: ORDERS CURRENT
Display Name: Current Orders
Abbreviation: ORC
Time Limits Apply: yes
Max Occurrences Apply:
Description: This component contains current orders from the OE/RR software. Since the OE/RR software integrates all orders for the ancillary services, the orders will be reported in most recent orders first sequence without concern for the ancillary software the order originated from/for. Current orders are defined as those orders with an OE/RR order status other than discontinued or expired. The component information includes item ordered, OE/RR order status, start date, and stop date. OE/RR order status abbreviations include “blank”=Active, “c”=Complete, “dc”=Discontinued, “e”= expired, “?”=Flagged, “h”=Hold, “i”=incomplete, “p”=pending, “s”=scheduled.

Component Name: PHARMACY INTRAVENOUS

Display Name: IV Pharmacy

Abbreviation: RXIV

Time Limits Apply: yes

Max Occurrences Apply:

Description: This component contains IV orders extracted from the Pharmacy software. Only time limits apply. Data presented include: start date, stop date, drug (additives), dose, status, solutions and infusion rates.



NOTE: If no time limit is defined, only active IV orders are reported. If a time limit is defined, all IV orders that have an expiration or cancel date within the time limit range are reported.

Component Name: PHARMACY OUTPATIENT

Display Name: Outpatient Pharmacy

Abbreviation: RXOP

Time Limits Apply: yes

Max Occurrences Apply:

Description: This component contains information from the Outpatient Pharmacy software. Only time limits apply. Data presented include: drug, prescription number, status expiration/cancellation date (when appropriate), quantity, issue date, last fill date, refills remaining, provider, and cost/fill (when available).



NOTE: This component is formatted similar to the Short Medication Profile. If no time limit is defined, all orders are reported. When a time limit is defined, all outpatient pharmacy orders that have an expiration or cancel date within the time limit range are reported.

Component Name: PHARMACY UNIT DOSE

Display Name: Unit Dose Pharmacy

Abbreviation: RXUD

Time Limits Apply: yes

Max Occurrences Apply:

Description: This component contains Unit Dose information extracted from the Pharmacy software. Only time limits apply. Data presented include: Drug, dose, pharmacy status, start date, stop date, and sig (which includes schedule instructions and route).



NOTE: If no time limit is defined, all active orders are reported. If a time limit is defined, all unit dose orders that have an expiration or cancel date within the time limit range are reported.

Component Name: PROGRESS NOTES

Display Name: Progress Notes

Abbreviation: PN

Time Limits Apply: yes

Max Occurrences Apply: yes

Description: This component contains progress notes from the Generic Progress Notes software *and* progress notes from the Mental Health software. Time and maximum occurrence limits apply to this component. Data presented include: Progress note date/time written, title, text of note, electronic signature block (including possible cosignature and cosigner comments), and the note's correction text and correction date/time. Only those notes that have been signed with an electronic signature or (for generic progress notes) electronically marked signed on chart will be reported.

Component Name: PROGRESS NOTES BRIEF
Display Name: Brief Progress Notes
Abbreviation: BPN
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains information from the Mental Health and Generic Progress Notes softwares. Time and maximum occurrence limits apply. Data presented include: Progress note date/time, title, author and last correction date/time. Only those notes that have been signed with an electronic signature or (for generic progress notes) electronically marked signed on chart will be listed.

Component Name: RADIOLOGY IMPRESSION
Display Name: Radiology Impression
Abbreviation: RI
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains impressions from the Radiology software. Time and maximum occurrence limits apply. Data presented include: study date, procedure(s), status, and radiologist's impression (narrative). Only radiology impressions that have been verified are reported.

Component Name: RADIOLOGY IMPRESSION SELECTED
Display Name: Sel Rad Impression
Abbreviation: SRI
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains impressions from the Radiology software. Time and occurrence limits apply. Data presented include: study date, procedure(s), status and radiologist's impression (narrative) for the procedures selected by the user (e.g., CHEST 2 VIEWS -PA & LAT). Only radiology impressions that have been verified are reported.

Component Name: RADIOLOGY PROFILE
Display Name: Radiology Profile
Abbreviation: RP
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains information from the Radiology software. Time and maximum occurrence limits apply. Data presented include: study date, procedure(s) with status(es), report status, staff radiologist, resident radiologist, and the narrative fields modifier, history, report, and impression. Only radiology profiles that have been verified are reported.

Component Name: RADIOLOGY STATUS
Display Name: Radiology Status
Abbreviation: RS
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains procedure statuses from the Radiology software. Time and maximum occurrence limits apply. Data presented include: request date/ time, status, procedure, scheduled date/time, and provider name.

Component Name: SURGERY REPORTS
Display Name: Surgery Reports
Abbreviation: SR
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains information from the Surgery software. Time and maximum occurrence limits apply. Data presented include: surgery date, surgeon, surgery report status, pre-operative diagnosis, post-operative diagnosis, surgeon's dictation, current procedural terminology operation code and text. Only surgery reports that have been verified are reported.

Component Name: SURGERY REPORTS BRIEF
Display Name: Brief Surgery Rpts
Abbreviation: BSR
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains surgery report statuses extracted from the Surgery software. Time and maximum occurrence limits apply. Data presented include: surgery date, surgical procedure, and report status (e.g., COMPLETE).

Component Name: VITAL SIGNS
Display Name: Vital Signs
Abbreviation: VS
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains vital measurements extracted from the Vital Signs module of the Nursing software. Time and maximum occurrence limits apply. Data presented include: measurement date/time, blood pressure (as SBP/DBP), pulse, temperature, height, weight, and respiratory rate.

Component Name: VITAL SIGNS SELECTED
Display Name: Vital Signs Selected
Abbreviation: SVS
Time Limits Apply: yes
Max Occurrences Apply: yes
Description: This component contains selected vital measurements extracted from the Vital Signs module of the Nursing software. Time and maximum occurrence limits apply, and the user is allowed to select any of the vital measurement types defined in the Vital Type file (e.g., pulse, blood pressure, temperature, height, weight, and respiration rate). Data presented include: measurement date/time, measurement type and measurement value.



NOTE: Formatted display is horizontal.

5 Appendix C—PDX Transaction Statuses

The following are the statuses that can be assigned to PDX transactions:

- Requested patient could not be uniquely identified at remote facility
- PDX request from remote facility being processed automatically
- Requested patient could not be found at remote facility
- PDX request from remote facility that requires manual processing
- PDX transmission that is currently being received
- Requested information was not released by remote facility
- Acknowledgement for receipt of PDX request by remote facility
- PDX request
- Requested information was returned
- Request to retransmit message using previous version
- Unsolicited PDX that was transmitted from local facility
- Acknowledgement for receipt of unsolicited PDX by remote facility
- Unsolicited PDX

Index

A

Acronyms
 Intranet Website, 115
Add/Edit Fields to Encrypt, 90
 Example, 90
Add/Edit Outgoing Group, 92
 Example, 94
 Process, 93
Add/Edit Release Group, 102
 Example, 102
Add/Edit Segment Group – All, 102
 Example, 105
 Process, 103
Add/Edit Segment Group – Private, 97
 Example, 99
 Process, 97
Add/Edit Segment Group – Public, 99
 Example, 101
 Process, 100
Appendix A—List Manager, A, 117
Appendix B—Health Summary
 Components, B, 119
Assumptions, xv

B

Bulletins, 110
 PDX Request Requires Processing, 110
 PDX Transaction Could Not Be Purged,
 113
 Receipt of Unsolicited PDX, 112
 Results of PDX Request, 111
 Unable to Send Messages, 114

C

Callout Boxes, xiii
Contents, iv

D

Data Dictionary
 Data Dictionary Utilities Menu, xiv
 Listings, xiv
Disclaimers

 Software, xi
Display PDX by Transaction, 41
 Example, 44
 Process, 42
Display PDX by User, 45
 Example, 47
 Process, 46
Display PDX Data, 41
Documentation
 Symbols, xii
Documentation Conventions, xii
Documentation Navigation, xiii

E

Edit maximum limits for automatic
 processing, 91
 Example, 91
Edit Parameter File, 94
 Example, 96
 Process, 95
ES Anonymous Directories, xv

F

Files
 PRESCRIPTION (#52), 90
 VAQ - ENCRYPTED FIELDS (#394.73),
 17

G

Glossary, 115
 Intranet Website, 115

H

Help
 At Prompts, xiv
 Online, xiv
 Question Marks, xiv
Home Pages
 Acronyms Intranet Website, 115
 Adobe Website, xv
 Glossary Intranet Website, 115
 VHA Software Document Library (VDL)
 Website, xv

How to
 Obtain Technical Information Online, xiv
 Use this Manual, x

I

Implementation, 18
Intended Audience, x
Introduction, 16

L

List File Attributes Option, xiv
Load/Edit PDX Data, 37
 Example, 40
 Process, 38

M

Mail Groups, 109
 VAQ PDX ERRORS, 109
 VAQ UNSOLICITED RECEIVED, 109
Menus
 Data Dictionary Utilities, xiv

O

Obtaining
 Data Dictionary Listings, xiv
Online
 Documentation, xiv
 Technical Information, How to Obtain,
 xiv
Options
 Data Dictionary Utilities, xiv
 List File Attributes, xiv
Orientation, x
Overview, 16

P

PDX Edit Files, 90
PDX Request Requires Processing Bulletin,
 110
PDX Transaction Could Not Be Purged
 Bulletin, 113
PRESCRIPTION (#52) File, 90
Process External PDX, 32
 Example, 35

 Process, 33
Purge Using Default Age
 Example, 105, 106
Purge Using User Defined Age, 106
 Example, 107
Purge Using User Defined Date, 108
 Example, 109
Purging, 105

Q

Question Mark Help, xiv

R

Receipt of Unsolicited PDX Bulletin, 112
Reference Materials, xv
Request PDX for Patient, 19
 Example, 24
 Process, 20
Requires Processing Report, 48
 Example, 49
Results of PDX Request Bulletin, 111
Revision History, ii

S

Software Disclaimer, xi
Software Management, 17
Software Operation, 18
Sort By Date
 Example, 75, 76
Sort By Date Received, 57
 Example, 59
Sort By Patient's Name, 55, 81
 Example, 56, 82
Sort By Remote Facility, 49, 78
 Example, 50, 79
Sort By Requesting Date, 64
 Example, 65
Sort By Status of Transaction, 67
 Example, 68
Sort By Type of Work Done, 87
 Example, 88
Sort By User That Generated Request, 52
 Example, 53
Sort By User That Released Information, 61
 Example, 62

Sort Criteria Defined By User, 69, 84
 Example, 71, 85
Symbols
 Found in the Documentation, xii
System Reports, 48

T

Table of Contents, iv

U

Unable to Send Messages Bulletin, 114
Unsolicited PDX, 26
 Example, 30
 Process, 26
URLs
 Acronyms Intranet Website, 115
 Adobe Website, xv
 Glossary Intranet Website, 115
 VHA Software Document Library (VDL)
 Website, xv
Use this Manual, How to, x

V

VAQ - ENCRYPTED FIELDS File
 (#394.73), 17
VAQ Mail Groups
 MANUAL PROCESSING, 109
VAQ MANUAL PROCESSING Mail
 Group, 109
VAQ PDX ERRORS Mail Group, 109
VAQ UNSOLICITED RECEIVED Mail
 Group, 109
VHA Software Document Library (VDL)
 Website, xv

W

Web Pages
 Adobe Website, xv
 VHA Software Document Library (VDL)
 Website, xv
Websites
 Acronyms Intranet Website, 115
 Glossary Intranet Website, 115
Work Load Reports, 75