MEDITATION

WHAT IS IT?

Throughout human history, different forms of meditation have been developed in many cultures worldwide, often in association with religious traditions. Meditation's broad scope makes defining and studying it challenging, because there are so many different types, with different styles, techniques, and goals. Some forms of meditation focus on mindful awareness. Others focus on different directions.

The word meditation derives from the Latin word "meditari" which means to engage in contemplation or reflection; the term is closely related to the word "measure," as in doing things according to proper measure. In modern health care, it typically refers to a practice in which the mind is trained to maintain focused attention for various reasons, including to cultivate positive states of mind or to increase concentration and focus. As one description put it, "through the active and intentional shaping of our brains (neuroplasticity), we can shape well-being."[1] There are meditations to foster awareness, and there are also meditations to enhance compassion and loving-kindness.

From the perspective of many contemplative traditions, meditation may be defined as spiritual practices intended to bring about enlightenment, self-actualization, or transcendence.[1] From the perspective of neuroscience, meditation is frequently defined by researchers as one or more techniques for training attention, concentration, and/or awareness of how one's own mind works, with the intent of enhancing self-regulation in some way.[2] Depending on their scientific background, spiritual or religious perspectives, and personal experience, people will resonate with different definitions, and it is important for meditation instructors (and clinical team members who discuss meditation with others) to be respectful of this.

Herbert Benson, who introduced the concept of the relaxation response, focused on the mental and physical effects of different forms of meditation, noting that many of them have certain features in common, in terms of their effect on the body.[3] They enlist a quiet environment, and many forms encourage people to settle down their bodies. People are encouraged to simply watch—but not get caught up in—distracting thoughts, and often they are invited to focus their attention on one specific thing, like a word (a *mantram*) or the breath. Of course, while appreciating these points of commonality, it is important to recognize that the variety and richness of different ways to meditate is born of thousands of years of human experience from around the world. As you discuss meditation as an option, remember that it is not simply a therapy, or a "one size fits all" approach to care. Different people will gravitate toward different approaches, and often, after meditation training, people tend to explore how it might fit into their overall worldview and, if relevant for them, their perspectives on spirituality and religion.

Meditation approaches have been classified in various ways. For example, practices may be based on one or more of the following overarching approaches:[3]

- Focused attention. The goal is to enhance concentration. Techniques use a single focus. Examples include breathing meditations, mantra meditation, and candle gazing.
- Open monitoring. Rather than one focus of concentration, these approaches encourage people to pay attention more broadly, noting what is happening with their thoughts, images, emotions, sensations, etc. Vipassana meditation, which informed the development of Mindfulness Based Stress Reduction (MBSR), is an example.
- Non-dual. These approaches attempt to remove the distinction between self and other, to move into a more unified understanding of experience. These are taught, especially in Eastern traditions, to reduce attachments.
- Loving-kindness and compassion. These approaches move focus to well-being, often using mental imagery techniques. They focus on manipulating thoughts and emotions. A growing body of research supports their use.[4]

HOW IT WORKS

An entire multidisciplinary field has arisen in the past few decades related to the scientific study of various types of meditation. Research in contemplative neuroscience, which often involves the use of measurement devices to study the brain (and occasionally other parts of the body) when a person is meditating, has been taking us in new directions with our understanding of the brain and its function. Various techniques can be used to alter brain activity in different areas.

HOW TO USE IT

In developing a practice, here are some important considerations:

- 1. Type of meditation. Remember that meditation is not always the stereotypical sitting on a cushion chanting; there are many options. The more familiar a team member is with different types of meditation, the more effective they will be at discussing options. Try different meditations yourself so you can speak from experience. Ask meditation teachers (in VA, they are often mental health professionals) for guidance.
- 2. Whether or not to take a class. It can help for beginners to start out in a group environment.
- 3. Frequency (depends on the individual's goals—could be once a week, three times a week, daily). Many people have the goal of meditating daily or near daily.
- 4. How long? Many people start with a few minutes and build up. MBSR courses encourage people to meditate for approximately 45 minutes six days a week;

however, meditation length differs depending on the individual and type of practice. One study suggested that 13 minutes minimum daily meditation could decrease negative mood, enhance attention, working memory and recognition memory as well as decreased anxiety scores with 8 weeks of practice (but not at 4 weeks).[5]

5. Several different types of meditation commonly used in VA are listed here:

Mindfulness-Based Stress Reduction (MBSR) is one of the most common meditation-based training approaches used in U.S. health care settings.[6,7] Jon Kabat-Zinn, who developed the course based on Buddhist meditation practices for the purpose of providing a secular experience for people in a hospital setting, introduced MBSR in the 1980s as an 8-week course that introduces learners to a number of different methods for cultivating mindful awareness, including seated meditation, movement approaches (hatha yoga), compassion meditation, and eating meditation, among others. It is taught in over 200 medical centers nationwide, and it is widely taught in the VA.

Mindfulness-Based Cognitive Therapy (MBCT) is an adaptation of MBSR. It features cognitive therapy-based exercises linking thinking and it's resulting impact on emotions with mindful awareness. It has been found to be beneficial for depression and rumination.[8-11] MBCT has also been found to help Veterans with PTSD, diabetes, tinnitus, anxiety, IBS, and weight loss.[12-17]

Mindful Self-Compassion (MSC): MSC builds upon MBSR and focuses on extending care, kindness, empathy and acceptance towards self and others. MSC has been found to have significant benefits for well-being. Individuals who are more self-compassionate tend to have greater happiness, life satisfaction and motivation, better relationships and less social isolation, greater physical health and less anxiety and depression.[18-23] MSC has also strengthened resilience needed to cope with stressful life events such as divorce, health crises and academic failure.[24-26] Mindful Self-Compassion has been studied in Veterans and found to be helpful in reducing PTSD symptoms associated with combat trauma.[27] A pilot study found that Veteran engagement with MSC was high, and completers of the training demonstrated small to medium effect size increases in self-compassion, happiness, and social role satisfaction, and decreases in depression, anxiety, fatigue, and pain interference. Those veterans taking pain medication also reported a significant decrease in use.[28] For health care professions, cultivating self-compassion is associated with less burnout, "compassion" fatigue and more satisfaction with care-giving role.[29,30]

iRest® Yoga Nidra. "iRest" is short for Integrative Restoration. This practice was developed specifically for a military/Veteran population in the early 2000s, based on the ancient practice of Yoga Nidra.[31] It includes a ten-step protocol for "meditative self-inquiry."[32] iRest Yoga Nidra is used regularly as part of weekly care at Walter Reed, and has been adopted in a number of VA medical centers too. Research indicates it is helpful with a variety of conditions, including depression, anxiety, quality of life, insomnia, pain, traumatic brain injury sequelae, low self-esteem, and overall patient satisfaction.[33]

Transcendental Meditation® (TM) reduces blood pressure as well as anxiety and stress.[34-36] It decreases need for anxiety and PTSD medications in active military personnel.[37] In fMRI studies, it has been found to increase blood flow to attentional system of the brain and decrease flow to arousal areas.[38,39]

Mantram Meditation (MM) was brought to the United States from India by Eknath Easwaran. A word, sound, or phrase is chanted repeatedly as a way to redirect thoughts, enhance concentration, and improve emotion. (If the person thinks the word/sound/phrase rather than speaking it aloud, it is called a "mantra" instead.) Mantram repetition elicits the relaxation response and helps with PTSD, insomnia, anxiety, and depression.[40,41] It also improves pain and quality of life.[42] Research indicates MM may work on certain areas of the brain differently from other forms of meditation, because of the use of language it requires.[3,43]

Several MM trainings for VA staff are available on the VA's Talent Management System (TMS).

WHEN TO USE IT

The number of studies of meditation has been increasing rapidly in recent years. The VA HSR&D's Evidence-Based Synthesis Program created an evidence map of mindfulness to offer a quick overview of the state of the research up through early 2014.[44] In general, it is clear that meditation has great potential to be beneficial for many health concerns, and more research is needed because the quality of some of the research to date is varied.

The following results, primarily from meta-analyses and reviews, have noted the following about meditation:

- Benefits seen in the research to date are frequently related to psychological health and functioning.[45] Meditation reduces stress and improves capacity to cope with any number of chronic disorders. Anxiety, depression and PTSD are improved for example, as is chronic pain.[46-48] In a Veteran population, these were reduced along with suicidal ideation.[48]
- Physical aspects of illnesses that are strongly influenced by emotions are also significantly affected. [49] Sleep and headache both benefit as well as improving physical function, pain intensity and quality of life in chronic low back pain. [50-56] Blood pressure, fatigue, and quality of life are improved following a stroke. [57] Mindfulness-based interventions (MBI) reduced psychological distress, fatigue and anxiety in cancer. [58-60] Meditation seems, in general, to enhance resilience to stress. [61]
- The American Heart Association noted that "studies of meditation suggest a possible benefit on cardiovascular risk" with a 2021 meta-analysis supporting that MBI's have a positive influence on coping with psychological risk factors and improving physiological fitness.[62,63]

- Meditation, at least in part because it regulates the stress response, suppresses
 chronic inflammation, alters immune system function and favorably influences the
 gut microbiome.[64,65] It lengthens telomeres, which correlate to reduced
 morbidity and mortality.[66] Overall, meditation practice leads to decreased
 physiological markers of stress in a range of populations.[67]
- Significant behavior change has been noted when Mindfulness-based interventions (MBI) are studied for weight loss and obesity-related eating behaviors. MBI's were noted to be moderately effective for weight loss and largely effective in decreasing obesity-related eating behaviors. [68]
- It has been calculated, based on study data, that having people over 60 do TM regularly "...could avert nearly 200,000 stroke cases and 50,000 stroke-related deaths over the course of 15 years." [69]
- The VA has done pioneering research focusing on MM, which has shown promise for a number of conditions. Military veterans, who report high rates of psychiatric and physical health symptoms, were a focus of a 2020 meta-analysis and systematic review. One conclusion was that MBIs may improve psychological symptoms and quality of life/functioning in veterans.[48,70]
- TM drops blood pressure and average of 4/2 mm Hg, which is comparable to other lifestyle interventions.[34,35]
- Going on meditation retreats also has benefit, including on depression, anxiety, stress, and quality of life.[71]
- Web-based mindfulness interventions have been shown to be helpful as well for decreasing stress, improving quality of life and lowering anxiety.[72,73]
- Smartphone apps that include acceptance and/or mindfulness components have also been beneficial resulting in significantly higher levels of acceptance/mindfulness and significantly lower levels of psychological distress.[74]
- MBSR and other MBIs show that it can impact and help reduce burnout in healthcare professionals.[75,76]

WHAT TO WATCH OUT FOR (HARMS)

Meditation tends to be safe overall. If someone has severe mental illness, they might be best served by training in a group environment with a well-trained instructor. Hallucinations can make meditation a challenge. It should be used carefully in people with significant trauma histories, psychosis, or hallucinations.

TIPS FROM YOUR WHOLE HEALTH COLLEAGUES

Keep in mind that meditation is not intended to be a therapy for a specific health issue or issues. Rather, it is an overall approach to living and being in the world, and it can potentially be useful for everyone. Research continues to confirm that even eight weeks of meditation training will lead to significant changes in brain function.[6] Again, tailor the type of meditation used to the person. Some people prefer to be active, and tai chi and yoga are often referred to as movement-based meditations. Other activities can be meditative as well, such as chanting or walking meditation. However, playing a sport, gardening, or other activities that involve focusing on the activity are not strictly types of meditation, based on the more specific sense of the term.

Certification in meditation instruction is offered through several institutions, including the Oasis Institute Center for Mindfulness, University of Massachusetts Medical School, and the VA CALM program. See the resources list at the end of this document.

RESOURCES

VA WHOLE HEALTH WEBSITE AND RELATED RESOURCES

- Whole Health Veteran Handouts: https://www.va.gov/WHOLEHEALTH/veteranhandouts/index.asp
 - Seated Meditation
 - Mantram Meditation
 - o Tai Chi and Qi Gong for Whole Health
 - Yoga and Whole Health
 - Compassion Practice
 - Mindful Awareness Practice in Daily Living
 - Mindful Eating
- <u>Guided Meditation Audio Files:</u> https://www.va.gov/WHOLEHEALTH/veteran-resources/guided-meditation-audio-files.asp
 - o Introduction to Meditation with Dr. Serpa (5 minutes)
 - Paced Breathing (7 minutes)
 - Mental Muscle Relaxation (5 minutes)
 - Mini Mental Vacation (7 ½ minutes)
 - o Introduction to Meditation with Dr. Greg Sherpa (5 minutes)
 - o Grounding Meditation (5 minutes)
 - Mindfulness of Breathing Meditation (10 minutes)
 - Mindfulness of Sounds Meditation (10 minutes)
 - Compassionate Breathing Meditation (10 minutes)
 - Loving Kindness Meditation (10 minutes)
 - Body Scan Meditation (15 minutes)
 - Body Scan with Loving Kindness Phrases (15 minutes)
 - Intro on Mindfulness and Using the Personal Health Inventory (16 minutes)
 - For VA Clinicians by Dr. Gaudet (8 minutes)

- STAR Well-Kit: https://www.warrelatedillness.va.gov/education/STAR/
 - Resources from the War-Related Injury and Illness Study Center. Materials related to Meditation include Richard Miller's "Guided Meditation" and James Gordon's "Soft Belly Breathing".
 - o Ben King, a Veteran, also describes his experience with breathing exercises.
 - Patrick Crehan Mindfulness Meditation (where another Veteran describes his experience).
- VA CALM Program. This training course for mindfulness instructors is offered through the Office of Patient-Centered Care & Cultural Transformation.

WHOLE HEALTH LIBRARY

- Mindfulness Meditation for Chronic Low Back Pain: https://www.va.gov/WHOLEHEALTHLIBRARY/docs/Mindfulness-Meditation-for-Chronic-Low-Back-Pain.pdf
- Yoga: https://www.va.gov/WHOLEHEALTHLIBRARY/docs/Yoga.pdf
- <u>Tai Chi and Qi Gong</u>: https://www.va.gov/WHOLEHEALTHLIBRARY/docs/Tai-Chi-and-Qi-Gong.pdf
- <u>Mindful Awareness</u>: https://www.va.gov/WHOLEHEALTHLIBRARY/overviews/mindful-awareness.asp

OTHER WEBSITES

- <u>Dharma.org</u>: https://www.dharma.org/resources/audio/
 - o A huge selection of exercises.
- Dartmouth College Student Wellness Center:

https://www.dharma.org/resources/audio/

- o Offers a variety of short guided meditation exercises, as well as others for relaxation and Guided Imagery.
- Foundation for Active Compassion:

https://foundationforactivecompassion.org/media/

- Free Mindfulness: http://www.freemindfulness.org/download
 - A site where several instructors have donated recordings.
- <u>Warriors at Ease</u>: http://www.warriorsatease.com/
 - Focuses on bringing yoga and meditation to military communities around the world. For free resources, just need to sign up for the newsletter.

- UCLA Mindful Awareness Research Center:
 - https://www.uclahealth.org/marc/body.cfm?id=22&iirf_redirect=1
 - Has several short meditations, including several in Spanish. Need to download the UCLA app to utilize.
- <u>University of California San Diego Center for Mindfulness</u>: https://cih.ucsd.edu
 - o Some somewhat longer guided meditations including some in Spanish.
- <u>University of Massachusetts Center for Mindfulness in Medicine, Health Care, and Society</u>: https://www.umassmemorialhealthcare.org/umass-memorial-center-mindfulness. Four and eight week online MBSR courses, MBCT courses, Mindfulness for managing Pain. Some series are in Spanish. Each course requires signup and tuition.
- <u>University of Wisconsin, Family Medicine Mindfulness Meditation Podcast Series</u>: https://www.fammed.wisc.edu/mindfulness-meditation-podcast-series/. 14 mindfulness recordings from 3 to 30 minutes plus related mindfulness recordings.
- Mindful Self-Compassion: https://self-compassion.org
 - Has several free self-compassion meditations.

BOOKS

- Altered Traits: Science Reveals How Meditation Changes Your Mind, Brain, and Body, Daniel Goleman (2017)
- How To Meditate: A Practical Guide to Making Friends With Your Mind, Pema Chodrun (2013)
- The Science of Meditation: How to Change Your Brain, Mind and Body, Richard Goleman and Daniel Davidson (2018)
- Conscious Breathing: Breathwork for Health, Stress Release, and Personal Mastery, Gay Hendricks (1995)
- How to Meditate: A Guide to Self-Discovery, Lawrence Le Shan (1998)
- Teaching Meditation to Children, David Fontana (2007)
- The Meditator's Atlas: A Roadmap of the Inner World, Matthew Flickstein (2007)
- The Miracle of Mindfulness: An Introduction to the Practice of Meditation, Thich Nhat Hahn (1999)
- *Meditation: A Simple Eight-Point Program,* Eknath Easwaren (1978)
- *The Relaxation Response*, Herbert Benson (2000)
- Books by Cheri Huber (focus on various aspects of Meditation) such as
 - o Perils and Pitfalls of Practice: Responses to Questions about Meditation

- o Nothing Happens Next: Responses to Questions about Meditation
- o Transform Your Life: A year of Awareness Practice

AUDIO RECORDINGS

- Body Scan: Managing Pain, Illness and Stress with Guided Mindfulness Meditation, 2nd edition, Vidyamala Burch (2008).
- Guided Mindfulness Meditation (3-part series), Jon Kabat-Zinn, (2004)
- Mindfulness Meditation for Pain Relief: Guided Practices for Reclaiming Your Body and Your Life, Jon Kabat-Zinn (2010)
- Living Without Stress or Fear: Essential Teachings on the True Source of Happiness, Thich Nhat Hahn (2009)
- Road Sage: Mindfulness Techniques for Drivers. Sylvia Boorstein. Audiobook CD. (2006).

APPS AND MONITORING SOFTWARE

- **10% Happier**. Meditation for Fidgety Skeptics. Focused on those who are not sure they want to meditate. Free version and premium version that has videos.
- **Aura**. Has daily meditations, nature sounds, stories, music, and coaching.
- **Breethe**. Variety of meditations, inspirational talks, and lectures.
- **Buddhify**. 200+ meditations for different indications. One-time purchase fee; inapp purchases also available.
- **Calm**. Has multiple meditations and progress trackers.
- **Ensō**. Meditation timer and bells that can be set at different intervals to keep you alert (for those with more experience).
- **Headspace**. Hundreds of guided meditations. Monthly fee after trial.
- **Inscape**. Meditations, music, and breathing exercises suggested based on your goals (for ages 13 and up).
- **Insight timer**. Has a variety of guided meditations and a tracker.
- **Meditation and Relaxation Pro**. Simple and effective guides that allow you to choose a focus or goal.
- **Sattva**. Built around meditation traditions from India. Generally considered more advanced.
- **Simple Habit**. 5-minute meditations from an array of teachers. Has coaching, stories, and motivational guides as well.
- **Smiling Mind**. Created by a psychologist, tailors meditations to age; includes programs for group use (suitable for children). Free.
- **Stop, Think, and Breathe**. You check in with your current feelings, and meditations are suggested accordingly. Multiple free activities; also has a premium membership option.

- **The Mindfulness App**. Offers a 5-day guided practice and introduction to mindfulness from a variety of well- known meditation teachers, as well as personalized options and daily reminder settings.
- Healthy Minds Program. Well-rated and free meditation and mindfulness app.

AUTHOR(S)

"Meditation" was written by <u>Janice Singles</u>, PsyD and <u>Shilagh Mirgain</u>, PhD. (2014, updated 2023)

This Whole Health tool was made possible through a collaborative effort between the University of Wisconsin Integrative Health Program, VA Office of Patient Centered Care and Cultural Transformation, and Pacific Institute for Research and Evaluation.

REFERENCES

- 1. Brandmeyer T, Delorme A, Wahbeh H. The neuroscience of meditation: classification, phenomenology, correlates, and mechanisms. *Prog Brain Res.* 2019;244:1-29.
- 2. Cahn BR, Polich J. Meditation (Vipassana) and the P3a event-related brain potential. *Int J Psychophysiol.* 2009;72(1):51-60.
- 3. Benson H, Kotch JB, Crassweller KD. The releaxation response: a bridge between psychiatry and medicine. *Med Clin North Am.* 1977;61(4):929-938.
- 4. Graser J, Stangier U. Compassion and loving-kindness meditation: an overview and prospects for the application in clinical samples. *Harv Rev Psychiatry*. 2018;26(4):201-215.
- 5. Basso JC, McHale A, Ende V, Oberlin DJ, Suzuki WA. Brief daily meditation enhances attention, memory, mood and emotional regulation in non-experienced meditators. *Behav Brain Res.* 2019 Jan 1;356:208-220.
- 6. Khoury B, Sharma M, Rush SE, Fournier C. Mindfulness-based stress reduction for healthy individuals: A meta-analysis. *J Psychosom Res.* 2015;78(6):519-528.
- 7. Gotink R, Meijboom R, Smits M, W Vernooij M, Hunink M. 8-week Mindfulness Based Stress Reduction induces brain changes similar to traditional long-term meditation practice A systematic review. *Brain Cogn.* 2016;108:32-41.
- 8. Piet J, Hougaard E. The effect of mindfulness-based cognitive therapy for prevention of relapse in recurrent major depressive disorder: a systematic review and meta-analysis. *Clin Psychol Rev.* 2011;31(6):1032-1040.
- 9. Teasdale JD, Moore RG, Hayhurst H, Pope M, Williams S, Segal ZV. Metacognitive awareness and prevention of relapse in depression: empirical evidence. *J Consult Clin Psychol.* 2002;70(2):275-287.
- 10. Thimm JC, Johnsen TJ. Time trends in the effects of mindfulness-based cognitive therapy for depression: A meta-analysis. *Scand J Psychol.* 2020;61(4):582-591.

- 11. Cladder-Micus MB, Becker ES, Spijker J, Speckens AEM, Vrijsen JN. Effects of mindfulness-based cognitive therapy on a behavioural measure of rumination in patients with chronic, treatment-resistant depression. *Cognitive Therapy and Research.* 2019;43(4):666-678.
- 12. King AP, Erickson TM, Giardino ND, et al. A pilot study of group mindfulness-based cognitive therapy (MBCT) for combat veterans with posttraumatic stress disorder (PTSD). *Depress Anxiety.* 2013;30(7):638-645.
- 13. Ni Y, Ma L, Li J. Effects of mindfulness-based stress reduction and mindfulness-based cognitive therapy in people with diabetes: a systematic review and meta-analysis. *J Nurs Scholarsh.* 2020.
- 14. Marks E, Smith P, McKenna L. I wasn't at war with the noise: how mindfulness based cognitive therpy changes patients' experiences of tinnitus. *Front Psychol.* 2020;11:483.
- 15. Ghahari S, Mohammadi-Hasel K, Malakouti SK, Roshanpajouh M. Mindfulness-based cognitive therapy for Generalized Anxiety Disorder: a systematic review and meta-analysis. *East Asian Arch Psychiatry.* 2020 Jun;30(2):52-56.
- 16. Henrich JF, Gjelsvik B, Surawy C, Evans E. Martin M. A randomized clinical trial of mindfulness-based cognitive therapy for women with irritable bowel syndrome Effects and mechanisms. *J Consult Clin Psychol.* 2020;88(4):295-310.
- 17. Alamout MM, Rahmanian M, Aghamohammadi V, Mohammadi E, Nasiri K. Effectiveness of mindfulness based cognitive therapy on weight loss, improvement of hypertension and attentional bias ot eating cues in overweight people. *Int J Nurs Sci.* 2020;7(1):35-40.
- 18. Zessin U, Dickhauser O, Garbade S. The relationship between self-compassion and well-being: a meta-analysis. *Applied Psychology.* Health and Well-being. 2015;7(3):340-360.
- 19. Gu X, Luo W, Zhou X, et al. The effects of loving kindness and compassion meditation on life satisfaction: A systematic review. *Applied Psychology: Health and Well-being.* 2022 May; doi:10.1111/aphw.12367.
- 20. Neff KD, Hsieh Y-P, Dejitterat K. Self-compassion, achievement, goals and coping with academic failure. *Self and Identity.* 2005;4(3):263-287.
- 21. Terry ML, Leary MR. Self-compassion, self-regulation and health. *Self and Identity*. 2011;10(3):352-362.
- 22. Kilic A, Hudson J, McCracken LM, Ruparela R, Fawson S, Hughes LD. A systematic review of the effectiveness of self-compassion related interventions for individuals with chronic physical health conditions. *Behav Therapy*. 2021;52(3):607-625.
- 23. Wilson AC, Mackintosh K, Power K, Chan SWY. Effectiveness of self-compassion related therapies: A systematic review and meta-analysis. *Mindfulness*. 2019;10(6):979-995.
- 24. Ewert C, Vater A, Schröder-Abé M. Self-compassion and coping: A meta-analysis. *Mindfulness.* 2021;12(5):1063-1077. doi:10.1007/s12671-020-01563-8.
- 25. Sbarra DA, Smith HL, Mehl MR. When leaving your ex, love yourself: Observational ratings of self-compassion predict the course of emotional recovery following marital separation. *Psychological Science*. 2012;23(3):261-269. doi:10.1177/0956797611429466.

- 26. Sirois FM, Molnar DS, Hirsch JK. Self-compassion, stress, and coping in the context of chronic illness. *Self and Identity.* 2015;14(3):334-347. doi:10.1080/15298868.2014.996249.
- 27. Hiraoka R, Meyer EC, Kimbrel NA, DeBeer BB, Gulliver SB, Morissette SB. Self-compassion as a prospective predictor of PTSD symptom severity among trauma-exposed US Iraq and Afghanistan war veterans. *Journal of Traumatic Stress.* 2015;28(2):127-133. doi:10.1002/jts.21995.
- 28. Serpa JG, Bourey CP, Adjaoute GN, Pieczynski JM. Mindful self-compassion (MSC) with veterans: A program evaluation. *Mindfulness.* 2021;12(1):153-161. doi:10.1007/s12671-020-01508-1.
- 29. Conversano C, Ciacchini R, Orrù G, Di Giuseppe M. Gemignani A, Poli A. Mindfulness, compassion, and self-compassion among health care professionals: What's new? A systematic review. *Frontiers in Psychology.* 2020;11. doi:10.3389/fpsyg.2020.01683.
- 30. Sinclair S, Kondejewski J, Raffin BS, King SKM, Singh P. Can self-compassion promote healthcare provider well-being and compassionate care to others? Results of a systematic review. *Applied Psychology: Health and Well-being.* 2017;9(2):168-206. doi:10.1111/aphw.12086.
- 31. iRest. About iRest. 2019;https://www.irest.org/about-irest. Accessed July 23, 2020.
- 32. iRest. iRest Yoga Nidra Research. 2019; https://www.irest.org/irest-research. Accessed July 23, 2020.
- 33. iRest. The 10 Step iRest Protocol. https://www.irest.org/irest-10-step-protocol. Accessed July 23, 2020.
- 34. Ooi SL, Giovino M, Pak SC. Transcendental meditation for lowering blood pressure: An overview of systematic reviews and meta-analyses. *Complement Ther Med.* 2017:26-34.
- 35. Gathright EC, Salmoirago-Blotcher E, DeCosta J, et al. The impact of transcendental meditation on depressive symptoms and blood pressure in adults with cardiovascular disease: A systematic review and meta-analysis. *Complement Ther Med.* 2019;46:172-179.
- 36. Mosini AC, Saad M, Braghetta CC, Medeiros R, Peres MFP, Leão FC. Neurophysiological, cognitive-behavioral and neurochemical effects in practitioners of transcendental meditation A literature review. *Rev Assoc Med Bras (1992).* 2019;65(5):706-713.
- 37. Barnes VA, Monto A, Williams JJ, Rigg JL. Impact of transcendental meditation on psychotropic medication use among active duty military service members with anxiety and PTSD. *Mil Med.* 2016;181(1):56-63.
- 38. Mahone MC, Travis F, Gevirtz R, Hubbard D. fMRI during Transcendental Meditation practice. *Brain Cogn.* 2018;123:30-33.
- 39. Avvenuti G, Leo A, Cecchetti L, et al. Reductions in perceived stress following Transcendental Meditation practice are associated with increased brain regional connectivity at rest. *Brain Cogn.* 2020;139:105-117.
- 40. Crawford JN, Talkovsky AM, Bormann JE, Lang AJ. Targeting hyperarousal: Mantram Repetition Program for PTSD in US veterans. *Eur J Psychotraumatol*. 2019;10(1):166-176.
- 41. Hilton L, Maher AR, Colaiaco B, et al. Meditation for posttraumatic stress: systematic review and meta-analysis. *Psychol Trauma*. 2017;9(4):453-460.

- 42. Innes KE, Selfe TK, Kandati S, Wen S, Huysmans Z. Effects of mantra meditation versus music listening on knee pain, function, and related outcomes in older adults with knee osteoarthritis: an exploratory randomized clinical trial (RCT). *Evid Based Complement Alternat Med.* 2018;2018:7683897.
- 43. Berkovich-Ohana A, Wilf M, Kahana R, Arieli A, Malach R. Repetitive speech elicits widespread deactivation in the human cortex: the "Mantra" effect? *Brain and Behavior*. 2015 Jul;5(7):e00346. Published online 2015 May 4.
- 44. Hempel S, Taylor SL, Marshall NJ, et al. Evidence map of mindfulness. 2014; VA-ESP Project #05-226. Available at: http://www.hsrd.research.va.gov/publications/esp/cam_mindfulness-REPORT.pdf. Accessed July 23, 2020.
- 45. Arias AJ, Steinberg K, Banga A, Trestman RL. Systematic review of the efficacy of meditation techniques as treatments for medical illness. *J Altern Complement Med.* 2006;12(8):817-832.
- 46. Ball EF, Nur Shafina Muhammad Sharizan E. Franklin G. Rogozinska E. Does mindfulness meditation improve chronic pain? A systematic review. *Curr Opin Obstet Gynecol.* 2017;29(6):359-366.
- 47. Goldberg SB, Tucker RP, Greene PA, et al. Mindfulness-based intervrentions for psychiatric disorders: A systematic review and meta-analysis. *Clin Psychol Rev.* 2018;59:52-60.
- 48. Serpa JG, Taylor SL, Tillisch K. Mindfulness-based stress reduction (MBSR) reduces anxiety, depression, and suicidal ideation in veterans. *Med Care.* 2014;52(12 Suppl 5):S19-24.
- 49. Wu R, Liu LL, Zhu H, et al. Breif mindfulness meditation improves emotion processing. *Front Neurosci.* 2019;13:1074.
- 50. Rash JA, Kavanagh VA, Garland SN. A Meta-analysis of mindfulness-based therapies for insomnia and sleep disturbance: moving towards processes of change. *Sleep Med Clin.* 2019;14(2):209-233.
- 51. Rusch HL, Rosario M, Levison LM, et al. The effect of mindfulness meditation on sleep quality: a systematic review and meta-analysis of randomized controlled trials. *Ann N Y Acad Sci.* 2019;1445(1):5-16.
- 52. Gu Q, Hou JC, Fang XM. Mindfulness meditation for primary headache pain: a meta-analysis. *Chin Med J (Engl)*. 2018;5/131:829-838.
- 53. Cherkin DC, Sherman KJ, Balderson BH, et al. Effect of mindfulness-based stress reduction vs cognitive behavioral therapy or usual care on back pain and functional limitations in adults with chronic low back pain: a randomized clinical trial. *JAMA*. 2016;315(12):1240-1249.
- 54. Soundararajan K, Prem V, Kishen TJ. The effectiveness of mindfulness-based stress reduction intervention on physical function in individuals with chronic low back pain: systematic review and meta-analysis of randomized controlled trials. *Complement Ther Clin Pract.* D2022;Jun 23;49:101623. Online ahead of print.
- 55. Anheyer D, Haller H, Barth J, Lauche R, Dobos G, Cramer H. Mindfulness-based stress reduction for treating low back pain: a systematic review and meta-analysis. *Ann Intern Med.* 2017;166(11):799-807.
- 56. Lin TH Tam KW, Yang YL, Liou TH, Hsu TH, Rau CL. Meditation-based therapy for chronic low back pain management: a systematic review and meta-analysis of

- randomized controlled trials. *Pain Med.* 2022 Fe b28 pnac037.doi:10.1093. Online ahead of print.
- 57. Lawrence M, Booth J, Mercer S, Crawford E. A systematic review of the benefits of mindfulness-based interventions following transient ischemic attack and stroke. *Int J Stroke.* 2013;8(6):465-474.
- 58. Cillessen L, Johannsen M, Speckens AEM, Zachariae R. Mindfulness-based interventions for psychological and physical health outcomes in cancer patients and survivors: a systematic review and meta-analysis of randomized controlled trials. *Psychooncology.* 2019;28(12):2257-2269.
- 59. Johns SA, Tarver WL, Secinti E, Mosher CE, Stutz PV, Carnahan JL, Tasneem LT, Shanahan ML, Faidley MT, Kidwell KM, Rand KL. Effects of mindfulness-based interventions on fatigue in cancer survivors: a systematic review and meta-analysis of randomized controlled trials. *Crit Rev Oncol Hematol.* 2021;Apr 160:103290.
- 60. Oberoi S, Yang J, Woodgate RL, Niraula S, Banerji S, Israels SJ, Altman G, Beattie S, Rabbani R, Askin N, Gupta A, Sung L, About-Setta AM, Zarychanski R. Association of mindfulness-based interventions with anxiety severity in adults with cancer: a systematic review and met-analysis. *JAMA Netw Open.* 2020;3(8):12598.
- 61. Hoge EA, Bui E, Palitz SA, et al. The effect of mindfulness meditation training on biological acute stress responses in generalized anxiety disorder. *Psychiatry Res.* 2018;262:328-332.
- 62. Levine GN, Lange RA, Bairey-Merz CN, et al. Meditation and cardiovascular risk reduction: a scientific statement from the American Heart Association. *J Am Heart Assoc.* 2017;6(10).
- 63. Marino F, Failla C, Carrozza C, Ciminata M, Chila P, Minutolli R, Genovese S, Puglisi A, Arnao AA, Tartarisco G, Corpina F, Gangemi S, Ruta L, Ceresa A, Vagni D, Pioggia G. Mindfulness-based interventions for physical and psychological well-being in cardiovascular diseases: a systematic review and meta-analysis. *Brain Sci.* 2021;May 29:11(6)727.
- 64. Househam AM, Peterson CT, Mills PJ, Chopra D. The effects of stress and meditation on the immune system, human microbiota, and epigenetics. *Adv Mind Body Med.* 2017;31(4):10-25.
- 65. Black DS, Slavich GM. Mindfulness meditation and the immune system: a systematic review of randomized controlled trials. *Ann N Y Acad Sci.* 2016;1373(1):13-24.
- 66. Conklin QA, Crosswell AD, Saron CD, Epel ES. Meditation, stress processes, and telomere biology. *Curr Opin Psychol.* 2019;28:92-101.
- 67. Pascoe MC, Thompson DR, Jenkins ZM, Ski CF. Mindfulness mediates the physiological markers of stress: systematic review and meta-analysis. *J Psychiatr Res.* 2017;25:156-178.
- 68. Carriere K, Khoury B, Gunak MM, Knauper B. Mindfulness-based interventions for weight loss: a systematic review and meta-analysis. *Obes Rev.* 2018;19(2):164-177.
- 69. Ambavane RA, Khademi A, Zhang D, Shi L. Modeling the impact of transcendental meditation on stroke incidence and mortality. *J Stroke Cerebrovasc Dis.* 2019;28(3):577-586.
- 70. Goldberg SB, Riordan KM, Sun S, Kearney DJ, Simpson TL. Efficacy and acceptability of mindfulness-based interventions for military veterans: a systematic review and meta-analysis. *J Psychosom Res.* 2020;138:110232.

- 71. Khoury B, Knauper B, Schlosser M. Carriere K, Chiesa A. Effectiveness of traditional meditation retreats: A systematic review and meta-analysis. *J Psychosom Res.* 2017;92:16-25.
- 72. Sevilla-Llewellyn-Jones J, Santesteban-Echarri O, Pryor I, McGorry P, Alvarez-Jimenez M. Web-based mindfulness interventions for mental heatlh treatment: systematic review and meta-analysis. *JMIR Ment Health.* 2018;Sep 25;5(3):e10278.
- 73. Zhang Y, Xue Jiaming, Huang Y, A meta-analysis: Internet mindfulness-based interventions for stress management in the general population. *Medicine*. 2020;Jul 10;99(28):e20493.
- 74. Linardon J. Can acceptance, mindfulness, and self-compassion be learned by smartphone apps? A systematic and meta-analytic review of randomized controlled trials. *Behavior Therapy.* 2020;51(4):646-658. doi:10.1016/j.beth.2019.10.002.
- 75. Salvado M, Marques DL, Pires IM, Silva NM. Mindfulness-based interventions to reduce burnout in primary healthcare professionals: a systematic review and meta-analysis. *Healthcare*. 2021 Oct 9;9(10):1342.
- 76. Spinelli C, Wisener M, Khoury B. Mindfulness training for healthcare professionals and trainees: a meta-analysis of randomized controlled trials. *J Psychosom Res.* 2019 May;120:29-38.